



2121 Innovation Court, Suite 100
P.O. Box 5095
De Pere, WI 54115-5095
(920) 497-2500
foth.com

February 26, 2025

Gwen Saliaries
Wisconsin Department of Natural Resources
Northeast Region RR
625 East County Road Y, Suite 700
Oshkosh, WI 54901

Re: Summary of the November 2024 Groundwater Sampling Event at the Former Better Brite Chrome and Zinc Shops

Dear Gwen Saliaries:

The purpose of this letter is to summarize the groundwater sampling event conducted on November 21 and 22, 2024, at the former Better Brite Chrome and Zinc shop locations. The former Better Brite chrome shop site is located at 500 Lande Street (BRRTS #02-05-000030) and the zinc shop site is located at 315 6th Street (BRRTS #02-05-000031), De Pere, Wisconsin as illustrated on Figure 1. This summary includes the following:

- ◆ Figure 1 – Site Location Map
- ◆ Figure 2 – Monitoring Wells – Chrome Shop
- ◆ Figure 3 – Monitoring Wells – Zinc Shop
- ◆ Well-Specific Field Forms
- ◆ Table 1 – Groundwater Analytical Summary – Chrome Shop
- ◆ Table 2 – Groundwater Analytical Summary – Zinc Shop
- ◆ Monitoring Well Photograph Log
- ◆ Laboratory Reports

Groundwater elevations were collected at all available monitoring well network locations at both sites. The groundwater elevations were recorded on the well-specific field forms.

At the Zinc Shop site, monitoring locations W-1, W-1A, MW-2, and MW-6A were purged utilizing a peristaltic pump as the well column integrity does not allow a standard bailer to pass through the well column. Monitoring wells W-1 and W-1A were purged dry and allowed to recover before the sample was collected. Monitoring Wells MW-2 and MW-6A were purged until the appropriate water volume was removed before the samples were collected.

Monitoring well covers were inspected at all locations during the sampling event. The conditions of the monitoring well protective casing were noted on the field forms and photographs of the covers were collected.

Color, odor, and turbidity observations were recorded on the field form. The well-specific field forms also provide the measured depth to water, mean sea level groundwater elevation, time spent purging, and approximate volume of water removed prior to sample collection. The purged groundwater was containerized in five-gallon buckets and disposed of in the sump located inside the zinc shop treatment facility where it will be treated before being discharged to the NEW Water.

The unfiltered groundwater samples collected from the monitoring well network were submitted to Pace Laboratories for analysis. The sample analysis per monitoring location is summarized below:

Better Brite Analysis per Monitoring Location

Chrome Shop Site	Zinc Shop Site
VOCs: MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	VOCs: W-1, W-1A, MW-2, MW-3R, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, Zinc Sump
Hexavalent Chrome: MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	Hexavalent Chromium: W-1, W-1A, MW-2, MW-3R, MW-5, MW-5A, MW-6, MW-6A, MW-7, MW-7A, MW-8, MW-8A, MW-9, MW-10, MW-11, MW-12, Zinc Sump
Iron and Sulfate: MW-115, MW-116	Cyanide: Zinc Sump

VOC = volatile organic compound

The groundwater analytical methods are included in the analytical reports. The laboratory analysis has been summarized in Table 1 and Table 2. Monitoring well MW-108 and MW-112 was unable to be sampled due lack of water in the well. Sulfate samples missed during the sample event.

Monitoring wells MW-108A, MW-116, W-1, W-1A, MW-3R, MW-5, MW-5A, MW-6, MW-10, MW-12 and the Zinc Sump have Hexavalent Chromium analytical results above the NR 140 Enforcement Standard (ES). Monitoring wells, MW-107, MW-107A, MW-7, MW-7A, MW-8, MW-8A, MW-9 and MW-9 have Hexavalent Chromium analytical results above the NR 140 Preventive Action Limits (PAL). Most of the 2024 detects for Hexavalent Chromium exceedances is likely related to laboratory dilutions factors in previous events going back to 2022 compared to no sample dilution in 2024. Another possibility is field contamination which Foth will follow the decontamination referenced in the Quality Assurance Project Plan to adjust for future sampling event.

Monitoring well MW-115 had an ES exceedance for Iron. Monitoring well MW-116 had ES exceedances for 1,1-Dichloroethene and Vinyl Chloride and PAL exceedances for Iron, Trichloroethene, and 1,1,1-Trichloroethane. Monitoring well MW-3R has a NR140 PAL exceedance for 1,1-Dichloroethene. The zinc sump analytical results detected PAL exceedances for Cyanide and 1,1-Dichloroethene. The remaining VOC results were below groundwater PAL for all other constituents and monitoring locations.

If you have any questions regarding the enclosed information, please contact me at (920) 496-6758 or by email at nick.glander@foth.com.

Sincerely,

Foth Infrastructure & Environment, LLC



Nicholas M. Glander
Project Manager




May Willison
Environmental Scientist

Attachments:

Attachment 1	Figure 1 – Site Location Map
Attachment 2	Figure 2 – Monitoring Well Locations – Chrome Shop
Attachment 3	Figure 3 – Monitoring Well Locations – Zinc Shop
Attachment 4	Well-Specific Field Forms
Attachment 5	Table 1 – Groundwater Analytical Summary – Chrome Shop Site
Attachment 6	Table 2 – Groundwater Analytical Summary – Zinc Shop Site
Attachment 7	Monitoring Well Photographic Log
Attachment 8	Laboratory Analytical Reports

Attachment 1

Figure 1 – Site Location Map




NOTES:

1. Basemap from esri.com, courtesy of the National Geographic Society and i-cubed.



This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.



BETTER BRITE SUPERFUND SITE

FIGURE 1 - SITE LOCATION MAP

BETTER BRITE SUPERFUND SITE
315 S. 6TH STREET & 500 LANDE STREET BLOCK
DE PERE, WI 54115

Date: FEBRUARY 2025

Revision Date:


Drawn By: DAT

Checked By: NMG1

Scope: 22W016

Attachment 2

Figure 2 – Monitoring Well Locations – Chrome Shop




NOTES:

- 2022 - 6" resolution air photo from Brown County Land Information Office.
- Wells sampled on November 21st and 22nd, 2024.
- Only shallow monitoring wells were used for contouring.



This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.



BETTER BRITE SUPERFUND SITE

FIGURE 2 - BETTER BRITE - CHROME SHOP

BETTER BRITE SUPERFUND SITE
315 S. 6TH STREET, DE PERE, WI 54115

Date: FEBRUARY 2025

Revision Date:

Drawn By: DAT

Checked By: NMG1

Scope: 22W016


Attachment 3

Figure 3 – Monitoring Well Locations – Zinc Shop



NOTES:

- 2022 - 6" resolution air photo from Brown County Land Information Office.
- Wells sampled on November 21st and 22nd, 2024.
- Only shallow monitoring wells were used for contouring.
- Sump elevation was omitted as the sump was running during measurement.



BETTER BRITE SUPERFUND SITE

FIGURE 3 - BETTER BRITE - ZINC SHOP

BETTER BRITE SUPERFUND SITE
315 S. 6TH STREET, DE PERE, WI 54115

Date: FEBRUARY 2025

Revision Date:

Drawn By: DAT

Checked By: NMG1

Scope: 22W016

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.

Attachment 4
Well-Specific Field Forms

Well Specific Field Sheets

Facility Name: Former Better Brite - Chrome Shop
Date: November 21-22, 2024
Weather Conditions: 11/21 - High of 44°F, Cloudy, light snow / rain. NW winds 17-22mph. 11/22 - High of 47°F, Cloudy, NW winds 12-17mph
Person(s) Sampling: May Willison
Sampling Equipment: Dedicated bailers, Solonist 101 water level meter.

Well Name	MW101	MW104A	MW106	MW106A	MW107	MW107A	MW108	MW108A	MW110	MW110A	MW111	MW112	MW113	MW115	MW115A	MW116
Top of PVC Casing Elevation (MSL)	---	---	606.21	606.36	608.41	608.33	604.22	604.44	603.05	603.31	600.76	600.61	611.08	601.04	601.01	604.28
Depth to Bottom of Well (ft)	---	18.30	14.58	32.09	15.39	39.33	15.82	33.27	14.76	23.80	14.38	15.86	15.08	14.48	23.45	18.88
Water Elevation (MSL)	--	--	599.3	597.7	605.23	--	589.25	591.28	600	593.1	596.29	585.15	607.08	--	596.68	602.95
Measured Depth to Water (ft)	0.79	2.55	6.96	8.65	3.18	AGS	14.97	13.16	3.05	10.21	4.47	15.46	4.00	AGS	4.33	1.33
Time Purging Begun	--	--	12:45	13:00	11:11	14:30	NS	12:35	15:49	15:59	12:10	NS	10:42	15:05	15:25	14:10
Time Purging Completed	--	--	12:55	13:11	11:25	14:50	NS	12:47	15:55	16:04	12:16	NS	10:53	15:20	15:38	14:15
Amount Purged (gal)	--	--	5.0	5.0	8.0	28.0	NS	6.0	3.0	2.0	7.0	NS	7.5	20.0	12.0	12.0
Purged Dry? (Y/N)	--	--	N	Y	N	N	NS	Y	Y	Y	N	NS	N	N	N	N
Color (Y/N)	--	--	Y	Y	Y	Y	NS	Y	N	N	Y	NS	Y	N	Y	Y
Odor (Y/N)	--	--	N	N	N	N	NS	N	N	N	N	NS	N	N	N	N
Turbidity (Y/N)	--	--	Y	Y	Y	Y	NS	Y	Y	N	Y	NS	Y	N	Y	N
Time Sample Withdrawn	--	--	12:56	13:15	11:27	14:51	NS	12:50	15:56	16:05	12:20	NS	10:55	15:25	15:33	14:20
Well secured? (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cover Condition	Well Ok, no cap on well column	Well in good condition. Bolts secure.	Well Broken. Lid Broke, Well Column shifted up.	Well in good condition. Bolts secure.	Well in good condition. One bolt missing.	Well in good condition. Missing Bolts	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.

Notes:

NS: Not sampled due to lack of groundwater in the well column.

AGS: Standing water was present above the well cap that entered the well when removed. Actual depth to water was skewed because of this.

Well Specific Field Sheets

Facility Name: Former Better Brite - Zinc Shop
 Date: November 21-22, 2024
 Weather Conditions: 11/21 - High of 44°F, Cloudy, light snow / rain, NW winds 17-22mph. 11/22 - High of 47°F, Cloudy, NW winds 12-17mph
 Person(s) Sampling: May Willison, Nick Glander
 Sampling Equipment: Dedicated bailers, Solonist 101 water level meter, peristaltic pump for W-1, W-1A, MW2.

Well Name	W-1 (1,2,4)	W-1A (1,2,4)	MW2 (2)	MW3R	MW5	MW5A	MW6 (4)	MW6A (4)	MW7	MW7A	MW8	MW8A	MW9	MW10 (4)	MW11	MW12	Zinc Sump (3)
Top of PVC Casing Elevation (MSL)				602.88	600.81	600.81			600.60	600.51	598.18	598.59	601.66		602.41	599.65	603.99
Depth to Bottom of Well (ft)	19.9	31.52	17.65	16.72	15.53	29.67	18.43	31.74	15.86	26.73	11.41	21.73	16.30	15.00	15.62	10.04	20.40
Water Elevation (MSL)	--	--	--	599.89	593.09	590.61	--	--	596.25	589.13	594.78	596.07	594.82	--	598.78	596.71	588.39
Measured Depth to Water (ft)	10.58	15.40	10.57	2.99	7.72	10.20	9.35	13.50	4.35	11.38	3.40	2.52	6.84	5.71	3.63	2.94	15.60
Time Purging Begun	7:48	8:02	9:30	8:23	10:23	10:05	11:20	11:31	10:48	10:48	10:05	10:17	8:39	8:20	10:53	9:06	--
Time Purging Completed	8:02	8:30	9:43	8:30	10:31	10:15	11:28	11:40	11:53	10:53	10:13	10:28	8:50	8:25	11:03	9:12	--
Amount Purged (gal)	1.5	5	5.0	8.5	5.0	5.0	4.0	12.0	5.0	5.0	5.0	4.0	6.5	2.0	8.0	3.0	--
Purged Dry? (Y/N)	Y	Y	N	N	N	Y	Y	N	Y	Y	N	Y	N	Y	N	Y	--
Color (Y/N)	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	N
Odor (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Turbidity (Y/N)	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	Y	N
Time Sample Withdrawn	9:50	9:40	9:45	8:35	10:35	10:20	11:30	11:45	10:55	11:10	10:15	10:30	8:55	8:30	11:05	9:15	9:05
Well secured? (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cover Condition	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Missing 1 bolt. Still secure	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Pro-top in good condition. Lock in place.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. One bolt does not thread.	Well in good condition. Bolts missing	Cover is flush when bolted. One bolt missing.	Well in good condition. Bolts secure.	Cap Broke, Casing Broke.	Gate overgrown with vegetation. Cover in good condition. Locks secure.

- 1 Depth to bottom of the well is suspect. Felt like soft bottom (sediment).
- 2 A standard bailer would not fit down the monitoring well.
- 3 Sump was not running at time of sample collection.
- 4 Well height modified. New elevation unknown.

Attachment 5

Table 1 – Groundwater Analytical Summary – Chrome Shop Site

Table 1
Groundwater Analytical Summary, Better Brite - Chrome Shop
519 Lande Street, De Pere, WI BRRTS # 02-05-000030

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Chrome Sump (Abandoned)	8/1/94	620000	694000	NA	NA	NA																		
	10/1/94	300200	297000	NA	NA	NA																		
	4/1/98	195000	192000	NA	NA	NA																		
	7/1/98	132000		NA	NA	NA																		
French Drain	8/1/94	25800	22000	NA	NA	NA																		
	10/1/94	32000	31700	NA	NA	NA																		
	4/1/98	1060	1010	NA	NA	NA																		
	7/1/98	336	312	NA	NA	NA																		
B-101	8/1/94	<10	<3.4	NA	NA	NA																		
	10/1/94	<10		NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-106	8/1/94	7	<2.8	NA	NA	NA																		
	DUP.	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	DUP.	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	DUP	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4	NA	NA	NA																		
	8/26/10	<3.9	5.4	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32
11/21/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-106A	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	9.4	NA	NA	NA																		
	8/26/10	<3.9	1.1"J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/21/24	9.5 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-106B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-107	8/1/94	<10	4.1 BJ	NA	NA	NA																			
	10/1/94	<10 J	<3.4	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	4.2	NA	NA	NA																			
	6/1/01	NA	NA	530	50	NA																			
	11/28/01	<4.2	26	3900	NA	1800																			
	5/1/02	7.8	1.2	230	NA	2300																			
	DUP	100	1.9	490	NA	2800																			
	11/2/02	NA	NA	8200	140000	2300																			
	5/3/03	<4.2	1.6	490	95000	1700																			
	5/4/04	6.5	1.7	260	100000	NA																			
	5/12/05	<5.0	0.89	380	97000	NA																			
	8/26/10	<3.9	16.4	4010	16400	NA																			
	6/16/11	<3.9	NA	3130	83600	NA																			
	10/14/21	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/21/24	11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-107A	8/1/94	<10	<2.8	NA	NA	NA																			
	10/1/94	<10 J	<3.4 J	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	16	NA	NA	NA																			
	8/26/10	<3.9	23.2	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/21/24	39	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-107B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																			

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-108	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	NA	NA	NA	NA																		
	DUP	<10	<5	NA	NA	NA																		
	7/21/09	NA	<u>16.0</u>	NA	NA	NA																		
	8/26/10	<3.9	4.6" J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	12/5/13	<3.4	NA	NA	NA	NA																		
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/22/24	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MW-108A	8/1/94	<10	3.0 BJ	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	<u>55</u>	NA	NA	NA																		
	7/9/09	NA	NA	NA	NA	NA																		
	8/26/10	<3.9	1.3" J"	NA	NA	NA																		
	6/16/11	<3.9	1.3" J"	NA	NA	NA																		
	12/5/13	<8.6	NA	NA	NA	NA																		
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/22/24	140	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-108B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-109 (Abandoned)	8/1/94	6780	9570	NA	NA	NA																		
	10/1/94	2400	1980	NA	NA	NA																		
	DUP.	3100	1700	NA	NA	NA																		
	4/1/98	16500	18600	NA	NA	NA																		
	7/1/98	12200	11100	NA	NA	NA																		
MW-109A (Abandoned)	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	1.3 B	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	7/1/98	<10	7	NA	NA	NA																		
MW-109B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		
	10/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-110	8/1/94	<10	3.6 BJ	NA	NA	NA																			
	10/1/94	<10	<3.4 J	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	<u>37</u>	NA	NA	NA																			
	5/4/04	<2.5	<u>11</u>	3400	<u>230000</u>	NA																			
	5/12/05	<5.0	0.89	82	<u>70000</u>	NA																			
	10/5/06	<6.8	1.8	NA	NA	NA																			
	8/21/07	NA	7.4	NA	NA	NA																			
	7/21/09	NA	5.3	NA	NA	NA																			
	8/26/10	<3.9	2.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18
	6/16/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<3.4	NA	NA	NA	NA																			
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
11/21/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-110A	8/1/94	<10	<2.8	NA	NA	NA																			
	10/1/94	<10	<3.4 J	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	<u>25</u>	NA	NA	NA																			
	10/5/06	<6.8	4.2	NA	NA	NA																			
	8/21/07	NA	1.9	NA	NA	NA																			
	7/21/09	NA	1.3	NA	NA	NA																			
	8/26/10	<3.9	1.8 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18
	6/16/11	<3.9	NA	NA	NA	NA																			
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/21/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-111	8/1/94	<10	<3.4	NA	NA	NA																			
	DUP.	<10	<3.4	NA	NA	NA																			
	10/1/94	<10	<0.70	NA	NA	NA																			
	4/1/98	226	<5	NA	NA	NA																			
	7/1/98	22	27	NA	NA	NA																			
	11/1/98	<0.5	<0.5	NA	NA	NA																			
	5/1/00	<4.2	36	NA	NA	NA																			
	11/2/02	<4.2	43	4400	130000	2600																			
	DUP	<4.2	38	3400	100000	280																			
	5/3/03	5.2	33	2700	98000	1400																			
	5/4/04	50	150	5000	93000	NA																			
	5/12/05	250	260	200	87000	NA																			
	11/28/05	<5.0	39	12000	98000	NA																			
	DUP	<5.0	55	21000	96000	NA																			
	10/5/06	<6.8	16	NA	NA	NA																			
	8/21/07	NA	25	NA	NA	NA																			
	7/21/09	NA	23.6	NA	NA	NA																			
	8/26/10	<3.9	19.8	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	10/24/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<3.4	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<51	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
	5/15/19	<130	NA	NA	NA	NA																			
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/22/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-112	10/1/94	<10	<0.70	NA	NA	NA																			
	11/1/94	<10	<2.5	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	5/1/00	<4.2	4.1	NA	NA	NA																			
	8/26/10	<3.9	3.9	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/16/23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
11/21/24	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-113	8/1/94	140	99.7	NA	NA	NA																			
	10/1/94	<10 J	8.6 B	NA	NA	NA																			
	5/1/95	43	20.3	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			
	7/1/98	<10	12	NA	NA	NA																			
	5/1/00	<4.2	22	NA	NA	NA																			
	8/26/10	<3.9	24.3	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/21/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
MW-114 (Abandoned)	3/1/95	<10 J	<2.9	NA	NA	NA																			
	DUP.	<10 J	<2.9	NA	NA	NA																			
	5/1/95	<10 J	<1.0	NA	NA	NA																			
	DUP.	<10 J	<1.0	NA	NA	NA																			
	4/1/98	<10	<5	NA	NA	NA																			

Table 1 (continued)

Sample Location	Date	Detected Parameters (µg/L)																							
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-115	5/1/00	<4.2	6.0	NA	NA	NA																			
	6/1/01	<4.2	<0.52	<u>160</u>	92	NA																			
	11/28/01	<4.2	<u>12</u>	1100	NA	3000																			
	DUP	<4.2	<u>10</u>	3300	NA	3300																			
	5/1/02	<4.2	<u>38</u>	19000	NA	2800																			
	11/2/02	<4.2	<u>38</u>	7000	<u>130000</u>	3100																			
	5/3/03	<4.2	260	9700	90000	1400																			
	DUP	<4.2	<u>56</u>	3600	89000	1400																			
	5/4/04	<2.5	1.3	<u>130</u>	34000	NA																			
	5/12/05	<5.0	1.1	320	44000	NA																			
	10/5/06	<6.8	2.6	NA	NA	NA																			
	8/21/07	NA	10	NA	NA	NA																			
	7/21/09	NA	5.8	NA	NA	NA																			
	8/26/10	<3.9	1.6 J	3530	24800	NA																			
	6/16/11	<3.9	NA	4460	10000	NA																			
	10/24/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<5.7	NA	NA	NA	NA																			
	10/16/14	<3.9	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<26	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
	5/15/19	<51	NA	NA	NA	NA																			
	10/14/21	<73 D3	NA	11300	48.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	<180 D3	NA	21000	33200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	32700	<2200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/21/24	4.7 J	NA	43200	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-115A	5/1/00	<4.2	<u>12.0</u>	NA	NA	NA																		
	10/5/06	<6.8	4.6	NA	NA	NA																		
	8/21/07	NA	2.7	NA	NA	NA																		
	7/21/09	NA	2.9	NA	NA	NA																		
	8/26/10	<3.9	1.4 J	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	10/24/12	<3.9	NA	NA	NA	NA																		
	12/5/13	<8.6	NA	NA	NA	NA																		
	10/16/14	<3.9	NA	NA	NA	NA																		
	10/22/15	<3.9	NA	NA	NA	NA																		
	9/20/16	<26	NA	NA	NA	NA																		
	6/13/18	<130	NA	NA	NA	NA																		
	5/15/19	<51	NA	NA	NA	NA																		
	10/14/21	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32
11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
11/21/24	<u>11</u>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-116	5/1/00	1600	470	NA	NA	NA																			
	DUP.	1500	460	NA	NA	NA																			
	11/1/00	37	23	NA	NA	NA																			
	DUP	46	24	NA	NA	NA																			
	6/1/01	4400	2300	840	2100	NA																			
	11/28/01	3300	2100	690	NA	2400																			
	5/1/02	12000	7300	530	NA	2500																			
	11/2/02	5100	3200	720	20000	2900																			
	5/3/03	8900	6000	410	2700000	1700																			
	5/4/04	28000	22000	43	19000	NA																			
	DUP	28000	22000	280	24000	NA																			
	5/12/05	52000	52000	950	1900000	NA																			
	DUP	54000	53000	710	1800000	NA																			
	11/28/05	50000	61000	840	1800000	NA																			
	10/5/06	39000	36000	900	1800000	NA																			
	DUP	42000	36000	NA	NA	NA																			
	8/21/07	NA	39,000	NA	NA	NA																			
	7/21/09	NA	25,500	NA	NA	NA																			
	8/26/10	21,300	19,200	478	1330000	NA	162	2.4 J	0.43 J	NA	10.3	<0.46	<2.2	NA	NA	30.9	NA	22.1	NA	3.2	76.9	NA	1.1	0.21 J	
	8/26/10 LF	20,200	17,700	NA	NA	NA																			
	4/25/11	34,600	NA	NA	1030000	NA																			
	6/16/11	13,800	NA	240	1660000	NA	3.4 "J"	NA	NA	NA	NA	NA	NA	NA	NA	28.1	NA	25.9	NA	1.2	84.1	NA	2.2	<0.18	
	10/24/11	18,300	NA	NA	NA	NA																			
	10/24/12	22,300	NA	NA	NA	NA																			
	12/5/13	17,600	NA	NA	NA	NA																			
	DUP	17,500	NA	NA	NA	NA																			
	10/16/14	13,300	NA	NA	NA	NA																			
	10/22/15	16,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.5	0.32 J	40.6	1.5	1.7	145	0.46 J	1.6	0.27 J
	9/20/16	16,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.8	<0.34	34.8	1.2 J	1.4 J	135	<0.39	1.5 J	<0.35
	6/13/18	12,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.4	<0.34	37.4	0.93 J	1.1 J	125	<0.39	1.5 J	<0.35
5/15/19	9,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	38.9	<0.28	44.3	1.3	1.2	142	<0.55	2.1	<0.17	
10/14/21	7100	NA	177	1020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	36.7	<0.29	28.9	0.92J	1.2	118	<0.34	2.2	0.22J	
11/10/22	6400	NA	153 J	945,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.7	<0.29	34	0.92J	1	116	<0.34	2	0.27 J	
11/16/23	4900	NA	<113	954,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	35.4	<0.29	30.9	0.81J	1.1	128	<0.34	1.9	<0.17	
11/21/24	4200	NA	257	NS	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	29.5	<0.29	24	0.77 J	1	93.3	<0.34	1.9	0.22 J	

Table 1 (continued)

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
CSTW1	4/25/11	<3.9	NA	NA	1,180,000	NA																		
CSTW2	4/25/11	<3.9	NA	NA	2,840,000	NA																		
CSTW3	4/25/11	1,000	NA	NA	2,010,000	NA																		
CSTW4	4/25/11	<3.9	NA	NA	426,000	NA																		
CSTW5	4/25/11	4.9 "J"	NA	NA	592,000	NA																		
CSTW6	4/25/11	<3.9	NA	NA	608000	NA																		

Notes:
NA = Compound not analyzed
NS = Not Sampled

Underlined = Concentration exceeds preventive action limit
Bolded = Concentration exceeds enforcement standard

J = Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation
D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

Prepared by: NMG1
Checked by: MJW4

Attachment 6

Table 2 – Groundwater Analytical Summary – Zinc Shop Site

Table 2
Groundwater Analytical Summary, Better Brite - Zinc Shop
315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
W-1	10/22/15	10,300	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	9600	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	6600	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	4400	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	6100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		1.1	<0.58	<0.41	9.7	<0.32	<0.17
	11/9/22	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	4.4	<0.32	<0.17
	11/15/23	2900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	3.8	<0.32	<0.17
	11/22/24	1600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	3	<0.32	<0.17
W-1A	10/22/15	3,300	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	2800	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	2700	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	1800	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	640	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		2	<0.58	<0.41	4.5	<0.32	<0.17
	11/9/22	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.4	<0.58	<0.41	5	<0.32	<0.17
	11/15/23	550	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.4	<0.58	<0.41	3	<0.32	<0.17
	11/15/23	630	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.9	<0.58	<0.41	2.9	<0.32	<0.17
PF-MW-2	May-00	<4.2	7.6	NA	NA	NA																
	Jun-01	<4.2	7.1	NA	NA	NA																
	Nov-01	<4.2	10	NA	NA	NA																
	May-02	<4.2	≤0.52	NA	NA	NA																
	Nov-02	<4.2	2.4	NA	NA	NA																
	May-03	<4.2	49	NA	NA	NA																
	10/22/15	<3.9	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	<5.1	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/13/18	<26	NA	NA	NA	NA	(Grab Sample, previously purged)															
	11/9/22	<7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	2.8 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-3/MW3R	5/1/00	230	330	NA	NA	NA																	
	11/1/00	50	130	NA	NA	NA																	
	6/1/01	3500	2200	NA	NA	NA																	
	11/28/01	38	1700	NA	NA	NA																	
	5/1/02	<4.2	220	NA	NA	NA																	
	11/2/02	<4.2	18	NA	NA	NA																	
	5/3/03	110	55	NA	NA	NA																	
	Dup	83	49	NA	NA	NA																	
	5/4/04	89	190	NA	NA	NA																	
	5/12/05	<5.0	17	NA	NA	NA																	
	7/21/09	NA	717	NA	NA	NA																	
	8/24/10	660	552	NA	NA	NA																	
	6/28/11	2800	NA	NA	NA	NA																	
	10/24/11	2200	NA	NA	NA	NA																	
	10/23/12	560	NA	NA	NA	NA																	
	12/5/13	140	NA	NA	NA	NA																	
	10/16/14	190	NA	NA	NA	NA																	
	10/22/15	100	NA	NA	NA	NA																	
	9/19/16	380	NA	NA	NA	NA																	
	6/12/18	<130	NA	NA	NA	NA																	
	5/14/19	88	NA	NA	NA	NA																	
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7 J	4.6	0.96J	<0.41	8.9	<0.32	<0.17
	11/9/22	<73 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5 J	3.6	1.1	<0.41	10.2	<0.32	<0.17
	11/15/23	140 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.6 J	4.5	1.7	<0.41	13	<0.32	<0.17
	11/22/24	570	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	4.6	1.8	<0.41	20.4	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4 (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	DUP	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	DUP	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.6	NA	NA	NA																
	11/1/00	<4.2	2.4	NA	NA	NA																
	6/1/01	<4.2	<u>12</u>	NA	NA	NA																
	11/28/01	<4.2	7.4	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	<u>15</u>	NA	NA	NA																
	5/3/03	<4.2	<u>27</u>	NA	NA	NA																
	5/4/04	<2.5	1.8	NA	NA	NA																
	5/12/05	<5.0	9	NA	NA	NA																
11/28/05	<5.0	<u>12</u>	NA	NA	NA																	
MW-4A (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	6.0 B	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	8.7	NA	NA	NA																
	11/1/00	<4.2	3.7	NA	NA	NA																
	6/1/01	<4.2	3.7	NA	NA	NA																
	11/28/01	<4.2	<u>13</u>	NA	NA	NA																
	5/1/02	<4.2	<u>38</u>	NA	NA	NA																
	11/2/02	<4.2	<u>28</u>	NA	NA	NA																
	5/3/03	<4.2	<u>32</u>	NA	NA	NA																
	5/4/04	<2.5	0.75	NA	NA	NA																
	5/12/05	<5.0	2	NA	NA	NA																
	11/28/05	<5.0	2.8	NA	NA	NA																

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC																	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02																	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2																	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L																	
MW-4B (Abandoned)	10/1/94	<10	<0.70	NA	NA	NA																																	
	11/1/94	<10	<2.5	NA	NA	NA																																	
MW-5	8/1/94	1590	827	NA	NA	NA																																	
	10/1/94	460 J	299 J	NA	NA	NA																																	
	DUP	510 J	763 J	NA	NA	NA																																	
	4/1/98	212	631	NA	NA	NA																																	
	DUP	207	667	NA	NA	NA																																	
	7/1/98	1420	1230	NA	NA	NA																																	
	5/1/00	120	190	NA	NA	NA																																	
	11/1/00	<4.2	6.6	NA	NA	NA																																	
	6/1/01	590	450	NA	NA	NA																																	
	11/2/02	2200	2200	NA	NA	NA																																	
	DUP	2200	2200	NA	NA	NA																																	
	5/3/03	4900	3600	NA	NA	NA																																	
	5/4/04	4700	3100	NA	NA	NA																																	
	5/12/05	4000	3200	NA	NA	NA																																	
	Oct-06	4900	4000	NA	NA	NA																																	
	8/21/07	NA	2,700	NA	NA	NA																																	
	7/21/09	NA	2,210	NA	NA	NA																																	
	8/24/10	1,300	1,180	NA	NA	NA																																	
	6/28/11	970	NA	NA	NA	NA																																	
	10/24/11	1,100	NA	NA	NA	NA																																	
	10/23/12	970	NA	NA	NA	NA																																	
	12/5/13	1000	NA	NA	NA	NA																																	
	10/22/15	330	NA	NA	NA	NA																																	
	9/19/16	460	NA	NA	NA	NA																																	
	6/12/18	180	NA	NA	NA	NA																																	
	5/14/19	<51	NA	NA	NA	NA																																	
	10/14/21	<73	NA	NA	NA	NA																	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/9/22	<370 D3	NA	NA	NA	NA																	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA																	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	430	NA	NA	NA	NA																	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location		Date	Detected Parameters (µg/L)																				
			Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit			10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard			100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units			µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5A	8/1/94	<10	<3.4	NA	NA	NA																	
	10/1/94	<10	<3.4 J	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	6.5	NA	NA	NA																	
	11/1/00	340	380	NA	NA	NA																	
	6/1/01	<4.2	3.9	NA	NA	NA																	
	11/2/02	<4.2	34	NA	NA	NA																	
	5/3/03	<4.2	22	NA	NA	NA																	
	DUP	<4.2	49	NA	NA	NA																	
	5/4/04	<2.5	2.7	NA	NA	NA																	
	5/12/05	<5.0	7.6	NA	NA	NA																	
	8/24/10	<3.9	2.5"J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	10/14/21	<180 D3	NA	NA	NA	NA																	
	11/9/22	<1800 D3	NA	NA	NA	NA																	
	11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/22/24	340	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-5B (Abandoned)	8/1/94	NA	NA	NA	NA	NA																	
	10/1/94	<10	<5	NA	NA	NA																	

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-6	8/1/94	15900	39200	NA	NA	NA																	
	10/1/94	47000	41,900 J	NA	NA	NA																	
	4/1/98	7650	4560	NA	NA	NA																	
	5/1/00	23000	26000	NA	NA	NA																	
	11/1/00	26000	23000	NA	NA	NA																	
	6/1/01	14000	15000	NA	NA	NA																	
	11/1/01	25000	29000	NA	NA	NA																	
	5/1/02	13000	13000	NA	NA	NA																	
	11/2/02	21000	22000	NA	NA	NA																	
	5/3/03	11000	9300	NA	NA	NA																	
	5/4/04	13000	15000	NA	NA	NA																	
	5/12/05	12000	11000	NA	NA	NA																	
	DUP	12000	11000	NA	NA	NA																	
	10/5/06	12000	12000	NA	NA	NA																	
	DUP	14000	12000	NA	NA	NA																	
	8/21/07	NA	8,900	NA	NA	NA																	
	7/21/09	NA	10,400	NA	NA	NA																	
	8/24/10	8400	7,540	NA	NA	NA																	
	6/28/11	5200	NA	NA	NA	NA																	
	10/24/11	6,500	NA	NA	NA	NA																	
	10/23/12	7,300	NA	NA	NA	NA																	
	12/5/13	6,100	NA	NA	NA	NA																	
	10/16/14	3,300	NA	NA	NA	NA																	
	10/22/15	360	NA	NA	NA	NA																	
	9/20/16	3500	NA	NA	NA	NA																	
	6/13/18	1400	NA	NA	NA	NA																	
	5/14/19	1200	NA	NA	NA	NA																	
	10/14/21	1400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	150	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location		Date	Detected Parameters (µg/L)																				
			Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit			10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard			100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units			µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6A	8/1/94	<10	4.9 B	NA	NA	NA																	
	10/1/94	<10	<3.4 J	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	6.6	<u>22</u>	NA	NA	NA																	
	11/1/00	<4.2	<u>13</u>	NA	NA	NA																	
	6/01	<4.2	<u>11</u>	NA	NA	NA																	
	11/1/01	<4.2	7.1	NA	NA	NA																	
	5/1/02	<4.2	51	NA	NA	NA																	
	11/2/02	<4.2	<u>83</u>	NA	NA	NA																	
	5/3/03	<4.2	<u>59</u>	NA	NA	NA																	
	5/4/04	<2.5	3.4	NA	NA	NA																	
	5/12/05	<5.0	12	NA	NA	NA																	
	8/24/10	<3.9	1.7" J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	10/14/21	<73	NA	NA	NA	NA																	
	11/9/22	<370	NA	NA	NA	NA																	
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	<2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-6B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																	

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	8/1/94	<10	6.6 BJ	NA	NA	NA																
	DUP.	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	36.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	DUP	<10	<5	NA	NA	NA																
	5/1/00	<4.2	3.9	NA	NA	NA																
	11/1/00	<4.2	1.1	NA	NA	NA																
	6/1/01	<4.2	2.7	NA	NA	NA																
	11/28/01	<4.2	9.7	NA	NA	NA																
	5/1/02	<4.2	3.2	NA	NA	NA																
	11/2/02	<4.2	1.9	NA	NA	NA																
	5/3/03	<4.2	0.91	NA	NA	NA																
	5/4/04	<2.5	0.88	NA	NA	NA																
	5/12/05	<5.0	32	NA	NA	NA																
	8/21/07	NA	4.4	NA	NA	NA																
	7/21/09	NA	9	NA	NA	NA																
	8/24/10	<3.9	3.7" J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/22/24	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-7A	8/1/94	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.7	NA	NA	NA																
	11/1/00	7.9	5	NA	NA	NA																
	6/1/01	<4.2	2.5	NA	NA	NA																
	11/28/01	<4.2	<.52	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	0.98	NA	NA	NA																
	5/3/03	<4.2	0.85	NA	NA	NA																
	5/4/04	3.9	2.2	NA	NA	NA																
	5/12/05	<5.0	0.65	NA	NA	NA																
	8/24/10	<3.9	1.6" J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<370 D3	NA	NA	NA	NA																
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	16	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-8	10/1/94	<10	<0.70	NA	NA	NA																	
	11/1/94	<10	<2.5	NA	NA	NA																	
	DUP.	<10	<2.5	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	<u>15</u>	NA	NA	NA																	
	11/1/00	<u>13</u>	<u>13</u>	NA	NA	NA																	
	6/1/01	5.3	2	NA	NA	NA																	
	11/28/01	<4.2	2.3	NA	NA	NA																	
	DUP	<4.2	6.7	NA	NA	NA																	
	5/1/02	<4.2	4	NA	NA	NA																	
	11/3/02	<4.2	<u>23</u>	NA	NA	NA																	
	5/3/03	<4.2	2.2	NA	NA	NA																	
	5/6/04	<2.5	1.7	NA	NA	NA																	
	5/12/05	<5.0	1.1	NA	NA	NA																	
	8/21/07	NA	2.3	NA	NA	NA																	
	8/24/10	<3.9	<u>96</u>	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/22/24	<u>23</u>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-8A	10/1/94	<10	<0.70	NA	NA	NA																	
	11/1/94	<10	<2.5	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	<u>16</u>	NA	NA	NA																	
	11/1/00	<4.2	<u>34</u>	NA	NA	NA																	
	6/1/01	<4.2	3.7	NA	NA	NA																	
	11/28/01	<4.2	<u>14</u>	NA	NA	NA																	
	5/1/02	<4.2	2.5	NA	NA	NA																	
	DUP	<4.2	<u>11</u>	NA	NA	NA																	
	11/2/02	<4.2	<u>20</u>	NA	NA	NA																	
	5/3/03	<4.2	<u>13</u>	NA	NA	NA																	
	5/4/04	3.9	0.59	NA	NA	NA																	
	5/12/05	<5.0	2.6	NA	NA	NA																	
	8/21/07	NA	0.92	NA	NA	NA																	
	8/24/10	<3.9	1.7"J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	11/9/22	<370 D3	NA	NA	NA	NA																	
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24	<u>23</u>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location		Date	Detected Parameters (µg/L)																					
			Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit			10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard			100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units			µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-9	8/1/94		400	697	NA	NA	NA																	
	10/1/94		470 J	442 J	NA	NA	NA																	
	4/1/98		209	<5	NA	NA	NA																	
	7/1/98		60	75	NA	NA	NA																	
	11/1/00		13	15	NA	NA	NA																	
	DUP		19	51	NA	NA	NA																	
	6/1/01		28	180	NA	NA	NA																	
	11/1/01		35	76	NA	NA	NA																	
	5/1/02		75	72	NA	NA	NA																	
	11/2/02		67	80	NA	NA	NA																	
	5/3/03		32	53	NA	NA	NA																	
	5/4/04		54	63	NA	NA	NA																	
	Dup		50	46	NA	NA	NA																	
	5/12/05		28	41	NA	NA	NA																	
	10/5/06		17	34	NA	NA	NA																	
	8/21/07		NA	52	NA	NA	NA																	
	7/21/09		NA	33.3	NA	NA	NA																	
	8/24/10		27	30.3	NA	NA	NA																	
	6/28/11		14	NA	NA	NA	NA																	
	10/23/12		18 J	NA	NA	NA	NA																	
	12/5/13		<3.4	NA	NA	NA	NA																	
	10/16/14		<3.9	NA	NA	NA	NA																	
	10/22/15		<3.9	NA	NA	NA	NA																	
	9/19/16		<26	NA	NA	NA	NA																	
	6/12/18		<130	NA	NA	NA	NA																	
	5/14/19		<51	NA	NA	NA	NA																	
	10/14/21		<730	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/9/22		<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23		<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/22/24		15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-10	8/1/94	60300	53100	NA	NA	NA																	
	10/1/94	60800 J	43,500 J	NA	NA	NA																	
	11/1/00	20000	18000	NA	NA	NA																	
	6/1/01	<4.2	20	NA	NA	NA																	
	11/2/02	35000	38000	NA	NA	NA																	
	5/3/03	38000	37000	NA	NA	NA																	
	5/4/04	25000	22000	NA	NA	NA																	
	11/28/05	13000	13000	NA	NA	NA																	
	10/5/06	14000	13000	NA	NA	NA																	
	8/21/07	NA	17,000	NA	NA	NA																	
	10/22/15	10,300	NA	NA	NA	NA																	
	9/19/16	9,800	NA	NA	NA	NA																	
	6/12/18	3,200	NA	NA	NA	NA																	
	5/14/19	1,500	NA	NA	NA	NA																	
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
11/22/24	180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-11	5/1/95	<10	<1.0	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	7.0	NA	NA	NA																	
	11/1/00	<4.2	4.1	NA	NA	NA																	
	6/1/01	<4.2	3.6	NA	NA	NA																	
	11/1/01	<4.2	7.8	NA	NA	NA																	
	5/1/02	17	<20	NA	NA	NA																	
	11/2/02	<4.2	27	NA	NA	NA																	
	5/3/03	<4.2	12	NA	NA	NA																	
	5/4/04	<2.5	2.3	NA	NA	NA																	
	5/12/05	<5.0	2.8	NA	NA	NA																	
	8/24/10	<3.9	8.9	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	0.36 J	<0.32	<0.17
	11/22/24	22	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	0.36 J	<0.32	<0.17

Table 2 (continued)

Sample Location		Date	Detected Parameters (µg/L)																				
			Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit			10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard			100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units			µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	3/1/95		<10 J	<2.9	NA	NA	NA																
	5/1/95		<10	<1.0	NA	NA	NA																
	4/1/98		<10	<5	NA	NA	NA																
	5/1/00		<4.2	4.8	NA	NA	NA																
	11/1/00		<4.2	6	NA	NA	NA																
	jun-01		<4.2	6.4	NA	NA	NA																
	11/28/01		<4.2	<0.52	NA	NA	NA																
	5/1/02		<4.2	4.8	NA	NA	NA																
	11/2/02		<4.2	1.3	NA	NA	NA																
	5/3/03		<4.2	1.3	NA	NA	NA																
	5/4/04		<2.5	1.8	NA	NA	NA																
	5/12/05		<5.0	8.1	NA	NA	NA																
	8/24/10		<3.9	6.5	NA	NA	NA																
	6/28/11		<3.9	NA	NA	NA	NA																
	11/9/22		<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23		<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/22/24		130	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-13	3/1/95		<10 J	<2.9	NA	NA	NA																
	5/1/95		<10	<1.0	NA	NA	NA																

Table 2 (continued)

		Detected Parameters (µg/L)																				
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Zinc Sump	8/1/94	89000	209000	NA	NA	NA																
	10/1/94	144900	277000	NA	NA	NA																
	4/1/98	66000	38300	NA	NA	NA																
	7/1/98	131000	131000	NA	NA	NA																
	5/1/00	1800	1700	NA	NA	NA																
	11/1/00	41000	27000	NA	NA	NA																
	6/1/01	40000	110000	NA	NA	NA																
	11/28/01	23000	56000	NA	NA	NA																
	5/1/02	43000	14000	NA	NA	NA																
	11/2/03	23000	30000	NA	NA	NA																
	5/3/03	8400	6800	NA	NA	NA																
	5/4/04	24000	6400	NA	NA	NA																
	5/12/05	15000	13000	NA	NA	NA																
	10/5/06	7500	5900	NA	NA	NA																
	8/21/07	NA	20,000	NA	NA	NA																
	7/21/09	NA	14,800	NA	NA	NA																
	8/24/10	12,100	11,300	NA	NA	NA	90.6	NA	NA	40	NA	NA	<2.2	2.5 J	4.7 J		<0.75	<0.57	<0.45	1.5	<0.48	<0.18
	6/28/11	4100	NA	NA	NA	NA	6.6	NA	NA	250	NA	NA	<2.2	2.5 J	4.7 J		1.2	2.8	0.84	38.9	<0.48	<0.18
	10/24/11	3,700	NA	NA	NA	NA	6.0 "J"	NA	NA	220	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/23/12	110	NA	NA	NA	NA	NA	NA	NA	40	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	12/5/13	5,100	NA	NA	NA	NA	NA	NA	NA	340	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/16/14	9,600	NA	NA	NA	NA	NA	NA	NA	190	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/22/15	10,200	NA	NA	NA	NA	NA	NA	NA	220	NA	NA	NA	NA	NA		2.9	2.5	1.2	49.0	<0.33	<0.18
	9/19/16	14,000	NA	NA	NA	NA	<7.3	NA	NA	160	NA	NA	NA	NA	NA		1.4	1.2	0.79J	22.6	<0.33	<0.18
	6/13/18	9900	NA	NA	NA	NA	NA	NA	NA	51	NA	NA	NA	NA	NA		<0.24	<0.41	<0.50	2.1	<0.33	<0.18
	5/14/19	8100	NA	NA	NA	NA	NA	NA	NA	100	NA	NA	NA	NA	NA		0.68J	1.2	0.45J	14.1	<0.26	<0.17
10/14/21	6500	NA	NA	NA	NA	NA	NA	NA	0.089J	NA	NA	NA	NA	NA		1.5	0.81J	0.75J	15.7	<0.32	<0.17	
11/9/22	4200	NA	NA	NA	NA	NA	NA	NA	75 J	NA	NA	NA	NA	NA	<1.4	1.9	1.4	0.93J	20.2	<0.32	<0.17	
11/15/23	3700	NA	NA	NA	NA	NA	NA	NA	130 H1	NA	NA	NA	NA	NA	<1.4	1.1	0.88 J	<0.41	9.8	<0.32	<0.17	
11/22/24	2900	NA	NA	NA	NA	NA	NA	NA	140	NA	NA	NA	NA	NA	<1.4	3.2	4.4	1.6	44.4	<0.32	<0.17	
Private	8/1/94	<10	<10	NA	NA	NA																
Municipal	8/1/94	<10	<10	NA	NA	NA																
	DUP.	<10	<10	NA	NA	NA																
	10/1/94	<10	<10	NA	NA	NA																
	DUP.	<10	<10	NA	NA	NA																
USGS	10/1/94	<10	0.75 B	NA	NA	NA																
USGS-A	10/1/94	<10	11.9	NA	NA	NA																

Notes:

NA = Compound not analyzed
NS = Not Sampled
Underlined = Concentration exceeds preventive action limit

Bolded = Concentration exceeds enforcement standard
D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
J = Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation

Prepared by: NMG1
Checked by: MJW4

Attachment 7
Monitoring Well Photographic Log

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No.
1

Date:
11/22/24

Photo Taken Location:
Zinc Shop Site

Photo Taken By:
Nick Glander

Description:
Zinc Shop Sump



Photo No.
3

Date:
11/22/24

Photo Taken Location:
Zinc Shop Site

Photo Taken By:
Nick Glander

Description:
W-1A Monitoring Well



Photo No.
2

Date:
11/22/24

Photo Taken Location:
Zinc Shop Site

Photo Taken By:
Nick Glander

Description:
W-1 Monitoring Well




Photo No.
4

Date:
11/22/24

Photo Taken Location:
Zinc Shop Site

Photo Taken By:
May Willison

Description:
MW2 Monitoring Well



Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 5	Date: 11/22/24		Photo No. 7	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: May Willison		
Description: MW-3R Monitoring Well			Description: MW-5 Monitoring Well		

Photo No. 6	Date: 11/22/24		Photo No. 8	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison			Photo Taken By: May Willison		
Description: MW-5A Monitoring Well			Description: MW-6 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 9	Date: 11/22/24	Page 8 Time 6:11 Nov 22 2024 Sat 11:07:11 AM Position: 42.227430° / -70.679253° WGS 84 Altitude: 60.00 ft (18.29 m) Roll: -0.00 deg Pitch: 0.00 deg Heading: 311.00 deg Accuracy: 3.00 m Horizontal: 3.00 m Vertical: 1.00 m MAG: 48.00 	Photo No. 11	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison			Photo Taken By: Nick Glander		
Description: MW-6A Monitoring Well			Description: MW-7 Monitoring Well		

Photo No. 10	Date: 11/22/24		Photo No. 12	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-7A Monitoring Well			Description: MW-8 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 13	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander		
Description: MW-8A Monitoring Well		

Photo No. 15	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison		
Description: MW-9 Monitoring Well		

Photo No. 14	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison		
Description: MW-10 Monitoring Well		

Photo No. 16	Date: 11/22/24	
Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison		
Description: MW-11 Monitoring Well		

Client's Name:
WI DNR - Better Brite


Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 17	Date: 11/22/24	Date & Time: Fri, Nov 22, 2024 at 09:12:55 Position: +044.434403° / -088.074888° (±11.4m) Altitude: 621ft (±9.3m) Datum: WGS-84 Azimuth/Bearing: 135° S45E 2900mils True (±1.1°) Elevation Angle: -87.2° Horizon Angle: +80.3° Zoom: 0.5X MW-12 
Photo Taken Location: Zinc Shop Site		
Photo Taken By: May Willison		
Description: MW-12 Monitoring Well		

Photo No. 19	Date: 11/16/23	Date & Time: Thu, Nov 21, 2024 at 10:34:47 CST Position: +044.438305° / -088.076065° (±11.4m) Altitude: 611ft (±9.3m) Datum: WGS-84 Azimuth/Bearing: 241° S45E 4280mils True (±1.1°) Elevation Angle: -87.0° Horizon Angle: +3.3° Zoom: 0.5X MW-106 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-106 Monitoring Well		

Photo No. 18	Date: 11/21/24	Date & Time: Thu, Nov 21, 2024 at 10:34:33 CST Position: +044.438395° / -088.076202° (±11.4m) Altitude: 498ft (±9.3m) Datum: WGS-84 Azimuth/Bearing: 202° S82W 3501mils True (±1.1°) Elevation Angle: -88.4° Horizon Angle: +05.9° Zoom: 0.5X MW-106A 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-106A Monitoring Well		

Photo No. 20	Date: 11/21/24	Date & Time: Thu, Nov 21, 2024 at 11:31:49 CST Position: +044.437791° / -088.075620° (±15.5m) Altitude: 611ft (±13.2m) Datum: WGS-84 Azimuth/Bearing: 155° S25E 2756mils True (±1.3°) Elevation Angle: -89.1° Horizon Angle: +59.4° Zoom: 0.5X MW-107 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-107 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 21	Date: 11/21/24	Date & Time: Thu, Nov 21, 2024 at 15:01:10 CST Position: +044.437848° / -088.075676° (±84.0ft) Altitude: 612ft (±19.7ft) Datum: WGS-84 Azimuth/Bearing: 151° S29E 2684mils True (±12°) Elevation Angle: -87.2° Horizon Angle: +04.1° Zoom: 0.5X MW-107A 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-107A Monitoring Well		
Photo No. 23	Date: 11/22/24	
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-108 Monitoring Well		
Photo No. 22	Date: 11/22/24	
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-108A Monitoring Well		
Photo No. 24	Date: 11/16/23	Date & Time: Thu, Nov 21, 2024 at 16:04:09 CST Position: +044.438094° / -088.077036° (±65.9ft) Altitude: 655ft (±78.6ft) Datum: WGS-84 Azimuth/Bearing: 120° S40E 2103mils True (±12°) Elevation Angle: -87.0° Horizon Angle: +09.6° Zoom: 0.5X MW-110 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-110 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24

Photo No. 25	Date: 11/21/24	Date & Time: Thu, Nov 21, 2024 at 16:09:23 CST Position: +044.438049° / -088.076905° (±45.9ft) Altitude: 606ft (±9.8ft) Datum: WGS-84 Azimuth/Bearing: 273° N87W 4853mils True (±12°) Elevation Angle: +88.7° Horizon Angle: +21.6° Zoom: 0.5X MW-110A 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-110A Monitoring Well		

Photo No. 27	Date: 11/22/24	Date & Time: Fri, Nov 22, 2024 at 12:19:03 CST Position: +044.437661° / -088.075563° (±16.1ft) Altitude: 608ft (±9.8ft) Datum: WGS-84 Azimuth/Bearing: 168° S14E 2561mils True (±12°) Elevation Angle: +89.2° Horizon Angle: +84.9° Zoom: 0.5X MW-111 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-111 Monitoring Well		

Photo No. 26	Date: 11/22/24	
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-112 Monitoring Well		

Photo No. 28	Date: 11/21/24	Date & Time: Thu, Nov 21, 2024 at 11:06:56 CST Position: +044.438396° / -088.075121° (±16.4ft) Altitude: 618ft (±9.8ft) Datum: WGS-84 Azimuth/Bearing: 142° S38E 2524mils True (±13°) Elevation Angle: +87.9° Horizon Angle: +34.6° Zoom: 0.5X MW-113 
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-113 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.24


Photo No. 29	Date: 11/21/24	 Date & Time: Thu, Nov 21, 2024 at 15:27:02 CST Position: +044.4378377 / -088.076782 / +11.6ft Altitude: 609ft (+9.8ft) Datum: WGS-84 Azimuth/Bearing: 001° N31E 05S mis True +124° Elevation Angle: -82.4° Horizon Angle: -12.3° Zoom: 0.5X MW-115
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-115 Monitoring Well		

Photo No. 30	Date: 11/21/24	 Date & Time: Thu, Nov 21, 2024 at 14:22:03 CST Position: +044.4378677 / -088.076246 / +18.6ft Altitude: 608ft (+9.8ft) Datum: WGS-84 Azimuth/Bearing: 335° N21W 60Z mis True +123° Elevation Angle: -85.5° Horizon Angle: -13.6° Zoom: 0.5X MW-116
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-116 Monitoring Well		

Photo No. 30	Date: 11/21/24	 Date & Time: Thu, Nov 21, 2024 at 15:47:24 CST Position: +044.4379197 / -088.076328 / +10.1ft Altitude: 608ft (+9.8ft) Datum: WGS-84 Azimuth/Bearing: 073° N73E 129W mis True +124° Elevation Angle: -83.2° Horizon Angle: +88.2° Zoom: 0.5X MW-115A
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-115A Monitoring Well		

Photo No. 32	Date: 11/21/24	 Date & Time: Thu, Nov 21, 2024 at 14:01:11 CST Position: +044.4389227 / -88.076229 / +12.1ft Altitude: 610ft (+12.1ft) Datum: WGS-84 Azimuth/Bearing: 091° S90E 161E mis True (+10°) Elevation Angle: -88.7° Horizon Angle: +57.1° Zoom: 0.5X MW-101
Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander		
Description: MW-101 Monitoring Well		

Client's Name: WI DNR - Better Brite	Site Location: De Pere, Wisconsin	Project No. 22W016.24
--	---	---------------------------------

Photo No. 33	Date: 11/21/24	 Date & Time: Thu, Nov 21, 2024 at 13:49:45 CST Position: +044.438319° / -088.076320° (±33.4ft) Altitude: 517ft (±39.4ft) Datum: WGS-84 Azimuth Bearing: 165° S15E 2933mils True (±12°) Elevation Angle: -87.6° Horizon Angle: -14.4° Zoom: 0.5X MW-104A
Photo Taken Location: Chrome Shop Site		
Photo Taken By: May Willison		
Description: MW-104A Monitoring Well		

Attachment 8
Laboratory Analytical Reports



December 09, 2024

Nick Glander
Foth Infrastructure & Environment, LLC
2121 Innovation Court
Suite 300
De Pere, WI 54115

RE: Project: 22W016.24 Better Brite
Pace Project No.: 40287901

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 21, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

Report revised to update ID for sample -006. This report supercedes that of December 6, 2024.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Tod Noltemeyer'.

Tod Noltemeyer
tod.noltemeyer@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40287901001	MW-106_202411	Water	11/21/24 12:56	11/21/24 17:30
40287901002	MW-106A_202411	Water	11/21/24 13:15	11/21/24 17:30
40287901003	MW-107_202411	Water	11/21/24 11:27	11/21/24 17:30
40287901004	MW-107A_202411	Water	11/21/24 14:56	11/21/24 17:30
40287901005	MW-110_202411	Water	11/21/24 15:56	11/21/24 17:30
40287901006	MW-110A_202411	Water	11/21/24 16:05	11/21/24 17:30
40287901007	MW-113_202411	Water	11/21/24 10:55	11/21/24 17:30
40287901008	MW-115_202411	Water	11/21/24 15:20	11/21/24 17:30
40287901009	MW-115A_202411	Water	11/21/24 15:38	11/21/24 17:30
40287901010	MW-116_202411	Water	11/21/24 14:20	11/21/24 17:30
40287901011	TRIP BLANK	Water	11/21/24 00:00	11/21/24 17:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40287901001	MW-106_202411	EPA 8260	NB	64
		SM 3500-Cr B	DAW	1
40287901002	MW-106A_202411	EPA 8260	NB	64
		SM 3500-Cr B	DAW	1
40287901003	MW-107_202411	EPA 8260	NB	64
		SM 3500-Cr B	DAW	1
40287901004	MW-107A_202411	EPA 8260	NB	64
		SM 3500-Cr B	DAW	1
40287901005	MW-110_202411	EPA 8260	NB	64
		SM 3500-Cr B	DAW	1
40287901006	MW-110A_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287901007	MW-113_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287901008	MW-115_202411	EPA 6010D	SIS	1
		EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287901009	MW-115A_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287901010	MW-116_202411	EPA 6010D	SIS	1
		EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287901011	TRIP BLANK	EPA 8260	EIB	64

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Method: EPA 6010D

Description: 6010D MET ICP

Client: Foth Infrastructure & Environment

Date: December 09, 2024

General Information:

2 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Method: EPA 8260

Description: 8260 MSV

Client: Foth Infrastructure & Environment

Date: December 09, 2024

General Information:

11 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 491007

v2: The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

- BLANK (Lab ID: 2811536)
 - Bromomethane
- MW-106A_202411 (Lab ID: 40287901002)
 - Bromomethane
- MW-106_202411 (Lab ID: 40287901001)
 - Bromomethane
- MW-107A_202411 (Lab ID: 40287901004)
 - Bromomethane
- MW-107_202411 (Lab ID: 40287901003)
 - Bromomethane
- MW-110_202411 (Lab ID: 40287901005)
 - Bromomethane

v3: The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias.

- LCS (Lab ID: 2811537)
 - Bromomethane
- MS (Lab ID: 2813125)
 - Bromomethane
- MSD (Lab ID: 2813126)
 - Bromomethane

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Method: EPA 8260

Description: 8260 MSV

Client: Foth Infrastructure & Environment

Date: December 09, 2024

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

Method: SM 3500-Cr B
Description: Chromium, Hexavalent
Client: Foth Infrastructure & Environment
Date: December 09, 2024

General Information:

10 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-106_202411 Lab ID: 40287901001 Collected: 11/21/24 12:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/26/24 13:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 13:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/26/24 13:56	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/26/24 13:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/26/24 13:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/26/24 13:56	74-83-9	v2
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 13:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/26/24 13:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/26/24 13:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/26/24 13:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 13:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/26/24 13:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/26/24 13:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/26/24 13:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 13:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 13:56	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/26/24 13:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/26/24 13:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/26/24 13:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/26/24 13:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 13:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 13:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/26/24 13:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/26/24 13:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 13:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/26/24 13:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/26/24 13:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/26/24 13:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/26/24 13:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/26/24 13:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/26/24 13:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/26/24 13:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/26/24 13:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/26/24 13:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/26/24 13:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 13:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 13:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/26/24 13:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/26/24 13:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/26/24 13:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/26/24 13:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 13:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/26/24 13:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 13:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/26/24 13:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-106_202411 Lab ID: 40287901001 Collected: 11/21/24 12:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/26/24 13:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/26/24 13:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/26/24 13:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/26/24 13:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/26/24 13:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/26/24 13:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 13:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/26/24 13:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/26/24 13:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/26/24 13:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/26/24 13:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/26/24 13:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 13:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/26/24 13:56	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/26/24 13:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/26/24 13:56	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/26/24 13:56	2199-69-1	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/26/24 13:56	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/26/24 13:56	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:29		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-106A_202411 Lab ID: 40287901002 Collected: 11/21/24 13:15 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/26/24 14:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:13	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/26/24 14:13	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/26/24 14:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/26/24 14:13	74-83-9	v2
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:13	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/26/24 14:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/26/24 14:13	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/26/24 14:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/26/24 14:13	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/26/24 14:13	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/26/24 14:13	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:13	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/26/24 14:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/26/24 14:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/26/24 14:13	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/26/24 14:13	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:13	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:13	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/26/24 14:13	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/26/24 14:13	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:13	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/26/24 14:13	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/26/24 14:13	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/26/24 14:13	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/26/24 14:13	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/26/24 14:13	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:13	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:13	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:13	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/26/24 14:13	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/26/24 14:13	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/26/24 14:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/26/24 14:13	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:13	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/26/24 14:13	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:13	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/26/24 14:13	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:13	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:13	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-106A_202411 Lab ID: 40287901002 Collected: 11/21/24 13:15 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/26/24 14:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/26/24 14:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/26/24 14:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/26/24 14:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/26/24 14:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/26/24 14:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/26/24 14:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/26/24 14:13	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/26/24 14:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:13	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/26/24 14:13	2199-69-1	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/26/24 14:13	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/26/24 14:13	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.0095J	mg/L	0.010	0.0025	1		11/26/24 12:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-107_202411 Lab ID: 40287901003 Collected: 11/21/24 11:27 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/26/24 14:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:31	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/26/24 14:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/26/24 14:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/26/24 14:31	74-83-9	v2
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/26/24 14:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/26/24 14:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/26/24 14:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/26/24 14:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/26/24 14:31	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/26/24 14:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:31	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/26/24 14:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/26/24 14:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/26/24 14:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/26/24 14:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/26/24 14:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/26/24 14:31	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/26/24 14:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/26/24 14:31	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/26/24 14:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/26/24 14:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/26/24 14:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/26/24 14:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/26/24 14:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/26/24 14:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/26/24 14:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/26/24 14:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/26/24 14:31	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:31	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-107_202411 Lab ID: 40287901003 Collected: 11/21/24 11:27 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/26/24 14:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/26/24 14:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/26/24 14:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/26/24 14:31	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/26/24 14:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/26/24 14:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/26/24 14:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/26/24 14:31	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/26/24 14:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:31	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/26/24 14:31	2199-69-1	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/26/24 14:31	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/26/24 14:31	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.011	mg/L	0.010	0.0025	1		11/26/24 12:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-107A_202411 Lab ID: 40287901004 Collected: 11/21/24 14:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/26/24 14:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:48	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/26/24 14:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/26/24 14:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/26/24 14:48	74-83-9	v2
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/26/24 14:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/26/24 14:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/26/24 14:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 14:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/26/24 14:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/26/24 14:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/26/24 14:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 14:48	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/26/24 14:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/26/24 14:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/26/24 14:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/26/24 14:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/26/24 14:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/26/24 14:48	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/26/24 14:48	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/26/24 14:48	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/26/24 14:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/26/24 14:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/26/24 14:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/26/24 14:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/26/24 14:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 14:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/26/24 14:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/26/24 14:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/26/24 14:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 14:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/26/24 14:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-107A_202411 Lab ID: 40287901004 Collected: 11/21/24 14:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/26/24 14:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/26/24 14:48	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/26/24 14:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/26/24 14:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/26/24 14:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/26/24 14:48	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 14:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/26/24 14:48	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/26/24 14:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/26/24 14:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/26/24 14:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/26/24 14:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 14:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/26/24 14:48	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/26/24 14:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/26/24 14:48	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/26/24 14:48	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/26/24 14:48	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/26/24 14:48	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.039	mg/L	0.010	0.0025	1		11/26/24 12:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-110_202411 Lab ID: 40287901005 Collected: 11/21/24 15:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/26/24 15:05	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 15:05	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/26/24 15:05	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/26/24 15:05	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/26/24 15:05	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/26/24 15:05	74-83-9	v2
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 15:05	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/26/24 15:05	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/26/24 15:05	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/26/24 15:05	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/26/24 15:05	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/26/24 15:05	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/26/24 15:05	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/26/24 15:05	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 15:05	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/26/24 15:05	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/26/24 15:05	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/26/24 15:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/26/24 15:05	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/26/24 15:05	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 15:05	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 15:05	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/26/24 15:05	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/26/24 15:05	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 15:05	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/26/24 15:05	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/26/24 15:05	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/26/24 15:05	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/26/24 15:05	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/26/24 15:05	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/26/24 15:05	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/26/24 15:05	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/26/24 15:05	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/26/24 15:05	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/26/24 15:05	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 15:05	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/26/24 15:05	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/26/24 15:05	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/26/24 15:05	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/26/24 15:05	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/26/24 15:05	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/26/24 15:05	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/26/24 15:05	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/26/24 15:05	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/26/24 15:05	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-110_202411 Lab ID: 40287901005 Collected: 11/21/24 15:56 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/26/24 15:05	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/26/24 15:05	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/26/24 15:05	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/26/24 15:05	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/26/24 15:05	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/26/24 15:05	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/26/24 15:05	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/26/24 15:05	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/26/24 15:05	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/26/24 15:05	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/26/24 15:05	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/26/24 15:05	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/26/24 15:05	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/26/24 15:05	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/26/24 15:05	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/26/24 15:05	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/26/24 15:05	2199-69-1	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/26/24 15:05	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/26/24 15:05	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:38		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-110A_202411 Lab ID: 40287901006 Collected: 11/21/24 16:05 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 13:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:50	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 13:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 13:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 13:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 13:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 13:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 13:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 13:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 13:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 13:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:50	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 13:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 13:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 13:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 13:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 13:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 13:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 13:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 13:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 13:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 13:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 13:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 13:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 13:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 13:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 13:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 13:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 13:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-110A_202411 Lab ID: 40287901006 Collected: 11/21/24 16:05 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 13:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 13:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 13:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 13:50	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 13:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 13:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 13:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 13:50	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 13:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:50	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 13:50	2199-69-1	
4-Bromofluorobenzene (S)	98	%	70-130		1		11/25/24 13:50	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 13:50	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-113_202411 Lab ID: 40287901007 Collected: 11/21/24 10:55 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 15:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:33	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:33	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 15:33	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 15:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 15:33	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 15:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 15:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 15:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 15:33	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 15:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 15:33	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:33	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 15:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 15:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 15:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 15:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 15:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 15:33	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 15:33	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 15:33	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 15:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 15:33	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 15:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:33	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:33	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 15:33	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 15:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 15:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 15:33	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 15:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:33	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 15:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-113_202411 Lab ID: 40287901007 Collected: 11/21/24 10:55 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 15:33	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 15:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 15:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 15:33	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 15:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 15:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 15:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 15:33	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 15:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:33	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 15:33	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/25/24 15:33	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 15:33	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-115_202411 Lab ID: 40287901008 Collected: 11/21/24 15:20 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	43200	ug/L	100	56.7	1	11/25/24 07:24	11/25/24 14:39	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 15:51	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:51	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:51	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 15:51	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 15:51	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 15:51	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:51	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 15:51	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 15:51	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 15:51	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:51	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 15:51	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 15:51	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 15:51	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:51	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:51	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 15:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 15:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 15:51	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 15:51	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:51	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:51	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 15:51	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 15:51	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 15:51	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 15:51	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 15:51	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 15:51	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 15:51	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:51	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:51	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:51	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 15:51	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 15:51	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:51	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:51	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 15:51	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 15:51	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:51	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 15:51	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-115_202411 Lab ID: 40287901008 Collected: 11/21/24 15:20 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:51	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 15:51	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:51	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 15:51	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:51	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 15:51	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 15:51	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:51	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 15:51	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 15:51	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:51	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 15:51	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 15:51	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 15:51	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 15:51	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:51	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 15:51	2199-69-1	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/25/24 15:51	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 15:51	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.0047J	mg/L	0.010	0.0025	1		11/26/24 12:36		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-115A_202411 Lab ID: 40287901009 Collected: 11/21/24 15:38 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 16:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:10	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:10	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 16:10	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 16:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 16:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 16:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 16:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 16:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 16:10	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 16:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 16:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:10	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 16:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 16:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 16:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 16:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 16:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 16:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 16:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 16:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 16:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 16:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 16:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:10	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:10	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 16:10	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 16:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 16:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 16:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 16:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:10	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 16:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-115A_202411 Lab ID: 40287901009 Collected: 11/21/24 15:38 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 16:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 16:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 16:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 16:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 16:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 16:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 16:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 16:10	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 16:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:10	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 16:10	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/25/24 16:10	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/25/24 16:10	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.011	mg/L	0.010	0.0025	1		11/26/24 12:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

Sample: MW-116_202411 Lab ID: 40287901010 Collected: 11/21/24 14:20 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Green Bay									
Iron	257	ug/L	100	56.7	1	11/25/24 07:24	11/25/24 14:32	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 16:28	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:28	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:28	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 16:28	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 16:28	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 16:28	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:28	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 16:28	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 16:28	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 16:28	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:28	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 16:28	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 16:28	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 16:28	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:28	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:28	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 16:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 16:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 16:28	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 16:28	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:28	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:28	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 16:28	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 16:28	75-71-8	
1,1-Dichloroethane	29.5	ug/L	1.0	0.30	1		11/25/24 16:28	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 16:28	107-06-2	
1,1-Dichloroethene	24.0	ug/L	1.0	0.58	1		11/25/24 16:28	75-35-4	
cis-1,2-Dichloroethene	0.77J	ug/L	1.0	0.47	1		11/25/24 16:28	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 16:28	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 16:28	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:28	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:28	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:28	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 16:28	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 16:28	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:28	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:28	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 16:28	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 16:28	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:28	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 16:28	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: MW-116_202411 Lab ID: 40287901010 Collected: 11/21/24 14:20 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:28	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 16:28	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:28	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 16:28	79-34-5	
Tetrachloroethene	1.0	ug/L	1.0	0.41	1		11/25/24 16:28	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 16:28	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 16:28	120-82-1	
1,1,1-Trichloroethane	93.3	ug/L	1.0	0.30	1		11/25/24 16:28	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 16:28	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		11/25/24 16:28	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:28	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 16:28	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 16:28	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:28	108-67-8	
Vinyl chloride	0.22J	ug/L	1.0	0.17	1		11/25/24 16:28	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 16:28	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:28	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/25/24 16:28	2199-69-1	
4-Bromofluorobenzene (S)	97	%	70-130		1		11/25/24 16:28	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 16:28	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	4.2	mg/L	0.10	0.025	10		11/26/24 12:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: TRIP BLANK Lab ID: 40287901011 Collected: 11/21/24 00:00 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 10:43	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 10:43	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 10:43	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 10:43	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 10:43	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 10:43	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 10:43	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 10:43	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 10:43	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 10:43	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 10:43	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 10:43	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 10:43	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 10:43	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 10:43	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 10:43	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 10:43	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 10:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 10:43	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 10:43	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 10:43	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 10:43	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 10:43	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 10:43	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 10:43	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 10:43	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 10:43	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 10:43	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 10:43	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 10:43	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 10:43	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 10:43	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 10:43	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 10:43	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 10:43	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 10:43	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 10:43	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 10:43	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 10:43	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 10:43	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 10:43	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 10:43	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 10:43	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 10:43	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 10:43	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Sample: TRIP BLANK Lab ID: 40287901011 Collected: 11/21/24 00:00 Received: 11/21/24 17:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 10:43	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 10:43	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 10:43	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 10:43	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 10:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 10:43	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 10:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 10:43	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 10:43	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 10:43	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 10:43	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 10:43	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 10:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 10:43	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 10:43	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 10:43	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/25/24 10:43	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/25/24 10:43	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/25/24 10:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

QC Batch:	491001	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3010A	Analysis Description:	6010D MET
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40287901008, 40287901010

METHOD BLANK: 2811479 Matrix: Water

Associated Lab Samples: 40287901008, 40287901010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<56.7	100	11/25/24 14:28	

LABORATORY CONTROL SAMPLE: 2811480

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	10000	10300	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811483 2811484

Parameter	Units	40287901010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron	ug/L	257	10000	10000	9180	10100	89	98	75-125	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

QC Batch: 491007 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40287901001, 40287901002, 40287901003, 40287901004, 40287901005

METHOD BLANK: 2811536 Matrix: Water
Associated Lab Samples: 40287901001, 40287901002, 40287901003, 40287901004, 40287901005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/26/24 08:47	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/26/24 08:47	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/26/24 08:47	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/26/24 08:47	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/26/24 08:47	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/26/24 08:47	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/26/24 08:47	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/26/24 08:47	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/26/24 08:47	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/26/24 08:47	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/26/24 08:47	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	11/26/24 08:47	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/26/24 08:47	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/26/24 08:47	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/26/24 08:47	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/26/24 08:47	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/26/24 08:47	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/26/24 08:47	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/26/24 08:47	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/26/24 08:47	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/26/24 08:47	
2-Chlorotoluene	ug/L	<0.89	5.0	11/26/24 08:47	
4-Chlorotoluene	ug/L	<0.89	5.0	11/26/24 08:47	
Benzene	ug/L	<0.30	1.0	11/26/24 08:47	
Bromobenzene	ug/L	<0.36	1.0	11/26/24 08:47	
Bromochloromethane	ug/L	<0.36	1.0	11/26/24 08:47	
Bromodichloromethane	ug/L	<0.21	1.0	11/26/24 08:47	
Bromoform	ug/L	<0.43	1.0	11/26/24 08:47	
Bromomethane	ug/L	<1.2	5.0	11/26/24 08:47	v2
Carbon tetrachloride	ug/L	<0.37	1.0	11/26/24 08:47	
Chlorobenzene	ug/L	<0.86	1.0	11/26/24 08:47	
Chloroethane	ug/L	<1.4	5.0	11/26/24 08:47	
Chloroform	ug/L	<0.50	5.0	11/26/24 08:47	
Chloromethane	ug/L	<1.6	5.0	11/26/24 08:47	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/26/24 08:47	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/26/24 08:47	
Dibromochloromethane	ug/L	<2.6	5.0	11/26/24 08:47	
Dibromomethane	ug/L	<0.99	5.0	11/26/24 08:47	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/26/24 08:47	
Diisopropyl ether	ug/L	<1.1	5.0	11/26/24 08:47	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

METHOD BLANK: 2811536

Matrix: Water

Associated Lab Samples: 40287901001, 40287901002, 40287901003, 40287901004, 40287901005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/26/24 08:47	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/26/24 08:47	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/26/24 08:47	
m&p-Xylene	ug/L	<0.70	2.0	11/26/24 08:47	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/26/24 08:47	
Methylene Chloride	ug/L	<0.32	5.0	11/26/24 08:47	
n-Butylbenzene	ug/L	<0.86	1.0	11/26/24 08:47	
n-Propylbenzene	ug/L	<0.35	1.0	11/26/24 08:47	
Naphthalene	ug/L	<1.9	5.0	11/26/24 08:47	
o-Xylene	ug/L	<0.35	1.0	11/26/24 08:47	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/26/24 08:47	
sec-Butylbenzene	ug/L	<0.42	1.0	11/26/24 08:47	
Styrene	ug/L	<0.36	1.0	11/26/24 08:47	
tert-Butylbenzene	ug/L	<0.59	1.0	11/26/24 08:47	
Tetrachloroethene	ug/L	<0.41	1.0	11/26/24 08:47	
Toluene	ug/L	<0.29	1.0	11/26/24 08:47	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/26/24 08:47	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/26/24 08:47	
Trichloroethene	ug/L	<0.32	1.0	11/26/24 08:47	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/26/24 08:47	
Vinyl chloride	ug/L	<0.17	1.0	11/26/24 08:47	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/26/24 08:47	
4-Bromofluorobenzene (S)	%	96	70-130	11/26/24 08:47	
Toluene-d8 (S)	%	97	70-130	11/26/24 08:47	

LABORATORY CONTROL SAMPLE: 2811537

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.3	95	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	43.5	87	70-130	
1,1,2-Trichloroethane	ug/L	50	44.3	89	70-130	
1,1-Dichloroethane	ug/L	50	46.9	94	70-130	
1,1-Dichloroethene	ug/L	50	47.4	95	66-130	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.8	84	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	45.1	90	70-130	
1,2-Dichlorobenzene	ug/L	50	47.7	95	70-130	
1,2-Dichloroethane	ug/L	50	47.4	95	70-130	
1,2-Dichloropropane	ug/L	50	47.7	95	70-130	
1,3-Dichlorobenzene	ug/L	50	48.6	97	70-130	
1,4-Dichlorobenzene	ug/L	50	48.9	98	70-130	
Benzene	ug/L	50	48.1	96	70-130	
Bromodichloromethane	ug/L	50	47.4	95	70-130	
Bromoform	ug/L	50	42.0	84	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

LABORATORY CONTROL SAMPLE: 2811537

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	47.3	95	40-157	v3
Carbon tetrachloride	ug/L	50	49.0	98	70-139	
Chlorobenzene	ug/L	50	47.9	96	70-130	
Chloroethane	ug/L	50	49.7	99	61-145	
Chloroform	ug/L	50	47.4	95	70-130	
Chloromethane	ug/L	50	57.0	114	22-163	
cis-1,2-Dichloroethene	ug/L	50	47.0	94	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.5	93	70-130	
Dibromochloromethane	ug/L	50	45.6	91	70-130	
Dichlorodifluoromethane	ug/L	50	56.7	113	10-185	
Ethylbenzene	ug/L	50	49.9	100	70-130	
Isopropylbenzene (Cumene)	ug/L	50	46.7	93	70-134	
m&p-Xylene	ug/L	100	100	100	70-130	
Methyl-tert-butyl ether	ug/L	50	38.1	76	62-130	
Methylene Chloride	ug/L	50	47.2	94	70-130	
o-Xylene	ug/L	50	49.4	99	70-130	
Styrene	ug/L	50	51.2	102	70-130	
Tetrachloroethene	ug/L	50	48.4	97	70-130	
Toluene	ug/L	50	47.9	96	70-130	
trans-1,2-Dichloroethene	ug/L	50	49.1	98	70-130	
trans-1,3-Dichloropropene	ug/L	50	41.1	82	70-130	
Trichloroethene	ug/L	50	49.0	98	70-130	
Trichlorofluoromethane	ug/L	50	50.2	100	70-149	
Vinyl chloride	ug/L	50	55.6	111	37-145	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2813125 2813126

Parameter	Units	40287898001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	46.9	50.4	94	101	70-136	7	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	45.2	51.8	90	104	70-130	14	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	45.0	50.7	90	101	70-130	12	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	46.4	49.9	93	100	70-130	7	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	46.9	51.0	94	102	65-131	8	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.0	48.9	92	98	63-130	6	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	41.8	49.0	84	98	65-130	16	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	45.5	52.2	91	104	70-130	14	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	47.2	52.6	94	105	70-130	11	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	46.5	50.2	93	100	70-131	8	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	47.3	51.7	95	103	70-130	9	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	47.7	51.6	95	103	70-130	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2813125 2813126											
Parameter	Units	40287898001		MS		MSD		MS		MSD	
		Result	Conc.	Spike	Conc.	Result	Conc.	% Rec	% Rec	% Rec	Max
								Limits	RPD	RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.2	52.9	96	106	70-130	9	20
Benzene	ug/L	<0.30	50	50	48.0	51.5	96	103	70-130	7	20
Bromodichloromethane	ug/L	<0.21	50	50	47.2	51.6	94	103	70-130	9	20
Bromoform	ug/L	<0.43	50	50	43.5	50.4	87	101	61-130	15	20
Bromomethane	ug/L	<1.2	50	50	49.5	53.0	99	106	40-170	7	20 v3
Carbon tetrachloride	ug/L	<0.37	50	50	48.1	52.3	96	105	70-141	8	20
Chlorobenzene	ug/L	<0.86	50	50	47.3	53.0	95	106	70-130	11	20
Chloroethane	ug/L	<1.4	50	50	49.3	52.8	99	106	59-148	7	20
Chloroform	ug/L	<0.50	50	50	46.3	50.0	93	100	70-130	8	20
Chloromethane	ug/L	<1.6	50	50	54.1	58.1	108	116	19-170	7	20
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	47.6	50.5	95	101	70-130	6	20
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	47.4	51.9	95	104	70-130	9	20
Dibromochloromethane	ug/L	<2.6	50	50	45.9	52.4	92	105	70-130	13	20
Dichlorodifluoromethane	ug/L	<0.46	50	50	53.2	56.8	106	114	10-190	6	20
Ethylbenzene	ug/L	<0.33	50	50	49.2	54.4	98	109	70-130	10	20
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	45.9	50.4	92	101	70-137	9	20
m&p-Xylene	ug/L	<0.70	100	100	99.1	109	99	109	70-130	10	20
Methyl-tert-butyl ether	ug/L	<1.1	50	50	38.9	44.7	78	89	62-130	14	20
Methylene Chloride	ug/L	<0.32	50	50	46.8	50.6	94	101	70-133	8	20
o-Xylene	ug/L	<0.35	50	50	49.5	54.1	99	108	70-130	9	20
Styrene	ug/L	<0.36	50	50	51.2	56.5	102	113	70-130	10	20
Tetrachloroethene	ug/L	<0.41	50	50	47.1	51.9	94	104	70-130	10	20
Toluene	ug/L	<0.29	50	50	46.9	52.4	94	105	70-130	11	20
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	48.7	52.9	97	106	70-133	8	20
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	41.8	47.5	84	95	68-130	13	20
Trichloroethene	ug/L	<0.32	50	50	48.2	52.3	96	105	70-130	8	20
Trichlorofluoromethane	ug/L	<0.42	50	50	49.1	52.8	98	106	65-153	7	20
Vinyl chloride	ug/L	<0.17	50	50	53.6	57.2	107	114	37-150	6	20
1,2-Dichlorobenzene-d4 (S)	%							101	100	70-130	
4-Bromofluorobenzene (S)	%							101	100	70-130	
Toluene-d8 (S)	%							99	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

QC Batch: 491037 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40287901006, 40287901007, 40287901008, 40287901009, 40287901010, 40287901011

METHOD BLANK: 2811925 Matrix: Water
Associated Lab Samples: 40287901006, 40287901007, 40287901008, 40287901009, 40287901010, 40287901011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/25/24 08:51	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/25/24 08:51	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/25/24 08:51	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/25/24 08:51	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/25/24 08:51	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/25/24 08:51	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/25/24 08:51	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/25/24 08:51	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/25/24 08:51	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/25/24 08:51	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/25/24 08:51	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	11/25/24 08:51	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/25/24 08:51	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/25/24 08:51	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/25/24 08:51	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/25/24 08:51	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/25/24 08:51	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/25/24 08:51	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/25/24 08:51	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/25/24 08:51	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/25/24 08:51	
2-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 08:51	
4-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 08:51	
Benzene	ug/L	<0.30	1.0	11/25/24 08:51	
Bromobenzene	ug/L	<0.36	1.0	11/25/24 08:51	
Bromochloromethane	ug/L	<0.36	1.0	11/25/24 08:51	
Bromodichloromethane	ug/L	<0.21	1.0	11/25/24 08:51	
Bromoform	ug/L	<0.43	1.0	11/25/24 08:51	
Bromomethane	ug/L	<1.2	5.0	11/25/24 08:51	
Carbon tetrachloride	ug/L	<0.37	1.0	11/25/24 08:51	
Chlorobenzene	ug/L	<0.86	1.0	11/25/24 08:51	
Chloroethane	ug/L	<1.4	5.0	11/25/24 08:51	
Chloroform	ug/L	<0.50	5.0	11/25/24 08:51	
Chloromethane	ug/L	<1.6	5.0	11/25/24 08:51	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/25/24 08:51	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/25/24 08:51	
Dibromochloromethane	ug/L	<2.6	5.0	11/25/24 08:51	
Dibromomethane	ug/L	<0.99	5.0	11/25/24 08:51	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/25/24 08:51	
Diisopropyl ether	ug/L	<1.1	5.0	11/25/24 08:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

METHOD BLANK: 2811925

Matrix: Water

Associated Lab Samples: 40287901006, 40287901007, 40287901008, 40287901009, 40287901010, 40287901011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/25/24 08:51	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/25/24 08:51	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/25/24 08:51	
m&p-Xylene	ug/L	<0.70	2.0	11/25/24 08:51	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/25/24 08:51	
Methylene Chloride	ug/L	<0.32	5.0	11/25/24 08:51	
n-Butylbenzene	ug/L	<0.86	1.0	11/25/24 08:51	
n-Propylbenzene	ug/L	<0.35	1.0	11/25/24 08:51	
Naphthalene	ug/L	<1.9	5.0	11/25/24 08:51	
o-Xylene	ug/L	<0.35	1.0	11/25/24 08:51	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/25/24 08:51	
sec-Butylbenzene	ug/L	<0.42	1.0	11/25/24 08:51	
Styrene	ug/L	<0.36	1.0	11/25/24 08:51	
tert-Butylbenzene	ug/L	<0.59	1.0	11/25/24 08:51	
Tetrachloroethene	ug/L	<0.41	1.0	11/25/24 08:51	
Toluene	ug/L	<0.29	1.0	11/25/24 08:51	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/25/24 08:51	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/25/24 08:51	
Trichloroethene	ug/L	<0.32	1.0	11/25/24 08:51	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/25/24 08:51	
Vinyl chloride	ug/L	<0.17	1.0	11/25/24 08:51	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/25/24 08:51	
4-Bromofluorobenzene (S)	%	100	70-130	11/25/24 08:51	
Toluene-d8 (S)	%	98	70-130	11/25/24 08:51	

LABORATORY CONTROL SAMPLE: 2811926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.3	103	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	49.4	99	70-130	
1,1,2-Trichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethane	ug/L	50	49.6	99	70-130	
1,1-Dichloroethene	ug/L	50	47.8	96	66-130	
1,2,4-Trichlorobenzene	ug/L	50	47.8	96	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.6	93	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,2-Dichloroethane	ug/L	50	49.4	99	70-130	
1,2-Dichloropropane	ug/L	50	51.5	103	70-130	
1,3-Dichlorobenzene	ug/L	50	50.3	101	70-130	
1,4-Dichlorobenzene	ug/L	50	50.6	101	70-130	
Benzene	ug/L	50	51.0	102	70-130	
Bromodichloromethane	ug/L	50	50.5	101	70-130	
Bromoform	ug/L	50	49.9	100	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

LABORATORY CONTROL SAMPLE: 2811926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	31.7	63	40-157	
Carbon tetrachloride	ug/L	50	54.7	109	70-139	
Chlorobenzene	ug/L	50	51.0	102	70-130	
Chloroethane	ug/L	50	45.6	91	61-145	
Chloroform	ug/L	50	51.5	103	70-130	
Chloromethane	ug/L	50	32.0	64	22-163	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	51.5	103	70-130	
Dibromochloromethane	ug/L	50	49.9	100	70-130	
Dichlorodifluoromethane	ug/L	50	18.1	36	10-185	
Ethylbenzene	ug/L	50	53.8	108	70-130	
Isopropylbenzene (Cumene)	ug/L	50	50.6	101	70-134	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	48.3	97	62-130	
Methylene Chloride	ug/L	50	43.0	86	70-130	
o-Xylene	ug/L	50	52.8	106	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	52.3	105	70-130	
Toluene	ug/L	50	50.5	101	70-130	
trans-1,2-Dichloroethene	ug/L	50	50.4	101	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.2	100	70-130	
Trichloroethene	ug/L	50	51.2	102	70-130	
Trichlorofluoromethane	ug/L	50	47.9	96	70-149	
Vinyl chloride	ug/L	50	39.5	79	37-145	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811998 2811999

Parameter	Units	40287925001		MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Conc.	Result	Conc.	% Rec	Conc.	% Rec	Conc.				
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50	53.9	54.2	108	108	108	108	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	50	54.7	55.9	109	112	112	112	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	50	53.5	55.1	107	110	110	110	70-130	3	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	50	51.9	52.5	104	105	105	105	70-130	1	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	50	49.8	51.1	100	102	102	102	65-131	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50	53.5	55.1	107	110	110	110	63-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	50	53.2	54.3	106	109	109	109	65-130	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50	55.1	56.9	110	114	114	114	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	50	54.4	56.0	109	112	112	112	70-130	3	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	50	52.4	54.0	105	108	108	108	70-131	3	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	50	53.5	55.5	107	111	111	111	70-130	4	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50	55.7	57.7	111	115	115	115	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811998 2811999											
Parameter	Units	40287925001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	54.5	56.7	109	113	70-130	4	20
Benzene	ug/L	<0.30	50	50	53.5	54.5	107	109	70-130	2	20
Bromodichloromethane	ug/L	<0.21	50	50	53.7	54.8	107	110	70-130	2	20
Bromoform	ug/L	<0.43	50	50	55.8	58.0	112	116	61-130	4	20
Bromomethane	ug/L	<1.2	50	50	36.7	39.6	73	79	40-170	7	20
Carbon tetrachloride	ug/L	<0.37	50	50	57.6	57.7	115	115	70-141	0	20
Chlorobenzene	ug/L	<0.86	50	50	54.6	56.8	109	114	70-130	4	20
Chloroethane	ug/L	<1.4	50	50	48.1	48.1	96	96	59-148	0	20
Chloroform	ug/L	<0.50	50	50	54.9	55.9	110	112	70-130	2	20
Chloromethane	ug/L	<1.6	50	50	32.9	32.8	66	66	19-170	0	20
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.4	54.1	105	108	70-130	3	20
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	55.8	57.6	112	115	70-130	3	20
Dibromochloromethane	ug/L	<2.6	50	50	55.3	56.4	111	113	70-130	2	20
Dichlorodifluoromethane	ug/L	<0.46	50	50	18.4	17.3	37	35	10-190	6	20
Ethylbenzene	ug/L	8.7	50	50	66.5	68.1	116	119	70-130	2	20
Isopropylbenzene (Cumene)	ug/L	1.3J	50	50	56.1	57.6	110	113	70-137	3	20
m&p-Xylene	ug/L	12.5	100	100	128	133	116	121	70-130	4	20
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.9	53.1	104	106	62-130	2	20
Methylene Chloride	ug/L	<0.32	50	50	46.0	47.5	92	95	70-133	3	20
o-Xylene	ug/L	0.48J	50	50	57.9	60.6	115	120	70-130	4	20
Styrene	ug/L	<0.36	50	50	59.5	61.4	119	123	70-130	3	20
Tetrachloroethene	ug/L	<0.41	50	50	55.0	57.1	110	114	70-130	4	20
Toluene	ug/L	<0.29	50	50	54.0	56.2	108	112	70-130	4	20
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.9	54.6	106	109	70-133	3	20
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	55.0	57.2	110	114	68-130	4	20
Trichloroethene	ug/L	<0.32	50	50	54.1	55.1	108	110	70-130	2	20
Trichlorofluoromethane	ug/L	<0.42	50	50	49.6	49.4	99	99	65-153	1	20
Vinyl chloride	ug/L	<0.17	50	50	41.8	41.2	84	82	37-150	1	20
1,2-Dichlorobenzene-d4 (S)	%						102	100	70-130		
4-Bromofluorobenzene (S)	%						99	98	70-130		
Toluene-d8 (S)	%						99	101	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

QC Batch:	491161	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40287901001, 40287901002, 40287901003, 40287901004, 40287901005, 40287901006, 40287901007, 40287901008, 40287901009, 40287901010		

METHOD BLANK: 2812256 Matrix: Water
Associated Lab Samples: 40287901001, 40287901002, 40287901003, 40287901004, 40287901005, 40287901006, 40287901007, 40287901008, 40287901009, 40287901010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0025	0.010	11/26/24 12:23	

LABORATORY CONTROL SAMPLE: 2812257						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.1	0.10	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812258 2812259												
Parameter	Units	40287901007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	<0.0025	0.1	0.1	0.11	0.11	107	105	90-110	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812260 2812261												
Parameter	Units	40287970022 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	0.57	0.5	0.5	1.0	1.0	90	96	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 22W016.24 Better Brite
Pace Project No.: 40287901

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| v2 | The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard. |
| v3 | The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have a low bias. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22W016.24 Better Brite

Pace Project No.: 40287901

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40287901008	MW-115_202411	EPA 3010A	491001	EPA 6010D	491147
40287901010	MW-116_202411	EPA 3010A	491001	EPA 6010D	491147
40287901001	MW-106_202411	EPA 8260	491007		
40287901002	MW-106A_202411	EPA 8260	491007		
40287901003	MW-107_202411	EPA 8260	491007		
40287901004	MW-107A_202411	EPA 8260	491007		
40287901005	MW-110_202411	EPA 8260	491007		
40287901006	MW-110A_202411	EPA 8260	491037		
40287901007	MW-113_202411	EPA 8260	491037		
40287901008	MW-115_202411	EPA 8260	491037		
40287901009	MW-115A_202411	EPA 8260	491037		
40287901010	MW-116_202411	EPA 8260	491037		
40287901011	TRIP BLANK	EPA 8260	491037		
40287901001	MW-106_202411	SM 3500-Cr B	491161		
40287901002	MW-106A_202411	SM 3500-Cr B	491161		
40287901003	MW-107_202411	SM 3500-Cr B	491161		
40287901004	MW-107A_202411	SM 3500-Cr B	491161		
40287901005	MW-110_202411	SM 3500-Cr B	491161		
40287901006	MW-110A_202411	SM 3500-Cr B	491161		
40287901007	MW-113_202411	SM 3500-Cr B	491161		
40287901008	MW-115_202411	SM 3500-Cr B	491161		
40287901009	MW-115A_202411	SM 3500-Cr B	491161		
40287901010	MW-116_202411	SM 3500-Cr B	491161		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here														
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										ALL SHADED AREAS are for LAB USE ONLY														
Company: Foth					Billing Information: Invoices@Foth.com					Container Preservative Type **					Lab Project Manager:									
Address: 2721 Innovation Ct					Email To:					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other														
Report To: Nick Wlender@Foth.com					Site Collection Info/Address:					Analyses										Lab Profile/Line:				
Copy To:					State: / County/City: Time Zone Collected: [] PT [] MT [] CT [] ET					Hex Chrome VOC's Iron										Lab Sample Receipt Checklist:				
Customer Project Name/Number: 220016.24																				Custody Seals Present/Intact Y N NA				
Phone: 6087744462					Site/Facility ID #:															Custody Signatures Present Y N NA				
Email: 6087744462					Compliance Monitoring? ☒ Yes [] No															Collector Signature Present Y N NA				
Collected By (print): Manish Wilson					Purchase Order #: Quote #:															Bottles Intact Y N NA				
Collected By (signature): [Signature]					Turnaround Date Required: Standard					DW PWS ID #: DW Location Code:					Correct Bottles Y N NA									
Sample Disposal: ☒ Dispose as appropriate [] Return					Rush: [] Same Day [] Next Day					Immediately Packed on Ice: ☒ Yes [] No					Sufficient Volume Y N NA									
[] Archive: [] Hold:					[] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)					Field Filtered (if applicable): ☒ Yes [] No					Samples Received on Ice Y N NA									
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)					Analysis:					VOA - Headspace Acceptable Y N NA														
Customer Sample ID					Matrix *		Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	USDA Regulated Soils Y N NA										
								Date Time		Date Time				Samples in Holding Time Y N NA										
MW-106-202411					GW		G	11/21/24 1220		-		-	4	X	X	Residual Chlorine Present Y N NA								
MW-106A-202411								1315		-		-	4	X	X	Cl Strips: Y N NA								
MW-107-202411								1127		-		-	4	X	X	Sample pH Acceptable Y N NA								
MW-107A-202411								1456		-		-	4	X	X	pH Strips: Y N NA								
MW-108-202411								1556		-		-	4	X	X	Sulfide Present Y N NA								
MW-110A-202411								1605		-		-	4	X	X	Lead Acetate Strips: Y N NA								
MW-113-202411								1055		-		-	4	X	X	LAB USE ONLY: Lab Sample # / Comments:								
MW-115-202411								1520		-		-	5	X	X	X	001							
MW-115A-202411								1538		-		-	4	X	X	X	002							
MW-116-202411								1426		-		-	5	X	X	X	003							
Customer Remarks / Special Conditions / Possible Hazards: *Trip blank oil										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (72 hours): Y N N/A					Lab Sample Temperature Info:				
Packing Material Used: see SCMP										Lab Tracking #: 2952750					Temp Blank Received: Y N NA									
Radchem sample(s) screened (<500 cpm): see SCMP										Samples received via: FEDEX UPS Client Courier Pace Courier					Therm ID#: 11/21/2024									
Relinquished by/Company: (Signature) [Signature] Foth					Date/Time: 11/21/24 1730					Received by/Company: (Signature) Chapin Hys RKE					Date/Time: 11/21/24 1730					Cooler Temp Upon Receipt: oC				
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler Therm Corr. Factor: oC				
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler Temp Corrected Temp: oC				
MTJL LAB USE ONLY										Table #:					Acctnum:					Comments: 11/21/2024				
Template:										Prelogin:					PM:					Trip Blank Received: Y N NA				
PB:																				HCL MeOH TSP Other				
Non Conformance(s): YES / NO										Page 4 of 45					of: 1									

Trip blank added to LOC after trip blank vials were discovered in the provided cooler 11/21/2024

Effective Date: 8/16/2022

Sample Preservation Receipt Form

Client Name: Foth

Project # _____

All containers needing preservation have been checked and noted below:

☒ Yes ☐ No☐ N/ALab Lot# of pH paper: 1060144

Lab Std #ID of preservation (if pH adjusted): _____

Initial when completed: MJG

Date/Time: _____

Pace Lab #	Glass						Plastic					Vials				Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2					
001																																2.5 / 5
002																																2.5 / 5
003																																2.5 / 5
004																																2.5 / 5
005																																2.5 / 5
006																																2.5 / 5
007																																2.5 / 5
008																																2.5 / 5
009																																2.5 / 5
010																																2.5 / 5
011																																2.5 / 5
012																																2.5 / 5
013																																2.5 / 5
014																																2.5 / 5
015																																2.5 / 5
016																																2.5 / 5
017																																2.5 / 5
018																																2.5 / 5
019																																2.5 / 5
020																																2.5 / 5

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____

Headspace in VOA Vials (>6mm): ☒ Yes ☐ No ☐ N/A

If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Foth

WO#: **40287901**



Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Walto
☒ Client ☐ Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☒ None ☐ Other _____

Thermometer Used SR - 141 Type of Ice: Ver Blue Dry None ☐ Meltwater Only

Cooler Temperature Uncorr: 1.0 / Corr: 1.0

Temp Blank Present: ☒ yes ☐ no

Biological Tissue is Frozen: ☐ yes ☐ no

Person examining contents:

Date: 1/21/2024 Initials: MR

Labeled By Initials: GF

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present: ☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out: ☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished: ☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt ☐ Yes ☐ No	Date/Time: _____
Short Hold Time Analysis (<72hr): ☒ Yes ☒ No	6.
Rush Turn Around Time Requested: ☐ Yes ☒ No	7.
Sufficient Volume: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A	8.
Correct Containers Used: ☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>	
Containers Intact: ☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests ☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC: ☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>	
Trip Blank Present: ☒ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present ☒ Yes ☐ No ☐ N/A	
Pace Trip Blank Lot # (if purchased): <u>534</u>	

Trip blank added to COC after trip blank vials discovered by the lab in the provided cooler.
MR 1/21/2024

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi

Page 2 of 2



December 06, 2024

Nick Glander
Foth Infrastructure & Environment, LLC
2121 Innovation Court
Suite 300
De Pere, WI 54115

RE: Project: 22W016.24 Better Brite
Pace Project No.: 40287970

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 22, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Tod Noltemeyer".

Tod Noltemeyer
tod.noltemeyer@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40287970001	W-1_202411	Water	11/22/24 09:50	11/22/24 14:25
40287970002	W-1A_202411	Water	11/22/24 09:40	11/22/24 14:25
40287970003	MW-2_202411	Water	11/22/24 09:45	11/22/24 14:25
40287970004	MW-3R_202411	Water	11/22/24 08:35	11/22/24 14:25
40287970005	MW-3RD_202411	Water	11/22/24 08:35	11/22/24 14:25
40287970006	MW-5_202411	Water	11/22/24 10:35	11/22/24 14:25
40287970007	MW-5A_202411	Water	11/22/24 10:20	11/22/24 14:25
40287970008	MW-6_202411	Water	11/22/24 11:30	11/22/24 14:25
40287970009	MW-6A_202411	Water	11/22/24 11:45	11/22/24 14:25
40287970010	MW-111_202411	Water	11/22/24 12:20	11/22/24 14:25
40287970011	MW-7_202411	Water	11/22/24 10:55	11/22/24 14:25
40287970012	MW-7A_202411	Water	11/22/24 11:10	11/22/24 14:25
40287970013	MW-8_202411	Water	11/22/24 10:15	11/22/24 14:25
40287970014	MW-8A_202411	Water	11/22/24 10:30	11/22/24 14:25
40287970015	MW-9_202411	Water	11/22/24 08:55	11/22/24 14:25
40287970016	MW-10_202411	Water	11/22/24 08:30	11/22/24 14:25
40287970017	MW-11_202411	Water	11/22/24 11:05	11/22/24 14:25
40287970018	MW-12_202411	Water	11/22/24 09:15	11/22/24 14:25
40287970019	ZINC SUMP_202411	Water	11/22/24 09:05	11/22/24 14:25
40287970020	TB1_202411	Water	11/22/24 00:00	11/22/24 14:25
40287970021	MW-108A_202411	Water	11/22/24 12:50	11/22/24 14:25
40287970022	MW-108AD_202411	Water	11/22/24 12:50	11/22/24 14:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40287970001	W-1_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970002	W-1A_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287970003	MW-2_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287970004	MW-3R_202411	EPA 8260	EIB	64
		SM 3500-Cr B	DAW	1
40287970005	MW-3RD_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970006	MW-5_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970007	MW-5A_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970008	MW-6_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970009	MW-6A_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970010	MW-111_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970011	MW-7_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970012	MW-7A_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970013	MW-8_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970014	MW-8A_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970015	MW-9_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970016	MW-10_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970017	MW-11_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970018	MW-12_202411	EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1
40287970019	ZINC SUMP_202411	EPA 8260	CXJ	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40287970020	TB1_202411	EPA 335.4	DAW	1
		SM 3500-Cr B	DAW	1
		EPA 8260	CXJ	64
40287970021	MW-108A_202411	EPA 8260	CXJ	64
40287970022	MW-108AD_202411	SM 3500-Cr B	DAW	1
		EPA 8260	CXJ	64
		SM 3500-Cr B	DAW	1

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Method: EPA 8260

Description: 8260 MSV

Client: Foth Infrastructure & Environment

Date: December 06, 2024

General Information:

22 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Method: EPA 335.4

Description: 335.4 Cyanide, Total

Client: Foth Infrastructure & Environment

Date: December 06, 2024

General Information:

1 sample was analyzed for EPA 335.4 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Method: SM 3500-Cr B

Description: Chromium, Hexavalent

Client: Foth Infrastructure & Environment

Date: December 06, 2024

General Information:

21 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: W-1_202411 Lab ID: 40287970001 Collected: 11/22/24 09:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 13:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:52	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:52	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 13:52	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 13:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 13:52	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:52	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 13:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 13:52	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 13:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 13:52	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 13:52	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 13:52	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:52	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 13:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 13:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 13:52	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 13:52	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:52	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:52	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 13:52	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 13:52	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:52	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 13:52	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 13:52	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 13:52	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 13:52	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 13:52	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:52	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:52	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:52	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 13:52	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 13:52	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 13:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 13:52	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:52	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 13:52	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:52	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 13:52	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:52	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:52	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: W-1_202411 Lab ID: 40287970001 Collected: 11/22/24 09:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:52	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 13:52	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 13:52	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 13:52	120-82-1	
1,1,1-Trichloroethane	3.0	ug/L	1.0	0.30	1		11/25/24 13:52	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 13:52	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 13:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:52	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 13:52	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 13:52	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 13:52	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 13:52	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:52	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 13:52	2199-69-1	
4-Bromofluorobenzene (S)	99	%	70-130		1		11/25/24 13:52	460-00-4	
Toluene-d8 (S)	100	%	70-130		1		11/25/24 13:52	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	1.6	mg/L	0.050	0.012	5		11/26/24 12:55		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: W-1A_202411 Lab ID: 40287970002 Collected: 11/22/24 09:40 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:24	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:24	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:24	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:24	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:24	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:24	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:24	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:24	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:24	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:24	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:24	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:24	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:24	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:24	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:24	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:24	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:24	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:24	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:24	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:24	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:24	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:24	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:24	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:24	75-71-8	
1,1-Dichloroethane	1.9	ug/L	1.0	0.30	1		11/25/24 17:24	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:24	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:24	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:24	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:24	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:24	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:24	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:24	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:24	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:24	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:24	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:24	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:24	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:24	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:24	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:24	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:24	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:24	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:24	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:24	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:24	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: W-1A_202411 Lab ID: 40287970002 Collected: 11/22/24 09:40 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:24	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:24	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:24	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:24	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:24	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:24	120-82-1	
1,1,1-Trichloroethane	2.9	ug/L	1.0	0.30	1		11/25/24 17:24	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:24	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:24	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:24	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:24	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:24	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:24	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:24	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:24	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:24	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/25/24 17:24	2199-69-1	
4-Bromofluorobenzene (S)	96	%	70-130		1		11/25/24 17:24	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/25/24 17:24	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.63	mg/L	0.020	0.0050	2		11/26/24 12:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-2_202411 Lab ID: 40287970003 Collected: 11/22/24 09:45 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:43	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:43	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:43	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:43	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:43	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:43	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:43	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:43	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:43	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:43	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:43	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:43	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:43	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:43	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:43	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:43	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:43	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:43	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:43	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:43	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:43	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:43	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:43	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:43	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:43	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:43	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:43	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:43	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:43	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:43	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:43	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:43	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:43	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:43	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:43	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:43	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:43	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:43	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:43	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:43	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:43	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:43	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:43	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:43	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-2_202411 Lab ID: 40287970003 Collected: 11/22/24 09:45 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:43	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:43	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:43	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:43	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:43	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:43	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:43	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:43	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:43	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:43	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:43	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:43	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:43	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:43	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 17:43	2199-69-1	
4-Bromofluorobenzene (S)	93	%	70-130		1		11/25/24 17:43	460-00-4	
Toluene-d8 (S)	97	%	70-130		1		11/25/24 17:43	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.0028J	mg/L	0.010	0.0025	1		11/26/24 11:58		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

Sample: MW-3R_202411 Lab ID: 40287970004 Collected: 11/22/24 08:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 18:02	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:02	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 18:02	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 18:02	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 18:02	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 18:02	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 18:02	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 18:02	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 18:02	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 18:02	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 18:02	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 18:02	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 18:02	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 18:02	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 18:02	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 18:02	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 18:02	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 18:02	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 18:02	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 18:02	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 18:02	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:02	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 18:02	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 18:02	75-71-8	
1,1-Dichloroethane	4.6	ug/L	1.0	0.30	1		11/25/24 18:02	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 18:02	107-06-2	
1,1-Dichloroethene	1.8	ug/L	1.0	0.58	1		11/25/24 18:02	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 18:02	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 18:02	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 18:02	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 18:02	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 18:02	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 18:02	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 18:02	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 18:02	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 18:02	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 18:02	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 18:02	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 18:02	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 18:02	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 18:02	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 18:02	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 18:02	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:02	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:02	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-3R_202411 Lab ID: 40287970004 Collected: 11/22/24 08:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 18:02	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 18:02	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 18:02	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 18:02	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 18:02	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 18:02	120-82-1	
1,1,1-Trichloroethane	20.4	ug/L	1.0	0.30	1		11/25/24 18:02	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 18:02	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 18:02	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 18:02	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 18:02	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 18:02	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:02	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 18:02	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 18:02	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:02	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 18:02	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		11/25/24 18:02	460-00-4	
Toluene-d8 (S)	96	%	70-130		1		11/25/24 18:02	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.57	mg/L	0.020	0.0050	2		11/26/24 12:57		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-3RD_202411 Lab ID: 40287970005 Collected: 11/22/24 08:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 14:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:11	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:11	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 14:11	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 14:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 14:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 14:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 14:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 14:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 14:11	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 14:11	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 14:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:11	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 14:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 14:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 14:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 14:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 14:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 14:11	75-71-8	
1,1-Dichloroethane	4.8	ug/L	1.0	0.30	1		11/25/24 14:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 14:11	107-06-2	
1,1-Dichloroethene	1.6	ug/L	1.0	0.58	1		11/25/24 14:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 14:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 14:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 14:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:11	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:11	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 14:11	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 14:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 14:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 14:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 14:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:11	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 14:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-3RD_202411 Lab ID: 40287970005 Collected: 11/22/24 08:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 14:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 14:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 14:11	120-82-1	
1,1,1-Trichloroethane	20.1	ug/L	1.0	0.30	1		11/25/24 14:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 14:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 14:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 14:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 14:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 14:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 14:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:11	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 14:11	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 14:11	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		11/25/24 14:11	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.46	mg/L	0.010	0.0025	1		11/26/24 12:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-5_202411 Lab ID: 40287970006 Collected: 11/22/24 10:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 14:29	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:29	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:29	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 14:29	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 14:29	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 14:29	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:29	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 14:29	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 14:29	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 14:29	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:29	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 14:29	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 14:29	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 14:29	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:29	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:29	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 14:29	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 14:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 14:29	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 14:29	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:29	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:29	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 14:29	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 14:29	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:29	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 14:29	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 14:29	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 14:29	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 14:29	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 14:29	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:29	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:29	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:29	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 14:29	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 14:29	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:29	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:29	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 14:29	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 14:29	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:29	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 14:29	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:29	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 14:29	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:29	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:29	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-5_202411 Lab ID: 40287970006 Collected: 11/22/24 10:35 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:29	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 14:29	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:29	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 14:29	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:29	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 14:29	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:29	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 14:29	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 14:29	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:29	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 14:29	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 14:29	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:29	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 14:29	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 14:29	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:29	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		11/25/24 14:29	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		11/25/24 14:29	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 14:29	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.43	mg/L	0.010	0.0025	1		11/26/24 12:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-5A_202411 Lab ID: 40287970007 Collected: 11/22/24 10:20 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 14:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:48	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 14:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 14:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 14:48	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 14:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 14:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 14:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 14:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 14:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 14:48	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 14:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 14:48	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 14:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 14:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 14:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 14:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 14:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 14:48	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 14:48	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 14:48	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 14:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 14:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 14:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 14:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 14:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 14:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 14:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 14:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 14:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 14:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 14:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-5A_202411 Lab ID: 40287970007 Collected: 11/22/24 10:20 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 14:48	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 14:48	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 14:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 14:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 14:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 14:48	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 14:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 14:48	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 14:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 14:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 14:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 14:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 14:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 14:48	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 14:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 14:48	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/25/24 14:48	2199-69-1	
4-Bromofluorobenzene (S)	99	%	70-130		1		11/25/24 14:48	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 14:48	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.34	mg/L	0.050	0.012	5		11/26/24 12:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-6_202411 Lab ID: 40287970008 Collected: 11/22/24 11:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 15:07	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:07	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:07	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 15:07	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 15:07	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 15:07	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:07	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 15:07	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 15:07	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 15:07	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:07	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 15:07	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 15:07	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 15:07	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:07	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:07	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 15:07	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 15:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 15:07	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 15:07	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:07	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:07	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 15:07	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 15:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:07	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 15:07	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 15:07	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 15:07	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 15:07	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 15:07	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:07	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:07	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:07	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 15:07	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 15:07	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:07	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:07	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 15:07	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 15:07	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:07	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 15:07	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:07	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 15:07	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:07	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:07	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-6_202411 Lab ID: 40287970008 Collected: 11/22/24 11:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:07	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 15:07	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:07	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 15:07	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:07	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 15:07	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:07	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 15:07	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 15:07	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:07	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 15:07	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 15:07	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:07	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 15:07	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 15:07	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:07	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 15:07	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		11/25/24 15:07	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 15:07	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.15	mg/L	0.010	0.0025	1		11/26/24 12:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-6A_202411 Lab ID: 40287970009 Collected: 11/22/24 11:45 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 15:26	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:26	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:26	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 15:26	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 15:26	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 15:26	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:26	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 15:26	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 15:26	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 15:26	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:26	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 15:26	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 15:26	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 15:26	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:26	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:26	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 15:26	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 15:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 15:26	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 15:26	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:26	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:26	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 15:26	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 15:26	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:26	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 15:26	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 15:26	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 15:26	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 15:26	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 15:26	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:26	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:26	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:26	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 15:26	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 15:26	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:26	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:26	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 15:26	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 15:26	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:26	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 15:26	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:26	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 15:26	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:26	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:26	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-6A_202411 Lab ID: 40287970009 Collected: 11/22/24 11:45 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:26	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 15:26	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:26	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 15:26	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:26	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 15:26	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:26	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 15:26	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 15:26	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:26	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 15:26	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 15:26	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:26	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 15:26	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 15:26	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:26	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 15:26	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 15:26	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 15:26	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:07		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-111_202411 Lab ID: 40287970010 Collected: 11/22/24 12:20 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 13:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:15	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:15	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 13:15	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 13:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 13:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 13:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 13:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 13:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 13:15	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 13:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 13:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:15	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 13:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 13:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 13:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 13:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 13:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 13:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 13:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 13:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 13:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 13:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 13:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:15	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:15	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 13:15	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 13:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 13:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 13:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 13:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:15	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 13:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-111_202411 Lab ID: 40287970010 Collected: 11/22/24 12:20 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 13:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 13:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 13:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 13:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 13:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 13:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 13:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 13:15	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 13:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:15	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 13:15	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		11/25/24 13:15	460-00-4	
Toluene-d8 (S)	100	%	70-130		1		11/25/24 13:15	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0025	mg/L	0.010	0.0025	1		11/26/24 12:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-7_202411 Lab ID: 40287970011 Collected: 11/22/24 10:55 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 15:45	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:45	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:45	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 15:45	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 15:45	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 15:45	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:45	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 15:45	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 15:45	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 15:45	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 15:45	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 15:45	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 15:45	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 15:45	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:45	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 15:45	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 15:45	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 15:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 15:45	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 15:45	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:45	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:45	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 15:45	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 15:45	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:45	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 15:45	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 15:45	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 15:45	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 15:45	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 15:45	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:45	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:45	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:45	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 15:45	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 15:45	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:45	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 15:45	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 15:45	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 15:45	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:45	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 15:45	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 15:45	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 15:45	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:45	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-7_202411 Lab ID: 40287970011 Collected: 11/22/24 10:55 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 15:45	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 15:45	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 15:45	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 15:45	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 15:45	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 15:45	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 15:45	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 15:45	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 15:45	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 15:45	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 15:45	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 15:45	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 15:45	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 15:45	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 15:45	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 15:45	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/25/24 15:45	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/25/24 15:45	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 15:45	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.010	mg/L	0.010	0.0025	1		11/26/24 12:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-7A_202411 Lab ID: 40287970012 Collected: 11/22/24 11:10 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 16:04	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:04	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:04	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 16:04	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 16:04	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 16:04	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:04	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 16:04	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 16:04	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 16:04	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:04	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 16:04	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 16:04	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 16:04	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:04	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:04	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 16:04	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 16:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 16:04	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 16:04	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:04	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:04	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 16:04	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 16:04	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 16:04	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 16:04	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 16:04	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 16:04	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 16:04	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:04	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:04	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:04	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 16:04	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 16:04	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:04	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:04	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 16:04	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 16:04	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:04	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 16:04	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:04	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 16:04	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:04	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:04	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-7A_202411 Lab ID: 40287970012 Collected: 11/22/24 11:10 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:04	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 16:04	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:04	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 16:04	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:04	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 16:04	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:04	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 16:04	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 16:04	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:04	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 16:04	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 16:04	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:04	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 16:04	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 16:04	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:04	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 16:04	2199-69-1	
4-Bromofluorobenzene (S)	99	%	70-130		1		11/25/24 16:04	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 16:04	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.016	mg/L	0.010	0.0025	1		11/26/24 12:10		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-8_202411 Lab ID: 40287970013 Collected: 11/22/24 10:15 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 16:23	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:23	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:23	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 16:23	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 16:23	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 16:23	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:23	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 16:23	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 16:23	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 16:23	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:23	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 16:23	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 16:23	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 16:23	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:23	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:23	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 16:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 16:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 16:23	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 16:23	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:23	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:23	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 16:23	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 16:23	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:23	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 16:23	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 16:23	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 16:23	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 16:23	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 16:23	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:23	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:23	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:23	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 16:23	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 16:23	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:23	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:23	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 16:23	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 16:23	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:23	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 16:23	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:23	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 16:23	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:23	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-8_202411 Lab ID: 40287970013 Collected: 11/22/24 10:15 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 16:23	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:23	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 16:23	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 16:23	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:23	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 16:23	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 16:23	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:23	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 16:23	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 16:23	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 16:23	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 16:23	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:23	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 16:23	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 16:23	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 16:23	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.023	mg/L	0.010	0.0025	1		11/26/24 12:11		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-8A_202411 Lab ID: 40287970014 Collected: 11/22/24 10:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 16:42	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:42	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:42	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 16:42	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 16:42	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 16:42	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:42	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 16:42	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 16:42	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 16:42	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 16:42	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 16:42	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 16:42	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 16:42	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:42	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 16:42	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 16:42	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 16:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 16:42	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 16:42	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:42	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:42	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 16:42	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 16:42	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:42	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 16:42	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 16:42	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 16:42	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 16:42	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 16:42	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:42	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:42	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:42	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 16:42	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 16:42	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:42	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 16:42	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 16:42	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 16:42	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:42	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 16:42	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 16:42	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 16:42	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:42	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:42	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-8A_202411 Lab ID: 40287970014 Collected: 11/22/24 10:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 16:42	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 16:42	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 16:42	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 16:42	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 16:42	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 16:42	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 16:42	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 16:42	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 16:42	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 16:42	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 16:42	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 16:42	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 16:42	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 16:42	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 16:42	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 16:42	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 16:42	2199-69-1	
4-Bromofluorobenzene (S)	102	%	70-130		1		11/25/24 16:42	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 16:42	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.023	mg/L	0.010	0.0025	1		11/26/24 12:13		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-9_202411 Lab ID: 40287970015 Collected: 11/22/24 08:55 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:01	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:01	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:01	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:01	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:01	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:01	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:01	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:01	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:01	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:01	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:01	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:01	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:01	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:01	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:01	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:01	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:01	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:01	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:01	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:01	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:01	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:01	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:01	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:01	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:01	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:01	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:01	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:01	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:01	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:01	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:01	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:01	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:01	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:01	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:01	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:01	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:01	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:01	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:01	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:01	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:01	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:01	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:01	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:01	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:01	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-9_202411 Lab ID: 40287970015 Collected: 11/22/24 08:55 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:01	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:01	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:01	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:01	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:01	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:01	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:01	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:01	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:01	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:01	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:01	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:01	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:01	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:01	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:01	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:01	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 17:01	2199-69-1	
4-Bromofluorobenzene (S)	99	%	70-130		1		11/25/24 17:01	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 17:01	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.015	mg/L	0.010	0.0025	1		11/26/24 12:14		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-10_202411 Lab ID: 40287970016 Collected: 11/22/24 08:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:20	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:20	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:20	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:20	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:20	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:20	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:20	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:20	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:20	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:20	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:20	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:20	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:20	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:20	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:20	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:20	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:20	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:20	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:20	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:20	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:20	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:20	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:20	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:20	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:20	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:20	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:20	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:20	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:20	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:20	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:20	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:20	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:20	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:20	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:20	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:20	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:20	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:20	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:20	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:20	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:20	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:20	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:20	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-10_202411 Lab ID: 40287970016 Collected: 11/22/24 08:30 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:20	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:20	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:20	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:20	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:20	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:20	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:20	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:20	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:20	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:20	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:20	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:20	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:20	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:20	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:20	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:20	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 17:20	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/25/24 17:20	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 17:20	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.18	mg/L	0.010	0.0025	1		11/26/24 12:15		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-11_202411 Lab ID: 40287970017 Collected: 11/22/24 11:05 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:38	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:38	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:38	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:38	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:38	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:38	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-11_202411 Lab ID: 40287970017 Collected: 11/22/24 11:05 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:38	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:38	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:38	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/25/24 17:38	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/25/24 17:38	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		11/25/24 17:38	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.022	mg/L	0.010	0.0025	1		11/26/24 12:16		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-12_202411 Lab ID: 40287970018 Collected: 11/22/24 09:15 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 17:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:57	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:57	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 17:57	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 17:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 17:57	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:57	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 17:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 17:57	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 17:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 17:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 17:57	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 17:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 17:57	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 17:57	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 17:57	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 17:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 17:57	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 17:57	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:57	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:57	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 17:57	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 17:57	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:57	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 17:57	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 17:57	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 17:57	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 17:57	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 17:57	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:57	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:57	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:57	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 17:57	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 17:57	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 17:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 17:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 17:57	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:57	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 17:57	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 17:57	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 17:57	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:57	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:57	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

Sample: MW-12_202411 Lab ID: 40287970018 Collected: 11/22/24 09:15 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 17:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 17:57	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 17:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 17:57	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 17:57	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 17:57	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 17:57	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 17:57	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 17:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 17:57	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 17:57	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 17:57	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 17:57	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 17:57	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 17:57	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 17:57	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/25/24 17:57	2199-69-1	
4-Bromofluorobenzene (S)	100	%	70-130		1		11/25/24 17:57	460-00-4	
Toluene-d8 (S)	100	%	70-130		1		11/25/24 17:57	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.13	mg/L	0.050	0.012	5		11/26/24 12:17		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: ZINC SUMP_202411 Lab ID: 40287970019 Collected: 11/22/24 09:05 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 12:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 12:56	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 12:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 12:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 12:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 12:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 12:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 12:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 12:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 12:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 12:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 12:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 12:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 12:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 12:56	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 12:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 12:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 12:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 12:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 12:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 12:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 12:56	75-71-8	
1,1-Dichloroethane	3.2	ug/L	1.0	0.30	1		11/25/24 12:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 12:56	107-06-2	
1,1-Dichloroethene	4.4	ug/L	1.0	0.58	1		11/25/24 12:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 12:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 12:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 12:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 12:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 12:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 12:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 12:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 12:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 12:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 12:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 12:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 12:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 12:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 12:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 12:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 12:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: ZINC SUMP_202411 Lab ID: 40287970019 Collected: 11/22/24 09:05 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 12:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 12:56	79-34-5	
Tetrachloroethene	1.6	ug/L	1.0	0.41	1		11/25/24 12:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 12:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 12:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 12:56	120-82-1	
1,1,1-Trichloroethane	44.4	ug/L	1.0	0.30	1		11/25/24 12:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 12:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 12:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 12:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 12:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 12:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 12:56	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 12:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:56	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/25/24 12:56	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 12:56	460-00-4	
Toluene-d8 (S)	98	%	70-130		1		11/25/24 12:56	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	0.14	mg/L	0.046	0.014	1	11/25/24 11:30	11/25/24 13:46	57-12-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	2.9	mg/L	0.10	0.025	10		11/26/24 13:01		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: TB1_202411 Lab ID: 40287970020 Collected: 11/22/24 00:00 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 12:37	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:37	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 12:37	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 12:37	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 12:37	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 12:37	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 12:37	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 12:37	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 12:37	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 12:37	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 12:37	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 12:37	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 12:37	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 12:37	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 12:37	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 12:37	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 12:37	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 12:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 12:37	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 12:37	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 12:37	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:37	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 12:37	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 12:37	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 12:37	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 12:37	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 12:37	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 12:37	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 12:37	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 12:37	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 12:37	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 12:37	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 12:37	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 12:37	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 12:37	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 12:37	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 12:37	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 12:37	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 12:37	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 12:37	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 12:37	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 12:37	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 12:37	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:37	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: TB1_202411 Lab ID: 40287970020 Collected: 11/22/24 00:00 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 12:37	630-20-6	
1,1,1,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 12:37	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 12:37	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 12:37	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 12:37	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 12:37	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 12:37	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 12:37	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 12:37	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 12:37	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 12:37	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 12:37	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 12:37	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 12:37	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 12:37	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 12:37	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 12:37	2199-69-1	
4-Bromofluorobenzene (S)	103	%	70-130		1		11/25/24 12:37	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 12:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-108A_202411 Lab ID: 40287970021 Collected: 11/22/24 12:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 13:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:34	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:34	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 13:34	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 13:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 13:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 13:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 13:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 13:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 13:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 13:34	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 13:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 13:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 13:34	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 13:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 13:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 13:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 13:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 13:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 13:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 13:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 13:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 13:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 13:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 13:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:34	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:34	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 13:34	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 13:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 13:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 13:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 13:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 13:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 13:34	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 13:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-108A_202411 Lab ID: 40287970021 Collected: 11/22/24 12:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 13:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 13:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 13:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 13:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 13:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 13:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 13:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 13:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 13:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 13:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 13:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 13:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 13:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 13:34	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 13:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 13:34	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/25/24 13:34	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 13:34	460-00-4	
Toluene-d8 (S)	99	%	70-130		1		11/25/24 13:34	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.14	mg/L	0.050	0.012	5		11/26/24 12:47		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-108AD_202411 Lab ID: 40287970022 Collected: 11/22/24 12:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/25/24 18:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:16	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/25/24 18:16	74-97-5	
Bromodichloromethane	<0.21	ug/L	1.0	0.21	1		11/25/24 18:16	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/25/24 18:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/25/24 18:16	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 18:16	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/25/24 18:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/25/24 18:16	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/25/24 18:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/25/24 18:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/25/24 18:16	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/25/24 18:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/25/24 18:16	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 18:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/25/24 18:16	106-43-4	
1,2-Dibromo-3-chloropropane	<0.36	ug/L	5.0	0.36	1		11/25/24 18:16	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/25/24 18:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/25/24 18:16	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/25/24 18:16	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 18:16	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:16	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/25/24 18:16	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/25/24 18:16	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 18:16	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/25/24 18:16	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/25/24 18:16	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/25/24 18:16	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/25/24 18:16	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/25/24 18:16	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/25/24 18:16	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/25/24 18:16	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/25/24 18:16	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/25/24 18:16	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/25/24 18:16	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 18:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/25/24 18:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/25/24 18:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/25/24 18:16	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/25/24 18:16	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/25/24 18:16	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/25/24 18:16	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/25/24 18:16	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:16	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:16	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

Sample: MW-108AD_202411 Lab ID: 40287970022 Collected: 11/22/24 12:50 Received: 11/22/24 14:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/25/24 18:16	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/25/24 18:16	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/25/24 18:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/25/24 18:16	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/25/24 18:16	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/25/24 18:16	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/25/24 18:16	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/25/24 18:16	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/25/24 18:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/25/24 18:16	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/25/24 18:16	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/25/24 18:16	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/25/24 18:16	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/25/24 18:16	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/25/24 18:16	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/25/24 18:16	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/25/24 18:16	2199-69-1	
4-Bromofluorobenzene (S)	101	%	70-130		1		11/25/24 18:16	460-00-4	
Toluene-d8 (S)	101	%	70-130		1		11/25/24 18:16	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.57	mg/L	0.050	0.012	5		11/26/24 12:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

QC Batch: 491037 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40287970002, 40287970003, 40287970004

METHOD BLANK: 2811925 Matrix: Water
Associated Lab Samples: 40287970002, 40287970003, 40287970004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/25/24 08:51	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/25/24 08:51	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/25/24 08:51	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/25/24 08:51	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/25/24 08:51	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/25/24 08:51	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/25/24 08:51	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/25/24 08:51	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/25/24 08:51	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/25/24 08:51	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/25/24 08:51	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	11/25/24 08:51	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/25/24 08:51	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/25/24 08:51	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/25/24 08:51	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/25/24 08:51	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/25/24 08:51	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/25/24 08:51	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/25/24 08:51	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/25/24 08:51	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/25/24 08:51	
2-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 08:51	
4-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 08:51	
Benzene	ug/L	<0.30	1.0	11/25/24 08:51	
Bromobenzene	ug/L	<0.36	1.0	11/25/24 08:51	
Bromochloromethane	ug/L	<0.36	1.0	11/25/24 08:51	
Bromodichloromethane	ug/L	<0.21	1.0	11/25/24 08:51	
Bromoform	ug/L	<0.43	1.0	11/25/24 08:51	
Bromomethane	ug/L	<1.2	5.0	11/25/24 08:51	
Carbon tetrachloride	ug/L	<0.37	1.0	11/25/24 08:51	
Chlorobenzene	ug/L	<0.86	1.0	11/25/24 08:51	
Chloroethane	ug/L	<1.4	5.0	11/25/24 08:51	
Chloroform	ug/L	<0.50	5.0	11/25/24 08:51	
Chloromethane	ug/L	<1.6	5.0	11/25/24 08:51	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/25/24 08:51	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/25/24 08:51	
Dibromochloromethane	ug/L	<2.6	5.0	11/25/24 08:51	
Dibromomethane	ug/L	<0.99	5.0	11/25/24 08:51	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/25/24 08:51	
Diisopropyl ether	ug/L	<1.1	5.0	11/25/24 08:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

METHOD BLANK: 2811925 Matrix: Water

Associated Lab Samples: 40287970002, 40287970003, 40287970004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/25/24 08:51	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/25/24 08:51	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/25/24 08:51	
m&p-Xylene	ug/L	<0.70	2.0	11/25/24 08:51	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/25/24 08:51	
Methylene Chloride	ug/L	<0.32	5.0	11/25/24 08:51	
n-Butylbenzene	ug/L	<0.86	1.0	11/25/24 08:51	
n-Propylbenzene	ug/L	<0.35	1.0	11/25/24 08:51	
Naphthalene	ug/L	<1.9	5.0	11/25/24 08:51	
o-Xylene	ug/L	<0.35	1.0	11/25/24 08:51	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/25/24 08:51	
sec-Butylbenzene	ug/L	<0.42	1.0	11/25/24 08:51	
Styrene	ug/L	<0.36	1.0	11/25/24 08:51	
tert-Butylbenzene	ug/L	<0.59	1.0	11/25/24 08:51	
Tetrachloroethene	ug/L	<0.41	1.0	11/25/24 08:51	
Toluene	ug/L	<0.29	1.0	11/25/24 08:51	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/25/24 08:51	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/25/24 08:51	
Trichloroethene	ug/L	<0.32	1.0	11/25/24 08:51	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/25/24 08:51	
Vinyl chloride	ug/L	<0.17	1.0	11/25/24 08:51	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/25/24 08:51	
4-Bromofluorobenzene (S)	%	100	70-130	11/25/24 08:51	
Toluene-d8 (S)	%	98	70-130	11/25/24 08:51	

LABORATORY CONTROL SAMPLE: 2811926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.3	103	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	49.4	99	70-130	
1,1,2-Trichloroethane	ug/L	50	48.6	97	70-130	
1,1-Dichloroethane	ug/L	50	49.6	99	70-130	
1,1-Dichloroethene	ug/L	50	47.8	96	66-130	
1,2,4-Trichlorobenzene	ug/L	50	47.8	96	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.6	93	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	50.7	101	70-130	
1,2-Dichloroethane	ug/L	50	49.4	99	70-130	
1,2-Dichloropropane	ug/L	50	51.5	103	70-130	
1,3-Dichlorobenzene	ug/L	50	50.3	101	70-130	
1,4-Dichlorobenzene	ug/L	50	50.6	101	70-130	
Benzene	ug/L	50	51.0	102	70-130	
Bromodichloromethane	ug/L	50	50.5	101	70-130	
Bromoform	ug/L	50	49.9	100	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

LABORATORY CONTROL SAMPLE: 2811926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	31.7	63	40-157	
Carbon tetrachloride	ug/L	50	54.7	109	70-139	
Chlorobenzene	ug/L	50	51.0	102	70-130	
Chloroethane	ug/L	50	45.6	91	61-145	
Chloroform	ug/L	50	51.5	103	70-130	
Chloromethane	ug/L	50	32.0	64	22-163	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	51.5	103	70-130	
Dibromochloromethane	ug/L	50	49.9	100	70-130	
Dichlorodifluoromethane	ug/L	50	18.1	36	10-185	
Ethylbenzene	ug/L	50	53.8	108	70-130	
Isopropylbenzene (Cumene)	ug/L	50	50.6	101	70-134	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	48.3	97	62-130	
Methylene Chloride	ug/L	50	43.0	86	70-130	
o-Xylene	ug/L	50	52.8	106	70-130	
Styrene	ug/L	50	54.7	109	70-130	
Tetrachloroethene	ug/L	50	52.3	105	70-130	
Toluene	ug/L	50	50.5	101	70-130	
trans-1,2-Dichloroethene	ug/L	50	50.4	101	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.2	100	70-130	
Trichloroethene	ug/L	50	51.2	102	70-130	
Trichlorofluoromethane	ug/L	50	47.9	96	70-149	
Vinyl chloride	ug/L	50	39.5	79	37-145	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			97	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811998 2811999

Parameter	Units	40287925001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	53.9	54.2	108	108	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	54.7	55.9	109	112	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	53.5	55.1	107	110	70-130	3	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	51.9	52.5	104	105	70-130	1	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	49.8	51.1	100	102	65-131	3	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	53.5	55.1	107	110	63-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	53.2	54.3	106	109	65-130	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	55.1	56.9	110	114	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	54.4	56.0	109	112	70-130	3	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	52.4	54.0	105	108	70-131	3	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	53.5	55.5	107	111	70-130	4	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	55.7	57.7	111	115	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811998 2811999											
Parameter	Units	40287925001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,4-Dichlorobenzene	ug/L	<0.89	50	50	54.5	56.7	109	113	70-130	4	20
Benzene	ug/L	<0.30	50	50	53.5	54.5	107	109	70-130	2	20
Bromodichloromethane	ug/L	<0.21	50	50	53.7	54.8	107	110	70-130	2	20
Bromoform	ug/L	<0.43	50	50	55.8	58.0	112	116	61-130	4	20
Bromomethane	ug/L	<1.2	50	50	36.7	39.6	73	79	40-170	7	20
Carbon tetrachloride	ug/L	<0.37	50	50	57.6	57.7	115	115	70-141	0	20
Chlorobenzene	ug/L	<0.86	50	50	54.6	56.8	109	114	70-130	4	20
Chloroethane	ug/L	<1.4	50	50	48.1	48.1	96	96	59-148	0	20
Chloroform	ug/L	<0.50	50	50	54.9	55.9	110	112	70-130	2	20
Chloromethane	ug/L	<1.6	50	50	32.9	32.8	66	66	19-170	0	20
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.4	54.1	105	108	70-130	3	20
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	55.8	57.6	112	115	70-130	3	20
Dibromochloromethane	ug/L	<2.6	50	50	55.3	56.4	111	113	70-130	2	20
Dichlorodifluoromethane	ug/L	<0.46	50	50	18.4	17.3	37	35	10-190	6	20
Ethylbenzene	ug/L	8.7	50	50	66.5	68.1	116	119	70-130	2	20
Isopropylbenzene (Cumene)	ug/L	1.3J	50	50	56.1	57.6	110	113	70-137	3	20
m&p-Xylene	ug/L	12.5	100	100	128	133	116	121	70-130	4	20
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.9	53.1	104	106	62-130	2	20
Methylene Chloride	ug/L	<0.32	50	50	46.0	47.5	92	95	70-133	3	20
o-Xylene	ug/L	0.48J	50	50	57.9	60.6	115	120	70-130	4	20
Styrene	ug/L	<0.36	50	50	59.5	61.4	119	123	70-130	3	20
Tetrachloroethene	ug/L	<0.41	50	50	55.0	57.1	110	114	70-130	4	20
Toluene	ug/L	<0.29	50	50	54.0	56.2	108	112	70-130	4	20
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	52.9	54.6	106	109	70-133	3	20
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	55.0	57.2	110	114	68-130	4	20
Trichloroethene	ug/L	<0.32	50	50	54.1	55.1	108	110	70-130	2	20
Trichlorofluoromethane	ug/L	<0.42	50	50	49.6	49.4	99	99	65-153	1	20
Vinyl chloride	ug/L	<0.17	50	50	41.8	41.2	84	82	37-150	1	20
1,2-Dichlorobenzene-d4 (S)	%						102	100	70-130		
4-Bromofluorobenzene (S)	%						99	98	70-130		
Toluene-d8 (S)	%						99	101	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

QC Batch:	491039	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40287970001, 40287970005, 40287970006, 40287970007, 40287970008, 40287970009, 40287970010, 40287970011, 40287970012, 40287970013, 40287970014, 40287970015, 40287970016, 40287970017, 40287970018, 40287970019, 40287970020, 40287970021, 40287970022

METHOD BLANK:	2811931	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 40287970001, 40287970005, 40287970006, 40287970007, 40287970008, 40287970009, 40287970010, 40287970011, 40287970012, 40287970013, 40287970014, 40287970015, 40287970016, 40287970017, 40287970018, 40287970019, 40287970020, 40287970021, 40287970022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/25/24 10:25	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/25/24 10:25	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/25/24 10:25	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/25/24 10:25	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/25/24 10:25	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/25/24 10:25	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/25/24 10:25	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/25/24 10:25	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/25/24 10:25	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/25/24 10:25	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/25/24 10:25	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	5.0	11/25/24 10:25	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/25/24 10:25	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/25/24 10:25	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/25/24 10:25	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/25/24 10:25	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/25/24 10:25	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/25/24 10:25	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/25/24 10:25	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/25/24 10:25	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/25/24 10:25	
2-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 10:25	
4-Chlorotoluene	ug/L	<0.89	5.0	11/25/24 10:25	
Benzene	ug/L	<0.30	1.0	11/25/24 10:25	
Bromobenzene	ug/L	<0.36	1.0	11/25/24 10:25	
Bromochloromethane	ug/L	<0.36	1.0	11/25/24 10:25	
Bromodichloromethane	ug/L	<0.21	1.0	11/25/24 10:25	
Bromoform	ug/L	<0.43	1.0	11/25/24 10:25	
Bromomethane	ug/L	<1.2	5.0	11/25/24 10:25	
Carbon tetrachloride	ug/L	<0.37	1.0	11/25/24 10:25	
Chlorobenzene	ug/L	<0.86	1.0	11/25/24 10:25	
Chloroethane	ug/L	<1.4	5.0	11/25/24 10:25	
Chloroform	ug/L	<0.50	5.0	11/25/24 10:25	
Chloromethane	ug/L	<1.6	5.0	11/25/24 10:25	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/25/24 10:25	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/25/24 10:25	
Dibromochloromethane	ug/L	<2.6	5.0	11/25/24 10:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

METHOD BLANK: 2811931

Matrix: Water

Associated Lab Samples: 40287970001, 40287970005, 40287970006, 40287970007, 40287970008, 40287970009, 40287970010, 40287970011, 40287970012, 40287970013, 40287970014, 40287970015, 40287970016, 40287970017, 40287970018, 40287970019, 40287970020, 40287970021, 40287970022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	11/25/24 10:25	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/25/24 10:25	
Diisopropyl ether	ug/L	<1.1	5.0	11/25/24 10:25	
Ethylbenzene	ug/L	<0.33	1.0	11/25/24 10:25	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/25/24 10:25	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/25/24 10:25	
m&p-Xylene	ug/L	<0.70	2.0	11/25/24 10:25	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/25/24 10:25	
Methylene Chloride	ug/L	<0.32	5.0	11/25/24 10:25	
n-Butylbenzene	ug/L	<0.86	1.0	11/25/24 10:25	
n-Propylbenzene	ug/L	<0.35	1.0	11/25/24 10:25	
Naphthalene	ug/L	<1.9	5.0	11/25/24 10:25	
o-Xylene	ug/L	<0.35	1.0	11/25/24 10:25	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/25/24 10:25	
sec-Butylbenzene	ug/L	<0.42	1.0	11/25/24 10:25	
Styrene	ug/L	<0.36	1.0	11/25/24 10:25	
tert-Butylbenzene	ug/L	<0.59	1.0	11/25/24 10:25	
Tetrachloroethene	ug/L	<0.41	1.0	11/25/24 10:25	
Toluene	ug/L	<0.29	1.0	11/25/24 10:25	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/25/24 10:25	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/25/24 10:25	
Trichloroethene	ug/L	<0.32	1.0	11/25/24 10:25	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/25/24 10:25	
Vinyl chloride	ug/L	<0.17	1.0	11/25/24 10:25	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	11/25/24 10:25	
4-Bromofluorobenzene (S)	%	102	70-130	11/25/24 10:25	
Toluene-d8 (S)	%	102	70-130	11/25/24 10:25	

LABORATORY CONTROL SAMPLE: 2811932

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	52.0	104	70-130	
1,1,1-Trichloroethane	ug/L	50	54.3	109	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	48.1	96	70-130	
1,1,2-Trichloroethane	ug/L	50	46.9	94	70-130	
1,1-Dichloroethane	ug/L	50	49.6	99	70-130	
1,1-Dichloroethene	ug/L	50	52.6	105	66-130	
1,1-Dichloropropene	ug/L	50	49.9	100	70-130	
1,2,3-Trichlorobenzene	ug/L	50	48.8	98	70-130	
1,2,3-Trichloropropane	ug/L	50	48.1	96	70-130	
1,2,4-Trichlorobenzene	ug/L	50	49.0	98	68-130	
1,2,4-Trimethylbenzene	ug/L	50	55.0	110	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite

Pace Project No.: 40287970

LABORATORY CONTROL SAMPLE: 2811932

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/L	50	46.3	93	66-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	70-130	
1,2-Dichlorobenzene	ug/L	50	50.3	101	70-130	
1,2-Dichloroethane	ug/L	50	45.9	92	70-130	
1,2-Dichloropropane	ug/L	50	50.2	100	70-130	
1,3,5-Trimethylbenzene	ug/L	50	52.5	105	70-130	
1,3-Dichlorobenzene	ug/L	50	51.6	103	70-130	
1,3-Dichloropropane	ug/L	50	49.0	98	70-130	
1,4-Dichlorobenzene	ug/L	50	49.0	98	70-130	
2,2-Dichloropropane	ug/L	50	49.9	100	70-130	
2-Chlorotoluene	ug/L	50	50.6	101	70-130	
4-Chlorotoluene	ug/L	50	49.6	99	70-130	
Benzene	ug/L	50	50.3	101	70-130	
Bromobenzene	ug/L	50	49.7	99	70-130	
Bromochloromethane	ug/L	50	50.2	100	70-130	
Bromodichloromethane	ug/L	50	53.8	108	70-130	
Bromoform	ug/L	50	45.4	91	61-130	
Bromomethane	ug/L	50	50.7	101	40-157	
Carbon tetrachloride	ug/L	50	54.9	110	70-139	
Chlorobenzene	ug/L	50	51.3	103	70-130	
Chloroethane	ug/L	50	49.4	99	61-145	
Chloroform	ug/L	50	48.4	97	70-130	
Chloromethane	ug/L	50	51.8	104	22-163	
cis-1,2-Dichloroethene	ug/L	50	51.1	102	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.9	102	70-130	
Dibromochloromethane	ug/L	50	53.6	107	70-130	
Dibromomethane	ug/L	50	48.4	97	70-130	
Dichlorodifluoromethane	ug/L	50	57.6	115	10-185	
Diisopropyl ether	ug/L	50	47.0	94	70-131	
Ethylbenzene	ug/L	50	52.5	105	70-130	
Hexachloro-1,3-butadiene	ug/L	50	46.5	93	70-130	
Isopropylbenzene (Cumene)	ug/L	50	55.3	111	70-134	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	39.7	79	62-130	
Methylene Chloride	ug/L	50	46.9	94	70-130	
n-Butylbenzene	ug/L	50	52.7	105	70-130	
n-Propylbenzene	ug/L	50	55.5	111	70-130	
Naphthalene	ug/L	50	46.7	93	62-132	
o-Xylene	ug/L	50	53.3	107	70-130	
p-Isopropyltoluene	ug/L	50	56.9	114	70-130	
sec-Butylbenzene	ug/L	50	56.1	112	70-130	
Styrene	ug/L	50	53.6	107	70-130	
tert-Butylbenzene	ug/L	50	55.4	111	70-130	
Tetrachloroethene	ug/L	50	54.7	109	70-130	
Toluene	ug/L	50	50.6	101	70-130	
trans-1,2-Dichloroethene	ug/L	50	49.3	99	70-130	
trans-1,3-Dichloropropene	ug/L	50	50.0	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

LABORATORY CONTROL SAMPLE: 2811932

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichloroethene	ug/L	50	50.4	101	70-130	
Trichlorofluoromethane	ug/L	50	52.7	105	70-149	
Vinyl chloride	ug/L	50	56.1	112	37-145	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812067 2812068

Parameter	Units	40287970019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	<0.36	50	50	53.1	52.5	106	105	70-130	1	20	
1,1,1-Trichloroethane	ug/L	44.4	50	50	99.7	99.0	111	109	70-136	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	49.4	51.0	99	102	70-130	3	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	47.9	49.4	96	99	70-130	3	20	
1,1-Dichloroethane	ug/L	3.2	50	50	52.5	53.4	99	100	70-130	2	20	
1,1-Dichloroethene	ug/L	4.4	50	50	55.1	56.5	101	104	65-131	2	20	
1,1-Dichloropropene	ug/L	<0.41	50	50	55.9	53.6	112	107	70-136	4	20	
1,2,3-Trichlorobenzene	ug/L	<1.0	50	50	50.7	52.6	101	105	70-130	4	20	
1,2,3-Trichloropropane	ug/L	<0.56	50	50	48.1	49.2	96	98	70-130	2	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.1	52.4	100	105	63-130	4	20	
1,2,4-Trimethylbenzene	ug/L	<0.45	50	50	55.2	56.0	110	112	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	<0.36	50	50	49.3	48.1	99	96	65-130	3	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.8	50.8	102	102	70-130	0	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.0	51.3	102	103	70-130	1	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	49.8	49.9	100	100	70-131	0	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	49.1	50.1	98	100	70-130	2	20	
1,3,5-Trimethylbenzene	ug/L	<0.36	50	50	53.6	54.4	107	109	70-130	2	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.5	53.8	105	108	70-130	2	20	
1,3-Dichloropropane	ug/L	<0.30	50	50	50.2	50.6	100	101	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	50.9	50.8	102	102	70-130	0	20	
2,2-Dichloropropane	ug/L	<0.42	50	50	51.1	51.0	102	102	70-130	0	20	
2-Chlorotoluene	ug/L	<0.89	50	50	51.6	52.2	103	104	70-130	1	20	
4-Chlorotoluene	ug/L	<0.89	50	50	51.2	51.2	102	102	70-130	0	20	
Benzene	ug/L	<0.30	50	50	50.6	51.4	101	103	70-130	2	20	
Bromobenzene	ug/L	<0.36	50	50	51.4	51.5	103	103	70-130	0	20	
Bromochloromethane	ug/L	<0.36	50	50	52.8	53.6	106	107	70-130	2	20	
Bromodichloromethane	ug/L	<0.21	50	50	54.5	52.8	109	106	70-130	3	20	
Bromoform	ug/L	<0.43	50	50	46.1	47.3	92	95	61-130	3	20	
Bromomethane	ug/L	<1.2	50	50	53.8	52.9	108	106	40-170	2	20	
Carbon tetrachloride	ug/L	<0.37	50	50	56.4	56.1	113	112	70-141	1	20	
Chlorobenzene	ug/L	<0.86	50	50	52.1	51.7	104	103	70-130	1	20	
Chloroethane	ug/L	<1.4	50	50	53.2	51.1	106	102	59-148	4	20	
Chloroform	ug/L	<0.50	50	50	50.5	50.5	101	101	70-130	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812067				2812068									
Parameter	Units	40287970019	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max	Qual
		Result	Spike	Spike									
Chloromethane	ug/L	<1.6	50	50	51.9	53.6	104	107	19-170	3	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	52.7	52.1	105	104	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	49.9	51.1	100	102	70-130	2	20		
Dibromochloromethane	ug/L	<2.6	50	50	54.4	55.1	109	110	70-130	1	20		
Dibromomethane	ug/L	<0.99	50	50	49.6	48.6	99	97	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	58.5	59.1	117	118	10-190	1	20		
Diisopropyl ether	ug/L	<1.1	50	50	49.2	49.5	98	99	70-131	1	20		
Ethylbenzene	ug/L	<0.33	50	50	52.3	53.2	105	106	70-130	2	20		
Hexachloro-1,3-butadiene	ug/L	<2.7	50	50	48.9	49.6	98	99	66-130	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	55.4	55.9	111	112	70-137	1	20		
m&p-Xylene	ug/L	<0.70	100	100	107	106	107	106	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	41.5	42.3	83	85	62-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	47.8	47.3	96	95	70-133	1	20		
n-Butylbenzene	ug/L	<0.86	50	50	52.8	53.6	106	107	70-130	1	20		
n-Propylbenzene	ug/L	<0.35	50	50	54.7	56.9	109	114	70-130	4	20		
Naphthalene	ug/L	<1.9	50	50	50.0	52.8	100	106	62-132	5	20		
o-Xylene	ug/L	<0.35	50	50	54.1	54.4	108	109	70-130	1	20		
p-Isopropyltoluene	ug/L	<1.0	50	50	58.3	59.1	117	118	70-130	1	20		
sec-Butylbenzene	ug/L	<0.42	50	50	54.9	57.2	110	114	70-130	4	20		
Styrene	ug/L	<0.36	50	50	53.9	55.1	108	110	70-130	2	20		
tert-Butylbenzene	ug/L	<0.59	50	50	54.9	56.8	110	114	70-130	3	20		
Tetrachloroethene	ug/L	1.6	50	50	55.3	57.2	107	111	70-130	3	20		
Toluene	ug/L	<0.29	50	50	50.3	50.7	101	101	70-130	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	48.8	48.4	98	97	70-133	1	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	50.1	50.5	100	101	68-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	51.3	50.8	103	102	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	57.4	56.1	115	112	65-153	2	20		
Vinyl chloride	ug/L	<0.17	50	50	58.3	58.8	117	118	37-150	1	20		
1,2-Dichlorobenzene-d4 (S)	%						96	98	70-130				
4-Bromofluorobenzene (S)	%						101	101	70-130				
Toluene-d8 (S)	%						100	98	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

QC Batch:	491046	Analysis Method:	EPA 335.4
QC Batch Method:	EPA 335.4	Analysis Description:	335.4 Cyanide, Total
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40287970019

METHOD BLANK: 2811951 Matrix: Water
Associated Lab Samples: 40287970019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	11/25/24 13:35	

LABORATORY CONTROL SAMPLE: 2811952

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.10	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811953 2811954

Parameter	Units	40287674001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/L	<0.0069	0.1	0.1	0.10	0.099	99	97	90-110	2	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2811955 2811956

Parameter	Units	40287970019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/L	0.14	0.2	0.2	0.34	0.34	99	100	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

QC Batch:	491160	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40287970001, 40287970002, 40287970003, 40287970004, 40287970005, 40287970006, 40287970007, 40287970008, 40287970009, 40287970010, 40287970011, 40287970012, 40287970013, 40287970014, 40287970015, 40287970016, 40287970017, 40287970018		

METHOD BLANK:	2812250	Matrix:	Water
Associated Lab Samples:	40287970001, 40287970002, 40287970003, 40287970004, 40287970005, 40287970006, 40287970007, 40287970008, 40287970009, 40287970010, 40287970011, 40287970012, 40287970013, 40287970014, 40287970015, 40287970016, 40287970017, 40287970018		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0025	0.010	11/26/24 11:47	

LABORATORY CONTROL SAMPLE:	2812251					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.1	0.10	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2812252			2812253								
Parameter	Units	40287770004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	3.0J ug/L	0.1	0.1	0.10	0.11	102	103	90-110	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2812254			2812255								
Parameter	Units	40287970018 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	0.13	0.5	0.5	0.61	0.63	97	99	90-110	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

QC Batch: 491161 Analysis Method: SM 3500-Cr B
QC Batch Method: SM 3500-Cr B Analysis Description: Chromium, Hexavalent by 3500
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40287970019, 40287970021, 40287970022

METHOD BLANK: 2812256 Matrix: Water
Associated Lab Samples: 40287970019, 40287970021, 40287970022

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0025	0.010	11/26/24 12:23	

LABORATORY CONTROL SAMPLE: 2812257

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.1	0.10	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812258 2812259

Parameter	Units	40287901007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	<0.0025	0.1	0.1	0.11	0.11	107	105	90-110	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2812260 2812261

Parameter	Units	40287970022 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	0.57	0.5	0.5	1.0	1.0	90	96	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 22W016.24 Better Brite
Pace Project No.: 40287970

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22W016.24 Better Brite

Pace Project No.: 40287970


Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40287970001	W-1_202411	EPA 8260	491039		
40287970002	W-1A_202411	EPA 8260	491037		
40287970003	MW-2_202411	EPA 8260	491037		
40287970004	MW-3R_202411	EPA 8260	491037		
40287970005	MW-3RD_202411	EPA 8260	491039		
40287970006	MW-5_202411	EPA 8260	491039		
40287970007	MW-5A_202411	EPA 8260	491039		
40287970008	MW-6_202411	EPA 8260	491039		
40287970009	MW-6A_202411	EPA 8260	491039		
40287970010	MW-111_202411	EPA 8260	491039		
40287970011	MW-7_202411	EPA 8260	491039		
40287970012	MW-7A_202411	EPA 8260	491039		
40287970013	MW-8_202411	EPA 8260	491039		
40287970014	MW-8A_202411	EPA 8260	491039		
40287970015	MW-9_202411	EPA 8260	491039		
40287970016	MW-10_202411	EPA 8260	491039		
40287970017	MW-11_202411	EPA 8260	491039		
40287970018	MW-12_202411	EPA 8260	491039		
40287970019	ZINC SUMP_202411	EPA 8260	491039		
40287970020	TB1_202411	EPA 8260	491039		
40287970021	MW-108A_202411	EPA 8260	491039		
40287970022	MW-108AD_202411	EPA 8260	491039		
40287970019	ZINC SUMP_202411	EPA 335.4	491046	EPA 335.4	491120
40287970001	W-1_202411	SM 3500-Cr B	491160		
40287970002	W-1A_202411	SM 3500-Cr B	491160		
40287970003	MW-2_202411	SM 3500-Cr B	491160		
40287970004	MW-3R_202411	SM 3500-Cr B	491160		
40287970005	MW-3RD_202411	SM 3500-Cr B	491160		
40287970006	MW-5_202411	SM 3500-Cr B	491160		
40287970007	MW-5A_202411	SM 3500-Cr B	491160		
40287970008	MW-6_202411	SM 3500-Cr B	491160		
40287970009	MW-6A_202411	SM 3500-Cr B	491160		
40287970010	MW-111_202411	SM 3500-Cr B	491160		
40287970011	MW-7_202411	SM 3500-Cr B	491160		
40287970012	MW-7A_202411	SM 3500-Cr B	491160		
40287970013	MW-8_202411	SM 3500-Cr B	491160		
40287970014	MW-8A_202411	SM 3500-Cr B	491160		
40287970015	MW-9_202411	SM 3500-Cr B	491160		
40287970016	MW-10_202411	SM 3500-Cr B	491160		
40287970017	MW-11_202411	SM 3500-Cr B	491160		
40287970018	MW-12_202411	SM 3500-Cr B	491160		
40287970019	ZINC SUMP_202411	SM 3500-Cr B	491161		
40287970021	MW-108A_202411	SM 3500-Cr B	491161		
40287970022	MW-108AD_202411	SM 3500-Cr B	491161		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company: Foth		Billing Information:	
Address: 2121 Innovation Ct		Invoices@Foth.com	
Report To: Wick Glander@Foth.com		Email To: Wick Glander@Foth.com	
Copy To:		Site Collection Info/Address: 315 S 6th St	
Customer Project Name/Number: 22W016.24		State: WI / De Pere County/City: Time Zone Collected: [] PT [] MT [X] CT [] ET	
Phone: 608 774 4402	Site/Facility ID #:	Compliance Monitoring? ☒ Yes ☐ No	
Collected By (print): May Willison	Purchase Order #:	DW PWS ID #:	
Collected By (signature): 	Quote #:	DW Location Code:	
Sample Disposal: ☒ Dispose as appropriate ☐ Return [] Archive: _____ [] Hold: _____	Turnaround Date Required: Standard	Immediately Packed on Ice: ☒ Yes ☐ No	
	Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)	Field Filtered (if applicable): [] Yes ☒ No Analysis: _____	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW-7-202411	GW	G	11/22/24	1055	-	-	-	4
MW-7A-202411				1110	-	-	-	4
MW-8-202411				1015	-	-	-	4
MW-8A-202411				1030	-	-	-	4
MW-9-202411				0855	-	-	-	4
MW-10-2024				0830	-	-	-	4
MW-11-2024				1105	-	-	-	4
MW-12-2024				0915	-	-	-	4
Zinc Smp-202411				0905	-	-	-	5
TB1-202411					-	-	-	

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or
MTJL Log-in Number Here

40287970

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **										Lab Project Manager:
U	3	A								

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses	Lab Profile/Line:
----------	-------------------

[illegible]

Customer Remarks / Special Conditions / Possible Hazards:		Type of Ice Used: Wet Blue Dry None	SHORT HOLDS PRESENT (<72 hours): Y N NA		Lab Sample Temperature Info: Temp Blank Received: Y N NA Therm ID#: <u>141</u> Cooler 1 Temp Upon Receipt: <u>1.0</u> oC Cooler 1 Therm Corr. Factor: <u>-</u> oC Cooler 1 Corrected Temp: <u>1.0</u> oC Comments:	
		Packing Material Used:	Lab Tracking #: <u>2946965</u>			
		Radchem sample(s) screened (<500 cpm): Y N NA	Samples received via: FEDEX UPS Client Courier Pace Courier			
Relinquished by/Company: (Signature) <i>[Signature]</i> Foth	Date/Time: 11/22/24 1425	Received by/Company: (Signature) <i>[Signature]</i> Pace	Date/Time: 11/22/24 1425	MTJL LAB USE ONLY		Trip Blank Received: Y N NA HCL MeOH TSP Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Table #:		
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Acctnum: Template: Prelogin: PM: PB:		
						Page 68 of 72
						Non Conformance(s): YES / NO
						Page: <u>2</u> of: <u>3</u>

CHAIN-OF-CUSTODY Analytical Request Document Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here 40287970 ALL SHADED AREAS are for LAB USE ONLY														
Company: Foth					Billing Information: Invoices@foth.com					Container Preservative Type **										Lab Project Manager:				
Address: 2121 Innovation ct										v 3														
Report To: Nick.Walander@foth.com					Email To:					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other														
Copy To:					Site Collection Info/Address: 315 S 5th St					Analyses										Lab Profile/Line:				
Customer Project Name/Number: 22W016.24					State: WI / County/City: Peperc Time Zone Collected: [] PT [] MT [X] CT [] ET					Hex Chrome VOC's										Lab Sample Receipt Checklist:				
Phone: 608 774 4492 Email:					Compliance Monitoring? [X] Yes [] No															Custody Seals Present/Intact Y N NA				
Collected By (print): May Wilson					Purchase Order #: Quote #:															Custody Signatures Present Y N NA				
Collected By (signature):					DW PWS ID #: DW Location Code:															Collector Signature Present Y N NA				
Sample Disposal: [X] Dispose as appropriate [] Return [] Archive: [] Hold:					Turnaround Date Required: Standard															Bottles Intact Y N NA				
Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)					Immediately Packed on Ice: [X] Yes [] No					Correct Bottles Y N NA														
Field Filtered (if applicable): [] Yes [X] No					Analysis:					Sufficient Volume Y N NA														
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)										Samples Received on Ice Y N NA														
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	VOA - Headspace Acceptable Y N NA														
				Date Time		Date Time				USDA Regulated Soils Y N NA														
MW-108A-202411		GW	G	11/22/24 1250		-		-	4	X	T									Samples in Holding Time Y N NA				
MW-108AD-202411		GW	G	11/22/24 1250		-		-	4	X	T									Residual Chlorine Present Y N NA				
																				Cl Strips: Y N NA				
																				Sample pH Acceptable Y N NA				
																				pH Strips: Y N NA				
																				Sulfide Present Y N NA				
																				Lead Acetate Strips: Y N NA				
																				LAB USE ONLY:				
																				Lab Sample # / Comments:				
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:				
										Packing Material Used: 1					Lab Tracking #: 2946967					Temp Blank Received: Y N NA				
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier					Therm ID#: 141				
Relinquished by/Company: (Signature) Foth					Date/Time: 11/22/24 1425					Received by/Company: (Signature) G. R. Pa					Date/Time: 11/22/24 1425					Cooler 1 Temp Upon Receipt: 1.0 oC				
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler 1 Therm Corr. Factor: oC				
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler 1 Corrected Temp: 1.0 oC				
																				Comments:				
																				Trip Blank Received: Y N NA				
																				HCL MeOH TSP Other				
																				Non Conformance(s): Page 69 of 72				
																				YES / NO of: 3				

Sample Preservation Receipt Form

Client Name: Fotn Project # 40287970
All containers needing preservation have been checked and noted below: ☒ Yes ☐ No ☐ N/A
Lab Lot# of pH paper: 1050144 Lab Std #/ID of preservation (if pH adjusted):

Initial when completed: GF Date/Time:

Page Lab #	Glass						Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1	GN 2					
001									-								W															2.5 / 5
002									-								W															2.5 / 5
003									-								W															2.5 / 5
004									-								W															2.5 / 5
005									-								W															2.5 / 5
006									-								W															2.5 / 5
007									-								W															2.5 / 5
008									-								W															2.5 / 5
009									-								W															2.5 / 5
010									-								W															2.5 / 5
011									-								W															2.5 / 5
012									-								W															2.5 / 5
013									-								W															2.5 / 5
014									-								W															2.5 / 5
015									-								W															2.5 / 5
016									-								W															2.5 / 5
017									-								W															2.5 / 5
018									-								W															2.5 / 5
019									-	-							W															2.5 / 5
020																	W															2.5 / 5

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: Headspace in VOA Vials (>6mm): ☒ Yes ☐ No ☐ N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Client Name: Forn Sample Preservation Receipt Form
Project #: 40287970

Pace Lab #	Glass							Plastic						Vials					Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN 1								GN 2
021									—								W																2.5 / 5	
022									—								W																2.5 / 5	
023	11/22/24 GF																																2.5 / 5	
024																																	2.5 / 5	
025																																		2.5 / 5
026																																		2.5 / 5
027																																		2.5 / 5
028																																		2.5 / 5
029																																		2.5 / 5
030																																		2.5 / 5
031																																		2.5 / 5
032																																		2.5 / 5
033																																		2.5 / 5
034																																		2.5 / 5
035																																		2.5 / 5
036																																		2.5 / 5
037																																		2.5 / 5
038																																		2.5 / 5
039																																		2.5 / 5
040																																		2.5 / 5
041																																		2.5 / 5
042																																		2.5 / 5
043																																		2.5 / 5
044																																		2.5 / 5
045																																		2.5 / 5
046																																		2.5 / 5
047																																		2.5 / 5
048																																		2.5 / 5

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Foth

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Walto

☒ Client ☐ Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer Used SR - 141 Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None ☐ Meltwater Only

Cooler Temperature Uncorr: 1.0 /Corr: 1.0

Temp Blank Present: ☐ yes ☒ no

Biological Tissue is Frozen: ☐ yes ☐ no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 11/22/24 /Initials: GF

Labeled By Initials: GF

Chain of Custody Present: ☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out: ☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished: ☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt ☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr): ☒ Yes ☐ No	6.
Rush Turn Around Time Requested: ☐ Yes ☒ No	7.
Sufficient Volume:	8.
For Analysis: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A	
Correct Containers Used: ☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace	
Containers Intact: ☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests ☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC: ☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>	
Trip Blank Present: ☒ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present ☒ Yes ☐ No ☐ N/A	
Pace Trip Blank Lot # (if purchased): <u>534</u>	

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi

Page 3 of 3