



Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

October 22, 1991

File Ref: WID-560010118
Brown Co.
SW/SFND

Ms. Jeanne Flatley
Olejniczak Realty
375 W. St. Joseph St.
Green Bay, WI 54301

Re: **Sample Results from 418 Lilac Lane
DePere, Wisconsin**

Dear Ms. Flatley:

Thank you for sending me a copy of the analytical results obtained from the samples collected at the noted residence on October 4, 1991. This letter is to provide you with my comments regarding the samples and the associated results.

Two samples were collected from the property, one of which was of water from the sump located in the home's basement and the second was a composite soil sample from the yard. Both samples were analyzed at your expense by Robert E. Lee and Associates of Green Bay, Wisconsin. The soil sample was collected from five points around the home. To obtain a representative sample the collected soil was mixed in a stainless steel bowl prior to filling the sample jar. The sampled material was collected from a depth of two inches to five inches deep (below the root zone in the yard).

The analytical results forwarded to me are as follows:

Sample S-01	Sump Water	<1. mg/l Chromium
Sample S-02	Soil	11.7 mg/kg Chromium 89.3 % Total Solids

- mg/l = milligrams/liter
- mg/kg = milligrams/kilogram

These results do not indicate chromium contamination at the 418 Lilac Lane property. Chromium was not detected in the water collected from the sump. Although this detection limit is high for the purpose of evaluating drinking water it should be acceptable for screening sump water. The State of Wisconsin Enforcement Standard for drinking water is 0.05 mg/l. The chromium value obtained for the soil sample is representative of what would be expected for normal (background values) soils of the area.

It must be kept in mind that these two samples do not constitute a complete environmental assessment of the property, however, they do present an idea of conditions at the home. As the investigation of the Better Brite site progresses the extent of associated contamination will be determined. As I mentioned in my previous letter impacts to the 418 Lilac Lane property are not expected, although I cannot assure you of this at this time.

If you have any further questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,




Terry Koehn
Project Manager

cc: D. Rossberg LMD
G. Edelstein SW/3
K. Bro Dept. of Health
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.

BUREAU OF SOLID-HAZARDOUS
WASTE MANAGEMENT

OCT 24 91

RECEIVED



Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

October 22, 1991

File Ref: WID-560010118
Brown Co.
SW/SFND

Mr. Gerald Rasmussen
320 South 6th St.
DePere, WI 54115

Re: **Sample Results from 320 S. Sixth St.
DePere, Wisconsin**

Dear Mr. Rasmussen:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 30, 1991. Results from the sample were recently received and are noted below. The samples were analyzed by the State Laboratory of Hygiene in Madison, Wisconsin. I am glad to let you know that these results did not indicate contamination related to the Better Brite Zinc Shop.

Analytical Results

Sample RAS-01	Chromium	<0.003 mg/l
	Cyanide	<0.01 mg/l
	VOCs	All less than Detection Limits

- mg/l = milligrams/liter

The VOC (volatile organic compounds - solvents etc.) analysis checks for the presence of 50 different volatile compounds including the known compounds of concern at the Better Brite Sites. None of these compounds were detected at levels greater than their individual detection limits. Neither the VOC, the cyanide nor the chromium results indicate a health threat. The Wisconsin Enforcement Standards for drinking water for chromium and cyanide are 0.05 mg/l and 0.2 mg/l respectively.

I will let you know the results from the samples collected from your basement on September 19, 1991, when I receive them from the laboratory.

If you have any further questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: D. Rossberg LMD
K. Bro Dept. of Health
G. Edelstein SW/3
R. Stoll LMD
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.

RECEIVED
OCT 24 91
BUREAU OF SOLID WASTE MANAGEMENT



Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

September 27, 1991

COPY

File Ref: WID-560010118
Brown Co.
SW/SFND

Mrs. Shirley Fisher
1031 S. Sixth St.
DePere, WI 54115

Re: **Soil Sampling Results from 1031 S. Sixth St.
DePere, Wisconsin**

Dear Ms. Fisher:

This letter is in response to your letter of June 24, 1991 regarding potential work on your basement walls. As you are aware we collected three soil samples from borings along the east and north walls of your home. Analytical results from those samples have recently been received. These results are noted below. I am glad to let you know that these results did not indicate contamination.

Each of the samples were collected, utilizing a stainless steel hand auger, from a depth of from four (4) to five (5) feet. Two of the samples (F-02 and F-03) were collected along the north wall of your home, basically adjacent to your basement windows. The third sample (F-01) was obtained near the northern end of your eastern wall. Each of the samples were collected approximately two (2) feet away from the walls. The samples were analyzed by the State Laboratory of Hygiene for total chromium.

Analytical Results

Sample F-01	21 mg/kg
Sample F-02	20 mg/kg
Sample F-03	25 mg/kg

Based on other sample results from the area, these values basically appear to represent normal conditions. Natural chromium values for soils can often be over twice as high as those observed in these samples. As chromium is the major contaminant of concern, related to the Chrome Shop, its presence in these samples at low levels strongly suggests that other contaminants related to the Better Brite sites would also be absent.

If you have any further questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: D. Rossberg LMD
S. Bangert SW/3
K. Bro Dept. of Health
J. Kalny City of DePere
D. Linnear U.S. EPA Region V
w/o enc.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Michael Cowan
612 Butler St.
De Pere, WI 54115

Re: **Sample Results from 612 Butler St.
De Pere, Wisconsin**

Dear Mr. Cowan:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 20, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat related to the Better Brite Zinc Shop.

Sample BBR-15	(Sump Water)	
	Chromium	4. ug/l
	Cyanide	<0.01 mg/l
	Zinc	590. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Michael Kruse
1011 South 6th St.
DePere, WI 54115

Re: **Sample Results from 1011 S. Sixth St.
De Pere, Wisconsin**

Dear Mr. Kruse:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 17, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BBR-01	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	<10. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Ken Willems
445 Lilac Lane
DePere, WI 54115

Re: **Sample Results from 445 Lilac Lane
De Pere, Wisconsin**

Dear Mr. Willems:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 17, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BBR-05	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	230. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of both of the shops progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Kenneth De Moulin
434 Lilac Lane
DePere, WI 54115

Re: **Sample Results from 434 Lilac Lane
De Pere, Wisconsin**

Dear Mr. De Moulin:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 17, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BBR-03	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	<10. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Norman Watermolen
2129 S. Oneida St.
Green Bay, WI 54304

Re: **Sample Results from 1034 S. Sixth St.
De Pere, Wisconsin**

Dear Mr. Watermolen:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in the basement of the referenced apartment building on September 18, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BBR-07	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	18. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Jerome Wypyszynski
1040 South 6th St.
DePere, WI 54115

Re: **Sample Results from 1040 S. Sixth St.
De Pere, Wisconsin**

Dear Mr. Wypyszynski:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on November 26, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BB-WYP	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	17. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD



Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Dale Rupiper
Rural Rt. 6929
Spirit Lake, Iowa 51360

Re: **Sample Results from 1016 S. Sixth St.
De Pere, Wisconsin**

Dear Mr. Rupiper:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 19, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

Sample BBR-12	(Sump Water)	
	Chromium	<3. ug/l
	Cyanide	<0.01 mg/l
	Zinc	21. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. The sample results from your sump water indicate concentrations below these limits.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of

concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD
Ms. Barb Richards Montgomery Realtors
2300 Riverside Dr.
Green Bay, WI 54301



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1992

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Mr. Mike Baeten
435 Lande St.
DePere, WI 54115

Re: **Sample Results from 435 Lande St.
De Pere, Wisconsin**

Dear Mr. Baeten:

This letter is to advise you of the analytical results obtained from the soil sample collected from your property on September 19, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. I am pleased to let you know that these results do not indicate a health threat nor contamination related to the Better Brite Chrome Shop.

The composite soil sample was collected from the garden located in the southwestern corner of your property. The sampled material was obtained over a depth of 0 to 6 inches from four separate points in the garden.

Sample BBR-13	(Soil)	
	Chromium	16. mg/kg
	Cyanide	<1. mg/kg
	Zinc	190. mg/kg
	Percent Moisture	13.7%

mg/kg = milligrams/kilogram (parts/million)
< = less than (not detected)

These results do not indicate contamination related to the Better Brite Chrome Shop in the soils of your garden. The values obtained are within the range of what would be expected for normal (background values) soils in the area.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of concern are present in your garden. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD

DATE OF RECEIPT
MAY 21 1992
WASTE MANAGEMENT



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

Lake Michigan District Headquarters
1125 N. Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448
TELEPHONE # (414)492-5869
TELEFAX # (414)492-5913

March 19, 1991

File Ref: WID-560010118
WID-006132088
Brown Co./SFND

Ms. Ute M. Ryan
548 Butler St.
De Pere, WI 54115

Re: **Sample Results from 548 Butler St.
De Pere, Wisconsin**

Dear Ms. Ryan:

This letter is to advise you of the analytical results obtained from the water sample collected from the sump in your basement on September 19, 1991. The results presented below were recently received from the State Laboratory of Hygiene in Madison. First of all I want you to know that these results do not indicate a health threat to you. However, a slightly elevated level of chromium appears to be present in the sump water. This chromium concentration suggests that contamination from the Better Brite Zinc Shop exists on your property.

Sample BBR-11	(Sump Water)	
	Chromium	110. ug/l
	Cyanide	<0.01 mg/l
	Zinc	<10. ug/l

mg/l = milligrams/liter (parts/million)
ug/l = micrograms/liter (parts/billion)
< = less than (not detected)

Drinking water standards (Wis. Admin. Code NR-140) for chromium, cyanide and zinc are 50 ug/l, 0.2 mg/l and 5000 ug/l respectively. Both the cyanide and the zinc values from your sump water indicate concentrations below these limits. The observed chromium concentration does exceed the drinking water standard, however, the water in the sump does not represent a drinking water source.

As you would expect, the collection and analysis of this sample does not represent a full environmental evaluation of your property, however, it does help address if any contaminants of concern are present in the water which collects in your sump. As our investigation of the site progresses we will be better able to determine the extent of contamination.

If you have any questions, please feel free to call me at (414) 492-5869. I hope the information provided is helpful.

Sincerely,



Terry Koehn
Project Manager

cc: K. Bro Dept. of Health
G. Edelstein WDNR - SW/3
D. Linnear U.S. EPA Region V
R. Karnauskas Hydro-Search, Inc.
J. Smits City of De Pere
J. Kalny City of De Pere
C. Weber City of De Pere
D. Benner City of De Pere
D. Rossberg WDNR/LMD
Mr. John G. Schmidt Progressive Farmers Co-op.
1221 Grant St.
De Pere, WI 54115

RECEIVED
MAY 16 1991
11:21 AM
OFFICE OF THE
ASSISTANT ATTORNEY GENERAL



State of Wisconsin / DEPARTMENT OF NATURAL RESOURCES
Lake Michigan District Headquarters
1125 North Military Avenue
P.O. Box 10448
Green Bay, WI 54307-0448

Carroll D. Besadny
Secretary

File Ref: 4440

February 12, 1990

RECEIVED
FEB 16 1990
BUREAU OF SOLID -
HAZARDOUS WASTE MANAGEMENT

Mr. William Williquette
City of De Pere
City Tax Assessor
335 S. Broadway
De Pere, WI 54115

Subject: Chad L. Smet residence at 401 1/2 S. 6th Street,
De Pere, WI (adjacent to Better Brite Zinc Shop)

Dear Bill:

In response to our phone conversation of February 8, 1990,
enclosed are the discussed sampling results. The samples were
taken on December 11, 1989. Karen Smet had called me earlier in
December and asked that the DNR take a look at the basement and
possibly take samples.

The samples were taken because rather obvious discoloration was
noted during our inspection of the basement. Three samples were
taken in the basement and one sample was taken from the outside
south wall of the Better Brite Zinc Shop.

I understand that these results will aid in your determination of
the value of the property in question. Should you require
additional information, please give me a call at 497-3151.

Sincerely,

Annette E. Weissbach
District Superfund Coordinator

Attach.

cc: Robin Schmidt - SW/3
Jim Reyburn - LMD

State Laboratory of Hygiene
University of Wisconsin Center for Health Sciences
465 Henry Mall, Madison, WI 53706

R.H. Laessig, Ph.D., Director S.L. Inhorn, M.D., Medical Director

Environmental Science Section (608) 262-3458 DNR LAB ID 113133790

Inorganic chemistry (#8 of 42 on 02/12/90, unseen)

Id: Point/Well/..: Field #: 1 Route: SW40
Collection Date: 12/11/89 Time: 10:30 County: 05 (Brown)
From: KAREN SMET BASEMENT ZINC SHOP BB DEPERE NEAR HOT WATER
Description: HEATER SOUTHEAST CORNER OF FOUNDATION
To: WEISSBACH

DNR Source: Other
GREEN BAY

Account number: SW030 Collected by: WEISSBACH
Date Received: 12/12/89 Labslip #: IA050042 Reported: 02/07/90

CHROMIUM DRY WT, ICP	1600.	MG/KG
CYANIDE DRY WT	2.	MG/KG
PERCENT MOISTURE	9.3	%

State Laboratory of Hygiene
University of Wisconsin Center for Health Sciences
465 Henry Mall, Madison, WI 53706

R.H. Laessig, Ph.D., Director S.L. Inhorn, M.D., Medical Director

Environmental Science Section (608) 262-3458 DNR LAB ID 113133790

Inorganic chemistry (#9 of 42 on 02/12/90, unseen)

Id: Point/Well/..: Field #: 2 Route: SW40
Collection Date: 12/11/89 Time: 10:30 County: 05 (Brown)
From: KAREN SMET BASEMENT ZINC SHOP BB DEPERE NEAR TOILET STORAGE
Description: WEST CENTRAL LOCATION BASEMENT FLOOR
To: WEISSBACH

DNR Source: Other
GREEN BAY

Account number: SW030 Collected by: WEISSBACH
Date Received: 12/12/89 Labslip #: IA050043 Reported: 02/07/90

CHROMIUM DRY WT, ICP	1300.	MG/KG
CYANIDE DRY WT	31.	MG/KG
PERCENT MOISTURE	16.0	%

State Laboratory of Hygiene
University of Wisconsin Center for Health Sciences
465 Henry Mall, Madison, WI 53706

R.H. Laessig, Ph.D., Director S.L. Inhorn, M.D., Medical Director

Environmental Science Section (608) 262-3458 DNR LAB ID 113133790

Inorganic chemistry (#10 of 42 on 02/12/90, unseen)

Id: Point/Well/...: Field #: 3 Route: SW40
Collection Date: 12/11/89 Time: 10:30 County: 05 (Brown)
From: KAREN SMET BASEMENT ZINC SHOP BB DEPERE PRECIPITATE AND SCRAPPINGS
Description: INSIDE AND AROUND SUMP PUMP (MAYBE SOAP)
To: WEISSBACH

DNR Source: Other
GREEN BAY

Account number: SW030 Collected by: WEISSBACH
Date Received: 12/12/89 Labslip #: IA050044 Reported: 02/07/90

CYANIDE DRY WT	14.	MG/KG
PERCENT MOISTURE	31.2	%

State Laboratory of Hygiene
University of Wisconsin Center for Health Sciences
465 Henry Mall, Madison, WI 53706

R.H. Laessig, Ph.D., Director S.L. Inhorn, M.D., Medical Director

Environmental Science Section (608) 262-3458 DNR LAB ID 113133790

Inorganic chemistry (#11 of 42 on 02/12/90, unseen)

Id: Point/Well/...: Field #: 4 Route: SW40
Collection Date: 12/11/89 Time: 10:30 County: 05 (Brown)
From: BB ZINC SHOP SOUTH WALL DEPERE OUTSIDE SOUTH WALL OF BB ZINC BLDG
Description: INSULATING MATERIAL EXPOSED ABOVE BLDG FOUNDATION
To: WEISSBACH
DNR Source: Other
GREEN BAY
Account number: SW030 Collected by: WEISSBACH
Date Received: 12/12/89 Labslip #: IA050045 Reported: 02/07/90

CYANIDE DRY WT	960.	MG/KG
PERCENT MOISTURE	10.9	%