



2121 Innovation Court, Suite 100
P.O. Box 5095
De Pere, WI 54115-5095
(920) 497-2500
foth.com

July 15, 2024

Gwen Saliaries
Wisconsin Department of Natural Resources
Northeast Region RR
625 East County Road Y, Suite 700
Oshkosh, WI 54901

Re: Summary of the November 2023 Groundwater Sampling Event at the Former Better Brite
Chrome and Zinc Shops

Dear Gwen Saliaries:

The purpose of this letter is to summarize the groundwater sampling event conducted on November 15 and 16, 2023, at the former Better Brite Chrome and Zinc shop locations. The former Better Brite chrome shop site is located at 500 Lande Street (BRRTS #02-05-000030) and the zinc shop site is located at 315 6th Street (BRRTS #02-05-000031), De Pere, Wisconsin as illustrated on Figure 1. This summary includes the following:

- ◆ Figure 1 – Site Location Map
- ◆ Figure 2 – Monitoring Wells – Chrome Shop
- ◆ Figure 3 – Monitoring Wells – Zinc Shop
- ◆ Well-Specific Field Forms
- ◆ Table 1 – Groundwater Analytical Summary – Chrome Shop
- ◆ Table 2 – Groundwater Analytical Summary – Zinc Shop
- ◆ Monitoring Well Photograph Log
- ◆ Laboratory Reports

Groundwater elevations were collected at all available monitoring well network locations at both sites. The groundwater elevations were recorded on the well-specific field forms.

At the Zinc Shop site, monitoring locations W-1, W-1A, MW-2, and MW-6A were purged utilizing a peristaltic pump as the well column integrity does not allow a standard bailer to pass through the well column. Monitoring wells W-1 and W-1A were purged dry and allowed to recover before the sample was collected. Monitoring Wells MW-2 and MW-6A were purged until the appropriate water volume was removed before the samples were collected.

Monitoring well covers were inspected at all locations during the sampling event. The conditions of the monitoring well protective casing were noted on the field forms and photographs of the covers were collected.

Color, odor, and turbidity observations were recorded on the field form. The well-specific field forms also provide the measured depth to water, mean sea level groundwater elevation, time spent purging, and approximate volume of water removed prior to sample collection. The purged groundwater was containerized in five-gallon buckets and disposed of in the sump located inside the zinc shop treatment facility where it will be treated before being discharged to the NEW Water.

The unfiltered groundwater samples collected from the monitoring well network were submitted to Pace Laboratories for analysis. The sample analysis per monitoring location is summarized below:

Better Brite Analysis per Monitoring Location

Chrome Shop Site	Zinc Shop Site
<u>VOCs:</u> MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	<u>VOCs:</u> W-1, W-1A, MW-2, MW-3R, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-11, MW-12, Zinc Sump
<u>Hexavalent Chrome:</u> MW-106, MW-106A, MW-107, MW-107A, MW-108, MW-108A, MW-110, MW-110A, MW-111, MW-112, MW-113, MW-115, MW-115A, MW-116	<u>Hexavalent Chromium:</u> W-1, W-1A, MW-2, MW-3R, MW-5, MW-5A, MW-6, MW-6A, MW-7, MW-7A, MW-8, MW-8A, MW-9, MW-10, MW-11, MW-12, Zinc Sump
<u>Iron and Sulfate:</u> MW-115, MW-116	<u>Cyanide:</u> Zinc Sump

VOC = volatile organic compound

The groundwater analytical methods are included in the analytical reports. The laboratory analysis has been summarized in Table 1 and Table 2. Monitoring well MW-112 was unable to be sampled due lack of water in the well.

Monitoring wells MW-116, W-1, W-1A, MW-3R, and the Zinc Sump have Hexavalent Chromium analytical results above the NR 140 Enforcement Standard (ES); however, the results depict a decreasing trend from previous years. MW-3R has a NR140 Preventive Action Limit (PAL) exceedance for 1,1-Dichloroethene. The zinc sump analytical results detected PAL exceedances for Cyanide and 1,1-Dichloroethene. Monitoring well MW-115 had an ES exceedance for Iron. Monitoring well MW-116 had ES exceedances for Sulfate and 1,1-Dichloroethene and PAL exceedances for Tetrachloroethene, Trichloroethene, and 1,1,1-Trichloroethane. The remaining VOC results were below groundwater PAL for all other constituents and monitoring locations.

If you have any questions regarding the enclosed information, please contact me at (920) 496-6758 or by email at nick.glander@foth.com.

Sincerely,

Foth Infrastructure & Environment, LLC



Nicholas M. Glander
Lead Environmental Scientist




Sharon V. Kozicki, PG, MBA, PMP®
Senior Project Manager
Licensed PG in WI

Attachments:

Attachment 1	Figure 1 – Site Location Map
Attachment 2	Figure 2 – Monitoring Well Locations – Chrome Shop
Attachment 3	Figure 3 – Monitoring Well Locations – Zinc Shop
Attachment 4	Well-Specific Field Forms
Attachment 5	Table 1 – Groundwater Analytical Summary – Chrome Shop Site
Attachment 6	Table 2 – Groundwater Analytical Summary – Zinc Shop Site
Attachment 7	Monitoring Well Photographic Log
Attachment 8	Laboratory Analytical Reports

Attachment 1

Figure 1 – Site Location Map




NOTES:

1. Basemap from esri.com, courtesy of the National Geographic Society and i-cubed.



This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.



BETTER BRITE SUPERFUND SITE

FIGURE 1 - SITE LOCATION MAP

BETTER BRITE SUPERFUND SITE
315 S. 6TH STREET & 500 LANDE STREET BLOCK
DE PERE, WI 54115

Date: JANUARY 2024

Revision Date:

Drawn By: BJW1

Checked By: NMG1

Scope: 22W016

Attachment 2

Figure 2 – Monitoring Well Locations – Chrome Shop


Attachment 3

Figure 3 – Monitoring Well Locations – Zinc Shop



NOTES:

- 2022 - 6" resolution air photo from Brown County Land Information Office.
- Sump water elevation not used in creation of groundwater contours.



BETTER BRITE SUPERFUND SITE

FIGURE 3 - BETTER BRITE - ZINC SHOP

BETTER BRITE SUPERFUND SITE
315 S. 6TH STREET, DE PERE, WI 54115

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information and data used for reference purposes only.

Date: JANUARY 2024

Revision Date:

Drawn By: BJW1

Checked By: NMG1

Scope: 22W016

Attachment 4
Well-Specific Field Forms

Well Specific Field Sheets

Facility Name: Former Better Brite - Chrome Shop
 Date: November 16, 2023
 Weather Conditions: Partly Cloudy, High of 62 F, Southwest winds 15-20mph.
 Person(s) Sampling: Nick Glander
 Sampling Equipment: Dedicated bailers, Solonist 101 water level meter.

Well Name	MW101	MW104A	MW106	MW106A	MW107	MW107A	MW108	MW108A	MW110	MW110A	MW111	MW112	MW113	MW115	MW115A	MW116
Top of PVC Casing Elevation (MSL)	---	---	606.21	606.36	608.41	608.33	604.22	604.44	603.05	603.31	600.76	600.61	611.08	601.04	601.01	604.28
Depth to Bottom of Well (ft)	---	18.30	14.58	32.09	15.39	39.33	15.82	33.27	14.76	23.80	14.38	15.86	15.08	14.48	23.45	18.88
Water Elevation (MSL)	--	--	--	597.1	602.47	592.6	588.85	590.25	599.63	592.88	594.06	585.21	605.86	599.28	591.08	602.8
Measured Depth to Water (ft)	1.54	7.54	9.78	9.28	5.94	15.73	15.37	14.19	3.42	10.43	6.70	15.40	5.22	1.76	9.93	1.48
Time Purging Begun	---	10:45	9:45	10:01	11:15	11:40	NS	14:20	12:10	12:10	13:15	NS	9:15	12:42	12:42	13:15
Time Purging Completed	---	10:58	9:56	10:14	11:38	11:59	NS	14:40	12:35	12:35	13:35	NS	9:28	13:00	13:00	13:35
Amount Purged (gal)	---	1.5	2.0	5.0	6.0	15.0	NS	5.0	7.0	8.5	5.0	NS	6.0	8.0	8.5	8.0
Purged Dry? (Y/N)	---	Y	Y	Y	N	N	Y	Y	N	N	N	Y	N	N	N	N
Color (Y/N)	---	Y	Y	Y	Y	Y	NS	N	N	Y	N	NS	N	N	Y	Y
Odor (Y/N)	---	N	N	N	N	N	NS	N	N	N	N	NS	N	N	N	N
Turbidity (Y/N)	---	Y	Y	Y	Y	Y	NS	N	N	Y	N	NS	Y	N	Y	N
Time Sample Withdrawn	---	11:00	10:00	10:15	11:40	12:00	NS	14:45	12:40	12:38	13:45	NS	9:30	13:00	13:05	13:35
Well secured? (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Cover Condition	Well Ok, no cap on well column	Well in good condition. Bolts secure.	Well Broken. Lid Broke, Well Column shifted up.	Well in good condition. Bolts secure.	Well in good condition. One bolt missing.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.

Well Specific Field Sheets

Facility Name: Former Better Brite - Zinc Shop
 Date: November 15, 2023
 Weather Conditions: Fair, High of 60 F, West / Southwest winds 2-7mph.
 Person(s) Sampling: Nick Glander
 Sampling Equipment: Dedicated bailers, Solonist 101 water level meter, peristaltic pump for W-1, W-1A, MW2.

Well Name	W-1 (1,2,4)	W-1A (1,2,4)	MW2 (2)	MW3R	MW5	MW5A	MW6 (4)	MW6A (4)	MW7	MW7A	MW8	MW8A	MW9	MW10 (4)	MW11	MW12	Zinc Sump (3)
Top of PVC Casing Elevation (MSL)				602.88	600.81	600.81			600.60	600.51	598.18	598.59	601.66		602.41	599.65	603.99
Depth to Bottom of Well (ft)	19.9	31.52	17.65	16.72	15.53	29.67	18.43	31.74	15.86	26.73	11.41	21.73	16.30	15.00	15.62	10.04	20.40
Water Elevation (MSL)	--	--	--	596.75	592.99	589.68	--	--	595.42	588.65	594.68	596.31	594.46	--	596.31	595.26	589.59
Measured Depth to Water (ft)	14.17	15.85	10.52	6.13	7.82	11.13	11.64	13.19	5.18	11.86	3.50	2.28	7.20	6.06	6.10	4.39	14.40
Time Purging Begun	10:16	9:37	14:00	9:55	13:00	12:50	10:53	11:00	15:35	15:52	15:00	15:20	12:07	13:30	11:50	12:27	--
Time Purging Completed	10:24	10:15	14:15	10:05	13:19	13:04	10:41	11:33	15:48	16:08	15:18	15:29	12:15	13:52	12:00	12:32	--
Amount Purged (gal)	1.5	5	5.0	7.0	5.0	12.0	4.5	12.0	4.0	5.0	5.0	4.0	4.0	3.5	6.0	2.0	--
Purged Dry? (Y/N)	Y	Y	N	N	N	Y	N	N	Y	Y	N	Y	Y	Y	N	Y	--
Color (Y/N)	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Odor (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Turbidity (Y/N)	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Time Sample Withdrawn	14:45	14:50	14:20	10:10	13:20	13:05	10:45	11:35	15:50	16:10	15:20	15:30	12:20	13:55	12:05	12:35	14:40
Well secured? (Y/N)	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	N	Y
Cover Condition	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Missing 1 bolt. Still secure	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Pro-top in good condition. Lock in place.	Pro-top in good condition. Lock in place.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. Bolts secure.	Well in good condition. One bolt does not thread.	Well in good condition. Bolts secure.	Cover is flush when bolted. Both bolts secure.	Well in good condition. Bolts secure.	Cap Broke, Casing Broke.	Gate overgrown with vegetation. Cover in good condition. Locks secure.

- 1 Depth to bottom of the well is suspect. Felt like soft bottom (sediment).
- 2 A standard bailer would not fit down the monitoring well.
- 3 Sump was not running at time of sample collection.
- 4 Well height modified. New elevation unknown.

Attachment 5

Table 1 – Groundwater Analytical Summary – Chrome Shop Site

Table 1
Groundwater Analytical Summary, Better Brite - Chrome Shop
519 Lande Street, De Pere, WI BRRTS # 02-05-000030

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Chrome Sump (Abandoned)	8/1/94	620000	694000	NA	NA	NA																		
	10/1/94	300200	297000	NA	NA	NA																		
	4/1/98	195000	192000	NA	NA	NA																		
	7/1/98	132000		NA	NA	NA																		
French Drain	8/1/94	25800	22000	NA	NA	NA																		
	10/1/94	32000	31700	NA	NA	NA																		
	4/1/98	1060	1010	NA	NA	NA																		
	7/1/98	336	312	NA	NA	NA																		
B-101	8/1/94	<10	<3.4	NA	NA	NA																		
	10/1/94	<10		NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-106	8/1/94	7	<2.8	NA	NA	NA																		
	DUP.	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	DUP.	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	DUP	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4	NA	NA	NA																		
	8/26/10	<3.9	5.4	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-106A	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	9.4	NA	NA	NA																		
	8/26/10	<3.9	1.1"J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-106B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-107	8/1/94	<10	4.1 BJ	NA	NA	NA																		
	10/1/94	<10 J	<3.4	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	4.2	NA	NA	NA																		
	6/1/01	NA	NA	530	50	NA																		
	11/28/01	<4.2	26	3900	NA	1800																		
	5/1/02	7.8	1.2	230	NA	2300																		
	DUP	100	1.9	490	NA	2800																		
	11/2/02	NA	NA	8200	140000	2300																		
	5/3/03	<4.2	1.6	490	95000	1700																		
	5/4/04	6.5	1.7	260	100000	NA																		
	5/12/05	<5.0	0.89	380	97000	NA																		
	8/26/10	<3.9	16.4	4010	16400	NA																		
	6/16/11	<3.9	NA	3130	83600	NA																		
	10/14/21	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-107A	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10 J	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	16	NA	NA	NA																		
	8/26/10	<3.9	23.2	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-107B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-108	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	NA	NA	NA	NA																		
	DUP	<10	<5	NA	NA	NA																		
	7/21/09	NA	<u>16.0</u>	NA	NA	NA																		
	8/26/10	<3.9	4.6" J"	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	12/5/13	<3.4	NA	NA	NA	NA																		
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32
11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-108A	8/1/94	<10	3.0 BJ	NA	NA	NA																		
	10/1/94	<10	<3.4 J	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	5/1/00	<4.2	<u>55</u>	NA	NA	NA																		
	7/9/09	NA	NA	NA	NA	NA																		
	8/26/10	<3.9	1.3" J"	NA	NA	NA																		
	6/16/11	<3.9	1.3" J"	NA	NA	NA																		
	12/5/13	<8.6	NA	NA	NA	NA																		
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32
11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-108B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-109 (Abandoned)	8/1/94	6780	9570	NA	NA	NA																		
	10/1/94	2400	1980	NA	NA	NA																		
	DUP.	3100	1700	NA	NA	NA																		
	4/1/98	16500	18600	NA	NA	NA																		
	7/1/98	12200	11100	NA	NA	NA																		
MW-109A (Abandoned)	8/1/94	<10	<2.8	NA	NA	NA																		
	10/1/94	<10	1.3 B	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	7/1/98	<10	7	NA	NA	NA																		
MW-109B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																		
	10/1/94	<10	NA	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																											
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC					
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02					
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2					
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L					
MW-110	8/1/94	<10	3.6 BJ	NA	NA	NA																							
	10/1/94	<10	<3.4 J	NA	NA	NA																							
	4/1/98	<10	<5	NA	NA	NA																							
	5/1/00	<4.2	<u>37</u>	NA	NA	NA																							
	5/4/04	<2.5	<u>11</u>	3400	<u>230000</u>	NA																							
	5/12/05	<5.0	0.89	82	<u>70000</u>	NA																							
	10/5/06	<6.8	1.8	NA	NA	NA																							
	8/21/07	NA	7.4	NA	NA	NA																							
	7/21/09	NA	5.3	NA	NA	NA																							
	8/26/10	<3.9	2.0 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18				
	6/16/11	<3.9	NA	NA	NA	NA																							
	10/24/12	<3.9	NA	NA	NA	NA																							
	12/5/13	<3.4	NA	NA	NA	NA																							
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17				
11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17					
MW-110A	8/1/94	<10	<2.8	NA	NA	NA																							
	10/1/94	<10	<3.4 J	NA	NA	NA																							
	4/1/98	<10	<5	NA	NA	NA																							
	5/1/00	<4.2	<u>25</u>	NA	NA	NA																							
	10/5/06	<6.8	4.2	NA	NA	NA																							
	8/21/07	NA	1.9	NA	NA	NA																							
	7/21/09	NA	1.3	NA	NA	NA																							
	8/26/10	<3.9	1.8 J	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.75	NA	<0.57	NA	<0.45	<0.9	NA	<0.48	<0.18				
	6/16/11	<3.9	NA	NA	NA	NA																							
	11/10/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17				
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17				

Table 1 (continued)

Sample Location	Date	Detected Parameters (µg/L)																						
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-113	8/1/94	140	99.7	NA	NA	NA																		
	10/1/94	<10 J	8.6 B	NA	NA	NA																		
	5/1/95	43	20.3	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		
	7/1/98	<10	12	NA	NA	NA																		
	5/1/00	<4.2	22	NA	NA	NA																		
	8/26/10	<3.9	24.3	NA	NA	NA																		
	6/16/11	<3.9	NA	NA	NA	NA																		
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-114 (Abandoned)	3/1/95	<10 J	<2.9	NA	NA	NA																		
	DUP.	<10 J	<2.9	NA	NA	NA																		
	5/1/95	<10 J	<1.0	NA	NA	NA																		
	DUP.	<10 J	<1.0	NA	NA	NA																		
	4/1/98	<10	<5	NA	NA	NA																		

Table 1 (continued)

		Detected Parameters (µg/L)																							
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-115	5/1/00	<4.2	6.0	NA	NA	NA																			
	6/1/01	<4.2	<0.52	<u>160</u>	92	NA																			
	11/28/01	<4.2	<u>12</u>	1100	NA	3000																			
	DUP	<4.2	10	3300	NA	3300																			
	5/1/02	<4.2	<u>38</u>	19000	NA	2800																			
	11/2/02	<4.2	<u>38</u>	7000	<u>130000</u>	3100																			
	5/3/03	<4.2	260	9700	90000	1400																			
	DUP	<4.2	<u>56</u>	3600	89000	1400																			
	5/4/04	<2.5	1.3	<u>130</u>	34000	NA																			
	5/12/05	<5.0	1.1	320	44000	NA																			
	10/5/06	<6.8	2.6	NA	NA	NA																			
	8/21/07	NA	10	NA	NA	NA																			
	7/21/09	NA	5.8	NA	NA	NA																			
	8/26/10	<3.9	1.6 J	3530	24800	NA																			
	6/16/11	<3.9	NA	4460	10000	NA																			
	10/24/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<5.7	NA	NA	NA	NA																			
	10/16/14	<3.9	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<26	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
	5/15/19	<51	NA	NA	NA	NA																			
	10/14/21	<73 D3	NA	11300	48.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/10/22	<180 D3	NA	21000	33200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
	11/16/23	<370 D3	NA	32700	<2200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17
MW-115A	5/1/00	<4.2	<u>12.0</u>	NA	NA	NA																			
	10/5/06	<6.8	4.6	NA	NA	NA																			
	8/21/07	NA	2.7	NA	NA	NA																			
	7/21/09	NA	2.9	NA	NA	NA																			
	8/26/10	<3.9	1.4 J	NA	NA	NA																			
	6/16/11	<3.9	NA	NA	NA	NA																			
	10/24/12	<3.9	NA	NA	NA	NA																			
	12/5/13	<8.6	NA	NA	NA	NA																			
	10/16/14	<3.9	NA	NA	NA	NA																			
	10/22/15	<3.9	NA	NA	NA	NA																			
	9/20/16	<26	NA	NA	NA	NA																			
	6/13/18	<130	NA	NA	NA	NA																			
	5/15/19	<51	NA	NA	NA	NA																			
	10/14/21	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/10/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	
	11/16/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.30	<0.29	<0.58	<0.47	<0.41	<0.30	<0.34	<0.32	<0.17	

Table 1 (continued)

		Detected Parameters (µg/L)																						
Sample Location	Date	Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	1,1-DCA	1,2-DCA	1,1-DCE	cis-1,2-DCE	PCE	1,1,1-TCA	1,1,2-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	85	0.5	0.7	7	0.5	40	0.5	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	850	5	7	70	5	200	5	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-116	5/1/00	1600	470	NA	NA	NA																		
	DUP.	1500	460	NA	NA	NA																		
	11/1/00	37	23	NA	NA	NA																		
	DUP	46	24	NA	NA	NA																		
	6/1/01	4400	2300	840	2100	NA																		
	11/28/01	3300	2100	690	NA	2400																		
	5/1/02	12000	7300	530	NA	2500																		
	11/2/02	5100	3200	720	20000	2900																		
	5/3/03	8900	6000	410	2700000	1700																		
	5/4/04	28000	22000	43	19000	NA																		
	DUP	28000	22000	280	24000	NA																		
	5/12/05	52000	52000	950	1900000	NA																		
	DUP	54000	53000	710	1800000	NA																		
	11/28/05	50000	61000	840	1800000	NA																		
	10/5/06	39000	36000	900	1800000	NA																		
	DUP	42000	36000	NA	NA	NA																		
	8/21/07	NA	39,000	NA	NA	NA																		
	7/21/09	NA	25,500	NA	NA	NA																		
	8/26/10	21,300	19,200	478	1330000	NA	162	2.4 J	0.43 J	NA	10.3	<0.46	<2.2	NA	NA	30.9	NA	22.1	NA	3.2	76.9	NA	1.1	0.21 J
	8/26/10 LF	20,200	17,700	NA	NA	NA																		
	4/25/11	34,600	NA	NA	1030000	NA																		
	6/16/11	13,800	NA	240	1660000	NA	3.4 "J"	NA	NA	NA	NA	NA	NA	NA	NA	28.1	NA	25.9	NA	1.2	84.1	NA	2.2	<0.18
	10/24/11	18,300	NA	NA	NA	NA																		
	10/24/12	22,300	NA	NA	NA	NA																		
	12/5/13	17,600	NA	NA	NA	NA																		
	DUP	17,500	NA	NA	NA	NA																		
	10/16/14	13,300	NA	NA	NA	NA																		
	10/22/15	16,500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	43.5	0.32 J	40.6	1.5	1.7	145	0.46 J	1.6	0.27 J
	9/20/16	16,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.8	<0.34	34.8	1.2 J	1.4 J	135	<0.39	1.5 J	<0.35
	6/13/18	12,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	34.4	<0.34	37.4	0.93 J	1.1 J	125	<0.39	1.5 J	<0.35
5/15/19	9,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	38.9	<0.28	44.3	1.3	1.2	142	<0.55	2.1	<0.17	
10/14/21	7100	NA	177	1020	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	36.7	<0.29	28.9	0.92J	1.2	118	<0.34	2.2	0.22J	
11/10/22	6400	NA	153 J	945,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.7	<0.29	34	0.92J	1	116	<0.34	2	0.27 J	
11/16/23	4900	NA	<113	954,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	35.4	<0.29	30.9	0.81J	1.1	128	<0.34	1.9	<0.17	
CSTW1	4/25/11	<3.9	NA	NA	1,180,000	NA																		
CSTW2	4/25/11	<3.9	NA	NA	2,840,000	NA																		
CSTW3	4/25/11	1,000	NA	NA	2,010,000	NA																		
CSTW4	4/25/11	<3.9	NA	NA	426,000	NA																		
CSTW5	4/25/11	4.9 "J"	NA	NA	592,000	NA																		
CSTW6	4/25/11	<3.9	NA	NA	608000	NA																		

Prepared by: NMG1
Checked by: SVF

Notes:

NA = Compound not analyzed

Underlined = Concentration exceeds preventive action limit

NS = Not Sampled

Bolded = Concentration exceeds enforcement standard

J = Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation

D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

Attachment 6

Table 2 – Groundwater Analytical Summary – Zinc Shop Site

Table 2
Groundwater Analytical Summary, Better Brite - Zinc Shop
315 6th Street, De Pere, WI BRRTS # 02-05-000031

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
W-1	10/22/15	10,300	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	9600	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	6600	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	4400	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	6100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		1.1	<0.58	<0.41	9.7	<0.32	<0.17
	11/9/22	2000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	4.4	<0.32	<0.17
	11/15/23	2900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	3.8	<0.32	<0.17
W-1A	10/22/15	3,300	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	2800	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/12/18	2700	NA	NA	NA	NA	(Grab Sample, previously purged)															
	5/14/19	1800	NA	NA	NA	NA	(Grab Sample, previously purged)															
	10/14/21	640	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		2	<0.58	<0.41	4.5	<0.32	<0.17
	11/9/22	790	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.4	<0.58	<0.41	5	<0.32	<0.17
	11/15/23	550	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	1.4	<0.58	<0.41	3	<0.32	<0.17
PF-MW-2	May-00	<4.2	7.6	NA	NA	NA																
	Jun-01	<4.2	7.1	NA	NA	NA																
	Nov-01	<4.2	10	NA	NA	NA																
	May-02	<4.2	<0.52	NA	NA	NA																
	Nov-02	<4.2	2.4	NA	NA	NA																
	May-03	<4.2	49	NA	NA	NA																
	10/22/15	<3.9	NA	NA	NA	NA	(Grab Sample, no purging)															
	9/19/16	<5.1	NA	NA	NA	NA	(Grab Sample, previously purged)															
	6/13/18	<26	NA	NA	NA	NA	(Grab Sample, previously purged)															
	11/9/22	<7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-3/MW3R	5/1/00	230	330	NA	NA	NA																	
	11/1/00	50	130	NA	NA	NA																	
	6/1/01	3500	2200	NA	NA	NA																	
	11/28/01	38	1700	NA	NA	NA																	
	5/1/02	<4.2	220	NA	NA	NA																	
	11/2/02	<4.2	18	NA	NA	NA																	
	5/3/03	110	55	NA	NA	NA																	
	Dup	83	49	NA	NA	NA																	
	5/4/04	89	190	NA	NA	NA																	
	5/12/05	<5.0	17	NA	NA	NA																	
	7/21/09	NA	717	NA	NA	NA																	
	8/24/10	660	552	NA	NA	NA																	
	6/28/11	2800	NA	NA	NA	NA																	
	10/24/11	2200	NA	NA	NA	NA																	
	10/23/12	560	NA	NA	NA	NA																	
	12/5/13	140	NA	NA	NA	NA																	
	10/16/14	190	NA	NA	NA	NA																	
	10/22/15	100	NA	NA	NA	NA																	
	9/19/16	380	NA	NA	NA	NA																	
	6/12/18	<130	NA	NA	NA	NA																	
	5/14/19	88	NA	NA	NA	NA																	
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.7 J	4.6	0.96J	<0.41	8.9	<0.32	<0.17
	11/9/22	<73 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.5 J	3.6	1.1	<0.41	10.2	<0.32	<0.17
11/15/23	140 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.6 J	4.5	1.7	<0.41	13	<0.32	<0.17	

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-4 (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	DUP	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	DUP	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.6	NA	NA	NA																
	11/1/00	<4.2	2.4	NA	NA	NA																
	6/1/01	<4.2	<u>12</u>	NA	NA	NA																
	11/28/01	<4.2	7.4	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	<u>15</u>	NA	NA	NA																
	5/3/03	<4.2	<u>27</u>	NA	NA	NA																
	5/4/04	<2.5	1.8	NA	NA	NA																
	5/12/05	<5.0	9	NA	NA	NA																
11/28/05	<5.0	<u>12</u>	NA	NA	NA																	
MW-4A (Abandoned)	8/1/94	<10	<3.4	NA	NA	NA																
	10/1/94	<10 J	6.0 B	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	8.7	NA	NA	NA																
	11/1/00	<4.2	3.7	NA	NA	NA																
	6/1/01	<4.2	3.7	NA	NA	NA																
	11/28/01	<4.2	<u>13</u>	NA	NA	NA																
	5/1/02	<4.2	<u>38</u>	NA	NA	NA																
	11/2/02	<4.2	<u>28</u>	NA	NA	NA																
	5/3/03	<4.2	<u>32</u>	NA	NA	NA																
	5/4/04	<2.5	0.75	NA	NA	NA																
	5/12/05	<5.0	2	NA	NA	NA																
	11/28/05	<5.0	2.8	NA	NA	NA																
MW-4B (Abandoned)	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5	8/1/94	1590	827	NA	NA	NA																
	10/1/94	460 J	299 J	NA	NA	NA																
	DUP	510 J	763 J	NA	NA	NA																
	4/1/98	212	631	NA	NA	NA																
	DUP	207	667	NA	NA	NA																
	7/1/98	1420	1230	NA	NA	NA																
	5/1/00	120	190	NA	NA	NA																
	11/1/00	<4.2	6.6	NA	NA	NA																
	6/1/01	590	450	NA	NA	NA																
	11/2/02	2200	2200	NA	NA	NA																
	DUP	2200	2200	NA	NA	NA																
	5/3/03	4900	3600	NA	NA	NA																
	5/4/04	4700	3100	NA	NA	NA																
	5/12/05	4000	3200	NA	NA	NA																
	Oct-06	4900	4000	NA	NA	NA																
	8/21/07	NA	2,700	NA	NA	NA																
	7/21/09	NA	2,210	NA	NA	NA																
	8/24/10	1,300	1,180	NA	NA	NA																
	6/28/11	970	NA	NA	NA	NA																
	10/24/11	1,100	NA	NA	NA	NA																
	10/23/12	970	NA	NA	NA	NA																
	12/5/13	1000	NA	NA	NA	NA																
	10/22/15	330	NA	NA	NA	NA																
	9/19/16	460	NA	NA	NA	NA																
	6/12/18	180	NA	NA	NA	NA																
	5/14/19	<51	NA	NA	NA	NA																
	10/14/21	<73	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-5A	8/1/94	<10	<3.4	NA	NA	NA																
	10/1/94	<10	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	6.5	NA	NA	NA																
	11/1/00	340	380	NA	NA	NA																
	6/1/01	<4.2	3.9	NA	NA	NA																
	11/2/02	<4.2	34	NA	NA	NA																
	5/3/03	<4.2	22	NA	NA	NA																
	DUP	<4.2	49	NA	NA	NA																
	5/4/04	<2.5	2.7	NA	NA	NA																
	5/12/05	<5.0	7.6	NA	NA	NA																
	8/24/10	<3.9	2.5"J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	10/14/21	<180 D3	NA	NA	NA	NA																
	11/9/22	<1800 D3	NA	NA	NA	NA																
11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-5B (Abandoned)	8/1/94	NA	NA	NA	NA	NA																
	10/1/94	<10	<5	NA	NA	NA																

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-6	8/1/94	15900	39200	NA	NA	NA																
	10/1/94	47000	41,900 J	NA	NA	NA																
	4/1/98	7650	4560	NA	NA	NA																
	5/1/00	23000	26000	NA	NA	NA																
	11/1/00	26000	23000	NA	NA	NA																
	6/1/01	14000	15000	NA	NA	NA																
	11/1/01	25000	29000	NA	NA	NA																
	5/1/02	13000	13000	NA	NA	NA																
	11/2/02	21000	22000	NA	NA	NA																
	5/3/03	11000	9300	NA	NA	NA																
	5/4/04	13000	15000	NA	NA	NA																
	5/12/05	12000	11000	NA	NA	NA																
	DUP	12000	11000	NA	NA	NA																
	10/5/06	12000	12000	NA	NA	NA																
	DUP	14000	12000	NA	NA	NA																
	8/21/07	NA	8,900	NA	NA	NA																
	7/21/09	NA	10,400	NA	NA	NA																
	8/24/10	8400	7,540	NA	NA	NA																
	6/28/11	5200	NA	NA	NA	NA																
	10/24/11	6,500	NA	NA	NA	NA																
	10/23/12	7,300	NA	NA	NA	NA																
	12/5/13	6,100	NA	NA	NA	NA																
	10/16/14	3,300	NA	NA	NA	NA																
	10/22/15	360	NA	NA	NA	NA																
	9/20/16	3500	NA	NA	NA	NA																
	6/13/18	1400	NA	NA	NA	NA																
	5/14/19	1200	NA	NA	NA	NA																
	10/14/21	1400	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32
11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-6A	8/1/94	<10	4.9 B	NA	NA	NA																	
	10/1/94	<10	<3.4 J	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	6.6	<u>22</u>	NA	NA	NA																	
	11/1/00	<4.2	<u>13</u>	NA	NA	NA																	
	6/01	<4.2	<u>11</u>	NA	NA	NA																	
	11/1/01	<4.2	7.1	NA	NA	NA																	
	5/1/02	<4.2	51	NA	NA	NA																	
	11/2/02	<4.2	<u>83</u>	NA	NA	NA																	
	5/3/03	<4.2	<u>59</u>	NA	NA	NA																	
	5/4/04	<2.5	3.4	NA	NA	NA																	
	5/12/05	<5.0	12	NA	NA	NA																	
	8/24/10	<3.9	1.7"J"	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	10/14/21	<73	NA	NA	NA	NA																	
	11/9/22	<370	NA	NA	NA	NA																	
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-6B (Abandoned)	8/1/94	<10	NA	NA	NA	NA																	

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-7	8/1/94	<10	6.6 BJ	NA	NA	NA																
	DUP.	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	36.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	DUP	<10	<5	NA	NA	NA																
	5/1/00	<4.2	3.9	NA	NA	NA																
	11/1/00	<4.2	1.1	NA	NA	NA																
	6/1/01	<4.2	2.7	NA	NA	NA																
	11/28/01	<4.2	9.7	NA	NA	NA																
	5/1/02	<4.2	3.2	NA	NA	NA																
	11/2/02	<4.2	1.9	NA	NA	NA																
	5/3/03	<4.2	0.91	NA	NA	NA																
	5/4/04	<2.5	0.88	NA	NA	NA																
	5/12/05	<5.0	32	NA	NA	NA																
	8/21/07	NA	4.4	NA	NA	NA																
	7/21/09	NA	9	NA	NA	NA																
	8/24/10	<3.9	3.7"J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-7A	8/1/94	<10	<2.8	NA	NA	NA																
	10/1/94	<10 J	<3.4 J	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.7	NA	NA	NA																
	11/1/00	7.9	5	NA	NA	NA																
	6/1/01	<4.2	2.5	NA	NA	NA																
	11/28/01	<4.2	<.52	NA	NA	NA																
	5/1/02	<4.2	1.4	NA	NA	NA																
	11/2/02	<4.2	0.98	NA	NA	NA																
	5/3/03	<4.2	0.85	NA	NA	NA																
	5/4/04	3.9	2.2	NA	NA	NA																
	5/12/05	<5.0	0.65	NA	NA	NA																
	8/24/10	<3.9	1.6"J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<370 D3	NA	NA	NA	NA																
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-8	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																
	DUP.	<10	<2.5	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	<u>15</u>	NA	NA	NA																
	11/1/00	<u>13</u>	<u>13</u>	NA	NA	NA																
	6/1/01	5.3	2	NA	NA	NA																
	11/28/01	<4.2	2.3	NA	NA	NA																
	DUP	<4.2	6.7	NA	NA	NA																
	5/1/02	<4.2	4	NA	NA	NA																
	11/3/02	<4.2	<u>23</u>	NA	NA	NA																
	5/3/03	<4.2	2.2	NA	NA	NA																
	5/6/04	<2.5	1.7	NA	NA	NA																
	5/12/05	<5.0	1.1	NA	NA	NA																
	8/21/07	NA	2.3	NA	NA	NA																
	8/24/10	<3.9	<u>96</u>	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/15/23	<1800 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
MW-8A	10/1/94	<10	<0.70	NA	NA	NA																
	11/1/94	<10	<2.5	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	<u>16</u>	NA	NA	NA																
	11/1/00	<4.2	<u>34</u>	NA	NA	NA																
	6/1/01	<4.2	3.7	NA	NA	NA																
	11/28/01	<4.2	<u>14</u>	NA	NA	NA																
	5/1/02	<4.2	2.5	NA	NA	NA																
	DUP	<4.2	<u>11</u>	NA	NA	NA																
	11/2/02	<4.2	<u>20</u>	NA	NA	NA																
	5/3/03	<4.2	<u>13</u>	NA	NA	NA																
	5/4/04	3.9	0.59	NA	NA	NA																
	5/12/05	<5.0	2.6	NA	NA	NA																
	8/21/07	NA	0.92	NA	NA	NA																
	8/24/10	<3.9	1.7"J"	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<370 D3	NA	NA	NA	NA																
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																					
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC	
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02	
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2	
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	
MW-10	8/1/94	60300	53100	NA	NA	NA																	
	10/1/94	60800 J	43,500 J	NA	NA	NA																	
	11/1/00	20000	18000	NA	NA	NA																	
	6/1/01	<4.2	20	NA	NA	NA																	
	11/2/02	35000	38000	NA	NA	NA																	
	5/3/03	38000	37000	NA	NA	NA																	
	5/4/04	25000	22000	NA	NA	NA																	
	11/28/05	13000	13000	NA	NA	NA																	
	10/5/06	14000	13000	NA	NA	NA																	
	8/21/07	NA	17,000	NA	NA	NA																	
	10/22/15	10,300	NA	NA	NA	NA																	
	9/19/16	9,800	NA	NA	NA	NA																	
	6/12/18	3,200	NA	NA	NA	NA																	
	5/14/19	1,500	NA	NA	NA	NA																	
	10/14/21	<180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-11	5/1/95	<10	<1.0	NA	NA	NA																	
	4/1/98	<10	<5	NA	NA	NA																	
	5/1/00	<4.2	7.0	NA	NA	NA																	
	11/1/00	<4.2	4.1	NA	NA	NA																	
	6/1/01	<4.2	3.6	NA	NA	NA																	
	11/1/01	<4.2	7.8	NA	NA	NA																	
	5/1/02	17	<20	NA	NA	NA																	
	11/2/02	<4.2	27	NA	NA	NA																	
	5/3/03	<4.2	12	NA	NA	NA																	
	5/4/04	<2.5	2.3	NA	NA	NA																	
	5/12/05	<5.0	2.8	NA	NA	NA																	
	8/24/10	<3.9	8.9	NA	NA	NA																	
	6/28/11	<3.9	NA	NA	NA	NA																	
	11/9/22	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
	11/15/23	<370 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	0.36 J	<0.32	<0.17

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
MW-12	3/1/95	<10 J	<2.9	NA	NA	NA																
	5/1/95	<10	<1.0	NA	NA	NA																
	4/1/98	<10	<5	NA	NA	NA																
	5/1/00	<4.2	4.8	NA	NA	NA																
	11/1/00	<4.2	6	NA	NA	NA																
	jun-01	<4.2	6.4	NA	NA	NA																
	11/28/01	<4.2	<0.52	NA	NA	NA																
	5/1/02	<4.2	4.8	NA	NA	NA																
	11/2/02	<4.2	1.3	NA	NA	NA																
	5/3/03	<4.2	1.3	NA	NA	NA																
	5/4/04	<2.5	1.8	NA	NA	NA																
	5/12/05	<5.0	8.1	NA	NA	NA																
	8/24/10	<3.9	6.5	NA	NA	NA																
	6/28/11	<3.9	NA	NA	NA	NA																
	11/9/22	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17
11/15/23	<180 D3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1.4	<0.30	<0.58	<0.41	<0.30	<0.32	<0.17	
MW-13	3/1/95	<10 J	<2.9	NA	NA	NA																
	5/1/95	<10	<1.0	NA	NA	NA																

Table 2 (continued)

Sample Location	Date	Detected Parameters (µg/L)																				
		Hexavalent Chromium	Chromium	Iron	Sulfate	Sulfide	Antimony	Arsenic	Cadmium	Cyanide	Nickel	Silver	Thallium	Cobalt	Vanadium	Chloroethane	1,1-DCA	1,1-DCE	PCE	1,1,1-TCA	TCE	VC
NR140 Preventive Action Limit		10	10	150	125,000	NO PAL	1.2	1	0.5	40	20	10	0.4	8	6	80	85	0.7	0.5	40	0.5	0.02
NR140 Enforcement Standard		100	100	300	250,000	NO ES	6	10	5	200	100	50	2	40	30	400	850	7	5	200	5	0.2
Units		µg/L	µg/L	µg/L	µg/L	--	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Zinc Sump	8/1/94	89000	209000	NA	NA	NA																
	10/1/94	144900	277000	NA	NA	NA																
	4/1/98	66000	38300	NA	NA	NA																
	7/1/98	131000	131000	NA	NA	NA																
	5/1/00	1800	1700	NA	NA	NA																
	11/1/00	41000	27000	NA	NA	NA																
	6/1/01	40000	110000	NA	NA	NA																
	11/28/01	23000	56000	NA	NA	NA																
	5/1/02	43000	14000	NA	NA	NA																
	11/2/03	23000	30000	NA	NA	NA																
	5/3/03	8400	6800	NA	NA	NA																
	5/4/04	24000	6400	NA	NA	NA																
	5/12/05	15000	13000	NA	NA	NA																
	10/5/06	7500	5900	NA	NA	NA																
	8/21/07	NA	20,000	NA	NA	NA																
	7/21/09	NA	14,800	NA	NA	NA																
	8/24/10	12,100	11,300	NA	NA	NA	90.6	NA	NA	40	NA	NA	<2.2	2.5 J	4.7 J		<0.75	<0.57	<0.45	1.5	<0.48	<0.18
	6/28/11	4100	NA	NA	NA	NA	6.6	NA	NA	250	NA	NA	<2.2	2.5 J	4.7 J		1.2	2.8	0.84	38.9	<0.48	<0.18
	10/24/11	3,700	NA	NA	NA	NA	6.0 "J"	NA	NA	220	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/23/12	110	NA	NA	NA	NA	NA	NA	NA	40	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	12/5/13	5,100	NA	NA	NA	NA	NA	NA	NA	340	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/16/14	9,600	NA	NA	NA	NA	NA	NA	NA	190	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
	10/22/15	10,200	NA	NA	NA	NA	NA	NA	NA	220	NA	NA	NA	NA	NA		2.9	2.5	1.2	49.0	<0.33	<0.18
	9/19/16	14,000	NA	NA	NA	NA	<7.3	NA	NA	160	NA	NA	NA	NA	NA		1.4	1.2	0.79J	22.6	<0.33	<0.18
	6/13/18	9900	NA	NA	NA	NA	NA	NA	NA	51	NA	NA	NA	NA	NA		<0.24	<0.41	<0.50	2.1	<0.33	<0.18
	5/14/19	8100	NA	NA	NA	NA	NA	NA	NA	100	NA	NA	NA	NA	NA		0.68J	1.2	0.45J	14.1	<0.26	<0.17
10/14/21	6500	NA	NA	NA	NA	NA	NA	NA	0.089J	NA	NA	NA	NA	NA		1.5	0.81J	0.75J	15.7	<0.32	<0.17	
11/9/22	4200	NA	NA	NA	NA	NA	NA	NA	75 J	NA	NA	NA	NA	NA	<1.4	1.9	1.4	0.93J	20.2	<0.32	<0.17	
11/15/23	3700	NA	NA	NA	NA	NA	NA	NA	130 H1	NA	NA	NA	NA	NA	<1.4	1.1	0.88 J	<0.41	9.8	<0.32	<0.17	
Private	8/1/94	<10	<10	NA	NA	NA																
Municipal	8/1/94	<10	<10	NA	NA	NA																
	DUP.	<10	<10	NA	NA	NA																
	10/1/94	<10	<10	NA	NA	NA																
	DUP.	<10	<10	NA	NA	NA																
USGS	10/1/94	<10	0.75 B	NA	NA	NA																
USGS-A	10/1/94	<10	11.9	NA	NA	NA																

Notes:
NA = Compound not analyzed
NS = Not Sampled
Underlined = Concentration exceeds preventive action limit

Bolded = Concentration exceeds enforcement standard
D3 = Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
J = Estimate concentration at or above the Limit of Detection and below the Limit of Quantitation

Prepared by: NMG1
Checked by: SVF

Attachment 7
Monitoring Well Photographic Log

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 1	Date: 11/15/23		Photo No. 3	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: Zinc Shop Sump			Description: W-1A Monitoring Well		

Photo No. 2	Date: 11/15/23		Photo No. 4	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: W-1 Monitoring Well			Description: MW2 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 5	Date: 11/15/23		Photo No. 7	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-3R Monitoring Well			Description: MW-5 Monitoring Well		

Photo No. 6	Date: 11/15/23		Photo No. 8	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-5A Monitoring Well			Description: MW-6 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 9	Date: 11/15/23		Photo No. 11	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-6A Monitoring Well			Description: MW-7 Monitoring Well		

Photo No. 10	Date: 11/15/23		Photo No. 12	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-7A Monitoring Well			Description: MW-8 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 13	Date: 11/15/23		Photo No. 15	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-8A Monitoring Well			Description: MW-9 Monitoring Well		

Photo No. 14	Date: 11/15/23		Photo No. 16	Date: 11/15/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Zinc Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-10 Monitoring Well			Description: MW-11 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 17	Date: 11/15/23		Photo No. 19	Date: 11/16/23	
Photo Taken Location: Zinc Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-12 Monitoring Well			Description: MW-106 Monitoring Well		
Photo No. 18	Date: 11/16/23		Photo No. 20	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-106A Monitoring Well			Description: MW-107 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 21	Date: 11/16/23		Photo No. 23	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-107A Monitoring Well			Description: MW-108 Monitoring Well		

Photo No. 22	Date: 11/16/23		Photo No. 24	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-108A Monitoring Well			Description: MW-110 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 25	Date: 11/16/23		Photo No. 27	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-110A Monitoring Well			Description: MW-111 Monitoring Well		

Photo No. 26	Date: 11/16/23		Photo No. 28	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-112 Monitoring Well			Description: MW-113 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No. 29	Date: 11/16/23		Photo No. 30	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-115 Monitoring Well			Description: MW-116 Monitoring Well		

Photo No. 30	Date: 11/16/23		Photo No. 32	Date: 11/16/23	
Photo Taken Location: Chrome Shop Site			Photo Taken Location: Chrome Shop Site		
Photo Taken By: Nick Glander			Photo Taken By: Nick Glander		
Description: MW-115A Monitoring Well			Description: MW-101 Monitoring Well		

Client's Name:
WI DNR - Better Brite

Site Location:
De Pere, Wisconsin

Project No.
22W016.23

Photo No.
33

Date:
11/16/23

Photo Taken Location:
Chrome Shop Site

Photo Taken By:
Nick Glander

Description:
MW-104A
Monitoring Well



Attachment 8
Laboratory Analytical Reports



December 06, 2023

Nick Glander
Foth Infrastructure & Environment, LLC
2121 Innovation Court
Suite 300
De Pere, WI 54115

RE: Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 16, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Tod Noltemeyer'.

Tod Noltemeyer
tod.noltemeyer@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40271151001	MW-106_202311	Water	11/16/23 10:00	11/16/23 15:30
40271151002	MW-106A_202311	Water	11/16/23 10:15	11/16/23 15:30
40271151003	MW-107_202311	Water	11/16/23 11:40	11/16/23 15:30
40271151004	MW-107A_202311	Water	11/16/23 12:00	11/16/23 15:30
40271151005	MW-108A_202311	Water	11/16/23 14:45	11/16/23 15:30
40271151006	MW-110_202311	Water	11/16/23 12:40	11/16/23 15:30
40271151007	MW-110A_202311	Water	11/16/23 12:38	11/16/23 15:30
40271151008	MW-111_202311	Water	11/16/23 13:45	11/16/23 15:30
40271151009	MW-113_202311	Water	11/16/23 09:30	11/16/23 15:30
40271151010	MW-115_202311	Water	11/16/23 13:00	11/16/23 15:30
40271151011	MW-115A_202311	Water	11/16/23 13:05	11/16/23 15:30
40271151012	MW-116_202311	Water	11/16/23 13:35	11/16/23 15:30
40271151013	MW-DUP2_202311	Water	11/16/23 13:35	11/16/23 15:30
40271151014	TB-2_202311	Water	11/16/23 00:00	11/16/23 15:30
40271151015	MW-104A_232011	Water	11/16/23 11:00	11/16/23 15:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40271151001	MW-106_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151002	MW-106A_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151003	MW-107_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151004	MW-107A_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151005	MW-108A_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151006	MW-110_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151007	MW-110A_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151008	MW-111_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151009	MW-113_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151010	MW-115_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151011	MW-115A_202311	EPA 6010D	SIS	1
		EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
		EPA 300.0	HMB	1
40271151012	MW-116_202311	EPA 6010D	SIS	1
		EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
		EPA 300.0	HMB	1
40271151013	MW-DUP2_202311	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1
40271151014	TB-2_202311	EPA 8260	EIB	64
40271151015	MW-104A_232011	EPA 8260	EIB	64
		SM 3500-Cr B	HNT	1

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

Method: EPA 6010D
Description: 6010D MET ICP
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

2 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 460685

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-116_202311 (Lab ID: 40271151012)
- Iron

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

Method: EPA 8260
Description: 8260 MSV
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

15 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 460698

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

- LCS (Lab ID: 2645291)
- Chloroform

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

Method: SM 3500-Cr B
Description: Chromium, Hexavalent
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

14 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 461821

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-104A_232011 (Lab ID: 40271151015)
 - Chromium, Hexavalent
- MW-106A_202311 (Lab ID: 40271151002)
 - Chromium, Hexavalent
- MW-106_202311 (Lab ID: 40271151001)
 - Chromium, Hexavalent
- MW-107A_202311 (Lab ID: 40271151004)
 - Chromium, Hexavalent
- MW-107_202311 (Lab ID: 40271151003)
 - Chromium, Hexavalent
- MW-108A_202311 (Lab ID: 40271151005)
 - Chromium, Hexavalent
- MW-110A_202311 (Lab ID: 40271151007)
 - Chromium, Hexavalent
- MW-110_202311 (Lab ID: 40271151006)
 - Chromium, Hexavalent
- MW-111_202311 (Lab ID: 40271151008)
 - Chromium, Hexavalent
- MW-113_202311 (Lab ID: 40271151009)
 - Chromium, Hexavalent
- MW-115A_202311 (Lab ID: 40271151011)
 - Chromium, Hexavalent

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Method: SM 3500-Cr B

Description: Chromium, Hexavalent

Client: Foth Infrastructure & Environment

Date: December 06, 2023

Analyte Comments:

QC Batch: 461821

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-115_202311 (Lab ID: 40271151010)
- Chromium, Hexavalent

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

Method: EPA 300.0
Description: 300.0 IC Anions
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

2 samples were analyzed for EPA 300.0 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 461752

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-115A_202311 (Lab ID: 40271151011)
- Sulfate

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-106_202311 Lab ID: 40271151001 Collected: 11/16/23 10:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 16:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 16:54	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 16:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 16:54	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 16:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 16:54	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 16:54	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 16:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 16:54	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 16:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 16:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 16:54	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 16:54	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 16:54	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 16:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 16:54	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 16:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 16:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 16:54	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 16:54	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 16:54	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 16:54	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 16:54	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 16:54	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 16:54	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 16:54	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 16:54	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 16:54	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 16:54	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 16:54	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 16:54	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 16:54	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 16:54	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 16:54	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 16:54	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 16:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 16:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 16:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 16:54	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 16:54	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 16:54	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 16:54	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 16:54	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 16:54	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 16:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-106_202311 Lab ID: 40271151001 Collected: 11/16/23 10:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 16:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 16:54	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 16:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 16:54	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 16:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 16:54	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 16:54	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 16:54	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 16:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 16:54	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 16:54	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 16:54	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 16:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 16:54	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 16:54	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 16:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		11/17/23 16:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/17/23 16:54	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/17/23 16:54	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:03		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-106A_202311 Lab ID: 40271151002 Collected: 11/16/23 10:15 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 17:13	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:13	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:13	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:13	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 17:13	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 17:13	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:13	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 17:13	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 17:13	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 17:13	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:13	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 17:13	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 17:13	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 17:13	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:13	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:13	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 17:13	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 17:13	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 17:13	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 17:13	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:13	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:13	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 17:13	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 17:13	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:13	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 17:13	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 17:13	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 17:13	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 17:13	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 17:13	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:13	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:13	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:13	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 17:13	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 17:13	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:13	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:13	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 17:13	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 17:13	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:13	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 17:13	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:13	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 17:13	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:13	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:13	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-106A_202311 Lab ID: 40271151002 Collected: 11/16/23 10:15 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:13	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 17:13	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:13	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 17:13	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:13	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 17:13	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:13	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 17:13	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 17:13	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:13	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 17:13	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 17:13	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:13	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 17:13	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 17:13	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:13	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/17/23 17:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/17/23 17:13	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/17/23 17:13	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:03		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-107_202311 Lab ID: 40271151003 Collected: 11/16/23 11:40 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 17:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:33	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:33	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 17:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 17:33	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:33	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 17:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 17:33	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 17:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 17:33	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 17:33	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 17:33	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:33	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 17:33	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 17:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 17:33	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 17:33	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:33	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:33	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 17:33	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 17:33	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:33	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 17:33	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 17:33	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 17:33	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 17:33	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 17:33	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:33	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:33	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:33	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 17:33	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 17:33	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 17:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 17:33	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:33	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 17:33	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:33	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 17:33	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:33	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-107_202311 Lab ID: 40271151003 Collected: 11/16/23 11:40 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:33	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 17:33	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 17:33	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:33	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 17:33	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:33	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 17:33	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 17:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:33	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 17:33	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 17:33	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:33	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 17:33	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 17:33	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:33	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/17/23 17:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/17/23 17:33	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/17/23 17:33	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:03		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-107A_202311 Lab ID: 40271151004 Collected: 11/16/23 12:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 17:52	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:52	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:52	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:52	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 17:52	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 17:52	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:52	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 17:52	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 17:52	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 17:52	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 17:52	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 17:52	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 17:52	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 17:52	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:52	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 17:52	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 17:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 17:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 17:52	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 17:52	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:52	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:52	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 17:52	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 17:52	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:52	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 17:52	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 17:52	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 17:52	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 17:52	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 17:52	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:52	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:52	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:52	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 17:52	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 17:52	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:52	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 17:52	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 17:52	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 17:52	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:52	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 17:52	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 17:52	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 17:52	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:52	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:52	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-107A_202311 Lab ID: 40271151004 Collected: 11/16/23 12:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 17:52	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 17:52	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 17:52	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 17:52	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 17:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 17:52	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 17:52	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 17:52	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 17:52	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 17:52	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 17:52	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 17:52	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 17:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 17:52	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 17:52	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 17:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/17/23 17:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 17:52	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/17/23 17:52	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:03		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-108A_202311 Lab ID: 40271151005 Collected: 11/16/23 14:45 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 18:11	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:11	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:11	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:11	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 18:11	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 18:11	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:11	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 18:11	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 18:11	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 18:11	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:11	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 18:11	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 18:11	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 18:11	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:11	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:11	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 18:11	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 18:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 18:11	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 18:11	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:11	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:11	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 18:11	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 18:11	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:11	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 18:11	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 18:11	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 18:11	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 18:11	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 18:11	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:11	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:11	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:11	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 18:11	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 18:11	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:11	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:11	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 18:11	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 18:11	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:11	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 18:11	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:11	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 18:11	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:11	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-108A_202311 Lab ID: 40271151005 Collected: 11/16/23 14:45 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 18:11	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:11	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 18:11	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:11	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 18:11	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:11	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 18:11	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 18:11	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:11	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 18:11	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 18:11	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:11	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 18:11	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 18:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:11	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		11/17/23 18:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		11/17/23 18:11	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/17/23 18:11	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:04		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-110_202311 Lab ID: 40271151006 Collected: 11/16/23 12:40 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 18:31	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:31	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:31	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:31	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 18:31	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 18:31	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:31	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 18:31	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 18:31	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 18:31	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:31	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 18:31	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 18:31	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 18:31	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:31	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:31	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 18:31	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 18:31	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 18:31	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 18:31	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:31	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:31	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 18:31	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 18:31	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:31	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 18:31	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 18:31	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 18:31	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 18:31	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 18:31	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:31	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:31	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:31	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 18:31	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 18:31	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:31	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:31	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 18:31	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 18:31	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:31	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 18:31	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:31	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 18:31	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:31	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:31	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-110_202311 Lab ID: 40271151006 Collected: 11/16/23 12:40 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:31	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 18:31	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:31	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 18:31	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:31	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 18:31	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:31	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 18:31	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 18:31	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:31	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 18:31	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 18:31	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:31	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 18:31	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 18:31	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:31	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		11/17/23 18:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 18:31	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/17/23 18:31	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:04		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-110A_202311 Lab ID: 40271151007 Collected: 11/16/23 12:38 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 18:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 18:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 18:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 18:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 18:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 18:50	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 18:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 18:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 18:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 18:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 18:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 18:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 18:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 18:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 18:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 18:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 18:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 18:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 18:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 18:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 18:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 18:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 18:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-110A_202311 Lab ID: 40271151007 Collected: 11/16/23 12:38 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 18:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 18:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 18:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 18:50	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 18:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 18:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 18:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 18:50	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 18:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		11/17/23 18:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/17/23 18:50	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/17/23 18:50	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:04		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-111_202311 Lab ID: 40271151008 Collected: 11/16/23 13:45 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:10	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:10	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 19:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:10	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:10	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:10	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-111_202311 Lab ID: 40271151008 Collected: 11/16/23 13:45 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:10	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:10	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/17/23 19:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/17/23 19:10	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/17/23 19:10	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		12/04/23 11:05		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-113_202311 Lab ID: 40271151009 Collected: 11/16/23 09:30 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:29	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:29	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:29	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:29	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:29	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:29	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:29	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:29	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:29	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:29	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:29	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:29	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:29	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:29	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:29	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:29	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:29	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:29	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:29	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:29	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:29	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:29	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:29	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:29	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:29	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:29	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 19:29	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:29	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:29	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:29	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:29	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:29	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:29	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:29	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:29	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:29	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:29	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:29	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:29	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:29	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:29	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:29	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:29	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:29	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:29	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-113_202311 Lab ID: 40271151009 Collected: 11/16/23 09:30 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:29	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:29	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:29	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:29	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:29	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:29	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:29	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:29	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:29	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:29	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:29	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:29	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:29	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:29	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:29	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:29	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		11/17/23 19:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/17/23 19:29	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/17/23 19:29	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:05		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-115_202311 Lab ID: 40271151010 Collected: 11/16/23 13:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:48	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:48	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:48	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:48	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:48	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:48	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 19:48	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-115_202311 Lab ID: 40271151010 Collected: 11/16/23 13:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:48	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:48	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:48	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:48	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/17/23 19:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 19:48	2199-69-1	
Toluene-d8 (S)	95	%	70-130		1		11/17/23 19:48	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:05		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-115A_202311 Lab ID: 40271151011 Collected: 11/16/23 13:05 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	32700	ug/L	100	56.7	1	11/17/23 06:13	11/17/23 15:19	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 20:08	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:08	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:08	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:08	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 20:08	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 20:08	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:08	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 20:08	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 20:08	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 20:08	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:08	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 20:08	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 20:08	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 20:08	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:08	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:08	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 20:08	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 20:08	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 20:08	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 20:08	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:08	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:08	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 20:08	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 20:08	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 20:08	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 20:08	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 20:08	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 20:08	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 20:08	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 20:08	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 20:08	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:08	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 20:08	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 20:08	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 20:08	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:08	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:08	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 20:08	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 20:08	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:08	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 20:08	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-115A_202311 Lab ID: 40271151011 Collected: 11/16/23 13:05 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:08	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 20:08	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:08	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:08	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:08	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 20:08	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 20:08	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 20:08	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:08	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 20:08	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 20:08	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 20:08	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 20:08	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:08	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 20:08	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 20:08	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:08	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 20:08	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 20:08	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/17/23 20:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 20:08	2199-69-1	
Toluene-d8 (S)	98	%	70-130		1		11/17/23 20:08	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:05		D3
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		12/05/23 15:14	14808-79-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-116_202311 Lab ID: 40271151012 Collected: 11/16/23 13:35 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP									
Analytical Method: EPA 6010D Preparation Method: EPA 3010A									
Pace Analytical Services - Green Bay									
Iron	<113	ug/L	200	113	2	11/17/23 06:13	11/20/23 13:45	7439-89-6	D3
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 20:27	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:27	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:27	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:27	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 20:27	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 20:27	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:27	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 20:27	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 20:27	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 20:27	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:27	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 20:27	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 20:27	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 20:27	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:27	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:27	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 20:27	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 20:27	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 20:27	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 20:27	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:27	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:27	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 20:27	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 20:27	75-71-8	
1,1-Dichloroethane	35.4	ug/L	1.0	0.30	1		11/17/23 20:27	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 20:27	107-06-2	
1,1-Dichloroethene	30.9	ug/L	1.0	0.58	1		11/17/23 20:27	75-35-4	
cis-1,2-Dichloroethene	0.81J	ug/L	1.0	0.47	1		11/17/23 20:27	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 20:27	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 20:27	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 20:27	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:27	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 20:27	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 20:27	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 20:27	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:27	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:27	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 20:27	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 20:27	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:27	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 20:27	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-116_202311 Lab ID: 40271151012 Collected: 11/16/23 13:35 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:27	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 20:27	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:27	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:27	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:27	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 20:27	79-34-5	
Tetrachloroethene	1.1	ug/L	1.0	0.41	1		11/17/23 20:27	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 20:27	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:27	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 20:27	120-82-1	
1,1,1-Trichloroethane	128	ug/L	1.0	0.30	1		11/17/23 20:27	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 20:27	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.32	1		11/17/23 20:27	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:27	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 20:27	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 20:27	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:27	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 20:27	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 20:27	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:27	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/17/23 20:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/17/23 20:27	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/17/23 20:27	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	4.9	mg/L	0.61	0.18	25		12/04/23 11:23		
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	954	mg/L	100	22.2	50		12/05/23 15:28	14808-79-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-DUP2_202311 Lab ID: 40271151013 Collected: 11/16/23 13:35 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 20:47	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:47	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:47	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:47	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 20:47	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 20:47	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:47	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 20:47	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 20:47	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 20:47	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 20:47	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 20:47	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 20:47	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 20:47	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:47	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 20:47	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 20:47	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 20:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 20:47	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 20:47	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:47	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:47	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 20:47	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 20:47	75-71-8	
1,1-Dichloroethane	41.3	ug/L	1.0	0.30	1		11/17/23 20:47	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 20:47	107-06-2	
1,1-Dichloroethene	35.5	ug/L	1.0	0.58	1		11/17/23 20:47	75-35-4	
cis-1,2-Dichloroethene	1.1	ug/L	1.0	0.47	1		11/17/23 20:47	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 20:47	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 20:47	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 20:47	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:47	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 20:47	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 20:47	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 20:47	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:47	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 20:47	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 20:47	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 20:47	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:47	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 20:47	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 20:47	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 20:47	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:47	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-DUP2_202311 Lab ID: 40271151013 Collected: 11/16/23 13:35 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 20:47	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 20:47	79-34-5	
Tetrachloroethene	1.0	ug/L	1.0	0.41	1		11/17/23 20:47	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 20:47	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 20:47	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 20:47	120-82-1	
1,1,1-Trichloroethane	139	ug/L	1.0	0.30	1		11/17/23 20:47	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 20:47	79-00-5	
Trichloroethene	2.1	ug/L	1.0	0.32	1		11/17/23 20:47	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 20:47	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 20:47	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 20:47	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 20:47	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 20:47	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 20:47	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 20:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		11/17/23 20:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/17/23 20:47	2199-69-1	
Toluene-d8 (S)	92	%	70-130		1		11/17/23 20:47	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	4.8	mg/L	0.61	0.18	25		12/04/23 11:23		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: TB-2_202311 Lab ID: 40271151014 Collected: 11/16/23 00:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 14:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 14:58	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 14:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 14:58	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 14:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 14:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 14:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 14:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 14:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 14:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 14:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 14:58	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 14:58	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 14:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 14:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 14:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 14:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 14:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 14:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 14:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 14:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 14:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 14:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 14:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 14:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 14:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 14:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 14:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 14:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 14:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 14:58	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 14:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 14:58	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 14:58	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 14:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 14:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 14:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 14:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 14:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 14:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 14:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 14:58	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 14:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 14:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 14:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: TB-2_202311 Lab ID: 40271151014 Collected: 11/16/23 00:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 14:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 14:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 14:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 14:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 14:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 14:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 14:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 14:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 14:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 14:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 14:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 14:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 14:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 14:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 14:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 14:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		11/17/23 14:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/17/23 14:58	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		11/17/23 14:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-104A_232011 Lab ID: 40271151015 Collected: 11/16/23 11:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/20/23 09:48	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/20/23 09:48	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/20/23 09:48	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/20/23 09:48	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/20/23 09:48	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/20/23 09:48	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/20/23 09:48	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/20/23 09:48	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/20/23 09:48	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/20/23 09:48	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/20/23 09:48	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/20/23 09:48	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/20/23 09:48	67-66-3	L1
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/20/23 09:48	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/20/23 09:48	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/20/23 09:48	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/20/23 09:48	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/20/23 09:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/20/23 09:48	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/20/23 09:48	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/20/23 09:48	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/20/23 09:48	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/20/23 09:48	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/20/23 09:48	75-71-8	
1,1-Dichloroethane	0.39J	ug/L	1.0	0.30	1		11/20/23 09:48	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/20/23 09:48	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/20/23 09:48	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/20/23 09:48	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/20/23 09:48	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/20/23 09:48	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/20/23 09:48	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/20/23 09:48	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/20/23 09:48	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/20/23 09:48	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/20/23 09:48	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/20/23 09:48	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/20/23 09:48	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/20/23 09:48	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/20/23 09:48	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/20/23 09:48	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/20/23 09:48	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/20/23 09:48	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/20/23 09:48	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/20/23 09:48	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/20/23 09:48	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Sample: MW-104A_232011 Lab ID: 40271151015 Collected: 11/16/23 11:00 Received: 11/16/23 15:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/20/23 09:48	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/20/23 09:48	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/20/23 09:48	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/20/23 09:48	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/20/23 09:48	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/20/23 09:48	120-82-1	
1,1,1-Trichloroethane	0.51J	ug/L	1.0	0.30	1		11/20/23 09:48	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/20/23 09:48	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/20/23 09:48	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/20/23 09:48	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/20/23 09:48	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/20/23 09:48	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/20/23 09:48	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/20/23 09:48	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/20/23 09:48	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/20/23 09:48	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		11/20/23 09:48	460-00-4	
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		11/20/23 09:48	2199-69-1	
Toluene-d8 (S)	97	%	70-130		1		11/20/23 09:48	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		12/04/23 11:06		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

QC Batch: 460685

Analysis Method: EPA 6010D

QC Batch Method: EPA 3010A

Analysis Description: 6010D MET

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40271151011, 40271151012

METHOD BLANK: 2645252

Matrix: Water

Associated Lab Samples: 40271151011, 40271151012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<56.7	100	11/17/23 14:39	

LABORATORY CONTROL SAMPLE: 2645253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	10000	10200	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2645254 2645255

Parameter	Units	40270991001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron	ug/L	167	10000	10000	10500	10600	103	105	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

QC Batch:	460698	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40271151001, 40271151002, 40271151003, 40271151004, 40271151005, 40271151006, 40271151007, 40271151008, 40271151009, 40271151010, 40271151011, 40271151012, 40271151013, 40271151014, 40271151015

METHOD BLANK:	2645290	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 40271151001, 40271151002, 40271151003, 40271151004, 40271151005, 40271151006, 40271151007, 40271151008, 40271151009, 40271151010, 40271151011, 40271151012, 40271151013, 40271151014, 40271151015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/17/23 11:24	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/17/23 11:24	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/17/23 11:24	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/17/23 11:24	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/17/23 11:24	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/17/23 11:24	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/17/23 11:24	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/17/23 11:24	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/17/23 11:24	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/17/23 11:24	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/17/23 11:24	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/17/23 11:24	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/17/23 11:24	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/17/23 11:24	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/17/23 11:24	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/17/23 11:24	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/17/23 11:24	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/17/23 11:24	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/17/23 11:24	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/17/23 11:24	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/17/23 11:24	
2-Chlorotoluene	ug/L	<0.89	5.0	11/17/23 11:24	
4-Chlorotoluene	ug/L	<0.89	5.0	11/17/23 11:24	
Benzene	ug/L	<0.30	1.0	11/17/23 11:24	
Bromobenzene	ug/L	<0.36	1.0	11/17/23 11:24	
Bromochloromethane	ug/L	<0.36	1.0	11/17/23 11:24	
Bromodichloromethane	ug/L	<0.42	1.0	11/17/23 11:24	
Bromoform	ug/L	<0.43	1.0	11/17/23 11:24	
Bromomethane	ug/L	<1.2	5.0	11/17/23 11:24	
Carbon tetrachloride	ug/L	<0.37	1.0	11/17/23 11:24	
Chlorobenzene	ug/L	<0.86	1.0	11/17/23 11:24	
Chloroethane	ug/L	<1.4	5.0	11/17/23 11:24	
Chloroform	ug/L	<0.50	5.0	11/17/23 11:24	
Chloromethane	ug/L	<1.6	5.0	11/17/23 11:24	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/17/23 11:24	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/17/23 11:24	
Dibromochloromethane	ug/L	<2.6	5.0	11/17/23 11:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

METHOD BLANK: 2645290

Matrix: Water

Associated Lab Samples: 40271151001, 40271151002, 40271151003, 40271151004, 40271151005, 40271151006, 40271151007, 40271151008, 40271151009, 40271151010, 40271151011, 40271151012, 40271151013, 40271151014, 40271151015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	<0.99	5.0	11/17/23 11:24	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/17/23 11:24	
Diisopropyl ether	ug/L	<1.1	5.0	11/17/23 11:24	
Ethylbenzene	ug/L	<0.33	1.0	11/17/23 11:24	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/17/23 11:24	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/17/23 11:24	
m&p-Xylene	ug/L	<0.70	2.0	11/17/23 11:24	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/17/23 11:24	
Methylene Chloride	ug/L	<0.32	5.0	11/17/23 11:24	
n-Butylbenzene	ug/L	<0.86	1.0	11/17/23 11:24	
n-Propylbenzene	ug/L	<0.35	1.0	11/17/23 11:24	
Naphthalene	ug/L	<1.9	5.0	11/17/23 11:24	
o-Xylene	ug/L	<0.35	1.0	11/17/23 11:24	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/17/23 11:24	
sec-Butylbenzene	ug/L	<0.42	1.0	11/17/23 11:24	
Styrene	ug/L	<0.36	1.0	11/17/23 11:24	
tert-Butylbenzene	ug/L	<0.59	1.0	11/17/23 11:24	
Tetrachloroethene	ug/L	<0.41	1.0	11/17/23 11:24	
Toluene	ug/L	<0.29	1.0	11/17/23 11:24	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/17/23 11:24	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/17/23 11:24	
Trichloroethene	ug/L	<0.32	1.0	11/17/23 11:24	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/17/23 11:24	
Vinyl chloride	ug/L	<0.17	1.0	11/17/23 11:24	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	11/17/23 11:24	
4-Bromofluorobenzene (S)	%	98	70-130	11/17/23 11:24	
Toluene-d8 (S)	%	99	70-130	11/17/23 11:24	

LABORATORY CONTROL SAMPLE: 2645291

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	62.7	125	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	52.3	105	70-130	
1,1,2-Trichloroethane	ug/L	50	51.2	102	70-130	
1,1-Dichloroethane	ug/L	50	58.4	117	70-130	
1,1-Dichloroethene	ug/L	50	59.5	119	73-140	
1,2,4-Trichlorobenzene	ug/L	50	40.6	81	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	37.0	74	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	47.8	96	70-130	
1,2-Dichlorobenzene	ug/L	50	48.0	96	70-130	
1,2-Dichloroethane	ug/L	50	61.2	122	70-130	
1,2-Dichloropropane	ug/L	50	57.2	114	77-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

LABORATORY CONTROL SAMPLE: 2645291

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/L	50	51.1	102	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	
Benzene	ug/L	50	58.8	118	70-130	
Bromodichloromethane	ug/L	50	57.1	114	70-130	
Bromoform	ug/L	50	55.6	111	70-130	
Bromomethane	ug/L	50	57.9	116	22-141	
Carbon tetrachloride	ug/L	50	66.2	132	70-135	
Chlorobenzene	ug/L	50	55.3	111	70-130	
Chloroethane	ug/L	50	61.1	122	59-141	
Chloroform	ug/L	50	62.4	125	80-124 L1	
Chloromethane	ug/L	50	63.4	127	29-150	
cis-1,2-Dichloroethene	ug/L	50	55.2	110	70-130	
cis-1,3-Dichloropropene	ug/L	50	53.4	107	70-130	
Dibromochloromethane	ug/L	50	53.2	106	70-130	
Dichlorodifluoromethane	ug/L	50	68.8	138	10-147	
Ethylbenzene	ug/L	50	55.1	110	80-125	
Isopropylbenzene (Cumene)	ug/L	50	54.1	108	70-130	
m&p-Xylene	ug/L	100	109	109	70-130	
Methyl-tert-butyl ether	ug/L	50	47.0	94	64-131	
Methylene Chloride	ug/L	50	56.3	113	70-137	
o-Xylene	ug/L	50	54.3	109	70-130	
Styrene	ug/L	50	62.5	125	70-130	
Tetrachloroethene	ug/L	50	55.3	111	70-130	
Toluene	ug/L	50	53.4	107	80-120	
trans-1,2-Dichloroethene	ug/L	50	57.7	115	70-131	
trans-1,3-Dichloropropene	ug/L	50	43.9	88	70-130	
Trichloroethene	ug/L	50	53.9	108	70-130	
Trichlorofluoromethane	ug/L	50	63.6	127	69-141	
Vinyl chloride	ug/L	50	63.0	126	51-145	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2645480 2645481

Parameter	Units	40271120026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	62.6	62.0	125	124	70-132	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	52.1	52.1	104	104	70-131	0	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	48.6	50.9	97	102	70-130	5	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	59.7	60.8	119	122	70-131	2	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	59.9	62.9	120	126	69-146	5	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	40.9	42.0	82	84	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	36.5	36.1	73	72	56-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2645480 2645481											
Parameter	Units	40271120026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	46.9	47.7	94	95	70-130	2	20
1,2-Dichlorobenzene	ug/L	<0.33	50	50	49.8	49.4	100	99	70-130	1	20
1,2-Dichloroethane	ug/L	<0.29	50	50	58.1	60.4	116	121	70-130	4	20
1,2-Dichloropropane	ug/L	<0.45	50	50	57.6	57.6	115	115	77-129	0	20
1,3-Dichlorobenzene	ug/L	<0.35	50	50	52.9	51.0	106	102	70-130	4	20
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.8	50.1	100	100	70-130	1	20
Benzene	ug/L	<0.30	50	50	59.4	58.9	119	118	70-130	1	20
Bromodichloromethane	ug/L	<0.42	50	50	57.6	58.1	115	116	70-130	1	20
Bromoform	ug/L	<0.43	50	50	54.0	56.6	108	113	70-130	5	20
Bromomethane	ug/L	<1.2	50	50	59.2	66.2	118	132	12-159	11	26
Carbon tetrachloride	ug/L	<0.37	50	50	65.8	66.4	132	133	70-135	1	20
Chlorobenzene	ug/L	<0.86	50	50	55.7	55.8	111	112	70-130	0	20
Chloroethane	ug/L	<1.4	50	50	60.5	64.0	121	128	56-143	6	20
Chloroform	ug/L	<0.50	50	50	62.7	62.8	125	126	80-126	0	20
Chloromethane	ug/L	<1.6	50	50	63.6	64.3	127	129	22-156	1	20
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	56.2	59.4	112	119	70-130	6	20
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	54.1	55.7	108	111	70-130	3	20
Dibromochloromethane	ug/L	<2.6	50	50	52.8	54.5	106	109	70-130	3	20
Dichlorodifluoromethane	ug/L	<0.46	50	50	67.2	66.5	134	133	10-147	1	20
Ethylbenzene	ug/L	<0.33	50	50	55.4	54.8	111	110	80-126	1	20
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.6	52.2	109	104	70-130	4	20
m&p-Xylene	ug/L	<0.70	100	100	110	108	110	108	70-130	2	20
Methyl-tert-butyl ether	ug/L	<1.1	50	50	47.2	48.8	94	98	64-136	3	20
Methylene Chloride	ug/L	<0.32	50	50	57.5	58.7	115	117	70-137	2	20
o-Xylene	ug/L	<0.35	50	50	54.6	53.1	109	106	70-130	3	20
Styrene	ug/L	<0.36	50	50	62.9	61.4	126	123	70-133	3	20
Tetrachloroethene	ug/L	<0.41	50	50	55.9	53.0	112	106	70-131	5	20
Toluene	ug/L	<0.29	50	50	53.4	52.2	107	104	80-121	2	20
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	57.1	58.7	114	117	70-135	3	20
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	43.0	45.2	86	90	70-130	5	20
Trichloroethene	ug/L	<0.32	50	50	52.4	54.1	105	108	70-130	3	20
Trichlorofluoromethane	ug/L	<0.42	50	50	63.9	63.2	128	126	67-142	1	20
Vinyl chloride	ug/L	<0.17	50	50	60.9	62.8	122	126	45-147	3	20
1,2-Dichlorobenzene-d4 (S)	%						99	96	70-130		
4-Bromofluorobenzene (S)	%						97	95	70-130		
Toluene-d8 (S)	%						98	95	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

QC Batch:	461821	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40271151001, 40271151002, 40271151003, 40271151004, 40271151005, 40271151006, 40271151007, 40271151008, 40271151009, 40271151010, 40271151011, 40271151012, 40271151013, 40271151015		

METHOD BLANK:	2650928	Matrix:	Water
Associated Lab Samples:	40271151001, 40271151002, 40271151003, 40271151004, 40271151005, 40271151006, 40271151007, 40271151008, 40271151009, 40271151010, 40271151011, 40271151012, 40271151013, 40271151015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0073	0.024	12/04/23 11:02	

LABORATORY CONTROL SAMPLE:	2650929					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.3	0.29	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2650930			2650931								
Parameter	Units	40271151001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	<0.37	15	15	13.6	14.4	91	96	90-110	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

QC Batch: 461752

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40271151011, 40271151012

METHOD BLANK: 2650733

Matrix: Water

Associated Lab Samples: 40271151011, 40271151012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	12/04/23 11:28	

LABORATORY CONTROL SAMPLE: 2650734

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	19.6	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2650735 2650736

Parameter	Units	40271138004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	110	400	400	520	527	102	104	90-110	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2650737 2650738

Parameter	Units	40271274010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	130	100	100	236	230	105	100	90-110	2	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 22W016.23 BETTER BRITE
Pace Project No.: 40271151

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results may be biased high.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 22W016.23 BETTER BRITE

Pace Project No.: 40271151

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40271151011	MW-115A_202311	EPA 3010A	460685	EPA 6010D	460773
40271151012	MW-116_202311	EPA 3010A	460685	EPA 6010D	460773
40271151001	MW-106_202311	EPA 8260	460698		
40271151002	MW-106A_202311	EPA 8260	460698		
40271151003	MW-107_202311	EPA 8260	460698		
40271151004	MW-107A_202311	EPA 8260	460698		
40271151005	MW-108A_202311	EPA 8260	460698		
40271151006	MW-110_202311	EPA 8260	460698		
40271151007	MW-110A_202311	EPA 8260	460698		
40271151008	MW-111_202311	EPA 8260	460698		
40271151009	MW-113_202311	EPA 8260	460698		
40271151010	MW-115_202311	EPA 8260	460698		
40271151011	MW-115A_202311	EPA 8260	460698		
40271151012	MW-116_202311	EPA 8260	460698		
40271151013	MW-DUP2_202311	EPA 8260	460698		
40271151014	TB-2_202311	EPA 8260	460698		
40271151015	MW-104A_232011	EPA 8260	460698		
40271151001	MW-106_202311	SM 3500-Cr B	461821		
40271151002	MW-106A_202311	SM 3500-Cr B	461821		
40271151003	MW-107_202311	SM 3500-Cr B	461821		
40271151004	MW-107A_202311	SM 3500-Cr B	461821		
40271151005	MW-108A_202311	SM 3500-Cr B	461821		
40271151006	MW-110_202311	SM 3500-Cr B	461821		
40271151007	MW-110A_202311	SM 3500-Cr B	461821		
40271151008	MW-111_202311	SM 3500-Cr B	461821		
40271151009	MW-113_202311	SM 3500-Cr B	461821		
40271151010	MW-115_202311	SM 3500-Cr B	461821		
40271151011	MW-115A_202311	SM 3500-Cr B	461821		
40271151012	MW-116_202311	SM 3500-Cr B	461821		
40271151013	MW-DUP2_202311	SM 3500-Cr B	461821		
40271151015	MW-104A_232011	SM 3500-Cr B	461821		
40271151011	MW-115A_202311	EPA 300.0	461752		
40271151012	MW-116_202311	EPA 300.0	461752		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company: FOTH		Billing Information: Invoices@Foth.com	
Address: DE PERE			
Report To: Nick Glander		Email To: Nick.Glander@Foth.com	
Copy To:		Site Collection Info/Address: Better Beite	
Customer Project Name/Number: 22W016-23		State: WI County/City: DE PERE Time Zone Collected: PT ☒ MT ☒ CT ☐ ET	
Phone: 920/362-8744	Site/Facility ID #:	Compliance Monitoring? ☒ Yes ☐ No	
Collected By (print): Nick Glander	Purchase Order #: Quote #:	DW PWS ID #: DW Location Code:	
Collected By (signature): [Signature]	Turnaround Date Required: Standard	Immediately Packed on Ice: ☒ Yes ☐ No	
Sample Disposal: ☒ Dispose as appropriate ☐ Return ☐ Archive: _____ ☐ Hold: _____	Rush: ☐ Same Day ☐ Next Day ☐ 2 Day ☐ 3 Day ☐ 4 Day ☐ 5 Day (Expedite Charges Apply)	Field Filtered (if applicable): ☐ Yes ☒ No Analysis: _____	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW-106-202311	GW	Grab	11/10/23	1000				2
MW-106A-202311				1015				
MW-107-202311				1140				
MW-107A-202311				1200				
MW-108-202311								
MW-108A-202311				1445				
MW-110-202311				1240				
MW-110A-202311				1238				
MW-111-202311				1345				
MW-112-202311								

Customer Remarks / Special Conditions / Possible Hazards:	Type of Ice Used:	Wet	Blue	Dry	None
	Packing Material Used:	bubble bags			
	Radchem sample(s) screened (<500 cpm):	Y	N	N	N

Relinquished by/Company: (Signature) <i>John L. Kim / FOTH</i>	Date/Time: <i>11/16/23 1530</i>	Received by/Company: (Signature) <i>Matt Vondra</i>
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

4027115

ALL SHADED AREAS are for LAB USE ONLY

Container Preservative Type **									Lab Project Manager:
3	U								

* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other _____

Analyses	Lab Profile/Line:
----------	-------------------

[illegible]

	Custody Soils Present/Intact	Y N NA
	Custody Signatures Present	Y N NA
	Collector Signature Present	Y N NA
	Bottles Intact	Y N NA
	Correct Bottles	Y N NA
	Sufficient Volume	Y N NA
	Samples Received on Ice	Y N NA
	VOA Headspace Acceptable	Y N NA
	USDA Regulated Soils	Y N NA
	Samples in Holding Time	Y N NA
	Residual Chlorine Present	Y N NA
	Cl Strips:	
	Sample pH Acceptable	Y N NA
	pH Strips:	
	Sulfide Present	Y N NA
	Lead Acetate Strips:	

LAB USE ONLY:
Lab Sample # / Comments:

Lab Sample #	Comments
001	
002	
003	
004	
005	
006	
007	
008	

Customer Remarks / Special Conditions / Possible Hazards:	Type of Ice Used: <u>Wet</u> Blue Dry None	SHORT HOLDS PRESENT (<72 hours): <u>Y</u> N N/A	Lab Sample Temperature Info: Temp Blank Received: <u>1310</u> Y N NA Therm ID#: <u>1310</u> Cooler 1 Temp Upon Receipt: <u>10.0</u> °C Cooler 1 Therm Corr. Factor: <u>-0.5</u> °C Cooler 1 Corrected Temp: <u>0.5</u> °C Comments:
	Packing Material Used: <u>bubble bags</u>	Lab Tracking #: <u>2881183</u>	
	Radchem sample(s) screened (<500 cpm): Y N <u>NA</u>	Samples received via: FEDEX UPS <u>Client</u> Courier Pace Courier	
Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time

Relinquished by/Company: (Signature) <i>John Kim / FOTH</i>	Date/Time: 11/16/23 1530	Received by/Company: (Signature) <i>Matt Vondra</i>	Date/Time: 11/16/2023 15:30	MTJL LAB USE ONLY	Comments:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Table #:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Acctnum:	Trip Blank Received: Y N NA HCV MeQ TSP Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Template:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Prelogin:	Non-Conformance Page 49 of 52 YES NO of: 2
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	PM:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	PS:	

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

4027115

ALL SHADED AREAS are for LAB USE ONLY

Company: <u>FOTH</u>		Billing Information: <u>Invoices @ FOTH.com</u>	
Address: <u>De Pere</u>		Email To: <u>Nick.Glander@FOTH.com</u>	
Report To: <u>Nick Glander</u>		Site Collection Info/Address: <u>Beller Beite</u>	
Copy To:		State: <u>WI</u> County/City: <u>De Pere</u> Time Zone Collected: <u>[] PT [] MT ☒ CT [] ET</u>	
Customer Project Name/Number: <u>22w016n23</u>			
Phone: <u>920/362-8744</u>	Site/Facility ID #:	Compliance Monitoring? ☒ Yes ☐ No	
Email:	Purchase Order #:	DW PWS ID #:	
Collected By (print): <u>Nick Glander</u>	Quote #:	DW Location Code:	
Collected By (signature): <u>[Signature]</u>	Turnaround Date Required: <u>Standard</u>	Immediately Packed on Ice: ☒ Yes ☐ No	
Sample Disposal: ☒ Dispose as appropriate ☐ Return ☐ Archive: _____ ☐ Hold: _____	Rush: ☐ Same Day ☐ Next Day ☐ 2 Day ☐ 3 Day ☐ 4 Day ☐ 5 Day (Expedite Charges Apply)	Field Filtered (if applicable): ☐ Yes ☒ No Analysis: _____	

Container Preservative Type **										Lab Project Manager:									
30001										S									
** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other																			

Analyses										Lab Profile/Line:	
										Lab Sample Receipt Checklist:	
										Custody Seals Present/Intact	Y N NA
										Custody Signatures Present	Y N NA
										Collector Signature Present	Y N NA
										Bottles Intact	Y N NA
										Correct Bottles	Y N NA
										Sufficient Volume	Y N NA
										Sample Received on Ice	Y N NA
										Vol. Headspace Acceptable	Y N NA
										USD, Regulated Solids	Y N NA
										Samples in Holding Time	Y N NA
										Residual Chlorine Present	Y N NA
										Cl ⁻ Strips:	
										Sample pH Acceptable	Y N NA
										pH Strips:	
										Sulfide Present	Y N NA
										Lead Acetate Strips	

LAB USE ONLY:
Lab Sample # / Comments:

[illegible][illegible]

Customer Remarks / Special Conditions / Possible Hazards:	Type of Ice Used: <u>Wet</u> Blue Dry None
	Packing Material Used: <u>bubble bags</u>
	Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours):	☒ N	☐ N/A
Lab Tracking #:	2881184	
Samples received via:	☒ FEDEX ☐ UPS ☐ Client ☐ Courier ☐ Pace Courier	

Lab Sample Temperature Info:
Temp Blank Received: Y N NA
Therm ID#: 139
Cooler 1 Temp Upon Receipt: 6.0 °C
Cooler 1 Therm Corr. Factor: 0.05 °C
Cooler 1 Corrected Temp: 6.05 °C
Comments:

Relinquished by/Company: (Signature) <i>John R. King / FOTH</i>	Date/Time: 11/16/23 1530	Received by/Company: (Signature) <i>Matthew D. Campbell</i>
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)

1/16/2023	Date/Time: 15:30	MTJL LAB USE ONLY
	11/16/2023	Table #: 10078
	Date/Time:	Acctnum: 10078
		Template: 10078
	Date/Time:	Prelogin: 11/16/2023
		PM: 11/16/2023
		PR: 11/16/2023

Trip Blank Received: Y N NA	
HCL MCH TSP Other	
Non Conformance(s):	Page 50 of 52
YES NO	of: 22

Effective Date: 8/16/2022

Client Name: Foth

Sample Preservation Receipt Form

Project # 40271151

All containers needing preservation have been checked and noted below.

☒ Yes☐ No☐ N/ALab Lot# of pH paper: 1000134

Lab Std #ID of preservation (if pH adjusted)

Initial when completed MPR Date/Time

Pace Lab #	Glass						Plastic						Vials				Jars				General				VOA Vials (≥6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC
001																																2.5 / 5
002																																2.5 / 5
003																																2.5 / 5
004																																2.5 / 5
005																																2.5 / 5
006																																2.5 / 5
007																																2.5 / 5
008																																2.5 / 5
009																																2.5 / 5
010																																2.5 / 5
011																																2.5 / 5
012																																2.5 / 5
013																																2.5 / 5
014																																2.5 / 5
015																																2.5 / 5
016																																2.5 / 5
017																																2.5 / 5
018																																2.5 / 5
019																																2.5 / 5
020																																2.5 / 5

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm) ☐ Yes ☒ No ☐ N/A

*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Foth

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Walco

☒ Client

☐ Pace

Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no

Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no

Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other

Thermometer Used

SR - 131

Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None

☐ Meltwater Only

Cooler Temperature

Uncorr: 1.0

ICorr: 0.5

Temp Blank Present: ☒ yes ☐ no

Biological Tissue is Frozen: ☐ yes ☐ no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 11/16/2023 Initials: MMJ

Labeled By Initials: R.A

Chain of Custody Present:	☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
- DI VOA Samples frozen upon receipt	☐ Yes ☐ No	Date/Time:
Short Hold Time Analysis (<72hr):	☒ Yes ☐ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:		8.
For Analysis: ☒ Yes ☐ No	MS/MSD: ☐ Yes ☒ No ☐ N/A	
Correct Containers Used:	☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay</u> Pace IR, Non-Pace		
Containers Intact:	☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC:	☒ Yes ☐ No ☐ N/A	12.
-Includes date/time/ID/Analysis	Matrix: <u>W</u>	
Trip Blank Present:	☒ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present	☒ Yes ☐ No ☐ N/A	
Pace Trip Blank Lot # (if purchased): <u>508</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log

Page 2 of 2



December 06, 2023

Nick Glander
Foth Infrastructure & Environment, LLC
2121 Innovation Court
Suite 300
De Pere, WI 54115

RE: Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

Dear Nick Glander:

Enclosed are the analytical results for sample(s) received by the laboratory on November 15, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Tod Noltemeyer'.

Tod Noltemeyer
tod.noltemeyer@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40271057001	W-1_202311	Water	11/15/23 14:45	11/15/23 16:40
40271057002	W-1A_202311	Water	11/15/23 14:50	11/15/23 16:40
40271057003	MW-2_202311	Water	11/15/23 14:20	11/15/23 16:40
40271057004	MW-3R_202311	Water	11/15/23 10:10	11/15/23 16:40
40271057005	MW-DUP1_202311	Water	11/15/23 10:10	11/15/23 16:40
40271057006	MW-5_202311	Water	11/15/23 13:20	11/15/23 16:40
40271057007	MW-5A_202311	Water	11/15/23 13:05	11/15/23 16:40
40271057008	MW-6_202311	Water	11/15/23 10:45	11/15/23 16:40
40271057009	MW-6A_202311	Water	11/15/23 11:35	11/15/23 16:40
40271057010	MW-7_202311	Water	11/15/23 15:50	11/15/23 16:40
40271057011	MW-7A_202311	Water	11/15/23 16:10	11/15/23 16:40
40271057012	MW-8_202311	Water	11/15/23 15:20	11/15/23 16:40
40271057013	MW-8A_202311	Water	11/15/23 15:30	11/15/23 16:40
40271057014	MW-9_202311	Water	11/15/23 12:20	11/15/23 16:40
40271057015	MW-10_202311	Water	11/15/23 13:55	11/15/23 16:40
40271057016	MW-11_202311	Water	11/15/23 12:05	11/15/23 16:40
40271057017	MW-12_202311	Water	11/15/23 12:35	11/15/23 16:40
40271057018	SUMP_202311	Water	11/15/23 14:40	11/15/23 16:40
40271057019	TB-1_202311	Water	11/15/23 00:00	11/15/23 16:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40271057001	W-1_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057002	W-1A_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057003	MW-2_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057004	MW-3R_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057005	MW-DUP1_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057006	MW-5_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057007	MW-5A_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057008	MW-6_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057009	MW-6A_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057010	MW-7_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057011	MW-7A_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057012	MW-8_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057013	MW-8A_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057014	MW-9_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057015	MW-10_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057016	MW-11_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057017	MW-12_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
40271057018	SUMP_202311	EPA 8260	CXJ	64
		SM 3500-Cr B	HNT	1
		EPA 335.4	DAW	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40271057019	TB-1_202311	EPA 8260	CXJ	64

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

Method: EPA 8260
Description: 8260 MSV
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

19 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 460597

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40271019001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2644713)
 - cis-1,2-Dichloroethene
- MSD (Lab ID: 2644714)
 - cis-1,2-Dichloroethene

Additional Comments:

Analyte Comments:

QC Batch: 460597

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- MS (Lab ID: 2644713)
 - cis-1,2-Dichloroethene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Method: EPA 8260

Description: 8260 MSV

Client: Foth Infrastructure & Environment

Date: December 06, 2023

Analyte Comments:

QC Batch: 460597

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- MSD (Lab ID: 2644714)
- cis-1,2-Dichloroethene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

Method: SM 3500-Cr B
Description: Chromium, Hexavalent
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

18 samples were analyzed for SM 3500-Cr B by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 461598

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-10_202311 (Lab ID: 40271057015)
 - Chromium, Hexavalent
- MW-11_202311 (Lab ID: 40271057016)
 - Chromium, Hexavalent
- MW-12_202311 (Lab ID: 40271057017)
 - Chromium, Hexavalent
- MW-3R_202311 (Lab ID: 40271057004)
 - Chromium, Hexavalent
- MW-5A_202311 (Lab ID: 40271057007)
 - Chromium, Hexavalent
- MW-5_202311 (Lab ID: 40271057006)
 - Chromium, Hexavalent
- MW-6A_202311 (Lab ID: 40271057009)
 - Chromium, Hexavalent
- MW-6_202311 (Lab ID: 40271057008)
 - Chromium, Hexavalent
- MW-7A_202311 (Lab ID: 40271057011)
 - Chromium, Hexavalent
- MW-7_202311 (Lab ID: 40271057010)
 - Chromium, Hexavalent
- MW-8A_202311 (Lab ID: 40271057013)
 - Chromium, Hexavalent

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Method: SM 3500-Cr B

Description: Chromium, Hexavalent

Client: Foth Infrastructure & Environment

Date: December 06, 2023

Analyte Comments:

QC Batch: 461598

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-8_202311 (Lab ID: 40271057012)
 - Chromium, Hexavalent
- MW-9_202311 (Lab ID: 40271057014)
 - Chromium, Hexavalent

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

Method: EPA 335.4
Description: 335.4 Cyanide, Total
Client: Foth Infrastructure & Environment
Date: December 06, 2023

General Information:

1 sample was analyzed for EPA 335.4 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

- H1: Analysis conducted outside the recognized method holding time.
- SUMP_202311 (Lab ID: 40271057018)

Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: W-1_202311 Lab ID: 40271057001 Collected: 11/15/23 14:45 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 16:19	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:19	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:19	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:19	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 16:19	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 16:19	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:19	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 16:19	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 16:19	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 16:19	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:19	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 16:19	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 16:19	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 16:19	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:19	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:19	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 16:19	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 16:19	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 16:19	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 16:19	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:19	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:19	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 16:19	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 16:19	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:19	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 16:19	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 16:19	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 16:19	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 16:19	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 16:19	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:19	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:19	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:19	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 16:19	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 16:19	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:19	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:19	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 16:19	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 16:19	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:19	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 16:19	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:19	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 16:19	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:19	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:19	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: W-1_202311 Lab ID: 40271057001 Collected: 11/15/23 14:45 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:19	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 16:19	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:19	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 16:19	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:19	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 16:19	120-82-1	
1,1,1-Trichloroethane	3.8	ug/L	1.0	0.30	1		11/16/23 16:19	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 16:19	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 16:19	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:19	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 16:19	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 16:19	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:19	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 16:19	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 16:19	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:19	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/16/23 16:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 16:19	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 16:19	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	2.9	mg/L	0.24	0.073	10		11/30/23 11:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: W-1A_202311 Lab ID: 40271057002 Collected: 11/15/23 14:50 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 16:39	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:39	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:39	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:39	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 16:39	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 16:39	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:39	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 16:39	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 16:39	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 16:39	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:39	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 16:39	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 16:39	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 16:39	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:39	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:39	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 16:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 16:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 16:39	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 16:39	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:39	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:39	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 16:39	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 16:39	75-71-8	
1,1-Dichloroethane	1.3	ug/L	1.0	0.30	1		11/16/23 16:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 16:39	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 16:39	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 16:39	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 16:39	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 16:39	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:39	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:39	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:39	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 16:39	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 16:39	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:39	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:39	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 16:39	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 16:39	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:39	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 16:39	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:39	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 16:39	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:39	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: W-1A_202311 Lab ID: 40271057002 Collected: 11/15/23 14:50 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:39	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 16:39	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:39	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 16:39	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:39	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 16:39	120-82-1	
1,1,1-Trichloroethane	3.0	ug/L	1.0	0.30	1		11/16/23 16:39	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 16:39	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 16:39	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:39	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 16:39	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 16:39	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:39	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 16:39	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 16:39	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:39	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	114	%	70-130		1		11/16/23 16:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 16:39	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/16/23 16:39	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.55	mg/L	0.061	0.018	2.5		11/30/23 11:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-2_202311 Lab ID: 40271057003 Collected: 11/15/23 14:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 16:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:58	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:58	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 16:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 16:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 16:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 16:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 16:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 16:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 16:58	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 16:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 16:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 16:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 16:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 16:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 16:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 16:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 16:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 16:58	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 16:58	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 16:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 16:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 16:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 16:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:58	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:58	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 16:58	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 16:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 16:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 16:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 16:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 16:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 16:58	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 16:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-2_202311 Lab ID: 40271057003 Collected: 11/15/23 14:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 16:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 16:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 16:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 16:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 16:58	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 16:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 16:58	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 16:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 16:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 16:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 16:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 16:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 16:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 16:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 16:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/16/23 16:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/16/23 16:58	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		11/16/23 16:58	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.0073	mg/L	0.024	0.0073	1		11/30/23 11:55		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-3R_202311 Lab ID: 40271057004 Collected: 11/15/23 10:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 17:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:18	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:18	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 17:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 17:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 17:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 17:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 17:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:18	108-90-7	
Chloroethane	1.6J	ug/L	5.0	1.4	1		11/16/23 17:18	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 17:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 17:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 17:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 17:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 17:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 17:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 17:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 17:18	75-71-8	
1,1-Dichloroethane	4.5	ug/L	1.0	0.30	1		11/16/23 17:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 17:18	107-06-2	
1,1-Dichloroethene	1.7	ug/L	1.0	0.58	1		11/16/23 17:18	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 17:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 17:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 17:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 17:18	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:18	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:18	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 17:18	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 17:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 17:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 17:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 17:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:18	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 17:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:18	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-3R_202311 Lab ID: 40271057004 Collected: 11/15/23 10:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:18	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 17:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 17:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 17:18	120-82-1	
1,1,1-Trichloroethane	13.0	ug/L	1.0	0.30	1		11/16/23 17:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 17:18	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 17:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 17:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 17:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 17:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 17:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	111	%	70-130		1		11/16/23 17:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/16/23 17:18	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/16/23 17:18	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.14J	mg/L	0.24	0.073	10		11/30/23 11:56		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-DUP1_202311 Lab ID: 40271057005 Collected: 11/15/23 10:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 17:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 17:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 17:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 17:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 17:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 17:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 17:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 17:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 17:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 17:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 17:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 17:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 17:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 17:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 17:38	75-71-8	
1,1-Dichloroethane	5.0	ug/L	1.0	0.30	1		11/16/23 17:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 17:38	107-06-2	
1,1-Dichloroethene	1.7	ug/L	1.0	0.58	1		11/16/23 17:38	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 17:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 17:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 17:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 17:38	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:38	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 17:38	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 17:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 17:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 17:38	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 17:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:38	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 17:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-DUP1_202311 Lab ID: 40271057005 Collected: 11/15/23 10:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 17:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 17:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 17:38	120-82-1	
1,1,1-Trichloroethane	12.4	ug/L	1.0	0.30	1		11/16/23 17:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 17:38	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 17:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 17:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 17:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 17:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 17:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	112	%	70-130		1		11/16/23 17:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/16/23 17:38	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 17:38	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	0.11	mg/L	0.061	0.018	2.5		11/30/23 13:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-5_202311 Lab ID: 40271057006 Collected: 11/15/23 13:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 17:57	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:57	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:57	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:57	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 17:57	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 17:57	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:57	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 17:57	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 17:57	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 17:57	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 17:57	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 17:57	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 17:57	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 17:57	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:57	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 17:57	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 17:57	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 17:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 17:57	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 17:57	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:57	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:57	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 17:57	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 17:57	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 17:57	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 17:57	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 17:57	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 17:57	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 17:57	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 17:57	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 17:57	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:57	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:57	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 17:57	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 17:57	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:57	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 17:57	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 17:57	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 17:57	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:57	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 17:57	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 17:57	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 17:57	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:57	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:57	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-5_202311 Lab ID: 40271057006 Collected: 11/15/23 13:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 17:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 17:57	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 17:57	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 17:57	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 17:57	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 17:57	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 17:57	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 17:57	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 17:57	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 17:57	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 17:57	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 17:57	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 17:57	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 17:57	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 17:57	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 17:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	114	%	70-130		1		11/16/23 17:57	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 17:57	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 17:57	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:56		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-5A_202311 Lab ID: 40271057007 Collected: 11/15/23 13:05 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 18:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 18:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 18:17	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:17	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 18:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 18:17	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 18:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 18:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 18:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 18:17	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:17	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 18:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 18:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 18:17	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 18:17	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:17	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:17	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 18:17	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 18:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:17	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 18:17	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 18:17	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 18:17	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 18:17	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 18:17	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:17	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:17	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:17	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 18:17	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 18:17	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 18:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 18:17	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:17	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 18:17	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:17	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 18:17	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:17	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-5A_202311 Lab ID: 40271057007 Collected: 11/15/23 13:05 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:17	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 18:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 18:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 18:17	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 18:17	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 18:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 18:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 18:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 18:17	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 18:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	114	%	70-130		1		11/16/23 18:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/16/23 18:17	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/16/23 18:17	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/30/23 11:58		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-6_202311 Lab ID: 40271057008 Collected: 11/15/23 10:45 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 18:37	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:37	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:37	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:37	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 18:37	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 18:37	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:37	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 18:37	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 18:37	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 18:37	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:37	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 18:37	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 18:37	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 18:37	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:37	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:37	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 18:37	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 18:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 18:37	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 18:37	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:37	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:37	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 18:37	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 18:37	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:37	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 18:37	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 18:37	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 18:37	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 18:37	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 18:37	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:37	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:37	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:37	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 18:37	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 18:37	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:37	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:37	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 18:37	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 18:37	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:37	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 18:37	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:37	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 18:37	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:37	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-6_202311 Lab ID: 40271057008 Collected: 11/15/23 10:45 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 18:37	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:37	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 18:37	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:37	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 18:37	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:37	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 18:37	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 18:37	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:37	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 18:37	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 18:37	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:37	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 18:37	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 18:37	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/16/23 18:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/16/23 18:37	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		11/16/23 18:37	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/30/23 11:58		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-6A_202311 Lab ID: 40271057009 Collected: 11/15/23 11:35 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 18:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 18:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 18:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 18:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 18:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 18:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 18:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 18:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 18:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 18:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 18:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 18:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 18:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 18:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 18:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 18:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 18:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 18:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 18:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 18:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 18:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 18:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 18:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 18:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 18:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 18:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 18:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 18:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 18:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 18:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-6A_202311 Lab ID: 40271057009 Collected: 11/15/23 11:35 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 18:56	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 18:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 18:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 18:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 18:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 18:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 18:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 18:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 18:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 18:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 18:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 18:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 18:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 18:56	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 18:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 18:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	114	%	70-130		1		11/16/23 18:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 18:56	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		11/16/23 18:56	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:58		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-7_202311 Lab ID: 40271057010 Collected: 11/15/23 15:50 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 19:16	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:16	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:16	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:16	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 19:16	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 19:16	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:16	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 19:16	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 19:16	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 19:16	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:16	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 19:16	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 19:16	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 19:16	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:16	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:16	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 19:16	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 19:16	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 19:16	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 19:16	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:16	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:16	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 19:16	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 19:16	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:16	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 19:16	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 19:16	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 19:16	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 19:16	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 19:16	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:16	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:16	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:16	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 19:16	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 19:16	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:16	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:16	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 19:16	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 19:16	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:16	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 19:16	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:16	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 19:16	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:16	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:16	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-7_202311 Lab ID: 40271057010 Collected: 11/15/23 15:50 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:16	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 19:16	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:16	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 19:16	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:16	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 19:16	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:16	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 19:16	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 19:16	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:16	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 19:16	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 19:16	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:16	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 19:16	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 19:16	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:16	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	112	%	70-130		1		11/16/23 19:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		11/16/23 19:16	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 19:16	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:58		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-7A_202311 Lab ID: 40271057011 Collected: 11/15/23 16:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 19:35	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:35	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:35	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:35	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 19:35	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 19:35	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:35	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 19:35	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 19:35	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 19:35	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:35	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 19:35	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 19:35	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 19:35	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:35	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:35	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 19:35	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 19:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 19:35	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 19:35	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:35	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:35	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 19:35	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 19:35	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:35	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 19:35	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 19:35	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 19:35	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 19:35	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 19:35	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:35	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:35	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:35	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 19:35	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 19:35	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:35	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:35	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 19:35	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 19:35	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:35	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 19:35	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:35	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 19:35	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:35	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:35	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-7A_202311 Lab ID: 40271057011 Collected: 11/15/23 16:10 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:35	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 19:35	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 19:35	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:35	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 19:35	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:35	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 19:35	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 19:35	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:35	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 19:35	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 19:35	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:35	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 19:35	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 19:35	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:35	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	111	%	70-130		1		11/16/23 19:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		11/16/23 19:35	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 19:35	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-8_202311 Lab ID: 40271057012 Collected: 11/15/23 15:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 19:55	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:55	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:55	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:55	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 19:55	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 19:55	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:55	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 19:55	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 19:55	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 19:55	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 19:55	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 19:55	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 19:55	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 19:55	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:55	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 19:55	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 19:55	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 19:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 19:55	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 19:55	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:55	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:55	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 19:55	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 19:55	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:55	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 19:55	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 19:55	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 19:55	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 19:55	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 19:55	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:55	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:55	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:55	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 19:55	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 19:55	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:55	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 19:55	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 19:55	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 19:55	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:55	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 19:55	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 19:55	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 19:55	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:55	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:55	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-8_202311 Lab ID: 40271057012 Collected: 11/15/23 15:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 19:55	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 19:55	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 19:55	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 19:55	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 19:55	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 19:55	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 19:55	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 19:55	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 19:55	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 19:55	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 19:55	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 19:55	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 19:55	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 19:55	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 19:55	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 19:55	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/16/23 19:55	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 19:55	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/16/23 19:55	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<1.8	mg/L	6.1	1.8	250		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-8A_202311 Lab ID: 40271057013 Collected: 11/15/23 15:30 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 20:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:15	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 20:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:15	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 20:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 20:15	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 20:15	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 20:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 20:15	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 20:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 20:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 20:15	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 20:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 20:15	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 20:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 20:15	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 20:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 20:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 20:15	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 20:15	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 20:15	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:15	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 20:15	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 20:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 20:15	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 20:15	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 20:15	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 20:15	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 20:15	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:15	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:15	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 20:15	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 20:15	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 20:15	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 20:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 20:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 20:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 20:15	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 20:15	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 20:15	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 20:15	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 20:15	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:15	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-8A_202311 Lab ID: 40271057013 Collected: 11/15/23 15:30 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 20:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 20:15	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 20:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 20:15	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 20:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 20:15	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:15	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 20:15	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 20:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:15	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 20:15	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 20:15	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 20:15	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 20:15	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	115	%	70-130		1		11/16/23 20:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/16/23 20:15	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/16/23 20:15	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-9_202311 Lab ID: 40271057014 Collected: 11/15/23 12:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/16/23 20:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:34	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/16/23 20:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:34	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/16/23 20:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/16/23 20:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 20:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/16/23 20:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/16/23 20:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/16/23 20:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/16/23 20:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/16/23 20:34	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/16/23 20:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/16/23 20:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 20:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/16/23 20:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/16/23 20:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/16/23 20:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/16/23 20:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/16/23 20:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 20:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/16/23 20:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/16/23 20:34	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:34	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/16/23 20:34	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/16/23 20:34	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/16/23 20:34	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/16/23 20:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/16/23 20:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:34	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/16/23 20:34	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/16/23 20:34	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/16/23 20:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 20:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/16/23 20:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/16/23 20:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/16/23 20:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/16/23 20:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/16/23 20:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/16/23 20:34	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/16/23 20:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-9_202311 Lab ID: 40271057014 Collected: 11/15/23 12:20 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/16/23 20:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/16/23 20:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/16/23 20:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/16/23 20:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/16/23 20:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/16/23 20:34	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/16/23 20:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/16/23 20:34	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/16/23 20:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/16/23 20:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/16/23 20:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/16/23 20:34	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/16/23 20:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/16/23 20:34	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/16/23 20:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/16/23 20:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		1		11/16/23 20:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		11/16/23 20:34	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/16/23 20:34	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-10_202311 Lab ID: 40271057015 Collected: 11/15/23 13:55 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 18:50	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 18:50	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:50	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 18:50	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 18:50	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 18:50	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 18:50	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 18:50	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 18:50	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:50	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 18:50	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 18:50	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 18:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 18:50	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 18:50	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:50	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 18:50	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 18:50	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 18:50	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 18:50	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 18:50	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 18:50	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 18:50	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:50	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 18:50	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 18:50	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:50	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 18:50	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 18:50	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 18:50	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 18:50	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 18:50	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-10_202311 Lab ID: 40271057015 Collected: 11/15/23 13:55 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 18:50	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 18:50	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 18:50	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 18:50	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 18:50	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 18:50	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 18:50	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 18:50	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 18:50	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 18:50	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 18:50	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 18:50	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 18:50	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 18:50	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 18:50	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	114	%	70-130		1		11/17/23 18:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		11/17/23 18:50	2199-69-1	
Toluene-d8 (S)	104	%	70-130		1		11/17/23 18:50	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-11_202311 Lab ID: 40271057016 Collected: 11/15/23 12:05 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:10	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:10	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:10	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:10	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:10	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:10	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:10	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:10	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:10	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:10	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:10	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:10	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:10	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:10	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:10	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:10	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:10	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:10	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 19:10	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:10	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:10	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:10	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:10	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:10	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:10	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:10	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:10	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:10	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:10	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:10	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:10	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:10	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-11_202311 Lab ID: 40271057016 Collected: 11/15/23 12:05 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:10	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:10	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:10	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:10	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:10	120-82-1	
1,1,1-Trichloroethane	0.36J	ug/L	1.0	0.30	1		11/17/23 19:10	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:10	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:10	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:10	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:10	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:10	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:10	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:10	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:10	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:10	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/17/23 19:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 19:10	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/17/23 19:10	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.37	mg/L	1.2	0.37	50		11/30/23 11:59		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-12_202311 Lab ID: 40271057017 Collected: 11/15/23 12:35 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:30	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:30	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:30	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:30	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:30	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:30	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:30	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:30	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:30	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:30	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:30	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:30	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:30	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:30	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:30	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:30	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:30	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:30	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:30	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:30	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:30	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:30	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:30	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:30	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:30	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 19:30	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:30	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:30	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:30	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:30	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:30	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:30	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:30	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:30	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:30	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:30	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:30	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:30	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:30	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:30	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:30	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:30	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:30	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: MW-12_202311 Lab ID: 40271057017 Collected: 11/15/23 12:35 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:30	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:30	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:30	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:30	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:30	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:30	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:30	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:30	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:30	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:30	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:30	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:30	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:30	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:30	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/17/23 19:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/17/23 19:30	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/17/23 19:30	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	<0.18	mg/L	0.61	0.18	25		11/30/23 12:00		D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: SUMP_202311 Lab ID: 40271057018 Collected: 11/15/23 14:40 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 19:49	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:49	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:49	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:49	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 19:49	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 19:49	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:49	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 19:49	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 19:49	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 19:49	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 19:49	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 19:49	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 19:49	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 19:49	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:49	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 19:49	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 19:49	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 19:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 19:49	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 19:49	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:49	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:49	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 19:49	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 19:49	75-71-8	
1,1-Dichloroethane	1.1	ug/L	1.0	0.30	1		11/17/23 19:49	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 19:49	107-06-2	
1,1-Dichloroethene	0.88J	ug/L	1.0	0.58	1		11/17/23 19:49	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 19:49	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 19:49	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 19:49	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 19:49	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:49	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:49	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 19:49	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 19:49	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:49	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 19:49	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 19:49	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 19:49	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:49	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 19:49	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 19:49	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 19:49	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:49	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:49	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: SUMP_202311 Lab ID: 40271057018 Collected: 11/15/23 14:40 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 19:49	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 19:49	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 19:49	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 19:49	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 19:49	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 19:49	120-82-1	
1,1,1-Trichloroethane	9.8	ug/L	1.0	0.30	1		11/17/23 19:49	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 19:49	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 19:49	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 19:49	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 19:49	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 19:49	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 19:49	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 19:49	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 19:49	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 19:49	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	110	%	70-130		1		11/17/23 19:49	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		11/17/23 19:49	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/17/23 19:49	2037-26-5	
Chromium, Hexavalent									
Analytical Method: SM 3500-Cr B									
Pace Analytical Services - Green Bay									
Chromium, Hexavalent	3.7	mg/L	0.24	0.073	10		11/30/23 12:00		
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	0.13	mg/L	0.023	0.0069	1	11/29/23 09:55	12/04/23 09:08	57-12-5	H1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: TB-1_202311 Lab ID: 40271057019 Collected: 11/15/23 00:00 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		11/17/23 13:56	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 13:56	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		11/17/23 13:56	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 13:56	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		11/17/23 13:56	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		11/17/23 13:56	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 13:56	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		11/17/23 13:56	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		11/17/23 13:56	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		11/17/23 13:56	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		11/17/23 13:56	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		11/17/23 13:56	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		11/17/23 13:56	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		11/17/23 13:56	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 13:56	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		11/17/23 13:56	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		11/17/23 13:56	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		11/17/23 13:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		11/17/23 13:56	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		11/17/23 13:56	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 13:56	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 13:56	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		11/17/23 13:56	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		11/17/23 13:56	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 13:56	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		11/17/23 13:56	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		11/17/23 13:56	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		11/17/23 13:56	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		11/17/23 13:56	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		11/17/23 13:56	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		11/17/23 13:56	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		11/17/23 13:56	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		11/17/23 13:56	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		11/17/23 13:56	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		11/17/23 13:56	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 13:56	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		11/17/23 13:56	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		11/17/23 13:56	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		11/17/23 13:56	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		11/17/23 13:56	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		11/17/23 13:56	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		11/17/23 13:56	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		11/17/23 13:56	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		11/17/23 13:56	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		11/17/23 13:56	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Sample: TB-1_202311 Lab ID: 40271057019 Collected: 11/15/23 00:00 Received: 11/15/23 16:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		11/17/23 13:56	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		11/17/23 13:56	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		11/17/23 13:56	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		11/17/23 13:56	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		11/17/23 13:56	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/17/23 13:56	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		11/17/23 13:56	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		11/17/23 13:56	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		11/17/23 13:56	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		11/17/23 13:56	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		11/17/23 13:56	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		11/17/23 13:56	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		11/17/23 13:56	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/17/23 13:56	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		11/17/23 13:56	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		11/17/23 13:56	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	113	%	70-130		1		11/17/23 13:56	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		11/17/23 13:56	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		11/17/23 13:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

QC Batch:	460597	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40271057001, 40271057002, 40271057003, 40271057004, 40271057005, 40271057006, 40271057007, 40271057008, 40271057009, 40271057010, 40271057011, 40271057012, 40271057013, 40271057014		

METHOD BLANK: 2644649

Matrix: Water

Associated Lab Samples: 40271057001, 40271057002, 40271057003, 40271057004, 40271057005, 40271057006, 40271057007, 40271057008, 40271057009, 40271057010, 40271057011, 40271057012, 40271057013, 40271057014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/16/23 10:06	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/16/23 10:06	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/16/23 10:06	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/16/23 10:06	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/16/23 10:06	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/16/23 10:06	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/16/23 10:06	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/16/23 10:06	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/16/23 10:06	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/16/23 10:06	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/16/23 10:06	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/16/23 10:06	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/16/23 10:06	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/16/23 10:06	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/16/23 10:06	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/16/23 10:06	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/16/23 10:06	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/16/23 10:06	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/16/23 10:06	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/16/23 10:06	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/16/23 10:06	
2-Chlorotoluene	ug/L	<0.89	5.0	11/16/23 10:06	
4-Chlorotoluene	ug/L	<0.89	5.0	11/16/23 10:06	
Benzene	ug/L	<0.30	1.0	11/16/23 10:06	
Bromobenzene	ug/L	<0.36	1.0	11/16/23 10:06	
Bromochloromethane	ug/L	<0.36	1.0	11/16/23 10:06	
Bromodichloromethane	ug/L	<0.42	1.0	11/16/23 10:06	
Bromoform	ug/L	<0.43	1.0	11/16/23 10:06	
Bromomethane	ug/L	<1.2	5.0	11/16/23 10:06	
Carbon tetrachloride	ug/L	<0.37	1.0	11/16/23 10:06	
Chlorobenzene	ug/L	<0.86	1.0	11/16/23 10:06	
Chloroethane	ug/L	<1.4	5.0	11/16/23 10:06	
Chloroform	ug/L	<0.50	5.0	11/16/23 10:06	
Chloromethane	ug/L	<1.6	5.0	11/16/23 10:06	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/16/23 10:06	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/16/23 10:06	
Dibromochloromethane	ug/L	<2.6	5.0	11/16/23 10:06	
Dibromomethane	ug/L	<0.99	5.0	11/16/23 10:06	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/16/23 10:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

METHOD BLANK: 2644649

Matrix: Water

Associated Lab Samples: 40271057001, 40271057002, 40271057003, 40271057004, 40271057005, 40271057006, 40271057007, 40271057008, 40271057009, 40271057010, 40271057011, 40271057012, 40271057013, 40271057014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	11/16/23 10:06	
Ethylbenzene	ug/L	<0.33	1.0	11/16/23 10:06	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/16/23 10:06	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/16/23 10:06	
m&p-Xylene	ug/L	<0.70	2.0	11/16/23 10:06	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/16/23 10:06	
Methylene Chloride	ug/L	<0.32	5.0	11/16/23 10:06	
n-Butylbenzene	ug/L	<0.86	1.0	11/16/23 10:06	
n-Propylbenzene	ug/L	<0.35	1.0	11/16/23 10:06	
Naphthalene	ug/L	<1.9	5.0	11/16/23 10:06	
o-Xylene	ug/L	<0.35	1.0	11/16/23 10:06	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/16/23 10:06	
sec-Butylbenzene	ug/L	<0.42	1.0	11/16/23 10:06	
Styrene	ug/L	<0.36	1.0	11/16/23 10:06	
tert-Butylbenzene	ug/L	<0.59	1.0	11/16/23 10:06	
Tetrachloroethene	ug/L	<0.41	1.0	11/16/23 10:06	
Toluene	ug/L	<0.29	1.0	11/16/23 10:06	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/16/23 10:06	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/16/23 10:06	
Trichloroethene	ug/L	<0.32	1.0	11/16/23 10:06	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/16/23 10:06	
Vinyl chloride	ug/L	<0.17	1.0	11/16/23 10:06	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/16/23 10:06	
4-Bromofluorobenzene (S)	%	113	70-130	11/16/23 10:06	
Toluene-d8 (S)	%	103	70-130	11/16/23 10:06	

LABORATORY CONTROL SAMPLE: 2644650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.2	84	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	56.2	112	70-130	
1,1,2-Trichloroethane	ug/L	50	49.9	100	70-130	
1,1-Dichloroethane	ug/L	50	47.5	95	70-130	
1,1-Dichloroethene	ug/L	50	49.5	99	73-140	
1,2,4-Trichlorobenzene	ug/L	50	40.2	80	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	41.7	83	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	46.7	93	70-130	
1,2-Dichlorobenzene	ug/L	50	47.7	95	70-130	
1,2-Dichloroethane	ug/L	50	54.9	110	70-130	
1,2-Dichloropropane	ug/L	50	49.3	99	77-127	
1,3-Dichlorobenzene	ug/L	50	48.0	96	70-130	
1,4-Dichlorobenzene	ug/L	50	49.3	99	70-130	
Benzene	ug/L	50	48.0	96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

LABORATORY CONTROL SAMPLE: 2644650

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	54.5	109	70-130	
Bromoform	ug/L	50	43.5	87	70-130	
Bromomethane	ug/L	50	38.8	78	22-141	
Carbon tetrachloride	ug/L	50	41.1	82	70-135	
Chlorobenzene	ug/L	50	49.8	100	70-130	
Chloroethane	ug/L	50	42.8	86	59-141	
Chloroform	ug/L	50	49.7	99	80-124	
Chloromethane	ug/L	50	23.3	47	29-150	
cis-1,2-Dichloroethene	ug/L	50	43.1	86	70-130	
cis-1,3-Dichloropropene	ug/L	50	42.2	84	70-130	
Dibromochloromethane	ug/L	50	43.7	87	70-130	
Dichlorodifluoromethane	ug/L	50	7.2	14	10-147	
Ethylbenzene	ug/L	50	53.1	106	80-125	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	39.1	78	64-131	
Methylene Chloride	ug/L	50	54.0	108	70-137	
o-Xylene	ug/L	50	51.7	103	70-130	
Styrene	ug/L	50	52.9	106	70-130	
Tetrachloroethene	ug/L	50	41.6	83	70-130	
Toluene	ug/L	50	49.6	99	80-120	
trans-1,2-Dichloroethene	ug/L	50	45.3	91	70-131	
trans-1,3-Dichloropropene	ug/L	50	39.0	78	70-130	
Trichloroethene	ug/L	50	48.6	97	70-130	
Trichlorofluoromethane	ug/L	50	43.7	87	69-141	
Vinyl chloride	ug/L	50	29.9	60	51-145	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			113	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2644713 2644714

Parameter	Units	40271019001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.0015 mg/L	250	250	230	239	92	96	70-132	4	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.0019 mg/L	250	250	280	291	112	116	70-131	4	20	
1,1,2-Trichloroethane	ug/L	<0.0017 mg/L	250	250	250	259	100	104	70-130	4	20	
1,1-Dichloroethane	ug/L	<0.0015 mg/L	250	250	256	264	102	106	70-131	3	20	
1,1-Dichloroethene	ug/L	<0.0029 mg/L	250	250	301	310	120	124	69-146	3	20	
1,2,4-Trichlorobenzene	ug/L	<4.8	250	250	204	211	81	84	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	<11.8	250	250	212	219	85	88	56-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2644713				2644714								
Parameter	Units	40271019001	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Max	Qual
		Result	Spike Conc.	Spike Conc.								
1,2-Dibromoethane (EDB)	ug/L	<1.5	250	250	230	238	92	95	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<1.6	250	250	239	252	96	101	70-130	5	20	
1,2-Dichloroethane	ug/L	<0.0015 mg/L	250	250	282	274	113	110	70-130	3	20	
1,2-Dichloropropane	ug/L	<0.0022 mg/L	250	250	253	255	101	102	77-129	1	20	
1,3-Dichlorobenzene	ug/L	<1.8	250	250	242	253	97	101	70-130	4	20	
1,4-Dichlorobenzene	ug/L	<4.5	250	250	247	257	99	103	70-130	4	20	
Benzene	ug/L	<0.0015 mg/L	250	250	249	257	100	103	70-130	3	20	
Bromodichloromethane	ug/L	<0.0021 mg/L	250	250	277	285	111	114	70-130	3	20	
Bromoform	ug/L	<0.0021 mg/L	250	250	218	215	87	86	70-130	1	20	
Bromomethane	ug/L	<0.0060 mg/L	250	250	350	367	140	147	12-159	5	26	
Carbon tetrachloride	ug/L	<0.0018 mg/L	250	250	221	229	88	92	70-135	4	20	
Chlorobenzene	ug/L	<0.0043 mg/L	250	250	249	257	100	103	70-130	3	20	
Chloroethane	ug/L	<0.0069 mg/L	250	250	298	317	119	127	56-143	6	20	
Chloroform	ug/L	<0.0025 mg/L	250	250	254	263	102	105	80-126	4	20	
Chloromethane	ug/L	<0.0082 mg/L	250	250	339	359	135	144	22-156	6	20	
cis-1,2-Dichloroethene	ug/L	1.3 mg/L	250	250	1770	1730	191	176	70-130	2	20	E,M1
cis-1,3-Dichloropropene	ug/L	<0.0012 mg/L	250	250	219	218	88	87	70-130	0	20	
Dibromochloromethane	ug/L	<0.013 mg/L	250	250	227	227	91	91	70-130	0	20	
Dichlorodifluoromethane	ug/L	<2.3	250	250	328	345	131	138	10-147	5	20	
Ethylbenzene	ug/L	<0.0016 mg/L	250	250	264	276	105	110	80-126	5	20	
Isopropylbenzene (Cumene)	ug/L	<5.0	250	250	263	273	105	109	70-130	4	20	
m&p-Xylene	ug/L	<3.5	500	500	525	544	105	109	70-130	4	20	
Methyl-tert-butyl ether	ug/L	<0.0056 mg/L	250	250	202	207	81	83	64-136	2	20	
Methylene Chloride	ug/L	<0.0016 mg/L	250	250	293	298	117	119	70-137	2	20	
o-Xylene	ug/L	<1.7	250	250	257	265	103	106	70-130	3	20	
Styrene	ug/L	<0.0018 mg/L	250	250	266	273	106	109	70-133	3	20	
Tetrachloroethene	ug/L	0.0025J mg/L	250	250	219	224	87	89	70-131	2	20	
Toluene	ug/L	<0.0014 mg/L	250	250	254	261	102	104	80-121	3	20	
trans-1,2-Dichloroethene	ug/L	0.068 mg/L	250	250	314	325	98	103	70-135	3	20	
trans-1,3-Dichloropropene	ug/L	<0.0013 mg/L	250	250	206	210	82	84	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2644713 2644714												
Parameter	Units	40271019001	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Max	Qual
		Result	Spike	Spike								
Trichloroethene	ug/L	0.033	250	250	279	291	98	103	70-130	4	20	
Trichlorofluoromethane	ug/L	<2.1	250	250	302	312	121	125	67-142	3	20	
Vinyl chloride	ug/L	0.072	250	250	375	391	121	127	45-147	4	20	
		mg/L										
1,2-Dichlorobenzene-d4 (S)	%						100	101	70-130			
4-Bromofluorobenzene (S)	%						112	114	70-130			
Toluene-d8 (S)	%						102	103	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

QC Batch: 460692

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40271057015, 40271057016, 40271057017, 40271057018, 40271057019

METHOD BLANK: 2645271

Matrix: Water

Associated Lab Samples: 40271057015, 40271057016, 40271057017, 40271057018, 40271057019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	11/17/23 10:01	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	11/17/23 10:01	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	11/17/23 10:01	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	11/17/23 10:01	
1,1-Dichloroethane	ug/L	<0.30	1.0	11/17/23 10:01	
1,1-Dichloroethene	ug/L	<0.58	1.0	11/17/23 10:01	
1,1-Dichloropropene	ug/L	<0.41	1.0	11/17/23 10:01	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	11/17/23 10:01	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	11/17/23 10:01	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/17/23 10:01	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	11/17/23 10:01	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	11/17/23 10:01	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	11/17/23 10:01	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	11/17/23 10:01	
1,2-Dichloroethane	ug/L	<0.29	1.0	11/17/23 10:01	
1,2-Dichloropropane	ug/L	<0.45	1.0	11/17/23 10:01	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	11/17/23 10:01	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	11/17/23 10:01	
1,3-Dichloropropane	ug/L	<0.30	1.0	11/17/23 10:01	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	11/17/23 10:01	
2,2-Dichloropropane	ug/L	<0.42	1.0	11/17/23 10:01	
2-Chlorotoluene	ug/L	<0.89	5.0	11/17/23 10:01	
4-Chlorotoluene	ug/L	<0.89	5.0	11/17/23 10:01	
Benzene	ug/L	<0.30	1.0	11/17/23 10:01	
Bromobenzene	ug/L	<0.36	1.0	11/17/23 10:01	
Bromochloromethane	ug/L	<0.36	1.0	11/17/23 10:01	
Bromodichloromethane	ug/L	<0.42	1.0	11/17/23 10:01	
Bromoform	ug/L	<0.43	1.0	11/17/23 10:01	
Bromomethane	ug/L	<1.2	5.0	11/17/23 10:01	
Carbon tetrachloride	ug/L	<0.37	1.0	11/17/23 10:01	
Chlorobenzene	ug/L	<0.86	1.0	11/17/23 10:01	
Chloroethane	ug/L	<1.4	5.0	11/17/23 10:01	
Chloroform	ug/L	<0.50	5.0	11/17/23 10:01	
Chloromethane	ug/L	<1.6	5.0	11/17/23 10:01	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	11/17/23 10:01	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	11/17/23 10:01	
Dibromochloromethane	ug/L	<2.6	5.0	11/17/23 10:01	
Dibromomethane	ug/L	<0.99	5.0	11/17/23 10:01	
Dichlorodifluoromethane	ug/L	<0.46	5.0	11/17/23 10:01	
Diisopropyl ether	ug/L	<1.1	5.0	11/17/23 10:01	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

METHOD BLANK: 2645271

Matrix: Water

Associated Lab Samples: 40271057015, 40271057016, 40271057017, 40271057018, 40271057019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	11/17/23 10:01	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	11/17/23 10:01	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	11/17/23 10:01	
m&p-Xylene	ug/L	<0.70	2.0	11/17/23 10:01	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	11/17/23 10:01	
Methylene Chloride	ug/L	<0.32	5.0	11/17/23 10:01	
n-Butylbenzene	ug/L	<0.86	1.0	11/17/23 10:01	
n-Propylbenzene	ug/L	<0.35	1.0	11/17/23 10:01	
Naphthalene	ug/L	<1.9	5.0	11/17/23 10:01	
o-Xylene	ug/L	<0.35	1.0	11/17/23 10:01	
p-Isopropyltoluene	ug/L	<1.0	5.0	11/17/23 10:01	
sec-Butylbenzene	ug/L	<0.42	1.0	11/17/23 10:01	
Styrene	ug/L	<0.36	1.0	11/17/23 10:01	
tert-Butylbenzene	ug/L	<0.59	1.0	11/17/23 10:01	
Tetrachloroethene	ug/L	<0.41	1.0	11/17/23 10:01	
Toluene	ug/L	<0.29	1.0	11/17/23 10:01	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	11/17/23 10:01	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	11/17/23 10:01	
Trichloroethene	ug/L	<0.32	1.0	11/17/23 10:01	
Trichlorofluoromethane	ug/L	<0.42	1.0	11/17/23 10:01	
Vinyl chloride	ug/L	<0.17	1.0	11/17/23 10:01	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	11/17/23 10:01	
4-Bromofluorobenzene (S)	%	112	70-130	11/17/23 10:01	
Toluene-d8 (S)	%	104	70-130	11/17/23 10:01	

LABORATORY CONTROL SAMPLE: 2645272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.5	97	70-132	
1,1,2,2-Tetrachloroethane	ug/L	50	56.4	113	70-130	
1,1,2-Trichloroethane	ug/L	50	51.8	104	70-130	
1,1-Dichloroethane	ug/L	50	53.2	106	70-130	
1,1-Dichloroethene	ug/L	50	62.6	125	73-140	
1,2,4-Trichlorobenzene	ug/L	50	40.5	81	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	42.4	85	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	48.9	98	70-130	
1,2-Dichlorobenzene	ug/L	50	49.5	99	70-130	
1,2-Dichloroethane	ug/L	50	57.2	114	70-130	
1,2-Dichloropropane	ug/L	50	51.2	102	77-127	
1,3-Dichlorobenzene	ug/L	50	48.6	97	70-130	
1,4-Dichlorobenzene	ug/L	50	49.9	100	70-130	
Benzene	ug/L	50	51.7	103	70-130	
Bromodichloromethane	ug/L	50	57.2	114	70-130	
Bromoform	ug/L	50	45.2	90	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

LABORATORY CONTROL SAMPLE: 2645272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	61.9	124	22-141	
Carbon tetrachloride	ug/L	50	45.4	91	70-135	
Chlorobenzene	ug/L	50	51.6	103	70-130	
Chloroethane	ug/L	50	63.5	127	59-141	
Chloroform	ug/L	50	53.0	106	80-124	
Chloromethane	ug/L	50	74.2	148	29-150	
cis-1,2-Dichloroethene	ug/L	50	48.2	96	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.2	90	70-130	
Dibromochloromethane	ug/L	50	45.8	92	70-130	
Dichlorodifluoromethane	ug/L	50	68.0	136	10-147	
Ethylbenzene	ug/L	50	54.0	108	80-125	
Isopropylbenzene (Cumene)	ug/L	50	53.4	107	70-130	
m&p-Xylene	ug/L	100	108	108	70-130	
Methyl-tert-butyl ether	ug/L	50	42.9	86	64-131	
Methylene Chloride	ug/L	50	60.0	120	70-137	
o-Xylene	ug/L	50	52.6	105	70-130	
Styrene	ug/L	50	54.3	109	70-130	
Tetrachloroethene	ug/L	50	43.5	87	70-130	
Toluene	ug/L	50	52.1	104	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.9	102	70-131	
trans-1,3-Dichloropropene	ug/L	50	42.2	84	70-130	
Trichloroethene	ug/L	50	51.1	102	70-130	
Trichlorofluoromethane	ug/L	50	62.7	125	69-141	
Vinyl chloride	ug/L	50	63.0	126	51-145	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			110	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2645478 2645479

Parameter	Units	40271080001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.30	50	50	46.7	49.5	93	99	70-132	6	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	56.0	56.1	112	112	70-131	0	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	51.9	50.8	104	102	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	50.3	54.2	101	108	70-131	7	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	58.0	62.1	116	124	69-146	7	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	38.3	39.7	77	79	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	45.3	45.5	91	91	56-130	0	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.1	47.3	96	95	70-130	2	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	47.3	49.9	95	100	70-130	5	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	57.2	57.6	114	115	70-130	1	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	49.2	52.2	98	104	77-129	6	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	47.4	49.8	95	100	70-130	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2645478				2645479									
Parameter	Units	40271080001	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	RPD	Max	Qual
		Result	Spike	Spike									
1,4-Dichlorobenzene	ug/L	<0.89	50	50	48.7	50.3	97	101	70-130	3	20		
Benzene	ug/L	<0.30	50	50	49.9	52.7	100	105	70-130	5	20		
Bromodichloromethane	ug/L	<0.42	50	50	55.4	58.5	111	117	70-130	5	20		
Bromoform	ug/L	<0.43	50	50	45.3	45.1	91	90	70-130	0	20		
Bromomethane	ug/L	<1.2	50	50	67.5	66.3	135	133	12-159	2	26		
Carbon tetrachloride	ug/L	<0.37	50	50	45.2	47.5	90	95	70-135	5	20		
Chlorobenzene	ug/L	<0.86	50	50	49.8	51.8	100	104	70-130	4	20		
Chloroethane	ug/L	<1.4	50	50	60.9	63.5	122	127	56-143	4	20		
Chloroform	ug/L	1.1J	50	50	52.3	55.5	102	109	80-126	6	20		
Chloromethane	ug/L	<1.6	50	50	68.8	71.7	138	143	22-156	4	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	45.7	48.6	91	97	70-130	6	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	43.9	46.5	88	93	70-130	6	20		
Dibromochloromethane	ug/L	<2.6	50	50	45.3	46.1	91	92	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	62.4	65.1	125	130	10-147	4	20		
Ethylbenzene	ug/L	<0.33	50	50	53.1	54.3	106	109	80-126	2	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	52.7	53.6	105	107	70-130	2	20		
m&p-Xylene	ug/L	<0.70	100	100	106	108	106	108	70-130	3	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	43.4	42.9	87	86	64-136	1	20		
Methylene Chloride	ug/L	<0.32	50	50	57.7	61.4	115	123	70-137	6	20		
o-Xylene	ug/L	<0.35	50	50	50.5	52.6	101	105	70-130	4	20		
Styrene	ug/L	<0.36	50	50	51.9	53.9	104	108	70-133	4	20		
Tetrachloroethene	ug/L	<0.41	50	50	43.6	45.3	87	91	70-131	4	20		
Toluene	ug/L	<0.29	50	50	50.3	52.5	101	105	80-121	4	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	50.0	53.7	100	107	70-135	7	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	41.6	43.6	83	87	70-130	5	20		
Trichloroethene	ug/L	<0.32	50	50	50.0	52.0	100	104	70-130	4	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	61.2	62.9	122	126	67-142	3	20		
Vinyl chloride	ug/L	<0.17	50	50	60.5	62.7	121	125	45-147	4	20		
1,2-Dichlorobenzene-d4 (S)	%						98	99	70-130				
4-Bromofluorobenzene (S)	%						109	111	70-130				
Toluene-d8 (S)	%						103	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

QC Batch:	461598	Analysis Method:	SM 3500-Cr B
QC Batch Method:	SM 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40271057001, 40271057002, 40271057003, 40271057004, 40271057005, 40271057006, 40271057007, 40271057008, 40271057009, 40271057010, 40271057011, 40271057012, 40271057013, 40271057014, 40271057015, 40271057016, 40271057017, 40271057018		

METHOD BLANK:	2649764	Matrix:	Water
Associated Lab Samples:	40271057001, 40271057002, 40271057003, 40271057004, 40271057005, 40271057006, 40271057007, 40271057008, 40271057009, 40271057010, 40271057011, 40271057012, 40271057013, 40271057014, 40271057015, 40271057016, 40271057017, 40271057018		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.0073	0.024	11/30/23 11:54	

LABORATORY CONTROL SAMPLE: 2649765

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.3	0.30	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2649766 2649767

Parameter	Units	40271057003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chromium, Hexavalent	mg/L	<0.0073	0.3	0.3	0.28	0.28	92	93	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

QC Batch:	461469	Analysis Method:	EPA 335.4
QC Batch Method:	EPA 335.4	Analysis Description:	335.4 Cyanide, Total
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40271057018

METHOD BLANK: 2649162 Matrix: Water
Associated Lab Samples: 40271057018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	12/04/23 09:07	

LABORATORY CONTROL SAMPLE: 2649163

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.099	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2649164 2649165

Parameter	Units	40271331001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Cyanide	mg/L	<0.0069	0.1	0.1	0.093	0.096	90	93	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 2210016.23 BETTER BRITE
Pace Project No.: 40271057

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

H1 Analysis conducted outside the recognized method holding time.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 2210016.23 BETTER BRITE

Pace Project No.: 40271057

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40271057001	W-1_202311	EPA 8260	460597		
40271057002	W-1A_202311	EPA 8260	460597		
40271057003	MW-2_202311	EPA 8260	460597		
40271057004	MW-3R_202311	EPA 8260	460597		
40271057005	MW-DUP1_202311	EPA 8260	460597		
40271057006	MW-5_202311	EPA 8260	460597		
40271057007	MW-5A_202311	EPA 8260	460597		
40271057008	MW-6_202311	EPA 8260	460597		
40271057009	MW-6A_202311	EPA 8260	460597		
40271057010	MW-7_202311	EPA 8260	460597		
40271057011	MW-7A_202311	EPA 8260	460597		
40271057012	MW-8_202311	EPA 8260	460597		
40271057013	MW-8A_202311	EPA 8260	460597		
40271057014	MW-9_202311	EPA 8260	460597		
40271057015	MW-10_202311	EPA 8260	460692		
40271057016	MW-11_202311	EPA 8260	460692		
40271057017	MW-12_202311	EPA 8260	460692		
40271057018	SUMP_202311	EPA 8260	460692		
40271057019	TB-1_202311	EPA 8260	460692		
40271057001	W-1_202311	SM 3500-Cr B	461598		
40271057002	W-1A_202311	SM 3500-Cr B	461598		
40271057003	MW-2_202311	SM 3500-Cr B	461598		
40271057004	MW-3R_202311	SM 3500-Cr B	461598		
40271057005	MW-DUP1_202311	SM 3500-Cr B	461598		
40271057006	MW-5_202311	SM 3500-Cr B	461598		
40271057007	MW-5A_202311	SM 3500-Cr B	461598		
40271057008	MW-6_202311	SM 3500-Cr B	461598		
40271057009	MW-6A_202311	SM 3500-Cr B	461598		
40271057010	MW-7_202311	SM 3500-Cr B	461598		
40271057011	MW-7A_202311	SM 3500-Cr B	461598		
40271057012	MW-8_202311	SM 3500-Cr B	461598		
40271057013	MW-8A_202311	SM 3500-Cr B	461598		
40271057014	MW-9_202311	SM 3500-Cr B	461598		
40271057015	MW-10_202311	SM 3500-Cr B	461598		
40271057016	MW-11_202311	SM 3500-Cr B	461598		
40271057017	MW-12_202311	SM 3500-Cr B	461598		
40271057018	SUMP_202311	SM 3500-Cr B	461598		
40271057018	SUMP_202311	EPA 335.4	461469	EPA 335.4	461482

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document										LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here 40271057																						
Company: FOTH					Billing Information: Invoices@Foth.com					ALL SHADED AREAS are for LAB USE ONLY																						
Address: De Pere										Container Preservative Type **					Lab Project Manager:																	
Report To: Nick Glander					Email To: Nick.Glander@Foth.com					** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other																						
Copy To:					Site Collection Info/Address: Better Beite					Analyses																						
Customer Project Name/Number: 22W016.023					State: WI / County/City: De Pere / Time Zone Collected: [] PT [] MT [X] CT [] ET					Lab Profile/Line:																						
Phone: 920/362-8744					Site/Facility ID #:					Compliance Monitoring? [X] Yes [] No					Lab Sample Receipt Checklist:																	
Email:					Purchase Order #: Quote #:					DW PWS ID #: DW Location Code:					Custody Seals Present/Intact Y N NA																	
Collected By (print): Nick Glander					Turnaround Date Required: Standard					Immediately Packed on Ice: [X] Yes [] No					Custody Signatures Present Y N NA																	
Collected By (signature): [Signature]					Rush: [] Same Day [] Next Day [] 2 Day [] 3 Day [] 4 Day [] 5 Day (Expedite Charges Apply)					Field Filtered (if applicable): [] Yes [X] No					Collector Signatures Present Y N NA																	
Sample Disposal: [X] Dispose as appropriate [] Return [] Archive: [] Hold:										Analysis:					Bottles Intact Y N NA																	
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)																				LAB USE ONLY: Lab Sample # / Comments:												
Customer Sample ID		Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	VOC Hex Chelone 11/15/23 900										001 002 003 004 005 006 007 008 009 010												
Date		Time	Date		Time																											
W-1-202311		GW	Benth	11/15/23		1445																								2	X	X
W-1A-202311						1450																										
MW-2-202311						1420																										
MW-3R-202311						1610																										
MW-AUP1-202311						1015																										
MW-5-202311						1320																										
MW-5A-202311						1305																										
MW-6-202311						1045																										
MW-6A-202311						1135																										
MW-7-202311		V	V	V		1550				V	V	V																				
Customer Remarks / Special Conditions / Possible Hazards:										Type of Ice Used: Wet Blue Dry None					SHORT HOLDS PRESENT (<72 hours): Y N N/A					Lab Sample Temperature Info:												
										Packing Material Used:					Lab Tracking #: 2782110					Temp Blank Received: Y N NA												
										Radchem sample(s) screened (<500 cpm): Y N NA					Samples received via: FEDEX UPS Client Courier Pace Courier					Therm ID#: 139												
Relinquished by/Company: (Signature)					Date/Time: 11/15/23 1640					Received by/Company: (Signature)					Date/Time: 11/15/23 1640					Cooler 1 Temp Upon Receipt: 2.0°C												
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler 1 Therm Corr. Factor: °C												
Relinquished by/Company: (Signature)					Date/Time:					Received by/Company: (Signature)					Date/Time:					Cooler 1 Corrected Temp: 2.0°C												
																				Comments:												
																				Trip Blank Received: Y N NA												
																				HCL MeOH TSP Other												
																				Non Conformance(s): YES / NO												
																				Page: 62 of 65												
																				of: 2												

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or
MTJL Log-in Number Here

4027105-

ALL SHADED AREAS are for LAB USE ONLY

Company: <u>FOTH</u>		Billing Information:	
Address: <u>DE PERE</u>		<u>Invoice@FOTH.com</u>	
Report To: <u>Nick Glander</u>		Email To: <u>Nick.Glander@FOTH.com</u>	
Copy To:		Site Collection Info/Address: <u>Better Beite</u>	
Customer Project Name/Number: <u>22W016.23</u>		State: _____ County/City: _____ Time Zone Collected: <u>[] PT [] MT [] CT [] ET</u>	
Phone: <u>920/362-5744</u>	Site/Facility ID #:	Compliance Monitoring? ☒ Yes ☐ No	
Email:			
Collected By (print): <u>Nick Glander</u>	Purchase Order #:	DW PWS ID #:	
	Quote #:	DW Location Code:	
Collected By (signature): <u>[Signature]</u>	Turnaround Date Required: <u>Standard</u>	Immediately Packed on Ice: ☒ Yes ☐ No	
Sample Disposal: ☒ Dispose as appropriate ☐ Return ☐ Archive: _____ ☐ Hold: _____	Rush: ☐ Same Day ☐ Next Day ☐ 2 Day ☐ 3 Day ☐ 4 Day ☐ 5 Day (Expedite Charges Apply)	Field Filtered (if applicable): ☐ Yes ☒ No Analysis: _____	

Container Preservative Type **								Lab Project Manager:
3	U							

* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses				Lab Profile/Line:
				Lab Sample Receipt Checklist:
				Custody Seals Present/Intact Y N NA
				Custody Signatures Present Y N NA
				Collector Signature Present Y N NA
				Bottles Intact Y N NA
				Correct Bottles Y N NA
				Sufficient Volume Y N NA
				Samples Received on Ice Y N NA
				VOA - Headspace Acceptable Y N NA
				USDA Regulated Soils Y N NA
				Samples in Holding Time Y N NA
				Residual Chlorine Present Y N NA
				Cl Strips:
				Sample pH Acceptable Y N NA
				pH Strips:
				Sulfide Present Y N NA
				Lead Acetate Strips:

LAB USE ONLY:
Lab Sample # / Comments:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
MW-7A-202311	GW	Grabs	11/15/23	1610				2
MW-8-202311	GW			1530				1
MW-8A-202311 MW-8A-202311	GW			1530				1
MW-9-202311	GW			1220				1
MW-10-202311				1355				1
MW-11-202311				1205				1
MW-12-202311				1235				1
Comp-202311				1440				3
TR-1-202311				—				1

VOC
Hex Cr
CrANISE

Customer Remarks / Special Conditions / Possible Hazards:	Type of Ice Used:	Wet	Blue	Dry	None
	Packing Material Used:				
	Radchem sample(s) screened (<500 cpm):	Y	N	NA	

SHORT HOLDS PRESENT (<72 hours):	Y	N	N/A
----------------------------------	---	---	-----

Lab Tracking #: 2782111

Samples received via: ☒ FEDEX ☐ UPS ☐ Client ☐ Courier ☐ Pace Courier

Lab Sample Temperature Info:

Temp Blank Received: Y N NA
Therm ID#: 139
Cooler 1 Temp Upon Receipt: 20°C
Cooler 1 Therm Corr. Factor: —°C
Cooler 1 Corrected Temp: 20°C
Comments:

Relinquished by/Company: (Signature) 	Date/Time: 11/15/23 1640	Received by/Company: (Signature)
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)

Date/Time:		MTJL LAB USE ONLY	
11/15/03 1640		Table #:	
Date/Time:		Acctnum:	
		Template:	
		Prelogin:	
Date/Time:		PM:	
		PB:	

Trip Blank Received:		Y	N	NA
HCL	MeOH	TSP	Other	

Non Conformance(s): YES / NO	Page: 63 of 65 of: _____
---------------------------------	-----------------------------

Effective Date: 8/16/2022

Client Name: FoH

Sample Preservation Receipt Form

Project #

40271057

All containers needing preservation have been checked and noted below.

☒ Yes☐ No☐ N/ALab Lot# of pH paper. 1000134

Lab Std #ID of preservation (if pH adjusted)

Initial when completed. 86

Date/Time

Pace Lab #	Glass						Plastic						Vials				Jars				General				VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC
001																																2.5 / 5
002																																2.5 / 5
003																																2.5 / 5
004																																2.5 / 5
005																																2.5 / 5
006																																2.5 / 5
007																																2.5 / 5
008																																2.5 / 5
009																																2.5 / 5
010																																2.5 / 5
011																																2.5 / 5
012																																2.5 / 5
013																																2.5 / 5
014																																2.5 / 5
015																																2.5 / 5
016																																2.5 / 5
017																																2.5 / 5
018																																2.5 / 5
019																																2.5 / 5
020																																2.5 / 5

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other.

Headspace in VOA Vials (>6mm) : ☐ Yes ☐ No ☐ N/A

*If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JG9U	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WG9U	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Client Name: Foth

Courier: ☐ CS Logistics ☐ Fed Ex ☐ Speedee ☐ UPS ☐ Waltco
☒ Client ☐ Pace Other: _____

Project #:

WO#: 40271057



40271057

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Custody Seal on Samples Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ None ☐ Other _____

Thermometer Used SR-139 Type of Ice: ☒ Wet ☐ Blue ☐ Dry ☐ None ☐ Meltwater Only

Cooler Temperature Uncorr: 2.0 / Corr: 2.0

Temp Blank Present: ☒ yes ☐ no 11/15/23 86 Biological Tissue is Frozen: ☐ yes ☐ no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:

Date: 11/15/23 Initials: SG

Labeled By Initials: MJS

Chain of Custody Present: ☒ Yes ☐ No ☐ N/A	1.
Chain of Custody Filled Out: ☒ Yes ☐ No ☐ N/A	2.
Chain of Custody Relinquished: ☒ Yes ☐ No ☐ N/A	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No - DI VOA Samples frozen upon receipt ☐ Yes ☐ No	5. Date/Time:
Short Hold Time Analysis (<72hr): ☒ Yes ☐ No	6.
Rush Turn Around Time Requested: ☐ Yes ☒ No	7.
Sufficient Volume: For Analysis: ☒ Yes ☐ No MS/MSD: ☐ Yes ☒ No ☐ N/A	8.
Correct Containers Used: ☒ Yes ☐ No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>	
Containers Intact: ☒ Yes ☐ No	10.
Filtered volume received for Dissolved tests ☐ Yes ☐ No ☒ N/A	11.
Sample Labels match COC: ☒ Yes ☐ No ☐ N/A -Includes date/time/ID/Analysis Matrix: <u>W</u>	12.
Trip Blank Present: ☒ Yes ☐ No ☐ N/A	13.
Trip Blank Custody Seals Present ☒ Yes ☐ No ☐ N/A	
Pace Trip Blank Lot # (if purchased): <u>508</u>	

Client Notification/ Resolution:

If checked, see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

Page 2 of 2