



Wisconsin Public Service Corporation

700 North Adams Street  
P.O. Box 19001  
Green Bay, WI 54307-9001

[www.wisconsinpublicservice.com](http://www.wisconsinpublicservice.com)

January 13, 2022

Mr. Scott Isaacs  
Sheboygan City Hall  
828 Center Ave #204  
Sheboygan, Wisconsin 53081

**RE: Recent Sampling Results Sheboygan Campmarina Former Manufactured Gas Plant  
732 North Water Street, Sheboygan, Wisconsin, 53081 WDNR BRRTS# 02-60-000095**

Dear Mr. Isaacs:

WEC Business Services, LLC (WBS), managing the Wisconsin Public Service Corporation (WPSC) former manufactured gas plant site at 732 North Water Street is providing analytical results from groundwater samples collected at locations MW701R, MW706, MW707R, MW708, MW709R, PZ701, PZ702, and PZ703 in December 2021 as part of routine, semi-annual monitoring. Wisconsin Administrative Code Chapter NR716.14 requires responsible parties (WPSC for the above-mentioned site) to report sampling results to the property owner, and occupant, as applicable.

Results of the sampling are summarized in the attached. This includes a summary table of the results compared to State guidance values. Copies of the associated laboratory reports and figures showing the locations of samples collected on your property are also included. The results are presented to the USEPA in monthly progress reports.

We appreciate your cooperation as sampling progresses. If you need additional information, please contact John Feeney from the WDNR at (920) 893-8523 or myself at (414) 221-2577.

Sincerely,

A handwritten signature in black ink that reads 'Glenn R. Luke'.


Glenn R. Luke, PE  
Principal Environmental Consultant

Enc: Figure 1. City of Sheboygan  
Table 1. December 2021 Groundwater Analytical Results for the City of Sheboygan  
Laboratory Report 40237790\_frc

CC: USEPA RPM – Ms. Jena Sleboda Braun  
WDNR PM – Mr. John Feeney

**FIGURE**

Feb 13, 2020 1:42pm PLOTTED BY: CAMRSEAG SAVED BY: CowrseAG  
 I:\ACADData\Projects\13\1313\16-0\Figure 1\_City of Sheboygan.dwg Layout1  
 WPCS: I:\ACADData\Projects\13\1313\16-0\ESRI Aerial 040816.jpg  
 WREFS:



	PZ-701	PIEZOMETER
	MW-701R	MONITORING WELL
		PROPERTY BOUNDARY

**SOURCE NOTES:**

- COORDINATE REFERENCE SYSTEM IS NAD 1983 SHEBOYGAN COUNTY COORDINATE SYSTEM, US SURVEY FEET.
- IMAGERY LAYER CREDIT: Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

0 50 100  
SCALE IN FEET

DRAWN BY:	DMD	DATE:	04/08/16
CHECKED BY:	ANS	DATE:	05/18/16
APPROVED BY:	KRM	DATE:	05/18/16
DRAWING NO: Fig 1_City of Stevens Point			
REFERENCE:			

**CITY OF SHEBOYGAN**  
 RECENT SAMPLING RESULTS  
 FORMER CAMPMARINA MANUFACTURED GAS PLANT  
 WISCONSIN PUBLIC SERVICE CORPORATION  
 SHEBOYGAN, WISCONSIN  
 BRRTS# 02-60-000095

PROJECT NO.  
67971

FIGURE NO.  
1

## TABLE

**Table 1. December 2021 Groundwater Analytical Results for the City of Sheboygan**

December 2021 Third Party Notification  
 Wisconsin Public Service Corporation  
 Former Manufactured Gas Plant Site - Campmarina  
 732 Water Street, Sheboygan, Wisconsin  
 BRRTS#: 0260000095 | FID#: 460134950 | USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		BTEX		BTEX		BTEX		BTEX		Inorganic		Inorganic		Organic																	
			1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(b)pyrene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Benzene	Ethylbenzene	Toluene	Xylenes, Total <sup>1</sup>	Nitrogen, NO <sub>2</sub> + NO <sub>3</sub> , Total	Sulfate, Total	Methane																									
Reporting Units:			µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L																			
			Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag																		
WI Groundwater PAL:			NS		NS		NS		600		0.02		0.02		NS		80		80		NS		10		NS		50		0.5		140		160		400		2,000		125,000		NS											
WI Groundwater ES:			NS		NS		NS		3,000		0.2		0.2		NS		400		400		NS		100		NS		250		5		700		800		2,000		10,000		250,000		NS											
120221005	MW-701R	12/02/2021	170		143		124		3.0	U	10	J	3.3	U	4.7	U	4.7	U	5.6	U	5.3	U	6.4	U	4.3	U	6.2	U	26.8		3.7	U	<b>1,120</b>		45.7		6.7	J	<b>3,290</b>		249		12.0	J	145.7		59	U	2,200	U	8,670	
120221006	MW-701R-Dup	12/02/2021	151		131		113		2.4	U	8.6	J	2.6	U	3.8	U	3.8	U	4.5	U	4.3	U	5.1	U	3.4	U	5.0	U	22.4		3.0	U	<b>1,010</b>		40.1		5.5	J	<b>3,290</b>		246		12.8	J	143.9		59	U	2,200	U	6,920	
120221009	MW-706	12/02/2021	241		136		22.1		139		9.4	J	3.2	U	4.6	U	4.5	U	5.4	U	5.2	U	6.2	U	4.1	U	6.2	J	39.9		3.6	U	<b>1,630</b>		43.6		6.5	J	<b>2,510</b>		235		479		283		59	U	7,400		99.7	
120221003	MW-707R	12/02/2021	90.5		14.4		41.6		1.3	J	1.7	U	1.2	U	1.8	U	1.8	U	2.1	U	2.0	U	2.4	U	1.6	U	2.4	U	11.4		1.4	U	<b>471</b>		12.3		2.1	U	<b>3,100</b>		<b>2,340</b>		28.7		641		59	U	2,200	U	4,550	
120221002	MW-708	12/02/2021	0.019	U	0.015	J	0.015	U	0.013	U	0.020	U	0.014	U	0.021	U	0.021	U	0.025	U	0.024	U	0.028	U	0.019	U	0.028	U	0.025	U	0.016	U	0.027	J	0.027	U	0.024	U	0.30	U	0.33	U	0.29	U	1.05	U	59	U	<u>134,000</u>		19.9	
120221001	MW-709R	12/02/2021	0.016	U	0.012	U	0.013	U	0.011	U	0.017	U	0.012	U	0.018	U	0.018	U	0.021	U	0.020	U	0.024	U	0.016	U	0.024	U	0.021	U	0.014	U	0.021	J	0.023	U	0.020	U	0.30	U	0.33	U	0.29	U	1.05	U	59	U	2,200	U	850	
120221007	PZ-701	12/02/2021	0.040	J	0.036	J	0.024	J	0.017	J	0.017	U	0.013	U	0.018	U	0.018	U	0.022	U	0.021	U	0.025	U	0.016	U	0.024	U	0.022	U	0.014	U	0.22		0.024	U	0.021	U	0.30	U	0.33	U	0.29	U	1.05	U	140	J	72,600		41.6	
120221008	PZ-702	12/02/2021	0.017	U	0.013	U	0.013	U	0.012	U	0.018	U	0.013	U	0.019	U	0.019	U	0.022	U	0.021	U	0.026	U	0.017	U	0.025	U	0.023	U	0.015	U	0.051		0.025	U	0.022	U	0.30	U	0.33	U	0.29	U	1.05	U	210	J	1,500	J	17.4	
120221004	PZ-703	12/02/2021	0.021	J	0.014	U	0.13		0.036	J	0.019	U	0.014	U	0.020	U	0.020	U	0.024	U	0.023	U	0.027	U	0.018	U	0.027	U	0.024	U	0.016	U	0.13		0.026	U	0.023	U	<b>278</b>		129		7.2		51.6		59	U	440	U	1,250	

[O:CMD 12/22/21, C: ECB 1/10/2022, QC: EGP 1/11/22]

Underline attains or exceeds the WI Groundwater PAL  
**Bold** attains or exceeds the WI Groundwater ES

**Results & Flags:**  
 -- = Analysis not performed  
 J = Estimated Concentration  
 U = Concentration was not detected above the reported limit

**Acronyms:**  
 µg/L = micrograms per liter  
 BRRTS = Bureau for Remediation and Redevelopment Tracking System  
 BTEX = Benzene, Toluene, Ethylbenzene and Xylene  
 Dup = Quality Control Field Duplicate Sample  
 ES = Enforcement Standard  
 FID = facility identification number  
 NO<sub>2</sub> + NO<sub>3</sub> = nitrite plus nitrate  
 NS = A groundwater quality standard has not been established.  
 PAH = Polycyclic Aromatic Hydrocarbon  
 PAL = Preventive Action Limit  
 USEPA = United States Environmental Protection Agency site identification number

**Superscript Notes:**  
 1. Total Xylenes, when not calculated by the lab, were calculated by Ramboll as follows:  
 a. Where no detections were observed, the sum of the reporting limits is presented.  
 b. Where detections were observed, only the detected results were added together for the total summation.  
 c. Analytes used for the calculation are Xylene-o and Xylene-m+p.

**Standards:**  
 PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective January 2020.

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.



# **LABORATORY DATA REPORTS**

December 20, 2021

Andrew Cawrse  
Ramboll Americas  
234 W Florida St  
Milwaukee, WI 53204

RE: Project: CAMP MARINA  
Pace Project No.: 40237790

Dear Andrew Cawrse:

Enclosed are the analytical results for sample(s) received by the laboratory on December 03, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: NRT Data, Ramboll  
Steve Wiskes, Ramboll



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: CAMP MARINA

Pace Project No.: 40237790

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## SAMPLE SUMMARY

Project: CAMP MARINA

Pace Project No.: 40237790

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40237790001	120221001	Water	12/02/21 10:17	12/03/21 10:30
40237790002	120221002	Water	12/02/21 11:08	12/03/21 10:30
40237790003	120221003	Water	12/02/21 12:06	12/03/21 10:30
40237790004	120221004	Water	12/02/21 12:38	12/03/21 10:30
40237790005	120221005	Water	12/02/21 13:24	12/03/21 10:30
40237790006	120221006	Water	12/02/21 13:29	12/03/21 10:30
40237790007	120221007	Water	12/02/21 14:12	12/03/21 10:30
40237790008	120221008	Water	12/02/21 14:54	12/03/21 10:30
40237790009	120221009	Water	12/02/21 15:50	12/03/21 10:30
40237790010	120221010	Water	12/02/21 16:50	12/03/21 10:30
40237790011	120221011	Water	12/02/21 00:00	12/03/21 10:30

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: CAMP MARINA  
Pace Project No.: 40237790

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40237790001	120221001	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790002	120221002	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790003	120221003	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790004	120221004	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790005	120221005	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790006	120221006	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790007	120221007	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40237790008	120221008	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: CAMP MARINA

Pace Project No.: 40237790

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40237790009	120221009	EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
40237790010	120221010	EPA 353.2	DAW	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	JAV	8
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
		EPA 8260	JAV	8
40237790011	120221011	EPA 8260	JAV	8

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221001**      **Lab ID: 40237790001**      Collected: 12/02/21 10:17      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**      Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>850</b>	ug/L	28.0	5.8	10		12/09/21 13:06	74-82-8	
---------	------------	------	------	-----	----	--	----------------	---------	--

**8270E MSSV PAH**      Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>&lt;0.013</b>	ug/L	0.045	0.013	1	12/06/21 08:30	12/07/21 11:53	83-32-9	
Acenaphthylene	<b>&lt;0.011</b>	ug/L	0.045	0.011	1	12/06/21 08:30	12/07/21 11:53	208-96-8	
Anthracene	<b>&lt;0.017</b>	ug/L	0.045	0.017	1	12/06/21 08:30	12/07/21 11:53	120-12-7	
Benzo(a)anthracene	<b>&lt;0.012</b>	ug/L	0.045	0.012	1	12/06/21 08:30	12/07/21 11:53	56-55-3	
Benzo(a)pyrene	<b>&lt;0.018</b>	ug/L	0.045	0.018	1	12/06/21 08:30	12/07/21 11:53	50-32-8	
Benzo(b)fluoranthene	<b>&lt;0.018</b>	ug/L	0.045	0.018	1	12/06/21 08:30	12/07/21 11:53	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;0.021</b>	ug/L	0.045	0.021	1	12/06/21 08:30	12/07/21 11:53	191-24-2	
Benzo(k)fluoranthene	<b>&lt;0.020</b>	ug/L	0.045	0.020	1	12/06/21 08:30	12/07/21 11:53	207-08-9	
Chrysene	<b>&lt;0.024</b>	ug/L	0.045	0.024	1	12/06/21 08:30	12/07/21 11:53	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.016</b>	ug/L	0.045	0.016	1	12/06/21 08:30	12/07/21 11:53	53-70-3	
Fluoranthene	<b>&lt;0.024</b>	ug/L	0.045	0.024	1	12/06/21 08:30	12/07/21 11:53	206-44-0	
Fluorene	<b>&lt;0.021</b>	ug/L	0.045	0.021	1	12/06/21 08:30	12/07/21 11:53	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;0.014</b>	ug/L	0.045	0.014	1	12/06/21 08:30	12/07/21 11:53	193-39-5	
1-Methylnaphthalene	<b>&lt;0.016</b>	ug/L	0.045	0.016	1	12/06/21 08:30	12/07/21 11:53	90-12-0	
2-Methylnaphthalene	<b>&lt;0.012</b>	ug/L	0.045	0.012	1	12/06/21 08:30	12/07/21 11:53	91-57-6	
Naphthalene	<b>0.021J</b>	ug/L	0.045	0.018	1	12/06/21 08:30	12/07/21 11:53	91-20-3	
Phenanthrene	<b>&lt;0.023</b>	ug/L	0.045	0.023	1	12/06/21 08:30	12/07/21 11:53	85-01-8	
Pyrene	<b>&lt;0.020</b>	ug/L	0.045	0.020	1	12/06/21 08:30	12/07/21 11:53	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	71	%	10-113		1	12/06/21 08:30	12/07/21 11:53	321-60-8	
Terphenyl-d14 (S)	70	%	28-124		1	12/06/21 08:30	12/07/21 11:53	1718-51-0	

**8260 MSV UST**      Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>&lt;0.30</b>	ug/L	1.0	0.30	1		12/09/21 20:30	71-43-2	
Ethylbenzene	<b>&lt;0.33</b>	ug/L	1.0	0.33	1		12/09/21 20:30	100-41-4	
Toluene	<b>&lt;0.29</b>	ug/L	1.0	0.29	1		12/09/21 20:30	108-88-3	
m&p-Xylene	<b>&lt;0.70</b>	ug/L	2.0	0.70	1		12/09/21 20:30	179601-23-1	
o-Xylene	<b>&lt;0.35</b>	ug/L	1.0	0.35	1		12/09/21 20:30	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	100	%	70-130		1		12/09/21 20:30	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1		12/09/21 20:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		12/09/21 20:30	2199-69-1	

**300.0 IC Anions**      Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>&lt;2.2</b>	mg/L	10.0	2.2	5		12/16/21 21:32	14808-79-8	D3
---------	----------------	------	------	-----	---	--	----------------	------------	----

**353.2 Nitrogen, NO2/NO3 pres.**      Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:32		
------------------------	------------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221002**      **Lab ID: 40237790002**      Collected: 12/02/21 11:08      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	19.9	ug/L	2.8	0.58	1		12/09/21 09:53	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.015	ug/L	0.053	0.015	1	12/06/21 08:30	12/07/21 08:13	83-32-9	M1
Acenaphthylene	<0.013	ug/L	0.053	0.013	1	12/06/21 08:30	12/07/21 08:13	208-96-8	M1
Anthracene	<0.020	ug/L	0.053	0.020	1	12/06/21 08:30	12/07/21 08:13	120-12-7	M1
Benzo(a)anthracene	<0.014	ug/L	0.053	0.014	1	12/06/21 08:30	12/07/21 08:13	56-55-3	M1
Benzo(a)pyrene	<0.021	ug/L	0.053	0.021	1	12/06/21 08:30	12/07/21 08:13	50-32-8	M1
Benzo(b)fluoranthene	<0.021	ug/L	0.053	0.021	1	12/06/21 08:30	12/07/21 08:13	205-99-2	M1
Benzo(g,h,i)perylene	<0.025	ug/L	0.053	0.025	1	12/06/21 08:30	12/07/21 08:13	191-24-2	M1
Benzo(k)fluoranthene	<0.024	ug/L	0.053	0.024	1	12/06/21 08:30	12/07/21 08:13	207-08-9	M1
Chrysene	<0.028	ug/L	0.053	0.028	1	12/06/21 08:30	12/07/21 08:13	218-01-9	M1
Dibenz(a,h)anthracene	<0.019	ug/L	0.053	0.019	1	12/06/21 08:30	12/07/21 08:13	53-70-3	
Fluoranthene	<0.028	ug/L	0.053	0.028	1	12/06/21 08:30	12/07/21 08:13	206-44-0	M1
Fluorene	<0.025	ug/L	0.053	0.025	1	12/06/21 08:30	12/07/21 08:13	86-73-7	M1
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.053	0.016	1	12/06/21 08:30	12/07/21 08:13	193-39-5	M1
1-Methylnaphthalene	<0.019	ug/L	0.053	0.019	1	12/06/21 08:30	12/07/21 08:13	90-12-0	M1
2-Methylnaphthalene	0.015J	ug/L	0.053	0.015	1	12/06/21 08:30	12/07/21 08:13	91-57-6	M1
Naphthalene	0.027J	ug/L	0.053	0.021	1	12/06/21 08:30	12/07/21 08:13	91-20-3	M1, R1
Phenanthrene	<0.027	ug/L	0.053	0.027	1	12/06/21 08:30	12/07/21 08:13	85-01-8	M1
Pyrene	<0.024	ug/L	0.053	0.024	1	12/06/21 08:30	12/07/21 08:13	129-00-0	M1
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	39	%	10-113		1	12/06/21 08:30	12/07/21 08:13	321-60-8	
Terphenyl-d14 (S)	41	%	28-124		1	12/06/21 08:30	12/07/21 08:13	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/09/21 20:11	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/09/21 20:11	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/09/21 20:11	108-88-3	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/09/21 20:11	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/09/21 20:11	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	99	%	70-130		1		12/09/21 20:11	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		12/09/21 20:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		12/09/21 20:11	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	134	mg/L	10.0	2.2	5		12/16/21 21:47	14808-79-8	
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/09/21 11:33		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221003**      **Lab ID: 40237790003**      Collected: 12/02/21 12:06      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>4550</b>	ug/L	140	28.8	50		12/09/21 13:13	74-82-8	
---------	-------------	------	-----	------	----	--	----------------	---------	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>41.6</b>	ug/L	4.5	1.3	100	12/06/21 08:30	12/07/21 12:11	83-32-9	
Acenaphthylene	<b>1.3J</b>	ug/L	4.5	1.1	100	12/06/21 08:30	12/07/21 12:11	208-96-8	
Anthracene	<b>&lt;1.7</b>	ug/L	4.5	1.7	100	12/06/21 08:30	12/07/21 12:11	120-12-7	
Benzo(a)anthracene	<b>&lt;1.2</b>	ug/L	4.5	1.2	100	12/06/21 08:30	12/07/21 12:11	56-55-3	
Benzo(a)pyrene	<b>&lt;1.8</b>	ug/L	4.5	1.8	100	12/06/21 08:30	12/07/21 12:11	50-32-8	
Benzo(b)fluoranthene	<b>&lt;1.8</b>	ug/L	4.5	1.8	100	12/06/21 08:30	12/07/21 12:11	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;2.1</b>	ug/L	4.5	2.1	100	12/06/21 08:30	12/07/21 12:11	191-24-2	
Benzo(k)fluoranthene	<b>&lt;2.0</b>	ug/L	4.5	2.0	100	12/06/21 08:30	12/07/21 12:11	207-08-9	
Chrysene	<b>&lt;2.4</b>	ug/L	4.5	2.4	100	12/06/21 08:30	12/07/21 12:11	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;1.6</b>	ug/L	4.5	1.6	100	12/06/21 08:30	12/07/21 12:11	53-70-3	
Fluoranthene	<b>&lt;2.4</b>	ug/L	4.5	2.4	100	12/06/21 08:30	12/07/21 12:11	206-44-0	
Fluorene	<b>11.4</b>	ug/L	4.5	2.1	100	12/06/21 08:30	12/07/21 12:11	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;1.4</b>	ug/L	4.5	1.4	100	12/06/21 08:30	12/07/21 12:11	193-39-5	
1-Methylnaphthalene	<b>90.5</b>	ug/L	4.5	1.6	100	12/06/21 08:30	12/07/21 12:11	90-12-0	
2-Methylnaphthalene	<b>14.4</b>	ug/L	4.5	1.3	100	12/06/21 08:30	12/07/21 12:11	91-57-6	
Naphthalene	<b>471</b>	ug/L	4.5	1.8	100	12/06/21 08:30	12/07/21 12:11	91-20-3	
Phenanthrene	<b>12.3</b>	ug/L	4.5	2.3	100	12/06/21 08:30	12/07/21 12:11	85-01-8	
Pyrene	<b>&lt;2.1</b>	ug/L	4.5	2.1	100	12/06/21 08:30	12/07/21 12:11	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	60	%	10-113		100	12/06/21 08:30	12/07/21 12:11	321-60-8	
Terphenyl-d14 (S)	54	%	28-124		100	12/06/21 08:30	12/07/21 12:11	1718-51-0	

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>3100</b>	ug/L	25.0	7.4	25		12/13/21 14:42	71-43-2	
Ethylbenzene	<b>2340</b>	ug/L	10.0	3.3	10		12/09/21 23:43	100-41-4	
Toluene	<b>28.7</b>	ug/L	10.0	2.9	10		12/09/21 23:43	108-88-3	
m&p-Xylene	<b>148</b>	ug/L	20.0	7.0	10		12/09/21 23:43	179601-23-1	
o-Xylene	<b>493</b>	ug/L	10.0	3.5	10		12/09/21 23:43	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	98	%	70-130		10		12/09/21 23:43	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		10		12/09/21 23:43	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		10		12/09/21 23:43	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>&lt;2.2</b>	mg/L	10.0	2.2	5		12/16/21 22:31	14808-79-8	D3
---------	----------------	------	------	-----	---	--	----------------	------------	----

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:35		
------------------------	------------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221004**      **Lab ID: 40237790004**      Collected: 12/02/21 12:38      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<b>1250</b>	ug/L	28.0	5.8	10		12/09/21 13:20	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<b>0.13</b>	ug/L	0.051	0.014	1	12/06/21 08:30	12/07/21 12:29	83-32-9	
Acenaphthylene	<b>0.036J</b>	ug/L	0.051	0.013	1	12/06/21 08:30	12/07/21 12:29	208-96-8	
Anthracene	<b>&lt;0.019</b>	ug/L	0.051	0.019	1	12/06/21 08:30	12/07/21 12:29	120-12-7	
Benzo(a)anthracene	<b>&lt;0.014</b>	ug/L	0.051	0.014	1	12/06/21 08:30	12/07/21 12:29	56-55-3	
Benzo(a)pyrene	<b>&lt;0.020</b>	ug/L	0.051	0.020	1	12/06/21 08:30	12/07/21 12:29	50-32-8	
Benzo(b)fluoranthene	<b>&lt;0.020</b>	ug/L	0.051	0.020	1	12/06/21 08:30	12/07/21 12:29	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;0.024</b>	ug/L	0.051	0.024	1	12/06/21 08:30	12/07/21 12:29	191-24-2	
Benzo(k)fluoranthene	<b>&lt;0.023</b>	ug/L	0.051	0.023	1	12/06/21 08:30	12/07/21 12:29	207-08-9	
Chrysene	<b>&lt;0.027</b>	ug/L	0.051	0.027	1	12/06/21 08:30	12/07/21 12:29	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.018</b>	ug/L	0.051	0.018	1	12/06/21 08:30	12/07/21 12:29	53-70-3	
Fluoranthene	<b>&lt;0.027</b>	ug/L	0.051	0.027	1	12/06/21 08:30	12/07/21 12:29	206-44-0	
Fluorene	<b>&lt;0.024</b>	ug/L	0.051	0.024	1	12/06/21 08:30	12/07/21 12:29	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;0.016</b>	ug/L	0.051	0.016	1	12/06/21 08:30	12/07/21 12:29	193-39-5	
1-Methylnaphthalene	<b>0.021J</b>	ug/L	0.051	0.018	1	12/06/21 08:30	12/07/21 12:29	90-12-0	
2-Methylnaphthalene	<b>&lt;0.014</b>	ug/L	0.051	0.014	1	12/06/21 08:30	12/07/21 12:29	91-57-6	
Naphthalene	<b>0.13</b>	ug/L	0.051	0.020	1	12/06/21 08:30	12/07/21 12:29	91-20-3	
Phenanthrene	<b>&lt;0.026</b>	ug/L	0.051	0.026	1	12/06/21 08:30	12/07/21 12:29	85-01-8	
Pyrene	<b>&lt;0.023</b>	ug/L	0.051	0.023	1	12/06/21 08:30	12/07/21 12:29	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	73	%	10-113		1	12/06/21 08:30	12/07/21 12:29	321-60-8	
Terphenyl-d14 (S)	75	%	28-124		1	12/06/21 08:30	12/07/21 12:29	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<b>278</b>	ug/L	1.0	0.30	1		12/09/21 23:05	71-43-2	
Ethylbenzene	<b>129</b>	ug/L	1.0	0.33	1		12/09/21 23:05	100-41-4	
Toluene	<b>7.2</b>	ug/L	1.0	0.29	1		12/09/21 23:05	108-88-3	
m&p-Xylene	<b>14.1</b>	ug/L	2.0	0.70	1		12/09/21 23:05	179601-23-1	
o-Xylene	<b>37.5</b>	ug/L	1.0	0.35	1		12/09/21 23:05	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	98	%	70-130		1		12/09/21 23:05	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		1		12/09/21 23:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		12/09/21 23:05	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<b>&lt;0.44</b>	mg/L	2.0	0.44	1		12/16/21 22:46	14808-79-8	
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:38		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA

Pace Project No.: 40237790

**Sample: 120221005**      **Lab ID: 40237790005**      Collected: 12/02/21 13:24      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<b>8670</b>	ug/L	140	28.8	50		12/09/21 13:27	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<b>124</b>	ug/L	12.0	3.3	250	12/06/21 08:30	12/07/21 12:48	83-32-9	
Acenaphthylene	<b>&lt;3.0</b>	ug/L	12.0	3.0	250	12/06/21 08:30	12/07/21 12:48	208-96-8	
Anthracene	<b>10J</b>	ug/L	12.0	4.4	250	12/06/21 08:30	12/07/21 12:48	120-12-7	
Benzo(a)anthracene	<b>&lt;3.3</b>	ug/L	12.0	3.3	250	12/06/21 08:30	12/07/21 12:48	56-55-3	
Benzo(a)pyrene	<b>&lt;4.7</b>	ug/L	12.0	4.7	250	12/06/21 08:30	12/07/21 12:48	50-32-8	
Benzo(b)fluoranthene	<b>&lt;4.7</b>	ug/L	12.0	4.7	250	12/06/21 08:30	12/07/21 12:48	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;5.6</b>	ug/L	12.0	5.6	250	12/06/21 08:30	12/07/21 12:48	191-24-2	
Benzo(k)fluoranthene	<b>&lt;5.3</b>	ug/L	12.0	5.3	250	12/06/21 08:30	12/07/21 12:48	207-08-9	
Chrysene	<b>&lt;6.4</b>	ug/L	12.0	6.4	250	12/06/21 08:30	12/07/21 12:48	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;4.3</b>	ug/L	12.0	4.3	250	12/06/21 08:30	12/07/21 12:48	53-70-3	
Fluoranthene	<b>&lt;6.2</b>	ug/L	12.0	6.2	250	12/06/21 08:30	12/07/21 12:48	206-44-0	
Fluorene	<b>26.8</b>	ug/L	12.0	5.6	250	12/06/21 08:30	12/07/21 12:48	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;3.7</b>	ug/L	12.0	3.7	250	12/06/21 08:30	12/07/21 12:48	193-39-5	
1-Methylnaphthalene	<b>170</b>	ug/L	12.0	4.3	250	12/06/21 08:30	12/07/21 12:48	90-12-0	
2-Methylnaphthalene	<b>143</b>	ug/L	12.0	3.3	250	12/06/21 08:30	12/07/21 12:48	91-57-6	
Naphthalene	<b>1120</b>	ug/L	12.0	4.8	250	12/06/21 08:30	12/07/21 12:48	91-20-3	
Phenanthrene	<b>45.7</b>	ug/L	12.0	6.1	250	12/06/21 08:30	12/07/21 12:48	85-01-8	
Pyrene	<b>6.7J</b>	ug/L	12.0	5.4	250	12/06/21 08:30	12/07/21 12:48	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	0	%	10-113		250	12/06/21 08:30	12/07/21 12:48	321-60-8	S4
Terphenyl-d14 (S)	0	%	28-124		250	12/06/21 08:30	12/07/21 12:48	1718-51-0	S4
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<b>3290</b>	ug/L	20.0	5.9	20		12/10/21 00:02	71-43-2	
Ethylbenzene	<b>249</b>	ug/L	20.0	6.5	20		12/10/21 00:02	100-41-4	
Toluene	<b>12.0J</b>	ug/L	20.0	5.8	20		12/10/21 00:02	108-88-3	
m&p-Xylene	<b>33.7J</b>	ug/L	40.0	14.0	20		12/10/21 00:02	179601-23-1	
o-Xylene	<b>112</b>	ug/L	20.0	7.0	20		12/10/21 00:02	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	100	%	70-130		20		12/10/21 00:02	2037-26-5	
4-Bromofluorobenzene (S)	102	%	70-130		20		12/10/21 00:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		20		12/10/21 00:02	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<b>&lt;2.2</b>	mg/L	10.0	2.2	5		12/16/21 23:01	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:38		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221006**      **Lab ID: 40237790006**      Collected: 12/02/21 13:29      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>6920</b>	ug/L	140	28.8	50		12/09/21 13:34	74-82-8	
---------	-------------	------	-----	------	----	--	----------------	---------	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>113</b>	ug/L	9.7	2.7	200	12/06/21 08:30	12/07/21 13:06	83-32-9	
Acenaphthylene	<b>&lt;2.4</b>	ug/L	9.7	2.4	200	12/06/21 08:30	12/07/21 13:06	208-96-8	
Anthracene	<b>8.6J</b>	ug/L	9.7	3.6	200	12/06/21 08:30	12/07/21 13:06	120-12-7	
Benzo(a)anthracene	<b>&lt;2.6</b>	ug/L	9.7	2.6	200	12/06/21 08:30	12/07/21 13:06	56-55-3	
Benzo(a)pyrene	<b>&lt;3.8</b>	ug/L	9.7	3.8	200	12/06/21 08:30	12/07/21 13:06	50-32-8	
Benzo(b)fluoranthene	<b>&lt;3.8</b>	ug/L	9.7	3.8	200	12/06/21 08:30	12/07/21 13:06	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;4.5</b>	ug/L	9.7	4.5	200	12/06/21 08:30	12/07/21 13:06	191-24-2	
Benzo(k)fluoranthene	<b>&lt;4.3</b>	ug/L	9.7	4.3	200	12/06/21 08:30	12/07/21 13:06	207-08-9	
Chrysene	<b>&lt;5.1</b>	ug/L	9.7	5.1	200	12/06/21 08:30	12/07/21 13:06	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;3.4</b>	ug/L	9.7	3.4	200	12/06/21 08:30	12/07/21 13:06	53-70-3	
Fluoranthene	<b>&lt;5.0</b>	ug/L	9.7	5.0	200	12/06/21 08:30	12/07/21 13:06	206-44-0	
Fluorene	<b>22.4</b>	ug/L	9.7	4.5	200	12/06/21 08:30	12/07/21 13:06	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;3.0</b>	ug/L	9.7	3.0	200	12/06/21 08:30	12/07/21 13:06	193-39-5	
1-Methylnaphthalene	<b>151</b>	ug/L	9.7	3.5	200	12/06/21 08:30	12/07/21 13:06	90-12-0	
2-Methylnaphthalene	<b>131</b>	ug/L	9.7	2.7	200	12/06/21 08:30	12/07/21 13:06	91-57-6	
Naphthalene	<b>1010</b>	ug/L	9.7	3.8	200	12/06/21 08:30	12/07/21 13:06	91-20-3	
Phenanthrene	<b>40.1</b>	ug/L	9.7	4.9	200	12/06/21 08:30	12/07/21 13:06	85-01-8	
Pyrene	<b>5.5J</b>	ug/L	9.7	4.4	200	12/06/21 08:30	12/07/21 13:06	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	0	%	10-113		200	12/06/21 08:30	12/07/21 13:06	321-60-8	S4
Terphenyl-d14 (S)	0	%	28-124		200	12/06/21 08:30	12/07/21 13:06	1718-51-0	S4

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>3290</b>	ug/L	20.0	5.9	20		12/10/21 00:22	71-43-2	
Ethylbenzene	<b>246</b>	ug/L	20.0	6.5	20		12/10/21 00:22	100-41-4	
Toluene	<b>12.8J</b>	ug/L	20.0	5.8	20		12/10/21 00:22	108-88-3	
m&p-Xylene	<b>33.9J</b>	ug/L	40.0	14.0	20		12/10/21 00:22	179601-23-1	
o-Xylene	<b>110</b>	ug/L	20.0	7.0	20		12/10/21 00:22	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	100	%	70-130		20		12/10/21 00:22	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		20		12/10/21 00:22	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		20		12/10/21 00:22	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>&lt;2.2</b>	mg/L	10.0	2.2	5		12/17/21 00:00	14808-79-8	D3
---------	----------------	------	------	-----	---	--	----------------	------------	----

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:39		
------------------------	------------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221007**      **Lab ID: 40237790007**      Collected: 12/02/21 14:12      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>41.6</b>	ug/L	2.8	0.58	1		12/09/21 10:28		
---------	-------------	------	-----	------	---	--	----------------	--	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>0.024J</b>	ug/L	0.046	0.013	1	12/06/21 08:30	12/07/21 13:24		
Acenaphthylene	<b>0.017J</b>	ug/L	0.046	0.012	1	12/06/21 08:30	12/07/21 13:24	83-32-9	208-96-8
Anthracene	<b>&lt;0.017</b>	ug/L	0.046	0.017	1	12/06/21 08:30	12/07/21 13:24	120-12-7	
Benzo(a)anthracene	<b>&lt;0.013</b>	ug/L	0.046	0.013	1	12/06/21 08:30	12/07/21 13:24	56-55-3	
Benzo(a)pyrene	<b>&lt;0.018</b>	ug/L	0.046	0.018	1	12/06/21 08:30	12/07/21 13:24	50-32-8	
Benzo(b)fluoranthene	<b>&lt;0.018</b>	ug/L	0.046	0.018	1	12/06/21 08:30	12/07/21 13:24	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;0.022</b>	ug/L	0.046	0.022	1	12/06/21 08:30	12/07/21 13:24	191-24-2	
Benzo(k)fluoranthene	<b>&lt;0.021</b>	ug/L	0.046	0.021	1	12/06/21 08:30	12/07/21 13:24	207-08-9	
Chrysene	<b>&lt;0.025</b>	ug/L	0.046	0.025	1	12/06/21 08:30	12/07/21 13:24	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.016</b>	ug/L	0.046	0.016	1	12/06/21 08:30	12/07/21 13:24	53-70-3	
Fluoranthene	<b>&lt;0.024</b>	ug/L	0.046	0.024	1	12/06/21 08:30	12/07/21 13:24	206-44-0	
Fluorene	<b>&lt;0.022</b>	ug/L	0.046	0.022	1	12/06/21 08:30	12/07/21 13:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;0.014</b>	ug/L	0.046	0.014	1	12/06/21 08:30	12/07/21 13:24	193-39-5	
1-Methylnaphthalene	<b>0.040J</b>	ug/L	0.046	0.017	1	12/06/21 08:30	12/07/21 13:24	90-12-0	
2-Methylnaphthalene	<b>0.036J</b>	ug/L	0.046	0.013	1	12/06/21 08:30	12/07/21 13:24	91-57-6	
Naphthalene	<b>0.22</b>	ug/L	0.046	0.018	1	12/06/21 08:30	12/07/21 13:24	91-20-3	
Phenanthrene	<b>&lt;0.024</b>	ug/L	0.046	0.024	1	12/06/21 08:30	12/07/21 13:24	85-01-8	
Pyrene	<b>&lt;0.021</b>	ug/L	0.046	0.021	1	12/06/21 08:30	12/07/21 13:24	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	69	%	10-113		1	12/06/21 08:30	12/07/21 13:24	321-60-8	
Terphenyl-d14 (S)	76	%	28-124		1	12/06/21 08:30	12/07/21 13:24	1718-51-0	

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>&lt;0.30</b>	ug/L	1.0	0.30	1		12/09/21 20:50		
Ethylbenzene	<b>&lt;0.33</b>	ug/L	1.0	0.33	1		12/09/21 20:50	71-43-2	100-41-4
Toluene	<b>&lt;0.29</b>	ug/L	1.0	0.29	1		12/09/21 20:50	108-88-3	
m&p-Xylene	<b>&lt;0.70</b>	ug/L	2.0	0.70	1		12/09/21 20:50	179601-23-1	
o-Xylene	<b>&lt;0.35</b>	ug/L	1.0	0.35	1		12/09/21 20:50	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	99	%	70-130		1		12/09/21 20:50	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1		12/09/21 20:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/09/21 20:50	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>72.6</b>	mg/L	10.0	2.2	5		12/17/21 19:16		
---------	-------------	------	------	-----	---	--	----------------	--	--

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>0.14J</b>	mg/L	0.25	0.059	1		12/09/21 11:40		
------------------------	--------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221008**      **Lab ID: 40237790008**      Collected: 12/02/21 14:54      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	17.4	ug/L	2.8	0.58	1		12/09/21 10:35	74-82-8	
---------	------	------	-----	------	---	--	----------------	---------	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<0.013	ug/L	0.048	0.013	1	12/06/21 08:30	12/07/21 13:43	83-32-9	
Acenaphthylene	<0.012	ug/L	0.048	0.012	1	12/06/21 08:30	12/07/21 13:43	208-96-8	
Anthracene	<0.018	ug/L	0.048	0.018	1	12/06/21 08:30	12/07/21 13:43	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.048	0.013	1	12/06/21 08:30	12/07/21 13:43	56-55-3	
Benzo(a)pyrene	<0.019	ug/L	0.048	0.019	1	12/06/21 08:30	12/07/21 13:43	50-32-8	
Benzo(b)fluoranthene	<0.019	ug/L	0.048	0.019	1	12/06/21 08:30	12/07/21 13:43	205-99-2	
Benzo(g,h,i)perylene	<0.022	ug/L	0.048	0.022	1	12/06/21 08:30	12/07/21 13:43	191-24-2	
Benzo(k)fluoranthene	<0.021	ug/L	0.048	0.021	1	12/06/21 08:30	12/07/21 13:43	207-08-9	
Chrysene	<0.026	ug/L	0.048	0.026	1	12/06/21 08:30	12/07/21 13:43	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.048	0.017	1	12/06/21 08:30	12/07/21 13:43	53-70-3	
Fluoranthene	<0.025	ug/L	0.048	0.025	1	12/06/21 08:30	12/07/21 13:43	206-44-0	
Fluorene	<0.023	ug/L	0.048	0.023	1	12/06/21 08:30	12/07/21 13:43	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.048	0.015	1	12/06/21 08:30	12/07/21 13:43	193-39-5	
1-Methylnaphthalene	<0.017	ug/L	0.048	0.017	1	12/06/21 08:30	12/07/21 13:43	90-12-0	
2-Methylnaphthalene	<0.013	ug/L	0.048	0.013	1	12/06/21 08:30	12/07/21 13:43	91-57-6	
Naphthalene	0.051	ug/L	0.048	0.019	1	12/06/21 08:30	12/07/21 13:43	91-20-3	
Phenanthrene	<0.025	ug/L	0.048	0.025	1	12/06/21 08:30	12/07/21 13:43	85-01-8	
Pyrene	<0.022	ug/L	0.048	0.022	1	12/06/21 08:30	12/07/21 13:43	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	76	%	10-113		1	12/06/21 08:30	12/07/21 13:43	321-60-8	
Terphenyl-d14 (S)	77	%	28-124		1	12/06/21 08:30	12/07/21 13:43	1718-51-0	

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<0.30	ug/L	1.0	0.30	1		12/09/21 21:09	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/09/21 21:09	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/09/21 21:09	108-88-3	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/09/21 21:09	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/09/21 21:09	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	98	%	70-130		1		12/09/21 21:09	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		12/09/21 21:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/09/21 21:09	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	1.5J	mg/L	2.0	0.44	1		12/17/21 00:30	14808-79-8	
---------	------	------	-----	------	---	--	----------------	------------	--

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	0.21J	mg/L	0.25	0.059	1		12/09/21 11:40		
------------------------	-------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221009**      **Lab ID: 40237790009**      Collected: 12/02/21 15:50      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>99.7</b>	ug/L	2.8	0.58	1		12/09/21 10:42	74-82-8	
---------	-------------	------	-----	------	---	--	----------------	---------	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>22.1</b>	ug/L	11.6	3.2	250	12/06/21 08:30	12/07/21 14:01	83-32-9	
Acenaphthylene	<b>139</b>	ug/L	11.6	2.9	250	12/06/21 08:30	12/07/21 14:01	208-96-8	
Anthracene	<b>9.4J</b>	ug/L	11.6	4.3	250	12/06/21 08:30	12/07/21 14:01	120-12-7	
Benzo(a)anthracene	<b>&lt;3.2</b>	ug/L	11.6	3.2	250	12/06/21 08:30	12/07/21 14:01	56-55-3	
Benzo(a)pyrene	<b>&lt;4.6</b>	ug/L	11.6	4.6	250	12/06/21 08:30	12/07/21 14:01	50-32-8	
Benzo(b)fluoranthene	<b>&lt;4.5</b>	ug/L	11.6	4.5	250	12/06/21 08:30	12/07/21 14:01	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;5.4</b>	ug/L	11.6	5.4	250	12/06/21 08:30	12/07/21 14:01	191-24-2	
Benzo(k)fluoranthene	<b>&lt;5.2</b>	ug/L	11.6	5.2	250	12/06/21 08:30	12/07/21 14:01	207-08-9	
Chrysene	<b>&lt;6.2</b>	ug/L	11.6	6.2	250	12/06/21 08:30	12/07/21 14:01	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;4.1</b>	ug/L	11.6	4.1	250	12/06/21 08:30	12/07/21 14:01	53-70-3	
Fluoranthene	<b>6.2J</b>	ug/L	11.6	6.1	250	12/06/21 08:30	12/07/21 14:01	206-44-0	
Fluorene	<b>39.9</b>	ug/L	11.6	5.5	250	12/06/21 08:30	12/07/21 14:01	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;3.6</b>	ug/L	11.6	3.6	250	12/06/21 08:30	12/07/21 14:01	193-39-5	
1-Methylnaphthalene	<b>241</b>	ug/L	11.6	4.2	250	12/06/21 08:30	12/07/21 14:01	90-12-0	
2-Methylnaphthalene	<b>136</b>	ug/L	11.6	3.2	250	12/06/21 08:30	12/07/21 14:01	91-57-6	
Naphthalene	<b>1630</b>	ug/L	11.6	4.6	250	12/06/21 08:30	12/07/21 14:01	91-20-3	
Phenanthrene	<b>43.6</b>	ug/L	11.6	5.9	250	12/06/21 08:30	12/07/21 14:01	85-01-8	
Pyrene	<b>6.5J</b>	ug/L	11.6	5.3	250	12/06/21 08:30	12/07/21 14:01	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	0	%	10-113		250	12/06/21 08:30	12/07/21 14:01	321-60-8	S4
Terphenyl-d14 (S)	0	%	28-124		250	12/06/21 08:30	12/07/21 14:01	1718-51-0	S4

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>2510</b>	ug/L	25.0	7.4	25	12/10/21 00:41	71-43-2	
Ethylbenzene	<b>235</b>	ug/L	25.0	8.1	25	12/10/21 00:41	100-41-4	
Toluene	<b>479</b>	ug/L	25.0	7.2	25	12/10/21 00:41	108-88-3	
m&p-Xylene	<b>176</b>	ug/L	50.0	17.5	25	12/10/21 00:41	179601-23-1	
o-Xylene	<b>107</b>	ug/L	25.0	8.7	25	12/10/21 00:41	95-47-6	
<b>Surrogates</b>								
Toluene-d8 (S)	99	%	70-130		25	12/10/21 00:41	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		25	12/10/21 00:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		25	12/10/21 00:41	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>7.4</b>	mg/L	2.0	0.44	1		12/17/21 00:45	14808-79-8	
---------	------------	------	-----	------	---	--	----------------	------------	--

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>&lt;0.059</b>	mg/L	0.25	0.059	1		12/09/21 11:41		
------------------------	------------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA  
Pace Project No.: 40237790

**Sample: 120221010**      **Lab ID: 40237790010**      Collected: 12/02/21 16:50      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

**Methane, Ethane, Ethene GCV**

Analytical Method: EPA 8015B Modified  
Pace Analytical Services - Green Bay

Methane	<b>6.2</b>	ug/L	2.8	0.58	1		12/09/21 10:49	74-82-8	
---------	------------	------	-----	------	---	--	----------------	---------	--

**8270E MSSV PAH**

Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510  
Pace Analytical Services - Green Bay

Acenaphthene	<b>&lt;0.014</b>	ug/L	0.049	0.014	1	12/06/21 08:30	12/07/21 14:19	83-32-9	
Acenaphthylene	<b>&lt;0.012</b>	ug/L	0.049	0.012	1	12/06/21 08:30	12/07/21 14:19	208-96-8	
Anthracene	<b>&lt;0.018</b>	ug/L	0.049	0.018	1	12/06/21 08:30	12/07/21 14:19	120-12-7	
Benzo(a)anthracene	<b>&lt;0.013</b>	ug/L	0.049	0.013	1	12/06/21 08:30	12/07/21 14:19	56-55-3	
Benzo(a)pyrene	<b>&lt;0.019</b>	ug/L	0.049	0.019	1	12/06/21 08:30	12/07/21 14:19	50-32-8	
Benzo(b)fluoranthene	<b>&lt;0.019</b>	ug/L	0.049	0.019	1	12/06/21 08:30	12/07/21 14:19	205-99-2	
Benzo(g,h,i)perylene	<b>&lt;0.023</b>	ug/L	0.049	0.023	1	12/06/21 08:30	12/07/21 14:19	191-24-2	
Benzo(k)fluoranthene	<b>&lt;0.022</b>	ug/L	0.049	0.022	1	12/06/21 08:30	12/07/21 14:19	207-08-9	
Chrysene	<b>&lt;0.026</b>	ug/L	0.049	0.026	1	12/06/21 08:30	12/07/21 14:19	218-01-9	
Dibenz(a,h)anthracene	<b>&lt;0.017</b>	ug/L	0.049	0.017	1	12/06/21 08:30	12/07/21 14:19	53-70-3	
Fluoranthene	<b>&lt;0.025</b>	ug/L	0.049	0.025	1	12/06/21 08:30	12/07/21 14:19	206-44-0	
Fluorene	<b>&lt;0.023</b>	ug/L	0.049	0.023	1	12/06/21 08:30	12/07/21 14:19	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>&lt;0.015</b>	ug/L	0.049	0.015	1	12/06/21 08:30	12/07/21 14:19	193-39-5	
1-Methylnaphthalene	<b>0.035J</b>	ug/L	0.049	0.017	1	12/06/21 08:30	12/07/21 14:19	90-12-0	
2-Methylnaphthalene	<b>0.025J</b>	ug/L	0.049	0.013	1	12/06/21 08:30	12/07/21 14:19	91-57-6	
Naphthalene	<b>0.23</b>	ug/L	0.049	0.019	1	12/06/21 08:30	12/07/21 14:19	91-20-3	
Phenanthrene	<b>&lt;0.025</b>	ug/L	0.049	0.025	1	12/06/21 08:30	12/07/21 14:19	85-01-8	
Pyrene	<b>&lt;0.022</b>	ug/L	0.049	0.022	1	12/06/21 08:30	12/07/21 14:19	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	72	%	10-113		1	12/06/21 08:30	12/07/21 14:19	321-60-8	
Terphenyl-d14 (S)	70	%	28-124		1	12/06/21 08:30	12/07/21 14:19	1718-51-0	

**8260 MSV UST**

Analytical Method: EPA 8260  
Pace Analytical Services - Green Bay

Benzene	<b>&lt;0.30</b>	ug/L	1.0	0.30	1		12/09/21 21:28	71-43-2	
Ethylbenzene	<b>&lt;0.33</b>	ug/L	1.0	0.33	1		12/09/21 21:28	100-41-4	
Toluene	<b>&lt;0.29</b>	ug/L	1.0	0.29	1		12/09/21 21:28	108-88-3	
m&p-Xylene	<b>&lt;0.70</b>	ug/L	2.0	0.70	1		12/09/21 21:28	179601-23-1	
o-Xylene	<b>&lt;0.35</b>	ug/L	1.0	0.35	1		12/09/21 21:28	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	99	%	70-130		1		12/09/21 21:28	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		12/09/21 21:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		12/09/21 21:28	2199-69-1	

**300.0 IC Anions**

Analytical Method: EPA 300.0  
Pace Analytical Services - Green Bay

Sulfate	<b>&lt;0.44</b>	mg/L	2.0	0.44	1		12/17/21 01:00	14808-79-8	
---------	-----------------	------	-----	------	---	--	----------------	------------	--

**353.2 Nitrogen, NO2/NO3 pres.**

Analytical Method: EPA 353.2  
Pace Analytical Services - Green Bay

Nitrogen, NO2 plus NO3	<b>0.14J</b>	mg/L	0.25	0.059	1		12/09/21 11:42		
------------------------	--------------	------	------	-------	---	--	----------------	--	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: CAMP MARINA

Pace Project No.: 40237790

**Sample: 120221011**      **Lab ID: 40237790011**      Collected: 12/02/21 00:00      Received: 12/03/21 10:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/21 12:36	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/21 12:36	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/21 12:36	108-88-3	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		12/08/21 12:36	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		12/08/21 12:36	95-47-6	
<b>Surrogates</b>									
Toluene-d8 (S)	100	%	70-130		1		12/08/21 12:36	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		12/08/21 12:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		12/08/21 12:36	2199-69-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA  
Pace Project No.: 40237790

QC Batch:	403535	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

METHOD BLANK: 2329640 Matrix: Water  
Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methane	ug/L	<0.58	2.8	12/09/21 08:38	

LABORATORY CONTROL SAMPLE & LCSD: 2329641 2329642

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	28.6	28.5	29.3	100	102	80-121	3	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2329643 2329644

Parameter	Units	40237790002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methane	ug/L	19.9	28.6	28.6	48.0	47.6	98	97	10-200	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA  
Pace Project No.: 40237790

QC Batch: 403461 Analysis Method: EPA 8260  
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237790011

METHOD BLANK: 2329245 Matrix: Water  
Associated Lab Samples: 40237790011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	12/08/21 08:11	
Ethylbenzene	ug/L	<0.33	1.0	12/08/21 08:11	
m&p-Xylene	ug/L	<0.70	2.0	12/08/21 08:11	
o-Xylene	ug/L	<0.35	1.0	12/08/21 08:11	
Toluene	ug/L	<0.29	1.0	12/08/21 08:11	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	12/08/21 08:11	
4-Bromofluorobenzene (S)	%	99	70-130	12/08/21 08:11	
Toluene-d8 (S)	%	99	70-130	12/08/21 08:11	

LABORATORY CONTROL SAMPLE: 2329246

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	53.3	107	70-132	
Ethylbenzene	ug/L	50	51.9	104	80-123	
m&p-Xylene	ug/L	100	104	104	70-130	
o-Xylene	ug/L	50	51.2	102	70-130	
Toluene	ug/L	50	51.1	102	80-121	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2329247 2329248

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40237811003 Result	Spike Conc.	Spike Conc.	Result							
Benzene	ug/L	<1.0	50	50	53.0	52.4	106	105	70-132	1	20	
Ethylbenzene	ug/L	<1.0	50	50	52.2	52.2	104	104	80-123	0	20	
m&p-Xylene	ug/L	<2.0	100	100	103	103	103	103	70-130	0	20	
o-Xylene	ug/L	<1.0	50	50	50.9	51.5	102	103	70-130	1	20	
Toluene	ug/L	<1.0	50	50	51.6	51.2	103	102	80-121	1	20	
1,2-Dichlorobenzene-d4 (S)	%						97	97	70-130			
4-Bromofluorobenzene (S)	%						104	104	70-130			
Toluene-d8 (S)	%						101	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: CAMP MARINA  
Pace Project No.: 40237790

QC Batch:	403568	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

METHOD BLANK: 2329745 Matrix: Water  
Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	12/09/21 16:38	
Ethylbenzene	ug/L	<0.33	1.0	12/09/21 16:38	
m&p-Xylene	ug/L	<0.70	2.0	12/09/21 16:38	
o-Xylene	ug/L	<0.35	1.0	12/09/21 16:38	
Toluene	ug/L	<0.29	1.0	12/09/21 16:38	
1,2-Dichlorobenzene-d4 (S)	%	98	70-130	12/09/21 16:38	
4-Bromofluorobenzene (S)	%	98	70-130	12/09/21 16:38	
Toluene-d8 (S)	%	99	70-130	12/09/21 16:38	

LABORATORY CONTROL SAMPLE: 2329746

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	53.0	106	70-132	
Ethylbenzene	ug/L	50	51.9	104	80-123	
m&p-Xylene	ug/L	100	105	105	70-130	
o-Xylene	ug/L	50	51.6	103	70-130	
Toluene	ug/L	50	50.7	101	80-121	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2329747 2329748

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237790002	Spike Conc.	Spike Conc.	Result								
Benzene	ug/L	<0.30	50	50	53.0	52.9	106	106	106	70-132	0	20	
Ethylbenzene	ug/L	<0.33	50	50	52.8	51.9	106	104	104	80-123	2	20	
m&p-Xylene	ug/L	<0.70	100	100	105	104	105	104	104	70-130	2	20	
o-Xylene	ug/L	<0.35	50	50	52.9	51.5	106	103	103	70-130	3	20	
Toluene	ug/L	<0.29	50	50	51.8	51.1	104	102	102	80-121	1	20	
1,2-Dichlorobenzene-d4 (S)	%							96	98	70-130			
4-Bromofluorobenzene (S)	%							103	104	70-130			
Toluene-d8 (S)	%							102	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA

Pace Project No.: 40237790

QC Batch: 403418

Analysis Method: EPA 8270E by SIM

QC Batch Method: EPA 3510

Analysis Description: 8270E Water PAH

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

METHOD BLANK: 2329115

Matrix: Water

Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.018	0.050	12/07/21 07:36	
2-Methylnaphthalene	ug/L	<0.014	0.050	12/07/21 07:36	
Acenaphthene	ug/L	<0.014	0.050	12/07/21 07:36	
Acenaphthylene	ug/L	<0.013	0.050	12/07/21 07:36	
Anthracene	ug/L	<0.018	0.050	12/07/21 07:36	
Benzo(a)anthracene	ug/L	<0.014	0.050	12/07/21 07:36	
Benzo(a)pyrene	ug/L	<0.020	0.050	12/07/21 07:36	
Benzo(b)fluoranthene	ug/L	<0.020	0.050	12/07/21 07:36	
Benzo(g,h,i)perylene	ug/L	<0.023	0.050	12/07/21 07:36	
Benzo(k)fluoranthene	ug/L	<0.022	0.050	12/07/21 07:36	
Chrysene	ug/L	<0.027	0.050	12/07/21 07:36	
Dibenz(a,h)anthracene	ug/L	<0.018	0.050	12/07/21 07:36	
Fluoranthene	ug/L	<0.026	0.050	12/07/21 07:36	
Fluorene	ug/L	<0.024	0.050	12/07/21 07:36	
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.050	12/07/21 07:36	
Naphthalene	ug/L	<0.020	0.050	12/07/21 07:36	
Phenanthrene	ug/L	<0.026	0.050	12/07/21 07:36	
Pyrene	ug/L	<0.023	0.050	12/07/21 07:36	
2-Fluorobiphenyl (S)	%	71	10-113	12/07/21 07:36	
Terphenyl-d14 (S)	%	73	28-124	12/07/21 07:36	

LABORATORY CONTROL SAMPLE: 2329116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.5	75	71-120	
2-Methylnaphthalene	ug/L	2	1.5	73	68-120	
Acenaphthene	ug/L	2	1.7	87	71-120	
Acenaphthylene	ug/L	2	1.7	86	68-120	
Anthracene	ug/L	2	1.8	92	51-99	
Benzo(a)anthracene	ug/L	2	1.8	91	52-92	
Benzo(a)pyrene	ug/L	2	1.8	90	61-105	
Benzo(b)fluoranthene	ug/L	2	1.6	82	57-102	
Benzo(g,h,i)perylene	ug/L	2	1.8	91	62-120	
Benzo(k)fluoranthene	ug/L	2	1.9	94	70-122	
Chrysene	ug/L	2	2.1	106	71-122	
Dibenz(a,h)anthracene	ug/L	2	1.9	95	41-101	
Fluoranthene	ug/L	2	2.0	98	67-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA

Pace Project No.: 40237790

LABORATORY CONTROL SAMPLE: 2329116

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/L	2	1.7	87	71-120	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.8	90	59-120	
Naphthalene	ug/L	2	1.7	83	71-120	
Phenanthrene	ug/L	2	1.7	86	60-102	
Pyrene	ug/L	2	1.8	88	72-120	
2-Fluorobiphenyl (S)	%			77	10-113	
Terphenyl-d14 (S)	%			78	28-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2329117 2329118

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237790002 Result	Spike Conc.	Spike Conc.	Result						
1-Methylnaphthalene	ug/L	<0.019	1.9	1.8	0.77	0.65	40	35	71-120	17	20 M1
2-Methylnaphthalene	ug/L	0.015J	1.9	1.8	0.73	0.64	37	34	68-120	14	20 M1
Acenaphthene	ug/L	<0.015	1.9	1.8	0.84	0.73	44	40	71-120	14	20 M1
Acenaphthylene	ug/L	<0.013	1.9	1.8	0.82	0.68	43	37	68-120	19	20 M1
Anthracene	ug/L	<0.020	1.9	1.8	0.88	0.73	46	40	51-99	18	20 M1
Benzo(a)anthracene	ug/L	<0.014	1.9	1.8	0.83	0.71	44	39	52-92	16	20 M1
Benzo(a)pyrene	ug/L	<0.021	1.9	1.8	0.88	0.80	46	44	61-105	10	20 M1
Benzo(b)fluoranthene	ug/L	<0.021	1.9	1.8	0.80	0.68	42	37	57-102	16	20 M1
Benzo(g,h,i)perylene	ug/L	<0.025	1.9	1.8	0.88	0.76	46	42	62-120	14	20 M1
Benzo(k)fluoranthene	ug/L	<0.024	1.9	1.8	0.94	0.83	50	46	70-122	13	20 M1
Chrysene	ug/L	<0.028	1.9	1.8	1.1	0.95	55	52	71-122	11	20 M1
Dibenz(a,h)anthracene	ug/L	<0.019	1.9	1.8	0.92	0.82	48	45	41-101	12	20
Fluoranthene	ug/L	<0.028	1.9	1.8	0.94	0.80	49	44	67-116	16	20 M1
Fluorene	ug/L	<0.025	1.9	1.8	0.81	0.71	43	39	71-120	13	20 M1
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	1.9	1.8	0.86	0.75	45	41	59-120	13	20 M1
Naphthalene	ug/L	0.027J	1.9	1.8	1.2	0.84	60	44	71-120	32	20 M1,R1
Phenanthrene	ug/L	<0.027	1.9	1.8	0.82	0.69	43	38	60-102	17	20 M1
Pyrene	ug/L	<0.024	1.9	1.8	0.83	0.72	43	39	72-120	14	20 M1
2-Fluorobiphenyl (S)	%						38	35	10-113		
Terphenyl-d14 (S)	%						38	35	28-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA  
Pace Project No.: 40237790

QC Batch:	404152	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

METHOD BLANK: 2332844 Matrix: Water  
Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	12/16/21 15:46	

LABORATORY CONTROL SAMPLE: 2332845

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	18.3	91	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2332846 2332847

Parameter	Units	40238066005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	11.2J	200	200	216	213	103	101	90-110	2	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2332848 2332849

Parameter	Units	40237790002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	134	100	100	233	232	99	98	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: CAMP MARINA  
Pace Project No.: 40237790

QC Batch: 403759 Analysis Method: EPA 353.2  
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved  
Laboratory: Pace Analytical Services - Green Bay  
Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

METHOD BLANK: 2330677 Matrix: Water  
Associated Lab Samples: 40237790001, 40237790002, 40237790003, 40237790004, 40237790005, 40237790006, 40237790007, 40237790008, 40237790009, 40237790010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	12/09/21 11:26	

LABORATORY CONTROL SAMPLE: 2330678

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	106	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2330679 2330680

Parameter	Units	40237790002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.7	2.7	107	106	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2330681 2330682

Parameter	Units	40237921004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.5	2.5	99	99	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: CAMP MARINA  
Pace Project No.: 40237790

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

- |    |   |
|----|---|
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.  |
| M1 | Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery. |
| R1 | RPD value was outside control limits.   |
| S4 | Surrogate recovery not evaluated against control limits due to sample dilution.                             |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: CAMP MARINA

Pace Project No.: 40237790

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237790001	120221001	EPA 8015B Modified	403535		
40237790002	120221002	EPA 8015B Modified	403535		
40237790003	120221003	EPA 8015B Modified	403535		
40237790004	120221004	EPA 8015B Modified	403535		
40237790005	120221005	EPA 8015B Modified	403535		
40237790006	120221006	EPA 8015B Modified	403535		
40237790007	120221007	EPA 8015B Modified	403535		
40237790008	120221008	EPA 8015B Modified	403535		
40237790009	120221009	EPA 8015B Modified	403535		
40237790010	120221010	EPA 8015B Modified	403535		
40237790001	120221001	EPA 3510	403418	EPA 8270E by SIM	403470
40237790002	120221002	EPA 3510	403418	EPA 8270E by SIM	403470
40237790003	120221003	EPA 3510	403418	EPA 8270E by SIM	403470
40237790004	120221004	EPA 3510	403418	EPA 8270E by SIM	403470
40237790005	120221005	EPA 3510	403418	EPA 8270E by SIM	403470
40237790006	120221006	EPA 3510	403418	EPA 8270E by SIM	403470
40237790007	120221007	EPA 3510	403418	EPA 8270E by SIM	403470
40237790008	120221008	EPA 3510	403418	EPA 8270E by SIM	403470
40237790009	120221009	EPA 3510	403418	EPA 8270E by SIM	403470
40237790010	120221010	EPA 3510	403418	EPA 8270E by SIM	403470
40237790001	120221001	EPA 8260	403568		
40237790002	120221002	EPA 8260	403568		
40237790003	120221003	EPA 8260	403568		
40237790004	120221004	EPA 8260	403568		
40237790005	120221005	EPA 8260	403568		
40237790006	120221006	EPA 8260	403568		
40237790007	120221007	EPA 8260	403568		
40237790008	120221008	EPA 8260	403568		
40237790009	120221009	EPA 8260	403568		
40237790010	120221010	EPA 8260	403568		
40237790011	120221011	EPA 8260	403461		
40237790001	120221001	EPA 300.0	404152		
40237790002	120221002	EPA 300.0	404152		
40237790003	120221003	EPA 300.0	404152		
40237790004	120221004	EPA 300.0	404152		
40237790005	120221005	EPA 300.0	404152		
40237790006	120221006	EPA 300.0	404152		
40237790007	120221007	EPA 300.0	404152		
40237790008	120221008	EPA 300.0	404152		
40237790009	120221009	EPA 300.0	404152		
40237790010	120221010	EPA 300.0	404152		
40237790001	120221001	EPA 353.2	403759		
40237790002	120221002	EPA 353.2	403759		
40237790003	120221003	EPA 353.2	403759		
40237790004	120221004	EPA 353.2	403759		
40237790005	120221005	EPA 353.2	403759		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: CAMP MARINA  
Pace Project No.: 40237790

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237790006	120221006	EPA 353.2	403759		
40237790007	120221007	EPA 353.2	403759		
40237790008	120221008	EPA 353.2	403759		
40237790009	120221009	EPA 353.2	403759		
40237790010	120221010	EPA 353.2	403759		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.







CS  
Logistics

### CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

UID 57790

QA: Colleen D CW

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Page : 1 Of 1	
Company: Ramboll		Report To: Duda, Nathan		Attention:		Regulatory Agency	
Address: 234 W. Florida St, 5th Floor		Copy To: Andrew Course		Company Name: WE Energies		State / Location	
Milwaukee, WI 53204		Purchase Order #:		Address:		WI	
Email: Nathan.duda@ramboll.com / Andrew Course		Project Name: Appleton MGP CAMP MARINA		Pace Quote:			
Phone: 262-719-4512 Fax:		Project #:		Pace Project Manager: brian.basten@pacelabs.com			
Requested Due Date:				Pace Profile #: 829			

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)							
				START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other				BTEX by 8260	Metals	Nitrate + Nitrite	Sulfate & Ammonium	Methane by 8015B	Benzene & Naphthalene	TriP BLANK
				DATE	TIME	DATE	TIME																				
1	120221001	TG				12/22/10	7	X	X									X	X	X							001
2	120221002*						12																				002
3	120221003						4																				003
4	120221004																										004
5	120221005																										005
6	120221006																										006
7	120221007																										007
8	120221008																										008
9	120221009*																										009
10	120221010																										010

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
*120221002 - MS/MSD	C. Duda / Ramboll	12/22/10	1845							
120221009 - SCREEN	Fedex	12/31/21	1030	Mary Ann / Pace	12/31/21	1030	1-1/1	Y	N	Y

<b>SAMPLER NAME AND SIGNATURE</b>		TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: Nate Duda					
SIGNATURE of SAMPLER: [Signature]	DATE Signed: 12-2-21				

CS: 0803-003  
0803-004

Client Name: Ramboll  
 Project # 120104

**Sample Preservation Receipt Form**

Pace Analytical Services, LLC  
 1241 Bellevue Street, Suite 9  
 Green Bay, WI 54302

All containers needing preservation have been checked and noted below:  Yes  No  N/A

Lab Lot# of pH paper: 120104 Lab Std #ID of preservation (if pH adjusted):

Initial when completed: MP Date/Time:

Pace Lab #	Glass					Plastic			Vials					Jars			General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)		
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M								VG9D	JGFU
001						2																					2.5/5/10
002						2																					2.5/5/10
003						2																					2.5/5/10
004						2																					2.5/5/10
005						2																					2.5/5/10
006						2																					2.5/5/10
007						2																					2.5/5/10
008						2																					2.5/5/10
009						2																					2.5/5/10
010						2																					2.5/5/10
011						2																					2.5/5/10
012						2																					2.5/5/10
013																											2.5/5/10
014																											2.5/5/10
015																											2.5/5/10
016																											2.5/5/10
017																											2.5/5/10
018																											2.5/5/10
019																											2.5/5/10
020																											2.5/5/10

Exceptions to preservation check (VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: 12/3/21 KAP) Headspace in VOA Vials (<6mm)  Yes  No  N/A \*If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4

VG9A	40 mL clear ascorbic
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	



Document Name: Sample Condition Upon Receipt (SCUR)  
Document No.: ENV-FRM-GBAY-0014-Rev.00

Document Revised: 26Mar2020  
Author: Pace Green Bay Quality Office

### Sample Condition Upon Receipt Form (SCUR)

Client Name: Ramboll

Project #: WO# : 40237790

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_

Tracking #: 5092 4917 8935

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR-114/105 Type of Ice:  Wet  Blue  Dry  None  Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 1.1/1.5 Corr: 1.1/1.1

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
Date: 12/3/21 /Initials: MP  
Labeled By Initials: AL

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>proj# filter y/N, Invoice Info 12/3/21 MP</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		<u>002 MS/MSD Volume 12/3/21 MP</u>
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>471</u>		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments   
Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir