



Wisconsin Public Service Corporation
P.O. Box 19001
Green Bay, WI 54307-9001
www.wisconsinpublicservice.com

June 29, 2022

Mr. Scott Isaacs
Sheboygan City Hall
828 Center Ave #204
Sheboygan, Wisconsin 53081

**RE: Recent Sampling Results Sheboygan Campmarina Former Manufactured Gas Plant
732 North Water Street, Sheboygan, Wisconsin, 53081
WDNR BRRTS# 02-60-000095**

Dear Mr. Isaacs:

WEC Business Services, LLC (WBS), managing the Wisconsin Public Service Corporation (WPSC) former manufactured gas plant site at 732 North Water Street is providing analytical results from groundwater samples collected at locations MW701R, MW706, MW707R, MW708, MW709R, PZ701, PZ702, and PZ703 in June 2022 as part of routine, semi-annual monitoring. Wisconsin Administrative Code Chapter NR716.14 requires responsible parties (WPSC for the above-mentioned site) to report sampling results to the property owner, and occupant, as applicable.

Results of the sampling are summarized in the attached. This includes a summary table of the results compared to State guidance values. Copies of the associated laboratory reports and figures showing the locations of samples collected on your property are also included. The results are presented to the USEPA in monthly progress reports.

We appreciate your cooperation as sampling progresses. If you need additional information, please contact John Feeny from the WDNR at (920) 893-8523 or myself at (414) 221-2577.

Sincerely,

A handwritten signature in black ink that reads "Glenn R. Luke".


Glenn R. Luke, PE
Principal Engineer - Environmental

Enc: Figure 1. City of Sheboygan
Table 1. June 2022 Groundwater Analytical Results for the City of Sheboygan
Laboratory Report 40245959_frc

CC: USEPA RPM – Ms. Jena Sleboda Braun
WDNR PM – Mr. John Feeny

FIGURE


Feb 13, 2020 1:42pm PLOTTED BY: CAMRSEAG SAVED BY: CowrseAG
 I:\ACADData\Projects\13\1313\16-0\Figure 1_City of Sheboygan.dwg Layout1
 WGS: I:\ACADData\Projects\13\1313\16-0\ESRI Aerial 040816.jpg
 WREFS:



	PZ-701	PIEZOMETER
	MW-701R	MONITORING WELL
		PROPERTY BOUNDARY


SOURCE NOTES:

- COORDINATE REFERENCE SYSTEM IS NAD 1983 SHEBOYGAN COUNTY COORDINATE SYSTEM, US SURVEY FEET.
- IMAGERY LAYER CREDIT: Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



DRAWN BY:	DMD	DATE:	04/08/16
CHECKED BY:	ANS	DATE:	05/18/16
APPROVED BY:	KRM	DATE:	05/18/16
DRAWING NO: Fig 1_City of Stevens Point			
REFERENCE: .			

CITY OF SHEBOYGAN
 RECENT SAMPLING RESULTS
 FORMER CAMPMARINA MANUFACTURED GAS PLANT
 WISCONSIN PUBLIC SERVICE CORPORATION
 SHEBOYGAN, WISCONSIN
 BRRTS# 02-60-000095



PROJECT NO.
67971

FIGURE NO.
1

TABLE

Table 1. June 2022 Groundwater Analytical Results for the City of Sheboygan

June 2022 Third Party Notification
 Wisconsin Public Service Corporation
 Former Manufactured Gas Plant Site - Campmarina
 732 Water Street, Sheboygan, Wisconsin
 BRRTS#: 0260000095 | FID#: 460134950 | USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		BTEX		BTEX		BTEX		BTEX		Inorganic		Inorganic		Organic																	
			1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Benzene	Ethylbenzene	Toluene	Xylenes, Total	Nitrogen, NO2 + NO3, Total	Sulfate, Total	Methane																									
Reporting Units:			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L																			
			Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag																		
WI Groundwater PAL:			NS	NS	NS	NS	600	NS	0.02	0.02	NS	NS	0.02	NS	80	80	NS	10	NS	50	0.5	140	160	400	2,000	125,000	NS																									
WI Groundwater ES:			NS	NS	NS	NS	3,000	NS	0.2	0.2	NS	NS	0.2	NS	400	400	NS	100	NS	250	5	700	800	2,000	10,000	250,000	NS																									
060222005	MW-701R	06/02/2022	137		116		102		1.6	J	14.4		1.1	U	1.0	U	0.87	J	1.9	U	1.8	U	2.4	J	1.4	U	4.3		21.1		1.3	U	901		35.1		6.2		3,790		324		15.2	J	142		59	U	2,200	U	102	
060222006	MW-701R-Dup	06/02/2022	191		171		137		2.6	U	13.7		2.8	U	2.7	U	1.9	U	4.9	U	4.7	U	3.2	J	3.7	U	6.2	U	32.0		3.2	U	1,220		48.3		7.4	J	3,890		341		20.3	J	149		59	U	2,200	U	5,400	
060222009	MW-706	06/02/2022	301		129		33.6		156		12.9		1.4	U	1.3	U	0.91	U	2.3	U	2.2	U	2.8	J	1.8	U	5.1		35.6		1.5	U	1,700		30.3		7.3		3,900		498		1,760		610		900		86,000		59.4	
060222003	MW-707R	06/02/2022	10.7		0.085	J	3.9		0.11	J	0.37		0.053	U	0.050	U	0.036	U	0.091	U	0.087	U	0.049	U	0.070	U	0.11	J	1.6		0.061	U	22.5		0.97		0.13	J	2,220		2,550		27.3		603		59	U	84,200		7,100	
060222002	MW-708	06/02/2022	0.017	U	0.013	U	0.013	U	0.012	U	0.018	U	0.013	U	0.012	U	0.0087	U	0.022	U	0.021	U	0.012	U	0.017	U	0.025	U	0.022	U	0.015	U	0.019	J	0.024	U	0.022	U	0.30	U	0.33	U	0.29	U	1.0	U	410		51,000		0.58	U
060222001	MW-709R	06/02/2022	0.018	J	0.017	J	0.020	J	0.012	U	0.018	U	0.013	U	0.012	U	0.0087	U	0.022	U	0.021	U	0.012	U	0.017	U	0.025	U	0.022	U	0.015	U	0.11		0.024	U	0.022	U	0.30	U	0.33	U	0.29	U	1.0	U	59	U	32,900		919	
060222007	PZ-701	06/02/2022	0.017	U	0.013	U	0.013	U	0.012	U	0.017	U	0.013	U	0.012	U	0.0086	U	0.022	U	0.021	U	0.013	J	0.017	U	0.025	U	0.022	U	0.015	U	0.029	J	0.024	U	0.021	U	0.30	U	0.33	U	0.29	U	1.0	U	900		69,200		2.0	J
060222008	PZ-702	06/02/2022	0.018	U	0.014	U	0.014	U	0.012	U	0.018	U	0.013	U	0.012	U	0.0089	U	0.023	U	0.022	U	0.012	U	0.017	U	0.026	U	0.023	U	0.015	U	0.021	J	0.025	U	0.022	U	0.30	U	0.33	U	0.29	U	1.0	U	97	J	1,600	J	0.58	U
060222004	PZ-703	06/02/2022	0.042	J	0.035	J	0.022	J	0.020	J	0.018	U	0.013	U	0.012	U	0.0088	U	0.023	U	0.022	U	0.012	U	0.017	U	0.025	U	0.023	U	0.015	U	0.28		0.025	U	0.022	U	335		174		9.0		75.9		59	U	1,000	J	1,080	

[0:CMD 6/28/22, C:ECB 6/28/22, QC:AGC 6/29/22]

Underline attains or exceeds the WI Groundwater PAL
Bold attains or exceeds the WI Groundwater ES

Results & Flags:
 -- = Analysis not performed
 J = Estimated Concentration
 U = Concentration was not detected above the reported limit

Acronyms:
 µg/L = micrograms per liter
 BRRTS = Bureau for Remediation and Redevelopment Tracking System
 BTEX = Benzene, Toluene, Ethylbenzene and Xylene
 Dup = Quality Control Field Duplicate Sample
 ES = Enforcement Standard
 FID = facility identification number
 NO2 + NO3 = nitrite plus nitrate
 NS = A groundwater quality standard has not been established.
 PAH = Polycyclic Aromatic Hydrocarbon
 PAL = Preventive Action Limit
 USEPA = United States Environmental Protection Agency site identification number

Standards:
 PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective January 2020.

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.

LABORATORY DATA REPORTS

June 20, 2022

Andrew Cawrse
Ramboll Americas
234 W Florida St
Milwaukee, WI 53204

RE: Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Dear Andrew Cawrse:

Enclosed are the analytical results for sample(s) received by the laboratory on June 03, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mieczko for
Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: NRT Data, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40245959001	060222001	Water	06/02/22 08:24	06/03/22 07:10
40245959002	060222002	Water	06/02/22 09:14	06/03/22 07:10
40245959003	060222003	Water	06/02/22 11:51	06/03/22 07:10
40245959004	060222004	Water	06/02/22 12:21	06/03/22 07:10
40245959005	060222005	Water	06/02/22 13:04	06/03/22 07:10
40245959006	060222006	Water	06/02/22 13:09	06/03/22 07:10
40245959007	060222007	Water	06/02/22 13:51	06/03/22 07:10
40245959008	060222008	Water	06/02/22 14:30	06/03/22 07:10
40245959009	060222009	Water	06/02/22 15:08	06/03/22 07:10
40245959010	060222010	Water	06/02/22 15:38	06/03/22 07:10
40245959011	060222011	Water	06/02/22 00:00	06/03/22 07:10
40245959012	060222012	Water	06/02/22 00:00	06/03/22 07:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40245959001	060222001	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	EIB	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959002	060222002	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	EIB	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959003	060222003	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959004	060222004	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959005	060222005	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959006	060222006	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959007	060222007	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959008	060222008	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Lab ID	Sample ID	Method	Analysts	Analytes Reported
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959009	060222009	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959010	060222010	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	LAP	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40245959011	060222011	EPA 8260	EIB	7
40245959012	060222012	EPA 8260	EIB	7

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222001 **Lab ID: 40245959001** Collected: 06/02/22 08:24 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	919	ug/L	14.0	2.9	5		06/16/22 14:47	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	0.020J	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 12:23	83-32-9	
Acenaphthylene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 12:23	208-96-8	
Anthracene	<0.018	ug/L	0.048	0.018	1	06/06/22 08:02	06/07/22 12:23	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 12:23	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 12:23	50-32-8	
Benzo(b)fluoranthene	<0.0087	ug/L	0.048	0.0087	1	06/06/22 08:02	06/07/22 12:23	205-99-2	
Benzo(g,h,i)perylene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 12:23	191-24-2	
Benzo(k)fluoranthene	<0.021	ug/L	0.048	0.021	1	06/06/22 08:02	06/07/22 12:23	207-08-9	
Chrysene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 12:23	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 12:23	53-70-3	
Fluoranthene	<0.025	ug/L	0.048	0.025	1	06/06/22 08:02	06/07/22 12:23	206-44-0	
Fluorene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 12:23	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.048	0.015	1	06/06/22 08:02	06/07/22 12:23	193-39-5	
1-Methylnaphthalene	0.018J	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 12:23	90-12-0	
2-Methylnaphthalene	0.017J	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 12:23	91-57-6	
Naphthalene	0.11	ug/L	0.048	0.019	1	06/06/22 08:02	06/07/22 12:23	91-20-3	
Phenanthrene	<0.024	ug/L	0.048	0.024	1	06/06/22 08:02	06/07/22 12:23	85-01-8	
Pyrene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 12:23	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	73	%	44-120		1	06/06/22 08:02	06/07/22 12:23	321-60-8	
Terphenyl-d14 (S)	68	%	49-120		1	06/06/22 08:02	06/07/22 12:23	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 20:19	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 20:19	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 20:19	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 20:19	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	70-130		1		06/08/22 20:19	2037-26-5	
4-Bromofluorobenzene (S)	103	%	70-130		1		06/08/22 20:19	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		06/08/22 20:19	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	32.9	mg/L	2.0	0.44	1		06/10/22 18:20	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 12:55		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222002 **Lab ID: 40245959002** Collected: 06/02/22 09:14 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<0.58	ug/L	2.8	0.58	1		06/16/22 11:35	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.013	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 08:22	83-32-9	
Acenaphthylene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 08:22	208-96-8	
Anthracene	<0.018	ug/L	0.048	0.018	1	06/06/22 08:02	06/07/22 08:22	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 08:22	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 08:22	50-32-8	
Benzo(b)fluoranthene	<0.0087	ug/L	0.048	0.0087	1	06/06/22 08:02	06/07/22 08:22	205-99-2	
Benzo(g,h,i)perylene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 08:22	191-24-2	
Benzo(k)fluoranthene	<0.021	ug/L	0.048	0.021	1	06/06/22 08:02	06/07/22 08:22	207-08-9	
Chrysene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 08:22	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 08:22	53-70-3	
Fluoranthene	<0.025	ug/L	0.048	0.025	1	06/06/22 08:02	06/07/22 08:22	206-44-0	
Fluorene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 08:22	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.048	0.015	1	06/06/22 08:02	06/07/22 08:22	193-39-5	
1-Methylnaphthalene	<0.017	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 08:22	90-12-0	
2-Methylnaphthalene	<0.013	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 08:22	91-57-6	
Naphthalene	0.019J	ug/L	0.048	0.019	1	06/06/22 08:02	06/07/22 08:22	91-20-3	
Phenanthrene	<0.024	ug/L	0.048	0.024	1	06/06/22 08:02	06/07/22 08:22	85-01-8	
Pyrene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 08:22	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	71	%	44-120		1	06/06/22 08:02	06/07/22 08:22	321-60-8	
Terphenyl-d14 (S)	65	%	49-120		1	06/06/22 08:02	06/07/22 08:22	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 17:35	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 17:35	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 17:35	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 17:35	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	70-130		1		06/08/22 17:35	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		06/08/22 17:35	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		06/08/22 17:35	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	51.0	mg/L	20.0	4.4	10		06/13/22 23:11	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.41	mg/L	0.25	0.059	1		06/08/22 12:55		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222003 **Lab ID: 40245959003** Collected: 06/02/22 11:51 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	7100	ug/L	70.0	14.4	25		06/16/22 14:54	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	3.9	ug/L	0.20	0.054	4	06/06/22 08:02	06/07/22 12:42	83-32-9	
Acenaphthylene	0.11J	ug/L	0.20	0.049	4	06/06/22 08:02	06/07/22 12:42	208-96-8	
Anthracene	0.37	ug/L	0.20	0.072	4	06/06/22 08:02	06/07/22 12:42	120-12-7	
Benzo(a)anthracene	<0.053	ug/L	0.20	0.053	4	06/06/22 08:02	06/07/22 12:42	56-55-3	
Benzo(a)pyrene	<0.050	ug/L	0.20	0.050	4	06/06/22 08:02	06/07/22 12:42	50-32-8	
Benzo(b)fluoranthene	<0.036	ug/L	0.20	0.036	4	06/06/22 08:02	06/07/22 12:42	205-99-2	
Benzo(g,h,i)perylene	<0.091	ug/L	0.20	0.091	4	06/06/22 08:02	06/07/22 12:42	191-24-2	
Benzo(k)fluoranthene	<0.087	ug/L	0.20	0.087	4	06/06/22 08:02	06/07/22 12:42	207-08-9	
Chrysene	<0.049	ug/L	0.20	0.049	4	06/06/22 08:02	06/07/22 12:42	218-01-9	
Dibenz(a,h)anthracene	<0.070	ug/L	0.20	0.070	4	06/06/22 08:02	06/07/22 12:42	53-70-3	
Fluoranthene	0.11J	ug/L	0.20	0.10	4	06/06/22 08:02	06/07/22 12:42	206-44-0	
Fluorene	1.6	ug/L	0.20	0.092	4	06/06/22 08:02	06/07/22 12:42	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.061	ug/L	0.20	0.061	4	06/06/22 08:02	06/07/22 12:42	193-39-5	
1-Methylnaphthalene	10.7	ug/L	0.20	0.070	4	06/06/22 08:02	06/07/22 12:42	90-12-0	
2-Methylnaphthalene	0.085J	ug/L	0.20	0.054	4	06/06/22 08:02	06/07/22 12:42	91-57-6	
Naphthalene	22.5	ug/L	0.20	0.078	4	06/06/22 08:02	06/07/22 12:42	91-20-3	
Phenanthrene	0.97	ug/L	0.20	0.10	4	06/06/22 08:02	06/07/22 12:42	85-01-8	
Pyrene	0.13J	ug/L	0.20	0.089	4	06/06/22 08:02	06/07/22 12:42	129-00-0	B
Surrogates									
2-Fluorobiphenyl (S)	8	%	44-120		4	06/06/22 08:02	06/07/22 12:42	321-60-8	1q,S0
Terphenyl-d14 (S)	7	%	49-120		4	06/06/22 08:02	06/07/22 12:42	1718-51-0	1q,S0
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	2220	ug/L	10.0	3.0	10		06/08/22 18:29	71-43-2	
Ethylbenzene	2550	ug/L	10.0	3.3	10		06/08/22 18:29	100-41-4	
Toluene	27.3	ug/L	10.0	2.9	10		06/08/22 18:29	108-88-3	
Xylene (Total)	603	ug/L	30.0	10.5	10		06/08/22 18:29	1330-20-7	
Surrogates									
Toluene-d8 (S)	105	%	70-130		10		06/08/22 18:29	2037-26-5	
4-Bromofluorobenzene (S)	114	%	70-130		10		06/08/22 18:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		10		06/08/22 18:29	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	84.2	mg/L	10.0	2.2	5		06/13/22 23:55	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 12:59		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Sample: 060222004 **Lab ID: 40245959004** Collected: 06/02/22 12:21 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	1080	ug/L	14.0	2.9	5		06/16/22 15:01	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	0.022J	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 17:39	83-32-9	
Acenaphthylene	0.020J	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 17:39	208-96-8	
Anthracene	<0.018	ug/L	0.048	0.018	1	06/06/22 08:02	06/07/22 17:39	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 17:39	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 17:39	50-32-8	
Benzo(b)fluoranthene	<0.0088	ug/L	0.048	0.0088	1	06/06/22 08:02	06/07/22 17:39	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.048	0.023	1	06/06/22 08:02	06/07/22 17:39	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 17:39	207-08-9	
Chrysene	<0.012	ug/L	0.048	0.012	1	06/06/22 08:02	06/07/22 17:39	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 17:39	53-70-3	
Fluoranthene	<0.025	ug/L	0.048	0.025	1	06/06/22 08:02	06/07/22 17:39	206-44-0	
Fluorene	<0.023	ug/L	0.048	0.023	1	06/06/22 08:02	06/07/22 17:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.048	0.015	1	06/06/22 08:02	06/07/22 17:39	193-39-5	
1-Methylnaphthalene	0.042J	ug/L	0.048	0.017	1	06/06/22 08:02	06/07/22 17:39	90-12-0	
2-Methylnaphthalene	0.035J	ug/L	0.048	0.013	1	06/06/22 08:02	06/07/22 17:39	91-57-6	
Naphthalene	0.28	ug/L	0.048	0.019	1	06/06/22 08:02	06/07/22 17:39	91-20-3	
Phenanthrene	<0.025	ug/L	0.048	0.025	1	06/06/22 08:02	06/07/22 17:39	85-01-8	
Pyrene	<0.022	ug/L	0.048	0.022	1	06/06/22 08:02	06/07/22 17:39	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	72	%	44-120		1	06/06/22 08:02	06/07/22 17:39	321-60-8	
Terphenyl-d14 (S)	64	%	49-120		1	06/06/22 08:02	06/07/22 17:39	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	335	ug/L	4.0	1.2	4		06/09/22 10:05	71-43-2	
Ethylbenzene	174	ug/L	1.0	0.33	1		06/08/22 16:30	100-41-4	
Toluene	9.0	ug/L	1.0	0.29	1		06/08/22 16:30	108-88-3	
Xylene (Total)	75.9	ug/L	3.0	1.0	1		06/08/22 16:30	1330-20-7	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		06/08/22 16:30	2037-26-5	
4-Bromofluorobenzene (S)	110	%	70-130		1		06/08/22 16:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1		06/08/22 16:30	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	1.0J	mg/L	2.0	0.44	1		06/10/22 19:34	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 13:00		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222005 **Lab ID: 40245959005** Collected: 06/02/22 13:04 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	102	ug/L	2.8	0.58	1		06/16/22 17:59	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	102	ug/L	4.0	1.1	80	06/06/22 08:02	06/07/22 13:19	83-32-9	
Acenaphthylene	1.6J	ug/L	4.0	1.0	80	06/06/22 08:02	06/07/22 13:19	208-96-8	
Anthracene	14.4	ug/L	4.0	1.5	80	06/06/22 08:02	06/07/22 13:19	120-12-7	
Benzo(a)anthracene	<1.1	ug/L	4.0	1.1	80	06/06/22 08:02	06/07/22 13:19	56-55-3	
Benzo(a)pyrene	<1.0	ug/L	4.0	1.0	80	06/06/22 08:02	06/07/22 13:19	50-32-8	
Benzo(b)fluoranthene	0.87J	ug/L	4.0	0.74	80	06/06/22 08:02	06/07/22 13:19	205-99-2	B
Benzo(g,h,i)perylene	<1.9	ug/L	4.0	1.9	80	06/06/22 08:02	06/07/22 13:19	191-24-2	
Benzo(k)fluoranthene	<1.8	ug/L	4.0	1.8	80	06/06/22 08:02	06/07/22 13:19	207-08-9	
Chrysene	2.4J	ug/L	4.0	1.0	80	06/06/22 08:02	06/07/22 13:19	218-01-9	
Dibenz(a,h)anthracene	<1.4	ug/L	4.0	1.4	80	06/06/22 08:02	06/07/22 13:19	53-70-3	
Fluoranthene	4.3	ug/L	4.0	2.1	80	06/06/22 08:02	06/07/22 13:19	206-44-0	
Fluorene	21.1	ug/L	4.0	1.9	80	06/06/22 08:02	06/07/22 13:19	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.3	ug/L	4.0	1.3	80	06/06/22 08:02	06/07/22 13:19	193-39-5	
1-Methylnaphthalene	137	ug/L	4.0	1.4	80	06/06/22 08:02	06/07/22 13:19	90-12-0	
2-Methylnaphthalene	116	ug/L	4.0	1.1	80	06/06/22 08:02	06/07/22 13:19	91-57-6	
Naphthalene	901	ug/L	4.0	1.6	80	06/06/22 08:02	06/07/22 13:19	91-20-3	
Phenanthrene	35.1	ug/L	4.0	2.1	80	06/06/22 08:02	06/07/22 13:19	85-01-8	
Pyrene	6.2	ug/L	4.0	1.8	80	06/06/22 08:02	06/07/22 13:19	129-00-0	B
Surrogates									
2-Fluorobiphenyl (S)	99	%	44-120		80	06/06/22 08:02	06/07/22 13:19	321-60-8	
Terphenyl-d14 (S)	64	%	49-120		80	06/06/22 08:02	06/07/22 13:19	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3790	ug/L	20.0	5.9	20		06/08/22 18:09	71-43-2	
Ethylbenzene	324	ug/L	20.0	6.5	20		06/08/22 18:09	100-41-4	
Toluene	15.2J	ug/L	20.0	5.8	20		06/08/22 18:09	108-88-3	
Xylene (Total)	142	ug/L	60.0	21.0	20		06/08/22 18:09	1330-20-7	
Surrogates									
Toluene-d8 (S)	105	%	70-130		20		06/08/22 18:09	2037-26-5	
4-Bromofluorobenzene (S)	114	%	70-130		20		06/08/22 18:09	460-00-4	
1,2-Dichlorobenzene-d4 (S)	110	%	70-130		20		06/08/22 18:09	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		06/10/22 19:49	14808-79-8	D3
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 13:02		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Sample: 060222006 **Lab ID: 40245959006** Collected: 06/02/22 13:09 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	5400	ug/L	56.0	11.5	20		06/16/22 17:11	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	137	ug/L	10.4	2.9	200	06/06/22 08:02	06/08/22 09:26	83-32-9	
Acenaphthylene	<2.6	ug/L	10.4	2.6	200	06/06/22 08:02	06/08/22 09:26	208-96-8	
Anthracene	13.7	ug/L	10.4	3.9	200	06/06/22 08:02	06/08/22 09:26	120-12-7	
Benzo(a)anthracene	<2.8	ug/L	10.4	2.8	200	06/06/22 08:02	06/08/22 09:26	56-55-3	
Benzo(a)pyrene	<2.7	ug/L	10.4	2.7	200	06/06/22 08:02	06/08/22 09:26	50-32-8	
Benzo(b)fluoranthene	<1.9	ug/L	10.4	1.9	200	06/06/22 08:02	06/08/22 09:26	205-99-2	
Benzo(g,h,i)perylene	<4.9	ug/L	10.4	4.9	200	06/06/22 08:02	06/08/22 09:26	191-24-2	
Benzo(k)fluoranthene	<4.7	ug/L	10.4	4.7	200	06/06/22 08:02	06/08/22 09:26	207-08-9	
Chrysene	3.2J	ug/L	10.4	2.6	200	06/06/22 08:02	06/08/22 09:26	218-01-9	
Dibenz(a,h)anthracene	<3.7	ug/L	10.4	3.7	200	06/06/22 08:02	06/08/22 09:26	53-70-3	
Fluoranthene	6.2J	ug/L	10.4	5.4	200	06/06/22 08:02	06/08/22 09:26	206-44-0	
Fluorene	32.0	ug/L	10.4	4.9	200	06/06/22 08:02	06/08/22 09:26	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.2	ug/L	10.4	3.2	200	06/06/22 08:02	06/08/22 09:26	193-39-5	
1-Methylnaphthalene	191	ug/L	10.4	3.7	200	06/06/22 08:02	06/08/22 09:26	90-12-0	
2-Methylnaphthalene	171	ug/L	10.4	2.9	200	06/06/22 08:02	06/08/22 09:26	91-57-6	
Naphthalene	1220	ug/L	10.4	4.2	200	06/06/22 08:02	06/08/22 09:26	91-20-3	
Phenanthrene	48.3	ug/L	10.4	5.3	200	06/06/22 08:02	06/08/22 09:26	85-01-8	
Pyrene	7.4J	ug/L	10.4	4.7	200	06/06/22 08:02	06/08/22 09:26	129-00-0	B
Surrogates									
2-Fluorobiphenyl (S)	0	%	44-120		200	06/06/22 08:02	06/08/22 09:26	321-60-8	S4
Terphenyl-d14 (S)	68	%	49-120		200	06/06/22 08:02	06/08/22 09:26	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3890	ug/L	20.0	5.9	20		06/08/22 17:50	71-43-2	
Ethylbenzene	341	ug/L	20.0	6.5	20		06/08/22 17:50	100-41-4	
Toluene	20.3	ug/L	20.0	5.8	20		06/08/22 17:50	108-88-3	
Xylene (Total)	149	ug/L	60.0	21.0	20		06/08/22 17:50	1330-20-7	
Surrogates									
Toluene-d8 (S)	105	%	70-130		20		06/08/22 17:50	2037-26-5	
4-Bromofluorobenzene (S)	113	%	70-130		20		06/08/22 17:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	70-130		20		06/08/22 17:50	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		06/10/22 20:04	14808-79-8	D3
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 13:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222007 **Lab ID: 40245959007** Collected: 06/02/22 13:51 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	2.0J	ug/L	2.8	0.58	1		06/16/22 12:09	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 13:57	83-32-9	
Acenaphthylene	<0.012	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 13:57	208-96-8	
Anthracene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 13:57	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 13:57	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 13:57	50-32-8	
Benzo(b)fluoranthene	<0.0086	ug/L	0.047	0.0086	1	06/06/22 08:02	06/07/22 13:57	205-99-2	
Benzo(g,h,i)perylene	<0.022	ug/L	0.047	0.022	1	06/06/22 08:02	06/07/22 13:57	191-24-2	
Benzo(k)fluoranthene	<0.021	ug/L	0.047	0.021	1	06/06/22 08:02	06/07/22 13:57	207-08-9	
Chrysene	0.013J	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 13:57	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 13:57	53-70-3	
Fluoranthene	<0.025	ug/L	0.047	0.025	1	06/06/22 08:02	06/07/22 13:57	206-44-0	
Fluorene	<0.022	ug/L	0.047	0.022	1	06/06/22 08:02	06/07/22 13:57	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.047	0.015	1	06/06/22 08:02	06/07/22 13:57	193-39-5	
1-Methylnaphthalene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 13:57	90-12-0	
2-Methylnaphthalene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 13:57	91-57-6	
Naphthalene	0.029J	ug/L	0.047	0.019	1	06/06/22 08:02	06/07/22 13:57	91-20-3	
Phenanthrene	<0.024	ug/L	0.047	0.024	1	06/06/22 08:02	06/07/22 13:57	85-01-8	
Pyrene	<0.021	ug/L	0.047	0.021	1	06/06/22 08:02	06/07/22 13:57	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	70	%	44-120		1	06/06/22 08:02	06/07/22 13:57	321-60-8	
Terphenyl-d14 (S)	62	%	49-120		1	06/06/22 08:02	06/07/22 13:57	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 14:31	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 14:31	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 14:31	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 14:31	1330-20-7	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		06/08/22 14:31	2037-26-5	
4-Bromofluorobenzene (S)	111	%	70-130		1		06/08/22 14:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	70-130		1		06/08/22 14:31	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	69.2	mg/L	10.0	2.2	5		06/14/22 00:10	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.90	mg/L	0.25	0.059	1		06/08/22 13:03		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Sample: 060222008 **Lab ID: 40245959008** Collected: 06/02/22 14:30 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<0.58	ug/L	2.8	0.58	1		06/16/22 12:16	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.049	0.014	1	06/06/22 08:02	06/07/22 14:15	83-32-9	
Acenaphthylene	<0.012	ug/L	0.049	0.012	1	06/06/22 08:02	06/07/22 14:15	208-96-8	
Anthracene	<0.018	ug/L	0.049	0.018	1	06/06/22 08:02	06/07/22 14:15	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.049	0.013	1	06/06/22 08:02	06/07/22 14:15	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.049	0.012	1	06/06/22 08:02	06/07/22 14:15	50-32-8	
Benzo(b)fluoranthene	<0.0089	ug/L	0.049	0.0089	1	06/06/22 08:02	06/07/22 14:15	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.049	0.023	1	06/06/22 08:02	06/07/22 14:15	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.049	0.022	1	06/06/22 08:02	06/07/22 14:15	207-08-9	
Chrysene	<0.012	ug/L	0.049	0.012	1	06/06/22 08:02	06/07/22 14:15	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.049	0.017	1	06/06/22 08:02	06/07/22 14:15	53-70-3	
Fluoranthene	<0.026	ug/L	0.049	0.026	1	06/06/22 08:02	06/07/22 14:15	206-44-0	
Fluorene	<0.023	ug/L	0.049	0.023	1	06/06/22 08:02	06/07/22 14:15	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.049	0.015	1	06/06/22 08:02	06/07/22 14:15	193-39-5	
1-Methylnaphthalene	<0.018	ug/L	0.049	0.018	1	06/06/22 08:02	06/07/22 14:15	90-12-0	
2-Methylnaphthalene	<0.014	ug/L	0.049	0.014	1	06/06/22 08:02	06/07/22 14:15	91-57-6	
Naphthalene	0.021J	ug/L	0.049	0.020	1	06/06/22 08:02	06/07/22 14:15	91-20-3	
Phenanthrene	<0.025	ug/L	0.049	0.025	1	06/06/22 08:02	06/07/22 14:15	85-01-8	
Pyrene	<0.022	ug/L	0.049	0.022	1	06/06/22 08:02	06/07/22 14:15	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	61	%	44-120		1	06/06/22 08:02	06/07/22 14:15	321-60-8	
Terphenyl-d14 (S)	57	%	49-120		1	06/06/22 08:02	06/07/22 14:15	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 14:51	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 14:51	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 14:51	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 14:51	1330-20-7	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		06/08/22 14:51	2037-26-5	
4-Bromofluorobenzene (S)	109	%	70-130		1		06/08/22 14:51	460-00-4	
1,2-Dichlorobenzene-d4 (S)	111	%	70-130		1		06/08/22 14:51	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	1.6J	mg/L	2.0	0.44	1		06/10/22 21:18	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.097J	mg/L	0.25	0.059	1		06/08/22 13:04		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222009 **Lab ID: 40245959009** Collected: 06/02/22 15:08 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	59.4	ug/L	2.8	0.58	1		06/16/22 12:23	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	33.6	ug/L	5.0	1.4	100	06/06/22 08:02	06/07/22 14:34	83-32-9	
Acenaphthylene	156	ug/L	5.0	1.3	100	06/06/22 08:02	06/07/22 14:34	208-96-8	
Anthracene	12.9	ug/L	5.0	1.8	100	06/06/22 08:02	06/07/22 14:34	120-12-7	
Benzo(a)anthracene	<1.4	ug/L	5.0	1.4	100	06/06/22 08:02	06/07/22 14:34	56-55-3	
Benzo(a)pyrene	<1.3	ug/L	5.0	1.3	100	06/06/22 08:02	06/07/22 14:34	50-32-8	
Benzo(b)fluoranthene	<0.91	ug/L	5.0	0.91	100	06/06/22 08:02	06/07/22 14:34	205-99-2	
Benzo(g,h,i)perylene	<2.3	ug/L	5.0	2.3	100	06/06/22 08:02	06/07/22 14:34	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/L	5.0	2.2	100	06/06/22 08:02	06/07/22 14:34	207-08-9	
Chrysene	2.8J	ug/L	5.0	1.3	100	06/06/22 08:02	06/07/22 14:34	218-01-9	
Dibenz(a,h)anthracene	<1.8	ug/L	5.0	1.8	100	06/06/22 08:02	06/07/22 14:34	53-70-3	
Fluoranthene	5.1	ug/L	5.0	2.6	100	06/06/22 08:02	06/07/22 14:34	206-44-0	
Fluorene	35.6	ug/L	5.0	2.3	100	06/06/22 08:02	06/07/22 14:34	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.5	ug/L	5.0	1.5	100	06/06/22 08:02	06/07/22 14:34	193-39-5	
1-Methylnaphthalene	301	ug/L	5.0	1.8	100	06/06/22 08:02	06/07/22 14:34	90-12-0	
2-Methylnaphthalene	129	ug/L	5.0	1.4	100	06/06/22 08:02	06/07/22 14:34	91-57-6	
Naphthalene	1700	ug/L	5.0	2.0	100	06/06/22 08:02	06/07/22 14:34	91-20-3	
Phenanthrene	30.3	ug/L	5.0	2.6	100	06/06/22 08:02	06/07/22 14:34	85-01-8	
Pyrene	7.3	ug/L	5.0	2.3	100	06/06/22 08:02	06/07/22 14:34	129-00-0	B
Surrogates									
2-Fluorobiphenyl (S)	75	%	44-120		100	06/06/22 08:02	06/07/22 14:34	321-60-8	
Terphenyl-d14 (S)	82	%	49-120		100	06/06/22 08:02	06/07/22 14:34	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3900	ug/L	25.0	7.4	25		06/08/22 17:30	71-43-2	
Ethylbenzene	498	ug/L	25.0	8.1	25		06/08/22 17:30	100-41-4	
Toluene	1760	ug/L	25.0	7.2	25		06/08/22 17:30	108-88-3	
Xylene (Total)	610	ug/L	75.0	26.2	25		06/08/22 17:30	1330-20-7	
Surrogates									
Toluene-d8 (S)	104	%	70-130		25		06/08/22 17:30	2037-26-5	
4-Bromofluorobenzene (S)	108	%	70-130		25		06/08/22 17:30	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		25		06/08/22 17:30	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	86.0	mg/L	10.0	2.2	5		06/14/22 22:04	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.90	mg/L	0.25	0.059	1		06/08/22 13:05		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Sample: 060222010 **Lab ID: 40245959010** Collected: 06/02/22 15:38 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<0.58	ug/L	2.8	0.58	1		06/16/22 12:30	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 14:52	83-32-9	
Acenaphthylene	<0.012	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 14:52	208-96-8	
Anthracene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 14:52	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 14:52	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 14:52	50-32-8	
Benzo(b)fluoranthene	<0.0085	ug/L	0.047	0.0085	1	06/06/22 08:02	06/07/22 14:52	205-99-2	
Benzo(g,h,i)perylene	<0.022	ug/L	0.047	0.022	1	06/06/22 08:02	06/07/22 14:52	191-24-2	
Benzo(k)fluoranthene	<0.021	ug/L	0.047	0.021	1	06/06/22 08:02	06/07/22 14:52	207-08-9	
Chrysene	<0.012	ug/L	0.047	0.012	1	06/06/22 08:02	06/07/22 14:52	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 14:52	53-70-3	
Fluoranthene	<0.024	ug/L	0.047	0.024	1	06/06/22 08:02	06/07/22 14:52	206-44-0	
Fluorene	<0.022	ug/L	0.047	0.022	1	06/06/22 08:02	06/07/22 14:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.014	ug/L	0.047	0.014	1	06/06/22 08:02	06/07/22 14:52	193-39-5	
1-Methylnaphthalene	<0.017	ug/L	0.047	0.017	1	06/06/22 08:02	06/07/22 14:52	90-12-0	
2-Methylnaphthalene	<0.013	ug/L	0.047	0.013	1	06/06/22 08:02	06/07/22 14:52	91-57-6	
Naphthalene	<0.019	ug/L	0.047	0.019	1	06/06/22 08:02	06/07/22 14:52	91-20-3	
Phenanthrene	<0.024	ug/L	0.047	0.024	1	06/06/22 08:02	06/07/22 14:52	85-01-8	
Pyrene	<0.021	ug/L	0.047	0.021	1	06/06/22 08:02	06/07/22 14:52	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	67	%	44-120		1	06/06/22 08:02	06/07/22 14:52	321-60-8	
Terphenyl-d14 (S)	61	%	49-120		1	06/06/22 08:02	06/07/22 14:52	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 15:11	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 15:11	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 15:11	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 15:11	1330-20-7	
Surrogates									
Toluene-d8 (S)	105	%	70-130		1		06/08/22 15:11	2037-26-5	
4-Bromofluorobenzene (S)	107	%	70-130		1		06/08/22 15:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		06/08/22 15:11	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<0.44	mg/L	2.0	0.44	1		06/13/22 14:39	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		06/08/22 13:05		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Sample: 060222011 **Lab ID: 40245959011** Collected: 06/02/22 00:00 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 16:34	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 16:34	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 16:34	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 16:34	1330-20-7	
Surrogates									
Toluene-d8 (S)	98	%	70-130		1		06/08/22 16:34	2037-26-5	
4-Bromofluorobenzene (S)	103	%	70-130		1		06/08/22 16:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		06/08/22 16:34	2199-69-1	

Sample: 060222012 **Lab ID: 40245959012** Collected: 06/02/22 00:00 Received: 06/03/22 07:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		06/08/22 16:13	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		06/08/22 16:13	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		06/08/22 16:13	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		06/08/22 16:13	1330-20-7	
Surrogates									
Toluene-d8 (S)	97	%	70-130		1		06/08/22 16:13	2037-26-5	
4-Bromofluorobenzene (S)	102	%	70-130		1		06/08/22 16:13	460-00-4	
1,2-Dichlorobenzene-d4 (S)	108	%	70-130		1		06/08/22 16:13	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch:	418507	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

METHOD BLANK: 2410208 Matrix: Water
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methane	ug/L	<0.58	2.8	06/16/22 10:29	

LABORATORY CONTROL SAMPLE & LCSD: 2410209 2410210

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	28.6	29.3	30.0	103	105	73-120	2	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2410211 2410212

Parameter	Units	40245959002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methane	ug/L	<0.58	28.6	28.6	27.5	26.8	96	94	10-200	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch:	417476	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

METHOD BLANK: 2404243 Matrix: Water
Associated Lab Samples: 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	06/08/22 08:53	
Ethylbenzene	ug/L	<0.33	1.0	06/08/22 08:53	
Toluene	ug/L	<0.29	1.0	06/08/22 08:53	
Xylene (Total)	ug/L	<1.0	3.0	06/08/22 08:53	
1,2-Dichlorobenzene-d4 (S)	%	105	70-130	06/08/22 08:53	
4-Bromofluorobenzene (S)	%	107	70-130	06/08/22 08:53	
Toluene-d8 (S)	%	103	70-130	06/08/22 08:53	

LABORATORY CONTROL SAMPLE: 2404244

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	52.3	105	70-130	
Ethylbenzene	ug/L	50	56.3	113	80-120	
Toluene	ug/L	50	55.1	110	80-120	
Xylene (Total)	ug/L	150	165	110	70-130	
1,2-Dichlorobenzene-d4 (S)	%			102	70-130	
4-Bromofluorobenzene (S)	%			122	70-130	
Toluene-d8 (S)	%			106	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2404245 2404246

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40245956002 Result	Spike Conc.	Spike Conc.	Conc.								
Benzene	ug/L	8.6	50	50	59.2	59.0	101	101	70-130	0	20		
Ethylbenzene	ug/L	<1.0	50	50	56.4	55.5	113	111	80-121	2	20		
Toluene	ug/L	<1.0	50	50	54.6	54.1	109	107	80-120	1	20		
Xylene (Total)	ug/L	<3.0	150	150	162	161	108	107	70-130	1	20		
1,2-Dichlorobenzene-d4 (S)	%						101	101	70-130				
4-Bromofluorobenzene (S)	%						115	117	70-130				
Toluene-d8 (S)	%						107	107	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch: 417684 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV UST-WATER
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40245959001, 40245959002, 40245959011, 40245959012

METHOD BLANK: 2405133 Matrix: Water
Associated Lab Samples: 40245959001, 40245959002, 40245959011, 40245959012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	06/08/22 14:31	
Ethylbenzene	ug/L	<0.33	1.0	06/08/22 14:31	
Toluene	ug/L	<0.29	1.0	06/08/22 14:31	
Xylene (Total)	ug/L	<1.0	3.0	06/08/22 14:31	
1,2-Dichlorobenzene-d4 (S)	%	106	70-130	06/08/22 14:31	
4-Bromofluorobenzene (S)	%	102	70-130	06/08/22 14:31	
Toluene-d8 (S)	%	97	70-130	06/08/22 14:31	

LABORATORY CONTROL SAMPLE: 2405134

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	52.2	104	70-130	
Ethylbenzene	ug/L	50	54.6	109	80-120	
Toluene	ug/L	50	50.7	101	80-120	
Xylene (Total)	ug/L	150	163	109	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2405135 2405136

Parameter	Units	2405135		2405136		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Benzene	ug/L	<0.30	50	50	51.1	52.7	102	105	70-130	3	20
Ethylbenzene	ug/L	<0.33	50	50	54.4	54.9	109	110	80-121	1	20
Toluene	ug/L	<0.29	50	50	50.2	50.5	100	101	80-120	1	20
Xylene (Total)	ug/L	<1.0	150	150	163	162	109	108	70-130	0	20
1,2-Dichlorobenzene-d4 (S)	%						98	101	70-130		
4-Bromofluorobenzene (S)	%						103	105	70-130		
Toluene-d8 (S)	%						97	100	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch: 417480 Analysis Method: EPA 8270E by SIM
QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

METHOD BLANK: 2404256 Matrix: Water
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.018	0.050	06/07/22 07:45	
2-Methylnaphthalene	ug/L	<0.014	0.050	06/07/22 07:45	
Acenaphthene	ug/L	<0.014	0.050	06/07/22 07:45	
Acenaphthylene	ug/L	<0.013	0.050	06/07/22 07:45	
Anthracene	ug/L	<0.018	0.050	06/07/22 07:45	
Benzo(a)anthracene	ug/L	<0.014	0.050	06/07/22 07:45	
Benzo(a)pyrene	ug/L	<0.013	0.050	06/07/22 07:45	
Benzo(b)fluoranthene	ug/L	0.013J	0.050	06/07/22 07:45	
Benzo(g,h,i)perylene	ug/L	<0.023	0.050	06/07/22 07:45	
Benzo(k)fluoranthene	ug/L	<0.022	0.050	06/07/22 07:45	
Chrysene	ug/L	<0.013	0.050	06/07/22 07:45	
Dibenz(a,h)anthracene	ug/L	<0.018	0.050	06/07/22 07:45	
Fluoranthene	ug/L	<0.026	0.050	06/07/22 07:45	
Fluorene	ug/L	<0.024	0.050	06/07/22 07:45	
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.050	06/07/22 07:45	
Naphthalene	ug/L	<0.020	0.050	06/07/22 07:45	
Phenanthrene	ug/L	<0.026	0.050	06/07/22 07:45	
Pyrene	ug/L	0.024J	0.050	06/07/22 07:45	
2-Fluorobiphenyl (S)	%	77	44-120	06/07/22 07:45	
Terphenyl-d14 (S)	%	71	49-120	06/07/22 07:45	

LABORATORY CONTROL SAMPLE: 2404257

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.5	73	51-120	
2-Methylnaphthalene	ug/L	2	1.4	71	50-120	
Acenaphthene	ug/L	2	1.6	82	65-120	
Acenaphthylene	ug/L	2	1.5	77	61-120	
Anthracene	ug/L	2	1.6	82	61-104	
Benzo(a)anthracene	ug/L	2	1.4	70	51-96	
Benzo(a)pyrene	ug/L	2	1.8	90	68-120	
Benzo(b)fluoranthene	ug/L	2	1.4	69	55-97	
Benzo(g,h,i)perylene	ug/L	2	1.7	86	69-120	
Benzo(k)fluoranthene	ug/L	2	2.0	102	73-120	
Chrysene	ug/L	2	2.1	105	72-126	
Dibenz(a,h)anthracene	ug/L	2	1.8	89	57-115	
Fluoranthene	ug/L	2	1.6	82	58-111	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

LABORATORY CONTROL SAMPLE: 2404257

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/L	2	1.6	81	62-120	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.7	86	66-120	
Naphthalene	ug/L	2	1.5	73	53-120	
Phenanthrene	ug/L	2	1.5	73	59-120	
Pyrene	ug/L	2	1.6	80	59-120	
2-Fluorobiphenyl (S)	%			74	44-120	
Terphenyl-d14 (S)	%			68	49-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2404258 2404259

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40245959002 Result	Spike Conc.	Spike Conc.	MS Result						
1-Methylnaphthalene	ug/L	<0.017	2	1.9	1.4	1.4	71	74	22-120	3	20
2-Methylnaphthalene	ug/L	<0.013	2	1.9	1.4	1.4	69	71	18-120	3	20
Acenaphthene	ug/L	<0.013	2	1.9	1.6	1.6	82	83	26-120	1	20
Acenaphthylene	ug/L	<0.012	2	1.9	1.5	1.5	78	78	28-120	1	20
Anthracene	ug/L	<0.018	2	1.9	1.7	1.6	89	83	19-124	8	20
Benzo(a)anthracene	ug/L	<0.013	2	1.9	1.2	1.2	64	61	10-125	4	20
Benzo(a)pyrene	ug/L	<0.012	2	1.9	1.9	1.7	96	87	11-134	10	20
Benzo(b)fluoranthene	ug/L	<0.0087	2	1.9	1.4	1.3	73	66	10-118	11	20
Benzo(g,h,i)perylene	ug/L	<0.022	2	1.9	1.7	1.5	88	76	10-135	14	20
Benzo(k)fluoranthene	ug/L	<0.021	2	1.9	2.1	1.9	106	97	17-136	9	20
Chrysene	ug/L	<0.012	2	1.9	2.2	2.0	114	104	27-144	10	20
Dibenz(a,h)anthracene	ug/L	<0.017	2	1.9	1.9	1.6	99	82	10-142	18	20
Fluoranthene	ug/L	<0.025	2	1.9	1.7	1.6	87	80	26-129	9	20
Fluorene	ug/L	<0.022	2	1.9	1.6	1.6	82	84	27-120	2	20
Indeno(1,2,3-cd)pyrene	ug/L	<0.015	2	1.9	1.8	1.5	91	78	10-134	17	20
Naphthalene	ug/L	0.019J	2	1.9	1.4	1.5	73	76	11-120	3	20
Phenanthrene	ug/L	<0.024	2	1.9	1.5	1.3	76	69	23-120	10	20
Pyrene	ug/L	<0.022	2	1.9	1.6	1.5	84	78	24-120	7	20
2-Fluorobiphenyl (S)	%						78	75	44-120		
Terphenyl-d14 (S)	%						70	65	49-120		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch:	418009	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008

METHOD BLANK: 2407345 Matrix: Water
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004, 40245959005, 40245959006, 40245959007, 40245959008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	06/10/22 12:49	

LABORATORY CONTROL SAMPLE: 2407346

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	21.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2407347 2407348

Parameter	Units	40246331004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	26.2	20	20	46.2	46.2	100	100	90-110	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2407349 2407350

Parameter	Units	40245959002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	mg/L	51.0	200	200	263	260	106	104	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

QC Batch: 418011	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40245959009, 40245959010

METHOD BLANK: 2407354 Matrix: Water

Associated Lab Samples: 40245959009, 40245959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	06/13/22 13:28	

LABORATORY CONTROL SAMPLE: 2407355

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	21.1	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2407356 2407357

Parameter	Units	2407356		2407357		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40245959009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Sulfate	mg/L	86.0	100	100	191	190	105	104	90-110	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch: 417721 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004

METHOD BLANK: 2405254 Matrix: Water
Associated Lab Samples: 40245959001, 40245959002, 40245959003, 40245959004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	06/08/22 12:38	

LABORATORY CONTROL SAMPLE: 2405255

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.4	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2405256 2405257

Parameter	Units	2405256		2405257		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40245839005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Nitrogen, NO2 plus NO3	mg/L	1.2	2.5	2.5	3.4	3.4	88	88	90-110	1	20 M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2405258 2405259

Parameter	Units	2405258		2405259		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40245959002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Nitrogen, NO2 plus NO3	mg/L	0.41	2.5	2.5	2.8	2.8	96	95	90-110	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

QC Batch: 417722 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

METHOD BLANK: 2405260 Matrix: Water
Associated Lab Samples: 40245959005, 40245959006, 40245959007, 40245959008, 40245959009, 40245959010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	06/08/22 13:01	

LABORATORY CONTROL SAMPLE: 2405261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.5	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2405262 2405263

Parameter	Units	2405262		2405263		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.5	100	99	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|--|
| 1q | There was no chance to re-extract within sample hold time |
| B | Analyte was detected in the associated method blank. |
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference. |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. |
| S0 | Surrogate recovery outside laboratory control limits. |
| S4 | Surrogate recovery not evaluated against control limits due to sample dilution. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803-001 CAMPMARINA MGP
Pace Project No.: 40245959

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40245959001	060222001	EPA 8015B Modified	418507		
40245959002	060222002	EPA 8015B Modified	418507		
40245959003	060222003	EPA 8015B Modified	418507		
40245959004	060222004	EPA 8015B Modified	418507		
40245959005	060222005	EPA 8015B Modified	418507		
40245959006	060222006	EPA 8015B Modified	418507		
40245959007	060222007	EPA 8015B Modified	418507		
40245959008	060222008	EPA 8015B Modified	418507		
40245959009	060222009	EPA 8015B Modified	418507		
40245959010	060222010	EPA 8015B Modified	418507		
40245959001	060222001	EPA 3510	417480	EPA 8270E by SIM	417519
40245959002	060222002	EPA 3510	417480	EPA 8270E by SIM	417519
40245959003	060222003	EPA 3510	417480	EPA 8270E by SIM	417519
40245959004	060222004	EPA 3510	417480	EPA 8270E by SIM	417519
40245959005	060222005	EPA 3510	417480	EPA 8270E by SIM	417519
40245959006	060222006	EPA 3510	417480	EPA 8270E by SIM	417519
40245959007	060222007	EPA 3510	417480	EPA 8270E by SIM	417519
40245959008	060222008	EPA 3510	417480	EPA 8270E by SIM	417519
40245959009	060222009	EPA 3510	417480	EPA 8270E by SIM	417519
40245959010	060222010	EPA 3510	417480	EPA 8270E by SIM	417519
40245959001	060222001	EPA 8260	417684		
40245959002	060222002	EPA 8260	417684		
40245959003	060222003	EPA 8260	417476		
40245959004	060222004	EPA 8260	417476		
40245959005	060222005	EPA 8260	417476		
40245959006	060222006	EPA 8260	417476		
40245959007	060222007	EPA 8260	417476		
40245959008	060222008	EPA 8260	417476		
40245959009	060222009	EPA 8260	417476		
40245959010	060222010	EPA 8260	417476		
40245959011	060222011	EPA 8260	417684		
40245959012	060222012	EPA 8260	417684		
40245959001	060222001	EPA 300.0	418009		
40245959002	060222002	EPA 300.0	418009		
40245959003	060222003	EPA 300.0	418009		
40245959004	060222004	EPA 300.0	418009		
40245959005	060222005	EPA 300.0	418009		
40245959006	060222006	EPA 300.0	418009		
40245959007	060222007	EPA 300.0	418009		
40245959008	060222008	EPA 300.0	418009		
40245959009	060222009	EPA 300.0	418011		
40245959010	060222010	EPA 300.0	418011		
40245959001	060222001	EPA 353.2	417721		
40245959002	060222002	EPA 353.2	417721		
40245959003	060222003	EPA 353.2	417721		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803-001 CAMPMARINA MGP

Pace Project No.: 40245959

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40245959004	060222004	EPA 353.2	417721		
40245959005	060222005	EPA 353.2	417722		
40245959006	060222006	EPA 353.2	417722		
40245959007	060222007	EPA 353.2	417722		
40245959008	060222008	EPA 353.2	417722		
40245959009	060222009	EPA 353.2	417722		
40245959010	060222010	EPA 353.2	417722		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



C.S. Logistics

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

40245959

COC#: 00803-001

Section A Required Client Information, Section B Required Project Information, Section C Invoice Information, REGULATORY AGENCY, Site Location, STATE: WI

Table with columns: ITEM #, Section D Required Client Information, Valid Matrix Codes, MATRIX CODE, SAMPLE TYPE, COLLECTED (DATE, TIME), # OF CONTAINERS, Preservatives, Analysis Tests (BTEX, PAHs, Methane, Sulfate, etc.), Residual Chlorine, Pace Project No./ Lab I.D.

Table with columns: ADDITIONAL COMMENTS, RELINQUISHED BY / AFFILIATION, DATE, TIME, ACCEPTED BY / AFFILIATION, DATE, TIME, SAMPLE CONDITIONS

SAMPLER NAME AND SIGNATURE, PRINT Name of SAMPLER: Lydia Albright, SIGNATURE of SAMPLER, DATE Signed (MM/DD/YY): 06/02/2022, Temp in °C, Received on ice (Y/N), Custody Sealed Cooler (Y/N), Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

Client Name: Rambell **Sample Preservation Receipt Form**
 Project # LDL150501

All containers needing preservation have been checked and noted below:
 Yes No N/A
 Lab Lot# of pH paper: 10B312 Lab Std #/ID of preservation (if pH adjusted):

Initial when completed: RP Date/Time:

Page Lab #	Glass	Plastic	Vials	Jars	General	VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
001	AG1U	BP1U	VG9A	JGFU	SP5T							2.5/5/10
002	BG1U	BP3U	DG9T	JG9U	ZPLC	X	X					2.5/5/10
003	AG1H	BP3B	VG9U	WGFU	GN	X	X					2.5/5/10
004	AG4S	BP3N	VG9H	WPFU		X	X					2.5/5/10
005	AG4U	BP3S	VG9M			X	X					2.5/5/10
006	AG5U		VG9D			X	X					2.5/5/10
007	AG2S											2.5/5/10
008	BG3U											2.5/5/10
009												2.5/5/10
010												2.5/5/10
011												2.5/5/10
012												2.5/5/10
013												2.5/5/10
014												2.5/5/10
015												2.5/5/10
016												2.5/5/10
017												2.5/5/10
018												2.5/5/10
019												2.5/5/10
020												2.5/5/10

Exceptions to preservation check: Coliform, TOC, TOX, TOH, O&G, WI, DRO, Phenolics, Other: _____ Headspace in VOA Vials (<6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Pramboll

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 117 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 57.5/Corr: 113

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

WO#: 40245959



40245959

Person examining contents:

Date: 6/3/22 / Initials: TP

Labeled By Initials: MP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>483</u>		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample login