



Wisconsin Public Service Corporation
P.O. Box 19001
Green Bay, WI 54307-9001
www.wisconsinpublicservice.com

January 18, 2023

Mr. Scott Isaacs
Sheboygan City Hall
828 Center Ave #204
Sheboygan, Wisconsin 53081

**RE: Recent Sampling Results Sheboygan Campmarina Former Manufactured Gas Plant
732 North Water Street, Sheboygan, Wisconsin, 53081
WDNR BRRTS# 02-60-000095**

Dear Mr. Isaacs:

WEC Business Services, LLC (WBS), managing the Wisconsin Public Service Corporation (WPSC) former manufactured gas plant site at 732 North Water Street is providing analytical results from groundwater samples collected at locations MW701R, MW706, MW707R, MW708, MW709R, PZ701, PZ702, and PZ703 in December 2022 as part of routine, semi-annual monitoring. Wisconsin Administrative Code Chapter NR716.14 requires responsible parties (WPSC for the above-mentioned site) to report sampling results to the property owner, and occupant, as applicable.

Results of the sampling are summarized in the attached. This includes a summary table of the results compared to State guidance values. Copies of the associated laboratory reports and figures showing the locations of samples collected on your property are also included. The results are presented to the USEPA in monthly progress reports.

We appreciate your cooperation as sampling progresses. If you need additional information, please contact John Feeny from the WDNR at (920) 893-8523 or myself at (414) 221-2577.

Sincerely,

A handwritten signature in black ink that reads "Glenn R. Luke".


Glenn R. Luke, PE
Principal Engineer - Environmental

Enc: Figure 1. City of Sheboygan
Table 1. December 2022 Groundwater Analytical Results for the City of Sheboygan
Laboratory Report 40255582

CC: USEPA RPM – Ms. Terese Van Donsel
WDNR PM – Mr. John Feeny

FIGURE


Feb 13, 2020 1:42pm PLOTTED BY: CAMRSEAG SAVED BY: CowrseAG
 I:\ACADData\Projects\13\1313\16-0\Figure 1_City of Sheboygan.dwg Layout1
 WPCS: I:\ACADData\Projects\13\1313\16-0\ESRI Aerial 040816.jpg
 WREFS:



	PZ-701	PIEZOMETER
	MW-701R	MONITORING WELL
		PROPERTY BOUNDARY


SOURCE NOTES:

- COORDINATE REFERENCE SYSTEM IS NAD 1983 SHEBOYGAN COUNTY COORDINATE SYSTEM, US SURVEY FEET.
- IMAGERY LAYER CREDIT: Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



DRAWN BY:	DMD	DATE:	04/08/16
CHECKED BY:	ANS	DATE:	05/18/16
APPROVED BY:	KRM	DATE:	05/18/16
DRAWING NO: Fig 1_City of Stevens Point			
REFERENCE:			

CITY OF SHEBOYGAN
 RECENT SAMPLING RESULTS
 FORMER CAMPMARINA MANUFACTURED GAS PLANT
 WISCONSIN PUBLIC SERVICE CORPORATION
 SHEBOYGAN, WISCONSIN
 BRRTS# 02-60-000095



PROJECT NO.
67971

FIGURE NO.
1

TABLE

Table 1. December 2022 Groundwater Analytical Results for the City of Sheboygan

December 2022 Third Party Notification
 Wisconsin Public Service Corporation
 Former Manufactured Gas Plant Site - Campmarina
 732 Water Street, Sheboygan, Wisconsin
 BRRTS#: 0260000095 | FID#: 460134950 | USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	BTEX		BTEX		BTEX		BTEX		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		Inorganic		Inorganic		Organic													
			Benzene	Ethylbenzene	Toluene	Xylenes, Total	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Nitrogen, NO2 + NO3, Total	Sulfate, Total	Methane																									
			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L															
Reporting Units:			Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag														
WI Groundwater PAL:			0.5		140		160		400		NS		NS		NS		600		NS		0.02		0.02		NS		NS		0.02		NS		80		80		NS		10		NS		50		2,000		125,000		NS			
WI Groundwater ES:			5		700		800		2,000		NS		NS		NS		3,000		NS		0.2		0.2		NS		NS		0.2		NS		400		400		NS		100		NS		250		10,000		250,000		NS			
120222005	MW-701R	12/02/2022	3,300		<u>268</u>		12.4	J	143		154		134		110		2.3	U	14.1		2.5	U	2.4	U	1.7	U	4.3	U	4.1	U	2.3	U	3.3	U	5.0	J	24.7		2.9	U	1,090		44.9		5.4	J	59	U	1,300	J	5,550	
120222006	MW-701R	12/02/2022	3,450		<u>277</u>		13.6	J	139		158		141		110		2.6	U	15.9		2.8	U	2.6	U	1.9	U	4.8	U	4.5	U	2.6	U	3.6	U	5.3	U	20.5		3.2	U	1,150		44.5		5.1	J	59	U	860	J	6,580	
120222009	MW-706	12/02/2022	3,980		<u>302</u>		<u>654</u>		362		608		646		61.2		432		93.3		5.7	U	16.7	J	30.8		16.3	J	18.1	J	72.1		7.5	U	125		166		13.5	J	3,550		430		139		59	U	10,600		112	
120222003	MW-707R	12/02/2022	3,470		2,400		22.4	J	<u>483</u>		124		14.2		57.6		1.7	J	4.7	J	1.3	U	1.2	U	0.89	U	2.3	U	2.2	U	1.2	U	1.7	U	2.6	U	15.2		1.5	U	495		16.1		2.2	U	59	U	2,200	U	8,750	
120222002	MW-708	12/02/2022	0.30	U	0.33	U	0.29	U	1.0	U	0.019	U	0.015	U	0.015	U	0.013	U	0.020	U	0.015	U	0.014	U	0.0097	U	0.025	U	0.024	U	0.013	U	0.019	U	0.028	U	0.025	U	0.017	U	0.031	J	0.027	U	0.024	U	59	U	120,000		29.1	
120222001	MW-709R	12/02/2022	0.30	U	0.33	U	0.29	U	1.0	U	0.018	U	0.016	J	0.014	U	0.013	U	0.018	U	0.014	U	0.013	U	0.0091	U	0.023	U	0.022	U	0.013	U	0.018	U	0.026	U	0.024	U	0.016	U	0.033	J	0.026	U	0.023	U	59	U	4,500		1,900	
120222007	PZ-701	12/02/2022	0.30	U	0.33	U	0.29	U	1.0	U	0.087		0.063		0.12		0.051		0.067		0.014	U	0.013	U	0.0091	U	0.023	U	0.022	U	<u>0.032</u>	J	0.018	U	0.034	J	0.027	J	0.016	U	0.30		0.076		0.040	J	59	U	57,600		191	
120222008	PZ-702	12/02/2022	0.30	U	0.33	U	0.29	U	1.0	U	0.078		0.086		0.014	U	0.058		0.033	J	0.014	U	0.015	J	0.011	J	0.023	U	0.022	U	0.013	U	0.018	U	0.026	U	0.027	J	0.016	U	0.46		0.089		0.023	J	59	U	1,600	J	0.76	J
120222004	PZ-703	12/02/2022	<u>123</u>		61.4		3.3		25.4		0.026	J	0.018	J	0.014	U	0.028	J	0.019	U	0.014	U	0.013	U	0.0092	U	0.024	U	0.023	U	0.013	U	0.018	U	0.026	U	0.024	U	0.016	U	0.18		0.026	U	0.023	U	59	U	440	U	584	

[O:MGP 1/9/23, C:ECB 1/11/2022]

Underline attains or exceeds the WI Groundwater PAL
Bold attains or exceeds the WI Groundwater ES

Results & Flags:
 -- = Analysis not performed
 J = Estimated Concentration
 U = Concentration was not detected above the reported limit

Acronyms:
 µg/L = micrograms per liter
 BRRTS = Bureau for Remediation and Redevelopment Tracking System
 BTEX = Benzene, Toluene, Ethylbenzene and Xylene
 Dup = Quality Control Field Duplicate Sample
 ES = Enforcement Standard
 FID = facility identification number
 NO2 + NO3 = nitrite plus nitrate
 NS = A groundwater quality standard has not been established.
 PAH = Polycyclic Aromatic Hydrocarbon
 PAL = Preventive Action Limit
 USEPA = United States Environmental Protection Agency site identification number

Standards:
 PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective January 2020.

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.



LABORATORY DATA REPORTS

January 03, 2023

Andrew Cawrse
Ramboll Americas
234 W Florida St
Milwaukee, WI 53204

RE: Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Dear Andrew Cawrse:

Enclosed are the analytical results for sample(s) received by the laboratory on December 06, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Basten
brian.basten@pacelabs.com
(920)469-2436
Project Manager

Enclosures

cc: ERIC BAUER, Ramboll
NRT Data, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40255582001	120222001	Water	12/02/22 08:31	12/06/22 07:20
40255582002	120222002	Water	12/02/22 09:17	12/06/22 07:20
40255582003	120222003	Water	12/02/22 10:17	12/06/22 07:20
40255582004	120222004	Water	12/02/22 10:46	12/06/22 07:20
40255582005	120222005	Water	12/02/22 11:30	12/06/22 07:20
40255582006	120222006	Water	12/02/22 11:35	12/06/22 07:20
40255582007	120222007	Water	12/02/22 12:04	12/06/22 07:20
40255582008	120222008	Water	12/02/22 12:35	12/06/22 07:20
40255582009	120222009	Water	12/02/22 13:18	12/06/22 07:20
40255582010	120222010	Water	12/02/22 13:45	12/06/22 07:20
40255582011	120222011	Water	12/02/22 00:00	12/06/22 07:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40255582001	120222001	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582002	120222002	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582003	120222003	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582004	120222004	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582005	120222005	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582006	120222006	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582007	120222007	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
40255582008	120222008	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40255582009	120222009	EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
40255582010	120222010	EPA 353.2	DAW	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	RJN	20
		EPA 8260	CXJ	7
		EPA 300.0	HMB	1
		EPA 353.2	DAW	1
		EPA 8260	CXJ	7
40255582011	120222011	EPA 8260	CXJ	7

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222001 **Lab ID: 40255582001** Collected: 12/02/22 08:31 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	1900	ug/L	28.0	5.8	10		12/12/22 13:09	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 11:33	83-32-9	
Acenaphthylene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 11:33	208-96-8	
Anthracene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 11:33	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 11:33	56-55-3	
Benzo(a)pyrene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 11:33	50-32-8	
Benzo(b)fluoranthene	<0.0091	ug/L	0.050	0.0091	1	12/08/22 08:11	12/09/22 11:33	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 11:33	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.050	0.022	1	12/08/22 08:11	12/09/22 11:33	207-08-9	
Chrysene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 11:33	218-01-9	
Dibenz(a,h)anthracene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 11:33	53-70-3	
Fluoranthene	<0.026	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 11:33	206-44-0	
Fluorene	<0.024	ug/L	0.050	0.024	1	12/08/22 08:11	12/09/22 11:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.050	0.016	1	12/08/22 08:11	12/09/22 11:33	193-39-5	
1-Methylnaphthalene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 11:33	90-12-0	
2-Methylnaphthalene	0.016J	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 11:33	91-57-6	
Naphthalene	0.033J	ug/L	0.050	0.020	1	12/08/22 08:11	12/09/22 11:33	91-20-3	
Phenanthrene	<0.026	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 11:33	85-01-8	
Pyrene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 11:33	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	84	%	44-120		1	12/08/22 08:11	12/09/22 11:33	321-60-8	
Terphenyl-d14 (S)	89	%	49-120		1	12/08/22 08:11	12/09/22 11:33	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 21:11	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 21:11	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 21:11	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 21:11	1330-20-7	
Surrogates									
Toluene-d8 (S)	103	%	70-130		1		12/08/22 21:11	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		12/08/22 21:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		12/08/22 21:11	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	4.5	mg/L	2.0	0.44	1		12/30/22 04:14	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:18		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222002 **Lab ID: 40255582002** Collected: 12/02/22 09:17 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	29.1	ug/L	2.8	0.58	1		12/12/22 09:54	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.015	ug/L	0.053	0.015	1	12/08/22 08:11	12/09/22 08:14	83-32-9	
Acenaphthylene	<0.013	ug/L	0.053	0.013	1	12/08/22 08:11	12/09/22 08:14	208-96-8	
Anthracene	<0.020	ug/L	0.053	0.020	1	12/08/22 08:11	12/09/22 08:14	120-12-7	
Benzo(a)anthracene	<0.015	ug/L	0.053	0.015	1	12/08/22 08:11	12/09/22 08:14	56-55-3	
Benzo(a)pyrene	<0.014	ug/L	0.053	0.014	1	12/08/22 08:11	12/09/22 08:14	50-32-8	
Benzo(b)fluoranthene	<0.0097	ug/L	0.053	0.0097	1	12/08/22 08:11	12/09/22 08:14	205-99-2	
Benzo(g,h,i)perylene	<0.025	ug/L	0.053	0.025	1	12/08/22 08:11	12/09/22 08:14	191-24-2	
Benzo(k)fluoranthene	<0.024	ug/L	0.053	0.024	1	12/08/22 08:11	12/09/22 08:14	207-08-9	
Chrysene	<0.013	ug/L	0.053	0.013	1	12/08/22 08:11	12/09/22 08:14	218-01-9	
Dibenz(a,h)anthracene	<0.019	ug/L	0.053	0.019	1	12/08/22 08:11	12/09/22 08:14	53-70-3	
Fluoranthene	<0.028	ug/L	0.053	0.028	1	12/08/22 08:11	12/09/22 08:14	206-44-0	
Fluorene	<0.025	ug/L	0.053	0.025	1	12/08/22 08:11	12/09/22 08:14	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.053	0.017	1	12/08/22 08:11	12/09/22 08:14	193-39-5	
1-Methylnaphthalene	<0.019	ug/L	0.053	0.019	1	12/08/22 08:11	12/09/22 08:14	90-12-0	
2-Methylnaphthalene	<0.015	ug/L	0.053	0.015	1	12/08/22 08:11	12/09/22 08:14	91-57-6	
Naphthalene	0.031J	ug/L	0.053	0.021	1	12/08/22 08:11	12/09/22 08:14	91-20-3	
Phenanthrene	<0.027	ug/L	0.053	0.027	1	12/08/22 08:11	12/09/22 08:14	85-01-8	
Pyrene	<0.024	ug/L	0.053	0.024	1	12/08/22 08:11	12/09/22 08:14	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	80	%	44-120		1	12/08/22 08:11	12/09/22 08:14	321-60-8	
Terphenyl-d14 (S)	91	%	49-120		1	12/08/22 08:11	12/09/22 08:14	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 18:53	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 18:53	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 18:53	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 18:53	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		12/08/22 18:53	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		12/08/22 18:53	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/08/22 18:53	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	120	mg/L	20.0	4.4	10		12/30/22 04:29	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:18		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222003 **Lab ID: 40255582003** Collected: 12/02/22 10:17 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	8750	ug/L	112	23.0	40		12/12/22 13:16	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	57.6	ug/L	4.9	1.4	100	12/08/22 08:11	12/09/22 11:53	83-32-9	
Acenaphthylene	1.7J	ug/L	4.9	1.2	100	12/08/22 08:11	12/09/22 11:53	208-96-8	
Anthracene	4.7J	ug/L	4.9	1.8	100	12/08/22 08:11	12/09/22 11:53	120-12-7	
Benzo(a)anthracene	<1.3	ug/L	4.9	1.3	100	12/08/22 08:11	12/09/22 11:53	56-55-3	
Benzo(a)pyrene	<1.2	ug/L	4.9	1.2	100	12/08/22 08:11	12/09/22 11:53	50-32-8	
Benzo(b)fluoranthene	<0.89	ug/L	4.9	0.89	100	12/08/22 08:11	12/09/22 11:53	205-99-2	
Benzo(g,h,i)perylene	<2.3	ug/L	4.9	2.3	100	12/08/22 08:11	12/09/22 11:53	191-24-2	
Benzo(k)fluoranthene	<2.2	ug/L	4.9	2.2	100	12/08/22 08:11	12/09/22 11:53	207-08-9	
Chrysene	<1.2	ug/L	4.9	1.2	100	12/08/22 08:11	12/09/22 11:53	218-01-9	
Dibenz(a,h)anthracene	<1.7	ug/L	4.9	1.7	100	12/08/22 08:11	12/09/22 11:53	53-70-3	
Fluoranthene	<2.6	ug/L	4.9	2.6	100	12/08/22 08:11	12/09/22 11:53	206-44-0	
Fluorene	15.2	ug/L	4.9	2.3	100	12/08/22 08:11	12/09/22 11:53	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.5	ug/L	4.9	1.5	100	12/08/22 08:11	12/09/22 11:53	193-39-5	
1-Methylnaphthalene	124	ug/L	4.9	1.8	100	12/08/22 08:11	12/09/22 11:53	90-12-0	
2-Methylnaphthalene	14.2	ug/L	4.9	1.4	100	12/08/22 08:11	12/09/22 11:53	91-57-6	
Naphthalene	495	ug/L	4.9	1.9	100	12/08/22 08:11	12/09/22 11:53	91-20-3	
Phenanthrene	16.1	ug/L	4.9	2.5	100	12/08/22 08:11	12/09/22 11:53	85-01-8	
Pyrene	<2.2	ug/L	4.9	2.2	100	12/08/22 08:11	12/09/22 11:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	109	%	44-120		100	12/08/22 08:11	12/09/22 11:53	321-60-8	
Terphenyl-d14 (S)	79	%	49-120		100	12/08/22 08:11	12/09/22 11:53	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3470	ug/L	25.0	7.4	25		12/08/22 22:54	71-43-2	
Ethylbenzene	2400	ug/L	25.0	8.1	25		12/08/22 22:54	100-41-4	
Toluene	22.4J	ug/L	25.0	7.2	25		12/08/22 22:54	108-88-3	
Xylene (Total)	483	ug/L	75.0	26.2	25		12/08/22 22:54	1330-20-7	
Surrogates									
Toluene-d8 (S)	102	%	70-130		25		12/08/22 22:54	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		25		12/08/22 22:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		25		12/08/22 22:54	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		12/30/22 04:58	14808-79-8	D3
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:19		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222004 **Lab ID: 40255582004** Collected: 12/02/22 10:46 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	584	ug/L	11.2	2.3	4		12/12/22 13:22	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 12:13	83-32-9	
Acenaphthylene	0.028J	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 12:13	208-96-8	
Anthracene	<0.019	ug/L	0.050	0.019	1	12/08/22 08:11	12/09/22 12:13	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 12:13	56-55-3	
Benzo(a)pyrene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 12:13	50-32-8	
Benzo(b)fluoranthene	<0.0092	ug/L	0.050	0.0092	1	12/08/22 08:11	12/09/22 12:13	205-99-2	
Benzo(g,h,i)perylene	<0.024	ug/L	0.050	0.024	1	12/08/22 08:11	12/09/22 12:13	191-24-2	
Benzo(k)fluoranthene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 12:13	207-08-9	
Chrysene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 12:13	218-01-9	
Dibenz(a,h)anthracene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 12:13	53-70-3	
Fluoranthene	<0.026	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 12:13	206-44-0	
Fluorene	<0.024	ug/L	0.050	0.024	1	12/08/22 08:11	12/09/22 12:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.050	0.016	1	12/08/22 08:11	12/09/22 12:13	193-39-5	
1-Methylnaphthalene	0.026J	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 12:13	90-12-0	
2-Methylnaphthalene	0.018J	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 12:13	91-57-6	
Naphthalene	0.18	ug/L	0.050	0.020	1	12/08/22 08:11	12/09/22 12:13	91-20-3	
Phenanthrene	<0.026	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 12:13	85-01-8	
Pyrene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 12:13	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	80	%	44-120		1	12/08/22 08:11	12/09/22 12:13	321-60-8	
Terphenyl-d14 (S)	94	%	49-120		1	12/08/22 08:11	12/09/22 12:13	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	123	ug/L	1.0	0.30	1		12/08/22 21:28	71-43-2	
Ethylbenzene	61.4	ug/L	1.0	0.33	1		12/08/22 21:28	100-41-4	
Toluene	3.3	ug/L	1.0	0.29	1		12/08/22 21:28	108-88-3	
Xylene (Total)	25.4	ug/L	3.0	1.0	1		12/08/22 21:28	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		12/08/22 21:28	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		12/08/22 21:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/08/22 21:28	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<0.44	mg/L	2.0	0.44	1		12/29/22 18:38	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Sample: 120222005 **Lab ID: 40255582005** Collected: 12/02/22 11:30 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	5550	ug/L	112	23.0	40		12/12/22 13:29	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	110	ug/L	9.3	2.6	200	12/08/22 08:11	12/09/22 12:33	83-32-9	
Acenaphthylene	<2.3	ug/L	9.3	2.3	200	12/08/22 08:11	12/09/22 12:33	208-96-8	
Anthracene	14.1	ug/L	9.3	3.4	200	12/08/22 08:11	12/09/22 12:33	120-12-7	
Benzo(a)anthracene	<2.5	ug/L	9.3	2.5	200	12/08/22 08:11	12/09/22 12:33	56-55-3	
Benzo(a)pyrene	<2.4	ug/L	9.3	2.4	200	12/08/22 08:11	12/09/22 12:33	50-32-8	
Benzo(b)fluoranthene	<1.7	ug/L	9.3	1.7	200	12/08/22 08:11	12/09/22 12:33	205-99-2	
Benzo(g,h,i)perylene	<4.3	ug/L	9.3	4.3	200	12/08/22 08:11	12/09/22 12:33	191-24-2	
Benzo(k)fluoranthene	<4.1	ug/L	9.3	4.1	200	12/08/22 08:11	12/09/22 12:33	207-08-9	
Chrysene	<2.3	ug/L	9.3	2.3	200	12/08/22 08:11	12/09/22 12:33	218-01-9	
Dibenz(a,h)anthracene	<3.3	ug/L	9.3	3.3	200	12/08/22 08:11	12/09/22 12:33	53-70-3	
Fluoranthene	5.0J	ug/L	9.3	4.8	200	12/08/22 08:11	12/09/22 12:33	206-44-0	
Fluorene	24.7	ug/L	9.3	4.4	200	12/08/22 08:11	12/09/22 12:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<2.9	ug/L	9.3	2.9	200	12/08/22 08:11	12/09/22 12:33	193-39-5	
1-Methylnaphthalene	154	ug/L	9.3	3.3	200	12/08/22 08:11	12/09/22 12:33	90-12-0	
2-Methylnaphthalene	134	ug/L	9.3	2.6	200	12/08/22 08:11	12/09/22 12:33	91-57-6	
Naphthalene	1090	ug/L	9.3	3.7	200	12/08/22 08:11	12/09/22 12:33	91-20-3	
Phenanthrene	44.9	ug/L	9.3	4.7	200	12/08/22 08:11	12/09/22 12:33	85-01-8	
Pyrene	5.4J	ug/L	9.3	4.2	200	12/08/22 08:11	12/09/22 12:33	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	79	%	44-120		200	12/08/22 08:11	12/09/22 12:33	321-60-8	
Terphenyl-d14 (S)	0	%	49-120		200	12/08/22 08:11	12/09/22 12:33	1718-51-0	S4
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3300	ug/L	25.0	7.4	25		12/08/22 23:11	71-43-2	
Ethylbenzene	268	ug/L	25.0	8.1	25		12/08/22 23:11	100-41-4	
Toluene	12.4J	ug/L	25.0	7.2	25		12/08/22 23:11	108-88-3	
Xylene (Total)	143	ug/L	75.0	26.2	25		12/08/22 23:11	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	70-130		25		12/08/22 23:11	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		25		12/08/22 23:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		25		12/08/22 23:11	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	1.3J	mg/L	2.0	0.44	1		12/29/22 19:21	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:25		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222006 **Lab ID: 40255582006** Collected: 12/02/22 11:35 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	6580	ug/L	112	23.0	40		12/12/22 13:36	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	110	ug/L	10.2	2.8	200	12/08/22 08:11	12/09/22 12:53	83-32-9	
Acenaphthylene	<2.6	ug/L	10.2	2.6	200	12/08/22 08:11	12/09/22 12:53	208-96-8	
Anthracene	15.9	ug/L	10.2	3.8	200	12/08/22 08:11	12/09/22 12:53	120-12-7	
Benzo(a)anthracene	<2.8	ug/L	10.2	2.8	200	12/08/22 08:11	12/09/22 12:53	56-55-3	
Benzo(a)pyrene	<2.6	ug/L	10.2	2.6	200	12/08/22 08:11	12/09/22 12:53	50-32-8	
Benzo(b)fluoranthene	<1.9	ug/L	10.2	1.9	200	12/08/22 08:11	12/09/22 12:53	205-99-2	
Benzo(g,h,i)perylene	<4.8	ug/L	10.2	4.8	200	12/08/22 08:11	12/09/22 12:53	191-24-2	
Benzo(k)fluoranthene	<4.5	ug/L	10.2	4.5	200	12/08/22 08:11	12/09/22 12:53	207-08-9	
Chrysene	<2.6	ug/L	10.2	2.6	200	12/08/22 08:11	12/09/22 12:53	218-01-9	
Dibenz(a,h)anthracene	<3.6	ug/L	10.2	3.6	200	12/08/22 08:11	12/09/22 12:53	53-70-3	
Fluoranthene	<5.3	ug/L	10.2	5.3	200	12/08/22 08:11	12/09/22 12:53	206-44-0	
Fluorene	20.5	ug/L	10.2	4.8	200	12/08/22 08:11	12/09/22 12:53	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.2	ug/L	10.2	3.2	200	12/08/22 08:11	12/09/22 12:53	193-39-5	
1-Methylnaphthalene	158	ug/L	10.2	3.6	200	12/08/22 08:11	12/09/22 12:53	90-12-0	
2-Methylnaphthalene	141	ug/L	10.2	2.8	200	12/08/22 08:11	12/09/22 12:53	91-57-6	
Naphthalene	1150	ug/L	10.2	4.1	200	12/08/22 08:11	12/09/22 12:53	91-20-3	
Phenanthrene	44.5	ug/L	10.2	5.2	200	12/08/22 08:11	12/09/22 12:53	85-01-8	
Pyrene	5.1J	ug/L	10.2	4.6	200	12/08/22 08:11	12/09/22 12:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	73	%	44-120		200	12/08/22 08:11	12/09/22 12:53	321-60-8	
Terphenyl-d14 (S)	0	%	49-120		200	12/08/22 08:11	12/09/22 12:53	1718-51-0	S4
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3450	ug/L	25.0	7.4	25		12/08/22 23:28	71-43-2	
Ethylbenzene	277	ug/L	25.0	8.1	25		12/08/22 23:28	100-41-4	
Toluene	13.6J	ug/L	25.0	7.2	25		12/08/22 23:28	108-88-3	
Xylene (Total)	139	ug/L	75.0	26.2	25		12/08/22 23:28	1330-20-7	
Surrogates									
Toluene-d8 (S)	102	%	70-130		25		12/08/22 23:28	2037-26-5	
4-Bromofluorobenzene (S)	93	%	70-130		25		12/08/22 23:28	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		25		12/08/22 23:28	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	0.86J	mg/L	2.0	0.44	1		12/29/22 19:36	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Sample: 120222007 **Lab ID: 40255582007** Collected: 12/02/22 12:04 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	191	ug/L	2.8	0.58	1		12/12/22 10:28	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	0.12	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:13	83-32-9	
Acenaphthylene	0.051	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:13	208-96-8	
Anthracene	0.067	ug/L	0.050	0.019	1	12/08/22 08:11	12/09/22 13:13	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:13	56-55-3	
Benzo(a)pyrene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:13	50-32-8	
Benzo(b)fluoranthene	<0.0091	ug/L	0.050	0.0091	1	12/08/22 08:11	12/09/22 13:13	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 13:13	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.050	0.022	1	12/08/22 08:11	12/09/22 13:13	207-08-9	
Chrysene	0.032J	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:13	218-01-9	
Dibenz(a,h)anthracene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 13:13	53-70-3	
Fluoranthene	0.034J	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 13:13	206-44-0	
Fluorene	0.027J	ug/L	0.050	0.024	1	12/08/22 08:11	12/09/22 13:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.050	0.016	1	12/08/22 08:11	12/09/22 13:13	193-39-5	
1-Methylnaphthalene	0.087	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 13:13	90-12-0	
2-Methylnaphthalene	0.063	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:13	91-57-6	
Naphthalene	0.30	ug/L	0.050	0.020	1	12/08/22 08:11	12/09/22 13:13	91-20-3	
Phenanthrene	0.076	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 13:13	85-01-8	
Pyrene	0.040J	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 13:13	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	85	%	44-120		1	12/08/22 08:11	12/09/22 13:13	321-60-8	
Terphenyl-d14 (S)	87	%	49-120		1	12/08/22 08:11	12/09/22 13:13	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 19:10	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 19:10	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 19:10	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 19:10	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		12/08/22 19:10	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		1		12/08/22 19:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		12/08/22 19:10	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	57.6	mg/L	2.0	0.44	1		12/29/22 19:50	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:26		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Sample: 120222008 **Lab ID: 40255582008** Collected: 12/02/22 12:35 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	0.76J	ug/L	2.8	0.58	1		12/12/22 13:02	74-82-8	B
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:33	83-32-9	
Acenaphthylene	0.058	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:33	208-96-8	
Anthracene	0.033J	ug/L	0.050	0.019	1	12/08/22 08:11	12/09/22 13:33	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:33	56-55-3	
Benzo(a)pyrene	0.015J	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:33	50-32-8	
Benzo(b)fluoranthene	0.011J	ug/L	0.050	0.0091	1	12/08/22 08:11	12/09/22 13:33	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 13:33	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.050	0.022	1	12/08/22 08:11	12/09/22 13:33	207-08-9	
Chrysene	<0.013	ug/L	0.050	0.013	1	12/08/22 08:11	12/09/22 13:33	218-01-9	
Dibenz(a,h)anthracene	<0.018	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 13:33	53-70-3	
Fluoranthene	<0.026	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 13:33	206-44-0	
Fluorene	0.027J	ug/L	0.050	0.024	1	12/08/22 08:11	12/09/22 13:33	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.050	0.016	1	12/08/22 08:11	12/09/22 13:33	193-39-5	
1-Methylnaphthalene	0.078	ug/L	0.050	0.018	1	12/08/22 08:11	12/09/22 13:33	90-12-0	
2-Methylnaphthalene	0.086	ug/L	0.050	0.014	1	12/08/22 08:11	12/09/22 13:33	91-57-6	
Naphthalene	0.46	ug/L	0.050	0.020	1	12/08/22 08:11	12/09/22 13:33	91-20-3	
Phenanthrene	0.089	ug/L	0.050	0.026	1	12/08/22 08:11	12/09/22 13:33	85-01-8	
Pyrene	0.023J	ug/L	0.050	0.023	1	12/08/22 08:11	12/09/22 13:33	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	81	%	44-120		1	12/08/22 08:11	12/09/22 13:33	321-60-8	
Terphenyl-d14 (S)	88	%	49-120		1	12/08/22 08:11	12/09/22 13:33	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 19:27	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 19:27	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 19:27	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 19:27	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	70-130		1		12/08/22 19:27	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130		1		12/08/22 19:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		12/08/22 19:27	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	1.6J	mg/L	2.0	0.44	1		12/29/22 20:05	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Sample: 120222009 **Lab ID: 40255582009** Collected: 12/02/22 13:18 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	112	ug/L	2.8	0.58	1		12/12/22 10:42	74-82-8	
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	61.2	ug/L	21.1	5.9	400	12/08/22 08:11	12/09/22 13:53	83-32-9	
Acenaphthylene	432	ug/L	21.1	5.3	400	12/08/22 08:11	12/09/22 13:53	208-96-8	
Anthracene	93.3	ug/L	21.1	7.8	400	12/08/22 08:11	12/09/22 13:53	120-12-7	
Benzo(a)anthracene	<5.7	ug/L	21.1	5.7	400	12/08/22 08:11	12/09/22 13:53	56-55-3	
Benzo(a)pyrene	16.7J	ug/L	21.1	5.4	400	12/08/22 08:11	12/09/22 13:53	50-32-8	
Benzo(b)fluoranthene	30.8	ug/L	21.1	3.8	400	12/08/22 08:11	12/09/22 13:53	205-99-2	
Benzo(g,h,i)perylene	16.3J	ug/L	21.1	9.8	400	12/08/22 08:11	12/09/22 13:53	191-24-2	
Benzo(k)fluoranthene	18.1J	ug/L	21.1	9.4	400	12/08/22 08:11	12/09/22 13:53	207-08-9	
Chrysene	72.1	ug/L	21.1	5.3	400	12/08/22 08:11	12/09/22 13:53	218-01-9	
Dibenz(a,h)anthracene	<7.5	ug/L	21.1	7.5	400	12/08/22 08:11	12/09/22 13:53	53-70-3	
Fluoranthene	125	ug/L	21.1	11.0	400	12/08/22 08:11	12/09/22 13:53	206-44-0	
Fluorene	166	ug/L	21.1	9.9	400	12/08/22 08:11	12/09/22 13:53	86-73-7	
Indeno(1,2,3-cd)pyrene	13.5J	ug/L	21.1	6.5	400	12/08/22 08:11	12/09/22 13:53	193-39-5	
1-Methylnaphthalene	608	ug/L	21.1	7.6	400	12/08/22 08:11	12/09/22 13:53	90-12-0	
2-Methylnaphthalene	646	ug/L	21.1	5.8	400	12/08/22 08:11	12/09/22 13:53	91-57-6	
Naphthalene	3550	ug/L	21.1	8.4	400	12/08/22 08:11	12/09/22 13:53	91-20-3	
Phenanthrene	430	ug/L	21.1	10.8	400	12/08/22 08:11	12/09/22 13:53	85-01-8	
Pyrene	139	ug/L	21.1	9.5	400	12/08/22 08:11	12/09/22 13:53	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	0	%	44-120		400	12/08/22 08:11	12/09/22 13:53	321-60-8	S4
Terphenyl-d14 (S)	0	%	49-120		400	12/08/22 08:11	12/09/22 13:53	1718-51-0	S4
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3980	ug/L	40.0	11.8	40		12/08/22 22:37	71-43-2	
Ethylbenzene	302	ug/L	40.0	13.0	40		12/08/22 22:37	100-41-4	
Toluene	654	ug/L	40.0	11.5	40		12/08/22 22:37	108-88-3	
Xylene (Total)	362	ug/L	120	41.9	40		12/08/22 22:37	1330-20-7	
Surrogates									
Toluene-d8 (S)	100	%	70-130		40		12/08/22 22:37	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130		40		12/08/22 22:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		40		12/08/22 22:37	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	10.6	mg/L	2.0	0.44	1		12/29/22 20:19	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:27		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

Sample: 120222010 **Lab ID: 40255582010** Collected: 12/02/22 13:45 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	2.3J	ug/L	2.8	0.58	1		12/12/22 10:49	74-82-8	B
8270E MSSV PAH									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.049	0.014	1	12/08/22 08:11	12/09/22 14:13	83-32-9	
Acenaphthylene	<0.012	ug/L	0.049	0.012	1	12/08/22 08:11	12/09/22 14:13	208-96-8	
Anthracene	<0.018	ug/L	0.049	0.018	1	12/08/22 08:11	12/09/22 14:13	120-12-7	
Benzo(a)anthracene	<0.013	ug/L	0.049	0.013	1	12/08/22 08:11	12/09/22 14:13	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.049	0.012	1	12/08/22 08:11	12/09/22 14:13	50-32-8	
Benzo(b)fluoranthene	<0.0088	ug/L	0.049	0.0088	1	12/08/22 08:11	12/09/22 14:13	205-99-2	
Benzo(g,h,i)perylene	<0.023	ug/L	0.049	0.023	1	12/08/22 08:11	12/09/22 14:13	191-24-2	
Benzo(k)fluoranthene	<0.022	ug/L	0.049	0.022	1	12/08/22 08:11	12/09/22 14:13	207-08-9	
Chrysene	<0.012	ug/L	0.049	0.012	1	12/08/22 08:11	12/09/22 14:13	218-01-9	
Dibenz(a,h)anthracene	<0.017	ug/L	0.049	0.017	1	12/08/22 08:11	12/09/22 14:13	53-70-3	
Fluoranthene	<0.025	ug/L	0.049	0.025	1	12/08/22 08:11	12/09/22 14:13	206-44-0	
Fluorene	<0.023	ug/L	0.049	0.023	1	12/08/22 08:11	12/09/22 14:13	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.015	ug/L	0.049	0.015	1	12/08/22 08:11	12/09/22 14:13	193-39-5	
1-Methylnaphthalene	<0.017	ug/L	0.049	0.017	1	12/08/22 08:11	12/09/22 14:13	90-12-0	
2-Methylnaphthalene	<0.013	ug/L	0.049	0.013	1	12/08/22 08:11	12/09/22 14:13	91-57-6	
Naphthalene	0.021J	ug/L	0.049	0.019	1	12/08/22 08:11	12/09/22 14:13	91-20-3	
Phenanthrene	<0.025	ug/L	0.049	0.025	1	12/08/22 08:11	12/09/22 14:13	85-01-8	
Pyrene	<0.022	ug/L	0.049	0.022	1	12/08/22 08:11	12/09/22 14:13	129-00-0	
Surrogates									
2-Fluorobiphenyl (S)	86	%	44-120		1	12/08/22 08:11	12/09/22 14:13	321-60-8	
Terphenyl-d14 (S)	86	%	49-120		1	12/08/22 08:11	12/09/22 14:13	1718-51-0	
8260 MSV UST									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 19:45	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 19:45	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 19:45	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 19:45	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		12/08/22 19:45	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130		1		12/08/22 19:45	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		12/08/22 19:45	2199-69-1	
300.0 IC Anions									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<0.44	mg/L	2.0	0.44	1		12/29/22 21:45	14808-79-8	
353.2 Nitrogen, NO2/NO3 pres.									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		12/14/22 12:28		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Sample: 120222011 **Lab ID: 40255582011** Collected: 12/02/22 00:00 Received: 12/06/22 07:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV UST									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		12/08/22 18:02	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		12/08/22 18:02	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		12/08/22 18:02	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		12/08/22 18:02	1330-20-7	
Surrogates									
Toluene-d8 (S)	101	%	70-130		1		12/08/22 18:02	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		1		12/08/22 18:02	460-00-4	
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		12/08/22 18:02	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

QC Batch:	433439	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

METHOD BLANK: 2495558 Matrix: Water
Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methane	ug/L	0.86J	2.8	12/12/22 09:14	

LABORATORY CONTROL SAMPLE & LCSD: 2495559 2495560

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	28.6	29.6	30.4	104	106	73-120	3	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2495561 2495562

Parameter	Units	40255810008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methane	ug/L	38.6	28.6	28.6	65.3	71.7	93	116	10-200	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

QC Batch:	433205	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010, 40255582011

METHOD BLANK: 2493887 Matrix: Water

Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010, 40255582011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	12/08/22 16:16	
Ethylbenzene	ug/L	<0.33	1.0	12/08/22 16:16	
Toluene	ug/L	<0.29	1.0	12/08/22 16:16	
Xylene (Total)	ug/L	<1.0	3.0	12/08/22 16:16	
1,2-Dichlorobenzene-d4 (S)	%	97	70-130	12/08/22 16:16	
4-Bromofluorobenzene (S)	%	99	70-130	12/08/22 16:16	
Toluene-d8 (S)	%	100	70-130	12/08/22 16:16	

LABORATORY CONTROL SAMPLE: 2493888

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	51.6	103	70-130	
Ethylbenzene	ug/L	50	51.9	104	80-120	
Toluene	ug/L	50	50.2	100	80-120	
Xylene (Total)	ug/L	150	153	102	70-130	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2494478 2494479

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.								
Benzene	ug/L	73.0	50	50	50	127	127	108	108	70-130	0	20	
Ethylbenzene	ug/L	4.1	50	50	50	57.3	58.2	106	108	80-121	1	20	
Toluene	ug/L	<1.0	50	50	50	52.2	52.9	102	104	80-120	1	20	
Xylene (Total)	ug/L	3.9	150	150	150	161	165	105	107	70-130	2	20	
1,2-Dichlorobenzene-d4 (S)	%							98	98	70-130			
4-Bromofluorobenzene (S)	%							100	102	70-130			
Toluene-d8 (S)	%							99	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

QC Batch:	433216	Analysis Method:	EPA 8270E by SIM
QC Batch Method:	EPA 3510	Analysis Description:	8270E Water PAH
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

METHOD BLANK: 2493924 Matrix: Water
Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.018	0.050	12/09/22 07:14	
2-Methylnaphthalene	ug/L	<0.014	0.050	12/09/22 07:14	
Acenaphthene	ug/L	<0.014	0.050	12/09/22 07:14	
Acenaphthylene	ug/L	<0.013	0.050	12/09/22 07:14	
Anthracene	ug/L	<0.018	0.050	12/09/22 07:14	
Benzo(a)anthracene	ug/L	<0.014	0.050	12/09/22 07:14	
Benzo(a)pyrene	ug/L	<0.013	0.050	12/09/22 07:14	
Benzo(b)fluoranthene	ug/L	<0.0091	0.050	12/09/22 07:14	
Benzo(g,h,i)perylene	ug/L	<0.023	0.050	12/09/22 07:14	
Benzo(k)fluoranthene	ug/L	<0.022	0.050	12/09/22 07:14	
Chrysene	ug/L	<0.013	0.050	12/09/22 07:14	
Dibenz(a,h)anthracene	ug/L	<0.018	0.050	12/09/22 07:14	
Fluoranthene	ug/L	<0.026	0.050	12/09/22 07:14	
Fluorene	ug/L	<0.024	0.050	12/09/22 07:14	
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.050	12/09/22 07:14	
Naphthalene	ug/L	<0.020	0.050	12/09/22 07:14	
Phenanthrene	ug/L	<0.026	0.050	12/09/22 07:14	
Pyrene	ug/L	<0.023	0.050	12/09/22 07:14	
2-Fluorobiphenyl (S)	%	82	44-120	12/09/22 07:14	
Terphenyl-d14 (S)	%	96	49-120	12/09/22 07:14	

LABORATORY CONTROL SAMPLE: 2493925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.6	78	51-120	
2-Methylnaphthalene	ug/L	2	1.5	77	50-120	
Acenaphthene	ug/L	2	1.7	87	65-120	
Acenaphthylene	ug/L	2	1.8	90	61-120	
Anthracene	ug/L	2	1.9	95	61-104	
Benzo(a)anthracene	ug/L	2	1.6	82	51-96	
Benzo(a)pyrene	ug/L	2	1.8	88	68-120	
Benzo(b)fluoranthene	ug/L	2	1.6	78	55-97	
Benzo(g,h,i)perylene	ug/L	2	1.8	92	69-120	
Benzo(k)fluoranthene	ug/L	2	1.8	92	73-120	
Chrysene	ug/L	2	2.0	100	72-126	
Dibenz(a,h)anthracene	ug/L	2	1.7	86	57-115	
Fluoranthene	ug/L	2	1.8	89	58-111	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

LABORATORY CONTROL SAMPLE: 2493925

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/L	2	1.7	87	62-120	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.9	93	66-120	
Naphthalene	ug/L	2	1.6	81	53-120	
Phenanthrene	ug/L	2	1.7	83	59-120	
Pyrene	ug/L	2	1.8	89	59-120	
2-Fluorobiphenyl (S)	%			87	44-120	
Terphenyl-d14 (S)	%			96	49-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2493935 2493936

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40255582002 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1-Methylnaphthalene	ug/L	<0.019	2.1	2.1	1.2	1.2	56	58	22-120	5	20	
2-Methylnaphthalene	ug/L	<0.015	2.1	2.1	1.2	1.2	55	57	18-120	4	20	
Acenaphthene	ug/L	<0.015	2.1	2.1	1.3	1.4	62	64	26-120	4	20	
Acenaphthylene	ug/L	<0.013	2.1	2.1	1.3	1.4	64	66	28-120	5	20	
Anthracene	ug/L	<0.020	2.1	2.1	1.4	1.5	68	72	19-124	6	20	
Benzo(a)anthracene	ug/L	<0.015	2.1	2.1	1.1	1.2	54	57	10-125	6	20	
Benzo(a)pyrene	ug/L	<0.014	2.1	2.1	1.4	1.4	66	68	11-134	3	20	
Benzo(b)fluoranthene	ug/L	<0.0097	2.1	2.1	1.1	1.2	53	56	10-118	6	20	
Benzo(g,h,i)perylene	ug/L	<0.025	2.1	2.1	1.4	1.4	68	66	10-135	1	20	
Benzo(k)fluoranthene	ug/L	<0.024	2.1	2.1	1.4	1.6	68	73	17-136	8	20	
Chrysene	ug/L	<0.013	2.1	2.1	1.7	1.7	80	81	27-144	3	20	
Dibenz(a,h)anthracene	ug/L	<0.019	2.1	2.1	1.5	1.4	71	68	10-142	3	20	
Fluoranthene	ug/L	<0.028	2.1	2.1	1.4	1.4	66	66	26-129	1	20	
Fluorene	ug/L	<0.025	2.1	2.1	1.3	1.4	62	64	27-120	4	20	
Indeno(1,2,3-cd)pyrene	ug/L	<0.017	2.1	2.1	1.4	1.5	68	68	10-134	1	20	
Naphthalene	ug/L	0.031J	2.1	2.1	1.3	1.3	58	60	11-120	5	20	
Phenanthrene	ug/L	<0.027	2.1	2.1	1.2	1.3	58	59	23-120	4	20	
Pyrene	ug/L	<0.024	2.1	2.1	1.4	1.4	65	67	24-120	5	20	
2-Fluorobiphenyl (S)	%						65	67	44-120			
Terphenyl-d14 (S)	%						68	71	49-120			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

QC Batch: 433473 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40255582001, 40255582002, 40255582003

METHOD BLANK: 2495643 Matrix: Water
Associated Lab Samples: 40255582001, 40255582002, 40255582003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	12/30/22 02:20	

LABORATORY CONTROL SAMPLE: 2495644

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	19.6	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2495645 2495646

Parameter	Units	2495645		2495646		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40255571001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Sulfate	mg/L	52.6	100	100	155	155	102	102	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

QC Batch: 433505

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

METHOD BLANK: 2495745

Matrix: Water

Associated Lab Samples: 40255582004, 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	12/29/22 18:10	

LABORATORY CONTROL SAMPLE: 2495746

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	19.5	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2495747 2495748

Parameter	Units	40255582004		2495748		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	% Rec	% Rec					
Sulfate	mg/L	<0.44	20	20	21.7	21.7	106	106	90-110	0	15		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2495749 2495750

Parameter	Units	40255620009		2495750		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	% Rec	% Rec					
Sulfate	mg/L	39.9	100	100	143	142	103	102	90-110	0	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

QC Batch: 433750 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004

METHOD BLANK: 2496502 Matrix: Water
Associated Lab Samples: 40255582001, 40255582002, 40255582003, 40255582004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	12/14/22 12:00	

LABORATORY CONTROL SAMPLE: 2496503

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2496504 2496505

Parameter	Units	40255416011		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Nitrogen, NO2 plus NO3	mg/L	3.1	2.5	2.5	5.7	5.6	102	99	90-110	1	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2496506 2496507

Parameter	Units	40255582004		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Conc.	Result	Result	% Rec	% Rec				
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.6	2.6	104	103	90-110	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1940100803-001 CAMP MARINA
Pace Project No.: 40255582

QC Batch: 433751 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

METHOD BLANK: 2496508 Matrix: Water
Associated Lab Samples: 40255582005, 40255582006, 40255582007, 40255582008, 40255582009, 40255582010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	12/14/22 12:24	

LABORATORY CONTROL SAMPLE: 2496509

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2496510 2496511

Parameter	Units	40255620004		2496511		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.6	2.5	102	102	90-110	1	20

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2496512 2496513

Parameter	Units	40255626001		2496513		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	7.0	2.5	2.5	9.5	9.5	99	100	90-110	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40255582001	120222001	EPA 8015B Modified	433439		
40255582002	120222002	EPA 8015B Modified	433439		
40255582003	120222003	EPA 8015B Modified	433439		
40255582004	120222004	EPA 8015B Modified	433439		
40255582005	120222005	EPA 8015B Modified	433439		
40255582006	120222006	EPA 8015B Modified	433439		
40255582007	120222007	EPA 8015B Modified	433439		
40255582008	120222008	EPA 8015B Modified	433439		
40255582009	120222009	EPA 8015B Modified	433439		
40255582010	120222010	EPA 8015B Modified	433439		
40255582001	120222001	EPA 3510	433216	EPA 8270E by SIM	433265
40255582002	120222002	EPA 3510	433216	EPA 8270E by SIM	433265
40255582003	120222003	EPA 3510	433216	EPA 8270E by SIM	433265
40255582004	120222004	EPA 3510	433216	EPA 8270E by SIM	433265
40255582005	120222005	EPA 3510	433216	EPA 8270E by SIM	433265
40255582006	120222006	EPA 3510	433216	EPA 8270E by SIM	433265
40255582007	120222007	EPA 3510	433216	EPA 8270E by SIM	433265
40255582008	120222008	EPA 3510	433216	EPA 8270E by SIM	433265
40255582009	120222009	EPA 3510	433216	EPA 8270E by SIM	433265
40255582010	120222010	EPA 3510	433216	EPA 8270E by SIM	433265
40255582001	120222001	EPA 8260	433205		
40255582002	120222002	EPA 8260	433205		
40255582003	120222003	EPA 8260	433205		
40255582004	120222004	EPA 8260	433205		
40255582005	120222005	EPA 8260	433205		
40255582006	120222006	EPA 8260	433205		
40255582007	120222007	EPA 8260	433205		
40255582008	120222008	EPA 8260	433205		
40255582009	120222009	EPA 8260	433205		
40255582010	120222010	EPA 8260	433205		
40255582011	120222011	EPA 8260	433205		
40255582001	120222001	EPA 300.0	433473		
40255582002	120222002	EPA 300.0	433473		
40255582003	120222003	EPA 300.0	433473		
40255582004	120222004	EPA 300.0	433505		
40255582005	120222005	EPA 300.0	433505		
40255582006	120222006	EPA 300.0	433505		
40255582007	120222007	EPA 300.0	433505		
40255582008	120222008	EPA 300.0	433505		
40255582009	120222009	EPA 300.0	433505		
40255582010	120222010	EPA 300.0	433505		
40255582001	120222001	EPA 353.2	433750		
40255582002	120222002	EPA 353.2	433750		
40255582003	120222003	EPA 353.2	433750		
40255582004	120222004	EPA 353.2	433750		
40255582005	120222005	EPA 353.2	433751		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803-001 CAMP MARINA

Pace Project No.: 40255582

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40255582006	120222006	EPA 353.2	433751		
40255582007	120222007	EPA 353.2	433751		
40255582008	120222008	EPA 353.2	433751		
40255582009	120222009	EPA 353.2	433751		
40255582010	120222010	EPA 353.2	433751		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QC: JCG 12-2-22

40255502

00803-001

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT All relevant fields must be completed accurately

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

Section A		Section B		Section C		Invoice Information:	
Required Client Information:				Required Project Information:			
Company: Ramboll US Consulting, Inc		Report To: Duncan Cleford		Company Name: We Energies		Page: 1 Of 1	
Address: 234 W. Florida Street		Copy To:		Address: PO BOX 1800 GREEN BAY, WI 54307		Regulatory Agency:	
Fifth Floor, Milwaukee, WI 53204		Purchase Order #:		Pace Quote:		State / Location:	
Email: <u>gcleford@ramboll.com</u> <u>ANDREW CAWSE</u>		Project Name: Camp Marina		Pace Project Manager: brian.basten@pacelabs.com		VI	
Phone: 2629010130 Fax:		Project #: 1940100803-001		Pace Profile #: 5624			
Requested Due Date:							

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analyses Test	Requested Analytes Filtered (Y/N)	Residual Chlorine (Y/N)							
				DATE	TIME	DATE	TIME			Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	BTEX 8260	PAH by 8270 SIM				Methane by 8015B	Sulfate	Nitrate + Nitrite				
																										START	END		
1	120222001	G			12/2/22	8:31	10	X	X		X							X	X	X	X	X							001
2	120222002	G			12/2/22	9:17	30	X	X		X							X	X	X	X	X							ms/msd 002
3	120222003	G			12/2/22	10:17	10	X	X		X							X	X	X	X	X							003
4	120222004	G			12/2/22	10:46	10	X	X		X							X	X	X	X	X							004
5	120222005	G			12/2/22	11:30	10	X	X		X							X	X	X	X	X							005
6	120222006	G			12/2/22	11:35	10	X	X		X							X	X	X	X	X							006
7	120222007	G			12/2/22	12:04	10	X	X		X							X	X	X	X	X							007
8	120222008	G			12/2/22	12:35	10	X	X		X							X	X	X	X	X							008
9	120222009	G			12/2/22	13:18	10	X	X		X							X	X	X	X	X							009
10	120222010	G			12/2/22	13:45	10				X							X	X	X	X	X							010
11	120222011	G			12/2/22	—	2				X							X											011

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	Duncan Cleford / Ramboll	12/5/22	10:00	CS LOGISTICS			
	CS LOGISTICS	12/6/22	7:20	Morgan Pace	12/6/22	7:20	3% ^o Y Y X

CUSTODY SEALS
00803-001
-002

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: Lauren Anderson					
SIGNATURE of SAMPLER: <i>Lauren Anderson</i>					
DATE Signed: 12/2/22					

Effective Date: 8/16/2022

Client Name: Ramboll

Sample Preservation Receipt Form

Project # 40255502

All containers needing preservation have been checked and noted below.

Yes No N/A

Lab Lot# of pH paper: 1010723

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass						Plastic						Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)														
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN 1	GN 2										
001				2																																							2.5 / 5	
002				2					3								6																										2.5 / 5	
003				2													6																										2.5 / 5	
004				2													6																										2.5 / 5	
005				2													6																										2.5 / 5	
006				2													6																										2.5 / 5	
007				2													6																										2.5 / 5	
008				2													6																										2.5 / 5	
009				2													6																											2.5 / 5
010				2													6																											2.5 / 5
011				2													6																											2.5 / 5
012																																											2.5 / 5	
013																																											2.5 / 5	
014																																											2.5 / 5	
015																																											2.5 / 5	
016																																											2.5 / 5	
017																																											2.5 / 5	
018																																											2.5 / 5	
019																																											2.5 / 5	
020																																											2.5 / 5	

Exceptions to preservation checked: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other.

Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

12/6/22 mp

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Lamboll

WO# : 40255582

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 12 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr. 3°/0° Corr: 3°/0°

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 12/6/22 / Initials: MP
 Labeled By Initials: SB

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:	For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>12/6/22</u>		<u>006 1/2 Absu no date</u> <u>12/6/22 SB</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir