



Wisconsin Public Service Corporation  
P.O. Box 19001  
Green Bay, WI 54307-9001  
www.wisconsinpublicservice.com

January 30, 2024

Mr. Scott Isaacs  
Sheboygan City Hall  
828 Center Ave #204  
Sheboygan, Wisconsin 53081

**RE: Recent Sampling Results Sheboygan Campmarina Former Manufactured Gas Plant  
732 North Water Street, Sheboygan, Wisconsin, 53081  
WDNR BRRTS# 02-60-000095**

Dear Mr. Isaacs:

WEC Business Services, LLC (WBS), managing the Wisconsin Public Service Corporation (WPSC) former manufactured gas plant site at 732 North Water Street is providing analytical results from groundwater samples collected at locations MW701R, MW706, MW707R, MW708, MW709R, PZ701, PZ702, and PZ703 in December 2023 as part of routine, semi-annual monitoring. Wisconsin Administrative Code Chapter NR716.14 requires responsible parties (WPSC for the above-mentioned site) to report sampling results to the property owner, and occupant, as applicable.

Results of the sampling are summarized in the attached. This includes a summary table of the results compared to State guidance values. Copies of the associated laboratory reports and figures showing the locations of samples collected on your property are also included. The results are presented to the USEPA in monthly progress reports.

We appreciate your cooperation as sampling progresses. If you need additional information, please contact John Feeny from the WDNR at (920) 893-8523 or myself at (414) 221-2577.

Sincerely,

A handwritten signature in black ink that reads 'Glenn R. Luke'.


Glenn R. Luke, PE  
Principal Engineer - Environmental

Enc: Figure 1. City of Sheboygan  
Table 1. December 2023 Groundwater Analytical Results for the City of Sheboygan  
Laboratory Report

CC: USEPA RPM – Ms. Anna Nguyen  
WDNR PM – Mr. John Feeny

**FIGURE**

Feb 13, 2020 1:42pm PLOTTED BY: CAMRSEAG SAVED BY: CowrseAG  
 I:\ACADData\Projects\13\1313\16-0\Figure 1\_City of Sheboygan.dwg Layout1  
 WGS: I:\ACADData\Projects\13\1313\16-0\ESRI Aerial 040816.jpg  
 WREFS:



	PZ-701	PIEZOMETER
	MW-701R	MONITORING WELL
		PROPERTY BOUNDARY

**SOURCE NOTES:**

- COORDINATE REFERENCE SYSTEM IS NAD 1983 SHEBOYGAN COUNTY COORDINATE SYSTEM, US SURVEY FEET.
- IMAGERY LAYER CREDIT: Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

0 50 100  
SCALE IN FEET

DRAWN BY:	DMD	DATE:	04/08/16
CHECKED BY:	ANS	DATE:	05/18/16
APPROVED BY:	KRM	DATE:	05/18/16
DRAWING NO: Fig 1_City of Stevens Point			
REFERENCE:			

**CITY OF SHEBOYGAN**  
 RECENT SAMPLING RESULTS  
 FORMER CAMPMARINA MANUFACTURED GAS PLANT  
 WISCONSIN PUBLIC SERVICE CORPORATION  
 SHEBOYGAN, WISCONSIN  
 BRRTS# 02-60-000095

PROJECT NO.  
67971

FIGURE NO.  
1

## TABLE

**Table 1. December 2023 Groundwater Analytical Results for the City of Sheboygan**

December 2023 Third Party Notification  
 Wisconsin Public Service Corporation  
 Former Manufactured Gas Plant Site - Campmarina  
 732 Water Street, Sheboygan, Wisconsin  
 BRRTS#: 026000095 | FID#: 460134950 | USEPA#: WIN000510058

9-digit Code	Sample Location	Sample Date	BTEX		BTEX		BTEX		BTEX		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		PAH		Inorganic		Inorganic		Organic	
			Benzene	Ethylbenzene	Toluene	Xylenes, Total	1-Methylnaphthalene	2-Methylnaphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	Nitrogen, NO2 + NO3, Total	Sulfate, Total	Methane													
Reporting Units:			µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L					
			Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag				
<b>WI Groundwater ES:</b>			<b>5</b>	<b>700</b>	<b>800</b>	<b>2,000</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>3,000</b>	<b>NS</b>	<b>0.2</b>	<b>0.2</b>	<b>NS</b>	<b>NS</b>	<b>0.2</b>	<b>NS</b>	<b>400</b>	<b>400</b>	<b>NS</b>	<b>100</b>	<b>NS</b>	<b>250</b>	<b>10,000</b>	<b>250,000</b>	<b>NS</b>													
<b>WI Groundwater PAL:</b>			<b>0.5</b>	<b>140</b>	<b>160</b>	<b>400</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>NS</b>	<b>600</b>	<b>NS</b>	<b>0.02</b>	<b>0.02</b>	<b>NS</b>	<b>NS</b>	<b>0.02</b>	<b>NS</b>	<b>80</b>	<b>80</b>	<b>NS</b>	<b>10</b>	<b>NS</b>	<b>50</b>	<b>2,000</b>	<b>125,000</b>	<b>NS</b>													
122723006	MW701R	12/27/2023	<b>3,480</b>	<u>326</u>	13.4 J	161	232	210	139	2.0 J	13.0	1.7 J	1.4 U	1.0 U	2.6 U	2.5 U	<b>1.5</b> J	2.0 U	7.1	34.8	1.8 U	<b>1,440</b>	66.2	8.4	59 U	2,200 U	7,410													
122723007	MW701R Dup	12/27/2023	<b>3,870</b>	<u>342</u>	14.4 U	164	214	194	132	1.9 J	12.7	1.6 J	1.3 U	0.97 U	2.5 U	2.4 U	<b>1.5</b> J	1.9 U	6.7	34.1	1.6 U	<b>1,390</b>	59.7	7.7	59 U	2,200 U	7,520													
122723005	MW706	12/27/2023	<b>5,220</b>	<u>337</u>	<u>774</u>	<u>411</u>	397	143	40.0	169	10.2 J	2.9 U	2.7 U	1.9 U	5.0 U	4.7 U	2.7 U	3.8 U	5.6 U	54.4	3.3 U	<b>2,650</b>	56.3	6.3 J	88 J	14,900	24.3													
122723009	MW707R	12/27/2023	<b>1,980</b>	<b>1,870</b>	21.9	<u>420</u>	144	6.6	46.6	1.6	3.8	0.38 U	0.36 U	0.26 U	0.66 U	0.63 U	0.35 U	0.50 U	1.8	19.8	0.44 U	<b>330</b>	16.2	1.9	59 U	4,800 J	9,110													
122723003	MW708	12/27/2023	0.30 U	0.33 U	0.29 U	1.0 U	0.020 U	0.015 U	0.015 U	0.014 U	0.020 U	0.015 U	0.014 U	0.010 U	0.026 U	0.025 U	0.014 U	0.020 U	0.029 U	0.026 U	0.017 U	0.031 J	0.028 U	0.025 U	59 U	<b>136,000</b>	60.8													
122723001	MW709R	12/27/2023	0.30 U	0.33 U	0.29 U	1.0 U	0.020 U	0.017 J	0.015 U	0.014 U	0.020 U	0.015 U	0.014 U	0.017 J	0.026 U	0.025 U	0.014 U	0.022 J	0.029 U	0.026 U	0.020 J	0.042 J	0.028 U	0.025 U	59 U	9,400 J	2,350													
122723008	PZ701	12/27/2023	<u>9.9</u>	0.80 J	0.29 U	1.2 J	0.53	0.45	0.32	0.025 J	0.038 J	0.015 U	0.014 U	0.010 U	0.026 U	0.025 U	0.014 U	0.020 U	0.029 U	0.062	0.017 U	3.1	0.062	0.025 U	59 U	38,400	1,440													
122723004	PZ702	12/27/2023	0.30 U	0.33 U	0.29 U	1.0 U	0.018 U	0.014 U	0.014 U	0.013 U	0.019 U	0.014 U	0.013 U	0.0094 U	0.024 U	0.023 U	0.013 U	0.018 U	0.027 U	0.024 U	0.016 U	0.044 J	0.026 U	0.023 U	59 U	2,200 U	0.58 U													
122723010	PZ703	12/27/2023	<b>166</b>	52.2	8.6	50.0	0.78	0.039 J	0.47	0.16	0.031 J	0.014 U	0.013 U	0.0095 U	0.024 U	0.023 U	0.013 U	0.019 U	0.027 U	0.28	0.016 U	0.19	0.17	0.024 U	59 U	2,200 U	1,650													

[O:GK1 1/26/24, C: EAG 1/26/24]

**Bold** attains or exceeds the WI Groundwater ES  
Underline attains or exceeds the WI Groundwater PAL

**Results & Flags:**  
 J = Estimated Concentration  
 U = Concentration was not detected above the reported limit

**Acronyms:**  
 µg/L = micrograms per liter  
 BRRTS = Bureau for Remediation and Redevelopment Tracking System  
 BTEX = Benzene, Toluene, Ethylbenzene and Xylene  
 Dup = Quality Control Field Duplicate Sample  
 ES = Enforcement Standard  
 FID = facility identification number  
 NO2 + NO3 = nitrite plus nitrate  
 NS = A groundwater quality standard has not been established.  
 PAH = Polycyclic Aromatic Hydrocarbon  
 PAL = Preventive Action Limit  
 USEPA = United States Environmental Protection Agency site identification number  
 WI = Wisconsin

**Standards:**  
 PAL and ES from WI Administrative Code NR 140 groundwater quality standard revised effective January 2020.

Lab comments, additional data qualifiers and definitions can be found in associated laboratory reports.

# **LABORATORY DATA REPORTS**



January 29, 2024

Andrew Cawrse  
Ramboll Americas  
234 W Florida St  
Milwaukee, WI 53204

RE: Project: 1940100803 CAMPMARINA  
Pace Project No.: 40272657

Dear Andrew Cawrse:

Enclosed are the analytical results for sample(s) received by the laboratory on December 28, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Brian Basten  
brian.basten@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures

cc: ERIC BAUER, Ramboll  
NRT Data, Ramboll



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### SAMPLE SUMMARY

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40272657001	122723001	Water	12/27/23 09:06	12/28/23 09:30
40272657003	122723003	Water	12/27/23 10:33	12/28/23 09:30
40272657004	122723004	Water	12/27/23 11:33	12/28/23 09:30
40272657005	122723005	Water	12/27/23 12:01	12/28/23 09:30
40272657006	122723006	Water	12/27/23 12:34	12/28/23 09:30
40272657007	122723007	Water	12/27/23 12:39	12/28/23 09:30
40272657008	122723008	Water	12/27/23 13:09	12/28/23 09:30
40272657009	122723009	Water	12/27/23 13:51	12/28/23 09:30
40272657010	122723010	Water	12/27/23 14:15	12/28/23 09:30
40272657011	122723011	Water	12/27/23 14:30	12/28/23 09:30
40272657012	122723012	Water	12/27/23 00:00	12/28/23 09:30

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40272657001	122723001	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657003	122723003	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657004	122723004	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657005	122723005	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657006	122723006	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657007	122723007	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657008	122723008	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
40272657009	122723009	EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40272657010	122723010	EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
40272657011	122723011	EPA 353.2	MT	1
		EPA 8015B Modified	KHB	1
		EPA 8270E by SIM	TPO	20
		EPA 8260	NB	7
		EPA 300.0	HMB	1
		EPA 353.2	MT	1
		EPA 8260	NB	7
40272657012	122723012	EPA 300.0	HMB	1
		EPA 8260	NB	7

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723001 Lab ID: 40272657001 Collected: 12/27/23 09:06 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	2350	ug/L	28.0	5.8	10		01/03/24 13:05	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:42	83-32-9	
Acenaphthylene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:42	208-96-8	
Anthracene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:42	120-12-7	
Benzo(a)anthracene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:42	56-55-3	
Benzo(a)pyrene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:42	50-32-8	
Benzo(b)fluoranthene	0.017J	ug/L	0.055	0.010	1	12/29/23 10:05	01/02/24 13:42	205-99-2	
Benzo(g,h,i)perylene	<0.026	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 13:42	191-24-2	
Benzo(k)fluoranthene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 13:42	207-08-9	
Chrysene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:42	218-01-9	
Dibenz(a,h)anthracene	0.022J	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:42	53-70-3	
Fluoranthene	<0.029	ug/L	0.055	0.029	1	12/29/23 10:05	01/02/24 13:42	206-44-0	
Fluorene	<0.026	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 13:42	86-73-7	
Indeno(1,2,3-cd)pyrene	0.020J	ug/L	0.055	0.017	1	12/29/23 10:05	01/02/24 13:42	193-39-5	
1-Methylnaphthalene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:42	90-12-0	
2-Methylnaphthalene	0.017J	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:42	91-57-6	
Naphthalene	0.042J	ug/L	0.055	0.022	1	12/29/23 10:05	01/02/24 13:42	91-20-3	
Phenanthrene	<0.028	ug/L	0.055	0.028	1	12/29/23 10:05	01/02/24 13:42	85-01-8	
Pyrene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 13:42	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	61	%	38-120		1	12/29/23 10:05	01/02/24 13:42	321-60-8	
Terphenyl-d14 (S)	72	%	47-121		1	12/29/23 10:05	01/02/24 13:42	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/02/24 17:08	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/02/24 17:08	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/02/24 17:08	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		01/02/24 17:08	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	103	%	70-130		1		01/02/24 17:08	2037-26-5	
4-Bromofluorobenzene (S)	106	%	70-130		1		01/02/24 17:08	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		01/02/24 17:08	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	9.4J	mg/L	10.0	2.2	5		01/03/24 15:26	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:14		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723003 Lab ID: 40272657003 Collected: 12/27/23 10:33 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	60.8	ug/L	2.8	0.58	1		01/03/24 10:51	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:05	83-32-9	
Acenaphthylene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:05	208-96-8	
Anthracene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:05	120-12-7	
Benzo(a)anthracene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:05	56-55-3	
Benzo(a)pyrene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:05	50-32-8	
Benzo(b)fluoranthene	<0.010	ug/L	0.055	0.010	1	12/29/23 10:05	01/02/24 13:05	205-99-2	
Benzo(g,h,i)perylene	<0.026	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 13:05	191-24-2	
Benzo(k)fluoranthene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 13:05	207-08-9	
Chrysene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 13:05	218-01-9	
Dibenz(a,h)anthracene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:05	53-70-3	
Fluoranthene	<0.029	ug/L	0.055	0.029	1	12/29/23 10:05	01/02/24 13:05	206-44-0	
Fluorene	<0.026	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 13:05	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.055	0.017	1	12/29/23 10:05	01/02/24 13:05	193-39-5	
1-Methylnaphthalene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 13:05	90-12-0	
2-Methylnaphthalene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 13:05	91-57-6	
Naphthalene	0.031J	ug/L	0.055	0.022	1	12/29/23 10:05	01/02/24 13:05	91-20-3	
Phenanthrene	<0.028	ug/L	0.055	0.028	1	12/29/23 10:05	01/02/24 13:05	85-01-8	
Pyrene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 13:05	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	61	%	38-120		1	12/29/23 10:05	01/02/24 13:05	321-60-8	
Terphenyl-d14 (S)	70	%	47-121		1	12/29/23 10:05	01/02/24 13:05	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/02/24 12:47	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/02/24 12:47	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/02/24 12:47	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		01/02/24 12:47	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	102	%	70-130		1		01/02/24 12:47	2037-26-5	
4-Bromofluorobenzene (S)	106	%	70-130		1		01/02/24 12:47	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		1		01/02/24 12:47	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	136	mg/L	10.0	2.2	5		01/03/24 15:56	14808-79-8	
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:15		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723004 Lab ID: 40272657004 Collected: 12/27/23 11:33 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	<0.58	ug/L	2.8	0.58	1		01/03/24 10:58	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	<0.014	ug/L	0.051	0.014	1	12/29/23 10:05	01/02/24 14:17	83-32-9	
Acenaphthylene	<0.013	ug/L	0.051	0.013	1	12/29/23 10:05	01/02/24 14:17	208-96-8	
Anthracene	<0.019	ug/L	0.051	0.019	1	12/29/23 10:05	01/02/24 14:17	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.051	0.014	1	12/29/23 10:05	01/02/24 14:17	56-55-3	
Benzo(a)pyrene	<0.013	ug/L	0.051	0.013	1	12/29/23 10:05	01/02/24 14:17	50-32-8	
Benzo(b)fluoranthene	<0.0094	ug/L	0.051	0.0094	1	12/29/23 10:05	01/02/24 14:17	205-99-2	
Benzo(g,h,i)perylene	<0.024	ug/L	0.051	0.024	1	12/29/23 10:05	01/02/24 14:17	191-24-2	
Benzo(k)fluoranthene	<0.023	ug/L	0.051	0.023	1	12/29/23 10:05	01/02/24 14:17	207-08-9	
Chrysene	<0.013	ug/L	0.051	0.013	1	12/29/23 10:05	01/02/24 14:17	218-01-9	
Dibenz(a,h)anthracene	<0.018	ug/L	0.051	0.018	1	12/29/23 10:05	01/02/24 14:17	53-70-3	
Fluoranthene	<0.027	ug/L	0.051	0.027	1	12/29/23 10:05	01/02/24 14:17	206-44-0	
Fluorene	<0.024	ug/L	0.051	0.024	1	12/29/23 10:05	01/02/24 14:17	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.051	0.016	1	12/29/23 10:05	01/02/24 14:17	193-39-5	
1-Methylnaphthalene	<0.018	ug/L	0.051	0.018	1	12/29/23 10:05	01/02/24 14:17	90-12-0	
2-Methylnaphthalene	<0.014	ug/L	0.051	0.014	1	12/29/23 10:05	01/02/24 14:17	91-57-6	
Naphthalene	0.044J	ug/L	0.051	0.020	1	12/29/23 10:05	01/02/24 14:17	91-20-3	
Phenanthrene	<0.026	ug/L	0.051	0.026	1	12/29/23 10:05	01/02/24 14:17	85-01-8	
Pyrene	<0.023	ug/L	0.051	0.023	1	12/29/23 10:05	01/02/24 14:17	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	66	%	38-120		1	12/29/23 10:05	01/02/24 14:17	321-60-8	
Terphenyl-d14 (S)	65	%	47-121		1	12/29/23 10:05	01/02/24 14:17	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		01/02/24 17:46	71-43-2	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		01/02/24 17:46	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/02/24 17:46	108-88-3	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		01/02/24 17:46	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	102	%	70-130		1		01/02/24 17:46	2037-26-5	
4-Bromofluorobenzene (S)	105	%	70-130		1		01/02/24 17:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		01/02/24 17:46	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		01/03/24 17:25	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:18		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723005 Lab ID: 40272657005 Collected: 12/27/23 12:01 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	24.3	ug/L	2.8	0.58	1		01/03/24 11:05	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	40.0	ug/L	10.6	3.0	200	12/29/23 10:05	01/02/24 16:24	83-32-9	
Acenaphthylene	169	ug/L	10.6	2.7	200	12/29/23 10:05	01/02/24 16:24	208-96-8	
Anthracene	10.2J	ug/L	10.6	3.9	200	12/29/23 10:05	01/02/24 16:24	120-12-7	
Benzo(a)anthracene	<2.9	ug/L	10.6	2.9	200	12/29/23 10:05	01/02/24 16:24	56-55-3	
Benzo(a)pyrene	<2.7	ug/L	10.6	2.7	200	12/29/23 10:05	01/02/24 16:24	50-32-8	
Benzo(b)fluoranthene	<1.9	ug/L	10.6	1.9	200	12/29/23 10:05	01/02/24 16:24	205-99-2	
Benzo(g,h,i)perylene	<5.0	ug/L	10.6	5.0	200	12/29/23 10:05	01/02/24 16:24	191-24-2	
Benzo(k)fluoranthene	<4.7	ug/L	10.6	4.7	200	12/29/23 10:05	01/02/24 16:24	207-08-9	
Chrysene	<2.7	ug/L	10.6	2.7	200	12/29/23 10:05	01/02/24 16:24	218-01-9	
Dibenz(a,h)anthracene	<3.8	ug/L	10.6	3.8	200	12/29/23 10:05	01/02/24 16:24	53-70-3	
Fluoranthene	<5.6	ug/L	10.6	5.6	200	12/29/23 10:05	01/02/24 16:24	206-44-0	
Fluorene	54.4	ug/L	10.6	5.0	200	12/29/23 10:05	01/02/24 16:24	86-73-7	
Indeno(1,2,3-cd)pyrene	<3.3	ug/L	10.6	3.3	200	12/29/23 10:05	01/02/24 16:24	193-39-5	
1-Methylnaphthalene	397	ug/L	10.6	3.8	200	12/29/23 10:05	01/02/24 16:24	90-12-0	
2-Methylnaphthalene	143	ug/L	10.6	2.9	200	12/29/23 10:05	01/02/24 16:24	91-57-6	
Naphthalene	2650	ug/L	10.6	4.2	200	12/29/23 10:05	01/02/24 16:24	91-20-3	
Phenanthrene	56.3	ug/L	10.6	5.4	200	12/29/23 10:05	01/02/24 16:24	85-01-8	
Pyrene	6.3J	ug/L	10.6	4.8	200	12/29/23 10:05	01/02/24 16:24	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	95	%	38-120		200	12/29/23 10:05	01/02/24 16:24	321-60-8	
Terphenyl-d14 (S)	82	%	47-121		200	12/29/23 10:05	01/02/24 16:24	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	5220	ug/L	100	29.5	100		01/03/24 14:27	71-43-2	
Ethylbenzene	337	ug/L	100	32.5	100		01/03/24 14:27	100-41-4	
Toluene	774	ug/L	100	28.8	100		01/03/24 14:27	108-88-3	
Xylene (Total)	411	ug/L	300	105	100		01/03/24 14:27	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	99	%	70-130		100		01/03/24 14:27	2037-26-5	
4-Bromofluorobenzene (S)	103	%	70-130		100		01/03/24 14:27	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		100		01/03/24 14:27	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	14.9	mg/L	10.0	2.2	5		01/03/24 17:40	14808-79-8	
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	0.088J	mg/L	0.25	0.059	1		01/03/24 13:18		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723006 Lab ID: 40272657006 Collected: 12/27/23 12:34 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	7410	ug/L	140	28.8	50		01/03/24 13:12	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	139	ug/L	5.7	1.6	100	12/29/23 10:05	01/02/24 17:00	83-32-9	
Acenaphthylene	2.0J	ug/L	5.7	1.4	100	12/29/23 10:05	01/02/24 17:00	208-96-8	
Anthracene	13.0	ug/L	5.7	2.1	100	12/29/23 10:05	01/02/24 17:00	120-12-7	
Benzo(a)anthracene	1.7J	ug/L	5.7	1.5	100	12/29/23 10:05	01/02/24 17:00	56-55-3	
Benzo(a)pyrene	<1.4	ug/L	5.7	1.4	100	12/29/23 10:05	01/02/24 17:00	50-32-8	
Benzo(b)fluoranthene	<1.0	ug/L	5.7	1.0	100	12/29/23 10:05	01/02/24 17:00	205-99-2	
Benzo(g,h,i)perylene	<2.6	ug/L	5.7	2.6	100	12/29/23 10:05	01/02/24 17:00	191-24-2	
Benzo(k)fluoranthene	<2.5	ug/L	5.7	2.5	100	12/29/23 10:05	01/02/24 17:00	207-08-9	
Chrysene	1.5J	ug/L	5.7	1.4	100	12/29/23 10:05	01/02/24 17:00	218-01-9	
Dibenz(a,h)anthracene	<2.0	ug/L	5.7	2.0	100	12/29/23 10:05	01/02/24 17:00	53-70-3	
Fluoranthene	7.1	ug/L	5.7	3.0	100	12/29/23 10:05	01/02/24 17:00	206-44-0	
Fluorene	34.8	ug/L	5.7	2.7	100	12/29/23 10:05	01/02/24 17:00	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.8	ug/L	5.7	1.8	100	12/29/23 10:05	01/02/24 17:00	193-39-5	
1-Methylnaphthalene	232	ug/L	5.7	2.0	100	12/29/23 10:05	01/02/24 17:00	90-12-0	
2-Methylnaphthalene	210	ug/L	5.7	1.6	100	12/29/23 10:05	01/02/24 17:00	91-57-6	
Naphthalene	1440	ug/L	5.7	2.3	100	12/29/23 10:05	01/02/24 17:00	91-20-3	
Phenanthrene	66.2	ug/L	5.7	2.9	100	12/29/23 10:05	01/02/24 17:00	85-01-8	
Pyrene	8.4	ug/L	5.7	2.6	100	12/29/23 10:05	01/02/24 17:00	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	75	%	38-120		100	12/29/23 10:05	01/02/24 17:00	321-60-8	
Terphenyl-d14 (S)	69	%	47-121		100	12/29/23 10:05	01/02/24 17:00	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3480	ug/L	25.0	7.4	25		01/03/24 15:05	71-43-2	
Ethylbenzene	326	ug/L	25.0	8.1	25		01/03/24 15:05	100-41-4	
Toluene	13.4J	ug/L	25.0	7.2	25		01/03/24 15:05	108-88-3	
Xylene (Total)	161	ug/L	75.0	26.2	25		01/03/24 15:05	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	102	%	70-130		25		01/03/24 15:05	2037-26-5	
4-Bromofluorobenzene (S)	104	%	70-130		25		01/03/24 15:05	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		25		01/03/24 15:05	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		01/03/24 17:55	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:21		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

**Sample: 122723007**      **Lab ID: 40272657007**      Collected: 12/27/23 12:39      Received: 12/28/23 09:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	7520	ug/L	140	28.8	50		01/03/24 13:19	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	132	ug/L	5.3	1.5	100	12/29/23 10:05	01/02/24 17:19	83-32-9	
Acenaphthylene	1.9J	ug/L	5.3	1.3	100	12/29/23 10:05	01/02/24 17:19	208-96-8	
Anthracene	12.7	ug/L	5.3	2.0	100	12/29/23 10:05	01/02/24 17:19	120-12-7	
Benzo(a)anthracene	1.6J	ug/L	5.3	1.4	100	12/29/23 10:05	01/02/24 17:19	56-55-3	
Benzo(a)pyrene	<1.3	ug/L	5.3	1.3	100	12/29/23 10:05	01/02/24 17:19	50-32-8	
Benzo(b)fluoranthene	<0.97	ug/L	5.3	0.97	100	12/29/23 10:05	01/02/24 17:19	205-99-2	
Benzo(g,h,i)perylene	<2.5	ug/L	5.3	2.5	100	12/29/23 10:05	01/02/24 17:19	191-24-2	
Benzo(k)fluoranthene	<2.4	ug/L	5.3	2.4	100	12/29/23 10:05	01/02/24 17:19	207-08-9	
Chrysene	1.5J	ug/L	5.3	1.3	100	12/29/23 10:05	01/02/24 17:19	218-01-9	
Dibenz(a,h)anthracene	<1.9	ug/L	5.3	1.9	100	12/29/23 10:05	01/02/24 17:19	53-70-3	
Fluoranthene	6.7	ug/L	5.3	2.8	100	12/29/23 10:05	01/02/24 17:19	206-44-0	
Fluorene	34.1	ug/L	5.3	2.5	100	12/29/23 10:05	01/02/24 17:19	86-73-7	
Indeno(1,2,3-cd)pyrene	<1.6	ug/L	5.3	1.6	100	12/29/23 10:05	01/02/24 17:19	193-39-5	
1-Methylnaphthalene	214	ug/L	5.3	1.9	100	12/29/23 10:05	01/02/24 17:19	90-12-0	
2-Methylnaphthalene	194	ug/L	5.3	1.5	100	12/29/23 10:05	01/02/24 17:19	91-57-6	
Naphthalene	1390	ug/L	5.3	2.1	100	12/29/23 10:05	01/02/24 17:19	91-20-3	
Phenanthrene	59.7	ug/L	5.3	2.7	100	12/29/23 10:05	01/02/24 17:19	85-01-8	
Pyrene	7.7	ug/L	5.3	2.4	100	12/29/23 10:05	01/02/24 17:19	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	100	%	38-120		100	12/29/23 10:05	01/02/24 17:19	321-60-8	
Terphenyl-d14 (S)	70	%	47-121		100	12/29/23 10:05	01/02/24 17:19	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	3870	ug/L	50.0	14.8	50		01/04/24 18:21	71-43-2	
Ethylbenzene	342	ug/L	50.0	16.3	50		01/04/24 18:21	100-41-4	
Toluene	<14.4	ug/L	50.0	14.4	50		01/04/24 18:21	108-88-3	
Xylene (Total)	164	ug/L	150	52.4	50		01/04/24 18:21	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	103	%	70-130		50		01/04/24 18:21	2037-26-5	HS
4-Bromofluorobenzene (S)	105	%	70-130		50		01/04/24 18:21	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		50		01/04/24 18:21	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		01/03/24 18:09	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:22		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723008 Lab ID: 40272657008 Collected: 12/27/23 13:09 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	1440	ug/L	28.0	5.8	10		01/03/24 13:25	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	0.32	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 14:35	83-32-9	
Acenaphthylene	0.025J	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 14:35	208-96-8	
Anthracene	0.038J	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 14:35	120-12-7	
Benzo(a)anthracene	<0.015	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 14:35	56-55-3	
Benzo(a)pyrene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 14:35	50-32-8	
Benzo(b)fluoranthene	<0.010	ug/L	0.055	0.010	1	12/29/23 10:05	01/02/24 14:35	205-99-2	
Benzo(g,h,i)perylene	<0.026	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 14:35	191-24-2	
Benzo(k)fluoranthene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 14:35	207-08-9	
Chrysene	<0.014	ug/L	0.055	0.014	1	12/29/23 10:05	01/02/24 14:35	218-01-9	
Dibenz(a,h)anthracene	<0.020	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 14:35	53-70-3	
Fluoranthene	<0.029	ug/L	0.055	0.029	1	12/29/23 10:05	01/02/24 14:35	206-44-0	
Fluorene	0.062	ug/L	0.055	0.026	1	12/29/23 10:05	01/02/24 14:35	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.017	ug/L	0.055	0.017	1	12/29/23 10:05	01/02/24 14:35	193-39-5	
1-Methylnaphthalene	0.53	ug/L	0.055	0.020	1	12/29/23 10:05	01/02/24 14:35	90-12-0	
2-Methylnaphthalene	0.45	ug/L	0.055	0.015	1	12/29/23 10:05	01/02/24 14:35	91-57-6	
Naphthalene	3.1	ug/L	0.055	0.022	1	12/29/23 10:05	01/02/24 14:35	91-20-3	
Phenanthrene	0.062	ug/L	0.055	0.028	1	12/29/23 10:05	01/02/24 14:35	85-01-8	
Pyrene	<0.025	ug/L	0.055	0.025	1	12/29/23 10:05	01/02/24 14:35	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	60	%	38-120		1	12/29/23 10:05	01/02/24 14:35	321-60-8	
Terphenyl-d14 (S)	57	%	47-121		1	12/29/23 10:05	01/02/24 14:35	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	9.9	ug/L	1.0	0.30	1		01/04/24 14:18	71-43-2	
Ethylbenzene	0.80J	ug/L	1.0	0.33	1		01/04/24 14:18	100-41-4	
Toluene	<0.29	ug/L	1.0	0.29	1		01/04/24 14:18	108-88-3	
Xylene (Total)	1.2J	ug/L	3.0	1.0	1		01/04/24 14:18	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	100	%	70-130		1		01/04/24 14:18	2037-26-5	
4-Bromofluorobenzene (S)	106	%	70-130		1		01/04/24 14:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	99	%	70-130		1		01/04/24 14:18	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	38.4	mg/L	10.0	2.2	5		01/03/24 18:24	14808-79-8	
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:23		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

**Sample: 122723009**      **Lab ID: 40272657009**      Collected: 12/27/23 13:51      Received: 12/28/23 09:30      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	9110	ug/L	280	57.6	100		01/03/24 13:32	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	46.6	ug/L	1.4	0.39	25	12/29/23 10:05	01/02/24 16:43	83-32-9	
Acenaphthylene	1.6	ug/L	1.4	0.35	25	12/29/23 10:05	01/02/24 16:43	208-96-8	
Anthracene	3.8	ug/L	1.4	0.52	25	12/29/23 10:05	01/02/24 16:43	120-12-7	
Benzo(a)anthracene	<0.38	ug/L	1.4	0.38	25	12/29/23 10:05	01/02/24 16:43	56-55-3	
Benzo(a)pyrene	<0.36	ug/L	1.4	0.36	25	12/29/23 10:05	01/02/24 16:43	50-32-8	
Benzo(b)fluoranthene	<0.26	ug/L	1.4	0.26	25	12/29/23 10:05	01/02/24 16:43	205-99-2	
Benzo(g,h,i)perylene	<0.66	ug/L	1.4	0.66	25	12/29/23 10:05	01/02/24 16:43	191-24-2	
Benzo(k)fluoranthene	<0.63	ug/L	1.4	0.63	25	12/29/23 10:05	01/02/24 16:43	207-08-9	
Chrysene	<0.35	ug/L	1.4	0.35	25	12/29/23 10:05	01/02/24 16:43	218-01-9	
Dibenz(a,h)anthracene	<0.50	ug/L	1.4	0.50	25	12/29/23 10:05	01/02/24 16:43	53-70-3	
Fluoranthene	1.8	ug/L	1.4	0.73	25	12/29/23 10:05	01/02/24 16:43	206-44-0	
Fluorene	19.8	ug/L	1.4	0.66	25	12/29/23 10:05	01/02/24 16:43	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.44	ug/L	1.4	0.44	25	12/29/23 10:05	01/02/24 16:43	193-39-5	
1-Methylnaphthalene	144	ug/L	1.4	0.50	25	12/29/23 10:05	01/02/24 16:43	90-12-0	
2-Methylnaphthalene	6.6	ug/L	1.4	0.39	25	12/29/23 10:05	01/02/24 16:43	91-57-6	
Naphthalene	330	ug/L	1.4	0.56	25	12/29/23 10:05	01/02/24 16:43	91-20-3	
Phenanthrene	16.2	ug/L	1.4	0.72	25	12/29/23 10:05	01/02/24 16:43	85-01-8	
Pyrene	1.9	ug/L	1.4	0.64	25	12/29/23 10:05	01/02/24 16:43	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	66	%	38-120		25	12/29/23 10:05	01/02/24 16:43	321-60-8	
Terphenyl-d14 (S)	67	%	47-121		25	12/29/23 10:05	01/02/24 16:43	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	1980	ug/L	10.0	3.0	10		01/05/24 10:39	71-43-2	
Ethylbenzene	1870	ug/L	10.0	3.3	10		01/05/24 10:39	100-41-4	
Toluene	21.9	ug/L	10.0	2.9	10		01/05/24 10:39	108-88-3	
Xylene (Total)	420	ug/L	30.0	10.5	10		01/05/24 10:39	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	103	%	70-130		10		01/05/24 10:39	2037-26-5	
4-Bromofluorobenzene (S)	107	%	70-130		10		01/05/24 10:39	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		10		01/05/24 10:39	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	4.8J	mg/L	10.0	2.2	5		01/03/24 18:39	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:24		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Sample: 122723010 Lab ID: 40272657010 Collected: 12/27/23 14:15 Received: 12/28/23 09:30 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Methane, Ethane, Ethene GCV</b>									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Methane	1650	ug/L	56.0	11.5	20		01/03/24 13:39	74-82-8	
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM Preparation Method: EPA 3510 Pace Analytical Services - Green Bay									
Acenaphthene	0.47	ug/L	0.052	0.015	1	12/29/23 10:05	01/02/24 14:52	83-32-9	
Acenaphthylene	0.16	ug/L	0.052	0.013	1	12/29/23 10:05	01/02/24 14:52	208-96-8	
Anthracene	0.031J	ug/L	0.052	0.019	1	12/29/23 10:05	01/02/24 14:52	120-12-7	
Benzo(a)anthracene	<0.014	ug/L	0.052	0.014	1	12/29/23 10:05	01/02/24 14:52	56-55-3	
Benzo(a)pyrene	<0.013	ug/L	0.052	0.013	1	12/29/23 10:05	01/02/24 14:52	50-32-8	
Benzo(b)fluoranthene	<0.0095	ug/L	0.052	0.0095	1	12/29/23 10:05	01/02/24 14:52	205-99-2	
Benzo(g,h,i)perylene	<0.024	ug/L	0.052	0.024	1	12/29/23 10:05	01/02/24 14:52	191-24-2	
Benzo(k)fluoranthene	<0.023	ug/L	0.052	0.023	1	12/29/23 10:05	01/02/24 14:52	207-08-9	
Chrysene	<0.013	ug/L	0.052	0.013	1	12/29/23 10:05	01/02/24 14:52	218-01-9	
Dibenz(a,h)anthracene	<0.019	ug/L	0.052	0.019	1	12/29/23 10:05	01/02/24 14:52	53-70-3	
Fluoranthene	<0.027	ug/L	0.052	0.027	1	12/29/23 10:05	01/02/24 14:52	206-44-0	
Fluorene	0.28	ug/L	0.052	0.025	1	12/29/23 10:05	01/02/24 14:52	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.016	ug/L	0.052	0.016	1	12/29/23 10:05	01/02/24 14:52	193-39-5	
1-Methylnaphthalene	0.78	ug/L	0.052	0.019	1	12/29/23 10:05	01/02/24 14:52	90-12-0	
2-Methylnaphthalene	0.039J	ug/L	0.052	0.014	1	12/29/23 10:05	01/02/24 14:52	91-57-6	
Naphthalene	0.19	ug/L	0.052	0.021	1	12/29/23 10:05	01/02/24 14:52	91-20-3	
Phenanthrene	0.17	ug/L	0.052	0.027	1	12/29/23 10:05	01/02/24 14:52	85-01-8	
Pyrene	<0.024	ug/L	0.052	0.024	1	12/29/23 10:05	01/02/24 14:52	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	62	%	38-120		1	12/29/23 10:05	01/02/24 14:52	321-60-8	
Terphenyl-d14 (S)	65	%	47-121		1	12/29/23 10:05	01/02/24 14:52	1718-51-0	
<b>8260 MSV UST</b>									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	166	ug/L	1.0	0.30	1		01/04/24 14:37	71-43-2	
Ethylbenzene	52.2	ug/L	1.0	0.33	1		01/04/24 14:37	100-41-4	
Toluene	8.6	ug/L	1.0	0.29	1		01/04/24 14:37	108-88-3	
Xylene (Total)	50.0	ug/L	3.0	1.0	1		01/04/24 14:37	1330-20-7	
<b>Surrogates</b>									
Toluene-d8 (S)	102	%	70-130		1		01/04/24 14:37	2037-26-5	
4-Bromofluorobenzene (S)	104	%	70-130		1		01/04/24 14:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		1		01/04/24 14:37	2199-69-1	
<b>300.0 IC Anions</b>									
Analytical Method: EPA 300.0 Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		01/03/24 18:54	14808-79-8	D3
<b>353.2 Nitrogen, NO2/NO3 pres.</b>									
Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay									
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		01/03/24 13:24		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch:	464151	Analysis Method:	EPA 8015B Modified
QC Batch Method:	EPA 8015B Modified	Analysis Description:	Methane, Ethane, Ethene GCV
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011		

METHOD BLANK:	2662070	Matrix:	Water
Associated Lab Samples:	40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Methane	ug/L	<0.58	2.8	01/03/24 09:43	

LABORATORY CONTROL SAMPLE & LCSD: 2662071		2662072									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Methane	ug/L	28.6	30.6	30.2	107	106	80-120	1	20		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2662073		2662074										
Parameter	Units	40272657003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Methane	ug/L	60.8	28.6	28.6	79.3	91.9	65	109	12-198	15	26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch:	463945	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40272657001, 40272657003, 40272657004

METHOD BLANK: 2661244 Matrix: Water

Associated Lab Samples: 40272657001, 40272657003, 40272657004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	01/02/24 09:40	
Ethylbenzene	ug/L	<0.33	1.0	01/02/24 09:40	
Toluene	ug/L	<0.29	1.0	01/02/24 09:40	
Xylene (Total)	ug/L	<1.0	3.0	01/02/24 09:40	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	01/02/24 09:40	
4-Bromofluorobenzene (S)	%	105	70-130	01/02/24 09:40	
Toluene-d8 (S)	%	101	70-130	01/02/24 09:40	

LABORATORY CONTROL SAMPLE: 2661245

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	56.4	113	70-130	
Ethylbenzene	ug/L	50	57.0	114	80-125	
Toluene	ug/L	50	55.6	111	80-120	
Xylene (Total)	ug/L	150	167	111	70-130	
1,2-Dichlorobenzene-d4 (S)	%			99	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661246 2661247

Parameter	Units	2661246		2661247		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Benzene	ug/L	<0.30	50	50	54.7	56.3	109	113	70-130	3	20
Ethylbenzene	ug/L	<0.33	50	50	58.1	57.8	116	116	80-126	0	20
Toluene	ug/L	<0.29	50	50	56.2	56.2	112	112	80-121	0	20
Xylene (Total)	ug/L	<1.0	150	150	168	169	112	113	70-130	1	20
1,2-Dichlorobenzene-d4 (S)	%						99	99	70-130		
4-Bromofluorobenzene (S)	%						107	105	70-130		
Toluene-d8 (S)	%						102	102	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch:	464030	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40272657005, 40272657006

METHOD BLANK: 2661690 Matrix: Water

Associated Lab Samples: 40272657005, 40272657006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	01/03/24 09:27	
Ethylbenzene	ug/L	<0.33	1.0	01/03/24 09:27	
Toluene	ug/L	<0.29	1.0	01/03/24 09:27	
Xylene (Total)	ug/L	<1.0	3.0	01/03/24 09:27	
1,2-Dichlorobenzene-d4 (S)	%	99	70-130	01/03/24 09:27	
4-Bromofluorobenzene (S)	%	104	70-130	01/03/24 09:27	
Toluene-d8 (S)	%	100	70-130	01/03/24 09:27	

LABORATORY CONTROL SAMPLE: 2661691

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	56.2	112	70-130	
Ethylbenzene	ug/L	50	58.3	117	80-125	
Toluene	ug/L	50	54.4	109	80-120	
Xylene (Total)	ug/L	150	167	112	70-130	
1,2-Dichlorobenzene-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661692 2661693

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40272708005 Result	Spike Conc.	Spike Conc.	Result						
Benzene	ug/L	<1.0	50	50	54.5	55.6	109	111	70-130	2	20
Ethylbenzene	ug/L	<1.0	50	50	57.4	57.4	115	115	80-126	0	20
Toluene	ug/L	<1.0	50	50	55.3	55.7	111	111	80-121	1	20
Xylene (Total)	ug/L	<3.0	150	150	166	167	111	112	70-130	1	20
1,2-Dichlorobenzene-d4 (S)	%						97	99	70-130		
4-Bromofluorobenzene (S)	%						106	107	70-130		
Toluene-d8 (S)	%						105	103	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch:	464225	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV UST-WATER
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40272657007, 40272657008, 40272657009, 40272657010, 40272657011, 40272657012

METHOD BLANK: 2662405 Matrix: Water  
 Associated Lab Samples: 40272657007, 40272657008, 40272657009, 40272657010, 40272657011, 40272657012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Benzene	ug/L	<0.30	1.0	01/04/24 10:52	
Ethylbenzene	ug/L	<0.33	1.0	01/04/24 10:52	
Toluene	ug/L	<0.29	1.0	01/04/24 10:52	
Xylene (Total)	ug/L	<1.0	3.0	01/04/24 10:52	
1,2-Dichlorobenzene-d4 (S)	%	100	70-130	01/04/24 10:52	
4-Bromofluorobenzene (S)	%	106	70-130	01/04/24 10:52	
Toluene-d8 (S)	%	101	70-130	01/04/24 10:52	

LABORATORY CONTROL SAMPLE: 2662406

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	52.5	105	70-130	
Ethylbenzene	ug/L	50	54.7	109	80-125	
Toluene	ug/L	50	53.1	106	80-120	
Xylene (Total)	ug/L	150	157	105	70-130	
1,2-Dichlorobenzene-d4 (S)	%			98	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	
Toluene-d8 (S)	%			102	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2662497 2662498

Parameter	Units	2662497		2662498		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40272743001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Benzene	ug/L	<1.0	50	50	55.9	55.9	111	111	70-130	0	20
Ethylbenzene	ug/L	<1.0	50	50	55.4	57.0	111	114	80-126	3	20
Toluene	ug/L	<1.0	50	50	54.0	55.9	108	112	80-121	3	20
Xylene (Total)	ug/L	<3.0	150	150	160	165	107	110	70-130	3	20
1,2-Dichlorobenzene-d4 (S)	%						99	99	70-130		
4-Bromofluorobenzene (S)	%						106	107	70-130		
Toluene-d8 (S)	%						101	102	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch: 463963 Analysis Method: EPA 8270E by SIM  
 QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH  
 Laboratory: Pace Analytical Services - Green Bay  
 Associated Lab Samples: 40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011

METHOD BLANK: 2661280 Matrix: Water  
 Associated Lab Samples: 40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.018	0.050	01/02/24 11:31	
2-Methylnaphthalene	ug/L	<0.014	0.050	01/02/24 11:31	
Acenaphthene	ug/L	<0.014	0.050	01/02/24 11:31	
Acenaphthylene	ug/L	<0.013	0.050	01/02/24 11:31	
Anthracene	ug/L	<0.018	0.050	01/02/24 11:31	
Benzo(a)anthracene	ug/L	<0.014	0.050	01/02/24 11:31	
Benzo(a)pyrene	ug/L	<0.013	0.050	01/02/24 11:31	
Benzo(b)fluoranthene	ug/L	<0.0091	0.050	01/02/24 11:31	
Benzo(g,h,i)perylene	ug/L	<0.023	0.050	01/02/24 11:31	
Benzo(k)fluoranthene	ug/L	<0.022	0.050	01/02/24 11:31	
Chrysene	ug/L	<0.013	0.050	01/02/24 11:31	
Dibenz(a,h)anthracene	ug/L	<0.018	0.050	01/02/24 11:31	
Fluoranthene	ug/L	<0.026	0.050	01/02/24 11:31	
Fluorene	ug/L	<0.024	0.050	01/02/24 11:31	
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.050	01/02/24 11:31	
Naphthalene	ug/L	<0.020	0.050	01/02/24 11:31	
Phenanthrene	ug/L	<0.026	0.050	01/02/24 11:31	
Pyrene	ug/L	<0.023	0.050	01/02/24 11:31	
2-Fluorobiphenyl (S)	%	68	38-120	01/02/24 11:31	
Terphenyl-d14 (S)	%	71	47-121	01/02/24 11:31	

LABORATORY CONTROL SAMPLE: 2661281

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/L	2	1.4	72	57-120	
2-Methylnaphthalene	ug/L	2	1.5	73	55-120	
Acenaphthene	ug/L	2	1.5	74	60-120	
Acenaphthylene	ug/L	2	1.5	74	58-120	
Anthracene	ug/L	2	1.7	85	58-120	
Benzo(a)anthracene	ug/L	2	1.9	94	51-120	
Benzo(a)pyrene	ug/L	2	1.7	85	59-120	
Benzo(b)fluoranthene	ug/L	2	1.9	94	52-120	
Benzo(g,h,i)perylene	ug/L	2	1.9	96	62-120	
Benzo(k)fluoranthene	ug/L	2	1.6	82	59-120	
Chrysene	ug/L	2	1.7	86	55-125	
Dibenz(a,h)anthracene	ug/L	2	1.9	93	60-120	
Fluoranthene	ug/L	2	1.8	91	62-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

LABORATORY CONTROL SAMPLE: 2661281

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Fluorene	ug/L	2	1.6	80	61-120	
Indeno(1,2,3-cd)pyrene	ug/L	2	2.0	98	62-120	
Naphthalene	ug/L	2	1.4	72	55-120	
Phenanthrene	ug/L	2	1.7	83	55-120	
Pyrene	ug/L	2	1.8	88	53-120	
2-Fluorobiphenyl (S)	%			74	38-120	
Terphenyl-d14 (S)	%			78	47-121	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661282 2661283

Parameter	Units	2661282		2661283		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40272657003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
1-Methylnaphthalene	ug/L	<0.020	2.1	2.2	1.8	1.7	85	79	32-120	4	25
2-Methylnaphthalene	ug/L	<0.015	2.1	2.2	1.7	1.7	82	77	37-120	2	22
Acenaphthene	ug/L	<0.015	2.1	2.2	1.6	1.7	75	80	52-120	11	20
Acenaphthylene	ug/L	<0.014	2.1	2.2	1.5	1.7	73	80	49-120	14	20
Anthracene	ug/L	<0.020	2.1	2.2	1.8	2.0	88	93	45-120	11	25
Benzo(a)anthracene	ug/L	<0.015	2.1	2.2	2.0	2.1	95	98	31-120	7	25
Benzo(a)pyrene	ug/L	<0.014	2.1	2.2	1.8	2.0	87	91	38-120	8	24
Benzo(b)fluoranthene	ug/L	<0.010	2.1	2.2	2.0	2.2	96	103	36-120	12	24
Benzo(g,h,i)perylene	ug/L	<0.026	2.1	2.2	2.0	2.1	96	97	43-120	5	23
Benzo(k)fluoranthene	ug/L	<0.025	2.1	2.2	1.8	1.9	85	86	46-120	5	21
Chrysene	ug/L	<0.014	2.1	2.2	1.9	2.1	90	94	39-143	9	23
Dibenz(a,h)anthracene	ug/L	<0.020	2.1	2.2	2.0	2.2	98	102	32-125	9	22
Fluoranthene	ug/L	<0.029	2.1	2.2	1.9	2.1	91	96	56-120	10	21
Fluorene	ug/L	<0.026	2.1	2.2	1.7	1.9	80	89	45-120	16	20
Indeno(1,2,3-cd)pyrene	ug/L	<0.017	2.1	2.2	2.0	2.2	95	101	42-120	10	23
Naphthalene	ug/L	0.031J	2.1	2.2	1.7	1.9	82	84	50-120	6	23
Phenanthrene	ug/L	<0.028	2.1	2.2	1.8	2.0	86	90	47-120	9	21
Pyrene	ug/L	<0.025	2.1	2.2	1.8	1.9	84	89	47-120	10	23
2-Fluorobiphenyl (S)	%						73	78	38-120		
Terphenyl-d14 (S)	%						70	69	47-121		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch:	464108	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Green Bay
Associated Lab Samples:	40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011		

METHOD BLANK:	2661902	Matrix:	Water
Associated Lab Samples:	40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	01/03/24 10:43	

LABORATORY CONTROL SAMPLE: 2661903						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	20.6	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661904												2661905	
Parameter	Units	40272677001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Sulfate	mg/L	20.0J	400	400	441	447	105	107	90-110	1	15		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661906												2661907	
Parameter	Units	40272657003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Sulfate	mg/L	136	100	100	244	244	108	108	90-110	0	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

QC Batch: 464132 Analysis Method: EPA 353.2  
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved  
 Laboratory: Pace Analytical Services - Green Bay  
 Associated Lab Samples: 40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011

METHOD BLANK: 2661988 Matrix: Water  
 Associated Lab Samples: 40272657001, 40272657003, 40272657004, 40272657005, 40272657006, 40272657007, 40272657008, 40272657009, 40272657010, 40272657011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	01/03/24 13:04	

LABORATORY CONTROL SAMPLE: 2661989

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661990 2661991

Parameter	Units	40272640003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	0.37	2.5	2.5	3.0	2.9	104	102	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2661992 2661993

Parameter	Units	40272657003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, NO2 plus NO3	mg/L	<0.059	2.5	2.5	2.6	2.6	105	102	90-110	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - The reported result is an estimated value.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Analyte was not detected and is reported as less than the LOD or as defined by the customer.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40272657001	122723001	EPA 8015B Modified	464151		
40272657003	122723003	EPA 8015B Modified	464151		
40272657004	122723004	EPA 8015B Modified	464151		
40272657005	122723005	EPA 8015B Modified	464151		
40272657006	122723006	EPA 8015B Modified	464151		
40272657007	122723007	EPA 8015B Modified	464151		
40272657008	122723008	EPA 8015B Modified	464151		
40272657009	122723009	EPA 8015B Modified	464151		
40272657010	122723010	EPA 8015B Modified	464151		
40272657011	122723011	EPA 8015B Modified	464151		
40272657001	122723001	EPA 3510	463963	EPA 8270E by SIM	463998
40272657003	122723003	EPA 3510	463963	EPA 8270E by SIM	463998
40272657004	122723004	EPA 3510	463963	EPA 8270E by SIM	463998
40272657005	122723005	EPA 3510	463963	EPA 8270E by SIM	463998
40272657006	122723006	EPA 3510	463963	EPA 8270E by SIM	463998
40272657007	122723007	EPA 3510	463963	EPA 8270E by SIM	463998
40272657008	122723008	EPA 3510	463963	EPA 8270E by SIM	463998
40272657009	122723009	EPA 3510	463963	EPA 8270E by SIM	463998
40272657010	122723010	EPA 3510	463963	EPA 8270E by SIM	463998
40272657011	122723011	EPA 3510	463963	EPA 8270E by SIM	463998
40272657001	122723001	EPA 8260	463945		
40272657003	122723003	EPA 8260	463945		
40272657004	122723004	EPA 8260	463945		
40272657005	122723005	EPA 8260	464030		
40272657006	122723006	EPA 8260	464030		
40272657007	122723007	EPA 8260	464225		
40272657008	122723008	EPA 8260	464225		
40272657009	122723009	EPA 8260	464225		
40272657010	122723010	EPA 8260	464225		
40272657011	122723011	EPA 8260	464225		
40272657012	122723012	EPA 8260	464225		
40272657001	122723001	EPA 300.0	464108		
40272657003	122723003	EPA 300.0	464108		
40272657004	122723004	EPA 300.0	464108		
40272657005	122723005	EPA 300.0	464108		
40272657006	122723006	EPA 300.0	464108		
40272657007	122723007	EPA 300.0	464108		
40272657008	122723008	EPA 300.0	464108		
40272657009	122723009	EPA 300.0	464108		
40272657010	122723010	EPA 300.0	464108		
40272657011	122723011	EPA 300.0	464108		
40272657001	122723001	EPA 353.2	464132		
40272657003	122723003	EPA 353.2	464132		
40272657004	122723004	EPA 353.2	464132		
40272657005	122723005	EPA 353.2	464132		
40272657006	122723006	EPA 353.2	464132		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1940100803 CAMPMARINA

Pace Project No.: 40272657

---

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40272657007	122723007	EPA 353.2	464132		
40272657008	122723008	EPA 353.2	464132		
40272657009	122723009	EPA 353.2	464132		
40272657010	122723010	EPA 353.2	464132		
40272657011	122723011	EPA 353.2	464132		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**Pace** Location Requested (City/State)  
Pace Analytical Green Bay  
1241 Bellevue Street, Suite 9  
Green Bay, WI 54302

**CHAIN-OF-CUSTODY Analytical Request Document**  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here **40272657**  
**COC # 001**

Scan QR Code for instructions

Company Name: O'Brien & Gere Engineers, Inc Integrys WI  
Contact/Report To: Ruder, Emily  
Street Address: 234 W Florida St, Fifth Floor  
Milwaukee, WI 53204  
Phone #: 414-249-0678  
E-Mail: eruder@ramboll.com  
Cc E-Mail: andrew.lawrse@ramboll.com

Customer Project #: 1940100803  
Project Name: Campmarina  
Invoice To: [Blank]  
Invoice E-Mail: [Blank]

Site Collection Info/Facility ID (as applicable): [Blank]  
Purchase Order # (if applicable): [Blank]  
Quote #: [Blank]

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [ ] ET  
County / State origin of sample(s): Wisconsin

Data Deliverables:  
[ ] Level II [ ] Level III [ ] Level IV  
[ ] EQUIS  
[ ] Other: [Blank]

Regulatory Program (DW, RCRA, etc.) as applicable:  
Rush (Pre-approval required):  
[ ] 2 Day [ ] 3 day [ ] 5 day [ ] Other: [Blank]  
Date Results Requested: [Blank]  
Field Filtered (if applicable): [ ] Yes [ ] No  
Analysis: [Blank]

DW PWSID # or WW Permit # as applicable: [Blank]

\* Matrix Codes (Insert in Matrix box below). Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		BTEX by 8260	Methane by 8015B	Nitrate + Nitrite	PAH 8270	Sulfate	Sample Comment
			Date	Time	Date	Time		Plastic	Glass						
122723001	GW	G	12/27/23	0906				2	8	X	X	X	X	X	001
122723002				1000				2	8	X	X	X	X	X	002
122723003				1033				6	24	X	X	X	X	X	MSMSD 003
122723004				1133				2	8	X	X	X	X	X	004
122723005				1201				2	8	X	X	X	X	X	Screen 005
122723006				1234				2	8	X	X	X	X	X	006
122723007				1239				2	8	X	X	X	X	X	007
122723008				1309				2	8	X	X	X	X	X	008
122723009				1351				2	8	X	X	X	X	X	009
122723010				1415				2	8	X	X	X	X	X	010

Customer Remarks / Special Conditions / Possible Hazards: [Blank]

Collected By: Printed Name: Emily Ruder  
Signature: [Signature]

Additional Instructions from Pace\*: [Blank]

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):
------------	-----------------	-------------------------	------------------	-----------------------

Relinquished by/Company (Signature): [Signature]  
Date/Time: 12/27/23 17:31

Received by/Company (Signature): [Signature]  
Date/Time: [Blank]

Relinquished by/Company (Signature): [Signature]  
Date/Time: 12/28/23 09:30

Received by/Company (Signature): [Signature]  
Date/Time: 12/28/23 09:30

Relinquished by/Company (Signature): [Blank]  
Date/Time: [Blank]

Received by/Company (Signature): [Blank]  
Date/Time: [Blank]

Relinquished by/Company (Signature): [Blank]  
Date/Time: [Blank]

Received by/Company (Signature): [Blank]  
Date/Time: [Blank]

Tracking Number: [Blank]  
Delivered by: [ ] In-Person [ ] Courier  
[ ] FedEx [ ] UPS [ ] Other

Page: of

QC: ERR 12/27/23

Dropped @ CS logistics



**CHAIN-OF-CUSTODY Analytical Request Document**

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

40272657



COC # 002

Scan QR Code for instructions

Company Name O'Brien & Gere Engineers, Inc Integrys WI	Contact/Report To Ruder, Emily
Street Address 234 W Florida St, Fifth Floor Milwaukee, WI 53204	Phone # 414-249-0678
	E-Mail eruder@ramboll.com
	Cc E-Mail andrew.cawrse@ramboll.com
Customer Project # 1940100803	Invoice To
Project Name Campmarina	Invoice E-Mail
Site Collection Info/Facility ID (as applicable)	Purchase Order # (if applicable)
	Quote #
Time Zone Collected <input type="checkbox"/> AK <input type="checkbox"/> PT <input type="checkbox"/> MT <input type="checkbox"/> CT <input type="checkbox"/> ET	County / State origin of sample(s) Wisconsin
Data Deliverables <input type="checkbox"/> Level II <input type="checkbox"/> Level III <input type="checkbox"/> Level IV <input type="checkbox"/> EQUIS <input type="checkbox"/> Other	Regulatory Program (DW, RCRA, etc) as applicable  Rush (Pre-approval required): <input type="checkbox"/> 2 Day <input type="checkbox"/> 3 day <input type="checkbox"/> 5 day <input type="checkbox"/> Other  Date Results Requested:
	DW PWSID # or WW Permit # as applicable  Field Filtered (if applicable) <input type="checkbox"/> Yes <input type="checkbox"/> No Analysis:

Specify Container Size **	**Container Size (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) Other
Identify Container Preservative Type***	*** Preservative Types (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other
Analysis Requested	

\* Matrix Codes (Insert in Matrix box below) Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Other (OT), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res. CL2	Number & Type of Containers		BTEX by 8260	Methane by 8015B	Nitrate + Nitrite	PAH 8270	Sulfate	Lab Use Only	Sample Comment
			Date	Time	Date	Time		Plastic	Glass							
122723011	DI	G	12/27/23	1430				2	8	X	X	X	X	X		011
122723012	LB	-						-	2	X						012
<del>HLW</del>																
<del>HLW</del>																
<del>HLW</del>																

Customer Remarks / Special Conditions / Possible Hazards:	Collected By: Printed Name Signature Emily Ruder	Additional Instructions from Pace*:
	# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C)	

Relinquished by/Company (Signature) Relinquished by/Ramboll: <i>HPWals</i>	Date/Time 12/27/23 17:31	Received by/Company (Signature)	Date/Time	Tracking Number:
Relinquished by/Company (Signature) <i>CS Logistics</i>	Date/Time 12/28/23 0930	Received by/Company (Signature) <i>S. Brown</i>	Date/Time 12/28/23 0930	Delivered by: <input type="checkbox"/> In-Person <input type="checkbox"/> Courier <input type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> Other
Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Page: of

QC: ERR 12/27/23

Dropped @ CS Logistics

Effective Date: 8/16/2022

Client Name: Ramboll

Sample Preservation Receipt Form

Project # 40272657

All containers needing preservation have been checked and noted below.

Yes  No  N/A

Lab Lot# of pH paper: 1000134

Lab Std #ID of preservation (if pH adjusted)

Initial when completed: SG

Date/Time:

Pace Lab #	Glass						Plastic						Vials				Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU								WPFU	SP5T	ZPLC	GN 1	GN 2	
001				2																															2.5 / 5
002				2																															2.5 / 5
003				6					3		2																								2.5 / 5
004				2																															2.5 / 5
005				2																															2.5 / 5
006				2																															2.5 / 5
007				2																															2.5 / 5
008				2																															2.5 / 5
009				2																															2.5 / 5
010				2																															2.5 / 5
011				2																															2.5 / 5
012				2																															2.5 / 5
013																																			2.5 / 5
014																																			2.5 / 5
015																																			2.5 / 5
016																																			2.5 / 5
017																																			2.5 / 5
018																																			2.5 / 5
019																																			2.5 / 5
020																																			2.5 / 5

12/28/23 SG

Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other. Headspace in VOA Vials (>6mm) .  Yes  No  N/A \*If yes look in headspace column

<b>AG1U</b>	1 liter amber glass	<b>BP1U</b>	1 liter plastic unpres	<b>VG9C</b>	40 mL clear ascorbic w/ HCl	<b>JG9U</b>	4 oz amber jar unpres
<b>BG1U</b>	1 liter clear glass	<b>BP3U</b>	250 mL plastic unpres	<b>DG9T</b>	40 mL amber Na Thio	<b>JG9U</b>	9 oz amber jar unpres
<b>AG1H</b>	1 liter amber glass HCL	<b>BP3B</b>	250 mL plastic NaOH	<b>VG9U</b>	40 mL clear vial unpres	<b>WGFU</b>	4 oz clear jar unpres
<b>AG4S</b>	125 mL amber glass H2SO4	<b>BP3N</b>	250 mL plastic HNO3	<b>VG9H</b>	40 mL clear vial HCL	<b>WPFU</b>	4 oz plastic jar unpres
<b>AG5U</b>	100 mL amber glass unpres	<b>BP3S</b>	250 mL plastic H2SO4	<b>VG9M</b>	40 mL clear vial MeOH	<b>SP5T</b>	120 mL plastic Na Thiosulfate
<b>AG2S</b>	500 mL amber glass H2SO4	<b>BP2Z</b>	500 mL plastic NaOH + Zn	<b>VG9D</b>	40 mL clear vial DI	<b>ZPLC</b>	ziploc bag
<b>BG3U</b>	250 mL clear glass unpres					<b>GN 1</b>	
						<b>GN 2</b>	

### Sample Condition Upon Receipt Form (SCUR)

**Client Name:** Ramboll  
**Courier:**  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_

Project #: \_\_\_\_\_  
**WO# : 40272657**  
  
 40272657

**Tracking #:** \_\_\_\_\_  
**Custody Seal on Cooler/Box Present:**  yes  no **Seals intact:**  yes  no  
**Custody Seal on Samples Present:**  yes  no **Seals intact:**  yes  no  
**Packing Material:**  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_  
**Thermometer Used** SR - 139 **Type of Ice:**  Wet  Blue  Dry  None  Meltwater Only

**Cooler Temperature** Uncorr. 0.0 / Corr. 0.0  
**Temp Blank Present:**  yes  no **Biological Tissue is Frozen:**  yes  no

Temp should be above freezing to 6°C.  
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

**Person examining contents:**  
 Date: 12/28/23 / Initials: SG  
 Labeled By Initials: TJW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
<b>Short Hold Time Analysis (&lt;72hr):</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
<b>Rush Turn Around Time Requested:</b>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>006 BPSS no time</u> <u>007 BPSS no time</u> <u>001 all containers done</u> <u>"0921"</u> <u>12/28/23 SG</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>515</u>		

**Client Notification/ Resolution:** \_\_\_\_\_ If checked, see attached form for additional comments   
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in