



999 Fourier Dr., Ste. 101  
Madison, WI 53717

T 608.826.3600  
TRCcompanies.com

June 8, 2023

Ms. Demaree Collier  
Remedial Project Manager  
USEPA Region 5  
77 West Jackson Boulevard  
Chicago, IL 60604

Subject: Transmittal of Data  
Plume Monitoring  
Lemberger Landfill Sites  
Fourth Quarter 2022

Dear Ms. Collier:

On behalf of the Lemberger Site Remediation Group (LSRG), and in accordance with the Environmental Monitoring Plan (EMP), Revision 5 (February 2021), and the subsequent monitoring program revisions as approved by the United States Environmental Protection Agency (USEPA) and the Wisconsin Department of Natural Resources (WDNR), TRC Environmental Corporation (TRC) is submitting the following data:

- Attachment 1: Data Validation Comments and Qualified Form 1s For All Wells
- Attachment 2: Table of Wisconsin Administrative Code Chapter NR 140 Groundwater Quality Standards (Enforcement Standards [ESs], Preventive Action Limits [PALs], Maximum Contaminant Levels [MCLs], and Secondary Maximum Contaminant Levels [SMCLs]) for the Pertinent Parameters
- Attachment 3: Tabular Summary of Analytical Results at Each Monitoring Well
- Attachment 4: Laboratory Data Qualifiers for Monitoring Wells
- Attachment 5: Tabular Summary of Groundwater Standard Exceedances at Plume Monitoring Wells

A CD containing field and laboratory data in an approved WDNR format has been attached to the copies provided to the WDNR and the USEPA, for their use. Groundwater samples were collected during December 2022, in accordance with the February 2021 EMP, revision 5. In addition to the sampling program outlined in the EMP, groundwater samples from two wells (RM-007D and RM-401XD) were collected and analyzed for per- and polyfluoroalkyl substances (PFAS) in accordance with the October 2022 Quality Assurance Project Plan (QAPP). The PFAS analytical and data validation reports were submitted to the WDNR and USEPA in a technical memorandum dated March 29, 2023. The CD included with this data transmittal includes the PFAS data for incorporation in the WDNR GEMS database.


Please call if you have questions.

Sincerely,

TRC



Kristopher D. Krause  
Senior Project Manager



Meredith Westover, P.G.  
Senior Hydrogeologist

Attachments

Ms. Demaree Collier  
USEPA Region 5  
June 8, 2023  
Page 2

cc: B.J. LeRoy – WDNR  
Brian Potts – Perkins Coie, LLP  
Kristin Jones – Newell Rubbermaid  
Troy Adams – Manitowoc Public Utilities  
Scott Karbon – Manitowoc Public Utilities  
James Wallner – Red Arrow Products  
James Cook – Manitowoc Cranes  
Dan Koski – City of Manitowoc  
Jane Rhode – City of Manitowoc  
Eric Nycz – City of Manitowoc  
Felicie Chaume – City of Manitowoc  
Dominique Sorel – SS. Papadopoulos & Associates, Inc.  
John Lang – EHS Support, LLC  
Tom Sullivan – EHS Support, LLC  
GEMS Data Submittal Contact (w/diskette)

## **Attachment 1**

### **Data Validation Comments and Qualified Form 1s For All Wells**



## Memorandum

**To:** Meredith Westover

**From:** David DiGena-Segal (Data Reviewer)  
Elizabeth Denly (Peer Reviewer)

**Date:** February 3, 2023

**Subject:** Data Validation Report  
VOC Groundwater Samples/Sentinel Wells: 4<sup>th</sup> Quarter 2022  
Lemberger Landfill and Lemberger Transport and Recycling/Franklin, Wisconsin  
Laboratory Project Number 40255894

---

### SUMMARY

Full validation (stage IV) was performed on the data for six groundwater samples, one field duplicate, one trip blank, and one field blank collected from sentinel wells at the Lemberger Landfill and Lemberger Transport and Recycling Site in Franklin, Wisconsin. The samples were collected on December 3 and 4, 2022. Samples were submitted to Pace Analytical Services, LLC in Green Bay, Wisconsin for analysis. The samples were analyzed for volatile organic compounds (VOCs) using SW-846 Method 8260B. The laboratory reported the results under laboratory project number 40255894.

The sample results were assessed using the *USEPA National Functional Guidelines for Organic Superfund Methods Data Review (EPA-540-R-20-005)*, November 2020 and the project-specific quality assurance project plan (QAPP), dated October 2022, Revision 0 .

In general, the data are valid as reported and may be used for decision-making purposes. The following issues were noted which have a minor impact on the data usability:

- Select results were reported which were below the lowest calibration standard and quantitation limit (QL); these results were qualified as estimated (J).
- Potential uncertainty exists for the nondetect results for select VOCs in all samples due to continuing calibration nonconformances. These results were qualified as estimated (UJ).

### SAMPLES

Samples included in this review are listed below.

- RM-002D
- RM-210D
- FDUP-001<sup>1</sup>
- RM-003D
- RM-401XXD
- FB-001
- RM-003XXD
- RM-403XD
- TB-001

<sup>1</sup> Field duplicate of RM-003D

## REVIEW ELEMENTS

Sample data were reviewed for the following parameters:

- Agreement of analyses conducted with chain-of-custody (COC) requests
- Data completeness
- Holding times and sample preservation
- Gas chromatography/mass spectrometry (GC/MS) tunes
- Initial and continuing calibrations
- Blanks
- Surrogate spike recoveries
- Matrix spike/matrix spike duplicate (MS/MSD) results
- Laboratory control sample (LCS) results
- Internal standard performance
- Field duplicate results
- Quantitation limits (QLs) and sample results
- Target compound identification

## DISCUSSION

### Agreement of Analyses Conducted with Chain-of-Custody Requests

Sample reports were checked to verify that the results corresponded to analytical requests as designated on the COC. The samples in this data set were analyzed for VOCs using SW-846 Method 8260B; according to the QAPP, the samples should have been analyzed for VOCs using SW-846 Method 8260D. No validation actions were taken based on this issue.

### Data Completeness

The data package was found to be complete as received from the laboratory with the following exception.

- The laboratory only spiked a subset of the VOCs which were reported in the samples in the LCS and MS/MSDs. Thus, accuracy and/or precision could not be evaluated for select VOCs. No validation actions were taken on the basis of this issue.

### Holding Times and Sample Preservation

All holding time and sample preservation criteria were met.

Note that samples were received by the laboratory nine to ten days after collection. Samples were stored in coolers, on ice, in a locked former treatment building at the site until delivery to the laboratory. No validation actions were required on this basis since the samples were kept on ice prior to delivery to the laboratory and were received on ice by the laboratory.

### GC/MS Tunes

The frequency and abundance of all bromofluorobenzene tunes were within the acceptance criteria.

### Initial and Continuing Calibrations

The percent relative standard deviations and relative response factors (RRFs) were within the laboratory acceptance criteria in the initial calibration.

All RRFs were within the acceptance criteria in the continuing calibration (CC). The following table summarizes the percent differences (%Ds) which were outside of the laboratory acceptance criteria in the CC, the associated samples and validation actions.

CC	Analyte	%D	Associated Sample(s)	Validation Actions
40MSV8 12/14/22 @07:22	Acetone	-24.7404	All samples in this data set	The nondetect results for the listed VOCs were qualified as estimated (UJ) in the associated samples.
	Chloromethane	-32.4243		
	2-Hexanone	-20.9129		

### Blanks

A method blank was analyzed each day prior to sample analysis. Target analytes were not detected in the trip blank or method blanks. The following table summarizes the compound that was detected in the field blank and the resulting validation actions.

Blank ID	Compound	Blank Concentration (µg/L)	2x Blank Concentration (µg/L)	QL (µg/L)	Validation Action
FB-001	Toluene	1.0	2.0	1.0	Qualification was not required since toluene was nondetect in the associated samples.
<b>Associated samples:</b> All samples in this data set					

### Surrogate Spike Recoveries

The percent recoveries (%Rs) of the surrogates were within the laboratory acceptance criteria for all samples.

### MS/MSD Results

MS/MSD analyses were performed on sample RM-003XXD. All criteria were met.

Note that the laboratory only spiked a subset of the VOCs which were reported in the samples in the MS/MSDs; thus, accuracy and precision could not be evaluated for the following VOCs (which were not spiked) in the MS/MSD analyses: acetone, 2-butanone, 2-hexanone, and 4-methyl-2-pentanone. No validation action was taken on this basis.

### LCS Results

An LCS was performed on each day of analysis. All criteria were met.

Note that the laboratory only spiked a subset of the VOCs that were reported in the samples in the LCS. Thus, accuracy could not be evaluated for the following VOCs (which were not spiked) in the

LCS analyses: acetone, 2-butanone, 2-hexanone, and 4-methyl-2-pentanone. No validation action was taken on this basis.

### Internal Standard Performance

Internal standards were within the method acceptance criteria in all sample analyses.

### Field Duplicate Results

The following samples were submitted as the field duplicate pair with this data set:

- RM-003D and FDUP-001

The duplicate relative percent difference (RPD) is not applicable for comparison of results if either concentration is <5x the QL; comparison in this case is based on the absolute difference (AbsD) between the results. The acceptance limits for field duplicates in aqueous media is  $\leq 30\%$  for the RPD and <QL for the AbsD. For analytes that are detected in one sample and nondetect in the other, the QL is used to represent the nondetect result in the AbsD calculation. The following table summarizes the detected results, the RPD or AbsD values (as applicable) for the detected analytes in each field duplicate pair, and the resulting validation actions. As shown in the table, criteria were met for all detected analytes.

Analyte	QL (µg/L)	RM-003D (µg/L)	FDUP-001 (µg/L)	RPD (%) or AbsD (µg/L)	Validation Actions
1,1,1-Trichloroethane	1.0	12.8	13.3	RPD: 3.8	None. All criteria were met.
1,1-Dichloroethane	1.0	7.9	7.8	RPD: 1.3	
1,1-Dichloroethene	1.0	1.4	1.5	AbsD: 0.1	
Trichloroethene	1.0	2.2	2.3	AbsD: 0.1	
cis-1,2-Dichloroethene	1.0	2.4	2.6	AbsD: 0.2	
Criteria: RPD $\leq 30\%$ ; AbsD < QL					

### Quantitation Limits and Sample Results

Sample calculations were spot-checked; there were no errors noted. No dilutions were performed in the VOC analyses of these samples.

Select results were reported which were below the lowest calibration standard level and QL (or limit of quantitation [LOQ]). These results were qualified as estimated (J) by the laboratory.

The laboratory's limit of detection (LOD) for select VOCs was above one or both of the project action limits specified in the QAPP; the affected VOCs, project action limits, and current laboratory LODs are summarized in the table below.

Analyte	Affected Samples	WAC Chapter NR 140 PAL (µg/L)	WAC Chapter NR 140 ES (µg/L)	Laboratory LOD (µg/L)
1,1,2,2-Tetrachloroethane	All samples in this data set	0.02	0.2	0.38
Bromodichloromethane		0.06	0.6*	0.42
Bromoform		0.44	4.4*	3.8



Analyte	Affected Samples	WAC Chapter NR 140 PAL (µg/L)	WAC Chapter NR 140 ES (µg/L)	Laboratory LOD (µg/L)
Bromomethane	All samples in this data set	1	10*	1.2
Chloroform		0.6	6*	1.2
cis-1,3-Dichloropropene		0.04	0.4*	0.36
trans-1,3-Dichloropropene		0.04	0.4	3.5
Vinyl chloride		0.02	0.2*	0.17
* Laboratory LOD is below the action limit.				

**Target Compound Identification**

All criteria were met.



# **QUALIFIED FORM 1s**

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-403XD

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 13:37  
Date Analyzed: 12/14/2022 13:37  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894001  
Lab File ID: 12142022.B\12142220.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	59.5	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	9.7	
156-59-2	cis-1,2-Dichloroethene	15.8	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	1.3	
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	84.0	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	14.4	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-003XXD

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 11:40  
Date Analyzed: 12/14/2022 11:40  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894002  
Lab File ID: 12142022.B\12142214.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U JJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U JJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	4.2	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	0.83	J
156-59-2	cis-1,2-Dichloroethene	1.5	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U JJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	6.9	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	1.8	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-003D

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 11:59  
Date Analyzed: 12/14/2022 11:59  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894003  
Lab File ID: 12142022.B\12142215.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	7.9	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	1.4	
156-59-2	cis-1,2-Dichloroethene	2.4	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	12.8	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	2.2	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

FDUP-001

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 12:19  
Date Analyzed: 12/14/2022 12:19  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894004  
Lab File ID: 12142022.B\12142216.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	7.8	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	1.5	
156-59-2	cis-1,2-Dichloroethene	2.6	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	13.3	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	2.3	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-401XXD

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 12:38  
Date Analyzed: 12/14/2022 12:38  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894005  
Lab File ID: 12142022.B\12142217.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U JJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U JJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	2.5	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	1.6	
156-59-2	cis-1,2-Dichloroethene	3.5	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U JJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	2.6	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	0.59	J
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-002D

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 12:58  
Date Analyzed: 12/14/2022 12:58  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894006  
Lab File ID: 12142022.B\12142218.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	3.6	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	0.74	J
156-59-2	cis-1,2-Dichloroethene	1.1	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	5.1	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	1.5	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

RM-210D

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 13:17  
Date Analyzed: 12/14/2022 13:17  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894007  
Lab File ID: 12142022.B\12142219.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	3.2	
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	0.61	J
156-59-2	cis-1,2-Dichloroethene	1.7	
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	6.0	
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	1.2	
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12



MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

FB-001

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 11:00  
Date Analyzed: 12/14/2022 11:00  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894008  
Lab File ID: 12142022.B\12142212.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	<0.30	U
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	<0.58	U
156-59-2	cis-1,2-Dichloroethene	<0.47	U
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	1.0	
71-55-6	1,1,1-Trichloroethane	<0.30	U
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	<0.32	U
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

MSV - FORM I VOA-1  
VOLATILE ORGANICS ANALYSIS DATA SHEET

SAMPLE NO.

TB-001

Lab Name: Pace Analytical - Green Bay  
Date Received: 12/13/2022 07:40  
Date Extracted: 12/14/2022 11:20  
Date Analyzed: 12/14/2022 11:20  
Initial wt/vol: 5 mL Final wt/vol: 5 mL Dilution: 1

Contract: 473040.0000PH5 LEMBERGER LF SE  
Matrix: Water SDG No.: 40255894  
Lab Sample ID: 40255894009  
Lab File ID: 12142022.B\12142213.D  
Instrument: 40MSV8 Percent Moisture:         

CAS NO.	COMPOUND	CONCENTRATION UNITS: ug/L	Q
67-64-1	Acetone	<8.6	U UJ
71-43-2	Benzene	<0.30	U
75-27-4	Bromodichloromethane	<0.42	U
75-25-2	Bromoform	<3.8	U
74-83-9	Bromomethane	<1.2	U
78-93-3	2-Butanone (MEK)	<6.5	U
75-15-0	Carbon disulfide	<1.1	U
56-23-5	Carbon tetrachloride	<0.37	U
108-90-7	Chlorobenzene	<0.86	U
75-00-3	Chloroethane	<1.4	U
67-66-3	Chloroform	<1.2	U
74-87-3	Chloromethane	<1.6	U UJ
124-48-1	Dibromochloromethane	<2.6	U
75-34-3	1,1-Dichloroethane	<0.30	U
107-06-2	1,2-Dichloroethane	<0.29	U
75-35-4	1,1-Dichloroethene	<0.58	U
156-59-2	cis-1,2-Dichloroethene	<0.47	U
156-60-5	trans-1,2-Dichloroethene	<0.53	U
78-87-5	1,2-Dichloropropane	<0.45	U
10061-01-5	cis-1,3-Dichloropropene	<0.36	U
10061-02-6	trans-1,3-Dichloropropene	<3.5	U
100-41-4	Ethylbenzene	<0.33	U
591-78-6	2-Hexanone	<6.3	U UJ
75-09-2	Methylene Chloride	<0.32	U
108-10-1	4-Methyl-2-pentanone (MIBK)	<6.0	U
100-42-5	Styrene	<0.36	U
79-34-5	1,1,2,2-Tetrachloroethane	<0.38	U
127-18-4	Tetrachloroethene	<0.41	U
108-88-3	Toluene	<0.29	U
71-55-6	1,1,1-Trichloroethane	<0.30	U
79-00-5	1,1,2-Trichloroethane	<0.34	U
79-01-6	Trichloroethene	<0.32	U
75-01-4	Vinyl chloride	<0.17	U
1330-20-7	Xylene (Total)	<1.0	U

12/16/2022 10:12

## **Attachment 2**

### **Table of Wisconsin Administrative Code Chapter NR 140 Groundwater Quality Standards (Enforcement Standards [ESs], Preventive Action Limits [PALs], Maximum Contaminant Levels [MCLs], and Secondary Maximum Contaminant Levels [SMCLs]) for the Pertinent Parameters**

**Attachment 2  
Groundwater Quality Standards**

Parameter Name	Units	MCL	SMCL	NR PAL	NR ES
1,1,1,2-Tetrachloroethane	µg/L			7	70
1,1,1-Trichloroethane	µg/L	200		40	200
1,1,2-Trichloroethane	µg/L	5		0.5	5
1,1-Dichloroethane	µg/L			85	850
1,1-Dichloroethene	µg/L	7		0.7	7
1,2,3-Trichloropropane	µg/L			12	60
1,2,4-Trichlorobenzene	µg/L	70		14	70
1,2-Dichlorobenzene	µg/L	600		60	600
1,2-Dichloroethane	µg/L	5		0.5	5
1,2-Dichloropropane	µg/L	5		0.5	5
1,4-Dichlorobenzene	µg/L	75		15	75
2,3,7,8-TCDD	ng/L	0.03		0.003	0.03
Alpha-chlordane	µg/L	2		0.2	2
Anthracene	µg/L			600	3000
Antimony, dissolved	µg/L	6		1.2	6
Antimony, total	µg/L	6		1.2	6
Aroclor-1016	µg/L	0.5		0.003	0.03
Aroclor-1221	µg/L	0.5		0.003	0.03
Aroclor-1232	µg/L	0.5		0.003	0.03
Aroclor-1242	µg/L	0.5		0.003	0.03
Aroclor-1248	µg/L	0.5		0.003	0.03
Aroclor-1254	µg/L	0.5		0.003	0.03
Aroclor-1260	µg/L	0.5		0.003	0.03
Arsenic, dissolved	µg/L	10		1	10
Arsenic, total	µg/L	10		1	10
Barium, dissolved	µg/L	2000		400	2000
Barium, total	µg/L	2000		400	2000
Bentazon	µg/L			60	300
Benzene	µg/L	5		0.5	5
Benzo(a)pyrene	µg/L	0.2		0.02	0.2
Benzo(b)fluoranthene	µg/L			0.02	0.2
Beryllium, dissolved	µg/L	4		0.4	4
Beryllium, total	µg/L	4		0.4	4
bis(2-ethylhexyl)Phthalate	µg/L	6		0.6	6
Cadmium, dissolved	µg/L	5		0.5	5
Cadmium, total	µg/L	5		0.5	5

**Attachment 2 (continued)  
Groundwater Quality Standards**

<b>Parameter Name</b>	<b>Units</b>	<b>MCL</b>	<b>SMCL</b>	<b>NR PAL</b>	<b>NR ES</b>
Carbon disulfide	µg/L			200	1000
Carbon tetrachloride	µg/L	5		0.5	5
Chlordane, technical	µg/L	2		0.2	2
Chloride	mg/L		250	125	250
Chlorobenzene	µg/L	100		20	100
Chromium, dissolved	µg/L	100		10	100
Chromium, total	µg/L	100		10	100
Chrysene	µg/L			0.02	0.2
cis-1,2-Dichloroethene	µg/L	70		7	70
Cobalt, dissolved	µg/L			8	40
Cobalt, total	µg/L			8	40
Copper, dissolved	µg/L	1300	1000	130	1300
Copper, total	µg/L	1300	1000	130	1300
Cyanazine	µg/L			0.1	1
Cyanide, total	mg/L	0.2		0.04	0.2
Di-n-butylphthalate	µg/L			100	1000
Endrin	µg/L	2		0.4	2
Ethylbenzene	µg/L	700		140	700
Fluoranthene	µg/L			80	400
Gamma-BHC (lindane)	µg/L	0.2		0.02	0.2
Gamma-chlordane	µg/L	2		0.2	2
Heptachlor	µg/L	0.4		0.04	0.4
Heptachlor epoxide	µg/L	0.2		0.02	0.2
Hexachlorobenzene	µg/L	1		0.1	1
Hydrogen sulfide	µg/L			6	30
Iron, dissolved	µg/L		300	150	300
Iron, total	µg/L		300	150	300
Lead, dissolved	µg/L	15		1.5	15
Lead, total	µg/L	15		1.5	15
Manganese, dissolved	µg/L		50	60	300
Manganese, total	µg/L		50	60	300
Mercury, dissolved	µg/L	2		0.2	2
Mercury, total	µg/L	2		0.2	2
Methanol	µg/L			1000	5000
Methoxychlor	µg/L	40		4	40
Methylene chloride	µg/L	5		0.5	5

**Attachment 2 (continued)  
Groundwater Quality Standards**

<b>Parameter Name</b>	<b>Units</b>	<b>MCL</b>	<b>SMCL</b>	<b>NR PAL</b>	<b>NR ES</b>
N-hexane	µg/L			120	600
Nickel, dissolved	µg/L			20	100
Nickel, total	µg/L			20	100
Nitrogen, ammonia	mg/L			0.97	9.7
N-nitrosodiphenylamine	µg/L			0.7	7
Pentachlorophenol	µg/L	1		0.1	1
Prometon	µg/L			20	100
Pyrene	µg/L			50	250
Pyridine	µg/L			2	10
Selenium, dissolved	µg/L	50		10	50
Selenium, total	µg/L	50		10	50
Silver, dissolved	µg/L		100	10	50
Silver, total	µg/L		100	10	50
Styrene	µg/L	100		10	100
Tetrachloroethene	µg/L	5		0.5	5
Thallium, dissolved	µg/L	2		0.4	2
Thallium, total	µg/L	2		0.4	2
Toluene	µg/L	1000		160	800
Toxaphene	µg/L	3		0.3	3
trans-1,2-Dichloroethene	µg/L	100		20	100
Trichloroethene	µg/L	5		0.5	5
Trimethylbenzenes, total	µg/L			96	480
Vanadium, dissolved	µg/L			6	30
Vanadium, total	µg/L			6	30
Vinyl chloride	µg/L	2		0.02	0.2
Xylenes, total	µg/L	10000		400	2000
Zinc, dissolved	µg/L		5000	2500	5000
Zinc, total	µg/L		5000	2500	5000

Note:

Table updated June 2022 to reflect June 2021 register #786 (WDNR) and latest USEPA MCLs.

(1) MCL, ES, and PAL apply to total PCBs.

## **Attachment 3**

### **Tabular Summary of Analytical Results at Each Monitoring Well**

**LEMBERGER LANDFILL  
MONITORING WELL VOLATILE ORGANIC ANALYSIS RESULTS  
DECEMBER 2022**

PARAMETER	UNITS	RM-002D	RM-003D	RM-003D DUP	RM-003XXD	RM-210D	RM-401XXD	RM-403XD
		12/4/2022 40255894006	12/3/2022 40255894003	12/3/2022 40255894004	12/3/2022 40255894002	12/4/2022 40255894007	12/4/2022 40255894005	12/3/2022 40255894001
1,1,1-TRICHLOROETHANE	UG/L	5.1	12.8	13.3	6.9	6.0	2.6	84.0
1,1,2,2-TETRACHLOROETHANE	UG/L	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38
1,1,2-TRICHLOROETHANE	UG/L	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34	< 0.34
1,1-DICHLOROETHANE	UG/L	3.6	7.9	7.8	4.2	3.2	2.5	59.5
1,1-DICHLOROETHENE	UG/L	0.74 J	1.4	1.5	0.83 J	0.61 J	1.6	9.7
1,2-DICHLOROETHANE	UG/L	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29
1,2-DICHLOROPROPANE	UG/L	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45
2-BUTANONE	UG/L	< 6.5	< 6.5	< 6.5	< 6.5	< 6.5	< 6.5	< 6.5
2-HEXANONE	UG/L	< 6.3 uj	< 6.3 uj	< 6.3 uj	< 6.3 uj	< 6.3 uj	< 6.3 uj	< 6.3 uj
4-METHYL-2-PENTANONE	UG/L	< 6.0	< 6.0	< 6.0	< 6.0	< 6.0	< 6.0	< 6.0
ACETONE	UG/L	< 8.6 uj	< 8.6 uj	< 8.6 uj	< 8.6 uj	< 8.6 uj	< 8.6 uj	< 8.6 uj
BENZENE	UG/L	< 0.30	< 0.30	< 0.30	< 0.30	< 0.30	< 0.30	< 0.30
BROMODICHLOROMETHANE	UG/L	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42
BROMOFORM	UG/L	< 3.8	< 3.8	< 3.8	< 3.8	< 3.8	< 3.8	< 3.8
BROMOMETHANE	UG/L	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2
CARBON DISULFIDE	UG/L	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1
CARBON TETRACHLORIDE	UG/L	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37
CHLOROENZENE	UG/L	< 0.86	< 0.86	< 0.86	< 0.86	< 0.86	< 0.86	< 0.86
CHLORODIBROMOMETHANE	UG/L	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6	< 2.6
CHLOROETHANE	UG/L	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4
CHLOROFORM	UG/L	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2	< 1.2
CHLOROMETHANE	UG/L	< 1.6 uj	< 1.6 uj	< 1.6 uj	< 1.6 uj	< 1.6 uj	< 1.6 uj	< 1.6 uj
CIS-1,2-DICHLOROETHENE	UG/L	1.1	2.4	2.6	1.5	1.7	3.5	15.8
CIS-1,3-DICHLOROPROPENE	UG/L	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
ETHYLBENZENE	UG/L	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33
METHYLENE CHLORIDE	UG/L	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32
STYRENE	UG/L	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
TETRACHLOROETHENE	UG/L	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	1.3
TOLUENE	UG/L	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29	< 0.29
TRANS-1,2-DICHLOROETHENE	UG/L	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53	< 0.53
TRANS-1,3-DICHLOROPROPENE	UG/L	< 3.5	< 3.5	< 3.5	< 3.5	< 3.5	< 3.5	< 3.5
TRICHLOROETHENE	UG/L	1.5	2.2	2.3	1.8	1.2	0.59 J	14.4
VINYL CHLORIDE	UG/L	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
XYLENE, TOTAL	UG/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0

**NOTES:**

Laboratory data qualifiers are included in the laboratory reports in Attachment 4. See specific laboratory report for Sample Delivery Group (SDG) definition.

Non-detect results are reported as "< Limit of Detection (LOD)"

Data Validation Qualifiers:

u = data validation rules result as not detected

j = the result is estimated



**LEMBERGER LANDFILL  
MONITORING WELL INDICATOR PARAMETERS AND FIELD DATA  
DECEMBER 2022**

		RM-002D 12/4/2022	RM-003D 12/3/2022	RM-003XXD 12/3/2022	RM-007D 12/15/2022	RM-210D 12/4/2022	RM-401XD 12/15/2022	RM-401XXD 12/4/2022	RM-403XD 12/3/2022
PARAMETER	UNITS	40255894006	40255894003	40255894002	500-227062-1	40255894007	500-227062-2	40255894005	40255894001
COLOR, FIELD		NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
CONDUCTANCE, SPECIFIC	UMHOS/CM	595	743	820	1184	724	747	745	930
DEPTH TO WATER	FEET	23.93	18.49	16.49	38.79	32.20	32.40	27.90	39.43
DISSOLVED OXYGEN, FIELD	MG/L	0.95	1.12	2.64	10.84	1.59	0.13	2.28	2.28
ODOR, FIELD		NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
OXIDATION REDUCTION POTENTIAL	MV	106	165	156	203	186	201	220	174
PH, FIELD	SU	7.40	7.22	7.30	7.02	7.57	7.31	7.42	7.12
TEMPERATURE	DEG C	3.4	6.8	4.3	4.8	4.0	5.8	3.4	5.6
TURBIDITY, FIELD NTU	NTU	7	0	0	5	7	0	0	0
WATER ELEVATION	FEET	791.78	801.64	805.04	804.91	795.66	801.2	804.95	805.07

**LEMBERGER LANDFILL  
MONITORING WELL PFAS RESULTS  
DECEMBER 2022**

PARAMETER	UNITS	AMBIENT BLANK	FIELD BLANK	RM-007D	RM-007D DUP	RM-401XD
		12/15/2022 500-227062-5	12/15/2022 500-227062-4	12/15/2022 500-227062-1	12/15/2022 500-227062-3	12/15/2022 500-227062-2
4:2 FTS	UG/L	< 0.00022	< 0.00025	< 0.00021	< 0.0002	< 0.00021
6:2 FTS	UG/L	< 0.0023	< 0.0026	< 0.0022	< 0.0021	< 0.0022
8:2 FTS	UG/L	< 0.00043	< 0.00049	< 0.00041	< 0.00039	< 0.00041
DONA	UG/L	< 0.00037	< 0.00042	< 0.00036	< 0.00034	< 0.00036
F-53B MAJOR	UG/L	< 0.00022	< 0.00025	< 0.00021	< 0.0002	< 0.00021
F-53B MINOR	UG/L	< 0.0003	< 0.00034	< 0.00028	< 0.00027	< 0.00028
HFPO-DA	UG/L	< 0.0014	< 0.0016	< 0.0013	< 0.0013	< 0.0013
NETFOSA	UG/L	< 0.00081	< 0.00092	< 0.00077	< 0.00074	< 0.00077
NETFOSAA	UG/L	< 0.0012	< 0.0014	< 0.0012	< 0.0011	< 0.0012
NETFOSE	UG/L	< 0.00079	< 0.0009	< 0.00076	< 0.00072	< 0.00076
NMEFOSA	UG/L	< 0.0004	< 0.00045	< 0.00038	< 0.00036	< 0.00038
NMEFOSAA	UG/L	< 0.0011	< 0.0013	< 0.0011	< 0.001	< 0.0011
NMEFOSE	UG/L	< 0.0013	< 0.0015	< 0.0012	< 0.0012	< 0.0012
PERFLUOROBUTANESULFONIC ACID	UG/L	< 0.00019	< 0.00021	< 0.00018	< 0.00017	0.00018 J
PERFLUOROBUTANOIC ACID	UG/L	< 0.0022	< 0.0025	0.0052	0.0047	< 0.0021
PERFLUORODECANESULFONIC ACID	UG/L	< 0.0003	< 0.00034	< 0.00028	< 0.00027	< 0.00028
PERFLUORODECANOIC ACID	UG/L	< 0.00029	< 0.00033	< 0.00028	< 0.00026	< 0.00028
PERFLUORODODECANESULFONIC ACID	UG/L	< 0.0009	< 0.001	< 0.00086	< 0.00082	< 0.00086
PERFLUORODODECANOIC ACID	UG/L	< 0.00051	< 0.00058	< 0.00049	< 0.00047	< 0.00049
PERFLUOROHEPTANESULFONIC ACID	UG/L	< 0.00018	< 0.0002	< 0.00017	< 0.00016	< 0.00017
PERFLUROHEPTANOIC ACID	UG/L	< 0.00023	< 0.00026	0.00026 JI	< 0.00021	< 0.00022
PERFLUOROHEXANESULFONIC ACID	UG/L	< 0.00053	< 0.0006	< 0.00051	< 0.00048	< 0.00051
PERFLUROHEXANOIC ACID	UG/L	< 0.00054	< 0.00061	0.00062 J	< 0.00049	< 0.00052
PERFLUORONONANESULFONIC ACID	UG/L	< 0.00034	< 0.00039	< 0.00033	< 0.00031	< 0.00033
PERFLUORONONANOIC ACID	UG/L	< 0.00025	< 0.00029	< 0.00024	< 0.00023	< 0.00024
PERFLUOROOCETANESULFONAMIDE	UG/L	< 0.00091	< 0.001	< 0.00087	< 0.00083	< 0.00087
PERFLUROOCTANESULFONIC ACID	UG/L	< 0.0005	< 0.00057	< 0.00048	< 0.00046	< 0.00048
PERFLUROOCTANOIC ACID	UG/L	< 0.00079	< 0.0009	0.0051	0.0054	0.0011 J
PERFLUROPENTANESULFONIC ACID	UG/L	< 0.00028	< 0.00032	< 0.00027	< 0.00025	< 0.00027
PERFLUROPENTANOIC ACID	UG/L	< 0.00045	< 0.00052	< 0.00044	< 0.00042	< 0.00044
PERFLUROTRIDECANOIC ACID	UG/L	< 0.00068	< 0.00077	< 0.00065	< 0.00062	< 0.00065
PERFLUROTRIDECANOIC ACID	UG/L	< 0.0012	< 0.0014	< 0.0012	< 0.0011	< 0.0012
PERFLUROUNDECANOIC ACID	UG/L	< 0.001	< 0.0012	< 0.00098	< 0.00093	< 0.00098

NOTES:

Non-detect results are reported as "< Limit of Detection (LOD)"

J = Estimated concentration at or above the LOD and below the LOQ.

## **Attachment 4**

### **Laboratory Data Qualifiers for Monitoring Well Samples**

## QUALIFIERS

Project: 473040.0000PH5 LEMBERGER LF SE  
Pace Project No.: 40255894

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**Attachment 5**  
**Tabular Summary of Groundwater Standard Exceedances**

**Summary of Groundwater Standard Exceedances at Plume Monitoring Wells  
Lemberger Landfill Sites  
4th Quarter 2022**

Well ID	Parameter	Result	Data Qualifiers	Units	Standard <sup>1</sup>		Well Location
					ES <sup>2</sup>	PAL <sup>3</sup>	
RM-002D	1,1-Dichloroethene	0.74	J	UG/L		X	2,900' northwest of LL site
RM-002D	Trichloroethene	1.5		UG/L		X	2,900' northwest of LL site
RM-003D	1,1-Dichloroethene	1.4		UG/L		X	1,000' west of LL site
RM-003D	Trichloroethene	2.2		UG/L		X	1,000' west of LL site
RM-003D DUP	1,1-Dichloroethene	1.5		UG/L		X	1,000' west of LL site
RM-003D DUP	Trichloroethene	2.3		UG/L		X	1,000' west of LL site
RM-003XXD	1,1-Dichloroethene	0.83	J	UG/L		X	1,000' west of LL site
RM-003XXD	Trichloroethene	1.8		UG/L		X	1,000' west of LL site
RM-210D	Trichloroethene	1.2		UG/L		X	3,600' north of LL site
RM-401XXD	1,1-Dichloroethene	1.6		UG/L		X	400' Northwest of LL Site
RM-401XXD	Trichloroethene	0.59	J	UG/L		X	400' Northwest of LL Site
RM-403XD	1,1,1-Trichloroethane	84		UG/L		X	400' West of LTR site
RM-403XD	1,1-Dichloroethene	9.7		UG/L	X		400' West of LTR site
RM-403XD	cis-1,2-Dichloroethene	15.8		UG/L		X	400' West of LTR site
RM-403XD	Tetrachloroethene	1.3		UG/L		X	400' West of LTR site
RM-403XD	Trichloroethene	14.4		UG/L	X		400' West of LTR site

Notes:

<sup>1</sup> Table includes exceedances where the reported concentration is between the Limit of Detection and Limit of Quantitation ("J" data qualifier).

<sup>2</sup> ES =Wisconsin Administrative Code NR140 Enforcement Standard

<sup>3</sup> PAL =Wisconsin Administrative Code NR140 Preventive Action Limit

<sup>4</sup> LTR = Lemberger Transport and Recycling

<sup>5</sup> LL = Lemberger Landfill

Laboratory qualifiers are included in the sample-specific laboratory reports. See laboratory reports for the SDG-specific definitions.

**Notice:** Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats

**Instructions:**

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to:

GEMS Data Submittal Contact - WA/5  
Wisconsin Department of Natural Resources  
P.O. Box 7921  
Madison, WI 53707-7921

**Monitoring Data Submittal Information**

Name of entity submitting data (laboratory, consultant, facility owner)  
TRC Environmental Corp.

Contact for questions about data formatting. Include data preparer's name, telephone number and Email address:

Name: Meredith Westover Phone No. (include area code): (608) 358-5035

Email: mwestover@trccompanies.com

Facility Name: Lemberger Landfill

License # / Monitoring ID: 00753 Facility ID (FID): 436016790

Actual sampling dates (e.g., July 2-6, 2003): 10/31, 11/11, 12/3-12/4, 12/15, 12/31 2022 The enclosed results are for sampling required in the month(s) of: (e.g., June 2003) October, November, December 2022

Type of Data Submitted (Check all that apply):

- Groundwater monitoring data from monitoring wells
- Groundwater monitoring data from private water supply wells
- Leachate monitoring data
- Gas monitoring data
- Air monitoring data
- Other (specify):


Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
- Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

**Certification**

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Facility Representative Name (Print): Meredith Westover Title: Database Manager Phone No. (include area code): (608) 358-5035

Signature:  Date Signed (mm/dd/yyyy): 03/03/2023

**For DNR Use Only**

Check action taken, and record date and your initials. Describe on back side if necessary.

- Found uploading problems on \_\_\_\_\_ Initials \_\_\_\_\_
- Notified contact of problems on \_\_\_\_\_ Uploaded data successfully on \_\_\_\_\_
- EDD format(s):  Diskette  CD (initial submittal and follow-up)  E-mail (follow-up only)  Other: \_\_\_\_\_