

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Oneida	WI Unique Well # of Removed Well MW1	Hicap #
-------------------------	--	---------

Latitude / Longitude (see instructions)	Format Code	Method Code
_____ N	<input type="checkbox"/> DD	<input type="checkbox"/> GPS008
_____ W	<input type="checkbox"/> DDM	<input type="checkbox"/> SCR002
		<input type="checkbox"/> OTH001

1/4 / 1/4 SW	1/4 SE	Section	Township	Range	<input checked="" type="checkbox"/> E
or Gov't Lot #		11	39 N	06	<input type="checkbox"/> W

Well Street Address
8576 US Highway 51 N

Well City, Village or Town
Minocqua, WI

Well ZIP Code
54548

Subdivision Name

Lot #

Reason for Removal from Service
Investigation Completed

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
11-26-85

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)

24 **2**

Lower Drillhole Diameter (in.) Casing Depth (ft.)

9

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)


15.5

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	24	38.4 pounds	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	DNR Use Only	
Street or Route 4080 N 20th Avenue	City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 
Date Received		Noted By		Date Signed 6/6/24
Telephone Number (715) 675-9784		Comments		

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well MW2	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11-5-1986
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 22	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 12
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 14.6

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	22	35.2 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well MW3	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11-5-86
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 24	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 14
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 16.9

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	24	38.4 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Oneida WI Unique Well # of Removed Well: MW5 Hicap #:

Facility Name: Minocqua Cleaners Hwy 51 (Former)

Latitude / Longitude (see instructions): _____ N _____ W Format Code: DD DDM Method Code: GPS008 SCR002 OTH001

Facility ID (FID or PWS): 744108200

1/4 / 1/4 SW SE Section: 11 Township: 39 N Range: 06 E W

License/Permit/Monitoring #:

Well Street Address: 8576 US Highway 51 N

Original Well Owner: Minocqua Cleaners

Well City, Village or Town: Minocqua, WI Well ZIP Code: 54548

Present Well Owner: Northwoods Adventure Properties, LLC

Subdivision Name: Lot #:

Mailing Address of Present Owner: 6635 S 13th Street

City of Present Owner: Milwaukee State: WI ZIP Code: 53221

Reason for Removal from Service: Investigation Completed WI Unique Well # of Replacement Well:

4. Pump, Liner, Screen, Casing & Sealing Material

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 11-6-2006
 Water Well If a Well Construction Report is available, please attach.
 Borehole / Drillhole

- Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

- Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:
 Unconsolidated Formation Bedrock

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Total Well Depth From Ground Surface (ft.): 22 Casing Diameter (in.): 2

Lower Drillhole Diameter (in.): Casing Depth (ft.): 12

Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet): 20.1

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry


5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	22	35.2 pounds	

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	22	35.2 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: REI Engineering, Inc.	License #:	Date of Filling & Sealing or Verification (mm/dd/yyyy): 6/5/2024	Date Received:	Noted By:
Street or Route: 4080 N 20th Avenue	City: Wausau	State: WI	ZIP Code: 54401	Telephone Number: (715) 675-9784
Signature of Person Doing Work: 			Date Signed: 6/6/24	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Oneida	WI Unique Well # of Removed Well MW6	Hicap #
-------------------------	--	---------

Latitude / Longitude (see instructions)	Format Code	Method Code
_____ N	<input type="checkbox"/> DD	<input type="checkbox"/> GPS008
_____ W	<input type="checkbox"/> DDM	<input type="checkbox"/> SCR002
		<input type="checkbox"/> OTH001

1/4 / 1/4 SW	1/4 SE	Section	Township	Range	<input checked="" type="checkbox"/> E
or Gov't Lot #		11	39 N	06	<input type="checkbox"/> W

Well Street Address
8576 US Highway 51 N

Well City, Village or Town
Minocqua, WI

Well ZIP Code
54548

Subdivision Name

Lot #

Reason for Removal from Service
Investigation Completed

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
11-7-2006

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)

22 **2**

Lower Drillhole Diameter (in.) Casing Depth (ft.)

12

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)


16.2

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	22	35.2 pounds	

6. Comments

7. Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By	
Street or Route 4080 N 20th Avenue	Telephone Number (715) 675-9784		Comments		
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24	

2. Facility / Owner Information

Facility Name
Minocqua Cleaners Hwy 51 (Former)

Facility ID (FID or PWS)
744108200

License/Permit/Monitoring #

Original Well Owner
Minocqua Cleaners

Present Well Owner
Northwoods Adventure Properties, LLC

Mailing Address of Present Owner
6635 S 13th Street

City of Present Owner State ZIP Code

Milwaukee **WI** **53221**

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Liner(s) perforated? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete

Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well MW7	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11-7-2006
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 13	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 7
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 8.7

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
<i>For Monitoring Wells and Monitoring Well Boreholes Only:</i> <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	13	20.8 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Oneida	WI Unique Well # of Removed Well MW8	Hicap #
-------------------------	--	---------

Latitude / Longitude (see instructions)	Format Code	Method Code
_____ N	<input type="checkbox"/> DD	<input type="checkbox"/> GPS008
_____ W	<input type="checkbox"/> DDM	<input type="checkbox"/> SCR002
		<input type="checkbox"/> OTH001

1/4 / 1/4 SW	1/4 SE	Section	Township	Range	<input checked="" type="checkbox"/> E
or Gov't Lot #		11	39 N	06	<input type="checkbox"/> W

Well Street Address
8576 US Highway 51 N

Well City, Village or Town
Minocqua, WI

Well ZIP Code
54548

Subdivision Name

Lot #

Reason for Removal from Service
Investigation Completed

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
10-22-13

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)

20 **2**

Lower Drillhole Diameter (in.) Casing Depth (ft.)

10

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)


18.7

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	20	32 pounds	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	DNR Use Only	
Street or Route 4080 N 20th Avenue	City Wausau	State WI	ZIP Code 54401	Telephone Number (715) 675-9784
Signature of Person Doing Work 			Date Received	Noted By
Date Signed 6/6/24			Comments	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida	WI Unique Well # of Removed Well MW9	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW SE or Gov't Lot #	Section 11	Township 39 N
Well Street Address 8576 US Highway 51 N	Range 06	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well City, Village or Town Minocqua, WI	Well ZIP Code 54548	
Subdivision Name	Lot #	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

Reason for Removal from Service Investigation Completed	WI Unique Well # of Replacement Well
---	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) 10/22/13 If a Well Construction Report is available, please attach.
---	--

Construction Type:
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____

Formation Type:
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock

Total Well Depth From Ground Surface (ft.) 25	Casing Diameter (in.) 2
---	-----------------------------------

Lower Drillhole Diameter (in.)	Casing Depth (ft.) 15
--------------------------------	---------------------------------

Was well annular space grouted?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
---------------------------------	--


If yes, to what depth (feet)?	Depth to Water (feet) 21.5
-------------------------------	--------------------------------------

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	25	40 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue	City Wausau	State WI	ZIP Code 54401	Telephone Number (715) 675-9784
Signature of Person Doing Work 			Date Signed 6/6/24	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ1	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11-6-2006
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 40	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 35
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 15

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	40	64 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ2	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11/7/2006
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 30	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 25
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 8.2

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	30	48 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ3	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 11-7-2006
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 44	Casing Diameter (in.) 2
---	-----------------------------------

Lower Drillhole Diameter (in.)	Casing Depth (ft.) 39
--------------------------------	---------------------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 8.1
-------------------------------	-------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete

Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry


5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	44	70.4 pounds	

6. Comments

REI personnel pumped out 30 gallons of water from well to reduce water column to less than 30' and abandoned the well with bentonite chips.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	DNR Use Only	
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784		Date Received	Noted By
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 		Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ5	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 10-22-2013
<input type="checkbox"/> Water Well	
<input type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) 55	Casing Diameter (in.) 2
---	-----------------------------------

Lower Drillhole Diameter (in.)	Casing Depth (ft.) 50
--------------------------------	---------------------------------

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?	Depth to Water (feet) 16.3
-------------------------------	--------------------------------------

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete

Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry


5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	55	88 pounds	

6. Comments

REI personnel pumped out 90 gallons of water from well to reduce water column to less than 30' and abandoned the well with bentonite chips.

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	DNR Use Only	
Street or Route 4080 N 20th Avenue		State WI	ZIP Code 54401	Date Received	Noted By
City Wausau		Telephone Number (715) 675-9784		Comments	
Signature of Person Doing Work 			Date Signed 6/6/24		

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ6	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 10-22-2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 40	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 35
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 16.7

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
<i>For Monitoring Wells and Monitoring Well Boreholes Only:</i> <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	40	64 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well PZ9	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW	1/4 SE	Section 11	Township 39 N
or Gov't Lot #		Range 06	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 10-22-2013
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 40	Casing Diameter (in.) 2
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 35
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet) 14.4

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?		<input type="checkbox"/> Yes	<input type="checkbox"/> No
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No


Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____

Sealing Materials	
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Concrete
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
3/8 Holeplug	Surface	40	64 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to DNR Bureau:

Verification Only of Fill and Seal

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County Oneida		WI Unique Well # of Removed Well GP2	Hicap #
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001
1/4 / 1/4 SW SE or Gov't Lot #	Section 11	Township 39 N	Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Well Street Address 8576 US Highway 51 N			
Well City, Village or Town Minocqua, WI		Well ZIP Code 54548	
Subdivision Name		Lot #	
Reason for Removal from Service Investigation Completed		WI Unique Well # of Replacement Well	

Facility Name Minocqua Cleaners Hwy 51 (Former)		
Facility ID (FID or PWS) 744108200		
License/Permit/Monitoring #		
Original Well Owner Minocqua Cleaners		
Present Well Owner Northwoods Adventure Properties, LLC		
Mailing Address of Present Owner 6635 S 13th Street		
City of Present Owner Milwaukee	State WI	ZIP Code 53221

3. Filled & Sealed Well / Drillhole / Borehole Information

<input checked="" type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) 2-16-2006
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.
<input type="checkbox"/> Borehole / Drillhole	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <u>Geoprobe Well</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.) 20	Casing Diameter (in.) 1
Lower Drillhole Diameter (in.)	Casing Depth (ft.) 10
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)

4. Pump, Liner, Screen, Casing & Sealing Material


Pump and piping removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Liner(s) perforated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Sealing Materials	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete	
<input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout	
<input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	20	8.2 pounds	

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	Date Received	Noted By
Street or Route 4080 N 20th Avenue		Telephone Number (715) 675-9784	Comments	
City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 	Date Signed 6/6/24

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water
- Watershed/Wastewater
- Remediation/Redevelopment
- Waste Management
- Other: _____

1. Well Location Information

County Oneida	WI Unique Well # of Removed Well GP10	Hicap #
-------------------------	---	---------

Latitude / Longitude (see instructions)	Format Code	Method Code
_____ N	<input type="checkbox"/> DD	<input type="checkbox"/> GPS008
_____ W	<input type="checkbox"/> DDM	<input type="checkbox"/> SCR002
		<input type="checkbox"/> OTH001

1/4 / 1/4 SW SE	Section	Township	Range	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
or Gov't Lot #	11	39 N	06	

Well Street Address
8576 US Highway 51 N

Well City, Village or Town
Minocqua, WI

Well ZIP Code
54548

Subdivision Name

Lot #

Reason for Removal from Service
Investigation Completed

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
2-16-2006

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): Geoprobe Well

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) **20**

Casing Diameter (in.) **1**

Lower Drillhole Diameter (in.)

Casing Depth (ft.) **10**

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)?


Depth to Water (feet)

5. Material Used to Fill Well / Drillhole

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	20	8.2 pounds	

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing REI Engineering, Inc.	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) 6/5/2024	DNR Use Only	
Street or Route 4080 N 20th Avenue	City Wausau	State WI	ZIP Code 54401	Signature of Person Doing Work 
Date Received		Noted By		Date Signed 6/6/24
Telephone Number (715) 675-9784		Comments		


Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Former Minocqua Cleaners		License/Permit/Monitoring Number -		Boring Number GP-2	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-Site Environmental			Date Drilling Started 2/16/06	Date Drilling Completed 2/16/06	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet Site	Surface Elevation Feet Site	Borehole Diameter 2.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location		
State Plane SW 1/4 of SE 1/4 of Section 11, T 39 N, R 6 E			Lat _____ ° _____ ' _____ "	<input type="checkbox"/> N <input type="checkbox"/> E	
			Long _____ ° _____ ' _____ "	Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID 744108200		County Oneida	County Code 44	Civil Town/City/ or Village Minocqua	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	30 30	PUSH	1.5	0-2: no recovery	-			-							
2 GP	30 30	PUSH	3.0	2-5: SILTY FINE TO MED SAND, brown, loose, dry	SM			0.5							
3 GP	30 27	PUSH	6.0	5-8: FINE TO MED SAND, brown, loose, damp	SP			0.5							
4 GP	30 27	PUSH	9.0	8-10: SANDY SILT, brown, damp to moist	ML			0.5							
5 GP	30 24	PUSH	12.0	10-15: SILTY FINE TO MED SAND brown, moist to saturated at 14'	SM			0.5							
6 GP	30 24	PUSH	13.5					0.5							
7 GP	30 30	PUSH	16.5	15-16.5 SILT w/ some sand, brown saturated	ML			0.5							
8 GP	30 30	PUSH	18.0	16.5-17.5 SILTY SAND, saturated, brown	SM			0.5							
				17.5-18 SANDY SILT, brown, saturated	ML										
			19.5	18-20: SILTY SAND	SM			0.5							
				EOB @ 20'											

10412 submitted to lab

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
--	--	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name Former Minocqua Cleaners		License/Permit/Monitoring Number -		Boring Number GP-10	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-Site Environmental			Date Drilling Started 2/16/06	Date Drilling Completed 2/16/06	Drilling Method Geoprobe
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet Site	Surface Elevation Feet Site	Borehole Diameter 2.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane N, E S/C/N SW 1/4 of SE 1/4 of Section 11, T 39 N, R 6 E			Local Grid Location Lat _____ " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID 744108200		County Oncida	County Code 44	Civil Town/City/ or Village Minocqua	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	30	PUSH	1.5	0-8: SILTY SAND; fine to medium, brown, damp to sl. moist	SM			0.5						
2 GP	30	PUSH	3.0					0.5						
3 GP	30	PUSH	4.5					0.5						
4 GP	30	PUSH	6.0					0.5						
5 GP	30	PUSH	7.5	8-13.5: SANDY SILT; brown, moist, soft	ML			0.5						
6 GP	30	PUSH	9.0					0.5						
7 GP	30	PUSH	10.5					0.5						
8 GP	30	PUSH	12.0					0.5						
			13.5	13.5-20: SILTY SAND as above, moist wet at 14'	SM			0.5						
			15.0					0.5						
			16.5					0.5						
			18.0					0.5						
			19.5					0.5						

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature 	Firm Sigma Environmental 1300 W. Canal Street Milwaukee, WI 53233	Tel: 414-643-4200 Fax: 414-643-4210
--	--	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



STS Consultants Ltd.

FIELD WELL INSTALLATION DIAGRAM



- 1) TYPE OF PIPE?
 PVC GALVANIZED, STAINLESS, OTHER _____
- 2) TYPE OF PIPE JOINTS?
BELLED, COUPLINGS, THREADED OTHER _____
- 3) TYPE OF WELL SCREEN
 PVC GALVANIZED, STAINLESS, OTHER _____
- 4) SCREEN SIZE 0.010
- 5) INSTALLED PROTECTOR PIPE W/LOCK? YES OR NO
- 6) WAS SOLVENT USED? YES OR NO
- 7) WAS DRILLING MUD USED? NO
 SOLID AUGER HOLLOW STEM AUGER, WATER, REVERT, BENTONITE
- 8) DID STANDPIPE COME UP WHEN CASING WAS PULLED?
YES OR NO
- 9) HOW WAS WELL DEVELOPED?
 BAILING PUMPING, SURGING, COMPRESSED AIR
- 10) TIME SPENT FOR WELL DEVELOPMENT?
5 min., 15 min., 30 min. OTHER _____
- 11) APPROXIMATE WATER VOLUME REMOVED OR ADDED?
5 gal., 10 gal. 15 gal., OTHER _____
- 12) WATER CLARITY BEFORE DEVELOPMENT?
CLEAR, TURBID, OPAQUE
- 13) WATER CLARITY AFTER DEVELOPMENT?
CLEAR, TURBID, OPAQUE
- 14) DID THE WATER SMELL? YES OR NO
- 15) WATER LEVEL SUMMARY

1) DEPTH FROM T. STANDPIPE AFTER DEVELOPMENT?
_____ Ft. or DRY

2) OTHER MEASUREMENTS:

DATE _____, _____ Ft. FROM T, ST. PIPE

DATE _____, _____ Ft. FROM T, ST. PIPE

DATE _____, _____ Ft. FROM T, ST. PIPE

DATE _____, _____ Ft. FROM T, ST. PIPE

PRELIMINARY

Well No. B-1A DATE INSTALLED 11-26-85 DRILL RIG 55

DRILLER B.Z. DRILL CREW B.S.


JOB/CLIENT MINOCQUA CLEANERS STS JOB No. 14140

WELL DETAIL INFORMATION SHEET

JOB NO. 946
 BORING NO. W-2
 DATE 11-5-86
 CHIEF R.T.

LOCATION Minocqua, WI

All depth measurements of well detail assumed to be from ground surface unless otherwise indicated.



- ① DEPTH TO BOTTOM OF WELL POINT OR SLOTTED PIPE 22.1' FEET.
- ② DEPTH OF BOTTOM OF SEAL (if installed) 7.6' FEET.
- ③ DEPTH TO TOP OF SEAL (if installed) 5.2' FEET.
- ④ LENGTH OF WELL POINT, PVC WELL SCREEN OR SLOTTED PIPE 10.0' FEET. (Circle One)
- ⑤ TOTAL LENGTH OF PIPE 13.6' FEET
 Ø 2" IN. DIAMETER.
- ⑥ TYPE OF FILTER MATERIAL AROUND WELL POINT OR SLOTTED PIPE Filter Sand.
- ⑦ CONCRETE CAP, YES NO (Circle One)
- ⑧ HEIGHT OF WELL CASING ABOVE GROUND 1.9' FEET.
- ⑨ PROTECTIVE CASING? YES NO (Circle One)
 HEIGHT ABOVE GROUND 2.0'
 LOCKING CAP? YES NO (Circle One)
- ⑩ TYPE OF BACKFILL: Bentonite

WATER LEVEL CHECKS

*From top of casing, if protective casing higher, take measurement from top of protective casing.

BORING #	DATE	TIME	DEPTH TO WATER	REMARKS

WELL DETAIL INFORMATION SHEET

JOB NO. 946

BORING NO. W-3

DATE 11-5-86

CHIEF R.T.

LOCATION Minocqua, WI


All depth measurements of well detail assumed to be from ground surface unless otherwise indicated.

- ① DEPTH TO BOTTOM OF WELL POINT OR SLOTTED PIPE 24.0' FEET.
- ② DEPTH OF BOTTOM OF SEAL (if installed) 7.5' FEET.
- ③ DEPTH TO TOP OF SEAL (if installed) 5.2' FEET.
- ④ LENGTH OF WELL POINT, PVC WELL SCREEN OR SLOTTED PIPE 10.0' FEET. (Circle One)
- ⑤ TOTAL LENGTH OF PIPE 16.0' FEET
Ø 2" IN. DIAMETER.
- ⑥ TYPE OF FILTER MATERIAL AROUND WELL POINT OR SLOTTED PIPE Filter Sand.
- ⑦ CONCRETE CAP, YES NO (Circle One)
- ⑧ HEIGHT OF WELL CASING ABOVE GROUND 1.9' FEET.
- ⑨ PROTECTIVE CASING? YES NO (Circle One)
HEIGHT ABOVE GROUND 2.0'
LOCKING CAP? YES NO (Circle One)
- ⑩ TYPE OF BACKFILL: Bentonite

WATER LEVEL CHECKS

*From top of casing, if protective casing higher, take measurement from top of protective casing.

BORING #	DATE	TIME	DEPTH TO WATER	REMARKS



Route To Solid Waste Haz Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name MW4
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-6-06
Distance Well Is From Waste/Source Boundary Ft. _____	SW 1/4 of SE 1/4 of Sec. 11, T. 39 N, R. 6 <input type="checkbox"/> W	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ in. b. Length: _____ ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS Classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> #30 American Materials <input checked="" type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input checked="" type="checkbox"/> 33 b. _____ lbs/gal mud weight _____ Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ lbs/gal mud weight _____ Bentonite slurry <input type="checkbox"/> 31 d. _____ %Bentrite _____ Bentonite-cement grout <input type="checkbox"/> 50 e. _____ ft ³ Volume added for any of the above
14. Drilling method used Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	6. Bentonite seal: a. Bentonite Granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. Other <input type="checkbox"/>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	7. Fine sand material Manufacturer, product name and mesh size a. #7 Badger b. Volume added _____ ft ³
17. Source of water (attach analysis): _____	8. Filter pack material: Manufacturer, product name and mesh size a. #30 American Material b. Volume added _____ ft ³
E. Bentonite seal, top _____ ft. MSL or _____ 1 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
F. Fine sand, top _____ ft. MSL or _____ 11 ft.	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
G. Filter pack, top _____ ft. MSL or _____ 13 ft.	b. Manufacturer Northern Air c. Slot size: _____ 0.01 in. d. Slotted length: _____ 10 ft.
H. Screen joint, top _____ ft. MSL or _____ 15 ft.	11. Backfill material (below filter Pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
I. Well bottom _____ ft. MSL or _____ 25 ft.	
J. Filter pack, bottom _____ ft. MSL or _____ 25 ft.	
K. Borehole, bottom _____ ft. MSL or _____ 25 ft.	
L. Borehole, diameter 8.25 in.	
M. O.D. well casing 2.07 in.	
N. I.D. well casing 2.07 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only - see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name MW5
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-6-06
Distance Well Is From Waste/Source Boundary Ft.	SW 1/4 of SE 1/4 of Sec. 11, T. 39 N.; R. 6 W. <input type="checkbox"/>	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom _____ ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 8 ft.

G. Filter pack, top _____ ft. MSL or 10 ft.

H. Screen joint, top _____ ft. MSL or 12 ft.

I. Well bottom _____ ft. MSL or 22 ft.

J. Filter pack, bottom _____ ft. MSL or 22 ft.

K. Borehole, bottom _____ ft. MSL or 22 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 2.07 in.

N. I.D. well casing 2.07 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 9 in.
b. Length: 1 ft.
c. Material: Steel 04
Other

d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
#30 American Materials

5. Annular space seal:
a. Granular Bentonite 33
b. Lbs/gal mud weight Bentonite-sand slurry 35
c. Lbs/gal mud weight Bentonite slurry 31
d. %Bentonite Bentonite-cement grout 50
e. ft³ Volume added for any of the above _____
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. Other

7. Fine sand material Manufacturer, product name and mesh size
a. #7 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 American Material
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer Northern Air
c. Slot size: 0.01 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter Pack): None 14
Other

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature: *[Signature]* Firm: REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name MW6
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Party Well Installed 11-7-06
Distance Well Is From Waste/Source Boundary Ft. _____	Location of Well Relative to Waste/Source SW 1/4 of SE 1/4 of Sec. 11, T. 39 N, R. 6 <input type="checkbox"/> W u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom _____ ft. MSL or _____ ft.

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 8 ft.

G. Filter pack, top _____ ft. MSL or 10 ft.

H. Screen joint, top _____ ft. MSL or 12 ft.

I. Well bottom _____ ft. MSL or 22 ft.

J. Filter pack, bottom _____ ft. MSL or 22 ft.

K. Borehole, bottom _____ ft. MSL or 22 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 2.07 in.

N. I.D. well casing 2.07 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 9 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal #30 American Materials

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight Bentonite slurry 31
d. _____ % Bentonite Bentonite-cement grout 50
e. _____ ft³ Volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #7 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 American Material
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer Northern Air
c. Slot size: 0.01 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter Pack): None 14
Other

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144.147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well ____ Feet S. ____ Feet W ____ Feet N. ____ Feet E	Well Name MW7
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-7-06
Distance Well Is From Waste/Source Boundary Ft.	SW 1/4 of SE 1/4 of Sec. 11, T. 39 N; R. 6 <input type="checkbox"/> W	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL Yes No
 B. Well casing, top elevation _____ ft. MSL
 C. Land surface elevation _____ ft. MSL
 D. Surface seal, bottom _____ ft. MSL or _____ ft.

1. Cap and lock? Yes No
 2. Protective cover pipe:
 a. Inside diameter: _____ in. (9 in.)
 b. Length: _____ ft. (1 ft.)
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other
 4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
 #30 American Materials Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. _____ Lbs/gal mud weight Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight Bentonite slurry 31
 d. _____ % Bentonite Bentonite-cement grout 50
 e. _____ ft³ Volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite Granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
 a. #7 Badger
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. #30 American Material
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer Northern Air
 c. Slot size: _____ in. (0.01 in.)
 d. Slotted length: _____ ft. (6 ft.)

11. Backfill material (below filter Pack): None 14
 Other

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or _____ 1 ft.
 F. Fine sand, top _____ ft. MSL or _____ 5 ft.
 G. Filter pack, top _____ ft. MSL or _____ 6 ft.
 H. Screen joint, top _____ ft. MSL or _____ 7 ft.
 I. Well bottom _____ ft. MSL or _____ 13 ft.
 J. Filter pack, bottom _____ ft. MSL or _____ 13 ft.
 K. Borehole, bottom _____ ft. MSL or _____ 13 ft.
 L. Borehole, diameter _____ in. (8.25 in.)
 M. O.D. well casing _____ in. (2.07 in.)
 N. I.D. well casing _____ in. (2.07 in.)

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature *Joe Black* Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name PZ1
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> <input checked="" type="checkbox"/> Piezometer <input checked="" type="checkbox"/>	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-6-06
Distance Well Is From Waste/Source Boundary Ft. _____	SW 1/4 of SE 1/4 of Sec. 11, T. 39 N, R. 6 <input type="checkbox"/> W	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 4 in.
b. Length: 5 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
#30 American Materials Other

5. Annular space seal:
a. Granular Bentonite 33
b. ___ Lbs/gal mud weight Bentonite-sand slurry 35
c. ___ Lbs/gal mud weight Bentonite slurry 31
d. ___ % Bentonite Bentonite-cement grout 50
e. ___ ft³ Volume added for any of the above
i. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. Other

7. Fine sand material Manufacturer, product name and mesh size
a. #7 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 American Material
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer Northern Air
c. Slot size: 0.01 in.
d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 0 ft.
F. Fine sand, top _____ ft. MSL or 31 ft.
G. Filter pack, top _____ ft. MSL or 33 ft.
H. Screen joint, top _____ ft. MSL or 35 ft.
I. Well bottom _____ ft. MSL or 40 ft.
J. Filter pack, bottom _____ ft. MSL or 40 ft.
K. Borehole, bottom _____ ft. MSL or 40 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.07 in.
N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name PZ2
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input checked="" type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-7-06
Distance Well Is From Waste/Source Boundary Ft. _____	SW 1/4 of SE 1/4 of Sec. 11, T. 39 N., R. 6 W. <input type="checkbox"/>	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or _____ ft.

12. USCS Classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used
 Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis):



- 1. Cap and lock? Yes No
- 2. Protective cover pipe:
 - a. Inside diameter: 9 in.
 - b. Length: 1 ft.
 - c. Material: Steel 04
Other
 - d. Additional protection? Yes No
If yes, describe: _____
- 3. Surface seal: Bentonite 30
Concrete 01
Other
- 4. Material between well casing and protective pipe:
 - Bentonite 30
 - Annular space seal
 - #30 American Materials
 - Other
- 5. Annular space seal:
 - a. Granular Bentonite 33
 - b. _____ Lbs/gal mud weight _____ Bentonite-sand slurry 35
 - c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
 - d. _____ %Bentonite _____ Bentonite-cement grout 50
 - e. _____ ft³ Volume added for any of the above
 - f. How installed: Tremie 01
Tremie pumped 02
Gravity 08
- 6. Bentonite seal:
 - a. Bentonite Granules 33
 - b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 - c. _____ Other
- 7. Fine sand material Manufacturer, product name and mesh size
 - a. #7 Badger
 - b. Volume added _____ ft³
- 8. Filter pack material: Manufacturer, product name and mesh size
 - a. #30 American Material
 - b. Volume added _____ ft³
- 9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other
- 10. Screen material: PVC
 - a. Screen type: Factory cut 11
Continuous slot 01
Other
 - b. Manufacturer Northern Air
 - c. Slot size: 0.01 in.
 - d. Slotted length: 5 ft.
- 11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 21 ft.

G. Filter pack, top _____ ft. MSL or 23 ft.

H. Screen joint, top _____ ft. MSL or 25 ft.

I. Well bottom _____ ft. MSL or 30 ft.

J. Filter pack, bottom _____ ft. MSL or 30 ft.

K. Borehole, bottom _____ ft. MSL or 30 ft.

L. Borehole, diameter 8.25 in.

M. O.D. well casing 2.07 in.

N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54407

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only; see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Former Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name PZ3
Facility License Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> II Piezometer <input checked="" type="checkbox"/> 12	Section Location of Waste/Source <input checked="" type="checkbox"/> E	Date Well Installed 11-7-06
Distance Well Is From Waste/Source Boundary Ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input checked="" type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) MES (Joe Black)
Is Well A Point of Enforcement Std. Application <input type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL
B. Well casing, top elevation _____ ft. MSL
C. Land surface elevation _____ ft. MSL
D. Surface seal, bottom _____ ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock


13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):



1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 9 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal #30 American Materials

5. Annular space seal:
a. Granular Bentonite 33
b. ___ Lbs/gal mud weight ___ Bentonite-sand slurry 35
c. ___ Lbs/gal mud weight ___ Bentonite slurry 31
d. ___ %Bentonite ___ Bentonite-cement grout 50
e. ___ ft³ Volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. ___ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #7 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 American Material
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer Northern Air
c. Slot size: 0.01 in.
d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.
F. Fine sand, top _____ ft. MSL or 35 ft.
G. Filter pack, top _____ ft. MSL or 37 ft.
H. Screen joint, top _____ ft. MSL or 39 ft.
I. Well bottom _____ ft. MSL or 44 ft.
J. Filter pack, bottom _____ ft. MSL or 44 ft.
K. Borehole, bottom _____ ft. MSL or 44 ft.
L. Borehole, diameter 8.25 in.
M. O.D. well casing 2.07 in.
N. I.D. well casing 2.07 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well ____ Feet S. ____ Feet W. ____ Feet N. ____ Feet E	Well Name PZ4
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input type="checkbox"/> 1 Piezometer <input checked="" type="checkbox"/> 2	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: _____ in.
b. Length: _____ ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight _____ Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
d. _____ % Bentonite _____ Bentonite-cement grout 50
e. _____ ft³ Volume added for any of the above
r. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: _____ in. 0.10 in.
d. Slotted length: _____ ft. 5 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 32 ft.

G. Filter pack, top _____ ft. MSL or 33 ft.

H. Screen joint, top _____ ft. MSL or 35 ft.

I. Well bottom _____ ft. MSL or 40 ft.

J. Filter pack, bottom _____ ft. MSL or 40 ft.

K. Borehole, bottom _____ ft. MSL or 40 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature

Firm

REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W ___ Feet N. ___ Feet E ___	Well Name PZ5
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> <input checked="" type="checkbox"/> Piezometer	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ___ 1/4 of ___ 1/4 of Sec. ___ T. ___ N; R. ___	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 46 ft.

G. Filter pack, top _____ ft. MSL or 48 ft.

H. Screen joint, top _____ ft. MSL or 50 ft.

I. Well bottom _____ ft. MSL or 55 ft.

J. Filter pack, bottom _____ ft. MSL or 55 ft.

K. Borehole, bottom _____ ft. MSL or 55 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: 8 in.
 b. Length: 1 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
 Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. _____ Lbs/gal mud weight _____ Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
 d. _____ % Bentonite _____ Bentonite-cement grout 50
 e. _____ ft³ Volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite Granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
 a. #60 Badger
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. #30 Red Flint
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer US Filter
 c. Slot size: 0.10 in.
 d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
 Other

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54407

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well ____ Feet S. ____ Feet W ____ Feet N. ____ Feet E	Well Name PZ6
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> ft Piezometer <input checked="" type="checkbox"/> 2	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ____ 1/4 of ____ 1/4 of Sec. _____, T. _____ N; R. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom _____ .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis):

1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: _____ 8 in.
 b. Length: _____ 1 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
 Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. _____ Lbs/gal mud weight _____ Bentonite-sand slurry 35
 c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
 d. _____ % Bentonite _____ Bentonite-cement grout 50
 e. _____ ft³ Volume added for any of the above
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite Granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
 a. #60 Badger
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. #30 Red Flint
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer US Filter
 c. Slot size: _____ 0.10 in.
 d. Slotted length: _____ 5 ft.

11. Backfill material (below filter Pack): None 14
 Other

E. Bentonite seal, top _____ ft. MSL or _____ 1 ft.

F. Fine sand, top _____ ft. MSL or _____ 31 ft.

G. Filter pack, top _____ ft. MSL or _____ 33 ft.

H. Screen joint, top _____ ft. MSL or _____ 35 ft.

I. Well bottom _____ ft. MSL or _____ 40 ft.

J. Filter pack, bottom _____ ft. MSL or _____ 40 ft.

K. Borehole, bottom _____ ft. MSL or _____ 40 ft.

L. Borehole, diameter _____ 8 in.

M. O.D. well casing _____ 2.1 in.

N. I.D. well casing _____ 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well ____ Feet S. ____ Feet W. ____ Feet N. ____ Feet E	Well Name PZ7
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input checked="" type="checkbox"/> 2	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ____ 1/4 of ____ 1/4 of Sec. ____ T. ____ N.; R. ____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 31 ft.

G. Filter pack, top _____ ft. MSL or 33 ft.

H. Screen joint, top _____ ft. MSL or 35 ft.

I. Well bottom _____ ft. MSL or 40 ft.

J. Filter pack, bottom _____ ft. MSL or 40 ft.

K. Borehole, bottom _____ ft. MSL or 40 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight Bentonite slurry 31
d. _____ % Bentonite Bentonite-cement grout 50
e. _____ ft³ Volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: 0.10 in.
d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
Other

12. USCS Classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature  Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name PZ8
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number _____ DNR Well Number _____
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input checked="" type="checkbox"/> 12	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight _____ Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
d. _____ %Bentonite _____ Bentonite-cement grout 50
e. _____ ft³ Volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: 0.10 in.
d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 31 ft.

G. Filter pack, top _____ ft. MSL or 33 ft.

H. Screen joint, top _____ ft. MSL or 35 ft.

I. Well bottom _____ ft. MSL or 40 ft.

J. Filter pack, bottom _____ ft. MSL or 40 ft.

K. Borehole, bottom _____ ft. MSL or 40 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name PZ9
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input type="checkbox"/> 11 Piezometer <input checked="" type="checkbox"/> 2	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ___ 1/4 of ___ 1/4 of Sec. ___ T. ___ N; R. ___	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL Yes No

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. Lbs/gal mud weight Bentonite-sand slurry 35
c. Lbs/gal mud weight Bentonite slurry 31
d. % Bentonite Bentonite-cement grout 50
e. ft³ Volume added for any of the above
f. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: 0.10 in.
d. Slotted length: 5 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 31 ft.

G. Filter pack, top _____ ft. MSL or 33 ft.

H. Screen joint, top _____ ft. MSL or 35 ft.

I. Well bottom _____ ft. MSL or 40 ft.

J. Filter pack, bottom _____ ft. MSL or 40 ft.

K. Borehole, bottom _____ ft. MSL or 40 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54407

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name MW8
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ___ 1/4 of ___ 1/4 of Sec. ___ T. ___ N; R. ___	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL Yes No

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:

GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. Lbs/gal mud weight _____ Bentonite-sand slurry 35
c. Lbs/gal mud weight _____ Bentonite slurry 31
d. % Bentonite _____ Bentonite-cement grout 50
e. ft³ Volume added for any of the above _____
r. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: 0.10 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter Pack): None 14
Other

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 6 ft.

G. Filter pack, top _____ ft. MSL or 8 ft.

H. Screen joint, top _____ ft. MSL or 10 ft.

I. Well bottom _____ ft. MSL or 20 ft.

J. Filter pack, bottom _____ ft. MSL or 20 ft.

K. Borehole, bottom _____ ft. MSL or 20 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature:  Firm: REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W ___ Feet N. ___ Feet E ___	Well Name MW9
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 1 Piezometer <input type="checkbox"/> 2	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ___	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

12. USCS Classification of soil near screen:
 GP GM GC GW SW SP
 SM SC ML MH CL CH
 Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
 Hollow Stem Auger 41
 Other

15. Drilling fluid used: Water 02 Air 01
 Drilling Mud 03 None 99

16. Drilling additives used? Yes No
 Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 11 ft.

G. Filter pack, top _____ ft. MSL or 13 ft.

H. Screen joint, top _____ ft. MSL or 15 ft.

I. Well bottom _____ ft. MSL or 25 ft.

J. Filter pack, bottom _____ ft. MSL or 25 ft.

K. Borehole, bottom _____ ft. MSL or 25 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

1. Cap and lock? Yes No

2. Protective cover pipe:
 a. Inside diameter: 8 in.
 b. Length: 1 ft.
 c. Material: Steel 04
 Other
 d. Additional protection? Yes No
 If yes, describe: _____

3. Surface seal: Bentonite 30
 Concrete 01
 Other

4. Material between well casing and protective pipe:
 Bentonite 30
 Annular space seal
 Other

5. Annular space seal:
 a. Granular Bentonite 33
 b. Lbs/gal mud weight _____ Bentonite-sand slurry 35
 c. _____ Bentonite slurry 31
 d. % Bentonite _____ Bentonite-cement grout 50
 e. ft³ Volume added for any of the above _____
 f. How installed: Tremie 01
 Tremie pumped 02
 Gravity 08

6. Bentonite seal:
 a. Bentonite Granules 33
 b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
 c. Other

7. Fine sand material Manufacturer, product name and mesh size
 a. #60 Badger
 b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
 a. #30 Red Flint
 b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
 Flush threaded PVC schedule 80 24
 Other

10. Screen material: PVC
 a. Screen type: Factory cut 11
 Continuous slot 01
 Other
 b. Manufacturer US Filter
 c. Slot size: 0.10 in.
 d. Slotted length: 10 ft.

11. Backfill material (below filter Pack): None 14
 Other

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.

Route To Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name Minocqua Cleaners	Local Grid Location of Well Feet S. ___ Feet W. ___ Feet N. ___ Feet E. ___	Well Name MW10
Facility License Permit or Monitoring Number BRRTS # 02-44-000113	Grid Origin Location	Wls. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <input type="checkbox"/> E <input type="checkbox"/> W	Date Well Installed 10/22/13
Distance Well Is From Waste/Source Boundary Ft. ___ 1/4 of ___ 1/4 of Sec. ___ T. ___ N; R. ___	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By (Person's Name and Firm) BJ - Giles Engineering Associates, Inc.
Is Well A Point of Enforcement Std. Application <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		

A. Protective pipe, top elevation _____ ft. MSL

B. Well casing, top elevation _____ ft. MSL

C. Land surface elevation _____ ft. MSL

D. Surface seal, bottom .5 ft. MSL or _____ ft.

1. Cap and lock? Yes No

2. Protective cover pipe:
a. Inside diameter: 8 in.
b. Length: 1 ft.
c. Material: Steel 04
Other
d. Additional protection? Yes No
If yes, describe: _____

3. Surface seal: Bentonite 30
Concrete 01
Other

4. Material between well casing and protective pipe:
Bentonite 30
Annular space seal
Other

5. Annular space seal:
a. Granular Bentonite 33
b. _____ Lbs/gal mud weight Bentonite-sand slurry 35
c. _____ Lbs/gal mud weight _____ Bentonite slurry 31
d. _____ % Bentonite Bentonite-cement grout 50
e. _____ ft³ Volume added for any of the above
r. How installed: Tremie 01
Tremie pumped 02
Gravity 08

6. Bentonite seal:
a. Bentonite Granules 33
b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 32
c. _____ Other

7. Fine sand material Manufacturer, product name and mesh size
a. #60 Badger
b. Volume added _____ ft³

8. Filter pack material: Manufacturer, product name and mesh size
a. #30 Red Flint
b. Volume added _____ ft³

9. Well casing: Flush threaded PVC schedule 40 23
Flush threaded PVC schedule 80 24
Other

10. Screen material: PVC
a. Screen type: Factory cut 11
Continuous slot 01
Other
b. Manufacturer US Filter
c. Slot size: 0.10 in.
d. Slotted length: 10 ft.

11. Backfill material (below filter Pack): None 14
Other

12. USCS Classification of soil near screen:
GP GM GC GW SW SP
SM SC ML MH CL CH
Bedrock

13. Sieve analysis attached? Yes No

14. Drilling method used Rotary 50
Hollow Stem Auger 41
Other

15. Drilling fluid used: Water 02 Air 01
Drilling Mud 03 None 99

16. Drilling additives used? Yes No
Describe _____

17. Source of water (attach analysis):

E. Bentonite seal, top _____ ft. MSL or 1 ft.

F. Fine sand, top _____ ft. MSL or 6 ft.

G. Filter pack, top _____ ft. MSL or 8 ft.

H. Screen joint, top _____ ft. MSL or 10 ft.

I. Well bottom _____ ft. MSL or 20 ft.

J. Filter pack, bottom _____ ft. MSL or 20 ft.

K. Borehole, bottom _____ ft. MSL or 20 ft.

L. Borehole, diameter 8 in.

M. O.D. well casing 2.1 in.

N. I.D. well casing 1.9 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge

Signature [Signature] Firm REI Engineering, Inc.
4080 N. 20th Ave.
Wausau, WI 54401

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160 Wis. Stats. and ch NR 141, Wis. Ad. Code. In accordance with ch. 144 Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147 Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. see instructions for more information including where the completed form should be sent.