



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DP

Date 10/9/07

Arrival time 8:00A

Departure time 9:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8315542

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.3

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.2

Combined Discharge Hex Chrome Conc. Mg/l 1.4 pH 7.5

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet

Operator JJA

Date 10/3/07

Arrival time 7:30A

Departure time 3:00P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 531589L
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 10/2/07

Arrival time 8:00 A

Departure time 9:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8301251

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 1.0 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.4 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/1/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8301251
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DJP

Date 9/25/07

Arrival time 8:50A

Departure time 9:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8290363

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.3 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 9/29/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8290363
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/10/07

Arrival time 8:00A

Departure time 9:00A

Activities Performed

| | | | |
|--|-------------------------------------|-------------------------|-----------------------|
| Plant, Building and Grounds Check | <input checked="" type="checkbox"/> | | |
| Discharge Flow Meter Inspection | <input checked="" type="checkbox"/> | | |
| Flow Meter Reading | | <u> 825 1626 </u> | |
| Manhole Sump #1 Hex Chrome Conc. Mg/l | | <u> 3.5 </u> | pH <u> 7.5 </u> |
| Manhole Sump #2 Hex Chrome Conc. Mg/l | | <u> 0.3 </u> | pH <u> 7.6 </u> |
| Combined Discharge Hex Chrome Conc. Mg/l | | <u> 1.2 </u> | pH <u> 7.8 </u> |
| Close Discharge Valve | <input type="checkbox"/> | | |
| Open Discharge Valve | <input checked="" type="checkbox"/> | | |
| Chrome Samples to Lab | <input checked="" type="checkbox"/> | | |

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/17/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8281626
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/11/07

Arrival time 8:00A

Departure time 9:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading

 8267844

Manhole Sump #1 Hex Chrome Conc. Mg/l

 4.0

pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l

 0.6

pH 7.9

Combined Discharge Hex Chrome Conc. Mg/l

 1.0

pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 9/10/07

Arrival time 7:30 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8267894

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 9/4/07

Arrival time 8:00 A

Departure time 9:00 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8251756
- Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.5
- Combined Discharge Hex Chrome Conc. Mg/l 1.3 pH 7.7
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/3/07

Arrival time 7:30 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8251756

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/28/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8236537

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.6

Combined Discharge Hex Chrome Conc. Mg/l 1.5 + pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/27/07

Arrival time 6:30a

Departure time 7:00a

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 8236537

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/21/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 8201594

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.8 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.5+ pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/20/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 8201594

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 8/19/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 819 3559

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 1.5+ pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/13/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 8193559

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 8/7/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 8189031

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 1.5 + pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/6/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- DischargeFlow Meter Ispection
- Flow Meter Reading 8189031
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/31/07

Arrival time 7:00 A

Departure time 8:50 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 018 3992

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 1.4 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/30/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8183992

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/24/07

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8178071

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.5 + pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
 TEL: (920) 751-4299 FAX: (920) 751-4284
 e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
 N.W. Mauthe Superfund Site
 Operator Log Sheet**

Operator JJP

Date 7/23/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- | | | | |
|--|-------------------------------------|-----------------|----------|
| Plant, Building and Grounds Check | <input checked="" type="checkbox"/> | | |
| Discharge Flow Meter Inspection | <input checked="" type="checkbox"/> | | |
| Flow Meter Reading | | <u>817.8071</u> | |
| Manhole Sump #1 Hex Chrome Conc. Mg/l | | _____ | pH _____ |
| Manhole Sump #2 Hex Chrome Conc. Mg/l | | _____ | pH _____ |
| Combined Discharge Hex Chrome Conc. Mg/l | | _____ | pH _____ |
| Close Discharge Valve | <input checked="" type="checkbox"/> | | |
| Open Discharge Valve | <input type="checkbox"/> | | |
| Chrome Samples to Lab | <input type="checkbox"/> | | |

Note:
 A Hach Test Kit is used to measure hexavalent chromium concentrations.
 A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 7/17/07

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8170977

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/16/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8170977

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/10/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8160376

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 1.1 pH 7.6

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 7/9/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8160376

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/3/07

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8146620

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/2/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8146620

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/26/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8138705

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 6/25/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8138705

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 6/19/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 5128790

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.2 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/18/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8128790
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 6/12/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 5118890

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 0.8 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/11/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8118890
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/9/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8100181

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/5/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8100181

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 5/29/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8080275

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 0.9 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/28/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8088275

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 5/22/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8078670
- Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.5
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.5
- Combined Discharge Hex Chrome Conc. Mg/l 0.9 pH 7.8
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/21/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8078670
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/15/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8067955

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 0.7 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/19/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8067955

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/8/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8055607
- Manhole Sump #1 Hex Chrome Conc. Mg/l 2.0 pH 7.5
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.5
- Combined Discharge Hex Chrome Conc. Mg/l 0.7 pH 7.8
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/7/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8055607
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/1/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8028630

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.5 pH 7.6

Combined Discharge Hex Chrome Conc. Mg/l 1.1 pH 7.9

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 4/30/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8028630
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/29/07

Arrival time 7:00A

Departure time 8:50A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8016592

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.7

Combined Discharge Hex Chrome Conc. Mg/l 0.7 pH 7.9

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 · FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 9/23/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8016592
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/17/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 8000 465

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.7

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.7 pH 7.8

Combined Discharge Hex Chrome Conc. Mg/l 1.2 pH 7.9

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/16/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 8000465
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 9/10/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 798 0454

Manhole Sump #1 Hex Chrome Conc. Mg/l 2.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.9

Combined Discharge Hex Chrome Conc. Mg/l 0.9 pH 8.0

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 4/9/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7980454
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 4/3/07

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7950548

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.7

Combined Discharge Hex Chrome Conc. Mg/l 0.9 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 4/2/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7950544

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 3/27/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7923522
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 3/22/07

Arrival time 7:00A

Departure time 7:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7902324

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

CITY SAMPLING



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 3/21/07 WED

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7902324
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

CITY SAMPLING THIS AM



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 3/20/07

Arrival time 6:30 A

Departure time 7:00 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7900879
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 3/13/07

Arrival time 7:00A

Departure time 7:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7881638

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 3/6/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 787 1214

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.5 pH 7.7

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 8.0

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.9

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 3/5/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7871214
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 2/27/07

Arrival time 6:30A

Departure time 8:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7869050

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments

REMOVE SNOW



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 2/20/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7866904

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 2/13/07

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7863989

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 2/8/07

Arrival time 7:30 A

Departure time 8:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7860245

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.9

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 8.0

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 2/7/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7860298

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 1/30/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 785 5575

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 1/23/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7899793

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 1/16/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7841798

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

Remove snow



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 1/9/07

Arrival time 7:00A

Departure time 7:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7830067

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 11/3/07

Arrival time 7:30A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7807593
- Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.6
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.5 pH 7.9
- Combined Discharge Hex Chrome Conc. Mg/l 2.0 pH 8.0
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 1/2/07

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7807593
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 12/27/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 778 454 L
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 12/19/06

Arrival time 6:30A

Departure time 7:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7753783
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 12/14/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7749835

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 12/6/06

Arrival time 7:00A

Departure time 8:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7741697
- Manhole Sump #1 Hex Chrome Conc. Mg/l 5.5 pH 7.8
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.8
- Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 8.0
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 12/5/06

Arrival time 7:00 A

Departure time 7:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7741697
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 11/28/06

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7728908

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

RAIN OVERNIGHT



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 11/21/06

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 772 4159
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 11/14/06

Arrival time 7:00A

Departure time 7:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7719095
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet

Operator JJP

Date 11/7/06

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7711563

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.5 pH 7.7

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.8

Combined Discharge Hex Chrome Conc. Mg/l 1.4 pH 8.0

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 11/6/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7711563
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 11/2/06

Arrival time 6:00A

Departure time 7:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7707210

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

TEST BACK FLOW VALVE



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 10/31/06

Arrival time 7:00A

Departure time 8:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7703828

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.7

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.3 pH 7.9

Combined Discharge Hex Chrome Conc. Mg/l 1.0 pH 8.0

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/30/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7703828
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 10/29/06

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7691571

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 7.4 pH 7.8

Combined Discharge Hex Chrome Conc. Mg/l 1.4 pH 8.0

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/23/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7691571
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/17/06

Arrival time 7:00 A

Departure time 8:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 767 5325

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.8

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/16/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 767 5325

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/10/06

Arrival time 2:00 P

Departure time 3:00 P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7666619
- Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.2 pH 7.6
- Combined Discharge Hex Chrome Conc. Mg/l 1.3 pH 7.9
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/9/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7666619
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 10/5/04

Arrival time 9:30A

Departure time 10:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7659792
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

CITY SAMPLING



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 10/4/06

Arrival time 2:00 P

Departure time 2:30 P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 765 9792

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

CLOSE VALVE FOR CITY SAMPLING
TOMMOROW



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/3/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7655784
- Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.6
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.6 pH 7.7
- Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.9
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 10/2/06

Arrival time 7:00 A

Departure time 7:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7655784
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA WI 54952-0418
TEL (920) 751-4299 FAX (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/26/00

Arrival time 2:00 p

Departure time 3:00 p

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7643892

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0

pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0

pH 7.5

Combined Discharge Hex Chrome Conc. Mg/l 1.0

pH 7.5

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DJP

Date 9/25/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7645542

Manhole Sump #1 Hex Chrome Conc. Mg/l _____

pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____

pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____

pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/19/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7642953

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.5 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 1.0 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 9/18/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7692953

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI, 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgr.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DP

Date 9/12/06

Arrival time 2:00 P

Departure time 3:00 P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 763.5101

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.5 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.4 pH 7.8

Combined Discharge Hex Chrome Conc. Mg/l 0.4 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

RAIN MON/TUES



Midwest Contract Operations, Inc

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System N.W. Mauthe Superfund Site Operator Log Sheet

Operator

JJP

Date

9/11/00

Arrival time

6:00a

Departure time

6:30a

Activities Performed

Plant, Building and Grounds Check



Discharge Flow Meter Inspection



Flow Meter Reading

7635181

Manhole Sump #1 Hex Chrome Conc. Mg/l

pH

Manhole Sump #2 Hex Chrome Conc. Mg/l

pH

Combined Discharge Hex Chrome Conc. Mg/l

pH

Close Discharge Valve



Open Discharge Valve



Chrome Samples to Lab



Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 9/5/06

Arrival time 2:00

Departure time 3:00

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 763 0217

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 0.0 pH 7.6

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System N.W. Mauthe Superfund Site Operator Log Sheet

Operator DP

Date 9/4/06

Arrival time 8:00 A

Departure time 8:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7630217

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 8/29/06

Arrival time 1:30P

Departure time 2:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 762 5966

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 0.0 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/28/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7625966
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/25/06

Arrival time 6:00 A

Departure time 7:00 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7623128
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

MEET W/ CITY - WATER METER CHANGE-OUT



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/22/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7620415

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.0 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/21/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7620415

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDA

Date 8/15/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7615522

Manhole Sump #1 Hex Chrome Conc. Mg/l 6.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.0 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/14/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7615522
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/8/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7608699
- Manhole Sump #1 Hex Chrome Conc. Mg/l 6.0 pH 7.5
- Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4
- Combined Discharge Hex Chrome Conc. Mg/l 1.0 pH 7.7
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 8/7/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7600699
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 8/1/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7601696

Manhole Sump #1 Hex Chrome Conc. Mg/l 7.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 0.9 pH 7.7

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/31/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7601696
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 7/28/06

Arrival time 6:00 a

Departure time 6:30 a

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7598268

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/25/00

Arrival time 2:15P

Departure time 3:50P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7592310

Manhole Sump #1 Hex Chrome Conc. Mg/l 6.0 pH 7.6

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.0 pH 7.8

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 7/29/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- DischargeFlow Meter Inspection
- Flow Meter Reading 7592310
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/21/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7590074
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 7/18/06

Arrival time 2:00P

Departure time 3:00P

Activities Performed

| | | | |
|--|-------------------------------------|----------------|---------------|
| Plant, Building and Grounds Check | <input checked="" type="checkbox"/> | | |
| Discharge Flow Meter Inspection | <input checked="" type="checkbox"/> | | |
| Flow Meter Reading | | <u>7587016</u> | |
| Manhole Sump #1 Hex Chrome Conc. Mg/l | | <u>>7.5</u> | pH <u>7.5</u> |
| Manhole Sump #2 Hex Chrome Conc. Mg/l | | <u>0.0</u> | pH <u>7.3</u> |
| Combined Discharge Hex Chrome Conc. Mg/l | | <u>1.5</u> | pH <u>7.6</u> |
| Close Discharge Valve | <input type="checkbox"/> | | |
| Open Discharge Valve | <input checked="" type="checkbox"/> | | |
| Chrome Samples to Lab | <input checked="" type="checkbox"/> | | |

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JIP

Date 7/17/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- DischargeFlow Meter Inspection
- Flow Meter Reading 7587016
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/19/00

Arrival time 6:00 AM

Departure time 6:30 AM

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7584802

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System N.W. Mauthe Superfund Site Operator Log Sheet

Operator JJP

Date 7/12/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7583366

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/11/06

Arrival time 2:00 P

Departure time 3:00 P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading

7581683

Manhole Sump #1 Hex Chrome Conc. Mg/l

6.0

pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l

0.0

pH 7.2

Combined Discharge Hex Chrome Conc. Mg/l

1.4

pH 7.6

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/10/06

Arrival time 6:00A

Departure time 6:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7581683

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 7/7/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7579024

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 7/5/00

Arrival time 2:00 P

Departure time 3:00 P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7576632

Manhole Sump #1 Hex Chrome Conc. Mg/l 5.0 pH 7.4

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.4

Combined Discharge Hex Chrome Conc. Mg/l 0.2 pH 7.6

Close Discharge Valve

Open Discharge Valve

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 7/4/06

Arrival time 8:30 A

Departure time 9:00 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7576632
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Close Discharge Valve
- Open Discharge Valve
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/30/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7572207

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/29/06

Arrival time 6:00

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7571478

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/28/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7570521

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/27/06

Arrival time 3:00P

Departure time 4:00P

Activities Performed

Plant, Building and Grounds Check

Discharge/Flow Meter Inspection

Flow Meter Reading 7568067

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.5 pH 7.4

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.4 pH 7.6

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/26/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7568067

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 6/23/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7565128

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/22/06

Arrival time 6:00

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 756366+

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System N.W. Mauthe Superfund Site Operator Log Sheet

Operator JJP

Date 6/21/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7562510
- Manhole Sump #1 Hex Chrome Conc. Mg/l pH
- Manhole Sump #2 Hex Chrome Conc. Mg/l pH
- Combined Discharge Hex Chrome Conc. Mg/l pH
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/20/06

Arrival time 2:00

Departure time 3:00

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7559901

Manhole Sump #1 Hex Chrome Conc. Mg/l 4.0 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.5 pH 7.6

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/19/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7559901
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/16/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7556135

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet

Operator JJP

Date 6/15/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge/Flow Meter Inspection

Flow Meter Reading 7554655

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

 RAIN WED



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/14/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 2553177
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet

Operator DDP

Date 6/13/06

Arrival time 6:00A / 2:00P

Departure time 6:30A / 2:45P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7550226

Manhole Sump #1 Hex Chrome Conc. Mg/l 3.35 pH 7.5

Manhole Sump #2 Hex Chrome Conc. Mg/l 0.0 pH 7.3

Combined Discharge Hex Chrome Conc. Mg/l 0.6 pH 7.8

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

INSTALL SAMPLE TAPENTS ON
LS #1 AND LS #2 LINES TO
STORAGE TANK



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/12/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7550226
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/11/06

Arrival time 9:00A

Departure time 9:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 754.9086

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/10/06

Arrival time 7:00A

Departure time 7:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7547253

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/9/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7545757

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/8/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 75#4247

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/6/06

Arrival time 6:00A / 1:00P

Departure time 6:30A / 1:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7538383

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l 0.8 pH 7.6

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/5/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge/Flow Meter Inspection

Flow Meter Reading 7538383

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/8/06

Arrival time 10:30A

Departure time 11:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7536862

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 6/3/06

Arrival time 10:30A

Departure time 11:00A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7535336

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 6/1/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7530444

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/31/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading

 752855C

Manhole Sump #1 Hex Chrome Conc. Mg/l

pH

Manhole Sump #2 Hex Chrome Conc. Mg/l

pH

Combined Discharge Hex Chrome Conc. Mg/l

pH

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/30/06

Arrival time 6:00A / 2:00P

Departure time 6:30A / 2:30P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7524605
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l 0.8 pH 7.6
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/29/06

Arrival time 8:00 A

Departure time 8:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7523420

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/20/06

Arrival time 9:00A

Departure time 9:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7520787

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/27/06

Arrival time 8:00A

Departure time 8:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7517151

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/26/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7513053

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/25/06

Arrival time 6:00

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 751002+

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

LIGHT RAIN OVER NIGHT



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/24/06

Arrival time 6:00a

Departure time 6:30a

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7507143

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/23/06

Arrival time 6:00A / 2:00P

Departure time 6:30A / 3:00P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7504160

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.6

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/22/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7501335

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/21/06

Arrival time 9:00A

Departure time 9:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7497071

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/20/06

Arrival time 8:30A

Departure time 9:00A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7492210

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/19/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7488650

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/18/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7483084

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/17/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7477464

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/16/06

Arrival time 6:00A / 2:00P

Departure time 6:30A / 2:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 747095.5

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l 1.3 pH 7.7

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/15/04

Arrival time 6:00a

Departure time 6:30a

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7462520

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet

Operator JIP

Date 5/14/06

Arrival time 8:30A

Departure time 9:00A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 745 4258
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/12/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading

743 8271

Manhole Sump #1 Hex Chrome Conc. Mg/l

pH

Manhole Sump #2 Hex Chrome Conc. Mg/l

pH

Combined Discharge Hex Chrome Conc. Mg/l

pH

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

RAIN



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/11/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7431942

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments

RAIN



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/10/06

Arrival time 6:30 A

Departure time 7:00 A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7423752

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

RAIN



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/9/06

Arrival time 2:00P

Departure time 2:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7410559

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l 1.2 pH 7.7

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

LIGHT RAIN AM - PM



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 5/8/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

DischargeFlow Meter Inspection

Flow Meter Reading 7410559

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.

A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/7/06

Arrival time 8:00 A

Departure time 8:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7419128
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator DDP

Date 5/6/06

Arrival time 2:00 P

Departure time 2:30 P

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7917641
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/5/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7415258
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:

A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/4/00

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7413974

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/3/06

Arrival time 6:00 A

Departure time 6:30 A

Activities Performed

- Plant, Building and Grounds Check
- Discharge Flow Meter Inspection
- Flow Meter Reading 7411633
- Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____
- Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____
- Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____
- Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJP

Date 5/2/06

Arrival time 6:00A / 2:00P

Departure time 6:30A / 3:30P

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7409783

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l 1.5 pH 7.7

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

man lawn - trim



Midwest Contract Operations, Inc.

P.O. BOX 418 MENASHA, WI 54952-0418
TEL: (920) 751-4299 FAX: (920) 751-4284
e-mail: mco@mcmgrp.com

**Groundwater Pretreatment System
N.W. Mauthe Superfund Site
Operator Log Sheet**

Operator JJA

Date 5/1/06

Arrival time 6:00A

Departure time 6:30A

Activities Performed

Plant, Building and Grounds Check

Discharge Flow Meter Inspection

Flow Meter Reading 7407922

Manhole Sump #1 Hex Chrome Conc. Mg/l _____ pH _____

Manhole Sump #2 Hex Chrome Conc. Mg/l _____ pH _____

Combined Discharge Hex Chrome Conc. Mg/l _____ pH _____

Chrome Samples to Lab

Note:
A Hach Test Kit is used to measure hexavalent chromium concentrations.
A portable pH meter is used for on site pH readings.

Comments

