

Operation and Maintenance Report

No. 50

N.W. Mauthe Superfund Site

Appleton, Wisconsin

October 31, 2014

Terracon Project No. 58117057

WDNR BRRTS No. 02-45-000127



Prepared for:

Wisconsin Department of Natural Resources
Oshkosh, Wisconsin

Prepared by:

Terracon Consultants, Inc.
Franklin, Wisconsin

Offices Nationwide
Employee-Owned

Established in 1965
terracon.com

Terracon

October 31, 2014



Wisconsin Department of Natural Resources
Remediation and Redevelopment Program
625 East County Road Y, Suite 700
Oshkosh, Wisconsin 54901-9731

Attn: Ms. Jennifer Borski

Re: Operation and Maintenance Report No. 50
N.W. Mauthe Superfund Site
725 South Outagamie Street
Appleton, Wisconsin
WDNR BRRTS No. 02-45-000127
Terracon Project No. 58117057

Dear Ms. Borski:

Terracon Consultants, Inc. (Terracon) has prepared this Operation and Maintenance Report to summarize the activities that took place at the above-referenced site from May 1, 2014, through September 30, 2014. The report documents system operations and site conditions through the reporting period and recommends continued system operation without change.

Sincerely,
Terracon Consultants, Inc.

A handwritten signature in black ink, appearing to read "C. W. Ingram".

Christopher W. Ingram
Staff Geologist

A handwritten signature in black ink, appearing to read "Scott A. Hodgson".

Scott A. Hodgson, P.G.
Senior Project Manager

CWI/SAH/BRS/BP:cwi/N:\Projects\2011\58117057\Working Files\DRAFTS (Proposal-Reports-Communications)\Semi Annual reports\O_M No. 50 October 2014\58117057 O_M50.final.docx

Copy to: File
Brian Kreski (City of Appleton Department of Utilities Environmental Programs Coordinator)



Terracon Consultants, Inc. 9856 S. 57th Street Franklin, Wisconsin 53132
P (414) 423-0255 F (414) 423-0566 terracon.com

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	BACKGROUND.....	1
2.1	Site Location	1
2.2	Site History.....	1
2.3	Site Description	3
2.4	Groundwater Collection System.....	3
2.5	Groundwater Treatment System	4
2.6	Groundwater Monitoring Network.....	6
3.0	INFLOW/EFFLUENT MONITORING AND REPORTING	7
3.1	Monthly Monitoring and Reporting	8
3.2	Quarterly Monitoring and Reporting	9
3.3	Semi-Annual Monitoring and Reporting.....	9
4.0	COMPLIANCE SAMPLING	9
5.0	GROUNDWATER SAMPLING.....	10
5.1	Groundwater Sampling Procedures	10
5.2	Groundwater Sampling Results	11
6.0	ROUTINE OPERATION AND MAINTENANCE ACTIVITIES.....	13
6.1	Monthly Operation and Maintenance Activities.....	13
6.2	Annual Operation and Maintenance Activities	13
6.3	Periodic Operation and Maintenance Activities.....	13
6.4	Significant Operation and Maintenance Activities.....	14
6.5	Emergency Operations and Shut Downs.....	14
7.0	FACILITY MEETINGS/REVIEWS	15
8.0	CONCLUSIONS AND RECOMMENDATIONS.....	15
9.0	GENERAL COMMENTS.....	16
10.0	CERTIFICATIONS.....	17

APPENDICES

APPENDIX A – FIGURES

- Figure 1 – Site Location Map
- Figure 2 – Site Detail Map
- Figure 3 – Groundwater Hydrographs
- Figure 4 – Groundwater Table Contour Map—September 2014
- Figure 5 – Groundwater Table Total Chromium Isoconcentration Map—September 2014
- Figure 6 – MW-103 Groundwater Total Chromium Concentration Trends
- Figure 7 – MW-104 Groundwater Total Chromium Concentration Trends
- Figure 8 – MW-107 Groundwater Total Chromium Concentration Trends
- Figure 9 – MW-109 Groundwater Total Chromium Concentration Trends
- Figure 10 – MW-110 Groundwater Total Chromium Concentration Trends
- Figure 11 – MW-111 Groundwater Total Chromium Concentration Trends
- Figure 12 – MW-112 Groundwater Total Chromium Concentration Trends
- Figure 13 – MW-113 Groundwater Total Chromium Concentration Trends
- Figure 14 – MW-107 Groundwater CVOC Concentration Trends
- Figure 15 – MW-110 Groundwater CVOC Concentration Trends
- Figure 16 – MW-113 Groundwater CVOC Concentration Trends

APPENDIX B – TABLES

- Table 1 – Influent-Effluent Compliance Summary
- Table 2 – City of Appleton Compliance Limits, Outfall 001
- Table 3 – Groundwater Elevations
- Table 4 – Groundwater Geochemical Parameters
- Table 5 – Historical Groundwater Analytic Test Results--Selected Metals
- Table 6 – Historical Groundwater Analytic Test Results--VOCs

APPENDIX C – LABORATORY ANALYTIC TEST REPORTS AND GROUNDWATER SAMPLING FIELD DATA SHEETS**APPENDIX D – FORM 4400-194**

OPERATION AND MAINTENANCE REPORT NO. 50

N.W. MAUTHE SUPERFUND SITE
725 SOUTH OUTAGAMIE STREET
APPLETON, WISCONSIN

October 31, 2014
Terracon Project No. 58117057

1.0 INTRODUCTION

Terracon Consultants, Inc. (Terracon) was retained by the Wisconsin Department of Natural Resources (WDNR) to perform remedial system operation and maintenance services at the above-referenced site. The WDNR project contact is Ms. Jennifer Borski, Oshkosh Service Center.

2.0 BACKGROUND

2.1 Site Location

The N.W. Mauthe (Mauthe) property is located at 725 South Outagamie Street, Appleton, Wisconsin 54914-5072. The project is located in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 34, T21N, R17E, Outagamie County (Figure 1 – Site Location Map, Appendix A).

2.2 Site History

The Mauthe site is a former electroplating facility. The facility consisted of a zinc building and a chromium building. Zinc, cadmium, copper, and possibly silver were electroplated in the zinc building from 1978 to 1987. Hard chromium plating was conducted in the chromium building from 1960 to 1976. In 1982, the WDNR received a report that yellowish-green water was observed south of the chromium building. Apparently, for several years plating solutions and waste solvents had leaked from holding vats and tanks, and sump pumps allegedly discharged plating tank solutions onto the ground outside the facility.

The WDNR began an investigation of the site in April 1982. A shallow groundwater collection system was installed parallel to the railroad tracks in May 1982, where groundwater and surface water were collected for two years. The Mauthe site was added to the National Priorities List in 1989.

From November 1991 to May 1992, CH2M HILL performed a Remedial Investigation (RI) for the WDNR. The RI showed the greatest concentrations of soil and groundwater contamination in the area around the zinc and chromium buildings. The chemicals most often detected above

background levels or state standards included total chromium, hexavalent chromium, zinc, cadmium, cyanide, trichloroethene, 1,1,1-trichloroethane, 1,1-dichloroethene, and toluene. Subsurface soil contamination was detected up to 25 feet deep near the former buildings. Groundwater contamination extended over most of the block bordered by Melvin, Outagamie, and Second Streets.

CH2M HILL conducted a feasibility study for the WDNR. A Record of Decision (ROD) was signed in March 1994. Remedial design/remedial action activities took place at the Mauthe site in a phased approach. Phase I, which took place in 1995, included the following.

- Demolition and removal of the buildings on the Mauthe property
- Excavation and off-site treatment of soils with a total chromium concentration of greater than 500 milligrams per kilogram (mg/kg)
- Backfilling of the excavation with clean soils, capping the site with 2 feet of clay and topsoil, and the establishment of vegetative cover
- Installation of groundwater collection trenches and construction and operation of a groundwater treatment facility to contain and/or control groundwater contamination with ultimate compliance with groundwater Applicable or Relevant and Appropriate Requirements (ARARs)
- Improvement or installation of foundation drain systems and cleaning, painting or sealing of basement walls and floors, as needed, for homes or businesses in the area of the site, to prevent seepage of contaminated water into the buildings

Phase II, which took place in 1996, involved the construction of a groundwater treatment system, which began operation in February 1997.

Midwest Contract Operations, Inc. (MCO) began operating the groundwater treatment system in February 1997. CH2M HILL, the site engineer and project manager for the United States Environmental Protection Agency (EPA), retained responsibility for the overall site operations and the groundwater monitoring wells associated with the treatment system.

In October 1998, after the first year of operation and maintenance of the remediation system, the WDNR assumed the responsibility from the EPA for all operation and maintenance at the site. MCO was retained by the WDNR for the operation and maintenance of the groundwater treatment system, including the groundwater monitoring wells.

In January 2005, the WDNR requested OMNNI Associates, Inc. (OMNNI) provide an evaluation of the groundwater collection and treatment system at the Mauthe site. The installation of four piezometers (PZ-5, PZ-6, PZ-7, and PZ-8) was part of the evaluation to understand the extent of contaminants in the soil and groundwater. OMNNI installed five additional observation wells

(MW-109 through MW-113) on May 24, 2006, to further understand the extent of contaminants in the soil and groundwater in the former source area.

The results of the additional investigation showed contamination remained in the soil above ch. NR 720 Wisconsin Administrative Code (WAC) levels, in the groundwater above ch. NR 140 WAC enforcement standards, and in the groundwater above the applicable or relevant and appropriate requirements (ARARs) established for the Mauthe site. Groundwater did not appear to be impacted at depth based on the piezometer groundwater analysis.

Active treatment of collected groundwater ended on April 18, 2006, with approval for direct discharge by the City of Appleton. Collected groundwater is now discharged directly to the sanitary sewer system for treatment at the City of Appleton wastewater treatment facility.

On October 13, 2007, MCO discontinued operational responsibilities of the system. OMNNI began operational responsibilities on October 14, 2007, and maintained responsibility through September 30, 2011. Terracon assumed system operation responsibilities on October 1, 2011.

2.3 Site Description

The site is located within the City of Appleton limits in an area of mixed commercial, light industrial, and residential properties. The property is approximately one acre in size and triangular in shape (Figure 2 – Site Detail Map, Appendix A). Melvin Street borders the site to the north, a parking lot owned by Miller Electric and Manufacturing Company is on the west, and railroad tracks are on the southeast. Private residences are located north of Melvin Street and south of the railroad tracks. The former zinc building was located on the northeast portion of the property. The former chromium building was located on the southwest portion of the property. The current building onsite houses the treatment facility. Approximately half of the land immediately surrounding the site contains impervious structures or paved roads and parking areas.

2.4 Groundwater Collection System

The groundwater collection system consists of three trenches. The west trench crosses the Miller Electric property to the west of the site and is approximately 200 feet in length. The central trench runs south of the site parallel to the railroad and is approximately 280 feet in length. The southeast trench runs along Second and Outagamie streets and is approximately 600 feet in length (Figure 2 – Site Detail Map, Appendix A).

The groundwater treatment system was designed to capture groundwater containing contaminants at concentrations greater than 1992 Chapter NR 140, WAC preventive action limits (PALs) as approved in the ROD. The west trench and southeast trench were located

outside the estimated extent of the groundwater contamination and are designed to prevent further migration of groundwater contamination. The central trench was designed to collect contaminated groundwater and prevent further migration of the groundwater contamination off-site.

Groundwater enters the trenches based on the head differential between the local water table and the level maintained in the trench. The trenches are backfilled with coarse sand. A 6-inch perforated high-density polyethylene collection pipe in the bottom of the trench drains water from the trench to manholes where the water is collected and pumped to the groundwater treatment facility.

Under normal operation, water levels are maintained at or near the bottom of the trenches. The trenches can provide storage and continue to act as a hydraulic barrier until the water in the trenches rises to the level of the water table. This storage capacity allows the hydraulic barrier to continue even when the collection/treatment system needs to be shut down for repair or maintenance for a short period of time.

Three properties south and southeast of the facility have foundation drain systems that are connected to the groundwater collection system via gravity piping (801 S. Outagamie Street, 1410 W. Second Street, and 1414 W. Second Street). Additionally, the sump pump discharge at 1428 W. Second Street is connected to the collection system.

Groundwater collected in the west trench flows by gravity to Manhole 1 where the maximum depth of the manhole/trench extends approximately 32 feet below ground surface (fbgs). Groundwater in the central and southeast trenches flows by gravity to Manhole 2, where the maximum depth of the manhole/trench extends approximately 31 fbgs. Groundwater from the manholes is piped to the treatment facility (Figure 2 – Site Detail Map, Appendix A).

2.5 Groundwater Treatment System

From February 1997 through April 18, 2006, the treatment system operated in a manual batch system mode. The groundwater treatment system was designed to be a fully automated batch treatment process designed for control of total chromium. Each batch operation was capable of treating 2,700 gallons of influent groundwater and took approximately 6 hours to complete a cycle (i.e., from the start of filling the reaction tank to finishing the discharge to the City of Appleton sanitary system). The system was capable of treating 10,800 gallons in a 24-hour period.

Pumps located in the two manholes convey groundwater from the collection trenches into the storage tank. Float switches control water levels in the manholes. The pumps have a pumping capacity of approximately 43 gallons per minute (gpm) each.

A storage tank stores water from the collection system to provide equalization of the groundwater. The storage tank has a 9,000-gallon capacity. A top-mounted, turbine type, constant speed mixer, for mixing the tank contents and keeping solids in suspension, is located on the tank. An ultrasonic level indicator monitors the water level in the tank. The water level of the storage tank is monitored by the programmable logic controller (PLC).

Prior to the start of direct discharge on April 18, 2006, the reaction tank feed pump transferred groundwater from the storage tank to the reaction tank. The reaction tank feed pump was an air-operated, double-diaphragm pump with an 86 gpm capacity. The reaction tank feed pump was sized to fill the reaction tank working volume (2,700 gallons) in approximately 30 minutes.

The reaction tank has a capacity of 6,100 gallons. The conical bottom of the tank allowed for the collection and transfer of sludge. The volume of water treated during a batch process was approximately 2,700 gallons. Chemical and physical processes for the groundwater treatment occurred in the reaction tank. The water was treated by batch process in the reaction tank as follows: decant, fill, ferrous sulfate addition, caustic addition, aeration, flocculation, settling, and sludge withdrawal.

The above systems were the primary parts in the treatment process. However, there were several other components necessary for the successful treatment of contaminated groundwater. They included a reaction tank mixer, reaction tank level detector, reaction tank air diffuser, reaction tank pH monitor, air compressor, ferrous sulfate feed system, caustic feed system, sludge transfer pump, sludge tank, and tanker truck feed pump. These components were monitored and/or controlled by the PLC in the master control panel. Only the tanker transfer pump and the air compressor were locally controlled. The system was designed to provide continuous batch process treatment, if required.

The master control panel includes failure annunciators, pH strip chart recorder, data access module, auto dialer, PLC system, and uninterruptible power supply. The master control panel also sounds an audible alarm if an upset in the process or a failure is detected.

Although the system was designed to be a fully automated batch treatment process, the City of Appleton industrial user permit formerly required treated groundwater to be tested for hexavalent chromium using a Hach hexavalent chromium test kit before discharge to the sanitary sewer system. The treatment system (batch treatment and manual discharge) met discharge permit conditions, but was labor intensive.

Groundwater brought into the treatment facility has contaminant concentrations below City of Appleton industrial user permit discharge limits. The WDNR received approval from the City of Appleton to perform direct discharge of untreated, collected groundwater beginning April 18, 2006, when influent meets discharge limits listed in the Appleton Industrial User (Wastewater

Discharge) Permit No. 06-21. Since April 18, 2006, collected groundwater has been directly discharged without treatment to the City of Appleton sanitary sewer system.

The Appleton Industrial User (Wastewater Discharge) was reissued on May 31, 2012 (Permit No. 12-21). The permit allows the continuation of groundwater direct discharge to the sanitary sewer as long as contaminant concentrations remain below discharge limits. Permit No. 12-21 will expire at midnight, May 31, 2015.

2.6 Groundwater Monitoring Network

The groundwater monitoring wells (water table observation wells and piezometers) were designed to provide information on containment of the groundwater plume and on water quality at the site and adjacent residential properties. The monitoring network is comprised of eleven observation wells constructed during the RI and the remedial action (RA) activities (W-2, W-8, W-15, and MW-101 through MW-108), five observation wells (MW-109 through MW-113) installed in May 2006, and four piezometers (PZ5 through PZ8) installed in May 2005 to evaluate the remaining source area (Figure 2 – Site Detail Map, Appendix A). The following descriptions are reflective of static groundwater conditions; however, pumping from the manholes/trenches affects site conditions such that static conditions are usually not observed.

Observation wells W-2 and MW-108 are located up-gradient of the site to monitor background conditions.

Observation well MW-101, which is located west of the site, is used to monitor the effectiveness of the west trench.

Three down-gradient observation wells, MW-102, MW-103, and MW-104, are used to monitor changes in groundwater quality down-gradient of the central trench and to monitor hydraulic gradient control.

Four observation wells, W-8, W-15, MW-105, and MW-106, are used to monitor changes in groundwater quality outside of the southeast trench. Monitoring wells MW-106 and W-15 are also used to monitor hydraulic gradient control of the southeast trench.

Observation well MW-107 is used to provide source area groundwater quality data and hydraulic gradient information up-gradient of the central trench.

Five observation wells (MW-109 through MW-113) installed in May 2006 are located at former source areas identified during the RI. They are described as follows.

- MW-109 is located at the west edge of the former chromium building between two historical monitoring points (MW25R and MW26R) installed during the RI with significant concentrations of volatile organic compounds (VOCs) and chromium in groundwater.
- MW-110 is located on the north edge of the former chromium building adjacent to a nest of three historic monitoring points (MW17, MW18, and MW19) installed during the RI with significant concentrations of VOCs and chromium in groundwater.
- MW-111 is located near a historic monitoring point (MW13R) installed during the RI with significant concentrations of chromium in groundwater.
- MW-112 is located within the former zinc building at the edge of the former trough adjacent to an historic soil sample (SB3A) installed during the RI with significant concentrations of metals (cadmium, chromium, zinc, and cyanide) in soil.
- MW-113 is located on the southeast edge of the former chromium building adjacent to a nest of three historic monitoring points (MW14, MW15, and MW16) installed during the RI with significant concentrations of VOCs (MW14 only) and chromium in groundwater.

PZ5 and PZ6 are located on the north side of the central collection trench and PZ7 and PZ8 are located on the south side of the central collection trench to evaluate the vertical extent of groundwater contamination and verify vertical capture of the groundwater plume.

On May 10, 2004, four piezometers (PZ-01, PZ-02, PZ-03, and PZ-04) were removed. The bottoms of the piezometers were installed near the elevation of the collection trench piping and were within the trenches. The purpose of the piezometers was to determine whether the trenches were working properly. Since the trenches were functioning properly, the piezometers were abandoned.

3.0 INFLUENT/EFFLUENT MONITORING AND REPORTING

Prior to October 2012, effluent samples were collected at the Outfall 001¹ sample collection port. The discharge valve from the storage tank was closed, typically one to three days prior to sampling, depending on the anticipated groundwater infiltration into the collection system. The storage tank was allowed to accumulate pumped water until the sampling event, typically

¹ Outfall 001 is the point where the groundwater leaves the facility and enters the City of Appleton sanitary sewer system. There is currently only one outfall.

Thursday morning. The discharge valve was opened and water was allowed to discharge for approximately 5 minutes. The Outfall 001 sampling port was opened and approximately 10 gallons of water was allowed to discharge from the sampling port prior to collecting a sample.

On October 19, 2012, system plumbing changes were completed to improve the sampling method. Terracon contracted Ogden Plumbing to replumb the system effluent line so that a greater volume of water was retained within the equalization tank and to install a sampling port on the equalization tank Outfall 001 discharge pipe. Due to the improvement in the system plumbing, Terracon now collects a composite effluent sample from the sampling port on the equalization tank Outfall 001 discharge pipe. Samples are typically collected the first Thursday of the month.

3.1 Monthly Monitoring and Reporting

During the monthly monitoring events for this reporting period, an unfiltered sample was collected from the equalization tank Outfall 001 sample port and analyzed for hexavalent chromium, and a filtered sample was collected from Outfall 001 and analyzed for total dissolved chromium. A pH value from the Outfall 001 sample was also determined on the samples collected by using an Oakton pHTestrs. Pace Analytical Services, Inc. (Pace) performed the laboratory analysis. Pace provided an electronic report of the analysis to Scott Hodgson, Terracon's project manager, and/or Chris Ingram, Terracon staff geologists, who emailed the report to Jennifer Borski, WDNR project manager. A summary of the laboratory analysis can be found in Table 1 – Influent and Effluent Summary, Appendix B.

During the monthly monitoring events, an unfiltered sample was collected from the Manhole 1 influent sampling port and from the Manhole 2 influent sampling port. The presence of hexavalent chromium was measured in the Manhole 1 and 2 influent samples using a Hach test kit, model Pocket Colorimeter II, and pH values were determined using an Oakton pHTestrs.

Total flows from Outfall 001, from Manhole 1, and from Manhole 2 were recorded on an Operator Log Sheet during the monthly sample collection. Total flows from Outfall 001, from Manhole 1, and from Manhole 2 are also recorded periodically throughout the month (Table 1 – Influent and Effluent Summary, Appendix B). A monthly email message was sent to the City of Appleton Department of Utilities Environmental Programs Coordinator and the WDNR project manager with the total flow that was recorded from Outfall 001.

The WDNR project manager was provided with a monthly status report summarizing operation and maintenance at the site. The monthly status reports included Terracon's invoice for services from the previous 28-day period, a copy of subcontractor invoices paid during the month, a copy of the Operator Log Sheets, a copy of the Inspection Sheet, and a copy of Table 1 – Influent and Effluent Summary Quarterly Monitoring and Reporting.

3.2 Quarterly Monitoring and Reporting

A quarterly compliance report was submitted by email to the City of Appleton Department of Utilities Environmental Projects Coordinator, Brian Kreski, and the WDNR project manager, Jennifer Borski, on July 14, 2014. The quarterly compliance report included total metered discharge readings, pH measurements, and laboratory analytic test reports.

3.3 Semi-Annual Monitoring and Reporting

The semi-annual reporting consists of this document, the Semi-Annual Operation and Maintenance Report, which is prepared for the WDNR project manager after receiving the laboratory data from the semi-annual groundwater sampling event. The Semi-Annual Operation and Maintenance Report includes the Operation, Maintenance, Monitoring and Optimization Reporting of Soil and Groundwater Remediation Systems, Form 4400-194 (see Form 4400-194, Appendix D).

4.0 COMPLIANCE SAMPLING

Compliance sampling of the groundwater effluent is conducted twice per year by the City of Appleton and once per year by Terracon. The sample is collected at the sampling port for Outfall 001. The effluent is analyzed for the parameters listed in Table 2 – City of Appleton Compliance Limits, Outfall 001, Appendix B. Compliance sampling was conducted by Terracon on May 13, 2014, and by the City of Appleton on September 24, 2014, during this reporting period. The results from the May 13, 2014, sampling event indicated that there were no exceedances of the permit limits. The results from the September 24, 2014, sampling event have not yet been made available to Terracon.

A summary of the City of Appleton's compliance sampling analysis and Terracon's annual compliance sampling analysis can be found in Table 2 – City of Appleton Compliance Limits, Outfall 001, Appendix B.

In addition to the sampling events listed above, and as described in Section 3.0, total chromium and hexavalent chromium are currently analyzed monthly for a sample collected from the Outfall 001 sampling port on the equalizer tank (Table 1 – Influent and Effluent Summary, Appendix B).

5.0 GROUNDWATER SAMPLING

5.1 Groundwater Sampling Procedures

Two adjustments to the original monitoring plan have been requested since 1997. On December 3, 1999, Jennifer Huffman with the WDNR requested an adjustment that included the following.

1. Elimination of quarterly sampling for copper, zinc, mercury, and cyanide at all site wells
2. Reduction in VOC sampling frequency from quarterly to annual
3. Elimination of weekly testing for total suspended solids on the treated effluent

EPA approved the 1999 request on January 18, 2000, except for continued cyanide sampling in monitoring wells MW-110, MW-11, and MW-112 and semi-annual VOC sampling rather than annual VOC sampling as requested.

On March 24, 2003, Jennifer Borski with the WDNR requested the following adjustment to the monitoring plan.

1. Elimination of quarterly cadmium sampling at all site wells
2. Reduction in the frequency from quarterly to annual sampling of manganese at all site wells
3. Reduction in the frequency from quarterly to annual sampling of total dissolved chromium at W-2, W-8, W-15, MW-101, MW-102, MW-105, MW-106, and MW-108
4. Elimination of annual VOC sampling at W-2, W-8, W-15, MW-101, MW-102, MW-103, MW-104, MW-105, MW-106, and MW-108

EPA approved the 2003 request on April 17, 2003.

There are 20 groundwater monitoring wells including 16 water table observation wells and 4 piezometers associated with the Mauthe remediation system (see Figure 2 – Site Detail Map, Appendix A).

Groundwater samples were collected during this reporting period on September 16-17, 2014. During the sampling event, groundwater elevations were measured in observation wells W-2, W-8, W-15, MW-103 through MW-113, and piezometers PZ-5 through PZ-8 prior to sampling. Historical groundwater elevations for the site are summarized in Table 3 – Groundwater Elevations, Appendix B, and presented graphically on Figure 3 – Groundwater Hydrographs, Appendix A. The groundwater elevation data from the observation wells was used to develop a groundwater contour map (Figure 4 – Groundwater Table Contour Map—September 2014, Appendix A). Groundwater flow was generally towards the collection trenches. The gradient

immediately adjacent to the trenches is very steep since the groundwater elevation in the trench in general is at the elevation of the sump high float level (approximately 25 feet below surface grade) and low-conductivity clay soils exist in the area. As a result, the complex flow pattern and steep gradient near the trenches cannot be accurately depicted at the required map scale. As such, Terracon has used professional judgment to depict the groundwater elevation near the trench as an accessory contour on Figure 4, placed to show the general flow pattern near the trenches.

Down-well tubing was installed in monitoring points to be sampled. A peristaltic pump was attached to the down-well tubing and the monitoring points were micro-purged using low-flow techniques before collecting the sample(s). The sampling process utilized a flow-through cell where probes measured temperature, conductivity, pH, dissolved oxygen, and oxidation/reduction potential in each well. Flow through the cell was maintained at approximately 200 milliliters per minute (mL/min), utilizing a resister to control pump flow. Purging proceeded until parameters were stable to within 10% for three consecutive readings taken a minimum of two minutes apart. Purged water from the monitoring points was collected, taken into the treatment building, dumped into the floor sump, and subsequently pumped into the equalizer tank to discharge to the Outfall 001 pipe leading to the City of Appleton sanitary sewer system.

Groundwater samples were collected for VOCs, total chromium, and cyanide in accordance with the site monitoring plan after the monitoring points were micro-purged as described above. Final temperature, conductivity (specific conductance), pH, dissolved oxygen, and oxidation/reduction potential were recorded just prior to sampling (see Table 4 – Groundwater Geochemical Parameters, Appendix B). The groundwater samples were collected in the order of VOC vials first (if applicable) and metal samples second. The chromium samples were field filtered with disposable 45-micron in-line filters. The cyanide samples were not filtered. The laboratory containers were supplied by Pace Analytical. The samples to be analyzed for VOCs were preserved with hydrochloric acid. The samples to be analyzed for (filtered) total chromium were preserved with nitric acid. The samples to be analyzed for total cyanide were preserved with sodium hydroxide. The samples were picked up by a courier from Pace.

The groundwater elevations, purged groundwater volume, field testing data, and sample collection time for each well were recorded on a Groundwater Sampling Field Sheet (see Groundwater Sampling Field Sheets, Appendix C).

5.2 Groundwater Sampling Results

During the September 2014 sampling event, field measurements were taken on groundwater samples collected from monitoring wells MW-103, MW-104, MW-107, and MW-109 through MW-113 for temperature, conductivity, pH, dissolved oxygen, and oxidation/reduction potential.

A summary of the final field measurements after stabilization are contained in Table 4 – Groundwater Geochemical Parameters, Appendix B.

Groundwater from monitoring wells MW-103, MW-104, MW-107, and MW-109 through MW-113 was analyzed for (filtered) total chromium. Groundwater from monitoring wells MW-107 and MW-109 through MW-113 was also analyzed for VOCs. Groundwater from monitoring wells MW-110 and MW-112 was also analyzed for total cyanide.

The laboratory analytical results indicate that levels of (filtered) total chromium exceed the 1992 NR 140, WAC, groundwater PALs² in samples from monitoring wells MW-103 (10.0 µg/L), MW-104 (12.5 µg/L), MW-107 (2,130 µg/L), MW-109 (944 µg/L), MW-110 (1,960 µg/L), MW-111 (302 µg/L), MW-112 (2,820 µg/L), and MW-113 (25,900 µg/L). The laboratory analytical results indicated that the estimated concentration of cyanide in the sample from MW-112 was above the limit of detection (LOD) and below the limit of quantitation (LOQ). (See Table 5 – Historical Groundwater Analytic Test Results -- Selected Metals, Appendix B, and laboratory report and chain-of-custody record, Appendix C). An isoconcentration map for (filtered) total chromium concentrations is shown on Figure 5 – Groundwater Table Total Chromium Isoconcentration Map—September 2014, Appendix A.

The laboratory analytical results indicate that levels of VOCs (at least one of the following parameters: 1,1-dichloroethene, cis-1,2-Dichloroethene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, and trichloroethene) exceed the 1992 NR 140, WAC, PALs in samples from monitoring wells MW-107 and MW-109 through MW-113 (see Table 6 – Historical Groundwater Analytic Test Results—Volatile Organic Compounds, Appendix B, and laboratory report and chain-of-custody record, Appendix C). Although not included on Table 6, 1,2-dichloroethane was detected at a concentration of 0.54 µg/L in monitoring well MW-113, which is above its PAL of 0.5 µg/L.

Groundwater hydrographs were prepared for monitoring wells MW-102, MW-103, MW-104, MW-107, MW-109, and MW-113 and are presented on Figure 3. Chromium concentration trend graphs were prepared for monitoring wells MW-103, MW-104, MW-107, and MW-109 through MW-113 and are presented as Figures 6 through 13, Appendix A. Chlorinated volatile organic compound (CVOC) concentration trend graphs for monitoring wells MW-107, MW-110, and MW-113 are presented as Figures 14 through 16, Appendix A.

² “Chemical-specific ARARs are laws and requirements that regulate the release to the environment of materials having certain chemical or physical characteristics or materials containing specific chemical compounds... Therefore, the applicable groundwater remedial action goals at this site are the PALs.” – Record of Decision Summary, N.W. Mauthe Site, March 1994, pages 36-37.

6.0 ROUTINE OPERATION AND MAINTENANCE ACTIVITIES

Completed Operator Log Sheets and Inspection Sheets are kept on file at the facility. Copies of these forms were also sent to the WDNR project manager with the monthly status reports.

6.1 Monthly Operation and Maintenance Activities

On a monthly basis, either during the monthly sampling event of Outfall 001 or another time, the grounds, truck bay, office area, bathroom, treatment process area, and sample preparation area were inspected. The Inspection Sheet contains a listing of items to be checked during the monthly inspection.

During the monthly sampling, general inspection of the building, grounds, and treatment equipment was conducted. Monthly building and grounds inspections were performed in May, June, July, August, and September 2014. Noted new issues included the following.

- A cracked glass block window was discovered in September on the east side of the building. Two previously noted broken glass block windows remain on the west side of the building.

A copy of the monthly inspection sheets were included with the monthly invoice status report.

6.2 Annual Operation and Maintenance Activities

The following annual operations and maintenance activities were performed during this reporting period.

- The annual garage door inspection was performed by American Overhead Door (AOD) on May 13, 2014. The inspection revealed that both the north and south doors needed adjusting, shifting, balancing, and resetting of limits as well as the timing of cables to the drums. Per WDNR, the repairs were to be coordinated between the City of Appleton and AOD. It is unknown whether the repairs have been completed.

6.3 Periodic Operation and Maintenance Activities

The following operation and maintenance activities were performed on an as-needed basis during the reporting period.

1. The City of Appleton has taken over grounds maintenance at the N.W. Mauthe site through an intergovernmental agreement between the City of Appleton and WDNR. City staff provided lawn maintenance.
2. Outfall 001 flow meter/totalizer operation is checked during site visits. According to the factory representative, there are no operator performed calibration functions for the meter unless a hardware failure occurs.
3. General housekeeping activities included replacing cleaning supplies, bathroom supplies, and minor building components. General housekeeping activities also included keeping the facility and grounds clean and removing accumulated waste.
4. During the April 2014 groundwater sampling event it was discovered that monitoring wells MW-101, MW-105, MW-106, and W-15 were in need of repair. These wells were repaired on May 28, 2014, by Environmental Services Plus and then were resurveyed by Terracon on May 29, 2014. The asphalt around monitoring well MW-101 was saw-cut, and then the flushmount removed and replaced with a new flushmount protective cover set in a concrete pad reinforced with rebar. A similar procedure was performed at monitoring well W-15. The polyvinyl chloride (PVC) well casing was cut down at each of the four monitoring wells so the flushmount protective cover could be securely bolted down.

6.4 Significant Operation and Maintenance Activities

There were no significant system operation or maintenance activities conducted during this reporting period.

At the request of WDNR, Terracon collected soil samples from 1 foot below grade at six locations, at 1414 West Second Street on May 29, 2014. The samples were collected at specific locations based upon previous total chromium soil results to test hexavalent chromium concentrations in areas used for gardens. Elevated concentrations of hexavalent chromium were detected in five of the samples. Additional details and documentation were included in Terracon's *Limited Hexavalent Chromium Soil Sampling* report dated July 8, 2014.

6.5 Emergency Operations and Shut Downs

- The storage tank has an ultrasonic water level sensor set at 10.5 feet in the tank. If water rises above this level, even instantaneously, the high-alarm is triggered and the pumps shut down. Once the water level recedes below the sensor, the pumps re-start even though the alarm may not have been cleared/reset.

Occasionally, when the second pump kicks on after one pump has already been running raising the water level in the tank, water can splash up above the sensor level and cause an alarm. This occurred multiple times in during periods of heavy rainfall when precipitation events caused the pumps to run frequently. Alarms were noted on May 10, May 13, May 20, June 14, June 17, June 19, July 2, July 3, August 16, August 19, August 20, August 21, August 23, August 29, August 31, and September 7.

- On September 5, 2014, the power was lost to the building at approximately 7:00 am; however, power was restored and the system was up and running again by 9:30am.

7.0 FACILITY MEETINGS/REVIEWS

Jennifer Borski, WDNR project manager, has periodically communicated with the City of Appleton's Parks & Recreation Department to confirm the Cooperative Agreement conditions are being followed and the arrangement is still satisfactory to both parties. The existing Cooperative Agreement was renewed in May 2012.

A fire inspection was performed by the City of Appleton Fire Department on May 13, 2014. The inspection noted that a new key was needed for the emergency key box and that the emergency floodlights needed to be serviced. A new key has been placed in the key box and Terracon has contacted J.F. Ahern Company to service the floodlights, but that work has not yet been done.

The City of Appleton Wastewater Treatment Department met Chris Ingram of Terracon onsite on July 9, 2014, to review the site, permit requirements, and sampling procedures. There were no problems noted.

8.0 CONCLUSIONS AND RECOMMENDATIONS

The results of the laboratory analysis from the September 16-17, 2014, sampling event indicate that the groundwater continues to exceed the 1992 NR 140, WAC, PALs for chromium and several VOCs.

The containment trenches appear to be operating as designed. The groundwater laboratory analysis and the groundwater elevations indicate that the groundwater plume is, in general, being controlled horizontally by the groundwater containment trenches.

Approximately 391,283 gallons of groundwater were extracted from the containment trenches from May 1, 2013, through September 30, 2014 (average 2,557 gallons per day). The groundwater was discharged to the City of Appleton sanitary sewer system under the Industrial

User (Wastewater Discharge) Permit Number 12-21. There were no exceedances of the compliance limits during this reporting period.

Approximately 1.484 pounds of chromium was removed by the system during this reporting period.

Based on the laboratory analysis from the September 2014 annual groundwater sampling event and the laboratory analysis from the Outfall 001 during the reporting period, Terracon recommends continued operation of the groundwater extraction system with direct discharge to the City of Appleton sanitary sewer system.

9.0 GENERAL COMMENTS

The analysis and opinions expressed in this report are based upon data obtained from the system operation and maintenance activities and laboratory chemical analyses at the indicated locations or from other information discussed in this report. This report does not reflect variations in subsurface stratigraphy, hydrogeology, and contaminant distribution that may occur across the site. Actual subsurface conditions may vary and may not become evident without further assessment.

This report was prepared for the exclusive use of our client for specific application to the project discussed and has been prepared in accordance with generally accepted environmental engineering practices. No warranties, express or implied are intended or made. In the event any changes in the nature or location of suspected sources of contamination as outlined in this report are observed, the conclusions and recommendations contained in this report shall not be valid unless these changes are reviewed and the opinions of this report are modified or verified in writing by Terracon.

10.0 CERTIFICATIONS

I, Blaine R. Schroyer, P.E., hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



Signature and P.E. number

E-31505

Project Engineer
Title



I, Scott A. Hodgson, P.G., hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Scott A. Hodgson

Signature and P.G. number


PG-1229

Date 10/31/14

Project Geologist
Title

Appendix A

Figures 1 to 16




Project Mngr:	PAL
Drawn By:	LES
Checked By:	PAL
Project No:	58117057
Date:	03/21/2012

Terracon
Consulting Engineers & Scientists
9856 South 57th Street Franklin, WI 53132
(414) 423 0255 (414) 423 0566

SITE LOCATION MAP
N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET
APPLETON WISCONSIN

FIGURE
1



Project No.	58117057
Scale:	1:63,360
Drawn By:	LES
Checked By:	
File No.	see 1055 MW Location Map/fig.
Date:	03/20/2012
Approved By:	PAL
Project Manager:	PAL
Drawn By:	LES
Checked By:	
File No.	see 1055 MW Location Map/fig.
Date:	03/20/2012
Terracon	Consulting Engineers and Scientists
Franklin, WI 53132	FAX (414) 423-0566
9855 South 57th Street	PH. (414) 423-0255


Note: Figure taken from Omni Site Detail Map, January 2011

SITE DETAIL MAP
N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET

FIGURE

2

WISCONSIN



4
N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET
WISCONSIN

4

N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET
WISCONSIN

Consulting Engineers and Scientists

9858 PH.




FIGURE
5

N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET

WISCONSIN

Terracon
Consulting Engineers and Scientists

9856 South 57th Street
Fond du Lac, WI 54937
Fax: (414) 423-0566

FIGURE 3
Groundwater Hydrographs
N.W. Mauthe Superfund Site




FIGURE 6
MW-103 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 7
MW-104 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 8
MW-107 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 9
MW-109 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 10
MW-110 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 11
MW-111 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 12
MW-112 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 13
MW-113 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 14
MW-107 CVOC Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 15
MW-110 CVOC Concentration Trends
N.W. Mauthe Superfund Site





FIGURE 16
MW-113 CVOC Concentration Trends
N.W. Mauthe Superfund Site



Appendix B

Tables 1 to 6

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1	Flow Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2	Flow Reading (gallons)	pH
09/25/07		8,290,363												
	10/01/07	8,300,685												
10/01/07		8,301,251	10,888											
10/02/07		8,301,251	0	7.7										
10/15/07		8,324,675	23,424											
10/16/07		8,324,675	0	7.4	1.700			6.93	3.9		7.30	0.60		
10/22/07		8,355,957	31,282											
10/23/07		8,355,957	0	7.5	1.500			7.04	3.75		NA	NA		
10/29/07		8,370,413	14,456	October										
10/30/07		8,370,413	0	71,891	7.4	1.900			NA	NA		NA	NA	
	11/01/07	8,372,575												
11/05/07		8,377,912	7,499											
11/06/07		8,377,912	0	November	8.3	1.900	1.300		7.8	4.30		8.2	0.18	
11/16/07		8,386,583	8,671	21,587										
	12/01/07	8,394,162												
12/03/07		8,395,372	8,789											
12/04/07		8,395,372	0	8.6	3.100	2.500		8.4	4.60		8.6	0.16		
12/12/07		8,399,522	4,150	December										
12/21/07		8,402,508	2,986	25,977										
	01/01/08	8,420,139												
01/01/08		8,420,868	18,360											
01/02/08		8,420,868	0	8.7	1.300	1.200		8.4	4.50		8.7	0.62		
01/02/08		8,421,628	760											
01/10/08		8,459,333	37,705											
01/15/08		8,479,244	19,911	January										
01/25/08		8,497,063	17,819	84,612										
	02/01/08	8,504,750												
02/01/08		8,505,562	8,499											
02/03/08		8,507,408	1,846	February										
02/04/08		8,507,408	0	22,861	8.9	1.700	1.600		8.7	2.60		8.8	0.70	
	03/01/08	8,527,611												
03/02/08		8,528,931	21,523	March	9.0	2.9	2.500		8.7	3.60		8.8	2.50	
03/31/08		8,653,211	124,280	128,713										
	04/01/08	8,656,324												
04/01/08		8,657,629	4,418		9.0	1.6	1.530		8.7	1.60		8.9	1.45	
04/01/08		8,661,298	3,669											
04/04/08		8,682,788	21,490											
04/07/08		8,697,084	14,296											
04/08/08		8,697,084	0	9.1	0.063				8.7	1.40		8.9	0.54	
04/14/08		8,790,128	93,044											
04/15/08		8,790,128	0	9.1	0.36				8.7	0.90		8.8	0.17	
04/15/08		8,797,710	7,582					Installed			Installed			
04/16/08		8,804,525	6,815						1,074			2,804		
04/16/08		8,806,972	2,447						1,589			3,661		
04/21/08		8,826,834	19,862						5,176			11,176		
04/22/08		8,826,834	0	9.1	0.87				5,649	8.8	0.95	12,292	8.9	0.55
04/28/08		8,860,276	33,442	April					13,291			36,802		
04/29/08		8,860,276	0	212,193	9.1	0.51			14,721	8.8	0.96	40,534	9.1	0.43
	05/01/08	8,868,517												
05/05/08		8,890,994	30,718						22,372			59,203		
05/06/08		8,890,994	0	9.1	0.95	0.679			22,844	8.7	1.14	60,259	8.8	0.62
05/12/08		8,907,573	16,579						28,018			70,853		
05/13/08		8,907,573	0	9.2	0.69				28,487	8.8	1.00	71,555	9.0	0.34
05/19/08		8,920,045	12,472						32,756			79,328		
05/20/08		8,920,045	0	9.1	0.74				33,225	8.8	0.96	80,376	8.9	0.27
05/26/08		8,929,582	9,537	May					36,557			85,277		
05/27/08		8,929,582	0	66,866	9.0	0.60			37,025	8.9	1.04	85,979	8.9	0.16
	06/01/08	8,935,384												

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
06/02/08		8,936,965	7,383					39,411			90,202		
06/03/08		8,936,965	0		9.3	0.90	0.824	39,876	9.0	1.06	90,901	9.0	0.54
06/09/08		8,951,078	14,113					43,187			101,102		
06/10/08		8,951,078	0		9.2	0.85		44,118	9.0	1.53	106,505	9.0	0.38
06/11/08		8,960,258	9,180					45,176			112,396		
06/16/08		8,999,813	39,555					52,865			140,673		
06/16/08		8,999,813	0					52,865			141,398		
06/17/08		8,999,813	0		9.2	1.4		53,808	9.1	3.40	143,560	9.1	0.33
06/18/08		9,007,718	7,905					54,790			146,825		
06/23/08		9,016,923	9,205					57,605			153,557		
06/24/08		9,016,923	0		9.3	0.20		58,074	9.1	2.50	154,613	9.0	0.14
06/30/08		9,026,850	9,927	June				61,392			160,227		
06/30/08		9,026,850	0	91,466				61,392			160,573		
07/01/08	07/01/08	9,026,850											
07/01/08		9,026,850	0		9.3	1.4	1.290	61,861	9.0	2.45	161,266	9.1	0.58
07/07/08		9,035,952	9,102					64,701			166,481		
07/08/08		9,035,952	0		9.4	1.2		65,168	9.1	1.90	167,518	9.2	1.05
07/10/08		9,041,071	5,119					66,138			170,315		
07/14/08		9,054,932	13,861					68,973			182,057		
07/15/08		9,054,932	0		9.4	0.82		69,444	9.0	1.80	184,517	9.2	0.54
07/21/08		9,083,663	28,731					74,198			206,929		
07/22/08		9,083,663	0		9.4	0.74		75,898	9.2	2.52	211,453	9.2	0.31
07/25/08		9,114,297	30,634					81,242			230,374		
07/28/08		9,121,075	6,778					83,136			235,668		
07/29/08		9,121,075	0		7.4	0.70		83,609	7.2	3.30	237,073	7.2	0.30
07/29/08		9,123,409	2,334	July				83,646			237,455		
08/01/08	08/01/08	9,127,730		100,880									
08/04/08		9,137,140	13,731					87,426			248,221		
08/05/08		9,137,140	0		7.6	1.30	1.260	87,426	7.2	2.72	250,342	7.2	0.41
08/05/08		9,141,581	4,441					87,938			252,120		
08/09/08		9,151,886	10,305					90,785			260,213		
08/11/08		9,154,723	2,837					91,732			262,298		
08/12/08		9,154,723	0		7.5	1.2		92,206	7.2	2.45	263,337	7.3	0.25
08/13/08		9,157,388	2,665					92,710			264,058		
08/18/08		9,162,704	5,316					94,604			267,897		
08/19/08		9,162,704	0		7.5	0.98		95,077	7.2	2.08	268,595	7.2	0.20
08/19/08		9,163,932	1,228					95,106			268,623		
08/21/08		9,166,109	2,177					96,049			270,020		
08/24/08		9,168,274	2,165					96,993			271,417		
08/26/08		9,168,274	0	August	7.5	1.1		97,465	7.1	2.25	272,112	7.1	0.22
09/01/08	09/01/08	9,173,323		45,593							274,587		
09/01/08		9,173,586	5,312					99,390			274,936	7.3	0.21
09/02/08		9,173,586	0		7.6	1.4	1.290	99,863	7.3	2.50	274,962		
09/02/08		9,174,445	859					99,894			276,718		
09/06/08		9,176,960	2,515					100,837			277,071	7.3	0.16
09/08/08		9,176,960	0		7.5	1.3		101,310	7.2	2.25	279,911		
09/15/08		9,182,218	5,258					103,257			280,611	7.6	0.37
09/16/08		9,182,218	0		7.6	1.3		103,731	7.3	2.60	281,689		
09/18/08		9,185,245	3,027					104,715			283,095		
09/22/08		9,187,538	2,293					105,663			285,589		
09/23/08		9,187,538	0		7.5	1.6		106,137	7.3	3.05	285,942	7.4	0.18
09/28/08		9,191,553	4,015					107,560					
09/30/08		9,191,553	0	September	7.6	1.8		108,035	7.4	3.70			
	10/01/08	9,192,867		19,545									

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
10/05/08		9,195,280	3,727					109,500			287,383		
10/07/08		9,195,280	0		7.7	2.2	2.000	109,975	7.4	4.38	288,093	7.8	0.12
10/07/08		9,196,521	1,241					110,012			288,124		
10/10/08		9,200,017	3,496					110,965			290,943		
10/12/08		9,200,017	0					111,919			291,644		
10/14/08		9,200,017	0		7.8	1.9		112,396	7.5	3.48	292,698	7.8	0.27
10/16/08		9,204,404	4,387					112,906			293,436		
10/18/08		9,206,201	1,797					113,861			294,504		
10/21/08		9,206,201	0		7.8			114,337	7.5	4.02	295,563	7.9	0.28
10/22/08		9,208,980	2,779					114,848			296,250		
10/26/08		9,211,601	2,621					116,279			297,676		
10/28/08		9,211,601	0	October	7.9	2.0		116,756	7.7	3.96	298,743	8.2	0.26
	11/01/08	9,214,938	22,071										
	11/01/08	9,215,379	3,778					117,743			300,201		
	11/04/08	9,215,379	0		8.0	2.1	1.880	118,698	7.7	4.32	301,273	8.1	0.20
	11/04/08	9,217,467	2,088					118,732			301,305		
	11/07/08	9,219,330	1,863					119,685			302,376		
	11/10/08	9,220,422	1,092					120,162			303,090		
	11/20/08	9,229,031	8,609					123,506			309,112		
	11/24/08	9,231,935	2,904					124,939			310,833		
	11/24/08	9,232,260	325					124,939			311,189		
	11/26/08	9,233,464	1,204					125,702			311,660		
	11/28/08	9,234,926	1,462	November				126,192			312,744		
	12/01/08	9,234,926	19,988										
	12/02/08	9,234,926	0		8.2	2.3	2.190	127,656	7.8	3.57	314,118	8.3	0.18
	12/12/08	9,242,670	7,744					130,122			316,912		
	12/17/08	9,247,587	4,917	December				131,563			320,808		
	01/01/09	9,266,230		31,304									
	01/02/09	9,268,140	20,553					136,435			338,229		
	01/06/09	9,268,140	0		7.8	2.5	2.430	137,894	7.7	4.48	341,351	7.8	1.05
	01/12/09	9,277,419	9,279	January				139,384			344,897		
	02/01/09	9,287,182		20,952									
	02/01/09	9,287,326	9,907					143,256			351,798		
	02/03/09	9,287,326	0		7.8	3.3	2.900	143,738	7.9	4.69	352,143	8.2	0.34
	02/05/09	9,288,848	1,522	February				143,772			352,912		
	03/01/09	9,334,332		47,151									
	03/01/09	9,335,249	46,401					153,077			393,568		
	03/03/09	9,335,249	0		7.6	2.4	1.970	153,561	7.9	4.24	394,973	8.2	0.87
	03/11/09	9,355,734	20,485					156,519			412,282		
	03/30/09	9,463,572	107,838					182,357			500,471		
	03/31/09	9,463,572	0	March				183,323			501,935		
	04/01/09	9,467,680		133,348									
	04/01/09	9,469,538	5,966					184,290			504,856		
	04/03/09	9,478,305	8,767					187,194			511,375		
	04/06/09	9,485,542	7,237					189,607			516,807		
	04/07/09	9,485,542	0		7.7	0.84	0.730	190,569	7.9	1.14	518,251	8.1	0.52
	04/13/09	9,498,358	12,816					194,432			525,799		
	04/14/09	9,498,358	0		7.7	0.59		194,908	8.0	1.20	525,799	8.2	0.27
	04/20/09	9,507,740	9,382					198,262			532,295		
	04/21/09	9,507,740	0		7.8	1.0		198,262	8.0	0.96	533,364	8.3	1.74
	04/27/09	9,545,303	37,563					208,646			561,846		
	04/28/09	9,545,303	0		8.0	1.2		210,663	7.7	1.89	566,157	7.5	0.28

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
05/01/09	05/01/09	9,568,209		April				217,567			582,471		
05/04/09		9,574,025	28,722	100,528				220,929			588,270		
05/05/09		9,582,624	8,599								599,566		
05/11/09		9,582,624	0		7.6	0.76	0.724	221,884	8.0	1.29	589,714	8.0	0.33
05/12/09		9,599,171	16,547					227,170			599,566		
05/18/09		9,599,171	0		8.0	0.89		228,124	7.6	0.84	600,996	7.9	0.24
05/19/09		9,613,720	14,549					232,921			609,305		
05/19/09		9,613,720	0		7.4	0.79		233,874	7.0	0.84	610,378	7.2	0.38
05/19/09		9,615,798	2,078					233,908			610,421		
05/19/09		9,616,122	324					233,908			610,775		
05/25/09		9,624,219	8,097					237,697			615,786		
05/26/09		9,624,219	0		7.3	0.58		238,168	7.1	1.08	616,149	7.0	0.16
06/01/09	06/01/09	9,650,519		May									
06/01/09		9,652,323	28,104	82,310				245,914			637,378		
06/02/09		9,652,323	0		7.3	0.23	0.648	246,871	6.9	1.05	638,835	7.2	0.26
06/03/09		9,658,104	5,781					248,350			641,072		
06/15/09		9,701,735	43,631					261,249			674,466		
07/01/09		9,727,520		June									
07/01/09		9,727,975	26,240	77,001				272,082			691,914		
07/05/09		9,732,032	4,057					273,967			694,431		
07/07/09		9,732,032	0		7.4	0.96	0.878	274,443	7.1	2.20	695,508	7.1	0.20
07/20/09		9,742,289	10,257					278,743			700,527		
08/01/09		9,748,231		July									
08/03/09		9,749,397	7,108	20,712				282,543			704,414		
08/04/09		9,749,397	0		7.5	1.9	1.680	283,019	7.1	2.80	704,768	7.3	0.14
08/08/09		9,752,139	2,742					284,005			706,115		
08/08/09		9,753,763	1,624					284,480			707,282		
08/09/09		9,757,508	3,745					284,962			710,677		
08/10/09		9,761,572	4,064					285,930			714,131		
08/10/09		9,762,328	756					286,411			714,491		
08/12/09		9,765,851	3,523					287,368			717,355		
08/13/09		9,767,253	1,402					287,846			718,430		
08/17/09		9,771,256	4,003					289,758			720,916		
08/30/09		9,785,737	14,481					295,976			730,538		
09/01/09		9,787,043		August									
09/01/09		9,787,352	1,615	38,811	7.6	1.6	1.320	296,492	7.1	2.85	731,650	7.4	0.53
09/10/09		9,794,060	6,708					299,850			735,572		
09/21/09		9,800,194	6,134					303,204			738,803		
09/22/09		9,800,194	0					303,684			739,163		
10/01/09		9,806,949		September									
10/01/09		9,807,491	7,297	19,906				306,569			743,395		
10/05/09		9,811,856	4,365					308,500			746,224		
10/06/09		9,811,856	0		6.9	1.8	1.700	308,983	6.8	2.48	746,576	7.1	0.55
10/15/09		9,827,819	15,963					314,838			757,329		
10/18/09		9,830,464	2,645					316,288			758,757		
11/01/09		9,871,202		October									
11/02/09		9,875,106	44,642	64,253				329,981			793,417		
11/03/09		9,875,106	0		7.4	1.2	1.150	330,961	7.0	2.60	795,595	7.2	0.46
11/04/09		9,880,551	5,445					331,974			797,084		
11/05/09		9,882,809	2,258					332,950			798,526		
11/11/09		9,891,712	8,903					337,309			803,889		
11/12/09		9,893,927	2,215					338,274			805,324		
11/16/09		9,896,880	2,953					339,720			807,132		
11/17/09		9,897,695	815					340,200			807,495		
11/20/09		9,899,892	2,197					341,164			808,946		
11/30/09		9,914,595	14,703					346,476			819,664		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1	Flow Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2	Flow Reading (gallons)	pH
	12/01/09	9,914,595		November										
		9,914,595	0	43,393	7.6	1.7	1.500	347,446	7.3	2.25	820,740	7.8	0.67	
	12/15/09	9,931,024	16,429					354,237			829,781			
	12/18/09	9,933,254	2,230					355,200			831,213			
	01/01/10	9,956,004		December										
	01/03/10	9,960,070	26,816	41,409				362,443			853,235			
	01/05/10	9,960,070	0		6.9	2.3	2.220	362,924	7.2	5.36	855,045	7.2	0.68	
	01/14/10	9,969,979	9,909					365,847			860,488			
	01/18/10	9,972,503	2,524					366,807			862,304			
	01/31/10	9,991,034	18,531					370,664			878,832			
	02/01/10	9,991,034		January										
	02/02/10	9,991,034	0	35,030	7.4	1.6	1.460	371,145	7.2	4.05	880,637	7.2	0.46	
	02/03/10	9,994,392	3,358					371,664			881,364			
	02/16/10	10,002,996	8,604					374,543			887,937			
	02/28/10	10,009,542	6,546					376,928			892,655			
	03/01/10	10,009,542		February										
	03/02/10	10,009,542	0	18,508	7.6	1.6	1.340	376,928	7.4	2.70	893,732	7.4	1.41	
	03/06/10	10,015,341	5,799					377,919			898,085			
	03/13/10	10,048,616	33,275					383,764			927,938			
	03/17/10	10,065,891	17,275					388,140			942,069			
	03/23/10	10,077,601	11,710					392,478			950,481			
	03/31/10	10,088,487	10,886					396,786			958,091			
	04/01/10	10,088,725		March										
	04/01/10	10,088,817	330	79,183				396,786			958,456			
	04/04/10	10,092,465	3,648					398,207			961,014			
	04/06/10	10,092,465	0		7.4	1.3	1.180	399,166	7.2	2.00	962,110	7.2	0.20	
	04/19/10	10,151,166	58,701					416,846			1,005,028			
	05/01/10	10,189,439		April										
	05/03/10	10,196,869	45,703	100,715				432,284			1,038,553			
	05/04/10	10,196,869	0		7.3	0.98	0.902	433,730	7.1	1.12	1,040,370	7.2	0.37	
	05/17/10	10,258,463	61,594					453,256			1,083,344			
	06/01/10	10,294,510	36,047					466,168			1,109,480			
	06/01/10	10,294,510		May										
	06/01/10	10,294,510	0	105,071	7.6	0.85	0.762	467,117	7.2	1.44	1,110,569	7.3	0.28	
	06/21/10	10,372,589	78,079					488,138			1,171,628			
	06/30/10	10,400,340	27,751					495,720			1,193,925			
	06/30/10	10,400,889	549					496,193			1,194,286			
	07/01/10	10,401,954		June										
	07/01/10	10,402,536	1,647	107,444				496,664			1,195,375			
	07/05/10	10,409,431	6,895					499,493			1,200,058			
	07/06/10	10,409,431	0		7.3	1.1	0.988	499,963	7.3	1.92	1,200,783	7.5	0.41	
	07/12/10	10,426,614	17,183					504,247			1,213,873			
	07/21/10	10,506,902	80,288					525,545			1,275,358			
	07/22/10	10,515,567	8,665					527,488			1,282,668			
	07/23/10	10,532,459	16,892					531,679			1,283,332			
	08/01/10	10,586,662		July										
	08/02/10	10,594,781	62,322	184,709				549,129			1,283,332			
	08/03/10	10,594,781	0		7.8	0.54	0.515	549,601	7.4	1.20	1,283,332	7.5	0.20	
	08/04/10	10,599,046	4,265					550,588			1,283,332			
	08/04/10	10,599,046	0					550,588			1,283,358			
	08/04/10	10,599,046	0					550,588			1,283,358			
	08/05/10	10,600,937	1,891					551,531			1,284,413			
	08/06/10	10,602,372	1,435					552,002			1,285,481			
	08/07/10	10,604,242	1,870					552,943			1,286,560			
	08/12/10	10,621,705	17,463					558,442			1,299,650			
	08/18/10	10,644,322	22,617					565,095			1,317,296			

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	09/01/10	10,664,511		August									
09/06/10		10,672,363	28,041	77,849				575,879			1,336,978		
09/07/10		10,672,363	0		7.7	0.64	0.588	575,879	7.2	1.28	1,337,698	7.4	0.19
09/09/10		10,675,017	2,654					576,846			1,338,823		
09/09/10		10,675,348	331					576,846			1,339,184		
09/15/10		10,681,923	6,575					579,656			1,343,454		
09/20/10		10,688,747	6,824					582,004			1,348,431		
09/28/10		10,712,898	24,151					588,142			1,368,075		
09/28/10		10,713,225	327					588,142			1,368,432		
	10/01/10	10,717,803		September									
10/01/10		10,718,374	5,149	53,291				590,497			1,371,651		
10/03/10		10,721,339	2,965					591,909			1,373,451		
10/05/10		10,721,339	0		7.6	0.80	0.763	592,849	7.3	1.32	1,374,902	7.5	0.10
10/15/10		10,733,086	11,747					597,097			1,380,767		
10/17/10		10,734,957	1,871					598,030			1,381,848		
10/31/10		10,760,102	25,145					605,549			1,401,547		
	11/01/10	10,760,102		October									
11/02/10		10,760,102	0	42,299	7.8	0.65	0.639	606,486	7.6	1.44	1,403,369	7.9	0.20
11/11/10		10,773,294	13,192					611,203			1,410,005		
11/14/10		10,775,484	2,190					612,137			1,411,471		
11/17/10		10,778,424	2,940					613,539			1,413,301		
11/28/10		10,790,717	12,293					618,231			1,422,421		
	12/01/10	10,794,632		November									
12/04/10		10,800,013	9,296	34,530				622,006			1,428,648		
12/07/10		10,800,013	0		7.6	1.0	0.989	623,423	7.8	1.80	1,430,482	7.9	0.24
12/15/10		10,811,058	11,045					627,228			1,435,313		
12/20/10		10,814,659	3,601					628,621			1,437,887		
12/23/10		10,816,825	2,166					629,558			1,439,358		
	01/01/11	10,827,569		December									
01/02/11		10,829,348	12,523	32,938				632,850			1,449,967		
01/04/11		10,829,348	0		8.0	1.6	1.500	633,803	7.9	5.31	1,452,901	8.0	0.53
01/17/11		10,845,438	16,090					638,076			1,462,175		
01/28/11		10,852,203	6,765					640,437			1,467,352		
01/30/11		10,853,317	1,114					640,910			1,468,093		
	02/01/11	10,853,317		January									
02/01/11		10,853,317	0	25,748	7.9	2.1	2.100	641,382	7.7	4.90	1,468,834	7.6	0.18
02/02/11		10,854,899	1,582					641,426			1,469,273		
02/14/11		10,859,963	5,064					643,318			1,472,988		
02/21/11		10,876,100	16,137					646,167			1,488,233		
02/21/11		10,876,705	605					646,167			1,488,978		
02/24/11		10,880,277	3,572					647,105			1,491,974		
02/27/11		10,883,601	3,324					648,128			1,494,713		
	03/01/11	10,883,601		February									
03/01/11		10,883,601	0	30,284	7.8	1.8	1.530	648,594	7.7	4.95	1,496,572	7.8	0.52
03/21/11		10,957,602	74,001					664,834			1,558,957		
	04/01/11	11,023,291		March									
04/04/11		11,045,838	88,236	139,690				687,442			1,632,177		
04/05/11		11,045,838	0		8.0	0.40	0.380	688,903	7.8	1.10	1,637,351	7.7	0.21
04/16/11		11,138,592	92,754					710,138			1,708,997		
04/26/11		11,216,566	77,974					731,830			1,771,918		
04/29/11		11,258,391	41,825					743,289			1,804,105		
04/29/11		11,262,451	4,060					744,757			1,807,043		
	05/02/11	11,274,169		April									
05/02/11		11,277,586	15,135	250,878				750,559			1,818,009		
05/03/11		11,277,586	0		7.8	0.37	0.338	751,514	7.6	0.68	1,819,601	7.8	0.20
05/16/11		11,310,055	32,469					763,336			1,841,085		
05/17/11		11,311,520	1,465					763,807			1,842,263		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	06/01/11	11,344,383		May									
	06/02/11	11,347,664	36,144	70,214				778,512			1,868,238		
	06/06/11	11,354,057	6,393					781,832			1,872,152		
	06/07/11	11,354,057	0	7.7	0.46	0.447		782,305	7.6	0.85	1,872,545	7.7	0.14
	06/17/11	11,368,867	14,810					788,961			1,881,915		
	06/20/11	11,373,134	4,267					790,860			1,884,626		
	07/01/11	11,419,112		June									
	07/04/11	11,434,679	61,545	74,729				811,146			1,932,424		
	07/05/11	11,434,679	0	7.9	0.78	0.752		811,621	7.6	1.50	1,933,199	7.5	0.19
	07/18/11	11,450,616	15,937					818,915			1,942,544		
	07/27/11	11,470,412	19,796					825,753			1,958,375		
	07/28/11	11,473,213	2,801					826,666			1,960,688		
	08/01/11	11,483,192		July									
	08/01/11	11,484,004	10,791	64,080				830,795			1,968,801		
	08/02/11	11,484,004	0	7.9	0.86	0.800		831,711	7.5	1.26	1,970,342	7.5	0.42
	08/04/11	11,492,474	8,470					834,025			1,975,014		
	08/05/11	11,493,370	896					834,506			1,975,820		
	08/15/11	11,509,618	16,248					841,800			1,986,618		
	08/31/11	11,524,004	14,386					849,495			1,994,794		
	09/01/11	11,524,179		August									
	09/01/11	11,524,431	427	40,987				849,948			1,994,794		
	09/03/11							850,953			1,997,262		
	09/05/11	11,533,935	9,504					852,322			2,003,014		
	09/06/11	11,533,935	0	8.0	1.2	1.180		852,778	7.7	1.65	2,004,161	7.7	0.55
	09/08/11	11,538,054	4,119					854,174			2,005,726		
	09/19/11	11,547,336	9,282					859,158			2,011,134		
	09/20/11	11,548,416	1,080					859,611			2,011,902		
	09/28/11	11,562,993	14,577					863,696			2,024,247		
	10/01/11	11,568,104		September									
	10/03/11	11,572,412	9,419	43,925				867,344			2,031,123		
	10/04/11	11,574,566	2,154					868,253			2,032,650		
	10/05/11	11,574,566	0					868,707			2,033,029		
	10/06/11	11,574,566	0					869,161			2,033,785		
	10/08/11	11,579,097	4,531					870,519			2,036,082		
	10/10/11	11,579,097	0	7.5	1.2	1.090		870,972	7.4	2.15	2,036,082	7.5	0.22
	10/26/11	11,603,315	24,218					879,056			2,054,141		
	10/30/11	11,606,358	3,043					880,416			2,055,759		
	11/01/11	11,607,509		October			Pounds Cr						
	11/01/11	11,608,102	1,744	39,405			0.358	881,323			2,055,759		
	11/02/11	11,608,233	131					881,362			2,055,792		
	11/03/11	11,608,233	0	8.2	1.3	1.220		881,378	8.1	2.46	2,055,818	8.0	0.03
	11/05/11	11,611,395	3,162					882,340			2,059,467		
	11/06/11	11,614,756	3,361					883,608			2,062,594		
	11/07/11	11,616,924	2,168					883,718			2,063,343		
	11/08/11	11,618,636	1,712					884,345			2,065,014		
	11/12/11	11,651,616	32,980					890,384			2,094,235		
	11/15/11	11,662,529	10,913					894,135			2,102,462		
	11/23/11	11,677,899	15,370					900,936			2,112,833		
	11/29/11	11,687,640	9,741				Pounds Cr	905,028			2,119,690		
	12/01/11	11,689,609		November			0.834						
	12/01/11	11,687,640	0	82,100	7.4	1.7	1.700	905,938	7.8	2.65	2,119,690	8.0	0.72
	12/06/11	11,706,691	19,051					910,893			2,134,888		
	12/15/11	11,724,224	17,533					918,198			2,147,141		
	12/26/11	11,737,368	13,144					924,102			2,155,863		
	12/31/11	11,742,107	4,739					926,371			2,158,911		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1	Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2	Reading (gallons)	pH
	01/01/12	11,742,204		December			Pounds Cr							
01/04/12		11,744,667	2,560	52,595		0.745	927,731				2,158,911			
01/05/12		11,744,667	0		6.9	0.98	0.862	928,184	7.5	1.84	2,161,198	7.3	0.27	
01/19/12		11,754,619	9,952					932,303			2,166,977			
01/27/12		11,758,987	4,368					934,572			2,169,652			
01/31/12		11,761,124	2,137				Pounds Cr	935,480			2,171,180			
	02/01/12	11,761,228		January		0.137								
02/02/12		11,761,124	0	19,024	7.4	2.1	1.860	936,191	7.7	2.50	2,172,687	7.7	6.1	
02/07/12		11,763,586	2,358					938,043		2.80	2,176,546		1.71	
02/22/12		11,778,355	14,769					941,736			2,183,827			
02/24/12		11,780,157	16,571					942,642			2,184,964			
02/28/12		11,782,379	18,793				Pounds Cr	943,547			2,186,478			
	03/01/12	11,783,379		February		0.329								
03/01/12		11,782,379	0	21,255	7.1	2.6	2.560	944,002	7.3	3.45	2,186,478	7.6	2.04	
03/14/12		11,824,851	41,472					956,400			2,221,364			
03/21/12		11,839,925	15,074					962,783			2,231,770			
03/25/12		11,848,965	9,040					965,591			2,239,149			
	04/01/12	11,865,023		March			Pounds Cr							
04/03/12		11,871,806	22,841	81,644			1.740	973,817			2,256,557			
04/05/12		11,871,806	6,783		7.6	0.83	0.730	975,189	7.9	1.28	2,258,866	7.8	0.48	
04/18/12		11,896,899	25,093					984,322			2,273,887			
04/21/12		11,906,449	9,550					986,147			2,282,902			
	05/01/12	11,923,538		April			Pounds Cr							
05/02/12		11,930,935	24,486	58,515			0.356	996,194			2,300,258			
05/03/12		11,933,848	2,913					997,107			2,302,572			
05/09/12		11,989,964	56,116					1,010,822			2,349,979			
05/14/12		12,005,061	15,097					1,016,338			2,361,277			
05/16/12		12,005,061	0		6.5	0.67	0.581	1,018,169	7.4	0.63	2,363,951	7.6	0.15	
05/20/12		12,016,709	11,648					1,021,100			2,368,989			
05/22/12		12,018,570	1,861					1,022,007			2,370,141			
05/24/12		12,021,249	2,679					1,023,245			2,372,066			
05/31/12		12,028,808	7,559					1,027,317			2,378,556			
	06/01/12	12,029,342		May			Pounds Cr							
06/02/12		12,030,994	2,186	105,804			0.512	1,027,317			2,378,556			
06/05/12		12,033,617	2,623					1,028,676			2,380,101			
06/07/12		12,033,617	0		6.8	0.55	0.507	1,029,581	7.4	0.99	2,381,259	7.7	0.17	
06/19/12		12,046,851	13,234					1,034,134			2,389,253			
06/29/12		12,056,747	9,896					1,038,653			2,395,689			
	07/01/12	12,057,998		June			Pounds Cr							
07/03/12		12,059,332	1,334	28,656			0.121	1,040,009			2,397,210			
07/05/12		12,059,332	0		6.1	0.98	0.906	1,040,913	6.2	1.24	2,397,969	6.6	0.19	
07/10/12		12,064,003	4,671					1,042,739			2,402,552			
07/20/12		12,069,263	5,260					1,045,446			2,402,552			
	08/01/12	12,078,083		July			Pounds Cr							
08/01/12		12,078,359	9,096	20,085			0.152	1,049,510			2,408,561			
08/02/12		12,078,359	0		6.2	1.20	1.120	1,049,969	6.2	1.72	2,408,954	6.0	0.56	
08/07/12		12,082,510	4,151					1,051,808			2,410,869			
08/16/12		12,098,108	15,598					1,056,800			2,423,447			
	09/01/12	12,111,167		August			Pounds Cr							
09/01/12		12,111,772	13,664	33,084			0.309	1,063,135			2,432,088			
09/09/12		12,116,611	4,839					1,065,875			2,434,745			
09/11/12		12,117,783	1,172			1.70	1.520	1,066,747	6.4	0.72	2,435,127	6.3	0.21	
09/18/12		12,121,226	3,443					1,068,577			2,437,061			
09/26/12		12,125,024	3,798					1,070,837			2,438,957			

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1	Flow Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2	Flow Reading (gallons)	pH
	10/01/12	12,126,164		September			Pounds Cr							
10/04/12		12,127,304	2,280	14,997		0.190		1,072,193				2,440,091		
10/04/12		12,127,304	1,140			1.50	1.370	1,072,193	6.4	1.44	2,440,091	6.2	0.32	
10/05/12		12,129,085	1,781					1,073,276			2,440,999			
10/09/12		12,129,791	706					1,073,696			2,441,370			
10/19/12		12,163,907	34,116					1,081,043			2,471,345			
10/30/12		12,189,653	25,746					1,092,239			1,289,448			
	11/01/12	12,191,094		October			Pounds Cr							
11/06/12		12,196,769	7,116	64,930		0.741		1,096,343			2,493,654			
11/09/12		12,198,437	1,668		NA	1.1	1.040	1,097,450	NA	1.34	2,494,750	NA	0.21	
11/22/12		12,212,741	14,304					1,103,179			2,504,679			
11/30/12		12,218,011	5,270					1,106,155			2,507,598			
	12/01/12	12,218,663		November			Pounds Cr							
12/03/12		12,219,752	1,089	27,569		0.239		1,107,006			2,508,689			
12/10/12		12,223,289	3,537		8.0	1.00	1.100	1,109,121	7.7	1.60	2,510,506	8.0	0.27	
12/26/12		12,234,632	11,343					1,114,683			2,517,462			
12/31/12		12,239,248	4,616					1,117,237			2,520,012			
	01/01/13	12,239,543		December			Pounds Cr							
01/01/13		12,239,958	710	20,880		0.191		1,117,663			2,520,377			
01/10/13		12,246,590	6,632			1.90	1.720	1,120,640	7.7	1.68	2,524,770	8.0	1.32	
01/24/13		12,278,928	32,338					1,130,141			2,550,847			
01/28/13		12,282,035	3,107					1,131,414			2,553,042			
01/31/13		12,287,892	5,857					1,132,425			2,558,715			
	02/01/13	12,288,247		January			Pounds Cr							
02/01/13		12,289,018	1,126	48,644		0.697		1,132,680			2,559,456			
02/07/13		12,293,874	4,856		7.9	0.82	0.663	1,134,376	7.6	1.35	2,563,137	8.0	0.22	
02/20/13		12,308,445	14,571					1,038,672			2,575,057			
02/27/13		12,313,181	19,307					1,140,359			2,578,725			
	03/01/13	12,314,165		February			Pounds Cr							
03/03/13		12,315,958	2,777	25,918		0.143		1,141,206			2,580,927			
03/07/13		12,318,024	2,066		7.9	0.83	0.753	1,142,054	7.7	1.44	2,582,395	7.8	0.27	
03/18/13		12,361,201	43,177					1,151,536			2,619,703			
03/20/13		12,365,136	3,935					1,153,250			2,622,317			
03/27/13		12,378,442	13,306					1,159,233			2,630,884			
03/31/13		12,400,821	22,379					1,164,838			2,649,804			
	04/01/13	12,403,728		March			Pounds Cr							
04/01/13		12,407,465	3,737	89,563		0.562		1,165,570			2,655,346			
04/11/13		12,461,497	54,032		7.4	0.42	0.431	1,180,148	7.0	0.60	2,700,747	7.4	0.14	
04/17/13		12,522,138	60,641					1,196,092			2,749,790			
	05/01/13	12,570,545		April			Pounds Cr							
05/01/13		---	---	166,817		0.599								
05/19/13		12,571,333	49,195		8.1	0.56	0.553	1,215,096	7.3	0.38	2,785,968	7.8	0.09	
	06/01/13	12,623,298	51,965					1,235,753			2,823,953			
	06/01/13	12,647,282		May			Pounds Cr							
				76,737			0.353							
06/06/13		12,657,605	34,307		7.6	0.96	0.826	1,251,551	7.4	0.47	2,849,502	7.8	0.73	
06/12/13		12,669,485	11,880					1,256,351			2,857,966			
06/17/13		12,680,642	11,157					1,259,722			2,867,078			
	07/01/13	12,727,950		June			Pounds Cr							
				80,668			0.555							
07/18/13		12,767,116	86,474		7.4	0.73	0.694	1,286,165	6.7	0.73	2,938,280	7.5	0.07	
07/31/13		12,780,876	13,760					1,293,015			2,947,351			

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2				
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1	Flow Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2	Flow Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/13	12,781,814		July			Pounds Cr								
			53,864			0.311									
08/04/13		12,784,628	3,752					1,293,015				2,947,351			
08/07/13		12,786,184	1,556					1,295,588				2,951,110			
08/08/13		12,786,555	.371	7.5	0.83	0.775		1,296,442	6.8	0.68		2,951,801	7.2	0.16	
08/19/13		12,795,058	8,503					1,298,966				2,954,811			
08/21/13		12,795,638	580					1,300,287				2,956,243			
08/26/13		12,797,295	1,657					1,301,154				2,957,147			
08/28/13		12,800,434	3,139					1,302,541				2,958,987			
	09/01/13	12,803,511		August			Pounds Cr								
			21,697			0.140		1,303,580				2,961,265			
09/01/13		12,803,511	6,216					1,305,282				2,964,435			
09/05/13		12,808,096	4,585					1,306,947				2,966,675			
09/09/13		12,811,883	8,372					1,309,139				2,968,968			
09/11/13		12,815,166	7,070					1,310,005				2,970,501			
09/14/13		12,818,151	6,268					1,311,729	7.1	0.99		2,973,533	7.3	0.19	
09/30/13		12,833,637	11,354					1,317,815				2,980,475			
	10/01/13	12,834,025		September			Pounds Cr								
10/01/13		12,834,025	388	30,514			0.297		1,318,244				2,980,475		
10/08/13		12,843,796	9,771					1,321,693				2,988,064			
10/16/13		12,852,554	8,758					1,325,559				2,994,143			
10/18/13		12,855,027	2,473		7.7	1.20	1.120	1,326,419	7.5	1.04		2,996,041	7.8	0.14	
	11/01/13	12,867,815		October			Pounds Cr								
11/01/13		12,867,815	12,788	33,790			0.315		1,332,902				3,004,777		
11/05/13		12,876,841	9,026					1,335,488				3,012,422			
11/13/13		12,903,367	26,526		7.8	1.00	0.920	1,345,039	8.1	0.66		3,033,152	7.9	0.11	
11/20/13		12,924,566	21,199					1,350,740				3,051,316			
	12/01/13	12,940,971		November			Pounds Cr								
12/02/13		12,944,252	19,686	73,156			0.560		1,360,688				3,063,995		
12/10/13		12,954,971	10,719		7.6	1.4	1.320	1,365,411	7.4	2.70		3,071,689	7.1	0.07	
12/12/13		12,957,411	2,440					1,366,744				3,073,244			
12/23/13		12,965,941	8,530					1,371,029				3,078,956			
12/31/13		12,970,459	4,518					1,373,592				3,081,611			
	01/01/14	12,970,599		December			Pounds Cr								
01/01/14		12,970,772	313	29,628			0.326		1,373,592				3,081,991		
01/15/14		12,976,884	6,112		7.5	1.2	1.050	1,376,582	7.1	2.20		3,086,176	7.6	0.11	
01/31/14		12,983,061	6,177					1,379,605				3,090,406			
	02/01/14	12,983,265		January			Pounds Cr								
02/02/14		12,983,747	686	12,666			0.111		1,380,032				3,090,789		
02/13/14		12,987,155	3,408		8.0	1.8	1.610	1,381,726	8.1	2.88		3,093,093	8.3	0.19	
02/28/14		12,993,603	6,448												
	03/01/14	12,993,783		February			Pounds Cr								
03/01/14		12,993,909	306	10,518			0.141								
03/13/14		13,005,882	11,973		7.6	0.38	0.434	1,385,639	7.7	5.80		3,112,477	8.0	0.30	
03/31/14		13,059,539	53,657												
	04/01/14	13,059,979		March			Pounds Cr								
04/01/14		13,061,650	2,111	66,196			0.239		1,399,014				3,165,447		
04/12/14		13,091,485	29,835					1,411,117				3,187,701			
04/13/14		13,099,571	8,086					1,412,822				3,195,631			
04/15/14		13,135,912	36,341					1,424,711				3,224,028			
04/18/14		13,165,955	30,043					1,434,115				3,247,300			
04/22/14		13,210,016	44,061		7.6	0.44	0.377	1,440,204	7.4	0.72		3,258,396	7.5	0.31	
	05/01/14	13,211,258		April			Pounds Cr								
05/01/14		13,211,345	1,329	151,279			0.475		1,451,524				3,282,450		
05/13/14		13,267,656	56,311		7.5	0.28	0.273	1,471,868	7.3	0.73		3,326,392	7.4	0.20	
05/14/14		13,280,912	13,256					1,475,015				3,337,773			
05/15/14		13,286,754	5,842					1,476,780				3,342,511			
05/20/14		13,304,068	17,314					1,483,692				3,355,729			

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1		Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH
	06/01/14	13,332,599		May			Pounds Cr					
06/02/14		13,336,115	32,047	121,341		0.276	1,495,755			3,382,176		
06/12/14		13,372,027	35,912		7.9	0.40	0.381	1,508,756	7.6	0.60	3,410,073	7.8
06/14/14		13,374,936	2,909				1,510,080			3,412,070		
06/17/14		13,379,348	4,412				1,512,220			3,415,268		
06/19/14		13,394,274	14,926				1,514,826			3,429,626		
06/20/14		13,401,646	7,372				1,517,014			3,436,003		
06/30/14		13,444,046	42,400				1,531,745			3,470,067		
	07/01/14	13,445,046		June			Pounds Cr	1,532,601			3,472,302	
07/01/14		13,446,138	2,092	112,447		0.357						
07/02/14		13,449,088	2,950				1,533,460			3,475,127		
07/09/14		13,463,816	14,728		7.7	0.68	0.689	1,539,906	7.4	1.0	3,486,800	7.4
07/14/14		13,472,104	8,288				1,543,805			3,492,830		
07/28/14		13,480,642	8,538	July			Pounds Cr	1,551,065			3,501,179	
	08/01/14	13,481,746		36,700		0.211						
08/01/14		13,481,837	1,195				1,552,341			3,502,760		
08/13/14		13,495,032	13,195		7.9	0.681	0.72	1,557,877	7.5	1.16	3,511,069	7.7
08/17/14		13,502,593	7,561				1,560,483			3,517,406		
08/19/14		13,509,446	6,853				1,562,278			3,523,163		
08/20/14		13,517,300	7,854				1,563,989			3,530,111		
08/22/14		13,525,676	8,376				1,567,014			3,536,533		
08/25/14		13,534,424	8,748				1,571,333			3,542,173		
08/29/14		13,539,488	5,064				1,573,914			3,545,371		
08/30/14		13,542,314	2,826	August			Pounds Cr	1,575,198			3,547,361	
	09/01/14	13,543,999		62,253		0.37						
09/02/14		13,546,601	4,287				1,577,338			3,550,419		
09/05/14		13,550,482	3,881				1,579,481			3,553,370		
09/08/14		13,562,709	12,227				1,582,918			3,564,025		
09/17/14		13,579,703	16,994		7.9	0.60	0.546	1,589,348	7.6	1.16	3,577,644	7.3
09/24/14		13,593,114	13,411	September			Pounds Cr	1,595,011			3,577,644	
	10/01/14	13,602,541		58,542		0.27		1,600,155			3,577,644	
10/01/14		13,603,009	9,895					1,600,155			3,577,644	
10/16/14		13,633,400	30,391		7.3			1,610,440	7.8	1.28	3,619,044	7.4
												0.36

Italicized red type metered discharge reading was calculated by linear interpolation to 12 midnight.

Industrial User (Wastewater Discharge) Permit 12-21 Outfall 001 Effluent Limits		
pH Between 5.0 and 12.4 s.u.	Hexavalent Chromium <4.5 mg/L	Total Chromium <7.0 mg/L

TABLE 2
City of Appleton Compliance Limits, Outfall 001
 N.W. Mauthe Superfund Site - Appleton, WI

		Aluminum (mg/L)	Arsenic (mg/L)	Cadmium (mg/L)	Chromium Total (mg/L)	Copper (mg/L)	Cyanide (mg/L)	Lead (mg/L)	Mercury (mg/L)	Nickel (mg/L)	Zinc (mg/L)	Hexavalent Chromium (mg/L)
Permit #12-21 Limits		70	1.0	0.3	7.0	3.5	1.0	2.0	0.002	2.0	10.0	4.5
Sampler	Sample Date											
CH2M Hill	02/20/97	<.02	<.003	<.00050	0.04	<.01	<.00001	<.005	<.0002	<.005	0.0051	<.01
CH2M Hill	03/24/98	0.0152	<.002	<.00004	0.0637	<.0095	<.0017	<.0006	<.000015	<.0095	0.0046	0.1000
Appleton	04/29/98	<.011	<.002	<.005	0.2200	<.05	0.0020	<.1	<.0002	<.04	<.005	NA
Appleton	10/07/98	<.011	<.002	0.0050	0.1700	<.05	<.001	<.1	<.0002	<.04	0.0250	NA
MCO	03/18/99	<.009	<.003	<.00031	NA	.00068****	<.000032	<.0024	<.00005	.00351****	<.012	<.0036
Appleton	03/18/99	<.011	<.002	<.005	<.05	<.05	0.0010	0.1000	<.00005	0.0400	0.0180	NA
Appleton	09/21/99	<.011	<.002	<.005	<.05	<.05	0.0030	<.1	<.00015	<.04	0.0080	NA
Appleton	02/15/00	<.015	<.0020	<.005	0.0900	<.05	<.001	<.1	<.00013	<.04	0.0280	NA
MCO	03/13/00	<.009	<.003	<.00031	0.1400	<.0006	<.0044	<.0024	<.00005	0.0012	<.012	NA
Appleton	02/21/01	<.15	<.002	<.005	0.11	<.05	0.001	<.1	<.00013	<.04	0.042	NA
MCO	03/01/01	<.034	<.0027	.012 ****	0.25	.0088 ****	<.0033	<.17	<.00005	.036 ****	0.015	<.0036
Appleton	10/02/01	0.016	<.002	<.005	0.14	<.05	<.001	<.1	<.00013	<.04	0.065	NA
MCO	03/19/02	<.034	<.0027	<.0075	0.36	<.0077	<.0027	<.17	<.00005	<.017	<.012	<.0036
Appleton	05/02/02	<.049	<.012	<.014	0.362	<.015	<.0014	<.060	<.00011	<.011	<.009	NA
Appleton	11/12/02	0.027	<.0082	<.00053	0.23	<.009	<.0007	<.00084	<.000028	0.0044	0.0081	NA
Appleton	02/11/03	<.027	<.0082	<.00053	0.086	<.0009	<.0014	<.0013	<.000028	0.0036	<.0025	NA
Appleton	03/24/03	<.045	<.0027	<.0088	0.13	0.075	<.0050	<.16	<.000050	<.019	<.0044	<.0036
Appleton	10/23/03	0.0045	0.0013	<.00001	0.221	<.00008	<.0005	<.00006	0.0002	<.025	<.010	NA
Appleton	03/24/04	<.050	<.0026	<.010	0.15	<.0060	<.0050	<.16	<.000025	<.020	<.010	NA
Appleton	11/09/04	0.0071	<.0012	<.00001	0.04	0.0008	<.0005	<.008	<.0002	0.0013	<.01	NA
MCO	08/08/05	0.023	<.0035	<.00003	0.039	0.0019	<.0037	<.0011	<.000026	<.0044	0.0024	<.005
Appleton	11/05/06	0.0052	<.0012	<.00001	0.088	<.00005	<.0005	<.0008	<.0002	0.0017	<.010	NA
Appleton	02/23/06	0.0021	<.0012	<.00001	0.08	<.00005	<.00005	<.00008	<.00002	0.0022	<.010	NA
MCO	03/23/06	<.20	<.0076	<.000074	0.32	0.0018	0.0043	<.0034	<.000026	0.0033	<.020	NA
Appleton	06/27/06	<.200	<.0076	<.000074	0.700	0.0016	<.00094	<.0034	<.000072	0.0021	<.020	<.350
Appleton	10/05/06	0.037	<.000011	<.00001	4.575	0.0068	0.01	<.001	<.0002	0.0026	<.010	NA
Appleton	03/22/07	<.07	<.07	<.01	1.9	3.5	<.004	<.03	<.0002	<.04	<.01	NA
MCO	04/02/07	0.0383	0.00024	0.000086	1.41	0.0041	<.00094	0.00013	<.000019	0.0035	0.009	NA
Appleton	12/04/07	<.07	<.001	<.01	3.4	<.01	0.008	<.03	<.0002	<.04	<.01	1.5
Appleton	01/16/08	0.21	<.005	<.01	<.03	0.02	0.017	0.06	0.0003	<.04	0.04	NA
OMNNI	04/08/08	0.0114	0.00043	0.000011	0.864	0.0043	0.014 J	0.000095 J	<.00001	0.0024	0.0071	0.063
Appleton	08/19/08	<.08	<.001	<.01	0.95	<.01	0.005	<.03	0.0002	<.02	<.01	NA
Appleton	03/31/09	<.09	<.012	<.01	0.99	<.01	<.008	<.05	<.0002	<.02	<.01	NA
OMNNI	04/07/09	<.0151	0.003 J	0.00040 J	0.767	0.0024 J	<.00060	<.0014	<.000010	0.0016 J	0.0137 J	0.84
Appleton	09/22/09	<.08	<.006	<.01	2.3	<.01	<.008	<.05	<.0002	<.02	<.01	NA
Appleton	03/02/10	<.06	<.002	<.01	1.6	<.01	<.008	<.03	<.0002	<.01	<.01	NA
OMNNI	04/06/10	0.0501 J	<.0014	0.000043 J	1.16	0.0024 J	<.00061	<.000075	<.00001	0.0023 J	0.0046 J	1.3
Appleton	11/02/10	<.10	<.010	<.01	0.71	<.01	<.008	<.03	<.0002	<.01	<.01	NA
Appleton	02/24/11	<.08	<.001	<.01	1.5	<.01	0.008	<.04	<.0002	<.02	<.01	NA
OMNNI	04/05/11	0.0725 J	0.0025 J	<.000026	0.401	0.0028 J	<.00061	<.0014	<.000010	0.00053 J	0.0023 J	0.40
Appleton	10/26/11	<.08	<.005	<.01	1.2	<.01	0.007	<.04	<.0002	<.02	<.01	NA
Appleton	03/21/12	<.11	<.004	<.01	1.3	0.01	0.007	<.04	<.0002	<.02	<.01	NA
Terracon	04/05/12	<.0695	<.0047	<.000039	0.696	0.014 J	<.00061	<.0014	<.000010	0.001 J	<.0053	0.83
Appleton	10/04/12	0.0865	0.0051	0.00049	1.43	0.0028 J	0.026	0.0022	0.0001	0.00019 J	<.0053	NA
Terracon	04/11/13	0.078	<.004	<.00048	0.431	0.0024 J	<.00038	<.027	<.00010	0.00013 J	<.0024	0.42
Appleton	04/17/13	<.0714	<.0042	<.00048	0.279	0.0029 J	<.00038	<.027	<.00010	0.00062 J	<.0024	NA
Appleton	11/20/13	<.0714	<.0042	<.00048	1.13	0.0018 J	0.0044 J	<.027	<.00010	0.00085 J	0.0034 J	NA
Appleton	04/15/14	0.119 J	<.0068	<.001	0.27	0.0036 J	<.060	<.0016	<.00010	<.0013	<.0058	NA
Terracon	05/13/14	0.116 J	<.0068	<.001	0.273	0.0034 J	<.060	0.0040 J	<.00010	<.0013	0.0064 J	0.28

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-2	02/01/97	-		798.66
	05/01/97	-		801.01
	09/01/97	-		800.28
	12/01/97	-	804.66	797.69
	03/01/98	-		802.08
	06/01/98	-		799.38
	10/27/98	5.85		798.81
	02/08/99	4.50		800.16
	06/08/99	3.31		801.35
	09/13/99	5.78		798.88
	12/15/99	6.63		798.03
	03/13/00	1.60		803.06
	06/22/00	2.63		802.03
	09/27/00	3.28		801.38
	12/19/00	4.78		799.88
	03/01/01	5.93		798.73
	06/19/01	1.83		802.83
	09/24/01	5.94		798.72
	12/05/01	4.93		799.73
	03/19/02	1.08		803.58
	06/20/02	2.78		801.88
	09/18/02	6.38		798.28
	12/17/02	6.81		797.85
	03/24/03	4.31		800.35
	06/10/03	3.14		801.52
	09/10/03	6.11		798.55
	12/10/03	4.03		800.63
	03/24/04	1.26		803.40
	07/09/04	3.44		801.22
	09/21/04	6.79		797.87
	03/29/05	4.51		800.15
	06/20/05	4.83		799.83
	09/21/05	6.21		798.45
	12/14/05	5.51		799.15
	03/21/06	0.08		804.58
	06/28/06	6.02		798.64
	09/20/06	8.75		795.91
	12/09/06	6.20		798.46
	03/13/07	3.80		800.86
	07/03/07	6.16		798.50
	09/27/07	5.66		799.00
	04/16/08	5.91		798.75
	04/03/09	1.20		803.46
	03/17/10	1.37		803.29
	04/29/11	0.65		804.01
	03/14/12	1.55		803.11
	04/29/13	1.68		802.98
	04/21/14	0.80		803.86
	09/16/14	7.19		797.47

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-8	02/01/97	-		797.22
	05/01/97	-		797.66
	09/01/97	-		798.01
	12/01/97	-	803.36	796.52
	03/01/98	-		798.16
	06/01/98	-		797.31
	10/27/98	6.41		796.95
	02/08/99	5.49		797.87
	06/08/99	4.38		798.98
	09/13/99	6.71		796.65
	12/15/99	6.91		796.45
	03/13/00	6.25		797.11
	06/22/00	6.42		797.34
	09/27/00	5.66		797.70
	12/19/00	6.80		796.56
	03/01/01	5.41		797.95
	06/19/01	5.02		798.34
	09/24/01	3.38		799.98
	12/05/01	7.02		796.34
	03/19/02	3.63		799.73
	06/20/02	5.66		797.70
	09/18/02	6.93		796.43
	12/17/02	9.00		794.36
	03/24/03	6.18		797.18
	06/10/03	6.11		797.25
	09/10/03	6.71		796.65
	12/10/03	6.62		796.74
	03/23/04	6.55		796.81
	07/09/04	6.11		797.25
	09/21/04	7.08		796.28
	03/29/05	6.24		797.12
	06/20/05	6.60		796.76
	09/21/05	6.84		796.52
	12/14/05	6.71		796.65
	03/21/06	6.57		796.79
	06/28/06	7.18		796.18
	09/20/06	7.07		796.29
	12/19/06	6.87		796.49
	03/13/07	6.48		796.88
	07/03/07	7.29		796.07
	09/27/07	6.52		796.84
	04/16/08	6.11		797.25
	04/03/09	6.16		797.20
	03/17/10	6.14		797.22
	04/29/11	5.92		797.44
	03/14/12	6.09		797.27
	04/29/13	6.46		796.90
	04/21/14	6.20		797.16
	09/16/14	6.27		797.09

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-15	02/01/97	-		793.97
	05/01/97	-		796.92
	09/01/97	-		797.23
	12/01/97	-	803.76	795.52
	03/01/98	-		796.78
	06/01/98	-		796.32
	10/27/98	7.95		795.81
	02/08/99	9.19		794.57
	06/08/99	6.89		796.87
	09/13/99	7.85		795.91
	12/15/99	8.97		794.79
	03/13/00	7.80		795.96
	06/22/00	6.42		797.34
	09/27/00	6.30		797.46
	12/19/00	7.99		795.77
	03/01/01	9.52		794.24
	06/19/01	6.91		796.82
	09/24/01	6.65		797.11
	12/05/01	8.15		795.61
	03/19/02	7.22		796.54
	06/20/02	6.84		796.92
	09/18/02	7.28		796.48
	12/17/02	9.98		793.78
	03/24/03	9.77		793.99
	06/10/03	7.04		796.72
	09/10/03	7.06		796.70
	12/10/03	7.15		796.61
	03/23/04	6.58		797.18
	07/09/04	6.45	803.66 ****	797.21
	09/21/04	7.26		796.40
	03/29/05	7.50		796.16
	06/20/05	6.82		796.84
	09/21/05	7.05		796.61
	12/14/05	7.88		795.78
	03/21/06	6.95		796.71
	06/28/06	6.98	803.42 *****	796.44
	09/20/06	7.13		796.29
	12/19/06	8.02		795.40
	03/13/07	7.22		796.20
	07/03/07	7.00		796.42
	09/27/07	6.67		796.75
	04/16/08	-		-
	04/03/09	6.24		797.18
	03/17/10	7.19		796.23
	04/29/11	6.21		797.21
	03/14/12	6.62		796.80
	04/29/13	6.41		797.35
	04/21/14	ICE		#VALUE!
	09/16/14	6.40	803.96	797.56

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-101	02/01/97	-		797.16
	05/01/97	-		799.99
	09/01/97	-		798.67
	12/01/97	-	807.59	798.21
	03/01/98	-		803.43
	06/01/98	-		800.48
	10/27/98	10.26		797.33
	02/08/99	11.91		795.68
	06/08/99	9.79		797.80
	09/13/99	10.35		797.24
	12/15/99	9.01		798.58
	03/13/00	12.67		794.92
	06/22/00	6.28		801.31
	09/27/00	10.41		797.18
	12/19/00	10.73		796.86
	03/01/01	12.61		794.98
	06/19/01	8.43		799.16
	09/24/01	10.50		797.09
	12/05/01	10.98		796.61
	03/19/02	8.10		799.49
	06/20/02	7.08		800.51
	09/18/02	10.23		797.36
	12/17/02	12.47		795.12
	03/24/03	10.00		797.59
	06/10/03	7.41		800.18
	09/10/03	9.53		798.06
	12/10/03	8.31		799.28
	03/23/04	5.95		801.64
	07/09/04	7.84		799.75
	09/21/04	10.50		797.09
	03/29/05	9.00		798.59
	06/20/05	9.28		798.31
	09/21/05	9.64		797.95
	12/14/05	8.93		798.66
	03/21/06	8.10		799.49
	06/28/06	8.88		798.71
	09/20/06	8.90		798.69
	12/19/06	8.95		798.64
	03/13/07	8.73		798.86
	07/03/07	7.39		800.20
	09/27/07	7.31		800.28
	04/16/08	3.76		803.83
	04/03/09	5.09		802.50
	03/17/10	7.27		800.32
	04/29/11	3.36		804.23
	03/14/12	6.55		801.04
	04/29/13	5.46		802.13
	04/21/14	3.64	807.60	803.95
	09/16/14	5.37		802.23

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-102	02/01/97	-		780.72
	05/01/97	-		780.89
	09/01/97	-		780.79
	12/01/97	-	804.45	780.95
	03/01/98	-		780.47
	06/01/98	-		780.72
	10/27/98	24.11		780.34
	02/08/99	23.84		780.61
	06/08/99	23.59		780.86
	09/13/99	23.70		780.75
	12/15/99	24.27		780.18
	03/13/00	24.00		780.45
	06/22/00	23.69		780.76
	09/27/00	23.65		780.80
	12/19/00	24.06		780.39
	03/01/01	26.01		778.44
	06/19/01	23.35		781.10
	09/24/01	23.88		780.57
	12/05/01	24.08		780.37
	03/19/02	23.75		780.70
	06/20/02	23.05		781.40
	09/18/02	24.50		779.95
	12/17/02	25.30		779.15
	03/24/03	23.80		780.65
	06/10/03	23.09		781.36
	09/10/03	23.98	804.37 ***	780.39
	12/10/03	23.22		781.15
	03/23/04	23.56		780.81
	07/09/04	23.52		780.85
	09/21/04	24.65		779.72
	03/29/05	21.24		783.13
	06/20/05	23.81		780.56
	09/21/05	24.71		779.66
	12/14/05	24.25		780.12
	03/21/06	23.39		780.98
	06/28/06	23.95		780.42
	09/20/06	25.15		779.22
	12/19/06	25.26		779.11
	03/13/07	24.41		779.96
	07/03/07	23.89		780.48
	09/27/07	24.38		779.99
	04/16/08	23.20		781.13
	04/03/09	23.48		780.89
	03/17/10	23.44		780.93
	04/29/11	23.18		781.19
	03/14/12	23.48		780.89
	04/29/13	21.05		783.40
	04/21/14	21.33		783.12
	09/16/14	23.83		780.62

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-103	02/01/97	-		795.29
	05/01/97	-		791.83
	09/01/97	-		789.60
	12/01/97	-	803.74	787.78
	03/01/98	-		791.03
	06/01/98	-		789.13
	10/27/98	11.96		791.78
	02/08/99	10.24		793.50
	06/08/99	8.69		795.05
	09/13/99	9.79		793.95
	12/15/99	12.68		791.06
	03/13/00	9.63		794.07
	06/22/00	8.22		795.52
	09/27/00	7.76		795.98
	12/19/00	10.78		792.96
	03/01/01	9.15		794.59
	06/19/01	5.52		798.22
	09/24/01	9.80		793.94
	12/05/01	11.13		792.61
	03/19/02	4.96		798.78
	06/20/02	7.42		796.32
	09/18/02	9.00		794.74
	12/17/02	13.01		790.73
	03/24/03	7.63		796.11
	06/10/03	7.77		795.97
	09/10/03	9.60		794.14
	12/10/03	8.09		795.65
	03/23/04	4.01		797.73
	07/09/04	12.91		790.83
	09/21/04	10.30		793.44
	03/29/05	NR		---
	06/20/05	9.55		794.19
	09/21/05	9.70		794.04
	12/14/05	10.40		793.34
	03/21/06	7.87		795.87
	06/28/06	9.75		793.99
	09/20/06	11.23		792.51
	12/20/06	10.36		793.38
	03/13/07	9.91		793.83
	07/03/07	9.45		794.29
	09/27/07	9.52		794.22
	04/16/08	7.06		796.68
	09/22/08	9.62		794.12
	04/03/09	8.22		795.52
	09/01/09	9.78		793.96
	03/17/10	8.07		795.67

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-103	09/09/10	8.66		795.08
	04/29/11	4.32		799.42
	09/01/11	9.63		794.11
	03/14/12	7.95		795.79
	09/11/12	11.30		792.44
	04/29/13	6.47		797.27
	09/18/13	5.91		797.83
	04/21/14	6.15		797.59
	09/16/14	4.74		799.00
MW-104	02/01/97	-		792.94
	05/01/97	-		789.91
	09/01/97	-		798.59
	12/01/97	-	807.28	795.70
	03/01/98	-		799.46
	06/01/98	-		796.60
	10/27/98	10.51		796.77
	02/08/99	9.04		798.24
	06/08/99	7.49		799.79
	09/13/99	10.28		797.00
	12/15/99	10.78		796.50
	03/13/00	9.51		797.77
	06/22/00	8.41		798.88
	09/27/00	8.61		798.67
	12/19/00	10.49		796.79
	03/01/01	8.44		798.84
	06/19/01	7.51		799.71
	09/24/01	10.39		796.89
	12/05/01	10.81		796.47
	03/19/02	7.82		799.46
	06/20/02	8.60		798.68
	09/18/02	12.05		795.23
	12/17/02	12.70		794.58
	03/24/03	12.60		794.68
	06/10/03	8.81		798.47
	09/10/03	11.17		796.11
	12/10/03	8.66		798.62
	03/23/04	7.44		799.84
	09/21/04	15.21		792.07
	03/29/05	11.09		796.19
	06/20/05	9.57		797.71
	09/21/05	18.95		788.33
	12/14/05	9.94		797.34
	03/21/06	8.53		798.75
	06/28/06	11.23		796.05
	09/20/06	12.81		794.47
	12/20/06	24.46		782.82
	03/13/07	12.11		795.17
	07/03/07	13.04		794.24
	09/27/07	21.47		785.81
	04/16/08	7.88		799.40
	09/22/08	17.08		790.20

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-104	04/03/09	7.93		799.35
	09/01/09	19.45		787.83
	03/17/10	8.13		799.15
	09/09/10	11.46		795.82
	04/29/11	7.60		799.68
	09/01/11	17.67		789.61
	03/14/12	8.28		799.00
	09/11/12	24.08		783.20
	04/29/13	8.62		798.66
	09/18/13	20.00		787.28
	04/21/14	8.65		798.63
	09/16/14	8.53		798.75
MW-105	02/01/97	-		793.74
	05/01/97	-		800.60
	09/01/97	-		800.37
	12/01/97	-	803.96	799.03
	03/01/98	-		800.08
	06/01/98	-		800.50
	10/27/98	5.41		798.55
	02/08/99	6.46		797.50
	06/08/99	3.04		800.92
	09/13/99	4.60		799.36
	12/15/99	5.28		798.68
	03/13/00	4.97		798.99
	06/22/00	3.06		800.90
	09/27/00	3.38		800.58
	12/19/00	5.28		798.68
	03/01/01	7.24		796.72
	06/19/01	2.43		801.53
	09/24/01	3.87		800.09
	12/05/01	5.55		798.41
	03/19/02	3.94		800.02
	06/20/02	4.08		799.88
	09/18/02	5.40		798.56
	12/17/02	7.34		796.62
	03/24/03	6.81		797.15
	06/10/03	4.27		799.69
	09/10/03	4.88	803.84 ***	798.96
	12/10/03	4.36		799.24
	03/23/04	3.80		800.04
	07/09/04	3.61	803.74 ****	800.13
	09/21/04	4.92		798.82
	03/29/05	3.85		799.89
	06/20/05	4.15		799.59
	09/21/05	4.70		799.04
	12/14/05	5.25		798.49
	03/21/06	4.26		799.48
	06/28/06	4.81	803.54 *****	798.73
	09/20/06	4.51		799.03
	12/19/06	5.40		798.14
	03/13/07	6.46	803.46*****	797.08

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-105	07/03/07	4.30		799.16
	09/27/07	3.81		799.65
	04/16/08	3.53		799.93
	04/03/09	3.29		800.17
	03/17/10	4.05		799.41
	04/29/11	2.30		801.16
	03/14/12	3.50		799.96
	04/29/13	3.41		800.55
	04/21/14	2.68		801.28
	09/16/14	3.40		800.56
MW-106	02/01/97	-		794.75
	05/01/97	-		797.23
	09/01/97	-		796.91
	12/01/97	-	804.08	795.48
	03/01/98	-		797.37
	06/01/98	-		796.76
	10/27/98	8.12		795.96
	02/08/99	9.75		794.33
	06/08/99	6.72		797.36
	09/13/99	7.88		796.20
	12/15/99	8.71		795.37
	03/13/00	8.72		795.36
	06/22/00	6.87		797.21
	09/27/00	7.41		796.67
	12/19/00	8.55		795.53
	03/01/01	9.54		794.54
	06/19/01	6.30		797.78
	09/24/01	7.57		796.51
	12/05/01	8.72		795.36
	03/19/02	7.64		796.44
	06/20/02	7.21		796.87
	09/18/02	7.88		796.20
	12/17/02	10.49		793.59
	03/24/03	9.98		794.10
	06/10/03	7.54		796.54
	09/10/03	7.35	804.00 ***	796.65
	12/10/03	7.18		796.82
	03/23/04	7.54		796.46
	07/09/04	6.48	803.90 ****	797.42
	09/21/04	8.02		795.88
	03/29/05	8.26		795.64
	06/20/05	7.31		796.59
	09/21/05	7.85		796.05
	12/14/05	8.47		795.43
	03/21/06	7.41		796.49
	06/28/06	7.78	803.83 *****	796.05
	09/20/06	7.90		795.93
	12/19/06	8.39		795.44
	03/13/07	9.08		794.75

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-106	07/03/07	7.35		796.48
	09/27/07	6.92		796.91
	04/16/08	5.65		798.18
	04/03/09	7.03		796.80
	03/17/10	7.03		796.80
	04/29/11	5.05		798.78
	03/14/12	6.75		797.33
	04/29/13	7.04		797.04
	04/21/14	Inaccessible		#VALUE!
	09/16/14	6.11	804.15	798.04
MW-107	02/01/97	-		788.23
	05/01/97	-		796.60
	09/01/97	-		797.64
	12/01/97	-	809.01	796.49
	03/01/98	-		796.68
	06/01/98	-		796.31
	10/27/98	10.71		798.30
	02/08/99	11.11		797.90
	06/08/99	11.04		797.97
	09/13/99	11.55		797.46
	12/15/99	11.66		797.35
	03/13/00	11.13		797.88
	06/22/00	10.69		798.32
	09/27/00	12.36		796.65
	12/19/00	7.32		799.29
*	03/01/01	-		-
	06/19/01	10.10	809.06 **	798.96
	09/24/01	11.23		797.88
	12/05/01	11.59		797.47
	03/19/02	9.79		799.27
	06/20/02	10.18		798.88
	09/18/02	11.16		797.90
	12/17/02	12.11		796.95
	03/24/03	12.46		796.60
	06/10/03	10.40		798.66
	09/10/03	11.34		797.72
	12/10/03	10.88		798.18
	03/23/04	9.04		800.02
	07/09/04	11.53		797.53
	09/21/04	12.55		796.51
	03/29/05	10.48		798.58
	06/20/05	11.14		797.92
	09/21/05	11.69		797.37
	12/14/05	11.10		797.96
	03/21/06	10.09		798.97
	06/28/06	11.69		797.37
	09/20/06	12.14		796.92
	12/19/06	11.45		797.61
	03/13/07	10.95		798.11

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-107	07/03/07	11.34		797.72
	09/27/07	10.86		798.20
	04/16/08	8.92		800.14
	09/22/08	11.35		797.71
	04/03/09	9.02		800.04
	09/01/09	11.15		797.91
	03/17/10	9.09		799.97
	09/09/10	10.72		798.34
	04/29/11	8.17		800.89
	09/01/11	11.14		797.92
	03/14/12	8.74		800.32
	09/11/12	11.51		797.55
	04/29/13	9.33		799.76
	09/17/13	11.15		797.94
	04/21/14	8.35		800.74
	09/16/14	10.19		798.90
MW-108	02/01/97	-		798.36
	05/01/97	-		793.32
	09/01/97	-		790.53
	12/01/97	-	806.61	788.65
	03/01/98	-		795.59
	06/01/98	-		789.30
	10/27/98	6.98		799.63
	02/08/99	6.72		799.89
	06/08/99	5.80		800.81
	09/13/99	6.68		799.93
	12/15/99	6.87		799.74
	03/13/00	6.84		799.77
	06/22/00	6.28		800.33
	09/27/00	6.31		800.30
	12/19/00	11.42		797.59
	03/01/01	7.04		799.57
	06/19/01	5.87		800.74
	09/24/01	6.52		800.09
	12/05/01	7.70		798.91
	03/19/02	6.25		800.36
	06/20/02	6.43		800.18
	09/18/02	6.72		799.89
	12/17/02	7.78		798.83
	03/24/03	8.69		797.96
	06/10/03	7.00		799.61
	09/10/03	6.91		799.70
	12/10/03	5.18		801.43
	03/23/04	6.24		800.37
	07/09/04	6.12		800.49
	09/21/04	6.91		799.70
	03/29/05	6.64		799.97
	06/20/05	6.78		799.83
	09/21/05	6.66		799.95
	12/14/05	6.68		799.93

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-108	03/21/06	6.71		799.90
	06/28/06	6.82		799.79
	09/20/06	6.75		799.86
	12/19/06	6.90		799.71
	03/13/07	6.75		799.86
	07/03/07	7.53		799.08
	09/27/07	6.55		800.06
	04/16/08	1.27		805.34
	04/03/09	6.04		800.57
	03/17/10	6.32		800.29
	04/29/11	6.76		799.85
	03/14/12	6.39		800.22
	04/29/13	6.58		800.03
	04/21/14	6.64		799.97
	09/16/14	6.57		800.04
MW-109	06/21/06	8.98	810.52	801.54
	09/20/06	8.90		801.62
	12/19/06	9.68		800.84
	03/13/07	9.32		801.20
	07/03/07	9.11		801.41
	09/27/07	8.08		802.44
	04/16/08	7.68		802.84
	09/22/08	9.04		801.48
	04/03/09	7.85		802.67
	09/01/09	8.53		801.99
	03/17/10	8.05		802.47
	09/09/10	9.46		801.06
	04/29/11	7.39		803.13
	09/01/11	9.54		800.98
	03/14/12	7.71		802.81
	09/11/12	8.99		801.53
	04/29/13	8.92		801.60
	09/17/13	8.29		802.23
	04/21/14	7.76		802.76
	09/16/14	8.09		802.43
MW-110	06/21/06	10.39	809.81	799.42
	09/20/06	11.09		798.72
	12/19/06	11.06		798.75
	03/13/07	11.04		798.77
	07/03/07	10.60		799.21
	09/27/07	10.33		799.48
	04/16/08	8.31		801.50
	09/22/08	10.67		799.14
	04/03/09	8.72		801.09
	09/01/09	10.52		799.29
	03/17/10	8.92		800.89
	09/09/10	10.24		799.57
	04/29/11	6.72		803.09
	09/01/11	10.57		799.24
	03/14/12	7.98		801.83
	09/11/12	10.91		798.90
	04/29/13	8.75		801.06
	09/17/13	10.47		799.34
	04/21/14	7.12		802.69
	09/16/14	9.57		800.24

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-111	06/21/06	10.69	807.59	796.90
	09/20/06	13.45		794.14
	12/19/06	14.97		792.62
	03/13/07	9.63		797.96
	07/03/07	9.00		798.59
	09/27/07	8.66		798.93
	04/16/08	5.46		802.13
	09/22/08	10.03		797.56
	04/03/09	5.68		801.91
	09/01/09	9.95		797.64
	03/17/10	6.17		801.42
	09/09/10	8.83		798.76
	04/29/11	5.25		802.34
	09/01/11	9.33		798.26
	03/14/12	6.11		801.48
	09/11/12	12.61		794.98
	04/29/13	6.61		800.98
	09/18/13	10.80		796.79
	04/21/14	5.65		801.94
	09/16/14	7.66		799.93
MW-112	06/21/06	15.70	808.14	792.44
	09/20/06	10.75		797.39
	12/19/06	11.93		796.21
	03/13/07	10.23		797.91
	07/03/07	8.91		799.23
	09/27/07	9.01		799.13
	04/16/08	6.57		801.57
	09/22/08	9.29		798.85
	04/03/09	6.85		801.29
	09/01/09	9.32		798.82
	03/17/10	7.87		800.27
	09/09/10	8.57		799.57
	04/29/11	3.69		804.45
	09/01/11	9.19		798.95
	03/14/12	3.49		804.69
	09/11/12	10.57		797.57
	04/29/13	6.11		802.03
	09/17/13	9.72		798.42
	04/21/14	3.58		804.56
	09/16/14	8.34		799.80

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-113	06/21/06	9.69	808.24	798.55
	09/20/06	10.27		797.97
	12/19/06	10.03		798.21
	03/13/07	8.93		799.31
	07/03/07	9.75		798.49
	09/27/07	9.67		798.57
	04/16/08	7.03		801.21
	09/22/08	9.97		798.27
	04/03/09	7.41		800.83
	09/01/09	9.72		798.52
	03/17/10	7.37		800.87
	09/09/10	9.48		798.76
	04/29/11	6.50		801.74
	09/01/11	9.74		798.50
	03/14/12	6.86		801.38
	09/11/12	10.11		798.13
	04/29/13	8.14		800.10
	09/17/13	9.80		798.44
	04/21/14	6.95		801.29
	09/16/14	9.00		799.24
PZ-05	07/19/05	37.39	810.88	773.49
	09/21/05	28.56		782.32
	12/19/06	27.98		782.90
	03/13/07	28.61		782.27
	07/03/07	28.00		782.88
	09/27/07	28.06		782.82
	04/16/08	27.83		810.88
	04/03/09	28.00		782.88
	03/17/10	28.33		782.55
	04/29/11	27.33		783.55
	03/14/12	27.68		783.20
	04/29/13	27.40		783.48
	04/21/14	27.88		783.00
	09/16/14	27.40		783.48
PZ-06	07/19/05	36.31	809.77	773.46
	09/21/05	29.79		779.98
	12/19/06	29.49		780.28
	03/13/07	29.93		779.84
	07/03/07	30.03		779.74
	09/27/07	29.54		780.23
	04/16/08	28.97		809.77
	04/03/09	29.15		780.62
	03/17/10	29.72		780.05
	04/29/11	28.37		781.40
	03/14/12	28.85		780.92
	04/29/13	28.40		781.37
	04/21/14	28.91		780.86
	09/16/14	28.80		780.97

TABLE 3
Groundwater Elevations
N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
PZ-07	07/19/05	32.03	804.48	772.45
	09/21/05	27.34		777.14
	12/19/06	29.37		775.11
	03/13/07	24.41		780.07
	07/03/07	23.74		780.74
	09/27/07	25.15		779.33
	04/16/08	23.83		804.48
	04/03/09	23.76		780.72
	03/17/10	24.33		780.15
	04/29/11	23.27		781.21
	03/14/12	23.70		780.78
	04/29/13	24.19		780.29
	04/21/14	23.94		780.54
	09/16/14	22.65		781.83
PZ-08	07/19/05	32.07	804.35	772.28
	09/21/05	24.47		779.88
	12/19/06	28.16		776.19
	03/13/07	21.90		782.45
	07/03/07	23.19		781.16
	09/27/07	22.47		781.88
	04/16/08	21.00		804.35
	04/03/09	20.63		783.72
	03/17/10	21.25		783.10
	04/29/11	20.65		783.70
	03/14/12	20.94		783.41
	04/29/13	20.25		784.10
	04/21/14	20.09		784.26
	09/16/14	20.71		783.64

* Casing for MW-107 was damaged. Groundwater elevation could not be determined.

** Reflects new elevation of MW-107 after repair to well casing.

*** Monitoring wells re-surveyed after casings were shortened.

**** New elevation after the PVC casing was shortened after the March 23, 2004 sampling event.

***** New elevation after the PVC casing was shortened after the March 21, 2006 sampling event.

*****New elevation after PVC casing was shortened after the December 19, 2006 sampling event.

Note: OMNNI Associates, Inc. collected water level readings from MW-109 to MW-113 on June 21, 2006 and September 20, 2006 and from PZ-5 to PZ-8 on July 19, 2005 and September 21, 2005.

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
W-2	02/20/97	NR	8.00	6.00	750 us	NA	NA	NA	NA
	05/27/97	NR	7.74	10.10	NA	NA	NA	NA	NA
	09/18/97	NR	7.01	14.50	910 us	NA	NA	NA	NA
	12/12/97	NR	7.33	9.50	820 us	NA	NA	NA	NA
	03/25/98	NR	7.96	7.90	1235 us	NA	NA	NA	NA
	06/10/98	NR	6.59	10.20	1057 us	NA	NA	NA	NA
	10/27/98	4	7.93	14.80	1278 us	1.40	119.00	12.00	0.00
	02/09/99	4	8.47	9.50	1278 us	2.10	146.00	16.00	0.20
	06/08/99	4	7.20	14.60	1234 us	1.00	85.00	11.20	1.00
	09/13/99	5.1	7.34	15.00	1254 us	1.90	(136.00)	9.60	0.00
	12/15/99	4.8	7.77	11.80	1199 us	1.50	(231.00)	4.80	0.00
	03/13/00	7	6.17	8.90	1278 us	1.30	59.00	7.60	0.00
	06/22/00	4.4	7.86	12.10	1240 us	1.50	59.00	7.60	0.00
	09/27/00	6.6	6.39	16.40	1140 us	1.90	(187.00)	9.60	0.00
	12/19/00	5	7.66	9.50	1171 us	1.85	(161.00)	11.20	0.00
	03/01/01	3.5	7.42	10.50	1084 us	1.41	(222.00)	9.20	0.00
	06/19/01	7	7.81	15.60	1980 us	1.10	(18.00)	8.40	0.00
	09/24/01	5	7.48	13.40	1712 us	0.90	(38.00)	6.60	0.00
	12/05/01	5	7.51	10.20	1244 us	1.10	(71.00)	9.60	0.00
	03/19/02	6	7.51	10.60	977 us	1.10	(210.00)	13.20	0.00
	06/20/02	6	7.40	15.00	1870 us	0.80	(88.00)	8.80	0.00
	09/18/02	5	7.18	14.80	1138 us	1.00	(99.00)	10.40	0.00
	12/17/02	4	7.34	10.30	1187 us	1.00	(103.00)	9.60	0.00
	03/24/03	4	7.30	10.30	1077 us	1.00	(310.00)	10.00	0.00
	06/10/03	6	7.21	14.90	1620 us	1.00	(110.00)	12.80	0.00
	09/10/03	4	7.09	14.60	1210 us	0.80	(111.00)	8.80	0.00
	03/24/04	4.5	7.30	7.40	1210 us	EM	6.00	NA	0.00
	03/29/05	4.5	7.20	6.30	1182 us	3.40	85.00	NA	0.00
	03/23/06	7	6.60	10.50	2470 us	2.65	191.00	NA	0.03
	03/27/07	4	7.4	9.0	1240 us	8.0	243	NA	0.04
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.45	7.1	1276.0 µs	0.69	126.7	NA	0.17

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
W-8	02/20/97	NR	8.20	7.50	1000 us	NA	NA	NA	NA
	05/27/97	NR	7.30	10.40	NA	NA	NA	NA	NA
	09/18/97	NR	7.07	17.00	1250 us	NA	NA	NA	NA
	12/12/97	NR	7.32	11.20	1090 us	NA	NA	NA	NA
	03/25/98	NR	7.34	7.90	1590 us	NA	NA	NA	NA
	06/10/98	NR	6.95	11.50	1407 us	NA	NA	NA	NA
	10/27/98	5	7.42	16.70	1459 us	1.30	97.00	14.40	0.20
	02/09/99	3.9	8.08	11.20	1386 us	1.30	21.00	8.00	2.40
	06/08/99	5.5	7.23	14.80	1283 us	1.80	85.00	14.00	5.60
	09/13/99	5.2	7.12	16.30	1363 us	1.70	(143.00)	14.40	1.60
	12/15/99	5.1	7.25	10.30	1375 us	0.90	(288.00)	14.40	1.20
	03/13/00	5	7.06	8.80	1277 us	1.10	(33.00)	8.40	1.00
	06/22/00	5	8.58	14.60	1177 us	1.97	(120.00)	6.80	0.00
	09/27/00	6	7.60	18.10	1098 us	1.50	(178.00)	10.00	0.00
	12/19/00	4	7.67	8.30	1227 us	1.14	(267.00)	11.60	0.00
	03/01/01	5	7.51	11.10	1175 us	1.20	(311.00)	11.20	0.00
	06/19/01	6	7.93	14.80	1310 us	0.80	(24.00)	6.20	0.00
	09/24/01	6	7.37	13.10	1177 us	0.40	4.00	6.40	0.00
	12/05/01	5	7.30	10.40	1288 us	1.00	(163.00)	12.40	0.00
	03/19/02	6	7.44	10.90	1044 us	1.30	(280.00)	11.20	0.00
	06/20/02	6	7.51	14.20	1240 us	0.80	(90.00)	6.20	0.00
	09/18/02	5	7.31	15.60	1221 us	1.30	(104.00)	14.60	1.00
	12/17/03	3	7.28	10.60	1,155	1.10	(172.00)	12.40	0.40
	03/24/03	5	7.18	10.60	1131 us	0.80	(342.00)	11.20	0.00
	06/10/03	4	7.30	15.00	1133 us	0.80	(121.00)	8.80	0.00
	09/10/03	5	7.22	15.00	1240 us	1.00	(175.00)	11.60	0.80
	03/24/04	4.3	7.40	7.80	755 us	EM	(47.00)	NA	0.00
	03/29/05	4	7.10	7.80	1743 us	3.43	87.00	NA	0.00
	03/23/06	4	7.20	8.30	2560 us	4.00	227.00	NA	0.00
	03/27/07	3	7.3	10.3	1438 us	6.71	237	NA	0.03
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.52	8.5	1510.0 µs	3.32	222	NA	0.03

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
W-15	02/20/97	NR	8.15	9.00	920 us	NA	NA	NA	NA
	05/27/97	NR	7.66	10.00	NA	NA	NA	NA	NA
	09/18/97	NR	7.22	16.00	1300 us	NA	NA	NA	NA
	12/12/97	NR	7.18	10.40	1180 us	NA	NA	NA	NA
	03/25/98	NR	7.70	8.40	1450 us	NA	NA	NA	NA
	06/10/98	NR	6.46	11.60	1496 us	NA	NA	NA	NA
	10/27/98	4	7.27	16.00	1551 us	0.80	137.00	14.40	0.00
	02/09/99	2.6	8.07	10.00	1418 us	1.30	7.00	12.00	0.60
	06/08/99	4.5	7.54	16.70	1465 us	1.50	75.00	12.00	1.40
	09/13/99	3.6	7.18	17.60	1647 us	1.90	(137.00)	10.40	0.80
	12/15/99	3.3	7.52	11.70	1544 us	1.50	(281.00)	12.40	1.00
	03/13/00	4	7.14	8.90	1266 us	1.40	(19.00)	7.60	0.40
	06/22/00	3	8.22	14.90	1546 us	1.63	36.00	7.30	0.00
	09/27/00	5	5.43	17.40	1711 us	1.30	(41.00)	12.40	0.00
	12/19/00	3	7.55	8.90	1628 us	3.23	(305.00)	15.20	1.60
	03/01/01	4	7.43	10.90	1435 us	2.10	(381.00)	16.00	0.80
	06/19/01	5	8.18	14.80	1380 us	1.40	(64.00)	6.00	0.00
	09/24/01	5	7.22	12.60	1160 us	1.00	(49.00)	8.00	0.00
	12/05/01	3	7.28	9.90	1544 us	2.00	(280.00)	12.80	1.20
	03/19/02	5	7.58	10.30	1284 us	1.80	(318.00)	12.20	0.40
	06/20/02	5	8.00	14.60	1280 us	1.00	(180.00)	12.40	0.00
	09/18/02	5	7.20	16.30	1399 us	1.60	(152.00)	13.60	0.40
	12/17/02	3	7.18	10.00	1234 US	2.00	(220.00)	8.80	1.00
	03/24/03	3	7.22	10.60	1294 us	1.40	(330.00)	12.40	0.20
	06/10/03	5	7.76	14.80	1148 us	1.20	(174.00)	11.20	0.00
	09/10/03	5	7.18	15.40	1317 us	1.20	(170.00)	10.40	0.60
	03/24/04	3.7	7.30	8.40	1516 us	EM	(32.00)	NA	0.00
	03/29/05	3	7.00	8.20	2240 us	3.81	85.00	NA	0.00
	03/23/06	4	7.00	7.50	1952 us	4.40	236.00	NA	0.00
	03/28/07	3	7.3	9.0	1420 us	3.28	213	NA	0.01
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.43	7.9	1713.0 µs	3.68	219	NA	0.00

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-101	02/20/97	NR	7.12	8.00	1400 us	NA	NA	NA	NA
	05/27/97	NR	7.56	12.90	NA	NA	NA	NA	NA
	09/18/97	NR	6.54	14.00	1380 us	NA	NA	NA	NA
	12/12/97	NR	6.64	11.40	1390 us	NA	NA	NA	NA
	03/25/98	NR	7.58	10.50	2142 us	NA	NA	NA	NA
	06/10/98	NR	6.29	11.50	2116 us	NA	NA	NA	NA
	10/27/98	9	7.13	14.10	2.27 ms	0.50	116.00	12.00	0.00
	02/09/99	7	8.11	12.70	2.11 ms	1.10	165.00	8.80	0.20
	06/08/99	6	7.05	15.00	2.17 ms	0.70	161.00	8.00	0.20
	09/13/99	5.9	7.25	14.90	2.12 ms	0.90	(125.00)	13.60	0.00
	12/15/99	6	8.71	12.70	2.06 ms	1.00	(262.00)	8.80	0.00
	03/13/00	7	6.34	11.60	1939 us	1.10	44.00	8.00	0.00
	06/22/00	5	7.73	15.20	2.25 ms	0.96	50.00	8.00	0.00
	09/27/00	8.5	6.80	15.50	2.18 ms	0.70	3.00	12.80	0.00
	12/19/00	10.5	7.12	11.90	2.18 ms	1.48	(233.00)	14.40	0.00
	03/01/01	8	7.41	11.00	2.31 ms	1.32	(283.00)	12.20	0.00
	06/19/01	9	8.04	13.60	1265 us	1.00	10.00	7.20	0.00
	09/24/01	8	7.79	13.40	1304 us	1.00	(11.00)	11.20	0.00
	12/05/01	9	7.40	11.20	2240 us	1.20	(304.00)	8.40	0.00
	03/19/02	9	7.36	10.80	1984 us	1.40	(210.00)	12.20	0.00
	06/20/02	10	7.93	13.80	1190 us	0.80	(30.00)	14.00	0.00
	09/18/02	10	7.24	15.00	2248 us	0.80	(113.00)	8.80	0.00
	12/17/02	8	7.27	11.40	1988 us	1.60	(334.00)	8.40	0.00
	03/24/03	9	7.45	11.10	1033 us	0.60	(190.00)	11.20	0.00
	06/10/03	10	7.66	14.00	1121 us	1.00	(61.00)	13.20	0.00
	09/10/03	8	7.30	14.80	2104 us	0.80	(124.00)	7.20	0.00
	03/24/04	6.7	6.90	10.10	3160 us	EM	(69.00)	NA	0.00
	03/29/05	6	6.60	12.12	4730 us	1.27	83.00	NA	0.00
	03/23/06	7	6.60	10.50	2470 us	2.65	191.00	NA	0.03
	03/27/07	5	6.70	13.3	2440 us	3.64	187	NA	0.00
	04/16/08	1.25	6.94	10.5	NA	1.62	309	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	1.5	6.88	7.9	8.83 ms	2.23	NA	NA	NA
	03/17/10	1.5	6.90	9.1	7.30 ms	2.76	263	NA	NA
	04/29/11	1.25	7.06	10.2	5920 µs	2.57	293	NA	0.00
	03/16/12	2	6.20	10.1	0.47 S/m	1.90	212	NA	NA
	04/29/13	2.5	9.59	9.3	6.33 ms	2.09	(74.40)	NA	NA
	04/21/14	3.5	6.84	7.4	2.97 mS/cm	3.99	258.6	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-102	02/20/97	NR	8.00	10.50	700 us	NA	NA	NA	NA
	05/27/97	NR	7.47	10.50	NA	NA	NA	NA	NA
	09/18/97	NR	6.99	13.00	810 us	NA	NA	NA	NA
	12/12/97	NR	7.23	8.50	690 us	NA	NA	NA	NA
	03/25/98	NR	7.68	10.20	1145 us	NA	NA	NA	NA
	06/10/98	NR	6.97	10.30	1046 us	NA	NA	NA	NA
	10/27/98	2	8.07	13.00	1197 us	1.50	103.00	17.60	0.40
	02/09/99	0.5	7.48	11.00	1164 us	1.00	0.33	14.40	0.00
	06/08/99	0.5	7.89	18.60	1226 us	1.00	151.00	4.80	0.80
	09/13/99	0.5	7.84	13.30	1208 us	1.20	(246.00)	10.00	1.20
	12/15/99	0.5	7.78	9.00	1152 us	1.60	(288.00)	10.80	1.00
	03/13/00	0.5	6.74	9.70	1096 us	1.20	(260.00)	6.80	0.00
	06/22/00	0.5	8.01	12.30	1233 us	0.53	(13.00)	6.00	0.00
	09/27/00	0.5	8.25	12.50	1182 us	1.90	(241.00)	9.20	0.00
	12/19/00	0.5	7.59	8.70	1126 us	1.27	(454.00)	11.60	0.00
	03/01/01	0.5	7.30	10.90	1321 us	1.02	(521.00)	9.20	0.00
	06/19/01	0.5	8.64	13.20	1944 us	0.60	35.00	6.40	0.00
	09/24/01	0.5	7.63	13.40	1622 us	0.80	18.00	7.20	0.00
	12/05/01	0.5	7.59	9.40	1233 us	0.80	(110.00)	12.40	0.00
	03/19/02	0.5	7.41	10.80	1143 us	0.90	(503.00)	9.20	0.50
	06/20/02	0.5	8.18	13.80	1720 us	0.40	4.00	9.60	0.00
	09/18/02	0.5	7.04	13.50	1318 us	1.00	(212.00)	10.80	1.00
	12/17/02	0.5	7.55	10.00	1186 us	0.60	(94.00)	11.20	0.00
	03/24/03	0.5	7.38	10.40	972 us	0.40	(621.00)	8.40	0.00
	06/10/03	0.5	8.01	13.80	1530 us	0.40	(18.00)	8.60	0.00
	09/10/03	0.5	7.10	14.00	1313 us	0.80	(211.00)	8.00	0.80
	03/24/04	2.7	7.20	12.80	1112 us	EM	(26.00)	NA	0.00
	03/29/05	3	7.10	12.70	1199 us	2.71	85.00	NA	0.00
	03/23/06	2	7.50	9.20	1234 us	5.06	283.00	NA	0.00
	03/27/07	2	7.2	12.5	1093 us	1.73	86	NA	0.29
	04/16/08	1	7.10	14.1	NA	2.64	179.9	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	1	7.46	10.2	1275 us	4.90	NA	NA	NA
	03/17/10	1	7.35	11.6	1295 us	3.35	91.1	NA	NA
	04/29/11	1.25	7.40	11.5	1204 μ s	2.33	234	NA	0.09
	03/14/12	1.5	6.50	12.7	0.12 S/m	5.50	97	NA	NA
	04/29/13	2.5	7.35	10.7	0.81 ms	4.15	(31.20)	NA	NA
	04/21/14	1	7.18	11.3	0.65 mS/cm	6.83	182.5	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-103	02/20/97	NR	6.30	6.00	700 us	NA	NA	NA	NA
	05/27/97	NR	7.67	11.60	NA	NA	NA	NA	NA
	09/18/97	NR	7.21	10.50	1030 us	NA	NA	NA	NA
	12/12/97	NR	7.43	9.00	970 us	NA	NA	NA	NA
	03/25/98	NR	7.82	9.40	1441 us	NA	NA	NA	NA
	06/10/98	NR	6.24	9.90	1356 us	NA	NA	NA	NA
	10/27/98	8	7.66	12.70	1566 us	0.70	147.00	12.00	0.20
	02/09/99	7.8	7.48	9.90	1443 us	1.40	53.00	11.20	0.80
	06/08/99	9.5	7.42	13.90	1350 us	0.70	109.00	7.20	0.00
	09/13/99	4.1	7.41	12.90	985 us	1.60	(165.00)	12.00	0.00
	12/15/99	4.6	7.82	10.60	2.58 ms	1.40	(294.00)	10.80	0.00
	03/13/00	4	6.57	9.40	1292 us	1.00	76.00	8.40	0.40
	06/22/00	4	8.43	11.50	1354 us	0.99	(90.00)	6.00	0.00
	09/27/00	11	7.48	13.70	1131 us	1.40	(302.00)	7.60	0.00
	12/19/00	9	7.90	6.60	1063 us	1.56	(344.00)	9.20	0.40
	03/01/01	8.5	7.68	11.20	1160 us	1.88	(374.00)	8.00	0.60
	06/19/01	13	7.81	14.10	1848 us	1.10	(28.00)	7.40	0.00
	09/24/01	2	7.32	12.70	1743 us	1.00	(47.00)	12.00	0.00
	12/05/01	11	7.18	9.00	1121 us	1.40	(291.00)	10.80	0.60
	03/19/02	11	7.60	11.40	1050 us	1.50	(311.00)	10.00	0.40
	06/20/02	12	7.47	14.40	1830 us	0.80	(62.00)	10.80	0.00
	09/18/02	10	7.18	13.00	748 us	1.40	(170.00)	11.20	0.00
	12/17/02	8	7.22	9.60	1134 us	1.20	(284.00)	10.00	0.40
	03/24/03	11	7.54	11.00	1262 us	1.20	(320.00)	10.00	0.60
	06/10/03	10	7.13	14.10	1644 us	0.60	(80.00)	10.00	0.20
	09/10/03	10	7.14	13.20	920 us	1.00	(165.00)	10.40	0.00
	12/10/03	10	7.28	10.40	1210 us	0.80	(310.00)	7.80	0.20
	03/24/04	8.6	7.30	10.20	656 us	EM	(126.00)	NA	0.00
	07/09/04	5	7.20	14.00	996 us	16.30	283.00	NA	0.00
	09/21/04	1.5	7.10	20.10	1004 us	EM	(19.00)	NA	0.00
	03/29/05	12	7.00	10.20	1164 us	1.16	84.00	NA	0.00
	06/21/05	7	7.10	13.30	1253 us	1.46	142.00	NA	0.00
	09/21/05	10	7.30	13.50	1233 us	3.40	225.00	NA	0.00
	12/14/05	7	7.20	9.90	1295 us	1.53	NA	NA	0.00
	03/23/06	7	7.00	11.50	1140 us	230.00	252.00	NA	0.00
	06/28/06	5	7.10	11.80	746 us	2.75	232.00	NA	0.00
	12/20/06	8	7.40	10.80	1207 us	2.89	241.00	NA	0.23
	03/28/07	8	7.2	10.8	1075 us	3.09	238.0	NA	0.05
	07/03/07	8	7.4	11.3	1154 us	3.54	126.0	NA	0.38
	09/28/07	8	7.2	13.7	1294 us	3.14	217.0	NA	0.00
	04/16/08	1	7.09	12.0	556 us	0.83	233	NA	NA
	09/22/08	1	7.27	13.8	1446 us	0.20	183.7	NA	NA
	04/03/09	1	7.40	9.4	1451 us	1.89	NA	NA	NA
	09/01/09	1	7.33	12.4	1409 us	0.22	267	NA	NA
	03/17/10	1.5	7.30	10.8	1480 us	0.89	231	NA	NA
	09/09/10	1.25	7.21	12.6	1468 us	0.40	133.2	NA	NA
	04/29/11	1.25	7.36	10.2	1304 us	2.17	244	NA	0.09
	09/01/11	1.5	7.36	13.5	1316 us	0.63	89.7	NA	NA
	03/14/12	2	6.20	10.2	0.12 S/m	0.70	175.0	NA	NA
	09/11/12	2.5	7.03	15.9	1.15 ms	1.05	117.8	NA	NA
	04/29/13	1.5	12.45	9.3	0.97 ms	1.82	(102.50)	NA	NA
	09/18/13	2.5	6.40	14.00	0.12 ms	5.20	152.00	NA	NA
	04/21/14	1.5	7.02	9.2	0.63 mS/cm	2.64	219.5	NA	NA
	09/16/14	3.5	8.25	13.3	0.77 mS/cm	3.72	70.4	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-104	02/20/97	NR	7.43	8.00	1000 us	NA	NA	NA	NA
	05/27/97	NR	8.00	12.00	NA	NA	NA	NA	NA
	09/18/97	NR	7.13	10.50	1030 us	NA	NA	NA	NA
	12/12/97	NR	7.10	9.60	1000 us	NA	NA	NA	NA
	03/25/98	NR	7.94	8.30	1378 us	NA	NA	NA	NA
	06/10/98	NR	6.53	9.70	1101 us	NA	NA	NA	NA
	10/27/98	8	7.84	13.20	1272 us	0.90	103.00	16.40	0.40
	02/09/99	9.5	7.66	10.10	1126 us	1.50	193.00	11.20	0.00
	06/08/99	13	6.80	15.60	1259 us	1.60	103.00	6.40	0.00
	09/13/99	13.8	7.08	13.90	1334 us	1.80	(146.00)	10.80	0.00
	12/15/99	11.2	7.68	10.80	1172 us	2.00	(232.00)	11.20	0.00
	03/13/00	16.5	6.91	10.20	1121 us	0.40	69.00	11.20	0.60
	06/22/00	11	8.65	11.60	1137 us	0.71	(211.00)	6.80	0.00
	09/27/00	8	7.24	12.90	1130 us	1.70	(123.00)	13.20	0.00
	12/19/00	8	7.75	8.20	1144 us	1.05	(240.00)	12.40	0.00
	03/01/01	9.5	7.72	10.60	1230 us	0.90	(220.00)	12.40	0.20
	06/19/01	13	7.91	12.90	1581 us	0.80	(110.00)	6.80	0.00
	09/24/01	8	7.18	12.40	1580 us	0.80	(99.00)	9.60	0.20
	12/05/01	7	7.22	9.90	1300 us	1.00	(311.00)	9.60	0.00
	03/19/02	10	7.70	10.60	1110 us	0.70	(210.00)	11.60	0.20
	06/20/02	10	7.53	13.00	1420 us	0.80	(174.00)	12.40	0.20
	09/18/02	9	7.03	14.60	1275 us	1.60	(148.00)	12.40	0.00
	12/17/02	8	7.31	10.00	1264 us	0.80	(294.00)	8.80	0.00
	03/24/03	8	7.61	10.40	1031 us	0.80	(240.00)	10.80	0.00
	06/10/03	10	7.40	15.00	1374 us	0.60	(91.00)	11.20	0.40
	09/10/03	9	7.08	14.20	1144 us	1.20	(151.00)	8.80	0.00
	12/01/03	8	7.35	10.10	1177 us	0.80	(280.00)	8.80	0.00
	03/24/04	13.6	7.30	9.90	1496 us	EM	(91.00)	NA	0.00
	07/09/04	5	7.00	12.00	1648 us	2.90	EM	NA	0.00
	09/21/04	1	7.00	13.10	1648 us	EM	1.00	NA	0.00
	03/29/05	6	7.00	10.20	1939 us	2.69	86.00	NA	0.00
	06/21/05	7	7.10	12.50	1999 us	3.50	125.00	NA	0.00
	09/21/05	7	7.10	13.80	1926 us	2.78	213.00	NA	0.00
	12/14/05	7	6.90	10.90	2320 us	2.11	253.00	NA	NA **
	03/23/06	10	6.90	10.60	2250 us	1.73	209.00	NA	0.00
	06/28/06	5	6.80	11.30	2290 us	1.40	215.00	NA	0.26
	12/20/06	8	7.10	11.90	2120 us	2.08	248.00	NA	0.00
	03/28/07	8	6.9	10.1	2450 us	3.80	226.0	NA	0.07
	07/03/07	6	7.1	11.5	2180 us	1.51	247.0	NA	0.61
	09/28/07	6	6.9	14.7	2380 us	2.22	266.0	NA	0.05
	04/16/08	1	6.96	13.9	853 us	1.74	157.0	NA	NA
	09/22/08	1	7.06	13.1	3.43 ms	0.23	61.8	NA	NA
	04/03/09	1	7.25	8.1	2.88 ms	1.67	NA	NA	NA
	09/01/09	1	7.11	11.6	3110 µs	0.60	262	NA	NA
	03/17/10	1.5	7.14	9.9	3.07 ms	0.93	210	NA	NA
	09/09/10	1.25	7.07	12.4	3.05 ms	0.24	(156.2)	NA	NA
	04/29/11	1.25	7.32	10.2	2980 µs	1.34	243	NA	0.00
	09/01/11	1.5	7.31	13.4	2.58 ms	0.31	(150.80)	NA	NA
	03/14/12	2	6.20	10.1	0.16 S/m	1.00	165.00	NA	NA
	09/11/12	2	6.95	13.4	1.85 ms	0.25	84.90	NA	NA
	04/29/13	1.5	11.68	9.3	2.10 ms	0.24	(123.50)	NA	NA
	09/17/13	4.3	6.7	11.2	0.29ms	6.2	(84.00)	NA	NA
	04/21/14	1	6.86	10.1	2.12 mS/cm	1.91	253.90	NA	NA
	09/16/14	2	7.77	12.4	2.73 mS/cm	0.41	(102.40)	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-105	02/20/97	NR	7.70	7.00	1600 us	NA	NA	NA	NA
	05/27/97	NR	7.44	10.50	NA	NA	NA	NA	NA
	09/18/98	NR	6.89	16.00	2150 us	NA	NA	NA	NA
	12/12/97	NR	7.04	12.00	2050 us	NA	NA	NA	NA
	03/25/98	NR	7.35	6.70	2878 us	NA	NA	NA	NA
	06/10/98	NR	6.25	11.10	2695 us	NA	NA	NA	NA
	10/27/98	5	7.57	16.80	2.87 ms	0.10	121.00	13.60	0.00
	02/09/99	5.9	7.34	10.60	2.76 ms	0.90	281.00	16.80	1.80
	06/08/99	5	7.32	17.80	2.87 ms	0.70	90.00	9.60	0.20
	09/13/99	3.5	7.00	17.20	2.74 ms	1.70	(182.00)	13.20	1.40
	12/15/99	3.6	7.36	13.00	2.62 ms	1.60	(255.00)	8.80	1.20
	03/13/00	4.5	6.58	8.40	2430 us	1.30	23.00	9.60	0.80
	06/22/00	3.2	8.44	14.30	2.71 ms	0.88	(304.00)	6.40	0.00
	09/27/00	6	6.62	17.90	2.53 ms	1.10	(198.00)	12.80	0.00
	12/19/00	6	7.42	9.60	2.32 ms	2.27	(167.00)	12.40	0.00
	03/01/01	5	7.24	10.80	2.45 ms	1.89	(184.00)	11.60	0.00
	06/19/01	7	8.19	12.80	1877 us	0.60	(200.00)	6.80	0.00
	09/24/01	6	7.41	13.80	1809 us	0.80	(183.00)	7.20	0.00
	12/05/01	6	7.34	10.00	2148 us	1.80	(188.00)	11.20	0.20
	03/19/02	5	6.94	10.20	1984 us	1.80	(169.00)	9.60	0.00
	06/20/02	6	8.04	13.00	1400 us	1.00	(310.00)	10.80	0.00
	09/18/02	6	7.21	17.20	2800 us	1.60	(183.00)	10.80	1.60
	12/17/02	5	7.08	10.40	2008 us	1.40	(194.00)	13.20	0.40
	03/24/03	5	7.04	10.60	1477 us	1.40	(99.00)	14.00	0.00
	06/10/03	6	7.81	14.80	1344 us	1.20	(280.00)	8.60	0.00
	09/10/03	6	7.30	16.40	2626 us	1.20	(177.00)	10.00	1.20
	03/24/04	4.9	6.80	5.90	2220 us	EM	(78.00)	NA	0.00
	03/29/05	4	6.80	8.90	2300 us	2.12	87.00	NA	0.00
	03/23/06	4	6.90	8.60	2170 us	3.54	256.00	NA	0.22
	03/27/07	4	6.8	9.2	2180 us	3.37	296	NA	0.08
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.25	9.8	1812 µs	2.98	242	NA	0.00

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-106	02/20/97	NR	7.75	10.00	1000 us	NA	NA	NA	NA
	05/27/97	NR	7.47	10.10	NA	NA	NA	NA	NA
	09/18/97	NR	7.19	15.00	1310 us	NA	NA	NA	NA
	12/12/97	NR	7.06	11.50	1260 us	NA	NA	NA	NA
	03/25/98	NR	7.61	8.70	1716 us	NA	NA	NA	NA
	06/10/98	NR	7.11	11.60	1604 us	NA	NA	NA	NA
	10/27/98	4	7.31	16.80	1824 us	1.20	138.00	12.80	0.00
	02/09/99	2.5	7.33	10.20	1605 us	1.10	197.00	20.80	0.00
	06/08/99	3.5	7.15	15.40	1332 us	0.70	17.00	6.40	0.20
	09/13/99	2.3	7.02	17.40	1357 us	1.00	(168.00)	11.60	0.00
	12/15/99	2	8.41	12.10	1445 us	0.80	(266.00)	10.00	0.00
	03/13/00	2.5	6.92	9.10	1513 us	1.60	18.00	10.40	0.00
	06/22/00	1.5	8.18	14.50	1736 us	2.02	38.00	7.20	0.00
	09/27/00	6	6.84	19.10	1715 us	1.60	(8.00)	12.00	0.00
	12/19/00	4	7.48	10.70	1694 us	1.43	(218.00)	10.80	0.00
	03/01/01	4	7.33	10.80	1722 us	1.50	(210.00)	9.20	0.00
	06/19/01	4	8.28	13.00	1361 us	1.10	(210.00)	6.40	0.00
	09/24/01	6	7.66	14.00	1220 us	0.80	(104.00)	11.20	0.00
	12/05/01	4	7.60	10.40	1702 us	0.90	(217.00)	12.80	0.00
	03/19/02	5	7.13	10.40	1630 us	1.70	(235.00)	9.20	0.00
	06/20/02	5	8.08	12.80	1288 us	1.20	(240.00)	8.80	0.00
	09/18/02	5	7.30	17.80	1438 us	1.00	(141.00)	8.80	0.00
	12/17/02	3	7.15	10.20	1788 us	0.80	(220.00)	11.20	0.00
	03/24/03	3	7.22	10.80	1250 us	1.10	(193.00)	10.00	0.00
	06/10/03	5	7.84	13.80	1310 us	1.20	(230.00)	10.20	0.00
	09/10/03	5	7.24	16.60	1303 us	0.80	(140.00)	12.00	0.00
	03/24/04	1.8	7.10	8.00	1761 us	EM	(57.00)	NA	0.00
	03/29/05	2.5	6.90	9.00	1995 us	2.24	85.00	NA	0.00
	03/23/06	4	7.00	9.40	2160 us	4.14	249.00	NA	0.00
	03/27/07	2	7.0	8.5	1887 us	5.04	249	NA	0.00
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.19	8.9	4120 µs	4.12	211	NA	0.06

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-107	02/20/97	NR	7.46	9.00	650 us	NA	NA	NA	NA
	05/27/97	NR	7.12	10.80	NA	NA	NA	NA	NA
	09/18/97	NR	7.07	12.50	700 us	NA	NA	NA	NA
	12/12/97	NR	7.08	10.50	730 us	NA	NA	NA	NA
	03/25/98	NR	7.87	10.20	1081 us	NA	NA	NA	NA
	06/10/98	NR	7.17	10.60	1042 us	NA	NA	NA	NA
	10/27/98	10	7.41	12.10	1179 us	1.10	62.00	20.00	10.00
	02/09/99	9	8.10	12.00	1189 us	1.30	263.00	7.20	0.40
	06/08/99	9	7.48	15.60	1406 us	2.20	163.00	4.80	0.40
	09/13/99	8	7.30	12.90	1301 us	2.60	(114.00)	14.00	0.60
	12/15/99	10	7.63	11.30	1419 us	2.80	(42.00)	12.40	1.00
	03/13/00	14.50	5.76	10.90	1389 us	1.20	58.00	8.40	0.60
	06/22/00	10	8.75	12.40	1574 us	0.62	(120.00)	6.40	0.00
	09/27/00	10	7.42	14.20	1505 us	1.60	(114.00)	9.20	0.00
	12/19/00	13	7.69	9.50	1524 us	1.21	(38.00)	10.40	0.00
	03/01/01	16	7.81	9.90	1704 us	1.31	(93.00)	12.40	0.20
	06/19/01	15	7.64	13.40	1221 us	0.80	(80.00)	6.00	0.20
	09/24/01	9	7.04	12.40	977 us	0.60	(77.00)	12.00	0.40
	12/05/01	13	7.15	9.20	1611 us	0.80	(95.00)	8.40	0.00
	03/19/02	12	7.64	10.00	1730 us	1.30	8.00	9.60	0.20
	06/20/02	10	7.48	13.60	1304 us	0.60	(110.00)	9.60	0.40
	09/10/02	10	7.52	13.10	1403 us	2.00	(104.00)	12.40	0.40
	12/17/02	10	7.22	10.40	1593 us	0.80	(110.00)	7.80	0.00
	03/24/03	10	7.30	10.30	1362 us	1.00	(48.00)	10.80	0.00
	06/10/03	11	7.20	14.00	1277 us	0.80	(200.00)	9.20	1.00
	09/10/03	10	7.46	13.30	1121 us	1.30	(99.00)	8.00	0.20
	12/01/03	10	7.41	9.80	1360 us	1.00	(98.00)	8.40	0.00
	03/24/04	9	7.30	11.10	1704 us	EM	(109.00)	NA	0.00
	07/09/04	6	7.30	13.20	1704 us	4.59	166.00	NA	0.00
	09/21/04	3	7.10	14.30	1649 us	EM	7.00	NA	0.00
	03/29/05	9	7.20	11.50	1749 us	2.83	85.00	NA	0.00
	06/21/05	8	7.30	12.70	2010 us	1.85	119.00	NA	0.00
	09/21/05	8	7.50	15.20	1594 us	2.92	221.00	NA	0.00
	12/14/05	8	7.40	12.30	1708 us	1.80	250.00	NA	0.00
	03/27/06	10	7.30	11.90	1726 us	2.65	269.00	NA	0.00
	06/28/06	7	7.20	13.40	1696 us	3.76	212.00	NA	0.04
	12/20/06	8	7.20	11.80	1655 us	3.83	234.00	NA	0.08
	03/28/07	8	7.3	10.4	1599 us	7.14	240	NA	0.01
	07/03/07	7	7.5	11.8	1163 us	3.41	258	NA	0.00
	09/28/07	6	7.4	13.1	1642 us	2.64	238	NA	0.02
	04/16/08	1	7.30	13.5	NA	2.12	197.9	NA	NA
	09/22/08	1	7.47	15.4	1650 us	0.23	171.8	NA	NA
	04/03/09	1.5	7.63	10.0	1615 us	2.32	NA	NA	NA
	09/01/09	1.25	7.51	13.9	1586 us	0.16	278	NA	NA
	03/17/10	1.5	7.61	11.2	1566 us	2.09	258	NA	NA
	09/09/10	1.5	7.46	14.1	1532 us	0.24	239	NA	NA
	04/29/11	1.25	7.63	11.0	1516 us	1.66	274	NA	0.00
	09/01/11	1.5	7.63	15.0	1490 us	0.28	184.1	NA	NA
	03/14/12	1	6.40	11.6	0.14 S/m	1.90	169.0	NA	NA
	09/11/12	2	7.27	16.8	1.27 ms	0.14	37.2	NA	NA
	04/30/13	2	10.66	9.7	1.11 ms	3.03	(70.4)	NA	NA
	09/17/13	3	7.0	15.0	0.14ms	4.0	65	NA	NA
	04/21/14	1	7.39	10.1	0.94 mS/cm	2.9	215.2	NA	NA
	09/16/14	3.5	7.95	14.7	0.86 mS/cm	2.29	(14.3)	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-108	02/20/97	NR	8.10	10.00	100 us	NA	NA	NA	NA
	05/27/97	NR	6.02	11.40	NA	NA	NA	NA	NA
	09/18/97	NR	6.51	12.00	1160 us	NA	NA	NA	NA
	12/12/97	NR	6.98	10.40	1130 us	NA	NA	NA	NA
	03/25/98	NR	7.64	10.20	1568 us	NA	NA	NA	NA
	06/10/98	NR	6.54	10.70	1525 us	NA	NA	NA	NA
	10/27/98	10	7.95	14.30	1696 us	1.40	116.00	12.80	0.20
	02/09/99	8.1	7.51	11.00	1810 us	1.10	(65.00)	10.40	0.40
	06/08/99	12.5	7.60	15.00	1706 us	0.90	173.00	7.20	0.60
	09/13/99	13.5	7.29	13.60	1849 us	1.20	(180.00)	8.00	0.00
	12/15/99	12.8	7.68	11.80	1885 us	1.00	(286.00)	8.40	0.00
	03/13/00	14	6.25	10.20	1642 us	1.70	(4.00)	9.20	0.20
	06/22/00	11.5	7.62	14.10	1989 us	1.01	69.00	6.40	0.00
	09/27/00	12	7.43	13.10	1983 us	0.40	(73.00)	10.40	0.00
	12/19/00	10.5	7.60	10.10	2.01 ms	2.18	(184.00)	10.80	0.00
	03/01/01	9	7.49	11.20	2.38 ms	2.20	(211.00)	11.60	0.00
	06/19/01	8	8.20	13.80	1634 us	0.80	(90.00)	7.00	0.00
	09/24/01	9	7.59	14.20	1512 us	0.80	(83.00)	9.60	0.00
	12/05/01	10	7.49	10.50	2111 us	1.80	(199.00)	9.60	0.00
	03/19/02	12	7.30	10.80	2120 us	2.10	(170.00)	11.60	0.00
	06/20/02	12	7.92	14.00	1424 us	0.80	(120.00)	12.40	0.00
	09/18/02	12	7.13	13.40	1744 us	1.00	(132.00)	11.20	0.00
	12/17/02	10	7.36	10.40	1986 us	1.60	(174.00)	8.40	0.00
	03/24/03	10	7.31	10.40	2032 us	1.60	(190.00)	8.40	0.00
	06/10/03	11	7.64	14.60	1324 us	0.80	(144.00)	9.20	0.00
	09/10/03	11	7.15	13.30	1622 us	0.80	(124.00)	10.40	0.00
	03/24/04	10	7.70	12.30	1927 us	EM	(156.00)	NA	0.00
	03/29/05	9	7.30	10.80	2090 us	2.29	83.00	NA	0.00
	03/27/06	9	7.30	9.30	2880 us	1.72	2.69	NA	0.04
	03/27/07	9	7.2	12.9	3190 us	5.05	185	NA	0.04
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.27	10.2	3980 µs	1.03	224	NA	0.05

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-109	06/21/06	2	6.42	14.80	1497 us	-	-	-	-
	09/20/06	2	6.66	14.60	1429 us	-	-	-	-
	12/20/06	8	7.10	11.00	2120 us	2.39	213.00	NA	0.16
	03/29/07	10	6.9	9.6	2050 us	7.71	284	NA	***
	07/03/07	9	7.2	12.8	2350 us	1.53	192	NA	0.04
	09/28/07	10	6.9	18.2	2170 us	9.53	240	NA	0.04
	04/16/08	1.25	7.10	12.4	NA	0.75	248	NA	NA
	09/22/08	1	7.14	15.7	2.88 ms	0.71	131.1	NA	NA
	04/03/09	1.5	7.29	8.4	2.40 ms	0.87	NA	NA	NA
	09/01/09	1	7.17	14.5	2650 µs	0.23	145.2	NA	NA
	03/17/10	1.5	7.37	8.3	2.31 ms	1.12	194.7	NA	NA
	09/09/10	1.5	7.09	15.3	2.73 ms	0.37	146.9	NA	NA
	04/29/11	1.25	7.27	8.4	2500 µs	0.81	164.6	NA	0.03
	09/01/11	1.5	7.28	15.2	2.56m	0.24	148.3	NA	NA
	03/16/12	1.5	6.40	9.6	0.20 S/m	1.50	200.0	NA	NA
	09/11/12	3	6.87	19.9	1.85 ms	1.00	70.5	NA	NA
	04/30/13	2.5	11.12	8.9	1.47 ms	2.53	(81.3)	NA	NA
	09/17/13	2.5	6.8	17.2	0	4.1	143	NA	NA
	04/21/14	1	7.02	9.0	1.36 mS/cm	2.22	220.1	NA	NA
	09/16/14	3.5	7.47	16.6	0.301 mS/cm	0.32	(80.0)	NA	NA
MW-110	06/21/06	2	6.91	12.70	1178 us	-	-	-	-
	09/20/06	2	7.00	14.40	1248 us	-	-	-	-
	12/20/06	10	7.20	10.60	1757 us	2.07	234.00	NA	0.00
	03/29/07	10	7.2	8.1	1806 us	7.03	255	NA	0.03
	07/03/07	8	8.3	12.1	1752 us	2.96	227	NA	0.13
	09/28/07	11	7.2	15.6	1837 us	5.72	258	NA	0.00
	04/16/08	1.25	7.38	9.5	NA	2.25	285	NA	NA
	09/22/08	1	7.42	16.6	1892us	1.04	241	NA	NA
	04/03/09	1.5	7.57	7.5	2.24 ms	3.05	NA	NA	NA
	09/01/09	1.25	7.45	15.2	1849 µs	1.17	250	NA	NA
	03/17/10	1.5	7.53	8.3	2.62 ms	3.71	261	NA	NA
	09/09/10	1.5	7.32	15.4	2.34 ms	2.12	181.5	NA	NA
	04/29/11	1.25	7.54	8.2	1314 µs	3.91	272	NA	0.11
	09/01/11	1.5	7.50	17.3	1643 µs	2.67	181.4	NA	NA
	03/14/12	2	6.60	9.4	0.20 S/m	8.70	198.0	NA	NA
	09/12/12	2.5	7.13	18.5	1.64 ms	3.15	174.3	NA	NA
	04/30/13	3	8.29	7.7	2.44 ms	1.78	(66.9)	NA	NA
	09/17/13	2.8	6.8	15.1	0	4.0	107	NA	NA
	04/22/14	1	7.28	6.8	0.99 mS/cm	4.55	249.1	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-111	06/21/06	2	7.01	12.40	1311 us	-	-	-	-
	09/20/06	1.75	6.99	14.00	1164 us	-	-	-	-
	12/20/06	6	7.20	11.00	1478 us	3.95	243.00	NA	0.01
	03/29/07	10	7.4	9.2	1908 us	9.29	209	NA	0.01
	07/03/07	6	7.4	12.1	1855 us	1.63	263	NA	0.28
	09/28/07	11	7.4	13.5	1672 us	6.08	256	NA	0.02
	04/16/08	1.25	7.40	11.6	NA	2.25	244	NA	NA
	09/22/08	1.25	7.48	16.1	1901 us	0.49	170	NA	NA
	04/03/09	1.5	7.64	7.5	1970 us	3.51	NA	NA	NA
	09/01/09	1.25	7.51	15.5	1777 us	0.74	191.0	NA	NA
	03/17/10	1.5	7.61	8.3	1889 us	3.05	287	NA	NA
	09/09/10	1.5	7.37	15.1	1900 us	0.49	160.5	NA	NA
	04/29/11	1.25	7.60	9.1	2110 us	1.95	286	NA	0.09
	09/01/11	1.5	7.57	15.0	1716 us	0.85	159.6	NA	NA
	03/14/12	1.5	6.50	10.5	0.17 S/m	2.50	177.0	NA	NA
	09/12/12	3	7.26	16.1	1.47 ms	0.18	97.6	NA	NA
	04/30/13	2	8.75	8.0	1.43 ms	3.89	(43.7)	NA	NA
	09/17/13	2.8	7.0	15.5	0.18ms	3.5	106	NA	NA
	04/21/14	1	7.30	9.9	1.17 mS/cm	1.80	218.4	NA	NA
	09/17/14	2	7.72	14.1	1.23 mS/cm	0.16	20.4	NA	NA
MW-112	06/21/06	2	7.21	12.40	1338 us	-	-	-	-
	09/20/06	2	7.28	14.60	1238 us	-	-	-	-
	12/20/06	8	7.50	10.70	1817 us	1.94	729.00	NA	0.00
	03/28/07	10	7.5	9.5	2050 us	7.93	228	NA	0.00
	07/03/07	9	7.6	13.7	1909 us	3.48	234	NA	0.28
	09/28/07	11	7.6	13.7	1921 us	6.80	267	NA	0.04
	04/16/08	1.25	7.50	12.9	NA	2.44	270	NA	NA
	09/22/08	1.25	7.71	15.9	2.34 ms	0.15	208	NA	NA
	04/03/09	1.5	7.79	7.6	2.5 ms	2.69	NA	NA	NA
	09/01/09	1.25	7.76	15.5	2320 us	0.75	217	NA	NA
	03/17/10	1.5	7.81	8.5	1891 us	3.02	264	NA	NA
	09/09/10	1.5	7.56	15.7	1921 us	0.70	229	NA	NA
	04/29/11	1.25	7.75	8.4	1268 us	2.92	252	NA	0.10
	09/01/11	1.5	7.83	15.0	1581us	0.44	169.0	NA	NA
	03/14/12	1.5	6.60	8.4	0.076 S/m	9.40	215.0	NA	NA
	09/12/12	3	7.26	17.2	1.23 ms	0.22	219.7	NA	NA
	04/30/13	2	8.87	8.3	1.65 ms	0.55	(105.6)	NA	NA
	09/17/13	2.8	6.9	16.8	0.16ms	2.3	62	NA	NA
	04/21/14	3	7.27	8.5	0.72 mS/cm	1.67	194.4	NA	NA
	09/17/14	3	7.49	15.8	1.19 mS/cm	0.14	6.7	NA	NA

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-113	06/21/06	2	6.91	12.90	1020 us	-	-	-	-
	09/20/06	2	7.11	14.60	900 us	-	-	-	-
	12/20/06	8	7.20	10.60	1757 us	2.07	234.00	NA	0.00
	03/29/07	10	7.3	8.0	1508 us	9.52	235	NA	***
	07/03/07	7	7.6	10.9	1552 us	2.05	262	NA	0.13
	09/28/07	13	7.4	14.4	1514 us	6.87	276	NA	0.00
	04/16/08	1.25	7.45	11.8	NA	1.85	267	NA	NA
	09/22/08	1.25	7.59	15.5	1711 us	0.22	218	NA	NA
	04/03/09	1.5	7.70	7.4	1749 us	3.50	NA	NA	NA
	09/01/09	1.25	7.56	15.6	1615 us	0.57	270	NA	NA
	03/17/10	1.5	7.68	8.5	1800 us	3.22	235	NA	NA
	09/09/10	1.5	7.49	15.5	1722 us	0.37	223	NA	NA
	04/29/11	1.25	7.65	9.3	1660 us	1.68	281	NA	0.00
	09/01/11	1.5	7.67	16.2	1552 us	0.27	184.8	NA	NA
	03/14/12	2	6.60	8.8	0.15 S/m	4.50	236.0	NA	NA
	09/12/12	3	7.09	19.1	1.40 ms	1.40	55.0	NA	NA
	04/30/13	3	10.82	8.3	1.14 ms	0.30	(116.4)	NA	NA
	09/17/13	2.5	6.8	15.8	.018ms	3.9	142	NA	NA
	04/22/14	2	7.31	7.5	1.15 mS/cm	0.28	253.9	NA	NA
	09/17/14	2.5	7.78	15.7	1.28 mS/cm	0.31	(95.9)	NA	NA

ppm = parts per million

us = microsiemens / centimeter

S/m = siemens / meter

mV = millivolts

gpg = grains per gallon

EM = Equipment malfunction.

Note: A different meter was used to test ferrous iron beginning on the March 2006 sampling event.

ms = millisiemens / centimeter

NA = not analyzed

NR = not recorded

() = Indicates a negative value.

* = Each monitoring well was purged dry twice prior to sampling

The second purging was conducted approximately 3-hrs after initial purging. The volume of purge water collected represents the total of the two well purges. Purge volumes prior to 10/27/98 were not available.

** = Not analyzed due to poor water clarity from recent piezometer installation nearby.

*** = Too cloudy for testing.

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)	
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000	
1992 ES NR 140			10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140			1.0	5	5***	500	40	25.0	0.2	2,500
W-2	02/20/97	NA	15	NA	26	NA	460.0	NA	49	
	05/27/97	0.43	8.5	NA	<10	NA	170.0	<.2	30	
	09/18/97	0.27	4.5**	NA	9.5**	3**	116.0	<.03	16.9	
	12/12/97	.13*	6.2	NA	<9.7	<.8	133.0	.06*	20.4	
	03/25/98	0.08	<3.9	NA	<9.5	<1.7	83.8	.007*	18.6	
	06/10/98	.31*	16.4	NA	18.6**	<1.7	466.0	.027*	40.8	
	10/27/98	.51*	3.60	NA	4.7*	<.0032	69.0	<.05	170	
	02/09/99	.46*	<.62	NA	4.0	<.0032	240.0	<.05	23	
	06/08/99	<.31	<.62	NA	1.8*	<.0032	290.0	<.05	<12	
	09/13/99	<.31	2.00	NA	3.2	<.0032	240.0	<.05	<12	
	12/15/99	<.31	.72 *	NA	NA	NA	2.8	NA	NA	
	03/13/00	<.31	.79 *	NA	NA	NA	7.8	NA	NA	
	06/22/00	<.31	<.62	NA	NA	NA	<.42	NA	NA	
	09/27/00	2.70	1.1*	NA	NA	NA	17.0	NA	NA	
	12/19/00	.24*	.91*	NA	NA	NA	8.0	NA	NA	
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA	
	06/19/01	<.17	.55 *	NA	NA	NA	48.0	NA	NA	
	09/24/01	<.17	<.34	NA	NA	NA	52	NA	NA	
	12/05/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA	
	03/19/02	.27*	<.57	NA	NA	NA	<2.0	NA	NA	
	06/20/02	<.23	<.44	NA	NA	NA	61.0	NA	NA	
	09/18/02	<.23	<.44	NA	NA	NA	110.0	NA	NA	
	12/17/02	<.23	<.44	NA	NA	NA	150.0	NA	NA	
	03/24/03	<0.17	<0.43	NA	NA	NA	8.5	NA	NA	
	03/24/04	NA	<0.45	5.0	NA	NA	<1.0	NA	NA	
	03/29/05	NA	1.2	<2.7	NA	NA	1.3	NA	NA	
	03/23/06	NA	0.52	<5.0	NA	NA	4.1	NA	NA	
	03/27/07	NA	<1.9	NA	NA	NA	4.7	NA	NA	
	04/29/11	NA	0.51 J	NA	NA	NA	21.7	NA	NA	
W-8	02/20/97	NA	17	NA	22	NA	320.0	NA	34	
	05/27/97	1.6	37	NA	27	NA	670.0	<.2	54	
	09/18/97	0.45	14.4	NA	14.6**	1**	338.0	.11**	31.8	
	12/12/97	0.5*	5.7	NA	<9.7	<.8	147.0	.07*	17.1	
	03/25/98	0.43	10.1	NA	15**	<1.7	205.0	.007*	21	
	06/10/98	0.54	9.9	NA	12.6**	<1.7	264.0	.016*	21.6	
	10/27/98	0.80	3.90	NA	4.8*	<.0032	64.0	<.05	85	
	02/09/99	<.31	<.62	NA	<60	<.0032	850.0	<.05	12	
	06/08/99	<.31	<.62	NA	2.6	<.0032	50.0	<.05	<12	
	09/13/99	<.31	1.90	NA	2.7	<.0032	98.0	<.05	29	
	12/15/99	<.31	2.80	NA	NA	NA	180.0	NA	NA	
	03/13/00	<.31	1.4 *	NA	NA	NA	65.0	NA	NA	
	06/22/00	<.31	3.10	NA	NA	NA	74.0	NA	NA	
	09/27/00	.27*	.75*	NA	NA	NA	26.0	NA	NA	
	12/19/00	<.23	.66*	NA	NA	NA	40.0	NA	NA	
	03/01/01	<.23	<.57	NA	NA	NA	23.0	NA	NA	
	06/19/01	<.17	1*	NA	NA	NA	100.0	NA	NA	
	09/24/01	<.17	<.34	NA	NA	NA	380.0	NA	NA	
	12/25/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA	
	03/19/02	<.23	<.57	NA	NA	NA	21.0	NA	NA	
	06/20/02	<.23	.47*	NA	NA	NA	1400.0	NA	NA	
	09/18/02	<.23	<.44	NA	NA	NA	620.0	NA	NA	
	12/17/02	<.23	<.44	NA	NA	NA	34.0	NA	NA	
	03/24/03	<.17	<.43	NA	NA	NA	27.0	NA	NA	
	03/24/04	NA	0.76*	3.8	NA	NA	1.7*	NA	NA	
	03/29/05	NA	<0.52	<2.7	NA	NA	9.7	NA	NA	
	03/23/06	NA	<0.4	<5.0	NA	NA	5.5	NA	NA	
	03/27/07	NA	<1.9	NA	NA	NA	6.0	NA	NA	
	04/29/11	NA	0.63 J	NA	NA	NA	<0.14	NA	NA	

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
W-15	02/20/97	NA	32	NA	52	NA	430.0	NA	88
	05/27/97	0.27	5.9	NA	15	NA	97.0	<.2	39
	09/18/97	0.31	13.9	NA	18.8**	<.78	325.0	<.03	35.5
	12/12/97	.12*	5.7	NA	9.7**	<.8	80.9	.03*	18.5
	03/25/98	.04*	<3.9	NA	<9.5	<1.7	85.7	.038*	13.7
	06/10/98	.11*	10	NA	13.2**	<1.7	147.0	.016*	18.8
	10/27/98	.41*	6.80	NA	7.40	<.0032	110.0	<.05	100
	02/09/99	<.31	<.62	NA	<.60	<.0032	320.0	<.05	<12
	06/08/99	<.31	2.40	NA	14.00	<.0032	130.0	<.05	66
	09/13/99	<.31	5.30	NA	6.40	<.0032	130.0	<.05	16
	12/15/99	<.31	5.00	NA	NA	NA	90.0	NA	NA
	03/13/00	<.31	7.00	NA	NA	NA	130.0	NA	NA
	06/22/00	<.31	1.80	NA	NA	NA	11.0	NA	NA
	09/27/00	<.23	4.20	NA	NA	NA	24.0	NA	NA
	12/19/00	<.23	1.4*	NA	NA	NA	930.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<.17	<.34	NA	NA	NA	<2	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	290.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	2.5	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	22.0	NA	NA
	06/20/02	.36*	.47*	NA	NA	NA	3.1	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	110.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	31.0	NA	NA
	03/24/03	<0.17	0.47*	NA	NA	NA	27.0	NA	NA
	03/24/04	NA	1.80	3.8	NA	NA	1.1*	NA	NA
	03/29/05	NA	0.98	<2.7	NA	NA	24.0	NA	NA
	03/23/06	NA	1.60	<5.0	NA	NA	8.0	NA	NA
	03/28/07	NA	<1.9	NA	NA	NA	13	NA	NA
	04/29/11	NA	2.8 J	NA	NA	NA	8.3	NA	NA
MW-101	02/20/97	NA	36	NA	41	NA	820.0	NA	49
	05/27/97	<.2	10	NA	11	NA	170.0	<.03	18
	09/18/97	.06**	11.9	NA	10.7**	1**	145.0	<.05	18.2
	12/12/97	.06*	12.8	NA	<9.7	<.8	176.0	.05*	20.7
	03/25/98	.04*	20.9	NA	21.6**	<1.7	239.0	.007*	32.7
	06/10/98	.27*	48.2	NA	46.8	<1.7	604.0	.044*	75.9
	10/27/98	<.16	3.20	NA	4.2*	<.0032	24.0	<.05	54
	02/09/99	<.31	<0.62	NA	<.60	<.0032	1900.0	<.05	14
	06/08/99	<.31	1.80	NA	8.2	<.0032	380.0	<.05	39
	09/13/99	<.31	2.90	NA	5.1	<.0032	31.0	<.05	<12
	12/15/99	<.31	2.50	NA	NA	NA	9.1	NA	NA
	03/13/00	<.31	2.30	NA	NA	NA	100.0	NA	NA
	06/22/00	<.31	1.4 *	NA	NA	NA	<4.2	NA	NA
	09/27/00	<.23	19.00	NA	NA	NA	37.0	NA	NA
	12/19/00	<.23	7.20	NA	NA	NA	18.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	13.0	NA	NA
	06/19/01	<.17	8.50	NA	NA	NA	9.1	NA	NA
	09/24/01	<.17	0.55 *	NA	NA	NA	<2.0	NA	NA
	12/05/01	<.23	0.90*	NA	NA	NA	<2.0	NA	NA
	03/19/02	<.23	0.66*	NA	NA	NA	<2.0	NA	NA
	06/20/02	<.23	0.58*	NA	NA	NA	2.2	NA	NA
	09/18/02	<.23	<0.44	NA	NA	NA	13.0	NA	NA
	12/17/02	<.23	<0.44	NA	NA	NA	33.0	NA	NA
	03/24/03	<.17	0.50*	NA	NA	NA	8.3	NA	NA
	03/24/04	NA	0.79*	<3.6	NA	NA	<1.0	NA	NA
	03/29/05	NA	1.10	<2.7	NA	NA	16.0	NA	NA
	03/23/06	NA	0.55	<5.0	NA	NA	45.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	14.0	NA	NA
	04/16/08	NA	2.4 J	NA	NA	NA	NA	NA	NA
	04/03/09	NA	1.9 J	NA	NA	NA	NA	NA	NA
	03/17/10	NA	2.5 J	NA	NA	NA	NA	NA	NA
	04/29/11	NA	1.4 J	NA	NA	NA	0.50 J	NA	NA
	03/16/12	NA	<2.0	NA	NA	NA	0.50 J	NA	NA
	04/29/13	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/21/14	NA	2.2 J	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-102	02/20/97	NA	26	NA	38	NA	570.0	NA	34
	05/27/97	0.21	48	NA	77	NA	920.0	<.2	73
	09/18/97	.08**	<3.92	NA	6.9**	2**	302.0	<.03	8.7
	12/12/97	.04*	<3.9	NA	<9.7	<.8	387.0	.04*	10.9
	03/25/98	.11*	<3.9	NA	9.5**	<1.7	302.0	.007*	7.4*
	06/10/98	.04*	<3.9	NA	<9.8	<1.7	318.0	.018*	9.5
	10/27/98	.27*	.98*	NA	3.2*	<.0032	340.0	<.05	24
	02/09/99	<.31	.73*	NA	<.60	<.0032	670.0	<.05	20
	06/08/99	<.31	1.2*	NA	5.8	<.0032	140.0	<.05	36
	09/13/99	<.31	4.00	NA	15.0	<.0032	160.0	<.05	73
	12/15/99	<.31	1.2 *	NA	NA	NA	550.0	NA	NA
	03/13/00	<.31	1.70	NA	NA	NA	580.0	NA	NA
	06/22/00	<.31	<.62	NA	NA	NA	310.0	NA	NA
	09/27/00	<.23	2.10	NA	NA	NA	130.0	NA	NA
	12/19/00	.33*	2.90	NA	NA	NA	110.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<.17	<.34	NA	NA	NA	<2	NA	NA
	09/24/01	.48 *	1.40	NA	NA	NA	46.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	100.0	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	87.0	NA	NA
	06/20/02	<.17	1.80	NA	NA	NA	44.0	NA	NA
	09/18/02	<.23	1.4*	NA	NA	NA	<2.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	38.0	NA	NA
	03/24/03	0.21*	<0.43	NA	NA	NA	3.5	NA	NA
	03/24/04	NA	<0.45	<3.6	NA	NA	65.0	NA	NA
	03/29/05	NA	0.71	<2.7	NA	NA	190.0	NA	NA
	03/23/06	NA	<0.40	<5.0	NA	NA	100.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	230	NA	NA
	04/16/08	NA	<0.57	NA	NA	NA	NA	NA	NA
	04/03/09	NA	<0.57	NA	NA	NA	NA	NA	NA
	03/17/10	NA	0.74 J	NA	NA	NA	NA	NA	NA
	04/29/11	NA	6.1	NA	NA	NA	32.1	NA	NA
	03/14/12	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/29/13	NA	130	NA	NA	NA	NA	NA	NA
	04/21/14	NA	128	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-103	02/20/97	NA	1,300	NA	47	NA	800.0	NA	27
	05/27/97	<.2	160.0	NA	31	NA	900.0	<.2	29
	09/18/97	.06**	35.2	NA	13.5**	3**	287.0	<.03	13.7
	12/12/97	.04*	16.3	NA	<9.7	<.8	84.3	.09*	21.4
	03/25/98	.04*	15.5	NA	<9.5	<1.7	83.0	.007*	7.5*
	06/10/98	.15*	57.6	NA	27.5	<1.7	417.0	.02*	33.7
	10/27/98	<.16	6.30	NA	2.3*	<.0032	27.0	<.05	30.0
	06/08/99	<.31	87.00	NA	3.5	<.0032	810.0	<.05	30
	09/13/99	<.31	720.0	NA	5.9	<.0032	83.0	<.05	15
	12/15/99	<.31	260.0	NA	NA	NA	160.0	NA	NA
	03/13/00	<.31	600.0	NA	NA	NA	79.0	NA	NA
	06/22/00	<.31	130.0	NA	NA	NA	180.0	NA	NA
	09/27/00	<.23	280.0	NA	NA	NA	230.0	NA	NA
	12/19/00	<.23	180.0	NA	NA	NA	170.0	NA	NA
	03/01/01	<.23	49.0	NA	NA	NA	240.0	NA	NA
	06/19/01	<.17	11.0	NA	NA	NA	350.0	NA	NA
	09/24/01	<.17	12.0	NA	NA	NA	280.0	NA	NA
	12/05/01	<.23	2.9	NA	NA	NA	230.0	NA	NA
	03/19/02	<.23	73.0	NA	NA	NA	7.9	NA	NA
	06/20/02	<.23	14.0	NA	NA	NA	630.0	NA	NA
	09/18/02	<.23	6.5	NA	NA	NA	560.0	NA	NA
	12/17/02	<.23	6.2	NA	NA	NA	3.7	NA	NA
	03/24/03	.26*	350.0	NA	NA	NA	48.0	NA	NA
	06/10/03	NA	150.0	NA	NA	NA	NA	NA	NA
	09/10/03	NA	9.10	NA	NA	NA	NA	NA	NA
	12/10/03	NA	7.70	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	<3.6	NA	NA	NA	NA	NA
	03/24/04	NA	5.60	6.3	NA	NA	7.6	NA	NA
	07/09/04	NA	11.00	16.0	NA	NA	NA	NA	NA
	12/09/04	NA	1.20	<3.6	NA	NA	NA	NA	NA
	03/29/05	NA	220.0	350.0	NA	NA	82.0	NA	NA
	06/22/05	NA	240.0	250.0	NA	NA	NA	NA	NA
	09/21/05	NA	110.0	69.0	NA	NA	NA	NA	NA
	12/15/05	NA	120.0	150.0	NA	NA	NA	NA	NA
	03/23/06	NA	16.0	270.0	NA	NA	8.4	NA	NA
	06/28/06	NA	40.0	29.0	NA	NA	NA	NA	NA
	09/20/06	NA	45.0	35.0	NA	NA	NA	NA	NA
	12/20/06	NA	15.0	NA	NA	NA	NA	NA	NA
	03/28/07	NA	31	NA	NA	NA	38	NA	NA
	07/03/07	NA	90	NA	NA	NA	NA	NA	NA
	09/28/07	NA	78	NA	NA	NA	NA	NA	NA
	04/16/08	NA	380	NA	NA	NA	NA	NA	NA
	09/22/08	NA	240	NA	NA	NA	NA	NA	NA
	04/03/09	NA	171	NA	NA	NA	NA	NA	NA
	09/01/09	NA	157	NA	NA	NA	NA	NA	NA
	03/17/10	NA	114	NA	NA	NA	NA	NA	NA
	09/09/10	NA	16.4	NA	NA	NA	NA	NA	NA
	04/29/11	NA	23.1	NA	NA	NA	<0.14	NA	NA
	09/01/11	NA	54.5	NA	NA	NA	NA	NA	NA
	03/14/12	NA	27.0	NA	NA	NA	NA	NA	NA
	09/11/12	NA	10.8	NA	NA	NA	NA	NA	NA
	04/29/13	NA	24.8	NA	NA	NA	NA	NA	NA
	09/17/13	NA	6.4	NA	NA	NA	NA	NA	NA
	04/21/14	NA	6.9	NA	NA	NA	NA	NA	NA
	09/17/14	NA	10.0	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-104	02/20/97	NA	5.9	NA	15	NA	550.0	NA	6.9
	05/27/97	<.02	6.9	NA	11	NA	470.0	<.2	5.2
	09/18/97	<.04	35.6	NA	5**	3**	235.0	<.03	4.74
	12/12/97	.04*	61.8	NA	9.8**	<.8	279.0	.05*	14
	03/25/98	.04*	66.8	NA	<9.5	<1.7	73.6	.008*	7.4*
	06/10/98	.04*	219.0	NA	<9.8	<1.7	107.0	.016*	12.8
	10/27/98	.29*	150.0	NA	2.3*	<.0032	25.0	<.05	30
	02/09/99	<.31	94.0	NA	1.4*	<.0032	1000.0	<.05	<12
	06/08/99	1*	62.0	NA	12.0	<.0032	620.0	<.05	17
	09/13/99	<.31	80.0	NA	3.2	<.0032	9.2	<.05	<12
	12/15/99	<.31	170.0	NA	NA	NA	1.6	NA	NA
	03/13/00	<.31	300.0	NA	NA	NA	13.0	NA	NA
	06/22/00	<.31	210.0	NA	NA	NA	41.0	NA	NA
	09/27/00	<.23	510.0	NA	NA	NA	3.9	NA	NA
	12/19/00	<.23	790.0	NA	NA	NA	<2	NA	NA
	03/01/01	<.23	840.0	NA	NA	NA	<2	NA	NA
	06/19/01	<.17	680.0	NA	NA	NA	2.3	NA	NA
	09/24/01	<.17	310.0	NA	NA	NA	17.0	NA	NA
	12/05/01	<.23	390.0	NA	NA	NA	2.2	NA	NA
	03/19/02	<.23	430.0	NA	NA	NA	<2.0	NA	NA
	06/20/02	<.23	490.0	NA	NA	NA	14.0	NA	NA
	09/18/02	<.23	410.0	NA	NA	NA	27.0	NA	NA
	12/17/02	<.23	240.0	NA	NA	NA	8.9	NA	NA
	03/24/03	<.17	180.0	NA	NA	NA	4.2	NA	NA
	06/10/03	NA	420.0	NA	NA	NA	NA	NA	NA
	09/10/03	NA	1200.0	NA	NA	NA	NA	NA	NA
	12/10/03	NA	790.0	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	700.0	NA	NA	NA	NA	NA
	03/24/04	NA	550.0	580.0	NA	NA	<1.0	NA	NA
	07/09/04	NA	370.0	380.0	NA	NA	NA	NA	NA
	09/22/04	NA	87.0	33.0	NA	NA	NA	NA	NA
	12/09/04	NA	56.0	57.0	NA	NA	NA	NA	NA
	03/29/05	NA	260.0	260.0	NA	NA	1.0	NA	NA
	06/22/05	NA	280.0	230.0	NA	NA	NA	NA	NA
	09/21/05	NA	17.0	25.0	NA	NA	NA	NA	NA
	12/15/05	NA	95.0	110.0	NA	NA	NA	NA	NA
	03/23/06	NA	66.0	200.0	NA	NA	6.3	NA	NA
	06/28/06	NA	76.0	58.0	NA	NA	NA	NA	NA
	09/20/06	NA	2.8	<6.8	NA	NA	NA	NA	NA
	12/20/06	NA	8.4	NA	NA	NA	NA	NA	NA
	03/28/07	NA	160	NA	NA	NA	130	NA	NA
	07/03/07	NA	97	NA	NA	NA	NA	NA	NA
	09/28/07	NA	11.0	NA	NA	NA	NA	NA	NA
	04/16/08	NA	545	NA	NA	NA	NA	NA	NA
	09/22/08	NA	1.3 J	NA	NA	NA	NA	NA	NA
	04/03/09	NA	144	NA	NA	NA	NA	NA	NA
	09/01/09	NA	1.4 J	NA	NA	NA	NA	NA	NA
	03/17/10	NA	719	NA	NA	NA	NA	NA	NA
	09/09/10	NA	6.7	NA	NA	NA	NA	NA	NA
	04/29/11	NA	376	NA	NA	NA	7.7	NA	NA
	09/01/11	NA	5.4	NA	NA	NA	NA	NA	NA
	03/14/12	NA	510	NA	NA	NA	NA	NA	NA
	09/11/12	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/29/13	NA	1.3 J	NA	NA	NA	NA	NA	NA
	09/17/13	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/21/14	NA	10.5	NA	NA	NA	NA	NA	NA
	09/16/14	NA	12.5	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)	
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000	
1992 ES NR 140			10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140			1.0	5	5***	500	40	25.0	0.2	2,500
MW-105	02/20/97	NA	21	NA	22	NA	1100.0	NA	23	
	05/27/97	<.2	5	NA	<10	NA	120.0	<.2	12	
	09/18/97	.14**	29.5	NA	28.3	1**	532.0	<.03	46	
	12/12/97	.36*	15.8	NA	12.5**	<.8	297.0	.03*	27.1	
	03/25/98	.04*	30.8	NA	27.6	<1.7	518.0	.064*	44	
	06/10/98	.048*	13.7	NA	15.3**	<1.7	217.0	.016*	22.1	
	10/27/98	.29*	8.80	NA	8.20	<.0032	150.0	<.05	70	
	02/09/99	<.31	1.3*	NA	4.30	<.0032	2000.0	<.05	19	
	06/08/99	<.31	1*	NA	18.00	<.0032	1300.0	<.05	66	
	09/13/99	<.31	.64*	NA	24.00	<.0032	1700.0	<.05	30	
	12/15/99	<.31	<.62	NA	NA	NA	860.0	NA	NA	
	03/13/00	<.31	4.80	NA	NA	NA	660.0	NA	NA	
	06/22/00	<.31	1.0 *	NA	NA	NA	600.0	NA	NA	
	09/27/00	<.23	1.2*	NA	NA	NA	700.0	NA	NA	
	12/19/00	<.23	<.4	NA	NA	NA	230.0	NA	NA	
	03/01/01	<.23	<.57	NA	NA	NA	43.0	NA	NA	
	06/19/01	<.17	.75*	NA	NA	NA	230.0	NA	NA	
	09/24/01	<.17	.73*	NA	NA	NA	530.0	NA	NA	
	12/05/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA	
	03/19/02	<.23	<.57	NA	NA	NA	22.0	NA	NA	
	06/20/02	<.23	.60*	NA	NA	NA	1400.0	NA	NA	
	09/18/02	<.23	<.44	NA	NA	NA	600.0	NA	NA	
	12/17/02	<.23	<.44	NA	NA	NA	58.0	NA	NA	
	03/24/03	.21*	<.43	NA	NA	NA	86.0	NA	NA	
	03/24/04	NA	3.80	6.3	NA	NA	89.0	NA	NA	
	03/29/05	NA	<.52	<2.7	NA	NA	82.0	NA	NA	
	03/23/06	NA	0.42	<5.0	NA	NA	43.0	NA	NA	
	03/27/07	NA	<1.9	NA	NA	NA	23	NA	NA	
	04/29/11	NA	0.64 J	NA	NA	NA	1.8 J	NA	NA	
MW-106	02/20/97	NA	21	NA	24	NA	320.0	NA	26	
	05/27/97	<.02	40	NA	35	NA	590.0	<.2	68	
	09/18/97	.05**	5.5	NA	6.2**	1**	56.9	<.03	35.6	
	12/12/97	.04*	9.2	NA	9.7**	<.08	155.0	.03*	18.4	
	03/25/98	NA	13.40	NA	14.4**	<1.7	150.0	.007*	18.5	
	06/10/98	.04*	<3.9	NA	10.2**	<1.7	10.0	.016*	10.9	
	10/27/98	.27*	3.20	NA	4.3*	<.0032	38.0	<.05	88	
	02/09/99	<.31	<.62	NA	1.1*	<.0032	760.0	<.05	22	
	06/08/99	<.31	.79*	NA	2.3	<.0032	900.0	<.05	<12	
	09/13/99	<.31	1.80	NA	4.7	<.0032	1100.0	<.05	30	
	12/15/99	<.31	1.3 *	NA	NA	NA	130.0	NA	NA	
	03/31/00	<.31	2.30	NA	NA	NA	270.0	NA	NA	
	06/22/00	<.31	.73 *	NA	NA	NA	<4.2	NA	NA	
	09/27/00	<.23	.88*	NA	NA	NA	50.0	NA	NA	
	12/19/00	<.23	.77*	NA	NA	NA	22.0	NA	NA	
	03/01/01	<.23	<.57	NA	NA	NA	45.0	NA	NA	
	06/19/01	.21*	.39*	NA	NA	NA	57.0	NA	NA	
	09/24/01	<.17	<.34	NA	NA	NA	950.0	NA	NA	
	12/05/01	<.23	<.57	NA	NA	NA	310.0	NA	NA	
	03/19/02	<.23	<.57	NA	NA	NA	92.0	NA	NA	
	06/20/02	<.23	<.44	NA	NA	NA	270.0	NA	NA	
	09/18/02	<.23	<.44	NA	NA	NA	420.0	NA	NA	
	12/17/02	<.23	<.44	NA	NA	NA	41.0	NA	NA	
	03/24/03	<0.17	<.43	NA	NA	NA	2.1	NA	NA	
	03/24/04	NA	<.45	3.8	NA	NA	190.0	NA	NA	
	03/29/05	NA	1.10	<2.7	NA	NA	15.0	NA	NA	
	03/23/06	NA	0.45	<5.0	NA	NA	30.0	NA	NA	
	03/27/07	NA	<1.9	NA	NA	NA	15	NA	NA	
	04/29/11	NA	0.79 J	NA	NA	NA	0.16 J	NA	NA	

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-107	02/20/97	NA	2,000	NA	13	NA	190.0	NA	6.9
	05/27/97	<.2	3,600	NA	<10	NA	91.0	<.2	10
	09/18/97	<.04	2,670	NA	<8.1	1**	59.3	<.03	33.5
	12/12/97	.04*	2,310	NA	<9.7	<.8	48.4	.1*	6.7
	03/25/98	.04*	11,200*	NA	12.1**	<1.7	68.2	.041*	9.3*
	06/10/98	.11*	6,240	NA	13.8**	<1.7	161.0	.027*	17.3*
	10/27/98	<.16	7,100	NA	1.2*	<.0032	28.0	<.05	94
	02/09/99	<.31	3,200	NA	1.9*	<.0032	49.0	<.05	<12
	06/08/99	<.31	5,800	NA	3.0	<.0032	25.0	<.05	<12
	09/13/99	<.31	4,000	NA	1.9*	<.0032	18.0	<.05	<12
	12/15/99	<.31	14,000	NA	NA	NA	.83 *	NA	NA
	03/13/00	<.31	8,100	NA	NA	NA	22.0	NA	NA
	06/22/00	<.31	14,000	NA	NA	NA	<42	NA	NA
	09/27/00	<.23	11,000	NA	NA	NA	4.9	NA	NA
	12/19/00	<.23	10,000	NA	NA	NA	2.4	NA	NA
	03/01/01	<.23	5,000	NA	NA	NA	2.2	NA	NA
	06/19/01	<.17	8,200	NA	NA	NA	<2	NA	NA
	09/24/01	<17	5,300	NA	NA	NA	270.0	NA	NA
	12/05/01	<.23	6,200	NA	NA	NA	10.0	NA	NA
	03/19/02	<.23	7,000	NA	NA	NA	<20	NA	NA
	06/20/02	<2.3	7,000	NA	NA	NA	<20	NA	NA
	09/18/02	<.17	4,300	NA	NA	NA	24.0	NA	NA
	12/17/02	<.17	3,700	NA	NA	NA	15.0	NA	NA
	03/24/03	<10	3,800	NA	NA	NA	7.7	NA	NA
	06/10/03	NA	5,900	NA	NA	NA	NA	NA	NA
	09/10/03	NA	5,200	NA	NA	NA	NA	NA	NA
	12/10/03	NA	5,200	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	5,500	NA	NA	NA	NA	NA
	03/24/04	NA	3,900	4,100	NA	NA	1.2*	NA	NA
	07/09/04	NA	3,400	5,000	NA	NA	NA	NA	NA
	09/22/04	NA	4,100	4,400	NA	NA	NA	NA	NA
	12/14/04	NA	6,300	5,800	NA	NA	NA	NA	NA
	03/29/05	NA	3,600	4,100	NA	NA	1.9	NA	NA
	06/22/05	NA	3,300	2,900	NA	NA	NA	NA	NA
	09/21/05	NA	2,500	2,500	NA	NA	NA	NA	NA
	12/15/05	NA	2,400	2,700	NA	NA	NA	NA	NA
	03/23/06	NA	3,200	3,600	NA	NA	1.90	NA	NA
	06/28/06	NA	3,600	3,000	NA	NA	NA	NA	NA
	09/20/06	NA	4,100	4,200	NA	NA	NA	NA	NA
	12/19/06	NA	2,700	NA	NA	NA	NA	NA	NA
	03/28/07	NA	4,200	NA	NA	NA	1.7	NA	NA
	07/03/07	NA	2,800	NA	NA	NA	NA	NA	NA
	09/28/07	NA	2,000	NA	NA	NA	NA	NA	NA
	04/16/08	NA	4,410	NA	NA	NA	NA	NA	NA
	09/22/08	NA	2,950	NA	NA	NA	NA	NA	NA
	04/03/09	NA	3,790	NA	NA	NA	NA	NA	NA
	09/01/09	NA	2,420	NA	NA	NA	NA	NA	NA
	03/17/10	NA	3,240	NA	NA	NA	NA	NA	NA
	09/09/10	NA	2,480	NA	NA	NA	NA	NA	NA
	04/29/11	NA	2,940	NA	NA	NA	0.32 J	NA	NA
	09/01/11	NA	1,960	NA	NA	NA	NA	NA	NA
	03/14/12	NA	2,700	NA	NA	NA	NA	NA	NA
	09/11/12	NA	2,410	NA	NA	NA	NA	NA	NA
	04/30/13	NA	3,020	NA	NA	NA	NA	NA	NA
	09/17/13	NA	3,440	NA	NA	NA	NA	NA	NA
	04/21/14	NA	2,150	NA	NA	NA	NA	NA	NA
	09/16/14	NA	2,130	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)	
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000	
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000	
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500	
MW-108	02/20/97	NA	25	NA	23	NA	490.0	NA	31	
	05/27/97	<.2	11	NA	13	NA	210.0	<.2	15	
	09/18/97	.14**	27.4	NA	22.4**	1**	462.0	<.03	36.6	
	12/12/97	.04*	5.6	NA	<9.7	<.8	74.8	.03*	27.9	
	03/25/98	.04*	9.4	NA	10.4**	<1.7	142.0	.007*	13.8	
	06/10/98	.14*	28.4	NA	25.5	<1.7	478.0	.021*	40.5	
	10/27/98	.26*	8.90	NA	7.40	<.0032	88.0	<.05	44	
	02/09/99	<.31	1.70	NA	3.90	<.0032	560.0	<.05	30	
	06/08/99	<.31	3.10	NA	1.4*	<.0032	450.0	<.05	54	
	09/13/99	<.31	4.50	NA	5.30	<.0032	100.0	<.05	<12	
	12/15/99	<.31	6.10	NA	NA	NA	79.0	NA	NA	
	03/13/00	<.31	3.6	NA	NA	NA	41.0	NA	NA	
	06/22/00	<.31	6.5	NA	NA	NA	<4.2	NA	NA	
	09/27/00	<.23	2.9	NA	NA	NA	29.0	NA	NA	
	12/19/00	<.23	3.0	NA	NA	NA	22.0	NA	NA	
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA	
	06/19/01	<.17	2.40	NA	NA	NA	110.0	NA	NA	
	09/24/01	<.17	<.34	NA	NA	NA	40.0	NA	NA	
	12/05/01	<.23	<.57	NA	NA	NA	7.4	NA	NA	
	03/19/02	<.23	<.57	NA	NA	NA	3.4	NA	NA	
	06/20/02	<.23	.85*	NA	NA	NA	39.0	NA	NA	
	09/18/02	<.23	<.44	NA	NA	NA	150.0	NA	NA	
	12/17/02	<.23	.67*	NA	NA	NA	34.0	NA	NA	
	03/24/03	<.17	.67*	NA	NA	NA	3.3	NA	NA	
	03/24/04	NA	0.79*	<36	NA	NA	83.0	NA	NA	
	03/29/05	NA	0.65	<2.7	NA	NA	2.6	NA	NA	
	03/27/06	NA	<0.40	<5.0	NA	NA	6.2	NA	NA	
	03/27/07	NA	<1.9	NA	NA	NA	1.4	NA	NA	
	04/29/11	NA	1.8 J	NA	NA	NA	0.70 J	NA	NA	
MW-109	****	06/21/06	<0.92	1,300	1,400	2.4*	<9.4	480.0	<0.072	<20
	****	09/20/06	NA	450	NA	-	<9.4	430.0	NA	<20
		12/19/06	NA	550	NA	NA	NA	NA	NA	NA
		03/29/07	NA	2,700	NA	NA	0.94	15	NA	<20
		07/03/07	NA	2,200	NA	NA	NA	NA	NA	NA
		09/28/07	NA	1,300	NA	NA	NA	NA	NA	NA
		04/16/08	NA	1,550	NA	NA	NA	NA	NA	NA
		09/22/08	NA	892	NA	NA	NA	NA	NA	NA
		04/03/09	NA	912	NA	NA	NA	NA	NA	NA
		09/01/09	NA	1,520	NA	NA	NA	NA	NA	NA
		03/17/10	NA	867	NA	NA	NA	NA	NA	NA
		09/09/10	NA	718	NA	NA	NA	NA	NA	NA
		04/29/11	NA	1,110	NA	NA	NA	3.8 J	NA	NA
		09/01/11	NA	2,040	NA	NA	NA	NA	NA	NA
		03/16/12	NA	866	NA	NA	NA	NA	NA	NA
		09/11/12	NA	582	NA	NA	NA	NA	NA	NA
		04/29/13	NA	986	NA	NA	NA	NA	NA	NA
		09/17/13	NA	805	NA	NA	NA	NA	NA	NA
		04/21/14	NA	863	NA	NA	NA	NA	NA	NA
		09/16/14	NA	944	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140			10	50	50	200	50.0	2	5,000
1992 PAL NR 140			1.0	5	5***	500	40	25.0	0.2
MW-110	****	06/21/06	<0.92	24,000	26,000	2.9*	40	290.0	<0.072
	****	09/20/06	NA	15,000	NA	NA	41	260.0	NA
		12/19/06	NA	15,000	NA	NA	53	NA	NA
		03/29/07	NA	47,000	NA	NA	6.6	84	NA
		07/03/07	NA	3,200	NA	NA	79	NA	NA
		09/28/07	NA	51,000	NA	NA	71	NA	NA
		04/16/08	NA	32,500	NA	NA	55	NA	NA
		09/22/08	NA	32,500	NA	NA	57	NA	NA
		04/03/09	NA	30,900	NA	NA	42	NA	NA
		09/01/09	NA	34,400	NA	NA	21	NA	NA
		03/17/10	NA	22,800	NA	NA	39	NA	NA
		09/09/10	NA	5,060	NA	NA	7.5 J	NA	NA
		04/29/11	NA	27.2	NA	NA	<6.1	0.22 J	NA
		09/01/11	NA	7,270	NA	NA	6.6 J	NA	NA
		03/14/12	NA	4,530	NA	NA	6.6 J	NA	NA
		09/12/12	NA	10,800	NA	NA	13 J	NA	NA
		04/30/13	NA	294	NA	NA	4.3 J	NA	NA
		09/17/13	NA	3,190	NA	NA	4.3 J	NA	NA
		04/22/14	NA	76	NA	NA	<10	NA	NA
		09/17/14	NA	1,960	NA	NA	<0.010	NA	NA
MW-111	****	06/21/06	<0.92	1,400	1,400	3.3*	27	190.0	<0.072
	****	09/20/06	NA	22	NA	-	20*	210.0	NA
		12/19/06	NA	6.7	NA	NA	NA	NA	NA
		03/29/07	NA	2,300	NA	NA	31	11	NA
		07/03/07	NA	41	NA	NA	NA	NA	NA
		09/28/07	NA	340	NA	NA	NA	NA	NA
		04/16/08	NA	212	NA	NA	16 J	NA	NA
		09/22/08	NA	743	NA	NA	NA	NA	NA
		04/03/09	NA	381	NA	NA	13 J	NA	NA
		09/01/09	NA	1,380	NA	NA	NA	NA	NA
		03/17/10	NA	649	NA	NA	17 J	NA	NA
		09/09/10	NA	438	NA	NA	NA	NA	NA
		04/29/11	NA	238	NA	NA	<6.1	<0.14	NA
		09/01/11	NA	572	NA	NA	NA	NA	NA
		03/14/12	NA	432	NA	NA	13	NA	NA
		09/12/12	NA	24.5	NA	NA	NA	NA	NA
		04/30/13	NA	478	NA	NA	11 J	NA	NA
		09/17/13	NA	509	NA	NA	11 J	NA	NA
		04/21/14	NA	332	NA	NA	12 J	NA	NA
		09/17/14	NA	302	NA	NA	12 J	NA	NA
MW-112	****	06/21/06	<0.92	130,000	140,000	5.3	140	180.0	<0.072
	****	09/20/06	NA	69,000	NA	NA	84	130.0	NA
		12/19/06	NA	55,000	NA	NA	88	NA	NA
		03/28/07	NA	140,000	NA	NA	450	110	NA
		07/03/07	NA	100,000	NA	NA	35	NA	NA
		09/28/07	NA	150,000	NA	NA	320	NA	NA
		04/16/08	NA	88,400	NA	NA	380	NA	NA
		09/22/08	NA	77,400	NA	NA	210	NA	NA
		04/03/09	NA	76,200	NA	NA	210	NA	NA
		09/01/09	NA	69,000	NA	NA	150	NA	NA
		03/17/10	NA	21,500	NA	NA	110	NA	NA
		09/09/10	NA	7,150	NA	NA	110	NA	NA
		04/29/11	NA	1,840	NA	NA	<6.1	2.6 J	NA
		09/01/11	NA	15,600	NA	NA	51	NA	NA
		03/14/12	NA	149	NA	NA	<6.1	NA	NA
		09/12/12	NA	18,600	NA	NA	32	NA	NA
		04/30/13	NA	216	NA	NA	5.2 J	NA	NA
		09/17/13	NA	2,940	NA	NA	5.2 J	NA	NA
		04/21/14	NA	189	NA	NA	<10	NA	NA
		09/17/14	NA	2,820	NA	NA	0.016	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-113	****	06/21/06	<0.92	25,000	26,000	3.4*	11	170.0	<0.072
	****	09/20/06	NA	31,000	NA	NA	12*	85.0	NA
		12/19/06	NA	21,000	NA	NA	NA	NA	NA
		03/29/07	NA	11,000	NA	NA	<0.94	3.2	NA
		07/03/07	NA	21,000	NA	NA	NA	NA	NA
		09/28/07	NA	55,000	NA	NA	NA	NA	NA
		04/16/08	NA	16,400	NA	NA	NA	NA	NA
		09/22/08	NA	24,300	NA	NA	NA	NA	NA
		04/03/09	NA	18,800	NA	NA	NA	NA	NA
		09/01/09	NA	37,400	NA	NA	NA	NA	NA
		03/17/10	NA	31,300	NA	NA	NA	NA	NA
		09/09/10	NA	18,400	NA	NA	NA	NA	NA
		04/29/11	NA	2,760	NA	NA	NA	<0.14	NA
		09/01/11	NA	16,700	NA	NA	NA	NA	NA
		03/14/12	NA	7,460	NA	NA	NA	NA	NA
		09/12/12	NA	25,800	NA	NA	NA	NA	NA
		04/30/13	NA	776	NA	NA	NA	NA	NA
		09/17/13	NA	31,100	NA	NA	NA	NA	NA
		04/22/14	NA	12,000	NA	NA	NA	NA	NA
		09/17/14	NA	25,900	NA	NA	NA	NA	NA
PZ-5	07/19/05****	NA	1.3*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	0.41*	<5.0	NA	NA	NA	NA	NA
PZ-6	07/19/05****	NA	1.2*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	<0.40	<5.0	NA	NA	NA	NA	NA
PZ-7	07/19/05****	NA	<0.52	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	0.55*	<5.0	NA	NA	NA	NA	NA
PZ-8	07/19/05****	NA	1.1*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	<0.40	<5.0	NA	NA	NA	NA	NA

EXPLANATION:

Samples collected prior to 10/27/98 were collected by CH2M Hill.

* = Analyte detected between limit of detection and limit of quantitation.

** = Compound was found in sample and blank.

*** = Standard is for Total Chromium.

**** = OMNNI Associates, Inc. collected groundwater samples from PZ-5 to PZ-8 on July 19, 2005 and September 21, 2005 and MW-109 to MW-113 on June 21, 2006 and September 20, 2006 using a peristaltic pump and dedicated tubing.

ND = Not detected above the analytical laboratories method detection limit

NA = Not Analyzed

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MW-104 = Was tested for Aluminum, Nickel, Arsenic & Lead. No quantifiable detections were noted for any of the analytes.

ug/L = Microgram/Liter

mg/L = Milligram / Liter

	Indicates an exceedance of the 1992 NR 140 Groundwater Quality Enforcement Standard (ES)
	Indicates Exceedance of the 1992 NR 140 Groundwater Preventive Action Limit (PAL)

NOTE: The EPA Record of Decision establishes the 1992 PALS as the cleanup goals for the site.

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
W-2	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<.4	<68	<40	<.5	<.5	.4**	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	.15*	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	.13*	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	<.42	<.32	<.42	***	<.43
W-8	02/20/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<40	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<40	<7	<7	<.4	<68	<40	<.5	<.5	.4**	-
	03/25/98	<.5	<.6	<85	<40	<7	<7	<.3	<68	<40	<.5	<.5	.3**	-
	06/10/98	<.5	<.6	<85	<40	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	.19*	<.15	<.15	<.15	<.16	<.17	***	.15*	<.14	<.15	<.15	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	0.13	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	<.42	<.32	<.42	***	<.43

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
W-15	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	0.22	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<.4	<68	<40	<.5	<.5	.4**	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	06/08/99	.16*	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.50*	<.42	<.32	<.42	***	<.43
MW-101	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	.491*	.353*	<7	<7	<124	<68	3.03	<.5	3.31	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	<.14	<.15	<.16	<.17	***	0.91	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.40*	<.42	<.32	<.42	***	<.43

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-102	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<.85	<85	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<85	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<85	<7	<7	<.4	<68	<40	<.5	<.5	.4*	-
	06/10/98	<.5	<.6	<85	<85	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	<.14	<.15	<.16	<.17	***	0.65	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	.21*	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	<.42	<.32	<.42	***	<.43
MW-103	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	<.14	<.15	<.16	<.17	***	.15*	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	.23*	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.39	***	<.37	<.42	<.32	<.42	***	<.42

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-104	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	.324*	<.5	<.5	<124	-
	12/12/97	<.5	<.6	0.4	<.7	<7	<7	<120	<68	1*	<.5	0.9	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	.8*	<.5	<.5	<120	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	2*	<.5	<.5	<120	-
	10/27/98	<.24	<.23	.35*	<.28	<.27	<.26	<.17	<.21	1.8	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	.38*	<.15	<.16	<.17	***	.17*	1.5	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	.34*	<.15	<.16	<.17	***	.14*	1.4	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	.38*	<.15	<.16	<.17	***	.27*	1.6	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	.38 *	<.35	<.15	<.39	***	<.37	1.6	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	2.8	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	2.4	<.25	<.23	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	1.3*	<.32	<.42	***	<.43
MW-105	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<.4	<68	<40	<.5	<.5	.4*	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	.16*	<.15	<.14	<.15	<.16	<.17	***	.3*	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13*	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	****	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	0.64*	<.42	<.32	<.42	***	<.43

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-106	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	2.73*	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.27	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	.18*	<.15	<.14	<.15	<.16	<.17	***	<.17	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	<.13	<.14	<.15	<.14	***	<.37
	03/13/00	<.32	<.28	<.36	<.35	<.15	0.39	***	<.37	<.33	<.11	<.34	***	<.71
	03/01/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	5.7	<.42	<.32	<.42	***	<.43
MW-107	02/20/97	<.5	0.3	11	8.4	0.7	<.7	<.5	<.5	81	0.6	50	<.5	-
	05/27/97	0.09	1.10	36	40	3.1	<3.1	<.5	0.34	390	3.5	420	<.5	-
	09/18/97	<10	<12	47.6*	22.1	2.61*	<2.61	<2480	<68	265*	2.83	295	<2480	-
	12/12/97	<10	<12	56*	23	3*	<3	<2500	<68	280	3	290	<2500	-
	03/25/98	<25	<30	61*	69	5*	<5	<17	<68	720	5	620	17*	-
	06/10/98	<12	<15	59*	58	<3	<3	<3100	63*	340*	4*	390	<3100	-
	10/27/98	<.24	1.4	62	46*	3.6	.51*	<.17	<.21	550	4.9	640	<.36	-
	02/09/99	<3.2	<3.8	48	24	<4.0	<4.2	***	<3.2	220	<.38	250	***	<9.2
	06/08/99	<2.6	<3.0	42	20	<3.2	<3.4	***	<2.6	200	<3.0	310	***	<7.4
	09/13/99	<.26	<3.0	34	19	<.32	<3.4	***	<2.6	180	<.3.0	320	***	<.7.4
	12/15/99	<3.2	<3.8	37	56	4.6 *	<4.2	***	<3.2	570	4.5 *	880	***	<9.2
	03/13/00	<26	<23	50 *	32 *	<12	<31	***	<30	340	<.90	630	***	<57
	06/22/00	<26	<23	<29	50 *	<12	<31	***	<30	540	<9	850	***	<57
	09/27/00	<26	<23	35*	54*	<12	<31	***	<30	560	<9	870	***	<57
	12/19/00	<6.4	<5.6	36	53	4.5*	<7.8	***	<7.5	480	4.1*	790	***	<20
	03/01/01	<6.0	<7.4	<32	<6.7	<14	<6.5	***	<8.7	420	<13	760	***	<28
	06/25/01	<6.5	<15	26	35	<9	<6.1	***	<6.2	360	<6.5	620	***	<32
	09/24/01	<6.5	<15	36	50	<9	<6.1	***	<6.2	480	<6.5	760	***	<32
	12/05/01	<6.5	<15	40	50	<9	<6.1	***	<6.2	500	<6.5	810	***	<32

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)												
	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL	5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140	5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140	0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
03/19/02	<6.0	<7.5	37*	43	<14	<6.5	***	<8.7	440	<13	740	***	<28
06/20/02	<7.9	<11	31	39	<7.2	<8.9	***	<7.6	410	<6.8	690	***	<14
09/18/02	<7.9	<11	34	39	<7.2	<8.9	***	<7.6	430	<6.8	710	***	<14
12/17/02	<7.9	<11	40	43	<7.2	<8.9	***	<7.6	470	<6.8	850	***	<14
03/24/03	<.17	<.18	33*	37*	<19	<19	***	<19	390	<16	640	***	<22
06/10/03	<5.7	<8.0	<5.3	39	<11	<8.2	***	<7.2	400	<9.0	680	***	<17
09/10/03	<17	<18	36*	41*	<19	<19	***	<19	430	<16	730	***	<22
12/10/03	<17	<18	25*	31*	<19	<19	***	<19	380	<16	740	***	<22
03/24/04	<7.5	<7.0	<7.1	22	<6.8	<6.0	***	<7.6	220	<8.1	370	***	<19
07/29/04	<2.0	<1.8	29	25	<4.1	<4.4	***	<3.4	310	3.4	510	***	<13.1
09/22/04	<7.5	<7.0	28	34	<6.8	<6.0	***	<7.6	270	<8.1	570	***	<19

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)												
	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL	5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140	5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140	0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
	12/14/04	<7.5	<7.0	33	40	<6.8	<6.0	***	<7.6	410	<8.1	800	***<19
	03/29/05	<2.0	<1.8	39	20	<4.1	<4.4	***	<3.4	200	0.21	330	***<13.1
	06/22/05	<1.0	<0.92	18	8.2	<2.1	<2.2	***	<1.7	82	<1.0	160	***<6.6
	09/21/05	<2.0	<1.8	39	18.0	<4.1	<4.4	***	<3.4	220	<2.1	470	***<13.1
	12/15/05	<2.0	<1.8	42	26.0	<4.1	<4.4	***	<3.4	250	<2.1	490	***<13.1
	03/23/06	<2.0	<1.8	31	16.0	<4.1	<4.4	***	<3.4	150	<2.1	330	***<13.1
	06/28/06	<2.0	<1.8	37	28.0	<4.1	<4.4	***	<3.4	270	<2.1	550	***<13.1
	09/20/06	<4.1	<3.7	32	31.0	<8.3	<8.9	***	<6.7	330	<4.2	700	***<26.3
	12/19/06	<2.0	<1.8	52	30	<4.1	<4.4	***	<3.4	280	3.3*	580	***<13.1
	03/28/07	<0.82	<0.74	19	18	2.1	<1.8	***	<1.3	190	1.7	340	***<5.3
	07/03/07	<1.0	<0.92	30	15	2.3	<2.2		<1.7	160	1.5	350	***<6.6
	09/28/07	<2.0	<1.8	35	19	<4.1	<4.4	***	<3.4	210	2.4*	420	***<13.1
	04/16/08	<2.0	<1.8	20.8	21.8	<4.2	<4.4	***	<3.4	257	2.7 J	550	***<13.2
	09/22/08	<2.0	<6.5	38.5	34.2	4.5 J	<4.4	***	<3.4	368	2.8 J	679	***<13.2
	04/03/09	<2.0	<6.5	22.6	22.7	<4.2	<4.4	***	<3.4	283	<2.1	593	***<13.2
	09/01/09	<2.0	<6.5	41.4	37.7	<4.2	<4.4	***	<3.4	347	2.8 J	715	***<13.2
	03/17/10	<2.0	<6.5	25.3	29.0	<4.2	<4.4	***	<3.4	276	<2.1	620	***<13.2
	09/09/10	<2.0	<6.5	25.8	26.7	<4.2	<4.4	***	<3.4	283	<2.1	685	***<13.2
	04/29/11	<2.0	<6.5	21.0	18.3	<4.2	<4.4	***	<3.4	213	<2.1	551	***<13.2
	09/01/11	<2.0	<6.5	31.5	26.1	<4.2	<4.4	***	5.2	297	2.3 J	641	***<13.2
	03/14/12	<2.0	<6.5	21.4	15.6	<4.2	<4.4	***	<3.4	190	<2.1	463	***<13.2
	09/11/12	<2.0	<6.5	32.0	30.5	4.2J	<4.4	<4.2	<3.4	305	<2.1	664	<9.0<13.2
	04/30/13	<2.5	<3.4	16.3	15.5	<2.1	<1.9	<2.5	<2.2	177	<1.9	460	<4.1<6.6
	09/17/13	<5.0	<6.9	3.7	11.9	<4.2	<3.7	<5.0	<4.4	174	<3.9	531	<8.2<13.2
	04/21/14	<2.5	<12.5	14.9	11.7	1.7 J	<1.2	<2.5	<2.5	129	<0.78	399	<5.0<7.5
	09/16/14	<2.5	<12.5	5.2	10.7	2.2 J	<1.3	<2.5	<2.5	120	<0.78	418	<5.0<7.5

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)												
		Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-108	02/20/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	05/27/97	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	-
	09/18/97	<.5	<.6	<85	<.7	<7	<7	<124	<68	<40	<.5	<.5	<124	-
	12/12/97	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	03/25/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<40	<.5	<.5	<120	-
	06/10/98	<.5	<.6	<85	<.7	<7	<7	<120	<68	<44	<.5	<.5	<120	-
	10/27/98	<.24	<.23	<.22	<.28	<.27	<.26	<.17	<.21	<.26	<.23	<.29	<.36	-
	02/09/99	<.13	<.15	<.14	<.15	<.16	<.17	***	0.83	<.14	<.15	<.14	***	<.37
	06/08/99	<.13	<.15	<.14	<.15	<.16	<.17	***	.15*	<.14	<.15	<.14	***	<.37
	09/13/99	<.13	<.15	<.14	<.15	<.16	<.17	***	0.84	<.14	<.15	<.14	***	<.32
	03/13/00	<.32	<.28	<.36	<.35	<.15	<.39	***	<.37	<.33	<.11	<.36	***	<.71
	03/31/01	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/19/02	<.12	<.15	<.64	<.13	<.28	<.13	***	<.17	<.17	<.25	<.13	***	<.56
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	<.42	<.32	<.42	***	<.43
	03/24/03	<.35	<.35	<.35	<.39	<.39	<.37	***	<.37	<.42	<.32	<.42	***	<.43
MW-109	06/21/06	-	0.40*	1.3*	1.9	<0.83	<0.89	***	-	37	0.45*	46	***	-
	09/20/06	-	0.39*	1.7*	2.2	<0.83	<0.89	***	-	37	0.45*	51	***	-
	12/19/06	<.41	0.44*	2.7	1.1*	<0.83	<0.89	***	-	33	0.52*	42	***	<2.63
	03/29/07	<.41	<0.37	0.85	1.3	<0.83	<0.89	***	<13	27	<0.42	37	***	<2.63
	07/03/07	<.41	0.38*	1.7	1.3	<0.83	<0.89	***	<0.67	34	0.54	47	***	<2.63
	09/28/07	<.41	<0.37	<0.75	1.1*	<0.83	<0.89	***	<0.67	22	<0.42	35	***	<2.63
	04/16/08	<.41	0.39 J	1.9	1.9	<0.83	<0.89	***	<0.67	31.9	0.45 J	39.4	***	<2.63
	09/22/08	<.41	<1.3	0.98 J	1.4	<0.83	<0.89	***	<0.67	26.9	<0.42	38.8	***	<2.63
	04/03/09	<.41	<1.3	2.4	1.1	<0.83	<0.89	***	<0.67	29.6	<0.42	36.3	***	<2.63
	09/01/09	<.41	<1.3	1.4	2.2	<0.83	<0.89	***	<0.67	35.8	0.50 J	50.8	***	<2.63
	03/17/10	<.41	<1.3	2.4	1.6	<0.83	<0.89	***	<0.67	27.4	<0.42	37.9	***	<2.63
	09/09/10	<.41	<1.3	0.84 J	1.2	<0.83	<0.89	***	<0.67	23.5	<0.42	41.5	***	<2.63
	04/29/11	<.41	<1.3	2.2	1.6	<0.83	<0.89	***	<0.67	27.1	0.43 J	38.6	***	<13.2
	09/01/11	<.41	<1.3	2.7	2.6	<0.83	<0.89	***	<0.67	52.5	0.69 J	66.8	***	<2.63
	03/14/12	<.41	<1.3	2.4	1.1	<0.83	<0.89	***	<0.67	22.3	<0.42	33.5	***	<2.63
	09/11/12	<.41	<1.3	1.1	0.91J	<0.83	<0.89	***	<0.67	19.5	<0.42	30.2	***	<2.63
	04/30/13	<.50	<0.69	1.8	1.0	<0.42	<0.37	***	<0.44	16.7	<0.39	28.7	***	<1.32
	09/17/13	<0.50	<0.69	0.8	0.8	<0.42	<0.37	***	<0.44	12.6	<0.39	26.3	***	<1.32

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)												
	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL	5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140	5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140	0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
	04/21/14	<0.50	<2.5	1.9	1.0	<0.26	<0.24	***	<0.50	18.9	0.27 J	28.6	*** <1.5
	09/16/14	<0.50	<2.5	1.0	0.89 J	<0.26	<0.26	<0.50	<0.50	21.4	<0.16	31.1	<1.0 <1.5
MW-110	06/21/06	-	<3.7	310	340	56	19	***	-	1,500	<4.2	27	*** -
	09/20/06	-	<3.7	260	300	57	28*	***	-	1,100	<4.2	30	*** -
	12/19/06	<4.1	<3.7	230	240	55	16*	***	<6.7	910	<4.2	23	*** <2.63
	03/29/07	<8.2	<7.4	250	340	59	24	***	<13	1,500	<8.4	32	*** <53
	07/03/07	<8.2	<7.4	270	230	59	18	***	<13	1,300	<8.4	26	*** <53
	09/28/07	<10	<9.2	380	350	67*	23*	***	<17	1,600	<10	32*	*** <2.63
	04/16/08	<8.2	<7.4	206	195	55.9	<17.8	***	<13.4	918	<8.4	28.2	*** <52.6
	09/22/08	<4.1	<13.0	246	239	73.5	29.1	***	<6.7	1,210	<4.2	45.5	*** <26.3
	04/03/09	<4.1	<13.0	195	188	56.5	14.0	***	<6.7	914	<4.2	26.2	*** <26.3
	09/01/09	<4.1	<13.0	257	268	74.9	16.3	***	<6.7	1,130	<4.2	44.2	*** <26.3
	03/17/10	<4.1	<13.0	159	169	47.3	9.8 J	***	<6.7	718	<4.2	29.8	*** <26.3
	09/09/10	<1.0	<3.2	36.3	47.7	17.2	3.3	***	<1.7	252	<1.0	23.5	*** <6.6
	04/29/11	<0.41	<1.3	0.84 J	0.62 J	<0.83	<0.89	***	<0.67	6.6	<0.42	1.0	*** <2.63
	09/01/11	<0.41	<1.3	32.5	40.0	22.2	3.0	***	<0.67	232	0.87 J	32.7	*** <2.63
	03/14/12	<1.6	<1.3	39.6	29.9	13.4	2.3	***	<0.67	170	0.46 J	15.8	*** <2.63
	09/12/12	<1.6	<5.2	65.3	68.9	24.4	5.2	***	<2.7	313	<1.7	22.7	*** <10.5
	04/30/13	<0.50	<0.69	6.8	4.4	1.9	0.38 J	***	<0.44	28.1	<0.39	4.7	*** <1.32
	09/17/13	<0.50	<0.69	28.5	25.6	11.4	1.9	***	<0.44	111	0.48	18	*** <1.32
	04/22/14	<0.50	<2.5	3.1	1.5	0.60 J	<0.24	***	<0.50	9.6	<0.16	2.4	*** <1.5
	09/17/14	<0.50	<2.5	24.7	19.1	10.4	1.5	<0.5	<0.50	115	0.38 J	19.3	<1.0 <1.5
MW-111	06/21/06	-	0.59*	2.7	11	<0.83	<0.89	***	-	78	0.71	180	*** -
	09/20/06	-	<0.37	3.2	7.7	<0.83	<0.89	***	-	36	<0.42	97	*** -
	12/19/06	<0.41	<0.37	2.0*	1.5*	<0.83	<0.89	***	<0.67	7.9	<0.42	21	*** <2.63
	03/29/07	<0.41	0.77	1.7	7.3	<0.83	<0.89	***	<0.67	52	<0.42	120	*** <2.63
	07/03/07	<0.41	<0.37	<0.36	1.8	<0.83	<0.89	***	<0.67	14	<0.42	37	*** <2.63
	09/28/07	<0.41	<0.37	2.4*	2.8	<0.83	<0.89	***	<0.67	22	<0.42	55	*** <2.63
	04/16/08	<0.41	1.2	1.6	2.7	<0.83	<0.89	***	<0.67	20.3	<0.42	52.9	*** <2.63
	09/22/08	<0.41	<1.3	2.6	6.7	<0.83	<0.89	***	<0.67	59.0	0.53 J	142	*** <2.63
	04/03/09	<0.41	<1.3	1.6	2.7	<0.83	<0.89	***	<0.67	21.4	<0.42	57.7	*** <2.63
	09/01/09	<0.41	<1.3	2.5	7.5	<0.83	<0.89	***	<0.67	56.8	0.51 J	147	*** <2.63
	03/17/10	<0.41	<1.3	1.8	3.9	<0.83	<0.89	***	<0.67	27.5	<0.42	75.3	*** <2.63

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)												
	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL	5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140	5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140	0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
	09/09/10	<0.41	<1.3	2.2	4.5	<0.83	<0.89	***	<0.67	37.5	<0.42	110	***<2.63
	04/29/11	<0.41	<1.3	2.0	2.7	<0.83	<0.89	***	<0.67	21.1	<0.42	65.0	***<2.63
	09/01/11	<0.41	<1.3	2.3	4.5	<0.83	<0.89	***	<0.67	39.7	<0.42	109	***<2.63
	03/14/12	<0.41	<1.3	2.3	2.7	<0.83	<0.89	***	<0.67	23.9	<0.42	62.6	***<2.63
	09/12/12	<0.41	<1.3	3.1	3.2	<0.83	<0.89	***	<0.67	24.1	<0.42	66.7	***<2.63
	04/30/13	<0.50	<0.69	1.8	2.9	<0.42	<0.37	***	<0.44	19.8	<0.39	64.1	***<1.32
	09/17/13	<0.50	<0.69	2.3	4.8	<0.42	<0.37	***	<0.44	32.1	<0.39	108	***<1.32
	04/21/14	<0.50	<2.5	1.7	2.2	<0.26	<0.24	***	<0.50	18.4	0.20 J	60	***<1.5
	09/17/14	<0.50	<2.5	2.7	3.9	<0.26	<0.26	<0.50	<0.50	36.9	0.30 J	110	<1.0<1.5
MW-112	06/21/06	-	<1.8	<3.7	<3.8	<4.1	<4.4	***	-	7.9*	<2.1	450	***-
	09/20/06	-	<0.37	<7.5	<5.7	<8.3	<8.9	***	-	<9.0	<4.2	540	***-
	12/19/06	<2.0	<1.8	<3.8	<2.8	<4.1	<4.4	***	<3.4	<4.5	<2.1	240	***<13.1
	03/29/07	<4.1	<3.7	<7.5	<5.7	<8.3	<8.9	***	<6.7	20	<4.2	940	***<26.3
	07/03/07	<2.0	<1.8	<3.8	<2.8	<4.1	<4.4	***	<3.4	11	<2.1	750	***<13.1
	09/28/07	<4.1	<3.7	<7.5	<5.7	<8.3	<8.9	***	<6.7	13*	<4.2	820	***<2.63
	04/16/08	<4.1	<3.7	<7.5	<5.7	<8.3	<8.9	***	<6.7	20.1	<4.2	1130	***<26.3
	09/22/08	<4.1	<13.0	<7.5	5.7 J	<8.3	<8.9	***	<6.7	19.0	<4.2	1160	***<26.3
	04/03/09	<4.1	<13.0	<7.5	5.8 J	<8.3	<8.9	***	<6.7	20.6	<4.2	1250	***<26.3
	09/01/09	<4.1	<13.0	<7.5	8.2 J	<8.3	<8.9	***	<6.7	25.8	<4.2	1600	***<26.3
	03/17/10	<4.1	<13.0	<7.5	<5.7	<8.3	<8.9	***	<6.7	<9.0	<4.2	556	***<26.3
	09/09/10	<4.1	<13.0	<7.5	<5.7	<8.3	<8.9	***	<6.7	<9.0	<4.2	546	***<26.3
	04/29/11	<0.41	<1.3	<0.75	<0.57	<0.83	<0.89	***	<0.67	0.94 J	<0.42	111	***<2.63
	09/01/11	<2.0	<6.5	<3.8	<2.8	<4.2	<4.4	***	<3.4	7.5	<2.1	557	***<13.2
	09/01/11	<0.41	<1.3	<0.75	<0.57	<0.83	<0.89	***	<0.67	<0.90	<0.42	47.9	***<2.63
	09/12/12	<2.0	<6.5	<3.8	<2.8	<4.2	<4.4	***	<3.4	7.8	<2.1	623	***<13.2
	04/30/13	<0.50	<0.69	<0.28	<0.43	<0.43	<0.37	***	<0.44	<0.44	<0.39	75	***<1.32
	09/17/13	<2.5	<3.4	1.9	<2.1	<2.1	<1.9	***	<2.2	3.4	<1.9	474	***<6.6
	04/21/14	<0.50	<2.5	0.24 J	<0.41	<0.26	<0.24	***	<0.50	<0.50	<0.16	46	***<1.5
	09/17/14	<2.5	<12.5	2.1 J	<2.1	<1.3	<1.3	<2.5	<2.5	3.8 J	<0.78	493	<5.0<7.5
MW-113	06/21/06	-	<0.74	37	44	4.4*	<1.8	***	-	240	<0.84	92	***-
	09/20/06	-	<0.37	22	19	3.6	1.3*	***	-	120	0.82*	81	***-
	12/19/06	<2.0	<1.8	28	16	5.2*	<4.4	***	<3.4	120	<2.1	91	***<13.1
	03/29/07	<0.41	<0.37	10	11	1.6	<0.89	***	<0.67	77	<0.42	46	***<2.63

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)												
	Benzene	Chloroform	1,1-Dichloroethane	1,1-Dichloroethene	cis-1,2,-Dichloroethene	Trans-1,2,-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL	5.0	100	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140	5	6	850	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140	0.067	0.6	85	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
	07/03/07	<2.0	<1.8	21	8.1	4.9	<4.4	***	<13.1	79	<2.1	61	*** <13.1
A	09/28/07	<0.41	0.57	35	17	8.9	<0.89	***	<0.67	130	1.5	97	*** <2.63
	04/16/08	<0.41	<0.37	20.5	15.3	3.7	<0.89	***	<0.67	99.7	0.44 J	62.4	*** <2.63
	09/22/08	<4.1	<13.0	28.2	17.9	<8.3	<8.9	***	<6.7	134	<4.2	89.4	*** <26.3
	04/03/09	<0.41	<1.3	21.8	13.9	4.1	<0.89	***	<0.67	107	<0.42	62.2	*** <2.63
	09/01/09	<1.0	<3.2	51.2	70.8	13.8	4.0	***	<1.7	356	1.4 J	199	*** <6.6
	03/17/10	<1.0	<3.2	29.0	23.6	7.8	<2.2	***	<1.7	140	<1.0	96.8	*** <6.6
	09/09/10	<0.82	<2.6	26.7	29.1	6.1	<1.8	***	<1.3	165	<0.84	77	*** <5.3
	04/29/11	<0.50	<1.3	6.9	5.5	1.1	<0.89	***	<0.67	37.1	<0.42	21.3	*** <2.63
	09/01/11	<0.41	<1.3	23.8	26.0	6.3	1.2	***	<0.67	152	0.55 J	75.9	*** <2.63
	03/14/12	<0.41	<1.3	17.1	17.3	2.9	<0.89	***	<0.67	106	<0.42	42.3	*** <2.63
	09/12/12	<2.0	<6.5	50.8	59.6	12.6	<4.4	***	<3.4	320	<2.1	148	*** <13.2
	04/30/13	<.50	<0.69	6.2	5.8	0.94	<0.37	***	<3.4	34.6	<2.1	14	*** <1.32
	09/17/13	<2.0	<2.8	47.9	74.6	16.3	4.2	***	<1.8	284	<1.6	161	*** <5.3
B	04/22/14	<0.50	<2.5	26.7	18.8	7.1	1.3	***	<0.50	103	0.50 J	67.4	*** <1.5
	09/17/14	<0.50	<2.5	54.3	38.8	14.2	2.4	<0.50	<0.50	231	0.89 J	125	<1.0 <1.5
PZ-5	07/19/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	1.7*	<0.42	<0.48	NA	NA
	09/21/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA
	09/21/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA
PZ-6	07/19/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA
	09/21/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA
	09/21/05	<0.37	<0.75	<0.57	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA

Appendix C

Laboratory Analytic Test Reports and Chain-of-Custody Record
Groundwater Sampling Field Sheets

September 25, 2014

Scott Hodgson
Terracon, Inc. - Franklin
9856 South 57th Street
Franklin, WI 53132

RE: Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Dear Scott Hodgson:

Enclosed are the analytical results for sample(s) received by the laboratory on September 17, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

New York Certification #: 11888
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40103515001	MW-103	Water	09/16/14 14:40	09/17/14 16:34
40103515002	MW-104	Water	09/16/14 13:00	09/17/14 16:34
40103515003	MW-107	Water	09/16/14 17:25	09/17/14 16:34
40103515004	MW-109	Water	09/16/14 16:05	09/17/14 16:34
40103515005	MW-110	Water	09/17/14 11:45	09/17/14 16:34
40103515006	MW-111	Water	09/17/14 08:15	09/17/14 16:34
40103515007	MW-112	Water	09/17/14 09:20	09/17/14 16:34
40103515008	MW-113	Water	09/17/14 10:20	09/17/14 16:34
40103515009	DUP 1	Water	09/17/14 00:00	09/17/14 16:34
40103515010	TRIP BLANK	Water	09/17/14 00:00	09/17/14 16:34

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40103515001	MW-103	EPA 6010	DLB	1	PASI-G
40103515002	MW-104	EPA 6010	DLB	1	PASI-G
40103515003	MW-107	EPA 6010	DLB	1	PASI-G
		EPA 8260	HNW	64	PASI-G
40103515004	MW-109	EPA 6010	DLB	1	PASI-G
		EPA 8260	LAP	64	PASI-G
40103515005	MW-110	EPA 6010	DLB	1	PASI-G
		EPA 8260	LAP	64	PASI-G
		EPA 335.4	BAF	1	PASI-G
40103515006	MW-111	EPA 6010	DLB	1	PASI-G
		EPA 8260	LAP	64	PASI-G
40103515007	MW-112	EPA 6010	DLB	1	PASI-G
		EPA 8260	AMN	64	PASI-G
		EPA 335.4	BAF	1	PASI-G
40103515008	MW-113	EPA 6010	DLB	1	PASI-G
		EPA 8260	LAP	64	PASI-G
40103515009	DUP 1	EPA 8260	LAP	64	PASI-G
40103515010	TRIP BLANK	EPA 8260	LAP	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40103515001	MW-103					
EPA 6010	Chromium, Dissolved	10.0	ug/L	5.0	09/23/14 13:49	
40103515002	MW-104					
EPA 6010	Chromium, Dissolved	12.5	ug/L	5.0	09/23/14 13:51	
40103515003	MW-107					
EPA 6010	Chromium, Dissolved	2130	ug/L	5.0	09/23/14 14:11	
EPA 8260	1,1-Dichloroethane	5.2	ug/L	5.0	09/23/14 09:45	
EPA 8260	1,1-Dichloroethene	10.7	ug/L	5.0	09/23/14 09:45	
EPA 8260	cis-1,2-Dichloroethene	2.2J	ug/L	5.0	09/23/14 09:45	
EPA 8260	1,1,1-Trichloroethane	120	ug/L	5.0	09/23/14 09:45	
EPA 8260	Trichloroethene	418	ug/L	5.0	09/23/14 09:45	
40103515004	MW-109					
EPA 6010	Chromium, Dissolved	944	ug/L	5.0	09/23/14 13:56	
EPA 8260	1,1-Dichloroethane	1.0	ug/L	1.0	09/20/14 01:34	
EPA 8260	1,1-Dichloroethene	0.89J	ug/L	1.0	09/20/14 01:34	
EPA 8260	1,1,1-Trichloroethane	21.4	ug/L	1.0	09/20/14 01:34	
EPA 8260	Trichloroethene	31.1	ug/L	1.0	09/20/14 01:34	
40103515005	MW-110					
EPA 6010	Chromium, Dissolved	1960	ug/L	5.0	09/23/14 13:58	
EPA 8260	1,1-Dichloroethane	24.7	ug/L	1.0	09/20/14 01:57	
EPA 8260	1,1-Dichloroethene	19.1	ug/L	1.0	09/20/14 01:57	
EPA 8260	cis-1,2-Dichloroethene	10.4	ug/L	1.0	09/20/14 01:57	
EPA 8260	trans-1,2-Dichloroethene	1.5	ug/L	1.0	09/20/14 01:57	
EPA 8260	1,1,1-Trichloroethane	115	ug/L	1.0	09/20/14 01:57	
EPA 8260	1,1,2-Trichloroethane	0.38J	ug/L	1.0	09/20/14 01:57	
EPA 8260	Trichloroethene	19.3	ug/L	1.0	09/20/14 01:57	
40103515006	MW-111					
EPA 6010	Chromium, Dissolved	302	ug/L	5.0	09/23/14 14:00	
EPA 8260	1,1-Dichloroethane	2.7	ug/L	1.0	09/20/14 02:20	
EPA 8260	1,1-Dichloroethene	3.9	ug/L	1.0	09/20/14 02:20	
EPA 8260	1,1,1-Trichloroethane	36.9	ug/L	1.0	09/20/14 02:20	
EPA 8260	1,1,2-Trichloroethane	0.30J	ug/L	1.0	09/20/14 02:20	
EPA 8260	Trichloroethene	110	ug/L	1.0	09/20/14 02:20	
40103515007	MW-112					
EPA 6010	Chromium, Dissolved	2820	ug/L	5.0	09/23/14 14:02	
EPA 8260	1,1-Dichloroethane	2.1J	ug/L	5.0	09/20/14 13:47	
EPA 8260	1,1,1-Trichloroethane	3.8J	ug/L	5.0	09/20/14 13:47	
EPA 8260	Trichloroethene	493	ug/L	5.0	09/20/14 13:47	
EPA 335.4	Cyanide	0.016J	mg/L	0.020	09/19/14 09:34	
40103515008	MW-113					
EPA 6010	Chromium, Dissolved	25900	ug/L	50.0	09/23/14 14:09	
EPA 8260	1,1-Dichloroethane	54.3	ug/L	1.0	09/20/14 03:05	
EPA 8260	1,2-Dichloroethane	0.54J	ug/L	1.0	09/20/14 03:05	
EPA 8260	1,1-Dichloroethene	38.3	ug/L	1.0	09/20/14 03:05	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40103515008	MW-113					
EPA 8260	cis-1,2-Dichloroethene	14.2	ug/L	1.0	09/20/14 03:05	
EPA 8260	trans-1,2-Dichloroethene	2.4	ug/L	1.0	09/20/14 03:05	
EPA 8260	Methylene Chloride	0.47J	ug/L	1.0	09/20/14 03:05	
EPA 8260	1,1,1-Trichloroethane	231	ug/L	1.0	09/20/14 03:05	
EPA 8260	1,1,2-Trichloroethane	0.89J	ug/L	1.0	09/20/14 03:05	
EPA 8260	Trichloroethene	125	ug/L	1.0	09/20/14 03:05	
40103515009	DUP 1					
EPA 8260	1,1-Dichloroethane	24.7	ug/L	1.0	09/20/14 03:28	
EPA 8260	1,1-Dichloroethene	18.9	ug/L	1.0	09/20/14 03:28	
EPA 8260	cis-1,2-Dichloroethene	9.0	ug/L	1.0	09/20/14 03:28	
EPA 8260	trans-1,2-Dichloroethene	1.4	ug/L	1.0	09/20/14 03:28	
EPA 8260	1,1,1-Trichloroethane	114	ug/L	1.0	09/20/14 03:28	
EPA 8260	1,1,2-Trichloroethane	0.39J	ug/L	1.0	09/20/14 03:28	
EPA 8260	Trichloroethene	19.2	ug/L	1.0	09/20/14 03:28	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Method: **EPA 6010**
Description: 6010 MET ICP, Dissolved
Client: Terracon, Inc. - Franklin
Date: September 25, 2014

General Information:

8 samples were analyzed for EPA 6010. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Method: **EPA 8260**
Description: 8260 MSV
Client: Terracon, Inc. - Franklin
Date: September 25, 2014

General Information:

8 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

PROJECT NARRATIVE

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Method: **EPA 335.4**
Description: 335.4 Cyanide, Total
Client: Terracon, Inc. - Franklin
Date: September 25, 2014

General Information:

2 samples were analyzed for EPA 335.4. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: WETA/25157

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40103406001

M0: Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

- MSD (Lab ID: 1045783)
- Cyanide

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-103	Lab ID: 40103515001	Collected: 09/16/14 14:40	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	10.0	ug/L	5.0	2.1	1		09/23/14 13:49	7440-47-3	
Sample: MW-104	Lab ID: 40103515002	Collected: 09/16/14 13:00	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	12.5	ug/L	5.0	2.1	1		09/23/14 13:51	7440-47-3	
Sample: MW-107	Lab ID: 40103515003	Collected: 09/16/14 17:25	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	2130	ug/L	5.0	2.1	1		09/23/14 14:11	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	71-43-2	
Bromobenzene	<1.2	ug/L	5.0	1.2	5		09/23/14 09:45	108-86-1	
Bromochloromethane	<1.7	ug/L	5.0	1.7	5		09/23/14 09:45	74-97-5	
Bromodichloromethane	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	75-27-4	
Bromoform	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	75-25-2	
Bromomethane	<12.2	ug/L	25.0	12.2	5		09/23/14 09:45	74-83-9	
n-Butylbenzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	104-51-8	
sec-Butylbenzene	<10.9	ug/L	25.0	10.9	5		09/23/14 09:45	135-98-8	
tert-Butylbenzene	<0.90	ug/L	5.0	0.90	5		09/23/14 09:45	98-06-6	
Carbon tetrachloride	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	56-23-5	
Chlorobenzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	108-90-7	
Chloroethane	<1.9	ug/L	5.0	1.9	5		09/23/14 09:45	75-00-3	
Chloroform	<12.5	ug/L	25.0	12.5	5		09/23/14 09:45	67-66-3	
Chloromethane	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	74-87-3	
2-Chlorotoluene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	95-49-8	
4-Chlorotoluene	<1.1	ug/L	5.0	1.1	5		09/23/14 09:45	106-43-4	
1,2-Dibromo-3-chloropropane	<10.8	ug/L	25.0	10.8	5		09/23/14 09:45	96-12-8	
Dibromochloromethane	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	124-48-1	
1,2-Dibromoethane (EDB)	<0.82	ug/L	5.0	0.82	5		09/23/14 09:45	106-93-4	
Dibromomethane	<2.1	ug/L	5.0	2.1	5		09/23/14 09:45	74-95-3	
1,2-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	95-50-1	
1,3-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	541-73-1	
1,4-Dichlorobenzene	<2.5	ug/L	5.0	2.5	5		09/23/14 09:45	106-46-7	
Dichlorodifluoromethane	<1.0	ug/L	5.0	1.0	5		09/23/14 09:45	75-71-8	
1,1-Dichloroethane	5.2	ug/L	5.0	1.2	5		09/23/14 09:45	75-34-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: MW-107	Lab ID: 40103515003	Collected: 09/16/14 17:25	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,2-Dichloroethane	<0.84 ug/L		5.0	0.84	5		09/23/14 09:45	107-06-2	
1,1-Dichloroethene	10.7 ug/L		5.0	2.1	5		09/23/14 09:45	75-35-4	
cis-1,2-Dichloroethene	2.2J ug/L		5.0	1.3	5		09/23/14 09:45	156-59-2	
trans-1,2-Dichloroethene	<1.3 ug/L		5.0	1.3	5		09/23/14 09:45	156-60-5	
1,2-Dichloropropane	<1.2 ug/L		5.0	1.2	5		09/23/14 09:45	78-87-5	
1,3-Dichloropropane	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	142-28-9	
2,2-Dichloropropane	<2.4 ug/L		5.0	2.4	5		09/23/14 09:45	594-20-7	
1,1-Dichloropropene	<2.2 ug/L		5.0	2.2	5		09/23/14 09:45	563-58-6	
cis-1,3-Dichloropropene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	10061-01-5	
trans-1,3-Dichloropropene	<1.1 ug/L		5.0	1.1	5		09/23/14 09:45	10061-02-6	
Diisopropyl ether	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	108-20-3	
Ethylbenzene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	100-41-4	
Hexachloro-1,3-butadiene	<10.5 ug/L		25.0	10.5	5		09/23/14 09:45	87-68-3	
Isopropylbenzene (Cumene)	<0.72 ug/L		5.0	0.72	5		09/23/14 09:45	98-82-8	
p-Isopropyltoluene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	99-87-6	
Methylene Chloride	<1.2 ug/L		5.0	1.2	5		09/23/14 09:45	75-09-2	
Methyl-tert-butyl ether	<0.87 ug/L		5.0	0.87	5		09/23/14 09:45	1634-04-4	
Naphthalene	<12.5 ug/L		25.0	12.5	5		09/23/14 09:45	91-20-3	
n-Propylbenzene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	103-65-1	
Styrene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	100-42-5	
1,1,1,2-Tetrachloroethane	<0.90 ug/L		5.0	0.90	5		09/23/14 09:45	630-20-6	
1,1,2,2-Tetrachloroethane	<1.2 ug/L		5.0	1.2	5		09/23/14 09:45	79-34-5	
Tetrachloroethene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	127-18-4	
Toluene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	108-88-3	
1,2,3-Trichlorobenzene	<10.7 ug/L		25.0	10.7	5		09/23/14 09:45	87-61-6	
1,2,4-Trichlorobenzene	<11.0 ug/L		25.0	11.0	5		09/23/14 09:45	120-82-1	
1,1,1-Trichloroethane	120 ug/L		5.0	2.5	5		09/23/14 09:45	71-55-6	
1,1,2-Trichloroethane	<0.78 ug/L		5.0	0.78	5		09/23/14 09:45	79-00-5	
Trichloroethene	418 ug/L		5.0	1.7	5		09/23/14 09:45	79-01-6	
Trichlorofluoromethane	<0.86 ug/L		5.0	0.86	5		09/23/14 09:45	75-69-4	
1,2,3-Trichloropropane	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	96-18-4	
1,2,4-Trimethylbenzene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	95-63-6	
1,3,5-Trimethylbenzene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	108-67-8	
Vinyl chloride	<0.88 ug/L		5.0	0.88	5		09/23/14 09:45	75-01-4	
m&p-Xylene	<5.0 ug/L		10.0	5.0	5		09/23/14 09:45	179601-23-1	
o-Xylene	<2.5 ug/L		5.0	2.5	5		09/23/14 09:45	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		5		09/23/14 09:45	460-00-4	
Dibromofluoromethane (S)	106 %		70-130		5		09/23/14 09:45	1868-53-7	
Toluene-d8 (S)	97 %		70-130		5		09/23/14 09:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: MW-109	Lab ID: 40103515004	Collected: 09/16/14 16:05	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	944 ug/L		5.0	2.1	1		09/23/14 13:56	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 01:34	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		09/20/14 01:34	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		09/20/14 01:34	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 01:34	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		09/20/14 01:34	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		09/20/14 01:34	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		09/20/14 01:34	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		09/20/14 01:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		09/20/14 01:34	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		09/20/14 01:34	106-93-4	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		09/20/14 01:34	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		09/20/14 01:34	75-71-8	
1,1-Dichloroethane	1.0 ug/L		1.0	0.24	1		09/20/14 01:34	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		09/20/14 01:34	107-06-2	
1,1-Dichloroethene	0.89J ug/L		1.0	0.41	1		09/20/14 01:34	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		09/20/14 01:34	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		09/20/14 01:34	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		09/20/14 01:34	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		09/20/14 01:34	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		09/20/14 01:34	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		09/20/14 01:34	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		09/20/14 01:34	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		09/20/14 01:34	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		09/20/14 01:34	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		09/20/14 01:34	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		09/20/14 01:34	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-109 **Lab ID: 40103515004** Collected: 09/16/14 16:05 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		09/20/14 01:34	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		09/20/14 01:34	79-34-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		09/20/14 01:34	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 01:34	120-82-1	
1,1,1-Trichloroethane	21.4 ug/L		1.0	0.50	1		09/20/14 01:34	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		09/20/14 01:34	79-00-5	
Trichloroethene	31.1 ug/L		1.0	0.33	1		09/20/14 01:34	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		09/20/14 01:34	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		09/20/14 01:34	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 01:34	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	89 %		59-130		1		09/20/14 01:34	460-00-4	
Dibromofluoromethane (S)	107 %		70-130		1		09/20/14 01:34	1868-53-7	
Toluene-d8 (S)	97 %		70-130		1		09/20/14 01:34	2037-26-5	

Sample: MW-110 **Lab ID: 40103515005** Collected: 09/17/14 11:45 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	1960 ug/L		5.0	2.1	1		09/23/14 13:58	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 01:57	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		09/20/14 01:57	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		09/20/14 01:57	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 01:57	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		09/20/14 01:57	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		09/20/14 01:57	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		09/20/14 01:57	67-66-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: MW-110	Lab ID: 40103515005	Collected: 09/17/14 11:45	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Chloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			09/20/14 01:57	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			09/20/14 01:57	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			09/20/14 01:57	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			09/20/14 01:57	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			09/20/14 01:57	75-71-8	
1,1-Dichloroethane	24.7 ug/L	1.0	0.24	1			09/20/14 01:57	75-34-3	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			09/20/14 01:57	107-06-2	
1,1-Dichloroethene	19.1 ug/L	1.0	0.41	1			09/20/14 01:57	75-35-4	
cis-1,2-Dichloroethene	10.4 ug/L	1.0	0.26	1			09/20/14 01:57	156-59-2	
trans-1,2-Dichloroethene	1.5 ug/L	1.0	0.26	1			09/20/14 01:57	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			09/20/14 01:57	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			09/20/14 01:57	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			09/20/14 01:57	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			09/20/14 01:57	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			09/20/14 01:57	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			09/20/14 01:57	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	99-87-6	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			09/20/14 01:57	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			09/20/14 01:57	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			09/20/14 01:57	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			09/20/14 01:57	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			09/20/14 01:57	79-34-5	
Tetrachloroethene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	127-18-4	
Toluene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			09/20/14 01:57	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			09/20/14 01:57	120-82-1	
1,1,1-Trichloroethane	115 ug/L	1.0	0.50	1			09/20/14 01:57	71-55-6	
1,1,2-Trichloroethane	0.38J ug/L	1.0	0.16	1			09/20/14 01:57	79-00-5	
Trichloroethene	19.3 ug/L	1.0	0.33	1			09/20/14 01:57	79-01-6	
Trichlorofluoromethane	<0.17 ug/L	1.0	0.17	1			09/20/14 01:57	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 01:57	108-67-8	
Vinyl chloride	<0.18 ug/L	1.0	0.18	1			09/20/14 01:57	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-110	Lab ID: 40103515005	Collected: 09/17/14 11:45	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 01:57	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 01:57	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	88 %		59-130		1		09/20/14 01:57	460-00-4	
Dibromofluoromethane (S)	109 %		70-130		1		09/20/14 01:57	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		09/20/14 01:57	2037-26-5	
335.4 Cyanide, Total	Analytical Method: EPA 335.4 Preparation Method: EPA 335.4								
Cyanide	<0.010 mg/L		0.020	0.010	1	09/19/14 05:45	09/19/14 09:32	57-12-5	
Sample: MW-111	Lab ID: 40103515006	Collected: 09/17/14 08:15	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	302 ug/L		5.0	2.1	1		09/23/14 14:00	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 02:20	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		09/20/14 02:20	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		09/20/14 02:20	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 02:20	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		09/20/14 02:20	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		09/20/14 02:20	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		09/20/14 02:20	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		09/20/14 02:20	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		09/20/14 02:20	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		09/20/14 02:20	106-93-4	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		09/20/14 02:20	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		09/20/14 02:20	75-71-8	
1,1-Dichloroethane	2.7 ug/L		1.0	0.24	1		09/20/14 02:20	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		09/20/14 02:20	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-111 **Lab ID: 40103515006** Collected: 09/17/14 08:15 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1-Dichloroethene	3.9 ug/L		1.0	0.41	1		09/20/14 02:20	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		09/20/14 02:20	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		09/20/14 02:20	156-60-5	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		09/20/14 02:20	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		09/20/14 02:20	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		09/20/14 02:20	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		09/20/14 02:20	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		09/20/14 02:20	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		09/20/14 02:20	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		09/20/14 02:20	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		09/20/14 02:20	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		09/20/14 02:20	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		09/20/14 02:20	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		09/20/14 02:20	79-34-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		09/20/14 02:20	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 02:20	120-82-1	
1,1,1-Trichloroethane	36.9 ug/L		1.0	0.50	1		09/20/14 02:20	71-55-6	
1,1,2-Trichloroethane	0.30J ug/L		1.0	0.16	1		09/20/14 02:20	79-00-5	
Trichloroethene	110 ug/L		1.0	0.33	1		09/20/14 02:20	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		09/20/14 02:20	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		09/20/14 02:20	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 02:20	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 02:20	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87 %		59-130		1		09/20/14 02:20	460-00-4	
Dibromofluoromethane (S)	115 %		70-130		1		09/20/14 02:20	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		09/20/14 02:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-112	Lab ID: 40103515007	Collected: 09/17/14 09:20	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	2820 ug/L	5.0	2.1	1			09/23/14 14:02	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	71-43-2	
Bromobenzene	<1.2 ug/L	5.0	1.2	5			09/20/14 13:47	108-86-1	
Bromochloromethane	<1.7 ug/L	5.0	1.7	5			09/20/14 13:47	74-97-5	
Bromodichloromethane	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	75-27-4	
Bromoform	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	75-25-2	
Bromomethane	<12.2 ug/L	25.0	12.2	5			09/20/14 13:47	74-83-9	
n-Butylbenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	104-51-8	
sec-Butylbenzene	<10.9 ug/L	25.0	10.9	5			09/20/14 13:47	135-98-8	
tert-Butylbenzene	<0.90 ug/L	5.0	0.90	5			09/20/14 13:47	98-06-6	
Carbon tetrachloride	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	56-23-5	
Chlorobenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	108-90-7	
Chloroethane	<1.9 ug/L	5.0	1.9	5			09/20/14 13:47	75-00-3	
Chloroform	<12.5 ug/L	25.0	12.5	5			09/20/14 13:47	67-66-3	
Chloromethane	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	74-87-3	
2-Chlorotoluene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	95-49-8	
4-Chlorotoluene	<1.1 ug/L	5.0	1.1	5			09/20/14 13:47	106-43-4	
1,2-Dibromo-3-chloropropane	<10.8 ug/L	25.0	10.8	5			09/20/14 13:47	96-12-8	
Dibromochloromethane	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.82 ug/L	5.0	0.82	5			09/20/14 13:47	106-93-4	
Dibromomethane	<2.1 ug/L	5.0	2.1	5			09/20/14 13:47	74-95-3	
1,2-Dichlorobenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	95-50-1	
1,3-Dichlorobenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	541-73-1	
1,4-Dichlorobenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	106-46-7	
Dichlorodifluoromethane	<1.0 ug/L	5.0	1.0	5			09/20/14 13:47	75-71-8	
1,1-Dichloroethane	2.1J ug/L	5.0	1.2	5			09/20/14 13:47	75-34-3	
1,2-Dichloroethane	<0.84 ug/L	5.0	0.84	5			09/20/14 13:47	107-06-2	
1,1-Dichloroethene	<2.1 ug/L	5.0	2.1	5			09/20/14 13:47	75-35-4	
cis-1,2-Dichloroethene	<1.3 ug/L	5.0	1.3	5			09/20/14 13:47	156-59-2	
trans-1,2-Dichloroethene	<1.3 ug/L	5.0	1.3	5			09/20/14 13:47	156-60-5	
1,2-Dichloropropane	<1.2 ug/L	5.0	1.2	5			09/20/14 13:47	78-87-5	
1,3-Dichloropropane	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	142-28-9	
2,2-Dichloropropane	<2.4 ug/L	5.0	2.4	5			09/20/14 13:47	594-20-7	
1,1-Dichloropropene	<2.2 ug/L	5.0	2.2	5			09/20/14 13:47	563-58-6	
cis-1,3-Dichloropropene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	10061-01-5	
trans-1,3-Dichloropropene	<1.1 ug/L	5.0	1.1	5			09/20/14 13:47	10061-02-6	
Diisopropyl ether	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	108-20-3	
Ethylbenzene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	100-41-4	
Hexachloro-1,3-butadiene	<10.5 ug/L	25.0	10.5	5			09/20/14 13:47	87-68-3	
Isopropylbenzene (Cumene)	<0.72 ug/L	5.0	0.72	5			09/20/14 13:47	98-82-8	
p-Isopropyltoluene	<2.5 ug/L	5.0	2.5	5			09/20/14 13:47	99-87-6	
Methylene Chloride	<1.2 ug/L	5.0	1.2	5			09/20/14 13:47	75-09-2	
Methyl-tert-butyl ether	<0.87 ug/L	5.0	0.87	5			09/20/14 13:47	1634-04-4	
Naphthalene	<12.5 ug/L	25.0	12.5	5			09/20/14 13:47	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: MW-112 Lab ID: **40103515007** Collected: 09/17/14 09:20 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
n-Propylbenzene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	103-65-1	
Styrene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	100-42-5	
1,1,1,2-Tetrachloroethane	<0.90 ug/L		5.0	0.90	5		09/20/14 13:47	630-20-6	
1,1,2,2-Tetrachloroethane	<1.2 ug/L		5.0	1.2	5		09/20/14 13:47	79-34-5	
Tetrachloroethene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	127-18-4	
Toluene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	108-88-3	
1,2,3-Trichlorobenzene	<10.7 ug/L		25.0	10.7	5		09/20/14 13:47	87-61-6	
1,2,4-Trichlorobenzene	<11.0 ug/L		25.0	11.0	5		09/20/14 13:47	120-82-1	
1,1,1-Trichloroethane	3.8J ug/L		5.0	2.5	5		09/20/14 13:47	71-55-6	
1,1,2-Trichloroethane	<0.78 ug/L		5.0	0.78	5		09/20/14 13:47	79-00-5	
Trichloroethene	493 ug/L		5.0	1.7	5		09/20/14 13:47	79-01-6	
Trichlorofluoromethane	<0.86 ug/L		5.0	0.86	5		09/20/14 13:47	75-69-4	
1,2,3-Trichloropropane	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	96-18-4	
1,2,4-Trimethylbenzene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	95-63-6	
1,3,5-Trimethylbenzene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	108-67-8	
Vinyl chloride	<0.88 ug/L		5.0	0.88	5		09/20/14 13:47	75-01-4	
m&p-Xylene	<5.0 ug/L		10.0	5.0	5		09/20/14 13:47	179601-23-1	
o-Xylene	<2.5 ug/L		5.0	2.5	5		09/20/14 13:47	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86 %		59-130		5		09/20/14 13:47	460-00-4	
Dibromofluoromethane (S)	112 %		70-130		5		09/20/14 13:47	1868-53-7	
Toluene-d8 (S)	98 %		70-130		5		09/20/14 13:47	2037-26-5	
335.4 Cyanide, Total	Analytical Method: EPA 335.4 Preparation Method: EPA 335.4								
Cyanide	0.016J mg/L		0.020	0.010	1	09/19/14 05:45	09/19/14 09:34	57-12-5	

Sample: MW-113 Lab ID: **40103515008** Collected: 09/17/14 10:20 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP, Dissolved	Analytical Method: EPA 6010								
Chromium, Dissolved	25900 ug/L		50.0	20.7	10		09/23/14 14:09	7440-47-3	
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 03:05	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		09/20/14 03:05	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		09/20/14 03:05	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 03:05	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		09/20/14 03:05	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	56-23-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: MW-113	Lab ID: 40103515008	Collected: 09/17/14 10:20	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			09/20/14 03:05	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			09/20/14 03:05	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			09/20/14 03:05	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			09/20/14 03:05	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			09/20/14 03:05	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			09/20/14 03:05	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			09/20/14 03:05	75-71-8	
1,1-Dichloroethane	54.3 ug/L	1.0	0.24	1			09/20/14 03:05	75-34-3	
1,2-Dichloroethane	0.54J ug/L	1.0	0.17	1			09/20/14 03:05	107-06-2	
1,1-Dichloroethene	38.3 ug/L	1.0	0.41	1			09/20/14 03:05	75-35-4	
cis-1,2-Dichloroethene	14.2 ug/L	1.0	0.26	1			09/20/14 03:05	156-59-2	
trans-1,2-Dichloroethene	2.4 ug/L	1.0	0.26	1			09/20/14 03:05	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			09/20/14 03:05	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			09/20/14 03:05	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			09/20/14 03:05	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			09/20/14 03:05	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			09/20/14 03:05	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			09/20/14 03:05	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	99-87-6	
Methylene Chloride	0.47J ug/L	1.0	0.23	1			09/20/14 03:05	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			09/20/14 03:05	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			09/20/14 03:05	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			09/20/14 03:05	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			09/20/14 03:05	79-34-5	
Tetrachloroethene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	127-18-4	
Toluene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			09/20/14 03:05	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			09/20/14 03:05	120-82-1	
1,1,1-Trichloroethane	231 ug/L	1.0	0.50	1			09/20/14 03:05	71-55-6	
1,1,2-Trichloroethane	0.89J ug/L	1.0	0.16	1			09/20/14 03:05	79-00-5	
Trichloroethene	125 ug/L	1.0	0.33	1			09/20/14 03:05	79-01-6	
Trichlorofluoromethane	<0.17 ug/L	1.0	0.17	1			09/20/14 03:05	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:05	96-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: MW-113	Lab ID: 40103515008	Collected: 09/17/14 10:20	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		09/20/14 03:05	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 03:05	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:05	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	87 %		59-130		1		09/20/14 03:05	460-00-4	
Dibromofluoromethane (S)	111 %		70-130		1		09/20/14 03:05	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		09/20/14 03:05	2037-26-5	
<hr/>									
Sample: DUP 1	Lab ID: 40103515009	Collected: 09/17/14 00:00	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 03:28	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		09/20/14 03:28	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		09/20/14 03:28	74-83-9	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	104-51-8	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 03:28	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		09/20/14 03:28	98-06-6	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		09/20/14 03:28	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		09/20/14 03:28	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	74-87-3	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		09/20/14 03:28	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		09/20/14 03:28	96-12-8	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		09/20/14 03:28	106-93-4	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		09/20/14 03:28	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		09/20/14 03:28	75-71-8	
1,1-Dichloroethane	24.7 ug/L		1.0	0.24	1		09/20/14 03:28	75-34-3	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		09/20/14 03:28	107-06-2	
1,1-Dichloroethene	18.9 ug/L		1.0	0.41	1		09/20/14 03:28	75-35-4	
cis-1,2-Dichloroethene	9.0 ug/L		1.0	0.26	1		09/20/14 03:28	156-59-2	
trans-1,2-Dichloroethene	1.4 ug/L		1.0	0.26	1		09/20/14 03:28	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: DUP 1	Lab ID: 40103515009	Collected: 09/17/14 00:00	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		09/20/14 03:28	78-87-5	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	142-28-9	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		09/20/14 03:28	594-20-7	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		09/20/14 03:28	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		09/20/14 03:28	10061-02-6	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		09/20/14 03:28	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		09/20/14 03:28	98-82-8	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	99-87-6	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		09/20/14 03:28	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		09/20/14 03:28	1634-04-4	
Naphthalene	<2.5 ug/L		5.0	2.5	1		09/20/14 03:28	91-20-3	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	103-65-1	
Styrene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		09/20/14 03:28	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		09/20/14 03:28	79-34-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	127-18-4	
Toluene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		09/20/14 03:28	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 03:28	120-82-1	
1,1,1-Trichloroethane	114 ug/L		1.0	0.50	1		09/20/14 03:28	71-55-6	
1,1,2-Trichloroethane	0.39J ug/L		1.0	0.16	1		09/20/14 03:28	79-00-5	
Trichloroethene	19.2 ug/L		1.0	0.33	1		09/20/14 03:28	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		09/20/14 03:28	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		09/20/14 03:28	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 03:28	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86 %		59-130		1		09/20/14 03:28	460-00-4	
Dibromofluoromethane (S)	115 %		70-130		1		09/20/14 03:28	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		09/20/14 03:28	2037-26-5	

Sample: TRIP BLANK	Lab ID: 40103515010	Collected: 09/17/14 00:00	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Benzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		09/20/14 03:51	108-86-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Sample: TRIP BLANK	Lab ID: 40103515010	Collected: 09/17/14 00:00	Received: 09/17/14 16:34	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			09/20/14 03:51	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			09/20/14 03:51	74-83-9	
n-Butylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	104-51-8	
sec-Butylbenzene	<2.2 ug/L	5.0	2.2	1			09/20/14 03:51	135-98-8	
tert-Butylbenzene	<0.18 ug/L	1.0	0.18	1			09/20/14 03:51	98-06-6	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			09/20/14 03:51	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			09/20/14 03:51	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	74-87-3	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			09/20/14 03:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			09/20/14 03:51	96-12-8	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			09/20/14 03:51	106-93-4	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			09/20/14 03:51	74-95-3	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	95-50-1	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	541-73-1	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	106-46-7	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			09/20/14 03:51	75-71-8	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			09/20/14 03:51	75-34-3	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			09/20/14 03:51	107-06-2	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			09/20/14 03:51	75-35-4	
cis-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			09/20/14 03:51	156-59-2	
trans-1,2-Dichloroethene	<0.26 ug/L	1.0	0.26	1			09/20/14 03:51	156-60-5	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			09/20/14 03:51	78-87-5	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	142-28-9	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			09/20/14 03:51	594-20-7	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			09/20/14 03:51	563-58-6	
cis-1,3-Dichloropropene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	10061-01-5	
trans-1,3-Dichloropropene	<0.23 ug/L	1.0	0.23	1			09/20/14 03:51	10061-02-6	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			09/20/14 03:51	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			09/20/14 03:51	98-82-8	
p-Isopropyltoluene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	99-87-6	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			09/20/14 03:51	75-09-2	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			09/20/14 03:51	1634-04-4	
Naphthalene	<2.5 ug/L	5.0	2.5	1			09/20/14 03:51	91-20-3	
n-Propylbenzene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	103-65-1	
Styrene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	100-42-5	
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			09/20/14 03:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			09/20/14 03:51	79-34-5	
Tetrachloroethene	<0.50 ug/L	1.0	0.50	1			09/20/14 03:51	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Sample: TRIP BLANK Lab ID: 40103515010 Collected: 09/17/14 00:00 Received: 09/17/14 16:34 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	108-88-3	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		09/20/14 03:51	87-61-6	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		09/20/14 03:51	120-82-1	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	71-55-6	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		09/20/14 03:51	79-00-5	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		09/20/14 03:51	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		09/20/14 03:51	75-69-4	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	96-18-4	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	95-63-6	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	108-67-8	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		09/20/14 03:51	75-01-4	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		09/20/14 03:51	179601-23-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		09/20/14 03:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	86 %		59-130		1		09/20/14 03:51	460-00-4	
Dibromofluoromethane (S)	118 %		70-130		1		09/20/14 03:51	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		09/20/14 03:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

QC Batch: ICP/9570

Analysis Method: EPA 6010

QC Batch Method: EPA 6010

Analysis Description: ICP Metals, Trace, Dissolved

Associated Lab Samples: 40103515001, 40103515002, 40103515003, 40103515004, 40103515005, 40103515006, 40103515007, 40103515008

METHOD BLANK: 1046864

Matrix: Water

Associated Lab Samples: 40103515001, 40103515002, 40103515003, 40103515004, 40103515005, 40103515006, 40103515007, 40103515008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Dissolved	ug/L	<2.1	5.0	09/19/14 13:37	

LABORATORY CONTROL SAMPLE: 1046865

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Dissolved	ug/L	500	543	109	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1046866 1046867

Parameter	Units	40103501001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Chromium, Dissolved	ug/L	<2.1	500	500	518	516	103	103	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

QC Batch: MSV/25804 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Associated Lab Samples: 40103515004, 40103515005, 40103515006, 40103515007, 40103515008, 40103515009, 40103515010

METHOD BLANK: 1047157 Matrix: Water

Associated Lab Samples: 40103515004, 40103515005, 40103515006, 40103515007, 40103515008, 40103515009, 40103515010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	09/19/14 19:29	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	09/19/14 19:29	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	09/19/14 19:29	
1,1,2-Trichloroethane	ug/L	<0.16	1.0	09/19/14 19:29	
1,1-Dichloroethane	ug/L	<0.24	1.0	09/19/14 19:29	
1,1-Dichloroethene	ug/L	<0.41	1.0	09/19/14 19:29	
1,1-Dichloropropene	ug/L	<0.44	1.0	09/19/14 19:29	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	09/19/14 19:29	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	09/19/14 19:29	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	09/19/14 19:29	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	09/19/14 19:29	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	09/19/14 19:29	
1,2-Dibromoethane (EDB)	ug/L	<0.16	1.0	09/19/14 19:29	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	09/19/14 19:29	
1,2-Dichloroethane	ug/L	<0.17	1.0	09/19/14 19:29	
1,2-Dichloropropane	ug/L	<0.23	1.0	09/19/14 19:29	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	09/19/14 19:29	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	09/19/14 19:29	
1,3-Dichloropropane	ug/L	<0.50	1.0	09/19/14 19:29	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	09/19/14 19:29	
2,2-Dichloropropane	ug/L	<0.48	1.0	09/19/14 19:29	
2-Chlorotoluene	ug/L	<0.50	1.0	09/19/14 19:29	
4-Chlorotoluene	ug/L	<0.21	1.0	09/19/14 19:29	
Benzene	ug/L	<0.50	1.0	09/19/14 19:29	
Bromobenzene	ug/L	<0.23	1.0	09/19/14 19:29	
Bromochloromethane	ug/L	<0.34	1.0	09/19/14 19:29	
Bromodichloromethane	ug/L	<0.50	1.0	09/19/14 19:29	
Bromoform	ug/L	<0.50	1.0	09/19/14 19:29	
Bromomethane	ug/L	<2.4	5.0	09/19/14 19:29	
Carbon tetrachloride	ug/L	<0.50	1.0	09/19/14 19:29	
Chlorobenzene	ug/L	<0.50	1.0	09/19/14 19:29	
Chloroethane	ug/L	<0.37	1.0	09/19/14 19:29	
Chloroform	ug/L	<2.5	5.0	09/19/14 19:29	
Chloromethane	ug/L	<0.50	1.0	09/19/14 19:29	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	09/19/14 19:29	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	09/19/14 19:29	
Dibromochloromethane	ug/L	<0.50	1.0	09/19/14 19:29	
Dibromomethane	ug/L	<0.43	1.0	09/19/14 19:29	
Dichlorodifluoromethane	ug/L	<0.20	1.0	09/19/14 19:29	
Diisopropyl ether	ug/L	<0.50	1.0	09/19/14 19:29	
Ethylbenzene	ug/L	<0.50	1.0	09/19/14 19:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

METHOD BLANK: 1047157 Matrix: Water
Associated Lab Samples: 40103515004, 40103515005, 40103515006, 40103515007, 40103515008, 40103515009, 40103515010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	09/19/14 19:29	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	09/19/14 19:29	
m&p-Xylene	ug/L	<1.0	2.0	09/19/14 19:29	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	09/19/14 19:29	
Methylene Chloride	ug/L	<0.23	1.0	09/19/14 19:29	
n-Butylbenzene	ug/L	<0.50	1.0	09/19/14 19:29	
n-Propylbenzene	ug/L	<0.50	1.0	09/19/14 19:29	
Naphthalene	ug/L	<2.5	5.0	09/19/14 19:29	
o-Xylene	ug/L	<0.50	1.0	09/19/14 19:29	
p-Isopropyltoluene	ug/L	<0.50	1.0	09/19/14 19:29	
sec-Butylbenzene	ug/L	<2.2	5.0	09/19/14 19:29	
Styrene	ug/L	<0.50	1.0	09/19/14 19:29	
tert-Butylbenzene	ug/L	<0.18	1.0	09/19/14 19:29	
Tetrachloroethene	ug/L	<0.50	1.0	09/19/14 19:29	
Toluene	ug/L	<0.50	1.0	09/19/14 19:29	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	09/19/14 19:29	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	09/19/14 19:29	
Trichloroethene	ug/L	<0.33	1.0	09/19/14 19:29	
Trichlorofluoromethane	ug/L	<0.17	1.0	09/19/14 19:29	
Vinyl chloride	ug/L	<0.18	1.0	09/19/14 19:29	
4-Bromofluorobenzene (S)	%	88	59-130	09/19/14 19:29	
Dibromofluoromethane (S)	%	110	70-130	09/19/14 19:29	
Toluene-d8 (S)	%	98	70-130	09/19/14 19:29	

LABORATORY CONTROL SAMPLE & LCSD: 1047158		1047159								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.6	54.7	109	109	70-130	0	20	
1,1,2,2-Tetrachloroethane	ug/L	50	52.9	53.6	106	107	70-130	1	20	
1,1,2-Trichloroethane	ug/L	50	53.2	52.9	106	106	70-130	1	20	
1,1-Dichloroethane	ug/L	50	52.1	53.5	104	107	70-130	3	20	
1,1-Dichloroethene	ug/L	50	41.7	42.9	83	86	70-132	3	20	
1,2,4-Trichlorobenzene	ug/L	50	50.2	51.9	100	104	70-130	3	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.2	46.9	90	94	50-150	4	20	
1,2-Dibromoethane (EDB)	ug/L	50	52.8	53.3	106	107	70-130	1	20	
1,2-Dichlorobenzene	ug/L	50	52.2	52.4	104	105	70-130	0	20	
1,2-Dichloroethane	ug/L	50	49.2	49.6	98	99	70-130	1	20	
1,2-Dichloropropane	ug/L	50	57.0	56.5	114	113	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	51.0	51.3	102	103	70-130	1	20	
1,4-Dichlorobenzene	ug/L	50	52.4	52.3	105	105	70-130	0	20	
Benzene	ug/L	50	51.9	52.1	104	104	70-130	0	20	
Bromodichloromethane	ug/L	50	52.0	52.4	104	105	70-130	1	20	
Bromoform	ug/L	50	50.4	52.0	101	104	70-130	3	20	
Bromomethane	ug/L	50	38.6	39.8	77	80	34-157	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Parameter	Units	1047158		1047159		% Rec	Limits	RPD	Max RPD		Qualifiers
		Spike Conc.	LCS Result	LCSD Result	% Rec				RPD	RPD	
Carbon tetrachloride	ug/L	50	57.3	58.4	115	117	70-132	2	20		
Chlorobenzene	ug/L	50	54.2	53.7	108	107	70-130	1	20		
Chloroethane	ug/L	50	41.3	41.4	83	83	60-143	0	20		
Chloroform	ug/L	50	51.0	51.2	102	102	70-130	1	20		
Chloromethane	ug/L	50	51.5	50.6	103	101	43-148	2	20		
cis-1,2-Dichloroethene	ug/L	50	48.8	49.1	98	98	51-133	1	20		
cis-1,3-Dichloropropene	ug/L	50	47.6	48.1	95	96	70-130	1	20		
Dibromochloromethane	ug/L	50	52.1	52.9	104	106	70-130	1	20		
Dichlorodifluoromethane	ug/L	50	42.4	42.4	85	85	10-174	0	20		
Ethylbenzene	ug/L	50	55.7	55.3	111	111	70-130	1	20		
Isopropylbenzene (Cumene)	ug/L	50	55.7	55.2	111	110	70-136	1	20		
m&p-Xylene	ug/L	100	111	111	111	111	70-131	0	20		
Methyl-tert-butyl ether	ug/L	50	37.0	38.0	74	76	54-139	3	20		
Methylene Chloride	ug/L	50	41.7	41.7	83	83	70-130	0	20		
o-Xylene	ug/L	50	54.8	54.8	110	110	70-130	0	20		
Styrene	ug/L	50	50.6	50.1	101	100	70-130	1	20		
Tetrachloroethene	ug/L	50	54.8	53.7	110	107	70-130	2	20		
Toluene	ug/L	50	55.3	54.7	111	109	70-130	1	20		
trans-1,2-Dichloroethene	ug/L	50	42.4	42.6	85	85	70-130	0	20		
trans-1,3-Dichloropropene	ug/L	50	48.9	49.4	98	99	70-130	1	20		
Trichloroethene	ug/L	50	56.1	55.5	112	111	70-130	1	20		
Trichlorofluoromethane	ug/L	50	42.2	41.8	84	84	50-150	1	20		
Vinyl chloride	ug/L	50	41.2	41.1	82	82	59-157	0	20		
4-Bromofluorobenzene (S)	%				101	100	59-130				
Dibromofluoromethane (S)	%				100	102	70-130				
Toluene-d8 (S)	%				100	99	70-130				

Parameter	Units	40103461001		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD		Qual
		Result	Spike Conc.	Spike Conc.	MS Result				RPD	RPD	
1,1,1-Trichloroethane	ug/L	<0.50	50	50	54.6	53.8	109	108	70-130	1	20
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	53.4	54.8	107	110	70-130	3	20
1,1,2-Trichloroethane	ug/L	<0.16	50	50	52.3	53.1	105	106	70-130	1	20
1,1-Dichloroethane	ug/L	<0.24	50	50	52.9	55.4	106	111	70-130	5	20
1,1-Dichloroethene	ug/L	<0.41	50	50	41.5	41.0	83	82	70-138	1	20
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	51.0	51.8	102	104	70-130	2	20
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	47.1	47.3	94	95	50-150	0	20
1,2-Dibromoethane (EDB)	ug/L	<0.16	50	50	51.9	52.6	104	105	70-130	1	20
1,2-Dichlorobenzene	ug/L	<0.50	50	50	51.6	52.2	103	104	70-130	1	20
1,2-Dichloroethane	ug/L	<0.17	50	50	48.2	48.9	96	98	70-130	1	20
1,2-Dichloropropane	ug/L	<0.23	50	50	55.9	55.8	112	112	70-130	0	20
1,3-Dichlorobenzene	ug/L	<0.50	50	50	50.3	50.4	101	101	70-130	0	20
1,4-Dichlorobenzene	ug/L	<0.50	50	50	51.7	52.3	103	105	70-130	1	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Parameter	Units	40103461001		MS		MSD		1048357		Max		
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	RPD	Qual
Benzene	ug/L	<0.50	50	50	51.5	51.2	103	102	70-130	1	20	
Bromodichloromethane	ug/L	<0.50	50	50	51.2	51.0	102	102	70-130	0	20	
Bromoform	ug/L	<0.50	50	50	50.0	49.6	100	99	70-130	1	20	
Bromomethane	ug/L	<2.4	50	50	39.2	40.0	78	80	34-159	2	20	
Carbon tetrachloride	ug/L	<0.50	50	50	58.0	57.7	116	115	70-132	1	20	
Chlorobenzene	ug/L	<0.50	50	50	52.9	52.7	106	105	70-130	0	20	
Chloroethane	ug/L	<0.37	50	50	40.8	40.5	82	81	60-143	1	20	
Chloroform	ug/L	<2.5	50	50	50.3	50.5	101	101	70-130	0	20	
Chloromethane	ug/L	0.61J	50	50	49.7	50.4	98	100	43-149	1	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	48.0	48.1	96	96	48-137	0	33	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	47.1	46.3	94	93	70-130	2	20	
Dibromochloromethane	ug/L	<0.50	50	50	51.9	51.8	104	104	70-130	0	20	
Dichlorodifluoromethane	ug/L	<0.20	50	50	43.7	43.4	87	87	10-174	1	20	
Ethylbenzene	ug/L	<0.50	50	50	54.2	54.6	108	109	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	53.9	54.9	108	110	70-136	2	20	
m&p-Xylene	ug/L	<1.0	100	100	108	109	108	109	70-135	0	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	37.4	38.2	75	76	54-139	2	20	
Methylene Chloride	ug/L	0.24J	50	50	41.3	38.9	82	77	70-133	6	20	
o-Xylene	ug/L	<0.50	50	50	52.6	53.7	105	107	70-130	2	20	
Styrene	ug/L	<0.50	50	50	48.5	48.1	97	96	70-130	1	20	
Tetrachloroethene	ug/L	<0.50	50	50	53.7	54.0	107	108	70-130	1	20	
Toluene	ug/L	<0.50	50	50	53.5	54.4	107	109	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	42.3	42.0	85	84	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	48.2	47.5	96	95	70-130	2	20	
Trichloroethene	ug/L	<0.33	50	50	54.6	54.7	109	109	70-130	0	20	
Trichlorofluoromethane	ug/L	<0.17	50	50	42.4	42.4	85	85	50-150	0	20	
Vinyl chloride	ug/L	<0.18	50	50	41.4	40.8	83	82	59-158	2	20	
4-Bromofluorobenzene (S)	%						100	100	59-130			
Dibromofluoromethane (S)	%						102	101	70-130			
Toluene-d8 (S)	%						99	99	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

QC Batch:	MSV/25812	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40103515003		

METHOD BLANK: 1048427 Matrix: Water

Associated Lab Samples: 40103515003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	09/23/14 07:03	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	09/23/14 07:03	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	09/23/14 07:03	
1,1,2-Trichloroethane	ug/L	<0.16	1.0	09/23/14 07:03	
1,1-Dichloroethane	ug/L	<0.24	1.0	09/23/14 07:03	
1,1-Dichloroethene	ug/L	<0.41	1.0	09/23/14 07:03	
1,1-Dichloropropene	ug/L	<0.44	1.0	09/23/14 07:03	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	09/23/14 07:03	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	09/23/14 07:03	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	09/23/14 07:03	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	09/23/14 07:03	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	09/23/14 07:03	
1,2-Dibromoethane (EDB)	ug/L	<0.16	1.0	09/23/14 07:03	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	09/23/14 07:03	
1,2-Dichloroethane	ug/L	<0.17	1.0	09/23/14 07:03	
1,2-Dichloropropane	ug/L	<0.23	1.0	09/23/14 07:03	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	09/23/14 07:03	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	09/23/14 07:03	
1,3-Dichloropropane	ug/L	<0.50	1.0	09/23/14 07:03	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	09/23/14 07:03	
2,2-Dichloropropane	ug/L	<0.48	1.0	09/23/14 07:03	
2-Chlorotoluene	ug/L	<0.50	1.0	09/23/14 07:03	
4-Chlorotoluene	ug/L	<0.21	1.0	09/23/14 07:03	
Benzene	ug/L	<0.50	1.0	09/23/14 07:03	
Bromobenzene	ug/L	<0.23	1.0	09/23/14 07:03	
Bromochloromethane	ug/L	<0.34	1.0	09/23/14 07:03	
Bromodichloromethane	ug/L	<0.50	1.0	09/23/14 07:03	
Bromoform	ug/L	<0.50	1.0	09/23/14 07:03	
Bromomethane	ug/L	<2.4	5.0	09/23/14 07:03	
Carbon tetrachloride	ug/L	<0.50	1.0	09/23/14 07:03	
Chlorobenzene	ug/L	<0.50	1.0	09/23/14 07:03	
Chloroethane	ug/L	<0.37	1.0	09/23/14 07:03	
Chloroform	ug/L	<2.5	5.0	09/23/14 07:03	
Chloromethane	ug/L	<0.50	1.0	09/23/14 07:03	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	09/23/14 07:03	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	09/23/14 07:03	
Dibromochloromethane	ug/L	<0.50	1.0	09/23/14 07:03	
Dibromomethane	ug/L	<0.43	1.0	09/23/14 07:03	
Dichlorodifluoromethane	ug/L	<0.20	1.0	09/23/14 07:03	
Diisopropyl ether	ug/L	<0.50	1.0	09/23/14 07:03	
Ethylbenzene	ug/L	<0.50	1.0	09/23/14 07:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

METHOD BLANK: 1048427 Matrix: Water

Associated Lab Samples: 40103515003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	09/23/14 07:03	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	09/23/14 07:03	
m&p-Xylene	ug/L	<1.0	2.0	09/23/14 07:03	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	09/23/14 07:03	
Methylene Chloride	ug/L	<0.23	1.0	09/23/14 07:03	
n-Butylbenzene	ug/L	<0.50	1.0	09/23/14 07:03	
n-Propylbenzene	ug/L	<0.50	1.0	09/23/14 07:03	
Naphthalene	ug/L	<2.5	5.0	09/23/14 07:03	
o-Xylene	ug/L	<0.50	1.0	09/23/14 07:03	
p-Isopropyltoluene	ug/L	<0.50	1.0	09/23/14 07:03	
sec-Butylbenzene	ug/L	<2.2	5.0	09/23/14 07:03	
Styrene	ug/L	<0.50	1.0	09/23/14 07:03	
tert-Butylbenzene	ug/L	<0.18	1.0	09/23/14 07:03	
Tetrachloroethene	ug/L	<0.50	1.0	09/23/14 07:03	
Toluene	ug/L	<0.50	1.0	09/23/14 07:03	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	09/23/14 07:03	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	09/23/14 07:03	
Trichloroethene	ug/L	<0.33	1.0	09/23/14 07:03	
Trichlorofluoromethane	ug/L	<0.17	1.0	09/23/14 07:03	
Vinyl chloride	ug/L	<0.18	1.0	09/23/14 07:03	
4-Bromofluorobenzene (S)	%	90	59-130	09/23/14 07:03	
Dibromofluoromethane (S)	%	107	70-130	09/23/14 07:03	
Toluene-d8 (S)	%	98	70-130	09/23/14 07:03	

LABORATORY CONTROL SAMPLE & LCSD: 1048428

1048429

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.0	52.3	104	105	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	51.0	51.2	102	102	70-130	0	20	
1,1,2-Trichloroethane	ug/L	50	55.6	55.1	111	110	70-130	1	20	
1,1-Dichloroethane	ug/L	50	59.6	58.9	119	118	70-130	1	20	
1,1-Dichloroethene	ug/L	50	59.3	58.8	119	118	70-132	1	20	
1,2,4-Trichlorobenzene	ug/L	50	45.3	46.3	91	93	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	50	40.7	41.2	81	82	50-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	50	51.3	50.9	103	102	70-130	1	20	
1,2-Dichlorobenzene	ug/L	50	51.0	51.0	102	102	70-130	0	20	
1,2-Dichloroethane	ug/L	50	54.7	55.3	109	111	70-130	1	20	
1,2-Dichloropropane	ug/L	50	60.2	59.6	120	119	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	48.8	49.1	98	98	70-130	1	20	
1,4-Dichlorobenzene	ug/L	50	51.2	50.5	102	101	70-130	1	20	
Benzene	ug/L	50	59.8	59.9	120	120	70-130	0	20	
Bromodichloromethane	ug/L	50	56.8	56.6	114	113	70-130	0	20	
Bromoform	ug/L	50	51.0	49.9	102	100	70-130	2	20	
Bromomethane	ug/L	50	52.0	55.7	104	111	34-157	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Parameter	Units	Spike	LCS	LCSD	LCS	LCSD	% Rec	RPD	Max	Qualifiers
		Conc.	Result	Result	% Rec	% Rec	Limits		RPD	
Carbon tetrachloride	ug/L	50	56.7	57.5	113	115	70-132	1	20	
Chlorobenzene	ug/L	50	55.5	55.1	111	110	70-130	1	20	
Chloroethane	ug/L	50	58.7	59.6	117	119	60-143	1	20	
Chloroform	ug/L	50	54.2	54.2	108	108	70-130	0	20	
Chloromethane	ug/L	50	63.4	64.4	127	129	43-148	2	20	
cis-1,2-Dichloroethene	ug/L	50	55.8	56.0	112	112	51-133	0	20	
cis-1,3-Dichloropropene	ug/L	50	51.2	51.3	102	103	70-130	0	20	
Dibromochloromethane	ug/L	50	51.2	50.2	102	100	70-130	2	20	
Dichlorodifluoromethane	ug/L	50	44.7	44.9	89	90	10-174	0	20	
Ethylbenzene	ug/L	50	55.8	55.3	112	111	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	54.7	54.2	109	108	70-136	1	20	
m&p-Xylene	ug/L	100	110	109	110	109	70-131	1	20	
Methyl-tert-butyl ether	ug/L	50	48.4	48.0	97	96	54-139	1	20	
Methylene Chloride	ug/L	50	59.1	58.9	118	118	70-130	0	20	
o-Xylene	ug/L	50	54.6	54.6	109	109	70-130	0	20	
Styrene	ug/L	50	55.2	54.8	110	110	70-130	1	20	
Tetrachloroethene	ug/L	50	54.9	53.7	110	107	70-130	2	20	
Toluene	ug/L	50	55.4	55.4	111	111	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	50	58.0	57.6	116	115	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	50	47.5	47.6	95	95	70-130	0	20	
Trichloroethene	ug/L	50	57.7	56.6	115	113	70-130	2	20	
Trichlorofluoromethane	ug/L	50	58.2	58.5	116	117	50-150	1	20	
Vinyl chloride	ug/L	50	58.1	58.8	116	118	59-157	1	20	
4-Bromofluorobenzene (S)	%				98	98	59-130			
Dibromofluoromethane (S)	%				104	104	70-130			
Toluene-d8 (S)	%				98	98	70-130			

Parameter	Units	MS		MSD		MS	MSD	% Rec	RPD	Max	
		40103733022	Spike	Spike	Conc.	Result	Result	% Rec	% Rec	Limits	RPD
1,1,1-Trichloroethane	ug/L	<0.50	50	50	49.2	50.5	98	101	70-130	3	20
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	48.8	50.7	98	101	70-130	4	20
1,1,2-Trichloroethane	ug/L	<0.16	50	50	53.0	54.0	106	108	70-130	2	20
1,1-Dichloroethane	ug/L	<0.24	50	50	55.9	57.5	112	115	70-130	3	20
1,1-Dichloroethene	ug/L	<0.41	50	50	56.7	57.3	113	115	70-138	1	20
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	44.0	45.5	88	91	70-130	3	20
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	37.7	40.6	75	81	50-150	7	20
1,2-Dibromoethane (EDB)	ug/L	<0.16	50	50	48.4	50.2	97	100	70-130	4	20
1,2-Dichlorobenzene	ug/L	<0.50	50	50	49.0	49.8	98	100	70-130	2	20
1,2-Dichloroethane	ug/L	<0.17	50	50	52.0	53.8	104	108	70-130	3	20
1,2-Dichloropropane	ug/L	<0.23	50	50	57.5	59.2	115	118	70-130	3	20
1,3-Dichlorobenzene	ug/L	<0.50	50	50	46.7	48.5	93	97	70-130	4	20
1,4-Dichlorobenzene	ug/L	<0.50	50	50	48.3	49.6	97	99	70-130	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

Parameter	Units	40103733022		MS		MSD		1048714				
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD		Qual
										RPD	RPD	
Benzene	ug/L	<0.50	50	50	56.4	58.2	113	116	70-130	3	20	
Bromodichloromethane	ug/L	<0.50	50	50	54.2	56.1	108	112	70-130	4	20	
Bromoform	ug/L	<0.50	50	50	47.1	49.8	94	100	70-130	5	20	
Bromomethane	ug/L	<2.4	50	50	51.3	55.3	103	111	34-159	8	20	
Carbon tetrachloride	ug/L	<0.50	50	50	54.2	56.1	108	112	70-132	3	20	
Chlorobenzene	ug/L	<0.50	50	50	52.6	53.8	105	108	70-130	2	20	
Chloroethane	ug/L	<0.37	50	50	55.5	57.5	111	115	60-143	4	20	
Chloroform	ug/L	<2.5	50	50	51.4	52.9	103	106	70-130	3	20	
Chloromethane	ug/L	<0.50	50	50	58.3	60.9	117	122	43-149	4	20	
cis-1,2-Dichloroethene	ug/L	0.45J	50	50	53.3	54.6	106	108	48-137	2	33	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	49.5	51.4	99	103	70-130	4	20	
Dibromochloromethane	ug/L	<0.50	50	50	48.5	49.6	97	99	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.20	50	50	41.2	41.9	82	84	10-174	2	20	
Ethylbenzene	ug/L	<0.50	50	50	53.0	54.4	106	109	70-130	3	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	51.5	52.9	103	106	70-136	3	20	
m&p-Xylene	ug/L	<1.0	100	100	105	107	105	107	70-135	2	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	45.8	47.6	92	95	54-139	4	20	
Methylene Chloride	ug/L	0.29J	50	50	55.0	57.5	109	114	70-133	4	20	
o-Xylene	ug/L	<0.50	50	50	51.7	53.1	103	106	70-130	3	20	
Styrene	ug/L	<0.50	50	50	52.0	53.4	104	107	70-130	3	20	
Tetrachloroethene	ug/L	1.3	50	50	53.4	54.4	104	106	70-130	2	20	
Toluene	ug/L	<0.50	50	50	53.1	54.2	106	108	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	54.4	55.9	109	112	70-130	3	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	45.2	46.8	90	94	70-130	4	20	
Trichloroethene	ug/L	1.3	50	50	56.2	58.4	110	114	70-130	4	20	
Trichlorofluoromethane	ug/L	<0.17	50	50	55.3	56.2	111	112	50-150	2	20	
Vinyl chloride	ug/L	<0.18	50	50	54.8	56.5	110	113	59-158	3	20	
4-Bromofluorobenzene (S)	%						98	98	59-130			
Dibromofluoromethane (S)	%						103	102	70-130			
Toluene-d8 (S)	%						98	98	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 58117057 NW MAUTHE

Pace Project No.: 40103515

QC Batch: WETA/25157

Analysis Method: EPA 335.4

QC Batch Method: EPA 335.4

Analysis Description: 335.4 Cyanide, Total

Associated Lab Samples: 40103515005, 40103515007

METHOD BLANK: 1045780 Matrix: Water

Associated Lab Samples: 40103515005, 40103515007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	<0.010	0.020	09/19/14 09:19	

LABORATORY CONTROL SAMPLE: 1045781

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	.1	0.093	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1045782 1045783

Parameter	Units	40103406001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
Cyanide	mg/L	<0.010	.1	.1	0.10	0.095	92	88	90-110	5	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

ANALYTE QUALIFIERS

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 58117057 NW MAUTHE
Pace Project No.: 40103515

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40103515001	MW-103	EPA 6010	ICP/9570		
40103515002	MW-104	EPA 6010	ICP/9570		
40103515003	MW-107	EPA 6010	ICP/9570		
40103515004	MW-109	EPA 6010	ICP/9570		
40103515005	MW-110	EPA 6010	ICP/9570		
40103515006	MW-111	EPA 6010	ICP/9570		
40103515007	MW-112	EPA 6010	ICP/9570		
40103515008	MW-113	EPA 6010	ICP/9570		
40103515003	MW-107	EPA 8260	MSV/25812		
40103515004	MW-109	EPA 8260	MSV/25804		
40103515005	MW-110	EPA 8260	MSV/25804		
40103515006	MW-111	EPA 8260	MSV/25804		
40103515007	MW-112	EPA 8260	MSV/25804		
40103515008	MW-113	EPA 8260	MSV/25804		
40103515009	DUP 1	EPA 8260	MSV/25804		
40103515010	TRIP BLANK	EPA 8260	MSV/25804		
40103515005	MW-110	EPA 335.4	WETA/25157	EPA 335.4	WETA/25165
40103515007	MW-112	EPA 335.4	WETA/25157	EPA 335.4	WETA/25165

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name:	TERRACON	
Branch/Location:	FRANKLIN, WI	
Project Contact:	SCOTT HODGSON	
Phone:	414-423-0255	
Project Number:	58117057	
Project Name:	NW MAUTHE	
Project State:	APPLETON, WI	
Sampled By (Print):	CHRIS INGRAM	
Sampled By (Sign):	CWI	
PO #:	58117057	Regulatory Program:

 Pace Analytical®
www.pacelabs.com

UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of

Page 36 of 37

CHAIN OF CUSTODY

***Preservation Codes**

A=None	B=HCl	C=H ₂ SO ₄	D=HNO ₃	E=DI Water	F=Methanol	G=NaOH
H=Sodium Bisulfate Solution			I=Sodium Thiosulfate	J=Other		

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1: Samuel@...com

Email #2: SATUDAYONETEACHING.COM

Email #2: _____

Telephone: _____

Fax:

**Samples on HOLD are subject to
special pricing and release of liability.**

Quote #:	SAHOD4JON@TEKMARION.COM	
Mail To Contact:		
Mail To Company:		
Mail To Address:		
Invoice To Contact:		
Invoice To Company:	S A M E	
Invoice To Address:		
Invoice To Phone:		
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #
1-250ml pp		
Date/Time: 9-12-14 1634	PACE Project No. 40103515	
Date/Time:	Receipt Temp = R0 / °C	
Date/Time:	Sample Receipt pH OK / Adjusted	
Date/Time:	Cooler Custody-Seal Present / Not Present	
Date/Time:	Intact / Not Intact	

Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Analytical™

Client Name: 12/17/14

Project #: WO# : 40103515

Courier: FedEx UPS Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used: N/A

Type of Ice: Wet Blue Dry None

Cooler Temperature: Uncorr: 45° /Corr: _____ Samples on ice, cooling process has begun

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments: _____

Person examining contents:

Date: 11/17/14

Initials: SB

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes	<input type="checkbox"/> No		Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:	<u>W</u>			
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input checked="" type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≤ 2; NaOH+ZnAct ≥ 9, NaOH ≥ 12) exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>327</u>				

Client Notification/ Resolution:

Person Contacted: _____

If checked, see attached form for additional comments

Comments/ Resolution: _____

Project Manager Review: _____

J for DMV

Date: 9/17/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: NW MARTIE		PROJECT NO. 58117057
PROJECT LOCATION: APPLETON, WI		
SAMPLE POINT: MW-103	SAMPLE POINT DESCRIPTION: NEAR PR-8 IN ANDERSON BACK YARD 2 1/4" 2nd ST. (WEST OF PR-8)	
CASING DIAMETER: 2"		
WELL DEPTH:		
DATE: 9/16/14	TIME (Z) 1330	AM DEPTH TO GROUND WATER (FT): 4.74
SAMPLING METHOD: LOW FLOW		FLOW RATE: 200mL/min
SAMPLE TIME: 1440		TOTAL PURGED: 3.5 G

TIME	WATER LEVEL	TEMP.(°C)	pH	COND. (mS/cm)	ORP (mV)	DO (mg/L)
1340	4.74	16.4	7.37	0.83	43.6	3.94
1345	5.75	12.7	7.08	0.77	41.9	2.80
1350	7.09	12.7	7.29	0.75	-17.3	2.68
1355	7.77	12.8	7.51	0.77	-53.2	2.53
1400	7.95	13.0	7.76	0.78	-61.6	2.72
1405	8.40	13.1	8.01	0.78	-60.9	3.04
1410	8.73	13.2	8.03	0.78	-68.2	3.15
1415	9.20	13.3	8.03	0.73	-82.6	3.17
1420	9.40	13.3	8.24	0.76	-78.6	3.26
1425	9.92	13.3	8.06	0.73	-71.1	3.68
1430	10.37	13.4	8.34	0.74	-67.9	3.90
1435	10.68	13.3	8.37	0.76	-68.3	3.81
1440	10.85	13.3	8.25	0.77	-70.4	3.72

SAMPLE APPEARANCE: VERY TURBID	TURBID	ODOR: YES	NO	ANALYSES: TOTAL CHROME
SLIGHTLY TURBID CLEAR		NOT NOTED		

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves	*INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
CW1	

COMMENTS:

SAMPLED BY: CW1	DATE: 9/16/14
REVIEWED BY: Scott H. Hodgson	DATE: 10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: NW MATHÉ	PROJECT NO. 58117857	
PROJECT LOCATION: APPLETON, WI		
SAMPLE POINT: MW-104 CASING DIAMETER: WELL DEPTH:	SAMPLE POINT DESCRIPTION: SOUTH OF TRACKS NEAR PZ-	
DATE: 9/16/14	TIME AM / PM	DEPTH TO GROUND WATER (FT): 8.53
SAMPLING METHOD: LOW FLOW	FLOW RATE: 200 mL/min	
SAMPLE TIME: 1300	TOTAL PURGED: 2 gallons	

SAMPLE APPEARANCE: VERY TURBID TURBID
SLIGHTLY TURBID CLEAR ODOR: YES NO
NOT NOTED ANALYSES: TOTAL CHROME

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING
METHOD PERFORMED

CWL

COMMENTS:

SAMPLED BY:	CW	DATE:	9/16/14
REVIEWED BY:	Scott A. Hodson	DATE:	10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME:	NW MARSH		PROJECT NO.	58117057
PROJECT LOCATION:	APPLETON, WI			
SAMPLE POINT: MW-107	SAMPLE POINT DESCRIPTION:		SOUTH OF BUILDING	
CASING DIAMETER: 2"			EAST OF PZ-6	
WELL DEPTH:				
DATE: 9/16/14	TIME 1620	AM /PM	DEPTH TO GROUND WATER (FT): 10.19	
SAMPLING METHOD: Low flow			FLOW RATE: 200mL/min	
SAMPLE TIME: 1725			TOTAL PURGED: 3.5G	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (ms/cm)	ORP (mV)	DO (mg/L)
1625	10.19	14.3	7.76	1.01	-0.7	2.31
1630	11.03	13.9	8.12	0.98	-21.2	3.04
1635	11.28	13.9	8.18	0.97	-40.9	0.58
1640	11.71	13.9	8.16	0.97	-50.1	0.37
1645	12.03	13.8	8.16	0.95	-50.2	0.47
1650	12.38	14.0	8.16	0.95	-50.9	0.51
1655	12.75	14.2	8.15	0.91	-46.3	0.80
1700	13.08	14.3	8.11	0.87	-32.6	1.53
1705	13.49	14.3	8.07	0.87	-28.6	1.85
1710	13.97	14.4	8.08	0.86	-25.2	2.10
1715	14.25	14.3	8.06	0.86	-22.3	2.20
1720	14.86	14.3	7.99	0.86	-16.3	2.33
1725	15.08	14.7	7.95	0.86	-14.3	2.29

SAMPLE APPEARANCE: VERY TURBID	TURBID	ODOR: YES	NO	ANALYSES: TOTAL CHROME/ROC
SLIGHTLY TURBID		CLEAR		NOT NOTED

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves	<small>*INITIAL TO VERIFY OR NOTE OTHER CLEANING</small>
METHOD PERFORMED	Chw1

COMMENTS:

SAMPLED BY: Chw1	DATE: 9/16/14
REVIEWED BY: Scott A. Hodgson	DATE: 10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: NW MANTIC	PROJECT NO.: 58117057	
PROJECT LOCATION: APPLETON, WI		
SAMPLE POINT: MW-109	SAMPLE POINT DESCRIPTION: NW CORNER OF REMEDIATION BUILDING	
CASING DIAMETER: 2"		
WELL DEPTH:		
DATE: 9/16/14	TIME 1500 AM (EDT)	DEPTH TO GROUND WATER (FT): 8.09
SAMPLING METHOD: Low Flow	FLOW RATE: 200 ml/min	
SAMPLE TIME: 1605	TOTAL PURGED: 3.5 GAL.	

TIME	WATER LEVEL	TEMP.(°)	pH	COND. (mS/cm)	ORP (mV)	DO (mg/L)
1505	8.09	16.2	7.20	0.223	-23.4	1.82
1510	8.72	16.1	7.79	0.226	-103.7	0.31
1515	9.10	16.4	7.08	1.65	-115.3	0.28
1520	9.49	16.6	7.95	1.81	-118.6	0.32
1525	9.83	16.8	7.39	1.73	-94.8	0.36
1530	10.26	16.8	7.46	1.80	-52.4	0.31
1535	10.50	16.9	7.63	1.72	-77.8	0.60
1540	10.97	17.0	6.39	1.70	-73.0	0.53
1545	11.21	16.9	7.50	1.70	-75.2	0.43
1550	11.40	16.8	7.52	1.74	-72.9	0.37
1555	11.65	16.8	7.49	1.75	-74.6	0.32
1600	12.05	16.7	7.09	1.77	-29.6	0.31
1605	12.10	16.6	7.47	0.301	-80.0	0.32

SAMPLE APPEARANCE: VERY TURBID	TURBID	ODOR: YES	NO	ANALYSES: TOTAL CHROME / VOC
SLIGHTLY TURBID		CLEAR		NOT NOTED

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING
METHOD PERFORMED

CWL

COMMENTS:

SAMPLED BY:	CWL	DATE:	9/16/14
REVIEWED BY:	Scott A. Hodgson	DATE:	10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: NW MANTLE		PROJECT NO. 58117057
PROJECT LOCATION: Appleton		
SAMPLE POINT: MW-110	SAMPLE POINT DESCRIPTION: MIDDLE OF YARD	
CASING DIAMETER: 2"		
WELL DEPTH:		
DATE: 9/13/14	TIME 1040	DEPTH TO GROUND WATER (FT): 9.57
SAMPLING METHOD: Low Flow		FLOW RATE: 200 ml/min
SAMPLE TIME: 1145		TOTAL PURGED: 36

TIME	WATER LEVEL	TEMP.(°C)	pH	COND. (mg/cm³)	ORP (mV)	DO (mg/L)
1045	9.57	15.7	7.12	1.40	123.4	2.66
1050	11.12	14.3	7.96	1.41	-39.4	0.21
1055	10.38	14.5	7.81	1.42	-46.4	0.16
1100	10.68	14.7	7.62	1.42	-22.9	0.28
1105	10.90	14.8	7.53	1.43	-9.9	0.51
1110	11.10	14.9	7.50	1.43	-23.4	0.54
1115	11.51	14.9	7.48	1.44	-27.8	0.41
1120	11.92	15.0	7.48	1.44	-26.8	0.36
1125	12.16	15.2	7.48	1.45	-27.3	0.26
1130	12.39	15.1	7.49	1.44	-22.7	0.24
1135	12.60	15.1	7.49	1.44	-21.3	0.19
1140	12.79	15.2	7.47	1.44	-20.4	0.16
1145	13.07	15.3	7.50	1.45	-24.4	0.14

SAMPLE APPEARANCE: VERY TURBID	TURBID	ODOR: YES	NO	ANALYSES: CYANIDE
SLIGHTLY TURBID		CLEAR		NOT NOTED
				total Chrome/VOC

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves		*INITIAL TO VERIFY OR NOTE OTHER CLEANING
METHOD PERFORMED CWI		

COMMENTS: DUPLICATE TAKEN (DUP-1)	
-----------------------------------	--

SAMPLED BY: CWI	DATE: 9/17/14
REVIEWED BY: Scott A. Hodson	DATE: 10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME:	NW MARTH	PROJECT NO.:	58117057
PROJECT LOCATION:	APPLETON, WI		
SAMPLE POINT:	MW-III	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER:	2"	NE CORNER OF 561C IN FENCE	
WELL DEPTH:			
DATE: 9/17/14	TIME: 070	AM /PM	DEPTH TO GROUND WATER (FT): 7.66
SAMPLING METHOD: LOW FLOW	FLOW RATE: 200 mL/min		
SAMPLE TIME: 0815	TOTAL PURGED: 25.		

TIME	WATER LEVEL	TEMP.(°C)	pH	COND. (mS/cm)	ORP (mV)	DO (mg/L)
0740	7.66	12.7	7.75	1.17	61.9	1.92
0745	8.25	13.0	7.66	1.20	37.4	0.36
0750	8.55	13.2	7.69	1.21	36.2	0.28
0755	8.97	13.5	7.67	1.21	37.2	0.21
0800	9.28	13.7	7.72	1.22	30.8	0.19
0805	9.69	13.8	7.68	1.22	26.6	0.17
0810	9.89	13.9	7.64	1.23	23.7	0.15
0815	10.15	14.1	7.72	1.23	20.4	0.16

SAMPLE APPEARANCE: VERY TURBID SLIGHTLY TURBID	TURBID CLEAR	ODOR: YES NOT NOTED	ANALYSES: TOTAL CHROME/VOL
CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves		*INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED	
Comments: CLEAR/Cloudy APPEARANCE			
SAMPLED BY:	CW\	DATE:	9/17/14
REVIEWED BY:	Scott A. Hodgson	DATE:	10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: NW MANTHE	PROJECT NO.: 58117057	
PROJECT LOCATION: APPLETON, WI		
SAMPLE POINT: MW-112	SAMPLE POINT DESCRIPTION: ALONG NORTH END OF FENCE	
CASING DIAMETER: 2"		
WELL DEPTH:		
DATE: 9/17/14	TIME 0820	
AM / PM		DEPTH TO GROUND WATER (FT): 8.34
SAMPLING METHOD: LOW FLOW	FLOW RATE: 200 ml/min	
SAMPLE TIME: 0920	TOTAL PURGED: 3 GALLONS	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (mS/cm)	ORP (mV)	DO (mg/L)
0825	8.34	14.5	7.70	1.15	70.3	1.20
0830	8.67	14.6	8.13	1.16	3.4	0.41
0835	9.06	15.2	7.96	1.15	-5.2	0.20
0840	9.38	15.5	7.71	1.18	3.1	0.17
0845	9.79	15.8	7.65	1.18	-2.0	0.38
0850	10.12	15.9	7.55	1.19	-16.7	0.34
0855	10.46	16.0	7.52	1.20	-12.5	0.27
0900	10.68	16.0	7.48	1.20	-6.9	0.23
0905	11.32	16.0	7.39	1.20	13.0	0.16
0910	11.57	15.9	7.41	1.20	10.4	0.15
0915	11.74	15.8	7.49	1.20	5.0	0.13
0920	11.96	15.8	7.49	1.19	6.7	0.14

SAMPLE APPEARANCE: VERY TURBID TURBID SLIGHTLY TURBID CLEAR	ODOR: YES <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: TOTAL CHROME / VOC
--	---	------------------------------

CYANIDE

CLEANING PERFORMED IN FIELD: Alconox and Distilled Water AND Disposable gloves *INITIAL TO VERIFY OR NOTE OTHER CLEANING

CWL

COMMENTS:

SAMPLED BY: CWL	DATE: 9/17/14
REVIEWED BY: Scott R. Hodgson	DATE: 10/20/14

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME:	NW MARTHE	PROJECT NO.:	58117057
PROJECT LOCATION:	APPLETON, WI		
SAMPLE POINT:	MW-113	SAMPLE POINT DESCRIPTION:	SOUTHERN FENCE LINE / MIDDLE
CASING DIAMETER:	2"		
WELL DEPTH:			
DATE:	9/17/14	TIME	0930
		AM/PM	DEPTH TO GROUND WATER (FT): 9.00
SAMPLING METHOD:	LOW FLOW	FLOW RATE:	200 mL/min
SAMPLE TIME:	1020	TOTAL PURGED:	2.5 L

TIME	WATER LEVEL	TEMP.(°C)	pH	COND. (mS/cm)	ORP (mV)	DO (mg/L)
0935	9.00	14.1	7.26	0.051	-108.6	1.54
0940	9.42	14.2	7.64	1.24	-1.4	0.26
0945	9.58	14.5	7.66	1.25	-28.9	0.14
0950						
0955	MERT W/ SCOTT					
1000						
1005	9.89	15.4	7.68	1.25	-101.6	0.36
1010	9.89	15.5	7.75	1.25	-100.0	0.36
1015	9.90	15.6	7.75	1.26	-94.6	0.31
1020	9.94	15.7	7.78	1.28	-95.9	0.31

SAMPLE APPEARANCE:	VERY TURBID	TURBID	ODOR:	YES	NO	ANALYSES:
	SLIGHTLY TURBID		CLEAR		NOTICED	Total Chrome/VOC

CLEANING PERFORMED IN FIELD:	Alconox and Distilled Water AND Disposable gloves	*INITIAL TO VERIFY OR NOTE OTHER CLEANING
METHOD PERFORMED		
CWA		

COMMENTS:
WATER IS LIGHT GREEN

SAMPLED BY:	CWA	DATE:	9/17/14
REVIEWED BY:	Scott A. Hodgson	DATE:	10/20/14

Appendix D

Form 4400-194

Notice: Pursuant to ss. NR 700.11(1) and 724.13(3), Wis. Adm. Code, this form is required to be completed or a narrative report or letter containing the equivalent information required in this form may be submitted in lieu of the actual form. Failure to submit this form as required is a violation and is subject to the penalties as stated in s. 292.99, Wis. Stats. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records Law (ss. 19.31-19.39, Wis. Stats.). *Unless otherwise noted, all citations refer to Wisconsin Administrative Code.*

GENERAL INSTRUCTIONS, PURPOSE AND APPLICABILITY OF THIS FORM: Completion of this form is required under s. NR 700.11(1) and s. NR 724.13(3), Wis. Adm. Code. A narrative report or letter containing the equivalent information required in this form may be submitted in lieu of the actual form. Failure to submit this form as required is a violation of s. NR 700.11(1) and s. NR 724.13(3), Wis. Adm. Code, and is subject to the penalties in s. 292.99, Wis. Stats. This form must be submitted every six months for remediation projects that are regulated under the NR 700 series of Wis. Adm. Code. Specifically, for sites meeting any of the following criteria:

- Any site where a discharge has occurred that report progress in accordance with s. NR 700.11(1), Wis. Adm. Code until site closure is granted. This includes sites where no response activities occurred during the six month reporting period. **Attach, if applicable, a separate brief summary of the work completed during the reporting period and the anticipated future work.**
- Soil or groundwater remediation projects that report operation and maintenance progress in accordance with s. NR 724.13(3), Wis. Adm. Code.

Note: Long-term monitoring results submitted in accordance with s. NR 724.17(3), Wis. Adm. Code are required to be submitted within 10 business days of receiving sampling results and are not required to be submitted using this form. However, portions of this form require monitoring data summary information that may be based on information previously submitted in accordance with s. NR 724.17(3), Wis. Adm. Code.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if this form is required to be submitted at sites responded to under the Federal Comprehensive Environmental Response and Compensation Act (commonly known as Superfund) or an equivalent State lead Superfund response.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if any of the information required in this form may be omitted or changed and obtain prior written approval for any omissions or changes.

Submittal of this form is not a substitute for reporting required by Department programs such as Waste Water or Air Management. Personally identifiable information on this form is not intended to be used for any other purpose than tracking progress of the remediation by the Bureau for Remediation and Redevelopment.

Only complete and submit all of page GI-1 and Section E on pages 3 and 4 for sites where a discharge has been reported but no response, monitoring or remediation has begun or occurred during the six month reporting period that are required to report only under s. NR 700.11(1), Wis. Adm. Code **and attach, if applicable, a summary of the anticipated future work.**

Section GI - General Site Information

A. General Information

1. Site name

N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

2. Reporting period from:	05/01/2014	To:	09/30/2014	Days in period:	153
3. Regulatory agency (enter DNR, DCOM, DATCP and/or other)	4. BRRTS ID No. (2 digit program-2 digit county-6 digit site specific) WDNR/USEPA 02-45-000127				

5. Site location

Region	County	Address					
Northeast Region	Outagamie	725 S. Outagamie Street, Appleton, Wisconsin					
Municipality name	<input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village	Township	Range	<input checked="" type="radio"/> E	Section	1/4	1/4 1/4
Appleton		21 N	17	<input type="radio"/> W	34	NE	NW

6. Responsible party

Name

Carol Mauthe

Mailing address

194 C S West Avenue, Appleton, Wisconsin 54915

7. Consultant

Select if the following information has changed since the last submittal

Company name

8. Contaminants

chromium, cyanide, chlorinated solvents

Phone number

Mailing address

Phone number

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)
Reporting period from: 05/01/2014 To: 09/30/2014
Days in period: 153

**Remediation Site Progress and Operation,
Maintenance, Monitoring & Optimization
Report**
Form 4400-194 (R 1/14)

Page 2 of 30

9. Soil types (USCS or USDA)
lean clay (CL); silty clay (ML-CL)

10. Hydraulic conductivity(cm/sec): 3.90 E x 10-7 11. Average linear velocity of groundwater (ft/yr) 1.17

12. If soil is treated ex situ, is the treatment location off site? Yes No

If yes, give location: Region County

Municipality name	<input type="radio"/> City	<input type="radio"/> Town	<input type="radio"/> Village	Township	Range	<input type="radio"/> NE	Section	1/4	1/4 1/4
				N		<input type="radio"/> SW			

B. Remediation Method

Only submit sections that apply to an individual site. Check all that apply:

- Groundwater extraction (submit a completed Section GW-1).
- Free product recovery (submit a completed Section GW-1).
- In situ air sparging (submit a completed Section GW-2).
- Groundwater natural attenuation (submit a completed Section GW-3).
- Other groundwater remediation method (submit a completed Section GW-4).
- Soil venting (including soil vapor extraction building venting and bioventing submit a completed Section IS-1).
- Soil natural attenuation (submit a completed Section IS-2).
- Other in situ soil remediation method (submit a completed Section IS-3).
- Biopiles (submit a completed Section ES-1).
- Landspreading/thinspreading of petroleum contaminated soil (submit a completed Section ES-2).
- Other ex situ remediation method (submit a completed Section ES-3).
- Site is a landfill (submit a completed Section LF-1).

C. General Effectiveness Evaluation for All Active Systems

If the remediation is active (not natural attenuation), complete this subsection.

1. Is the system operating at design rates and specifications? Yes No

If the answer is no, explain whether or not modifications are necessary to achieve the goal that was previously established in design.

2. Are modifications to the system warranted to improve effectiveness Yes No

If yes, explain:

3. Is natural attenuation an effective low cost option at this time? Yes No

4. Is closure sampling warranted at this time? Yes No

5. Are there any modifications that can be made to the remediation to improve cost effectiveness? Yes No

If yes, explain:

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)
Reporting period from: 05/01/2014 To: 09/30/2014
Days in period: 153

**Remediation Site Progress and Operation,
Maintenance, Monitoring & Optimization
Report**
Form 4400-194 (R 1/14)

Page 3 of 30

D. Economic and Cost Data to Date

1. Total investigation cost: Superfund site; EPA
2. Implementation costs (design, capital and installation costs, excluding investigation costs: Superfund site; EPA has
3. Total costs during the previous reporting period: \$15,092.62
4. Total costs during this reporting period: \$16,702.78
5. Total anticipated costs for the next reporting period: \$20,583.35
6. Are any unusual or one-time costs listed in the reporting periods covered by D.3., D.4. or D.5. above? Yes No

If yes, explain:

D3: Heater repair, direct-push soil borings and total chromium sampling, project coordination at 1428 W. Second Street,
D4: Monitoring well repair, hex chrome soil sampling at 1428 W Second Street
D5: heater repair

7. If closure is anticipated within 12 months, estimated costs for project closeout: NA

E. Name(s), Signature(s) and Date of Person(s) Submitting Form

Legibly print name, date and sign. Only persons qualified to submit reports under ch. NR 712 Wis. Adm. Code are to sign this form for sites with any ongoing active remediation, monitoring or an investigation. Other persons may sign this form for sites with no response activities during the six month reporting period.


Registered Professional Engineers:

I hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Blaine R. Schroyer, P.E.	Principal/Office Manager
Signature 	Date 10/31/14

Hydrogeologists:

I hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03(1), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Scott A. Hodgson, P.G.	Senior Project Manager
Signature 	Date 10/31/14

Scientists:

I hereby certify that I am a scientist as that term is defined in s. NR 712.03(3), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Signature	Date

Other Persons:

Print name	Title
Signature	Date

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

Reporting period from: 05/01/2014 To: 09/30/2014

Days in period: 153


Remediation Site Progress and Operation, Maintenance, Monitoring & Optimization

Report

Form 4400-194 (R 1/14)

Page 4 of 30

Professional Seal(s), if applicable:



Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)
Reporting period from: 05/01/2014 To: 09/30/2014
Days in period: 153

**Remediation Site Progress and Operation,
Maintenance, Monitoring & Optimization
Report**
Form 4400-194 (R 1/14)

Page 5 of 30

Section GW-1, Groundwater Pump and Treat Systems and Free Product Recovery Systems

A. Groundwater Extraction System Operation:

1. Total number of groundwater extraction wells or trenches available: 3 and the number in use during period: 3
2. Number of days of operation (only list the number of days the system actually operated, if unknown explain: 153
3. System utilization in percent (days of operation divided by reporting time period multiplied by 100). If < 80%, explain: 100

4. Quantity of groundwater extracted during this time period: 391,283 gallons

5. Average groundwater extraction rate: 2 gpm

6. Quantity of dissolved phase contaminants removed during this time period in pounds: 1 lbs

B. Free Product Recovery System Operation

1. Is free product (nonaqueous phase liquid) being recovered at this site? Yes No

If yes, explain:

2. Quantity of free product extracted during this time period (enter none if none): _____ gallons

3. Average free product extraction rate: _____ gpm

C. System Effectiveness Evaluation

1. Is a contaminated groundwater plume fully contained in the capture zone? Yes No

If no, explain:

System designed only for containment

2. If free product is present, is the free product fully contained in capture zone? Yes No

If no, explain:

3. If free product is present in any wells at the site, but free product was not recovered during reporting period, explain:

4. If free product is not present, determine the single contaminant that requires the greatest percent reduction to achieve ch. NR 140 ES and PAL. Perform this calculation for all contaminants that were present at the site that have ch. NR 140 standards. Use the highest contaminant concentration measured in any sampling points during reporting period. If free product is present, write "FREE PRODUCT" in C.4.a.

- a. Contaminant: chromium (total)
- b. Percent reduction necessary to reach ch. NR 140 ES and PAL: 99.98;99.9%
c. Maximum contaminant concentration level in any monitoring well of that contaminant: 25,900 at MW-13 µg/L
d. Maximum contaminant concentration level in any extraction well of that contaminant: not tested µg/L

- e. If the maximum concentration in a monitoring well is more than one order of magnitude above the concentration measured in an extraction well, explain why the extracted groundwater contamination levels are significantly less than the levels at other locations within the aquifer.

System designed only for containment, not treatment.

D. Additional Attachments

Attach the following to this form:

- Most recent report to the DNR Wastewater Program, if applicable.
- Groundwater contour map with capture zone indicated.
- Groundwater contaminant distribution map (may be combined with contour map).
- Graph of cumulative contaminant removal, if both free product recovery and ground water extraction are used, provide separate graphs.
- Time versus groundwater contaminant concentration graphs for the contaminant listed in C.4.a. (above), as follows:
 - Graph of contaminant concentrations versus time for each extraction well in use during the period.
 - Graph of contaminant concentrations versus time for the monitoring well with the greatest level of contamination.
- Groundwater contaminant chemistry table.
- Groundwater elevations table.
- System operational data table.