

Operation and Maintenance Report No. 63

N.W. Mauthe Superfund Site

725 South Outagamie Street

Appleton, Outagamie County, WI 54914

November 15, 2023 | Terracon Project No. 58117057

WDNR BRRTS No. 02-45-000127

Prepared for:

Wisconsin Department of Natural Resources
Oshkosh, WI 54901



Nationwide
Terracon.com

- Facilities
- Environmental
- Geotechnical
- Materials



4900 S Pennsylvania Ave, Suite 100
Cudahy, WI 53110
P (414) 423-0255
F (414) 423-0566
Terracon.com

November 15, 2023

Wisconsin Department of Natural Resources
Oshkosh, WI 54901


Attn: Ms. Gwen Saliars
Gwen.Saliars@wisconsin.gov


Re: Operation and Maintenance Report No. 63
N.W. Mauthe Superfund Site
725 South Outagamie Street
Appleton, Outagamie County, WI 54914
Terracon Project No. 58117057

Dear Ms. Saliars:

Terracon Consultants, Inc. (Terracon) has prepared this Operation and Maintenance Report to summarize the activities that took place at the above-referenced site from October 1, 2022, through September 30, 2023. The report documents system operations and site conditions through the reporting period and recommends continued system operation without change.

Sincerely,
Terracon Consultants, Inc.


Scott A. Hodgson, P.G.
Senior Project Manager


Blaine R. Schroyer, P.E.
Senior Principal/Officer Manager

RTS/SAH/BRS:rts/N:\Projects\2011\58117057\PROJECT DOCUMENTS (Reports-Letters-Drafts to Clients)\Semi-Annual O _M Reports\58117057 O_M63.Oct.2023.docx

Copy to: File
Brian Kreski (City of Appleton Department of Utilities Environmental Programs Coordinator)

Table of Contents

1.0	Introduction	1
2.0	Background.....	1
2.1	Site Location	1
2.2	Site History	1
2.3	Site Description.....	3
2.4	Groundwater Collection System	3
2.5	Groundwater Treatment System	4
2.6	Groundwater Monitoring Network.....	6
3.0	Influent/Effluent Monitoring and Reporting.....	7
3.1	Monthly Monitoring and Reporting	8
3.2	Quarterly Monitoring and Reporting.....	8
3.3	Annual Monitoring and Reporting	9
4.0	Compliance Sampling	9
5.0	Groundwater Sampling.....	10
5.1	Groundwater Sampling Procedures	10
5.2	Groundwater Sampling Results	12
6.0	Routine Operation and Maintenance Activities.....	13
6.1	Monthly Operation and Maintenance Activities.....	13
6.2	Annual Operation and Maintenance Activities	13
6.3	Periodic Operation and Maintenance Activities.....	15
6.4	Significant Operation and Maintenance Activities	15
6.5	Emergency Operations and Shut Downs	15
7.0	Facility Meetings/Reviews	15
8.0	Conclusions and Recommendations	16
9.0	General Comments.....	16
10.0	Certifications	18

Appendices

APPENDIX A – FIGURES

- Figure 1 – Site Location Map
- Figure 2 – Site Detail Map
- Figure 3 – Groundwater Hydrographs
- Figure 4 – Groundwater Table Contour Map – September 2023
- Figure 5 – Groundwater Table Total Chromium Isoconcentration Map – September 2023
- Figure 6 – MW-103 Groundwater Total Chromium Concentration Trends
- Figure 7 – MW-104 Groundwater Total Chromium Concentration Trends
- Figure 8 – MW-107 Groundwater Total Chromium Concentration Trends
- Figure 9 – MW-109 Groundwater Total Chromium Concentration Trends
- Figure 10 – MW-110 Groundwater Total Chromium Concentration Trends
- Figure 11 – MW-111 Groundwater Total Chromium Concentration Trends
- Figure 12 – MW-112 Groundwater Total Chromium Concentration Trends
- Figure 13 – MW-113 Groundwater Total Chromium Concentration Trends
- Figure 14 – MW-107 Groundwater CVOC Concentration Trends
- Figure 15 – MW-110 Groundwater CVOC Concentration Trends
- Figure 16 – MW-113 Groundwater CVOC Concentration Trends

APPENDIX B – TABLES

- Table 1 – Influent-Effluent Compliance Summary
- Table 2 – City of Appleton Compliance Limits, Outfall 001
- Table 3 – Groundwater Elevations
- Table 4 – Groundwater Geochemical Parameters
- Table 5 – Historical Groundwater Analytic Test Results – Selected Metals
- Table 6 – Historical Groundwater Analytic Test Results – VOCs

APPENDIX C – LABORATORY ANALYTICAL TEST REPORTS AND GROUNDWATER SAMPLING FIELD DATA SHEETS

APPENDIX D – FORM 4400-194

OPERATION AND MAINTENANCE REPORT NO. 63
N.W. MAUTHE SUPERFUND SITE
725 SOUTH OUTAGAMIE STREET
APPLETON, WISCONSIN

BRRTS No. 02-45-000127
Terracon Project No. 58117057
November 15, 2023

1.0 Introduction

Terracon Consultants, Inc. (Terracon) was retained by the Wisconsin Department of Natural Resources (WDNR) to perform remedial system operation and maintenance services at the above-referenced site. The WDNR project contact is Ms. Gwen Saliars, Oshkosh Service Center.

2.0 Background

2.1 Site Location

The N.W. Mauthe (Mauthe) property is located at 725 South Outagamie Street, Appleton, Wisconsin 54914-5072. The project is located in the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 34, T21N, R17E, Outagamie County (Figure 1 – Site Location Map, Appendix A).

2.2 Site History

The Mauthe site is a former electroplating facility. The facility consisted of a zinc building and a chromium building. Zinc, cadmium, copper, and possibly silver were electroplated in the zinc building from 1978 to 1987. Hard chromium plating was conducted in the chromium building from 1960 to 1976. In 1982, the WDNR received a report that yellowish-green water was observed south of the chromium building. Apparently, for several years plating solutions and waste solvents had leaked from holding vats and tanks, and sump pumps allegedly discharged plating tank solutions onto the ground outside the facility.

The WDNR began an investigation of the site in April 1982. A shallow groundwater collection system was installed parallel to the railroad tracks in May 1982, where groundwater and surface water were collected for two years. The Mauthe site was added to the National Priorities List in 1989.

From November 1991 to May 1992, CH2M HILL performed a Remedial Investigation (RI) for the WDNR. The RI showed the greatest concentrations of soil and groundwater contamination in the area around the zinc and chromium building. The chemicals most often detected above background levels or state standards included total chromium, hexavalent chromium, zinc, cadmium, cyanide, trichloroethene, 1,1,1-trichloroethane, 1,1-dichloroethene, and toluene. Subsurface soil contamination was detected up to 25 feet deep near the former buildings. Groundwater contamination extended over most of the block bordered by Melvin, Outagamie, and Second Streets.

CH2M HILL conducted a feasibility study for the WDNR. A Record of Decision (ROD) was signed in March 1994. Remedial design/remedial action activities took place at the Mauthe site in a phased approach. Phase I, which took place in 1995, included the following.

- Demolition and removal of the buildings on the Mauthe property
- Excavation and off-site treatment of soils with a total chromium concentration of greater than 500 milligrams per kilogram (mg/kg)
- Backfilling of the excavation with clean soils, capping the site with 2 feet of clay and topsoil, and the establishment of vegetative cover
- Installation of groundwater collection trenches and construction and operation of a groundwater treatment facility to contain and/or control groundwater contamination with ultimate compliance with groundwater Applicable or Relevant and Appropriate Requirements (ARARs)
- Improvement or installation of foundation drain systems and cleaning, painting or sealing of basement walls and floors, as needed, for homes or business in the area of the site, to prevent seepage of contaminated water into the buildings

Phase II, which took place in 1996, involved the construction of a groundwater treatment system, which began operation in February 1997.

Midwest Contract Operations, Inc. (MCO) began operating the groundwater treatment system in February 1997. CH2M HILL, the site engineer and project manager for the United States Environmental Protection Agency (EPA), retained responsibility for the overall site operations and the groundwater monitoring wells associated with the treatment system.

In October 1998, after the first year of operation and maintenance of the remediation system, the WDNR assumed the responsibility from the EPA for all operation and maintenance at the site. MCO was retained by the WDNR for the operation and maintenance of the groundwater treatment system, including the groundwater monitoring wells.

In January 2005, the WDNR requested OMNNI Associates, Inc. (OMNNI) provide an evaluation of the groundwater collection and treatment system at the Mauthe site. The construction of four piezometers (PZ-5, PZ-6, PZ-7, and PZ-8) was part of the evaluation to understand the extent of contaminants in the soil and groundwater. OMNNI constructed five

additional observation wells (MW-109 through MW-113) on May 24, 2006, to further understand the extent of contaminants in the soil and groundwater in the former source area.

The results of the additional investigation showed contamination remained in the soil above ch. NR 720 Wisconsin Administrative Code (WAC) levels, in the groundwater above ch. NR 140 WAC enforcement standards, and in the groundwater above the applicable or relevant and appropriate requirements (ARARs) established for the Mauthe site. Groundwater did not appear to be impacted at depth based on the piezometer groundwater analysis.

Active treatment of collected groundwater ended on April 18, 2006, with approval for direct discharge by the City of Appleton. Collected groundwater is now discharged directly to the sanitary sewer system for treatment at the City of Appleton wastewater treatment facility.

On October 13, 2007, MCO discontinued operational responsibilities of the system. OMNNI began operational responsibilities on October 14, 2007, and maintained responsibility through September 30, 2011. Terracon assumed system operation responsibilities on October 1, 2011.

2.3 Site Description

The site is located within the City of Appleton limits in an area of mixed commercial, light industrial, and residential properties. The property is approximately one acre in size and triangular in shape (Figure 2 – Site Detail Map, Appendix A). Melvin Street borders the site to the north, a parking lot owned by Miller Electric and Manufacturing Company is on the west, and railroad tracks are on the southeast. Private residences are located north of Melvin Street and south of the railroad tracks. The former zinc building was located on the northeast portion of the property. The former chromium building was located on the southwest portion of the property. The current building onsite houses the treatment facility. Approximately half of the land immediately surrounding the site contains impervious structures or paved roads and parking areas.

2.4 Groundwater Collection System

The groundwater collection system consists of three trenches. The west trench crosses the Miller Electric property to the west of the site and is approximately 200 feet in length. The central trench runs south of the site parallel to the railroad and is approximately 600 feet in length (Figure 2 – Site Detail Map, Appendix A).

The groundwater treatment system was designed to capture groundwater containing contaminants at concentrations greater than 1992 Chapter NR 140, WAC preventative action limits (PALs) as approved in the ROD. The west trench and southeast trench were located outside the estimated extent of the groundwater contamination and are designed to

prevent further migration of groundwater contamination. The central trench was designed to collect contaminated groundwater and prevent further migration of the groundwater contamination off-site.

Groundwater enters the trenches based on the head differential between the local water table and the level maintained in the trench. The trenches are backfilled with coarse sand. A 6-inch perforated high-density polyethylene collection pipe in the bottom of the trench drains water from the trench to manholes where the water is collected and pumped to the groundwater treatment facility.

Under normal operation, water levels are maintained at or near the bottom of the trenches. The trenches can provide storage and continue to act as a hydraulic barrier until the water in the trenches rises to the level of the water table. This storage capacity allows the hydraulic barrier to continue even when the collection/treatment system needs to be shut down for repair or maintenance for a short period of time.

Three properties south and southeast of the facility have foundation drain systems that are connected to the groundwater collection system via gravity piping (801 S. Outagamie Street, 1410 W. Second Street, and 1414 W. Second Street). Additionally, the sump pump discharge at 1428 W. Second Street is connected to the collection system.

Groundwater collected in the west trench flows by gravity to Manhole 1 where the maximum depth of the manhole/trench extends approximately 32 feet below ground surface (fbgs). Groundwater in the central and southeast trenches flows by gravity to Manhole 2, where the maximum depth of the manhole extends approximately 17 fbgs, and the central trench collection piping enters Manhole 2 at a depth of approximately 28 fbgs. Groundwater from the manholes is piped to the treatment facility (Figure 2 – Site Detail Map, Appendix A).

2.5 Groundwater Treatment System

From February 1997 through April 18, 2006, the treatment system operated in a manual batch system mode. The groundwater treatment system was designed to be a fully automated batch treatment process designed for control of total chromium. Each batch operation was capable of treating 2,700 gallons of influent groundwater and took approximately 6 hours to complete a cycle (i.e., from the start of filling the reaction tank to finishing the discharge to the City of Appleton sanitary system). The system was capable of treating 10,800 gallons in a 24-hour period.

Pumps located in the two manholes convey groundwater from the collection trenches into the storage tank. Float switches control water levels in the manholes. The pumps have a pumping capacity of approximately 43 gallons per minute (gpm) each.

A storage tank stores water from the collection system to provide equalization of the groundwater. The storage tank has a 9,000-gallon capacity. A top-mounted, turbine type,

constant speed mixer, for mixing the tank contents and keeping solids in suspension, is located on the tank. An ultrasonic level indicator monitors the water level in the tank. The water level of the storage tank is monitored by the programmable logic controller (PLC).

Prior to the start of direct discharge on April 18, 2006, the reaction tank feed pump transferred groundwater from the storage tank to the reaction tank. The reaction tank feed pump was an air-operated, double-diaphragm pump with an 86-gpm capacity. The reaction tank feed pump was sized to fill the reaction tank working volume (2,700 gallons) in approximately 30 minutes.

The reaction tank has a capacity of 6,100 gallons. The conical bottom of the tank allowed from the collection and transfer of sludge. The volume of water treated during a batch process was approximately 2,700 gallons. Chemical and physical processes for the groundwater treatment occurred in the reaction tank. The water was treated by batch process in the reaction tank as follows: decant, fill, ferrous sulfate addition, caustic addition, aeration, flocculation, settling and sludge withdrawal.

The above systems were the primary parts in the treatment process. However, there were several other components necessary for the successful treatment of contaminated groundwater. They included a reaction tank mixer, reaction tank level detector, reaction tank air diffuser, reaction tank pH monitor, air compressor, ferrous sulfate feed system, caustic feed system, sludge transfer pump, sludge tank, and tanker truck feed pump. These components were monitored and/or controlled by the PLC in the master control panel. Only the tanker transfer pump and the air compressor were locally controlled. The system was designed to provide continuous batch process treatment, if required.

The master control panel includes failure annunciators, pH strip chart recorder, data access module, auto dialer, PLC system, and uninterruptible power supply. The master control panel also sounds an audible alarm if an upset in the process or a failure is detected.

Although the system was designed to be a fully automated batch treatment process, the City of Appleton industrial user permit formerly required treated groundwater to be tested for hexavalent chromium using a Hach hexavalent chromium test kit before discharge to the sanitary sewer system. The treatment system (batch treatment and manual discharge) met discharge permit conditions but was labor intensive.

Groundwater brought into the treatment facility has contaminant concentrations below City of Appleton industrial user permit discharge limits. The WDNR received approval from the City of Appleton to perform direct discharge of untreated, collected groundwater beginning April 18, 2006, when influent meets discharge limits listed in the Appleton Industrial User (Wastewater Discharge) Permit No. 06-21. Since April 18, 2006, collected groundwater has been directly discharged without treatment to the City of Appleton sanitary sewer system.

The current Appleton Industrial User (Wastewater Discharge) permit was reissued on May 31, 2021 (Permit No. 21-21). The permit allows the continuation of groundwater direct

discharge to the sanitary sewer as long as contaminant concentrations remain below discharge limits. Permit No. 21-24 expires at midnight, May 31, 2024.

2.6 Groundwater Monitoring Network

The groundwater monitoring wells (water table observation wells and piezometers) were designed to provide information on containment of the groundwater plume and on water quality at the site and adjacent residential properties. The monitoring network is comprised of 11 observation wells constructed during the RI and the remedial action (RA) activities (W-2, W-8, W-15, and MW-101 through MW-108), 5 observation wells (MW-109 through MW-113) constructed in May 2006, and 4 piezometers (PZ5 through PZ8) constructed in May 2005 to evaluate the remaining source area (Figure 2 – Site Detail Map, Appendix A). The following descriptions are reflective of static groundwater conditions; however, pumping from the manholes/trenches affects site conditions such that static conditions are usually not observed.

Observation wells W-2 and MW-108 are located up-gradient of the site to monitor background conditions.

Observation well MW-101, which is located west of the site, is used to monitor the effectiveness of the west trench.

Three down-gradient observation wells, MW-102, MW-103, and MW-104, are used to monitor changes in groundwater quality down-gradient of the central trench and to monitor hydraulic gradient control.

Four observation wells, W-8, W-15, MW-105, and MW-106, are used to monitor changes in groundwater quality outside of the southeast trench. Observation wells MW-106 and W-15 are also used to monitor hydraulic gradient control of the southeast trench.

Observation well MW-107 is used to provide source area groundwater quality data and hydraulic gradient information up-gradient of the central trench.

Five observation wells (MW-109 through MW-113) constructed in May 2006 are located at former source areas identified during the RI. They are described as follows.

- MW-109 is located at the west edge of the former chromium building between two historical monitoring points (MW25R and MW26R) constructed during the RI with significant concentrations of volatile organic compounds (VOCs) and chromium in groundwater
- MW-110 is located on the north edge of the former chromium building adjacent to a nest of three historical monitoring points (MW17, MW18, and MW19) constructed during the RI with significant concentrations of VOCs and chromium in groundwater
- MW-111 is located near an historical monitoring point (MW13R) constructed during the RI with significant concentrations of chromium in groundwater

- MW-112 is located within the former zinc building at the edge of the former through adjacent to an historical soil sample (SB3A) constructed during the RI with significant concentrations of metals (cadmium, chromium, zinc, and cyanide) in soil
- MW-113 is located on the southeast edge of the former chromium building adjacent to a nest of three historical monitoring points (MW14, MW15, and MW16) constructed during the RI with significant concentrations of VOCs (MW14 only) and chromium in groundwater

PZ5 and PZ6 are located on the north side of the central collection trench and PZ7 and PZ8 are located on the south side of the central collection trench to evaluate the vertical extent of groundwater contamination and verify vertical capture of the groundwater plume.

On May 10, 2004, four piezometers (PZ-01, PZ-02, PZ-03, and PZ-04) were removed. The bottoms of the piezometers were constructed near the elevation of the collection trench piping and were within the trenches. The purpose of the piezometers was to determine whether the trenches were working properly. Since the trenches were functioning properly, the piezometers were abandoned.

3.0 Influent/Effluent Monitoring and Reporting

Prior to October 2012, effluent samples were collected at the Outfall 001¹ sample collection port. The discharge valve from the storage tank was closed, typically one to three days prior to sampling, depending on the anticipated groundwater infiltration into the collection system. The storage tank was allowed to accumulate pumped water until the sampling event, typically Thursday morning. The discharge valve was opened, and water was allowed to discharge for approximately 5 minutes. The Outfall 001 sampling port was opened and approximately 10 gallons of water was allowed to discharge from the sampling port prior to collecting a sample.

On October 19, 2012, system plumbing changes were completed to improve the sampling method. Terracon contracted Ogden Plumbing to replumb the system effluent line so that a greater volume of water was retained within the equalization tank and to install a sampling port on the equalization tank Outfall 001 discharge pipe. Due to the improvement in the system plumbing, Terracon now collects a composite effluent sample from the sampling port on the equalization tank Outfall 001 discharge pipe. Samples are typically collected the first Thursday of the month.

¹ Outfall 001 is the point where the groundwater leaves the facility and enters the City of Appleton sanitary sewer system. There is currently only one outfall.

3.1 Monthly Monitoring and Reporting

During the monthly monitoring events for this reporting period, unfiltered samples were collected from the equalization tank Outfall 001 sample port and analyzed for hexavalent chromium and total dissolved chromium. A pH value from the Outfall 001 sample was also determined on the samples collected by using an Oakton pHTestrs. Pace Analytical Services, Inc. (Pace) performed the laboratory analysis. Pace provided an electronic report of the analysis to Scott Hodgson, Terracon's project manager, who emailed the report to Gwen Saliars, WDNR project manager. A summary of the laboratory analysis can be found in Table 1 – Influent and Effluent Summary, Appendix B.

During the monthly monitoring events, an unfiltered sample was collected from the Manhole 1 influent sampling port and from the Manhole 2 influent sampling port. The presence of hexavalent chromium was measured in the Manhole 1 and 2 influent samples using a Hach test kit, model Pocket Colorimeter II, and pH values were determined using an Oakton pHTestrs. The pounds of total chromium removed by the system each month is shown in Table 1.

Total flows from Outfall 001, from Manhole 1, and from Manhole 2 were recorded on an Operator Log Sheet during the monthly sample collection. Total flows from Outfall 001, from Manhole 1, and from Manhole 2 are also recorded periodically throughout the month (Table 1 – Influent and Effluent Summary, Appendix B). A monthly email message was sent to the City of Appleton Department of Utilities Environmental Programs Coordinator and the WDNR project manager with the total flow that was recorded from Outfall 001.

The WDNR project manager was provided with a monthly status report summarizing operation and maintenance at the site. The monthly status reports included Terracon's invoice for services from the previous 28-day period, a copy of subcontractor invoices paid during the month, a copy of the Operator Log Sheets, a copy of the Inspection Sheet, and a copy of Table 1 – Influent and Effluent Summary Quarterly Monitoring and Reporting.

3.2 Quarterly Monitoring and Reporting

A quarterly compliance report was submitted by email to the City of Appleton Department of Utilities Environmental Projects Coordinator, Brian Kreski, and the WDNR project manager, Gwen Saliars, on October 6, 2022 (Third Quarter 2022), January 4, 2023 (Fourth Quarter 2022), April 6, 2023 (First Quarter 2023), and July 3, 2023 (Second Quarter 2023). Each quarterly compliance report included total metered discharge readings, pH measurements, and laboratory analytic test reports. There were no effluent limit exceedances during this reporting period.

3.3 Annual Monitoring and Reporting

Prior to 2019 the Monitoring Report was completed on a semi-annual basis; however, beginning in 2019 the two semi-annual monitoring reports were condensed into one annual report. The annual reporting consists of this document, the Annual Operation and Maintenance Report, which is prepared for the WDNR project manager after the water level measurement/inspection event or after receiving the laboratory data from the annual groundwater sampling as was the case this year. The Annual Operation and Maintenance Report includes the Operation, Maintenance, Monitoring and Optimization Reporting of Soil and Groundwater Remediation Systems, Form 4400-194 (see Form 4400-194, Appendix D).

4.0 Compliance Sampling

Compliance sampling of the groundwater effluent is conducted twice per year by the City of Appleton and once per year by Terracon. The sample is collected at the sampling port for Outfall 001 at the storage tank. The effluent is analyzed for the parameters listed in Table 2 – City of Appleton Compliance Limits, Outfall 001, Appendix B. Compliance sampling was conducted by the City of Appleton on March 9, 2023, and August 16, 2023, and by Terracon on June 7, 2023, during this reporting period.

A summary of the City of Appleton’s compliance sampling analysis and Terracon’s annual compliance sampling analysis can be found in Table 2 – City of Appleton Compliance Limits, Outfall 001, Appendix B. The results from the August 16, 2023, City of Appleton sampling event have not yet been received by Terracon.

In addition to the sampling events listed above, and as described in Section 3.0, total chromium and hexavalent chromium are currently analyzed monthly for a sample collected from the Outfall 001 sampling port on the equalizer tank (Table 1 – Influent and Effluent Summary, Appendix B). Starting in April 2021, Terracon began quarterly sampling of Manhole 1, Manhole 2 and Outfall 1 for per and polyfluoroalkyl substances (PFAS). Based on the results, the WDNR suspended PFAS sampling after the January 2022 quarterly sampling event.

5.0 Groundwater Sampling

5.1 Groundwater Sampling Procedures

Three adjustments to the original monitoring plan have been requested since 1997. On December 3, 1999, Jennifer Huffman with the WDNR requested an adjustment that included the following.

1. Elimination of quarterly sampling for copper, zinc, mercury, and cyanide at all site wells
2. Reduction in VOC sampling frequency from quarterly to annual
3. Elimination of weekly testing for total suspended solids on the treated effluent

EPA approved the 1999 request on January 18, 2000, except for continued cyanide sampling in monitoring wells MW-110, MW-111, and MW-112 and semi-annual VOC sampling rather than annual VOC sampling as requested.

On March 24, 2003, Jennifer Borski with the WDNR requested the following adjustment to the monitoring plan.

1. Elimination of quarterly cadmium sampling at all site wells
2. Reduction in the frequency from quarterly to annual sampling of manganese at all site wells
3. Reduction in the frequency from quarterly to annual sampling of total dissolved chromium at W-2, W-8, W-15, MW-101, MW-102, MW-105, MW-106, and MW-108
4. Elimination of annual VOC sampling at W-2, W-8, W-15, MW-101, MW-102, MW-103, MW-104, MW-105, MW-106, and MW-108

EPA approved the 2003 request on April 17, 2003.

On September 19, 2018, Jennifer Borski with the WDNR requested the following adjustment to the monitoring plan.

1. Total (dissolved) chromium will be analyzed every 2 years in September at MW-101, MW-102, MW-103, MW-104, MW-107, MW-109, MW-110, MW-111, MW-112, and MW-113
2. Total (dissolved) chromium will continue to be analyzed every four years in September at perimeter wells W-2, W-8, W-15, MW-105, MW-106, and MW-108
3. Cyanide will be analyzed every 2 years in September at MW-107, MW-109, MW-110, MW-111, MW-112, and MW-113

EPA approved the 2018 request on November 13, 2018. EPA recommended that for the wells sampled only during the 4-year event, three well (casing) volumes should be purged and then the wells sampled using low-flow and stabilization parameters.

There are 20 groundwater monitoring wells including 16 water table observation wells and 4 piezometers associated with the Mauthe remediation system (see Figure 2 – Site Detail Map, Appendix A).

Groundwater samples were collected during this reporting period on September 6 and 7, 2023, as part of the comprehensive 4-year sampling event. During the sampling event, static groundwater levels were measured in each of the 14 site monitoring wells sampled including observation wells W-2, W-8, W-15, and MW-101 through MW-113, prior to sampling. Historical groundwater elevations for the site are summarized in Table 3 – Groundwater Elevations, Appendix B, and presented graphically on Figure 3 – Groundwater Hydrographs, Appendix A. The groundwater elevation data from the observation wells was used to develop a groundwater contour map (Figure 4 – Groundwater Table Contour Map—September 2023, Appendix A). Groundwater flow was generally towards the collection trenches. The gradient immediately adjacent to the trenches is very steep because the groundwater elevation in the trench, in general, is at the elevation of the sump high float level (approximately 25 feet below surface grade) and low-conductivity clay soils exist in the area. As a result, the complex flow pattern and steep gradient near the trenches cannot be accurately depicted at the required map scale. As such, Terracon has used professional judgment to depict the groundwater elevation near the trench as an accessory contour on Figure 4, placed to show the general flow pattern near the trenches.

Down-well tubing was installed in monitoring points to be sampled. A peristaltic pump was attached to the down-well tubing and the monitoring points were micro-purged using low-flow techniques before collecting the sample(s). The sampling process utilized a flow-through cell where probes measured temperature, conductivity (specific conductance), pH, dissolved oxygen (DO), and oxidation/reduction potential (ORP) in each well. Flow through the cell was maintained at approximately 200 milliliters per minute (mL/min), utilizing a resistor to control pump flow. Purging proceeded until parameters were stable to within 10% for 3 consecutive readings taken a minimum of 2 minutes apart. The six monitoring wells sampled only during the 4-year event that required purging of three well casing volumes were initially purged using a peristaltic pump set at the highest speed after first measuring the temperature, conductivity, pH, DO, and ORP under static conditions. The peristaltic pump speed was then reduced to approximately 200 mL/min to purge the last gallon prior to sampling. During purging of the final gallon, temperature, conductivity, pH, DO, and ORP were monitored and readings were taken periodically. Purged water from the monitoring points was collected, taken into the treatment building, dumped into the floor sump, and subsequently pumped into the equalizer tank to discharge to the Outfall 001 pipe leading to the City of Appleton sanitary sewer system.

Groundwater samples were collected for VOCs, dissolved iron, total chromium, manganese, and cyanide in accordance with the site monitoring plan after the monitoring points were purged as described above. Final temperature, conductivity (specific conductance), pH, dissolved oxygen, and oxidation/reduction potential were recorded just prior to sampling (see Table 4 – Groundwater Geochemical Parameters, Appendix B). The groundwater

samples were collected in the order of VOC vials first (if applicable) and metal samples second. The chromium (metal) samples, dissolved iron, and manganese samples were field filtered with disposable 0.45-micron in-line filters. The cyanide samples were not filtered. The laboratory containers were supplied by Pace Analytical. The samples to be analyzed for VOCs were preserved with hydrochloric acid. The samples to be analyzed for (filtered) total chromium, dissolved iron, or manganese were preserved with nitric acid. The samples to be analyzed for total cyanide were preserved with sodium hydroxide. The samples were delivered to Pace Analytical Laboratory (Green Bay) by a Pace courier.

The groundwater elevations, purged groundwater volume, field testing data, and sample collection time for each well were recorded on a Groundwater Sampling Field Sheet (see Groundwater Sampling Field Sheets, Appendix C).

5.2 Groundwater Sampling Results

During the September 2023 sampling event, field measurements were taken on groundwater samples collected from monitoring wells W-2, W-8, W-15, and MW-101 through MW-113 for temperature, conductivity (specific conductance), pH, dissolved oxygen, and oxidation/reduction potential. A summary of the final field measurements after stabilization are contained in Table 4 – Groundwater Geochemical Parameters, Appendix B.

Groundwater from observation wells W-2, W-8, W-15, and MW-101 through MW-113 was analyzed for (filtered) total (dissolved) chromium, dissolved iron, and manganese. Groundwater from observation wells MW-107 and MW-109 through MW-113 was also analyzed for VOCs and groundwater from observation wells MW-110 through MW-112 was analyzed for total cyanide.

The September 2023 laboratory analytical results indicated that levels of (filtered) total chromium exceeded the 1992 NR 140, WAC, groundwater PAL² in the sample from monitoring well MW-103 (10.6 micrograms per liter [$\mu\text{g/L}$]). Levels of (filtered) total chromium exceeded the 1992 NR 140, WAC, groundwater ES in samples from monitoring wells MW-107 (1,070 $\mu\text{g/L}$), MW-109 (363 $\mu\text{g/L}$), MW-110 (317 $\mu\text{g/L}$), MW-111 (58.5 $\mu\text{g/L}$), MW-112 (1,260 $\mu\text{g/L}$), and MW-113 (17,700 $\mu\text{g/L}$). The laboratory analytical results indicated that cyanide was not detected in any of the monitoring wells (See Table 5 – Historical Groundwater Analytic Test Results -- Selected Metals, Appendix B, and laboratory report and chain-of-custody record, Appendix C). An isoconcentration map for (filtered) total chromium concentrations is shown on Figure 5 – Groundwater Table Total Chromium Isoconcentration Map - September 2023, Appendix A.

² “Chemical-specific ARARs are laws and requirements that regulate the release to the environment of materials having certain chemical or physical characteristics or materials containing specific chemical compounds... Therefore, the applicable groundwater remedial action goals at this site are the PALs.” – Record of Decision Summary, N.W. Mauthe Site, March 1994, pages 36-37.

The laboratory analytical results indicate that levels of VOCs (at least one of the following analytes: chloroform, 1,1-dichloroethane, 1,2-dichloroethane, 1,1-dichloroethene, cis-1,2-dichloroethene, and 1,1,1-trichloroethane) exceed the 1992 NR 140, WAC, PALs in samples from monitoring wells MW-109 and MW-111 through MW-113. Levels of VOCs (at least one of the following analytes: 1,1-dichloroethene, 1,1,2-trichloroethane, and trichloroethene) exceed the 1992 NR 140, WAC, ESs in samples from monitoring wells MW-107 and MW-109 through MW-113 (see Table 6 – Historical Groundwater Analytic Test Results - Volatile Organic Compounds, Appendix B, and laboratory report and chain-of-custody record, Appendix C).

Chromium concentration trend graphs were prepared for monitoring wells MW-103, MW-104, MW-107, and MW-109 through MW-113 and are presented as Figures 6 through 13, Appendix A. Chlorinated volatile organic compound (CVOC) concentration trend graphs for monitoring wells MW-107, MW-110, and MW-113 are presented as Figures 14 through 16, Appendix A.

6.0 Routine Operation and Maintenance Activities

Groundwater Operator Log Sheets and Inspection Sheets are kept on file at the facility. Copies of these forms were also sent to the WDNR project manager with the monthly status reports.

6.1 Monthly Operation and Maintenance Activities

On a monthly basis, either during the monthly sampling event of Outfall 001 or another time, the grounds, truck bay, office area, bathroom, treatment process area, and sample preparation area were inspected. The Inspection Sheet contains a listing of items to be checked during the monthly inspection.

During the monthly sampling, general inspection of the building, grounds, and treatment equipment was conducted. Monthly building and grounds inspections were performed each month from October 2022 through September 2023.

A copy of the monthly inspection sheet was included with the corresponding monthly invoice status report.

6.2 Annual Operation and Maintenance Activities

During this reporting period, annual operation and maintenance activities included the heater inspection (December 2022), backflow preventer inspection (March 2023), fire extinguisher/emergency light inspection (March 2023), and monitoring well network inspection (September 2023).

The heater inspection was performed on December 21, 2022, by Ogden Plumbing & Heating (Ogden). There were no issues noted.

The backflow preventer inspection was performed by Ogden on March 9, 2023. No violations were found. The fire extinguisher/emergency light inspection was performed by Ahern on March 9, 2023. There were no issues noted.

On August 3, 2023, during groundwater per-and polyfluoroalkyl substance (PFAS) sampling performed by others under a separate contract, the following was noted:

- The W-2 flushmount cover did not have bolts;
- The MW-105 flushmount cover bolts were damaged;
- The MW-106 flushmount cover bolts did not screw in;
- The MW-103 and PZ-8 flushmount covers are buried under a few inches of soil and grass; and
- The MW-113 polyvinyl chloride riser (PVC) had no expandable cap. The locks on MW-104, MW-107-MW-113, PZ-5, and PZ-6 needed to be cut off to allow access and would need to be replaced by Terracon locks.

The annual monitoring well network inspection was performed by Terracon during the 4-year sampling event on September 6 and 7, 2023. Terracon observed that the PVC casing at observation wells W-2, W-8, MW-102, MW-109, and PZ8 appeared to have heaved upward causing issues closing their protective covers with the expandable caps/locks. Terracon replaced flushmount bolts where needed and cleaned the bolt threads and bolt hole threads throughout the monitoring well network using taps and dies. Terracon was able to cut down the PVC at MW-109 but needed other tools than those available to cut down the remaining wells. The flushmount bolts at observation well MW-102 were replaced and a temporary slip cap was placed on the PVC so that the flushmount lid could be bolted down. Padlocks which were previously cut off or removed were replaced with the like-keyed Terracon locks. Note that monitoring wells W-2, W-8, and W-15 do not have expandable caps and padlocks. Due to their age, they were constructed with PVC that is slightly smaller than 2-inch diameter and do not accommodate typical 2-inch diameter expandable caps. These wells have a threaded cap only.

On September 12, 2023, the MW-102 PVC was cut down by 0.15 foot to accommodate the expandable cap, padlock, and flushmount cover. The top of PVC, protective cover rim, and ground surface elevation at each well within the monitoring well network were surveyed by Point of Beginning on September 12, 2023, after the repair of MW-102. The new elevations were incorporated into Table 3.

On October 3, 2023, the PZ8 PVC casing was cut down by approximately 0.11 foot. Terracon was able to repair monitoring well W-2 without cutting down the PVC. Because the W-8 PVC was a smaller diameter than the available 2-inch diameter inside PVC cutter, the

well was not repaired on October 3, 2023. However, the flushmount cover can be bolted down. The W-8 PVC will be cut down in the future.

6.3 Periodic Operation and Maintenance Activities

The following operation and maintenance activities were performed on an as-needed basis during the reporting period.

1. The City of Appleton has taken over grounds maintenance at the N.W. Mauthe site through an intergovernmental agreement between the City of Appleton and WDNR. City staff provided lawn maintenance
2. Outfall 001 flow meter/totalizer operation is checked during site visits. According to the factory representative, there are no operator performed calibration functions for the meter unless a hardware failure occurs
3. General housekeeping activities included replacing cleaning supplies, bathroom supplies, and minor building components. General housekeeping activities also included keeping the facility grounds clean and removing accumulated waste
4. Terracon met City of Appleton personnel at the site on March 9, 2023, and August 16, 2023, to collect their semi-annual effluent compliance samples

6.4 Significant Operation and Maintenance Activities

None during this cycle.

6.5 Emergency Operations and Shut Downs

None during this cycle.

7.0 Facility Meetings/Reviews

Gwen Saliaries, WDNR project manager, has periodically communicated with the City of Appleton's Parks & Recreation Department to confirm the Cooperative Agreement conditions are being followed and the arrangement is still satisfactory to both parties. The existing Cooperative Agreement was renewed on May 4, 2022, and expires on May 4, 2027.

The City of Appleton Fire Department performed their annual inspection of the facility on May 24, 2024. No issues were noted.

Through November 9, 2023, Brian Kreski, City of Appleton Department of Utilities Program Environmental Programs Coordinator, had not yet scheduled a time to meet Terracon at the site to discuss operations and perform the annual inspection of the facility. He intends to schedule an inspection before the end of 2023.

8.0 Conclusions and Recommendations

The laboratory analysis from the September 2023 sampling event indicated that the groundwater continues to exceed the 1992 NR 140, WAC, PALs and ESs for chromium and several VOCs (the results of the PFAS sampling performed under separate contract by others, are unknown). In general, concentrations increased slightly at some locations, particularly chromium at MW-113, compared to the 2-year sampling event in September 2021 and the 4-year sampling event in September 2019. The next sampling event (2-year) is scheduled for September 2025.

The containment trenches appear to be, in general, operating as designed, but as they have exceeded their design life, they appear to be less efficient at collecting and transmitting groundwater to the sumps than in the past. The groundwater laboratory analysis and the groundwater elevations indicate that the groundwater plume is, in general, being controlled horizontally by the groundwater containment trenches.

Approximately 668,491 gallons of groundwater were extracted from the containment trenches from October 1, 2022, through September 30, 2023 (average 1,831 gallons per day). The groundwater was discharged to the City of Appleton sanitary sewer system under the Industrial User (Wastewater Discharge) Permit Number 21-21 or 21-24. There were no exceedances of the compliance limits during this reporting period.

Approximately 1.398 pounds of chromium were removed by the system during this reporting period.

Based on the laboratory analysis from the September 2023 annual groundwater sampling event and the laboratory analysis from the Outfall 001 during the reporting period, Terracon recommends continued operation of the groundwater extraction system with direct discharge to the City of Appleton sanitary sewer system.

9.0 General Comments

The analysis and opinions expressed in this report are based upon data obtained from the system operation and maintenance activities and laboratory chemical analyses at the indicated locations or from other information discussed in this report. This report does not reflect variations in subsurface stratigraphy, hydrogeology, and contaminant distribution that may occur across the site. Actual subsurface conditions may vary and may not become evident without further assessment.


This report was prepared for the exclusive use of our client for specific application to the project discussed and has been prepared in accordance with generally accepted environmental engineering practices. No warranties, express or implied are intended or made. In the event any changes in the nature or location of suspected sources of



contamination as outlined in this report are observed, the conclusions and recommendations contained in this report shall not be valid unless these changes are reviewed and the opinions of this report are modified or verified in writing by Terracon.

10.0 Certifications

I, Blaine R. Schroyer, P.E., hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.




E-31505
Signature and P.E. number

Project Engineer
Title



I, Scott A. Hodgson, P.G., hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. [GHSS 2](#), Wis. Adm. Code, or licensed in accordance with the requirements of ch. [GHSS 3](#), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



PG-1229
Date 11/15/23
Signature and P.G. number

Project Geologist
Title

Appendix A – Figures

Figure 1 – Site Location Map

Figure 2 – Site Detail Map

Figure 3 – Groundwater Hydrographs

Figure 4 – Groundwater Table Contour Map – September 2023

Figure 5 – Groundwater Table Total Chromium Isoconcentration Map –
September 2023

Figure 6 – MW-103 Groundwater Total Chromium Concentration Trends

Figure 7 – MW-104 Groundwater Total Chromium Concentration Trends

Figure 8 – MW-107 Groundwater Total Chromium Concentration Trends

Figure 9 – MW-109 Groundwater Total Chromium Concentration Trends

Figure 10 – MW-110 Groundwater Total Chromium Concentration Trends

Figure 11 – MW-111 Groundwater Total Chromium Concentration Trends


Figure 12 – MW-112 Groundwater Total Chromium Concentration Trends

Figure 13 – MW-113 Groundwater Total Chromium Concentration Trends


Figure 14 – MW-107 Groundwater CVOC Concentration Trends

Figure 15 – MW-110 Groundwater CVOC Concentration Trends

Figure 16 – MW-113 Groundwater CVOC Concentration



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

APPLETON QUADRANGLE
OUTAGAMIE COUNTY ~ WISCONSIN
1992
7.5 MINUTE SERIES (TOPOGRAPHIC)



Project Mngr:	58117057
Drawn By:	JLM
Checked By:	SAH
Approved By:	BRS
Project No.:	58117057
Scale:	AS SHOWN
File No.:	58117057C2R3
Date:	11/2023


Terracon
Explore with us

9856 SOUTH 57th STREET FRANKLIN, WISCONSIN 53132
PH. (414) 423-0255 FAX. (414) 423-0566

SITE LOCATION MAP

N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET
APPLETOON, WISCONSIN

FIGURE
1



LEGEND

- 4 INCH DIAMETER PVC GRAVITY DRAIN LINE CONNECTED TO FOUNDATION DRAIN TILE (2018)
- Monitoring Well
- ▲ Piezometer
- - - - - Collection System
- Pump Discharge
- + + + + + Railroad Tracks
- ▤ Former Building
- 🌿 Approximate Soil Remediation Limits*
- ▭ Property Line


*Approximate Soil Remediation Limits
 July 11 - October 27, 1995
 (10,834 tons)




FIGURE 2 (FC2)
 SITE DETAIL MAP
 N.W. MAUTHE SITE
 725 SOUTH OUTAGAMIE STREET
 APPLETON, WISCONSIN
Terracon
 Explore with us
 4900 SO PENNSYLVANIA AVE SUITE 100 CUDARY, WI 53110
 PH. (414) 423 0255 FAX (414) 23 0566
 Project No. 58117057
 Scale: As Shown
 File No. 58117057C2R2
 Date: 10/2020
 Project Mgr: SAH
 Drawn By: JMN
 Checked By: SAH
 Approved By: SAH

Note: Figure taken from Omni Site Detail Map, January 2011

FIGURE 3
Groundwater Hydrographs
N.W. Mauthe Superfund Site





LEGEND


- Accessory Contour Line
- Contour Line
- Groundwater Elevation (feet above sea level)
- Not Measured
- Groundwater Flow Direction

Note: The contour lines depicted are based on interpolation and extrapolation of groundwater elevation measurements for the data shown. Actual conditions may vary.

- 4 INCH DIAMETER PVC GRAVITY DRAIN LINE CONNECTED TO FOUNDATION DRAIN TILE (2018)
- Piezometer
- Collection System
- Pump Discharge
- Railroad Tracks
- Former Building
- Approximate Soil Remediation Limits*
- Property Line

*Approximate Soil Remediation Limits
July 11 - October 27, 1995
(10,834 tons)

FIGURE 4
 GROUNDWATER TABLE CONTOUR MAP - SEPTEMBER 2023
 N.W. MAUTHE SITE
 725 SOUTH OUTAGAMIE STREET
 APPLETON, WISCONSIN
ierracon
 Explore with us
 4900 SO. PENNSYLVANIA AVE., SUITE 100 CUDAHY, WI 53110
 PH: (414) 423-0255 FAX: (414) 423-0586
 Project No: 58117057
 Scale: AS SHOWN
 File No: 58117057C2R3
 Date: 10/2023
 Project Mgr: SAH
 Drawn By: JLM
 Checked By: SAH
 Approved By: SAH
 Note: Figure taken from Omni Site Detail Map, January 2011



Legend

- Monitoring Well
- Piezometer
- - - Collection System
- Pump Discharge
- +— Railroad Tracks
- ▭ Former Building
- ⊞ Approximate Soil Remediation Limits*
- ▭ Property Line

2.2 Total Chromium Concentration ($\mu\text{g/L}$)

$\mu\text{g/L}$ Micrograms per liter

— Isoconcentration line, dashed where inferred

NS = Not Sampled

Note: The isoconcentration lines may differ near trenches.

— 4 INCH DIAMETER PVC GRAVITY DRAIN LINE CONNECTED TO FOUNDATION DRAIN TILE (2018)

*Approximate Soil Remediation Limits
July 11 - October 27, 1995
(10,834 tons)

FIGURE 5

GROUNDWATER TOTAL CHROMIUM ISOCONCENTRATION MAP - SEPTEMBER 2023

N.W. MAUTHE SITE
725 SOUTH OUTAGAMIE STREET
APPLETON, WISCONSIN

Terracon
Explore with us
4900 SO. PENNSYLVANIA AVE. SUITE 100 CUDAHY, WI 53110
PH. (414) 423 0255 FAX (414) 423 0596

Project No.	58117057
Scale	AS SHOWN
File No.	58117057C2R3
Date	10/2023

Project Mgr:	SAH
Drawn By:	JMN
Checked By:	KLK
Approved By:	SAH

Note: Figure taken from Omni Site Detail Map, January 2011

FIGURE 6
MW-103 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 7
MW-104 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 8
MW-107 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 9
MW-109 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 10
MW-110 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 11
MW-111 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 12
MW-112 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 13
MW-113 Total Chromium Concentration Trends
N.W. Mauthe Superfund Site




FIGURE 14
 MW-107 CVOC Concentration Trends
 N.W. Mauthe Superfund Site






FIGURE 15
 MW-110 CVOC Concentration Trends
 N.W. Mauthe Superfund Site



- ◆ 1,1-Dichloroethane
- 1,1-Dichloroethene
- ▲ cis-1,2-Dichloroethene
- ✱ 1,1,2-Trichloroethane
- ✱ 1,1,1-Trichloroethane
- Trichloroethene

FIGURE 16
 MW-113 CVOC Concentration Trends
 N.W. Mauthe Superfund Site



- ◆ 1,1-Dichloroethane □ 1,1-Dichloroethene ▲ cis-1,2-Dichloroethene
- ✱ 1,1,2-Trichloroethane * 1,1,1-Trichloroethane ● Trichloroethene

Appendix B – Tables

Table 1 – Influent-Effluent Compliance Summary

Table 2 – City of Appleton Compliance Limits, Outfall 001

Table 3 – Groundwater Elevations

Table 4 – Groundwater Geochemical Parameters

Table 5 – Historical Groundwater Analytic Test Results – Selected
Metals

Table 6 – Historical Groundwater Analytic Test Results –

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
09/25/07		8,290,363											
	10/01/07	8,300,685											
10/01/07		8,301,251	10,888										
10/02/07		8,301,251	0		7.7								
10/15/07		8,324,675	23,424										
10/16/07		8,324,675	0		7.4	1.700			6.93	3.9		7.30	0.60
10/22/07		8,355,957	31,282										
10/23/07		8,355,957	0		7.5	1.500			7.04	3.75		NA	NA
10/29/07		8,370,413	14,456	October									
10/30/07		8,370,413	0	71,891	7.4	1.900			NA	NA		NA	NA
	11/01/07	8,372,575											
11/05/07		8,377,912	7,499										
11/06/07		8,377,912	0	November	8.3	1.900	1.300		7.8	4.30		8.2	0.18
11/16/07		8,386,583	8,671	21,587									
	12/01/07	8,394,162											
12/03/07		8,395,372	8,789										
12/04/07		8,395,372	0		8.6	3.100	2.500		8.4	4.60		8.6	0.16
12/12/07		8,399,522	4,150	December									
12/21/07		8,402,508	2,986	25,977									
	01/01/08	8,420,139											
01/01/08		8,420,868	18,360										
01/02/08		8,420,868	0		8.7	1.300	1.200		8.4	4.50		8.7	0.62
01/02/08		8,421,628	760										
01/10/08		8,459,333	37,705										
01/15/08		8,479,244	19,911	January									
01/25/08		8,497,063	17,819	84,612									
	02/01/08	8,504,750											
02/01/08		8,505,562	8,499										
02/03/08		8,507,408	1,846	February									
02/04/08		8,507,408	0	22,861	8.9	1.700	1.600		8.7	2.60		8.8	0.70
	03/01/08	8,527,611											
03/02/08		8,528,931	21,523	March	9.0	2.9	2.500		8.7	3.60		8.8	2.50
03/31/08		8,653,211	124,280	128,713									
	04/01/08	8,656,324											
04/01/08		8,657,629	4,418		9.0	1.6	1.530		8.7	1.60		8.9	1.45
04/01/08		8,661,298	3,669										
04/04/08		8,682,788	21,490										
04/07/08		8,697,084	14,296										
04/08/08		8,697,084	0		9.1	0.063			8.7	1.40		8.9	0.54
04/14/08		8,790,128	93,044										
04/15/08		8,790,128	0		9.1	0.36			8.7	0.90		8.8	0.17
04/15/08		8,797,710	7,582					Installed			Installed		
04/16/08		8,804,525	6,815					1,074			2,804		
04/16/08		8,806,972	2,447					1,589			3,661		
04/21/08		8,826,834	19,862					5,176			11,176		
04/22/08		8,826,834	0		9.1	0.87		5,649	8.8	0.95	12,292	8.9	0.55
04/28/08		8,860,276	33,442	April				13,291			36,802		
04/29/08		8,860,276	0	212,193	9.1	0.51		14,721	8.8	0.96	40,534	9.1	0.43
	05/01/08	8,868,517											
05/05/08		8,890,994	30,718					22,372			59,203		
05/06/08		8,890,994	0		9.1	0.95	0.679	22,844	8.7	1.14	60,259	8.8	0.62
05/12/08		8,907,573	16,579					28,018			70,853		
05/13/08		8,907,573	0		9.2	0.69		28,487	8.8	1.00	71,555	9.0	0.34
05/19/08		8,920,045	12,472					32,756			79,328		
05/20/08		8,920,045	0		9.1	0.74		33,225	8.8	0.96	80,376	8.9	0.27
05/26/08		8,929,582	9,537	May				36,557			85,277		
05/27/08		8,929,582	0	66,866	9.0	0.60		37,025	8.9	1.04	85,979	8.9	0.16
	06/01/08	8,935,384											
06/02/08		8,936,965	7,383					39,411			90,202		
06/03/08		8,936,965	0		9.3	0.90	0.824	39,876	9.0	1.06	90,901	9.0	0.54
06/09/08		8,951,078	14,113					43,187			101,102		
06/10/08		8,951,078	0		9.2	0.85		44,118	9.0	1.53	106,505	9.0	0.38
06/11/08		8,960,258	9,180					45,176			112,396		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
06/16/08		8,999,813	39,555					52,865			140,673		
06/16/08		8,999,813	0					52,865			141,398		
06/17/08		8,999,813	0		9.2	1.4		53,808	9.1	3.40	143,560	9.1	0.33
06/18/08		9,007,718	7,905					54,790			146,825		
06/23/08		9,016,923	9,205					57,605			153,557		
06/24/08		9,016,923	0		9.3	0.20		58,074	9.1	2.50	154,613	9.0	0.14
06/30/08		9,026,850	9,927	June				61,392			160,227		
06/30/08		9,026,850	0	91,466				61,392			160,573		
	07/01/08	9,026,850											
07/01/08		9,026,850	0		9.3	1.4	1,290	61,861	9.0	2.45	161,266	9.1	0.58
07/07/08		9,035,952	9,102					64,701			166,481		
07/08/08		9,035,952	0		9.4	1.2		65,168	9.1	1.90	167,518	9.2	1.05
07/10/08		9,041,071	5,119					66,138			170,315		
07/14/08		9,054,932	13,861					68,973			182,057		
07/15/08		9,054,932	0		9.4	0.82		69,444	9.0	1.80	184,517	9.2	0.54
07/21/08		9,083,663	28,731					74,198			206,929		
07/22/08		9,083,663	0		9.4	0.74		75,898	9.2	2.52	211,453	9.2	0.31
07/25/08		9,114,297	30,634					81,242			230,374		
07/28/08		9,121,075	6,778					83,136			235,668		
07/29/08		9,121,075	0		7.4	0.70		83,609	7.2	3.30	237,073	7.2	0.30
07/29/08		9,123,409	2,334	July				83,646			237,455		
	08/01/08	9,127,730		100,880									
08/04/08		9,137,140	13,731					87,426			248,221		
08/05/08		9,137,140	0		7.6	1.30	1,260	87,426	7.2	2.72	250,342	7.2	0.41
08/05/08		9,141,581	4,441					87,938			252,120		
08/09/08		9,151,886	10,305					90,785			260,213		
08/11/08		9,154,723	2,837					91,732			262,298		
08/12/08		9,154,723	0		7.5	1.2		92,206	7.2	2.45	263,337	7.3	0.25
08/13/08		9,157,388	2,665					92,710			264,058		
08/18/08		9,162,704	5,316					94,604			267,897		
08/19/08		9,162,704	0		7.5	0.98		95,077	7.2	2.08	268,595	7.2	0.20
08/19/08		9,163,932	1,228					95,106			268,623		
08/21/08		9,166,109	2,177					96,049			270,020		
08/24/08		9,168,274	2,165					96,993			271,417		
08/26/08		9,168,274	0	August	7.5	1.1		97,465	7.1	2.25	272,112	7.1	0.22
	09/01/08	9,173,323		45,593									
09/01/08		9,173,586	5,312					99,390			274,587		
09/02/08		9,173,586	0		7.6	1.4	1,290	99,863	7.3	2.50	274,936	7.3	0.21
09/02/08		9,174,445	859					99,894			274,962		
09/06/08		9,176,960	2,515					100,837			276,718		
09/08/08		9,176,960	0		7.5	1.3		101,310	7.2	2.25	277,071	7.3	0.16
09/15/08		9,182,218	5,258					103,257			279,911		
09/16/08		9,182,218	0		7.6	1.3		103,731	7.3	2.60	280,611	7.6	0.37
09/18/08		9,185,245	3,027					104,715			281,689		
09/22/08		9,187,538	2,293					105,663			283,095		
09/23/08		9,187,538	0		7.5	1.6		106,137	7.3	3.05	283,475	7.5	0.17
09/28/08		9,191,553	4,015					107,560			285,589		
09/30/08		9,191,553	0	September	7.6	1.8		108,035	7.4	3.70	285,942	7.4	0.18
	10/01/08	9,192,867		19,545									
10/05/08		9,195,280	3,727					109,500			287,383		
10/07/08		9,195,280	0		7.7	2.2	2,000	109,975	7.4	4.38	288,093	7.8	0.12
10/07/08		9,196,521	1,241					110,012			288,124		
10/10/08		9,200,017	3,496					110,965			290,943		
10/12/08		9,200,017	0					111,919			291,644		
10/14/08		9,200,017	0		7.8	1.9		112,396	7.5	3.48	292,698	7.8	0.27
10/16/08		9,204,404	4,387					112,906			293,436		
10/18/08		9,206,201	1,797					113,861			294,504		
10/21/08		9,206,201	0		7.8			114,337	7.5	4.02	295,563	7.9	0.28
10/22/08		9,208,980	2,779					114,848			296,250		
10/26/08		9,211,601	2,621					116,279			297,676		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
10/28/08		9,211,601	0	October	7.9	2.0		116,756	7.7	3.96	298,743	8.2	0.26
	11/01/08	9,214,938		22,071									
11/01/08		9,215,379	3,778					117,743			300,201		
11/04/08		9,215,379	0		8.0	2.1	1.880	118,698	7.7	4.32	301,273	8.1	0.20
11/04/08		9,217,467	2,088					118,732			301,305		
11/07/08		9,219,330	1,863					119,685			302,376		
11/10/08		9,220,422	1,092					120,162			303,090		
11/20/08		9,229,031	8,609					123,506			309,112		
11/24/08		9,231,935	2,904					124,939			310,833		
11/24/08		9,232,260	325					124,939			311,189		
11/26/08		9,233,464	1,204					125,702			311,660		
11/28/08		9,234,926	1,462	November				126,192			312,744		
	12/01/08	9,234,926		19,988									
12/02/08		9,234,926	0		8.2	2.3	2.190	127,656	7.8	3.57	314,118	8.3	0.18
12/12/08		9,242,670	7,744					130,122			316,912		
12/17/08		9,247,587	4,917	December				131,563			320,808		
	01/01/09	9,266,230		31,304									
01/02/09		9,268,140	20,553					136,435			338,229		
01/06/09		9,268,140	0		7.8	2.5	2.430	137,894	7.7	4.48	341,351	7.8	1.05
01/12/09		9,277,419	9,279	January				139,384			344,897		
	02/01/09	9,287,182		20,952									
02/01/09		9,287,326	9,907					143,256			351,798		
02/03/09		9,287,326	0		7.8	3.3	2.900	143,738	7.9	4.69	352,143	8.2	0.34
02/05/09		9,288,848	1,522	February				143,772			352,912		
	03/01/09	9,334,332		47,151									
03/01/09		9,335,249	46,401					153,077			393,568		
03/03/09		9,335,249	0		7.6	2.4	1.970	153,561	7.9	4.24	394,973	8.2	0.87
03/11/09		9,355,734	20,485					156,519			412,282		
03/30/09		9,463,572	107,838					182,357			500,471		
03/31/09		9,463,572	0	March				183,323			501,935		
	04/01/09	9,467,680		133,348									
04/01/09		9,469,538	5,966					184,290			504,856		
04/03/09		9,478,305	8,767					187,194			511,375		
04/06/09		9,485,542	7,237					189,607			516,807		
04/07/09		9,485,542	0		7.7	0.84	0.730	190,569	7.9	1.14	518,251	8.1	0.52
04/13/09		9,498,358	12,816					194,432			525,799		
04/14/09		9,498,358	0		7.7	0.59		194,908	8.0	1.20	525,799	8.2	0.27
04/20/09		9,507,740	9,382					198,262			532,295		
04/21/09		9,507,740	0		7.8	1.0		198,262	8.0	0.96	533,364	8.3	1.74
04/27/09		9,545,303	37,563					208,646			561,846		
04/28/09		9,545,303	0		8.0	1.2		210,663	7.7	1.89	566,157	7.5	0.28
	05/01/09	9,568,209		April									
05/01/09		9,574,025	28,722	100,528				217,567			582,471		
05/04/09		9,582,624	8,599					220,929			588,270		
05/05/09		9,582,624	0		7.6	0.76	0.724	221,884	8.0	1.29	589,714	8.0	0.33
05/11/09		9,599,171	16,547					227,170			599,566		
05/12/09		9,599,171	0		8.0	0.89		228,124	7.6	0.84	600,996	7.9	0.24
05/18/09		9,613,720	14,549					232,921			609,305		
05/19/09		9,613,720	0		7.4	0.79		233,874	7.0	0.84	610,378	7.2	0.38
05/19/09		9,615,798	2,078					233,908			610,421		
05/19/09		9,616,122	324					233,908			610,775		
05/25/09		9,624,219	8,097					237,697			615,786		
05/26/09		9,624,219	0		7.3	0.58		238,168	7.1	1.08	616,149	7.0	0.16
	06/01/09	9,650,519		May									
06/01/09		9,652,323	28,104	82,310				245,914			637,378		
06/02/09		9,652,323	0		7.3	0.23	0.648	246,871	6.9	1.05	638,835	7.2	0.26
06/03/09		9,658,104	5,781					248,350			641,072		
06/15/09		9,701,735	43,631					261,249			674,466		
	07/01/09	9,727,520		June									
07/01/09		9,727,975	26,240	77,001				272,082			691,914		
07/05/09		9,732,032	4,057					273,967			694,431		
07/07/09		9,732,032	0		7.4	0.96	0.878	274,443	7.1	2.20	695,508	7.1	0.20
07/20/09		9,742,289	10,257					278,743			700,527		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
 Appleton, Wisconsin
 Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/09	9,748,231		July									
08/03/09		9,749,397	7,108	20,712				282,543			704,414		
08/04/09		9,749,397	0		7.5	1.9	1.680	283,019	7.1	2.80	704,768	7.3	0.14
08/08/09		9,752,139	2,742					284,005			706,115		
08/08/09		9,753,763	1,624					284,480			707,282		
08/09/09		9,757,508	3,745					284,962			710,677		
08/10/09		9,761,572	4,064					285,930			714,131		
08/10/09		9,762,328	756					286,411			714,491		
08/12/09		9,765,851	3,523					287,368			717,355		
08/13/09		9,767,253	1,402					287,846			718,430		
08/17/09		9,771,256	4,003					289,758			720,916		
08/30/09		9,785,737	14,481					295,976			730,538		
	09/01/09	9,787,043		August									
09/01/09		9,787,352	1,615	38,811	7.6	1.6	1.320	296,492	7.1	2.85	731,650	7.4	0.53
09/10/09		9,794,060	6,708					299,850			735,572		
09/21/09		9,800,194	6,134					303,204			738,803		
09/22/09		9,800,194	0					303,684			739,163		
	10/01/09	9,806,949		September									
10/01/09		9,807,491	7,297	19,906				306,569			743,395		
10/05/09		9,811,856	4,365					308,500			746,224		
10/06/09		9,811,856	0		6.9	1.8	1.700	308,983	6.8	2.48	746,576	7.1	0.55
10/15/09		9,827,819	15,963					314,838			757,329		
10/18/09		9,830,464	2,645					316,288			758,757		
	11/01/09	9,871,202		October									
11/02/09		9,875,106	44,642	64,253				329,981			793,417		
11/03/09		9,875,106	0		7.4	1.2	1.150	330,961	7.0	2.60	795,595	7.2	0.46
11/04/09		9,880,551	5,445					331,974			797,084		
11/05/09		9,882,809	2,258					332,950			798,526		
11/11/09		9,891,712	8,903					337,309			803,889		
11/12/09		9,893,927	2,215					338,274			805,324		
11/16/09		9,896,880	2,953					339,720			807,132		
11/17/09		9,897,695	815					340,200			807,495		
11/20/09		9,899,892	2,197					341,164			808,946		
11/30/09		9,914,595	14,703					346,476			819,664		
	12/01/09	9,914,595		November									
12/01/09		9,914,595	0	43,393	7.6	1.7	1.500	347,446	7.3	2.25	820,740	7.8	0.67
12/15/09		9,931,024	16,429					354,237			829,781		
12/18/09		9,933,254	2,230					355,200			831,213		
	01/01/10	9,956,004		December									
01/03/10		9,960,070	26,816	41,409				362,443			853,235		
01/05/10		9,960,070	0		6.9	2.3	2.220	362,924	7.2	5.36	855,045	7.2	0.68
01/14/10		9,969,979	9,909					365,847			860,488		
01/18/10		9,972,503	2,524					366,807			862,304		
01/31/10		9,991,034	18,531					370,664			878,832		
	02/01/10	9,991,034		January									
02/02/10		9,991,034	0	35,030	7.4	1.6	1.460	371,145	7.2	4.05	880,637	7.2	0.46
02/03/10		9,994,392	3,358					371,664			881,364		
02/16/10		10,002,996	8,604					374,543			887,937		
02/28/10		10,009,542	6,546					376,928			892,655		
	03/01/10	10,009,542		February									
03/02/10		10,009,542	0	18,508	7.6	1.6	1.340	376,928	7.4	2.70	893,732	7.4	1.41
03/06/10		10,015,341	5,799					377,919			898,085		
03/13/10		10,048,616	33,275					383,764			927,938		
03/17/10		10,065,891	17,275					388,140			942,069		
03/23/10		10,077,601	11,710					392,478			950,481		
03/31/10		10,088,487	10,886					396,786			958,091		
	04/01/10	10,088,725		March									
04/01/10		10,088,817	330	79,183				396,786			958,456		
04/04/10		10,092,465	3,648					398,207			961,014		
04/06/10		10,092,465	0		7.4	1.3	1.180	399,166	7.2	2.00	962,110	7.2	0.20
04/19/10		10,151,166	58,701					416,846			1,005,028		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	05/01/10	10,189,439		April									
05/03/10		10,196,869	45,703	100,715				432,284			1,038,553		
05/04/10		10,196,869	0		7.3	0.98	0.902	433,730	7.1	1.12	1,040,370	7.2	0.37
05/17/10		10,258,463	61,594					453,256			1,083,344		
06/01/10		10,294,510	36,047					466,168			1,109,480		
	06/01/10	10,294,510		May									
06/01/10		10,294,510	0	105,071	7.6	0.85	0.762	467,117	7.2	1.44	1,110,569	7.3	0.28
06/21/10		10,372,589	78,079					488,138			1,171,628		
06/30/10		10,400,340	27,751					495,720			1,193,925		
06/30/10		10,400,889	549					496,193			1,194,286		
	07/01/10	10,401,954		June									
07/01/10		10,402,536	1,647	107,444				496,664			1,195,375		
07/05/10		10,409,431	6,895					499,493			1,200,058		
07/06/10		10,409,431	0		7.3	1.1	0.988	499,963	7.3	1.92	1,200,783	7.5	0.41
07/12/10		10,426,614	17,183					504,247			1,213,873		
07/21/10		10,506,902	80,288					525,545			1,275,358		
07/22/10		10,515,567	8,665					527,488			1,282,668		
07/23/10		10,532,459	16,892					531,679			1,283,332		
	08/01/10	10,586,662		July									
08/02/10		10,594,781	62,322	184,709				549,129			1,283,332		
08/03/10		10,594,781	0		7.8	0.54	0.515	549,601	7.4	1.20	1,283,332	7.5	0.20
08/04/10		10,599,046	4,265					550,588			1,283,332		
08/04/10		10,599,046	0					550,588			1,283,358		
08/04/10		10,599,046	0					550,588			1,283,358		
08/05/10		10,600,937	1,891					551,531			1,284,413		
08/06/10		10,602,372	1,435					552,002			1,285,481		
08/07/10		10,604,242	1,870					552,943			1,286,560		
08/12/10		10,621,705	17,463					558,442			1,299,650		
08/18/10		10,644,322	22,617					565,095			1,317,296		
	09/01/10	10,664,511		August									
09/06/10		10,672,363	28,041	77,849				575,879			1,336,978		
09/07/10		10,672,363	0		7.7	0.64	0.588	575,879	7.2	1.28	1,337,698	7.4	0.19
09/09/10		10,675,017	2,654					576,846			1,338,823		
09/09/10		10,675,348	331					576,846			1,339,184		
09/15/10		10,681,923	6,575					579,656			1,343,454		
09/20/10		10,688,747	6,824					582,004			1,348,431		
09/28/10		10,712,898	24,151					588,142			1,368,075		
09/28/10		10,713,225	327					588,142			1,368,432		
	10/01/10	10,717,803		September									
10/01/10		10,718,374	5,149	53,291				590,497			1,371,651		
10/03/10		10,721,339	2,965					591,909			1,373,451		
10/05/10		10,721,339	0		7.6	0.80	0.763	592,849	7.3	1.32	1,374,902	7.5	0.10
10/15/10		10,733,086	11,747					597,097			1,380,767		
10/17/10		10,734,957	1,871					598,030			1,381,848		
10/31/10		10,760,102	25,145					605,549			1,401,547		
	11/01/10	10,760,102		October									
11/02/10		10,760,102	0	42,299	7.8	0.65	0.639	606,486	7.6	1.44	1,403,369	7.9	0.20
11/11/10		10,773,294	13,192					611,203			1,410,005		
11/14/10		10,775,484	2,190					612,137			1,411,471		
11/17/10		10,778,424	2,940					613,539			1,413,301		
11/28/10		10,790,717	12,293					618,231			1,422,421		
	12/01/10	10,794,632		November									
12/04/10		10,800,013	9,296	34,530				622,006			1,428,648		
12/07/10		10,800,013	0		7.6	1.0	0.989	623,423	7.8	1.80	1,430,482	7.9	0.24
12/15/10		10,811,058	11,045					627,228			1,435,313		
12/20/10		10,814,659	3,601					628,621			1,437,887		
12/23/10		10,816,825	2,166					629,558			1,439,358		
	01/01/11	10,827,569		December									
01/02/11		10,829,348	12,523	32,938				632,850			1,449,967		
01/04/11		10,829,348	0		8.0	1.6	1.500	633,803	7.9	5.31	1,452,901	8.0	0.53
01/17/11		10,845,438	16,090					638,076			1,462,175		
01/28/11		10,852,203	6,765					640,437			1,467,352		
01/30/11		10,853,317	1,114					640,910			1,468,093		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
 Appleton, Wisconsin
 Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	<i>02/01/11</i>	<i>10,853,317</i>		January									
02/01/11		10,853,317	0	25,748	7.9	2.1	2,100	641,382	7.7	4.90	1,468,834	7.6	0.18
02/02/11		10,854,899	1,582					641,426			1,469,273		
02/14/11		10,859,963	5,064					643,318			1,472,988		
02/21/11		10,876,100	16,137					646,167			1,488,233		
02/21/11		10,876,705	605					646,167			1,488,978		
02/24/11		10,880,277	3,572					647,105			1,491,974		
02/27/11		10,883,601	3,324					648,128			1,494,713		
	<i>03/01/11</i>	<i>10,883,601</i>		February									
03/01/11		10,883,601	0	30,284	7.8	1.8	1,530	648,594	7.7	4.95	1,496,572	7.8	0.52
03/21/11		10,957,602	74,001					664,834			1,558,957		
	<i>04/01/11</i>	<i>11,023,291</i>		March									
04/04/11		11,045,838	88,236	139,690				687,442			1,632,177		
04/05/11		11,045,838	0		8.0	0.40	0.380	688,903	7.8	1.10	1,637,351	7.7	0.21
04/16/11		11,138,592	92,754					710,138			1,708,997		
04/26/11		11,216,566	77,974					731,830			1,771,918		
04/29/11		11,258,391	41,825					743,289			1,804,105		
04/29/11		11,262,451	4,060					744,757			1,807,043		
	<i>05/02/11</i>	<i>11,274,169</i>		April									
05/02/11		11,277,586	15,135	250,878				750,559			1,818,009		
05/03/11		11,277,586	0		7.8	0.37	0.338	751,514	7.6	0.68	1,819,601	7.8	0.20
05/16/11		11,310,055	32,469					763,336			1,841,085		
05/17/11		11,311,520	1,465					763,807			1,842,263		
	<i>06/01/11</i>	<i>11,344,383</i>		May									
06/02/11		11,347,664	36,144	70,214				778,512			1,868,238		
06/06/11		11,354,057	6,393					781,832			1,872,152		
06/07/11		11,354,057	0		7.7	0.46	0.447	782,305	7.6	0.85	1,872,545	7.7	0.14
06/17/11		11,368,867	14,810					788,961			1,881,915		
06/20/11		11,373,134	4,267					790,860			1,884,626		
	<i>07/01/11</i>	<i>11,419,112</i>		June									
07/04/11		11,434,679	61,545	74,729				811,146			1,932,424		
07/05/11		11,434,679	0		7.9	0.78	0.752	811,621	7.6	1.50	1,933,199	7.5	0.19
07/18/11		11,450,616	15,937					818,915			1,942,544		
07/27/11		11,470,412	19,796					825,753			1,958,375		
07/28/11		11,473,213	2,801					826,666			1,960,688		
	<i>08/01/11</i>	<i>11,483,192</i>		July									
08/01/11		11,484,004	10,791	64,080				830,795			1,968,801		
08/02/11		11,484,004	0		7.9	0.86	0.800	831,711	7.5	1.26	1,970,342	7.5	0.42
08/04/11		11,492,474	8,470					834,025			1,975,014		
08/05/11		11,493,370	896					834,506			1,975,820		
08/15/11		11,509,618	16,248					841,800			1,986,618		
08/31/11		11,524,004	14,386					849,495			1,994,794		
	<i>09/01/11</i>	<i>11,524,179</i>		August									
09/01/11		11,524,431	427	40,987				849,948			1,994,794		
09/03/11								850,953			1,997,262		
09/05/11		11,533,935	9,504					852,322			2,003,014		
09/06/11		11,533,935	0		8.0	1.2	1.180	852,778	7.7	1.65	2,004,161	7.7	0.55
09/08/11		11,538,054	4,119					854,174			2,005,726		
09/19/11		11,547,336	9,282					859,158			2,011,134		
09/20/11		11,548,416	1,080					859,611			2,011,902		
09/28/11		11,562,993	14,577					863,696			2,024,247		
	<i>10/01/11</i>	<i>11,568,104</i>		September									
10/03/11		11,572,412	9,419	43,925				867,344			2,031,123		
10/04/11		11,574,566	2,154					868,253			2,032,650		
10/05/11		11,574,566	0					868,707			2,033,029		
10/06/11		11,574,566	0					869,161			2,033,785		
10/08/11		11,579,097	4,531					870,519			2,036,082		
10/10/11		11,579,097	0		7.5	1.2	1.090	870,972	7.4	2.15	2,036,082	7.5	0.22
10/26/11		11,603,315	24,218					879,056			2,054,141		
10/30/11		11,606,358	3,043					880,416			2,055,759		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	11/01/11	11,607,509		October			Pounds Cr						
11/01/11		11,608,102	1,744	39,405			0.358	881,323			2,055,759		
11/02/11		11,608,233	131					881,362			2,055,792		
11/03/11		11,608,233	0		8.2	1.3	1.220	881,378	8.1	2.46	2,055,818	8.0	0.03
11/05/11		11,611,395	3,162					882,340			2,059,467		
11/06/11		11,614,756	3,361					883,608			2,062,594		
11/07/11		11,616,924	2,168					883,718			2,063,343		
11/08/11		11,618,636	1,712					884,345			2,065,014		
11/12/11		11,651,616	32,980					890,384			2,094,235		
11/15/11		11,662,529	10,913					894,135			2,102,462		
11/23/11		11,677,899	15,370					900,936			2,112,833		
11/29/11		11,687,640	9,741				Pounds Cr	905,028			2,119,690		
	12/01/11	11,689,609		November			0.834						
12/01/11		11,687,640	0	82,100	7.4	1.7	1.700	905,938	7.8	2.65	2,119,690	8.0	0.72
12/06/11		11,706,691	19,051					910,893			2,134,888		
12/15/11		11,724,224	17,533					918,198			2,147,141		
12/26/11		11,737,368	13,144					924,102			2,155,863		
12/31/11		11,742,107	4,739					926,371			2,158,911		
	01/01/12	11,742,204		December			Pounds Cr						
01/04/12		11,744,667	2,560	52,595			0.745	927,731			2,158,911		
01/05/12		11,744,667	0		6.9	0.98	0.862	928,184	7.5	1.84	2,161,198	7.3	0.27
01/19/12		11,754,619	9,952					932,303			2,166,977		
01/27/12		11,758,987	4,368					934,572			2,169,652		
01/31/12		11,761,124	2,137				Pounds Cr	935,480			2,171,180		
	02/01/12	11,761,228		January			0.137						
02/02/12		11,761,124	0	19,024	7.4	2.1	1.860	936,191	7.7	2.50	2,172,687	7.7	6.1
02/07/12		11,763,586	2,358					938,043		2.80	2,176,546		1.71
02/22/12		11,778,355	14,769					941,736			2,183,827		
02/24/12		11,780,157	16,571					942,642			2,184,964		
02/28/12		11,782,379	18,793				Pounds Cr	943,547			2,186,478		
	03/01/12	11,783,379		February			0.329						
03/01/12		11,782,379	0	21,255	7.1	2.6	2.560	944,002	7.3	3.45	2,186,478	7.6	2.04
03/14/12		11,824,851	41,472					956,400			2,221,364		
03/21/12		11,839,925	15,074					962,783			2,231,770		
03/25/12		11,848,965	9,040					965,591			2,239,149		
	04/01/12	11,865,023		March			Pounds Cr						
04/03/12		11,871,806	22,841	81,644			1.740	973,817			2,256,557		
04/05/12		11,871,806	6,783		7.6	0.83	0.730	975,189	7.9	1.28	2,258,866	7.8	0.48
04/18/12		11,896,899	25,093					984,322			2,273,887		
04/21/12		11,906,449	9,550					986,147			2,282,902		
	05/01/12	11,923,538		April			Pounds Cr						
05/02/12		11,930,935	24,486	58,515			0.356	996,194			2,300,258		
05/03/12		11,933,848	2,913					997,107			2,302,572		
05/09/12		11,989,964	56,116					1,010,822			2,349,979		
05/14/12		12,005,061	15,097					1,016,338			2,361,277		
05/16/12		12,005,061	0		6.5	0.67	0.581	1,018,169	7.4	0.63	2,363,951	7.6	0.15
05/20/12		12,016,709	11,648					1,021,100			2,368,989		
05/22/12		12,018,570	1,861					1,022,007			2,370,141		
05/24/12		12,021,249	2,679					1,023,245			2,372,066		
05/31/12		12,028,808	7,559					1,027,317			2,378,556		
	06/01/12	12,029,342		May			Pounds Cr						
06/02/12		12,030,994	2,186	105,804			0.512	1,027,317			2,378,556		
06/05/12		12,033,617	2,623					1,028,676			2,380,101		
06/07/12		12,033,617	0		6.8	0.55	0.507	1,029,581	7.4	0.99	2,381,259	7.7	0.17
06/19/12		12,046,851	13,234					1,034,134			2,389,253		
06/29/12		12,056,747	9,896					1,038,653			2,395,689		
	07/01/12	12,057,998		June			Pounds Cr						
07/03/12		12,059,332	1,334	28,656			0.121	1,040,009			2,397,210		
07/05/12		12,059,332	0		6.1	0.98	0.906	1,040,913	6.2	1.24	2,397,969	6.6	0.19
07/10/12		12,064,003	4,671					1,042,739			2,402,552		
07/20/12		12,069,263	5,260					1,045,446			2,402,552		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/12	12,078,083		July			Pounds Cr						
08/01/12		12,078,359	9,096	20,085			0.152	1,049,510			2,408,561		
08/02/12		12,078,359	0		6.2	1.20	1.120	1,049,969	6.2	1.72	2,408,954	6.0	0.56
08/07/12		12,082,510	4,151					1,051,808			2,410,869		
08/16/12		12,098,108	15,598					1,056,800			2,423,447		
	09/01/12	12,111,167		August			Pounds Cr						
09/01/12		12,111,772	13,664	33,084			0.309	1,063,135			2,432,088		
09/09/12		12,116,611	4,839					1,065,875			2,434,745		
09/11/12		12,117,783	1,172			1.70	1.520	1,066,747	6.4	0.72	2,435,127	6.3	0.21
09/18/12		12,121,226	3,443					1,068,577			2,437,061		
09/26/12		12,125,024	3,798					1,070,837			2,438,957		
	10/01/12	12,126,164		September			Pounds Cr						
10/04/12		12,127,304	2,280	14,997			0.190	1,072,193			2,440,091		
10/04/12		12,127,304	1,140			1.50	1.370	1,072,193	6.4	1.44	2,440,091	6.2	0.32
10/05/12		12,129,085	1,781					1,073,276			2,440,999		
10/09/12		12,129,791	706					1,073,696			2,441,370		
10/19/12		12,163,907	34,116					1,081,043			2,471,345		
10/30/12		12,189,653	25,746					1,092,239			1,289,448		
	11/01/12	12,191,094		October			Pounds Cr						
11/06/12		12,196,769	7,116	64,930			0.741	1,096,343			2,493,654		
11/09/12		12,198,437	1,668		NA	1.1	1.040	1,097,450	NA	1.34	2,494,750	NA	0.21
11/22/12		12,212,741	14,304					1,103,179			2,504,679		
11/30/12		12,218,011	5,270					1,106,155			2,507,598		
	12/01/12	12,218,663		November			Pounds Cr						
12/03/12		12,219,752	1,089	27,569			0.239	1,107,006			2,508,689		
12/10/12		12,223,289	3,537		8.0	1.00	1.100	1,109,121	7.7	1.60	2,510,506	8.0	0.27
12/26/12		12,234,632	11,343					1,114,683			2,517,462		
12/31/12		12,239,248	4,616					1,117,237			2,520,012		
	01/01/13	12,239,543		December			Pounds Cr						
01/01/13		12,239,958	710	20,880			0.191	1,117,663			2,520,377		
01/10/13		12,246,590	6,632			1.90	1.720	1,120,640	7.7	1.68	2,524,770	8.0	1.32
01/24/13		12,278,928	32,338					1,130,141			2,550,847		
01/28/13		12,282,035	3,107					1,131,414			2,553,042		
01/31/13		12,287,892	5,857					1,132,425			2,558,715		
	02/01/13	12,288,247		January			Pounds Cr						
02/01/13		12,289,018	1,126	48,644			0.697	1,132,680			2,559,456		
02/07/13		12,293,874	4,856		7.9	0.82	0.663	1,134,376	7.6	1.35	2,563,137	8.0	0.22
02/20/13		12,308,445	14,571					1,038,672			2,575,057		
02/27/13		12,313,181	19,307					1,140,359			2,578,725		
	03/01/13	12,314,165		February			Pounds Cr						
03/03/13		12,315,958	2,777	25,918			0.143	1,141,206			2,580,927		
03/07/13		12,318,024	2,066		7.9	0.83	0.753	1,142,054	7.7	1.44	2,582,395	7.8	0.27
03/18/13		12,361,201	43,177					1,151,536			2,619,703		
03/20/13		12,365,136	3,935					1,153,250			2,622,317		
03/27/13		12,378,442	13,306					1,159,233			2,630,884		
03/31/13		12,400,821	22,379					1,164,838			2,649,804		
	04/01/13	12,403,728		March			Pounds Cr						
04/01/13		12,407,465	3,737	89,563			0.562	1,165,570			2,655,346		
04/11/13		12,461,497	54,032		7.4	0.42	0.431	1,180,148	7.0	0.60	2,700,747	7.4	0.14
04/17/13		12,522,138	60,641					1,196,092			2,749,790		
	05/01/13	12,570,545		April			Pounds Cr						
05/01/13		---	---	166,817			0.599						
05/01/13		12,571,333	49,195		8.1	0.56	0.553	1,215,096	7.3	0.38	2,785,968	7.8	0.09
05/19/13		12,623,298	51,965					1,235,753			2,823,953		
	06/01/13	12,647,282		May			Pounds Cr						
				76,737			0.353						
06/06/13		12,657,605	34,307		7.6	0.96	0.826	1,251,551	7.4	0.47	2,849,502	7.8	0.73
06/12/13		12,669,485	11,880					1,256,351			2,857,966		
06/17/13		12,680,642	11,157					1,259,722			2,867,078		
	07/01/13	12,727,950		June			Pounds Cr						
				80,668			0.555						
07/18/13		12,767,116	86,474		7.4	0.73	0.694	1,286,165	6.7	0.73	2,938,280	7.5	0.07
07/31/13		12,780,876	13,760					1,293,015			2,947,351		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/13	12,781,814		July 53,864			Pounds Cr 0.311						
08/04/13		12,784,628	3,752					1,293,015			2,947,351		
08/07/13		12,786,184	1,556					1,295,588			2,951,110		
08/08/13		12,786,555	371		7.5	0.83	0.775	1,296,442	6.8	0.68	2,951,801	7.2	0.16
08/19/13		12,795,058	8,503					1,298,966			2,954,811		
08/21/13		12,795,638	580					1,300,287			2,956,243		
08/26/13		12,797,295	1,657					1,301,154			2,957,147		
08/28/13		12,800,434	3,139					1,302,541			2,958,987		
	09/01/13	12,803,511		August 21,697			Pounds Cr 0.140						
09/01/13		12,803,511	6,216					1,303,580			2,961,265		
09/05/13		12,808,096	4,585					1,305,282			2,964,435		
09/09/13		12,811,883	8,372					1,306,947			2,966,675		
09/11/13		12,815,166	7,070					1,309,139			2,968,968		
09/14/13		12,818,151	6,268					1,310,005			2,970,501		
09/18/13		12,822,283	7,117		7.3	1.3	1.170	1,311,729	7.1	0.99	2,973,533	7.3	0.19
09/30/13		12,833,637	11,354					1,317,815			2,980,475		
	10/01/13	12,834,025		September 30,514			Pounds Cr 0.297						
10/01/13		12,834,025	388					1,318,244			2,980,475		
10/08/13		12,843,796	9,771					1,321,693			2,988,064		
10/16/13		12,852,554	8,758					1,325,559			2,994,143		
10/18/13		12,855,027	2,473		7.7	1.20	1.120	1,326,419	7.5	1.04	2,996,041	7.8	0.14
	11/01/13	12,867,815		October 33,790			Pounds Cr 0.315						
11/01/13		12,867,815	12,788					1,332,902			3,004,777		
11/05/13		12,876,841	9,026					1,335,488			3,012,422		
11/13/13		12,903,367	26,526		7.8	1.00	0.920	1,345,039	8.1	0.66	3,033,152	7.9	0.11
11/20/13		12,924,566	21,199					1,350,740			3,051,316		
	12/01/13	12,940,971		November 73,156			Pounds Cr 0.560						
12/02/13		12,944,252	19,686					1,360,688			3,063,995		
12/10/13		12,954,971	10,719		7.6	1.4	1.320	1,365,411	7.4	2.70	3,071,689	7.1	0.07
12/12/13		12,957,411	2,440					1,366,744			3,073,244		
12/23/13		12,965,941	8,530					1,371,029			3,078,956		
12/31/13		12,970,459	4,518					1,373,592			3,081,611		
	01/01/14	12,970,599		December 29,628			Pounds Cr 0.326						
01/01/14		12,970,772	313					1,373,592			3,081,991		
01/15/14		12,976,884	6,112		7.5	1.2	1.050	1,376,582	7.1	2.20	3,086,176	7.6	0.11
01/31/14		12,983,061	6,177					1,379,605			3,090,406		
	02/01/14	12,983,265		January 12,666			Pounds Cr 0.111						
02/02/14		12,983,747	686					1,380,032			3,090,789		
02/13/14		12,987,155	3,408		8.0	1.8	1.610	1,381,726	8.1	2.88	3,093,093	8.3	0.19
02/28/14		12,993,603	6,448										
	03/01/14	12,993,783		February 10,518			Pounds Cr 0.141						
03/01/14		12,993,909	306										
03/13/14		13,005,882	11,973		7.6	0.38	0.434	1,385,639	7.7	5.80	3,112,477	8.0	0.30
03/31/14		13,059,539	53,657										
	04/01/14	13,059,979		March 66,196			Pounds Cr 0.239						
04/01/14		13,061,650	2,111					1,399,014			3,165,447		
04/12/14		13,091,485	29,835					1,411,117			3,187,701		
04/13/14		13,099,571	8,086					1,412,822			3,195,631		
04/15/14		13,135,912	36,341					1,424,711			3,224,028		
04/18/14		13,165,955	30,043					1,434,115			3,247,300		
04/22/14		13,210,016	44,061		7.6	0.44	0.377	1,440,204	7.4	0.72	3,258,396	7.5	0.31
	05/01/14	13,211,258		April 151,279			Pounds Cr 0.475						
05/01/14		13,211,345	1,329					1,451,524			3,282,450		
05/13/14		13,267,656	56,311		7.5	0.28	0.273	1,471,868	7.3	0.73	3,326,392	7.4	0.20
05/14/14		13,280,912	13,256					1,475,015			3,337,773		
05/15/14		13,286,754	5,842					1,476,780			3,342,511		
05/20/14		13,304,068	17,314					1,483,692			3,355,729		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	06/01/14	13,332,599		May			Pounds Cr						
06/02/14		13,336,115	32,047	121,341			0.276	1,495,755			3,382,176		
06/12/14		13,372,027	35,912		7.9	0.40	0.381	1,508,756	7.6	0.60	3,410,073	7.8	0.20
06/14/14		13,374,936	2,909					1,510,080			3,412,070		
06/17/14		13,379,348	4,412					1,512,220			3,415,268		
06/19/14		13,394,274	14,926					1,514,826			3,429,626		
06/20/14		13,401,646	7,372					1,517,014			3,436,003		
06/30/14		13,444,046	42,400					1,531,745			3,470,067		
	07/01/14	13,445,046		June			Pounds Cr	1,532,601			3,472,302		
07/01/14		13,446,138	2,092	112,447			0.357						
07/02/14		13,449,088	2,950					1,533,460			3,475,127		
07/09/14		13,463,816	14,728		7.7	0.68	0.689	1,539,906	7.4	1.0	3,486,800	7.4	1.0
07/14/14		13,472,104	8,288					1,543,805			3,492,830		
07/28/14		13,480,642	8,538	July			Pounds Cr	1,551,065			3,501,179		
	08/01/14	13,481,746		36,700			0.211						
08/01/14		13,481,837	1,195					1,552,341			3,502,760		
08/13/14		13,495,032	13,195		7.9	0.681	0.72	1,557,877	7.5	1.16	3,511,069	7.7	0.92
08/17/14		13,502,593	7,561					1,560,483			3,517,406		
08/19/14		13,509,446	6,853					1,562,278			3,523,163		
08/20/14		13,517,300	7,854					1,563,989			3,530,111		
08/22/14		13,525,676	8,376					1,567,014			3,536,533		
08/25/14		13,534,424	8,748					1,571,333			3,542,173		
08/29/14		13,539,488	5,064					1,573,914			3,545,371		
08/30/14		13,542,314	2,826	August			Pounds Cr	1,575,198			3,547,361		
	09/01/14	13,543,999		62,253			0.37						
09/02/14		13,546,601	4,287					1,577,338			3,550,419		
09/05/14		13,550,482	3,881					1,579,481			3,553,370		
09/08/14		13,562,709	12,227					1,582,918			3,564,025		
09/17/14		13,579,703	16,994		7.9	0.60	0.546	1,589,348	7.6	1.16	3,577,644	7.3	0.36
09/24/14		13,593,114	13,411	September			Pounds Cr	1,595,011			3,577,644		
	10/01/14	13,602,541		58,542			0.27	1,600,155			3,577,644		
10/01/14		13,603,009	9,895					1,600,155			3,577,644		
10/16/14		13,633,400	30,391		7.3	0.67	0.596	1,610,440	7.8	1.28	3,619,044	7.4	0.36
10/28/14		13,658,462	25,062	October			Pounds Cr	1,621,724			3,636,660		
	11/01/14	13,662,568		60,027			0.298						
11/01/14		13,663,621	5,159					1,624,238			3,640,194		
11/12/14		13,672,756	9,135		8.1	1.1	0.980	1,629,780	7.6	1.62	3,648,121	8.1	1.08
11/30/14		13,695,977	23,221					1,640,533			3,663,353		
	12/01/14	13,696,416		November			Pounds Cr						
12/01/14		13,697,118	1,141	37,515			0.306	1,640,533			3,663,353		
12/04/14		13,701,386	4,268					1,643,108			3,666,947		
12/08/14		13,705,980	4,594					1,645,245			3,670,118		
12/12/14		13,709,486	3,506		8.1	1.5	1.320	1,646,957	7.7	2.72	3,672,490	8.5	0.35
12/31/14		13,768,265	58,779					1,666,522			3,720,581		
	01/01/15	13,769,665		December			Pounds Cr						
01/01/15		13,770,654	2,389	73,249			0.805	1,667,388			3,722,195		
01/12/15		13,785,790	15,136		8.2	0.65	0.597	1,674,271	7.8	1.36	3,733,018	7.3	0.20
01/31/15		13,798,407	12,617					1,679,866			3,742,191		
	02/01/15	13,798,602		January			Pounds Cr						
02/01/15		13,798,727	320	28,937			0.144	1,679,866			3,742,588		
02/04/15		13,800,127	1,400		8.1	0.74	0.721	1,680,719	7.9	1.48	3,743,379	7.1	0.17
02/16/15		13,804,943	4,816					1,682,892			3,746,962		
02/20/15		13,805,957	1,014					1,683,320			3,747,752		
02/24/15		13,806,974	1,017					1,683,745			3,748,542		
02/28/15		13,808,369	1,395					1,684,600			3,749,334		
	03/01/15	13,808,507		February			Pounds Cr						
03/01/15		13,808,690	321	9,905			0.059	1,684,600			3,749,728		
03/18/15		13,815,075	6,385		8.2	0.80	0.713	1,687,150	7.2	1.00	3,757,618	8.0	0.34
03/23/15		13,815,928	853					1,688,046			3,759,604		
03/25/15		13,816,332	404					1,688,901			3,759,889		
03/26/15		13,816,697	365					1,689,329			3,760,382		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	04/01/15	13,822,714		March			Pounds Cr						
04/07/15		13,823,071	6,374	14,207			0.084	1,694,467			3,765,931		
04/15/15		13,856,854	33,783		7.4	0.92	0.858	1,704,938	7.7	1.92	3,792,943	7.0	0.25
04/30/15		13,885,187	28,333					1,718,370			3,812,262		
	05/01/15	13,885,585		April			Pounds Cr						
05/04/15		13,889,467	4,280	62,871			0.449	1,720,520			3,815,063		
05/13/15		13,898,048	8,581		8.0	0.60	0.554	1,724,812	7.8	0.92	3,820,667	8.1	0.37
05/18/15		13,905,897	7,849					1,727,444			3,827,133		
05/19/15		13,909,365	3,468					1,728,740			3,830,304		
05/23/15		13,914,964	5,599					1,731,329			3,834,357		
05/25/15		13,920,921	5,957					1,733,052			3,839,818		
05/28/15		13,937,530	16,609					1,736,965			3,854,997		
	06/01/15	13,958,452		May			Pounds Cr						
06/02/15		13,967,174	29,644	72,867			0.336	1,746,201			3,878,793		
06/03/15		13,970,819	3,645					1,747,948			3,881,197		
06/10/15		13,986,712	15,893		7.4	0.60	0.547	1,755,299	7.1	0.66	3,892,044	7.2	0.27
06/16/15		14,018,102	31,390					1,765,062			3,917,649		
06/19/15		14,042,191	24,089					1,772,128			3,937,351		
06/28/15		14,066,780	24,589					1,781,741			3,956,167		
06/30/15		14,069,200	2,420					1,783,061			3,957,962		
	07/01/15	14,069,642		June			Pounds Cr						
07/01/15		14,069,914	714	111,190			0.506	1,783,061			3,957,962		
07/08/15		14,077,301	7,387		7.7	0.37	0.351	1,787,623	7.2	0.68	3,963,593	7.5	0.23
07/14/15		14,085,720	8,419					1,790,678			3,970,192		
07/29/15		14,114,029	28,309					1,804,056			3,993,110		
	08/01/15	14,115,454		July			Pounds Cr						
08/05/15		14,117,883	3,854	45,812			0.134	1,807,395			3,995,776		
08/12/15		14,131,529	13,646			0.41	0.371	1,812,749	7.2	0.51	4,006,460	7.1	0.19
08/17/15		14,137,372	5,843					1,816,582			4,010,201		
08/18/15		14,138,406	1,034					1,817,349			4,011,060		
08/27/15		14,145,800	7,394					1,822,802			4,016,771		
	09/01/15	14,151,425		August			Pounds Cr						
09/04/15		14,155,393	9,593	35,971			0.111	1,828,088			4,025,183		
09/09/15		14,175,870	20,477		7.6	0.23	0.208	1,833,613	7.2	0.72	4,041,266	7.0	0.14
09/18/15		14,191,902	16,032					1,843,839			4,055,798		
09/28/15		14,211,188	19,286					1,852,031			4,069,063		
09/29/15		14,211,559	371					1,852,459			4,069,894		
	10/01/15	14,212,577		September			Pounds Cr						
10/01/15		14,212,781	1,222	61,152			0.106	1,853,738			4,071,365		
10/07/15		14,220,473	7,692			0.72	0.661	1,856,721	7.2	1.26	4,071,365	7.3	0.16
10/13/15		14,226,617	6,144					1,859,329			4,079,148		
10/21/15		14,233,700	7,083					1,863,168			4,082,924		
10/27/15		14,241,197	7,497					1,865,726			4,088,517		
	11/01/15	14,260,606		October			Pounds Cr						
11/02/15		14,266,255	25,058	48,029			0.264	1,872,203			4,108,562		
11/12/15		14,288,543	22,288		7.7	0.73	0.700	1,882,551	7.3	1.20	4,122,107	7.6	0.26
11/30/15		14,334,387	45,844					1,898,090			4,155,815		
	12/01/15	14,336,677		November			Pounds Cr						
12/01/15		14,339,197	4,810	76,072			0.443	1,899,821			4,159,227		
12/10/15		14,364,604	25,407		7.9	0.69	0.627	1,910,218	7.4	0.66	4,176,267	7.3	0.30
12/21/15		14,458,622	94,018					1,937,179			4,246,823		
	01/01/16	14,487,544		December			Pounds Cr						
01/01/16		14,488,585	29,963	150,867			0.788	1,949,306			4,267,333		
01/07/16		14,499,288	10,703		7.9	0.62	0.572	1,954,033	7.4	0.87	4,274,451	7.6	0.40
	02/01/16	14,532,622		January			Pounds Cr						
02/01/16		14,533,138	33,850	45,078			0.215	1,971,254			4,316,580		
02/10/16		14,562,012	28,874		8.1	0.87	0.858	1,973,902	7.6	0.61	4,324,057	8.1	0.70
02/29/16		14,601,368	39,356					1,982,872			4,359,110		

TABLE 1 Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	03/01/16	14,602,713		February			Pounds Cr						
03/01/16		14,603,747	2,379	70,091			0.501	1,983,300			4,361,401		
03/10/16		14,625,282	21,535		7.9	0.63	0.609	1,988,471	7.3	1.44	4,380,928	7.4	0.37
03/31/16		14,728,685	103,403					2,017,845			4,463,804		
	04/01/16	14,733,540		March			Pounds Cr						
04/02/16		14,751,888	23,203	130,827			0.663	2,023,638			4,482,114		
04/06/16		14,770,034	18,146		7.8	0.38	0.244	2,029,748	7.2	0.53	4,495,836	7.2	0.24
	05/01/16	14,827,634		April			Pounds Cr						
05/03/16		14,834,742	64,708	94,094			0.191	2,057,059			4,539,976		
05/12/16		14,846,704	19,070		7.6	0.70	0.645	2,062,615	7.2	0.47	4,547,811	7.1	0.69
05/17/16		14,856,181	9,477					2,067,406			4,553,472		
	06/01/16	14,889,570		May			Pounds Cr						
06/06/16		14,902,417	46,236	61,936			0.333	2,086,371			4,585,701		
06/08/16		14,906,067	3,650		7.5	0.43	0.406	2,088,096	7.1	0.69	4,587,959	7.1	0.25
06/19/16		14,946,108	40,041					2,101,451			4,617,396		
	07/01/16	14,980,911		June			Pounds Cr						
07/01/16		14,983,214	37,106	91,341			0.309	2,113,474			4,646,051		
07/07/16		14,998,455	15,241		7.4	0.50	0.430	2,119,487	7.0	0.87	4,656,766	7.1	0.20
07/31/16		15,036,518	38,063					2,138,364			4,681,191		
	08/01/16	15,036,760		July			Pounds Cr						
08/01/16		15,037,244	726	55,849			0.200	2,138,788			4,682,282		
08/11/16		15,047,013	9,769		7.4	0.61	0.583	2,144,319	7.1	0.98	4,687,103	7.1	0.12
08/24/16		15,065,460	18,447					2,152,060			4,700,186		
	09/01/16	15,080,715		August			Pounds Cr						
09/02/16		15,081,239	15,779	43,955			0.213	2,159,787			4,709,523		
09/08/16		15,093,858	12,619		7.2	0.41	0.355	2,164,508	7.1	0.60	4,718,876	6.9	0.17
09/15/16		15,117,114	23,256					2,173,196			4,734,824		
09/30/16		15,161,513	44,399					2,190,037			4,766,164		
	10/01/16	15,162,610		September			Pounds Cr						
10/01/16		15,162,976	1,463	81,895			0.242	2,190,896			4,766,917		
10/05/16		15,170,280	7,304		7.5	0.76	0.707	2,194,329	7.1	1.17	4,771,417	7.2	0.24
	11/01/16	15,218,316		October			Pounds Cr						
11/01/16		15,218,916	48,636	55,706			0.328	2,214,974			4,803,706		
11/09/16		15,231,072	12,156		7.7	0.58	0.550	2,221,415	7.3	1.02	4,810,434	7.2	0.17
11/30/16		15,257,768	26,696					2,231,705			4,829,512		
	12/01/16	15,259,593		November			Pounds Cr						
12/01/16		15,262,085	4,317	41,277			0.189	2,233,005			4,832,948		
12/08/16		15,278,159	16,074		7.7	0.90	0.832	2,240,348	7.4	1.41	4,843,138	7.3	0.26
	01/01/17	15,320,273		December			Pounds Cr						
01/05/17		15,328,203	50,044	60,680			0.420						
01/05/17		15,328,203	0			1.00	0.895	2,259,750	7.5	1.44	4,878,940	7.4	0.47
01/31/17		15,387,622	59,419					2,272,198			4,933,594		
	02/01/17	15,387,845		January			Pounds Cr						
02/01/17		15,388,387	765	67,572			0.504	2,272,625			4,933,971		
02/09/17		15,399,455	11,068		7.8	0.56	0.542	2,277,351	7.5	0.99	4,941,836	7.1	0.13
	03/01/17	15,452,749		February			Pounds Cr						
03/08/17		15,476,369	76,914	64,904			0.305						
03/08/17		15,476,369	0		7.8	0.59	0.539	2,302,121	7.3	1.14	5,002,178	7.3	0.26
03/14/17		15,497,125	20,756					2,309,539			5,016,906		
03/25/17		15,528,765	31,640					2,321,231			5,039,669		
03/29/17		15,542,291	13,526					2,325,638			5,049,699		
	04/01/17	15,558,808		March			Pounds Cr						
04/02/17		15,562,275	19,984	106,059			0.476	2,333,037			5,064,049		
04/06/17		15,582,526	20,251		7.7	0.43	0.405	2,340,089	7.3	0.57	5,064,049	7.3	0.27
04/27/17		15,676,954	94,428					2,372,953			5,146,405		
	05/01/17	15,703,639		April			Pounds Cr						
05/04/17		15,728,166	51,212	144,831			0.488						
05/04/17		15,728,166	0		7.6	0.28	0.257	2,387,552	7.1	0.36	5,185,807	6.8	0.21
	06/01/17	15,796,047		May			Pounds Cr						
06/08/17		15,812,038	83,872	92,408			0.198						
06/08/17		15,812,038	0		7.5	0.35	0.325	2,421,837	7.1	0.36	5,243,312	7.2	0.16

TABLE 1 Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	07/01/17	15,888,740		June			Pounds Cr						
07/01/17		15,891,390	79,352	92,693			0.251						
07/06/17		15,902,647	11,257		7.5	0.57	0.525	2,453,044	7.1	0.69	5,309,639	7.0	0.50
07/31/17		15,945,154	42,507					2,472,011			5,337,122		
	08/01/17	15,945,504		July			Pounds Cr						
08/01/17		15,945,880	726	56,764			0.248	2,472,438			5,337,492		
08/09/17		15,958,437	12,557		7.4	0.68	0.624	2,478,016	7.0	0.66	5,347,291	6.9	0.38
	09/01/17	15,992,489		August			Pounds Cr						
09/07/17		16,001,926	43,489	46,985			0.244	2,472,438			5,337,492		
09/07/17		16,001,926	0		7.4	0.50	0.488	2,497,770	7.1	0.68	5,375,524	6.9	0.14
09/29/17		16,031,780	29,854					2,510,609			5,395,101		
	10/01/17	16,034,956		September			Pounds Cr						
10/03/17		16,035,404	3,624	42,467			0.173	2,512,318			5,397,338		
10/05/17		16,037,996	2,592		7.5	0.44	0.410	2,513,176	7.1	1.14	5,399,232	6.7	0.12
	11/01/17	16,080,246		October			Pounds Cr						
11/07/17		16,090,463	52,467	45,290			0.155	2,536,891			5,436,850		
11/09/17		16,092,667	2,204		7.6	0.76	0.718	2,538,180	7.2	0.99	5,437,985	7.2	0.22
11/15/17		16,098,379	5,712					2,541,643			5,441,055		
11/30/17		16,109,689	11,310					2,549,030			5,450,173		
	12/01/17	16,110,147		November			Pounds Cr						
12/03/17		16,112,117	2,428	29,901			0.179	2,550,308			5,451,687		
12/07/17		16,115,265	3,148		7.4	0.82	0.755	2,551,590	7.4	1.29	5,453,973	7.4	0.20
12/14/17		16,121,000	5,735					2,551,590			5,453,973		
12/31/17		16,131,936	10,936					2,560,147			5,464,203		
	01/01/18	16,132,116		December			Pounds Cr						
01/01/18		16,132,328	392	21,969			0.138	2,560,571			5,464,203		
01/04/18		16,133,697	1,369		--	0.78	0.734	2,560,993	--	0.41	5,465,331	--	0.04
	02/01/18	16,144,665		January			Pounds Cr						
02/01/18		16,144,863	11,166	12,549			0.077	2,566,068			5,472,876		
02/08/18		16,147,315	2,452		7.8	0.75	0.906	2,567,326	7.4	1.68	5,474,376	7.2	0.16
02/28/18		16,155,889	8,574					2,570,306			5,481,207		
	03/01/18	16,156,053		February			Pounds Cr						
03/01/18		16,156,211	322	11,388			0.086	2,570,306			5,481,586		
03/08/18		16,163,746	7,535		7.7	0.52	0.526	2,574,570	7.4	0.78	5,485,747	7.2	0.20
03/27/18		16,183,153	19,407					2,585,717			5,495,623		
03/31/18		16,188,615	5,462					2,472,869*			5,499,048		
	04/01/18	16,189,199		March			Pounds Cr						
04/01/18		16,190,057	1,442	33,146			0.145	2,473,316			5,500,204		
04/05/18		16,195,349	5,292		7.7	0.60	0.585	2,476,332	7.3	0.84	5,502,874	7.4	0.35
04/10/18		16,203,721	8,372					2,480,242			5,508,217		
04/25/18		16,302,239	98,518					2,508,161			5,586,326		
04/30/18		16,328,835	26,596					2,516,938			5,606,361		
	05/01/18	16,330,212		April			Pounds Cr						
05/01/18		16,331,044	2,209	141,013			0.687	2,517,809			5,607,864		
05/04/18		16,360,268	29,224					2,526,963			5,630,632		
05/10/18		16,409,694	49,426		7.6	0.30	0.315	2,541,347	7.2	0.51	5,667,843	6.8	0.19
05/22/18		16,428,757	19,063					2,547,991			5,681,939		
05/24/18		16,455,003	26,246					2,557,801			5,698,300		
05/29/18		16,462,967	7,964					2,562,178			5,702,537		
	06/01/18	16,466,594		May			Pounds Cr						
06/01/18		16,467,299	4,332	136,382			0.358	2,563,476			5,705,975		
06/05/18		16,476,100	8,801					2,566,515			5,712,597		
06/07/18		16,480,044	3,944		7.6	0.38	0.382	2,568,258	7.1	0.53	5,715,101	7.3	0.21
06/30/18		16,537,167	57,123					2,588,614			5,756,117		
	07/01/18	16,537,690		June			Pounds Cr						
07/01/18		16,538,238	1,071	71,096			0.226	2,589,032			5,756,879		
07/05/18		16,542,427	4,189		7.6	0.31	0.311	2,591,176	7.2	0.57	5,759,920	7.1	0.16
07/12/18		16,545,145	2,718					2,594,639			5,763,368		
07/19/18		16,553,309	8,164					2,597,639			5,766,777		
07/31/18		16,571,725	18,416					2,604,452			5,779,752		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/18	16,571,996		July			Pounds Cr						
08/01/18		16,572,495	770	34,306			0.089	2,589,032			5,756,879		
08/08/18		16,581,462	8,967		--	0.43	0.438	2,608,818	7.1	0.55	5,785,813	7.0	0.27
08/31/18		16,637,913	56,451					2,629,840			5,828,591		
	09/01/18	16,640,165		August			Pounds Cr						
09/01/18		16,641,711	3,798	68,169			0.125	2,631,151			5,831,336		
09/06/18		16,695,169	53,458		7.5	0.24	0.256	2,646,502	7.1	0.59	5,871,311	6.7	0.08
09/17/18		16,734,724	39,555					2,659,921			5,899,762		
09/18/18		16,738,499	3,775					2,660,806			5,903,277		
09/30/18		16,775,825	37,326					2,672,955			5,932,062		
	10/01/18	16,776,168		September			Pounds Cr						
10/01/18		16,776,700	875	136,003			0.290	2,673,387			5,932,454		
10/03/18		16,785,853	9,153		7.8	0.30	0.303	2,675,556	7.3	0.60	5,940,463	7.1	0.22
10/25/18		16,899,216	113,363					2,709,668			6,027,153		
	11/01/18	16,908,245		October			Pounds Cr						
11/01/18		16,908,712	9,496	132,077			0.333	2,713,560			6,033,788		
11/07/18		16,921,099	12,387		7.7	0.38	0.424	2,717,458	7.1	0.36	6,044,211	6.8	0.34
11/12/18		16,936,140	15,041					2,723,181			6,054,634		
11/14/18		16,940,487	4,347					2,725,362			6,057,406		
11/16/18		16,944,318	3,831					2,727,099			6,059,771		
11/19/18		16,949,417	5,099					2,729,266			6,063,298		
	12/01/18	16,964,903		November			Pounds Cr						
12/06/18		16,972,133	22,716	56,658			0.200	2,738,784			6,080,566		
12/06/18		16,972,133	0		8.0	0.52	0.521	2,738,784	7.4	0.53	6,080,566	7.2	0.45
	01/01/19	17,020,007		December			Pounds Cr						
01/04/19		17,021,076	48,943	55,104			0.239	2,757,483			6,116,420		
01/10/19		17,051,054	29,978		7.8	0.26	0.246	2,765,903	7.2	0.41	6,140,244	7.0	0.18
	02/01/19	17,085,876		January			Pounds Cr						
02/01/19		17,086,762	35,708	65,869			0.135	2,779,438			6,166,376		
02/07/19		17,092,183	5,421		8.0	0.36	0.398	2,781,163	7.5	0.37	6,170,668	7.3	0.35
	03/01/19	17,108,085		February			Pounds Cr						
03/01/19		17,108,314	16,131	22,209			0.074	2,786,817			6,183,118		
03/07/19		17,112,149	3,835		7.9	0.29	0.296	2,788,121	7.4	--	6,186,219	7.4	--
03/26/19		17,201,867	89,718					2,810,744			6,261,318		
	04/01/19	17,220,303		March			Pounds Cr						
04/02/19		17,221,255	19,388	112,218			0.277	2,818,615			6,274,417		
04/02/19		17,221,255	0		7.7	0.40	0.408	2,818,615	7.2	0.53	6,274,417	7.2	0.15
04/18/19		17,270,735	49,480					2,834,848			6,312,336		
04/30/19		17,336,326	65,591					2,855,668			6,362,011		
	05/01/19	17,338,042		April			Pounds Cr						
05/01/19		17,340,509	4,183	117,739			0.400	2,856,981			6,365,212		
05/09/19		17,366,641	26,132		7.8	0.43	0.441	2,866,635	7.2	0.39	6,383,940	7.2	0.66
	06/01/19	17,467,893		May			Pounds Cr						
06/06/19		17,492,562	125,921	129,851			0.477	2,856,981			6,365,212		
06/06/19		17,492,562	0		7.6	0.23	0.249	2,908,632	7.2	0.32	6,478,871	7.0	0.22
06/11/19		17,502,105	9,543					2,912,952			6,486,321		
06/18/19		17,525,532	23,427					2,920,258			6,503,730		
	07/01/19	17,581,030		June			Pounds Cr						
07/08/19		17,613,923	88,391	113,137			0.235	2,947,437			6,572,415		
07/10/19		17,619,393	5,470		7.6	0.25	0.229	2,949,581	7.1	0.48	6,576,370	7.0	0.12
07/22/19		17,636,628	17,235					2,956,444			6,590,064		
07/23/19		17,644,137	7,509					2,958,908			6,596,369		
07/26/19		17,655,780	11,643					2,961,918			6,602,890		
07/31/19		17,662,536	6,756					2,965,324			6,606,751		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	08/01/19	17,662,953		July			Pounds Cr						
08/01/19		17,663,650	1,114	81,923			0.156	2,965,752			6,607,522		
08/07/19		17,674,432	10,782		7.7	0.37	0.383	2,969,223	7.3	0.38	6,615,773	7.5	0.30
08/31/19		17,712,769	38,337					2,984,986			6,643,285		
	09/01/19	17,713,001		August			Pounds Cr						
09/01/19		17,713,872	1,103	50,048			0.160	2,985,412			6,644,057		
09/05/19		17,719,385	5,513		7.8	0.48	0.489	2,987,590	7.3	0.50	6,644,933	7.3	0.43
09/18/19		17,790,650	71,265					3,009,066			6,701,147		
09/30/19		17,829,959	39,309					3,022,795			6,730,481		
	10/01/19	17,830,522		September			Pounds Cr						
10/01/19		17,831,112	1,153	117,521			0.479	2,985,412			6,644,057		
10/10/19		17,895,551	64,439		7.7	0.23	0.239	3,042,581	7.4	0.35	6,779,975	7.2	0.16
10/31/19		17,949,436	53,885					3,063,263			6,819,059		
	11/01/19	17,950,221		October			Pounds Cr						
11/01/19		17,950,822	1,386	119,699			0.238	3,063,964			6,819,849		
11/07/19		17,964,181	13,359		8.0	0.36	0.343	3,069,346	7.5	0.39	6,828,897	7.7	0.26
11/30/19		18,029,863	65,682					3,091,286			6,879,193		
	12/01/19	18,031,315		November			Pounds Cr						
12/01/19		18,032,559	2,696	81,094			0.232	3,091,718			6,881,218		
12/06/19		18,058,482	25,923		8.0	0.35	0.343	3,099,656	7.3	0.34	6,901,417	7.8	0.14
12/31/19		18,123,426	64,944					3,122,055			6,954,035		
	01/01/20	18,126,523		December			Pounds Cr						
01/01/20		18,127,980	4,554	95,208			0.272	3,122,936			6,954,035		
01/03/20		18,137,077	9,097		7.9	0.46	0.438	3,125,583	7.6	0.43	6,961,319	7.6	0.41
01/31/20		18,185,942	48,865					3,144,421			6,996,350		
	02/01/20	18,188,180		January			Pounds Cr						
02/03/20		18,188,411	2,469	61,657			0.225	3,145,281			6,998,288		
02/07/20		18,193,814	5,403		8.0	0.60	0.562	3,147,017	7.6	0.28	7,002,580	7.9	0.22
02/28/20		18,215,202	21,388					3,155,718			7,017,733		
	03/01/20	18,217,070		February			Pounds Cr						
03/02/20		18,218,425	3,223	28,890			0.135	3,157,017			7,020,060		
03/06/20		18,227,194	8,769		8.0	0.81	0.776	3,159,176	7.4	0.53	7,027,934	7.9	0.44
03/31/20		18,382,609	155,415					3,201,453			7,154,334		
	04/01/20	18,384,172		March			Pounds Cr						
04/01/20		18,388,797	6,188	167,102			1.080	3,203,232			7,159,271		
04/10/20		18,415,384	26,587		8.1	0.25	0.237	3,213,356	7.7	0.18	7,178,272	8.1	0.16
04/30/20		18,455,631	40,247					3,228,721			7,207,059		
	05/01/20	18,456,245		April			Pounds Cr						
05/01/20		18,457,479	1,848	72,073			0.142	3,229,593			7,208,236		
05/07/20		18,465,286	7,807		8.0	0.26	0.262	3,233,088	7.5	0.18	7,213,316	7.9	0.12
05/30/20		18,547,864	82,578					3,261,998			7,273,059		
	06/01/20	18,552,699		May			Pounds Cr						
06/01/20		18,555,721	7,857	96,454			0.210	3,264,658			7,279,075		
06/04/20		18,563,811	8,090		7.8	0.28	0.282	3,267,737	7.3	0.20	7,284,611	7.5	0.20
06/30/20		18,636,606	72,795					3,294,057			7,339,953		
	07/01/20	18,637,892		June			Pounds Cr						
07/01/20		18,638,722	2,116	85,193			0.200	3,294,931			7,341,133		
07/10/20		18,652,865	14,143		7.9	0.29	0.284	3,301,008	7.3	0.23	7,350,478	7.5	0.20
07/31/20		18,723,698	70,833					3,324,361			7,403,193		
	08/01/20	18,724,228		July			Pounds Cr						
08/03/20		18,728,205	4,507	86,336			0.204	3,326,528			7,405,919		
08/06/20		18,731,111	2,906		7.8	0.33	0.345	3,327,827	7.3	0.34	7,407,858	7.5	0.18
08/31/20		18,753,077	21,966					3,339,110			7,421,402		
	09/01/20	18,753,491		August			Pounds Cr						
09/01/20		18,753,819	742	29,263			0.084	3,339,541			7,421,789		
09/11/20		18,760,472	6,653		8.1	0.57	0.544	3,343,863	7.3	0.45	7,427,984	7.6	0.41
09/30/20		18,792,498	32,026					3,358,277			7,446,675		
	10/01/20	18,792,926		September			Pounds Cr						
10/01/20		18,793,222	724	39,435			0.179	3,358,711			7,427,060		
10/08/20		18,800,494	7,272		8.1	0.50	0.497	3,362,178	7.4	0.30	7,451,303	7.6	0.26
10/30/20		18,848,450	47,956					3,382,506			7,482,072		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001						Manhole #1			Manhole #2			
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	11/01/20	18,850,614		October			Pounds Cr						
11/02/20		18,852,636	4,186	57,688			0.239	3,384,697			7,484,406		
11/06/20		18,857,874	5,238		8.0	0.38	0.388	3,387,314	7.3	0.50	7,487,496	7.7	0.13
11/30/20		18,905,102	47,228					3,402,642			7,523,584		
	12/01/20	18,905,731		November			Pounds Cr						
12/01/20		18,906,214	1,112	55,117			0.178	3,403,078			7,524,365		
12/11/20		18,916,201	9,987		8.2	0.46	0.456	3,406,790	7.6	0.44	7,531,716	7.8	0.17
12/31/20		18,929,139	12,938					3,412,036			7,540,417		
	01/01/21	18,929,421		December			Pounds Cr						
01/01/21		18,929,873	734	23,690			0.090	3,412,468			7,540,800		
01/08/21		18,932,355	2,482		8.0	0.42	0.461	3,413,334	7.6	0.34	7,542,714	7.9	0.13
01/30/21		18,943,896	11,541					3,417,699			7,550,795		
	02/01/21	18,944,934		January			Pounds Cr						
02/01/21		18,945,098	1,202	15,513			0.060	3,418,132			7,551,562		
02/05/21		18,946,680	1,582		8.2	0.43	0.451	3,418,564	7.8	0.58	7,552,713	7.8	0.12
02/26/21		18,956,204	9,524					3,422,065			7,558,504		
	03/01/21	18,960,761		February			Pounds Cr						
03/01/21		18,961,256	5,052	15,827			0.059	3,422,496			7,563,170		
03/05/21		18,969,678	8,422		8.4	0.64	0.717	3,424,232	7.9	0.61	7,569,835	8.1	0.30
03/31/21		19,036,724	67,046					3,438,199			7,624,655		
	04/01/21	19,037,526		March			Pounds Cr						
04/01/21		19,039,130	2,406	76,765			0.458	3,439,060			7,626,237		
04/09/21		19,053,329	14,199		8.0	0.77	0.713	3,441,663	7.6	0.29	7,638,396	7.8	0.62
04/30/21		19,102,538	49,209					3,453,500			7,678,642		
	05/01/21	19,103,047		April			Pounds Cr						
05/03/21		19,106,978	4,440	65,521			0.389	3,454,365			7,682,550		
05/07/21		19,117,383	10,405		8.1	0.48	0.495	3,456,545	7.7	0.45	7,691,616	7.7	0.28
05/31/21		19,146,522	29,139					3,465,305			7,717,857		
	06/01/21	19,146,979		May			Pounds Cr						
06/01/21		19,147,993	1,471	43,932			0.181	3,465,737			7,719,031		
06/04/21		19,151,356	3,363			0.14	0.379	3,466,606	7.5	0.25	7,721,760	7.8	0.18
06/30/21		19,201,059	49,703					3,478,422			7,763,244		
	07/01/21	19,201,961		June			Pounds Cr						
07/01/21		19,203,673	2,614	54,982			0.174	3,479,292			7,765,222		
07/09/21		19,234,138	30,465		7.9	0.53	0.477	3,485,443	7.4	0.34	7,791,359	7.4	0.13
07/30/21		19,296,322	62,184					3,501,153			7,841,853		
	08/01/21	19,298,052		July			Pounds Cr						
08/02/21		19,299,573	3,251	96,091			0.382	3,502,015			7,844,580		
08/05/21		19,303,238	3,665		7.9	0.35	0.356	3,503,307	7.4	0.51	7,847,295	7.5	0.10
08/31/21		19,386,156	82,918					3,521,335			7,917,739		
	09/01/21	19,387,776		August			Pounds Cr						
09/01/21		19,390,270	4,114	89,724			0.266	3,522,204			7,920,922		
09/10/21		19,406,508	16,238		7.9	0.37	0.346	3,526,537	7.4	0.33	7,934,218	7.3	0.12
09/30/21		19,420,173	13,665					3,532,626			7,948,890		
	10/01/21	19,420,382		September			Pounds Cr						
10/01/21		19,420,522	349	32,606			0.094	3,532,626			7,949,274		
10/07/21		19,424,997	4,475		7.8	0.33	0.337	3,534,360	7.4	0.55	7,952,339	7.4	0.18
10/29/21		19,438,681	13,684					3,539,176			7,962,363		
	11/01/21	19,439,799		October			Pounds Cr						
11/01/21		19,440,130	1,449	19,417			0.054	3,539,608			7,963,515		
11/05/21		19,442,002	1,872		7.8	0.32	0.320	3,540,470	7.6	0.25	7,964,666	7.7	0.90
11/30/21		19,453,737	11,735					3,544,838			7,973,129		
	12/01/21	19,453,737		November			Pounds Cr						
12/01/21		19,453,737	0	13,938			0.037	3,544,838			7,973,129		
12/10/21		19,456,187	2,450		8.3	0.39	0.452	3,546,132	7.6	0.62	7,975,431	7.7	0.08
12/29/21		19,474,737	18,550										
	01/01/22	19,476,024		December			Pounds Cr						
01/03/22		19,478,802	4,065	22,287			0.084	3,544,838			7,973,129		
01/07/22		19,481,247	2,445		8.3	0.71	0.702	3,553,105	8.0	0.73	7,994,830	8.0	0.07
01/31/22		19,491,787	10,540					3,557,044			3,557,044		

TABLE 1
Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
Appleton, Wisconsin
Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
	02/01/22	19,491,787		January			Pounds Cr						
02/1/2022**		19,491,794	7	15,763			0.092	14			-		
02/10/22		19,494,956	3,169		8.3	0.58	0.662	1,904	8.0	0.33	884	8.2	0.06
	03/01/22	19,499,595		February			Pounds Cr						
03/03/22		19,500,188	5,232	7,808			0.043	3,063			4,987		
03/11/22		19,508,636	8,448		8.5	0.455***	0.455	3,956	7.7	0.60	12,803	7.9	0.13
03/31/22		19,581,712	73,076					19,468			72,327		
	04/01/22	19,579,886		March			Pounds Cr						
04/05/22		19,599,982	18,270	80,291			0.304	23,346			87,209		
04/08/22		19,619,609	19,627		7.9	0.16	0.167	27,567	7.8	0.42	106,399	8.0	0.10
04/30/22		19,689,477	69,868					40,975			158,050		
	05/01/22	19,690,246		April			Pounds Cr						
05/02/22		19,692,556	3,079	110,360			0.153	42,267			162,963		
05/05/22		19,697,175*****	4,619		8.1	0.37	0.380	44,511	7.7	0.35	166,323	8.1	0.11
05/31/22		19,741,670						53,045			204,944		
	06/01/22	19,742,444		May			Pounds Cr						
06/01/22		19,743,217	1,547	52,198			0.165	53,468			206,128		
06/09/22		19,750,545	7,328		8.2	0.48	0.452	58,373	7.6	0.17	218,830	7.9	0.29
06/30/22		19,807,692						67,322			259,616		
	07/01/22	19,808,308		June			Pounds Cr						
07/01/22		19,808,470	778	65,864			0.248	67,547			260,174		
07/08/22		19,816,966	8,496		7.8	0.18	0.410	71,474	7.4	0.36	266,328	7.4	0.31
07/31/22		19,842,128						76,802			287,644		
	08/01/22	19,842,522		July			Pounds Cr						
08/01/22		19,842,816	688	34,214			0.117	77,230			288,031		
08/05/22		19,847,646†	5,124		7.7	0.23	0.238	79,709	7.4	0.36	289,846	7.4	0.05
08/25/22		19,895,343	47,697					88,045			329,207		
08/31/22		19,897,942	2,599					89,759			333,479		
	09/01/22	19,898,506		August			Pounds Cr						
09/01/22		19,899,069	1,127	55,984			0.111	90,186			334,257		
09/09/22		19,903,637	4,568		7.9	0.32	0.382	91,946	7.4	0.52	338,564	7.4	0.11
	10/01/22	19,950,290		September			Pounds Cr						
10/03/22		19,953,306	49,669	51,784			0.165	101,843			380,408		
10/06/22					8.2	0.34	0.382		7.7	0.30		7.6	0.07
	11/01/22	19,977,565		October			Pounds Cr						
11/07/22		19,982,391	29,085	27,275			0.087	110,050			409,192		
11/11/22					8.2	0.35	0.387		7.7	0.30		7.7	0.11
11/30/22		20,018,322	35,931					118,698			437,597		
	12/01/22	20,018,377		November			Pounds Cr						
12/01/22		20,018,690	368	40,812			0.132	118,698			437,988		
12/09/22					7.9	0.45	0.473		7.8	0.67		7.9	0.03
12/31/22		20,049,227	30,537					126,489			461,926		
	01/01/23	20,049,352		December			Pounds Cr						
01/04/23		20,056,085	6,858	30,975			0.122	128,657			467,457		
01/06/23					8.4	0.66	0.734		8.0	0.48		7.9	0.20
01/31/23		20,103,237	47,152					139,968			504,806		
	02/01/23	20,103,819		January			Pounds Cr						
02/01/23		20,104,460	1,223	54,467			0.333	140,401			505,592		
02/09/23					8.2	0.66	0.705		7.8	0.24		7.9	0.28
02/28/23		20,143,005	38,545					149,544			534,885		
	03/01/23	20,145,093		February			Pounds Cr						
03/01/23		20,147,460	4,455	41,274			0.242	150,427			538,131		
03/09/23					8.0	0.15	<0.0025		7.7	0.27		7.8	0.04
	04/01/23	20,363,289		March			Pounds Cr						
04/04/23		20,367,299	219,839	218,195			0.002	193,136			712,934		
04/05/23					8.3	0.16	0.180		8.1	0.21		7.5	0.08
04/30/23		20,457,645	90,346					211,647			784,877		
	05/01/23	20,457,872		April			Pounds Cr						
05/01/23		20,458,597	952	94,583			0.142	211,647			785,674		
05/04/23					8.4	0.24	0.233		7.7	0.21		7.9	0.10
05/31/23		20,524,896	66,299					226,516			836,403		
	06/01/23	20,525,045		May			Pounds Cr						
06/01/23		20,525,270	374	67,173			0.130	226,516			836,790		

TABLE 1

Influent - Effluent Compliance Summary

N.W. Mauthe Superfund Site
 Appleton, Wisconsin
 Terracon Project No. 58117057

Date Actual	OUTFALL 001							Manhole #1			Manhole #2		
	Date For Linear Interpolation	Metered Discharge Reading (gallons)	Gallons Discharged Between Meter Reading	Monthly Discharge (gallons)	pH	Hexavalent Chromium Lab Analysis (mg/L) [Local Limit 4.5 mg/L]	Total Chromium Lab Analysis ¹ (mg/L) [Local Limit 7.0 mg/L]	Flow Totalizer #1 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)	Flow Totalizer #2 Reading (gallons)	pH	Hexavalent Chromium Hach Test Kit (mg/L)
06/07/23					8.1	0.17	0.182		7.4	0.08		7.8	0.04
06/30/23		20,552,149						234,365			857,812		
	<i>07/01/23</i>	<i>20,552,482</i>		June			Pounds Cr						
07/01/23		20,552,933	784	27,437			0.042	234,798			858,199		
07/06/23					7.9	0.30	0.322		7.5	0.28		7.7	0.10
07/27/23		20,565,082	12,149					240,461			867,481		
07/31/23		20,570,224						241,757			872,497		
	<i>08/01/23</i>	<i>20,570,562</i>		July			Pounds Cr						
08/01/23		20,570,964	740	18,080			0.048	242,190			872,882		
08/16/23					8.0	0.27	0.271		7.4	0.30		7.7	0.19
08/24/23		20,597,204	26,240					249,566			896,166		
08/31/23		20,604,402						251,292			899,248		
	<i>09/01/23</i>	<i>20,604,402</i>		August			Pounds Cr						
09/01/23		20,604,402	0	33,840			0.076	251,292			899,248		
09/12/23		20,616,863	12,461		7.8	0.32	0.367	256,129	6.8	0.41	907,388	6.8	0.21
09/30/23		20,618,782						256,992			908,542		
	<i>10/01/23</i>	<i>20,618,782</i>		September			Pounds Cr						
10/01/23		20,618,782	0	14,380			0.044	256,992			908,542		
10/11/23					7.3	0.35	0.394		6.7	0.56		6.7	0.13
10/20/23		20,634,566	15,784					261,000			922,506		
10/31/23		20,664,878	30,312					265,787			949,555		
	<i>10/01/23</i>	<i>20,665,389</i>		October			Pounds Cr						
11/01/23		20,665,973	1,095	46,607			0.153	266,221			950,331		

Italicized red type metered discharge reading was calculated by linear interpolation to 12 midnight.

Industrial User (Wastewater Discharge) Permit 18-21 Outfall 001 Effluent Limits		
pH	Hexavalent Chromium	Total Chromium
Between 5.0 and 12.4 s.u.	<4.5 mg/L	<7.0 mg/L

¹ Beginning in September 2018, the Total Chromium lab sample was not filtered. Previously, through August 2018, the sample was filtered (0.45 micron filter).

* On 3/31/18, the MH1 flowmeter face was blank. Upon replacing the batteries, the totalizer reading reverted to 2,472,869 gallons, a difference of -112,848 gallons from the previous known total.

** On 2/1/2022, MH1 and MH2 flowmeters were replaced. Each flowmeter for the manholes was set to 0 during installation.

*** Hexavalent chromium was not analyzed for the March 11, 2022, sampling round. The total chromium concentration was used as a proxy for March 11, 2022, hexavalent chromium concentration.

**** Reading extrapolated based on previous readings due to documentation error. Actual reading documented at 19,690,925.

† Reading extrapolated based on 8/1 and 8/25 remote readings due to documentation error. Actual reading documented at 19,835,361.

TABLE 2
City of Appleton Compliance Limits, Outfall 001
N.W. Mauthe Superfund Site - Appleton, WI

		Aluminum (mg/L)	Arsenic (mg/L)	Cadmium (mg/L)	Chromium Total ¹ (mg/L)	Copper (mg/L)	Cyanide (mg/L)	Lead (mg/L)	Mercury (mg/L)	Nickel (mg/L)	Zinc (mg/L)	Hexavalent Chromium (mg/L)
Permit #18-21 Limits		70	1.0	0.3	7.0	3.5	1.0	2.0	0.002	2.0	10.0	4.5
Sampler	Sample Date											
CH2M Hill	02/20/97	<.02	<.003	<.00050	0.04	<.01	<.00001	<.005	<.0002	<.005	0.0051	<.01
CH2M Hill	03/24/98	0.0152	<.002	<.00004	0.0637	<.0095	<.0017	<.0006	<.000015	<.0095	0.0046	0.1000
Appleton	04/29/98	<.011	<.002	<.005	0.2200	<.05	0.0020	<.1	<.0002	<.04	<.005	NA
Appleton	10/07/98	<.011	<.002	0.0050	0.1700	<.05	<.001	<.1	<.0002	<.04	0.0250	NA
MCO	03/18/99	<.009	<.003	<.00031	NA	.00068****	<.000032	<.0024	<.00005	.00351****	<.012	<.0036
Appleton	03/18/99	<.011	<.002	<.005	<.05	<.05	0.0010	0.1000	<.00005	0.0400	0.0180	NA
Appleton	09/21/99	<.011	<.002	<.005	<.05	<.05	0.0030	<.1	<.00015	<.04	0.0080	NA
Appleton	02/15/00	<.015	<.0020	<.005	0.0900	<.05	<.001	<.1	<.00013	<.04	0.0280	NA
MCO	03/13/00	<.009	<.003	<.00031	0.1400	<.006	<.0044	<.0024	<.00005	0.0012	<.012	NA
Appleton	02/21/01	<.015	<.002	<.005	0.11	<.05	0.001	<.1	<.00013	<.04	0.042	NA
MCO	03/01/01	<.034	<.0027	.012****	0.25	.0088****	<.0033	<.17	<.00005	.036****	0.015	<.0036
Appleton	10/02/01	0.016	<.002	<.005	0.14	<.05	<.001	<.1	<.00013	<.04	0.065	NA
MCO	03/19/02	<.034	<.0027	<.0075	0.36	<.0077	<.0027	<.17	<.00005	<.017	<.012	<.0036
Appleton	05/02/02	<.049	<.012	<.014	0.362	<.015	<.0014	<.060	<.00011	<.011	<.009	NA
Appleton	11/12/02	0.027	<.0082	<.00053	0.23	<.009	<.0007	<.00084	<.000028	0.0044	0.0081	NA
Appleton	02/11/03	<.027	<.0082	<.00053	0.086	<.0009	<.0014	<.0013	<.000028	0.0036	<.0025	NA
Appleton	03/24/03	<.045	<.0027	<.0088	0.13	0.075	<.0050	<.16	<.000050	<.019	<.0044	<.0036
Appleton	10/23/03	0.0045	0.0013	<.00001	0.221	<.00008	<.005	<.00006	0.0002	<.025	<.010	NA
Appleton	03/24/04	<.0050	<.0026	<.010	0.15	<.0060	<.0050	<.16	<.000025	<.020	<.010	NA
Appleton	11/09/04	0.0071	<.0012	<.00001	0.04	0.0008	<.005	<.008	<.00002	0.0013	<.01	NA
MCO	08/08/05	0.023	<.0035	<.0003	0.039	0.0019	<.0037	<.0011	<.0000026	<.0044	0.0024	<.0005
Appleton	11/05/06	0.0052	<.0012	<.00001	0.088	<.0005	<.0008	<.0008	<.00002	0.0017	<.010	NA
Appleton	02/23/06	0.0021	<.0012	<.00001	0.08	<.0005	<.0005	<.0008	<.00002	0.0022	<.010	NA
MCO	03/23/06	<.020	<.0076	<.000074	0.32	0.0018	0.0043	<.0034	<.0000026	0.0033	<.020	NA
Appleton	06/27/06	<.200	<.0076	<.000074	0.700	0.0016	<.0094	<.0034	<.0000072	0.0021	<.020	<.350
Appleton	10/05/06	0.037	<.00011	<.00001	4.575	0.0068	0.01	<.001	<.00002	0.0026	<.010	NA
Appleton	03/22/07	<.07	<.07	<.01	1.9	3.5	<.004	<.03	<.0002	<.04	<.01	NA
MCO	04/02/07	0.0383	0.00024	0.000086	1.41	0.0041	<.0094	0.00013	<.000019	0.0035	0.009	NA
Appleton	12/04/07	<.07	<.001	<.01	3.4	<.01	0.008	<.03	<.00002	<.04	<.01	1.5
Appleton	01/16/08	0.21	<.005	<.01	<.03	0.02	0.017	0.06	0.0003	<.04	0.04	NA
OMNNI	04/08/08	0.0114	0.00043	0.00011	0.864	0.0043	0.014 J	0.000095 J	<.00001	0.0024	0.0071	0.063
Appleton	08/19/08	<.08	<.001	<.01	0.95	<.01	0.005	<.03	0.0002	<.02	<.01	NA
Appleton	03/31/09	<.09	<.012	<.01	0.99	<.01	<.008	<.05	<.00002	<.02	<.01	NA
OMNNI	04/07/09	<.0151	0.003 J	0.00040 J	0.767	0.0024 J	<.0060	<.0014	<.000010	0.0016 J	0.0137 J	0.84
Appleton	09/22/09	<.08	<.006	<.01	2.3	<.01	<.008	<.05	<.00002	<.02	<.01	NA
Appleton	03/02/10	<.06	<.002	<.01	1.6	<.01	<.008	<.03	<.00002	<.01	<.01	NA
OMNNI	04/06/10	0.0501 J	<.0014	0.00043 J	1.16	0.0024 J	<.0061	<.00075	<.00001	0.0023 J	0.0046 J	1.3
Appleton	11/02/10	<.10	<.010	<.01	0.71	<.01	<.008	<.03	<.00002	<.01	<.01	NA
Appleton	02/24/11	<.08	<.001	<.01	1.5	<.01	0.008	<.04	<.00002	<.02	<.01	NA
OMNNI	04/05/11	0.0725 J	0.0025 J	<.00026	4.401	0.0028 J	<.0061	<.0014	<.000010	0.00053 J	0.0023 J	0.40
Appleton	10/26/11	<.08	<.005	<.01	1.2	<.01	0.007	<.04	<.00002	<.02	<.01	NA
Appleton	03/21/12	<.11	<.004	<.01	1.3	0.01	0.007	<.04	<.00002	<.02	<.01	NA
Terracon	04/05/12	<.0695	<.0047	<.00039	0.696	0.014 J	<.0061	<.0014	<.000010	0.001 J	<.0053	0.83
Appleton	10/04/12	0.0865	0.0051	0.00049	1.43	0.0028 J	0.026	0.0022	0.0001	0.00019 J	<.0053	NA
Terracon	04/11/13	0.078	<.004	<.00048	0.431	0.0024 J	<.0038	<.027	<.000010	0.00013 J	<.0024	0.42
Appleton	04/17/13	<.0714	<.0042	<.00048	0.279	0.0029 J	<.0038	<.027	<.000010	0.00062 J	<.0024	NA
Appleton	11/20/13	<.0714	<.0042	<.00048	1.13	0.0018 J	0.0044 J	<.027	<.000010	0.00085 J	0.0034 J	NA
Appleton	04/15/14	0.119 J	<.0068	<.001	0.27	0.0036 J	<.060	<.0016	<.000010	<.0013	<.0058	NA
Terracon	05/13/14	0.116 J	<.0068	<.001	0.273	0.0034 J	<.060	0.0040 J	<.000010	<.0013	0.0064 J	0.28
Appleton	9/24/2014	<.0655	<.0068	<.001	0.757	<.0034	<.010	<.0016	<.000010	<.0013	<.0058	NA
Terracon	4/15/2015	0.054 J	<.0072	<.00060	0.858	0.0041 J	<.010	<.0030	<.000010	<.0014	0.0026 J	0.92
Appleton	6/3/2015	<.0655	<.0068	<.001	0.504	<.0034	<.020	<.0016	<.000010	0.0013 J	<.0058	NA
Appleton	10/21/2015	0.105 J	<.0068	<.0010	0.676	<.0034	<.010	0.0024 J	<.000010	<.0013	0.0078 J	NA
Terracon	5/12/2016	0.0637 J	<.0072	<.00060	0.645	<.0036	<.0068	<.0030	<.000013	0.0018 J	<.0013	0.70
Appleton	5/17/2016	<.090	<.001	<.010	0.530	<.010	<.007	<.030	<.00002	<.020	<.01	NA
Appleton	11/1/2016	<.090	<.010	<.010	0.560	<.010	<.007	<.030	<.00002	<.020	<.010	NA
Appleton	4/27/2017	<.060	<.001	<.010	0.370	<.010	0.007	<.030	<.00002	<.020	<.010	NA
Terracon	6/8/2017	<.0555	<.0083	<.0013	0.345	<.0063	<.0068	<.0043	<.000013	<.0026	<.0093	0.35
Appleton	11/9/2017	<.060	0.001	0.010	0.770	<.010	<.007	<.030	<.00002	<.020	<.010	NA
Appleton	5/22/2018	NA	<.015	<.0006	0.319	0.005	0.010	<.005	<.00002	0.005	<.002	NA
Terracon	6/7/2018	0.0713 J	<.0083	<.0013	0.382	<.0063	<.014	<.0043	<.000013	<.0026	<.0093	0.38
Appleton	11/14/2018	NA	0.020	0.001	0.325	0.004	<.009	<.005	<.00002	0.004	0.004	NA
Appleton	4/18/2019	NA	<.015	<.0006	0.519	0.005	<.005	<.009	<.00002	0.005	<.002	NA
Terracon	7/10/2019	NA	0.0091 J	<.0013	0.229	<.0063	0.011 J	0.006 J	<.000013	0.0029 J	<.0116	0.25
Appleton	9/18/2019	NA	<.015	<.0006	0.003	0.005	<.009	<.005	<.00002	0.004	<.002	NA
Appleton	6/4/2020	NA	<.028	<.0006	0.295	0.008	<.018	<.007	<.00002	0.008	<.009	NA
Terracon	6/4/2020	NA	<.0083	<.013	0.282	<.0034	<.0069	<.0059	<.000084	<.0026	<.0116	0.28
Appleton	9/30/2020	NA	<.028	<.0004	0.520	0.005	<.014	<.007	<.00002	0.006	<.004	NA
Appleton	5/19/2021	NA	<.028	<.0004	0.271	0.003	<.007	<.007	<.00002	0.007	<.004	NA
Terracon	6/4/2021	NA	<.0083	<.013	0.379	0.006	<.0069	<.0059	<.000066	<.0026	0.0211 J	0.14
Appleton	11/5/2021	NA	<.028	<.0006	0.327	0.007	<.014	<.007	<.00002	0.007	<.004	NA
Appleton	5/5/2022	NA	<.028	<.0006	0.439	0.005	<.014	<.007	<.00002	0.008	<.004	NA
Terracon	6/9/2022	NA	<.0083	<.013	0.452	<.0034	<.0069	<.0059	<.000066	<.0026	<.0116	0.48
Appleton	8/5/2022	NA	0.016	<.0003	0.233	0.006	<.014	<.0035	<.00002	0.004	0.004	NA
Appleton	3/9/2023	NA	<.028	<.0006	0.256	0.016	0.006	0.008	0.0003	0.006	<.004	NA
Terracon	6/7/2023	NA	<.0083	<.0013	0.182	<.0034	<.0069	<.0059	<.000066	<.0026	<.0116	0.17
Appleton	8/16/2023	Not yet received										

J = Estimated concentration detected above the limit of detection and below the limit of quantitation

¹ Beginning in September 2018, the Total Chromium lab sample was not filtered. Previously, through August 2018, the sample was filtered (0.45 micron filter).

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-2	02/01/97	-		798.66
	05/01/97	-		801.01
	09/01/97	-		800.28
	12/01/97	-	804.66	797.69
	03/01/98	-		802.08
	06/01/98	-		799.38
	10/27/98	5.85		798.81
	02/08/99	4.50		800.16
	06/08/99	3.31		801.35
	09/13/99	5.78		798.88
	12/15/99	6.63		798.03
	03/13/00	1.60		803.06
	06/22/00	2.63		802.03
	09/27/00	3.28		801.38
	12/19/00	4.78		799.88
	03/01/01	5.93		798.73
	06/19/01	1.83		802.83
	09/24/01	5.94		798.72
	12/05/01	4.93		799.73
	03/19/02	1.08		803.58
	06/20/02	2.78		801.88
	09/18/02	6.38		798.28
	12/17/02	6.81		797.85
	03/24/03	4.31		800.35
	06/10/03	3.14		801.52
	09/10/03	6.11		798.55
	12/10/03	4.03		800.63
	03/24/04	1.26		803.40
	07/09/04	3.44		801.22
	09/21/04	6.79		797.87
	03/29/05	4.51		800.15
	06/20/05	4.83		799.83
	09/21/05	6.21		798.45
	12/14/05	5.51		799.15
	03/21/06	0.08		804.58
	06/28/06	6.02		798.64
	09/20/06	8.75		795.91
	12/09/06	6.20		798.46
	03/13/07	3.80		800.86
	07/03/07	6.16		798.50
	09/27/07	5.66		799.00
	04/16/08	5.91		798.75
	04/03/09	1.20		803.46
	03/17/10	1.37		803.29
	04/29/11	0.65		804.01

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-2	03/14/12	1.55		803.11
	04/29/13	1.68		802.98
	04/21/14	0.80		803.86
	09/16/14	7.19		797.47
	04/13/15	1.55		803.11
	03/30/16	1.41		803.25
	03/28/17	1.32		803.34
	04/10/18	4.66		800.00
	09/25/19	4.10		800.56
	08/31/20	4.75		799.91
	12/08/20	5.28		799.38
	09/22/21	5.48		799.18
	09/13/22	7.15		797.51
	09/06/23	9.82	804.53 *****	794.71
W-8	02/01/97	-		797.22
	05/01/97	-		797.66
	09/01/97	-		798.01
	12/01/97	-	803.36	796.52
	03/01/98	-		798.16
	06/01/98	-		797.31
	10/27/98	6.41		796.95
	02/08/99	5.49		797.87
	06/08/99	4.38		798.98
	09/13/99	6.71		796.65
	12/15/99	6.91		796.45
	03/13/00	6.25		797.11
	06/22/00	6.42		797.34
	09/27/00	5.66		797.70
	12/19/00	6.80		796.56
	03/01/01	5.41		797.95
	06/19/01	5.02		798.34
	09/24/01	3.38		799.98
	12/05/01	7.02		796.34
	03/19/02	3.63		799.73
	06/20/02	5.66		797.70
	09/18/02	6.93		796.43
	12/17/02	9.00		794.36
	03/24/03	6.18		797.18
	06/10/03	6.11		797.25
	09/10/03	6.71		796.65
	12/10/03	6.62		796.74
	03/23/04	6.55		796.81
	07/09/04	6.11		797.25
	09/21/04	7.08		796.28

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-8	03/29/05	6.24		797.12
	06/20/05	6.60		796.76
	09/21/05	6.84		796.52
	12/14/05	6.71		796.65
	03/21/06	6.57		796.79
	06/28/06	7.18		796.18
	09/20/06	7.07		796.29
	12/19/06	6.87		796.49
	03/13/07	6.48		796.88
	07/03/07	7.29		796.07
	09/27/07	6.52		796.84
	04/16/08	6.11		797.25
	04/03/09	6.16		797.20
	03/17/10	6.14		797.22
	04/29/11	5.92		797.44
	03/14/12	6.09		797.27
	04/29/13	6.46		796.90
	04/21/14	6.20		797.16
	09/16/14	6.27		797.09
	04/13/15	6.09		797.27
	03/30/16	6.08		797.28
	03/28/17	5.94		797.42
	04/10/18	5.99		797.37
	09/25/19	6.12		797.24
	08/31/20	6.76		796.60
	12/08/20	6.35		797.01
	09/13/22	5.35		798.01
	09/06/23	7.01	803.09 *****	796.08
W-15	02/01/97	-		793.97
	05/01/97	-		796.92
	09/01/97	-		797.23
	12/01/97	-	803.76	795.52
	03/01/98	-		796.78
	06/01/98	-		796.32
	10/27/98	7.95		795.81
	02/08/99	9.19		794.57
	06/08/99	6.89		796.87
	09/13/99	7.85		795.91
	12/15/99	8.97		794.79
	03/13/00	7.80		795.96
	06/22/00	6.42		797.34
	09/27/00	6.30		797.46
	12/19/00	7.99		795.77
	03/01/01	9.52		794.24

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
W-15	06/19/01	6.91		796.82
	09/24/01	6.65		797.11
	12/05/01	8.15		795.61
	03/19/02	7.22		796.54
	06/20/02	6.84		796.92
	09/18/02	7.28		796.48
	12/17/02	9.98		793.78
	03/24/03	9.77		793.99
	06/10/03	7.04		796.72
	09/10/03	7.06		796.70
	12/10/03	7.15		796.61
	03/23/04	6.58		797.18
	07/09/04	6.45	803.66 ****	797.21
	09/21/04	7.26		796.40
	03/29/05	7.50		796.16
	06/20/05	6.82		796.84
	09/21/05	7.05		796.61
	12/14/05	7.88		795.78
	03/21/06	6.95		796.71
	06/28/06	6.98	803.42 *****	796.44
	09/20/06	7.13		796.29
	12/19/06	8.02		795.40
	03/13/07	7.22		796.20
	07/03/07	7.00		796.42
	09/27/07	6.67		796.75
	04/16/08	-		-
	04/03/09	6.24		797.18
	03/17/10	7.19		796.23
	04/29/11	6.21		797.21
	03/14/12	6.62		796.80
	04/29/13	6.41		797.35
	04/21/14	ICE		#VALUE!
	09/16/14	6.40	803.96	797.56
	04/13/15	6.45		797.51
	03/30/16	6.41		797.55
	03/28/17	6.21		797.75
	04/10/18	7.38		796.58
	09/25/19	6.65		797.31
	08/31/20	5.76	804.24*****	798.48
	12/08/20	7.88		796.36
	09/22/21	7.50		796.74
	09/13/22	6.60		797.64
	09/06/23	8.74	803.61*****	794.87

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-101	02/01/97	-		797.16
	05/01/97	-		799.99
	09/01/97	-		798.67
	12/01/97	-	807.59	798.21
	03/01/98	-		803.43
	06/01/98	-		800.48
	10/27/98	10.26		797.33
	02/08/99	11.91		795.68
	06/08/99	9.79		797.80
	09/13/99	10.35		797.24
	12/15/99	9.01		798.58
	03/13/00	12.67		794.92
	06/22/00	6.28		801.31
	09/27/00	10.41		797.18
	12/19/00	10.73		796.86
	03/01/01	12.61		794.98
	06/19/01	8.43		799.16
	09/24/01	10.50		797.09
	12/05/01	10.98		796.61
	03/19/02	8.10		799.49
	06/20/02	7.08		800.51
	09/18/02	10.23		797.36
	12/17/02	12.47		795.12
	03/24/03	10.00		797.59
	06/10/03	7.41		800.18
	09/10/03	9.53		798.06
	12/10/03	8.31		799.28
	03/23/04	5.95		801.64
	07/09/04	7.84		799.75
	09/21/04	10.50		797.09
	03/29/05	9.00		798.59
	06/20/05	9.28		798.31
	09/21/05	9.64		797.95
	12/14/05	8.93		798.66
	03/21/06	8.10		799.49
	06/28/06	8.88		798.71
	09/20/06	8.90		798.69
	12/19/06	8.95		798.64
	03/13/07	8.73		798.86
	07/03/07	7.39		800.20
	09/27/07	7.31		800.28
	04/16/08	3.76		803.83
	04/03/09	5.09		802.50
	03/17/10	7.27		800.32
	04/29/11	3.36		804.23

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-101	03/14/12	6.55		801.04
	04/29/13	5.46		802.13
	04/21/14	3.64	807.60	803.95
	09/16/14	5.37		802.23
	04/13/15	3.80		803.80
	03/30/16	4.95		802.65
	03/28/17	4.65		802.95
	04/10/18	5.14		802.46
	09/25/19	5.68		801.92
	08/31/20	7.48		800.12
	12/08/20	8.95		798.65
	09/22/21	8.86		798.74
	09/13/22	8.64		798.96
	09/06/23	9.54	807.88 *****	798.34
MW-102	02/01/97	-		780.72
	05/01/97	-		780.89
	09/01/97	-		780.79
	12/01/97	-	804.45	780.95
	03/01/98	-		780.47
	06/01/98	-		780.72
	10/27/98	24.11		780.34
	02/08/99	23.84		780.61
	06/08/99	23.59		780.86
	09/13/99	23.70		780.75
	12/15/99	24.27		780.18
	03/13/00	24.00		780.45
	06/22/00	23.69		780.76
	09/27/00	23.65		780.80
	12/19/00	24.06		780.39
	03/01/01	26.01		778.44
	06/19/01	23.35		781.10
	09/24/01	23.88		780.57
	12/05/01	24.08		780.37
	03/19/02	23.75		780.70
	06/20/02	23.05		781.40
	09/18/02	24.50		779.95
	12/17/02	25.30		779.15
	03/24/03	23.80		780.65
	06/10/03	23.09		781.36
	09/10/03	23.98	804.37 ***	780.39
	12/10/03	23.22		781.15
	03/23/04	23.56		780.81
	07/09/04	23.52		780.85
	09/21/04	24.65		779.72

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-102	03/29/05	21.24		783.13
	06/20/05	23.81		780.56
	09/21/05	24.71		779.66
	12/14/05	24.25		780.12
	03/21/06	23.39		780.98
	06/28/06	23.95		780.42
	09/20/06	25.15		779.22
	12/19/06	25.26		779.11
	03/13/07	24.41		779.96
	07/03/07	23.89		780.48
	09/27/07	24.38		779.99
	04/16/08	23.20		781.13
	04/03/09	23.48		780.89
	03/17/10	23.44		780.93
	04/29/11	23.18		781.19
	03/14/12	23.48		780.89
	04/29/13	21.05		783.40
	04/21/14	21.33		783.12
	09/16/14	23.83		780.62
	04/13/15	20.85		783.60
	03/30/16	22.22		782.23
	03/28/17	21.78		782.67
	04/10/18	25.02		779.43
	08/31/20	24.83		779.62
	12/08/20	23.49		780.96
	09/22/21	23.47		780.98
	09/13/22	23.65		780.80
	09/06/23	23.66	804.08 *****	780.42
MW-103	02/01/97	-		795.29
	05/01/97	-		791.83
	09/01/97	-		789.60
	12/01/97	-	803.74	787.78
	03/01/98	-		791.03
	06/01/98	-		789.13
	10/27/98	11.96		791.78
	02/08/99	10.24		793.50
	06/08/99	8.69		795.05
	09/13/99	9.79		793.95
	12/15/99	12.68		791.06
	03/13/00	9.63		794.07
	06/22/00	8.22		795.52
	09/27/00	7.76		795.98
	12/19/00	10.78		792.96
	03/01/01	9.15		794.59

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-103	06/19/01	5.52		798.22
	09/24/01	9.80		793.94
	12/05/01	11.13		792.61
	03/19/02	4.96		798.78
	06/20/02	7.42		796.32
	09/18/02	9.00		794.74
	12/17/02	13.01		790.73
	03/24/03	7.63		796.11
	06/10/03	7.77		795.97
	09/10/03	9.60		794.14
	12/10/03	8.09		795.65
	03/23/04	4.01		797.73
	07/09/04	12.91		790.83
	09/21/04	10.30		793.44
	03/29/05	NR		---
	06/20/05	9.55		794.19
	09/21/05	9.70		794.04
	12/14/05	10.40		793.34
	03/21/06	7.87		795.87
	06/28/06	9.75		793.99
	09/20/06	11.23		792.51
	12/20/06	10.36		793.38
	03/13/07	9.91		793.83
	07/03/07	9.45		794.29
	09/27/07	9.52		794.22
	04/16/08	7.06		796.68
	09/22/08	9.62		794.12
	04/03/09	8.22		795.52
	09/01/09	9.78		793.96
	03/17/10	8.07		795.67
	09/09/10	8.66		795.08
	04/29/11	4.32		799.42
	09/01/11	9.63		794.11
	03/14/12	7.95		795.79
	09/11/12	11.30		792.44
	04/29/13	6.47		797.27
	09/18/13	5.91		797.83
	04/21/14	6.15		797.59
	09/16/14	4.74		799.00
	04/13/15	5.33		798.41
	09/14/15	5.73		798.01
	03/30/16	4.67		799.07
	09/21/16	7.22		796.52
	03/28/17	5.49		798.25
	10/03/17	8.34		795.40

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-103	04/10/18	10.53		793.21
	09/17/18	6.75		796.99
	09/25/19	4.56		799.18
	08/31/20	6.18		797.56
	12/08/20	6.46		797.28
	09/22/21	7.64		796.10
	09/13/22	4.21		799.53
	09/06/23	11.54	803.67 *****	792.13
MW-104	02/01/97	-		792.94
	05/01/97	-		789.91
	09/01/97	-		798.59
	12/01/97	-	807.28	795.70
	03/01/98	-		799.46
	06/01/98	-		796.60
	10/27/98	10.51		796.77
	02/08/99	9.04		798.24
	06/08/99	7.49		799.79
	09/13/99	10.28		797.00
	12/15/99	10.78		796.50
	03/13/00	9.51		797.77
	06/22/00	8.41		798.88
	09/27/00	8.61		798.67
	12/19/00	10.49		796.79
	03/01/01	8.44		798.84
	06/19/01	7.51		799.71
	09/24/01	10.39		796.89
	12/05/01	10.81		796.47
	03/19/02	7.82		799.46
	06/20/02	8.60		798.68
	09/18/02	12.05		795.23
	12/17/02	12.70		794.58
	03/24/03	12.60		794.68
	06/10/03	8.81		798.47
	09/10/03	11.17		796.11
	12/10/03	8.66		798.62
	03/23/04	7.44		799.84
	09/21/04	15.21		792.07
	03/29/05	11.09		796.19
	06/20/05	9.57		797.71
	09/21/05	18.95		788.33
	12/14/05	9.94		797.34
	03/21/06	8.53		798.75
	06/28/06	11.23		796.05
	09/20/06	12.81		794.47

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-104	12/20/06	24.46		782.82
	03/13/07	12.11		795.17
	07/03/07	13.04		794.24
	09/27/07	21.47		785.81
	04/16/08	7.88		799.40
	09/22/08	17.08		790.20
	04/03/09	7.93		799.35
	09/01/09	19.45		787.83
	03/17/10	8.13		799.15
	09/09/10	11.46		795.82
	04/29/11	7.60		799.68
	09/01/11	17.67		789.61
	03/14/12	8.28		799.00
	09/11/12	24.08		783.20
	04/29/13	8.62		798.66
	09/18/13	20.00		787.28
	04/21/14	8.65		798.63
	09/16/14	8.53		798.75
	04/13/15	7.28		800.00
	09/14/15	8.54		798.74
	03/30/16	7.42		799.86
	09/21/16	9.92		797.36
	03/28/17	7.11		800.17
	10/03/17	9.58		797.70
	04/10/18	9.32		797.96
	09/17/18	13.71		793.57
	09/25/19	8.18		799.10
	08/31/20	10.73		796.55
	12/08/20	9.11		798.17
	09/22/21	9.58		797.70
	09/13/22	11.77		795.51
	09/06/23	18.08	807.06 *****	788.98
MW-105	02/01/97	-		793.74
	05/01/97	-		800.60
	09/01/97	-		800.37
	12/01/97	-	803.96	799.03
	03/01/98	-		800.08
	06/01/98	-		800.50
	10/27/98	5.41		798.55
	02/08/99	6.46		797.50
	06/08/99	3.04		800.92
	09/13/99	4.60		799.36
	12/15/99	5.28		798.68
	03/13/00	4.97		798.99

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-105	06/22/00	3.06		800.90
	09/27/00	3.38		800.58
	12/19/00	5.28		798.68
	03/01/01	7.24		796.72
	06/19/01	2.43		801.53
	09/24/01	3.87		800.09
	12/05/01	5.55		798.41
	03/19/02	3.94		800.02
	06/20/02	4.08		799.88
	09/18/02	5.40		798.56
	12/17/02	7.34		796.62
	03/24/03	6.81		797.15
	06/10/03	4.27		799.69
	09/10/03	4.88	803.84 ***	798.96
	12/10/03	4.36		799.24
	03/23/04	3.80		800.04
	07/09/04	3.61	803.74 ****	800.13
	09/21/04	4.92		798.82
	03/29/05	3.85		799.89
	06/20/05	4.15		799.59
	09/21/05	4.70		799.04
	12/14/05	5.25		798.49
	03/21/06	4.26		799.48
	06/28/06	4.81	803.54 *****	798.73
	09/20/06	4.51		799.03
	12/19/06	5.40		798.14
	03/13/07	6.46	803.46*****	797.08
	07/03/07	4.30		799.16
	09/27/07	3.81		799.65
	04/16/08	3.53		799.93
	04/03/09	3.29		800.17
	03/17/10	4.05		799.41
	04/29/11	2.30		801.16
	03/14/12	3.50		799.96
	04/29/13	3.41		800.55
	04/21/14	2.68		801.28
	09/16/14	3.40		800.56
	04/13/15	2.94		801.02
	03/30/16	3.29		800.67
	03/28/17	3.11		800.85
	04/10/18	4.18		799.78
	08/31/20	4.61	804.05*****	799.44
	12/08/20	4.51		799.54
	09/22/21	3.98		800.07
	09/13/22	NM		NM

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-105	09/06/23	4.87	804.02 *****	799.15
MW-106	02/01/97	-		794.75
	05/01/97	-		797.23
	09/01/97	-		796.91
	12/01/97	-	804.08	795.48
	03/01/98	-		797.37
	06/01/98	-		796.76
	10/27/98	8.12		795.96
	02/08/99	9.75		794.33
	06/08/99	6.72		797.36
	09/13/99	7.88		796.20
	12/15/99	8.71		795.37
	03/13/00	8.72		795.36
	06/22/00	6.87		797.21
	09/27/00	7.41		796.67
	12/19/00	8.55		795.53
	03/01/01	9.54		794.54
	06/19/01	6.30		797.78
	09/24/01	7.57		796.51
	12/05/01	8.72		795.36
	03/19/02	7.64		796.44
	06/20/02	7.21		796.87
	09/18/02	7.88		796.20
	12/17/02	10.49		793.59
	03/24/03	9.98		794.10
	06/10/03	7.54		796.54
	09/10/03	7.35	804.00 ***	796.65
	12/10/03	7.18		796.82
	03/23/04	7.54		796.46
	07/09/04	6.48	803.90 ****	797.42
	09/21/04	8.02		795.88
	03/29/05	8.26		795.64
	06/20/05	7.31		796.59
	09/21/05	7.85		796.05
	12/14/05	8.47		795.43
	03/21/06	7.41		796.49
	06/28/06	7.78	803.83 *****	796.05
	09/20/06	7.90		795.93
	12/19/06	8.39		795.44
	03/13/07	9.08		794.75
	07/03/07	7.35		796.48
	09/27/07	6.92		796.91
	04/16/08	5.65		798.18
	04/03/09	7.03		796.80

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-106	03/17/10	7.03		796.80
	04/29/11	5.05		798.78
	03/14/12	6.75		797.33
	04/29/13	7.04		797.04
	04/21/14	Inaccessible		#VALUE!
	09/16/14	6.11	804.15	798.04
	04/13/15	5.77		798.38
	03/30/16	5.72		798.43
	03/28/17	3.88		800.27
	04/10/18	7.31		796.84
	09/25/19	6.22		797.93
	08/31/20	5.04	803.53*****	798.49
	12/08/20	7.39		796.14
	09/22/21	7.21		796.32
	09/13/22	6.12		797.41
	09/06/23	7.75	803.39*****	795.64
MW-107	02/01/97	-		788.23
	05/01/97	-		796.60
	09/01/97	-		797.64
	12/01/97	-	809.01	796.49
	03/01/98	-		796.68
	06/01/98	-		796.31
	10/27/98	10.71		798.30
	02/08/99	11.11		797.90
	06/08/99	11.04		797.97
	09/13/99	11.55		797.46
	12/15/99	11.66		797.35
	03/13/00	11.13		797.88
	06/22/00	10.69		798.32
	09/27/00	12.36		796.65
	12/19/00	7.32		799.29
*	03/01/01	-		-
	06/19/01	10.10	809.06 **	798.96
	09/24/01	11.23		797.88
	12/05/01	11.59		797.47
	03/19/02	9.79		799.27
	06/20/02	10.18		798.88
	09/18/02	11.16		797.90
	12/17/02	12.11		796.95
	03/24/03	12.46		796.60
	06/10/03	10.40		798.66
	09/10/03	11.34		797.72
	12/10/03	10.88		798.18
	03/23/04	9.04		800.02

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-107	07/09/04	11.53		797.53
	09/21/04	12.55		796.51
	03/29/05	10.48		798.58
	06/20/05	11.14		797.92
	09/21/05	11.69		797.37
	12/14/05	11.10		797.96
	03/21/06	10.09		798.97
	06/28/06	11.69		797.37
	09/20/06	12.14		796.92
	12/19/06	11.45		797.61
	03/13/07	10.95		798.11
	07/03/07	11.34		797.72
	09/27/07	10.86		798.20
	04/16/08	8.92		800.14
	09/22/08	11.35		797.71
	04/03/09	9.02		800.04
	09/01/09	11.15		797.91
	03/17/10	9.09		799.97
	09/09/10	10.72		798.34
	04/29/11	8.17		800.89
	09/01/11	11.14		797.92
	03/14/12	8.74		800.32
	09/11/12	11.51		797.55
	04/29/13	9.33		799.76
	09/17/13	11.15		797.94
	04/21/14	8.35		800.74
	09/16/14	10.19		798.90
	04/13/15	8.86		800.23
	09/14/15	9.60		799.49
	03/30/16	7.79		801.30
	09/21/16	10.34		798.75
	03/28/17	8.49		800.60
	10/03/17	11.04		798.05
	04/10/18	10.96		798.13
	09/17/18	9.75		799.34
	09/25/19	8.68		800.41
	08/31/20	11.15		797.94
	12/08/20	9.70		799.39
	09/22/21	10.53		798.56
	09/13/22	10.19		798.90
	09/06/23	11.48	808.82 *****	797.34
MW-108	02/01/97	-		798.36
	05/01/97	-		793.32
	09/01/97	-		790.53

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-108	12/01/97	-	806.61	788.65
	03/01/98	-		795.59
	06/01/98	-		789.30
	10/27/98	6.98		799.63
	02/08/99	6.72		799.89
	06/08/99	5.80		800.81
	09/13/99	6.68		799.93
	12/15/99	6.87		799.74
	03/13/00	6.84		799.77
	06/22/00	6.28		800.33
	09/27/00	6.31		800.30
	12/19/00	11.42		797.59
	03/01/01	7.04		799.57
	06/19/01	5.87		800.74
	09/24/01	6.52		800.09
	12/05/01	7.70		798.91
	03/19/02	6.25		800.36
	06/20/02	6.43		800.18
	09/18/02	6.72		799.89
	12/17/02	7.78		798.83
	03/24/03	8.69		797.96
	06/10/03	7.00		799.61
	09/10/03	6.91		799.70
	12/10/03	5.18		801.43
	03/23/04	6.24		800.37
	07/09/04	6.12		800.49
	09/21/04	6.91		799.70
	03/29/05	6.64		799.97
	06/20/05	6.78		799.83
	09/21/05	6.66		799.95
	12/14/05	6.68		799.93
	03/21/06	6.71		799.90
	06/28/06	6.82		799.79
	09/20/06	6.75		799.86
	12/19/06	6.90		799.71
	03/13/07	6.75		799.86
	07/03/07	7.53		799.08
	09/27/07	6.55		800.06
	04/16/08	1.27		805.34
	04/03/09	6.04		800.57
	03/17/10	6.32		800.29
	04/29/11	6.76		799.85
	03/14/12	6.39		800.22
	04/29/13	6.58		800.03
	04/21/14	6.64		799.97

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-108	09/16/14	6.57		800.04
	04/13/15	6.42		800.19
	03/30/16	6.02		800.59
	03/28/17	6.51		800.10
	04/10/18	6.92		799.69
	09/25/19	6.40		800.21
	08/31/20	7.20		799.41
	12/08/20	6.98		799.63
	09/22/21	7.45	808.33 *****	800.88
	09/13/22	6.89		801.44
	09/06/23	7.67	807.27 *****	799.60
MW-109	06/21/06	8.98	810.52	801.54
	09/20/06	8.90		801.62
	12/19/06	9.68		800.84
	03/13/07	9.32		801.20
	07/03/07	9.11		801.41
	09/27/07	8.08		802.44
	04/16/08	7.68		802.84
	09/22/08	9.04		801.48
	04/03/09	7.85		802.67
	09/01/09	8.53		801.99
	03/17/10	8.05		802.47
	09/09/10	9.46		801.06
	04/29/11	7.39		803.13
	09/01/11	9.54		800.98
	03/14/12	7.71		802.81
	09/11/12	8.99		801.53
	04/29/13	8.92		801.60
	09/17/13	8.29		802.23
	04/21/14	7.76		802.76
	09/16/14	8.09		802.43
	04/13/15	7.71		802.81
	09/14/15	8.20		802.32
	03/30/16	7.18		803.34
	09/21/16	9.64		800.88
	03/28/17	7.67		802.85
	10/03/17	9.60		800.92
	04/10/18	7.92		802.60
	09/17/18	9.29		801.23
	09/25/19	8.37		802.15
	08/31/20	9.08		801.44
	12/08/20	10.04		800.48
	09/22/21	9.11		801.41
	09/13/22	8.21		802.31
	09/06/23	9.80	810.95 *****	801.15

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-110	06/21/06	10.39	809.81	799.42
	09/20/06	11.09		798.72
	12/19/06	11.06		798.75
	03/13/07	11.04		798.77
	07/03/07	10.60		799.21
	09/27/07	10.33		799.48
	04/16/08	8.31		801.50
	09/22/08	10.67		799.14
	04/03/09	8.72		801.09
	09/01/09	10.52		799.29
	03/17/10	8.92		800.89
	09/09/10	10.24		799.57
	04/29/11	6.72		803.09
	09/01/11	10.57		799.24
	03/14/12	7.98		801.83
	09/11/12	10.91		798.90
	04/29/13	8.75		801.06
	09/17/13	10.47		799.34
	04/21/14	7.12		802.69
	09/16/14	9.57		800.24
	04/13/15	7.13		802.68
	09/14/15	9.20		800.61
	03/30/16	6.75		803.06
	09/21/16	10.86		798.95
	03/28/17	5.82		803.99
	10/03/17	10.31		799.50
	04/10/18	7.61		802.20
	09/17/18	9.15		800.66
	09/25/19	5.80		804.01
	08/31/20	10.16		799.65
	12/08/20	9.58		800.23
	09/22/21	9.87		799.94
	09/13/22	6.90		802.91
	09/06/23	10.46	809.70 *****	799.24
MW-111	06/21/06	10.69	807.59	796.90
	09/20/06	13.45		794.14
	12/19/06	14.97		792.62
	03/13/07	9.63		797.96
	07/03/07	9.00		798.59
	09/27/07	8.66		798.93
	04/16/08	5.46		802.13
	09/22/08	10.03		797.56
	04/03/09	5.68		801.91
	09/01/09	9.95		797.64

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-111	03/17/10	6.17		801.42
	09/09/10	8.83		798.76
	04/29/11	5.25		802.34
	09/01/11	9.33		798.26
	03/14/12	6.11		801.48
	09/11/12	12.61		794.98
	04/29/13	6.61		800.98
	09/18/13	10.80		796.79
	04/21/14	5.65		801.94
	09/16/14	7.66		799.93
	04/13/15	5.79		801.80
	09/14/15	8.10		799.49
	03/30/16	5.65		801.94
	09/21/16	9.43		798.16
	03/28/17	5.28		802.31
	10/03/17	9.17		798.42
	04/10/18	6.58		801.01
	09/17/18	7.76		799.83
	09/25/19	6.10		801.49
	08/31/20	8.49		799.10
	12/08/20	7.94		799.65
	09/22/21	8.11		799.48
	09/13/22	4.65		802.94
	09/06/23	9.51	807.47 *****	797.96
MW-112	06/21/06	15.70	808.14	792.44
	09/20/06	10.75		797.39
	12/19/06	11.93		796.21
	03/13/07	10.23		797.91
	07/03/07	8.91		799.23
	09/27/07	9.01		799.13
	04/16/08	6.57		801.57
	09/22/08	9.29		798.85
	04/03/09	6.85		801.29
	09/01/09	9.32		798.82
	03/17/10	7.87		800.27
	09/09/10	8.57		799.57
	04/29/11	3.69		804.45
	09/01/11	9.19		798.95
	03/14/12	3.49		804.69
	09/11/12	10.57		797.57
	04/29/13	6.11		802.03
	09/17/13	9.72		798.42
	04/21/14	3.58		804.56
	09/16/14	8.34		799.80

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-112	04/13/15	3.73		804.41
	09/14/15	8.50		799.64
	03/30/16	3.86		804.28
	09/21/16	9.16		798.98
	03/28/17	3.64		804.50
	10/03/17	9.70		798.44
	04/10/18	4.19		803.95
	09/17/18	6.95		801.19
	09/25/19	3.40		804.74
	08/31/20	9.33		798.81
	12/08/20	5.95		802.19
	09/22/21	8.51		799.63
	09/13/22	3.62		804.52
	09/06/23	11.09	808.76 *****	797.67
MW-113	06/21/06	9.69	808.24	798.55
	09/20/06	10.27		797.97
	12/19/06	10.03		798.21
	03/13/07	8.93		799.31
	07/03/07	9.75		798.49
	09/27/07	9.67		798.57
	04/16/08	7.03		801.21
	09/22/08	9.97		798.27
	04/03/09	7.41		800.83
	09/01/09	9.72		798.52
	03/17/10	7.37		800.87
	09/09/10	9.48		798.76
	04/29/11	6.50		801.74
	09/01/11	9.74		798.50
	03/14/12	6.86		801.38
	09/11/12	10.11		798.13
	04/29/13	8.14		800.10
	09/17/13	9.80		798.44
	04/21/14	6.95		801.29
	09/16/14	9.00		799.24
	04/13/15	6.53		801.71
	09/14/15	8.40		799.84
	03/30/16	6.78		801.46
	09/21/16	9.07		799.17
	03/28/17	6.54		801.70
	10/03/17	9.67		798.57
	04/10/18	8.87		799.37
	09/17/18	8.61		799.63
	09/25/19	7.00		801.24
	08/31/20	9.59		798.65

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
MW-113	12/08/20	8.87		799.37
	09/22/21	9.18		799.06
	09/13/22	7.06		801.18
	09/06/23	9.67	808.19 *****	798.52
PZ5	07/19/05	37.39	810.88	773.49
	09/21/05	28.56		782.32
	12/19/06	27.98		782.90
	03/13/07	28.61		782.27
	07/03/07	28.00		782.88
	09/27/07	28.06		782.82
	04/16/08	27.83		810.88
	04/03/09	28.00		782.88
	03/17/10	28.33		782.55
	04/29/11	27.33		783.55
	03/14/12	27.68		783.20
	04/29/13	27.40		783.48
	04/21/14	27.88		783.00
	09/16/14	27.40		783.48
	04/13/15	28.78		782.10
	03/30/16	26.86		784.02
	03/28/17	26.74		784.14
	04/10/18	28.10		782.78
	09/25/19	25.10		785.78
	08/31/20	26.21		784.67
	12/08/20	25.53		785.35
	09/22/21	25.91		784.97
	09/13/22	26.34		784.54
09/06/23	26.57	810.76 *****	784.19	
PZ6	07/19/05	36.31	809.77	773.46
	09/21/05	29.79		779.98
	12/19/06	29.49		780.28
	03/13/07	29.93		779.84
	07/03/07	30.03		779.74
	09/27/07	29.54		780.23
	04/16/08	28.97		809.77
	04/03/09	29.15		780.62
	03/17/10	29.72		780.05
	04/29/11	28.37		781.40
	03/14/12	28.85		780.92
	04/29/13	28.40		781.37
	04/21/14	28.91		780.86
	09/16/14	28.80		780.97
	04/13/15	30.00		779.77

TABLE 3
Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)	
PZ6	03/30/16	28.04		781.73	
	03/28/17	27.91		781.86	
	04/10/18	29.29		780.48	
	09/25/19	27.43		782.34	
	08/31/20	27.44		782.33	
	12/08/20	26.88		782.89	
	09/22/21	27.25		782.52	
	09/13/22	27.74		782.03	
	09/06/23	28.08	809.64 *****	781.56	
PZ7	07/19/05	32.03	804.48	772.45	
	09/21/05	27.34		777.14	
	12/19/06	29.37		775.11	
	03/13/07	24.41		780.07	
	07/03/07	23.74		780.74	
	09/27/07	25.15		779.33	
	04/16/08	23.83		804.48	
	04/03/09	23.76		780.72	
	03/17/10	24.33		780.15	
	04/29/11	23.27		781.21	
	03/14/12	23.70		780.78	
	04/29/13	24.19		780.29	
	04/21/14	23.94		780.54	
	09/16/14	22.65		781.83	
	04/13/15	23.21		781.27	
	03/30/16	21.35		783.13	
	03/28/17	21.49		782.99	
	04/10/18	22.07		782.41	
	09/25/19	21.67		782.81	
	08/31/20	21.58		782.90	
	12/08/20	21.15		783.33	
	09/22/21	21.12		-21.12	
	09/13/22	21.92		-21.92	
	09/06/23	25.25	804.32 *****	779.07	
PZ8	07/19/05	32.07	804.35	772.28	
	09/21/05	24.47		779.88	
	12/19/06	28.16		776.19	
	03/13/07	21.90		782.45	
	07/03/07	23.19		781.16	
	09/27/07	22.47		781.88	
	04/16/08	21.00		804.35	
	04/03/09	20.63		783.72	
	03/17/10	21.25		783.10	
	04/29/11	20.65		783.70	
		03/14/12	20.94		783.41

TABLE 3 Groundwater Elevations

N.W. Mauthe Superfund Site - Appleton, WI
Terracon Project No. 58117057

Well Name	Date Measured	Depth To Water (feet)	Reference Elevation (To Top PVC) (feet)	Groundwater Elevation (feet)
PZ8	04/29/13	20.25		784.10
	04/21/14	20.09		784.26
	09/16/14	20.71		783.64
	04/13/15	21.02		783.33
	03/30/16	19.67		784.68
	03/28/17	19.81		784.54
	04/10/18	21.27		783.08
	09/25/19	20.79		783.56
	08/31/20	20.49		783.86
	12/08/20	20.06		784.29
	09/22/21	21.49		782.86
	09/13/22	20.71		783.64
	09/06/23	23.55	804.23 *****	780.68

* Casing for MW-107 was damaged. Groundwater elevation could not be determined.

** Reflects new elevation of MW-107 after repair to well casing.

*** Monitoring wells re-surveyed after casings were shortened.

**** New elevation after the PVC casing was shortened after the March 23, 2004, event.

***** New elevation after the PVC casing was shortened after the March 21, 2006, event.

*****New elevation after PVC casing was shortened after the December 19, 2006, event.

*****New elevation after PVC casing was shortened after the August 31, 2020, event.

*****New elevation after PVC casing was shortened after the August 31, 2020, event.

*****PVC casing re-surveyed on September 12, 2023 following well repair

Note: OMNNI Associates, Inc. collected water level readings from MW-109 to MW-113

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
W-2	02/20/97	NR	8.00	6.00	750 us	NA	NA	NA	NA
	05/27/97	NR	7.74	10.10	NA	NA	NA	NA	NA
	09/18/97	NR	7.01	14.50	910 us	NA	NA	NA	NA
	12/12/97	NR	7.33	9.50	820 us	NA	NA	NA	NA
	03/25/98	NR	7.96	7.90	1235 us	NA	NA	NA	NA
	06/10/98	NR	6.59	10.20	1057 us	NA	NA	NA	NA
	10/27/98	4	7.93	14.80	1278 us	1.40	119.00	12.00	0.00
	02/09/99	4	8.47	9.50	1278 us	2.10	146.00	16.00	0.20
	06/08/99	4	7.20	14.60	1234 us	1.00	85.00	11.20	1.00
	09/13/99	5.1	7.34	15.00	1254 us	1.90	(136.00)	9.60	0.00
	12/15/99	4.8	7.77	11.80	1199 us	1.50	(231.00)	4.80	0.00
	03/13/00	7	6.17	8.90	1278 us	1.30	59.00	7.60	0.00
	06/22/00	4.4	7.86	12.10	1240 us	1.50	59.00	7.60	0.00
	09/27/00	6.6	6.39	16.40	1140 us	1.90	(187.00)	9.60	0.00
	12/19/00	5	7.66	9.50	1171 us	1.85	(161.00)	11.20	0.00
	03/01/01	3.5	7.42	10.50	1084 us	1.41	(222.00)	9.20	0.00
	06/19/01	7	7.81	15.60	1980 us	1.10	(18.00)	8.40	0.00
	09/24/01	5	7.48	13.40	1712 us	0.90	(38.00)	6.60	0.00
	12/05/01	5	7.51	10.20	1244 us	1.10	(71.00)	9.60	0.00
	03/19/02	6	7.51	10.60	977 us	1.10	(210.00)	13.20	0.00
	06/20/02	6	7.40	15.00	1870 us	0.80	(88.00)	8.80	0.00
	09/18/02	5	7.18	14.80	1138 us	1.00	(99.00)	10.40	0.00
	12/17/02	4	7.34	10.30	1187 us	1.00	(103.00)	9.60	0.00
	03/24/03	4	7.30	10.30	1077 us	1.00	(310.00)	10.00	0.00
	06/10/03	6	7.21	14.90	1620 us	1.00	(110.00)	12.80	0.00
	09/10/03	4	7.09	14.60	1210 us	0.80	(111.00)	8.80	0.00
	03/24/04	4.5	7.30	7.40	1210 us	EM	6.00	NA	0.00
03/29/05	4.5	7.20	6.30	1182 us	3.40	85.00	NA	0.00	
03/23/06	7	6.60	10.50	2470 us	2.65	191.00	NA	0.03	
03/27/07	4	7.4	9.0	1240 us	8.0	243	NA	0.04	
04/16/08	NA	NA	NA	NA	NA	NA	NA	NA	
09/22/08	NA	NA	NA	NA	NA	NA	NA	NA	
04/03/09	NA	NA	NA	NA	NA	NA	NA	NA	
03/17/10	NA	NA	NA	NA	NA	NA	NA	NA	
04/29/11	1.25	7.45	7.1	1276.0 µs	0.69	126.7	NA	0.17	
04/14/15	4	5.88	8.94	6.14 mS/cm	1.91	(194.0)	NA	2.44	
09/25/19	7	6.91	13.51	1.475 mS/cm	0.36	(70.0)	NA	1.90	
09/07/23	2.5	7.11	12.70	1.136 mS/cm	2.63	100.3	NA	2.55	
W-8	02/20/97	NR	8.20	7.50	1000 us	NA	NA	NA	NA
	05/27/97	NR	7.30	10.40	NA	NA	NA	NA	NA
	09/18/97	NR	7.07	17.00	1250 us	NA	NA	NA	NA
	12/12/97	NR	7.32	11.20	1090 us	NA	NA	NA	NA
	03/25/98	NR	7.34	7.90	1590 us	NA	NA	NA	NA
	06/10/98	NR	6.95	11.50	1407 us	NA	NA	NA	NA
	10/27/98	5	7.42	16.70	1459 us	1.30	97.00	14.40	0.20
	02/09/99	3.9	8.08	11.20	1386 us	1.30	21.00	8.00	2.40
	06/08/99	5.5	7.23	14.80	1283 us	1.80	85.00	14.00	5.60
	09/13/99	5.2	7.12	16.30	1363 us	1.70	(143.00)	14.40	1.60
	12/15/99	5.1	7.25	10.30	1375 us	0.90	(288.00)	14.40	1.20
	03/13/00	5	7.06	8.80	1277 us	1.10	(33.00)	8.40	1.00
	06/22/00	5	8.58	14.60	1177 us	1.97	(120.00)	6.80	0.00
	09/27/00	6	7.60	18.10	1098 us	1.50	(178.00)	10.00	0.00
	12/19/00	4	7.67	8.30	1227 us	1.14	(267.00)	11.60	0.00
	03/01/01	5	7.51	11.10	1175 us	1.20	(311.00)	11.20	0.00
	06/19/01	6	7.93	14.80	1310 us	0.80	(24.00)	6.20	0.00
	09/24/01	6	7.37	13.10	1177 us	0.40	4.00	6.40	0.00
	12/05/01	5	7.30	10.40	1288 us	1.00	(163.00)	12.40	0.00
	03/19/02	6	7.44	10.90	1044 us	1.30	(280.00)	11.20	0.00
	06/20/02	6	7.51	14.20	1240 us	0.80	(90.00)	6.20	0.00
	09/18/02	5	7.31	15.60	1221 us	1.30	(104.00)	14.60	1.00
	12/17/03	3	7.28	10.60	1,155	1.10	(172.00)	12.40	0.40
	03/24/03	5	7.18	10.60	1131 us	0.80	(342.00)	11.20	0.00
	06/10/03	4	7.30	15.00	1133 us	0.80	(121.00)	8.80	0.00
	09/10/03	5	7.22	15.00	1240 us	1.00	(175.00)	11.60	0.80

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
W-8	03/24/04	4.3	7.40	7.80	755 us	EM	(47.00)	NA	0.00
	03/29/05	4	7.10	7.80	1743 us	3.43	87.00	NA	0.00
	03/23/06	4	7.20	8.30	2560 us	4.00	227.00	NA	0.00
	03/27/07	3	7.3	10.3	1438 us	6.71	237	NA	0.03
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.52	8.5	1510.0 µS/cm	3.32	222	NA	0.03
	04/13/15	1.5	6.55	8.49	4.74 mS/cm	5.92	138	NA	<0.0129
	09/25/19	5.5	7.13	16.96	1.07 mS/cm	0.00	108	NA	<0.0296
	09/07/23	4.0	8.60	17.99	0.747 mS/cm	0.78	(33)	NA	0.0404 J
W-15	02/20/97	NR	8.15	9.00	920 us	NA	NA	NA	NA
	05/27/97	NR	7.66	10.00	NA	NA	NA	NA	NA
	09/18/97	NR	7.22	16.00	1300 us	NA	NA	NA	NA
	12/12/97	NR	7.18	10.40	1180 us	NA	NA	NA	NA
	03/25/98	NR	7.70	8.40	1450 us	NA	NA	NA	NA
	06/10/98	NR	6.46	11.60	1496 us	NA	NA	NA	NA
	10/27/98	4	7.27	16.00	1551 us	0.80	137.00	14.40	0.00
	02/09/99	2.6	8.07	10.00	1418 us	1.30	7.00	12.00	0.60
	06/08/99	4.5	7.54	16.70	1465 us	1.50	75.00	12.00	1.40
	09/13/99	3.6	7.18	17.60	1647 us	1.90	(137.00)	10.40	0.80
	12/15/99	3.3	7.52	11.70	1544 us	1.50	(281.00)	12.40	1.00
	03/13/00	4	7.14	8.90	1266 us	1.40	(19.00)	7.60	0.40
	06/22/00	3	8.22	14.90	1546 us	1.63	36.00	7.30	0.00
	09/27/00	5	5.43	17.40	1711 us	1.30	(41.00)	12.40	0.00
	12/19/00	3	7.55	8.90	1628 us	3.23	(305.00)	15.20	1.60
	03/01/01	4	7.43	10.90	1435 us	2.10	(381.00)	16.00	0.80
	06/19/01	5	8.18	14.80	1380 us	1.40	(64.00)	6.00	0.00
	09/24/01	5	7.22	12.60	1160 us	1.00	(49.00)	8.00	0.00
	12/05/01	3	7.28	9.90	1544 us	2.00	(280.00)	12.80	1.20
	03/19/02	5	7.58	10.30	1284 us	1.80	(318.00)	12.20	0.40
	06/20/02	5	8.00	14.60	1280 us	1.00	(180.00)	12.40	0.00
	09/18/02	5	7.20	16.30	1399 us	1.60	(152.00)	13.60	0.40
	12/17/02	3	7.18	10.00	1234 US	2.00	(220.00)	8.80	1.00
	03/24/03	3	7.22	10.60	1294 us	1.40	(330.00)	12.40	0.20
	06/10/03	5	7.76	14.80	1148 us	1.20	(174.00)	11.20	0.00
	09/10/03	5	7.18	15.40	1317 us	1.20	(170.00)	10.40	0.60
	03/24/04	3.7	7.30	8.40	1516 us	EM	(32.00)	NA	0.00
	03/29/05	3	7.00	8.20	2240 us	3.81	85.00	NA	0.00
	03/23/06	4	7.00	7.50	1952 us	4.40	236.00	NA	0.00
	03/28/07	3	7.3	9.0	1420 us	3.28	213	NA	0.01
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.43	7.9	1713.0 µs	3.68	219	NA	0.00
	04/13/15	1.5	6.38	11.85	5.29 mS/cm	8.82	140	NA	<0.0129
	09/25/19	4.0	7.46	18.77	0.780 mS/cm	0.39	85	NA	<0.0296
	09/07/23	3.0	7.14	17.71	1.403 mS/cm	3.89	103.3	NA	<0.0296
MW-101	02/20/97	NR	7.12	8.00	1400 us	NA	NA	NA	NA
	05/27/97	NR	7.56	12.90	NA	NA	NA	NA	NA
	09/18/97	NR	6.54	14.00	1380 us	NA	NA	NA	NA
	12/12/97	NR	6.64	11.40	1390 us	NA	NA	NA	NA
	03/25/98	NR	7.58	10.50	2142 us	NA	NA	NA	NA
	06/10/98	NR	6.29	11.50	2116 us	NA	NA	NA	NA
	10/27/98	9	7.13	14.10	2.27 ms	0.50	116.00	12.00	0.00
	02/09/99	7	8.11	12.70	2.11 ms	1.10	165.00	8.80	0.20
	06/08/99	6	7.05	15.00	2.17 ms	0.70	161.00	8.00	0.20
	09/13/99	5.9	7.25	14.90	2.12 ms	0.90	(125.00)	13.60	0.00
	12/15/99	6	8.71	12.70	2.06 ms	1.00	(262.00)	8.80	0.00
	03/13/00	7	6.34	11.60	1939 us	1.10	44.00	8.00	0.00
	06/22/00	5	7.73	15.20	2.25 ms	0.96	50.00	8.00	0.00
	09/27/00	8.5	6.80	15.50	2.18 ms	0.70	3.00	12.80	0.00

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-101	12/19/00	10.5	7.12	11.90	2.18 ms	1.48	(233.00)	14.40	0.00
	03/01/01	8	7.41	11.00	2.31 ms	1.32	(283.00)	12.20	0.00
	06/19/01	9	8.04	13.60	1265 us	1.00	10.00	7.20	0.00
	09/24/01	8	7.79	13.40	1304 us	1.00	(11.00)	11.20	0.00
	12/05/01	9	7.40	11.20	2240 us	1.20	(304.00)	8.40	0.00
	03/19/02	9	7.36	10.80	1984 us	1.40	(210.00)	12.20	0.00
	06/20/02	10	7.93	13.80	1190 us	0.80	(30.00)	14.00	0.00
	09/18/02	10	7.24	15.00	2248 us	0.80	(113.00)	8.80	0.00
	12/17/02	8	7.27	11.40	1988 us	1.60	(334.00)	8.40	0.00
	03/24/03	9	7.45	11.10	1033 us	0.60	(190.00)	11.20	0.00
	06/10/03	10	7.66	14.00	1121 us	1.00	(61.00)	13.20	0.00
	09/10/03	8	7.30	14.80	2104 us	0.80	(124.00)	7.20	0.00
	03/24/04	6.7	6.90	10.10	3160 us	EM	(69.00)	NA	0.00
	03/29/05	6	6.60	12.12	4730 us	1.27	83.00	NA	0.00
	03/23/06	7	6.60	10.50	2470 us	2.65	191.00	NA	0.03
	03/27/07	5	6.70	13.3	2440 us	3.64	187	NA	0.00
	04/16/08	1.25	6.94	10.5	NA	1.62	309	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	1.5	6.88	7.9	8.83 ms	2.23	NA	NA	NA
	03/17/10	1.5	6.90	9.1	7.30 ms	2.76	263	NA	NA
	04/29/11	1.25	7.06	10.2	5920 µs	2.57	293	NA	0.00
	03/16/12	2	6.20	10.1	0.47 S/m	1.90	212	NA	NA
	04/29/13	2.5	9.59	9.3	6.33 ms	2.09	(74.40)	NA	NA
	04/21/14	3.5	6.84	7.4	2.97 mS/cm	3.99	258.6	NA	NA
	04/14/15	2	5.87	8.17	19.5 mS/cm	5.42	144	NA	<0.0129
	03/30/16	1.5	6.86	8.90	4.56 mS/cm	2.43	58.7	NA	NA
	03/29/17	2	8.89	10.30	4.951 mS/cm	2.28	221.2	NA	NA
	04/11/18	1.5	6.74	9.90	5.369 mS/cm	2.65	133.8	NA	NA
	09/25/19	1.5	6.60	18.22	7.027 mS/cm	0.38	84.5	NA	<0.0296
	09/22/21	2	6.49	17.95	4.857 mS/cm	0.70	81.9	NA	NA
	09/07/23	9	8.66	16.27	5.251 mS/cm	0.45	(43.10)	NA	<0.0296
MW-102	02/20/97	NR	8.00	10.50	700 us	NA	NA	NA	NA
	05/27/97	NR	7.47	10.50	NA	NA	NA	NA	NA
	09/18/97	NR	6.99	13.00	810 us	NA	NA	NA	NA
	12/12/97	NR	7.23	8.50	690 us	NA	NA	NA	NA
	03/25/98	NR	7.68	10.20	1145 us	NA	NA	NA	NA
	06/10/98	NR	6.97	10.30	1046 us	NA	NA	NA	NA
	10/27/98	2	8.07	13.00	1197 us	1.50	103.00	17.60	0.40
	02/09/99	0.5	7.48	11.00	1164 us	1.00	0.33	14.40	0.00
	06/08/99	0.5	7.89	18.60	1226 us	1.00	151.00	4.80	0.80
	09/13/99	0.5	7.84	13.30	1208 us	1.20	(246.00)	10.00	1.20
	12/15/99	0.5	7.78	9.00	1152 us	1.60	(288.00)	10.80	1.00
	03/13/00	0.5	6.74	9.70	1096 us	1.20	(260.00)	6.80	0.00
	06/22/00	0.5	8.01	12.30	1233 us	0.53	(13.00)	6.00	0.00
	09/27/00	0.5	8.25	12.50	1182 us	1.90	(241.00)	9.20	0.00
	12/19/00	0.5	7.59	8.70	1126 us	1.27	(454.00)	11.60	0.00
	03/01/01	0.5	7.30	10.90	1321 us	1.02	(521.00)	9.20	0.00
	06/19/01	0.5	8.64	13.20	1944 us	0.60	35.00	6.40	0.00
	09/24/01	0.5	7.63	13.40	1622 us	0.80	18.00	7.20	0.00
	12/05/01	0.5	7.59	9.40	1233 us	0.80	(110.00)	12.40	0.00
	03/19/02	0.5	7.41	10.80	1143 us	0.90	(503.00)	9.20	0.50
	06/20/02	0.5	8.18	13.80	1720 us	0.40	4.00	9.60	0.00
	09/18/02	0.5	7.04	13.50	1318 us	1.00	(212.00)	10.80	1.00
	12/17/02	0.5	7.55	10.00	1186 us	0.60	(94.00)	11.20	0.00
	03/24/03	0.5	7.38	10.40	972 us	0.40	(621.00)	8.40	0.00
	06/10/03	0.5	8.01	13.80	1530 us	0.40	(18.00)	8.60	0.00
	09/10/03	0.5	7.10	14.00	1313 us	0.80	(211.00)	8.00	0.80
	03/24/04	2.7	7.20	12.80	1112 us	EM	(26.00)	NA	0.00
	03/29/05	3	7.10	12.70	1199 us	2.71	85.00	NA	0.00
	03/23/06	2	7.50	9.20	1234 us	5.06	283.00	NA	0.00
	03/27/07	2	7.2	12.5	1093 us	1.73	86	NA	0.29
	04/16/08	1	7.10	14.1	NA	2.64	179.9	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	1	7.46	10.2	1275 us	4.90	NA	NA	NA

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-102	03/17/10	1	7.35	11.6	1295 us	3.35	91.1	NA	NA
	04/29/11	1.25	7.40	11.5	1204 µs	2.33	234	NA	0.09
	03/14/12	1.5	6.50	12.7	0.12 S/m	5.50	97	NA	NA
	04/29/13	2.5	7.35	10.7	0.81 ms	4.15	(31.20)	NA	NA
	04/21/14	1	7.18	11.3	0.65 mS/cm	6.83	182.5	NA	NA
	04/13/15	1.5	6.51	14.57	2.59 mS/cm	7.01	133	NA	<0.0129
	03/30/16	1.5	7.20	9.70	0.64 mS/cm	4.87	52.6	NA	NA
	03/29/17	2	8.68	9.80	0.717 mS/cm	5.84	158.8	NA	NA
	04/11/18	1.5	7.06	10.10	0.846 mS/cm	1.30	(33.70)	NA	NA
	09/25/19	Unable to sample. Bent bolt over well							
	09/22/21	2	6.69	13.41	0.623 mS/cm	0.76	14.2	NA	NA
	09/07/23		7.14	11.97	0.742 mS/cm	2.10	123.8	NA	<0.0296
MW-103	02/20/97	NR	6.30	6.00	700 us	NA	NA	NA	NA
	05/27/97	NR	7.67	11.60	NA	NA	NA	NA	NA
	09/18/97	NR	7.21	10.50	1030 us	NA	NA	NA	NA
	12/12/97	NR	7.43	9.00	970 us	NA	NA	NA	NA
	03/25/98	NR	7.82	9.40	1441 us	NA	NA	NA	NA
	06/10/98	NR	6.24	9.90	1356 us	NA	NA	NA	NA
	10/27/98	8	7.66	12.70	1566 us	0.70	147.00	12.00	0.20
	02/09/99	7.8	7.48	9.90	1443 us	1.40	53.00	11.20	0.80
	06/08/99	9.5	7.42	13.90	1350 us	0.70	109.00	7.20	0.00
	09/13/99	4.1	7.41	12.90	985 us	1.60	(165.00)	12.00	0.00
	12/15/99	4.6	7.82	10.60	2.58 ms	1.40	(294.00)	10.80	0.00
	03/13/00	4	6.57	9.40	1292 us	1.00	76.00	8.40	0.40
	06/22/00	4	8.43	11.50	1354 us	0.99	(90.00)	6.00	0.00
	09/27/00	11	7.48	13.70	1131 us	1.40	(302.00)	7.60	0.00
	12/19/00	9	7.90	6.60	1063 us	1.56	(344.00)	9.20	0.40
	03/01/01	8.5	7.68	11.20	1160 us	1.88	(374.00)	8.00	0.60
	06/19/01	13	7.81	14.10	1848 us	1.10	(28.00)	7.40	0.00
	09/24/01	2	7.32	12.70	1743 us	1.00	(47.00)	12.00	0.00
	12/05/01	11	7.18	9.00	1121 us	1.40	(291.00)	10.80	0.60
	03/19/02	11	7.60	11.40	1050 us	1.50	(311.00)	10.00	0.40
	06/20/02	12	7.47	14.40	1830 us	0.80	(62.00)	10.80	0.00
	09/18/02	10	7.18	13.00	748 us	1.40	(170.00)	11.20	0.00
	12/17/02	8	7.22	9.60	1134 us	1.20	(284.00)	10.00	0.40
	03/24/03	11	7.54	11.00	1262 us	1.20	(320.00)	10.00	0.60
	06/10/03	10	7.13	14.10	1644 us	0.60	(80.00)	10.00	0.20
	09/10/03	10	7.14	13.20	920 us	1.00	(165.00)	10.40	0.00
	12/10/03	10	7.28	10.40	1210 us	0.80	(310.00)	7.80	0.20
	03/24/04	8.6	7.30	10.20	656 us	EM	(126.00)	NA	0.00
	07/09/04	5	7.20	14.00	996 us	16.30	283.00	NA	0.00
	09/21/04	1.5	7.10	20.10	1004 us	EM	(19.00)	NA	0.00
	03/29/05	12	7.00	10.20	1164 us	1.16	84.00	NA	0.00
	06/21/05	7	7.10	13.30	1253 us	1.46	142.00	NA	0.00
	09/21/05	10	7.30	13.50	1233 us	3.40	225.00	NA	0.00
	12/14/05	7	7.20	9.90	1295 us	1.53	NA	NA	0.00
	03/23/06	7	7.00	11.50	1140 us	230.00	252.00	NA	0.00
	06/28/06	5	7.10	11.80	746 us	2.75	232.00	NA	0.00
	12/20/06	8	7.40	10.80	1207 us	2.89	241.00	NA	0.23
	03/28/07	8	7.2	10.8	1075 us	3.09	238.0	NA	0.05
	07/03/07	8	7.4	11.3	1154 us	3.54	126.0	NA	0.38
	09/28/07	8	7.2	13.7	1294 us	3.14	217.0	NA	0.00
	04/16/08	1	7.09	12.0	556 us	0.83	233	NA	NA
	09/22/08	1	7.27	13.8	1446 us	0.20	183.7	NA	NA
	04/03/09	1	7.40	9.4	1451 us	1.89	NA	NA	NA
	09/01/09	1	7.33	12.4	1409 µs	0.22	267	NA	NA
	03/17/10	1.5	7.30	10.8	1480 µs	0.89	231	NA	NA
	09/09/10	1.25	7.21	12.6	1468 µs	0.40	133.2	NA	NA
	04/29/11	1.25	7.36	10.2	1304 µs	2.17	244	NA	0.09
	09/01/11	1.5	7.36	13.5	1316 µs	0.63	89.7	NA	NA
	03/14/12	2	6.20	10.2	0.12 S/m	0.70	175.0	NA	NA
	09/11/12	2.5	7.03	15.9	1.15 ms	1.05	117.8	NA	NA
	04/29/13	1.5	12.45	9.3	0.97 ms	1.82	(102.50)	NA	NA
	09/18/13	2.5	6.40	14.00	0.12 ms	5.20	152.00	NA	NA

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-103	04/21/14	1.5	7.02	9.2	0.63 mS/cm	2.64	219.5	NA	NA
	09/16/14	3.5	8.25	13.3	0.77 mS/cm	3.72	(70.40)	NA	NA
	04/14/15	2.5	5.90	7.62	3.51 mS/cm	5.80	118	NA	<0.0129
	09/14/15	1.5	7.15	14.62	1.007 mS/cm	0.51	69	NA	NA
	04/05/16	1.5	7.26	8.30	0.63mS/cm	1.15	43.4	NA	NA
	09/21/16	3	7.01	13.95	0.819 mS/cm	0.70	247.2	NA	NA
	03/29/17	1.5	8.61	8.40	0.771 mS/cm	1.91	183.2	NA	NA
	10/04/17	3	7.38	13.57	1.006 mS/cm	0.20	181.5	NA	NA
	04/11/18	1.5	7.00	9.20	0.909 mS/cm	2.07	56.2	NA	NA
	09/17/18	2	6.61	14.51	1.089 mS/cm	2.01	121.1	NA	NA
	09/25/19	3	6.83	13.88	0.606 mS/cm	4.61	82.3	NA	<0.0296
	09/22/21	2	6.55	13.93	0.579 mS/cm	2.47	(18.1)	NA	NA
	09/07/23	8	7.15	12.07	0.772 mS/cm	6.29	132.5	NA	<0.0296
MW-104	02/20/97	NR	7.43	8.00	1000 us	NA	NA	NA	NA
	05/27/97	NR	8.00	12.00	NA	NA	NA	NA	NA
	09/18/97	NR	7.13	10.50	1030 us	NA	NA	NA	NA
	12/12/97	NR	7.10	9.60	1000 us	NA	NA	NA	NA
	03/25/98	NR	7.94	8.30	1378 us	NA	NA	NA	NA
	06/10/98	NR	6.53	9.70	1101 us	NA	NA	NA	NA
	10/27/98	8	7.84	13.20	1272 us	0.90	103.00	16.40	0.40
	02/09/99	9.5	7.66	10.10	1126 us	1.50	193.00	11.20	0.00
	06/08/99	13	6.80	15.60	1259 us	1.60	103.00	6.40	0.00
	09/13/99	13.8	7.08	13.90	1334 us	1.80	(146.00)	10.80	0.00
	12/15/99	11.2	7.68	10.80	1172 us	2.00	(232.00)	11.20	0.00
	03/13/00	16.5	6.91	10.20	1121 us	0.40	69.00	11.20	0.60
	06/22/00	11	8.65	11.60	1137 us	0.71	(211.00)	6.80	0.00
	09/27/00	8	7.24	12.90	1130 us	1.70	(123.00)	13.20	0.00
	12/19/00	8	7.75	8.20	1144 us	1.05	(240.00)	12.40	0.00
	03/01/01	9.5	7.72	10.60	1230 us	0.90	(220.00)	12.40	0.20
	06/19/01	13	7.91	12.90	1581 us	0.80	(110.00)	6.80	0.00
	09/24/01	8	7.18	12.40	1580 us	0.80	(99.00)	9.60	0.20
	12/05/01	7	7.22	9.90	1300 us	1.00	(311.00)	9.60	0.00
	03/19/02	10	7.70	10.60	1110 us	0.70	(210.00)	11.60	0.20
	06/20/02	10	7.53	13.00	1420 us	0.80	(174.00)	12.40	0.20
	09/18/02	9	7.03	14.60	1275 us	1.60	(148.00)	12.40	0.00
	12/17/02	8	7.31	10.00	1264 us	0.80	(294.00)	8.80	0.00
	03/24/03	8	7.61	10.40	1031 us	0.80	(240.00)	10.80	0.00
	06/10/03	10	7.40	15.00	1374 us	0.60	(91.00)	11.20	0.40
	09/10/03	9	7.08	14.20	1144 us	1.20	(151.00)	8.80	0.00
	12/01/03	8	7.35	10.10	1177 us	0.80	(280.00)	8.80	0.00
	03/24/04	13.6	7.30	9.90	1496 us	EM	(91.00)	NA	0.00
	07/09/04	5	7.00	12.00	1648 us	2.90	EM	NA	0.00
	09/21/04	1	7.00	13.10	1648 us	EM	1.00	NA	0.00
	03/29/05	6	7.00	10.20	1939 us	2.69	86.00	NA	0.00
	06/21/05	7	7.10	12.50	1999 us	3.50	125.00	NA	0.00
	09/21/05	7	7.10	13.80	1926 us	2.78	213.00	NA	0.00
	12/14/05	7	6.90	10.90	2320 us	2.11	253.00	NA	NA **
	03/23/06	10	6.90	10.60	2250 us	1.73	209.00	NA	0.00
	06/28/06	5	6.80	11.30	2290 us	1.40	215.00	NA	0.26
	12/20/06	8	7.10	11.90	2120 us	2.08	248.00	NA	0.00
	03/28/07	8	6.9	10.1	2450 us	3.80	226.0	NA	0.07
	07/03/07	6	7.1	11.5	2180 us	1.51	247.0	NA	0.61
	09/28/07	6	6.9	14.7	2380 us	2.22	266.0	NA	0.05
	04/16/08	1	6.96	13.9	853 us	1.74	157.0	NA	NA
	09/22/08	1	7.06	13.1	3.43 ms	0.23	61.8	NA	NA
	04/03/09	1	7.25	8.1	2.88 ms	1.67	NA	NA	NA
	09/01/09	1	7.11	11.6	3110 µs	0.60	262	NA	NA
	03/17/10	1.5	7.14	9.9	3.07 ms	0.93	210	NA	NA
	09/09/10	1.25	7.07	12.4	3.05 ms	0.24	(156.2)	NA	NA
	04/29/11	1.25	7.32	10.2	2980 µs	1.34	243	NA	0.00
	09/01/11	1.5	7.31	13.4	2.58 ms	0.31	(150.80)	NA	NA
	03/14/12	2	6.20	10.1	0.16 S/m	1.00	165.00	NA	NA
	09/11/12	2	6.95	13.4	1.85 ms	0.25	84.90	NA	NA
	04/29/13	1.5	11.68	9.3	2.10 ms	0.24	(123.50)	NA	NA

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-104	09/17/13	4.3	6.7	11.2	0.29ms	6.2	(84.00)	NA	NA
	04/21/14	1	6.86	10.1	2.12 mS/cm	1.91	253.90	NA	NA
	09/16/14	2	7.77	12.4	2.73 mS/cm	0.41	(102.40)	NA	NA
	04/14/15	1.5	6.04	7.88	5.30 mS/cm	4.60	122	NA	<0.0129
	09/14/15	1.75	7.11	13.92	1.941 mS/cm	0.55	(12)	NA	NA
	03/30/16	1.5	7.13	8.30	0.98 mS/cm	0.76	35.6	NA	NA
	09/21/16	2.5	7.11	15.30	0.986 mS/cm	0.23	(22.0)	NA	NA
	03/29/17	1.5	8.57	8.50	1.085 mS/cm	0.91	187.7	NA	NA
	10/04/17	3	7.49	12.78	1.269 mS/cm	0.15	178.6	NA	NA
	04/11/18	1.5	7.01	9.60	1.161 mS/cm	2.33	81.5	NA	NA
	09/17/18	2	6.87	14.07	1.456 mS/cm	0.24	(3.3)	NA	NA
	09/25/19	2	7.06	14.34	1.20 mS/cm	0.00	(65.0)	NA	2.75
	09/22/21	2	6.84	14.13	0.670 mS/cm	0.90	(66.7)	NA	2.75
09/07/23	6	7.12	11.38	0.921 mS/cm	0.47	1.9	NA	0.0789 J	
MW-105	02/20/97	NR	7.70	7.00	1600 us	NA	NA	NA	NA
	05/27/97	NR	7.44	10.50	NA	NA	NA	NA	NA
	09/18/98	NR	6.89	16.00	2150 us	NA	NA	NA	NA
	12/12/97	NR	7.04	12.00	2050 us	NA	NA	NA	NA
	03/25/98	NR	7.35	6.70	2878 us	NA	NA	NA	NA
	06/10/98	NR	6.25	11.10	2695 us	NA	NA	NA	NA
	10/27/98	5	7.57	16.80	2.87 ms	0.10	121.00	13.60	0.00
	02/09/99	5.9	7.34	10.60	2.76 ms	0.90	281.00	16.80	1.80
	06/08/99	5	7.32	17.80	2.87 ms	0.70	90.00	9.60	0.20
	09/13/99	3.5	7.00	17.20	2.74 ms	1.70	(182.00)	13.20	1.40
	12/15/99	3.6	7.36	13.00	2.62 ms	1.60	(255.00)	8.80	1.20
	03/13/00	4.5	6.58	8.40	2430 us	1.30	23.00	9.60	0.80
	06/22/00	3.2	8.44	14.30	2.71 ms	0.88	(304.00)	6.40	0.00
	09/27/00	6	6.62	17.90	2.53 ms	1.10	(198.00)	12.80	0.00
	12/19/00	6	7.42	9.60	2.32 ms	2.27	(167.00)	12.40	0.00
	03/01/01	5	7.24	10.80	2.45 ms	1.89	(184.00)	11.60	0.00
	06/19/01	7	8.19	12.80	1877 us	0.60	(200.00)	6.80	0.00
	09/24/01	6	7.41	13.80	1809 us	0.80	(183.00)	7.20	0.00
	12/05/01	6	7.34	10.00	2148 us	1.80	(188.00)	11.20	0.20
	03/19/02	5	6.94	10.20	1984 us	1.80	(169.00)	9.60	0.00
	06/20/02	6	8.04	13.00	1400 us	1.00	(310.00)	10.80	0.00
	09/18/02	6	7.21	17.20	2800 us	1.60	(183.00)	10.80	1.60
	12/17/02	5	7.08	10.40	2008 us	1.40	(194.00)	13.20	0.40
	03/24/03	5	7.04	10.60	1477 us	1.40	(99.00)	14.00	0.00
	06/10/03	6	7.81	14.80	1344 us	1.20	(280.00)	8.60	0.00
	09/10/03	6	7.30	16.40	2626 us	1.20	(177.00)	10.00	1.20
	03/24/04	4.9	6.80	5.90	2220 us	EM	(78.00)	NA	0.00
03/29/05	4	6.80	8.90	2300 us	2.12	87.00	NA	0.00	
03/23/06	4	6.90	8.60	2170 us	3.54	256.00	NA	0.22	
03/27/07	4	6.8	9.2	2180 us	3.37	296	NA	0.08	
04/16/08	NA	NA	NA	NA	NA	NA	NA	NA	
09/22/08	NA	NA	NA	NA	NA	NA	NA	NA	
04/03/09	NA	NA	NA	NA	NA	NA	NA	NA	
03/17/10	NA	NA	NA	NA	NA	NA	NA	NA	
04/29/11	1.25	7.25	9.8	1812 µs	2.98	242	NA	0.00	
04/13/15	4	6.32	8.66	6.76 mS/cm	6.91	152	NA	0.0226 J	
09/25/19	Unable to sample. Bent bolt over well								
09/07/23	5	8.25	19.77	1.620 mS/cm	3.74	2.1	NA	<0.0296	
MW-106	02/20/97	NR	7.75	10.00	1000 us	NA	NA	NA	NA
	05/27/97	NR	7.47	10.10	NA	NA	NA	NA	NA
	09/18/97	NR	7.19	15.00	1310 us	NA	NA	NA	NA
	12/12/97	NR	7.06	11.50	1260 us	NA	NA	NA	NA
	03/25/98	NR	7.61	8.70	1716 us	NA	NA	NA	NA
	06/10/98	NR	7.11	11.60	1604 us	NA	NA	NA	NA
	10/27/98	4	7.31	16.80	1824 us	1.20	138.00	12.80	0.00
	02/09/99	2.5	7.33	10.20	1605 us	1.10	197.00	20.80	0.00
	06/08/99	3.5	7.15	15.40	1332 us	0.70	17.00	6.40	0.20
	09/13/99	2.3	7.02	17.40	1357 us	1.00	(168.00)	11.60	0.00
	12/15/99	2	8.41	12.10	1445 us	0.80	(266.00)	10.00	0.00
	03/13/00	2.5	6.92	9.10	1513 us	1.60	18.00	10.40	0.00

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-106	06/22/00	1.5	8.18	14.50	1736 us	2.02	38.00	7.20	0.00
	09/27/00	6	6.84	19.10	1715 us	1.60	(8.00)	12.00	0.00
	12/19/00	4	7.48	10.70	1694 us	1.43	(218.00)	10.80	0.00
	03/01/01	4	7.33	10.80	1722 us	1.50	(210.00)	9.20	0.00
	06/19/01	4	8.28	13.00	1361 us	1.10	(210.00)	6.40	0.00
	09/24/01	6	7.66	14.00	1220 us	0.80	(104.00)	11.20	0.00
	12/05/01	4	7.60	10.40	1702 us	0.90	(217.00)	12.80	0.00
	03/19/02	5	7.13	10.40	1630 us	1.70	(235.00)	9.20	0.00
	06/20/02	5	8.08	12.80	1288 us	1.20	(240.00)	8.80	0.00
	09/18/02	5	7.30	17.80	1438 us	1.00	(141.00)	8.80	0.00
	12/17/02	3	7.15	10.20	1788 us	0.80	(220.00)	11.20	0.00
	03/24/03	3	7.22	10.80	1250 us	1.10	(193.00)	10.00	0.00
	06/10/03	5	7.84	13.80	1310 us	1.20	(230.00)	10.20	0.00
	09/10/03	5	7.24	16.60	1303 us	0.80	(140.00)	12.00	0.00
	03/24/04	1.8	7.10	8.00	1761 us	EM	(57.00)	NA	0.00
	03/29/05	2.5	6.90	9.00	1995 us	2.24	85.00	NA	0.00
	03/23/06	4	7.00	9.40	2160 us	4.14	249.00	NA	0.00
	03/27/07	2	7.0	8.5	1887 us	5.04	249	NA	0.00
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.19	8.9	4120 µs	4.12	211	NA	0.06
	04/13/15	4	6.68	8.06	4.50 mS/cm	9.30	132	NA	<0.0129
	09/25/19	6.5	7.04	18.56	1201 µs	0.36	21.8	NA	<0.0296
	09/07/23	4.0	8.41	18.01	1,540 mS/cm	3.74	(7.9)	NA	<0.0296
MW-107	02/20/97	NR	7.46	9.00	650 us	NA	NA	NA	NA
	05/27/97	NR	7.12	10.80	NA	NA	NA	NA	NA
	09/18/97	NR	7.07	12.50	700 us	NA	NA	NA	NA
	12/12/97	NR	7.08	10.50	730 us	NA	NA	NA	NA
	03/25/98	NR	7.87	10.20	1081 us	NA	NA	NA	NA
	06/10/98	NR	7.17	10.60	1042 us	NA	NA	NA	NA
	10/27/98	10	7.41	12.10	1179 us	1.10	62.00	20.00	10.00
	02/09/99	9	8.10	12.00	1189 us	1.30	263.00	7.20	0.40
	06/08/99	9	7.48	15.60	1406 us	2.20	163.00	4.80	0.40
	09/13/99	8	7.30	12.90	1301 us	2.60	(114.00)	14.00	0.60
	12/15/99	10	7.63	11.30	1419 us	2.80	(42.00)	12.40	1.00
	03/13/00	14.50	5.76	10.90	1389 us	1.20	58.00	8.40	0.60
	06/22/00	10	8.75	12.40	1574 us	0.62	(120.00)	6.40	0.00
	09/27/00	10	7.42	14.20	1505 us	1.60	(114.00)	9.20	0.00
	12/19/00	13	7.69	9.50	1524 us	1.21	(38.00)	10.40	0.00
	03/01/01	16	7.81	9.90	1704 us	1.31	(93.00)	12.40	0.20
	06/19/01	15	7.64	13.40	1221 us	0.80	(80.00)	6.00	0.20
	09/24/01	9	7.04	12.40	977 us	0.60	(77.00)	12.00	0.40
	12/05/01	13	7.15	9.20	1611 us	0.80	(95.00)	8.40	0.00
	03/19/02	12	7.64	10.00	1730 us	1.30	8.00	9.60	0.20
	06/20/02	10	7.48	13.60	1304 us	0.60	(110.00)	9.60	0.40
	09/10/02	10	7.52	13.10	1403 us	2.00	(104.00)	12.40	0.40
	12/17/02	10	7.22	10.40	1593 us	0.80	(110.00)	7.80	0.00
	03/24/03	10	7.30	10.30	1362 us	1.00	(48.00)	10.80	0.00
	06/10/03	11	7.20	14.00	1277 us	0.80	(200.00)	9.20	1.00
	09/10/03	10	7.46	13.30	1121 us	1.30	(99.00)	8.00	0.20
	12/01/03	10	7.41	9.80	1360 us	1.00	(98.00)	8.40	0.00
	03/24/04	9	7.30	11.10	1704 us	EM	(109.00)	NA	0.00
	07/09/04	6	7.30	13.20	1704 us	4.59	166.00	NA	0.00
	09/21/04	3	7.10	14.30	1649 us	EM	7.00	NA	0.00
	03/29/05	9	7.20	11.50	1749 us	2.83	85.00	NA	0.00
	06/21/05	8	7.30	12.70	2010 us	1.85	119.00	NA	0.00
	09/21/05	8	7.50	15.20	1594 us	2.92	221.00	NA	0.00
	12/14/05	8	7.40	12.30	1708 us	1.80	250.00	NA	0.00
	03/27/06	10	7.30	11.90	1726 us	2.65	269.00	NA	0.00
	06/28/06	7	7.20	13.40	1696 us	3.76	212.00	NA	0.04
	12/20/06	8	7.20	11.80	1655 us	3.83	234.00	NA	0.08
	03/28/07	8	7.3	10.4	1599 us	7.14	240	NA	0.01

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-107	07/03/07	7	7.5	11.8	1163 us	3.41	258	NA	0.00
	09/28/07	6	7.4	13.1	1642 us	2.64	238	NA	0.02
	04/16/08	1	7.30	13.5	NA	2.12	197.9	NA	NA
	09/22/08	1	7.47	15.4	1650 us	0.23	171.8	NA	NA
	04/03/09	1.5	7.63	10.0	1615 us	2.32	NA	NA	NA
	09/01/09	1.25	7.51	13.9	1586 µs	0.16	278	NA	NA
	03/17/10	1.5	7.61	11.2	1566 µs	2.09	258	NA	NA
	09/09/10	1.5	7.46	14.1	1532 µs	0.24	239	NA	NA
	04/29/11	1.25	7.63	11.0	1516 µs	1.66	274	NA	0.00
	09/01/11	1.5	7.63	15.0	1490 µs	0.28	184.1	NA	NA
	03/14/12	1	6.40	11.6	0.14 S/m	1.90	169.0	NA	NA
	09/11/12	2	7.27	16.8	1.27 ms	0.14	37.2	NA	NA
	04/30/13	2	10.66	9.7	1.11 ms	3.03	(70.4)	NA	NA
	09/17/13	3	7.0	15.0	0.14ms	4.0	65	NA	NA
	04/21/14	1	7.39	10.1	0.94 mS/cm	2.9	215.2	NA	NA
	09/16/14	3.5	7.95	14.7	0.86 mS/cm	2.29	(14.3)	NA	NA
	04/14/15	2	6.41	10.61	4.37 mS/cm	4.08	114	NA	<0.0129
	09/14/15	1.75	7.25	18.52	1.365 mS/cm	0.72	81	NA	NA
	03/30/16	1.5	7.32	9.20	0.90 mS/cm	2.22	52.9	NA	NA
	09/21/16	3	7.31	16.95	0.959 mS/cm	0.68	43.8	NA	NA
	03/29/17	1.75	10.77	8.80	0.966 mS/cm	3.79	202.4	NA	NA
	10/03/17	2	7.67	16.09	1.214 mS/cm	0.18	230.6	NA	NA
	04/11/18	1.5	7.35	9.50	1.006 mS/cm	2.68	97.8	NA	NA
	09/17/18	2.5	7.08	16.99	1.168 mS/cm	0.22	58.5	NA	NA
	09/25/19	2	7.33	16.08	0.934 mS/cm	0.77	62	NA	<0.0296
	09/22/21	2	7.32	14.65	0.747 mS/cm	0.70	(327.8)	NA	NA
	09/06/23	11	8.39	13.21	0.821 mS/cm	0.99	112.1	NA	<0.0296
MW-108	02/20/97	NR	8.10	10.00	100 us	NA	NA	NA	NA
	05/27/97	NR	6.02	11.40	NA	NA	NA	NA	NA
	09/18/97	NR	6.51	12.00	1160 us	NA	NA	NA	NA
	12/12/97	NR	6.98	10.40	1130 us	NA	NA	NA	NA
	03/25/98	NR	7.64	10.20	1568 us	NA	NA	NA	NA
	06/10/98	NR	6.54	10.70	1525 us	NA	NA	NA	NA
	10/27/98	10	7.95	14.30	1696 us	1.40	116.00	12.80	0.20
	02/09/99	8.1	7.51	11.00	1810 us	1.10	(65.00)	10.40	0.40
	06/08/99	12.5	7.60	15.00	1706 us	0.90	173.00	7.20	0.60
	09/13/99	13.5	7.29	13.60	1849 us	1.20	(180.00)	8.00	0.00
	12/15/99	12.8	7.68	11.80	1885 us	1.00	(286.00)	8.40	0.00
	03/13/00	14	6.25	10.20	1642 us	1.70	(4.00)	9.20	0.20
	06/22/00	11.5	7.62	14.10	1989 us	1.01	69.00	6.40	0.00
	09/27/00	12	7.43	13.10	1983 us	0.40	(73.00)	10.40	0.00
	12/19/00	10.5	7.60	10.10	2.01 ms	2.18	(184.00)	10.80	0.00
	03/01/01	9	7.49	11.20	2.38 ms	2.20	(211.00)	11.60	0.00
	06/19/01	8	8.20	13.80	1634 us	0.80	(90.00)	7.00	0.00
	09/24/01	9	7.59	14.20	1512 us	0.80	(83.00)	9.60	0.00
	12/05/01	10	7.49	10.50	2111 us	1.80	(199.00)	9.60	0.00
	03/19/02	12	7.30	10.80	2120 us	2.10	(170.00)	11.60	0.00
	06/20/02	12	7.92	14.00	1424 us	0.80	(120.00)	12.40	0.00
	09/18/02	12	7.13	13.40	1744 us	1.00	(132.00)	11.20	0.00
	12/17/02	10	7.36	10.40	1986 us	1.60	(174.00)	8.40	0.00
	03/24/03	10	7.31	10.40	2032 us	1.60	(190.00)	8.40	0.00
	06/10/03	11	7.64	14.60	1324 us	0.80	(144.00)	9.20	0.00
	09/10/03	11	7.15	13.30	1622 us	0.80	(124.00)	10.40	0.00
	03/24/04	10	7.70	12.30	1927 us	EM	(156.00)	NA	0.00
	03/29/05	9	7.30	10.80	2090 us	2.29	83.00	NA	0.00
	03/27/06	9	7.30	9.30	2880 us	1.72	2.69	NA	0.04
	03/27/07	9	7.2	12.9	3190 us	5.05	185	NA	0.04
	04/16/08	NA	NA	NA	NA	NA	NA	NA	NA
	09/22/08	NA	NA	NA	NA	NA	NA	NA	NA
	04/03/09	NA	NA	NA	NA	NA	NA	NA	NA
	03/17/10	NA	NA	NA	NA	NA	NA	NA	NA
	04/29/11	1.25	7.27	10.2	3980 µs	1.03	224	NA	0.05
	04/14/15	2	5.98	10.79	11.4 mS/cm	3.75	135	NA	<0.0129
	09/25/19	2	7.07	17.20	2.65 mS/cm	0.49	88	NA	0.0379
	09/07/23	10	8.93	13.99	2.714 mS/cm	0.16	(62.9)	NA	<0.0296

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-109	06/21/06	2	6.42	14.80	1497 us	-	-	-	-
	09/20/06	2	6.66	14.60	1429 us	-	-	-	-
	12/20/06	8	7.10	11.00	2120 us	2.39	213.00	NA	0.16
	03/29/07	10	6.9	9.6	2050 us	7.71	284	NA	***
	07/03/07	9	7.2	12.8	2350 us	1.53	192	NA	0.04
	09/28/07	10	6.9	18.2	2170 us	9.53	240	NA	0.04
	04/16/08	1.25	7.10	12.4	NA	0.75	248	NA	NA
	09/22/08	1	7.14	15.7	2.88 ms	0.71	131.1	NA	NA
	04/03/09	1.5	7.29	8.4	2.40 ms	0.87	NA	NA	NA
	09/01/09	1	7.17	14.5	2650 µs	0.23	145.2	NA	NA
	03/17/10	1.5	7.37	8.3	2.31 ms	1.12	194.7	NA	NA
	09/09/10	1.5	7.09	15.3	2.73 ms	0.37	146.9	NA	NA
	04/29/11	1.25	7.27	8.4	2500 µs	0.81	164.6	NA	0.03
	09/01/11	1.5	7.28	15.2	2.56m	0.24	148.3	NA	NA
	03/16/12	1.5	6.40	9.6	0.20 S/m	1.50	200.0	NA	NA
	09/11/12	3	6.87	19.9	1.85 ms	1.00	70.5	NA	NA
	04/30/13	2.5	11.12	8.9	1.47 ms	2.53	(81.3)	NA	NA
	09/17/13	2.5	6.8	17.2	0	4.1	143	NA	NA
	04/21/14	1	7.02	9.0	1.36 mS/cm	2.22	220.1	NA	NA
	09/16/14	3.5	7.47	16.6	0.301 mS/cm	0.32	(80.0)	NA	NA
	04/14/15	4	5.95	7.80	8.54 mS/cm	5.35	136	NA	<0.0129
	09/14/15	1.5	6.82	20.51	4.269 mS/cm	0.80	103.3	NA	NA
	03/30/16	2	6.78	8.20	3.11 mS/cm	0.57	33.5	NA	NA
	09/21/16	2	6.81	18.90	3.581 mS/cm	0.37	41.8	NA	NA
	03/29/17	1.75	11.98	6.40	3.118 mS/cm	2.37	204.6	NA	NA
	10/04/17	3	7.26	16.38	3.899 mS/cm	1.07	222.8	NA	NA
	04/10/18	1.5	6.78	6.20	3.540 mS/cm	2.55	150.7	NA	NA
	09/21/18	2.5	6.85	20.92	4.221 mS/cm	1.46	100.5	NA	NA
	09/26/19	2	7.08	12.45	5.0 mS/cm	2.16	167	NA	<0.0296
	09/22/21	3	7.07	17.11	2.804 mS/cm	2.89	(274.5)	NA	NA
	09/06/23	7	6.91	17.54	3.688 mS/cm	0.49	126.3	NA	<0.0296
MW-110	06/21/06	2	6.91	12.70	1178 us	-	-	-	-
	09/20/06	2	7.00	14.40	1248 us	-	-	-	-
	12/20/06	10	7.20	10.60	1757 us	2.07	234.00	NA	0.00
	03/29/07	10	7.2	8.1	1806 us	7.03	255	NA	0.03
	07/03/07	8	8.3	12.1	1752 us	2.96	227	NA	0.13
	09/28/07	11	7.2	15.6	1837 us	5.72	258	NA	0.00
	04/16/08	1.25	7.38	9.5	NA	2.25	285	NA	NA
	09/22/08	1	7.42	16.6	1892us	1.04	241	NA	NA
	04/03/09	1.5	7.57	7.5	2.24 ms	3.05	NA	NA	NA
	09/01/09	1.25	7.45	15.2	1849 µs	1.17	250	NA	NA
	03/17/10	1.5	7.53	8.3	2.62 ms	3.71	261	NA	NA
	09/09/10	1.5	7.32	15.4	2.34 ms	2.12	181.5	NA	NA
	04/29/11	1.25	7.54	8.2	1314 µs	3.91	272	NA	0.11
	09/01/11	1.5	7.50	17.3	1643 µs	2.67	181.4	NA	NA
	03/14/12	2	6.60	9.4	0.20 S/m	8.70	198.0	NA	NA
	09/12/12	2.5	7.13	18.5	1.64 ms	3.15	174.3	NA	NA
	04/30/13	3	8.29	7.7	2.44 ms	1.78	(66.9)	NA	NA
	09/17/13	2.8	6.8	15.1	0	4.0	107	NA	NA
	04/22/14	1	7.28	6.8	0.99 mS/cm	4.55	249.1	NA	NA
	04/15/15	2	6.58	5.88	5.99 mS/cm	10.28	104	NA	<0.0129
	09/17/14	3	7.50	15.3	1.45 mS/cm	0.14	(24.4)	NA	NA
	03/31/16	2	7.68	5.0	0.482 mS/cm	7.69	10.8	NA	NA
	09/21/16	2	7.00	17.0	1.238 mS/cm	1.90	85.9	NA	NA
	03/29/17	2	8.58	5.8	0.793 mS/cm	9.03	220.6	NA	NA
	10/03/17	3.5	7.27	16.51	1.323 mS/cm	0.42	213.3	NA	NA
	04/10/18	1.5	7.09	4.90	2.636 mS/cm	7.79	129.9	NA	NA
	09/21/18	2.5	6.70	18.97	1.621 mS/cm	0.10	5.2	NA	NA
	09/26/19	2	6.92	15.44	0.949 mS/cm	0.00	(52.0)	NA	1.08
	09/22/21	2	6.71	15.73	1.032 mS/cm	0.39	30.6	NA	NA
	09/06/23	6	7.07	16.72	1.099 mS/cm	3.45	122.2	NA	<0.0296
MW-111	06/21/06	2	7.01	12.40	1311 us	-	-	-	-
	09/20/06	1.75	6.99	14.00	1164 us	-	-	-	-
	12/20/06	6	7.20	11.00	1478 us	3.95	243.00	NA	0.01

TABLE 4
Groundwater Geochemical Parameters
N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-111	03/29/07	10	7.4	9.2	1908 us	9.29	209	NA	0.01
	07/03/07	6	7.4	12.1	1855 us	1.63	263	NA	0.28
	09/28/07	11	7.4	13.5	1672 us	6.08	256	NA	0.02
	04/16/08	1.25	7.40	11.6	NA	2.25	244	NA	NA
	09/22/08	1.25	7.48	16.1	1901 us	0.49	170	NA	NA
	04/03/09	1.5	7.64	7.5	1970 us	3.51	NA	NA	NA
	09/01/09	1.25	7.51	15.5	1777 µs	0.74	191.0	NA	NA
	03/17/10	1.5	7.61	8.3	1889 µs	3.05	287	NA	NA
	09/09/10	1.5	7.37	15.1	1900 µs	0.49	160.5	NA	NA
	04/29/11	1.25	7.60	9.1	2110 µs	1.95	286	NA	0.09
	09/01/11	1.5	7.57	15.0	1716 µs	0.85	159.6	NA	NA
	03/14/12	1.5	6.50	10.5	0.17 S/m	2.50	177.0	NA	NA
	09/12/12	3	7.26	16.1	1.47 ms	0.18	97.6	NA	NA
	04/30/13	2	8.75	8.0	1.43 ms	3.89	(43.7)	NA	NA
	09/17/13	2.8	7.0	15.5	0.18ms	3.5	106	NA	NA
	04/21/14	1	7.30	9.9	1.17 mS/cm	1.80	218.4	NA	NA
	09/17/14	2	7.72	14.1	1.23 mS/cm	0.16	20.4	NA	NA
	04/14/15	4	6.83	8.43	4.84 mS/cm	7.66	49	NA	<0.0129
	09/14/15	1.5	7.41	18.15	1.670 mS/cm	1.27	50.7	NA	NA
	03/31/16	2	7.38	6.00	0.82 mS/cm	1.84	(15.90)	NA	NA
	09/22/16	2	7.38	15.59	1.028 mS/cm	0.41	150.2	NA	NA
	03/29/17	1.75	8.76	7.30	0.876 mS/cm	3.32	190.3	NA	NA
	10/03/17	2.5	7.71	16.56	1.160 mS/cm	1.49	274.7	NA	NA
	04/10/18	2	7.33	6.30	1.121 mS/cm	4.14	110.5	NA	NA
	09/21/18	2	7.27	19.78	1.098 mS/cm	0.73	77.1	NA	NA
	09/26/19	2	7.46	13.60	0.825 mS/cm	0.60	135	NA	<0.0296
	09/22/21	3	8.22	17.80	0.536 mS/cm	3.45	(254.70)	NA	NA
	09/06/23	7	7.32	16.39	0.757 mS/cm	2.73	109.50	NA	<0.0296
MW-112	06/21/06	2	7.21	12.40	1338 us	-	-	-	-
	09/20/06	2	7.28	14.60	1238 us	-	-	-	-
	12/20/06	8	7.50	10.70	1817 us	1.94	729.00	NA	0.00
	03/28/07	10	7.5	9.5	2050 us	7.93	228	NA	0.00
	07/03/07	9	7.6	13.7	1909 us	3.48	234	NA	0.28
	09/28/07	11	7.6	13.7	1921 us	6.80	267	NA	0.04
	04/16/08	1.25	7.50	12.9	NA	2.44	270	NA	NA
	09/22/08	1.25	7.71	15.9	2.34 ms	0.15	208	NA	NA
	04/03/09	1.5	7.79	7.6	2.5 ms	2.69	NA	NA	NA
	09/01/09	1.25	7.76	15.5	2320 µs	0.75	217	NA	NA
	03/17/10	1.5	7.81	8.5	1891 µs	3.02	264	NA	NA
	09/09/10	1.5	7.56	15.7	1921 µs	0.70	229	NA	NA
	04/29/11	1.25	7.75	8.4	1268 µs	2.92	252	NA	0.10
	09/01/11	1.5	7.83	15.0	1581µs	0.44	169.0	NA	NA
	03/14/12	1.5	6.60	8.4	0.076 S/m	9.40	215.0	NA	NA
	09/12/12	3	7.26	17.2	1.23 ms	0.22	219.7	NA	NA
	04/30/13	2	8.87	8.3	1.65 ms	0.55	(105.6)	NA	NA
	09/17/13	2.8	6.9	16.8	0.16ms	2.3	62	NA	NA
	04/21/14	3	7.27	8.5	0.72 mS/cm	1.67	194.4	NA	NA
	09/17/14	3	7.49	15.8	1.19 mS/cm	0.14	6.7	NA	NA
	04/14/15	2.5	6.18	10.27	4.00 mS/cm	6.39	107	NA	<0.0129
	09/14/15	1.5	7.50	18.31	1.993 mS/cm	0.79	59.8	NA	NA
	03/31/16	2.5	7.14	6.20	0.66 mS/cm	0.18	(35.30)	NA	NA
	03/22/16	2.1	7.19	16.21	1.088 mS/cm	0.41	130.2	NA	NA
	03/29/17	1.75	8.61	7.10	0.665 mS/cm	0.72	96.1	NA	NA
	10/03/17	3	7.53	17.16	1.132 mS/cm	0.20	243.3	NA	NA
	04/10/18	1.5	7.20	5.00	1.507 mS/cm	5.87	128.2	NA	NA
	09/21/18	2	6.96	20.54	1.512 mS/cm	0.16	63.2	NA	NA
	09/26/19	2	7.16	14.82	1.04 mS/cm	0.00	119	NA	0.0306 J
	09/22/21	2	6.82	17.47	0.641 mS/cm	0.45	15.4	NA	NA
	09/06/23	6	8.50	16.72	1.201 mS/cm	3.76	70.4	NA	<0.0296
MW-113	06/21/06	2	6.91	12.90	1020 us	-	-	-	-
	09/20/06	2	7.11	14.60	900 us	-	-	-	-
	12/20/06	8	7.20	10.60	1757 us	2.07	234.00	NA	0.00
	03/29/07	10	7.3	8.0	1508 us	9.52	235	NA	***
	07/03/07	7	7.6	10.9	1552 us	2.05	262	NA	0.13

TABLE 4
Groundwater Geochemical Parameters
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Purge* Volume (gallons)	pH (std units)	Temperature (°C)	Conductivity (units as shown)	Dissolved Oxygen (ppm, unless noted)	Redox (mV)	Alkalinity (gpg)	Ferrous Iron (mg/L)
MW-113	09/28/07	13	7.4	14.4	1514 us	6.87	276	NA	0.00
	04/16/08	1.25	7.45	11.8	NA	1.85	267	NA	NA
	09/22/08	1.25	7.59	15.5	1711 us	0.22	218	NA	NA
	04/03/09	1.5	7.70	7.4	1749 us	3.50	NA	NA	NA
	09/01/09	1.25	7.56	15.6	1615 µs	0.57	270	NA	NA
	03/17/10	1.5	7.68	8.5	1800 µs	3.22	235	NA	NA
	09/09/10	1.5	7.49	15.5	1722 µs	0.37	223	NA	NA
	04/29/11	1.25	7.65	9.3	1660 µs	1.68	281	NA	0.00
	09/01/11	1.5	7.67	16.2	1552 µs	0.27	184.8	NA	NA
	03/14/12	2	6.60	8.8	0.15 S/m	4.50	236.0	NA	NA
	09/12/12	3	7.09	19.1	1.40 ms	1.40	55.0	NA	NA
	04/30/13	3	10.82	8.3	1.14 ms	0.30	(116.4)	NA	NA
	09/17/13	2.5	6.8	15.8	.018ms	3.9	142	NA	NA
	04/22/14	2	7.31	7.5	1.15 mS/cm	0.28	253.9	NA	NA
	09/17/14	2.5	7.78	15.7	1.28 mS/cm	0.31	(95.9)	NA	NA
	04/14/15	2	6.16	11.07	4.90 mS/cm	3.57	122	NA	<0.0129
	09/14/15	2	7.31	16.27	1.596 mS/cm	0.37	89.8	NA	NA
	03/31/16	2	7.15	6.70	0.80 mS/cm	1.75	15.11	NA	NA
	09/21/16	2.5	7.07	7.07	1.199 mS/cm	0.15	89.6	NA	NA
	03/29/17	2	8.56	7.00	1.143 mS/cm	3.02	209.6	NA	NA
	10/03/17	2.5	7.40	17.24	1.372 mS/cm	0.43	221.8	NA	NA
	04/10/18	1.5	7.23	6.90	1.259 mS/cm	2.83	131.5	NA	NA
	09/21/18	2	7.08	17.29	1.374 mS/cm	0.18	53.0	NA	NA
	09/26/19	2	7.19	15.77	1.13 mS/cm	0.00	134.0	NA	0.855
	09/22/21	2	6.94	16.21	0.809 mS/cm	0.48	(320.8)	NA	NA
	09/06/23	7	8.31	15.95	1.025 mS/cm	1.50	119.8	NA	<0.148

ppm = parts per million
 us (old) = microsiemens / centimeter
 µs = microsiemens / centimeter
 S/m = siemens / meter
 ms (old) = millisiemens / centimeter
 mS/cm = millisiemens / centimeter
 mV = millivolts
 gpg = grains per gallon
 EM - Equipment malfunction.

Note: A different meter was used to test ferrous iron beginning on the March 2006 sampling event.

NA = not analyzed

NR = not recorded

() = Indicates a negative value.

* = Each monitoring well was purged dry twice prior to sampling

The second purging was conducted approximately 3-hrs after initial purging. The volume of purge water collected represents the total of the two well purges. Purge volumes prior to 10/27/98 were not available.

** = Not analyzed due to poor water clarity from recent piezometer installation nearby.

*** = Too cloudy for testing.

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
W-2	02/20/97	NA	15	NA	26	NA	460.0	NA	49
	05/27/97	0.43	8.5	NA	<10	NA	170.0	<.2	30
	09/18/97	0.27	4.5**	NA	9.5**	3**	116.0	<.03	16.9
	12/12/97	.13*	6.2	NA	<9.7	<.8	133.0	.06*	20.4
	03/25/98	0.08	<3.9	NA	<9.5	<1.7	83.8	.007*	18.6
	06/10/98	.31*	16.4	NA	18.6**	<1.7	466.0	.027*	40.8
	10/27/98	.51*	3.60	NA	4.7*	<.0032	69.0	<.05	170
	02/09/99	.46*	<.62	NA	4.0	<.0032	240.0	<0.05	23
	06/08/99	<.31	<.62	NA	1.8*	<.0032	290.0	<0.05	<12
	09/13/99	<.31	2.00	NA	3.2	<.0032	240.0	<.05	<12
	12/15/99	<.31	0.72 *	NA	NA	NA	2.8	NA	NA
	03/13/00	<.31	0.79 *	NA	NA	NA	7.8	NA	NA
	06/22/00	<.31	<.62	NA	NA	NA	<.42	NA	NA
	09/27/00	2.70	1.1*	NA	NA	NA	17.0	NA	NA
	12/19/00	.24*	0.91*	NA	NA	NA	8.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<.17	0.55 *	NA	NA	NA	48.0	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	52	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	03/19/02	.27*	<.57	NA	NA	NA	<2.0	NA	NA
	06/20/02	<.23	<.44	NA	NA	NA	61.0	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	110.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	150.0	NA	NA
	03/24/03	<0.17	<0.43	NA	NA	NA	8.5	NA	NA
	03/24/04	NA	<0.45	5.0	NA	NA	<1.0	NA	NA
	03/29/05	NA	1.2	<2.7	NA	NA	1.3	NA	NA
	03/23/06	NA	0.52	<5.0	NA	NA	4.1	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	4.7	NA	NA
	04/29/11	NA	0.51 J	NA	NA	NA	21.7	NA	NA
	04/14/15	NA	<2.1	NA	NA	NA	318	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	271	NA	NA
	09/07/23	NA	4.0 J	NA	NA	NA	45.5	NA	NA
W-8	02/20/97	NA	17	NA	22	NA	320.0	NA	34
	05/27/97	1.6	37	NA	27	NA	670.0	<.2	54
	09/18/97	0.45	14.4	NA	14.6**	1**	338.0	.11**	31.8
	12/12/97	0.5*	5.7	NA	<9.7	<.8	147.0	.07*	17.1
	03/25/98	0.43	10.1	NA	15**	<1.7	205.0	.007*	21
	06/10/98	0.54	9.9	NA	12.6**	<1.7	264.0	.016*	21.6
	10/27/98	0.80	3.90	NA	4.8*	<.0032	64.0	<.05	85
	02/09/99	<.31	<.62	NA	<60	<.0032	850.0	<.05	12
	06/08/99	<.31	<.62	NA	2.6	<.0032	50.0	<.05	<12
	09/13/99	<.31	1.90	NA	2.7	<.0032	98.0	<.05	29
	12/15/99	<.31	2.80	NA	NA	NA	180.0	NA	NA
	03/13/00	<.31	1.4 *	NA	NA	NA	65.0	NA	NA
	06/22/00	<.31	3.10	NA	NA	NA	74.0	NA	NA
	09/27/00	.27*	.75*	NA	NA	NA	26.0	NA	NA
	12/19/00	<.23	.66*	NA	NA	NA	40.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	23.0	NA	NA
	06/19/01	<.17	1*	NA	NA	NA	100.0	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	380.0	NA	NA
	12/25/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	21.0	NA	NA
	06/20/02	<.23	.47*	NA	NA	NA	1400.0	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	620.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	34.0	NA	NA
	03/24/03	<.17	<.43	NA	NA	NA	27.0	NA	NA
	03/24/04	NA	0.76*	3.8	NA	NA	1.7*	NA	NA
	03/29/05	NA	<0.52	<2.7	NA	NA	9.7	NA	NA
	03/23/06	NA	<0.4	<5.0	NA	NA	5.5	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	6.0	NA	NA
	04/29/11	NA	0.63 J	NA	NA	NA	<0.14	NA	NA
	04/13/15	NA	<2.1	NA	NA	NA	<1.4	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	<1.1	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	67.5	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
W-15	02/20/97	NA	32	NA	52	NA	430.0	NA	88
	05/27/97	0.27	5.9	NA	15	NA	97.0	<.2	39
	09/18/97	0.31	13.9	NA	18.8**	<.78	325.0	<.03	35.5
	12/12/97	.12*	5.7	NA	9.7**	<.8	80.9	.03*	18.5
	03/25/98	.04*	<3.9	NA	<9.5	<1.7	85.7	.038*	13.7
	06/10/98	.11*	10	NA	13.2**	<1.7	147.0	.016*	18.8
	10/27/98	.41*	6.80	NA	7.40	<.0032	110.0	<.05	100
	02/09/99	<.31	<.62	NA	<.60	<.0032	320.0	<.05	<12
	06/08/99	<.31	2.40	NA	14.00	<.0032	130.0	<.05	66
	09/13/99	<.31	5.30	NA	6.40	<.0032	130.0	<.05	16
	12/15/99	<.31	5.00	NA	NA	NA	90.0	NA	NA
	03/13/00	<.31	7.00	NA	NA	NA	130.0	NA	NA
	06/22/00	<.31	1.80	NA	NA	NA	11.0	NA	NA
	09/27/00	<.23	4.20	NA	NA	NA	24.0	NA	NA
	12/19/00	<.23	1.4*	NA	NA	NA	930.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<.17	<.34	NA	NA	NA	<2	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	290.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	2.5	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	22.0	NA	NA
	06/20/02	.36*	.47*	NA	NA	NA	3.1	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	110.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	31.0	NA	NA
	03/24/03	<0.17	0.47*	NA	NA	NA	27.0	NA	NA
	03/24/04	NA	1.80	3.8	NA	NA	1.1*	NA	NA
	03/29/05	NA	0.98	<2.7	NA	NA	24.0	NA	NA
	03/23/06	NA	1.60	<5.0	NA	NA	8.0	NA	NA
	03/28/07	NA	<1.9	NA	NA	NA	13	NA	NA
	04/29/11	NA	2.8 J	NA	NA	NA	8.3	NA	NA
	04/13/15	NA	2.8 J	NA	NA	NA	<1.4	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	4.8 J	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	1.7 J	NA	NA
MW-101	02/20/97	NA	36	NA	41	NA	820.0	NA	49
	05/27/97	<.2	10	NA	11	NA	170.0	<.03	18
	09/18/97	.06**	11.9	NA	10.7**	1**	145.0	<.05	18.2
	12/12/97	.06*	12.8	NA	<9.7	<.8	176.0	.05*	20.7
	03/25/98	.04*	20.9	NA	21.6**	<1.7	239.0	.007*	32.7
	06/10/98	.27*	48.2	NA	46.8	<1.7	604.0	.044*	75.9
	10/27/98	<.16	3.20	NA	4.2*	<.0032	24.0	<.05	54
	02/09/99	<.31	<0.62	NA	<.60	<.0032	1900.0	<.05	14
	06/08/99	<.31	1.80	NA	8.2	<.0032	380.0	<.05	39
	09/13/99	<.31	2.90	NA	5.1	<.0032	31.0	<.05	<12
	12/15/99	<.31	2.50	NA	NA	NA	9.1	NA	NA
	03/13/00	<.31	2.30	NA	NA	NA	100.0	NA	NA
	06/22/00	<.31	1.4 *	NA	NA	NA	<4.2	NA	NA
	09/27/00	<.23	19.00	NA	NA	NA	37.0	NA	NA
	12/19/00	<.23	7.20	NA	NA	NA	18.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	13.0	NA	NA
	06/19/01	<.17	8.50	NA	NA	NA	9.1	NA	NA
	09/24/01	<.17	0.55 *	NA	NA	NA	<2.0	NA	NA
	12/05/01	<.23	0.90*	NA	NA	NA	<2.0	NA	NA
	03/19/02	<.23	0.66*	NA	NA	NA	<2.0	NA	NA
	06/20/02	<.23	0.58*	NA	NA	NA	2.2	NA	NA
	09/18/02	<.23	<0.44	NA	NA	NA	13.0	NA	NA
	12/17/02	<.23	<0.44	NA	NA	NA	33.0	NA	NA
	03/24/03	<.17	0.50*	NA	NA	NA	8.3	NA	NA
	03/24/04	NA	0.79*	<3.6	NA	NA	<1.0	NA	NA
	03/29/05	NA	1.10	<2.7	NA	NA	16.0	NA	NA
	03/23/06	NA	0.55	<5.0	NA	NA	45.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	14.0	NA	NA
	04/16/08	NA	2.4 J	NA	NA	NA	NA	NA	NA
	04/03/09	NA	1.9 J	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-101	03/17/10	NA	2.5 J	NA	NA	NA	NA	NA	NA
	04/29/11	NA	1.4 J	NA	NA	NA	0.50 J	NA	NA
	03/16/12	NA	<2.0	NA	NA	NA	0.50 J	NA	NA
	04/29/13	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/21/14	NA	2.2 J	NA	NA	NA	NA	NA	NA
	04/14/15	NA	<2.1	NA	NA	NA	<1.4	NA	NA
	03/30/16	NA	<2.1	NA	NA	NA	NA	NA	NA
	03/29/17	NA	<2.5	NA	NA	NA	NA	NA	NA
	04/11/18	NA	<2.5	NA	NA	NA	NA	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	3.0 J	NA	NA
	09/22/21	NA	<2.5	NA	NA	NA	NA	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	9.6	NA	NA
MW-102	02/20/97	NA	26	NA	38	NA	570.0	NA	34
	05/27/97	0.21	48	NA	77	NA	920.0	<0.2	73
	09/18/97	0.08**	<3.92	NA	6.9**	2**	302.0	<0.03	8.7
	12/12/97	0.04*	<3.9	NA	<9.7	<0.8	387.0	0.04*	10.9
	03/25/98	0.11*	<3.9	NA	9.5**	<1.7	302.0	0.007*	7.4*
	06/10/98	0.04*	<3.9	NA	<9.8	<1.7	318.0	0.018*	9.5
	10/27/98	0.27*	0.98*	NA	3.2*	<0.0032	340.0	<0.05	24
	02/09/99	<0.31	0.73*	NA	<0.60	<0.0032	670.0	<0.05	20
	06/08/99	<0.31	1.2*	NA	5.8	<0.0032	140.0	<0.05	36
	09/13/99	<0.31	4.00	NA	15.0	<0.0032	160.0	<0.05	73
	12/15/99	<0.31	1.2 *	NA	NA	NA	550.0	NA	NA
	03/13/00	<0.31	1.70	NA	NA	NA	580.0	NA	NA
	06/22/00	<0.31	<0.62	NA	NA	NA	310.0	NA	NA
	09/27/00	<0.23	2.10	NA	NA	NA	130.0	NA	NA
	12/19/00	0.33*	2.90	NA	NA	NA	110.0	NA	NA
	03/01/01	<0.23	<0.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<0.17	<0.34	NA	NA	NA	<2	NA	NA
	09/24/01	0.48 *	1.40	NA	NA	NA	46.0	NA	NA
	12/05/01	<0.23	<0.57	NA	NA	NA	100.0	NA	NA
	03/19/02	<0.23	<0.57	NA	NA	NA	87.0	NA	NA
	06/20/02	<0.17	1.80	NA	NA	NA	44.0	NA	NA
	09/18/02	<0.23	1.4*	NA	NA	NA	<2.0	NA	NA
	12/17/02	<0.23	<.44	NA	NA	NA	38.0	NA	NA
	03/24/03	0.21*	<0.43	NA	NA	NA	3.5	NA	NA
	03/24/04	NA	<0.45	<3.6	NA	NA	65.0	NA	NA
	03/29/05	NA	0.71	<2.7	NA	NA	190.0	NA	NA
	03/23/06	NA	<0.40	<5.0	NA	NA	100.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	230	NA	NA
	04/16/08	NA	<0.57	NA	NA	NA	NA	NA	NA
	04/03/09	NA	<0.57	NA	NA	NA	NA	NA	NA
	03/17/10	NA	0.74 J	NA	NA	NA	NA	NA	NA
	04/29/11	NA	6.1	NA	NA	NA	32.1	NA	NA
	03/14/12	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/29/13	NA	130	NA	NA	NA	NA	NA	NA
	04/21/14	NA	128	NA	NA	NA	NA	NA	NA
	04/13/15	NA	98.2	NA	NA	NA	NA	NA	NA
	03/30/16	NA	116	NA	NA	NA	NA	NA	NA
	03/29/17	NA	90.5	NA	NA	NA	NA	NA	NA
	04/11/18	NA	<2.5	NA	NA	NA	NA	NA	NA
	09/25/19	Unable to sample - Broken bolt over well							
	09/22/21	NA	14.0	NA	NA	NA	NA	NA	NA
	09/07/23	NA	2.8 J	NA	NA	NA	25.6	NA	NA
MW-103	02/20/97	NA	1,300	NA	47	NA	800.0	NA	27
	05/27/97	<.2	160.0	NA	31	NA	900.0	<.2	29
	09/18/97	.06**	35.2	NA	13.5**	3**	287.0	<.03	13.7
	12/12/97	.04*	16.3	NA	<9.7	<.8	84.3	.09*	21.4
	03/25/98	.04*	15.5	NA	<9.5	<1.7	83.0	.007*	7.5*
	06/10/98	.15*	57.6	NA	27.5	<1.7	417.0	.02*	33.7
	10/27/98	<.16	6.30	NA	2.3*	<.0032	27.0	<.05	30.0
	06/08/99	<.31	87.00	NA	3.5	<.0032	810.0	<.05	30

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-103	09/13/99	<.31	720.0	NA	5.9	<.0032	83.0	<.05	15
	12/15/99	<.31	260.0	NA	NA	NA	160.0	NA	NA
	03/13/00	<.31	600.0	NA	NA	NA	79.0	NA	NA
	06/22/00	<.31	130.0	NA	NA	NA	180.0	NA	NA
	09/27/00	<.23	280.0	NA	NA	NA	230.0	NA	NA
	12/19/00	<.23	180.0	NA	NA	NA	170.0	NA	NA
	03/01/01	<.23	49.0	NA	NA	NA	240.0	NA	NA
	06/19/01	<.17	11.0	NA	NA	NA	350.0	NA	NA
	09/24/01	<.17	12.0	NA	NA	NA	280.0	NA	NA
	12/05/01	<.23	2.9	NA	NA	NA	230.0	NA	NA
	03/19/02	<.23	73.0	NA	NA	NA	7.9	NA	NA
	06/20/02	<.23	14.0	NA	NA	NA	630.0	NA	NA
	09/18/02	<.23	6.5	NA	NA	NA	560.0	NA	NA
	12/17/02	<.23	6.2	NA	NA	NA	3.7	NA	NA
	03/24/03	.26*	350.0	NA	NA	NA	48.0	NA	NA
	06/10/03	NA	150.0	NA	NA	NA	NA	NA	NA
	09/10/03	NA	9.10	NA	NA	NA	NA	NA	NA
	12/10/03	NA	7.70	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	<3.6	NA	NA	NA	NA	NA
	03/24/04	NA	5.60	6.3	NA	NA	7.6	NA	NA
	07/09/04	NA	11.00	16.0	NA	NA	NA	NA	NA
	12/09/04	NA	1.20	<3.6	NA	NA	NA	NA	NA
	03/29/05	NA	220.0	350.0	NA	NA	82.0	NA	NA
	06/22/05	NA	240.0	250.0	NA	NA	NA	NA	NA
	09/21/05	NA	110.0	69.0	NA	NA	NA	NA	NA
	12/15/05	NA	120.0	150.0	NA	NA	NA	NA	NA
	03/23/06	NA	16.0	270.0	NA	NA	8.4	NA	NA
	06/28/06	NA	40.0	29.0	NA	NA	NA	NA	NA
	09/20/06	NA	45.0	35.0	NA	NA	NA	NA	NA
	12/20/06	NA	15.0	NA	NA	NA	NA	NA	NA
	03/28/07	NA	31	NA	NA	NA	38	NA	NA
	07/03/07	NA	90	NA	NA	NA	NA	NA	NA
	09/28/07	NA	78	NA	NA	NA	NA	NA	NA
	04/16/08	NA	380	NA	NA	NA	NA	NA	NA
	09/22/08	NA	240	NA	NA	NA	NA	NA	NA
	04/03/09	NA	171	NA	NA	NA	NA	NA	NA
	09/01/09	NA	157	NA	NA	NA	NA	NA	NA
	03/17/10	NA	114	NA	NA	NA	NA	NA	NA
	09/09/10	NA	16.4	NA	NA	NA	NA	NA	NA
	04/29/11	NA	23.1	NA	NA	NA	<0.14	NA	NA
	09/01/11	NA	54.5	NA	NA	NA	NA	NA	NA
	03/14/12	NA	27.0	NA	NA	NA	NA	NA	NA
	09/11/12	NA	10.8	NA	NA	NA	NA	NA	NA
	04/29/13	NA	24.8	NA	NA	NA	NA	NA	NA
	09/17/13	NA	6.4	NA	NA	NA	NA	NA	NA
	04/21/14	NA	6.9	NA	NA	NA	NA	NA	NA
	09/17/14	NA	10.0	NA	NA	NA	NA	NA	NA
	04/14/15	NA	8.2	NA	NA	NA	<1.4	NA	NA
	09/14/15	NA	6.9	NA	NA	NA	NA	NA	NA
	04/05/16	NA	7.8	NA	NA	NA	NA	NA	NA
	09/21/16	NA	5.8	NA	NA	NA	NA	NA	NA
	03/29/17	NA	7.5	NA	NA	NA	NA	NA	NA
	10/04/17	NA	<2.5	NA	NA	NA	NA	NA	NA
	04/11/18	NA	11.7	NA	NA	NA	NA	NA	NA
	09/17/18	NA	34.3	NA	NA	NA	NA	NA	NA
	09/25/19	NA	4.4	NA	NA	NA	4.1	NA	NA
	09/22/21	NA	19.2	NA	NA	NA	NA	NA	NA
	09/07/23	NA	10.6	NA	NA	NA	<1.1	NA	NA
MW-104	02/20/97	NA	5.9	NA	15	NA	550.0	NA	6.9
	05/27/97	<.02	6.9	NA	11	NA	470.0	<.2	5.2
	09/18/97	<.04	35.6	NA	5**	3**	235.0	<.03	4.74
	12/12/97	.04*	61.8	NA	9.8**	<.8	279.0	.05*	14

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-104	03/25/98	.04*	66.8	NA	<9.5	<1.7	73.6	.008*	7.4*
	06/10/98	.04*	219.0	NA	<9.8	<1.7	107.0	.016*	12.8
	10/27/98	.29*	150.0	NA	2.3*	<.0032	25.0	<.05	30
	02/09/99	<.31	94.0	NA	1.4*	<.0032	1000.0	<.05	<12
	06/08/99	1*	62.0	NA	12.0	<.0032	620.0	<.05	17
	09/13/99	<.31	80.0	NA	3.2	<.0032	9.2	<.05	<12
	12/15/99	<.31	170.0	NA	NA	NA	1.6	NA	NA
	03/13/00	<.31	300.0	NA	NA	NA	13.0	NA	NA
	06/22/00	<.31	210.0	NA	NA	NA	41.0	NA	NA
	09/27/00	<.23	510.0	NA	NA	NA	3.9	NA	NA
	12/19/00	<.23	790.0	NA	NA	NA	<2	NA	NA
	03/01/01	<.23	840.0	NA	NA	NA	<2	NA	NA
	06/19/01	<.17	680.0	NA	NA	NA	2.3	NA	NA
	09/24/01	<.17	310.0	NA	NA	NA	17.0	NA	NA
	12/05/01	<.23	390.0	NA	NA	NA	2.2	NA	NA
	03/19/02	<.23	430.0	NA	NA	NA	<2.0	NA	NA
	06/20/02	<.23	490.0	NA	NA	NA	14.0	NA	NA
	09/18/02	<.23	410.0	NA	NA	NA	27.0	NA	NA
	12/17/02	<.23	240.0	NA	NA	NA	8.9	NA	NA
	03/24/03	<.17	180.0	NA	NA	NA	4.2	NA	NA
	06/10/03	NA	420.0	NA	NA	NA	NA	NA	NA
	09/10/03	NA	1,200.0	NA	NA	NA	NA	NA	NA
	12/10/03	NA	790.0	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	700.0	NA	NA	NA	NA	NA
	03/24/04	NA	550.0	580.0	NA	NA	<1.0	NA	NA
	07/09/04	NA	370.0	380.0	NA	NA	NA	NA	NA
	09/22/04	NA	87.0	33.0	NA	NA	NA	NA	NA
	12/09/04	NA	56.0	57.0	NA	NA	NA	NA	NA
	03/29/05	NA	260.0	260.0	NA	NA	1.0	NA	NA
	06/22/05	NA	280.0	230.0	NA	NA	NA	NA	NA
	09/21/05	NA	17.0	25.0	NA	NA	NA	NA	NA
	12/15/05	NA	95.0	110.0	NA	NA	NA	NA	NA
	03/23/06	NA	66.0	200.0	NA	NA	6.3	NA	NA
	06/28/06	NA	76.0	58.0	NA	NA	NA	NA	NA
	09/20/06	NA	2.8	<6.8	NA	NA	NA	NA	NA
	12/20/06	NA	8.4	NA	NA	NA	NA	NA	NA
	03/28/07	NA	160	NA	NA	NA	130	NA	NA
	07/03/07	NA	97	NA	NA	NA	NA	NA	NA
	09/28/07	NA	11.0	NA	NA	NA	NA	NA	NA
	04/16/08	NA	545	NA	NA	NA	NA	NA	NA
	09/22/08	NA	1.3 J	NA	NA	NA	NA	NA	NA
	04/03/09	NA	144	NA	NA	NA	NA	NA	NA
	09/01/09	NA	1.4 J	NA	NA	NA	NA	NA	NA
	03/17/10	NA	719	NA	NA	NA	NA	NA	NA
	09/09/10	NA	6.7	NA	NA	NA	NA	NA	NA
	04/29/11	NA	376	NA	NA	NA	7.7	NA	NA
	09/01/11	NA	5.4	NA	NA	NA	NA	NA	NA
	03/14/12	NA	510	NA	NA	NA	NA	NA	NA
	09/11/12	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/29/13	NA	1.3 J	NA	NA	NA	NA	NA	NA
	09/17/13	NA	<2.0	NA	NA	NA	NA	NA	NA
	04/21/14	NA	10.5	NA	NA	NA	NA	NA	NA
	09/16/14	NA	12.5	NA	NA	NA	NA	NA	NA
	04/14/15	NA	287.0	NA	NA	NA	<1.4	NA	NA
	09/14/15	NA	5.0	NA	NA	NA	NA	NA	NA
	03/30/16	NA	93.5	NA	NA	NA	NA	NA	NA
	09/21/16	NA	2.6	NA	NA	NA	NA	NA	NA
	03/29/17	NA	6.2	NA	NA	NA	NA	NA	NA
	10/04/17	NA	5.8	NA	NA	NA	NA	NA	NA
	04/11/18	NA	27.6	NA	NA	NA	NA	NA	NA
	09/17/18	NA	2.8	NA	NA	NA	NA	NA	NA
	09/25/19	NA	3.8	NA	NA	NA	244	NA	NA
	09/22/21	NA	16.6	NA	NA	NA	NA	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	281	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-105	02/20/97	NA	21	NA	22	NA	1100.0	NA	23
	05/27/97	<.2	5	NA	<10	NA	120.0	<.2	12
	09/18/97	.14**	29.5	NA	28.3	1**	532.0	<.03	46
	12/12/97	.36*	15.8	NA	12.5**	<.8	297.0	.03*	27.1
	03/25/98	.04*	30.8	NA	27.6	<1.7	518.0	.064*	44
	06/10/98	.048*	13.7	NA	15.3**	<1.7	217.0	.016*	22.1
	10/27/98	.29*	8.80	NA	8.20	<.0032	150.0	<.05	70
	02/09/99	<.31	1.3*	NA	4.30	<.0032	2000.0	<.05	19
	06/08/99	<.31	1*	NA	18.00	<.0032	1300.0	<.05	66
	09/13/99	<.31	.64*	NA	24.00	<.0032	1700.0	<.05	30
	12/15/99	<.31	<.62	NA	NA	NA	860.0	NA	NA
	03/13/00	<.31	4.80	NA	NA	NA	660.0	NA	NA
	06/22/00	<.31	1.0 *	NA	NA	NA	600.0	NA	NA
	09/27/00	<.23	1.2*	NA	NA	NA	700.0	NA	NA
	12/19/00	<.23	<.4	NA	NA	NA	230.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	43.0	NA	NA
	06/19/01	<.17	.75*	NA	NA	NA	230.0	NA	NA
	09/24/01	<.17	.73*	NA	NA	NA	530.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	22.0	NA	NA
	06/20/02	<.23	.60*	NA	NA	NA	1400.0	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	600.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	58.0	NA	NA
	03/24/03	.21*	<.43	NA	NA	NA	86.0	NA	NA
	03/24/04	NA	3.80	6.3	NA	NA	89.0	NA	NA
	03/29/05	NA	<0.52	<2.7	NA	NA	82.0	NA	NA
	03/23/06	NA	0.42	<5.0	NA	NA	43.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	23	NA	NA
	04/29/11	NA	0.64 J	NA	NA	NA	1.8 J	NA	NA
	04/13/15	NA	<2.1	NA	NA	NA	2.5J	NA	NA
	09/25/19	Unable to sample - Broken bolt over well							
	09/07/23	NA	<2.5	NA	NA	NA	<1.1	NA	NA
MW-106	02/20/97	NA	21	NA	24	NA	320.0	NA	26
	05/27/97	<.02	40	NA	35	NA	590.0	<.2	68
	09/18/97	.05**	5.5	NA	6.2**	1**	56.9	<.03	35.6
	12/12/97	.04*	9.2	NA	9.7**	<.08	155.0	.03*	18.4
	03/25/98	NA	13.40	NA	14.4**	<1.7	150.0	.007*	18.5
	06/10/98	.04*	<3.9	NA	10.2**	<1.7	10.0	.016*	10.9
	10/27/98	.27*	3.20	NA	4.3*	<.0032	38.0	<.05	88
	02/09/99	<.31	<.62	NA	1.1*	<.0032	760.0	<.05	22
	06/08/99	<.31	.79*	NA	2.3	<.0032	900.0	<.05	<12
	09/13/99	<.31	1.80	NA	4.7	<.0032	1100.0	<.05	30
	12/15/99	<.31	1.3 *	NA	NA	NA	130.0	NA	NA
	03/31/00	<.31	2.30	NA	NA	NA	270.0	NA	NA
	06/22/00	<.31	.73 *	NA	NA	NA	<4.2	NA	NA
	09/27/00	<.23	.88*	NA	NA	NA	50.0	NA	NA
	12/19/00	<.23	.77*	NA	NA	NA	22.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	45.0	NA	NA
	06/19/01	.21*	.39*	NA	NA	NA	57.0	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	950.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	310.0	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	92.0	NA	NA
	06/20/02	<.23	<.44	NA	NA	NA	270.0	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	420.0	NA	NA
	12/17/02	<.23	<.44	NA	NA	NA	41.0	NA	NA
	03/24/03	<0.17	<.43	NA	NA	NA	2.1	NA	NA
	03/24/04	NA	<0.45	3.8	NA	NA	190.0	NA	NA
	03/29/05	NA	1.10	<2.7	NA	NA	15.0	NA	NA
	03/23/06	NA	0.45	<5.0	NA	NA	30.0	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	15	NA	NA
	04/29/11	NA	0.79 J	NA	NA	NA	0.16 J	NA	NA
	04/13/15	NA	<2.1	NA	NA	NA	<1.4	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	55.2	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	<1.1	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-107	02/20/97	NA	2,000	NA	13	NA	190.0	NA	6.9
	05/27/97	<.2	3,600	NA	<10	NA	91.0	<.2	10
	09/18/97	<.04	2,670	NA	<8.1	1**	59.3	<.03	33.5
	12/12/97	.04*	2,310	NA	<9.7	<.8	48.4	.1*	6.7
	03/25/98	.04*	11,200 J	NA	12.1**	<1.7	68.2	.041*	9.3*
	06/10/98	.11*	6,240	NA	13.8**	<1.7	161.0	.027*	17.3*
	10/27/98	<.16	7,100	NA	1.2*	<.0032	28.0	<.05	94
	02/09/99	<.31	3,200	NA	1.9*	<.0032	49.0	<.05	<12
	06/08/99	<.31	5,800	NA	3.0	<.0032	25.0	<.05	<12
	09/13/99	<.31	4,000	NA	1.9*	<.0032	18.0	<.05	<12
	12/15/99	<.31	14,000	NA	NA	NA	.83 *	NA	NA
	03/13/00	<.31	8,100	NA	NA	NA	22.0	NA	NA
	06/22/00	<.31	14,000	NA	NA	NA	<42	NA	NA
	09/27/00	<.23	11,000	NA	NA	NA	4.9	NA	NA
	12/19/00	<.23	10,000	NA	NA	NA	2.4	NA	NA
	03/01/01	<.23	5,000	NA	NA	NA	2.2	NA	NA
	06/19/01	<.17	8,200	NA	NA	NA	<2	NA	NA
	09/24/01	<.17	5,300	NA	NA	NA	270.0	NA	NA
	12/05/01	<.23	6,200	NA	NA	NA	10.0	NA	NA
	03/19/02	<.23	7,000	NA	NA	NA	<20	NA	NA
	06/20/02	<.23	7,000	NA	NA	NA	<20	NA	NA
	09/18/02	<.17	4,300	NA	NA	NA	24.0	NA	NA
	12/17/02	<.17	3,700	NA	NA	NA	15.0	NA	NA
	03/24/03	<10	3,800	NA	NA	NA	7.7	NA	NA
	06/10/03	NA	5,900	NA	NA	NA	NA	NA	NA
	09/10/03	NA	5,200	NA	NA	NA	NA	NA	NA
	12/10/03	NA	5,200	NA	NA	NA	NA	NA	NA
	12/15/03	NA	NA	5,500	NA	NA	NA	NA	NA
	03/24/04	NA	3,900	4,100	NA	NA	1.2*	NA	NA
	07/09/04	NA	3,400	5,000	NA	NA	NA	NA	NA
	09/22/04	NA	4,100	4,400	NA	NA	NA	NA	NA
	12/14/04	NA	6,300	5,800	NA	NA	NA	NA	NA
	03/29/05	NA	3,600	4,100	NA	NA	1.9	NA	NA
	06/22/05	NA	3,300	2,900	NA	NA	NA	NA	NA
	09/21/05	NA	2,500	2,500	NA	NA	NA	NA	NA
	12/15/05	NA	2,400	2,700	NA	NA	NA	NA	NA
	03/23/06	NA	3,200	3,600	NA	NA	1.90	NA	NA
	06/28/06	NA	3,600	3,000	NA	NA	NA	NA	NA
	09/20/06	NA	4,100	4,200	NA	NA	NA	NA	NA
	12/19/06	NA	2,700	NA	NA	NA	NA	NA	NA
	03/28/07	NA	4,200	NA	NA	NA	1.7	NA	NA
	07/03/07	NA	2,800	NA	NA	NA	NA	NA	NA
	09/28/07	NA	2,000	NA	NA	NA	NA	NA	NA
	04/16/08	NA	4,410	NA	NA	NA	NA	NA	NA
	09/22/08	NA	2,950	NA	NA	NA	NA	NA	NA
	04/03/09	NA	3,790	NA	NA	NA	NA	NA	NA
	09/01/09	NA	2,420	NA	NA	NA	NA	NA	NA
	03/17/10	NA	3,240	NA	NA	NA	NA	NA	NA
	09/09/10	NA	2,480	NA	NA	NA	NA	NA	NA
	04/29/11	NA	2,940	NA	NA	NA	0.32 J	NA	NA
	09/01/11	NA	1,960	NA	NA	NA	NA	NA	NA
	03/14/12	NA	2,700	NA	NA	NA	NA	NA	NA
	09/11/12	NA	2,410	NA	NA	NA	NA	NA	NA
	04/30/13	NA	3,020	NA	NA	NA	NA	NA	NA
	09/17/13	NA	3,440	NA	NA	NA	NA	NA	NA
	04/21/14	NA	2,150	NA	NA	NA	NA	NA	NA
	09/16/14	NA	2,130	NA	NA	NA	NA	NA	NA
	04/14/15	NA	2,210	NA	NA	NA	2.0 J	NA	NA
	09/14/15	NA	1,600	NA	NA	NA	NA	NA	NA
	03/30/16	NA	2,250	NA	NA	NA	NA	NA	NA
	09/21/16	NA	2,390	NA	NA	NA	NA	NA	NA
	03/29/17	NA	1,990	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-107	10/03/17	NA	1,400	NA	NA	NA	NA	NA	NA
	04/11/18	NA	1,920	NA	NA	NA	NA	NA	NA
	09/17/18	NA	609	NA	NA	NA	NA	NA	NA
	09/25/19	NA	1,300	NA	NA	NA	3.5 J	NA	NA
	09/22/21	NA	1,400	NA	NA	NA	NA	NA	NA
	09/06/23	NA	1,070	NA	NA	NA	<1.1	NA	NA
MW-108	02/20/97	NA	25	NA	23	NA	490.0	NA	31
	05/27/97	<.2	11	NA	13	NA	210.0	<.2	15
	09/18/97	.14**	27.4	NA	22.4**	1**	462.0	<.03	36.6
	12/12/97	.04*	5.6	NA	<9.7	<.8	74.8	.03*	27.9
	03/25/98	.04*	9.4	NA	10.4**	<1.7	142.0	.007*	13.8
	06/10/98	.14*	28.4	NA	25.5	<1.7	478.0	.021*	40.5
	10/27/98	.26*	8.90	NA	7.40	<.0032	88.0	<0.5	44
	02/09/99	<.31	1.70	NA	3.90	<.0032	560.0	<.05	30
	06/08/99	<.31	3.10	NA	1.4*	<.0032	450.0	<.05	54
	09/13/99	<.31	4.50	NA	5.30	<.0032	100.0	<.05	<12
	12/15/99	<.31	6.10	NA	NA	NA	79.0	NA	NA
	03/13/00	<.31	3.6	NA	NA	NA	41.0	NA	NA
	06/22/00	<.31	6.5	NA	NA	NA	<4.2	NA	NA
	09/27/00	<.23	2.9	NA	NA	NA	29.0	NA	NA
	12/19/00	<.23	3.0	NA	NA	NA	22.0	NA	NA
	03/01/01	<.23	<.57	NA	NA	NA	<2.0	NA	NA
	06/19/01	<.17	2.40	NA	NA	NA	110.0	NA	NA
	09/24/01	<.17	<.34	NA	NA	NA	40.0	NA	NA
	12/05/01	<.23	<.57	NA	NA	NA	7.4	NA	NA
	03/19/02	<.23	<.57	NA	NA	NA	3.4	NA	NA
	06/20/02	<.23	0.85*	NA	NA	NA	39.0	NA	NA
	09/18/02	<.23	<.44	NA	NA	NA	150.0	NA	NA
	12/17/02	<.23	0.67*	NA	NA	NA	34.0	NA	NA
	03/24/03	<.17	0.67*	NA	NA	NA	3.3	NA	NA
	03/24/04	NA	0.79*	<36	NA	NA	83.0	NA	NA
	03/29/05	NA	0.65	<2.7	NA	NA	2.6	NA	NA
	03/27/06	NA	<0.40	<5.0	NA	NA	6.2	NA	NA
	03/27/07	NA	<1.9	NA	NA	NA	1.4	NA	NA
	04/29/11	NA	1.8 J	NA	NA	NA	0.70 J	NA	NA
	04/14/15	NA	<2.1	NA	NA	NA	<1.4	NA	NA
	09/25/19	NA	<2.5	NA	NA	NA	79.9	NA	NA
	09/07/23	NA	<2.5	NA	NA	NA	6.0	NA	NA
MW-109 ****	06/21/06	<0.92	1,300	1,400	2.4*	<9.4	480.0	<0.072	<20
	09/20/06	NA	450	NA	-	<9.4	430.0	NA	<20
	12/19/06	NA	550	NA	NA	NA	NA	NA	NA
	03/29/07	NA	2,700	NA	NA	0.94	15	NA	<20
	07/03/07	NA	2,200	NA	NA	NA	NA	NA	NA
	09/28/07	NA	1,300	NA	NA	NA	NA	NA	NA
	04/16/08	NA	1,550	NA	NA	NA	NA	NA	NA
	09/22/08	NA	892	NA	NA	NA	NA	NA	NA
	04/03/09	NA	912	NA	NA	NA	NA	NA	NA
	09/01/09	NA	1,520	NA	NA	NA	NA	NA	NA
	03/17/10	NA	867	NA	NA	NA	NA	NA	NA
	09/09/10	NA	718	NA	NA	NA	NA	NA	NA
	04/29/11	NA	1,110	NA	NA	NA	3.8 J	NA	NA
	09/01/11	NA	2,040	NA	NA	NA	NA	NA	NA
	03/16/12	NA	866	NA	NA	NA	NA	NA	NA
	09/11/12	NA	582	NA	NA	NA	NA	NA	NA
	04/29/13	NA	986	NA	NA	NA	NA	NA	NA
	09/17/13	NA	805	NA	NA	NA	NA	NA	NA
	04/21/14	NA	863	NA	NA	NA	NA	NA	NA
	09/16/14	NA	944	NA	NA	NA	NA	NA	NA
	04/14/15	NA	740	NA	NA	NA	<1.4	NA	NA
	09/14/15	NA	889	NA	NA	NA	NA	NA	NA
	03/30/16	NA	847	NA	NA	NA	NA	NA	NA
	09/21/16	NA	648	NA	NA	NA	NA	NA	NA
	03/29/17	NA	602	NA	NA	NA	NA	NA	NA
	10/04/17	NA	384	NA	NA	NA	NA	NA	NA
	04/10/18	NA	602	NA	NA	NA	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-109	09/17/18	NA	333	NA	NA	NA	NA	NA	NA
	09/26/19	NA	339	NA	NA	NA	18.3	NA	NA
	09/22/21	NA	225	NA	NA	NA	NA	NA	NA
	09/06/23	NA	363	NA	NA	NA	4.7 J	NA	NA
MW-110 ****	06/21/06	<0.92	24,000	26,000	2.9*	40	290.0	<0.072	<20
	09/20/06	NA	15,000	NA	NA	41	260.0	NA	<20
	12/19/06	NA	15,000	NA	NA	53	NA	NA	NA
	03/29/07	NA	47,000	NA	NA	6.6	84	NA	<20
	07/03/07	NA	3,200	NA	NA	79	NA	NA	NA
	09/28/07	NA	51,000	NA	NA	71	NA	NA	NA
	04/16/08	NA	32,500	NA	NA	55	NA	NA	NA
	09/22/08	NA	32,500	NA	NA	57	NA	NA	NA
	04/03/09	NA	30,900	NA	NA	42	NA	NA	NA
	09/01/09	NA	34,400	NA	NA	21	NA	NA	NA
	03/17/10	NA	22,800	NA	NA	39	NA	NA	NA
	09/09/10	NA	5,060	NA	NA	7.5 J	NA	NA	NA
	04/29/11	NA	27.2	NA	NA	<6.1	0.22 J	NA	NA
	09/01/11	NA	7,270	NA	NA	6.6 J	NA	NA	NA
	03/14/12	NA	4,530	NA	NA	6.6 J	NA	NA	NA
	09/12/12	NA	10,800	NA	NA	13 J	NA	NA	NA
	04/30/13	NA	294	NA	NA	4.3 J	NA	NA	NA
	09/17/13	NA	3,190	NA	NA	4.3 J	NA	NA	NA
	04/22/14	NA	76	NA	NA	<10	NA	NA	NA
	09/17/14	NA	1,960	NA	NA	<0.010	NA	NA	NA
	04/15/15	NA	156	NA	NA	10	2.7J	NA	NA
	09/14/15	NA	849	860	NA	<10	NA	NA	NA
	03/31/16	NA	3.5 J	NA	NA	<6.8	NA	NA	NA
	09/21/16	NA	1,460	NA	NA	<6.8	NA	NA	NA
	03/29/17	NA	6.7 J	NA	NA	<6.8	NA	NA	NA
	10/03/17	NA	987	NA	NA	<6.8	NA	NA	NA
	04/10/18	NA	251	NA	NA	<6.8	NA	NA	NA
	09/17/18	NA	6.2 J	NA	NA	<6.8	NA	NA	NA
	09/26/19	NA	<2.5	NA	NA	<6.8	542	NA	NA
	09/22/21	NA	171	NA	NA	<6.9	NA	NA	NA
	09/06/23	NA	317	NA	NA	<6.9	2.3 J	NA	NA
MW-111 ****	06/21/06	<0.92	1,400	1,400	3.3*	27	190	<0.072	<20
	09/20/06	NA	22	NA	-	20*	210	NA	<20
	12/19/06	NA	6.7	NA	NA	NA	NA	NA	NA
	03/29/07	NA	2,300	NA	NA	31	11	NA	<20
	07/03/07	NA	41	NA	NA	NA	NA	NA	NA
	09/28/07	NA	340	NA	NA	NA	NA	NA	NA
	04/16/08	NA	212	NA	NA	16 J	NA	NA	NA
	09/22/08	NA	743	NA	NA	NA	NA	NA	NA
	04/03/09	NA	381	NA	NA	13 J	NA	NA	NA
	09/01/09	NA	1,380	NA	NA	NA	NA	NA	NA
	03/17/10	NA	649	NA	NA	17 J	NA	NA	NA
	09/09/10	NA	438	NA	NA	NA	NA	NA	NA
	04/29/11	NA	238	NA	NA	<6.1	<0.14	NA	NA
	09/01/11	NA	572	NA	NA	NA	NA	NA	NA
	03/14/12	NA	432	NA	NA	13	NA	NA	NA
	09/12/12	NA	24.5	NA	NA	NA	NA	NA	NA
	04/30/13	NA	478	NA	NA	11 J	NA	NA	NA
	09/17/13	NA	509	NA	NA	11 J	NA	NA	NA
	04/21/14	NA	332	NA	NA	12 J	NA	NA	NA
	09/17/14	NA	302	NA	NA	12 J	NA	NA	NA
	04/14/15	NA	448	NA	NA	11	<1.4	NA	NA
	09/14/15	NA	582	660	NA	11	NA	NA	NA
	03/31/16	NA	120	NA	NA	<6.8	NA	NA	NA
	09/22/16	NA	363	NA	NA	NA	NA	NA	NA
	03/29/17	NA	10.1	NA	NA	<6.8	NA	NA	NA
	10/03/17	NA	480	NA	NA	NA	NA	NA	NA
	04/10/18	NA	551	NA	NA	9.9	NA	NA	NA
	09/17/18	NA	292	NA	NA	9.9	NA	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
MW-111	09/26/19	NA	76.3	NA	NA	<6.8	2.7	NA	NA
	09/22/21	NA	265	NA	NA	<6.9	NA	NA	NA
	09/06/23	NA	58.5	NA	NA	<6.9	3.0 J	NA	NA
MW-112 ****	06/21/06	<0.92	130,000	140,000	5.3	140	180.0	<0.072	34,000
	09/20/06	NA	69,000	NA	NA	84	130.0	NA	<20
	12/19/06	NA	55,000	NA	NA	88	NA	NA	<200
	03/28/07	NA	140,000	NA	NA	450	110	NA	<20
	07/03/07	NA	100,000	NA	NA	35	NA	NA	<200
	09/28/07	NA	150,000	NA	NA	320	NA	NA	34
	04/16/08	NA	88,400	NA	NA	380	NA	NA	NA
	09/22/08	NA	77,400	NA	NA	210	NA	NA	NA
	04/03/09	NA	76,200	NA	NA	210	NA	NA	NA
	09/01/09	NA	69,000	NA	NA	150	NA	NA	NA
	03/17/10	NA	21,500	NA	NA	110	NA	NA	NA
	09/09/10	NA	7,150	NA	NA	110	NA	NA	NA
	04/29/11	NA	1,840	NA	NA	<6.1	2.6 J	NA	NA
	09/01/11	NA	15,600	NA	NA	51	NA	NA	NA
	03/14/12	NA	149	NA	NA	<6.1	NA	NA	NA
	09/12/12	NA	18,600	NA	NA	32	NA	NA	NA
	04/30/13	NA	216	NA	NA	5.2 J	NA	NA	NA
	09/17/13	NA	2,940	NA	NA	5.2 J	NA	NA	NA
	04/21/14	NA	189	NA	NA	<10	NA	NA	NA
	09/17/14	NA	2,820	NA	NA	0.016	NA	NA	NA
	04/14/15	NA	274	NA	NA	10	<1.4	NA	NA
	09/14/15	NA	13,600	16,000	NA	21	NA	NA	NA
	03/31/16	NA	1,080	NA	NA	8.0 J	NA	NA	NA
	09/22/16	NA	638	NA	NA	7.0 J	NA	NA	NA
	03/29/17	NA	240	NA	NA	<14	NA	NA	NA
	10/03/17	NA	3,150	NA	NA	8.9	NA	NA	NA
	04/10/18	NA	5,310	NA	NA	14 J	NA	NA	NA
	09/17/18	NA	89.6	NA	NA	7.6 J	NA	NA	NA
	09/26/19	NA	305	NA	NA	<6.8	283	NA	NA
	09/22/21	NA	153	NA	NA	<6.9	NA	NA	NA
	09/06/23	NA	1,260	NA	NA	<6.9	674	NA	NA
MW-113 ****	06/21/06	<0.92	25,000	26,000	3.4*	11	170.0	<0.072	<20
	09/20/06	NA	31,000	NA	NA	12*	85.0	NA	<20
	12/19/06	NA	21,000	NA	NA	NA	NA	NA	NA
	03/29/07	NA	11,000	NA	NA	<0.94	3.2	NA	<20
	07/03/07	NA	21,000	NA	NA	NA	NA	NA	NA
	09/28/07	NA	55,000	NA	NA	NA	NA	NA	NA
	04/16/08	NA	16,400	NA	NA	NA	NA	NA	NA
	09/22/08	NA	24,300	NA	NA	NA	NA	NA	NA
	04/03/09	NA	18,800	NA	NA	NA	NA	NA	NA
	09/01/09	NA	37,400	NA	NA	NA	NA	NA	NA
	03/17/10	NA	31,300	NA	NA	NA	NA	NA	NA
	09/09/10	NA	18,400	NA	NA	NA	NA	NA	NA
	04/29/11	NA	2,760	NA	NA	NA	<0.14	NA	NA
	09/01/11	NA	16,700	NA	NA	NA	NA	NA	NA
	03/14/12	NA	7,460	NA	NA	NA	NA	NA	NA
	09/12/12	NA	25,800	NA	NA	NA	NA	NA	NA
	04/30/13	NA	776	NA	NA	NA	NA	NA	NA
	09/17/13	NA	31,100	NA	NA	NA	NA	NA	NA
	04/22/14	NA	12,000	NA	NA	NA	NA	NA	NA
	09/17/14	NA	25,900	NA	NA	NA	NA	NA	NA
	04/14/15	NA	10,800	NA	NA	NA	<1.4	NA	NA
	09/14/15	NA	6,560	7,400	NA	NA	NA	NA	NA
	03/31/16	NA	2,780	NA	NA	NA	NA	NA	NA
	09/21/16	NA	15,200	NA	NA	NA	NA	NA	NA
	03/29/17	NA	6,490	NA	NA	NA	NA	NA	NA
	10/03/17	NA	17,400	NA	NA	NA	NA	NA	NA
	04/10/18	NA	26,200	NA	NA	NA	NA	NA	NA
	09/17/18	NA	4,060	NA	NA	NA	NA	NA	NA
	09/26/19	NA	759	NA	NA	NA	5,010	NA	NA
	09/22/21	NA	4,450	NA	NA	NA	NA	NA	NA
	09/06/23	NA	17,700	NA	NA	NA	<5.6	NA	NA

TABLE 5
Historical Groundwater Analytic Test Results--Selected Metals

N.W. Mauthe Superfund Site - Appleton, Wisconsin

Well Name	Sample Date	Cadmium (ug/l)	Chromium (ug/l)	Hexavalent Chromium (ug/l)	Copper (ug/l)	Cyanide (ug/l)	Manganese (ug/l)	Mercury (ug/l)	Zinc (ug/l)
Max Contaminant Level (MCL)		5	100	100***	100	200	50.0	2	5,000
1992 ES NR 140		10	50	50	1,000	200	50.0	2	5,000
1992 PAL NR 140		1.0	5	5***	500	40	25.0	0.2	2,500
PZ-5	07/19/05****	NA	1.3*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	0.41*	<5.0	NA	NA	NA	NA	NA
	03/31/16****	NA	<2.1	NA	NA	NA	NA	NA	NA
PZ-6	07/19/05****	NA	1.2*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	<0.40	<5.0	NA	NA	NA	NA	NA
	03/30/16****	NA	<2.1	NA	NA	NA	NA	NA	NA
PZ-7	07/19/05****	NA	<0.52	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	0.55*	<5.0	NA	NA	NA	NA	NA
	03/30/16****	NA	<2.1	NA	NA	NA	NA	NA	NA
PZ-8	07/19/05****	NA	1.1*	<5.0	NA	NA	NA	NA	NA
	09/21/05****	NA	<0.40	<5.0	NA	NA	NA	NA	NA
	04/05/16	NA	<2.1	NA	NA	NA	NA	NA	NA

EXPLANATION:

Samples collected prior to 10/27/98 were collected by CH2M Hill.

* = Analyte detected between limit of detection and limit of quantitation.

** = Compound was found in sample and blank.

*** = Standard is for Total Chromium.

**** = OMNNI Associates, Inc. collected groundwater samples from PZ-5 to PZ-8 on July 19, 2005 and September 21, 2005 and MW-109 to MW-113 on June 21, 2006 and September 20, 2006 using a peristaltic pump and dedicated tubing.

ND = Not detected above the analytical laboratories method detection limit

NA = Not Analyzed

J = Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MW-104 = Was tested for Aluminum, Nickel, Arsenic & Lead. No quantifiable detections were noted for any of the analytes.

ug/L = Microgram/Liter

mg/L = Milligram / Liter

 Indicates an exceedance of the 1992 NR 140 Groundwater Quality Enforcement Standard (ES)

 Indicates Exceedance of the 1992 NR 140 Groundwater Preventive Action Limit (PAL)

NOTE: The EPA Record of Decision establishes the 1992 PALS as the cleanup goals for the site.

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

	Detected Volatile Organic Compounds (µg/L)														
	Benzene	Chloroform	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-Dichloro ethene	Trans-1,2-Dichloro ethene	Ortho-Xylene	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene	Meta, para Xylene	Total Xylenes	
1992 US EPA MCL	5.0	100	-	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000	
1992 ES NR 140	5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620	
1992 PAL NR 140	0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124	
W-2	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<0.4	<68	<40	<0.5	<0.5	0.4**	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	0.15*	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.13*	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.37	<0.42	<0.32	<0.42	***	<0.43
W-8	02/20/97	NA	NA	NA	-	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<0.4	<68	<40	<0.5	<0.5	0.4**	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<0.3	<68	<40	<0.5	<0.5	0.3**	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	0.19*	<0.15	<0.15	-	<0.15	<0.16	<0.17	***	0.15*	<0.14	<0.15	<0.15	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.13	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.37	<0.42	<0.32	<0.42	***	<0.43
W-15	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	0.22	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<0.4	<68	<40	<0.5	<0.5	0.4**	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	0.16*	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.50*	<0.42	<0.32	<0.42	***	<0.43
MW-101	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	0.491*	-	0.353*	<7	<7	<124	<68	3.03	<0.5	3.31	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.91	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.40*	<0.42	<0.32	<0.42	***	<0.43
MW-102	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<85	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<85	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<85	<7	<7	<0.4	<68	<40	<0.5	<0.5	0.4*	-
	06/10/98	<0.5	<0.6	<85	-	<85	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.65	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.21*	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<									

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)													
		Benzene	Chloroform	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-Dichloro ethene	Trans-1,2-Dichloro ethene	Ortho-Xylene	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-103	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.15*	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	0.23*	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.39	***	<0.37	<0.42	<0.32	<0.42	***	<0.42
	04/05/16	<0.50	<2.5	<0.24	-	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
MW-104	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	0.324*	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	0.4	-	<0.7	<7	<7	<120	<68	1*	<0.5	0.9	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	0.8*	<0.5	<0.5	<120	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	2*	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	0.35*	-	<0.28	<0.27	<0.26	<0.17	<0.21	1.8	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	0.38*	-	<0.15	<0.16	<0.17	***	0.17*	1.5	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	0.34*	-	<0.15	<0.16	<0.17	***	0.14*	1.4	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	0.38*	-	<0.15	<0.16	<0.17	***	0.27*	1.6	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	0.38 *	-	<0.35	<0.15	<0.39	***	<0.37	1.6	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	2.8	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	2.4	<0.25	<0.23	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.37	1.3*	<0.32	<0.42	***	<0.43
	03/30/16	<0.50	<2.5	<0.24	-	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
MW-105	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	0.4*	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	0.16*	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.3*	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13*	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	0.64*	<0.42	<0.32	<0.42	***	<0.43
MW-106	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	2.73*	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.27	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	0.18*	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.17	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	<0.13	<0.14	<0.15	<0.14	***	<0.37
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	0.39	***	<0.37	<0.33	<0.11	<0.34	***	<0.71
	03/01/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	5.7	<0.42	<0.32	<0.42	***	<0.43
MW-107	02/20/97	<5	0.3	11	-	8.4	0.7	<0.7	<0.5	<0.5	81	0.6	50	<0.5	-
	05/27/97	0.09	1.10	36	-	40	3.1	<3.1	<0.5	0.34	390	3.5	420	<0.5	-
	09/18/97	<10	<12	47.6 J	-	22.1	2.61 J	<2.61	<2480	<68	265 J	2.83	295	<2480	-
	12/12/97	<10	<12	56 J	-	23	3 J	<3	<2500	<68	280	3	290	<2500	-
	03/25/98	<25	<30	61 J	-	69	5 J	<5	<17	<68	720	5	620	17*	-
	06/10/98	<12	<15	59*	-	58	<3	<3	<3100	63*	340 J	4 J	390	<3100	-
	10/27/98	<0.24	1.4	62	-	46 J	3.6	0.51	<0.17	<21	550	4.9	640	<0.36	-
	02/09/99	<3.2	<3.8	48	-	24	<4.0	<4.2	***	<3.2	220	<0.38	250	***	<9.2
	06/08/99	<2.6	<3.0	42	-	20	<3.2	<3.4	***	<2.6	200	<3.0	310	***	<7.4
	09/13/99	<0.26	<3.0	34	-	19	<0.32	<3.4	***	<2.6	180	<3.0	320	***	<7.4

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)													
		Benzene	Chloroform	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-Dichloro ethene	Trans-1,2-Dichloro ethene	Ortho-Xylene	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-107	03/01/01	<6.0	<7.4	<32	-	<6.7	<14	<6.5	***	<8.7	420	<13	760	***	<28
	06/25/01	<6.5	<15	26	-	35	<9	<6.1	***	<6.2	360	<6.5	620	***	<32
	09/24/01	<6.5	<15	36	-	50	<9	<6.1	***	<6.2	480	<6.5	760	***	<32
	12/05/01	<6.5	<15	40	-	50	<9	<6.1	***	<6.2	500	<6.5	810	***	<32
	03/19/02	<6.0	<7.5	37 J	-	43	<14	<6.5	***	<8.7	440	<13	740	***	<28
	06/20/02	<7.9	<11	31	-	39	<7.2	<8.9	***	<7.6	410	<6.8	690	***	<14
	09/18/02	<7.9	<11	34	-	39	<7.2	<8.9	***	<7.6	430	<6.8	710	***	<14
	12/17/02	<7.9	<11	40	-	43	<7.2	<8.9	***	<7.6	470	<6.8	850	***	<14
	03/24/03	<1.7	<1.8	33 J	-	37 J	<19	<19	***	<19	390	<16	640	***	<22
	06/10/03	<5.7	<8.0	<5.3	-	39	<11	<8.2	***	<7.2	400	<9.0	680	***	<17
	09/10/03	<17	<18	36 J	-	41 J	<19	<19	***	<19	430	<16	730	***	<22
	12/10/03	<17	<18	25 J	-	31 J	<19	<19	***	<19	380	<16	740	***	<22
	03/24/04	<7.5	<7.0	<7.1	-	22	<6.8	<6.0	***	<7.6	220	<8.1	370	***	<19
	07/29/04	<2.0	<1.8	29	-	25	<4.1	<4.4	***	<3.4	310	3.4	510	***	<13.1
	09/22/04	<7.5	<7.0	28	-	34	<6.8	<6.0	***	<7.6	270	<8.1	570	***	<19
	12/14/04	<7.5	<7.0	33	-	40	<6.8	<6.0	***	<7.6	410	<8.1	800	***	<19
	03/29/05	<2.0	<1.8	39	-	20	<4.1	<4.4	***	<3.4	200	0.21	330	***	<13.1
	06/22/05	<1.0	<0.92	18	-	8.2	<2.1	<2.2	***	<1.7	82	<1.0	160	***	<6.6
	09/21/05	<2.0	<1.8	39	-	18.0	<4.1	<4.4	***	<3.4	220	<2.1	470	***	<13.1
	12/15/05	<2.0	<1.8	42	-	26.0	<4.1	<4.4	***	<3.4	250	<2.1	490	***	<13.1
	03/23/06	<2.0	<1.8	31	-	16.0	<4.1	<4.4	***	<3.4	150	<2.1	330	***	<13.1
	06/28/06	<2.0	<1.8	37	-	28.0	<4.1	<4.4	***	<3.4	270	<2.1	550	***	<13.1
	09/20/06	<4.1	<3.7	32	-	31.0	<8.3	<8.9	***	<6.7	330	<4.2	700	***	<26.3
	12/19/06	<2.0	<1.8	52	-	30	<4.1	<4.4	***	<3.4	280	3.3 J	580	***	<13.1
	03/28/07	<0.82	<0.74	19	-	18	2.1	<1.8	***	<1.3	190	1.7	340	***	<5.3
	07/03/07	<1.0	<0.92	30	-	15	2.3	<2.2	***	<1.7	160	1.5	350	***	<6.6
	09/28/07	<2.0	<1.8	35	-	19	<4.1	<4.4	***	<3.4	210	2.4 J	420	***	<13.1
	04/16/08	<2.0	<1.8	20.8	-	21.8	<4.2	<4.4	***	<3.4	257	2.7 J	550	***	<13.2
	09/22/08	<2.0	<6.5	38.5	-	34.2	4.5 J	<4.4	***	<3.4	368	2.8 J	679	***	<13.2
	04/03/09	<2.0	<6.5	22.6	-	22.7	<4.2	<4.4	***	<3.4	283	<2.1	593	***	<13.2
	09/01/09	<2.0	<6.5	41.4	-	37.7	<4.2	<4.4	***	<3.4	347	2.8 J	715	***	<13.2
	03/17/10	<2.0	<6.5	25.3	-	29.0	<4.2	<4.4	***	<3.4	276	<2.1	620	***	<13.2
	09/09/10	<2.0	<6.5	25.8	-	26.7	<4.2	<4.4	***	<3.4	283	<2.1	685	***	<13.2
	04/29/11	<2.0	<6.5	21.0	-	18.3	<4.2	<4.4	***	<3.4	213	<2.1	551	***	<13.2
	09/01/11	<2.0	<6.5	31.5	-	26.1	<4.2	<4.4	***	5.2	297	2.3 J	641	***	<13.2
	03/14/12	<2.0	<6.5	21.4	<1.8	15.6	<4.2	<4.4	***	<3.4	190	<2.1	463	***	<13.2
	09/12/12	<2.0	<6.5	32.0	<1.8	30.5	4.2 J	<4.4	<4.2	<3.4	305	<2.1	664	<9.0	<13.2
	04/30/13	<2.5	<3.4	16.3	<2.4	15.5	<2.1	<1.9	<2.5	<2.2	177	<1.9	460	<4.1	<6.6
	09/17/13	<5.0	<6.9	3.7	<4.8	11.9	<4.2	<3.7	<5.0	<4.4	174	<3.9	531	<8.2	<13.2
	04/21/14	<2.5	<12.5	14.9	-	11.7	1.7 J	<1.2	<2.5	<2.5	129	<0.78	399	<5.0	<7.5
	09/16/14	<2.5	<12.5	5.2	<0.84	10.7	2.2 J	<1.3	<2.5	<2.5	120	<0.78	418	<5.0	<7.5
	04/14/15	<2.5	<12.5	16.2	<0.84	15.3	<1.3	<1.3	<2.5	<2.5	159	<0.99	382	<5.0	<7.5
	09/14/15	<2.5	<12.5	25.5	<0.84	19.1	2.1 J	<1.3	***	<2.5	176	<0.99	470	***	<7.5
	03/30/16	<2.5	<12.5	9.6	<0.84	10.0	<1.3	<1.3	<2.5	<2.5	101	<0.99	282	<5.0	<7.5
	09/21/16	<1.2	<6.2	4.9	<0.84	10.5	1.4 J	<0.64	<1.2	<1.2	138	0.86 J	374	<2.5	<3.7
	03/29/17	<1.2	<6.2	14.0	<0.84	11.7	2.3 J	<0.64	<1.2	<1.2	124	<0.49	364	<2.5	<3.7
	10/03/17	<1.2	<6.2	34.2	<0.84	23.2	2.8	<0.64	<1.2	<1.2	212	<0.49	564	<2.5	<3.7
	04/11/18	<1.2	<6.2	23.1	<0.84	17.6	3.0	<0.64	<1.2	<1.2	166	1.4 J	445	<2.5	<3.7
	09/17/18	<0.62	<3.2	24.7	<0.84	16.1	2.8	<2.7	<0.65	<0.43	142	<1.4	418	<1.2	<1.85
	09/25/19	<0.62	<3.2	10.9	<0.84	9.5	1.2 J	<2.7	<0.65	<0.43	96.2	<1.4	308	<1.2	<1.85
	09/22/21	<0.74	<3.0	4.6	<0.84	6.2	<1.2	<1.3	<0.87	<0.72	75.7	<0.86	251	<1.8	<2.52
	09/06/23	<0.74	<1.3	24.6	<0.73	11.4	1.7 J	<1.3	<0.87	<0.72	107	<0.86	321	<1.8	<2.67
MW-108	02/20/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	05/27/97	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
	09/18/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<124	<68	<40	<0.5	<0.5	<124	-
	12/12/97	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	03/25/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<40	<0.5	<0.5	<120	-
	06/10/98	<0.5	<0.6	<85	-	<0.7	<7	<7	<120	<68	<44	<0.5	<0.5	<120	-
	10/27/98	<0.24	<0.23	<0.22	-	<0.28	<0.27	<0.26	<0.17	<0.21	<0.26	<0.23	<0.29	<0.36	-
	02/09/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.83	<0.14	<0.15	<0.14	***	<0.37
	06/08/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.15*	<0.14	<0.15	<0.14	***	<0.37
	09/13/99	<0.13	<0.15	<0.14	-	<0.15	<0.16	<0.17	***	0.84	<0.14	<0.15	<0.14	***	<0.32
	03/13/00	<0.32	<0.28	<0.36	-	<0.35	<0.15	<0.39	***	<0.37	<0.33	<0.11	<0.36	***	<0.71
	03/31/01	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<56
	03/19/02	<0.12	<0.15	<0.64	-	<0.13	<0.28	<0.13	***	<0.17	<0.17	<0.25	<0.13	***	<0.56
	03/24/03	<0.35	<0.35	<0.35	-	<0.39	<0.39	<0.37	***	<0.37	<0.42	<0.32	<0.42	***	<0.43

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)													
		Benzene	Chloroform	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-Dichloro ethene	Trans-1,2-Dichloro ethene	Ortho-Xylene	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-109	06/21/06	-	0.40*	1.3*	-	1.9	<0.83	<0.89	***	-	37	0.45	46	***	-
	09/20/06	-	0.39*	1.7*	-	2.2	<0.83	<0.89	***	-	37	0.45	51	***	-
	12/19/06	<0.41	0.44*	2.7	-	1.1*	<0.83	<0.89	***	-	33	0.52	42	***	<2.63
	03/29/07	<0.41	<0.37	0.85	-	1.3	<0.83	<0.89	***	<13	27	<0.42	37	***	<2.63
	07/03/07	<0.41	0.38*	1.7	-	1.3	<0.83	<0.89	***	<0.67	34	0.54	47	***	<2.63
	09/28/07	<0.41	<0.37	<0.75	-	1.1*	<0.83	<0.89	***	<0.67	22	<0.42	35	***	<2.63
	04/16/08	<0.41	0.39 J	1.9	-	1.9	<0.83	<0.89	***	<0.67	31.9	0.45	39.4	***	<2.63
	09/22/08	<0.41	<1.3	0.98 J	-	1.4	<0.83	<0.89	***	<0.67	26.9	<0.42	38.8	***	<2.63
	04/03/09	<0.41	<1.3	2.4	-	1.1	<0.83	<0.89	***	<0.67	29.6	<0.42	36.3	***	<2.63
	09/01/09	<0.41	<1.3	1.4	-	2.2	<0.83	<0.89	***	<0.67	35.8	0.50 J	50.8	***	<2.63
	03/17/10	<0.41	<1.3	2.4	-	1.6	<0.83	<0.89	***	<0.67	27.4	<0.42	37.9	***	<2.63
	09/09/10	<0.41	<1.3	0.84 J	-	1.2	<0.83	<0.89	***	<0.67	23.5	<0.42	41.5	***	<2.63
	04/29/11	<0.41	<1.3	2.2	-	1.6	<0.83	<0.89	***	<0.67	27.1	0.43	38.6	***	<13.2
	09/01/11	<0.41	<1.3	2.7	-	2.6	<0.83	<0.89	***	<0.67	52.5	0.69 J	66.8	***	<2.63
	03/14/12	<0.41	<1.3	2.4	<0.36	1.1	<0.83	<0.89	***	<0.67	22.3	<0.42	33.5	***	<2.63
	09/12/12	<0.41	<1.3	1.1	<0.36	0.91	<0.83	<0.89	***	<0.67	19.5	<0.42	30.2	***	<2.63
	04/29/13	<0.50	<0.69	1.8	<0.48	1.0	<0.42	<0.37	***	<0.44	16.7	<0.39	28.7	***	<1.32
	09/17/13	<0.50	<0.69	0.8	<0.48	0.8	<0.42	<0.37	***	<0.44	12.6	<0.39	26.3	***	<1.32
	04/21/14	<0.50	<2.5	1.9	-	1.0	<0.26	<0.24	***	<0.50	18.9	0.27	28.6	***	<1.5
	09/16/14	<0.50	<2.5	1.0	<0.17	0.89	<0.26	<0.26	<0.50	<0.50	17.2	<0.16	31.1	<1.0	<1.5
	04/14/15	<0.50	<2.5	1.5	<0.17	1.1	<0.26	<0.26	<0.50	<0.50	17.8	<0.20	23.5	<1.0	<1.5
	09/14/15	<0.50	<2.5	1.4	<0.17	1.1	<0.26	<0.26	***	<0.50	24.1	<0.20	38.3	***	<1.5
	03/30/16	<0.50	<2.5	0.94	<0.17	1.0	<0.26	<0.26	<0.50	<0.50	15.1	<0.20	22.5	<1.0	<1.5
	09/21/16	<0.50	<2.5	1.8	<0.17	1.8	0.28 J	<0.26	<0.50	<0.50	31.0	0.31 J	40.6	<1.0	<1.5
	03/29/17	<0.50	<2.5	1.2	<0.17	1.2	<0.26	<0.26	<0.50	<0.50	17.4	<0.20	24.4	<1.0	<1.5
	10/04/17	<0.50	<2.5	1.9	<0.17	1.5	0.37 J	<0.26	<0.50	<0.50	26.7	<0.20	39.1	<1.0	<1.5
	04/10/18	<0.50	1.2	1.9	<0.17	1.1	<0.26	<0.26	<0.50	<0.50	26.7	0.25 J	25.8	<1.0	<1.5
	09/17/18	<0.25	<1.3	1.5	<0.17	0.91	<0.27	<1.1	<0.26	<0.17	17.6	<0.55	27.3	<0.47	<0.73
	09/26/19	<0.25	<1.3	2.3	<0.17	1.3	<0.27	<1.1	<0.26	<0.17	23.2	<0.55	35.3	<0.47	<0.73
	09/22/21	<0.30	<1.2	0.87 J	<0.17	<0.58	<0.47	<0.53	<0.35	<0.29	11.5	<0.34	21.2	<0.70	<1.05
	09/06/23	<0.30	<0.50	1.6	<0.29	0.96 J	<0.47	<0.53	<0.35	<0.29	17.4	<0.34	27.8	<0.70	<1.05
MW-110	06/21/06	-	<3.7	310	-	340	56	19	***	-	1,500	<4.2	27	***	-
	09/20/06	-	<3.7	260	-	300	57	28 J	***	-	1,100	<4.2	30	***	-
	12/19/06	<4.1	<3.7	230	-	240	55	16 J	***	<6.7	910	<4.2	23	***	<2.63
	03/29/07	<8.2	<7.4	250	-	340	59	24	***	<13	1,500	<8.4	32	***	<53
	07/03/07	<8.2	<7.4	270	-	230	59	18	***	<13	1,300	<8.4	26	***	<53
	09/28/07	<10	<9.2	380	-	350	67 J	23 J	***	<17	1,600	<10	32 J	***	<2.63
	04/16/08	<8.2	<7.4	206	-	195	55.9	<17.8	***	<13.4	918	<8.4	28.2	***	<52.6
	09/22/08	<4.1	<13.0	246	-	239	73.5	29.1	***	<6.7	1,210	<4.2	45.5	***	<26.3
	04/03/09	<4.1	<13.0	195	-	188	56.5	14.0	***	<6.7	914	<4.2	26.2	***	<26.3
	09/01/09	<4.1	<13.0	257	-	268	74.9	16.3	***	<6.7	1,130	<4.2	44.2	***	<26.3
	03/17/10	<4.1	<13.0	159	-	169	47.3	9.8 J	***	<6.7	718	<4.2	29.8	***	<26.3
	09/09/10	<1.0	<3.2	36.3	-	47.7	17.2	3.3	***	<1.7	252	<1.0	23.5	***	<6.6
	04/29/11	<0.41	<1.3	0.84 J	-	0.62	<0.83	<0.89	***	<0.67	6.6	<0.42	1.0	***	<2.63
	09/01/11	<0.41	<1.3	32.5	-	40.0	22.2	3.0	***	<0.67	232	0.87	32.7	***	<2.63
	03/14/12	<1.6	<1.3	39.6	0.63 J	29.9	13.4	2.3	***	<0.67	170	0.46	15.8	***	<2.63
	09/12/12	<1.6	<5.2	65.3	<1.4	68.9	24.4	5.2	***	<2.7	313	<1.7	22.7	***	<10.5
	04/30/13	<0.50	<0.69	6.8	<0.48	4.4	1.9	0.38	***	<0.44	28.1	<0.39	4.7	***	<1.32
	09/17/13	<0.50	<0.69	28.5	<0.48	25.6	11.4	1.9	***	<0.44	111	0.48	18	***	<1.32
	04/22/14	<0.50	<2.5	3.1	-	1.5	0.60 J	<0.24	***	<0.50	9.6	<0.16	2.4	***	<1.5
	09/17/14	<0.50	<2.5	24.7	<0.17	19.1	10.4	1.5	<0.5	<0.50	115	0.38	19.3	<1.0	<1.5
	04/15/15	<0.50	<2.5	4.1	<0.17	2.3	0.96	<0.26	<0.5	<0.50	11.5	<0.20	2.2	<1.0	<1.5
	^c 09/14/15	<0.50	<2.5	23.1	0.34	17.4	8.7	1.4	***	<0.50	92.9	0.38	19.1	***	<1.5
	03/31/16	<0.50	<2.5	<0.24	0.34	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
	09/21/16	<0.50	<2.5	23.1	0.34	19.3	9.6	1.5	<0.50	<0.50	86.8	0.31 J	16.5	<1.0	<1.5
	03/29/17	<0.50	<2.5	1.1	0.34	<0.41	<0.26	<0.26	<0.50	<0.50	1.3	<0.20	0.43 J	<1.0	<1.5
	10/03/17	<0.50	<2.5	18.3	0.34	17.1	9.0	1.6	<0.50	<0.50	76.0	<0.20	20.4	<1.0	<1.5
	04/10/18	<0.50	<2.5	5.8	0.34	2.8	1.5	0.28	<0.50	<0.50	11.4	<0.20	3.6	<1.0	<1.5
	09/17/18	<0.25	<1.3	10.3	0.34	3.1	1.7	<1.1	<0.26	<0.17	16.9	<0.55	6.7	<0.47	<0.73
	09/26/19	<0.25	<1.3	3.3	0.34	<0.24	<0.27	<1.1	<0.26	<0.17	1.6	<0.55	0.86 J	<0.47	<0.73
	09/22/21	<0.30	<1.2	8.9	0.34	5.7	3.0	<0.53	<0.35	<0.29	29.2	<0.34	14.8	<0.70	<1.05
	09/06/23	<0.30	<0.50	9.1	<0.29	7.0	3.4	<0.53	<0.35	<0.29	36.5	<0.34	9.9	<0.70	<1.05
MW-111	06/21/06	-	0.59*	2.7	-	11	<0.83	<0.89	***	-	78	0.71	180	***	-
	09/20/06	-	<0.37	3.2	-	7.7	<0.83	<0.89	***	-	36	<0.42	97	***	-
	12/19/06	<0.41	<0.37	2.0*	-	1.5*	<0.83	<0.89	***	<0.67	7.9	<0.42	21	***	<2.63
	03/29/07	<0.41	0.77	1.7	-	7.3	<0.83	<0.89	***	<0.67	52	<0.42	120	***	<2.63
	07/03/07	<0.41	<0.37	<0.36	-	1.8	<0.83	<0.89	***	<0.67	14	<0.42	37	***	<2.63
	09/28/07	<0.41	<0.37	2.4*	-	2.8	<0.83	<0.89	***	<0.67	22	<0.42	55	***	<2.63
	04/16/08	<0.41	1.2	1.6	-	2.7	<0.83	<0.89	***	<0.67	20.3	<0.42	52.9	***	<2.63
	09/22/08	<0.41	<1.3	2.6	-	6.7	<0.83	<0.89	***	<0.67	59.0	0.53 J	142	***	<2.63
	04/03/09	<0.41	<1.3	1.6	-	2.7	<0.83	<0.89	***	<0.67	21.4	<0.42	57.7	***	<2.63
	09/01/09	<0.41	<1.3	2.5	-	7.5	<0.83	<0.89	***	<0.67	56.8	0.51 J	147	***	<2.63

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)													
		Benzene	Chloroform	1,1-Dichloro ethane	1,2-Dichloro ethane	1,1-Dichloro ethene	cis-1,2-Dichloro ethene	Trans-1,2-Dichloro ethene	Ortho-Xylene	Toluene	1,1,1-Trichloro ethane	1,1,2-Trichloro ethane	Trichloro ethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-	-	7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-111	03/17/10	<0.41	<1.3	1.8	-	3.9	<0.83	<0.89	***	<0.67	27.5	<0.42	75.3	***	<2.63
	09/09/10	<0.41	<1.3	2.2	-	4.5	<0.83	<0.89	***	<0.67	37.5	<0.42	110	***	<2.63
	04/29/11	<0.41	<1.3	2.0	-	2.7	<0.83	<0.89	***	<0.67	21.1	<0.42	65.0	***	<2.63
	09/01/11	<0.41	<1.3	2.3	-	4.5	<0.83	<0.89	***	<0.67	39.7	<0.42	109	***	<2.63
	03/14/12	<0.41	<1.3	2.3	<0.36	2.7	<0.83	<0.89	***	<0.67	23.9	<0.42	62.6	***	<2.63
	09/12/12	<0.41	<1.3	3.1	<0.36	3.2	<0.83	<0.89	***	<0.67	24.1	<0.42	66.7	***	<2.63
	04/30/13	<0.50	<0.69	1.8	<0.48	2.9	<0.42	<0.37	***	<0.44	19.8	<0.39	64.1	***	<1.32
	09/17/13	<0.50	<0.69	2.3	<0.48	4.8	<0.42	<0.37	***	<0.44	32.1	<0.39	108	***	<1.32
	04/21/14	<0.50	<2.5	1.7	-	2.2	<0.26	<0.24	***	<0.50	18.4	0.20 J	60	***	<1.5
	09/17/14	<0.50	<2.5	2.7	<0.17	3.9	<0.26	<0.26	<0.50	<0.50	36.9	0.30 J	110	<1.0	<1.5
	04/14/15	<0.50	<2.5	1.6	<0.17	2.4	<0.26	<0.26	<0.50	<0.50	15.6	<0.20	44.2	<1.0	<1.5
	09/14/15	<0.50	<2.5	2.3	<0.17	3.9	<0.26	<0.26	***	<0.50	32.1	<0.20	103	***	<1.5
	03/31/16	<0.50	<2.5	1.6	<0.17	2.0	<0.26	<0.26	<0.50	<0.50	14.6	<0.20	45.7	<1.0	<1.5
E	09/22/16	<0.50	<2.5	1.8	<0.17	2.7	<0.26	<0.26	<0.50	<0.50	24.7	<0.20	68.4	<1.0	<1.5
	03/29/17	<0.50	<2.5	<0.24	<0.17	<0.41	<0.26	<0.26	<0.50	<0.50	1.9	<0.20	9.0	<1.0	<1.5
	10/04/17	<0.50	<2.5	1.7	<0.17	2.8	<0.26	<0.26	<0.50	<0.50	21.6	<0.20	74.5	<1.0	<1.5
	04/10/18	<0.50	<2.5	1.5	<0.17	1.9	<0.26	<0.26	<0.50	<0.50	14.1	<0.20	45.8	<1.0	<1.5
	09/17/18	<0.25	<1.3	1.7	<0.17	2.2	<0.27	<1.1	<0.26	<0.17	17.2	<0.55	59.4	<0.47	<0.73
	09/26/19	<0.25	<1.3	0.72 J	<0.17	0.82 J	<0.27	<1.1	<0.26	<0.17	5.1	<0.55	24.2	<0.47	<0.73
	09/22/21	<0.30	<1.2	0.62 J	<0.17	0.68 J	<0.47	<0.53	<0.35	<0.29	5.4	<0.34	24.9	<0.70	<1.05
	09/06/23	<0.30	<0.50	1.4	<0.29	2.1	<0.47	<0.53	<0.35	<0.29	13.4	<0.34	52.5	<0.70	<1.05
MW-112	06/21/06	-	<1.8	<3.7	-	<3.8	<4.1	<4.4	***	-	7.9*	<2.1	450	***	-
	09/20/06	-	<0.37	<7.5	-	<5.7	<8.3	<8.9	***	-	<9.0	<4.2	540	***	-
	12/19/06	<2.0	<1.8	<3.8	-	<2.8	<4.1	<4.4	***	<3.4	<4.5	<2.1	240	***	<13.1
	03/29/07	<4.1	<3.7	<7.5	-	<5.7	<8.3	<8.9	***	<6.7	20	<4.2	940	***	<26.3
	07/03/07	<2.0	<1.8	<3.8	-	<2.8	<4.1	<4.4	***	<3.4	11	<2.1	750	***	<13.1
	09/28/07	<4.1	<3.7	<7.5	-	<5.7	<8.3	<8.9	***	<6.7	13*	<4.2	820	***	<26.3
	04/16/08	<4.1	<3.7	<7.5	-	<5.7	<8.3	<8.9	***	<6.7	20.1	<4.2	1130	***	<26.3
	09/22/08	<4.1	<13.0	<7.5	-	5.7 J	<8.3	<8.9	***	<6.7	19.0	<4.2	1160	***	<26.3
	04/03/09	<4.1	<13.0	<7.5	-	5.8 J	<8.3	<8.9	***	<6.7	20.6	<4.2	1250	***	<26.3
	09/01/09	<4.1	<13.0	<7.5	-	8.2 J	<8.3	<8.9	***	<6.7	25.8	<4.2	1600	***	<26.3
	03/17/10	<4.1	<13.0	<7.5	-	<5.7	<8.3	<8.9	***	<6.7	<9.0	<4.2	556	***	<26.3
	09/09/10	<4.1	<13.0	<7.5	-	<5.7	<8.3	<8.9	***	<6.7	<9.0	<4.2	546	***	<26.3
	04/29/11	<0.41	<1.3	<0.75	-	<0.57	<0.83	<0.89	***	<0.67	0.94 J	<0.42	111	***	<2.63
	09/01/11	<2.0	<6.5	<3.8	-	<2.8	<4.2	<4.4	***	<3.4	7.5	<2.1	557	***	<13.2
	03/14/12	<0.41	<1.3	<0.75	<0.36	<0.57	<0.83	<0.89	***	<0.67	<0.90	<0.42	47.9	***	<2.63
	09/12/12	<2.0	<6.5	<3.8	<1.8	<2.8	<4.2	<4.4	***	<3.4	7.8	<2.1	623	***	<13.2
	04/30/13	<0.50	<0.69	<0.28	<0.48	<0.43	<0.43	<0.37	***	<0.44	<0.44	<0.39	75	***	<1.32
	09/17/13	<2.5	<3.4	1.9	<2.4	<2.1	<2.1	<1.9	***	<2.2	3.4	<1.9	474	***	<6.6
	04/21/14	<0.50	<2.5	0.24 J	-	<0.41	<0.26	<0.24	***	<0.50	<0.50	<0.16	46	***	<1.5
	09/17/14	<2.5	<12.5	2.1 J	<0.84	<2.1	<1.3	<1.3	<2.5	<2.5	3.8 J	<0.78	493	<5.0	<7.5
	04/14/15	<0.50	<2.5	<0.24	<0.17	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	52.4	<1.0	<1.5
	09/14/15	<0.50	<2.5	1.6	<0.17	<0.41	0.61	<0.26	***	<0.50	2.5	<0.20	294	***	<1.5
	03/31/16	<0.50	<2.5	<0.24	<0.17	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	31.4	<1.0	<1.5
	09/22/16	<0.50	<2.5	2.2	<0.17	1.6	1.7	<0.26	<0.50	<0.50	1.6	<0.20	281	<1.0	<1.5
	03/29/17	<0.50	<2.5	<0.24	<0.17	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	64.9	<1.0	<1.5
	10/04/17	<1.2	<6.2	1.3 J	<0.17	1.1 J	0.96	<0.64	<1.2	<1.2	2.6	<0.49	292	<2.5	<3.7
	04/10/18	<0.50	<2.5	1.0	<0.17	0.62	1.0	<0.26	<0.50	<0.50	1.9	<0.20	205	<1.0	<1.5
	09/17/18	<0.25	<1.3	1.3	<0.17	0.88	0.99	<1.1	<0.26	<0.17	1.5	<0.55	237	<0.47	<0.73
	09/26/19	<0.25	<1.3	0.61	<0.17	0.40 J	14.8	<1.1	<0.26	<0.17	0.58	<0.55	87.7	<0.47	<0.73
	09/22/21	<0.30	<1.2	0.39	<0.17	<0.58	21.0	<0.53	<0.35	<0.29	<0.30	<0.34	29.7	<0.70	<1.05
	09/06/23	<0.30	<0.50	1.0	<0.29	0.58 J	22.5	<0.53	<0.35	<0.29	1.5	<0.34	185	<0.70	<1.05
MW-113	06/21/06	-	<0.74	37	-	44	4.4 J	<1.8	***	-	240	<0.84	92	***	-
	09/20/06	-	<0.37	22	-	19	3.6	1.3 J	***	-	120	0.82	81	***	-
	12/19/06	<2.0	<1.8	28	-	16	5.2*	<4.4	***	<3.4	120	<2.1	91	***	<13.1
	03/29/07	<0.41	<0.37	10	-	11	1.6	<0.89	***	<0.67	77	<0.42	46	***	<2.63
	07/03/07	<2.0	<1.8	21	-	8.1	4.9	<4.4	***	<13.1	79	<2.1	61	***	<13.1
A	09/28/07	<0.41	0.57	35	-	17	8.9	<0.89	***	<0.67	130	1.5	97	***	<2.63
	04/16/08	<0.41	<0.37	20.5	-	15.3	3.7	<0.89	***	<0.67	99.7	0.44	62.4	***	<2.63
	09/22/08	<4.1	<13.0	28.2	-	17.9	<8.3	<8.9	***	<6.7	134	<4.2	89.4	***	<26.3
	04/03/09	<0.41	<1.3	21.8	-	13.9	4.1	<0.89	***	<0.67	107	<0.42	62.2	***	<2.63
	09/01/09	<1.0	<3.2	51.2	-	70.8	13.8	4.0	***	<1.7	356	1.4 J	199	***	<6.6
	03/17/10	<1.0	<3.2	29.0	-	23.6	7.8	<2.2	***	<1.7	140	<1.0	96.8	***	<6.6
	09/09/10	<0.82	<2.6	26.7	-	29.1	6.1	<1.8	***	<1.3	165	<0.84	77	***	<5.3
	04/29/11	<0.50	<1.3	6.9	-	5.5	1.1	<0.89	***	<0.67	37.1	<0.42	21.3	***	<2.63
	09/01/11	<0.41	<1.3	23.8	-	26.0	6.3	1.2	***	<0.67	152	0.55	75.9	***	<2.63
	03/14/12	<0.41	<1.3	17.1	<0.36	17.3	2.9	<0.89	***	<0.67	106	<0.42	42.3	***	<2.63
	09/12/12	<2.0	<6.5	50.8	<1.8	59.6	12.6	<4.4	***	<3.4	320	<2.1	148	***	<13.2
	04/30/13	<5.0	<0.69	6.2	<0.48	5.8	0.94	<0.37	***	<3.4	34.6	<2.1	14	***	<1.32
	09/17/13	<2.0	<2.8	47.9	<1.9	74.6	16.3	4.2	***	<1.8	284	<1.6	161	***	<5.3
B	04/22/14	<0.50	<2.5	26.7	-	18.8	7.1	1.3	***	<0.50	103	0.50 J	67.4	***	<1.5
	09/17/14	<0.50	<2.5	54.3	0.54 J	38.8	14.2	2.4	<0.50	<0.50	231	0.89	125	<1.0	<1.5

TABLE 6
Historical Groundwater Analytic Test Results--Volatile Organic Compounds
 N.W. Mauthe Superfund Site - Appleton, Wisconsin

		Detected Volatile Organic Compounds (µg/L)													
		Benzene	Chloroform	1,1-Dichloroethane	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Ortho-Xylene	Toluene	1,1,1-Trichloroethane	1,1,2-Trichloroethane	Trichloroethene	Meta, para Xylene	Total Xylenes
1992 US EPA MCL		5.0	100	-		7.0	70	100	10,000	1,000	200	5.0	5.0	10,000**	10,000
1992 ES NR 140		5	6	850	5	7	100	100	620**	343	200	0.6	5	620**	620
1992 PAL NR 140		0.067	0.6	85	0.5	0.024	10	20	124**	68.6	40	0.06	0.18	124**	124
MW-113	04/14/15	<0.50	<2.5	16.6	<0.17	20.3	4.7	0.85	<0.50	<0.50	97.5	0.32	44.7	<1.0	<1.5
	^D 09/14/15	<0.50	<2.5	38.0	0.47	43.6	8.4	1.7	***	<0.50	218	0.68	76.6	***	<1.5
	03/31/16	<0.50	<2.5	9.2	0.47	8.9	1.6	<0.26	<0.50	<0.50	36.7	<0.20	17.3	<1.0	<1.5
	09/21/16	<1.2	<6.2	58.7	0.47	79.3	15.4	3.4	<1.2	<1.2	326	0.58	95.5	<2.5	<3.7
	03/29/17	<0.50	<2.5	18.4	0.47	18.0	4.0	0.73	<0.50	<0.50	80.5	<0.20	34.6	<1.0	<1.5
	^F 10/03/17	<0.50	<2.5	45.6	0.47	65.3	14.7	3.4	<0.50	<0.50	260	<0.20	113	<1.0	<1.5
	04/10/18	<2.5	<12.5	31.0	0.47	36.5	11.5	2.2	<2.5	<2.5	147	<0.99	82.4	<5.0	<7.5
	^G 09/17/18	<0.25	<1.3	23.2	0.47	23.7	5.4	<1.1	<0.26	<0.17	100	<0.55	45.2	<0.47	<0.73
	^H 09/26/19	<0.25	<1.3	48.3	0.47	29.5	5.2	1.2	<0.26	<0.17	114	<0.55	41.4	<0.47	<0.73
	^H 09/22/21	<0.30	<1.2	26.8	0.47	38.6	6.3	1.3	<0.35	<0.29	150	0.47	48.9	<0.70	<1.05
	09/06/23	<0.30	0.60 J	39.3	0.69 J	46.5	12.2	2.0	<0.35	<0.29	184	0.83 J	78.4	<0.70	<1.05
PZ-5	07/19/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	1.7*	<0.42	<0.48	NA	NA	NA
	09/21/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA	NA
	09/21/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA	NA
	03/31/16	<0.50	<2.5	<0.24	0.47	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
PZ-6	07/19/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA	NA
	09/21/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA	NA
	09/21/05	<0.37	<0.75	<0.57	-	<0.83	<0.89	NA	NA	<0.90	<0.42	<0.48	NA	NA	NA
	03/30/16	<0.50	<2.5	<0.24	0.47	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
PZ-7	03/30/16	<0.50	<2.5	<0.24	0.47	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5
PZ-8	04/05/16	<0.50	<2.5	<0.24	0.47	<0.41	<0.26	<0.26	<0.50	<0.50	<0.50	<0.20	<0.33	<1.0	<1.5

EXPLANATION:

Results prior to 10/27/98 for cis-1,2,-Dichloroethene and Trans-1,2 Dichloroethene were listed as Total Dichloroethene and were placed in this table under the heading cis-1,2,-Dichloroethene.

Results prior to 10/27/98 for Ortho Xylene and Meta, para Xylene were listed as Total Xylenes and were placed in this table under the heading Meta, para Xylene.

* = Analyte detected between limit of detection and limit of quantitation.

J = Estimated Concentration above the adjusted method detection limit and below the adjusted reporting limit.

** = Standard includes Ortho-, Meta, para-Xylenes

*** = As of 02/09/99 Xylene results are listed as "Total Xylenes".

WM Equipment Malfunction, no accurate measurement.

NOTE: The EPA Record of Decision establishes the 1992 PAL's as the clean-up goals for the site.

^A = 1,2-Dichloroethane was detected at 0.87 µg/l.

^B = Dichlorodifluoromethane detected at 0.17 µg/L and 1,2-Dichloroethane detected at 0.34 µg/L

^C = 1,2-Dichloroethane was detected at 0.34 J µg/l.

^D = 1,2-Dichloroethane was detected at 0.47 J µg/l.

^E = chloromethane was detected at 0.55 J µg/l.

^F = 1,2-Dichloroethane was detected at 0.63 J µg/l and Methylene Chloride detected at 0.24 J µg/l

^G = 1,2-Dichloroethane was detected at 0.28 J µg/l

^H = 1,2-Dichloroethane was detected at 0.37 J µg/l

ND = Not Detected

NA = Not Analyzed

- = Historical Data Not Available

MCL = Maximum Contaminant Levels

µg/l = Microgram/Liter

= Indicates an exceedance of the 1992 NR 140 Groundwater Quality Enforcement Standards (ES)

= Indicates an exceedance of the 1992 NR 140 Groundwater Quality Preventive Action Limits (PAL)

Appendix C – Laboratory Analytical Test Reports
And Groundwater Sampling Field Sheets
(September 2023)



September 20, 2023

Scott Hodgson
Terracon, Inc. - Milwaukee
4900 S Pennsylvania Ave Ste100
Cudahy, WI 53110

RE: Project: 58117057 N.W. MAUTHE SUPERFUND
Pace Project No.: 40267769

Dear Scott Hodgson:

Enclosed are the analytical results for sample(s) received by the laboratory on September 08, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 58117057 N.W. MAUTHE SUPERFUND
Pace Project No.: 40267769

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

South Carolina Certification #: 83006001
Texas Certification #: T104704529-21-8
Virginia VELAP Certification ID: 11873
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-21-00008
Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 58117057 N.W. MAUTHE SUPERFUND
Pace Project No.: 40267769

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40267769001	W-2	Water	09/07/23 17:10	09/08/23 08:40
40267769002	W-8	Water	09/07/23 11:00	09/08/23 08:40
40267769003	W-15	Water	09/07/23 09:35	09/08/23 08:40
40267769004	MW-101	Water	09/07/23 15:45	09/08/23 08:40
40267769005	MW-102	Water	09/07/23 11:00	09/08/23 08:40
40267769006	MW-103	Water	09/07/23 13:00	09/08/23 08:40
40267769007	MW-104	Water	09/07/23 15:35	09/08/23 08:40
40267769008	MW-105	Water	09/07/23 12:20	09/08/23 08:40
40267769009	MW-106	Water	09/07/23 09:55	09/08/23 08:40
40267769010	MW-107	Water	09/06/23 19:30	09/08/23 08:40
40267769011	MW-108	Water	09/07/23 17:40	09/08/23 08:40
40267769012	MW-109	Water	09/06/23 19:40	09/08/23 08:40
40267769013	MW-110	Water	09/06/23 17:10	09/08/23 08:40
40267769014	MW-111	Water	09/06/23 14:55	09/08/23 08:40
40267769015	MW-112	Water	09/06/23 14:20	09/08/23 08:40
40267769016	MW-113	Water	09/06/23 16:30	09/08/23 08:40
40267769017	BD-1	Water	09/06/23 00:00	09/08/23 08:40
40267769018	TRIP BLANK	Water	09/06/23 00:00	09/08/23 08:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40267769001	W-2	EPA 6010D	SIS	3	PASI-G
40267769002	W-8	EPA 6010D	SIS	3	PASI-G
40267769003	W-15	EPA 6010D	SIS	3	PASI-G
40267769004	MW-101	EPA 6010D	SIS	3	PASI-G
40267769005	MW-102	EPA 6010D	SIS	3	PASI-G
40267769006	MW-103	EPA 6010D	SIS	3	PASI-G
40267769007	MW-104	EPA 6010D	SIS	3	PASI-G
40267769008	MW-105	EPA 6010D	SIS	3	PASI-G
40267769009	MW-106	EPA 6010D	SIS	3	PASI-G
40267769010	MW-107	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
40267769011	MW-108	EPA 6010D	SIS	3	PASI-G
40267769012	MW-109	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
40267769013	MW-110	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
		EPA 335.4	DAW	1	PASI-G
40267769014	MW-111	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
		EPA 335.4	DAW	1	PASI-G
40267769015	MW-112	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
		EPA 335.4	DAW	1	PASI-G
40267769016	MW-113	EPA 6010D	SIS	3	PASI-G
		EPA 8260	CXJ	64	PASI-G
40267769017	BD-1	EPA 8260	CXJ	64	PASI-G
40267769018	TRIP BLANK	EPA 8260	CXJ	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40267769001	W-2					
EPA 6010D	Chromium, Dissolved	4.0J	ug/L	10.0	09/12/23 19:53	
EPA 6010D	Iron, Dissolved	2550	ug/L	100	09/12/23 19:53	
EPA 6010D	Manganese, Dissolved	45.5	ug/L	5.0	09/12/23 19:53	
40267769002	W-8					
EPA 6010D	Iron, Dissolved	40.4J	ug/L	100	09/11/23 16:36	
EPA 6010D	Manganese, Dissolved	67.5	ug/L	5.0	09/11/23 16:36	
40267769003	W-15					
EPA 6010D	Manganese, Dissolved	1.7J	ug/L	5.0	09/11/23 16:38	
40267769004	MW-101					
EPA 6010D	Manganese, Dissolved	9.6	ug/L	5.0	09/11/23 16:43	
40267769005	MW-102					
EPA 6010D	Chromium, Dissolved	2.8J	ug/L	10.0	09/11/23 16:45	
EPA 6010D	Manganese, Dissolved	25.6	ug/L	5.0	09/11/23 16:45	
40267769006	MW-103					
EPA 6010D	Chromium, Dissolved	10.6	ug/L	10.0	09/11/23 16:47	
40267769007	MW-104					
EPA 6010D	Iron, Dissolved	78.9J	ug/L	100	09/11/23 16:49	
EPA 6010D	Manganese, Dissolved	281	ug/L	5.0	09/11/23 16:49	
40267769010	MW-107					
EPA 6010D	Chromium, Dissolved	1070	ug/L	10.0	09/11/23 16:55	
EPA 8260	1,1-Dichloroethane	24.6	ug/L	2.5	09/13/23 20:54	
EPA 8260	1,1-Dichloroethene	11.4	ug/L	2.5	09/13/23 20:54	
EPA 8260	cis-1,2-Dichloroethene	1.7J	ug/L	2.5	09/13/23 20:54	
EPA 8260	1,1,1-Trichloroethane	107	ug/L	2.5	09/13/23 20:54	
EPA 8260	Trichloroethene	321	ug/L	2.5	09/13/23 20:54	
40267769011	MW-108					
EPA 6010D	Manganese, Dissolved	6.0	ug/L	5.0	09/11/23 16:57	
40267769012	MW-109					
EPA 6010D	Chromium, Dissolved	363	ug/L	10.0	09/11/23 16:59	
EPA 6010D	Manganese, Dissolved	4.7J	ug/L	5.0	09/11/23 16:59	
EPA 8260	1,1-Dichloroethane	1.6	ug/L	1.0	09/13/23 16:18	
EPA 8260	1,1-Dichloroethene	0.96J	ug/L	1.0	09/13/23 16:18	
EPA 8260	1,1,1-Trichloroethane	17.4	ug/L	1.0	09/13/23 16:18	
EPA 8260	Trichloroethene	27.8	ug/L	1.0	09/13/23 16:18	
40267769013	MW-110					
EPA 6010D	Chromium, Dissolved	317	ug/L	10.0	09/11/23 17:01	
EPA 6010D	Manganese, Dissolved	2.3J	ug/L	5.0	09/11/23 17:01	
EPA 8260	1,1-Dichloroethane	9.1	ug/L	1.0	09/13/23 16:38	
EPA 8260	1,1-Dichloroethene	7.0	ug/L	1.0	09/13/23 16:38	
EPA 8260	cis-1,2-Dichloroethene	3.4	ug/L	1.0	09/13/23 16:38	
EPA 8260	1,1,1-Trichloroethane	36.5	ug/L	1.0	09/13/23 16:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40267769013	MW-110					
EPA 8260	Trichloroethene	9.9	ug/L	1.0	09/13/23 16:38	
40267769014	MW-111					
EPA 6010D	Chromium, Dissolved	58.5	ug/L	10.0	09/11/23 17:06	
EPA 6010D	Manganese, Dissolved	3.0J	ug/L	5.0	09/11/23 17:06	
EPA 8260	1,1-Dichloroethane	1.4	ug/L	1.0	09/13/23 16:58	
EPA 8260	1,1-Dichloroethene	2.1	ug/L	1.0	09/13/23 16:58	
EPA 8260	1,1,1-Trichloroethane	13.4	ug/L	1.0	09/13/23 16:58	
EPA 8260	Trichloroethene	52.5	ug/L	1.0	09/13/23 16:58	
40267769015	MW-112					
EPA 6010D	Chromium, Dissolved	1260	ug/L	10.0	09/11/23 17:08	
EPA 6010D	Manganese, Dissolved	674	ug/L	5.0	09/11/23 17:08	
EPA 8260	1,1-Dichloroethane	1.0	ug/L	1.0	09/13/23 17:17	
EPA 8260	1,1-Dichloroethene	0.58J	ug/L	1.0	09/13/23 17:17	
EPA 8260	cis-1,2-Dichloroethene	22.5	ug/L	1.0	09/13/23 17:17	
EPA 8260	1,1,1-Trichloroethane	1.5	ug/L	1.0	09/13/23 17:17	
EPA 8260	Trichloroethene	185	ug/L	1.0	09/13/23 17:17	
EPA 335.4	Cyanide	0.014J	mg/L	0.023	09/20/23 13:16	
40267769016	MW-113					
EPA 6010D	Chromium, Dissolved	17700	ug/L	50.0	09/11/23 17:10	
EPA 8260	Chloroform	0.60J	ug/L	5.0	09/13/23 20:34	
EPA 8260	1,1-Dichloroethane	39.3	ug/L	1.0	09/13/23 20:34	
EPA 8260	1,2-Dichloroethane	0.69J	ug/L	1.0	09/13/23 20:34	
EPA 8260	1,1-Dichloroethene	46.5	ug/L	1.0	09/13/23 20:34	
EPA 8260	cis-1,2-Dichloroethene	12.2	ug/L	1.0	09/13/23 20:34	
EPA 8260	trans-1,2-Dichloroethene	2.0	ug/L	1.0	09/13/23 20:34	
EPA 8260	1,1,1-Trichloroethane	184	ug/L	1.0	09/13/23 20:34	
EPA 8260	1,1,2-Trichloroethane	0.83J	ug/L	1.0	09/13/23 20:34	
EPA 8260	Trichloroethene	78.4	ug/L	1.0	09/13/23 20:34	
40267769017	BD-1					
EPA 8260	1,1-Dichloroethane	2.3	ug/L	1.0	09/13/23 19:54	
EPA 8260	1,1-Dichloroethene	1.3	ug/L	1.0	09/13/23 19:54	
EPA 8260	cis-1,2-Dichloroethene	0.52J	ug/L	1.0	09/13/23 19:54	
EPA 8260	1,1,1-Trichloroethane	7.7	ug/L	1.0	09/13/23 19:54	
EPA 8260	Trichloroethene	32.5	ug/L	1.0	09/13/23 19:54	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Method: EPA 6010D

Description: 6010D MET ICP, Dissolved

Client: Terracon, Inc. - Milwaukee

Date: September 20, 2023

General Information:

1 sample was analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3010A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Method: EPA 6010D

Description: 6010D MET ICP, Dissolved

Client: Terracon, Inc. - Milwaukee

Date: September 20, 2023

General Information:

15 samples were analyzed for EPA 6010D by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 454392

D3: Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

- MW-113 (Lab ID: 40267769016)

- Iron, Dissolved

- Manganese, Dissolved

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Method: EPA 8260

Description: 8260 MSV

Client: Terracon, Inc. - Milwaukee

Date: September 20, 2023

General Information:

8 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 454363

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 40267783041

R1: RPD value was outside control limits.

- MSD (Lab ID: 2610135)
- Methylene Chloride

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Method: EPA 335.4

Description: 335.4 Cyanide, Total

Client: Terracon, Inc. - Milwaukee

Date: September 20, 2023

General Information:

3 samples were analyzed for EPA 335.4 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: W-2 Lab ID: 40267769001 Collected: 09/07/23 17:10 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Preparation Method: EPA 3010A Pace Analytical Services - Green Bay							
Chromium, Dissolved	4.0J	ug/L	10.0	2.5	1	09/12/23 05:56	09/12/23 19:53	7440-47-3	
Iron, Dissolved	2550	ug/L	100	56.7	1	09/12/23 05:56	09/12/23 19:53	7439-89-6	
Manganese, Dissolved	45.5	ug/L	5.0	1.5	1	09/12/23 05:56	09/12/23 19:53	7439-96-5	

Sample: W-8 Lab ID: 40267769002 Collected: 09/07/23 11:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:36	7440-47-3	
Iron, Dissolved	40.4J	ug/L	100	29.6	1		09/11/23 16:36	7439-89-6	
Manganese, Dissolved	67.5	ug/L	5.0	1.1	1		09/11/23 16:36	7439-96-5	

Sample: W-15 Lab ID: 40267769003 Collected: 09/07/23 09:35 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:38	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:38	7439-89-6	
Manganese, Dissolved	1.7J	ug/L	5.0	1.1	1		09/11/23 16:38	7439-96-5	

Sample: MW-101 Lab ID: 40267769004 Collected: 09/07/23 15:45 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:43	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:43	7439-89-6	
Manganese, Dissolved	9.6	ug/L	5.0	1.1	1		09/11/23 16:43	7439-96-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-102 **Lab ID: 40267769005** Collected: 09/07/23 11:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	2.8J	ug/L	10.0	2.5	1		09/11/23 16:45	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:45	7439-89-6	
Manganese, Dissolved	25.6	ug/L	5.0	1.1	1		09/11/23 16:45	7439-96-5	

Sample: MW-103 **Lab ID: 40267769006** Collected: 09/07/23 13:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	10.6	ug/L	10.0	2.5	1		09/11/23 16:47	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:47	7439-89-6	
Manganese, Dissolved	<1.1	ug/L	5.0	1.1	1		09/11/23 16:47	7439-96-5	

Sample: MW-104 **Lab ID: 40267769007** Collected: 09/07/23 15:35 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:49	7440-47-3	
Iron, Dissolved	78.9J	ug/L	100	29.6	1		09/11/23 16:49	7439-89-6	
Manganese, Dissolved	281	ug/L	5.0	1.1	1		09/11/23 16:49	7439-96-5	

Sample: MW-105 **Lab ID: 40267769008** Collected: 09/07/23 12:20 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:51	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:51	7439-89-6	
Manganese, Dissolved	<1.1	ug/L	5.0	1.1	1		09/11/23 16:51	7439-96-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-106 Lab ID: 40267769009 Collected: 09/07/23 09:55 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:53	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:53	7439-89-6	
Manganese, Dissolved	<1.1	ug/L	5.0	1.1	1		09/11/23 16:53	7439-96-5	

Sample: MW-107 Lab ID: 40267769010 Collected: 09/06/23 19:30 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	1070	ug/L	10.0	2.5	1		09/11/23 16:55	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:55	7439-89-6	
Manganese, Dissolved	<1.1	ug/L	5.0	1.1	1		09/11/23 16:55	7439-96-5	

8260 MSV

Analytical Method: EPA 8260

Pace Analytical Services - Green Bay

Benzene	<0.74	ug/L	2.5	0.74	2.5		09/13/23 20:54	71-43-2	
Bromobenzene	<0.90	ug/L	2.5	0.90	2.5		09/13/23 20:54	108-86-1	
Bromochloromethane	<0.89	ug/L	2.5	0.89	2.5		09/13/23 20:54	74-97-5	
Bromodichloromethane	<1.0	ug/L	2.5	1.0	2.5		09/13/23 20:54	75-27-4	
Bromoform	<1.1	ug/L	2.5	1.1	2.5		09/13/23 20:54	75-25-2	
Bromomethane	<3.0	ug/L	12.5	3.0	2.5		09/13/23 20:54	74-83-9	
n-Butylbenzene	<2.1	ug/L	2.5	2.1	2.5		09/13/23 20:54	104-51-8	
sec-Butylbenzene	<1.1	ug/L	2.5	1.1	2.5		09/13/23 20:54	135-98-8	
tert-Butylbenzene	<1.5	ug/L	2.5	1.5	2.5		09/13/23 20:54	98-06-6	
Carbon tetrachloride	<0.92	ug/L	2.5	0.92	2.5		09/13/23 20:54	56-23-5	
Chlorobenzene	<2.1	ug/L	2.5	2.1	2.5		09/13/23 20:54	108-90-7	
Chloroethane	<3.4	ug/L	12.5	3.4	2.5		09/13/23 20:54	75-00-3	
Chloroform	<1.3	ug/L	12.5	1.3	2.5		09/13/23 20:54	67-66-3	
Chloromethane	<4.1	ug/L	12.5	4.1	2.5		09/13/23 20:54	74-87-3	
2-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		09/13/23 20:54	95-49-8	
4-Chlorotoluene	<2.2	ug/L	12.5	2.2	2.5		09/13/23 20:54	106-43-4	
1,2-Dibromo-3-chloropropane	<5.9	ug/L	12.5	5.9	2.5		09/13/23 20:54	96-12-8	
Dibromochloromethane	<6.6	ug/L	12.5	6.6	2.5		09/13/23 20:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.77	ug/L	2.5	0.77	2.5		09/13/23 20:54	106-93-4	
Dibromomethane	<2.5	ug/L	12.5	2.5	2.5		09/13/23 20:54	74-95-3	
1,2-Dichlorobenzene	<0.81	ug/L	2.5	0.81	2.5		09/13/23 20:54	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/L	2.5	0.88	2.5		09/13/23 20:54	541-73-1	
1,4-Dichlorobenzene	<2.2	ug/L	2.5	2.2	2.5		09/13/23 20:54	106-46-7	
Dichlorodifluoromethane	<1.1	ug/L	12.5	1.1	2.5		09/13/23 20:54	75-71-8	
1,1-Dichloroethane	24.6	ug/L	2.5	0.74	2.5		09/13/23 20:54	75-34-3	
1,2-Dichloroethane	<0.73	ug/L	2.5	0.73	2.5		09/13/23 20:54	107-06-2	
1,1-Dichloroethene	11.4	ug/L	2.5	1.5	2.5		09/13/23 20:54	75-35-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-107 Lab ID: 40267769010 Collected: 09/06/23 19:30 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	1.7J	ug/L	2.5	1.2	2.5		09/13/23 20:54	156-59-2	
trans-1,2-Dichloroethene	<1.3	ug/L	2.5	1.3	2.5		09/13/23 20:54	156-60-5	
1,2-Dichloropropane	<1.1	ug/L	2.5	1.1	2.5		09/13/23 20:54	78-87-5	
1,3-Dichloropropane	<0.76	ug/L	2.5	0.76	2.5		09/13/23 20:54	142-28-9	
2,2-Dichloropropane	<1.0	ug/L	2.5	1.0	2.5		09/13/23 20:54	594-20-7	
1,1-Dichloropropene	<1.0	ug/L	2.5	1.0	2.5		09/13/23 20:54	563-58-6	
cis-1,3-Dichloropropene	<0.59	ug/L	2.5	0.59	2.5		09/13/23 20:54	10061-01-5	
trans-1,3-Dichloropropene	<0.66	ug/L	2.5	0.66	2.5		09/13/23 20:54	10061-02-6	
Diisopropyl ether	<2.8	ug/L	12.5	2.8	2.5		09/13/23 20:54	108-20-3	
Ethylbenzene	<0.81	ug/L	2.5	0.81	2.5		09/13/23 20:54	100-41-4	
Hexachloro-1,3-butadiene	<6.8	ug/L	12.5	6.8	2.5		09/13/23 20:54	87-68-3	
Isopropylbenzene (Cumene)	<2.5	ug/L	12.5	2.5	2.5		09/13/23 20:54	98-82-8	
p-Isopropyltoluene	<2.6	ug/L	12.5	2.6	2.5		09/13/23 20:54	99-87-6	
Methylene Chloride	<0.80	ug/L	12.5	0.80	2.5		09/13/23 20:54	75-09-2	
Methyl-tert-butyl ether	<2.8	ug/L	12.5	2.8	2.5		09/13/23 20:54	1634-04-4	
Naphthalene	<4.8	ug/L	12.5	4.8	2.5		09/13/23 20:54	91-20-3	
n-Propylbenzene	<0.86	ug/L	2.5	0.86	2.5		09/13/23 20:54	103-65-1	
Styrene	<0.89	ug/L	2.5	0.89	2.5		09/13/23 20:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.89	ug/L	2.5	0.89	2.5		09/13/23 20:54	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.94	ug/L	2.5	0.94	2.5		09/13/23 20:54	79-34-5	
Tetrachloroethene	<1.0	ug/L	2.5	1.0	2.5		09/13/23 20:54	127-18-4	
Toluene	<0.72	ug/L	2.5	0.72	2.5		09/13/23 20:54	108-88-3	
1,2,3-Trichlorobenzene	<2.5	ug/L	12.5	2.5	2.5		09/13/23 20:54	87-61-6	
1,2,4-Trichlorobenzene	<2.4	ug/L	12.5	2.4	2.5		09/13/23 20:54	120-82-1	
1,1,1-Trichloroethane	107	ug/L	2.5	0.76	2.5		09/13/23 20:54	71-55-6	
1,1,2-Trichloroethane	<0.86	ug/L	2.5	0.86	2.5		09/13/23 20:54	79-00-5	
Trichloroethene	321	ug/L	2.5	0.80	2.5		09/13/23 20:54	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	2.5	1.0	2.5		09/13/23 20:54	75-69-4	
1,2,3-Trichloropropane	<1.4	ug/L	2.5	1.4	2.5		09/13/23 20:54	96-18-4	
1,2,4-Trimethylbenzene	<1.1	ug/L	2.5	1.1	2.5		09/13/23 20:54	95-63-6	
1,3,5-Trimethylbenzene	<0.89	ug/L	2.5	0.89	2.5		09/13/23 20:54	108-67-8	
Vinyl chloride	<0.44	ug/L	2.5	0.44	2.5		09/13/23 20:54	75-01-4	
m&p-Xylene	<1.8	ug/L	5.0	1.8	2.5		09/13/23 20:54	179601-23-1	
o-Xylene	<0.87	ug/L	2.5	0.87	2.5		09/13/23 20:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	108	%	70-130		2.5		09/13/23 20:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		2.5		09/13/23 20:54	2199-69-1	
Toluene-d8 (S)	101	%	70-130		2.5		09/13/23 20:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-108 Lab ID: 40267769011 Collected: 09/07/23 17:40 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	<2.5	ug/L	10.0	2.5	1		09/11/23 16:57	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:57	7439-89-6	
Manganese, Dissolved	6.0	ug/L	5.0	1.1	1		09/11/23 16:57	7439-96-5	

Sample: MW-109 Lab ID: 40267769012 Collected: 09/06/23 19:40 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved		Analytical Method: EPA 6010D Pace Analytical Services - Green Bay							
Chromium, Dissolved	363	ug/L	10.0	2.5	1		09/11/23 16:59	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 16:59	7439-89-6	
Manganese, Dissolved	4.7J	ug/L	5.0	1.1	1		09/11/23 16:59	7439-96-5	
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 16:18	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:18	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:18	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:18	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 16:18	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 16:18	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:18	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 16:18	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 16:18	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 16:18	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:18	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 16:18	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 16:18	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 16:18	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:18	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:18	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 16:18	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 16:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 16:18	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 16:18	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:18	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:18	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 16:18	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 16:18	75-71-8	
1,1-Dichloroethane	1.6	ug/L	1.0	0.30	1		09/13/23 16:18	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 16:18	107-06-2	
1,1-Dichloroethene	0.96J	ug/L	1.0	0.58	1		09/13/23 16:18	75-35-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-109 Lab ID: 40267769012 Collected: 09/06/23 19:40 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		09/13/23 16:18	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 16:18	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 16:18	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 16:18	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:18	594-20-7	
1,1-Dichloropropane	<0.41	ug/L	1.0	0.41	1		09/13/23 16:18	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 16:18	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 16:18	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:18	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:18	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 16:18	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 16:18	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:18	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 16:18	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:18	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 16:18	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:18	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:18	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:18	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 16:18	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 16:18	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 16:18	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:18	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 16:18	120-82-1	
1,1,1-Trichloroethane	17.4	ug/L	1.0	0.30	1		09/13/23 16:18	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 16:18	79-00-5	
Trichloroethene	27.8	ug/L	1.0	0.32	1		09/13/23 16:18	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:18	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 16:18	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 16:18	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:18	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 16:18	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 16:18	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:18	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		09/13/23 16:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		09/13/23 16:18	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		09/13/23 16:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-110 Lab ID: 40267769013 Collected: 09/06/23 17:10 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Chromium, Dissolved	317	ug/L	10.0	2.5	1		09/11/23 17:01	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 17:01	7439-89-6	
Manganese, Dissolved	2.3J	ug/L	5.0	1.1	1		09/11/23 17:01	7439-96-5	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 16:38	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:38	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:38	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:38	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 16:38	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 16:38	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:38	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 16:38	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 16:38	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 16:38	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:38	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 16:38	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 16:38	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 16:38	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:38	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:38	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 16:38	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 16:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 16:38	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 16:38	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:38	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:38	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 16:38	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 16:38	75-71-8	
1,1-Dichloroethane	9.1	ug/L	1.0	0.30	1		09/13/23 16:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 16:38	107-06-2	
1,1-Dichloroethene	7.0	ug/L	1.0	0.58	1		09/13/23 16:38	75-35-4	
cis-1,2-Dichloroethene	3.4	ug/L	1.0	0.47	1		09/13/23 16:38	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 16:38	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 16:38	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 16:38	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:38	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 16:38	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 16:38	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 16:38	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:38	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:38	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 16:38	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 16:38	98-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-110 Lab ID: 40267769013 Collected: 09/06/23 17:10 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:38	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 16:38	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:38	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 16:38	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:38	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 16:38	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 16:38	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 16:38	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:38	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 16:38	120-82-1	
1,1,1-Trichloroethane	36.5	ug/L	1.0	0.30	1		09/13/23 16:38	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 16:38	79-00-5	
Trichloroethene	9.9	ug/L	1.0	0.32	1		09/13/23 16:38	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:38	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 16:38	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 16:38	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:38	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 16:38	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 16:38	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:38	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		09/13/23 16:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	106	%	70-130		1		09/13/23 16:38	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		09/13/23 16:38	2037-26-5	

335.4 Cyanide, Total Analytical Method: EPA 335.4 Preparation Method: EPA 335.4

Pace Analytical Services - Green Bay

Cyanide <0.0069 mg/L 0.023 0.0069 1 09/20/23 10:45 09/20/23 13:15 57-12-5

Sample: MW-111 Lab ID: 40267769014 Collected: 09/06/23 14:55 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Chromium, Dissolved	58.5	ug/L	10.0	2.5	1		09/11/23 17:06	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 17:06	7439-89-6	
Manganese, Dissolved	3.0J	ug/L	5.0	1.1	1		09/11/23 17:06	7439-96-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-111 Lab ID: 40267769014 Collected: 09/06/23 14:55 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 16:58	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:58	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:58	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:58	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 16:58	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 16:58	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:58	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 16:58	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 16:58	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 16:58	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 16:58	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 16:58	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 16:58	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 16:58	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:58	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 16:58	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 16:58	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 16:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 16:58	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 16:58	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:58	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:58	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 16:58	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 16:58	75-71-8	
1,1-Dichloroethane	1.4	ug/L	1.0	0.30	1		09/13/23 16:58	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 16:58	107-06-2	
1,1-Dichloroethene	2.1	ug/L	1.0	0.58	1		09/13/23 16:58	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		09/13/23 16:58	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 16:58	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 16:58	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 16:58	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:58	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 16:58	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 16:58	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 16:58	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:58	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 16:58	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 16:58	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 16:58	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:58	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 16:58	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 16:58	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 16:58	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:58	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-111 **Lab ID: 40267769014** Collected: 09/06/23 14:55 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 16:58	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 16:58	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 16:58	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 16:58	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 16:58	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 16:58	120-82-1	
1,1,1-Trichloroethane	13.4	ug/L	1.0	0.30	1		09/13/23 16:58	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 16:58	79-00-5	
Trichloroethene	52.5	ug/L	1.0	0.32	1		09/13/23 16:58	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 16:58	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 16:58	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 16:58	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 16:58	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 16:58	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 16:58	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 16:58	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	107	%	70-130		1		09/13/23 16:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		09/13/23 16:58	2199-69-1	
Toluene-d8 (S)	101	%	70-130		1		09/13/23 16:58	2037-26-5	

335.4 Cyanide, Total Analytical Method: EPA 335.4 Preparation Method: EPA 335.4

Pace Analytical Services - Green Bay

Cyanide	<0.0069	mg/L	0.023	0.0069	1	09/20/23 10:45	09/20/23 13:15	57-12-5	
---------	---------	------	-------	--------	---	----------------	----------------	---------	--

Sample: MW-112 **Lab ID: 40267769015** Collected: 09/06/23 14:20 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Chromium, Dissolved	1260	ug/L	10.0	2.5	1		09/11/23 17:08	7440-47-3	
Iron, Dissolved	<29.6	ug/L	100	29.6	1		09/11/23 17:08	7439-89-6	
Manganese, Dissolved	674	ug/L	5.0	1.1	1		09/11/23 17:08	7439-96-5	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 17:17	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 17:17	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 17:17	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 17:17	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 17:17	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 17:17	74-83-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-112 Lab ID: 40267769015 Collected: 09/06/23 14:20 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 17:17	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 17:17	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 17:17	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 17:17	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 17:17	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 17:17	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 17:17	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 17:17	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 17:17	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 17:17	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 17:17	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 17:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 17:17	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 17:17	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 17:17	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 17:17	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 17:17	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 17:17	75-71-8	
1,1-Dichloroethane	1.0	ug/L	1.0	0.30	1		09/13/23 17:17	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 17:17	107-06-2	
1,1-Dichloroethene	0.58J	ug/L	1.0	0.58	1		09/13/23 17:17	75-35-4	
cis-1,2-Dichloroethene	22.5	ug/L	1.0	0.47	1		09/13/23 17:17	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 17:17	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 17:17	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 17:17	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 17:17	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 17:17	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 17:17	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 17:17	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 17:17	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 17:17	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 17:17	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 17:17	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 17:17	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 17:17	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 17:17	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 17:17	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 17:17	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 17:17	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 17:17	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 17:17	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 17:17	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 17:17	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 17:17	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 17:17	120-82-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-112 Lab ID: 40267769015 Collected: 09/06/23 14:20 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1-Trichloroethane	1.5	ug/L	1.0	0.30	1		09/13/23 17:17	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 17:17	79-00-5	
Trichloroethene	185	ug/L	1.0	0.32	1		09/13/23 17:17	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 17:17	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 17:17	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 17:17	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 17:17	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 17:17	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 17:17	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 17:17	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		09/13/23 17:17	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		09/13/23 17:17	2199-69-1	
Toluene-d8 (S)	103	%	70-130		1		09/13/23 17:17	2037-26-5	
335.4 Cyanide, Total									
Analytical Method: EPA 335.4 Preparation Method: EPA 335.4									
Pace Analytical Services - Green Bay									
Cyanide	0.014J	mg/L	0.023	0.0069	1	09/20/23 10:45	09/20/23 13:16	57-12-5	

Sample: MW-113 Lab ID: 40267769016 Collected: 09/06/23 16:30 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
6010D MET ICP, Dissolved									
Analytical Method: EPA 6010D									
Pace Analytical Services - Green Bay									
Chromium, Dissolved	17700	ug/L	50.0	12.6	5		09/11/23 17:10	7440-47-3	
Iron, Dissolved	<148	ug/L	500	148	5		09/11/23 17:10	7439-89-6	D3
Manganese, Dissolved	<5.6	ug/L	25.0	5.6	5		09/11/23 17:10	7439-96-5	D3
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 20:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 20:34	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 20:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 20:34	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 20:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 20:34	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 20:34	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 20:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 20:34	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 20:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 20:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 20:34	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-113 Lab ID: 40267769016 Collected: 09/06/23 16:30 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Chloroform	0.60J	ug/L	5.0	0.50	1		09/13/23 20:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 20:34	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 20:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 20:34	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 20:34	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 20:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 20:34	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 20:34	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 20:34	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 20:34	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 20:34	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 20:34	75-71-8	
1,1-Dichloroethane	39.3	ug/L	1.0	0.30	1		09/13/23 20:34	75-34-3	
1,2-Dichloroethane	0.69J	ug/L	1.0	0.29	1		09/13/23 20:34	107-06-2	
1,1-Dichloroethene	46.5	ug/L	1.0	0.58	1		09/13/23 20:34	75-35-4	
cis-1,2-Dichloroethene	12.2	ug/L	1.0	0.47	1		09/13/23 20:34	156-59-2	
trans-1,2-Dichloroethene	2.0	ug/L	1.0	0.53	1		09/13/23 20:34	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 20:34	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 20:34	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 20:34	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 20:34	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 20:34	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 20:34	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 20:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 20:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 20:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 20:34	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 20:34	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 20:34	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 20:34	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 20:34	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 20:34	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 20:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 20:34	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 20:34	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 20:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 20:34	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 20:34	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 20:34	120-82-1	
1,1,1-Trichloroethane	184	ug/L	1.0	0.30	1		09/13/23 20:34	71-55-6	
1,1,2-Trichloroethane	0.83J	ug/L	1.0	0.34	1		09/13/23 20:34	79-00-5	
Trichloroethene	78.4	ug/L	1.0	0.32	1		09/13/23 20:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 20:34	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 20:34	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 20:34	95-63-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: MW-113 Lab ID: 40267769016 Collected: 09/06/23 16:30 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 20:34	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 20:34	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 20:34	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 20:34	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		09/13/23 20:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		09/13/23 20:34	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		09/13/23 20:34	2037-26-5	

Sample: BD-1 Lab ID: 40267769017 Collected: 09/06/23 00:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 19:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 19:54	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 19:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 19:54	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 19:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 19:54	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 19:54	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 19:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 19:54	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 19:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 19:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 19:54	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 19:54	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 19:54	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 19:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 19:54	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 19:54	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 19:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 19:54	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 19:54	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 19:54	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 19:54	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 19:54	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 19:54	75-71-8	
1,1-Dichloroethane	2.3	ug/L	1.0	0.30	1		09/13/23 19:54	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 19:54	107-06-2	
1,1-Dichloroethene	1.3	ug/L	1.0	0.58	1		09/13/23 19:54	75-35-4	
cis-1,2-Dichloroethene	0.52J	ug/L	1.0	0.47	1		09/13/23 19:54	156-59-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: BD-1 Lab ID: 40267769017 Collected: 09/06/23 00:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 19:54	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 19:54	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 19:54	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 19:54	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 19:54	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 19:54	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 19:54	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 19:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 19:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 19:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 19:54	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 19:54	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 19:54	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 19:54	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 19:54	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 19:54	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 19:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 19:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 19:54	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 19:54	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 19:54	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 19:54	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 19:54	120-82-1	
1,1,1-Trichloroethane	7.7	ug/L	1.0	0.30	1		09/13/23 19:54	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 19:54	79-00-5	
Trichloroethene	32.5	ug/L	1.0	0.32	1		09/13/23 19:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 19:54	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 19:54	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 19:54	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 19:54	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 19:54	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 19:54	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 19:54	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		1		09/13/23 19:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		09/13/23 19:54	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		09/13/23 19:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: TRIP BLANK Lab ID: 40267769018 Collected: 09/06/23 00:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.30	ug/L	1.0	0.30	1		09/13/23 14:41	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 14:41	108-86-1	
Bromochloromethane	<0.36	ug/L	1.0	0.36	1		09/13/23 14:41	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 14:41	75-27-4	
Bromoform	<0.43	ug/L	1.0	0.43	1		09/13/23 14:41	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		09/13/23 14:41	74-83-9	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 14:41	104-51-8	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		09/13/23 14:41	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		09/13/23 14:41	98-06-6	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		09/13/23 14:41	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		09/13/23 14:41	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		09/13/23 14:41	75-00-3	
Chloroform	<0.50	ug/L	5.0	0.50	1		09/13/23 14:41	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		09/13/23 14:41	74-87-3	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 14:41	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		09/13/23 14:41	106-43-4	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		09/13/23 14:41	96-12-8	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		09/13/23 14:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		09/13/23 14:41	106-93-4	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		09/13/23 14:41	74-95-3	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 14:41	95-50-1	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 14:41	541-73-1	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		09/13/23 14:41	106-46-7	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		09/13/23 14:41	75-71-8	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		09/13/23 14:41	75-34-3	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		09/13/23 14:41	107-06-2	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		09/13/23 14:41	75-35-4	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		09/13/23 14:41	156-59-2	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		09/13/23 14:41	156-60-5	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		09/13/23 14:41	78-87-5	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		09/13/23 14:41	142-28-9	
2,2-Dichloropropane	<0.42	ug/L	1.0	0.42	1		09/13/23 14:41	594-20-7	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		09/13/23 14:41	563-58-6	
cis-1,3-Dichloropropene	<0.24	ug/L	1.0	0.24	1		09/13/23 14:41	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/L	1.0	0.27	1		09/13/23 14:41	10061-02-6	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 14:41	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		09/13/23 14:41	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		09/13/23 14:41	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		09/13/23 14:41	98-82-8	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		09/13/23 14:41	99-87-6	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		09/13/23 14:41	75-09-2	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		09/13/23 14:41	1634-04-4	
Naphthalene	<1.9	ug/L	5.0	1.9	1		09/13/23 14:41	91-20-3	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		09/13/23 14:41	103-65-1	
Styrene	<0.36	ug/L	1.0	0.36	1		09/13/23 14:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Sample: TRIP BLANK Lab ID: 40267769018 Collected: 09/06/23 00:00 Received: 09/08/23 08:40 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		09/13/23 14:41	630-20-6	
1,1,1,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		09/13/23 14:41	79-34-5	
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		09/13/23 14:41	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		09/13/23 14:41	108-88-3	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		09/13/23 14:41	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		09/13/23 14:41	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		09/13/23 14:41	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/L	1.0	0.34	1		09/13/23 14:41	79-00-5	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		09/13/23 14:41	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		09/13/23 14:41	75-69-4	
1,2,3-Trichloropropane	<0.56	ug/L	1.0	0.56	1		09/13/23 14:41	96-18-4	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		09/13/23 14:41	95-63-6	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		09/13/23 14:41	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		09/13/23 14:41	75-01-4	
m&p-Xylene	<0.70	ug/L	2.0	0.70	1		09/13/23 14:41	179601-23-1	
o-Xylene	<0.35	ug/L	1.0	0.35	1		09/13/23 14:41	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		1		09/13/23 14:41	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		09/13/23 14:41	2199-69-1	
Toluene-d8 (S)	102	%	70-130		1		09/13/23 14:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

QC Batch: 454392 Analysis Method: EPA 6010D
 QC Batch Method: EPA 6010D Analysis Description: ICP Metals, Trace, Dissolved
 Laboratory: Pace Analytical Services - Green Bay
 Associated Lab Samples: 40267769002, 40267769003, 40267769004, 40267769005, 40267769006, 40267769007, 40267769008, 40267769009, 40267769010, 40267769011, 40267769012, 40267769013, 40267769014, 40267769015, 40267769016

METHOD BLANK: 2609644 Matrix: Water
 Associated Lab Samples: 40267769002, 40267769003, 40267769004, 40267769005, 40267769006, 40267769007, 40267769008, 40267769009, 40267769010, 40267769011, 40267769012, 40267769013, 40267769014, 40267769015, 40267769016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Dissolved	ug/L	<2.5	10.0	09/11/23 16:21	
Iron, Dissolved	ug/L	<29.6	100	09/11/23 16:21	
Manganese, Dissolved	ug/L	<1.1	5.0	09/11/23 16:21	

LABORATORY CONTROL SAMPLE: 2609645

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Dissolved	ug/L	250	255	102	80-120	
Iron, Dissolved	ug/L	10000	10400	104	80-120	
Manganese, Dissolved	ug/L	250	263	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2609646 2609647

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267717001 Result	Spike Conc.	Spike Conc.	Result						
Chromium, Dissolved	ug/L	<2.5	250	250	243	242	97	97	75-125	0	20
Iron, Dissolved	ug/L	<29.6	10000	10000	10700	10800	107	108	75-125	1	20
Manganese, Dissolved	ug/L	165	250	250	414	414	99	99	75-125	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

QC Batch:	454452	Analysis Method:	EPA 6010D
QC Batch Method:	EPA 3010A	Analysis Description:	6010D MET Dissolved
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40267769001

METHOD BLANK: 2610058 Matrix: Water

Associated Lab Samples: 40267769001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Dissolved	ug/L	<2.5	10.0	09/12/23 19:49	
Iron, Dissolved	ug/L	<56.7	100	09/12/23 19:49	
Manganese, Dissolved	ug/L	<1.5	5.0	09/12/23 19:49	

LABORATORY CONTROL SAMPLE: 2610059

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Dissolved	ug/L	250	249	100	80-120	
Iron, Dissolved	ug/L	10000	10200	102	80-120	
Manganese, Dissolved	ug/L	250	257	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2610060 2610061

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267769001 Result	Spike Conc.	Spike Conc.	Conc.								
Chromium, Dissolved	ug/L	4.0J	250	250	250	260	258	102	101	75-125	1	20	
Iron, Dissolved	ug/L	2550	10000	10000	10000	13000	12900	105	104	75-125	0	20	
Manganese, Dissolved	ug/L	45.5	250	250	250	309	307	105	105	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

QC Batch: 454363

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40267769010, 40267769012, 40267769013, 40267769014, 40267769015, 40267769016, 40267769017, 40267769018

METHOD BLANK: 2609590

Matrix: Water

Associated Lab Samples: 40267769010, 40267769012, 40267769013, 40267769014, 40267769015, 40267769016, 40267769017, 40267769018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	09/13/23 13:03	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	09/13/23 13:03	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	09/13/23 13:03	
1,1,2-Trichloroethane	ug/L	<0.34	1.0	09/13/23 13:03	
1,1-Dichloroethane	ug/L	<0.30	1.0	09/13/23 13:03	
1,1-Dichloroethene	ug/L	<0.58	1.0	09/13/23 13:03	
1,1-Dichloropropene	ug/L	<0.41	1.0	09/13/23 13:03	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	09/13/23 13:03	
1,2,3-Trichloropropane	ug/L	<0.56	1.0	09/13/23 13:03	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	09/13/23 13:03	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	09/13/23 13:03	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	09/13/23 13:03	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	09/13/23 13:03	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	09/13/23 13:03	
1,2-Dichloroethane	ug/L	<0.29	1.0	09/13/23 13:03	
1,2-Dichloropropane	ug/L	<0.45	1.0	09/13/23 13:03	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	09/13/23 13:03	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	09/13/23 13:03	
1,3-Dichloropropane	ug/L	<0.30	1.0	09/13/23 13:03	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	09/13/23 13:03	
2,2-Dichloropropane	ug/L	<0.42	1.0	09/13/23 13:03	
2-Chlorotoluene	ug/L	<0.89	5.0	09/13/23 13:03	
4-Chlorotoluene	ug/L	<0.89	5.0	09/13/23 13:03	
Benzene	ug/L	<0.30	1.0	09/13/23 13:03	
Bromobenzene	ug/L	<0.36	1.0	09/13/23 13:03	
Bromochloromethane	ug/L	<0.36	1.0	09/13/23 13:03	
Bromodichloromethane	ug/L	<0.42	1.0	09/13/23 13:03	
Bromoform	ug/L	<0.43	1.0	09/13/23 13:03	
Bromomethane	ug/L	<1.2	5.0	09/13/23 13:03	
Carbon tetrachloride	ug/L	<0.37	1.0	09/13/23 13:03	
Chlorobenzene	ug/L	<0.86	1.0	09/13/23 13:03	
Chloroethane	ug/L	<1.4	5.0	09/13/23 13:03	
Chloroform	ug/L	<0.50	5.0	09/13/23 13:03	
Chloromethane	ug/L	<1.6	5.0	09/13/23 13:03	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	09/13/23 13:03	
cis-1,3-Dichloropropene	ug/L	<0.24	1.0	09/13/23 13:03	
Dibromochloromethane	ug/L	<2.6	5.0	09/13/23 13:03	
Dibromomethane	ug/L	<0.99	5.0	09/13/23 13:03	
Dichlorodifluoromethane	ug/L	<0.46	5.0	09/13/23 13:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

METHOD BLANK: 2609590

Matrix: Water

Associated Lab Samples: 40267769010, 40267769012, 40267769013, 40267769014, 40267769015, 40267769016, 40267769017, 40267769018

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.1	5.0	09/13/23 13:03	
Ethylbenzene	ug/L	<0.33	1.0	09/13/23 13:03	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	09/13/23 13:03	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	09/13/23 13:03	
m&p-Xylene	ug/L	<0.70	2.0	09/13/23 13:03	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	09/13/23 13:03	
Methylene Chloride	ug/L	<0.32	5.0	09/13/23 13:03	
n-Butylbenzene	ug/L	<0.86	1.0	09/13/23 13:03	
n-Propylbenzene	ug/L	<0.35	1.0	09/13/23 13:03	
Naphthalene	ug/L	<1.9	5.0	09/13/23 13:03	
o-Xylene	ug/L	<0.35	1.0	09/13/23 13:03	
p-Isopropyltoluene	ug/L	<1.0	5.0	09/13/23 13:03	
sec-Butylbenzene	ug/L	<0.42	1.0	09/13/23 13:03	
Styrene	ug/L	<0.36	1.0	09/13/23 13:03	
tert-Butylbenzene	ug/L	<0.59	1.0	09/13/23 13:03	
Tetrachloroethene	ug/L	<0.41	1.0	09/13/23 13:03	
Toluene	ug/L	<0.29	1.0	09/13/23 13:03	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	09/13/23 13:03	
trans-1,3-Dichloropropene	ug/L	<0.27	1.0	09/13/23 13:03	
Trichloroethene	ug/L	<0.32	1.0	09/13/23 13:03	
Trichlorofluoromethane	ug/L	<0.42	1.0	09/13/23 13:03	
Vinyl chloride	ug/L	<0.17	1.0	09/13/23 13:03	
1,2-Dichlorobenzene-d4 (S)	%	104	70-130	09/13/23 13:03	
4-Bromofluorobenzene (S)	%	108	70-130	09/13/23 13:03	
Toluene-d8 (S)	%	101	70-130	09/13/23 13:03	

LABORATORY CONTROL SAMPLE: 2609591

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.7	109	70-132	
1,1,1,2-Tetrachloroethane	ug/L	50	55.6	111	70-130	
1,1,2-Trichloroethane	ug/L	50	53.8	108	70-130	
1,1-Dichloroethane	ug/L	50	53.5	107	70-130	
1,1-Dichloroethene	ug/L	50	56.1	112	73-140	
1,2,4-Trichlorobenzene	ug/L	50	47.7	95	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	51.3	103	58-130	
1,2-Dibromoethane (EDB)	ug/L	50	52.5	105	70-130	
1,2-Dichlorobenzene	ug/L	50	53.7	107	70-130	
1,2-Dichloroethane	ug/L	50	51.8	104	70-130	
1,2-Dichloropropane	ug/L	50	57.0	114	77-127	
1,3-Dichlorobenzene	ug/L	50	52.1	104	70-130	
1,4-Dichlorobenzene	ug/L	50	53.1	106	70-130	
Benzene	ug/L	50	55.9	112	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

LABORATORY CONTROL SAMPLE: 2609591

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	54.1	108	70-130	
Bromoform	ug/L	50	54.3	109	70-130	
Bromomethane	ug/L	50	43.7	87	22-141	
Carbon tetrachloride	ug/L	50	55.7	111	70-135	
Chlorobenzene	ug/L	50	55.2	110	70-130	
Chloroethane	ug/L	50	51.1	102	59-141	
Chloroform	ug/L	50	54.3	109	80-124	
Chloromethane	ug/L	50	46.7	93	29-150	
cis-1,2-Dichloroethene	ug/L	50	53.5	107	70-130	
cis-1,3-Dichloropropene	ug/L	50	53.8	108	70-130	
Dibromochloromethane	ug/L	50	50.2	100	70-130	
Dichlorodifluoromethane	ug/L	50	35.4	71	10-147	
Ethylbenzene	ug/L	50	57.4	115	80-125	
Isopropylbenzene (Cumene)	ug/L	50	57.9	116	70-130	
m&p-Xylene	ug/L	100	117	117	70-130	
Methyl-tert-butyl ether	ug/L	50	51.7	103	64-131	
Methylene Chloride	ug/L	50	55.4	111	70-137	
o-Xylene	ug/L	50	58.0	116	70-130	
Styrene	ug/L	50	65.2	130	70-130	
Tetrachloroethene	ug/L	50	52.2	104	70-130	
Toluene	ug/L	50	54.1	108	80-120	
trans-1,2-Dichloroethene	ug/L	50	53.0	106	70-131	
trans-1,3-Dichloropropene	ug/L	50	56.1	112	70-130	
Trichloroethene	ug/L	50	55.3	111	70-130	
Trichlorofluoromethane	ug/L	50	53.5	107	69-141	
Vinyl chloride	ug/L	50	48.6	97	51-145	
1,2-Dichlorobenzene-d4 (S)	%			103	70-130	
4-Bromofluorobenzene (S)	%			107	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2610134 2610135

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40267783041 Result	Spike Conc.	Spike Conc.	Result							Result
1,1,1-Trichloroethane	ug/L	<0.30	50	50	55.2	53.5	110	107	70-132	3	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	56.2	54.3	112	109	70-131	4	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	54.3	55.2	109	110	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	56.2	53.5	112	107	70-131	5	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	57.8	58.1	116	116	69-146	1	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	46.7	46.0	93	92	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	53.3	51.7	107	103	56-130	3	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	50.6	50.9	101	102	70-130	1	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	53.3	52.4	107	105	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	53.4	55.2	107	110	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Parameter	Units	2610134		2610135		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40267783041 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloropropane	ug/L	<0.45	50	50	57.5	53.2	115	106	77-129	8	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	51.4	51.4	103	103	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	53.2	52.1	106	104	70-130	2	20		
Benzene	ug/L	<0.30	50	50	57.6	55.2	115	110	70-130	4	20		
Bromodichloromethane	ug/L	<0.42	50	50	55.6	53.9	111	108	70-130	3	20		
Bromoform	ug/L	<0.43	50	50	54.4	53.4	109	107	70-130	2	20		
Bromomethane	ug/L	<1.2	50	50	51.6	52.6	103	105	12-159	2	26		
Carbon tetrachloride	ug/L	<0.37	50	50	56.6	55.5	113	111	70-135	2	20		
Chlorobenzene	ug/L	<0.86	50	50	55.6	54.1	111	108	70-130	3	20		
Chloroethane	ug/L	<1.4	50	50	55.3	54.1	111	108	56-143	2	20		
Chloroform	ug/L	<0.50	50	50	55.1	54.0	110	108	80-126	2	20		
Chloromethane	ug/L	<1.6	50	50	59.5	58.1	119	116	22-156	2	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	54.7	51.7	109	103	70-130	6	20		
cis-1,3-Dichloropropene	ug/L	<0.24	50	50	53.7	52.9	107	106	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	52.0	51.0	104	102	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	45.2	44.8	90	90	10-147	1	20		
Ethylbenzene	ug/L	<0.33	50	50	56.8	56.2	114	112	80-126	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	57.5	57.0	115	114	70-130	1	20		
m&p-Xylene	ug/L	<0.70	100	100	115	116	115	116	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	53.5	53.2	107	106	64-136	1	20		
Methylene Chloride	ug/L	<0.32	50	50	42.4	55.5	85	111	70-137	27	20	R1	
o-Xylene	ug/L	<0.35	50	50	60.2	58.1	120	116	70-130	4	20		
Styrene	ug/L	<0.36	50	50	63.8	63.6	128	127	70-133	0	20		
Tetrachloroethene	ug/L	<0.41	50	50	50.3	50.2	101	100	70-131	0	20		
Toluene	ug/L	<0.29	50	50	54.3	53.5	109	107	80-121	2	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	54.2	51.7	108	103	70-135	5	20		
trans-1,3-Dichloropropene	ug/L	<0.27	50	50	53.7	54.4	107	109	70-130	1	20		
Trichloroethene	ug/L	<0.32	50	50	54.4	53.8	109	108	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	56.7	54.7	113	109	67-142	4	20		
Vinyl chloride	ug/L	<0.17	50	50	54.3	53.1	109	106	45-147	2	20		
1,2-Dichlorobenzene-d4 (S)	%						102	101	70-130				
4-Bromofluorobenzene (S)	%						106	105	70-130				
Toluene-d8 (S)	%						100	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

QC Batch:	455274	Analysis Method:	EPA 335.4
QC Batch Method:	EPA 335.4	Analysis Description:	335.4 Cyanide, Total
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40267769013, 40267769014, 40267769015

METHOD BLANK: 2614397 Matrix: Water
 Associated Lab Samples: 40267769013, 40267769014, 40267769015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	<0.0069	0.023	09/20/23 13:05	

LABORATORY CONTROL SAMPLE: 2614398

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.099	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2614399 2614400

Parameter	Units	40267716002		2614400		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Cyanide	mg/L	<0.041	0.6	0.58	0.59	96	99	90-110	3	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2614401 2614402

Parameter	Units	40268044002		2614402		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Cyanide	mg/L	<0.041	0.6	0.61	0.62	102	104	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

DL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 58117057 N.W. MAUTHE SUPERFUND

Pace Project No.: 40267769

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40267769001	W-2	EPA 3010A	454452	EPA 6010D	454549
40267769002	W-8	EPA 6010D	454392		
40267769003	W-15	EPA 6010D	454392		
40267769004	MW-101	EPA 6010D	454392		
40267769005	MW-102	EPA 6010D	454392		
40267769006	MW-103	EPA 6010D	454392		
40267769007	MW-104	EPA 6010D	454392		
40267769008	MW-105	EPA 6010D	454392		
40267769009	MW-106	EPA 6010D	454392		
40267769010	MW-107	EPA 6010D	454392		
40267769011	MW-108	EPA 6010D	454392		
40267769012	MW-109	EPA 6010D	454392		
40267769013	MW-110	EPA 6010D	454392		
40267769014	MW-111	EPA 6010D	454392		
40267769015	MW-112	EPA 6010D	454392		
40267769016	MW-113	EPA 6010D	454392		
40267769010	MW-107	EPA 8260	454363		
40267769012	MW-109	EPA 8260	454363		
40267769013	MW-110	EPA 8260	454363		
40267769014	MW-111	EPA 8260	454363		
40267769015	MW-112	EPA 8260	454363		
40267769016	MW-113	EPA 8260	454363		
40267769017	BD-1	EPA 8260	454363		
40267769018	TRIP BLANK	EPA 8260	454363		
40267769013	MW-110	EPA 335.4	455274	EPA 335.4	455315
40267769014	MW-111	EPA 335.4	455274	EPA 335.4	455315
40267769015	MW-112	EPA 335.4	455274	EPA 335.4	455315

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Terracem

Project # 40267769

All containers needing preservation have been checked and noted below:

Yes No N/A

Initial when completed: R.A Date/Time:

Lab Lot# of pH paper: 1002723

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic						Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)					
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WG9U	WPFU								SP5T	ZPLC	GN 1	GN 2	
001																													X						2.5 / 5
002																														X					2.5 / 5
003																														X					2.5 / 5
004																														X					2.5 / 5
005																														X					2.5 / 5
006																														X					2.5 / 5
007																														X					2.5 / 5
008																														X					2.5 / 5
009																														X					2.5 / 5
010																														X					2.5 / 5
011																														X					2.5 / 5
012																														X					2.5 / 5
013																														X					2.5 / 5
014																														X					2.5 / 5
015																														X					2.5 / 5
016																														X					2.5 / 5
017																														X					2.5 / 5
018																														X					2.5 / 5
019																																			2.5 / 5
020																																			2.5 / 5

Exceptions to preservation check VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other. Headspace in VOA Vials (>6mm) . Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9C 40 mL clear ascorbic w/ HCl	JG9U 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WG9U 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG5U 100 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG2S 500 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH + Zn	VG9D 40 mL clear vial DI	ZPLC ziploc bag
BG3U 250 mL clear glass unpres			GN 1
			GN 2

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Terracon CONSULTANTS

WO#: **40267769**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 121 Type of Ice: Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 0.5 / Corr: 0.0

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 9-8-23 / Initials: R.A
 Labeled By Initials: SB

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>506</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>W-2</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>14.00</i>		
DATE: <i>9/7/23</i>	TIME: <i>1117</i>	AM/PM: DEPTH TO GROUND WATER (FT): <i>9.82</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1710</i>		TOTAL PURGED: <i>2.5 gal</i>

$$(14.00 - 9.82) \times .49 = 2.05$$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1613	10.11	13.40	7.35	1.154	101.9	9.62
1618	10.60	13.33	7.16	1.148	100.5	2.98
1623	11.05	13.37	7.08	1.150	99.0	2.21
1628	11.67	13.22	7.04	1.163	97.6	1.98
1633	12.05	13.01	7.06	1.152	96.9	2.18
1638	12.38	13.10	7.09	1.132	96.5	3.18
1648	12.55	13.49	7.15	1.155	98.2	5.47
1651	13.14	12.70	7.11	1.136	100.3	2.63
1656						
1701						
1706						

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>Diss Fe, Mn</i>
--	--	--

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:
had to extend tubing after 1638 reading

SAMPLED BY: <i>JAR</i>	DATE: <i>9/7/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Mauthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>W-8</i>	SAMPLE POINT DESCRIPTION: <i>(14.80 - 7.01) * 0.40 = 3.8</i>	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>14.80</i>		
DATE: <i>9/7/23</i>	TIME: <i>1201</i>	DEPTH TO GROUND WATER (FT): <i>7.01</i>
SAMPLING METHOD: <i>Low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1100</i>	TOTAL PURGED: <i>4 gal</i>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1015	7.87	18.09	8.80	0.969	25.6	1.58
1020	10.05	18.21	8.21	0.846	2.1	0.46
1025	10.35	18.45	8.94	0.773	-15.5	1.15
1030	10.35	18.44	8.79	0.758	-24.6	1.01
1035	10.35	18.47	8.73	0.746	-27.3	0.80
1040	10.35	18.28	8.65	0.747	-28.8	0.57
1045	10.69	18.26	8.63	0.747	-32.6	0.77
1050	11.11	18.26	8.61	0.747	-32.8	0.80
1055	11.75	18.99	8.60	0.747	-33.0	0.78

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>D.35 Fe Mn</i>
---	---	---------------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

COMMENTS:

SAMPLED BY: <i>[Signature]</i>	DATE: 9/7/2023
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: 10/16/23

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>W-15</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>13.71</i>		
DATE: <i>9/7/23</i>	TIME: <i>1141</i>	AM / PM: DEPTH TO GROUND WATER (FT): <i>8.74</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>935</i>		TOTAL PURGED: <i>3 gal</i>

$$(13.71 - 8.74) \times .49 = 2.44$$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
848	9.09	17.63	7.82	1.459	98.6	7.67
853	9.64	17.93	7.42	1.415	84.8	5.06
858	10.22	18.58	7.23	1.386	86.3	4.61
903	10.59	18.76	7.17	1.392	89.6	4.75
908	10.97	18.68	7.15	1.401	93.5	4.80
913	11.41	18.49	7.14	1.401	97.1	4.96
918	11.83	18.20	7.13	1.399	99.8	4.58
923	12.27	17.93	7.14	1.398	100.9	4.22
926	12.57	17.86	7.14	1.400	102.1	4.13
929	12.80	17.71	7.14	1.403	103.3	3.89
932						

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>Diss Fe, Mn</i>
---	---	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/7/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-10</i>	SAMPLE POINT DESCRIPTION: $(27.6 - 9.54) \cdot 0.49 = 8.84$	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>27.6</i>		
DATE: <i>9/7/23</i>	TIME: <i>11:21</i>	DEPTH TO GROUND WATER (FT): <i>9.54</i>
SAMPLING METHOD: <i>Low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1545</i>		TOTAL PURGED: <i>9 gal</i>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
<i>1405</i>	<i>9.80</i>	<i>17.00</i>	<i>10.84</i>	<i>5.233</i>	<i>146.5</i>	<i>3.20</i>
<i>1415</i>	<i>11.22</i>	<i>17.58</i>	<i>9.87</i>	<i>5.097</i>	<i>78.6</i>	<i>1.41</i>
<i>1425</i>	<i>12.85</i>	<i>18.58</i>	<i>9.26</i>	<i>2.951</i>	<i>30.3</i>	<i>2.74</i>
<i>1435</i>	<i>14.02</i>	<i>18.21</i>	<i>9.02</i>	<i>4.370</i>	<i>-5.6</i>	<i>2.46</i>
<i>1445</i>	<i>14.98</i>	<i>17.84</i>	<i>8.89</i>	<i>4.897</i>	<i>-19.7</i>	<i>1.90</i>
<i>1455</i>	<i>16.02</i>	<i>17.24</i>	<i>8.79</i>	<i>5.227</i>	<i>-29.5</i>	<i>0.86</i>
<i>1505</i>	<i>17.12</i>	<i>16.83</i>	<i>8.65</i>	<i>5.290</i>	<i>-38.9</i>	<i>0.44</i>
<i>1515</i>	<i>18.19</i>	<i>18.3.3</i>	<i>8.65</i>	<i>5.273</i>	<i>-40.1</i>	<i>0.43</i>
<i>1525</i>	<i>19.12</i>	<i>16.70</i>	<i>8.57</i>	<i>5.213</i>	<i>-41.2</i>	<i>0.44</i>
<i>1535</i>	<i>19.80</i>	<i>16.27</i>	<i>8.66</i>	<i>5.251</i>	<i>-43.1</i>	<i>0.45</i>

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>Diss Fe, Mn</i>
--	---	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
SL

COMMENTS:

SAMPLED BY: <i>SL</i>	DATE: <i>9/7/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-102</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>28.61</i>		
DATE: <i>9/7/23</i>	TIME: <i>1135</i>	AM / PM: DEPTH TO GROUND WATER (FT): <i>23.66</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1100</i>		TOTAL PURGED:

$$(28.61 - 23.66) \times .49 = 2.43$$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1012	24.01	12.90	7.42	0.779	115.1	9.60
1017	24.44	12.00	7.16	0.754	120.2	8.29
1022	24.75	11.98	7.13	0.755	120.6	8.48
1027	25.11	12.06	7.12	0.756	121.7	8.37
1032	25.38	11.91	7.11	0.754	122.6	8.11
1037	25.74	11.95	7.12	0.754	123.7	7.36
1042	26.05	11.93	7.13	0.754	124.7	6.57
1047	26.38	11.94	7.12	0.752	124.9	4.79
1052	26.72	11.84	7.14	0.746	124.4	2.79
1054	26.89	11.91	7.14	0.745	124.2	2.53
1056	26.96	11.97	7.14	0.742	123.8	2.10

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>Diss Fe, Mn</i>
--	--	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/7/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-103</i>		SAMPLE POINT DESCRIPTION:
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>27.44</i>		
DATE: <i>9/7/23</i>	TIME: <i>1154</i>	AM / PM: DEPTH TO GROUND WATER (FT): <i>11.54</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1300</i>		TOTAL PURGED: <i>8 gal</i>

$$(27.44 - 11.54) \times .49 = 7.79$$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µg/cm)	ORP	DO (mg/L)
<i>1125</i>	<i>11.94</i>	<i>11.58</i>	<i>7.42</i>	<i>0.707</i>	<i>143.2</i>	<i>9.14</i>
<i>1135</i>	<i>12.86</i>	<i>11.65</i>	<i>7.20</i>	<i>0.704</i>	<i>137.1</i>	<i>7.23</i>
<i>1145</i>	<i>13.80</i>	<i>11.87</i>	<i>7.11</i>	<i>0.706</i>	<i>134.3</i>	<i>7.63</i>
<i>1155</i>	<i>14.31</i>	<i>11.99</i>	<i>7.08</i>	<i>0.717</i>	<i>134.6</i>	<i>7.79</i>
<i>1205</i>	<i>15.16</i>	<i>11.87</i>	<i>7.09</i>	<i>0.740</i>	<i>135.5</i>	<i>7.45</i>
<i>1215</i>	<i>15.99</i>	<i>11.80</i>	<i>7.10</i>	<i>0.761</i>	<i>135.9</i>	<i>7.23</i>
<i>1225</i>	<i>16.71</i>	<i>11.69</i>	<i>7.10</i>	<i>0.767</i>	<i>135.1</i>	<i>7.13</i>
<i>1235</i>	<i>17.33</i>	<i>11.62</i>	<i>7.12</i>	<i>0.766</i>	<i>134.4</i>	<i>7.12</i>
<i>1245</i>	<i>17.45</i>	<i>12.07</i>	<i>7.15</i>	<i>0.772</i>	<i>132.5</i>	<i>6.29</i>
<i>1255</i>						
<i>1300</i>						

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES:
--	--	-----------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:
per: pump died ~ 1245

SAMPLED BY: <i>JAR</i>	DATE: <i>9/7/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>NW-104</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>29.4</i>		
DATE: <i>9/7/23</i>	TIME: <i>1205</i>	AM / PM: DEPTH TO GROUND WATER (FT): <i>18.08</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1535</i>		TOTAL PURGED: <i>6 gal</i>

$(29.4 - 18.08) \times .49 = 5.55$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1418	18.37	12.61	7.33	0.960	127.4	10.28
1423	18.67	11.82	7.17	0.933	108.5	5.89
1428	19.06	11.68	7.14	0.928	93.5	4.41
1433	19.32	11.60	7.12	0.926	86.0	2.24
1438	19.71	11.35	7.11	0.924	80.0	0.58
1443	20.08	11.31	7.07	0.926	67.5	0.64
1448	20.85	11.37	7.07	0.934	41.5	0.57
1453	21.17	11.34	7.07	0.950	18.4	0.56
1458	21.61	11.30	7.09	0.957	7.7	0.51
1508	22.46	11.42	7.11	0.951	1.7	0.49
1518	23.31	11.40	7.12	0.930	1.4	0.49
1528	24.07	11.38	7.12	0.921	1.9	0.47

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>Diss Fe, Mn</i>
--	--	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/7/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-109</i>	SAMPLE POINT DESCRIPTION: $(14.7 - 4.87) \times 0.40 = 4.81$	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>14.7</i>		
DATE: <i>9/7/23</i>	TIME: <i>1211</i>	DEPTH TO GROUND WATER (FT): <i>4.87</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1220</i>	TOTAL PURGED: <i>5gal</i>	

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
<i>1130</i>	<i>5.35</i>	<i>19.01</i>	<i>10.36</i>	<i>1.599</i>	<i>57.3</i>	<i>1.46</i>
<i>1135</i>	<i>5.91</i>	<i>19.69</i>	<i>9.67</i>	<i>1.604</i>	<i>38.5</i>	<i>4.01</i>
<i>1140</i>	<i>6.65</i>	<i>20.62</i>	<i>9.05</i>	<i>1.575</i>	<i>15.1</i>	<i>4.00</i>
<i>1145</i>	<i>7.29</i>	<i>21.27</i>	<i>8.70</i>	<i>1.545</i>	<i>8.0</i>	<i>3.85</i>
<i>1150</i>	<i>7.81</i>	<i>21.39</i>	<i>8.54</i>	<i>1.551</i>	<i>4.8</i>	<i>3.72</i>
<i>1155</i>	<i>8.53</i>	<i>21.30</i>	<i>8.40</i>	<i>1.568</i>	<i>3.3</i>	<i>3.98</i>
<i>1200</i>	<i>8.95</i>	<i>21.21</i>	<i>8.34</i>	<i>1.576</i>	<i>2.2</i>	<i>4.08</i>
<i>1205</i>	<i>9.64</i>	<i>20.77</i>	<i>8.28</i>	<i>1.600</i>	<i>2.2</i>	<i>3.80</i>
<i>1210</i>	<i>10.30</i>	<i>20.29</i>	<i>8.26</i>	<i>1.612</i>	<i>2.2</i>	<i>3.74</i>
<i>1215</i>	<i>11.20</i>	<i>19.77</i>	<i>8.05</i>	<i>1.620</i>	<i>2.1</i>	<i>3.74</i>

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>Diss Fe Mn</i>
--	---	-----------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED *SL*

COMMENTS:

SAMPLED BY: <i>SL</i>	DATE: <i>9/7/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-106</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>	$(15.10 - 7.75) \times 0.49 = 3.60$	
WELL DEPTH: <i>15.10</i>		
DATE: <i>9/7/23</i>	TIME: <i>1146</i>	DEPTH TO GROUND WATER (FT): <i>7.75</i>
SAMPLING METHOD: <i>Low flow</i>		FLOW RATE:
SAMPLE TIME: <i>0955</i>		TOTAL PURGED: <i>4 gal</i>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
<i>0914</i>	<i>8.35</i>	<i>17.48</i>	<i>8.34</i>	<i>1.535</i>	<i>77.7</i>	<i>4.24</i>
<i>0919</i>	<i>9.45</i>	<i>18.74</i>	<i>8.87</i>	<i>1.565</i>	<i>27.3</i>	<i>3.94</i>
<i>0924</i>	<i>10.01</i>	<i>18.28</i>	<i>8.75</i>	<i>1.525</i>	<i>9.7</i>	<i>3.37</i>
<i>0929</i>	<i>10.71</i>	<i>18.33</i>	<i>8.58</i>	<i>1.554</i>	<i>-2.5</i>	<i>3.11</i>
<i>0934</i>	<i>11.30</i>	<i>18.08</i>	<i>8.50</i>	<i>1.582</i>	<i>-4.8</i>	<i>3.21</i>
<i>0939</i>	<i>11.92</i>	<i>18.78</i>	<i>8.44</i>	<i>1.576</i>	<i>-6.6</i>	<i>3.52</i>
<i>0944</i>	<i>12.78</i>	<i>18.30</i>	<i>8.41</i>	<i>1.554</i>	<i>-7.6</i>	<i>3.51</i>
<i>0949</i>	<i>13.43</i>	<i>18.00</i>	<i>8.41</i>	<i>1.542</i>	<i>-7.7</i>	<i>3.85</i>
<i>0954</i>	<i>13.74</i>	<i>18.01</i>	<i>8.41</i>	<i>1.540</i>	<i>-7.9</i>	<i>3.74</i>

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>D.55 Fe Mn</i>
--	--	-----------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

5C

COMMENTS:

SAMPLED BY: <i>5C</i>	DATE: <i>9/7/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-107</i>	SAMPLE POINT DESCRIPTION: $(33.45 - 11.48) \cdot 0.45 = 10.7$	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>33.45</i>		
DATE: <i>9/6/23</i>	TIME: <i>8:18</i>	DEPTH TO GROUND WATER (FT): <i>11.48</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE: <i>200 ml/min</i>
SAMPLE TIME: <i>19:30</i>		TOTAL PURGED: <i>11 gal</i>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1710	13.21	13.80	8.33	0.847	137.7	4.86
1725	14.91	14.21	8.94	0.815	124.4	5.19
1740	16.86	14.39	8.63	0.824	118.1	5.03
1755	18.32	14.40	8.50	0.835	117.1	5.01
1810	17.28	14.30	8.34	0.866	114.7	4.24
1825	20.51	13.94	8.26	0.871	114.4	4.35
1840	21.80	13.95	8.25	0.866	113.4	3.82
1855	22.90	13.35	8.21	0.848	113.6	3.60
1910	24.60	13.20	8.35	0.824	112.4	0.98
1915	24.95	13.22	8.37	0.821	112.3	0.98
1920	25.21	13.21	8.39	0.821	112.1	0.99

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NOT NOTED <input checked="" type="checkbox"/>	ANALYSES: <i>VOC, Dispersants</i>
--	--	-----------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
SC

COMMENTS:

SAMPLED BY: *SC* DATE: *9/6/23*

REVIEWED BY: *Scott A. Hodgson* DATE: *10/16/23*

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-108</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>	<i>(28.00 - 7.67) x 0.48 9.9</i>	
WELL DEPTH: <i>28.00</i>		
DATE: <i>9/7/23</i>	TIME: <i>1125</i>	DEPTH TO GROUND WATER (FT): <i>7.67</i>
SAMPLING METHOD: <i>Low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1740</i>		TOTAL PURGED: <i>10 gal</i>

TIME	WATER LEVEL	TEMP. (° C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
<i>1605</i>	<i>8.75</i>	<i>14.16</i>	<i>8.64</i>	<i>2.740</i>	<i>-17.4</i>	<i>0.62</i>
<i>1620</i>	<i>11.05</i>	<i>15.65</i>	<i>8.10</i>	<i>2.652</i>	<i>-51.3</i>	<i>2.51</i>
<i>1635</i>	<i>13.29</i>	<i>15.61</i>	<i>8.89</i>	<i>2.748</i>	<i>-47.3</i>	<i>2.52</i>
<i>1650</i>	<i>15.31</i>	<i>14.94</i>	<i>8.82</i>	<i>2.714</i>	<i>-56.9</i>	<i>0.33</i>
<i>1705</i>	<i>17.12</i>	<i>14.35</i>	<i>8.85</i>	<i>2.701</i>	<i>-59.1</i>	<i>0.16</i>
<i>1720</i>	<i>19.19</i>	<i>13.61</i>	<i>8.88</i>	<i>2.700</i>	<i>-61.2</i>	<i>0.15</i>
<i>1735</i>	<i>20.38</i>	<i>13.99</i>	<i>8.93</i>	<i>2.714</i>	<i>-62.9</i>	<i>0.16</i>

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>D.35 Fe, Mn, Cr</i>
--	---	----------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED *SC*

COMMENTS:

SAMPLED BY: <i>SL</i>	DATE: <i>9/7/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-109</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>22.41</i>		
DATE: <i>9/6/23</i>	TIME: <i>1118</i>	AM / PM: <i></i> DEPTH TO GROUND WATER (FT): <i>9.80</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1940</i>		TOTAL PURGED: <i>7 gal</i>

$$(22.41 - 9.80) \times .49 = 6.18$$

TIME	WATER LEVEL	TEMP. (° C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1749	10.03	17.68	7.00	3.758	152.5	4.16
1754	10.39	17.92	6.94	3.759	142.2	0.43
1759	10.72	18.05	6.94	3.698	138.6	0.66
1804	11.13	18.22	6.97	3.507	133.9	2.03
1809	11.45	18.27	6.99	3.437	132.3	2.55
1814	11.71	18.41	7.00	3.406	131.2	4.70
1819	12.01	18.35	7.00	3.399	130.9	5.09
1829	12.47	18.21	6.99	3.395	130.4	4.14
1839	12.91	18.20	6.97	3.406	129.8	2.73
1849	13.38	18.07	6.96	3.415	128.9	2.22
1859	13.86	17.94	6.95	3.453	127.8	1.19
1909	14.27	17.88	6.93	3.538	126.9	0.87

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>Diss Fe, Mn</i>
--	--	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JAR

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/6/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

1919 17.70 6.92 3.6007 126.1 0.53
 1929 17.54 6.91 3.688 126.3 0.49

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-110</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>22.13</i>		
DATE: <i>9/6/23</i>	TIME: <i>1113</i>	DEPTH TO GROUND WATER (FT): <i>10.46</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1710</i>		TOTAL PURGED: <i>6 gal</i>

$$(22.13 - 10.46) \times 4.9 = 5.72$$

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1525	10.76	17.05	7.30	1.093	125.1	6.68
1535	11.21	16.99	7.11	1.086	120.2	3.26
1545	11.80	17.56	7.06	1.097	117.5	2.81
1555	12.11	16.90	7.07	1.092	115.4	3.13
1605	12.68	17.07	7.03	1.095	118.7	3.25
1615	13.13	16.85	7.04	1.092	119.4	3.22
1625	13.58	16.75	7.05	1.094	119.7	3.47
1635	13.80	16.97	7.06	1.103	120.8	3.28
1645	14.14	16.49	7.07	1.090	121.0	3.17
1655	14.52	16.71	7.07	1.096	121.7	3.48
1705	14.87	16.72	7.07	1.099	122.2	3.45

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>Diss Fe, Mn</i>
--	--	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED *JAR*

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/6/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-111</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>22.31</i>		
DATE: <i>9/6/23</i>	TIME: <i>1107</i>	AM / PM: DEPTH TO GROUND WATER (FT): <i>9.51</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE:
SAMPLE TIME: <i>1455</i>		TOTAL PURGED: <i>7 gal</i>

$(22.31 - 9.51) \times .49 = 6.272 \text{ gal}$

	TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
	1251	9.78	17.55	7.65	.784	68.2	6.75
1301	1256	10.39	17.90	7.26	.786	58.8	3.30
1311	1301	10.88	18.56	7.20	.792	74.0	4.19
1321	1306	11.40	17.98	7.20	.781	86.8	5.34
1331	1311	12.16	17.70	7.18	.782	98.4	5.06
1341	1316	12.72	17.57	7.23	.788	104.6	4.72
1351	1321	13.28	17.19	7.27	.783	108.2	4.18
1401		13.90	16.91	7.30	.769	109.6	1.93
1411		14.54	16.80	7.31	.764	109.9	1.46
1421		15.25	16.36	7.33	.756	109.1	1.40
1431		15.61	16.39	7.32	.757	109.5	2.73
1441							

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED <input type="checkbox"/>	ANALYSES: <i>Diss Fe, Mn</i>
---	---	------------------------------

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED

JAR

COMMENTS:

SAMPLED BY: <i>JAR</i>	DATE: <i>9/6/2023</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>MW-112</i>	SAMPLE POINT DESCRIPTION: <i>(22.50 - 11.09) : .49 - 5.59 gal</i>	
CASING DIAMETER: <i>2"</i>		
WELL DEPTH: <i>22.50</i>		
DATE: <i>9/6/23</i>	TIME: <i>11:09</i>	<input checked="" type="checkbox"/> AM / <input type="checkbox"/> PM DEPTH TO GROUND WATER (FT): <i>11.07</i>
SAMPLING METHOD: <i>Low flow</i>		FLOW RATE: <i>~ 200 ml/min</i>
SAMPLE TIME: <i>1420</i>		TOTAL PURGED: <i>6 gal</i>

TIME	WATER LEVEL	TEMP. (° C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
<i>1250</i>	<i>11.60</i>	<i>16.33</i>	<i>19.54</i>	<i>1.185</i>	<i>102.0</i>	<i>7.33</i>
<i>1300</i>	<i>12.57</i>	<i>16.87</i>	<i>8.86</i>	<i>1.197</i>	<i>66.8</i>	<i>2.04</i>
<i>1310</i>	<i>13.79</i>	<i>17.36</i>	<i>8.08</i>	<i>1.178</i>	<i>52.9</i>	<i>3.48</i>
<i>1320</i>	<i>14.68</i>	<i>17.32</i>	<i>8.81</i>	<i>1.173</i>	<i>51.4</i>	<i>4.05</i>
<i>1330</i>	<i>15.42</i>	<i>17.08</i>	<i>8.83</i>	<i>1.176</i>	<i>54.7</i>	<i>3.96</i>
<i>1340</i>	<i>16.50</i>	<i>17.25</i>	<i>8.42</i>	<i>1.183</i>	<i>59.0</i>	<i>3.79</i>
<i>1350</i>	<i>17.13</i>	<i>17.01</i>	<i>8.71</i>	<i>1.198</i>	<i>64.2</i>	<i>3.83</i>
<i>1400</i>	<i>18.07</i>	<i>16.76</i>	<i>8.41</i>	<i>1.207</i>	<i>68.2</i>	<i>3.80</i>
<i>1410</i>	<i>18.81</i>	<i>16.71</i>	<i>8.55</i>	<i>1.199</i>	<i>71.5</i>	<i>2.48</i>
<i>1415</i>	<i>19.34</i>	<i>16.72</i>	<i>8.50</i>	<i>1.201</i>	<i>70.4</i>	<i>3.76</i>

Questionable due to storm

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> SLIGHTLY TURBID <input type="checkbox"/> CLEAR <input checked="" type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> NOT NOTED	ANALYSES: <i>VOC, Fe, Mn, Cyanide, chrom</i>
--	---	--

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED *SL*

COMMENTS:

SAMPLED BY: <i>SL</i>	DATE: <i>9/6/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

TERRACON

GROUND WATER SAMPLING INFORMATION SHEET

PROJECT NAME: <i>NW Maunthe Superfund site</i>		PROJECT NO. <i>58117057</i>
PROJECT LOCATION: <i>Appleton, WI</i>		
SAMPLE POINT: <i>NW-113</i>	SAMPLE POINT DESCRIPTION:	
CASING DIAMETER: <i>2"</i>	$(22.40 - 9.67) \times 0.49 = 6.23$	
WELL DEPTH: <i>22.40</i>		
DATE: <i>9/6/23</i>	TIME: <i>1112</i>	DEPTH TO GROUND WATER (FT): <i>9.67</i>
SAMPLING METHOD: <i>low flow</i>		FLOW RATE: <i>~200 ml/min</i>
SAMPLE TIME: <i>1630</i>		TOTAL PURGED: <i>7 gal</i>

TIME	WATER LEVEL	TEMP. (°C)	pH	COND. (µS/cm)	ORP	DO (mg/L)
1450	10.30	15.58	8.89	1.026	122.1	1.19
1500	11.16	16.24	8.26	1.022	122.0	0.56
1510	12.05	16.84	8.93	0.888	117.2	2.48
1520	12.47	16.97	8.75	0.896	115.9	2.43
1530	13.03	16.77	8.58	1.001	117.6	2.14
1540	13.61	16.47	8.46	0.999	118.6	1.95
1550	14.11	16.34	8.41	1.004	118.7	1.92
1600	14.70	16.32	8.27	1.013	118.9	1.74
1610	15.21	16.10	8.21	1.023	119.8	1.54
1615	15.51	16.04	8.30	1.025	119.4	1.50
1620	15.82	15.95	8.31	1.025	119.8	1.50

SAMPLE APPEARANCE: VERY TURBID <input type="checkbox"/> TURBID <input type="checkbox"/> <i>yellow</i> SLIGHTLY TURBID <input checked="" type="checkbox"/> CLEAR <input type="checkbox"/>	ODOR: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> <i>NOT NOTED</i>	ANALYSES: <i>VOC, Dissolved Fe, Mn, Cr</i>
--	--	--

CLEANING PERFORMED IN FIELD: *Alconox and Distilled Water AND Disposable gloves* *INITIAL TO VERIFY OR NOTE OTHER CLEANING METHOD PERFORMED
JC

COMMENTS:

SAMPLED BY: <i>JC</i>	DATE: <i>9/6/23</i>
REVIEWED BY: <i>Scott A. Hodgson</i>	DATE: <i>10/16/23</i>

Appendix D – Form 4400-194

Notice: Pursuant to ss. NR 700.11(1) and 724.13(3), Wis. Adm. Code, this form is required to be completed or a narrative report or letter containing the equivalent information required in this form may be submitted in lieu of the actual form. Failure to submit this form as required is a violation and is subject to the penalties as stated in s. 292.99, Wis. Stats. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records Law (ss. 19.31-19.39, Wis. Stats.). *Unless otherwise noted, all citations refer to Wisconsin Administrative Code.*

GENERAL INSTRUCTIONS, PURPOSE AND APPLICABILITY OF THIS FORM: Completion of this form is required under s. NR 700.11(1) and s. NR 724.13(3), Wis. Adm. Code. A narrative report or letter containing the equivalent information required in this form may be submitted in lieu of the actual form. Failure to submit this form as required is a violation of s. NR 700.11(1) and s. NR 724.13(3), Wis. Adm. Code, and is subject to the penalties in s. 292.99, Wis. Stats. This form must be submitted every six months for remediation projects that are regulated under the NR 700 series of Wis. Adm. Code. Specifically, for sites meeting any of the following criteria:

- Any site where a discharge has occurred that report progress in accordance with s. NR 700.11(1), Wis. Adm. Code until site closure is granted. This includes sites where no response activities occurred during the six month reporting period. **Attach, if applicable, a separate brief summary of the work completed during the reporting period and the anticipated future work.**
- Soil or groundwater remediation projects that report operation and maintenance progress in accordance with s. NR 724.13(3), Wis. Adm. Code.

Note: Long-term monitoring results submitted in accordance with s. NR 724.17(3), Wis. Adm. Code are required to be submitted within 10 business days of receiving sampling results and are not required to be submitted using this form. However, portions of this form require monitoring data summary information that may be based on information previously submitted in accordance with s. NR 724.17(3), Wis. Adm. Code.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if this form is required to be submitted at sites responded to under the Federal Comprehensive Environmental Response and Compensation Act (commonly known as Superfund) or an equivalent State lead Superfund response.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if any of the information required in this form may be omitted or changed and obtain prior written approval for any omissions or changes.

Submittal of this form is not a substitute for reporting required by Department programs such as Waste Water or Air Management. Personally identifiable information on this form is not intended to be used for any other purpose than tracking progress of the remediation by the Bureau for Remediation and Redevelopment.

Only complete and submit all of page GI-1 and Section E on pages 3 and 4 for sites where a discharge has been reported but no response, monitoring or remediation has begun or occurred during the six month reporting period that are required to report only under s. NR 700.11(1), Wis. Adm. Code **and attach, if applicable, a summary of the anticipated future work.**

Section GI - General Site Information

A. General Information

1. Site name

N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

2. Reporting period from: 10/01/2022	To: 09/30/2023	Days in period: 365
3. Regulatory agency (enter DNR, DCOM, DATCP and/or other) WDNR/USEPA	4. BRRTS ID No. (2 digit program-2 digit county-6 digit site specific) 02-45-000127	

5. Site location

Region Northeast Region	County Outagamie	Address 725 S. Outagamie Street, Appleton, Wisconsin					
Municipality name <input checked="" type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village Appleton	Township 21 N	Range 17	<input checked="" type="radio"/> E <input type="radio"/> W	Section 34	¼ NE	¼ ¼ NW	

6. Responsible party Name Carol Mauthe	7. Consultant <input type="checkbox"/> Select if the following information has changed since the last submittal					
Mailing address 194 C S West Avenue, Appleton, Wisconsin 54915	Company name Terracon Consultants, Inc.					
Phone number	Mailing address 4900 S Pennsylvania Ave, Ste 100, Cud					Phone number (414) 423-0255

8. Contaminants

chromium, cyanide, chlorinated solvents

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

Reporting period from: 10/01/2022 To: 09/30/2023

Days in period: 365

Remediation Site Progress and Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 1/14)

Page 2 of 29

9. Soil types (USCS or USDA)

lean clay (CL); silty clay (ML-CL)

10. Hydraulic conductivity(cm/sec):

3.90 E x 10⁻⁷

11. Average linear velocity of groundwater (ft/yr)

1.17

12. If soil is treated ex situ, is the treatment location off site? Yes No

If yes, give location: Region

County

Municipality name City Town Village

Township

Range E

Section

¼

¼

¼

¼

N

W

B. Remediation Method

Only submit sections that apply to an individual site. Check all that apply:

- Groundwater extraction (submit a completed Section GW-1).
- Free product recovery (submit a completed Section GW-1).
- In situ air sparging (submit a completed Section GW-2).
- Groundwater natural attenuation (submit a completed Section GW-3).
- Other groundwater remediation method (submit a completed Section GW-4).
- Soil venting (including soil vapor extraction building venting and bioventing submit a completed Section IS-1).
- Soil natural attenuation (submit a completed Section IS-2).
- Other in situ soil remediation method (submit a completed Section IS-3).
- Biopiles (submit a completed Section ES-1).
- Landspreading/thinspreading of petroleum contaminated soil (submit a completed Section ES-2).
- Other ex situ remediation method (submit a completed Section ES-3).
- Site is a landfill (submit a completed Section LF-1).

C. General Effectiveness Evaluation for All Active Systems

If the remediation is active (not natural attenuation), complete this subsection.

1. Is the system operating at design rates and specifications? Yes No

If the answer is no, explain whether or not modifications are necessary to achieve the goal that was previously established in design.

2. Are modifications to the system warranted to improve effectiveness Yes No

If yes, explain:

3. Is natural attenuation an effective low cost option at this time? Yes No

4. Is closure sampling warranted at this time? Yes No

5. Are there any modifications that can be made to the remediation to improve cost effectiveness? Yes No

If yes, explain:

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

Reporting period from: 10/01/2022 To: 09/30/2023

Days in period: 365

Remediation Site Progress and Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 1/14)

Page 3 of 29

D. Economic and Cost Data to Date

1. Total investigation cost: _____
2. Implementation costs (design, capital and installation costs, excluding investigation costs): _____
3. Total costs during the previous reporting period: \$47,380.57
4. Total costs during this reporting period: \$38,630.80
5. Total anticipated costs for the next reporting period: \$70,400.00
6. Are any unusual or one-time costs listed in the reporting periods covered by D.3., D.4. or D.5. above? Yes No

If yes, explain:

D3: General in house repairs and maintenance, installation of a new PLC system, installation of new flowmeter faces compatible with the new PLC, and performing an inspection of the basement at 1414 West Second Street.

D4: Subcontract monitoring well survey, Terracon coordination for that survey, and preparation of the vapor intrusion QAPP

D5: Vapor intrusion investigation sampling and reporting.


7. If closure is anticipated within 12 months, estimated costs for project closeout: _____

E. Name(s), Signature(s) and Date of Person(s) Submitting Form

Legibly print name, date and sign. Only persons qualified to submit reports under ch. NR 712 Wis. Adm. Code are to sign this form for sites with any ongoing active remediation, monitoring or an investigation. Other persons may sign this form for sites with no response activities during the six month reporting period.


Registered Professional Engineers:

I hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Blaine R. Schroyer, P.E.	Principal/Office Manager
Signature	Date
	11/15/23

Hydrogeologists:

I hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03(1), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Scott A. Hodgson, P.G.	Senior Project Manager
Signature	Date
	11/15/23

Scientists:

I hereby certify that I am a scientist as that term is defined in s. NR 712.03(3), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Signature	Date

Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

Reporting period from: 10/01/2022 To: 09/30/2023

Days in period: 365

Remediation Site Progress and Operation, Maintenance, Monitoring & Optimization Report


Form 4400-194 (R 1/14)

Page 4 of 29

Other Persons:

Print name	Title
Signature	Date

Professional Seal(s), if applicable:



Site name: N.W. Mauthe Superfund Site (BRRTS #02-45-000127)

Reporting period from: 10/01/2022 To: 09/30/2023

Days in period: 365

Remediation Site Progress and Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 1/14)

Page 5 of 29

Section GW-1, Groundwater Pump and Treat Systems and Free Product Recovery Systems

A. Groundwater Extraction System Operation:

1. Total number of groundwater extraction wells or trenches available: 3 and the number in use during period: 3

2. Number of days of operation (only list the number of days the system actually operated, if unknown explain:

365

3. System utilization in percent (days of operation divided by reporting time period multiplied by 100). If < 80%, explain:

100

4. Quantity of groundwater extracted during this time period: 715,099 gallons

5. Average groundwater extraction rate: 1 gpm

6. Quantity of dissolved phase contaminants removed during this time period in pounds: 2 lbs

B. Free Product Recovery System Operation

1. Is free product (nonaqueous phase liquid) being recovered at this site? Yes No

If yes, explain:

2. Quantity of free product extracted during this time period (enter none if none): _____ gallons

3. Average free product extraction rate: _____ gpm

C. System Effectiveness Evaluation

1. Is a contaminated groundwater plume fully contained in the capture zone? Yes No

If no, explain:

System designed only for containment

2. If free product is present, is the free product fully contained in capture zone? Yes No

If no, explain:

3. If free product is present in any wells at the site, but free product was not recovered during reporting period, explain:

4. If free product is not present, determine the single contaminant that requires the greatest percent reduction to achieve ch. NR 140 ES and PAL. Perform this calculation for all contaminants that were present at the site that have ch. NR 140 standards. Use the highest contaminant concentration measured in any sampling points during reporting period. If free product is present, write "FREE PRODUCT" in C.4.a.

a. Contaminant: (from Sept 2023) 17,700 ug/L Cr in MW-113, 99.71 % for ES and 99.97% for PAL

b. Percent reduction necessary to reach ch. NR 140 ES and PAL: 99.97 %

c. Maximum contaminant concentration level in any monitoring well of that contaminant: 17,700 µg/L

d. Maximum contaminant concentration level in any extraction well of that contaminant: _____ µg/L