



WCR Copy

Combined Preliminary Assessment/ Site Inspection Report

for

**Tarco, Incorporated Chlorinated Investigation
Town of Onalaska, La Crosse County, Wisconsin**



**Prepared by the Wisconsin Department of
Natural Resources**

October 7, 2002

COMBINED PRELIMINARY ASSESSMENT/SITE INSPECTION REPORT

For

TARCO, INCORPORATED CHLORINATED INVESTIGATION

Town of Onalaska, La Crosse County, Wisconsin

USEPA # WIN 000508272

October 7, 2002

Prepared by Wisconsin Department of Natural Resources

Douglas Joseph

WDNR

1300 West Clairemont Avenue

Eau Claire, WI 54701

Prepared by:

Date: 10-21-02

Douglas Joseph, Hydrogeologist

Wisconsin Department of Natural Resources

1300 W. Clairemont Ave.

Eau Claire, Wisconsin 54701

Reviewed by:

Date: 10/21/2002

Loren Brumberg,

Wisconsin Department of Natural Resources

1300 W. Clairemont Avenue

Eau Claire, Wisconsin 54702

Reviewed by:

Date: 3/12/03

Michael Netzer

Wisconsin Department of Natural Resources

101 South Webster Street

Madison, Wisconsin 53702

Approved by:

Date: 2/28/2003

Laura Ripley, Early Action Project Coordinator

USEPA, Region 5

77 West Jackson Boulevard

Chicago, Illinois 60604

TABLE OF CONTENTS

<u>Section:</u>	<u>Page Number</u>
1.0 Introduction	3
2.0 Site Description and Regulatory History	3
3.0 Operational History and Waste Characteristics	4
4.0 Discussion of Migration Pathways	5
4.1 Groundwater	5
4.2 Surface Water	7
4.3 Soil Exposure	7
4.4 Air	11
5.0 Summary and Conclusion	11
 <u>References</u>	13
 <u>Tables:</u>	
Table 1 – Historical and PA/SI Groundwater Data	8-9
Table 2 – Historical and PA/SI Soil Data	10
 <u>Figures:</u>	
Figure 1 – Site Sampling and Location Map	14
Figure 2 – Historical Site Sampling Location Map	15
 <u>Photo Documentation Log:</u>	16-20
 <u>Appendices:</u>	
A – Analytical Results Report – Groundwater Data	
B – Analytical Results Report – Soil Data	
C – Soil Boring Logs and Groundwater Monitoring Well Construction Reports	

1.0 INTRODUCTION

Under authority of the Comprehensive Environmental Response Compensation Liability Act of 1980 (CERCLA), and the Superfund Amendments and Reauthorization Act of 1986 (SARA), the Wisconsin Department of Natural Resources (WDNR) was tasked by the United States Environmental Protection Agency (U.S. EPA) to conduct a Combined Preliminary Assessment (PA)/Screening Site Inspection (SSI) at the Tarco, Inc. site as part of the FY '02 Cooperative Agreement. The purpose of this investigation was to collect information concerning conditions at the Tarco, Inc. site sufficient to assess the threat posed to human health and the environment, and to determine the need for additional investigation under CERCLA or other authority, and if appropriate, support site evaluation using the Hazard Ranking System (HRS) for proposal to the National Priorities List (NPL). The scope of the investigation included reviewing previous information, sampling waste and environmental media to test Preliminary Assessment (PA) hypotheses and to evaluate and document HRS factors and collect additional non-sampling information.

Site Name: Tarco, Incorporated Chlorinated Investigation

U.S. EPA ID#: WIN 000508272

Location: Tarco, Inc. Property – South end of Abbey Road, Town of Onalaska, La Crosse County, Wisconsin
Residential Properties – East side of the 5000 to 5200 blocks of State Highway 35, City of Onalaska, La Crosse County, Wisconsin

Purpose: The purpose of this assessment is to collect samples of surficial soils and groundwater to establish that hazardous material or waste, attributable to the site, has been released into the environment. The sampling strategy will support that the Direct Contact and/or Groundwater Pathways pose, or potentially pose, a threat to human health and the environment.

2.0 SITE DESCRIPTION AND REGULATORY HISTORY

The Tarco, Inc. property is a rural, former farmstead site on which waste solvents were disposed of by free-dumping from a tanker truck directly to the ground's surface for a period of approximately one year in 1972.

On July 5, 1972, the Wisconsin Department of Natural Resources (WDNR) received a complaint from a neighbor adjacent to the Tarco, Inc. property of chemical odors emanating from the Tarco, Inc. property. The property was then owned by the mother of Robert A. Tooke, and used for light agricultural purposes. An inspection of the Tarco, Inc. property by WDNR found evidence of chemical dumping on the property.

No response to the dumping was initiated until Tarco, Inc. conducted a Phase II Environmental Site Assessment (ESA) at the subject property on May 28, 1997. The ESA entailed constructing five soil borings on the subject property, four of which were completed as water table observation wells. In conjunction with this Phase II ESA, the WDNR conducted private water supply well sampling at twelve potential downgradient receptors.

The Tarco, Inc. property is an 18.48 acre site and is located in the SW1/4 of the SE1/4, Section 29, T17N, R7W, Town of Onalaska, La Crosse County, Wisconsin (Latitude 91° West 14' 33", Longitude 43° North 54' 39") and is surrounded by the City of Onalaska. The site remains an abandoned farmstead with fallow fields and small pockets of woodland. The site is relatively flat, with a wooded hillside present along the west boundary. No structures remain at the site, but there are two at-grade foundations of former buildings remaining. Four-lane U.S. Highway 53 abuts the property on the east side, but is separated from the site by a chain link fence. There are no improved roads existing on the site and access is gained via a dirt road entering from the north.

Private water supply wells, which were sampled as part of this project, exist in a residential neighborhood that lies west and southwest of the Tarco, Inc. property, and adjacent to and east and west of State Highway 35.

Directions to the site are as follows: From the intersection of U.S. Highway 53 and County Highway OT in Onalaska, WI go west ¼ mile on County Highway OT to Commerce Road. Go south on Commerce Road for one block, and turn left on Abbey Road. Follow Abbey Road for ½ mile and it deadends into Tarco, Inc. property. Access to the Tarco, Inc. property is gained by proceeding south from the end of Abbey Road and driving along a dirt road and through the open field to various sampling locations on the site.

3.0 OPERATIONAL HISTORY AND WASTE CHARACTERISTICS

In response to a July 5, 1972 complaint received by the WDNR, an inspection of the Tarco, Inc. property by WDNR found evidence of chemical dumping on the Tarco, Inc. property. In a follow-up to the inspection by WDNR it was determined that Robert A. Tooke, then doing business as Modern Clean-Up Services (a.k.a. Tarco, Inc.), had routinely disposed of free liquids on the subject property from a 7,000 gallon tanker truck, and he had done so for a period of approximately one year. The property where the chemical dumping occurred was at the time owned by the mother of Robert A. Tooke. It was determined that 5,000 to 6,000 gallons of waste solvents had been disposed of on the property on a monthly basis. The wastes were released to ground surface in random locations by opening the bung underneath the tanker and allowing the liquids to flow freely to ground, and ultimately percolate into the soil. The waste solvents had allegedly been collected from area industries (i.e., Norplex, Pyroil Division-STP, Continental Can Company, Trane Company, et al.) and included a wide range of petroleum and chlorinated based liquid wastes. The locations of former waste solvent dumping are still identifiable on the subject property due to the presence of a solidified, black tarry substance present at ground surface.

Results of the WDNR's initial complaint follow-up indicated that the following chemicals had been released to the soil at the Tarco, Inc. site:

1. methyl ethyl ketone
2. isopropyl alcohol
3. acetone
4. toluol
5. methyl cellosolve
6. phenolic resin
7. epoxy resin
8. xylene
9. methanol
10. phenolic enamel
11. xylol

12. naptha
13. misc. cleaning solvents

Due to the site's undeveloped state and the sole former use of the site having been for farming, no other potential sources of contamination are known or suspected to exist at the site. Access to the site is unrestricted and evidence exists that neighborhood youth use the site for recreational purposes.

Tarco, Inc. conducted a Phase II Environmental Site Assessment (ESA) at the subject property on May 28, 1997. The Phase II ESA entailed constructing five soil borings on the subject property, four of which were completed as water table observation wells. In conjunction with this ESA, the WDNR conducted private water supply well sampling at twelve potential downgradient receptors. The three down-gradient and one source area groundwater monitoring wells on the Tarco, Inc. property have shown levels of several volatile organic compounds (VOCs) ranging from <0.10 µg/kg to 30 µg/kg. VOC contaminants have also been detected in several down-gradient private water supply wells at levels ranging from <0.15 µg/kg to 470 µg/kg. To date, three private well owners have received an advisory from the Department not to use water from their wells for consumptive purposes due to VOC contamination, and have subsequently been connected to the City of Onalaska's municipal water supply system. Several other private wells exhibited low levels of VOC contamination that did not exceed their respective drinking water standards.

Another source of chlorinated contamination does exist to the south of Tarco, Inc. property, and is related to the L.B. White facility, a site which was investigated by the responsible party and subsequently closed by the WDNR on June 4, 1996. Based on existing documentation, it appears that the two plumes associated with the Tarco, Inc. property and the L.B. White facility are individually distinguishable and are not co-mingled near their source areas. However, as the two plumes advanced to the southwest, it becomes more difficult to determine whether impacts to homes to the west of State Highway 35 and south of Riders Club Road are related to comingling of the two plumes.

4.0 DISCUSSION OF MIGRATION PATHWAYS

Based on historic evidence of a release of waste solvents to the soil of the Tarco, Inc. property, this PA/ SI was conducted to evaluate the groundwater and direct contact pathways related to soil, to determine whether soil at the site continues to act as an ongoing source of contamination to groundwater, and to evaluate trends in contaminant migration in groundwater.

4.1 GROUNDWATER

This area is comprised of river terrace type deposits overlying sandstone bedrock. From the surface, prior investigations in the area document silt with sand to 8 feet below ground surface (bgs). Below 8 feet bgs, the unconsolidated deposits in the Onalaska area consist primarily of fine to medium-grained, well sorted, stratified sand, with a small percentage of silts and gravel.

Bedrock is anticipated to be encountered at approximately 185 feet bgs, based on boring data from remedial investigations at the L.B. White facility and the City of Onalaska landfill. The underlying bedrock is reported to consist of approximately 1,200 feet of undifferentiated Cambrian sandstone, including the Jordan Sandstone, St. Lawrence Formation, Franconia, Galesville, Eau Claire and Mt. Simon Sandstones. Bedrock was not encountered in borings at the site to a maximum depth of 108 feet bgs.

The regional aquifer related to the Tarco, Inc. property has been determined to exist at a depth of

approximately 64 feet to 100 feet bgs. Results from the four on-site groundwater monitoring wells and the extensive well network which had formerly been in place at the L.B. White facility, immediately south of the subject property, indicate that groundwater flow is consistently to the southwest across the site. The regional aquifer discharges to the Black River within 2,400 feet of the Tarco, Inc. property, and several private water supply wells remain in use between the source area and the Black River.

Groundwater acts as the sole source of private and municipal drinking water within a 4-mile radius of the Tarco, Inc. site. Approximately 28,000 people live within a 4-mile radius of the Tarco, Inc. site. Approximately 2,000 of the 28,000 rely on private water supply wells and 26,000 of the 28,000 are served by a municipal water supply system. Properties adjacent to, and east, southwest and southeast of the Tarco, Inc. property lie within the City of Onalaska, and are served by municipal water and sewerage systems. Properties to the north and west of the Tarco, Inc. property are served by individual or shared private water supply wells and septic systems.

The nearest potable well serves a subdivision of 42 homes, and is located approximately 700 feet west and sidegradient of the known source area on the Tarco, Inc. property. Private water supply wells serving individual homes are located 1,900 feet west by southwest and downgradient of the known source area on the Tarco, Inc. property. The nearest municipal well is Onalaska's Municipal Well #8, and is located approximately 4,500 feet south by southeast, and sidegradient of the site. All water supply wells evaluated within the scope of this PA/SI are terminated within the regional, alluvial sand and gravel aquifer underlying the Tarco, Inc. property. The Tarco, Inc. site does not lie within the wellhead protection area of any of the area's municipal water supply wells.

There are four groundwater monitoring wells, MW-1 to MW-4, located on the Tarco, Inc. property, that were constructed as part of Tarco, Inc.'s 1997 Phase II ESA. MW-1 serves as a background well on the east central portion of the property. MW-2 through MW-4 are located downgradient of the source area. The four wells all serve as water table observation wells.

Historic results and results of PA/SI groundwater sampling collected by the WDNR on July 1 and 2, 2002 are presented in Table 1. The results indicate that groundwater was, and continues to be impacted by the former waste solvent dumping which occurred at the site in 1972. Monitoring well MW-4 was not sampled due to an obstruction in the casing at approximately seventy five feet below ground surface. Groundwater contamination still present at the site is limited to chlorinated solvents, with the exception of low levels of endosulfan sulfate at 0.032 ug/L in PW-10, and manganese at 3,100 ug/L in MW-3. When the PA/SI volatile organic compound (VOC) data is compared with groundwater data collected at and adjacent to the site in 1998, it appears that the plume has advanced from the site at least 2,400 feet to the southwest, and likely discharges to Lake Onalaska through baseflow at very low concentrations. VOC concentrations in groundwater at the Tarco, Inc. site appear to be slightly downward trending and are present at relatively low levels. The only remaining ch. NR 140, Wis. Adm. Code, enforcement standard exceedance for groundwater on-site is for trichloroethene (TCE), and the concentrations of trichloroethene range from 8 to 26 µg/L in the on-site groundwater monitoring wells.

Private wells PW-1 to PW-6, and PW-9 to PW-10 are located west and southwest of Tarco, Inc.'s source area. PW-7 and PW-8 are located directly downgradient of the Tarco, Inc. source area and were significantly impacted by VOC contamination when sampled in 1998. Based on the impacts to PW-7 and PW-8, this area was subsequently annexed to the City of Onalaska and those homes were connected to Onalaska's municipal water supply system in 1998. The potable wells, PW-7 and PW-8, were left in place for purposes of future groundwater sampling and were meant to be included in the PA/SI sampling in July 2002. Attempts were made to activate these two wells for

sampling purposes, but were unsuccessful due to the submersible pumps having become inoperable after four years of non-use. PW-1 to PW-6 were all sampled and analytical results indicate that they have not been impacted by the Tarco, Inc. source area, and contaminants of concern were not detected in those water supplies.

Analytical results from PW-9 indicate that 1,1,1-trichloroethane is present at 5 µg/L and 1,1,2-trichloroethane is present at 0.9 µg/L. When compared with 1998 analytical results from PW-9, it appears that a downward trend in concentration exists at this well. Neither of these two contaminants exceeded their individual drinking water standards.

Analytical results from PW-10 indicate that four VOCs are present in this well, 1,1-dichloroethane at 1 µg/L, 1,1-dichloroethene at 9 µg/L, 1,1,1-trichloroethane at 35 µg/L, and 1,1,2-trichloroethane at 0.7 µg/L. Of these four VOCs, only 1,1-dichloroethene exceeds the applicable drinking water standard of 5 µg/L. When compared with the 1998 sampling data, it appears that the number of individual VOCs, as well as their concentrations, have trended upward over the past four years. This is due to the center of the VOC contaminant plume continuing to advance to the southwest, away from the source, and toward Lake Onalaska, 250 feet to the west. Based on PW-10 lying directly downgradient of L.B. White facility, and the chemical composition of the contaminants, it appears likely that the impacts to this water supply well relate to the L.B. White plume, and are not related to the Tarco, Inc. plume. The homeowners of PW-10, a family of two, have been advised of the impacts to their well, and have requested that no remediation be initiated in regard to their water supply. Efforts are underway to provide the home with bottled water, should they so desire.

4.2 SURFACE WATER

Groundwater flows through the regional, alluvial sand and gravel aquifer to the southwest and discharges to the Black River (a.k.a. Lake Onalaska) within 2,400 feet of the Tarco, Inc. property. In this area the Mississippi, Black and La Crosse rivers all reach confluence within 4 miles of the Tarco, Inc. site. The surface water system into which groundwater discharges is known as Lake Onalaska and is approximately 23,500 feet wide from east to west. Based on this river system's extremely high water volume and flow characteristics, the low level of contaminants, which may enter into the river system through the groundwater pathway, would be considered negligible, and therefore was not assessed in this PA/SI report.

Surface drainage of this area occurs through both direct soil percolation and storm water collection and discharge to the river system. Surface drainage within the Tarco, Inc. property occurs solely through direct soil percolation, and subsequently groundwater was evaluated as part of this PA/SI report. The river system in this area is not used as a source of drinking water.

The Tarco, Inc. property sits approximately 60 feet above the normal pool elevation of Lake Onalaska, and no flood plain issues would therefore relate to the site.

4.3 SOIL EXPOSURE

The Tarco, Inc. property is a combination of fallow fields and oak woodland, surrounded on the east, west and north by residential properties and on the south by light industrial property. The nearest residence and building is located approximately 450 feet from the known source area on the Tarco, Inc. property. Access to the Tarco, Inc. property is not restricted and evidence exists that the property is used frequently by local youths as a recreational area. No known terrestrial sensitive environments or resources exist in the area of observed contamination. Based on current census data, approximately 3,603 people live within a one-mile radius of the site.

TABLE 1
Groundwater Analytical Data
Historic and PA/SI Results

Volatile Organic Compounds ($\mu\text{g/L}$)	NR140 PAL	NR140 ES	MW-1 4/14/98	MW-1 7/1/02	MW-2 4/20/98	MW-2 7/1/02	MW-3 4/20/98	MW-3 7/1/02	PW-1 7/2/02	PW-2 9/29/98	PW-2 7/2/02	PW-3 8/12/98	PW-3 7/2/02
cis-1,2-dichloroethene	7	70	---	---	---	---	---	1	---	---	---	---	---
1,1-dichloroethane	85	850	---	---	1.9	1	0.48	---	---	---	---	---	---
1,1-dichloroethene	0.7	7	---	---	---	---	---	---	---	---	---	---	---
1,1,1-trichloroethane	40	200	1.6	---	11	6	6.9	4	---	---	---	---	---
1,1,2-trichloroethane	0.5	5	---	---	---	---	---	---	---	---	---	---	---
trichloroethene	0.5	5	22	8	30	10	18	26	---	---	---	---	---
tetrachloroethene	0.5	5	---	---	2.8	2	0.64	2	---	---	---	---	---
Semi-volatile Compounds ($\mu\text{g/L}$)													
di-n-butyl phthalate	20	100	---	---	---	---	3.7	---	---	na	---	na	---
Pesticide/PCB Compound ($\mu\text{g/L}$)													
Endosulfan sulfate	NS	NS	na	---	na	---	na	---	---	na	---	na	---
Metals ($\mu\text{g/L}$)													
Aluminum	NS	NS	na	65.7	na	65.1	na	60.6	47.7	na	52.9	na	44
Arsenic	5	50	na	0.6 M	na	0.6 M	na	3.5	1.7 M	na	1.9 M	na	2.3
Barium	400	2000	na	155	na	115	na	426	97.3	na	101	na	78.1
Magnesium	NS	NS	na	25900	na	20100	na	19300	21800	na	21600	na	15100
Manganese	25	50	na	3.9 M	na	6.1 M	na	3100	---	na	---	na	---
Nickel	20	100	na	1.5 M	na	1.5 M	na	4.4	1.3 M	na	1.5 M	na	1.1 M
Potassium	NS	NS	na	1240	na	1040	na	1240	1030	na	1240	na	951
Zinc	2500	5000	na	10.9 M	na	---	na	12.1 M	---	na	192	na	55

(--) indicates analyte not detected above sample quantitation limit

(na) indicates analyte not analyzed for

(Bold) indicates NR 140 enforcement standard exceedance

(M) indicates the quantified value is estimated

(NS) indicates there is no established NR 140 standard for that parameter

TABLE 1
Groundwater Analytical Data (cont.)
Historic and PA/SI Results

Volatile Organic Compounds ($\mu\text{g/L}$)	NR 140 PAL	NR 140 ES	PW-4 9/29/98	PW-4 7/2/02	PW-5 8/12/98	PW-5 7/2/02	PW-6 9/29/98	PW-6 7/2/02	PW-7 9/28/98	PW-8 9/28/98	PW-9 9/29/98	PW-9 7/2/02	PW-10 9/29/98	PW-10 7/2/02
cis-1,2-dichloroethene	7	70	---	---	---	---	---	---	430	26	---	---	---	---
1,1-dichloroethane	85	850	---	---	---	---	---	---	38	21	0.79	---	---	1
1,1-dichloroethene	0.7	7	---	---	---	---	---	---	4	6.5	3.1	---	---	9
1,1,1-trichloroethane	40	200	---	---	---	---	---	---	1.1	19	28	5	0.54	35
1,1,2-trichloroethane	0.5	5	---	---	---	---	---	---	12	2	0.62	0.9	---	0.7
trichloroethene	0.5	5	---	---	---	---	---	---	25	160	---	---	---	---
tetrachloroethene	0.5	5	---	---	---	---	---	---	---	---	---	---	---	---
vinyl chloride	0.02	0.2	---	---	---	---	---	---	3.4	---	---	---	---	---
Semi-volatile Compounds ($\mu\text{g/L}$)														
di-n-butyl phthalate	20	100	na	---	na	---	na	---	na	na	na	na	---	na
Pesticide/PCB Compound ($\mu\text{g/L}$)														
Endosulfan sulfate	NS	NS	na	---	na	---	na	---	na	na	na	na	---	0.032 J
Metals ($\mu\text{g/L}$)														
Aluminum	NS	NS	na	42.4	na	36.6	na	49.2	na	na	na	33.3	na	45.1
Arsenic	5	50	na	0.8 M	na	2.0 M	na	1.2 M	na	na	na	1.8 M	na	1.7 M
Barium	400	2000	na	71.4	na	77.9	na	74.4	na	na	na	81.6	na	77.6
Magnesium	NS	NS	na	15800	na	15900	na	17000	na	na	na	15500	na	15900
Manganese	25	50	na	---	na	---	na	---	na	na	na	---	na	---
Nickel	20	100	na	1.4 M	na	1.5 M	na	1.7 M	na	na	na	1.2 M	na	1.2 M
Potassium	NS	NS	na	1100	na	1040	na	992	na	na	na	841	na	7111
Zinc	2500	5000	na	120	na	18.7M	na	105	na	na	na	70.2	na	111

(--) indicates analyte not detected above sample quantitation limit

(na) indicates analyte not analyzed for

(Bold) indicates NR 140 enforcement standard exceedance

(M) indicates the quantified value is estimated

(NS) indicates there is no established NR 140 standard for that parameter

TABLE 2
Soil Analytical Data
Historic and PA/SI Results

Sample Location	TB-1	TB-2	TB-2	SS-1	SS-2	SS-3	SS-4	SS-5
Sample Depth	0.5-1'	0.5-1'	64-66'	0-1'	0-1'	0-1'	0-1'	0-1'
Sample Date	4/16/98	4/16/98	4/16/98	7/1/02	7/1/02	7/1/02	7/1/02	7/1/02
Semi-volatile Compounds (µg/kg)								
Benzyl butyl phthalate	---	---	1,300	---	44000	14000	1700	96000
phenol	---	---	---	---	1200	---	110	7000
4-methylphenol	---	---	---	---	500	310 J	360	3900
phenanthrene	---	---	---	---	690	3800	650	500
di-n-butylphthalate	---	---	---	---	33000	11000	1200	69000
fluoranthene	---	---	---	---	760	1100	230 J	550 J
pyrene	---	---	---	---	840	2100	370	1000
anthracene	---	---	---	---	180 J	180 J	71 J	---
Benzo(a)anthracene	---	---	---	---	53 J	140 J	---	---
chrysene	---	---	---	---	130 J	160 J	---	490 J
acetophenone	---	---	---	---	270 J	500	---	---
naphthalene	---	---	---	---	160 J	710	190 J	---
2-methylnaphthalene	---	---	---	---	---	130 J	---	---
fluorene	---	---	---	---	---	160 J	41 J	---
Pesticide/PCB Compound (µg/kg)								
beta-BHC	na	na	na	---	4.5 J	3.2 J	---	---
delta-BHC	na	na	na	---	3.6 J	4.2 J	---	8.0 J
Endosulfan I	na	na	na	---	11 J	---	---	7.8 J
4,4'-DDE	na	na	na	---	41	7.8 J	---	9.5 J
4,4'-DDT	na	na	na	---	---	25 J	5.2 J	17 J
Endrin	na	na	na	---	19 J	---	---	9.0 J
Endosulfan II	na	na	na	---	15 J	---	---	7.1 J
Endosulfan sulfate	na	na	na	---	22 J	---	---	26
Methoxychlor	na	na	na	---	42 J	---	---	---
Heptachlor epoxide	na	na	na	---	---	5.0 J	---	4.7 J
Gamma-chlordane	na	na	na	---	13 J	60	2.6 J	3.8 J
Metals (mg/kg)								
Antimony	---	---	---	---	2.1 J	204 J	32 J	10.4 J
Arsenic	---	---	---	---	---	1.3	---	1.4
Barium	68	82	---	32.9	56.5	1010	160	101
Chromium	12	7.4	---	5.2	8.0	222	43.9	12.0
Cobalt	---	---	---	2.7	3.2	4.9	4.2	5.4
Lead	9.0	---	---	4.5	6.1	15.9	7.5	9.2
Zinc	---	---	---	19.9	56.8	1200	256	58.3

(--) indicates analyte not detected above sample quantitation limit

(na) indicates analyte not analyzed

(J) indicates the analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.

Tarco, Inc. conducted a Phase II Environmental Site Assessment (ESA) at the subject property on May 28, 1997. The Phase II ESA entailed constructing six soil borings on the subject property, four of which were completed as water table observation wells, and two of which, TB-1 and TB-2, were advanced in the source area with visible signs of former waste solvent dumping. Surficial soil samples and/or groundwater interface soil samples were collected from TB-1 and TB-2 and the results are presented in Table 2. Five surficial soil samples were collected from SS-1 to SS-5 as part of this PA/SI and results are presented with the historic data in Table 2.

Analytical data from the five surficial soil samples indicate that only SS-3 exhibits an exceedance of an applicable state or federal residual soil contamination level (RCL) based on the non-industrial soil ingestion pathway. Benzo(a)anthracene was detected in SS-3 at a concentration of 140 µg/kg, and the data was qualified as being a positive identification of the compound, but the concentration was only an approximate value. The applicable EPA RCL for benzo(a)anthracene is 870 µg/kg, and the applicable WDNR RCL is 88 µg/kg. Antimony was detected in SS-3 at a concentration of 204 mg/kg, and the data was qualified as being a positive identification of the metal, but the concentration was only an approximate value. The applicable EPA RCL for antimony is 31 mg/kg, and there is no applicable WDNR RCL. There were no other metals or semi-volatile organic compounds found to exceed their respective state or federal RCLs. Pesticides and/or PCBs were detected at concentrations below the individual compounds respective RCLs. No VOCs were detected in the soil samples collected.

4.4 AIR

In 1972, a neighborhood resident filed a complaint with the WDNR related to chemical odors emanating from the site during and subsequent to solvent dumping events. However, since dumping was discontinued in late 1972, no additional odor complaints have been received by the WDNR. During the PA/SI sampling fieldwork by the WDNR in July 2002, no odors or PID responses were detected in ambient air at the site. It is not likely therefore that the site represents a threat to air quality based on the soil data collected and the age of the past release.

5.0 SUMMARY AND CONCLUSION

The objectives of the Tarco, Inc. Preliminary Assessment/Site Inspection (PA/SI) were to collect surficial soil and groundwater samples to establish that hazardous substances or wastes had been released to the environment and to evaluate the site for potential inclusion to the National Priorities List (NPL). Sampling was completed to evaluate whether the groundwater and soil exposure pathways pose, or potentially pose, a threat to human health and the environment. Sampling was completed in accordance with the sampling plan submitted previously to the EPA.

The Tarco, Inc. property is a rural, former farmstead site on which waste solvents were disposed of by free-dumping from a tanker truck directly to the ground's surface for a period of approximately one year in 1972. On July 5, 1972, the Wisconsin Department of Natural Resources (WDNR) received a complaint from a neighbor adjacent to the Tarco, Inc. property of chemical odors emanating from the Tarco, Inc. property. The property was then owned by the mother of Robert A. Tooke, and used for light agricultural purposes. An inspection of the Tarco, Inc. property by WDNR, in 1972, found evidence of chemical dumping on the property. Additional sampling completed by both Tarco, Inc. and the WDNR in 1998 found further evidence of environmental impacts to groundwater associated with the prior release of waste solvents on the site.

The PA/SI sampling indicated that the prior release of waste solvents at the site has resulted in very minimal impacts to the surficial soil at the site. Only two substances, antimony and

benzo(a)anthracene were found to exceed their respective direct contact standards in one location on the Tarco, Inc. property.


In addition, the PA/SI sampling indicated that groundwater beneath and downgradient of the site continues to be impacted by the prior release of waste solvents at the site. The only remaining exceedance of a groundwater standard in monitoring wells at the site relates to trichloroethene, which remains present at concentrations ranging from 8 to 26 µg/L. The contaminant groundwater plume is known to have migrated approximately 2,600 feet to the southwest, impacting two private wells, PW-7 and PW-8, and resulting in these two homes being advised not to use their water supplies for consumptive purposes. These two homes were subsequently connected to a municipal water supply system in 1998. As a result of the PA/SI sampling, two additional homes, PW-9 and PW-10, were found to have been impacted by VOC contamination. Of these two homes, only PW-10 was found to have an exceedance of the applicable groundwater standards. The VOC 1,1-dichloroethene, which has an ch. NR 140, Wis. Adm. Code, enforcement standard of 5 µg/L, was found to be present in PW-10 at a concentration of 9 µg/L, and the residents of this home were subsequently advised not to use their water supply for consumptive purposes. Based on the location of PW-10 lying directly downgradient of L.B. White facility, and the chemical composition of the contaminants, it appears likely that the impacts to this water supply well relate to the L.B. White plume, and are not related to the Tarco, Inc. plume. The homeowners of PW-10, a family of two, have requested that no remediation be initiated in regard to their water supply at this time. Efforts are underway to provide the home with bottled water, should they so desire.

References

1. U.S. Geological Survey, 7.5 minute topographic quadrangle maps of Wisconsin: Holmen, Onalaska, La Crescent, and La Crosse, 1973.
2. Fluid Management, Request for Site Closure, Tarco South Property – East Property, 2100 East Avenue North, Onalaska, Wisconsin 54650, May 28, 1998.
3. Midwest Environmental Management Company, Phase II Environmental Site Assessment Report, Tarco South Property, 2100 East Avenue North, Onalaska, Wisconsin, October 6, 1997

Tarco, Inc. PA/SI Sampling

Onalaska, WI






FIGURE 2

Monitoring Well/Test Boring Locations (4/13/98 & 4/16-17/98)

**Tarco South Property Site
Onalaska, Wisconsin**

Scale 1" = 150'
15

PHOTO DOCUMENTATION LOG




Photo 1

**Sample location for SS-1 looking southeast
(Photo taken by Mae Willkom, July 2002).**



Photo 2

**Sample location for SS-2 looking west
(Photo taken by Mae Willkom, July 2002).**



Photo 3

**Sample location for SS-3 looking southwest
(Photo taken by Mae Willkom, July 2002)**



Photo 4

**Sample location for SS-4 looking southwest.
(Photo taken by Mae Willkom, July 2002)**



Photo 5

**Sample location for SS-5 looking east.
(Photo taken by Mae Willkom, July 2002)**



Photo 6

**Photo of waste solvent dumping on Tarco, Inc. property
(Photo taken by Clancy Stoffel, August 1972)**



Photo 7

**Photo of waste solvent pooled on ground surface on Tarco, Inc. property
(Photo taken by Clancy Stoffel, August 1972)**




Photo 8

**Photo of tanker releasing waste solvent to soil on Tarco, Inc. property
(Photo taken by Clancy Stoffel, August 1972)**




Photo 9

**Photo of tanker releasing waste solvent to soil on Tarco, Inc. property
(Photo taken by Clancy Stoffel, August 1972)**

APPENDIX A

Analytical Results Report

Groundwater Data

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Diluted

Field duplicate
of MW-2

Sample Number :	E1YW4	E1YW5	E1YW6	E1YW6DL	E1YW8					
Sampling Location :	MW-1	MW-2	MW-3	MW-3	MW-5					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	2.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	1-	UJ	0.5	UJ
Chloroethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Trichlorodifluoromethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Acetone	5	U	5	U	5	U	10-	U	5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Methyl Acetate	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Methylene Chloride	0.5	UJ	0.5	UJ	0.5	UJ	1-	UJ	0.5	UJ
trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
tert-Butyl Methyl Ether	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,1-Dichloroethane	0.5	U	1		0.5	U	1-	U	1	
cis-1,2-Dichloroethene	0.5	U	0.5	U	1		1-	U	0.5	U
2-Butanone	5	U	5	U	5	U	10-	U	5	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,1,1-Trichloroethane	0.5	U	6		4		3-		6	
Cyclohexane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Benzene	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,2-Dichloroethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Trichloroethene	8		10		27	→	26		10	
Methylcyclohexane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
cis-1,3-Dichloropropene	0.5	UJ	0.5	UJ	0.5	UJ	1-	U	0.5	U
4-Methyl-2-pentanone	5	U	5	U	5	U	10-	U	5	U
Toluene	0.5	U	0.5	U	0.5	U	1-	U	0.5	U
trans-1,3-Dichloropropene	0.5	UJ	0.5	UJ	0.5	UJ	1-	U	0.5	U
1,1,2-Trichloroethane	0.5	UJ	0.5	UJ	2	J	2-		0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Diluted Field duplicate
of MW-2

Sample Number :	E1YW4	E1YW5	E1YW6	E1YW6DL	E1YW8					
Sampling Location :	MW-1	MW-2	MW-3	MW-3	MW-5					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	2.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Tetrachloroethene	0.5	U	2		2		2	-	2	
2-Hexahone	5	U	5	U	5	U	10	-U	5	U
Dibromochloromethane	0.5	U	0.5	U	0.5	UJ	1	-U	0.5	U
1,2-Dibromoethane	0.5	U	0.5	U	0.5	UJ	1	-U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
Ethylbenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
Xylenes (total)	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
Styrene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	UJ	1	-U	0.5	U
Isopropylbenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,2,4-Trichlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U
1,2,3-Trichlorobenzene	0.5	U	0.5	U	0.5	U	1	-U	0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Trip blank

Rinsate

Background

Sample Number :	E1YW9	E1YX0	E1YX1	E1YX2	E1YX3					
Sampling Location :	MW-6	MW-7	PW-1	PW-2	PW-3					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :			08:45		09:20					
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichlorofluoromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Acetone	25		23		5	U	5	U	5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methyl Acetate	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methylene Chloride	0.5	UJ	0.5	UJ	0.5	UJ	0.5	UJ	0.5	UJ
trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
tert-Butyl Methyl Ether	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone	18		18		5	U	5	U	5	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Cyclohexane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methylcyclohexane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
cis-1,3-Dichloropropene	0.5	UJ	0.5	UJ	0.5	U	0.5	U	0.5	U
4-Methyl-2-pentanone	5	U	5	U	5	U	5	U	5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
trans-1,3-Dichloropropene	0.5	UJ	0.5	UJ	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	UJ	0.5	UJ	0.5	U	0.5	U	0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Trip blank

Rinsate

Background

Sample Number :	E1YW9	Rinsate	E1YX0	Background	E1YX1	E1YX2	E1YX3	
Sampling Location :	MW-6		MW-7		PW-1	PW-2	PW-3	
Matrix :	Water		Water		Water	Water	Water	
Units :	ug/L		ug/L		ug/L	ug/L	ug/L	
Date Sampled :	07/01/2002		07/01/2002		07/02/2002	07/02/2002	07/02/2002	
Time Sampled :					08:45	07/02/2002	09:20	
%Moisture :	N/A		N/A		N/A	N/A	N/A	
pH :								
Dilution Factor :	1.0		1.0		1.0	1.0	1.0	
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U
2-Hexanone	5	U	5	U	5	U	5	U
Dibromochloromethane	0.5	UJ	0.5	UJ	0.5	U	0.5	U
1,2-Dibromoethane	0.5	UJ	0.5	UJ	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U
Xylenes (total)	0.5	U	0.5	U	0.5	U	0.5	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	UJ	0.5	UJ	0.5	U	0.5	U
Isopropylbenzene	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Lab QC

Sample Number :	E1YX4	E1YX5	E1YX6	E1YX9	E1YX9MS					
Sampling Location :	PW-4	PW-5	PW-6	PW-9	PW-9					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :			09:00							
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromomethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	UJ
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Trichlorofluoromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	6	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Acetone	5	U	5	U	5	U	5	U	5	U
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methyl Acetate	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Methylene Chloride	0.5	UJ	0.5	UJ	0.5	UJ	0.5	UJ	0.5	UJ
trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
tert-Butyl Methyl Ether	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.6	
cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Butanone	5	U	5	U	5	U	5	U	5	U
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	5		6	
Cyclohexane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Benzene	0.5	U	0.5	U	0.5	U	0.5	U	5	
1,2-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	
Trichloroethene	0.5	U	0.5	U	0.5	U	0.5	U	5	
Methylcyclohexane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
4-Methyl-2-pentanone	5	U	5	U	5	U	5	U	5	U
Toluene	0.5	U	0.5	U	0.5	U	0.5	U	5	
trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.9		1	

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Lab QC

Sample Number :	E1YX4	E1YX5	E1YX6	E1YX9	E1YX9MS					
Sampling Location :	PW-4	PW-5	PW-6	PW-9	PW-9					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :			09:00							
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
2-Hexanone	5	U	5	U	5	U	5	U	5	U
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dibromoethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	5	
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Xylenes (total)	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Styrene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
Isopropylbenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,4-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U
1,2,3-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U	0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Lab QC

Diluted

Diluted

Sample Number :	E1YX9MSD	E1YY0	E1YY0DL	E1YY1	E1YY1DL					
Sampling Location :	PW-9	PW-10	PW-10	PW-11	PW-11					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	2.5	1.0	2.5					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Chloromethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Vinyl Chloride	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Bromomethane	0.5	UJ	0.5	U	1	-UJ	0.5	U	1	-UJ
Chloroethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Trichlorofluoromethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
1,1-Dichloroethene	6		9		8-		8		8-	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Acetone	5	U	5	U	13	-U	5	U	13	-U
Carbon Disulfide	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Methyl Acetate	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Methylene Chloride	0.5	UJ	0.5	UJ	1	-UJ	0.5	UJ	1	-UJ
trans-1,2-Dichloroethene	0.5	U	0.5	U	1	-U	0.5	U	1	-U
tert-Butyl Methyl Ether	0.5	U	0.5	U	1	-U	0.5	U	1	-U
1,1-Dichloroethane	0.6		1		1	-U	1		1	-U
cis-1,2-Dichloroethene	0.5	U	0.5	U	1	-U	0.5	U	1	-U
2-Butanone	5	U	5	U	13	-U	5	U	13	-U
Bromochloromethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Chloroform	0.5	U	0.5	U	1	-U	0.5	U	1	-U
1,1,1-Trichloroethane	6		39		35		39		39	
Cyclohexane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Carbon Tetrachloride	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Benzene	6		0.5		1	-U	0.5		1	-U
1,2-Dichloroethane	0.6		0.5		1	-U	0.5		1	-U
Trichloroethene	5		0.5		1	-U	0.5		1	-U
Methylcyclohexane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
1,2-Dichloropropane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
Bromodichloromethane	0.5	U	0.5	U	1	-U	0.5	U	1	-U
cis-1,3-Dichloropropene	0.5	U	0.5	U	1	-U	0.5	U	1	-U
4-Methyl-2-pentanone	5	U	5	U	13	-U	5	U	13	-U
Toluene	6		0.5		1	-U	0.5		1	-U
trans-1,3-Dichloropropene	0.5	U	0.5	U	1	-U	0.5	U	1	-U
1,1,2-Trichloroethane	1		0.7		1	-U	0.7		1	-U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Lab QC

Diluted

Diluted

Sample Number :	E1YX9MSD	E1YY0	E1YY0DL	E1YY1	E1YY1DL			
Sampling Location :	PW-9	PW-10	PW-10	PW-11	PW-11			
Matrix :	Water	Water	Water	Water	Water			
Units :	ug/L	ug/L	ug/L	ug/L	ug/L			
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002			
Time Sampled :								
%Moisture :	N/A	N/A	N/A	N/A	N/A			
pH :								
Dilution Factor :	1.0	1.0	2.5	1.0	2.5			
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Tetrachloroethene	0.5	U	0.5	U	1	U	0.5	U
2-Hexanone	5	U	5	U	13	U	5	U
Dibromochloromethane	0.5	U	0.5	U	1	U	0.5	U
1,2-Dibromoethane	0.5	U	0.5	U	1	U	0.5	U
Chlorobenzene	5		0.5	U	1	U	0.5	U
Ethylbenzene	0.5	U	0.5	U	1	U	0.5	U
Xylenes (total)	0.5	U	0.5	U	1	U	0.5	U
Styrene	0.5	U	0.5	U	1	U	0.5	U
Bromoform	0.5	U	0.5	U	1	U	0.5	U
Isopropylbenzene	0.5	U	0.5	U	1	U	0.5	U
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	1	U	0.5	U
1,3-Dichlorobenzene	0.5	U	0.5	U	1	U	0.5	U
1,4-Dichlorobenzene	0.5	U	0.5	U	1	U	0.5	U
1,2-Dichlorobenzene	0.5	U	0.5	U	1	U	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U	1	U	0.5	U
1,2,4-Trichlorobenzene	0.5	U	0.5	U	1	U	0.5	U
1,2,3-Trichlorobenzene	0.5	U	0.5	U	1	U	0.5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Trip blank

Lab blank

Lab blank

Lab blank

Sample Number :	E1YY2	Lab blank	VBLK2A	Lab blank	VBLK2Z	Lab blank	VHBLK2A	Lab blank		
Sampling Location :	PW-12	Water ug/L		<td></td>						
Matrix :	Water ug/L									
Units :	ug/L									
Date Sampled :	07/02/2002									
Time Sampled :										
%Moisture :	N/A		N/A		N/A		N/A			
pH :										
Dilution Factor :	1.0		1.0		1.0		1.0			
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Dichlorodifluoromethane	0.5	U	0.5	U	0.5	U	0.5	U		
Chloromethane	0.5	U	0.5	U	0.5	U	0.5	U		
Vinyl Chloride	0.5	U	0.5	U	0.5	U	0.5	U		
Bromomethane	0.5	UJ	0.5	UJ	0.5	U	0.5	UJ		
Chloroethane	0.5	U	0.5	U	0.5	U	0.5	U		
Trichlorodifluoromethane	0.5	U	0.5	U	0.5	U	0.5	U		
1,1-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U		
1,1,2-Trichloro-1,2,2-trifluoroethane	0.5	U	0.5	U	0.5	U	0.5	U		
Acetone	53		5	U	5	U	5	U		
Carbon Disulfide	0.5	U	0.5	U	0.5	U	0.5	U		
Methyl Acetate	0.5	U	0.5	U	0.5	U	0.5	U		
Methylene Chloride	0.5	UJ	0.5	UJ	0.5	UJ	0.5	UJ		
trans-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U		
tert-Butyl Methyl Ether	0.5	U	0.5	U	0.5	U	0.5	U		
1,1-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U		
cis-1,2-Dichloroethene	0.5	U	0.5	U	0.5	U	0.5	U		
2-Butanone	21		5	U	5	U	5	U		
Bromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U		
Chloroform	0.5	U	0.5	U	0.5	U	0.5	U		
1,1,1-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U		
Cyclohexane	0.5	U	0.5	U	0.5	U	0.5	U		
Carbon Tetrachloride	0.5	U	0.5	U	0.5	U	0.5	U		
Benzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,2-Dichloroethane	0.5	U	0.5	U	0.5	U	0.5	U		
Trichloroethene	0.5	U	0.5	U	0.5	U	0.5	U		
Methylcyclohexane	0.5	U	0.5	U	0.5	U	0.5	U		
1,2-Dichloropropane	0.5	U	0.5	U	0.5	U	0.5	U		
Bromodichloromethane	0.5	U	0.5	U	0.5	U	0.5	U		
cis-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U		
4-Methyl-2-pentanone	5	U	5	U	5	U	5	U		
Toluene	0.5	U	0.5	U	0.5	U	0.5	U		
trans-1,3-Dichloropropene	0.5	U	0.5	U	0.5	U	0.5	U		
1,1,2-Trichloroethane	0.5	U	0.5	U	0.5	U	0.5	U		

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Trip blank

Lab blank

Lab blank

Lab blank

Sample Number :	E1YY2	Sampling Location :	VBLK2A	Matrix :	VBLK2Z	Units :	VHBLK2A	Date Sampled :		
Matrix :	PW-12	Units :	Water ug/L	Water ug/L	Water ug/L	pH :		Time Sampled :		
Units :	Water ug/L	Date Sampled :	07/02/2002	%Moisture :	N/A	pH :	N/A	Dilution Factor :	1.0	
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Tetrachloroethene	0.5	U	0.5	U	0.5	U	0.5	U		
2-Hexanone	5	U	5	U	5	U	5	U		
Dibromochloromethane	0.5	U	0.5	U	0.5	U	0.5	U		
1,2-Dibromoethane	0.5	U	0.5	U	0.5	U	0.5	U		
Chlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		
Ethylbenzene	0.5	U	0.5	U	0.5	U	0.5	U		
Xylenes (total)	0.5	U	0.5	U	0.5	U	0.5	U		
Styrene	0.5	U	0.5	U	0.5	U	0.5	U		
Bromoform	0.5	U	0.5	U	0.5	U	0.5	U		
Isopropylbenzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,1,2,2-Tetrachloroethane	0.5	U	0.5	U	0.5	U	0.5	U		
1,3-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,4-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,2-Dichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,2-Dibromo-3-chloropropane	0.5	U	0.5	U	0.5	U	0.5	U		
1,2,4-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		
1,2,3-Trichlorobenzene	0.5	U	0.5	U	0.5	U	0.5	U		

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Field duplicate
of MW-2

Rinsate

Sample Number :	E1YW4	E1YW5	E1YW6	E1YW8	E1YX0					
Sampling Location :	MW-1	MW-2	MW-3	MW-5	MW-7					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :	1.0	1.0	1.0	1.0	1.0					
Dilution Factor :										
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Benzaldehyde	5	U	5	U	5	U	5	U	5	U
Phenol	5	U	5	U	5	U	5	U	5	U
bis-(2-Chloroethyl) ether	5	U	5	U	5	U	5	U	5	U
2-Chlorophenol	5	U	5	U	5	U	5	U	5	U
2-Methylphenol	5	U	5	U	5	U	5	U	5	U
2,2'-oxybis(1-Chloropropane)	5	U	5	U	5	U	5	U	5	U
Acetophenone	5	U	5	U	5	U	5	U	1	J
4-Methylphenol	5	U	5	U	5	U	5	U	5	U
N-Nitroso-di-n-propylamine	5	U	5	U	5	U	5	U	5	U
Hexachloroethane	5	U	5	U	5	U	5	U	5	U
Nitrobenzene	5	U	5	U	5	U	5	U	5	U
Isophorone	5	U	5	U	5	U	5	U	5	U
2-Nitrophenol	5	U	5	U	5	U	5	U	5	U
2,4-Dimethylphenol	5	U	5	U	5	U	5	U	5	U
bis(2-Chloroethoxy)methane	5	U	5	U	5	U	5	U	5	U
2,4-Dichlorophenol	5	U	5	U	5	U	5	U	5	U
Naphthalene	5	U	5	U	5	U	5	U	5	U
4-Chloroaniline	5	U	5	U	5	U	5	U	5	U
Hexachlorobutadiene	5	U	5	U	5	U	5	U	5	U
Caprolactam	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
4-Chloro-3-methylphenol	5	U	5	U	5	U	5	U	5	U
2-Methylnaphthalene	5	U	5	U	5	U	5	U	5	U
Hexachlorocyclopentadiene	5	U	5	U	5	U	5	U	5	U
2,4,6-Trichlorophenol	5	U	5	U	5	U	5	U	5	U
2,4,5-Trichlorophenol	20	UJ	20	UJ	20	UJ	20	UJ	20	UJ
1,1'-Biphenyl	5	U	5	U	5	U	5	U	5	U
2-Chloronaphthalene	5	U	5	U	5	U	5	U	5	U
2-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Dimethylphthalate	5	U	5	U	5	U	5	U	5	U
2,6-Dinitrotoluene	5	U	5	U	5	U	5	U	5	U
Acenaphthylene	5	U	5	U	5	U	5	U	5	U
3-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Acenaphthene	5	U	5	U	5	U	5	U	5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Field duplicate
of MW-2

Rinsate

Sample Number :	E1YW4	E1YW5	E1YW6	E1YW8	E1YX0					
Sampling Location :	MW-1	MW-2	MW-3	MW-5	MW-7					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	20	U	20	U	20	U	20	U	20	U
4-Nitrophenol	20	U	20	U	20	U	20	U	20	U
Dibenzofuran	5	U	5	U	5	U	5	U	5	U
2,4-Dinitrotoluene	5	U	5	U	5	U	5	U	5	U
Diethylphthalate	5	U	5	U	5	U	5	U	5	U
Fluorene	5	U	5	U	5	U	5	U	5	U
4-Chlorophenyl-phenyl ether	5	U	5	U	5	U	5	U	5	U
4-Nitroaniline	20	U	20	U	20	U	20	U	20	U
4,6-Dinitro-2-methylphenol	20	U	20	U	20	U	20	U	20	U
N-Nitrosodiphenylamine	5	U	5	U	5	U	5	U	5	U
1,2,4,5-Tetrachlorobenzene	5	U	5	U	5	U	5	U	5	U
4-Bromophenyl-phenylether	5	U	5	U	5	U	5	U	5	U
Hexachlorobenzene	5	U	5	U	5	U	5	U	5	U
Atrazine	5	U	5	U	5	U	5	U	5	U
Pentachlorophenol	5	U	5	U	5	U	5	U	5	U
Phenanthrene	5	U	5	U	5	U	5	U	5	U
Anthracene	5	U	5	U	5	U	5	U	5	U
Di-n-butylphthalate	5	U	5	U	5	U	5	U	5	U
Fluoranthene	5	U	5	U	5	U	5	U	5	U
Pyrene	5	U	5	U	5	U	5	U	5	U
Butylbenzylphthalate	5	U	5	U	5	U	5	U	5	U
3,3'-Dichlorobenzidine	5	U	5	U	5	U	5	U	5	U
Benzo(a)anthracene	5	U	5	U	5	U	5	U	5	U
Chrysene	5	U	5	U	5	U	5	U	5	U
bis(2-Ethylhexyl)phthalate	5	U	5	U	5	U	5	U	9	UJ
Di-n-octylphthalate	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(b)fluoranthene	5	U	5	U	5	U	5	U	5	U
Benzo(k)fluoranthene	5	U	5	U	5	U	5	U	5	U
Benzo(a)pyrene	5	U	5	U	5	U	5	U	5	U
Indeno(1,2,3-cd)pyrene	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Dibenzo(a,h)anthracene	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(g,h,i)perylene	5	U	5	U	5	U	5	U	5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Background

Sample Number :	E1YX1	E1YX2	E1YX3	E1YX4	E1YX5					
Sampling Location :	PW-1	PW-2	PW-3	PW-4	PW-5					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :	08:45	09:20	N/A	N/A	N/A					
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :	1.0	1.0	1.0	1.0	1.0					
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Benzaldehyde	5	U	5	U	5	U	5	U	5	U
Phenol	5	U	5	U	5	U	5	U	5	U
bis-(2-Chloroethyl) ether	5	U	5	U	5	U	5	U	5	U
2-Chlorophenol	5	U	5	U	5	U	5	U	5	U
2-Methylphenol	5	U	5	U	5	U	5	U	5	U
2,2'-oxybis(1-Chloropropane)	5	U	5	U	5	U	5	U	5	U
Acetophenone	5	U	5	U	5	U	5	U	5	U
4-Methylphenol	5	U	5	U	5	U	5	U	5	U
N-Nitroso-di-n-propylamine	5	U	5	U	5	U	5	U	5	U
Hexachloroethane	5	U	5	U	5	U	5	U	5	U
Nitrobenzene	5	U	5	U	5	U	5	U	5	U
Isophorone	5	U	5	U	5	U	5	U	5	U
2-Nitrophenol	5	U	5	U	5	U	5	U	5	U
2,4-Dimethylphenol	5	U	5	U	5	U	5	U	5	U
bis(2-Chloroethoxy)methane	5	U	5	U	5	U	5	U	5	U
2,4-Dichlorophenol	5	U	5	U	5	U	5	U	5	U
Naphthalene	5	U	5	U	5	U	5	U	5	U
4-Chloroaniline	5	U	5	U	5	U	5	U	5	U
Hexachlorobutadiene	5	U	5	U	5	U	5	U	5	U
Caprolactam	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
4-Chloro-3-methylphenol	5	U	5	U	5	U	5	U	5	U
2-Methylnaphthalene	5	U	5	U	5	U	5	U	5	U
Hexachlorocyclopentadiene	5	U	5	U	5	U	5	U	5	U
2,4,6-Trichlorophenol	5	U	5	U	5	U	5	U	5	U
2,4,5-Trichlorophenol	20	UJ	20	UJ	20	UJ	20	UJ	20	UJ
1,1'-Biphenyl	5	U	5	U	5	U	5	U	5	U
2-Chloronaphthalene	5	U	5	U	5	U	5	U	5	U
2-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Dimethylphthalate	5	U	5	U	5	U	5	U	5	U
2,6-Dinitrotoluene	5	U	5	U	5	U	5	U	5	U
Acenaphthylene	5	U	5	U	5	U	5	U	5	U
3-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Acenaphthene	5	U	5	U	5	U	5	U	5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Background

Sample Number :	E1YX1	E1YX2	E1YX3	E1YX4	E1YX5					
Sampling Location :	PW-1	PW-2	PW-3	PW-4	PW-5					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :	08:45	09:20	N/A	N/A	N/A					
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	20	U	20	U	20	U	20	U	20	U
4-Nitrophenol	20	U	20	U	20	U	20	U	20	U
Dibenzofuran	5	U	5	U	5	U	5	U	5	U
2,4-Dinitrotoluene	5	U	5	U	5	U	5	U	5	U
Diethylphthalate	5	U	5	U	5	U	5	U	5	U
Fluorene	5	U	5	U	5	U	5	U	5	U
4-Chlorophenyl-phenyl ether	5	U	5	U	5	U	5	U	5	U
4-Nitroaniline	20	U	20	U	20	U	20	U	20	U
4,6-Dinitro-2-methylphenol	20	U	20	U	20	U	20	U	20	U
N-Nitrosodiphenylamine	5	U	5	U	5	U	5	U	5	U
1,2,4,5-Tetrachlorobenzene	5	U	5	U	5	U	5	U	5	U
4-Bromophenyl-phenylether	5	U	5	U	5	U	5	U	5	U
Hexachlorobenzene	5	U	5	U	5	U	5	U	5	U
Atrazine	5	U	5	U	5	U	5	U	5	U
Pentachlorophenol	5	U	5	U	5	U	5	U	5	U
Phenanthrene	5	U	5	U	5	U	5	U	5	U
Anthracene	5	U	5	U	5	U	5	U	5	U
Di-n-butylphthalate	5	U	5	U	5	U	5	U	5	U
Fluoranthene	5	U	5	U	5	U	5	U	5	U
Pyrene	5	U	5	U	5	U	5	U	5	U
Butylbenzylphthalate	5	U	5	U	5	U	5	U	5	U
3,3'-Dichlorobenzidine	5	U	5	U	5	U	5	U	5	U
Benzo(a)anthracene	5	U	5	U	5	U	5	U	5	U
Chrysene	5	U	5	U	5	U	5	U	5	U
bis(2-Ethylhexyl)phthalate	5	U	5	U	5	U	5	U	5	U
Di-n-octylphthalate	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(b)fluoranthene	5	U	5	U	5	U	5	U	5	U
Benzo(k)fluoranthene	5	U	5	U	5	U	5	U	5	U
Benzo(a)pyrene	5	U	5	U	5	U	5	U	5	U
Indeno(1,2,3-cd)pyrene	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Dibenzo(a,h)anthracene	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(g,h,i)perylene	5	U	5	U	5	U	5	U	5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

A

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Lab QC

Lab QC

Sample Number :	E1YX6	E1YX9	E1YX9MS	E1YX9MSD	E1YY0					
Sampling Location :	PW-6	PW-9	PW-9	PW-9	PW-10					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002					
Time Sampled :	09:00									
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Benzaldehyde	5	U	5	U	5	U	5	U	5	U
Phenol	5	U	5	U	41		45		5	U
bis-(2-Chloroethyl) ether	5	U	5	U	5	U	5	U	5	U
2-Chlorophenol	5	U	5	U	41		44		5	U
2-Methylphenol	5	U	5	U	5	U	5	U	5	U
2,2'-oxybis(1-Chloropropane)	5	U	5	U	5	U	5	U	5	U
Acetophenone	5	U	5	U	5	U	5	U	5	U
4-Methylphenol	5	U	5	U	5	U	5	U	5	U
N-Nitroso-di-n-propylamine	5	U	5	U	13		16		5	U
Hexachloroethane	5	U	5	U	5	U	5	U	5	U
Nitrobenzene	5	U	5	U	5	U	5	U	5	U
Isophorone	5	U	5	U	5	U	5	U	5	U
2-Nitrophenol	5	U	5	U	5	U	5	U	5	U
2,4-Dimethylphenol	5	U	5	U	5	U	5	U	5	U
bis(2-Chloroethoxy)methane	5	U	5	U	5	U	5	U	5	U
2,4-Dichlorophenol	5	U	5	U	5	U	5	U	5	U
Naphthalene	5	U	5	U	5	U	5	U	5	U
4-Chloroaniline	5	U	5	U	5	U	5	U	5	U
Hexachlorobutadiene	5	U	5	U	5	U	5	U	5	U
Caprolactam	5	UJ	5	UJ	5	UJ	5	UJ	5	UJ
4-Chloro-3-methylphenol	5	U	5	U	48		55		5	U
2-Methylnaphthalene	5	U	5	U	5	U	5	U	5	U
Hexachlorocyclopentadiene	5	U	5	U	5	U	5	U	5	U
2,4,6-Trichlorophenol	5	U	5	U	5	U	5	U	5	U
2,4,5-Trichlorophenol	20	UJ	20	UJ	20	UJ	20	UJ	20	UJ
1,1'-Biphenyl	5	U	5	U	5	U	5	U	5	U
2-Chloronaphthalene	5	U	5	U	5	U	5	U	5	U
2-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Dimethylphthalate	5	U	5	U	5	U	5	U	5	U
2,6-Dinitrotoluene	5	U	5	U	5	U	5	U	5	U
Acenaphthylene	5	U	5	U	5	U	5	U	5	U
3-Nitroaniline	20	U	20	U	20	U	20	U	20	U
Acenaphthene	5	U	5	U	15		16		5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Reviewer :

S. Tobin

Date :

07/31/2002

Sample Number :	E1YX6	Lab QC		Lab QC		E1YY0	PW-10	
		E1YX9	E1YX9MS	E1YX9MSD	E1YY0			
Sampling Location :	PW-6	PW-9	PW-9	PW-9	PW-10	Water	Water	
Matrix :	Water	Water	Water	Water	Water	ug/L	ug/L	
Units :	ug/L	ug/L	ug/L	ug/L	ug/L			
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002			
Time Sampled :	09:00							
%Moisture :	N/A	N/A	N/A	N/A	N/A			
pH :								
Dilution Factor :	1.0	1.0	1.0	1.0	1.0			
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	20	U	20	U	20	U	20	U
4-Nitrophenol	20	U	20	U	42	U	20	U
Dibenzofuran	5	U	5	U	5	U	5	U
2,4-Dinitrotoluene	5	U	5	U	16	U	5	U
Diethylphthalate	5	U	5	U	5	U	5	U
Fluorene	5	U	5	U	5	U	5	U
4-Chlorophenyl-phenyl ether	5	U	5	U	5	U	5	U
4-Nitroaniline	20	U	20	U	20	U	20	U
4,6-Dinitro-2-methylphenol	20	U	20	U	20	U	20	U
N-Nitrosodiphenylamine	5	U	5	U	5	U	5	U
1,2,4,5-Tetrachlorobenzene	5	U	5	U	5	U	5	U
4-Bromophenyl-phenylether	5	U	5	U	5	U	5	U
Hexachlorobenzene	5	U	5	U	5	U	5	U
Atrazine	5	U	5	U	5	U	5	U
Pentachlorophenol	5	U	5	U	58	J	5	U
Phenanthrene	5	U	5	U	5	U	5	U
Anthracene	5	U	5	U	5	U	5	U
Di-n-butylphthalate	5	U	5	U	5	U	5	U
Fluoranthene	5	U	5	U	5	U	5	U
Pyrene	5	U	5	U	20	J	5	U
Butylbenzylphthalate	5	U	5	U	5	U	5	U
3,3'-Dichlorobenzidine	5	U	5	U	5	U	5	U
Benzo(a)anthracene	5	U	5	U	5	U	5	U
Chrysene	5	U	5	U	5	U	5	U
bis(2-Ethylhexyl)phthalate	5	U	5	U	5	U	5	U
Di-n-octylphthalate	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(b)fluoranthene	5	U	5	U	5	U	5	U
Benzo(k)fluoranthene	5	U	5	U	5	U	5	U
Benzo(a)pyrene	5	U	5	U	5	U	5	U
Indeno(1,2,3-cd)pyrene	5	UJ	5	UJ	5	UJ	5	UJ
Dibenzo(a,h)anthracene	5	UJ	5	UJ	5	UJ	5	UJ
Benzo(g,h,i)perylene	5	U	5	U	5	U	5	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

Case
Site :

TARCO S

Lab.:

MITKEM

Lab. .

INTRODUCTION

Review Date:

07/31/2002

Number of Soil Samples : 0

A

Number of Water Samples : 16

Lab blank										
Sample Number :	E1YY1		SBLK1M							
Sampling Location :	PW-11		Water							
Matrix :	Water		Water							
Units :	ug/L		ug/L							
Date Sampled :	07/02/2002									
Time Sampled :										
%Moisture :	N/A		N/A							
pH :										
Dilution Factor :	1.0		1.0							
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Benzaldehyde	5	U	5	U						
Phenol	5	U	5	U						
bis-(2-Chloroethyl) ether	5	U	5	U						
2-Chlorophenol	5	U	5	U						
2-Methylphenol	5	U	5	U						
2,2'-oxybis(1-Chloropropane)	5	U	5	U						
Acetophenone	5	U	5	U						
4-Methylphenol	5	U	5	U						
N-Nitroso-di-n-propylamine	5	U	5	U						
Hexachloroethane	5	U	5	U						
Nitrobenzene	5	U	5	U						
Isophorone	5	U	5	U						
2-Nitrophenol	5	U	5	U						
2,4-Dimethylphenol	5	U	5	U						
bis(2-Chloroethoxy)methane	5	U	5	U						
2,4-Dichlorophenol	5	U	5	U						
Naphthalene	5	U	5	U						
4-Chloroaniline	5	U	5	U						
Hexachlorobutadiene	5	U	5	U						
Caprolactam	5	UJ	5	UJ						
4-Chloro-3-methylphenol	5	U	5	U						
2-Methylnaphthalene	5	U	5	U						
Hexachlorocyclopentadiene	5	U	5	U						
2,4,6-Trichlorophenol	5	U	5	U						
2,4,5-Trichlorophenol	20	UJ	20	UJ						
1,1'-Biphenyl	5	U	5	U						
2-Chloronaphthalene	5	U	5	U						
2-Nitroaniline	20	U	20	U						
Dimethylphthalate	5	U	5	U						
2,6-Dinitrotoluene	5	U	5	U						
Acenaphthylene	5	U	5	U						
3-Nitroaniline	20	U	20	U						
Acenaphthene	5	U	5	U						

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

B

Site :

TARCO SOUTH (WI)

Number of Soil Samples : 0

Lab. :

MITKEM

Number of Water Samples : 16

Review

S. Tobin

07/31/2002

28

• 11 •

Sammlung

Lab blank

Sample Number :	E1YY1	SBLK1M								
Sampling Location :	PW-11									
Matrix :	Water	Water								
Units :	ug/L	ug/L								
Date Sampled :	07/02/2002									
Time Sampled :										
%Moisture :	N/A	N/A								
pH :										
Dilution Factor :	1.0	1.0								
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	20	U	20	U						
4-Nitrophenol	20	U	20	U						
Dibenzofuran	5	U	5	U						
2,4-Dinitrotoluene	5	U	5	U						
Diethylphthalate	5	U	5	U						
Fluorene	5	U	5	U						
4-Chlorophenyl-phenyl ether	5	U	5	U						
4-Nitroaniline	20	U	20	U						
4,6-Dinitro-2-methylphenol	20	U	20	U						
N-Nitrosodiphenylamine	5	U	5	U						
1,2,4,5-Tetrachlorobenzene	5	U	5	U						
4-Bromophenyl-phenylether	5	U	5	U						
Hexachlorobenzene	5	U	5	U						
Atrazine	5	U	5	U						
Pentachlorophenol	5	U	5	U						
Phenanthrene	5	U	5	U						
Anthracene	5	U	5	U						
Di-n-butylphthalate	5	U	5	U						
Fluoranthene	5	U	5	U						
Pyrene	5	U	5	U						
Butylbenzylphthalate	5	U	5	U						
3,3'-Dichlorobenzidine	5	U	5	U						
Benzo(a)anthracene	5	U	5	U						
Chrysene	5	U	5	U						
bis(2-Ethylhexyl)phthalate	5	U	5	U						
Di-n-octylphthalate	5	UJ	5	UJ						
Benzo(b)fluoranthene	5	U	5	U						
Benzo(k)fluoranthene	5	U	5	U						
Benzo(a)pyrene	5	U	5	U						
Indeno(1,2,3-cd)pyrene	5	UJ	5	UJ						
Dibenzo(a,h)anthracene	5	UJ	5	UJ						
Benzo(g,h,i)perylene	5	U	5	U						

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

Site :

TARCO SOUTH (WI)

Lab. :

MITKEM

Reviewer :

S. Tobin

Date :

07/31/2002

Number of Soil Samples : 0

Number of Water Samples : 16

Field duplicate
of MW-2

Rinsate

Sample Number :	E1YW4	E1YW5	E1YW6	E1YW8	E1YX0					
Sampling Location :	MW-1	MW-2	MW-3	MW-5	MW-7					
Matrix :	Water	Water	Water	Water	Water					
Units :	ug/L	ug/L	ug/L	ug/L	ug/L					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Moisture :	N/A	N/A	N/A	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
alpha-BHC	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
beta-BHC	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
delta-BHC	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
gamma-BHC (Lindane)	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Heptachlor	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Aldrin	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Heptachlor epoxide	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Endosulfan I	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Dieldrin	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
4,4'-DDE	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
Endrin	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
Endosulfan II	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
4,4'-DDD	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
Endosulfan sulfate	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
4,4'-DDT	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
Methoxychlor	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Endrin ketone	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
Endrin aldehyde	0.020	U	0.020	U	0.020	U	0.020	U	0.020	U
alpha-Chlordane	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
gamma-Chlordane	0.010	U	0.010	U	0.010	U	0.010	U	0.010	U
Toxaphene	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U
Aroclor-1016	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
Aroclor-1221	0.40	U	0.40	U	0.40	U	0.40	U	0.40	U
Aroclor-1232	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
Aroclor-1242	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
Aroclor-1248	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
Aroclor-1254	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
Aroclor-1260	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

Site :

TARCO SOUTH (WI)

Lab. :

MITKEM

Reviewer :

S. Tobin

Date :

07/31/2002

Background

Number of Soil Samples : 0

Number of Water Samples : 16

Sample Number :	E1YX1	E1YX2	E1YX3	E1YX4	E1YX5	
Sampling Location :	PW-1	PW-2	PW-3	PW-4	PW-5	
Matrix :	Water	Water	Water	Water	Water	
Units :	ug/L	ug/L	ug/L	ug/L	ug/L	
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002	
Time Sampled :	08:45		09:20			
%Moisture :	N/A	N/A	N/A	N/A	N/A	
pH :						
Dilution Factor :	1.0	1.0	1.0	1.0	1.0	
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	
alpha-BHC	0.010	U	0.010	U	0.010	U
beta-BHC	0.010	U	0.010	U	0.010	U
delta-BHC	0.010	U	0.010	U	0.010	U
gamma-BHC (Lindane)	0.010	U	0.010	U	0.010	U
Heptachlor	0.010	U	0.010	U	0.010	U
Aldrin	0.010	U	0.010	U	0.010	U
Heptachlor epoxide	0.010	U	0.010	U	0.010	U
Endosulfan I	0.010	U	0.010	U	0.010	U
Dieldrin	0.020	U	0.020	U	0.020	U
4,4'-DDE	0.020	U	0.020	U	0.020	U
Endrin	0.020	U	0.020	U	0.020	U
Endosulfan II	0.020	U	0.020	U	0.020	U
4,4'-DDD	0.020	U	0.020	U	0.020	U
Endosulfan sulfate	0.020	U	0.020	U	0.020	U
4,4'-DDT	0.020	U	0.020	U	0.020	U
Methoxychlor	0.10	U	0.10	U	0.10	U
Endrin ketone	0.020	U	0.020	U	0.020	U
Endrin aldehyde	0.020	U	0.020	U	0.020	U
alpha-Chlordane	0.010	U	0.010	U	0.010	U
gamma-Chlordane	0.010	U	0.010	U	0.010	U
Toxaphene	1.0	U	1.0	U	1.0	U
Aroclor-1016	0.20	U	0.20	U	0.20	U
Aroclor-1221	0.40	U	0.40	U	0.40	U
Aroclor-1232	0.20	U	0.20	U	0.20	U
Aroclor-1242	0.20	U	0.20	U	0.20	U
Aroclor-1248	0.20	U	0.20	U	0.20	U
Aroclor-1254	0.20	U	0.20	U	0.20	U
Aroclor-1260	0.20	U	0.20	U	0.20	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

Site :

TARCO SOUTH (WI)

Lab. :

MITKEM

Reviewer :

S. Tobin

Date :

07/31/2002

Number of Soil Samples : 0

Number of Water Samples : 16

Sample Number :	Lab QC		Lab QC			
	E1YX6	E1YX9	E1YX9MS	E1YX9MSD	E1YY0	PW-6
Sampling Location :	PW-6	PW-9	PW-9	PW-9	PW-10	
Matrix :	Water	Water	Water	Water	Water	
Units :	ug/L	ug/L	ug/L	ug/L	ug/L	
Date Sampled :	07/02/2002	07/02/2002	07/02/2002	07/02/2002	07/02/2002	
Time Sampled :	09:00					
%Moisture :	N/A	N/A	N/A	N/A	N/A	
pH :						
Dilution Factor :	1.0	1.0	1.0	1.0	1.0	
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	Flag
alpha-BHC	0.010	U	0.010	U	0.010	U
beta-BHC	0.010	U	0.010	U	0.010	U
delta-BHC	0.010	U	0.010	U	0.010	U
gamma-BHC (Lindane)	0.010	U	0.010	U	0.098	U
Heptachlor	0.010	U	0.010	U	0.096	U
Aldrin	0.010	U	0.010	U	0.086	U
Heptachlor epoxide	0.010	U	0.010	U	0.010	U
Endosulfan I	0.010	U	0.010	U	0.010	U
Dieldrin	0.020	U	0.020	U	0.18	U
4,4'-DDE	0.020	U	0.020	U	0.020	U
Endrin	0.020	U	0.020	U	0.21	U
Endosulfan II	0.020	U	0.020	U	0.020	U
4,4'-DDD	0.020	U	0.020	U	0.020	U
Endosulfan sulfate	0.020	U	0.020	U	0.020	J
4,4'-DDT	0.020	U	0.020	U	0.17	U
Methoxychlor	0.10	U	0.10	U	0.10	U
Endrin ketone	0.020	U	0.020	U	0.020	U
Endrin aldehyde	0.020	U	0.020	U	0.020	U
alpha-Chlordane	0.010	U	0.010	U	0.010	U
gamma-Chlordane	0.010	U	0.010	U	0.010	U
Toxaphene	1.0	U	1.0	U	1.0	U
Aroclor-1016	0.20	U	0.20	U	0.20	U
Aroclor-1221	0.40	U	0.40	U	0.40	U
Aroclor-1232	0.20	U	0.20	U	0.20	U
Aroclor-1242	0.20	U	0.20	U	0.20	U
Aroclor-1248	0.20	U	0.20	U	0.20	U
Aroclor-1254	0.20	U	0.20	U	0.20	U
Aroclor-1260	0.20	U	0.20	U	0.20	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YW4

Site :

TARCO SOUTH (WI)

Lab.:

WANDE MITKEM

Ex. 9.

Review

S. Tobin

Number of Soil Samples : 0

Number of Water Samples : 16

Lab blank

Analytical Results (Qualified Data)Site : Tarco SouthNumber of Water Samples : 14Lab. : CRL

Reviewer :

Field duplicate
of MW-2

Sample Type

Rinsate

CRL Sample Number :		2002XJ02S01	2002XJ02S02		2002XJ02S03		2002XJ02D02		2002XJ02R01		
Sampling Location :		MW-1	MW-2		MW-3		MW-5		MW-7		
Matrix :		Water	Water		Water		Water		Water		
Units :		ug/L	ug/L		ug/L		ug/L		ug/L		
Date Sampled :											
ANALYTE	Reporting Limit	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	44	65.7	U	65.1	U	60.6	U	54.6	U		U
ANTIMONY	4	0.6	M	0.6	M	3.5	U		U		U
ARSENIC	2	155	U	115	U	426	U	116	U	2.1	U
BARIUM	0.9	155	U	115	U	426	U	116	U		U
BERYLLIUM	2.8										
CADMIUM	0.3	0.1	M							0.1	M
CALCIUM	82	122000		87400		89500		88400		114	
CHROMIUM	0.9	0.8	MB	1.6	BJ			1.3	BJ		U
COBALT	4.2		U		U	2.6	M		U		U
COPPER	4.4		U		U		U		U		U
IRON	42		U		U	326	U	12.5	M		U
LEAD	2		U		U		U		U		U
MAGNESIUM	12	25900		20100		19300		20000		16.8	BJ
MANGANESE	8.6	3.9	M	6.1	M	3100	U	10.1	U		U
MERCURY	0.5		U		U		U		U		U
NICKEL	2.7	1.5	M	1.5	M	4.4	U	0.9	M		U
POTASSIUM	482	1240		1040		1240	U	901	U		U
SELENIUM	4		U		U		U		U		U
SILVER	1.7		U		U		U		U		U
SODIUM	368	32400		6090		9920	U	5990	U		U
THALLIUM	2		U		U		U		U		U
VANADIUM	17	8.5	MB	7.9	MB	7.2	MB	8.7	MB	5.4	MB
ZINC	36	10.9	M		U	12.1	M		U		U
CYANIDE	8		U		U		U		U		U

Analytical Results (Qualified Data)

Site : Tarco South

Lab. : CRL

Reviewer :

Sample Type

Sample Type		Sampling Data									
Sample Number :		2002XJ02S05		2002XJ02S06		2002XJ02S07		2002XJ02S08		2002XJ02S09	
Sampling Location :		PW-1		PW-2		PW-3		PW-4		PW-5	
Matrix :		Water		Water		Water		Water		Water	
Units :		ug/L		ug/L		ug/L		ug/L		ug/L	
Date Sampled :											
ANALYTE	Reporting Limit	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	44	47.7		52.9		44		42.4		36.6	
ANTIMONY	4		U		U		U		U		U
ARSENIC	2	1.7	M	1.9	M	2.3		0.8	M	2.0	M
BARIUM	0.9	97.3		101		78.1		71.4		77.9	
BERYLLIUM	2.8		U		U		U		U		U
CADMUM	0.3		U		U		U		U		U
CALCIUM	82	79200		76500		68600		70100		66000	
CHROMIUM	0.9	0.8	MB	0.6	MB	0.8	MB	0.4	MB	0.9	BJ
COBALT	4.2		U		U		U		U		U
COPPER	4.4		U	29.8		8.4	BJ		U	4.9	BJ
IRON	42		U	68.3		70.1		30.9	M	33.9	M
LEAD	2	2.4		2.0		1.1	M	0.7	M		U
MAGNESIUM	12	21800		21600		15100		15800		15900	
MANGANESE	8.6		U		U		U		U		U
MERCURY	0.5		U		U		U		U		U
NICKEL	2.7	1.3	M	1.5	M	1.1	M	1.4	M	1.5	M
POTASSIUM	482	1030		1240		951		1100		1040	
SELENIUM	4		U		U		U		U		U
SILVER	1.7		U		U		U		U		U
SODIUM	368	7370		9610		10700		26700		21700	
THALLIUM	2		U		U		U		U		U
VANADIUM	17	9	MB	8.7	MB	9.7	MB	7.8	MB	7.5	MB
ZINC	36		U	192		55		120		18.7	M
CYANIDE	8		U		U		U		U		U

Analytical Results (Qualified Data)

Site : Tarco South

Lab. : CRL

Reviewer :

Sample Type

Field duplicate
of PW-6

CRL Sample Number :		2002XJ02S10		2002XJ02S13		2002XJ02S14		2002XJ02D10			
Sampling Location :		PW-6		PW-9		PW-10		PW-11			
Matrix :		Water		Water		Water		Water			
Units :		ug/L		ug/L		ug/L		ug/L			
Date Sampled :											
ANALYTE	Reporting Limit	Result	Flag	Result	Flag	Result	Flag	Result	Flag		
ALUMINUM	44	49.2	U	33.3	M	45.1	U	38.9	M		
ANTIMONY	4			1.8	M	1.7	M	2.0	U		
ARSENIC	2	1.2	M								
BARIUM	0.9	74.4	U	81.6	U	77.6	U	80.5	U		
BERYLLIUM	2.8										
CADMIUM	0.3		U	0.1	M				U		
CALCIUM	82	70000		66000		71900		72000			
CHROMIUM	0.9	0.9	MB	1	BJ	0.8	MB	1	BJ		
COBALT	4.2		U	U			U		U		
COPPER	4.4	8	BJ	U			U		U		
IRON	42	60		31.8	M	37.6	M	38	M		
LEAD	2	0.9	M	4.3		0.7	M	0.7	M		
MAGNESIUM	12	17000		15500		15900		16300			
MANGANESE	8.6		U	U			U		U		
MERCURY	0.5		U	U			U		U		
NICKEL	2.7	1.7	M	1.2	M	1.2	M	1.7	M		
POTASSIUM	482	992	U	841	U	7111	U	761	U		
SELENIUM	4		U	U			U		U		
SILVER	1.7		U	U			U		U		
SODIUM	368	10500		3600		3920		4030			
THALLIUM	2		U	U			U		U		
VANADIUM	17	7.6	MB	8.8	MB	8	MB	7.2	MB		
ZINC	36	105	U	70.2	U	111	U	114	U		
CYANIDE	8										

APPENDIX B

Analytical Results Report

Soil Data

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

A

Site :

TARCO SOUTH

Number of Soil Samples : 6

Lab. :

ENVSYS

Number of Water Samples : 0

Reviewer :

Date :

Background

Lab QC

Lab QC

Sample Number :	E1YT8	E1YT9	E1YT9MS	E1YT9MSD	E1YW0
Sampling Location :	SS-1	SS-2	SS-2	SS-2	SS-3
Matrix :	Soil	Soil	Soil	Soil	Soil
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002
Time Sampled :	00:00	00:00	00:00	00:00	00:00
%Moisture :	22	6	6	6	25
pH :					
Dilution Factor :	1.0	1.0	1.0	1.0	1.0

Volatile Compound	Result	Flag								
Dichlorodifluoromethane	14	UJ	11	UJ	11	UJ	11	UJ	14	UJ
Chloromethane	14	U	11	U	11	U	11	U	14	U
Vinyl Chloride	14	U	11	U	11	U	11	U	14	U
Bromomethane	14	U	11	U	11	U	11	U	14	U
Chloroethane	14	UJ	11	UJ	11	UJ	11	UJ	14	UJ
Trichlorofluoromethane	14	U	11	U	11	U	11	U	14	U
1,1-Dichloroethene	14	U	11	UJ	31		30		14	U
1,1,2-Trichloro-1,2,2-trifluoroethane	14	UJ	11	UJ	11	UJ	11	UJ	14	UJ
Acetone	24	UJ	22	UJ	22	UJ	60	UJ	19	UJ
Carbon Disulfide	14	U	11	U	11	U	11	U	14	U
Methyl Acetate	14	U	11	U	11	U	11	U	14	U
Methylene Chloride	14	U	11	U	11	U	11	U	14	U
trans-1,2-Dichloroethene	14	U	11	U	11	U	11	U	14	U
Methyl tert-Butyl Ether	14	U	11	U	11	U	11	U	14	U
1,1-Dichloroethane	14	U	11	U	11	U	11	U	14	U
cis-1,2-Dichloroethene	14	U	11	U	11	U	11	U	14	U
2-Butanone	14	UJ	11	UJ	11	UJ	11	UJ	14	UJ
Chloroform	14	U	11	U	11	U	11	U	14	U
1,1,1-Trichloroethane	14	U	11	U	11	U	11	U	14	U
Cyclohexane	14	U	11	U	11	U	11	U	14	U
Carbon Tetrachloride	14	U	11	U	11	U	11	U	14	U
Benzene	14	U	11	UJ	34		33		14	U
1,2-Dichloroethane	14	UJ	11	UJ	11	UJ	11	UJ	14	UJ
Trichloroethene	14	U	11	UJ	30		47		14	U
Methylcyclohexane	14	U	11	U	11	U	11	U	14	U
1,2-Dichloropropane	14	U	11	U	11	U	11	U	14	U
Bromodichloromethane	14	U	11	U	11	U	11	U	14	U
cis-1,3-Dichloropropene	14	U	11	U	11	U	11	U	14	U
4-Methyl-2-pentanone	14	U	11	U	11	U	11	U	14	U
Toluene	14	U	11	UJ	34		34		14	U
trans-1,3-Dichloropropene	14	U	11	U	11	U	11	U	14	U
1,1,2-Trichloroethane	14	U	11	U	11	U	11	U	14	U
Tetrachloroethene	14	U	11	U	11	U	11	U	14	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

B

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Background**Lab QC****Lab QC**

Sample Number :	E1YT8	E1YT9	E1YT9MS	E1YT9MSD	E1YW0			
Sampling Location :	SS-1	SS-2	SS-2	SS-2	SS-3			
Matrix :	Soil	Soil	Soil	Soil	Soil			
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg			
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002			
Time Sampled :	00:00	00:00	00:00	00:00	00:00			
%Moisture :	22	6	6	6	25			
pH :								
Dilution Factor :	1.0	1.0	1.0	1.0	1.0			
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2-Hexanone	14	U	11	U	11	U	11	U
Dibromochloromethane	14	U	11	U	11	U	11	U
1,2-Dibromoethane	14	U	11	U	11	U	11	U
Chlorobenzene	14	U	11	UJ	28		27	
Ethylbenzene	14	U	11	U	11	U	11	U
Xylenes (total)	14	U	11	U	11	U	11	U
Styrene	14	U	11	U	11	U	11	U
Bromoform	14	U	11	U	11	U	11	U
Isopropylbenzene	14	U	11	U	11	U	11	U
1,1,2,2-Tetrachloroethane	14	U	11	U	11	U	11	U
1,3-Dichlorobenzene	14	U	11	U	11	U	11	U
1,4-Dichlorobenzene	14	U	11	U	11	U	11	U
1,2-Dichlorobenzene	14	U	11	U	11	U	11	U
1,2-Dibromo-3-chloropropane	14	R	11	R	11	R	11	R
1,2,4-Trichlorobenzene	14	U	11	U	11	U	11	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

A

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Field duplicate
of SS-3 Lab blank Lab blank

Sample Number :	E1YW1	E1YW2	E1YW3	VBLKFS	VBLKF2					
Sampling Location :	SS-4	SS-5	SS-6	Soil ug/Kg	Soil ug/Kg					
Matrix :	Soil	Soil	Soil							
Units :	ug/Kg	ug/Kg	ug/Kg							
Date Sampled :	07/01/2002	07/01/2002	07/01/2002							
Time Sampled :	00:00	00:00	00:00							
%Moisture :	8	16	13	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag		
Dichlorodifluoromethane	11	UJ	11	UJ	13	UJ	10	U	10	UJ
Chloromethane	11	U	11	U	13	U	10	U	10	U
Vinyl Chloride	11	U	11	U	13	U	10	U	10	U
Bromomethane	11	U	11	U	13	U	10	U	10	U
Chloroethane	11	UJ	11	UJ	13	UJ	10	U	10	UJ
Trichlorodifluoromethane	11	U	11	U	13	U	10	U	10	U
1,1-Dichloroethene	11	U	11	U	13	U	10	U	10	U
1,1,2-Trichloro-1,2,2-trifluoroethane	11	UJ	11	UJ	13	UJ	10	U	10	UJ
Acetone	21	UJ	11	UJ	13	UJ	2	J	4	J
Carbon Disulfide	11	U	11	U	13	U	10	U	10	U
Methyl Acetate	11	U	11	U	13	U	10	U	10	U
Methylene Chloride	11	U	11	U	13	U	3	J	2	J
trans-1,2-Dichloroethene	11	U	11	U	13	U	10	U	10	U
Methyl tert-Butyl Ether	11	U	11	U	13	U	10	U	10	U
1,1-Dichloroethane	11	U	11	U	13	U	10	U	10	U
cis-1,2-Dichloroethene	11	U	11	U	13	U	10	U	10	U
2-Butanone	11	UJ	11	UJ	13	UJ	10	U	10	UJ
Chloroform	11	U	11	U	13	U	10	U	10	U
1,1,1-Trichloroethane	11	U	11	U	13	U	10	UJ	10	U
Cyclohexane	11	U	11	U	13	U	10	U	10	U
Carbon Tetrachloride	11	U	11	U	13	U	10	U	10	U
Benzene	11	U	11	U	13	U	10	U	10	U
1,2-Dichloroethane	11	UJ	11	UJ	13	UJ	10	U	10	UJ
Trichloroethene	11	U	11	U	13	U	10	U	10	U
Methylcyclohexane	11	U	11	U	13	U	10	U	10	U
1,2-Dichloropropane	11	U	11	U	13	U	10	U	10	U
Bromodichloromethane	11	U	11	U	13	U	10	U	10	U
cis-1,3-Dichloropropene	11	U	11	U	13	U	10	U	10	U
4-Methyl-2-pentanone	11	U	11	U	13	U	10	U	10	U
Toluene	11	U	11	U	13	U	10	U	2	J
trans-1,3-Dichloropropene	11	U	11	U	13	U	10	U	10	U
1,1,2-Trichloroethane	11	U	11	U	13	U	10	U	10	U
Tetrachloroethene	11	U	11	U	13	U	10	U	10	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

B

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Field duplicate
of SS-3

Lab blank

Lab blank

Sample Number :	E1YW1	E1YW2	E1YW3	VBLKFS	VBLKF2					
Sampling Location :	SS-4	SS-5	SS-6	Soil	Soil					
Matrix :	Soil	Soil	Soil	ug/Kg	ug/Kg					
Units :	ug/Kg	ug/Kg	ug/Kg							
Date Sampled :	07/01/2002	07/01/2002	07/01/2002							
Time Sampled :	00:00	00:00	00:00							
%Moisture :	8	16	13	N/A	N/A					
pH :										
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
Volatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2-Hexanone	11	U	11	U	13	U	10	U	10	U
Dibromochloromethane	11	U	11	U	13	U	10	U	10	U
1,2-Dibromoethane	11	U	11	U	13	U	10	U	10	U
Chlorobenzene	11	U	11	U	13	U	10	U	10	U
Ethylbenzene	11	U	11	U	13	U	10	U	10	U
Xylenes (total)	11	U	11	U	13	U	10	U	10	U
Styrene	11	U	11	U	13	U	10	U	10	U
Bromoform	11	U	11	U	13	U	10	U	10	U
Isopropylbenzene	11	U	11	U	13	U	10	U	10	U
1,1,2,2-Tetrachloroethane	11	U	11	U	13	U	10	U	10	U
1,3-Dichlorobenzene	11	U	11	U	13	U	10	U	10	U
1,4-Dichlorobenzene	11	U	11	U	13	U	10	U	10	U
1,2-Dichlorobenzene	11	U	11	U	13	U	10	U	10	U
1,2-Dibromo-3-chloropropane	11	R	11	R	13	R	10	R	10	R
1,2,4-Trichlorobenzene	11	U	11	U	13	U	10	U	10	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8
TARCO SOUTH
ENVSYS

Site :
Lab. :
Reviewer :
Date :

A

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

A

Site :

TARCO SOUTH

Number of Soil Samples : 6

Lab. :

ENVSYS

Number of Water Samples : 0

Reviewer :

Date :

Background

Diluted

Lab QC

Lab QC

Sample Number :	E1YT8	E1YT9	E1YT9DL	E1YT9MS	E1YT9MSD					
Sampling Location :	SS-1	SS-2	SS-2	SS-2	SS-2					
Matrix :	Soil	Soil	Soil	Soil	Soil					
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :	00:00	00:00	00:00	00:00	00:00					
%Moisture :	22	6	6	6	6					
pH :	6.6	6.1	6.1	6.1	6.1					
Dilution Factor :	1.0	1.0	25.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag		
Benzaldehyde	420	UJ	350	UJ	8800	UJ	120	J	260	J
Phenol	420	U	1200		8800	U	2500		2700	
bis-(2-Chloroethyl) ether	420	U	350	U	8800	U	350	U	350	U
2-Chlorophenol	420	U	350	U	8800	U	1400		1500	
2-Methylphenol	420	U	200	J	8800	U	210	J	210	J
2,2'-oxybis(1-Chloropropane)	420	U	350	U	8800	U	350	U	350	U
Acetophenone	420	U	270	J	8800	U	270	J	230	J
4-Methylphenol	420	U	500		8800	U	530		510	
N-Nitroso-di-n-propylamine	420	U	350	U	8800	U	870		940	
Hexachloroethane	420	U	350	U	8800	U	350	U	350	U
Nitrobenzene	420	U	350	U	8800	U	350	U	350	U
Isophorone	420	U	350	U	8800	U	350	U	350	U
2-Nitrophenol	420	U	350	U	8800	U	350	U	350	U
2,4-Dimethylphenol	420	U	350	U	8800	U	350	U	350	U
bis(2-Chloroethoxy)methane	420	U	350	U	8800	U	350	U	350	U
2,4-Dichlorophenol	420	U	350	U	8800	U	350	U	350	U
Naphthalene	420	U	160	J	8800	U	150	J	130	J
4-Chloroaniline	420	U	350	U	8800	U	350	U	350	U
Hexachlorobutadiene	420	U	350	U	8800	U	350	U	350	U
Caprolactam	420	U	350	U	8800	U	350	U	350	U
4-Chloro-3-methylphenol	420	U	350	U	8800	U	1700		1900	
2-Methylnaphthalene	420	U	350	U	8800	U	350	U	350	U
Hexachlorocyclopentadiene	420	UJ	350	UJ	8800	UJ	350	UJ	350	UJ
2,4,6-Trichlorophenol	420	U	350	U	8800	U	350	U	350	U
2,4,5-Trichlorophenol	1100	U	880	U	22000	U	880	U	880	U
1,1'-Biphenyl	420	U	350	U	8800	U	350	U	350	U
2-Chloronaphthalene	420	U	350	U	8800	U	350	U	350	U
2-Nitroaniline	1100	U	880	U	22000	U	880	U	880	U
Dimethylphthalate	420	U	350	U	8800	U	350	U	350	U
2,6-Dinitrotoluene	420	U	350	U	8800	U	350	U	350	U
Acenaphthylene	420	U	350	U	8800	U	350	U	350	U
3-Nitroaniline	1100	UJ	880	UJ	22000	UJ	880	UJ	880	UJ
Acenaphthene	420	U	350	U	8800	U	920		1000	

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

B

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Background

Diluted

Lab QC

Lab QC

Sample Number :	E1YT8	E1YT9	E1YT9DL	E1YT9MS	E1YT9MSD					
Sampling Location :	SS-1	SS-2	SS-2	SS-2	SS-2					
Matrix :	Soil	Soil	Soil	Soil	Soil					
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :	00:00	00:00	00:00	00:00	00:00					
%Moisture :	22	6	6	6	6					
pH :	6.6	6.1	6.1	6.1	6.1					
Dilution Factor :	1.0	1.0	25.0	1.0	1.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	1100	U	880	U	22000	U	880	U	880	U
4-Nitrophenol	1100	UJ	880	UJ	22000	UJ	2100	J	2200	J
Dibenzofuran	420	U	350	U	8800	U	350	U	350	U
2,4-Dinitrotoluene	420	U	350	U	8800	U	1100		1100	
Diethylphthalate	420	U	350	U	8800	U	350	U	350	U
Fluorene	420	U	350	U	8800	U	59	J	350	U
4-Chlorophenyl-phenyl ether	420	U	350	U	8800	U	350	U	350	U
4-Nitroaniline	1100	UJ	880	UJ	22000	UJ	880	UJ	880	UJ
4,6-Dinitro-2-methylphenol	1100	U	880	U	22000	U	880	U	880	U
N-Nitrosodiphenylamine	420	U	350	U	8800	U	350	U	350	U
4-Bromophenyl-phenylether	420	U	350	U	8800	U	350	U	350	U
Hexachlorobenzene	420	U	350	U	8800	U	350	U	350	U
Atrazine	420	U	350	U	8800	U	350	U	350	U
Pentachlorophenol	1100	U	880	U	22000	U	2400		2700	
Phenanthrene	420	U	690		8800	U	730		780	
Anthracene	420	U	180	J	8800	U	210	J	220	J
Carbazole	420	U	350	U	8800	U	350	U	350	U
Di-n-butylphthalate	420	U	28000		33000		29000		30000	
Fluoranthene	420	U	760		8800	U	840		880	
Pyrene	420	U	840		8800	U	2300		2300	
Butylbenzylphthalate	420	U	4000		44000		44000		41000	
3,3'-Dichlorobenzidine	420	UJ	350	UJ	8800	UJ	350	UJ	350	UJ
Benzo(a)anthracene	420	U	53	J	8800	U	59	J	60	J
Chrysene	420	U	130	J	8800	U	150	J	140	J
bis(2-Ethylhexyl)phthalate	420	U	640	U	8800	U	730	U	640	U
Di-n-octylphthalate	420	U	350	U	8800	U	350	U	350	U
Benzo(b)fluoranthene	420	U	350	U	8800	U	350	U	350	U
Benzo(k)fluoranthene	420	U	350	U	8800	U	350	U	350	U
Benzo(a)pyrene	420	U	350	U	8800	U	350	U	350	U
Indeno(1,2,3-cd)pyrene	420	U	350	U	8800	U	350	U	350	U
Dibenzo(a,h)anthracene	420	U	350	U	8800	U	350	U	350	U
Benzo(g,h,i)perylene	420	U	350	U	8800	U	350	U	350	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

A

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Diluted

Diluted

Sample Number :	E1YW0	E1YW0DL	E1YW1		E1YW2	E1YW2DL		
Sampling Location :	SS-3	SS-3	SS-4		SS-5	SS-5		
Matrix :	Soil	Soil	Soil		Soil	Soil		
Units :	ug/Kg	ug/Kg	ug/Kg		ug/Kg	ug/Kg		
Date Sampled :	07/01/2002	07/01/2002	07/01/2002		07/01/2002	07/01/2002		
Time Sampled :	00:00	00:00	00:00		00:00	00:00		
%Moisture :	25	25	8		16	16		
pH :	6.9	6.9	6.2		6.8	6.8		
Dilution Factor :	1.0	5.0	1.0		10.0	100.0		
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
Benzaldehyde	440	UJ	2200	UJ	360	UJ	3900	UJ
Phenol	420	J	2200	U	110	J	7000	U
bis-(2-Chloroethyl) ether	440	U	2200	U	360	U	3900	U
2-Chlorophenol	440	U	2200	U	360	U	3900	U
2-Methylphenol	440	U	2200	U	360	U	450	J
2,2'-oxybis(1-Chloropropane)	440	U	2200	U	360	U	3900	U
Acetophenone	500		2200	U	360	U	3900	U
4-Methylphenol	310	J	2200	U	360	U	3900	U
N-Nitroso-di-n-propylamine	440	U	2200	U	360	U	3900	U
Hexachloroethane	440	U	2200	U	360	U	3900	U
Nitrobenzene	440	U	2200	U	360	U	3900	U
Isophorone	440	U	2200	U	360	U	3900	U
2-Nitrophenol	440	U	2200	U	360	U	3900	U
2,4-Dimethylphenol	440	U	2200	U	360	U	3900	U
bis(2-Chloroethoxy)methane	440	U	2200	U	360	U	3900	U
2,4-Dichlorophenol	440	U	2200	U	360	U	3900	U
Naphthalene	710		770	J	190	J	3900	U
4-Chloroaniline	440	U	2200	U	360	U	3900	U
Hexachlorobutadiene	440	U	2200	U	360	U	3900	U
Caprolactam	440	U	2200	U	360	U	3900	U
4-Chloro-3-methylphenol	440	U	2200	U	360	U	3900	U
2-Methylnaphthalene	130	J	2200	U	360	U	3900	U
Hexachlorocyclopentadiene	440	UJ	2200	UJ	360	UJ	3900	UJ
2,4,6-Trichlorophenol	440	U	2200	U	360	U	3900	U
2,4,5-Trichlorophenol	1100	U	5500	U	900	U	9900	U
1,1'-Biphenyl	440	U	2200	U	360	U	3900	U
2-Chloronaphthalene	440	U	2200	U	360	U	3900	U
2-Nitroaniline	1100	U	5500	U	900	U	9900	U
Dimethylphthalate	440	U	2200	U	360	U	3900	U
2,6-Dinitrotoluene	440	U	2200	U	360	U	3900	U
Acenaphthylene	440	U	2200	U	360	U	3900	U
3-Nitroaniline	1100	UJ	5500	UJ	900	UJ	9900	UJ
Acenaphthene	440	U	2200	U	360	U	3900	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

B

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Diluted

Diluted

Sample Number :	E1YW0	E1YW0DL	E1YW1	E1YW2	E1YW2DL					
Sampling Location :	SS-3	SS-3	SS-4	SS-5	SS-5					
Matrix :	Soil	Soil	Soil	Soil	Soil					
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :	00:00	00:00	00:00	00:00	00:00					
%Moisture :	25	25	8	16	16					
pH :	6.9	6.9	6.2	6.8	6.8					
Dilution Factor :	1.0	5.0	1.0	10.0	100.0					
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	1100	U	5500	-U	900	U	9900	U	99000	-U
4-Nitrophenol	1100	UJ	5500	-UJ	900	UJ	9900	UJ	99000	-UJ
Dibenzofuran	440	U	2200	-U	360	U	3900	U	39000	-U
2,4-Dinitrotoluene	440	U	2200	-U	360	U	3900	U	39000	-U
Diethylphthalate	440	U	2200	-U	360	U	3900	U	39000	-U
Fluorene	160	J	2200	-U	41	J	3900	U	39000	-U
4-Chlorophenyl-phenyl ether	440	U	2200	-U	360	U	3900	U	39000	-U
4-Nitroaniline	1100	UJ	5500	-UJ	900	UJ	9900	UJ	99000	-UJ
4,6-Dinitro-2-methylphenol	1100	U	5500	-U	900	U	9900	U	99000	-U
N-Nitrosodiphenylamine	440	U	2200	-U	360	U	3900	U	39000	-U
4-Bromophenyl-phenylether	440	U	2200	-U	360	U	3900	U	39000	-U
Hexachlorobenzene	440	U	2200	-U	360	U	3900	U	39000	-U
Atrazine	440	U	2200	-U	360	U	3900	U	39000	-U
Pentachlorophenol	1100	U	5500	-U	900	U	9900	U	99000	-U
Phenanthren	400	►	3800	J	650		500	J	39000	-U
Anthracene	180	J	290	-J	71	J	3900	U	39000	-U
Carbazole	440	U	2200	-U	360	U	3900	U	39000	-U
Di-n-butylphthalate	11000	►	11000	J	1200		81000	►	69000	
Fluoranthene	1100		990	-J	230	J	550	J	39000	-U
Pyrene	2100		1900	-J	370		1000	J	39000	-U
Butylbenzylphthalate	15000	►	14000	J	1700		120000	►	96000	
3,3'-Dichlorobenzidine	440	UJ	2200	-UJ	360	UJ	3900	UJ	39000	-UJ
Benzo(a)anthracene	140	J	2200	-U	360	U	3900	U	39000	-U
Chrysene	160	J	2200	-U	360	U	490	J	39000	-U
bis(2-Ethylhexyl)phthalate	650	U	2200	-U	360	U	38000	►	39000	U
Di-n-octylphthalate	440	U	2200	-U	360	U	3900	U	39000	-U
Benzo(b)fluoranthene	440	U	2200	-U	360	U	3900	U	39000	-U
Benzo(k)fluoranthene	440	U	2200	-U	360	U	3900	U	39000	-U
Benzo(a)pyrene	440	U	2200	-U	360	U	3900	U	39000	-U
Indeno(1,2,3-cd)pyrene	440	U	2200	-U	360	U	3900	U	39000	-U
Dibenzo(a,h)anthracene	440	U	2200	-U	360	U	3900	U	39000	-U
Benzo(g,h,i)perylene	440	U	2200	-U	360	U	3900	U	39000	-U

Analytical Results (Qualified Data)

A

Case #: 30665

SDG : E1YT8

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Field duplicate

of SS-3

Lab blank

Sample Number :	E1YW3	SDG :	SBLK80								
Sampling Location :	SS-6										
Matrix :	Soil		Soil								
Units :	ug/Kg		ug/Kg								
Date Sampled :	07/01/2002										
Time Sampled :	00:00										
%Moisture :	13		N/A								
pH :	7.7										
Dilution Factor :	5.0		1.0								
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag	
Benzaldehyde	1900	UJ	330	UJ							
Phenol	460	J	330	U							
bis-(2-Chloroethyl) ether	1900	U	330	U							
2-Chlorophenol	1900	U	330	U							
2-Methylphenol	1900	U	330	U							
2,2'-oxybis(1-Chloropropane)	1900	U	330	U							
Acetophenone	1100	J	330	U							
4-Methylphenol	1900	U	330	U							
N-Nitroso-di-n-propylamine	1900	U	330	U							
Hexachloroethane	1900	U	330	U							
Nitrobenzene	1900	U	330	U							
Isophorone	1900	U	330	U							
2-Nitrophenol	1900	U	330	U							
2,4-Dimethylphenol	1900	U	330	U							
bis(2-Chloroethoxy)methane	1900	U	330	U							
2,4-Dichlorophenol	1900	U	330	U							
Naphthalene	780	J	330	U							
4-Chloroaniline	1900	U	330	U							
Hexachlorobutadiene	1900	U	330	U							
Caprolactam	1900	U	330	U							
4-Chloro-3-methylphenol	1900	U	330	U							
2-Methylnaphthalene	1900	U	330	U							
Hexachlorocyclopentadiene	1900	UJ	330	UJ							
2,4,6-Trichlorophenol	1900	U	330	U							
2,4,5-Trichlorophenol	4800	U	830	U							
1,1'-Biphenyl	1900	U	330	U							
2-Chloronaphthalene	1900	U	330	U							
2-Nitroaniline	4800	U	830	U							
Dimethylphthalate	1900	U	330	U							
2,6-Dinitrotoluene	1900	U	330	U							
Acenaphthylene	1900	U	330	U							
3-Nitroaniline	4800	UJ	830	UJ							
Acenaphthene	1900	U	330	U							

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

Site :

TARCO SOUTH

Lab.;

Field duplicate

Review Date :

Lab blank

Sample Number :	E1YW3	SBLK80								
Sampling Location :	SS-6									
Matrix :	Soil	Soil								
Units :	ug/Kg	ug/Kg								
Date Sampled :	07/01/2002									
Time Sampled :	00:00									
%Moisture :	13	N/A								
pH :	7.7									
Dilution Factor :	5.0	1.0								
Semivolatile Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
2,4-Dinitrophenol	4800	U	830	U						
4-Nitrophenol	4800	UJ	830	UJ						
Dibenzofuran	1900	U	330	U						
2,4-Dinitrotoluene	1900	U	330	U						
Diethylphthalate	1900	U	330	U						
Fluorene	200	J	330	U						
4-Chlorophenyl-phenyl ether	1900	U	330	U						
4-Nitroaniline	4800	UJ	830	UJ						
4,6-Dinitro-2-methylphenol	4800	U	830	U						
N-Nitrosodiphenylamine	1900	U	330	U						
4-Bromophenyl-phenylether	1900	U	330	U						
Hexachlorobenzene	1900	U	330	U						
Atrazine	1900	U	330	U						
Pentachlorophenol	4800	U	830	U						
Phenanthrene	4300	J	330	U						
Anthracene	290	J	330	U						
Carbazole	1900	U	330	U						
Di-n-butylphthalate	12000	J	330	U						
Fluoranthene	1200	J	330	U						
Pyrene	2000	J	330	U						
Butylbenzylphthalate	14000	J	330	U						
3,3'-Dichlorobenzidine	1900	UJ	330	UJ						
Benzo(a)anthracene	1900	U	330	U						
Chrysene	200	J	330	U						
bis(2-Ethylhexyl)phthalate	1900	U	80	J						
Di-n-octylphthalate	1900	U	330	U						
Benzo(b)fluoranthene	1900	U	330	U						
Benzo(k)fluoranthene	1900	U	330	U						
Benzo(a)pyrene	1900	U	330	U						
Indeno(1,2,3-cd)pyrene	1900	U	330	U						
Dibenzo(a,h)anthracene	1900	U	330	U						
Benzo(g,h,i)perylene	1900	U	330	U						

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Number of Soil Samples : 6

Number of Water Samples : 0

Sample Number :	Background		Lab QC		Lab QC		E1YW0 SS-3 Soil ug/Kg 07/01/2002 00:00	
	E1YT8 SS-1 Soil ug/Kg 07/01/2002 00:00	E1YT9 SS-2 Soil ug/Kg 07/01/2002 00:00	E1YT9MS SS-2 Soil ug/Kg 07/01/2002 00:00	E1YT9MSD SS-2 Soil ug/Kg 07/01/2002 00:00				
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag
alpha-BHC	2.2	U	1.8	U	1.8	U	1.8	U
beta-BHC	2.2	U	4.5	J	3.7	J	4.6	J
delta-BHC	2.2	U	3.6	J	3.2	J	2.9	J
gamma-BHC (Lindane)	2.2	U	1.8	UJ	8.0	J	8.4	J
Heptachlor	2.2	U	1.8	U	10		11	
Aldrin	2.2	U	1.8	R	1.8	U	1.8	U
Heptachlor epoxide	2.2	U	1.8	U	1.8	U	1.8	U
Endosulfan I	2.2	U	11	J	1.8	U	1.8	U
Dieldrin	4.2	U	3.5	R	35	J	3.5	U
4,4'-DDE	4.2	U	41		38		47	
Endrin	4.2	U	19	J	37	J	42	J
Endosulfan II	4.2	U	15	J	11	J	16	J
4,4'-DDD	4.2	U	3.5	U	3.5	U	3.5	U
Endosulfan sulfate	4.2	U	22	J	17	J	21	J
4,4'-DDT	4.2	UJ	3.5	R	3.5	UJ	3.5	UJ
Methoxychlor	22	UJ	42	J	32	J	42	J
Endrin ketone	4.2	U	3.5	U	3.5	U	3.5	U
Endrin aldehyde	4.2	U	3.5	U	3.5	U	3.5	U
alpha-Chlordane	2.2	U	1.8	U	1.8	U	1.8	U
gamma-Chlordane	2.2	U	13	J	11	J	13	J
Toxaphene	220	U	180	U	180	U	180	U
Aroclor-1016	42	U	35	U	35	U	35	U
Aroclor-1221	86	U	71	U	71	U	71	U
Aroclor-1232	42	U	35	U	35	U	35	U
Aroclor-1242	42	U	35	U	35	U	35	U
Aroclor-1248	42	U	35	U	35	U	35	U
Aroclor-1254	42	U	35	U	35	U	35	U
Aroclor-1260	42	U	35	U	35	U	35	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Diluted

Diluted

Field duplicate
of SS-3

Sample Number :	E1YW0DL	E1YW1	E1YW2	E1YW2DL	E1YW3					
Sampling Location :	SS-3	SS-4	SS-5	SS-5	SS-6					
Matrix :	Soil	Soil	Soil	Soil	Soil					
Units :	ug/Kg	ug/Kg	ug/Kg	ug/Kg	ug/Kg					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :	00:00	00:00	00:00	00:00	00:00					
%Moisture :	25	8	16	16	13					
pH :	6.9	6.2	6.8	6.8	7.7					
Dilution Factor :	2.0	1.0	1.0	2.0	1.0					
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
alpha-BHC	4.5	U	1.9	U	2.0	U	4.1	U	2.0	U
beta-BHC	4.5	UJ	1.9	U	3	J	4.1	UJ	2.2	J
delta-BHC	4.5	U	1.9	U	8.0	J	7.1	J	2.5	J
gamma-BHC (Lindane)	4.5	U	1.9	U	2.0	U	4.1	U	2.0	U
Heptachlor	4.5	U	1.9	U	2.0	U	4.1	U	2.0	U
Aldrin	4.5	U	1.9	U	2.0	U	4.1	U	2.0	U
Heptachlor epoxide	4.5	U	1.9	U	4.7	J	4.1	U	2.5	J
Endosulfan I	4.5	U	1.9	U	7.8	J	4.1	U	2.0	U
Dieldrin	8.8	U	3.6	U	3.9	U	7.9	U	3.8	U
4,4'-DDE	8.8	U	3.6	U	9.5	J	7.9	U	4.2	J
Endrin	8.8	U	3.6	U	9.0	J	7.9	U	5.8	J
Endosulfan II	8.8	U	3.6	U	7.1	J	7.9	U	3.8	U
4,4'-DDD	8.8	U	3.6	U	3.9	U	7.9	U	3.8	U
Endosulfan sulfate	8.8	U	3.6	U	26		7.9	U	3.8	U
4,4'-DDT	23	J	5.2	J	17	J	9.4	J	13	J
Methoxychlor	45	UJ	18	UJ	20	UJ	40	UJ	35	J
Endrin ketone	8.8	U	3.6	U	3.9	U	7.9	U	3.8	U
Endrin aldehyde	8.8	U	3.6	U	3.9	U	7.9	U	3.8	U
alpha-Chlordane	4.5	U	1.9	U	2.0	U	4.1	U	2.0	U
gamma-Chlordane	60		2.6	J	3.8	J	4.1	U	8.0	J
Toxaphene	450	U	180	U	200	U	400	U	200	U
Aroclor-1016	88	U	36	U	39	U	79	U	38	U
Aroclor-1221	180	U	73	U	80	U	160	U	77	U
Aroclor-1232	88	U	36	U	39	U	79	U	38	U
Aroclor-1242	88	U	36	U	39	U	79	U	38	U
Aroclor-1248	88	U	36	U	39	U	79	U	38	U
Aroclor-1254	88	U	36	U	39	U	79	U	38	U
Aroclor-1260	88	U	36	U	39	U	79	U	38	U

Analytical Results (Qualified Data)

Case #: 30665

SDG : E1YT8

Site :

TARCO SOUTH

Lab. :

ENVSYS

Reviewer :

Date :

Lab blank Lab blank

Sample Number :	PBLK46	PBLK52								
Sampling Location :										
Matrix :	Soil	Soil								
Units :	ug/Kg	ug/Kg								
Date Sampled :										
Time Sampled :										
%Moisture :	N/A	N/A								
pH :	6.0	6.0								
Dilution Factor :	1.0	1.0								
Pesticide/PCB Compound	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
alpha-BHC	1.7	U	1.7	U						
beta-BHC	1.7	U	1.7	U						
delta-BHC	1.7	U	1.7	U						
gamma-BHC (Lindane)	1.7	U	1.7	U						
Heptachlor	1.7	U	1.7	U						
Aldrin	1.7	U	1.7	U						
Heptachlor epoxide	1.7	U	1.7	U						
Endosulfan I	1.7	U	1.7	U						
Dieldrin	3.3	U	3.3	U						
4,4'-DDE	3.3	U	3.3	U						
Endrin	3.3	U	3.3	U						
Endosulfan II	3.3	U	3.3	U						
4,4'-DDD	3.3	U	3.3	U						
Endosulfan sulfate	3.3	U	3.3	U						
4,4'-DDT	3.3	UJ	3.3	UJ						
Methoxychlor	17	UJ	17	UJ						
Endrin ketone	3.3	U	3.3	U						
Endrin aldehyde	3.3	U	3.3	U						
alpha-Chlordane	1.7	U	1.7	U						
gamma-Chlordane	1.7	U	1.7	U						
Toxaphene	170	U	170	U						
Aroclor-1016	33	U	33	U						
Aroclor-1221	67	U	67	U						
Aroclor-1232	33	U	33	U						
Aroclor-1242	33	U	33	U						
Aroclor-1248	33	U	33	U						
Aroclor-1254	33	U	33	U						
Aroclor-1260	33	U	33	U						

Analytical Results (Qualified Data)

Case #: 30665

Site :

Lab. :

Reviewer : J. GANZ

Date : AUGUST 1, 2002

SDG : ME1YT8

TARCO SOUTH

LIBRTY

Number of Soil Samples : 6

Number of Water Samples : 0

Background

Sample Number :	ME1YT8	ME1YT9	ME1YW0	ME1YW1	ME1YW2					
Sampling Location :	SS-1	SS-2	SS-3	SS-4	SS-5					
Matrix :	Soil	Soil	Soil	Soil	Soil					
Units :	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg					
Date Sampled :	07/01/2002	07/01/2002	07/01/2002	07/01/2002	07/01/2002					
Time Sampled :										
%Solids :	95.2	93.0	92.1	91.4	90.4					
Dilution Factor :	1.0	1.0	1.0	1.0	1.0					
ANALYTE	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
ALUMINUM	3400		4150		4040		4560		6050	
ANTIMONY	0.34	UJ	2.1	J	204	J	32.0	J	10.4	J
ARSENIC	0.88	U	0.88	U	1.3		0.91	U	1.4	
BARIUM	32.9		56.5		1010		160		101	
BERYLLIUM	0.19	J	0.23	J	0.22	J	0.26	J	0.30	J
CADMIUM	0.063	U	0.063	U	0.46	J	0.065	U	0.11	J
CALCIUM	710		504		1670		858		629	
CHROMIUM	5.2		8.0		222		43.9		12.0	
COBALT	2.7		3.2		4.9		4.2		5.4	
COPPER	3.4		4.7		4.5		4.8		12.2	
IRON	4460		4730		4700		5350		7180	
LEAD	4.5		6.1		15.9		7.5		9.2	
MAGNESIUM	680		622		641		639		892	
MANGANESE	199		262		291		305		634	
MERCURY	0.053	U	0.051	U	0.057	J	0.063	J	0.075	J
NICKEL	5.3		5.2		5.4		5.5		7.5	
POTASSIUM	167	J	234	J	279	J	230	J	457	J
SELENIUM	0.46	U	0.46	U	0.45	U	0.48	U	0.58	J
SILVER	0.15	U	0.15	U	0.14	U	0.15	U	0.15	U
SODIUM	59.1	J	67.9	J	29.6	U	41.2	J	42.0	J
THALLIUM	0.69	UJ	0.70	UJ	0.67	UJ	0.71	UJ	0.71	UJ
VANADIUM	8.6		9.4		9.2		10.5		12.1	
ZINC	19.9		56.8		1200		256		58.3	
CYANIDE	0.032	UJ	0.031	UJ	0.043	J	0.031	U	0.040	J

APPENDIX C

Soil Boring Logs and Groundwater Monitoring Well Construction Reports

Facility/Project Name <i>Turco South Property</i> 96-763				License/Permit/Monitoring Number		Boring Number <i>MW-1</i>								
Boring Drilled By (Firm name and name of crew chief) <i>Brion - Ken, Scott</i> <i>FMI - KMS</i>				Date Drilling Started <i>09/13/98</i> M M D D Y Y	Date Drilling Completed <i>09/13/98</i> M M D D Y Y	Drilling Method <i>HSA</i>								
DNR Facility Well No./WRI Unique Well No.		Common Well Name		Final Static Water Level Feet MSL	Surface Elevation 714.3 Feet MSL	Borehole Diameter 8.3 inches								
Boring Location State Plane _____ N, _____ E S/C/N		Lat <u>0</u> ° <u>0</u> ' "		Local Grid Location (If applicable)										
SW 1/4 of SE 1/4 of Section <u>29</u> , T <u>17</u> N, R <u>7</u> E/W		Long <u>0</u> ° <u>0</u> ' "		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W										
County <i>La Crosse</i>		DNR County Code <i>3 02</i>		Civil Town/City/ or Village <i>Onalaska</i>										
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties									
Number and Type	Length Att. & Recovered (ft)	Blow Counts	Depth in Feet		USCS	Graphic Log	Well Diagram	PI/D/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD Comments
<i>Top Grass</i>														
1	18	1122		sand w/ silt, f-nod. gr., dk brn, damp	SP-SH			Ø	D					
2	16	1121		same as above	SP-SH			Ø	D					
3	18	2122		same as above, less silty, moist	SP-SH			Ø	M					
4	18	2322		6" same as above 12" med. gr. sand, brn, damp	SP-SH SP			Ø	D					
5	18	234	10	med. gr. sand, brn, damp	SP			Ø	D					
6	18	135	20	med-coarse gr. sand, trace gravel, brn, damp	SP			Ø	D					
7	14	2312	30	coarse gr. sand, brn, damp, moist, trace gravel	SP			Ø	D-M					
8	16	18+10	40	med-coarse gr. sand, trace gravel, brn, damp	SP			Ø	D					
9	16	7812	50	coarse gr. sand, trace gravel, brn, damp	SP			Ø	D					
10	16	NN	60	same as above	SP			Ø	D					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shubert

Firm

E-Hazard Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- Solid Waste Haz. Waste
 Emergency Response Underground Tanks
 Wastewater Water Resources
 Superfund Other _____

Page 2 of 2

Facility/Project Name <i>Turco South Property</i>	License/Permit/Monitoring Number <i>96-763</i>	Boring Number <i>MW-1</i>		
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>	Date Drilling Started <i>04/13/98</i>	Date Drilling Completed <i>04/13/98</i>	Drilling Method <i>HSA</i>	
DNR Facility Well No./Wet Rig Well No. _____	Common Well Name _____	Final Static Water Level Feet MSL _____	Surface Elevation Feet MSL <i>714.3</i>	Borehole Diameter inches <i>8.3</i>
Boring Location State Plane _____ N, _____ E S/C/N	Lat <u>0</u> ° <u>0</u> ' "	Local Grid Location (If applicable)		
SW 1/4 of SE 1/4 of Section <u>29</u> , T <u>17N</u> , R <u>7 E/W</u>	Long <u>0</u> ° <u>0</u> ' "	Feet	N	E
County <i>La Crosse</i>	DNR County Code <i>3 2</i>	Civil Town/City/ or Village <i>Onalaska</i>	S	W

Number and Type	Length Att. & Recovered (ft)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	P/D/FID	Soil Properties				P 200	RQD Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index		
11	16	4556	70	Some as above, wet	SP			Ø	W					
			80	EOB @ 78'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shubert

Firm

Ghisl Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name <i>Turco South Property</i>				License/Permit/Monitoring Number <i>96-763</i>		Boring Number <i>MW-2</i>							
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>				Date Drilling Started <i>09/16/98</i>	Date Drilling Completed <i>09/16/98</i>	Drilling Method <i>HSA</i>							
DNR Facility Well No. / Wisconsin Well No. <i></i>				Common Well Name <i></i>	Final Static Water Level Feet MSL <i>712.5</i>	Surface Elevation Feet MSL <i>8.3</i> inches							
Boring Location State Plane _____ N, _____ E S/C/N				Lat 0 ° 0 ' "	Local Grid Location (If applicable) □ N □ E Feet □ S Feet □ W								
County <i>La Crosse</i>				DNR County Code <i>3 2</i>	Civil Town/City/ or Village <i>Onalaska</i>								
Sample Number and Type	Length Att. & Recovered (m)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties							
				USCS	Graphic Log	Well Diagram	FID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	ROD/ Comments
1	14	1111	Top Grass	SP-SM			Ø		M				
2	18	3322	same as above, moist	SP-SM			Ø		M				
3	18	324	same as above, moist-wet	SP-SM			Ø		M-W				
4	18	3434	2" same as above 16" F-mud gr. sand, st. bmn, damp	S-SM ST			Ø		D				
5	18	2222	2" silty sand, dk bmn, moist 14" med. gr. sand, tree silt, dk bmn, damp	SP			Ø		M-D				
		20											
6	16	3455	med-c. gr. sand, tree gravel, bmn, damp	SP			Ø		D				
		30											
7	16	79107	same as above	ST			Ø		D				
		40											
8	16	991215	same as above	SP			I		D				
		50											
9	14	5585	c.gr. sand, tree gravel, bmn, damp	SP			I		D				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shubert

Firm

Global Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- | | |
|---|--|
| <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Haz. Waste |
| <input type="checkbox"/> Emergency Response | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Wastewater | <input type="checkbox"/> Water Resources |
| <input type="checkbox"/> Superfund | <input type="checkbox"/> Other |

Page 2 of 2

Facility/Project Name <i>Turco South Property</i>		License/Permit/Monitoring Number <i>96-763</i>		Boring Number <i>MW-2</i>										
Boring Drilled By (Firm name and name of crew chief) <i>Brighn - Ken, Scott FMI - KMS</i>		Date Drilling Started <i>04/16/98</i>	Date Drilling Completed <i>04/16/98</i>	Drilling Method <i>HSA</i>										
DNR Facility Well No.	Wittenberg Well No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL										
				Borehole Diameter <i>8.3</i> inches										
Boring Location State Plane _____ N, _____ E S/C/N		Lat <i>0° 0' 0"</i>	Local Grid Location (If applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W											
SW 1/4 of SE 1/4 of Section <i>29</i> , T <i>17N</i> , R <i>7 E/W</i>		Long <i>0° 0' 0"</i>												
County <i>La Crosse</i>		DNR County Code <i>3 02</i>	Civil Town/City/ or Village <i>Onalaska</i>											
Sample Number and Type	Length Att. & Recovered (m)	Blow Counts 60	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
10	14	8 13 12 15	<i>same as above</i>		SP			1		D				
11	12	NA	<i>med-coarse gr. sand, 6m in c.t.</i>		SP			1		w				
<i>EOT @ 771</i>														

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

State of Wisconsin
Department of Natural Resources

Route To:

- Solid Waste
- Haz. Waste
- Emergency Response
- Underground Tanks
- Wastewater
- Water Resources
- Superfund
- Other _____

SOIL BORING LOG INFORMATION

Form 4400-122

Rev. 5-92

Page 1 of 2

Facility/Project Name <i>Turco South Property</i>	License/Permit/Monitoring Number <i>96-763</i>	Boring Number <i>MW-3</i>		
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>	Date Drilling Started <i>04/17/98</i>	Date Drilling Completed <i>04/17/98</i>	Drilling Method <i>HSA</i>	
DNR Driller's Well No./WU Unique Well No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 8.3 inches

Boring Location State Plane _____ N, _____ E S/C/N	Lat <u>0</u> ° <u>0</u> ' <u>0</u> "	Local Grid Location (If applicable) □ N Feet □ S _____ Feet □ W
SW 1/4 of SE 1/4 of Section <u>29</u> , T <u>17N</u> , R <u>7 E/W</u>	Long <u>0</u> ° <u>0</u> ' <u>0</u> "	□ E
County <i>La Crosse</i>	DNR County Code <i>3 02</i>	Civil Town/City/ or Village <i>Onalaska</i>

Sample Number and Type	Length Att. & Recovered (ft)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties					
								FID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
1	18	-	-	silty sand, dk brn, moist	SH			Ø		M			
2	18	3231	6"	sand as above 12" sand w/ silt, brn, damp - moist	SH SPSM			Ø		D-M			
3	16	2222	-	sand w/ silt, brn, damp - moist	S SH			Ø		D-M			
4	18	4445	-	6" sand as above, moist-wet 12" med. gr. sand, brn, damp	SP-SH SP			Ø		H-W			
5	16	2324	10	med. gr. sand, brn, damp	SP			Ø		D			
			20										
6	16	2332	-	same as above	SP			Ø		D			
			30										
7	14	3577	-	med - coarse gr. sand, brn, damp	SP			Ø		D			
			40										
8	16	47812	-	med. gr. sand, brn, damp	SP			Ø		D			
			50										
9	16	77912	-	med. - coarse gr. sand, brn, damp	SP			Ø		D			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shubert

Firm

Ehlers Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

State of Wisconsin
Department of Natural Resources

Route To:

- | | |
|---|--|
| <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Haz. Waste |
| <input type="checkbox"/> Emergency Response | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Wastewater | <input type="checkbox"/> Water Resources |
| <input type="checkbox"/> Superfund | <input type="checkbox"/> Other |

SOIL BORING LOG INFORMATION

Form 4400-122

Rev. 5-92

Page 2 of 2

Facility/Project Name <i>Turco South Property</i>				License/Permit/Monitoring Number <i>96-763</i>		Boring Number <i>MW-3</i>						
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>				Date Drilling Started <i>04/17/98</i>	Date Drilling Completed <i>04/17/98</i>	Drilling Method <i>HSA</i>						
DNR Facility Well No. / Previous Well No. <i>SW 1/4 of SE 1/4 of Section 29, T 17N, R 7 E/W</i>				Common Well Name <i></i>	Final Static Water Level Feet MSL <i>713.0</i>	Surface Elevation Feet MSL <i>713.0</i>	Borehole Diameter inches <i>8.3</i>					
Boring Location State Plane _____ N, _____ E S/C/N <i>SW 1/4 of SE 1/4 of Section 29, T 17N, R 7 E/W</i>				Lat <i>0° 0' 0"</i>	Local Grid Location (If applicable) □ N □ E Feet □ S Feet □ W							
County <i>La Crosse</i>				DNR County Code <i>3 2</i>	Civil Town/City/ or Village <i>Onalaska</i>							
Sample Number and Type	Length Att. & Recovered (ft)	Blow Counts Depth in Feet <i>60</i>	Soil/Rock Description And Geologic Origin For Each Major Unit <i>Same as above</i>	U S C S	Graphic Log	Well Diagram	Soil Properties					
							PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
10	16	781015	med. gr. sand, ssm, wet.	SP			Ø	D				
11	16	681014	med. gr. sand, ssm, wet.	SP			Ø	w				
<i>EOB @ 78'</i>												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shultz

Firm

Fluid Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- | | |
|---|--|
| <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Haz. Waste |
| <input type="checkbox"/> Emergency Response | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Wastewater | <input type="checkbox"/> Water Resources |
| <input type="checkbox"/> Superfund | <input type="checkbox"/> Other |

Page 1 of 2

Facility/Project Name <i>Turco South Property</i>			License/Permit/Monitoring Number <i>96-763</i>		Boring Number <i>MW-4</i>								
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>			Date Drilling Started <i>09/17/98</i>	Date Drilling Completed <i>09/17/98</i>	Drilling Method <i>HSA</i>								
DNR County Well No. Waterline Well No.		Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 743.5 Feet MSL	Borehole Diameter 8.3 inches								
Boring Location State Plane _____ N. _____ E S/C/N			Lat <u>0</u> ° <u>0</u> ' "	Local Grid Location (If applicable)									
SW 1/4 of SE 1/4 of Section <u>29</u> , T <u>17</u> N, R <u>7</u> EW			Long <u>0</u> ° <u>0</u> ' "	<input type="checkbox"/> N Feet	<input type="checkbox"/> E Feet								
County <i>La Crosse</i>			DNR County Code <i>3 02</i>	Civil Town/City/ or Village <i>Onalaska</i>									
Sample Number and Type	Soil/Rock Description And Geologic Origin For Each Major Unit			USCS	Graphic Log	Well Diagram	P/D/FID	Soil Properties				P 200	ROD/ Comments
	Length Att. Recovered (in)	Blow Counts	Depth in Feet					Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index		
1	-	16	sand w/silt, organics, dk brown, moist	SP-SH			-			M			
2	-	16	f-med. gr. sand w/silt, bry, damp	SP-SM			-			D			
3	2229	18	same as above, fine gr.	SP-SM			-			D			
4	1112	18	same as above, fine gr.	SP-SM			-			D			
5	2222	16	same as above, fine gr.	SP-SM			-			D			
		20											
6	122	16	same as above, fine gr.	SP-SH			-			D			
		30											
7	PUSL	12	same as above, fine gr.	SP-SM			-			D			
		40											
8	1121	16	All same as above, wet 6" med. s. sand 6" silt, dk brown, wet 6" org. mat, moist	SP-SH MLSP			-			W.H			
		50											
9	2165	18	med. gr. sand, bry, damp	SP			-			D			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shultz

Firm

Glenel Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- Solid Waste Haz. Waste
 Emergency Response Underground Tanks
 Wastewater Water Resources
 Superfund Other

Page 2 of 2

Facility/Project Name <i>Turco South Property</i>	License/Permit/Monitoring Number <i>96-763</i>	Boring Number <i>MW-4</i>		
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott FMI - KMS</i>	Date Drilling Started <i>09/1/98</i> M M D D Y Y	Date Drilling Completed <i>09/1/98</i> M M D D Y Y	Drilling Method <i>HSA</i>	
DNR Facility Well No./WIC Unique Well No.	Common Well Name	Final Static Water Level Feet MSL <i>742.5</i>	Surface Elevation Feet MSL <i>742.5</i>	Borehole Diameter inches <i>8.3</i>
Boring Location State Plane _____ N, _____ E S/C/N	Lat <i>0° 0' 0"</i>	Local Grid Location (If applicable) □ N □ E _____ SW 1/4 of SE 1/4 of Section <i>29</i> , T <i>17N</i> , R <i>7 E/W</i> Long <i>0° 0' 0"</i> Feet □ S Feet □ W		
County <i>La Crosse</i>	DNR County Code <i>3 02</i>	Civil Town/City/ or Village <i>Onalaska</i>		

Number and Type	Length Att. & Recovered (ft)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			USCS	Graphic Log	Well Diagram	PDI/FID	Soil Properties					RQD/Comments
				1	2	3	4	5	6	7	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
10	16	5683	100	med-coarse gr. sand w/gravel, brn, damp	SP					1	D					
11	16	101410	70	med. gr. sand, brn, damp	SP					1	D					
12	14	15 17 15 20	80	Same as above	SP					1	D					
13	12	12 13 14 16	90	Same as above	SP					1	D					
14	16	14 20 25 30	100	med. gr. sandy, brn, wet	SP					1	W					
			110	EOB @ 100'												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Rylee Shubert

Firm

St. Louis Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- | | |
|---|--|
| <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Haz. Waste |
| <input type="checkbox"/> Emergency Response | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Wastewater | <input type="checkbox"/> Water Resources |
| <input type="checkbox"/> Superfund | <input type="checkbox"/> Other |

Page 1 of 2

Facility/Project Name <i>Turco South Property</i>		License/Permit/Monitoring Number <i>96-763</i>		Boring Number <i>7B-2</i>									
Boring Drilled By (Firm name and name of crew chief) <i>Bridger - Ken, Scott FMI - KMS</i>		Date Drilling Started <i>04/16/98</i>		Date Drilling Completed <i>04/16/98</i>									
		M M D D Y Y		M M D D Y Y									
		Common Well Name		Final Static Water Level Feet MSL									
				Surface Elevation Feet MSL									
				Borehole Diameter <i>8.3 inches</i>									
Boring Location State Plane _____ N, _____ E S/C/N		Lat 0' 0"		Local Grid Location (If applicable) □ N _____ Feet □ S _____ Feet □ E _____ Feet □ W _____ Feet									
SW 1/4 of SE 1/4 of Section 29, T 17N, R 7 E/W		Long 0' 0"											
County <i>La Crosse</i>		DNR County Code <i>3 02</i>		Civil Town/City/ or Village <i>Onalaska</i>									
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit				Soil Properties							
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	USCS	Graphic Log	Well Diagram	FID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	ROD/Comments
1	18	1222		SP-SM			1	D-M					
2	18	2445		SP-SM			1	D-M					
3	18	2344	5	SP			1	M-D					
4	16	2334		SP			1	D					
5	16	3433	10	SP			1	D					
6	16	2323		SP			1	D					
7	16	2244	15	SP			1	D					
8	18	2343		SP			1	D					
		20											
9	16	3554		SP			1	D					
10	16	3354		SP			1	D					
11	14	3545		SP			1	D					
12	16	3345		SP			1	D					
13	16	81139		SP			1	D					
14	16	39113		SP			1	D					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Nyle Shubert

Firm

Ground Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

- | | |
|---|--|
| <input type="checkbox"/> Solid Waste | <input type="checkbox"/> Haz. Waste |
| <input type="checkbox"/> Emergency Response | <input type="checkbox"/> Underground Tanks |
| <input type="checkbox"/> Wastewater | <input type="checkbox"/> Water Resources |
| <input type="checkbox"/> Superfund | <input type="checkbox"/> Other _____ |

Page 2 of 2

Facility/Project Name <i>Turco South Property</i> 96-763				License/Permit/Monitoring Number			Boring Number <i>TB-2</i>								
Boring Drilled By (Firm name and name of crew chief) <i>Briohn - Ken, Scott</i> <i>FMI - KMS</i>				Date Drilling Started <i>09/16/98</i> M M D D Y Y		Date Drilling Completed <i>09/16/98</i> M M D D Y Y		Drilling Method <i>HSA</i>							
DNR Boring ID # <i>W10000000000000000000000000000000</i>		Unique Well No. <i></i>		Common Well Name		Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter Inches							
Boring Location State Plane		N.		E S/C/N	Lat 0 ° 0' 0"	Local Grid Location (If applicable)									
SW 1/4 of SE 1/4 of Section		29		T 17N, R 7 E/W	Long 0 ° 0' 0"	<input type="checkbox"/> N	<input type="checkbox"/> E	<input type="checkbox"/> S	Feet	<input type="checkbox"/> W					
County		<i>La Crosse</i>		DNR County Code <i>3 32</i>	Civil Town/City/ or Village <i>Onalaska</i>										
Soil Properties															
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		USCS	Graphic Log	Well Diagram	PTD/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/Comments
15	16	NA	70	Same as above, wet		SP			1	w					
<i>EOB @ 66'</i>															

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Shubert

Firm

Ground Management

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name <u>Turco South Property</u> <u>96.763</u>				License/Permit/Monitoring Number		Boring Number <u>7B-1</u>							
Boring Drilled By (Firm name and name of crew chief) <u>Briohn - Ken, Scott</u> <u>FMI - KMS</u>				Date Drilling Started <u>09/16/98</u> M M D D Y Y	Date Drilling Completed <u>09/16/98</u> M M D D Y Y	Drilling Method <u>HSA</u>							
DNR Facility Well No. / WI Unique Well No.		Common Well Name		Final Static Water Level Feet MSL		Surface Elevation <u>NA</u> Feet MSL	Borehole Diameter <u>3.3</u> inches						
Boring Location State Plane _____ N, _____ E S/C/N				Lat <u>0° 0' 0"</u>	Long <u>0° 0' 0"</u>	Local Grid Location (If applicable) <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W							
County <u>La Crosse</u>				DNR County Code <u>3 02</u>	Civil Town/City/ or Village <u>Onalaska</u>								
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit				Soil Properties							
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/Comments
<i>TOP GROSS</i>													
1	18	1122	-	Sand w/silt, top 8" dk brn, lower 10" b m, damp	SP-SM		1	D					
2	18	2222	-	Sand w/silt, brn, damp	SP-SM		1	D					
3	16	2222	5	same as above, less silty	SP-SH		1	D					
4	18	234	-	6" same as above 6" silty sand, dk brn, moist, 6" red coarse gr. sand, brn damp	SP-SH SM-SP		1	D-M					
5	16	2223	10	med-coarse gr. sand, brn, damp	SP		1	D					
6	18	4564	-	6" same as above 12" f-med. gr. sand, 14. brn, damp	SP		1	D					
7	16	2355	15	f-med. gr. sand, 14 brn, damp	SP		1	D					
8	18	3586	-	same as above	SP		1	D					
			20										
<i>EOB @ 19.5'</i>													

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name Turbo South Property	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW-1
Facility License, Permit or Monitoring Number 96-763	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number DNR Well Number
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source SW 1/4 of SE 1/4 of Sec. 29, T. 17 N, R. 7 <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Date Well Installed 04/13/98 m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Briohn - Ken, Scott FMI - KMS
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	■ Yes <input type="checkbox"/> No	
A. Protective pipe, top elevation 717.22 ft. MSL	1. Cap and lock?	■ Yes <input type="checkbox"/> No
B. Well casing, top elevation 717.07 ft. MSL	2. Protective cover pipe: a. Inside diameter: 4.0 in. b. Length: 50 ft. c. Material: Steel <input type="checkbox"/> 04 Other <input type="checkbox"/>	
C. Land surface elevation 714.3 ft. MSL	d. Additional protection? If yes, describe: _____	
D. Surface seal, bottom ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. 20.06 Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added 0.68 ft ³	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No	8. Filter pack material: Manufacturer, product name and mesh size a. _____ b. Volume added 5.78 ft ³	
Describe _____	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>	
17. Source of water (attach analysis): _____	10. Screen material: a. Screen type: Factory cut <input type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>	
E. Bentonite seal, top ft. MSL or 0.0 ft.	b. Manufacturer Johnson 0.00 in. c. Slot size: L5.0 ft.	
F. Fine sand, top ft. MSL or 59.0 ft.	d. Slotted length: 14 in.	
G. Filter pack, top ft. MSL or 61.0 ft.		
H. Screen joint, top ft. MSL or 63.0 ft.		
I. Well bottom ft. MSL or 78.0 ft.		
J. Filter pack, bottom ft. MSL or 78.0 ft.		
K. Borehole, bottom ft. MSL or 78.0 ft.		
L. Borehole, diameter .8.3 in.		
M. O.D. well casing .2.16 in.		
N. I.D. well casing .2.00 in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature **Firm**

Fluid Management

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Route to: Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other _____

Facility/Project Name <i>Taco South Property</i>	County Name <i>La Crosse</i>	Well Name <i>MW - 1</i>
Facility License, Permit or Monitoring Number _____	County Code <i>32</i>	Wis. Unique Well Number DNR Well Number _____

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	11. Depth to Water (from top of well casing)	Before Development a. <u>73.65</u> ft.	After Development <u>74.65</u> ft.
2. Well development method		Date	b. <u>04/14/98</u> m m d d y y	<u>04/14/98</u> m m d d y y
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	Time	c. <u>12:00</u> <input type="checkbox"/> a.m. <u>12:45</u> <input checked="" type="checkbox"/> p.m.	<u>12:45</u> <input checked="" type="checkbox"/> a.m.
surged with bailer and pumped	<input type="checkbox"/> 61	12. Sediment in well bottom	<u>0.1</u> inches	<u>0.1</u> inches
surged with block and bailed	<input type="checkbox"/> 42	13. Water clarity	Clear <input checked="" type="checkbox"/> 10 Turbid <input type="checkbox"/> 15 (Describe)	Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe)
surged with block and pumped	<input type="checkbox"/> 62			
surged with block, bailed and pumped	<input type="checkbox"/> 70			
compressed air	<input type="checkbox"/> 20			
bailed only	<input type="checkbox"/> 10			
pumped only	<input type="checkbox"/> 51			
pumped slowly	<input type="checkbox"/> 50			
Other _____	<input type="checkbox"/>			
3. Time spent developing well	____ 45 min.			
4. Depth of well (from top of well casisng)	____ 81.6 ft.			
5. Inside diameter of well	____ 2.00 in.			
6. Volume of water in filter pack and well casing	____ 1.8 gal.			
7. Volume of water removed from well	____ 25.0 gal.			
8. Volume of water added (if any)	____ 0.0 gal.			
9. Source of water added _____				
10. Analysis performed on water added?	<input type="checkbox"/> Yes <input type="checkbox"/> No (If yes, attach results)	Fill in if drilling fluids were used and well is at solid waste facility:	14. Total suspended solids	mg/l
16. Additional comments on development:			15. COD	mg/l

Well developed by: Person's Name and Firm Name: <u>Allan Wolfe</u> Firm: <u>Fluid Management</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>Kyle M. Shultz</u> Print Initials: <u>KMS</u> Firm: <u>Fluid Management</u>
--	---

NOTE: Shaded areas are for DNR use only. See instructions for more information including a list of county codes.

Facility/Project Name <i>Turbo South Property</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW - 2</i>
Facility License, Permit or Monitoring Number 96-763	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N, _____ ft. E.	Wis. Unique Well Number DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source <i>SW 1/4 of SE 1/4 of Sec. 29, T. 17 N, R. 7 E. W.</i>	Date Well Installed <i>04/16/98</i> m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) <i>Briohn - Ken, Scott</i> <i>FMI - KMS</i>
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
A. Protective pipe, top elevation - 715.0 ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation - 714.24 ft. MSL	2. Protective cover pipe: a. Inside diameter: <u>4.0</u> in. b. Length: <u>5.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/> Other	
C. Land surface elevation - 712.5 ft. MSL	d. Additional protection? If yes, describe: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
D. Surface seal, bottom ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/> Other	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Annular space seal <input type="checkbox"/> Other <input type="checkbox"/> Other	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	sand	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/> Other	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. <u>19.72</u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/> Other	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added <u>0.68</u> ft ³	
17. Source of water (attach analysis):	8. Filter pack material: Manufacturer, product name and mesh size a. _____ b. Volume added <u>5.78</u> ft ³	
E. Bentonite seal, top ft. MSL or <u>0.0</u> ft.	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/> Other	
F. Fine sand, top ft. MSL or <u>58.0</u> ft.	10. Screen material: a. Screen type: Factory cut <input type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/> Other	
G. Filter pack, top ft. MSL or <u>60.0</u> ft.	b. Manufacturer <u>Johnson</u> 0.010 in. c. Slot size: <u>15.0</u> ft.	
H. Screen joint, top ft. MSL or <u>62.0</u> ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input type="checkbox"/> Other	
I. Well bottom ft. MSL or <u>77.0</u> ft.		
J. Filter pack, bottom ft. MSL or <u>77.0</u> ft.		
K. Borehole, bottom ft. MSL or <u>77.0</u> ft.		
L. Borehole, diameter <u>8.3</u> in.		
M. O.D. well casing <u>2.16</u> in.		
N. I.D. well casing <u>2.00</u> in.		

The diagram illustrates a vertical monitoring well borehole. It shows concentric layers of different materials. Labels point to specific features: A points to the protective pipe at the top; B points to the well casing; C points to the land surface; D points to the bottom of the surface seal; E points to the top of the bentonite seal; F points to the top of the fine sand layer; G points to the top of the filter pack; H points to the screen joint; I points to the well bottom; J points to the bottom of the filter pack; K points to the bottom of the borehole; L points to the borehole diameter; and M and N point to the outer dimensions of the well casing. The borehole itself is indicated by a central vertical line.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Kyle Brummett

Firm

Fluid Management

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Route to: Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name <i>Tarco South Property</i>	County Name <i>La Crosse</i>	Well Name <i>MW - 2</i>
Facility License, Permit or Monitoring Number _____	County Code <i>32</i>	DNR Unique Well Number _____
DNR Well Number _____		

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development		After Development	
2. Well development method		11. Depth to Water (from top of well casing)		12. Sediment in well bottom	
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	a. <u>72.03</u> ft.	<u>72.05</u> ft.	<input type="checkbox"/> a.m.	<input checked="" type="checkbox"/> a.m.
surged with bailer and pumped	<input type="checkbox"/> 61	b. <u>04/20/98</u>	<u>04/20/98</u>	<input type="checkbox"/> p.m.	<input checked="" type="checkbox"/> p.m.
surged with block and bailed	<input type="checkbox"/> 42				
surged with block and pumped	<input type="checkbox"/> 62				
surged with block, bailed and pumped	<input type="checkbox"/> 70				
compressed air	<input type="checkbox"/> 20				
bailed only	<input type="checkbox"/> 10				
pumped only	<input type="checkbox"/> 51				
pumped slowly	<input type="checkbox"/> 50				
Other _____	<input type="checkbox"/> _____				
3. Time spent developing well	____ 45 min.	13. Water clarity		14. Total suspended solids	
4. Depth of well (from top of well casisng)	____ 78.8 ft.	Clear <input checked="" type="checkbox"/> 10	Turbid <input type="checkbox"/> 15	____ mg/l	____ mg/l
5. Inside diameter of well	____ 2.00 in.	(Describe)			
6. Volume of water in filter pack and well casing	____ 1.5 gal.				
7. Volume of water removed from well	____ 27.0 gal.				
8. Volume of water added (if any)	____ 0.0 gal.				
9. Source of water added _____		15. COD		____ mg/l	
10. Analysis performed on water added?	<input type="checkbox"/> Yes <input type="checkbox"/> No (If yes, attach results)				
Fill in if drilling fluids were used and well is at solid waste facility:					
16. Additional comments on development:					

Well developed by: Person's Name and Firm Name: <u>Allan Wolfe</u> Firm: <u>Fluid Management</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>Kyle Mabat</u> Print Initials: <u>KMS</u> Firm: <u>Fluid Management</u>
--	---

Facility/Project Name <i>Turbo South Property</i>	Local Grid Location of Well 96. 763 ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW - 3</i>
Facility License, Permit or Monitoring Number	Grid Origin Location	Wis. Unique Well Number <input type="checkbox"/> DNR Well Number <input type="checkbox"/>
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Date Well Installed <i>04/17/98</i> mm dd yy
Distance Well Is From Waste/Source Boundary ft.	Section Location of Waste/Source <i>SW 1/4 of SE 1/4 of Sec. 29, T. 17 N., R. 7 E.</i>	Well Installed By: (Person's Name and Firm) <i>Briohn - Ken, Scott</i>
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	FMI - KMS
A. Protective pipe, top elevation <i>715.38</i> ft. MSL	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation <i>715.20</i> ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>4.0 in.</i> b. Length: <i>5.0 ft.</i> c. Material: <input type="checkbox"/> Steel <i>04</i> <input type="checkbox"/> Other <input type="checkbox"/>	
C. Land surface elevation <i>713.0</i> ft. MSL	d. Additional protection? If yes, describe: <input type="checkbox"/> Yes <input type="checkbox"/> No	
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: <input type="checkbox"/> Bentonite <i>3.0</i> <input type="checkbox"/> Concrete <i>0.1</i> <input type="checkbox"/> Other <input type="checkbox"/>	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: <input type="checkbox"/> Bentonite <i>3.0</i> <input type="checkbox"/> Annular space seal <input type="checkbox"/> <input type="checkbox"/> sand <input type="checkbox"/> Other <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. <i>20.06</i> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 3.2 c. <input type="checkbox"/> Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. <input type="checkbox"/> b. Volume added <i>0.34</i> ft ³ <input type="checkbox"/>	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size a. <input type="checkbox"/> b. Volume added <i>5.78</i> ft ³ <input type="checkbox"/>	
17. Source of water (attach analysis): E. Bentonite seal, top _____ ft. MSL or <i>0.0</i> ft. F. Fine sand, top _____ ft. MSL or <i>52.0</i> ft. G. Filter pack, top _____ ft. MSL or <i>61.0</i> ft. H. Screen joint, top _____ ft. MSL or <i>63.0</i> ft. I. Well bottom _____ ft. MSL or <i>78.0</i> ft. J. Filter pack, bottom _____ ft. MSL or <i>78.0</i> ft. K. Borehole, bottom _____ ft. MSL or <i>78.0</i> ft. L. Borehole, diameter <i>8.3</i> in. M. O.D. well casing <i>2.16</i> in. N. I.D. well casing <i>2.00</i> in.	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 <input type="checkbox"/> Other <input type="checkbox"/>	
	10. Screen material: a. Screen type: Factory cut <input type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 <input type="checkbox"/> Other <input type="checkbox"/>	
	b. Manufacturer <i>Johnson</i> <input type="checkbox"/> c. Slot size: <i>0.010</i> in. <input type="checkbox"/> d. Slotted length: <i>15.0</i> ft. <input type="checkbox"/>	
	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 <input type="checkbox"/> Other <input type="checkbox"/>	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Kyle Johnson* Firm *Fluid Management*

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch.144, Wis Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Route to: Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name <i>Tarco South Property</i>	County Name <i>La Crosse</i>	Well Name <i>MW - 3</i>
Facility License, Permit or Monitoring Number <i>32</i>	County Code <i>32</i>	Monitoring Well Number Development Number

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development		After Development	
2. Well development method		a.	72.47 ft.	a.	79.08 ft.
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	Date	b. <u>04</u> / <u>20</u> / <u>98</u>	m m d d y y	<u>04</u> / <u>20</u> / <u>98</u>
surged with bailer and pumped	<input type="checkbox"/> 61	Time	c. <u>11</u> : <u>45</u>	a.m. <input checked="" type="checkbox"/>	<u>12</u> : <u>45</u> p.m. <input type="checkbox"/>
surged with block and bailed	<input type="checkbox"/> 42	12. Sediment in well bottom	<u>0.1</u> inches	<u>0.1</u> inches	
surged with block and pumped	<input type="checkbox"/> 62	13. Water clarity	Clear <input checked="" type="checkbox"/> 10	Clear <input type="checkbox"/> 20	
surged with block, bailed and pumped	<input type="checkbox"/> 70		Turbid <input type="checkbox"/> 15	Turbid <input checked="" type="checkbox"/> 25	
compressed air	<input type="checkbox"/> 20	(Describe)	(Describe)		
bailed only	<input type="checkbox"/> 10				
pumped only	<input type="checkbox"/> 51				
pumped slowly	<input type="checkbox"/> 50				
Other _____	<input type="checkbox"/>				
3. Time spent developing well	— <u>60</u> min.				
4. Depth of well (from top of well casing)	— <u>79.0</u> ft.				
5. Inside diameter of well	— <u>2.00</u> in.				
6. Volume of water in filter pack and well casing	— <u>1.6</u> gal.				
7. Volume of water removed from well	— <u>27.0</u> gal.				
8. Volume of water added (if any)	— <u>0.6</u> gal.				
9. Source of water added _____					
10. Analysis performed on water added?	<input type="checkbox"/> Yes <input type="checkbox"/> No (If yes, attach results)	14. Total suspended solids	— <u>—</u> mg/l	— <u>—</u> mg/l	
16. Additional comments on development:					

Well developed by: Person's Name and Firm Name: <u>Allan Wolfe</u> Firm: <u>Fluid Management</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>Kyle M. H. H.</u> Print Initials: <u>KMS</u> Firm: <u>Fluid Management</u>
--	--

NOTE: Shaded areas are for DNR use only. See instructions for more information including a list of county codes.

Facility/Project Name <i>Turbo South Property</i>	Local Grid Location of Well 96.763 ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name <i>MW - 4</i>
Facility License, Permit or Monitoring Number	Grid Origin Location Lat. _____ Long. _____ or St. Plane _____ ft. N. _____ ft. E.	Wis. Unique Well Number DNR Well Number _____
Type of Well Water Table Observation Well <input checked="" type="checkbox"/> 11 Piezometer <input type="checkbox"/> 12	Section Location of Waste/Source SW 1/4 of SE 1/4 of Sec. 29, T. 17 N, R. 7 <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed <i>04/17/98</i> m m d d y y
Distance Well Is From Waste/Source Boundary ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) <i>Briohn - Ken, Scott</i>
Is Well A Point of Enforcement Std. Application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		FMI - KMS
A. Protective pipe, top elevation 744.24 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation 744.77 ft. MSL	2. Protective cover pipe: a. Inside diameter: <i>1.0 in.</i> b. Length: <i>5.0 ft.</i> c. Material: <input type="checkbox"/> Steel <i>0.4</i> <input type="checkbox"/> Other <i>Other</i>	
C. Land surface elevation 742.5 ft. MSL	d. Additional protection? If yes, describe: _____	
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: <input type="checkbox"/> Bentonite <i>3.0</i> <input type="checkbox"/> Concrete <i>0.1</i> <input type="checkbox"/> Other <i>Other</i>	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: <input type="checkbox"/> Bentonite <i>3.0</i> <input type="checkbox"/> Annular space seal <i>Other</i>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 5.0 e. <i>30.26</i> Ft ³ volume added for any of the above f. How installed: <input type="checkbox"/> Tremie <i>0.1</i> <input type="checkbox"/> Tremie pumped <i>0.2</i> <input type="checkbox"/> Gravity <i>0.8</i>	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite pellets <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. _____ b. Volume added <i>0.68</i> ft ³	
16. Drilling additives used? <input type="checkbox"/> Yes <input type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name and mesh size a. _____ b. Volume added <i>5.78</i> ft ³	
17. Source of water (attach analysis): _____	9. Well casing: Flush threaded PVC schedule 40 <input type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>	
E. Bentonite seal, top _____ ft. MSL or <i>0.0</i> ft.	10. Screen material: a. Screen type: Factory cut <input type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/>	
F. Fine sand, top _____ ft. MSL or <i>89.0</i> ft.	b. Manufacturer <i>Johnson</i> 0.010 in. c. Slot size: <i>1.5.0 ft.</i>	
G. Filter pack, top _____ ft. MSL or <i>91.0</i> ft.		
H. Screen joint, top _____ ft. MSL or <i>93.0</i> ft.		
I. Well bottom _____ ft. MSL or <i>108.0</i> ft.		
J. Filter pack, bottom _____ ft. MSL or <i>108.0</i> ft.		
K. Borehole, bottom _____ ft. MSL or <i>108.0</i> ft.		
L. Borehole, diameter <i>8.3</i> in.		
M. O.D. well casing <i>2.16</i> in.		
N. I.D. well casing <i>2.00</i> in.		
11. Backfill material (below filter pack): <input type="checkbox"/> None <i>1.4</i> <input type="checkbox"/> Other <i>Other</i>		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Kyle Mahr* Firm *Fluid Management*

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch.144, Wis Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: Shaded areas are for DNR use only. See instructions for more information including where the completed form should be sent.

Route to: Solid Waste Haz. Waste Wastewater
Env. Response & Repair Underground Tanks Other

Facility/Project Name <i>Taco South Property</i>	County Name <i>La Crosse</i>	Well Name <i>MW - 4</i>
Facility License, Permit or Monitoring Number _____	County Code <i>32</i>	Monitoring Well Number _____
DNR Well Number _____		

1. Can this well be purged dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development	After Development
2. Well development method			
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	a. <u>102.28</u> ft.	<u>102.30</u> ft.
surged with bailer and pumped	<input type="checkbox"/> 61	Date	<u>04/20/98</u>
surged with block and bailed	<input type="checkbox"/> 42	Time	<u>1:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
surged with block and pumped	<input type="checkbox"/> 62		<u>2:20</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
surged with block, bailed and pumped	<input type="checkbox"/> 70		
compressed air	<input type="checkbox"/> 20		
bailed only	<input type="checkbox"/> 10		
pumped only	<input type="checkbox"/> 51		
pumped slowly	<input type="checkbox"/> 50		
Other _____	<input checked="" type="checkbox"/>		
3. Time spent developing well	____ <u>80</u> min.		
4. Depth of well (from top of well casings)	____ <u>108.8</u> ft.		
5. Inside diameter of well	____ <u>2.00</u> in.		
6. Volume of water in filter pack and well casing	____ <u>1.7</u> gal.		
7. Volume of water removed from well	____ <u>27.6</u> gal.		
8. Volume of water added (if any)	____ <u>0.0</u> gal.		
9. Source of water added _____			
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Fill in if drilling fluids were used and well is at solid waste facility:	
16. Additional comments on development:			

Well developed by: Person's Name and Firm Name: <u>Allan Wolfe</u> Firm: <u>Fluid Management</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>Kyle Mabat</u> Print Initials: <u>KMS</u> Firm: <u>Fluid Management</u>
--	---

NOTE: Shaded areas are for DNR use only. See instructions for more information including a list of county codes.