

**SITE INVESTIGATION
THREE LAKES LAUNDRY
1243 SUPERIOR STREET
THREE LAKES, WISCONSIN**

DNR BRATS# 02-44-000267

PREPARED FOR:
PAUL PETROVIC
1741 WINKLER ROAD
THREE LAKES, WISCONSIN 54562

SEPTEMBER 2007

**SEYMOUR ENVIRONMENTAL
SERVICES, INC.**

P. O. BOX 398, 253 I DYRESON ROAD, McFARLAND, WISCONSIN 53558
TELEPHONE: 608-838-9120 FAX: 608-838-9121

**SITE INVESTIGATION
THREE LAKES LAUNDRY
1243 SUPERIOR STREET
THREE LAKES, WISCONSIN**

PREPARED FOR:
PAUL PETROVIC
1741 WINKLER ROAD
THREE LAKES, WISCONSIN 54562

PREPARED BY:
SEYMOUR ENVIRONMENTAL SERVICES, INC.
2531 DYRESON ROAD
McFARLAND, WISCONSIN 53558

SEPTEMBER 2007

"I, Robyn Seymour, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03(1), Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

Robyn Seymour
Signature and Title

September 30, 2007
Date

TABLE OF CONTENTS

1.0	INTRODUCTION AND BACKGROUND	1
1.1	Site Information	1
1.2	Consultant Information	1
2.0	SITE INVESTIGATION	1
3.1	Geoprobe Boring and Sampling	1
3.2	Groundwater Sampling and Analysis	2
4.0	CONCLUSIONS AND RECOMMENDATIONS.....	2
5.0	REFERENCES	2

FIGURES

- Figure 1 – Site Location Map
- Figure 2 – Site Layout Map
- Figure 3 – Geoprobe Sampling Locations
- Figure 4 – PCE Plume Map

TABLES

- Table 1 – Summary of Soil Analytical Data
- Table 2 – Summary of Groundwater Analytical Data

APPENDICES

- Appendix A – Laboratory Report
- Appendix B – Geoprobe Boring Logs and Abandonment Forms

1.0 INTRODUCTION AND BACKGROUND

Seymour Environmental Services, Inc. (Seymour) was retained by Mr. Paul Petrovic to conduct environmental sampling at Three Lakes Laundry in Three Lakes, Wisconsin. The sampling was being conducted to determine if the site is a source for tetrachloroethylene (PCE) found in shallow groundwater in the area.

1.1 Site Information

Site Location Three Lakes Laundry
 1243 Superior Street
 Three Lakes, Wisconsin 54562
 Oneida County
 Contact: Mr. Paul Petrovic (715) 546-3627

1.2 Consultant Information

Consultant Seymour Environmental Services, Inc.
 2531 Dyreson Road
 McFarland, Wisconsin 53558-0398
 Contact: Robyn Seymour (608) 838-9120

Geoprobe Contractor Soil Essentials
 W6306 State Highway 39
 New Glarus, Wisconsin 53574
 Contact: David Paulson (608) 527-2355

Analytical Laboratories Pace Analytical
 1795 Industrial Drive
 Green Bay, Wisconsin 54302
 Contact: Laurie Woelfal (920) 469-2436

2.0 SITE INVESTIGATION

On August 28, 2007 Seymour and Soil Essential visited the site to conduct a geoprobe investigation. The investigation included the installation of seven geoprobe borings and one hand auger boring.

3.1 Geoprobe Boring and Sampling

Continuous soil samples were collected during the advancement of the geoprosbes installed around the building for soil sampling. The borings were installed near the building to determine if contamination from dumping, spilling or blow down had occurred. Additionally, a hand auger boring was installed right next to the former extractor. Soil samples were described in the field and screened for organic vapors using a photo ionization detector equipped with a 10.6 eV lamp. The meter was malfunctioning and giving very high readings so we used the highest reading to help select which samples were to be laboratory analyzed, but gave the readings themselves little merit. Soil encountered at the site was comprised of silty and gravelly sand with a few silt layers

almost consistently across the site. Two soil samples were selected for analysis at each of the borings.

The select soil samples were analyzed for volatile organic compounds (VOCs). None of the analytes were detected in any of the soil samples. Analytical results are compiled in Table 1.

3.2 Groundwater Sampling and Analysis

Groundwater samples were collected at three of the geoprosbes as part of the assessment. The sampling locations were B-1 (near a storage shed) and B-6 and B-7, which were on the downgradient portion of the property. These samples were analyzed for VOCs. Only one compound was detected at the site, which was PCE at 2.5 micrograms per liter (ug/l). This level fits into the identified plume, which does not appear to originate at Three Lakes Laundry. Figure 4 is a map of the PCE plume using data from different sampling events to illustrate the general configuration of the contamination.

4.0 CONCLUSIONS AND RECOMMENDATIONS

No contaminants were discovered in the soil samples collected as part of the assessment, even right next to the extractor.

Groundwater sample results show the NR140 PAL for tetrachloroethene is exceeded at B-7, which appears to be within the identified plume. Based on the results of the geoprobe investigation we believe that Three Lakes Laundry is not the source of the PCE.

5.0 REFERENCES


Ivertech, LLC., 2005. Phase I Environmental Site Assessment Activities.

Mudrey, M. G., Jr., B. A. Brown, and J. K. Greenburg. 1982. Bedrock Geology Map of Wisconsin. University of Wisconsin - Extension, Geological and Natural History Survey.

Trotta, L. C., and R. D. Cotter. 1973. Depth to Bedrock in Wisconsin. University of Wisconsin - Extension, Geological and Natural History Survey.

USGS. Cottage Grove, Wisconsin Quadrangle. Wisconsin Map. 7.5 Minute Series: 1:24,000

Wisconsin Department of Natural Resources, 2001, Wisconsin Administrative Code, Chs. NR 700-749, Investigation and Remediation of Environmental Contamination.



0 2640' 5280'

1 INCH = 1/2 MILE
SCALE IS APPROXIMATE


FILE/PATH: D:\PROJECTS\ThreeLakesLaundry\SiteLocation.cdr
DATE: 10/01/07
PREPARED: MDF APPROVED:
SOURCE: DeLORME TOPO USA

SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

SITE LOCATION
THREE LAKES LAUNDRY
1243 Superior Street
Three Lakes, Wisconsin

FIGURE

1



LEGEND

- ◆ - Well Location
- ◆ - Geoprobe Location (Aug. 2007)

0 50' 100'

1 INCH = 50 FEET
SCALE IS APPROXIMATE


FILE/PATH: D:\PROJECTS\ThreeLakesLaundry\\SiteLayout.cdr
DATE: 09/2007
PREPARED: MDF APPROVED:
SOURCE: FIELD MEASUREMENTS

SEYMORE
ENVIRONMENTAL
SERVICES, INC.

SITE LAYOUT MAP
THREE LAKES LAUNDRY
1243 Superior Street
Three Lakes, Wisconsin

FIGURE

2




SEYMOUR
ENVIRONMENTAL
SERVICES, INC.

GEOPROBE SAMPLING LOCATIONS
THREE LAKES LAUNDRY
1243 Superior Street
Three Lakes, Wisconsin

FIGURE

3



TABLES

TABLE 1
 SUMMARY OF SOIL ANALYTICAL DATA (August 28, 2007)
 Three Lakes Laundry –1243 Superior Street – Three Lakes, WI

Sample Locations	B-2	B-2	B-3	B-3	B-4	B-4	B-5	B-5	HA-1
Depth (ft)	2-4	6-8	4-6	10-12	0-2	4-6	4-6	10-12	1-1.5
Select VOCs									
Tetrachloroethene	<26	<25	<25	<28	<25	<25	<25	<25	<25
Trichloroethene	<26	<25	<25	<28	<25	<25	<25	<25	<25
cis 1,2 dichloroethene	<26	<25	<25	<28	<25	<25	<25	<25	<25
trans 1,2 dichloroethene	<26	<25	<25	<28	<25	<25	<25	<25	<25
Vinyl chloride	<26	<25	<25	<28	<25	<25	<25	<25	<25
Toluene	<26	<25	<25	<28	<25	<25	<25	<25	<25
Methylene chloride	<26	<25	<25	<28	<25	<25	<25	<25	<25

- Results are listed in ug/kg

- All samples were analyzed for VOCs (EPA 8021); all detected compounds and select analytes are included in table

TABLE 2
 SUMMARY OF GEOPROBE GROUNDWATER CHEMISTRY
 Three Lakes Laundry – 1243 Superior Street – Three Lakes, Wisconsin

Location	B-1	B-6	B-7	NR140	
Select VOCs	8/28/07	8/28/07	8/28/07	PAL	ES
Tetrachloroethene	<0.45	<0.45	2.5	0.5	5
Trichloroethene	<0.48	<0.48	<0.48	0.5	5
cis 1,2 dichloroethene	<0.83	<0.83	<0.83	7	70
trans 1,2 dichloroethene	<0.89	<0.89	<0.89	20	100
Vinyl chloride	<0.18	<0.18	<0.18	0.02	0.2
Toluene	<0.67	<0.67	<0.67	200	1000

- All concentrations are listed in ug/l
 - NR140 PAL = Preventative action level (bold)
 - NR140 ES = Enforcement standard (shaded)

APPENDIX A

LABORATORY REPORT



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 887879

Client: SEYMOUR ENVIRONMENTAL SERVICES, INC.

Lab Contact: Brian Basten

Project Name: THREE LAKES LAUNDRY

Project Number:

Lab Sample Number	Field ID	Matrix	Collection Date
887879-001	B-1	WATER	08/28/07 10:55
887879-002	B-1 2-4	SOIL	08/28/07 11:20
887879-003	B-2 6-8	SOIL	08/28/07 11:30
887879-004	B-2 4-6	SOIL	08/28/07 11:50
887879-005	B-3 10-12	SOIL	08/28/07 12:05
887879-006	B-3 0-2	SOIL	08/28/07 12:15
887879-007	B-4 4-6	SOIL	08/28/07 12:20
887879-008	B-4 4-6	SOIL	08/28/07 12:35
887879-009	B-5 10-12	SOIL	08/28/07 12:50
887879-010	HA-1 1-1.5	SOIL	08/28/07 13:30
887879-011	B-6	WATER	08/28/07 14:00
887879-012	B-1	WATER	08/28/07 15:00
887879-013	MEOH BL	METH	08/28/07

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..



Approval Signature

Date

9-6-07

Page 1 of 38

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-1

Matrix Type : WATER

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-001

VOLATILES							Prep Date/Time: 09/04/07 12:50 PM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1,1-Trichloroethane	< 0.90	0.90	3.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1,2-Trichloroethane	< 0.42	0.42	1.4	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethane	< 0.76	0.75	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethene	< 0.57	0.57	1.9	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,1-Dichloropropene	< 0.75	0.75	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichloropropane	< 0.99	0.99	3.3	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2-Dibromoethane	< 0.56	0.56	1.9	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2-Dichlorobenzene	< 0.83	0.83	2.8	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2-Dichloroethane	< 0.36	0.36	1.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,2-Dichloropropane	< 0.46	0.46	1.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,3-Dichlorobenzene	< 0.87	0.87	2.9	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,3-Dichloropropane	< 0.61	0.61	2.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
1,4-Dichlorobenzene	< 0.95	0.95	3.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
2,2-Dichloropropane	< 0.62	0.62	2.1	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
2-Chlorotoluene	< 0.85	0.85	2.8	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
4-Chlorotoluene	< 0.74	0.74	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Benzene	< 0.41	0.41	1.4	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Bromobenzene	< 0.82	0.82	2.7	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Bromochloromethane	< 0.97	0.97	3.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Bromodichloromethane	< 0.56	0.56	1.9	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Bromoform	< 0.94	0.94	3.1	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Bromomethane	< 0.91	0.91	3.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Carbon Tetrachloride	< 0.49	0.49	1.6	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Chlorobenzene	< 0.41	0.41	1.4	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Chlorodibromomethane	< 0.81	0.81	2.7	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Chloroethane	< 0.97	0.97	3.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Chloroform	< 0.37	0.37	1.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Chloromethane	< 0.24	0.24	0.80	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
cis-1,2-Dichloroethene	< 0.83	0.83	2.8	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
cis-1,3-Dichloropropene	< 0.19	0.19	0.63	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Dibromomethane	< 0.60	0.60	2.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Dichlorodifluoromethane	< 0.99	0.99	3.3	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Dilisopropyl Ether	< 0.76	0.76	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Ethylbenzene	< 0.54	0.54	1.8	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Fluorotrichloromethane	< 0.79	0.79	2.6	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Hexachlorobutadiene	< 0.67	0.67	2.2	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Isopropylbenzene	< 0.59	0.59	2.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Methylene Chloride	< 0.43	0.43	1.4	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Methyl-tert-butyl-ether	< 0.61	0.61	2.0	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
Naphthalene	< 0.74	0.74	2.5	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	
n-Butylbenzene	< 0.93	0.93	3.1	1	1	ug/L	09/05/07 4:19 PM	SW846 5030B	SW846 8260B	

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-1

Matrix Type : WATER

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-001

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		09/05/07 4:19 PM	SW846 5030B	SW846 8260B
Surrogate			LCL	UCL						
4-Bromofluorobenzene	79	64	132		1	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	81	73	127		1	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	87	68	122		1	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-1 2-4

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-002

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	89.5				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 84	84	200		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 46	46	110		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Benzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Bromoform	< 27	27	64		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Bromomethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Chloroethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Chloroform	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Chloromethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 27	27	65		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Matrix Type : SOIL

Project Name : THREE LAKES LAUNDRY

Collection Date : 08/28/07

Project Number :

Report Date : 09/06/07

Field ID : B-1 2-4

Lab Sample Number : 887879-002

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Naphthalene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 41	41	99		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Styrene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Toluene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 51	51	120		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Xylene, o	< 26	26	62		50	ug/Kg		09/05/07 2:38 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	96	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	103	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-2 6-8

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	94.0				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 83	83	200	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 45	45	110	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Ethylenesulfide	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 27	27	64	50		ug/Kg		09/05/07 3:00 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-2 6-8

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-003

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Methylene Chloride	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Methyl-tert-butyl-ether	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Naphthalene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
n-Butylbenzene	< 41	41	97	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
n-Propylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
p-Isopropyltoluene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
s-Butylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Styrene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
t-Butylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Tetrachloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Toluene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
trans-1,2-Dichloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
trans-1,3-Dichloropropene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Trichloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Vinyl Chloride	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Xylene, m + p	< 50	50	120	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Xylene, o	< 25	25	60	50	50	ug/Kg	09/05/07 3:00 PM	SW846 5030B	SW846 8260B	
Surrogate		LCL	UCL							
4-Bromofluorobenzene	92	64	133	50	%		09/05/07	SW846 5030B	SW846 8260B	
Toluene-d8	100	67	139	50	%		09/05/07	SW846 5030B	SW846 8260B	
Dibromofluoromethane	98	64	140	50	%		09/05/07	SW846 5030B	SW846 8260B	

**Pace Analytical
Services, Inc.**

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client: SEYMORE ENVIRONMENTAL SERVICES, INC.

Matrix Type: SOIL

Project Name: THREE LAKES LAUNDRY

Collection Date: 08/28/07

Project Number:

Report Date: 09/06/07

Field ID: B-2 4-6

Lab Sample Number: 887879-004

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	89.0				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-2 4-6

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-004

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		09/05/07 3:22 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	88	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	91	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-3 10-12

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-005

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	77.3				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1-Dichluroethene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 92	92	220		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 50	50	120		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Benzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Bromoform	< 29	29	69		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Bromomethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Chloroethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Chloroform	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Chloromethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Dimethylmethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Disopropyl Ether	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 29	29	71		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-3 10-12

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-005

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Naphthalene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 45	45	110		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Styrene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Toluene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 56	56	130		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Xylene, o	< 28	28	67		50	ug/Kg		09/05/07 3:45 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	96	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	101	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	99	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-3 0-2

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-006

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	95.6				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63	50		ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Page 12

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-3 0-2

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-006

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		09/05/07 4:07 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	97	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	103	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	98	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-4 4-6

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-007

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	92.7				1	%		09/06/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 83	83	200		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 45	45	110		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	63		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 27	27	64		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-4 4-6

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-007

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 41	41	98		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 51	51	120		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	61		50	ug/Kg		09/05/07 4:29 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	89	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	98	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	95	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-4 4-6

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-008

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	85.1				1	%	09/04/07		SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethylene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,1-Dichloropropene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2-Dibromoethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2-Dichloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,2-Dichloropropane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,3-Dichloropropane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
2,2-Dichloropropane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
2-Chlorotoluene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
4-Chlorotoluene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Benzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Bromobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Bromoform	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Bromomethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Carbon Tetrachloride	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Chlorobenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Chlorodibromomethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Chloroethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Chloroform	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Chloromethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Dibromomethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Diisopropyl Ether	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Ethylbenzene	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Fluorotrichloromethane	< 25	25	60		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Hexachlorobutadiene	< 26	26	63		50	ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	

All soil results are reported on a dry weight basis unless otherwise noted.

Page 16

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Matrix Type : SOIL

Project Name : THREE LAKES LAUNDRY

Collection Date : 08/28/07

Project Number :

Report Date : 09/06/07

Field ID : B-4 4-6

Lab Sample Number : 887879-008

VOLATILES

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Methylene Chloride	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Methyl-tert-butyl-ether	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Naphthalene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
n-Butylbenzene	< 40	40	97	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
n-Propylbenzene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
p-Isopropyltoluene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
s-Butylbenzene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Styrene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
t-Butylbenzene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Tetrachloroethene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Toluene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
trans-1,2-Dichloroethene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
trans-1,3-Dichloropropene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Trichloroethene	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Vinyl Chloride	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Xylene, m + p	< 50	50	120	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Xylene, o	< 25	25	60	50		ug/Kg	09/05/07 4:51 PM	SW846 5030B	SW846 8260B	
Surrogate		LCL	UCL							
4-Bromofluorobenzene	88	64	133	50	%		09/05/07	SW846 5030B	SW846 8260B	
Toluene-d8	94	67	139	50	%		09/05/07	SW846 5030B	SW846 8260B	
Dibromofluoromethane	95	64	140	50	%		09/05/07	SW846 5030B	SW846 8260B	

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-5 10-12

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-009

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	91.4				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63	50		ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-5 10-12

Matrix Type : SOIL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-009

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 40	40	97		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		09/05/07 5:13 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	92	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	100	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	94	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.

Matrix Type : SOIL

Project Name : THREE LAKES LAUNDRY

Collection Date : 08/28/07

Project Number :

Report Date : 09/06/07

Field ID : HA-1 1-1.5

Lab Sample Number : 887879-010

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
Percent Solids	97.7				1	%		09/04/07	SM M2540G	SM M2540G

Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 82	82	200		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 44	44	110		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Bromoform	< 26	26	62		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 26	26	63		50	ug/Kg		09/05/07 5:36 PM	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Page 20

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : HA-1 1-1.5

Matrix Type : SOIL

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-010

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
							Code	Anl Date/Time	Prep Method	Anl Method
Isopropylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Methylene Chloride	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Methyl-tert-butyl-ether	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Naphthalene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
n-Butylbenzene	< 40	40	97	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
n-Propylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
p-Isopropyltoluene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
s-Butylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Styrene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
t-Butylbenzene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Tetrachloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Toluene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
trans-1,2-Dichloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
trans-1,3-Dichloropropene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Trichloroethene	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Vinyl Chloride	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Xylene, m + p	< 50	50	120	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Xylene, o	< 25	25	60	50	50	ug/Kg	09/05/07 5:36 PM	SW846 5030B	SW846 8260B	
Surrogate		LCL	UCL							
4-Bromofluorobenzene	90	64	133	50	%		09/05/07	SW846 5030B	SW846 8260B	
Toluene-d8	96	67	139	50	%		09/05/07	SW846 5030B	SW846 8260B	
Dibromofluoromethane	97	64	140	50	%		09/05/07	SW846 5030B	SW846 8260B	

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client: SEYMORE ENVIRONMENTAL SERVICES, INC.

Project Name: THREE LAKES LAUNDRY

Project Number:

Field ID: B-6

Matrix Type: WATER

Collection Date: 08/28/07

Report Date: 09/06/07

Lab Sample Number: 887879-011

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Benzene	< 0.41	0.41	1.4		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Bromobenzene	< 0.82	0.82	2.7		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Bromoform	< 0.94	0.94	3.1		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Bromomethane	< 0.91	0.91	3.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Chloroethane	< 0.97	0.97	3.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Chloroform	< 0.37	0.37	1.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Chloromethane	< 0.24	0.24	0.80		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Dibromomethane	< 0.60	0.60	2.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Fluorotrifluoromethane	< 0.79	0.79	2.6		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
Naphthalene	< 0.74	0.74	2.5		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L	09/05/07 6:16 PM	SW846 5030B	SW846 8260B	

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Project Name : THREE LAKES LAUNDRY

Project Number :

Field ID : B-6

Matrix Type : WATER

Collection Date : 08/28/07

Report Date : 09/06/07

Lab Sample Number : 887879-011

VOLATILES							Prep Date/Time: 09/04/07 12:50 PM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		09/05/07 6:16 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	86	64	132		1	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	82	73	127		1	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	88	68	122		1	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-1

Matrix Type : WATER
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-012

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anal Date/Time	Prep Method	Anal Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Dilsopropyl Ether	< 0.76	0.76	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : B-1

Matrix Type : WATER
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-012

VOLATILES							Prep Date/Time: 09/04/07 12:50 PM Anl By: JJB			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	2.5	0.45	1.5		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Trichloroethylene	< 0.48	0.48	1.6		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 1.8	1.8	6.0		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		09/05/07 6:40 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	83	64	132		1	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	84	73	127		1	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	90	68	122		1	%		09/05/07	SW846 5030B	SW846 8260B

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMORE ENVIRONMENTAL SERVICES, INC.
Project Name : THREE LAKES LAUNDRY
Project Number :
Field ID : MEOH BL

Matrix Type : METHANOL
Collection Date : 08/28/07
Report Date : 09/06/07
Lab Sample Number : 887879-013

VOLATILES							Prep Date/Time: 09/05/07 11:14 AM Anl By: TLT			
Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date/Time	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1,1-Trichloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1,2,2-Tetrachloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1,2-Trichloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1-Dichloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1-Dichloroethene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,1-Dichloropropene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2,3-Trichlorobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2,3-Trichloropropane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2,4-Trichlorobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2,4-Trimethylbenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2-Dibromo-3-chloropropane	< 82	82	200	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2-Dibromoethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2-Dichlorobenzene	< 44	44	110	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2-Dichloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,2-Dichloropropane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,3,5-Trimethylbenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,3-Dichlorobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,3-Dichloropropane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
1,4-Dichlorobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
2,2-Dichloropropane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
2-Chlorotoluene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
4-Chlorotoluene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Benzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Bromobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Bromochloromethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Bromodichloromethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Bromoform	< 26	26	62	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Bromomethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Carbon Tetrachloride	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Chlorobenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Chlorodibromomethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Chloroethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Chloroform	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Chloromethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
cis-1,2-Dichloroethene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
cis-1,3-Dichloropropene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Dibromomethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Dichlorodifluoromethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Dilsopropyl Ether	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Ethylbenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Fluorotrichloromethane	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Hexachlorobutadiene	< 26	26	63	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Isopropylbenzene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Methylene Chloride	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Methyl-tert-butyl-ether	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
Naphthalene	< 25	25	60	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		
n-Butylbenzene	< 40	40	97	50	ug/L	09/05/07 12:03 PM	SW846 5030B	SW846 8260B		

Pace Analytical
Services, Inc.

Analytical Report Number: 887879

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : SEYMOUR ENVIRONMENTAL SERVICES, INC.

Matrix Type : METHANOL

Project Name : THREE LAKES LAUNDRY

Collection Date : 08/28/07

Project Number :

Report Date : 09/06/07

Field ID : MEOH BL

Lab Sample Number : 887879-013

VOLATILES

Analyte	Result	LOD	LOQ	EQL	DII,	Units	Code	Anl Date/Time	Prep Method	Anl Method
n-Propylbenzene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Xylene, m + p	< 50	50	120		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/L		09/05/07 12:03 PM	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	94	64	133		50	%		09/05/07	SW846 5030B	SW846 8260B
Toluene-d8	94	67	139		50	%		09/05/07	SW846 5030B	SW846 8260B
Dibromofluoromethane	92	64	140		50	%		09/05/07	SW846 5030B	SW846 8260B

**Pace Analytical
Services, Inc.**

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Lab Number	TestGroupID	Field ID	Comment
887879-	8260+-S-ME	All Samples	Inadequate sample volume received to perform the method required MS/MSD.
887879-002	8260+-S-ME	B-1 2-4	soil to Methanol ratio not at a 1:1 ratio for analysis (19.5g/20.0 mLs).
887879-002	8260+-S-ME	B-1 2-4	Methanol leaked from the sample during shipment to the laboratory.
887879-003	8260+-S-ME	B-2 6-8	soil to Methanol ratio not at a 1:1 ratio for analysis (19.1g/20.0 mLs).
887879-003	8260+-S-ME	B-2 6-8	Methanol leaked from the sample during shipment to the laboratory.
887879-005	8260+-S-ME	B-3 10-12	soil to Methanol ratio not at a 1:1 ratio for analysis (17.9g/20.0 mLs).
887879-007	8260+-S-ME	B-4 4-6	soil to Methanol ratio not at a 1:1 ratio for analysis (19.8g/20.0 mLs).

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the CCV standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
8	Inorganic	Sample was received unpreserved. Sample was preserved either at the time of receipt or at the time of sample preparation.
9	Inorganic	Sample was received with insufficient preservation. Acid was added either at the time of receipt or at the time of sample preparation.

Pace Analytical
Services, Inc.

Analysis Summary by Laboratory

1241 Bellevue Street
Green Bay, WI 54302

Test Group Name

PERCENT SOLIDS	B	B	B	B	B	B	B	B	B	B	B	B	B
VOLATILES	G	G	G	G	G	G	G	G	G	G	G	G	G

Code	WI Certification
B	405132750 / DATCP: 105-444
G	405132750

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Batch: 887879

Lab Section: VOA

QC Batch Number: 24357

Prep Method: SW846 5030B

Analytical Method: SW846 8260B

QC Type	Client Sample ID	Lab Sample ID
MB	vog2291-44MB	vog2291-44MB
MB2	vog2291-44MB2	vog2291-44MB2
LCS	vog2291-44LCS	vog2291-44LCS
LCSD	vog2291-44LCSD	vog2291-44LCSD
MS	887934-001MS	887934-001MS
MSD	887934-001MSD	887934-001MSD

Client Sample ID	Lab Sample ID	MB ID
B-1	887879-001	MB
B-1	887879-012	MB

Client Sample ID	Lab Sample ID	MB ID
B-6	887879-011	MB

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery Conc % C	LCSD Spiked Conc	LCSD Recovery Conc % C	LCS/ LCSD RPD % C	LCS/LCSD Control Limits LCL % UCL % RPD %	Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery Conc % C	MSD Spiked Conc	MSD Recovery Conc % C	MS/MSD Control Limits			
														LCL %	UCL %	RPD %	
1,1,1,2-Tetrachloroethane	<	0.92	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,1-Dichloropropene	<	0.75	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,3-Trichlorobenzene	<	0.74	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,3-Trichloropropane	<	0.99	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,4-Trichlorobenzene	<	0.97	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,4-Trimethylbenzene	<	0.97	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dibromo-3-chloropropan	<	0.87	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dibromoethane	<	0.56	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dichlorobenzene	<	0.83	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,3,5-Trimethylbenzene	<	0.83	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,3-Dichlorobenzene	<	0.87	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,3-Dichloropropane	<	0.61	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,4-Dichlorobenzene	<	0.95	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2,2-Dichloropropane	<	0.62	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2-Chlorotoluene	<	0.85	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-Chlorotoluene	<	0.74	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromobenzene	<	0.82	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromoform	<	0.97	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dibromomethane	<	0.6	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dichlorodifluoromethane	<	0.99	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diisopropyl Ether	<	0.76	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fluorotrichloromethane	<	0.79	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24357

Page 31

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCSD Recovery			LCS/ LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery			MSD Spiked Conc	MSD Recovery			MS/ MSD RPD % C	MS/MSD Control Limits		
			Conc	%	C	Conc	%	C		LCL %	UCL %	RPD %				Conc	%	C		Conc	%	C		LCL %	UCL %	RPD %
Hexachlorobutadiene	<	0.67	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Isopropylbenzene	<	0.59	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Methyl-tert-butyl-ether	<	0.61	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Naphthalene	<	0.74	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Butylbenzene	<	0.93	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
n-Propylbenzene	<	0.81	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
p-Isopropyltoluene	<	0.67	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
s-Butylbenzene	<	0.89	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
t-Butylbenzene	<	0.97	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1,1,1-Trichloroethane	<	0.9	50.0	44.2	88	50.0	44.8	90	1.2	75	128	20	887934-001	<	0.9	50.0	44.2	88	50.0	44.2	88	0.0	70	130	30	
1,1,2,2-Tetrachloroethane	<	0.2	50.0	55.7	111	50.0	54.5	109	2.2	67	125	20	887934-001	<	0.2	50.0	54.5	109	50.0	55.5	111	2.0	70	130	30	
1,1,2-Trichloroethane	<	0.42	50.0	51.9	104	50.0	52	104	0.2	75	125	20	887934-001	<	0.42	50.0	52.2	104	50.0	51.5	103	1.4	70	130	30	
1,1-Dichloroethane	<	0.75	50.0	50.9	102	50.0	51.5	103	1.3	71	130	20	887934-001	<	0.75	50.0	51.1	102	50.0	51	102	0.2	70	130	30	
1,1-Dichloroethene	<	0.57	50.0	48.7	97	50.0	48.5	97	0.4	75	125	20	887934-001	<	0.57	50.0	48.5	97	50.0	47.5	95	2.1	70	135	30	
1,2-Dichloroethane	<	0.36	50.0	41.8	84	50.0	42	84	0.6	71	132	20	887934-001	<	0.36	50.0	41.1	82	50.0	41.1	82	0.2	70	130	30	
1,2-Dichloropropane	<	0.46	50.0	52.8	106	50.0	53.9	108	2.0	73	125	20	887934-001	<	0.46	50.0	52.5	105	50.0	52.8	106	0.6	70	130	30	
Benzene	<	0.41	50.0	55.4	111	50.0	55.4	111	0.1	75	125	20	887934-001	<	0.41	50.0	55.8	112	50.0	55.7	111	0.1	70	130	30	
Bromodichloromethane	<	0.56	50.0	44.6	89	50.0	45	90	0.8	75	125	20	887934-001	<	0.56	50.0	42.6	85	50.0	42.7	85	0.2	70	130	30	
Bromoform	<	0.94	50.0	47	94	50.0	47.5	95	1.0	75	125	20	887934-001	<	0.94	50.0	44.1	88	50.0	43.5	87	1.3	70	130	30	
Bromomethane	<	0.91	50.0	35.8	72	50.0	38.9	78	8.2	66	125	20	887934-001	<	0.91	50.0	30.7	61	N	50.0	33.3	67	8.3	63	147	30
Carbon Tetrachloride	<	0.49	50.0	44.9	90	50.0	44.3	89	1.4	75	125	20	887934-001	<	0.49	50.0	43.7	87	50.0	42.4	85	3.1	70	131	30	
Chlorobenzene	<	0.41	50.0	51.8	104	50.0	52.3	105	1.0	75	125	20	887934-001	<	0.41	50.0	51.6	103	50.0	51.2	102	0.8	70	130	30	
Chlorodibromomethane	<	0.81	50.0	46.8	94	50.0	47.3	95	1.2	75	125	20	887934-001	<	0.81	50.0	44.9	90	50.0	45	90	0.1	70	130	30	
Chloroethane	<	0.97	50.0	47.3	95	50.0	47	94	0.6	72	126	20	887934-001	<	0.97	50.0	46.8	94	50.0	46.5	93	0.6	67	138	30	
Chloroform	<	0.37	50.0	45.4	91	50.0	46.1	92	1.5	75	125	20	887934-001	<	0.37	50.0	46.2	92	50.0	46.4	93	0.5	70	130	30	
Chloromethane	<	0.24	50.0	48.5	97	50.0	48.8	98	0.6	46	143	20	887934-001	<	0.24	50.0	48.8	98	50.0	47.1	94	3.5	43	150	30	
cis-1,2-Dichloroethene	<	0.83	50.0	51.7	103	50.0	52.5	105	1.7	75	125	20	887934-001	<	0.83	50.0	53.5	107	50.0	53.2	106	0.6	70	130	30	
cis-1,3-Dichloropropene	<	0.19	50.0	49	98	50.0	49.7	99	1.5	75	125	20	887934-001	<	0.19	50.0	43	86	50.0	43.9	88	1.9	70	130	30	
Ethylbenzene	<	0.54	50.0	51.7	103	50.0	51.6	103	0.3	75	125	20	887934-001	<	0.54	50.0	50.9	102	50.0	49.7	99	2.3	70	135	30	
Methylene Chloride	<	0.43	50.0	48.9	98	50.0	49.1	98	0.3	75	125	20	887934-001	<	0.43	50.0	49.3	99	50.0	49.6	99	0.5	70	130	30	
Styrene	<	0.86	50.0	56	112	50.0	55.3	111	1.3	75	125	20	887934-001	<	0.86	50.0	40.1	80	50.0	33	66	N	19.6	70	130	30
Tetrachloroethene	<	0.45	50.0	48.4	97	50.0	50.1	100	3.5	75	130	20	887934-001	<	0.45	50.0	49.1	98	50.0	48.9	98	0.5	70	130	30	

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24357

Page 32

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCSD Spiked Conc	LCSD Recovery			LCS/ LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc				MSD Spiked Conc	MSD Recovery Conc % C	MS/ MSD RPD % C	MS/MSD Control Limits			
			Conc	%	C		Conc	%	C		LCL %	UCL %	RPD %				Conc	%	C	LCL %			UCL %	RPD %		
Toluene	<	0.67	50.0	53.3	107	50.0	53.2	106	0.1	75	125	20	887934-001	<	0.67	50.0	52.5	105	50.0	50.0	51.7	103	1.5	70	130	30
trans-1,2-Dichloroethene	<	0.89	50.0	54.7	109	50.0	55.5	111	1.4	75	125	20	887934-001	<	0.89	50.0	53.6	107	50.0	52.6	52.6	105	1.8	70	130	30
trans-1,3-Dichloropropene	<	0.19	50.0	48.1	96	50.0	48.2	96	0.4	75	125	20	887934-001	<	0.19	50.0	42	84	50.0	42.4	42.4	85	1.1	70	130	30
Trichloroethylene	<	0.48	50.0	50.5	101	50.0	50	100	1.0	75	125	20	887934-001	<	0.48	50.0	49.4	99	50.0	48.9	48.9	98	1.0	70	130	30
Vinyl Chloride	<	0.18	50.0	48.2	96	50.0	48.2	96	0.2	65	130	20	887934-001	<	0.18	50.0	47.8	96	50.0	46.4	46.4	93	2.9	62	138	30
Xylene, m + p	<	1.8	100.0	110.3	110	100.0	110.1	110	0.2	75	125	20	887934-001	0.000	100.0	103.7	104	100.0	98.6	98.6	99	5.0	70	137	30	
Xylene, o	<	0.83	50.0	55.1	110	50.0	55.6	111	0.9	75	125	20	887934-001	0.00	50.0	52.2	104	50.0	50.4	50.4	101	3.6	70	130	30	
4-Bromofluorobenzene	76%	—	—	79	—	—	79	—	64	132	—	887934-001	76%	—	—	79	—	—	79	—	—	79	—	64	132	—
Toluene-d8	88%	—	—	88	—	—	88	—	73	127	—	887934-001	85%	—	—	88	—	—	89	—	—	89	—	73	127	—
Dibromofluoromethane	82%	—	—	81	—	—	81	—	68	122	—	887934-001	83%	—	—	80	—	—	85	—	—	85	—	68	122	—

Conc = ug/L unless otherwise noted

C = QC Code, see Qualifer Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24357

Page 33

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Batch:	887879	QC Type	Client Sample ID	Lab Sample ID
Lab Section:	VOA	MB	vog2266-63MB	vog2266-63MB
QC Batch Number:	24417	LCS	vog2266-63LCS	vog2266-63LCS
Prep Method:	SW846 5030B	LCSD	vog2266-63LCSD	vog2266-63LCSD
Analytical Method:	SW846 8260B			
Client Sample ID	Lab Sample ID	MB ID	Client Sample ID	Lab Sample ID
B-1 2-4	887879-002	MB	B-2 6-8	887879-003
B-2 4-6	887879-004	MB	B-3 10-12	887879-005
B-3 0-2	887879-006	MB	B-4 4-6	887879-007
B-4 4-6	887879-008	MB	B-5 10-12	887879-009
HA-1 1-1.5	887879-010	MB	MEOH BL	887879-013

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCSD Spiked Conc	LCSD Recovery			LCS/ LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery Conc % C	MSD Spiked Conc	MSD Recovery Conc % C	MS/ MSD RPD % C	MS/MSD Control Limits		
			Conc	%	C		Conc	%	C		LCL % C	UCL % C	RPD % C								LCL % C	UCL % C	RPD % C
1,1,1,2-Tetrachloroethane	<	16	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,1,1-Trichloroethane	<	19	2500.0	2327.5	93	2500.0	2341	94	0.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,1,2,2-Tetrachloroethane	<	21	2500.0	2176.9	87	2500.0	2170.5	87	0.3	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,1,2-Trichloroethane	<	24	2500.0	2410	96	2500.0	2404.3	96	0.2	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,1-Dichloroethane	<	19	2500.0	2246.8	90	2500.0	2222.3	89	1.1	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,1-Dichloroethene	<	22	2500.0	2213.4	89	2500.0	2208.1	88	0.2	54	149	20	—	—	—	—	—	—	—	—	—	—	—
1,1-Dichloropropene	<	19	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,3-Trichlorobenzene	<	17	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,3-Trichloropropane	<	21	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,4-Trichlorobenzene	<	16	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2,4-Trimethylbenzene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dibromo-3-chloropropan	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dibromoethane	<	18	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dichlorobenzene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,2-Dichloroethane	<	21	2500.0	2275.2	91	2500.0	2189.7	88	3.8	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,2-Dichloropropane	<	22	2500.0	2390.5	96	2500.0	2364.2	95	1.1	75	125	20	—	—	—	—	—	—	—	—	—	—	—
1,3,5-Trimethylbenzene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,3-Dichlorobenzene	<	16	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,3-Dichloropropane	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1,4-Dichlorobenzene	<	18	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2,2-Dichloropropane	<	16	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Conc = ug/Kg unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24417

Page 34

QC Summary

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery			LCSD Recovery			LCS/ LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc	MS Recovery			MSD Spiked Conc	MSD Recovery			MS/ MSD RPD % C	MS/MSD Control Limits		
			Conc	%	C	Conc	%	C		LCL %	UCL %	RPD %				Conc	%	C		Conc	%	C		LCL %	UCL %	RPD %
2-Chlorotoluene	<	18	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-Chlorotoluene	<	23	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Benzene	<	14	2500.0	2323.4	93	2500.0	2306.6	92	0.7	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromobenzene	<	14	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromochloromethane	<	16	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromodichloromethane	<	16	2500.0	2227.9	89	2500.0	2262.8	91	1.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromoform	<	20	2500.0	2387.9	96	2500.0	2369.1	95	0.8	72	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bromomethane	<	24	2500.0	2432.9	97	2500.0	2406.3	96	1.1	40	159	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbon Tetrachloride	<	16	2500.0	2358.8	94	2500.0	2445.3	98	3.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chlorobenzene	<	9.5	2500.0	2429.3	97	2500.0	2468.4	99	1.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chlordibromomethane	<	20	2500.0	2339.3	94	2500.0	2366	95	1.1	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloroethane	<	25	2500.0	2225.6	89	2500.0	2266.7	91	1.8	40	179	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloroform	<	18	2500.0	2294.1	92	2500.0	2212.8	89	3.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloromethane	<	20	2500.0	2012.3	80	2500.0	1892.5	76	6.1	42	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cis-1,2-Dichloroethene	<	20	2500.0	2367	95	2500.0	2383.6	95	0.7	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
cis-1,3-Dichloropropene	<	14	2500.0	2297.9	92	2500.0	2324	93	1.1	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dibromomethane	<	18	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dichlorodifluoromethane	<	21	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diisopropyl Ether	<	9.5	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ethylbenzene	<	15	2500.0	2351.4	94	2500.0	2413	97	2.6	75	125	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fluorotrichloromethane	<	19	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hexachlorobutadiene	<	23	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Isopropylbenzene	<	11	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methylene Chloride	<	14	2500.0	2042.7	82	2500.0	2116.4	85	3.5	58	144	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Methyl-tert-butyl-ether	<	15	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Naphthalene	<	15	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n-Butylbenzene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
n-Propylbenzene	<	5.5	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
p-Isopropyltoluene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
s-Butylbenzene	<	8	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Styrene	<	12	2500.0	2457.7	98	2500.0	2498.4	100	1.6	75	130	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
t-Butylbenzene	<	12	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Conc = ug/Kg unless otherwise noted

C = QC Code, see Qualifier Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24417

Page 35

QC Summary

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436
Fax: 920-469-8827

Test Name	Method Blank Result Conc	LCS Spiked Conc	LCS Recovery		LCSD		LCS/ LCSD RPD % C	LCS/LCSD Control Limits			Parent Sample Number	Parent Result Conc	MS Spiked Conc			MS/MSD RPD % C	MS/MSD Control Limits		
			Conc	%	Conc	%		LCL %	UCL %	RPD %				MS Recovery Conc % C	MSD Recovery Conc % C		LCL %	UCL %	RPD %
Tetrachloroethene	<	16	2500.0	2476.6	99	2500.0	2581.6	103	4.2	75	125	20	—	—	—	—	—	—	—
Toluene	<	8.5	2500.0	2359.2	94	2500.0	2362.9	95	0.2	75	125	20	—	—	—	—	—	—	—
trans-1,2-Dichloroethene	<	14	2500.0	2292.8	92	2500.0	2314.7	93	1.0	75	125	20	—	—	—	—	—	—	—
trans-1,3-Dichloropropene	<	15	2500.0	2332.4	93	2500.0	2314.9	93	0.8	75	125	20	—	—	—	—	—	—	—
Trichloroethene	<	20	2500.0	2427	97	2500.0	2456.4	98	1.2	75	125	20	—	—	—	—	—	—	—
Vinyl Chloride	<	14	2500.0	2067.9	83	2500.0	1988.4	79	4.0	49	125	20	—	—	—	—	—	—	—
Xylene, m + p	<	22	5000.0	4747.1	95	5000.0	4803.1	96	1.2	75	127	20	—	—	—	—	—	—	—
Xylene, o	<	15	2500.0	2432.8	97	2500.0	2460.5	98	1.1	75	125	20	—	—	—	—	—	—	—
4-Bromofluorobenzene	98%	—	—	88	—	—	90	—	64	133	—	—	—	—	—	—	—	—	—
Toluene-d8	107%	—	—	94	—	—	97	—	67	139	—	—	—	—	—	—	—	—	—
Dibromofluoromethane	102%	—	—	99	—	—	96	—	64	140	—	—	—	—	—	—	—	—	—

Conc = ug/Kg unless otherwise noted

C = QC Code, see Qualifer Sheet

Parent Result is reported down to MDL in order to allow Validation of this worksheet

The %R and RPD results are calculated from raw data values with more significant figures than are reported on this form.

Report Date: 9/6/2007

QC Batch Number: 24417

Page 36

Sample Condition Upon Receipt

Pace Analytical

Client Name: SEYMOUR

Project # 887879

Courier: FedEx UPS USPS Client Commercial Pace Other _____
 Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used NA

Type of Ice: Wet Blue None

Samples on ice, cooling process has begun

Cooler Temperature ROZ

Biological Tissue Is Frozen: Yes No

Date and Initials of person examining
contents: 8-31-07 GD
48731702

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. #007 B-4 6-8 WAS NOT REC'D. WE DID RECEIVE B-4 4-6, ID ON B4-6-8 5/8 4-6 per RS
-Includes date/time/ID/Analysis Matrix:	<u>5/8/07 Medh</u>	
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. 8-31-07 8-31-07
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution: (2) Hwy Poly Was changed by client, LABELED 8-31-07 00
Accordingly,

WE Rec'd 3-40ml HCl VIALS LABELED B-5 with time of 14:00.
WE ALSO Rec'd 3-40ml HCl VIALS LABELED B-6 with time of 15:00.
WE DID NOT RECEIVE B-7 with time of 15:00 LISTED ON COC.

Samples labeled as: B-5 5/8 B-6 & B-6 5/8 B-7 per RS: 8-31-07

Project Manager Review:

Date: 8-31-07

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, Incorrect preservative, out of temp, incorrect containers)

APPENDIX B

**MONITORING WELL AND BOREHOLE
DOCUMENTATION**

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location - <u>B-1</u>	County Oneida	Original Well Owner (If Known) Three Lakes Laundry	
1/4 of _____ 1/4 of Sec. _____ ; T: _____ N; R: <u>1</u>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Present Well Owner same	
(If Applicable) Street or Route Gov't Lot	Grid Number	1243 Superior Street	
Grid Location Ft. <input type="checkbox"/> N. <input type="checkbox"/> S.,	Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, State, Zip Code Three Lakes, WI	
Civil Town Name Three Lakes		Facility Well No. and/or Name (If App)	WI Unique Well No.
Street Address of Well 1243 Superior Street		Reason For Abandonment NO LONGER NEEDED	
City, Village Three Lakes		Date of Abandonment <u>8/28/07</u>	
WELL/DRILLHOLE/BOREHOLE INFORMATION			
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>8-28-07</u>		(4) Depth to Water (Feet) <u>30.5'</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If No, Explain	Was Casting Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total Well Depth(ft.) <u>34</u> (From groundsurface)	Casting Diameter(in.) _____ Casting Depth(ft.) _____	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Lower Drillhole Diameter (in.) <u>2"</u>			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet		(5) Required Method of Placing Sealed Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
(6) Sealing Materials		For monitoring wells and monitoring well boreholes only	
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite		<input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout	
(7) Material Used To Fill Well/Drillhole		From (Ft.)	To (Ft.)
Granular Bentonite <i>Grout</i>	Surface	<u>17'</u>	<u>25 Lbs</u>
		<u>17'</u>	<u>34.0</u>
			<u>4.5 gals</u>
(8) Comments:			
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work <i>Dave Paulson</i>	Date Signed <u>9/2/07</u>	Date Received/Inspected	District/County
Street or Route W6306 STH 39	Telephone Number (608)527-2355	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code; New Glarus, WI 53574		Follow-up Necessary	

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME			
Well/Drillhole/Borehole Location - <u>B-2</u>	County <u>Oneida</u>	Original Well Owner (If Known) <u>Three Lakes Laundry</u>			
<u>1/4 of</u>	<u>1/4 of Sec.</u>	<u>T:</u>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W		
(If Applicable) Street or Route Gov't Lot		Grid Number	<u>1243 Superior Street</u>		
Grid Location <u>Ft. <input type="checkbox"/> N. <input type="checkbox"/> S.</u>	<u>Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.</u>	City, State, Zip Code <u>Three Lakes, WI</u>			
Civil Town Name <u>Three Lakes</u>		Facility Well No. and/or Name (If App)	WI Unique Well No.		
Street Address of Well <u>1243 Superior Street</u>		Reason For Abandonment <u>NO LONGER NEEDED</u>			
City, Village <u>Three Lakes</u>		Date of Abandonment <u>8/28/07</u>			
WELL/DRILLHOLE/BOREHOLE INFORMATION					
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>8-28-07</u>		(4) Depth to Water (Feet) <u>30.5'</u>			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable	Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
<input type="checkbox"/> Other (Specify) <u>Geoprobe</u>		If No, Explain Was Casting Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Total Well Depth(ft.) <u>12</u> (From groundsurface)	Casting Diameter(in.) _____ Casting Depth(ft.) _____	(5) Required Method of Placing Sealed Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____			
Lower Drillhole Diameter (in.) <u>2"</u>		(6) Sealing Materials <input type="checkbox"/> Neat Cement Grout For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet					
(7)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards Sacks, Sealant (Circle or Volume One)	Mix Ratio or Mud Weight
Granular Bentonite		Surface	<u>12</u>	<u>2065</u>	
(8) Comments:					
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY			
Signature of Person Doing Work <u>Dave Paulson</u>	Date Signed <u>9/2/07</u>	Date Received/Inspected		District/County	
Street or Route <u>W6306 STH 39</u>	Telephone Number <u>(608)527-2355</u>	Reviewer/Inspector		<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code; <u>New Glarus, WI 53574</u>		Follow-up Necessary			

Department of Natural Resources

Form 3300-5B Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME													
Well/Drillhole/Borehole Location - <u>B-3</u>	County Oneida	Original Well Owner (If Known) Three Lakes Laundry													
1/4 of _____ 1/4 of Sec. _____ ; T.: _____ N; R. _____	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Present Well Owner same													
(If Applicable) Street or Route Gov't Lot	Grid Number	1243 Superior Street													
Grid Location Ft. <input type="checkbox"/> N. <input type="checkbox"/> S. Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, State, Zip Code Three Lakes, WI														
Civil Town Name Three Lakes	Facility Well No. and/or Name (If App)														
Street Address of Well 1243 Superior Street	Reason For Abandonment NO LONGER NEEDED														
City, Village Three Lakes	Date of Abandonment <u>8/28/07</u>														
WELL/DRILLHOLE/BOREHOLE INFORMATION															
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>8-28-07</u>															
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____													
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) <u>Geoprobe</u>	Was Casting Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No														
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	(4) Required Method of Placing Sealed Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____													
Total Well Depth(ft.) <u>12'</u> (From groundsurface)	Casting Diameter(in.) _____ Casting Depth(ft.) _____	(5) Sealing Materials <table border="0"><tr><td><input type="checkbox"/> Neat Cement Grout</td><td>For monitoring wells and monitoring well boreholes only</td></tr><tr><td><input type="checkbox"/> Sand-Cement (Concrete)</td><td>Grout</td></tr><tr><td><input type="checkbox"/> Concrete</td><td><input type="checkbox"/> Bentonite Pellets</td></tr><tr><td><input type="checkbox"/> Clay-Sand Slurry</td><td><input type="checkbox"/> Granular Bentonite</td></tr><tr><td><input type="checkbox"/> Bentonite-Sand Slurry</td><td><input type="checkbox"/> Bentonite - Cement Grout</td></tr><tr><td><input checked="" type="checkbox"/> Chipped Bentonite</td><td></td></tr></table>		<input type="checkbox"/> Neat Cement Grout	For monitoring wells and monitoring well boreholes only	<input type="checkbox"/> Sand-Cement (Concrete)	Grout	<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Pellets	<input type="checkbox"/> Clay-Sand Slurry	<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite-Sand Slurry	<input type="checkbox"/> Bentonite - Cement Grout	<input checked="" type="checkbox"/> Chipped Bentonite	
<input type="checkbox"/> Neat Cement Grout	For monitoring wells and monitoring well boreholes only														
<input type="checkbox"/> Sand-Cement (Concrete)	Grout														
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Pellets														
<input type="checkbox"/> Clay-Sand Slurry	<input type="checkbox"/> Granular Bentonite														
<input type="checkbox"/> Bentonite-Sand Slurry	<input type="checkbox"/> Bentonite - Cement Grout														
<input checked="" type="checkbox"/> Chipped Bentonite															
Lower Drillhole Diameter (in.) <u>2"</u>															
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	(6) Sealing Materials <table border="0"><tr><td><input type="checkbox"/> Neat Cement Grout</td><td>For monitoring wells and monitoring well boreholes only</td></tr><tr><td><input type="checkbox"/> Sand-Cement (Concrete)</td><td>Grout</td></tr><tr><td><input type="checkbox"/> Concrete</td><td><input type="checkbox"/> Bentonite Pellets</td></tr><tr><td><input type="checkbox"/> Clay-Sand Slurry</td><td><input type="checkbox"/> Granular Bentonite</td></tr><tr><td><input type="checkbox"/> Bentonite-Sand Slurry</td><td><input type="checkbox"/> Bentonite - Cement Grout</td></tr><tr><td><input checked="" type="checkbox"/> Chipped Bentonite</td><td></td></tr></table>			<input type="checkbox"/> Neat Cement Grout	For monitoring wells and monitoring well boreholes only	<input type="checkbox"/> Sand-Cement (Concrete)	Grout	<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Pellets	<input type="checkbox"/> Clay-Sand Slurry	<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite-Sand Slurry	<input type="checkbox"/> Bentonite - Cement Grout	<input checked="" type="checkbox"/> Chipped Bentonite	
<input type="checkbox"/> Neat Cement Grout	For monitoring wells and monitoring well boreholes only														
<input type="checkbox"/> Sand-Cement (Concrete)	Grout														
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Pellets														
<input type="checkbox"/> Clay-Sand Slurry	<input type="checkbox"/> Granular Bentonite														
<input type="checkbox"/> Bentonite-Sand Slurry	<input type="checkbox"/> Bentonite - Cement Grout														
<input checked="" type="checkbox"/> Chipped Bentonite															
(7) Material Used To Fill Well/Drillhole		From (Ft.)	To (Ft.)	No. Yards Sacks, Sealant (Circle or Volume One)	Mix Ratio or Mud Weight										
Granular Bentonite		Surface	<u>12'</u>	<u>2064</u>											
(8) Comments:															
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY													
Signature of Person Doing Work 	Date Signed <u>9/2/07</u>	Date Received/Inspected		District/County											
Street or Route W6306 STH 39	Telephone Number (608)527-2355	Reviewer/Inspector		<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work											
City, State, Zip Code; New Glarus, WI 53574		Follow-up Necessary													

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME			
Well/Drillhole/Borehole Location - <u>B-4</u>	County <u>Oneida</u>	Original Well Owner (If Known) <u>Three Lakes Laundry</u>			
<u>1/4 of</u> <u>1/4 of Sec.</u> ; T: <u>N;R. 1</u>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Present Well Owner same			
(If Applicable) Street or Route <u>Gov't Lot</u>	Grid Number	<u>1243 Superior Street</u>			
Grid Location <u>Ft. <input type="checkbox"/> N. <input type="checkbox"/> S.</u>	<u>Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.</u>	City, State, Zip Code <u>Three Lakes, WI</u>			
Civil Town Name Three Lakes	Facility Well No. and/or Name (If App)		WI Unique Well No.		
Street Address of Well <u>1243 Superior Street</u>	Reason For Abandonment NO LONGER NEEDED				
City, Village Three Lakes	Date of Abandonment <u>8/23/07</u>				
WELL/DRILLHOLE/BOREHOLE INFORMATION					
(3) Original Well/Drillhole/Borehole Construction Completed On <u>8-28-07</u>					
(Date)	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casting Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) <u>Geoprobe</u>					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____			
Total Well Depth(ft.) <u>12</u> (From groundsurface)	Casting Diameter(in.) _____	(5) Required Method of Placing Sealed Material <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite			
Lower Drillhole Diameter (in.) <u>2"</u>	Casting Depth(ft.) _____	(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet					
(7) Material Used To Fill Well/Drillhole		From (Ft.)	To (Ft.)	No. Yards Sacks, Sealant (Circle or Volume One)	Mix Ratio or Mud Weight
Granular Bentonite	Surface	<u>12</u>	<u>206.65</u>		
(8) Comments:					
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY			
Signature of Person Doing Work <u>Dave Paulson</u>	Date Signed <u>9/2/07</u>	Date Received/Inspected		District/County	
Street or Route W6306 STH 39	Telephone Number (608)527-2355	Reviewer/Inspector		<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code; New Glarus, WI 53574		Follow-up Necessary			

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location - <u>B-5</u>	County <u>Oneida</u>	Original Well Owner (If Known) <u>Three Lakes Laundry</u>	
<u>1/4 of</u>	<u>1/4 of Sec.</u>	<u>T:</u>	<u>N;R. 1</u>
		<input type="checkbox"/> E	Present Well Owner <u>same</u>
(If Applicable) Street or Route <u>Gov't Lot</u>		Grid Number	<u>1243 Superior Street</u>
Grid Location <u>Ft. <input type="checkbox"/> N. <input type="checkbox"/> S.</u>	<u>Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.</u>	City, State, Zip Code <u>Three Lakes, WI</u>	
Civil Town Name <u>Three Lakes</u>		Facility Well No. and/or Name (If App)	WI Unique Well No.
Street Address of Well <u>1243 Superior Street</u>		Reason For Abandonment <u>NO LONGER NEEDED</u>	
City, Village <u>Three Lakes</u>		Date of Abandonment <u>8/28/07</u>	
WELL/DRILLHOLE/BOREHOLE INFORMATION			
(3) Original Well/Drillhole/Borehole Construction Completed On <u>8/28/07</u>			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) <u>Geoprobe</u>		Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth(ft.) <u>12'</u> (From groundsurface)		Casting Diameter(in.) _____ Casting Depth(ft.) _____	
Lower Drillhole Diameter (in.) <u>2"</u>			
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			
(4) Depth to Water (Feet) <u>30.5'</u>			
Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casting Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
(5) Required Method of Placing Sealed Material			
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Dump Bailer		<input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Other (Explain) _____	
(6) Sealing Materials			
For monitoring wells and <input type="checkbox"/> Neat Cement Grout monitoring well boreholes only <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite			
(7) Material Used To Fill Well/Drillhole			
Granular Bentonite		From (Ft.) <u>Surface</u>	To (Ft.) <u>12'</u>
		No. Yards <u>19.6</u>	Sacks, Sealant (Circle or Volume One)
			Mix Ratio or Mud Weight
(8) Comments:			
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work <u>Dave Paulson</u>		Date Signed <u>9/2/07</u>	Date Received/Inspected
Street or Route <u>W6306 STH 39</u>		Reviewer/Inspector	District/County
Telephone Number <u>(608)527-2355</u>		<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code; New Glarus, Wi 53574		Follow-up Necessary	

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME			
Well/Drillhole/Borehole Location - <u>B-6</u>	County Oneida	Original Well Owner (If Known) Three Lakes Laundry			
1/4 of _____ 1/4 of Sec. _____ ; T.: _____ N; R. 1	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Present Well Owner same			
(If Applicable) Street or Route Gov't Lot		Grid Number 1243 Superior Street			
Grid Location Ft. <input type="checkbox"/> N. <input type="checkbox"/> S. Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, State, Zip Code Three Lakes, WI				
Civil Town Name Three Lakes	Facility Well No. and/or Name (If App)		WI Unique Well No.		
Street Address of Well 1243 Superior Street	Reason For Abandonment NO LONGER NEEDED				
City, Village Three Lakes	Date of Abandonment 8/23/07				
WELL/DRILLHOLE/BOREHOLE INFORMATION					
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>8-28-07</u>					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <input type="checkbox"/> Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ <input type="checkbox"/> Was Casting Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) <u>Geoprobe</u>					
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____				
Total Well Depth(ft.) <u>34.0</u> (From groundsurface)	Casting Diameter(in.) _____	<input type="checkbox"/> Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite			
Lower Drillhole Diameter (in.) <u>2"</u>	Casting Depth(ft.) _____				
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet					
(7) Material Used To Fill Well/Drillhole		From (Ft.)	To (Ft.)	No. Yards Sacks, Sealant (Circle or Volume One)	Mix Ratio or Mud Weight
Granular Bentonite <i>Bentonite</i> <i>grout</i>	Surface	<u>12</u>	<u>22 Lbs</u>	<u>22 Lbs</u>	
		<u>12</u>	<u>34</u>	<u>4 gal</u>	
(8) Comments:					
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)		(10) FOR DNR OR COUNTY USE ONLY			
Signature of Person Doing Work <i>Dave Paulson</i>	Date Signed <u>9/2/07</u>	Date Received/Inspected		District/County	
Street or Route W6306 STH 39	Telephone Number (608)527-2355	Reviewer/Inspector		<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	
City, State, Zip Code; New Glarus, Wi 53574		Follow-up Necessary			

Department of Natural Resources

Form 3300-5B

Rev. 3-95

All Abandonment work shall be performed in accordance with the provision of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME							
Well/Drillhole/Borehole Location - <u>B-7</u>	County Oneida	Original Well Owner (If Known) Three Lakes Laundry							
1/4 of _____ 1/4 of Sec. _____ ; T: _____ N; R: <u>1</u>	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	Present Well Owner same							
(If Applicable) Street or Route Gov't Lot	Grid Number	1243 Superior Street							
Grid Location Ft. <input type="checkbox"/> N. <input type="checkbox"/> S. Ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	City, State, Zip Code Three Lakes, WI								
Civil Town Name Three Lakes	Facility Well No. and/or Name (If App)		WI Unique Well No.						
Street Address of Well 1243 Superior Street	Reason For Abandonment NO LONGER NEEDED								
City, Village Three Lakes	Date of Abandonment <u>8/23/07</u>								
WELL/DRILLHOLE/BOREHOLE INFORMATION									
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>8-28-07</u>									
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drill Hole <input type="checkbox"/> Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) <u>Geoprobe</u>	Construction Report Available? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No								
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock								
Total Well Depth(ft.) <u>34</u> (From groundsurface)	Casting Diameter(in.) _____ Casting Depth(ft.) _____								
Lower Drillhole Diameter (in.) <u>2"</u>									
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet									
(4) Depth to Water (Feet) <u>30.5'</u>									
Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable Casting Left in Place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casting Cut Off Below Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No									
(5) Required Method of Placing Sealed Material									
<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____									
(6) Sealing Materials For monitoring wells and monitoring well boreholes only									
<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite									
(7) Material Used To Fill Well/Drillhole									
Granular Bentonite <u>Bentonite grout</u>	From (Ft.) <u>Surface</u>	To (Ft.) <u>1L</u>	No. Yards <u>22 Lb</u>						
	<u>12</u>	<u>34</u>	<u>4 bags</u>						
(8) Comments:									
(9) Name of Person or Firm Doing Sealing Work Soil Essentials (Dave Paulson)									
Signature of Person Doing Work <u>Dave Paulson</u>	Date Signed <u>9/2/07</u>								
Street or Route W6306 STH 39	Telephone Number (608)527-2355								
City, State, Zip Code; New Glarus, WI 53574									
(10) FOR DNR OR COUNTY USE ONLY <table border="1"> <tr> <td>Date Received/Inspected</td> <td>District/County</td> </tr> <tr> <td>Reviewer/Inspector</td> <td><input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work</td> </tr> <tr> <td colspan="2">Follow-up Necessary</td> </tr> </table>				Date Received/Inspected	District/County	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work	Follow-up Necessary	
Date Received/Inspected	District/County								
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work								
Follow-up Necessary									

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number						
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007									
Boring or Well Number WI Unique Well Number (assigned by DNR) B-1								Borehole Diameter 2"			Water Level 30.05			Surface Elevation			
SE	1/4 of SW	1/4 of Section	06	T	38	N	R	11	E	Grid Location (if applicable)							
County		Oneida		County Code		44		Civil Town			Three Lakes						
S A M P L E	R E C O V E R Y	D E P T H (ft)	SOIL/ROCK DESCRIPTION				W E L L A M	D I A G R A M	U S D S	RQ D	Stable O V M (vppm)	q	W	LL	PL	P200	Blow Count
		0	Concrete Blind drilled to 32 ft														
		4															
		8															
		12															
		16															
		20															
		24															
		28															
		32															
Signature <i>Robyn Seymour</i>								Firm: Seymour Environmental Services, Inc.									

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number						
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)											Date Installed 8/28/2007						
Boring or Well Number WI Unique Well Number (assigned by DNR) B-2								Borehole Diameter 2"			Water Level		Surface Elevation na				
SE	1/4 of SW	1/4 of Section	06	T	38	N	R	11	E	Grid Location (if applicable)							
County		Oneida		County Code				44	Civil Town		Three Lakes						
S A M P L E R Y	R E C O V E R Y	D E P T H H (ft)	SOIL/ROCK DESCRIPTION				W E L L R A M	D I A G R A M	U S D S	RQ D	Stable O V M (vppm)	Soil Properties				Blow Count	
		0	Asphalt Fine sand						SW								
		4	Silty sand layer Wet Sand						SM								
		8	Slightly sandy brown silt Sandy layers with some Cobbles/gravel in the silt						ML								
		12	Same as above Less gravel						ML								
		16	End of boring														
		20															
		24															
		28															
		32															
Signature <i>Robyn Seymour</i>								Firm: Seymour Environmental Services, Inc.									

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number													
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007																
Boring or Well Number WI Unique Well Number (assigned by DNR) B-3								Borehole Diameter 2"			Water Level		Surface Elevation na											
SE	% of SW	% of Section	06	T	38	N	R	11	E	Grid Location (if applicable)														
County		Oneida		County Code		44		Civil Town			Three Lakes													
S A M P L E	R E C O V E R	D E P T H E Y	(ft)	SOIL/ROCK DESCRIPTION								D W E L L	I A G R A	U S D S	RQ D	Stable O V M (vppm)	Soil Properties					Blow Count		
			0	Grass Silty topsoil Medium brown slightly silty sand, fine to coarse										ML										
			4	Same as above										SM										
			8	Fine to medium silty sand. Saturated sand (rain) well graded with well graded gravel										SM										
			12	End of boring										SW										
			16																					
			20																					
			24																					
			28																					
			32																					
Signature <u>Robyn Seymour</u>												Firm: Seymour Environmental Services, Inc.												

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number						
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007									
Boring or Well Number WI Unique Well Number (assigned by DNR) B-4								Borehole Diameter 2"			Water Level		Surface Elevation na				
SE	1/4 of SW	1/4 of Section	06	T	38	N	R	11	E	Grid Location (if applicable)							
County		Oneida		County Code		44		Civil Town			Three Lakes						
S A M P L E	R E C O V E R Y	D E P T H (ft)	SOIL/ROCK DESCRIPTION				W E L L L	D I A G R A M	U S D S	RQ D	Stable O V M (vppm)	Soil Properties				Blow Count	
		0	Asphalt Fine sand Wet dense silty sand with gravel						SW								
		4	Fine sand, slight gravel Silt-layers						SM								
		8	Silty fine sand with gravel Cobble layer 9-10 ft Wet sand, medium grained						SM								
		12	End of boring						SW								
		16															
		20															
		24															
		28															
		32															
Signature <u>Robyn Seymour</u>								Firm: Seymour Environmental Services, Inc.									

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number							
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007										
Boring or Well Number WI Unique Well Number (assigned by DNR) B-5								Borehole Diameter 2"			Water Level		Surface Elevation na					
SE <u>1/4</u> of SW <u>1/4</u> of Section <u>06</u> T <u>38</u> N R <u>11</u> E								Grid Location (if applicable)										
County Oneida				County Code 44				Civil Town Three Lakes										
S A M P L E	R E C O V E R Y	D E P T H (ft)	SOIL/ROCK DESCRIPTION				W E L L	D I A G R A M	U S D S	RQ D	Stable O V M (vpmm)	Soil Properties					Blow Count	
		0	Asphalt Well graded sand with slight gravel Silt layer to 6 ft						SW			q	W	LL	PL	P200		
		4	Fine sand Silt						ML									
		8	Silty fine sand with cobbles Fine sand Silt layer						ML									
		12	End of boring						SM									
		16							SW									
		20							ML									
		24							ML									
		28							SM									
		32							SW									
									ML									
Signature <u>Robyn Seymour</u>												Firm: Seymour Environmental Services, Inc.						

Facility/Project Name Three Lakes Laundry								Seymour Project Number			License/Permit/Monitoring Number							
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007										
Boring or Well Number WI Unique Well Number (assigned by DNR) B-6								Borehole Diameter 2"			Water Level		Surface Elevation 30.5					
SE	1/4 of SW	1/4 of Section	06	T	38	N	R	11	E	Grid Location (if applicable)								
County Oneida				County Code 44				Civil Town			Three Lakes							
S A M P L E R Y	R E C O V E R Y	D E P T H (ft)	SOIL/ROCK DESCRIPTION					W E L L	D I A G R A M	U S D S	RQ D	Stable O V M (vppm)	Soil Properties				Blow Count	
		0	Asphalt Blind drilled to 34 ft										q	W	LL	PL	P200	
		4																
		8																
		12																
		16																
		20																
		24																
		28																
		32																
End of Boring 34 ft																		
Signature <u>Robyn Seymour</u>										Firm: Seymour Environmental Services, Inc.								

Facility/Project Name Three Lakes Laundry								Seymour Project Number	License/Permit/Monitoring Number							
Boring Drilled by Soil Essentials (Cory Johnson), Seymour Environmental (Robyn Seymour)								Date Installed 8/28/2007								
Boring or Well Number WI Unique Well Number (assigned by DNR) B-7								Borehole Diameter 2"	Water Level 30.5	Surface Elevation						
SE	1/4 of SW	1/4 of Section	06	T	38	N	R	11	E	Grid Location (if applicable)						
County		Oneida		County Code		44		Civil Town		Three Lakes						
S A M P L E R Y	R E C O V E R Y	D E P T H (ft)	SOIL/ROCK DESCRIPTION				W E L L R A M	D I U S D S	RQ D	Stable O V M (vppm)	Soil Properties				Blow Count	
		0	Asphalt Blind drilled to 34 ft								q	w	ll	pl	p200	
		4														
		8														
		12														
		16														
		20														
		24														
		28														
		32														
End of Boring 34 ft																
Signature <u>Robyn Seymour</u>								Firm: Seymour Environmental Services, Inc.								