

8040 Excelsior Drive Suite 303 Madison, WI 53717 **P** 608.327.5050 **F:** 608.531.2873

gannettfleming.com

January 12, 2024 File #34283.000

Candace Sykora Wisconsin Department of Natural Resources 890 Spruce Street Baldwin, WI 54002

Re: National Presto Industries, Inc., Superfund Site, Eau Claire, Wisconsin

Annual Discharge Monitoring Report for 2023

USEPA CERCLIS ID WID 006196174

WDNR BRRTS 02-09-000267 and FID 609038320

Dear Candace:

On behalf of National Presto Industries, Inc. (NPI), Gannett Fleming, Inc. is providing NPI's annual discharge monitoring report (DMR) for 2023. The enclosed DMR provides flow and analytical data from Southwest Corner extraction well EW-6 and manhole MH-18. The groundwater pumped from EW-6, when operating, is treated by cascade aeration and discharged to the Chippewa River via the storm sewer and MH-18.

Submittal of this annual DMR is required by the Wisconsin Department of Natural Resources (WDNR). Feel free to contact me if you have any questions or need additional information.

Sincerely, GANNETT FLEMING, INC.

Clifford C. Wright, P.E., P.G. Project Engineer

CCW/Enc.

ecc: Glenn Lautenbach (USEPA)

Derrick Paul (NPI)

Chelsea Payne (Gannett Fleming)



NATIONAL PRESTO INDUSTRIES, INC. EAU CLAIRE, WISCONSIN

ANNUAL DISCHARGE MONITORING RESULTS FOR 2023

					Discharge Limits		
	Sample ⁽¹⁾				Daily	Weekly	Result
Substance/Parameter	Frequency	Туре	Results	Units	Maximum	Average	Qualifier(s)
Total cadmium (Cd)	Annual	Grab	1.3	μg/L	240		U
		Calculated ⁽²⁾	0.0028	lb/day		0.22	U
pH (field)	Annual	Grab	8.0	su	6 to 9		
Temperature (field)	Annual	Grab	55	°F			

NOTE:

U = Parameter not detected at or above the indicated value, which is the detection limit for measured concentrations or a flow-weighted number for calculated levels. The calculated mass discharge rate, which is based on the detection limit, is U flagged also.

FOOTNOTES:

- (1) Samples collected from manhole MH-18 on 8/29/23. Average flow rate in 2023 = 180 gallons per minute (gpm).
- (2) Calculated mass discharge rate based on the estimated average flow and reported Cd concentration, as shown below.

180 gal 3.785 L 1,440 min 1 lb 1.3 μg = 0.0028 lb/day total Cd min 1 gal 1 day
$$4.54 \times 10^8 \, \mu g$$
 L