

Beggs, Tauren R - DNR

From: Chronert, Roxanne N - DNR
Sent: Monday, October 23, 2017 3:24 PM
To: Merry, JaNelle P - DNR; Beggs, Tauren R - DNR; Kasdorf, James H Jr - DNR
Subject: RE: Historic Well Log for "Carlson"

Jim – thanks for all of your efforts to ask the right questions and track this down. Rox

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Roxanne Nelezen Chronert

Northeast Region Remediation and Redevelopment Team Supervisor
Wisconsin Department of Natural Resources
2984 Shawano Avenue, Green Bay WI 54313-6727
Phone: (920) 662-5120
Cell Phone: (920) 362-3981
Roxanne.chronert@Wisconsin.gov



dnr.wi.gov



From: Merry, JaNelle P - DNR
Sent: Monday, October 23, 2017 3:20 PM
To: Chronert, Roxanne N - DNR; Beggs, Tauren R - DNR
Subject: FW: Historic Well Log for "Carlson"

Hello,

Good news... Jim may have found the well log for the Novy site!!!

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

JaNelle Merry

Phone: 920-662-5484
JaNelle.Merry@wisconsin.gov

From: Kasdorf, James H Jr - DNR
Sent: Monday, October 23, 2017 3:15 PM
To: snovy@att.net
Cc: Merry, JaNelle P - DNR
Subject: Historic Well Log for "Carlson"

Dear Ms. Novy –

Earlier this morning when we spoke, you mentioned that a former owner of your property may have been named, "Carlson." I searched DNR's database records and identified well construction record MN2316, which is a well

registered to Edward Carlson. The location of SE 1/4, NE 1/4, NE 1/4, T18N, R23E, Section 1, matches your property location.

Your well is believed to be originally drilled on May 23, 1969, to 140 feet below grade and cased to 135 feet below grade. Your well is believed to terminate in limestone bedrock. The well casing is believed to be sealed to 20 feet below grade using drill slurry.

Please keep this record with your property files. Thank you.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Jim Kasdorf

Private Water Supply Specialist – Drinking Water & Groundwater

Wisconsin Department of Natural Resources

N7725 Hwy 28, Horicon, WI 53032

Phone: 920-387-7872

Cell Phone: 715-579-9729

Fax: 920-387-7888

James.KasdorfJr@Wisconsin.gov



dnr.wi.gov



1 COUNTY Manitowish CHECK ONE Town Village City NAME Newton

2 LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.)
NE 1/4 of Sec. 1 T 18 N-R. 23 E SE, NE, NE, Sec. 1

3. OWNER AT TIME OF DRILLING
Edward Carlson

4. OWNER'S COMPLETE MAIL ADDRESS
R#3 Manitowish Wis.

5. Distance in feet from well to nearest: (Record answer in appropriate block)	BUILDING		SANITARY SEWER		FLOOR DRAIN		FOUNDATION DRAIN		WASTE WATER DRAIN	
	C. I.	TILE	C. I.	TILE	C. I.	TILE	SEWER CONNECTED	INDEPENDENT	C. I.	TILE
	8	35	-	35	-	-	-	-	35	-

CLEAR WATER DRAIN	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE
-	-	65	-	78	50	70	-	-

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)

6. Well is intended to supply water for: Home use

7. DRILLHOLE						10. FORMATIONS		
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
10	Surface	20	6	20	140	sand	Surface	61
						clay	61	104
						hard pan	104	135
						limestone	135	140

8. CASING, LINER, CURBING, AND SCREEN			
Dia. (in.)	Kind and Weight	From (ft.)	To (ft.)
6	steel std, 19-45	Surface	135
	open foot new		
	block T & C		

9. GROUT OR OTHER SEALING MATERIAL		
Kind	From (ft.)	To (ft.)
drill slurry	Surface	20

11. MISCELLANEOUS DATA

Yield test: 3 Hrs. at 22 GPM

Well construction completed on May 23 1969

Well is terminated 18 inches above below final grade

Depth from surface to normal water level 48 ft. Well disinfected upon completion Yes No

Depth to water level when pumping 51 ft. Well sealed watertight upon completion Yes No

Water sample sent to Madison laboratory on: 5/28/69 1969

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumphrooms, access pits, etc., should be given on reverse side.

SIGNATURE Joseph Bohne Registered Well Driller COMPLETE MAIL ADDRESS 4217 Concord St Manitowish Wis.

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
				