

From: Kathleen McDaniel <kmcdaniel@manitowoc.org>
Sent: Friday, November 22, 2019 3:50 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: Newton Pit - email 1 of 4 - Expanded sampling, 1st two weeks lab results
Attachments: 1702 Silver Crk Rd.pdf; 1703 Silver Crk Rd.pdf; 1709 Lissa Lane.pdf; 1710 Lissa Lane.pdf; 1717 Silver Crk Rd.pdf; 1801 Jenny Rd.pdf; 1804 Jenny Rd.pdf; 1811 Silver Crk Rd.pdf; 1906 Silver Crk Rd.pdf; 1909 Silver Crk Rd.pdf; 2218 Silver Crk Rd.pdf; 2224 Silver Crk Rd.pdf; 2304 Silver Crk Rd.pdf; 2312 Silver Crk Rd.pdf; 1108 Creek Trails.pdf; 1110 Lake Lane.pdf; 1125 Silver Crk Rd.pdf; 1202 Silver Crk Rd.pdf; 1207 Creek Trails.pdf; 1219 Silver Crk Rd.pdf; 1315 Silver Crk Rd.pdf; 1404 Silver Crk Rd.pdf; 1423 Silver Crk Rd.pdf; 1428 Silver Crk Rd.pdf; 1507 Silver Crk Rd.pdf; 1521 Lone Oak Ln.pdf; 1602 Silver Crk Rd.pdf

Hi Tauren,

This is the first of four emails with results we received today from AECOM. We are planning to do notifications to the homeowners, including offering water delivery service through Culligan, on Monday morning.

Kathleen

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112N
Sample ID 1108 CREEK TRAILS
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112N
Sample ID 1108 CREEK TRAILS
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112III
Sample ID 1110 LAKE LANE
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112III
Sample ID 1110 LAKE LANE
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112JJJ
Sample ID 1125 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112JJJ
Sample ID 1125 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112P
Sample ID 1202 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112P
Sample ID 1202 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112EEE
Sample ID 1207 CREEK TRAILS
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112EEE
Sample ID 1207 CREEK TRAILS
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112UU
Sample ID 1219 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112UU
Sample ID 1219 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130F
Sample ID 1315 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130F
Sample ID 1315 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130R
Sample ID 1404 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130R
Sample ID 1404 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112D
Sample ID 1423 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112D
Sample ID 1423 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112T
Sample ID 1428 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112T
Sample ID 1428 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112K
Sample ID 1507 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112K
Sample ID 1507 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112NNN
Sample ID 1521 LONE OAK LANE
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112NNN
Sample ID 1521 LONE OAK LANE
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112HH
Sample ID 1602 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112HH
Sample ID 1602 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130H
Sample ID 1702 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130H
Sample ID 1702 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112BBBB
Sample ID 1703 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112BBBB
Sample ID 1703 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112W
Sample ID 1709 LISSA LANE
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112W
Sample ID 1709 LISSA LANE
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112JJJ
Sample ID 1710 LISSA LANE
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112JJJ
Sample ID 1710 LISSA LANE
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112C
Sample ID 1717 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112C
Sample ID 1717 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Z
Sample ID 1801 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Z
Sample ID 1801 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112FF
Sample ID 1804 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112FF
Sample ID 1804 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130E
Sample ID 1811 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130E
Sample ID 1811 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112SSS
Sample ID 1906 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112SSS
Sample ID 1906 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112AAA
Sample ID 1909 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112AAA
Sample ID 1909 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130D
Sample ID 2218 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130D
Sample ID 2218 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112I
Sample ID 2224 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112I
Sample ID 2224 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112XXX
Sample ID 2304 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112XXX
Sample ID 2304 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112EEEE
Sample ID 2312 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/18/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/18/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/18/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/18/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/18/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/18/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/18/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/18/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/18/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/18/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/18/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/18/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/18/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/18/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/18/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/18/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/18/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/18/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/18/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/18/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/18/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/18/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/18/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/18/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/18/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/18/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/18/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/18/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/18/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/18/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/18/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/18/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112EEEE
Sample ID 2312 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/18/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/18/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/18/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/18/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/18/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/18/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/18/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/18/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		11/18/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/18/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/18/2019	CJR	1

From: Kathleen McDaniel <kmcdaniel@manitowoc.org>
Sent: Friday, November 22, 2019 3:50 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: Newton Pit - email 2 of 4 - Expanded sampling, 1st two weeks lab results
Attachments: 2930 S 19th St.pdf; 3019 S 15th St.pdf; 3019 S 19th St.pdf; 3020 S 15th St.pdf; 3027 S 15th St.pdf; 3028 S 15th St.pdf; 3109 S 19th St.pdf; 3113 S 15th St.pdf; 2402 Silver Crk Rd.pdf; 2403 Jenny Rd.pdf; 2407 Elm Rd.pdf; 2408 Elm Rd.pdf; 2408 Silver Crk Rd.pdf; 2507 Nelson Lane.pdf; 2706 Silver Crk Rd.pdf; 2732 S 15th St.pdf; 2805 S 19th St.pdf; 2812 S 15th St.pdf; 2820 S 15th St.pdf; 2821 S 19th St.pdf; 2827 S 15th St.pdf; 2833 S 19th St.pdf; 2908 S 15th St.pdf; 2912 S 15th St.pdf; 2917 S 19th St.pdf; 2918 S 19th St.pdf; 2918 Silver Crk Rd.pdf

Hi Tauren,

This is the second of four emails with results we received today from AECOM. We are planning to do notifications to the homeowners, including offering water delivery service through Culligan, on Monday morning.

Kathleen

From: Henderson, Dave [<mailto:Dave.Henderson@aecom.com>]
Sent: Friday, November 22, 2019 11:41 AM
To: GravelPit
Subject: Newton Pit - email 2 of 4 - Expanded sampling, 1st two weeks lab results

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Imagine it. Delivered.

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

FORTUNE
WORLD'S MOST
ADMIRED
COMPANIES 2018
©2018 Time Inc. Used under license.

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130K
Sample ID 2402 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130K
Sample ID 2402 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112000
Sample ID 2403 JENNY RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112000
Sample ID 2403 JENNY RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112VVV
Sample ID 2407 ELM RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112VVV
Sample ID 2407 ELM RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112MMM
Sample ID 2408 ELM RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112MMM
Sample ID 2408 ELM RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112KKK
Sample ID 2408 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112KKK
Sample ID 2408 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112B
Sample ID 2507 NELSON LANE
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112B
Sample ID 2507 NELSON LANE
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112S
Sample ID 2706 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112S
Sample ID 2706 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
 Project # 60135471

Invoice # E37130

Lab Code 5037130V
 Sample ID 2732 S 15TH ST
 Sample Matrix Water
 Sample Date 11/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	0.76 "J"	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130V
Sample ID 2732 S 15TH ST
Sample Matrix Water
Sample Date 11/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	0.21 "J"	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112UUU
Sample ID 2805 S 19TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112UUU
Sample ID 2805 S 19TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112GGGG
Sample ID 2812 S 15TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	0.54 "J"	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112GGGG
Sample ID 2812 S 15TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112ZZZ
Sample ID 2820 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	0.78 "J"	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112ZZZ
Sample ID 2820 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	0.22 "J"	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112YY
Sample ID 2821 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	0.79 "J"	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112YY
Sample ID 2821 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130U
Sample ID 2827 S 15TH ST
Sample Matrix Water
Sample Date 11/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	0.78 "J"	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130U
Sample ID 2827 S 15TH ST
Sample Matrix Water
Sample Date 11/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	0.24 "J"	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112ZZ
Sample ID 2833 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112ZZ
Sample ID 2833 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112F
Sample ID 2908 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	1.01 "J"	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112F
Sample ID 2908 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	0.20 "J"	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112LLLL
Sample ID 2912 S 15TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	0.76 "J"	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112LLLL
Sample ID 2912 S 15TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	0.26 "J"	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130B
Sample ID 2917 S 19TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	1.08 "J"	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130B
Sample ID 2917 S 19TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	0.31 "J"	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112FFFF
Sample ID 2918 S 19TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/18/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/18/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/18/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/18/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/18/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/18/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/18/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/18/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/18/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/18/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/18/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/18/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/18/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/18/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/18/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/18/2019	CJR	1
cis-1,2-Dichloroethene	0.92 "J"	ug/l	0.37	1.16	1	8260B		11/18/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/18/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/18/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/18/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/18/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/18/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/18/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/18/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/18/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/18/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/18/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/18/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/18/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/18/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/18/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/18/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112FFFF
Sample ID 2918 S 19TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/18/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/18/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/18/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/18/2019	CJR	1
Vinyl Chloride	0.23 "J"	ug/l	0.2	0.65	1	8260B		11/18/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/18/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/18/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/18/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/18/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/18/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112XX
Sample ID 2918 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112XX
Sample ID 2918 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112BBB
Sample ID 2930 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	0.65 "J"	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112BBB
Sample ID 2930 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %				8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %				8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112QQQ
Sample ID 3019 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	0.97 "J"	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112QQQ
Sample ID 3019 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112LL
Sample ID 3019 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	0.98 "J"	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112LL
Sample ID 3019 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	0.22 "J"	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130G
Sample ID 3020 S 15TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	0.81 "J"	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130G
Sample ID 3020 S 15TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112R
Sample ID 3027 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	0.95 "J"	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112R
Sample ID 3027 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	0.23 "J"	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130C
Sample ID 3028 S 15TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	1.07 "J"	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130C
Sample ID 3028 S 15TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	0.28 "J"	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 53711200
Sample ID 3109 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	1.0 "J"	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 53711200
Sample ID 3109 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	0.35 "J"	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112VV
Sample ID 3113 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112VV
Sample ID 3113 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/13/2019	CJR	1

From: Kathleen McDaniel <kmcdaniel@manitowoc.org>
Sent: Friday, November 22, 2019 3:50 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: Newton Pit - email 3 of 4 - Expanded sampling, 1st two weeks lab results
Attachments: 3407 S 26th St.pdf; 3408 S 15th St.pdf; 3413 Cimmaron Ct.pdf; 3413 S 10th St.pdf; 3415 S 15th St.pdf; 3424 Silver Crk Rd.pdf; 3430 Cimmaron Ct.pdf; 3503 S 19th St.pdf; 3125 Lone Oak Ln.pdf; 3126 S 15th St.pdf; 3202 S 19th St.pdf; 3203 S 26th St.pdf; 3205 Lone Oak Ln.pdf; 3222 Silver Crk Rd.pdf; 3302 Silver Crk Rd.pdf; 3304 S 19th St.pdf; 3307 S 19th St.pdf; 3310 S 19th St.pdf; 3315 S 19th St.pdf; 3316 Silver Crk Rd.pdf; 3319 Jenny Rd.pdf; 3319 S 19th St.pdf; 3321 Jenny Rd.pdf; 3323 S 26th St.pdf; 3328 Cimmaron Ct.pdf; 3405 S 15th St.pdf; 3406 Cimmaron Ct.pdf; 3406 Silver Crk Rd.pdf

Hi Tauren,

This is the third of four emails with results we received today from AECOM. We are planning to do notifications to the homeowners, including offering water delivery service through Culligan, on Monday morning.

Kathleen

From: Henderson, Dave [<mailto:Dave.Henderson@aecom.com>]
Sent: Friday, November 22, 2019 11:41 AM
To: GravelPit
Subject: Newton Pit - email 3 of 4 - Expanded sampling, 1st two weeks lab results

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Imagine it. Delivered.

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

FORTUNE
WORLD'S MOST
ADMIRED
COMPANIES
2018

©2018 Time Inc. Used under license.

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112FFF
Sample ID 3125 LONE OAK LANE
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	0.45 "J"	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112FFF
Sample ID 3125 LONE OAK LANE
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112TTT
Sample ID 3126 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	0.8 "J"	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112TTT
Sample ID 3126 S 15TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	0.21 "J"	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130S
Sample ID 3202 S 19TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130S
Sample ID 3202 S 19TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112HHHH
Sample ID 3203 S 26T ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112HHHH
Sample ID 3203 S 26T ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130M
Sample ID 3205 LONE OAK LANE
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130M
Sample ID 3205 LONE OAK LANE
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112J
Sample ID 3222 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112J
Sample ID 3222 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112KK
Sample ID 3302 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112KK
Sample ID 3302 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112X
Sample ID 3304 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112X
Sample ID 3304 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112II
Sample ID 3307 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112II
Sample ID 3307 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112MM
Sample ID 3310 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112MM
Sample ID 3310 S 19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112H
Sample ID 3315 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112H
Sample ID 3315 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112L
Sample ID 3316 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112L
Sample ID 3316 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112GG
Sample ID 3319 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112GG
Sample ID 3319 JENNY RD
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112WWW
Sample ID 3319 S 19TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112WWW
Sample ID 3319 S 19TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112YYY
Sample ID 3321 JENNY RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112YYY
Sample ID 3321 JENNY RD
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130J
Sample ID 3323 S 26TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130J
Sample ID 3323 S 26TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112QQ
Sample ID 3328 CIMMARON CT
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	0.39 "J"	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112QQ
Sample ID 3328 CIMMARON CT
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 21-Nov-19

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112A
Sample ID 3405 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112A
Sample ID 3405 S 15TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112M
Sample ID 3406 CIMMARON CT
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112M
Sample ID 3406 CIMMARON CT
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130N
Sample ID 3406 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130N
Sample ID 3406 SILVER CREEK RD
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112HHH
Sample ID 3407 S 26TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112HHH
Sample ID 3407 S 26TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 50371300
Sample ID 3408 S 15TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 50371300
Sample ID 3408 S 15TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112CCC
Sample ID 3413 CIMMARON CT
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	0.42 "J"	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112CCC
Sample ID 3413 CIMMARON CT
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112CC
Sample ID 3413 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112CC
Sample ID 3413 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
 Project # 60135471

Invoice # E37112

Lab Code 537112SS
 Sample ID 3415 S 15TH ST
 Sample Matrix Water
 Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112SS
Sample ID 3415 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112AAAA
Sample ID 3424 SILVER CREEK
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112AAAA
Sample ID 3424 SILVER CREEK
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/15/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		11/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		11/15/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112III
Sample ID 3430 CIMMARON CT
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112III
Sample ID 3430 CIMMARON CT
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112RR
Sample ID 3503 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112RR
Sample ID 3503 S 19TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1

From: Kathleen McDaniel <kmcdaniel@manitowoc.org>
Sent: Friday, November 22, 2019 3:51 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: Newton Pit - email 4 of 4 - Expanded sampling, 1st two weeks lab results
Attachments: 4018 S 21st St.pdf; 4019 S 10th St.pdf; 4120 S 21st St.pdf; 4132 S 26th St.pdf; 4201 S 26th St.pdf; 4219 S 10th St.pdf; 4229 S 10th St.pdf; 4316 S 10th St.pdf; 4325 S 10th St.pdf; 4416 S 10th St.pdf; 4513 S 10th St.pdf; 3505 S 26th St.pdf; 3510 S 26th St.pdf; 3526 S 26th St.pdf; 3529 S 26th St.pdf; 3603 S 10th St.pdf; 3615 S 15th St.pdf; 3615 S 26th St.pdf; 3627 S 26th St.pdf; 3708 S 15th St.pdf; 3720 S 26th St.pdf; 3723 S 19th St.pdf; 3805 S 15th St.pdf; 3809 S 19th St.pdf; 3821 S 19th St.pdf; 3835 S 10th St.pdf; 3917 S 18th St.pdf; 3917 S 21st St.pdf; 3933 S 18th St.pdf; 4008 S 18th St.pdf; 4017 S 26th St.pdf

Hi Tauren,

This is the fourth of four emails with results we received today from AECOM. We are planning to do notifications to the homeowners, including offering water delivery service through Culligan, on Monday morning.

Kathleen

From: Henderson, Dave [<mailto:Dave.Henderson@aecom.com>]
Sent: Friday, November 22, 2019 11:42 AM
To: GravelPit
Subject: Newton Pit - email 4 of 4 - Expanded sampling, 1st two weeks lab results

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Imagine it. Delivered.

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

FORTUNE
WORLD'S MOST
ADMIRED
COMPANIES
2018

©2018 Time Inc. Used under license.

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112TT
Sample ID 3505 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112TT
Sample ID 3505 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130Q
Sample ID 3510 S 26TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130Q
Sample ID 3510 S 26TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130T
Sample ID 3526 S 26TH ST
Sample Matrix Water
Sample Date 11/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130T
Sample ID 3526 S 26TH ST
Sample Matrix Water
Sample Date 11/13/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112LLL
Sample ID 3529 S 26TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112LLL
Sample ID 3529 S 26TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112EE
Sample ID 3603 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112EE
Sample ID 3603 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112PP
Sample ID 3615 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112PP
Sample ID 3615 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112WW
Sample ID 3615 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112WW
Sample ID 3615 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/14/2019	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

Dave Henderson
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 21-Nov-19

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130A
Sample ID 3627 S 26TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130A
Sample ID 3627 S 26TH ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Y
Sample ID 3708 S 15TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Y
Sample ID 3708 S 15TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112G
Sample ID 3720 S 26TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112G
Sample ID 3720 S 26TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 50371120
Sample ID 3723 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 50371120
Sample ID 3723 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112DDD
Sample ID 3805 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112DDD
Sample ID 3805 S 15TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Q
Sample ID 3809 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112Q
Sample ID 3809 S 19TH ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112BB
Sample ID 3821 S19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112BB
Sample ID 3821 S19TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130L
Sample ID 3835 S 10TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130L
Sample ID 3835 S 10TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112JJ
Sample ID 3917 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112JJ
Sample ID 3917 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112DD
Sample ID 3917 S 21ST ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112DD
Sample ID 3917 S 21ST ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112U
Sample ID 3933 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112U
Sample ID 3933 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112AA
Sample ID 4008 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112AA
Sample ID 4008 S 18TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112KKKK
Sample ID 4017 S 26T ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112KKKK
Sample ID 4017 S 26T ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112E
Sample ID 4018 S 21ST ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112E
Sample ID 4018 S 21ST ST
Sample Matrix Water
Sample Date 11/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/11/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		11/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		11/11/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/11/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112RRR
Sample ID 4019 S 10TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112RRR
Sample ID 4019 S 10TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130I
Sample ID 4120 S 21ST ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	0.38 "J"	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130I
Sample ID 4120 S 21ST ST
Sample Matrix Water
Sample Date 11/11/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112CCCC
Sample ID 4132 S 26TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/18/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/18/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/18/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/18/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/18/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/18/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/18/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/18/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/18/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/18/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/18/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/18/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/18/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/18/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/18/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/18/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/18/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/18/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/18/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/18/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/18/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/18/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/18/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/18/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/18/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/18/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/18/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/18/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/18/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/18/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/18/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/18/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112CCCC
Sample ID 4132 S 26TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/18/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/18/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/18/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/18/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/18/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/18/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/18/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		11/18/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		11/18/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		11/18/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112GGG
Sample ID 4201 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112GGG
Sample ID 4201 S 26TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112V
Sample ID 4219 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 5037112V
Sample ID 4219 S 10TH ST
Sample Matrix Water
Sample Date 11/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/12/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/12/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112PPP
Sample ID 4229 S 10TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 57112PPP
Sample ID 4229 S 10TH ST
Sample Matrix Water
Sample Date 11/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		11/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		11/14/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		11/14/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112DDDD
Sample ID 4316 S 10TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/18/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/18/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/18/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/18/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/18/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/18/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/18/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/18/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/18/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/18/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/18/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/18/2019	CJR	1
1,4-Dichlorobenzene	0.75 "J"	ug/l	0.7	2.22	1	8260B		11/18/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/18/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/18/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/18/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/18/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/18/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/18/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/18/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/18/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/18/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/18/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/18/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/18/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/18/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/18/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/18/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/18/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/18/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/18/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/18/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/18/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/18/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/18/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/18/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/18/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112DDDD
Sample ID 4316 S 10TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/18/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/18/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/18/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/18/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/18/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/18/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/18/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/18/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/18/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/18/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		11/18/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		11/18/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/18/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		11/18/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112MMMM
Sample ID 4325 S 10TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/19/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 7112MMMM
Sample ID 4325 S 10TH ST
Sample Matrix Water
Sample Date 11/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/19/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		11/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		11/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/19/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		11/19/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130P
Sample ID 4416 S 10TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37130

Lab Code 5037130P
Sample ID 4416 S 10TH ST
Sample Matrix Water
Sample Date 11/12/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/20/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		11/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		11/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/20/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112NN
Sample ID 4513 S 10TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		11/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		11/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		11/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		11/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		11/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		11/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		11/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		11/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		11/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		11/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		11/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		11/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		11/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		11/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		11/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		11/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		11/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		11/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		11/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		11/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		11/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		11/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		11/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		11/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		11/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		11/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		11/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		11/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		11/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		11/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		11/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		11/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		11/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		11/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		11/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		11/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		11/13/2019	CJR	1

Project Name NEWTON EXPANDABLE PW
Project # 60135471

Invoice # E37112

Lab Code 537112NN
Sample ID 4513 S 10TH ST
Sample Matrix Water
Sample Date 11/6/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		11/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		11/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		11/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		11/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		11/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		11/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		11/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		11/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		11/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		11/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		11/13/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		11/13/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		11/13/2019	CJR	1