

From: Henderson, Dave <Dave.Henderson@aecom.com>
Sent: Monday, July 6, 2020 2:56 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: Newton Pit - VOC potable well results
Attachments: 3911 Blackhawk Ct.pdf; 3921 Blackhawk Ct.pdf; 4219 Viebahn St.pdf; 4220 Silver Cr.pdf; 3121 Hecker Rd.pdf; 3301 s 15th st.pdf; 3533 CTH CR.pdf; 3904 CTH CR.pdf; 3702 Hecker Rd.pdf; 3719 S 26th St.pdf; 3720 Hecker Rd.pdf; 3817 Viebahn St.pdf; 4024 CTH CR.pdf; 4027 Thunder Rdg Rd.pdf; 4101 Thunder Rdg Rd.pdf; 4127 Thunder Rdg Rd.pdf; 4141 Viebahn St.pdf; 4159 Silver Crk.pdf; 4314 Silver Crk.pdf; 2201 Elm St.pdf; 2608 Silver Crk.pdf; 3008 S 25th St.pdf; 3027 Orchard Ln.pdf; 3114 Hecker Rd.pdf; 3303 Hecker Rd.pdf; 3327 Hecker Rd.pdf; 3461_3417 Hecker Rd.pdf; 3515 Hecker Rd.pdf; 3518 Hecker Rd.pdf; 3609 Hecker Rd.pdf; 3625 Hecker Rd.pdf

Tauren,

AECOM, on the behalf of the City of Manitowoc, is providing VOC sampling results from our recent potable well monitoring event associated with the Former Newton Gravel Pit site, BRRTS no. 02-36-000268.

In summary:

- There is one new vinyl chloride hit:
 - 3027 Orchard Ln – This location has historically had cis-1,2-dce detects. The homeowner has been informed of the results and bottled water has been provided.
- We sampled a number of ‘replacement’ wells along Hecker Rd, they were all ND for VOCs.
- The wells that were previously ‘clean’ are still ND for VOCs.
- All other results are similar to historical results.

At this time we are waiting for the last set of PFAS results from the potable well sampling event (the lab had to retest one batch due to a QA/QC issue). We will copy the WDNR on the PFAS results and we will be providing the VOC and PFAS results to homeowners/well users in one correspondence once we receive the last set of results.

Thanks
dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Imagine it. Delivered.

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

FORTUNE
WORLD'S MOST
ADMIRED
COMPANIES 2018

©2018 Time Inc. Used under license.

From: Henderson, Dave
Sent: Thursday, June 25, 2020 8:29 PM
To: GravelPit <GravelPit@manitowoc.org>
Subject: Newton Pit - VOC potable well results

Karen,

Attached are the files for the second and final set of VOC potable well results.

In summary:

- No New VC hits
- One well, 3301 S 15th St. – is an expansion well result – ND
- All other 5-yr wells have consistent results, either ND or cis hits.

We have not received any PFAS results yet.

Thanks
dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Imagine it. Delivered.

[LinkedIn](#) [Twitter](#) [Facebook](#) [Instagram](#)

FORTUNE
WORLD'S MOST
ADMIRED
COMPANIES 2018

©2018 Time Inc. Used under license.

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003L								Sample Type Water		
Sample ID 2201 ELM STREET							Sample Date 6/4/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.44 "J"	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003L											
Sample ID 2201 ELM STREET											
								Sample Type Water			
								Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	108	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	100	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	99	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	95	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 15-Jun-20

Project Name NEWTON EXPANDABLE
Project # 60135471

Invoice # E38001

Lab Code 5038001A
Sample ID 2608 SILVER CREEK
Sample Matrix Water
Sample Date 6/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/10/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/10/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/10/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/10/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/10/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/10/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/10/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/10/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/10/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/10/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/10/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/10/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/10/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/10/2020	CJR	1

Project Name NEWTON EXPANDABLE
Project # 60135471

Invoice # E38001

Lab Code 5038001A
Sample ID 2608 SILVER CREEK
Sample Matrix Water
Sample Date 6/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/10/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/10/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/10/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/10/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/10/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/10/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/10/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/10/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/10/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/10/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/10/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/10/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/10/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/10/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/10/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/10/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/10/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/10/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		6/10/2020	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003N								Sample Type Water		
Sample ID 3008 S. 26TH ST								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.92 "J"	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003N								Sample Type Water		
Sample ID 3008 S. 26TH ST							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	0.3 "J"	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	112	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	94	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003A								Sample Type Water		
Sample ID 3027 ORCHARD LN								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.6 "J"	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003A											
Sample ID 3027 ORCHARD LN											
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR		1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR		1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR		1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR		1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR		1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR		1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR		1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR		1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR		1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR		1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR		1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR		1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR		1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR		1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR		1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR		1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR		1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR		1
Vinyl Chloride	0.3 "J"	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR		1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR		1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR		1
SUR - Dibromofluoromethane	116	REC %			1		6/9/2020	8260B	CJR		1
SUR - 4-Bromofluorobenzene	96	REC %			1		6/9/2020	8260B	CJR		1
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/9/2020	8260B	CJR		1
SUR - Toluene-d8	92	REC %			1		6/9/2020	8260B	CJR		1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003P								Sample Type Water		
Sample ID 3114 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003P								Sample Type Water		
Sample ID 3114 HECKER RD							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	111	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	95	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ							LOQ Limit of Quantitation		
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017C
Sample ID 3121 HECKER
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/17/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/17/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/17/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/17/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/17/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017C
Sample ID 3121 HECKER
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/17/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/17/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	30.6	REC %			1	8260B		6/17/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		6/17/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		6/17/2020	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 18-Jun-20

Project Name NEWTON
Project # 60135471

Invoice # E38016

Lab Code 5038016A
Sample ID 3301 S. 15TH
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/17/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/17/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38016

Lab Code 5038016A
Sample ID 3301 S. 15TH
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/17/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/17/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/17/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/17/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/17/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/17/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		6/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	29.1	REC %			1	8260B		6/17/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		6/17/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38016

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Michael Ricker

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 50380030								Sample Type Water		
Sample ID 3303 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 50380030								Sample Type Water		
Sample ID 3303 HECKER RD							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	113	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	95	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003D								Sample Type Water		
Sample ID 3327 HECKER RD								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	3.6	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003D								Sample Type Water			
Sample ID 3327 HECKER RD								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	112	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	96	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	95	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	95	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003F								Sample Type Water		
Sample ID 3461 (3417) HECKE							Sample Date 6/3/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	1.66	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003F								Sample Type Water			
Sample ID 3461 (3417) HECKE								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	114	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	100	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	101	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	93	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003I								Sample Type Water		
Sample ID 3515 HECKER RD							Sample Date 6/4/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003I								Sample Type Water			
Sample ID 3515 HECKER RD								Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	109	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	97	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	96	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003S								Sample Type Water		
Sample ID 3518 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003S								Sample Type Water		
Sample ID 3518 HECKER RD							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	111	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	95	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017B
Sample ID 3533 CTHCR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/17/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/17/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/17/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/17/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/17/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017B
Sample ID 3533 CTHCR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/17/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/17/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/17/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	28.9	REC %			1	8260B		6/17/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		6/17/2020	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003R								Sample Type Water		
Sample ID 3609 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003R								Sample Type Water		
Sample ID 3609 HECKER RD							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	105	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	97	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003U								Sample Type Water		
Sample ID 3625 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003U								Sample Type Water		
Sample ID 3625 HECKER RD							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	113	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	93	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ							LOQ Limit of Quantitation		
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003K								Sample Type Water		
Sample ID 3702 HECKER RD								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003K								Sample Type Water			
Sample ID 3702 HECKER RD								Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	112	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	97	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	101	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	95	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Project Name NEWTON EXPANDABLE
Project # 60135471

Invoice # E38001

Lab Code 5038001B
Sample ID 3719 S 26TH
Sample Matrix Water
Sample Date 6/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/10/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/10/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/10/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/10/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/10/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/10/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/10/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/10/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/10/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/10/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/10/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/10/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/10/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/10/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/10/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/10/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/10/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/10/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/10/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/10/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/10/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/10/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/10/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/10/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/10/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/10/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/10/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/10/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/10/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/10/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/10/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/10/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/10/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/10/2020	CJR	1

Project Name NEWTON EXPANDABLE
Project # 60135471

Invoice # E38001

Lab Code 5038001B
Sample ID 3719 S 26TH
Sample Matrix Water
Sample Date 6/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/10/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/10/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/10/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/10/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/10/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/10/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/10/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/10/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/10/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/10/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/10/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		6/10/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		6/10/2020	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/10/2020	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003J								Sample Type Water		
Sample ID 3720 HECKER RD							Sample Date 6/4/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code	5038003J		Sample Type		Water						
Sample ID	3720 HECKER RD		Sample Date		6/4/2020						
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	113	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	99	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	100	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003T								Sample Type Water		
Sample ID 3817 VIEBAHN ST							Sample Date 6/4/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.48 "J"	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003T								Sample Type Water		
Sample ID 3817 VIEBAHN ST							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	110	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	94	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ							LOQ Limit of Quantitation		
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017G
Sample ID 3904 CTH CR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/18/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/18/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/18/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/18/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/18/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/18/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/18/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/18/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017G
Sample ID 3904 CTH CR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/18/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/18/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
SUR - Toluene-d8	103	REC %				8260B		6/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %				8260B		6/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	30.4	REC %				8260B		6/18/2020	CJR	1
SUR - Dibromofluoromethane	115	REC %				8260B		6/18/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 18-Jun-20

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017A
Sample ID 3911 BLACKHAWK
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/17/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/17/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/17/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/17/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/17/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/17/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/17/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/17/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/17/2020	CJR	1
cis-1,2-Dichloroethene	0.53 "J"	ug/l	0.39	1.2	1	8260B		6/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017A
Sample ID 3911 BLACKHAWK
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/17/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/17/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/17/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/17/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/17/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/17/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/17/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/17/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/17/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/17/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	29	REC %			1	8260B		6/17/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		6/17/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/17/2020	CJR	1

Project Name NEWTON
 Project # 60135471

Invoice # E38017

Lab Code 5038017E
 Sample ID 3921 BLACKHAWK CT
 Sample Matrix Water
 Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/18/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/18/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/18/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/18/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/18/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/18/2020	CJR	1
cis-1,2-Dichloroethene	0.78 "J"	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/18/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/18/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/18/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017E
Sample ID 3921 BLACKHAWK CT
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/18/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/18/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	28.6	REC %			1	8260B		6/18/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/18/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		6/18/2020	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003M								Sample Type Water		
Sample ID 4024 CTH CR								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.56 "J"	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003M								Sample Type Water		
Sample ID 4024 CTH CR							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	111	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	95	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003E								Sample Type Water		
Sample ID 4027 THUNDER RI								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	1.37	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003E								Sample Type Water			
Sample ID 4027 THUNDER RI								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	113	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	100	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	106	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	95	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003C								Sample Type Water		
Sample ID 4101 THUNDER RI								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	1.11 "J"	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003C								Sample Type Water			
Sample ID 4101 THUNDER RI								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1.5	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	111	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	98	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	103	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	97	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ							LOQ Limit of Quantitation		
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003B								Sample Type Water		
Sample ID 4127 THUNDER RI								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.58 "J"	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003B								Sample Type Water			
Sample ID 4127 THUNDER RI								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	112	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	98	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	101	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	96	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003H								Sample Type Water		
Sample ID 4141 VIEBAHN							Sample Date 6/4/2020			

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	1.72	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003H											
Sample ID 4141 VIEBAHN											
								Sample Type Water			
								Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	0.54 "J"	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	111	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	98	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	105	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	96	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003G								Sample Type Water		
Sample ID 4159 SILVER CR								Sample Date 6/3/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/9/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/9/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/9/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/9/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/9/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/9/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/9/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/9/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/9/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/9/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/9/2020	8260B	CJR	1
cis-1,2-Dichloroethene	0.78 "J"	ug/l	0.39	1.2	1		6/9/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/9/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/9/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/9/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/9/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/9/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext	Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003G								Sample Type Water			
Sample ID 4159 SILVER CR								Sample Date 6/3/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/9/2020	8260B	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/9/2020	8260B	CJR	1	
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/9/2020	8260B	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/9/2020	8260B	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/9/2020	8260B	CJR	1	
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/9/2020	8260B	CJR	1	
Toluene	< 0.26	ug/l	0.26	0.83	1		6/9/2020	8260B	CJR	1	
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/9/2020	8260B	CJR	1	
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/9/2020	8260B	CJR	1	
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/9/2020	8260B	CJR	1	
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/9/2020	8260B	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/9/2020	8260B	CJR	1	
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/9/2020	8260B	CJR	1	
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/9/2020	8260B	CJR	1	
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/9/2020	8260B	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/9/2020	8260B	CJR	1	
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/9/2020	8260B	CJR	1	
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/9/2020	8260B	CJR	1	
SUR - Dibromofluoromethane	111	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 4-Bromofluorobenzene	97	REC %			1		6/9/2020	8260B	CJR	1	
SUR - 1,2-Dichloroethane-d4	104	REC %			1		6/9/2020	8260B	CJR	1	
SUR - Toluene-d8	94	REC %			1		6/9/2020	8260B	CJR	1	

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017F
Sample ID 4219 VIEBAHN
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		6/18/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		6/18/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/18/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/18/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/18/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/18/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/18/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/18/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/18/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/18/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		6/18/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017F
Sample ID 4219 VIEBAHN
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/18/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/18/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	28.7	REC %			1	8260B		6/18/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		6/18/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		6/18/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017D
Sample ID 4220 SILVER CR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		6/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		6/18/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		6/18/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		6/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		6/18/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		6/18/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		6/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		6/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/18/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/18/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		6/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		6/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		6/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		6/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		6/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		6/18/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		6/18/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		6/18/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		6/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		6/18/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		6/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		6/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		6/18/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		6/18/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		6/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/18/2020	CJR	1

Project Name NEWTON
Project # 60135471

Invoice # E38017

Lab Code 5038017D
Sample ID 4220 SILVER CR
Sample Matrix Water
Sample Date 6/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		6/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		6/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		6/18/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/18/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		6/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		6/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		6/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		6/18/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		6/18/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		6/18/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		6/18/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		6/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	28.9	REC %			1	8260B		6/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/18/2020	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003Q								Sample Type Water		
Sample ID 4314 SILVER CREE								Sample Date 6/4/2020		

Organic

VOC's

Benzene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1		6/10/2020	8260B	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1		6/10/2020	8260B	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1		6/10/2020	8260B	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1		6/10/2020	8260B	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1		6/10/2020	8260B	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1		6/10/2020	8260B	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1		6/10/2020	8260B	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1		6/10/2020	8260B	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1		6/10/2020	8260B	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1		6/10/2020	8260B	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1		6/10/2020	8260B	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1		6/10/2020	8260B	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1		6/10/2020	8260B	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1		6/10/2020	8260B	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1		6/10/2020	8260B	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1		6/10/2020	8260B	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
 AECOM
 1555 N RIVERCENTER DRIVE
 MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
Lab Code 5038003Q								Sample Type Water		
Sample ID 4314 SILVER CREE							Sample Date 6/4/2020			
Isopropylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1		6/10/2020	8260B	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1		6/10/2020	8260B	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1		6/10/2020	8260B	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1		6/10/2020	8260B	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1		6/10/2020	8260B	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1		6/10/2020	8260B	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1		6/10/2020	8260B	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1		6/10/2020	8260B	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1		6/10/2020	8260B	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1		6/10/2020	8260B	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1		6/10/2020	8260B	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1		6/10/2020	8260B	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1		6/10/2020	8260B	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1		6/10/2020	8260B	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1		6/10/2020	8260B	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1		6/10/2020	8260B	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1		6/10/2020	8260B	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1		6/10/2020	8260B	CJR	1
SUR - Dibromofluoromethane	106	REC %			1		6/10/2020	8260B	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1		6/10/2020	8260B	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1		6/10/2020	8260B	CJR	1
SUR - Toluene-d8	96	REC %			1		6/10/2020	8260B	CJR	1

Synergy Environmental Lab, INC.

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Project # 60135471
Project Name NEWTON GP
Invoice # E38003

Report Date 15-Jun-20

Analyte	Result	Units	LOD	LOQ	Dil	Ext Date	Run Date	Method	Analyst	QC Code
LOD Limit of Detection	"J" Flag: Analyte detected between LOD and LOQ									LOQ Limit of Quantitation
<i>Code</i>	<i>Comment</i>									
1	All laboratory QC requirements were met for this sample.									

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature _____