From: Beggs, Tauren R - DNR

To: <u>Karen Dorow</u>
Cc: <u>GravelPit</u>

Subject: RE: 2832 CTH CR - Smaxwell

Date: Friday, January 29, 2021 10:02:00 AM

Attachments: <u>image002.png</u>

Thanks Karen, appreciate it. This should be all I need.

Have a nice weekend,

We are committed to service excellence.

Visit our survey at http://dnr.wi.gov/customersurvey to evaluate how I did.

Tauren R. Beggs

Phone: (920) 510-3472

<u>Tauren.Beggs@wisconsin.gov</u> (preferred contact method during work at home)

From: Karen Dorow <kdorow@manitowoc.org>

Sent: Friday, January 29, 2021 9:56 AM

To: Beggs, Tauren R - DNR < Tauren. Beggs@wisconsin.gov>

Cc: GravelPit < GravelPit@manitowoc.org>

Subject: 2832 CTH CR - Smaxwell

Good Morning Tauren,

Attached are copies of the three letters that went to Ms. Smaxwell along with a copy of the certified mail receipt.

Please let me know if there is anything else you need from me.

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	S HEE
Complete items 1, 2, and 3. Print your name and address on the revision so that we can return the card to you. Attach this card to the back of the mail or on the front if space permits. Article Addressed to:	D. is delivery address different from item 1?	Agent Addressee of Delivery // 2.0
Tanya Smaxwell 2832 CTH CR	/220	
manitouse, W154	330	
Manifourc, WI 59	3. Service Type	red Mail Restricted / Receipt for

Karen Dorow | Business Manager City of Manitowoc 900 Quay Street Manitowoc, WI 54220 Office (920) 686-6514 Mobile (920) 374-0404



CITY OF MANITOWOC

WISCONSIN, USA www.manitowoc.org



November 27, 2019

Ms. Tanya Smaxwell 2832 CTH CR Manitowoc, WI 54220



Dear Ms. Tanya Smaxwell:

The City has been conducting sampling of the private potable wells in the vicinity of the Former Newton Gravel Pit. Your private well was included in the sampling that took place on October 22, 2019.

The City is in receipt of the sample results for your property. The results indicate the presence of cis-1-2-Dichloroethene, detected by the laboratory at levels below the drinking water standard of 70 micrograms per liter (ug/l). The results also indicate the presence of VOCs above Enforcement Standards. We have made several attempts to contact you by phone to which we have had no response. Please contact us as soon as possible to set up a confirmation appointment. A copy of your laboratory analytical results is attached.

If you have any questions please feel free to call us or the WDNR contacts listed below:

- Well water/sample results: Jim Kasdorf (920) 387-7872
 WDNR, Drinking & Groundwater
- Investigation/future activities: Tauren Beggs (920) 662-5178
 WDNR, Remediation & Redevelopment
- Health Questions: Sarah Yang, Ph.D. (608) 266-9337
 Wisconsin Department of Health Services
- General Questions: Kathleen McDaniel (920) 686-6990
 City of Manitowoc, City Attorney

Sincerely,

Kathleen McDaniel

City Attorney

City of Manitowoc

Dan Koski, P.E.

Director of Public Infrastructure

City of Manitowoc

Attachment: Laboratory Data





Project Name NEWTON PW Project # 60135471

Lab Code

5037023W

Sample ID 2832 (2904) CTH CR

Sample Matrix Water
Sample Date 10/22/2019

Sample Date	10/22/201	9									
		Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic											
VOC's											
Benzene		< 0.22	ug/l	0.22	0.71	1	8260B		10/30/2019	CJR	1
Bromobenzene		< 0.44	ug/l	0.44	1.38	1	8260B		10/30/2019	CJR	1
Bromodichlorometh	nane	< 0.33	ug/l	0.33	1.06	1	8260B		10/30/2019	CJR	1
Bromoform		< 0.45	ug/l	0.45	1.44	1	8260B		10/30/2019	CJR	1
tert-Butylbenzene		< 0.25	ug/l	0.25	0.8	1	8260B		10/30/2019	CJR	1
sec-Butylbenzene		< 0.79	ug/l	0.79	2.53	1	8260B		10/30/2019	CJR	1
n-Butylbenzene		< 0.71	ug/l	0.71	2.25	1	8260B		10/30/2019	CJR	1
Carbon Tetrachloric	de	< 0.31	ug/l	0.31	0.98	1	8260B		10/30/2019	CJR	1
Chlorobenzene		< 0.26	ug/l	0.26	0.83	1	8260B		10/30/2019	CJR	1
Chloroethane		< 0.61	ug/l	0.61	1.95	1	8260B		10/30/2019	CJR	1
Chloroform		< 0.26	ug/l	0.26	0.82	1	8260B		10/30/2019	CJR	1
Chloromethane		< 0.54	ug/l	0.54	1.72	1	8260B		10/30/2019	CJR	1
2-Chlorotoluene		< 0.31	ug/l	0.31	0.98	1	8260B		10/30/2019	CJR	1
4-Chlorotoluene		< 0.26	ug/l	0.26	0.83	1	8260B		10/30/2019	CJR	1
1,2-Dibromo-3-chlo	propropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/30/2019	CJR	1
Dibromochlorometh	nane	< 0.22	ug/l	0.22	0.69	1	8260B		10/30/2019	CJR	1
1,4-Dichlorobenzen	e	< 0.7	ug/l	0.7	2.22	1	8260B	×	10/30/2019	CJR	1
1,3-Dichlorobenzen	e	< 0.85	ug/l	0.85	2.7	1	8260B		10/30/2019	CJR	1
1,2-Dichlorobenzen	e	< 0.86	ug/l	0.86	2.74	1	8260B		10/30/2019	CJR	1
Dichlorodifluorome	thane	< 0.32	ug/l	0.32	1.02	1	8260B		10/30/2019	CJR	1
1,2-Dichloroethane		< 0.25	ug/l	0.25	0.78	1	8260B		10/30/2019	CJR	1
1,1-Dichloroethane		< 0.36	ug/l	0.36	1.14	1	8260B		10/30/2019	CJR	1
1,1-Dichloroethene		< 0.42	ug/l	0.42	1.34	1	8260B		10/30/2019	CJR	1
cis-1,2-Dichloroeth	ene	0.44 "J"	ug/l	0.37	1.16	1	8260B		10/30/2019	CJR	1
trans-1,2-Dichloroe	thene	< 0.34	ug/l	0.34	1.07	1	8260B		10/30/2019	CJR	1
1,2-Dichloropropan	e	< 0.44	ug/l	0.44	1.39	1	8260B		10/30/2019	CJR	1
1,3-Dichloropropan	e	< 0.3	ug/l	0.3	0.94	1	8260B		10/30/2019	CJR	1
trans-1,3-Dichlorop	ropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/30/2019	CJR	1
cis-1,3-Dichloropro	pene	< 0.26	ug/l	0.26	0.81	1	8260B		10/30/2019	CJR	1
Di-isopropyl ether		< 0.21	ug/l	0.21	0.66	1	8260B		10/30/2019	CJR	1
EDB (1,2-Dibromo	ethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/30/2019	CJR	1
Ethylbenzene		< 0.26	ug/l	0.26	0.83	1	8260B		10/30/2019	CJR	1
Hexachlorobutadien	ne	< 1.34	ug/l	1.34	4.28	1	8260B		10/30/2019	CJR	1
Isopropylbenzene		< 0.78	ug/l	0.78	2.47	1	8260B		10/30/2019	CJR	1
p-Isopropyltoluene		< 0.24	ug/l	0.24	0.76	1	8260B		10/30/2019	CJR	1
Methylene chloride		< 1.32	ug/l	1.32	4.21	1	8260B		10/30/2019	CJR	1
Methyl tert-butyl et	her (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/30/2019	CJR	1
Naphthalene		< 2.1	ug/l	2.1	6.65	1	8260B		10/30/2019	CJR	1
n-Propylbenzene		< 0.61	ug/l	0.61	1.95	1	8260B		10/30/2019	CJR	1
1,1,2,2-Tetrachloro	ethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/30/2019	CJR	1
1,1,1,2-Tetrachloro	ethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/30/2019	CJR	1
Tetrachloroethene		< 0.38	ug/l	0.38	1.21	1	8260B		10/30/2019	CJR	1
Toluene		< 0.19	ug/l	0.19	0.6	1	8260B		10/30/2019	CJR	1
1,2,4-Trichlorobenz	zene	< 1.15	ug/l	1.15	3.67	1	8260B		10/30/2019	CJR	1

Invoice # E37023

Project Name NEWTON PW

Project #

60135471

Lab Code

5037023W

Sample ID

2832 (2904) CTH CR

Sample Matrix Water

Sample Date

10/22/2019

	Result	Unit	LOD I	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/30/2019	CJR	1	
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/30/2019	CJR	1	
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/30/2019	CJR	1	
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/30/2019	CJR	1	
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/30/2019	CJR	1	
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/30/2019	CJR	1	
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/30/2019	CJR	1	
Vinyl Chloride	0.25 "J"	ug/l	0.2	0.65	1	8260B		10/30/2019	CJR	1	
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/30/2019	CJR	1	
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/30/2019	CJR	1	
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/30/2019	CJR	1	
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		10/30/2019	CJR	1	
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/30/2019	CJR	1	
SUR - Toluene-d8	103	REC %			1	8260B		10/30/2019	CJR	1	



WISCONSIN, USA www.manitowoc.org



January 10, 2020

Ms. Tanya Smaxwell 2832 CTH CR Manitowoc, WI 54220



Dear Ms. Smaxwell:

2nd Request

We have been trying to reach you regarding the potable well testing results for your private well. The City conducted sampling of the private potable wells in the vicinity of the Former Newton Gravel Pit in October of 2019. Your private well was included in the sampling that took place on October 22, 2019.

Upon receipt of your results we made several attempts to contact you by phone to which we have had no response. On November 27, 2019 the City sent you a letter with the results of the testing and requested that you contact us as soon as possible to set up a confirmation appointment. As of January 10, 2020 we have not heard from you.

Please contact Karen Dorow at 920-686-6514 by February 10, 2020 to discuss results and set up a confirmation test.

Sincerely,

Káthleen McDaniel City Attorney

City of Manitowoc

Dan Koski, P.E.

Director of Public Infrastructure

City of Manitowoc



® GCUGO 16-P Mandowsc, WI



WISCONSIN, USA www.manitowoc.org





Ms. Tanya Smaxwell 2832 CTH CR Manitowoc, WI 54220



3rd Request - Certified Mail

We have been trying to reach you regarding the potable well testing results for your private well. The City conducted sampling of the private potable wells in the vicinity of the Former Newton Gravel Pit in October of 2019. Your private well was included in the sampling that took place on October 22, 2019.

Upon receipt of your results we made several attempts to contact you by phone to which we have had no response. On November 27, 2019 the City sent you a letter with the results of the testing and requested that you contact us as soon as possible to set up a confirmation appointment. A second letter was sent on January 10, 2020 and we have not heard from you.

Please contact Karen Dorow at 920-686-6514 by March 26, 2020 to discuss results and set up a confirmation test. If you do not respond by March 26, 2020 you will be considered non-responsive and the Wisconsin Department of Natural Resources will be notified.

Sincerely,

Kathleen McDaniel

City Attorney

City of Manitowoc

Dan Koski, P.E.

Director of Public Infrastructure

City of Manitowoc



® GCU 14-7 Marshewer, WI