

From: Karen Dorow <kdorow@manitowoc.org>
Sent: Tuesday, July 6, 2021 3:16 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: External: Newton Pit - 1st round of VOC potable well results
Attachments: 2827 S 15TH ST.pdf; 2833 S 19TH ST.pdf; 2908 S 15TH ST.pdf; 2911 CTH CR.pdf; 2917 S 19TH ST.pdf; 3011 S 19TH ST.pdf; 3019 S 19TH ST.pdf; 3027 ORCHARD LN.pdf; 3027 S 15TH ST.pdf; 3028 S 15TH ST.pdf; 3126 S 15TH ST.pdf; 3128 ORCHARD LN.pdf; 3131 S 15TH ST.pdf; 3203 S 26TH ST.pdf; 3205 LOAN OAK LN.pdf; 3210 S 19TH ST.pdf; 3225 S 26TH ST.pdf; 3304 S 19TH ST.pdf; 3322 CTH CR.pdf; 3327 HECKER RD.pdf; 3412 CTH CR.pdf; 3413 CIMARRON CT.pdf; 3422 CTH CR.pdf; 3533 CTH CR.pdf; 3611 CTH CR.pdf; 3627 CTH CR.pdf; 3702 HECKER RD.pdf; 3817 VIEBAHN ST.pdf; 3911 BLACK HAWK CT.pdf; 3921 BLACK HAWK CT.pdf; 4004 SILVER CREEK RD.pdf; 4101 THUNDER RIDGE RD.pdf; 4127 THUNDER RIDGE RD.pdf; 1514 LONE OAK LN.pdf; 2417 ELM RD.pdf; 2812 S 15TH ST.pdf; 2815 S 15TH ST.pdf; 2820 S 15TH ST.pdf; 2821 S 19TH ST.pdf; 2823 S 15TH ST.pdf; 2826 S 15TH ST.pdf

Hi Tauren,

Here is the first group of VOC results.

Karen Dorow | Business Manager
City of Manitowoc
900 Quay Street
Manitowoc, WI 54220
Office (920) 686-6514
Mobile (920) 374-0404

From: Henderson, Dave <Dave.Henderson@aecom.com>
Sent: Monday, June 14, 2021 11:33 AM
To: GravelPit <GravelPit@manitowoc.org>
Subject: External: Newton Pit - 1st round of VOC potable well results

Pitters,

Attached is the first round of potable well VOC results, with the results broken out by address.

There were no new VOC ES exceedances, but there was a new VC PAL exceedance (2821 S 19th Street).

These results are ready for the WDNR, Ned for Newell, and the homeowners/well users. Please forward as necessary.

Thanks
dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest

D +1-414-944-6190
M +1-414-429-8304
Dave.Henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Delivering a better world

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)

Be Alert !

This is External or System generated Email. Please verify before opening any links or attachments.

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466K
Sample ID 1514 LONE OAK LN
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466K
Sample ID 1514 LONE OAK LN
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466JJ
Sample ID 2417 ELM RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466JJ
Sample ID 2417 ELM RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466CC
Sample ID 2812 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466CC
Sample ID 2812 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466LL
Sample ID 2815 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466LL
Sample ID 2815 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466S
Sample ID 2820 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.64 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466S
Sample ID 2820 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	0.22 "J"	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466MM
Sample ID 2821 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.73 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466MM
Sample ID 2821 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	0.18 "J"	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466C
Sample ID 2823 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.60 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466C
Sample ID 2823 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39466

Lab Code 539466DD
 Sample ID 2826 S 15TH ST
 Sample Matrix Water
 Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.41 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466DD
Sample ID 2826 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39466

Lab Code 539466EE
 Sample ID 2827 S 15TH ST
 Sample Matrix Water
 Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.47 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466EE
Sample ID 2827 S 15TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	0.17 "J"	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466SS
Sample ID 2833 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466SS
Sample ID 2833 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	95	REC %				8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %				8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %				8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				8260B		6/1/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466D
Sample ID 2908 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.78 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466D
Sample ID 2908 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	0.25 "J"	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466L
Sample ID 2911 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466L
Sample ID 2911 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466E
Sample ID 2917 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	0.82 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466E
Sample ID 2917 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	0.24 "J"	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466F
Sample ID 3011 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.97 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466F
Sample ID 3011 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	0.26 "J"	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466G
Sample ID 3019 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.80 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466G
Sample ID 3019 S 19TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	0.28 "J"	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466X
Sample ID 3027 ORCHARD LN
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466X
Sample ID 3027 ORCHARD LN
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 53946600
Sample ID 3027 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	0.65 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 53946600
Sample ID 3027 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	0.18 "J"	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466PP
Sample ID 3028 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	0.81 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466PP
Sample ID 3028 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	0.29 "J"	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466H
Sample ID 3126 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.87 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466H
Sample ID 3126 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	0.21 "J"	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39466

Lab Code 5039466Y
 Sample ID 3128 ORCHARD LN
 Sample Matrix Water
 Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466Y
Sample ID 3128 ORCHARD LN
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466R
Sample ID 3131 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.46 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466R
Sample ID 3131 S 15TH ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466QQ
Sample ID 3203 S 26TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466QQ
Sample ID 3203 S 26TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466KK
Sample ID 3205 LONE OAK LN
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466KK
Sample ID 3205 LONE OAK LN
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466NN
Sample ID 3210 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466NN
Sample ID 3210 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466Z
Sample ID 3225 S 26TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466Z
Sample ID 3225 S 26TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466II
Sample ID 3304 S 19TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466II
Sample ID 3304 S 19TH ST
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466M
Sample ID 3322 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466M
Sample ID 3322 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466T
Sample ID 3327 HECKER RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	3.2	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466T
Sample ID 3327 HECKER RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466AA
Sample ID 3412 CTH CR
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466AA
Sample ID 3412 CTH CR
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466FF
Sample ID 3413 CIMARRON CT
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.42 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466FF
Sample ID 3413 CIMARRON CT
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466N
Sample ID 3422 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466N
Sample ID 3422 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 50394660
Sample ID 3533 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 50394660
Sample ID 3533 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466HH
Sample ID 3611 CTH CR
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466HH
Sample ID 3611 CTH CR
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466P
Sample ID 3627 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466P
Sample ID 3627 CTH CR
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466U
Sample ID 3702 HECKER RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.54 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466U
Sample ID 3702 HECKER RD
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39466

Lab Code 5039466V
 Sample ID 3817 VIEBAHN ST
 Sample Matrix Water
 Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	0.50 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466V
Sample ID 3817 VIEBAHN ST
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	0.20 "J"	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466I
Sample ID 3911 BLACK HAWK CT
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.63 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466I
Sample ID 3911 BLACK HAWK CT
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466GG
Sample ID 3921 BLACK HAWK CT
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.69 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 539466GG
Sample ID 3921 BLACK HAWK CT
Sample Matrix Water
Sample Date 5/25/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466Q
Sample ID 4004 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466Q
Sample ID 4004 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39466

Lab Code 5039466W
 Sample ID 4101 THUNDER RIDGE RD
 Sample Matrix Water
 Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/27/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/27/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/27/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/27/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/27/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/27/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/27/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/27/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/27/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/27/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/27/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/27/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/27/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/27/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/27/2021	CJR	1
cis-1,2-Dichloroethene	1.16 "J"	ug/l	0.39	1.59	1	8260B		5/27/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/27/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/27/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/27/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/27/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/27/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/27/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/27/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/27/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/27/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/27/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/27/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/27/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/27/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/27/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/27/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/27/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/27/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/27/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/27/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466W
Sample ID 4101 THUNDER RIDGE RD
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/27/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/27/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/27/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/27/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/27/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/27/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/27/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/27/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/27/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/27/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/27/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/27/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/27/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		5/27/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466J
Sample ID 4127 THUNDER RIDGE RD
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/28/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/28/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/28/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/28/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/28/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/28/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/28/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/28/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/28/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/28/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/28/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/28/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/28/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/28/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/28/2021	CJR	1
cis-1,2-Dichloroethene	0.77 "J"	ug/l	0.39	1.59	1	8260B		5/28/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/28/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/28/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/28/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/28/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/28/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/28/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/28/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/28/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/28/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/28/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/28/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/28/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/28/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/28/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/28/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/28/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/28/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/28/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/28/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/28/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39466

Lab Code 5039466J
Sample ID 4127 THUNDER RIDGE RD
Sample Matrix Water
Sample Date 5/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/28/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/28/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/28/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/28/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/28/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/28/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/28/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/28/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/28/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/28/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/28/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		5/28/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/28/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/28/2021	CJR	1

From: Karen Dorow <kdorow@manitowoc.org>
Sent: Tuesday, July 6, 2021 3:17 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: External: Newton Pit - 2nd round of VOC potable well results
Attachments: 3326 S 15TH ST.pdf; 3406 CIMARRON CT.pdf; 3517 S 26TH ST.pdf; 3626 CTH CR.pdf; 3818 SILVER CREEK RD.pdf; 3825 VIEBAHN ST.pdf; 4027 THUNDER RIDGE RD.pdf; 4314 SILVER CREEK RD.pdf; 1617 LISSA LN.pdf; 1704 LISSA LN.pdf; 2407 ELM RD.pdf; 2834 S 15TH ST.pdf; 2912 S 15TH ST.pdf; 3003 S 19TH ST.pdf; 3020 S 15TH ST.pdf; 3125 LONE OAK LN.pdf; 3202 S 19TH ST.pdf; 3206 LONE OAK LN.pdf; 3208 LONE OAK LN.pdf; 3305 S 15TH ST.pdf; 3310 S 19TH ST.pdf; 3315 CIMARRON CT.pdf; 3019 S 15TH ST.pdf; 3202 S 15TH ST.pdf; 3320 HECKER RD.pdf; 3523 CTH CR.pdf; 4159 SILVER CREEK RD.pdf; 1520 LONE OAK LN.pdf; 2201 ELM RD.pdf; 2732 S 15TH ST.pdf; 2918 S 19TH ST.pdf; 2930 S 19TH ST.pdf

Hi Tauren,

Here is the second set of results for VOCs from the May/June testing. The property owners with exceedances have been notified and bottled water set up.

Karen Dorow | Business Manager
City of Manitowoc
900 Quay Street
Manitowoc, WI 54220
Office (920) 686-6514
Mobile (920) 374-0404

From: Henderson, Dave <Dave.Henderson@aecom.com>
Sent: Thursday, June 17, 2021 8:25 AM
To: GravelPit <GravelPit@manitowoc.org>
Subject: External: Newton Pit - 2nd round of VOC potable well results

Pitters,

Attached is the second round of potable well VOC results, with the results broken out by address for lab reports 5039482 and 5039488. I had previously sent results for lab report 5039466.

There were two new VOC ES exceedances (3003 S 19th and 3019 S 15th) and 3 new VC PAL exceedances (2930 S 19th, 3020 S 15th, and 3202 S 15th).

These results are ready for the WDNR, Ned for Newell, and the homeowners/well users. Please forward as necessary.

Thanks
dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.Henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Delivering a better world

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)

Be Alert !

This is External or System generated Email. Please verify before opening any links or attachments.

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488B
Sample ID 1520 LONE OAK LN
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488B
Sample ID 1520 LONE OAK LN
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482L
Sample ID 1617 LISSA LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482L
Sample ID 1617 LISSA LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482G
Sample ID 1704 LISSA LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482G
Sample ID 1704 LISSA LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	95	REC %				1 8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				1 8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %				1 8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %				1 8260B		6/2/2021	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 10-Jun-21

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488A
Sample ID 2201 ELM RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.49 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488A
Sample ID 2201 ELM RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.18 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482N
Sample ID 2407 ELM RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482N
Sample ID 2407 ELM RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488E
Sample ID 2732 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.67 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488E
Sample ID 2732 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482D
Sample ID 2834 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	0.44 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482D
Sample ID 2834 S 15TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482R
Sample ID 2912 S 15TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	1.08 "J"	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482R
Sample ID 2912 S 15TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	0.32 "J"	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488C
Sample ID 2918 S 19TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	1.11 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488C
Sample ID 2918 S 19TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.31 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488I
Sample ID 2930 S 19TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.79 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488I
Sample ID 2930 S 19TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.18 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482S
Sample ID 3003 S 19TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	0.62 "J"	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482S
Sample ID 3003 S 19TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	0.20 "J"	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488F
Sample ID 3019 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.89 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488F
Sample ID 3019 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.26 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482M
Sample ID 3020 S 15TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	0.77 "J"	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482M
Sample ID 3020 S 15TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	0.17 "J"	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482C
Sample ID 3125 LONE OAK LN
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	0.50 "J"	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	0.40 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482C
Sample ID 3125 LONE OAK LN
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488H
Sample ID 3202 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.52 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488H
Sample ID 3202 S 15TH ST
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.18 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482J
Sample ID 3202 S 19TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482J
Sample ID 3202 S 19TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482I
Sample ID 3206 LONE OAK LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482I
Sample ID 3206 LONE OAK LN
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
 Project # 60135471

Invoice # E39482

Lab Code 5039482Q
 Sample ID 3208 LONE OAK LN
 Sample Matrix Water
 Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	0.39 "J"	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482Q
Sample ID 3208 LONE OAK LN
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482U
Sample ID 3305 S 15TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482U
Sample ID 3305 S 15TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482B
Sample ID 3310 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482B
Sample ID 3310 S 19TH ST
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482T
Sample ID 3315 CIMARRON CT
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482T
Sample ID 3315 CIMARRON CT
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488J
Sample ID 3320 HECKER RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488J
Sample ID 3320 HECKER RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482K
Sample ID 3326 S 15TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482K
Sample ID 3326 S 15TH ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482H
Sample ID 3406 CIMARRON CT
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482H
Sample ID 3406 CIMARRON CT
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482V
Sample ID 3517 S 26TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482V
Sample ID 3517 S 26TH ST
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		6/8/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488D
Sample ID 3523 CTH CR
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488D
Sample ID 3523 CTH CR
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482X
Sample ID 3626 CTH CR
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/8/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/8/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/8/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/8/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/8/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/8/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/8/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/8/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/8/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/8/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/8/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/8/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/8/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/8/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/8/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/8/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/8/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/8/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/8/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/8/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/8/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/8/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/8/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/8/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/8/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/8/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/8/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/8/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/8/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/8/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/8/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/8/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/8/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/8/2021	CJR	1
Toluene	0.74 "J"	ug/l	0.42	1.71	1	8260B		6/8/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/8/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482X
Sample ID 3626 CTH CR
Sample Matrix Water
Sample Date 5/28/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/8/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/8/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/8/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/8/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/8/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/8/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/8/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/8/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/8/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/8/2021	CJR	1
SUR - Toluene-d8	90	REC %				1	8260B	6/8/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1	8260B	6/8/2021	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %				1	8260B	6/8/2021	CJR	1
SUR - Dibromofluoromethane	94	REC %				1	8260B	6/8/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482P
Sample ID 3818 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/7/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/7/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482P
Sample ID 3818 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/7/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/7/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		6/7/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/7/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/7/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 50394820
Sample ID 3825 VIEBAHN ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/7/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/7/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 50394820
Sample ID 3825 VIEBAHN ST
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/7/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/7/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/7/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		6/7/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/7/2021	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 10-Jun-21

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482A
Sample ID 4027 THUNDER RIDGE RD
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/1/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/1/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/1/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/1/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/1/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/1/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/1/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/1/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/1/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/1/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/1/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/1/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/1/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/1/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/1/2021	CJR	1
cis-1,2-Dichloroethene	1.3 "J"	ug/l	0.39	1.59	1	8260B		6/1/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482A
Sample ID 4027 THUNDER RIDGE RD
Sample Matrix Water
Sample Date 5/26/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/1/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/1/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/1/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/1/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/1/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/1/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/1/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/1/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/1/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/1/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/1/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/1/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/1/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/1/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/1/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/1/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/1/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/1/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/1/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/1/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/1/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/1/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/1/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/1/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/1/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/1/2021	CJR	1
Vinyl Chloride	0.21 "J"	ug/l	0.17	0.65	1	8260B		6/1/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/1/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/1/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/1/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/1/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/1/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/1/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488G
Sample ID 4159 SILVER CREEK RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.81 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39488

Lab Code 5039488G
Sample ID 4159 SILVER CREEK RD
Sample Matrix Water
Sample Date 6/1/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482F
Sample ID 4314 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/2/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39482

Lab Code 5039482F
Sample ID 4314 SILVER CREEK RD
Sample Matrix Water
Sample Date 5/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/2/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/2/2021	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		6/2/2021	CJR	1

From: Karen Dorow <kdorow@manitowoc.org>
Sent: Tuesday, July 6, 2021 3:20 PM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: External: Newton Pit - 3rd round of VOC potable well results
Attachments: 3304 S 15TH ST.pdf; 3307 S 19TH ST.pdf; 3312 CTH CR.pdf; 3328 CIMARRON CT.pdf; 3461 (3417) HECKER RD.pdf; 4101 CTH CR.pdf; 4111 THUNDER RIDGE.pdf; 1521 LONE OAK LN.pdf; 1710 LISSA LN.pdf; 1807 JENNY RD.pdf; 2408 ELM RD.pdf; 2501 NELSON.pdf; 2505 JENNY RD.pdf; 2514 ELM RD.pdf; 2805 S 19TH ST.pdf; 2806 S 15TH ST.pdf; 2824 S 19TH ST.pdf; 3008 S 19TH ST.pdf; 3127 S 15TH ST.pdf; 3205 S 19TH ST.pdf; 3217 S 15TH ST.pdf; 3224 CTH CR.pdf; 2929 S 19TH ST.pdf; 2733 S 19TH ST.pdf

Hi Tauren,

Here is the last group of VOC results from the May/June testing. Property owners with the exceedances were notified and bottled water has been set up. I will send copies of the letters with the results once we receive the PFAS results and letters completed.

Let me know if you have any questions.

Karen Dorow | Business Manager
City of Manitowoc
900 Quay Street
Manitowoc, WI 54220
Office (920) 686-6514
Mobile (920) 374-0404

From: Henderson, Dave <Dave.Henderson@aecom.com>
Sent: Monday, June 21, 2021 10:04 AM
To: GravelPit <GravelPit@manitowoc.org>
Subject: External: Newton Pit - 3rd round of VOC potable well results

Pitters,

Attached is the third round of potable well VOC results, with the results broken out by address for lab reports 5039501 and 5039507. I had previously sent results for lab reports 5039466, 5039482, and 5039488.

There were two new VOC ES exceedances (3127 S 15th and 2929 S 19th) and no new VC PAL exceedances.

These results are ready for the WDNR, Ned for Newell, and the homeowners/well users. Please forward as necessary.

Thanks
dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.Henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Delivering a better world

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)

Be Alert !

This is External or System generated Email. Please verify before opening any links or attachments.

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501S
Sample ID 1521 LONE OAK LN
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501S
Sample ID 1521 LONE OAK LN
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 50395010
Sample ID 1710 LISSA LN
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 50395010
Sample ID 1710 LISSA LN
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501E
Sample ID 1807 JENNY RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501E
Sample ID 1807 JENNY RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501Q
Sample ID 2408 ELM RD
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501Q
Sample ID 2408 ELM RD
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501J
Sample ID 2501 NELSON
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501J
Sample ID 2501 NELSON
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501P
Sample ID 2505 JENNY RD
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501P
Sample ID 2505 JENNY RD
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501K
Sample ID 2514 ELM RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501K
Sample ID 2514 ELM RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/9/2021	CJR	1

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

DAVE HENDERSON
AECOM
1555 N RIVERCENTER DRIVE
MILWAUKEE, WI 53212

Report Date 15-Jun-21

Project Name FMR NEWTON GRAVEL PIT
Project # 30135471

Invoice # E39507

Lab Code 5039507A
Sample ID 2733 S 19TH ST
Sample Matrix Water
Sample Date 6/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/11/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/11/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/11/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/11/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/11/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/11/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/11/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/11/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/11/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/11/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/11/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/11/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/11/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/11/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/11/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 30135471

Invoice # E39507

Lab Code 5039507A
Sample ID 2733 S 19TH ST
Sample Matrix Water
Sample Date 6/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/11/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/11/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/11/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/11/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/11/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/11/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/11/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/11/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/11/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/11/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/11/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/11/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/11/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/11/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/11/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/11/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/11/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/11/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/11/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/11/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/11/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/11/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/11/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/11/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/11/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		6/11/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501T
Sample ID 2805 S 19TH ST
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501T
Sample ID 2805 S 19TH ST
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501U
Sample ID 2806 S 15TH ST
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	0.44 "J"	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501U
Sample ID 2806 S 15TH ST
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501H
Sample ID 2824 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.48 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501H
Sample ID 2824 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 30135471

Invoice # E39507

Lab Code 5039507B
Sample ID 2929 S 19TH ST
Sample Matrix Water
Sample Date 6/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/11/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/11/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/11/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/11/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/11/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/11/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/11/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/11/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/11/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/11/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/11/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/11/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/11/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/11/2021	CJR	1
cis-1,2-Dichloroethene	0.87 "J"	ug/l	0.39	1.59	1	8260B		6/11/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/11/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/11/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/11/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/11/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/11/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/11/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/11/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/11/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/11/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/11/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/11/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/11/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/11/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/11/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 30135471

Invoice # E39507

Lab Code 5039507B
Sample ID 2929 S 19TH ST
Sample Matrix Water
Sample Date 6/4/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/11/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/11/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/11/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/11/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/11/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/11/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Vinyl Chloride	0.28 "J"	ug/l	0.17	0.65	1	8260B		6/11/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/11/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/11/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/11/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/11/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/11/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501B
Sample ID 3008 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.59 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501B
Sample ID 3008 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.27 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501G
Sample ID 3127 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	0.64 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501G
Sample ID 3127 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	0.20 "J"	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501C
Sample ID 3205 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501C
Sample ID 3205 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501L
Sample ID 3217 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501L
Sample ID 3217 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501D
Sample ID 3224 CTH CR
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501D
Sample ID 3224 CTH CR
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501M
Sample ID 3304 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501M
Sample ID 3304 S 15TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501I
Sample ID 3307 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501I
Sample ID 3307 S 19TH ST
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501V
Sample ID 3312 CTH CR
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/11/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/11/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/11/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/11/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/11/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/11/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/11/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/11/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/11/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/11/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/11/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/11/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/11/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/11/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/11/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/11/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/11/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/11/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/11/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/11/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/11/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/11/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/11/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/11/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/11/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/11/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/11/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/11/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/11/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501V
Sample ID 3312 CTH CR
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/11/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/11/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/11/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/11/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/11/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/11/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/11/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/11/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/11/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/11/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/11/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/11/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501R
Sample ID 3328 CIMARRON CT
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501R
Sample ID 3328 CIMARRON CT
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501F
Sample ID 3461 (3417) HECKER RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/9/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/9/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/9/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/9/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/9/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/9/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/9/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/9/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/9/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/9/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/9/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/9/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/9/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/9/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/9/2021	CJR	1
cis-1,2-Dichloroethene	1.55 "J"	ug/l	0.39	1.59	1	8260B		6/9/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/9/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/9/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/9/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/9/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/9/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/9/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/9/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/9/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/9/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/9/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/9/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/9/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/9/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/9/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/9/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/9/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/9/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/9/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/9/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501F
Sample ID 3461 (3417) HECKER RD
Sample Matrix Water
Sample Date 6/2/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/9/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/9/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/9/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/9/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/9/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/9/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/9/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/9/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/9/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/9/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		6/9/2021	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		6/9/2021	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		6/9/2021	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		6/9/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501N
Sample ID 4101 CTH CR
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/10/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/10/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/10/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/10/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/10/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/10/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/10/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/10/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/10/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/10/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/10/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/10/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/10/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/10/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/10/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		6/10/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/10/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/10/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/10/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/10/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/10/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/10/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/10/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/10/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/10/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/10/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/10/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/10/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/10/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/10/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/10/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/10/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/10/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/10/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/10/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501N
Sample ID 4101 CTH CR
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/10/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/10/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/10/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/10/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/10/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/10/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/10/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/10/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/10/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/10/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/10/2021	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		6/10/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		6/10/2021	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		6/10/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501W
Sample ID 4111 THUNDER RIDGE
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		6/11/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		6/11/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		6/11/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		6/11/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		6/11/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		6/11/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		6/11/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		6/11/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		6/11/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		6/11/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		6/11/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		6/11/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		6/11/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		6/11/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		6/11/2021	CJR	1
cis-1,2-Dichloroethene	0.50 "J"	ug/l	0.39	1.59	1	8260B		6/11/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		6/11/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		6/11/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		6/11/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		6/11/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		6/11/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		6/11/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		6/11/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		6/11/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		6/11/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		6/11/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		6/11/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		6/11/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		6/11/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		6/11/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		6/11/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		6/11/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		6/11/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		6/11/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		6/11/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		6/11/2021	CJR	1

Project Name FMR NEWTON GRAVEL PIT
Project # 60135471

Invoice # E39501

Lab Code 5039501W
Sample ID 4111 THUNDER RIDGE
Sample Matrix Water
Sample Date 6/3/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		6/11/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		6/11/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		6/11/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		6/11/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		6/11/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		6/11/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		6/11/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		6/11/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		6/11/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		6/11/2021	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	8260B		6/11/2021	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		6/11/2021	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		6/11/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/11/2021	CJR	1