

From: Karen Dorow <kdorow@manitowoc.org>
Sent: Wednesday, August 25, 2021 11:34 AM
To: Beggs, Tauren R - DNR
Cc: GravelPit
Subject: FW: External: Newton Pit - emerging contaminant results by address
Attachments: 3126 S 15TH ST.pdf; 3131 S 15TH ST.pdf; 3322 CTH CR.pdf; 3422 CTH CR.pdf; 3533 CTH CR.pdf; 3625 HECKER RD.pdf; 3627 CTH CR.pdf; 3911 BLACK HAWK CT.pdf; 4004 SILVER CREEK RD.pdf; 4127 THUNDER RIDGE RD.pdf; 4141 VIEBAHN ST.pdf; 2823 S 15TH ST.pdf; 2908 S 15TH ST.pdf; 2911 CTH CR.pdf; 2917 S 19TH ST.pdf; 3011 S 19TH ST.pdf; 3019 S 19TH ST.pdf; 3121 HECKER RD.pdf; 3327 HECKER RD.pdf; 3412 CTH CR.pdf; 3515 HECKER RD.pdf; 3518 HECKER RD.pdf; 3611 CTH CR.pdf; 3702 HECKER RD.pdf; 3720 HECKER RD.pdf; 3817 VIEBAHN ST.pdf; 3921 BLACK HAWK CT.pdf; 4101 THUNDER RIDGE RD.pdf; 4219 VIEBAHN ST.pdf; 2820 S 15TH ST.pdf; 2827 S 15TH ST.pdf; 3027 ORCHARD LN.pdf; 3027 S 15TH ST.pdf; 3028 S 15TH ST.pdf; 3114 HECKER RD.pdf; 3303 HECKER RD.pdf; 3825 VIEBAHN ST.pdf; 4010 THUNDER RIDGE RD.pdf; 4027 THUNDER RIDGE RD.pdf; 4314 SILVER CREEK RD.pdf; 4315 SILVER CREEK RD.pdf; 4751 SILVER CREEK RD.pdf; 5202 SILVER CREEK RD.pdf; 2834 S 15TH ST.pdf; 2912 S 15TH ST.pdf; 3120 CTH CR.pdf; 3403 CTH CR.pdf; 3504 CTH CR.pdf; 3609 HECKER RD.pdf; 3626 CTH CR.pdf; 3320 HECKER RD.pdf; 3461 (3417) HECKER RD.pdf; 3523 CTH CR.pdf; 3609 M & M.pdf; 4002THUNDER RIDGE RD.pdf; 4101 CTH CR.pdf; 4125 CTH CR.pdf; 4156 SILVER CREEK RD.pdf; 4159 SILVER CREEK RD.pdf; 4904 SILVER CREEK RD.pdf; 5107 VIEBAHN ST.pdf; 2201 ELM RD.pdf; 2706 CTH CR.pdf; 2732 S 15TH ST.pdf; 2824 S 19TH ST.pdf; 2918 S 19TH ST.pdf; 2925 FRICKE DR.pdf; 3008 S 19TH ST.pdf; 3217 S 15TH ST.pdf; 3224 CTH CT.pdf; 4111 THUNDER RIDGE.pdf; 4212 SILVER CREEK RD.pdf; 4747 SILVER CREEK RD.pdf; 4752 SILVER CREEK RD.pdf; 2716 CTH CR.pdf; 3312 CTH CR.pdf; 3902 SILVER CREEK RD.pdf; 4005 THUNDER RIDGE RD.pdf

Hi Tauren,

Attached are the results from the PFAS testing that was done the end of May/early June. All letters have been sent to property owners. Please let me know if you have any questions.

Regards,

Karen Dorow | Business Manager
City of Manitowoc
900 Quay Street
Manitowoc, WI 54220
Office (920) 686-6514
Mobile (920) 374-0404

From: Henderson, Dave <Dave.Henderson@aecom.com>
Sent: Friday, July 9, 2021 10:24 AM

To: GravelPit <GravelPit@manitowoc.org>

Subject: External: Newton Pit - emerging contaminant results by address

Karen,

Attached are the PFAS lab results sorted by address. There are a total of 78 files representing 5 COCs (i.e. 2105292, 2105293, 2106040, 2106055, and 2106056). These are all of the results to date.

The reports are ready to send to home owners/well users, the WDNR, and Ned.

Please double check the address names on the files as you use them.

Thanks

dsh

David Henderson, P.E. (WI)
Senior Project Manager, Environment, Midwest
D +1-414-944-6190
M +1-414-429-8304
Dave.Henderson@aecom.com

AECOM
1555 N RiverCenter Drive
Milwaukee, WI 53212, USA
T +1-414-944-6080
aecom.com

Delivering a better world

[LinkedIn](#) | [Twitter](#) | [Facebook](#) | [Instagram](#)

Be Alert !

This is External or System generated Email. Please verify before opening any links or attachments.

Sample ID: 2201 Elm Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-01	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 08:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.742	0.742	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFPeA	2706-90-3	<1.02	1.02	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFBS	375-73-5	<0.799	0.799	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
4:2 FTS	757124-72-4	<1.12	1.12	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFHxA	307-24-4	<1.17	1.17	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFPeS	2706-91-4	<0.940	0.940	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
HFPO-DA	13252-13-6	<0.644	0.644	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFHpA	375-85-9	<0.919	0.919	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
ADONA	919005-14-4	<0.882	0.882	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFHxS	355-46-4	<1.12	1.12	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
6:2 FTS	27619-97-2	<1.00	1.00	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFOA	335-67-1	<1.13	1.13	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFHpS	375-92-8	<2.56	2.56	2.60		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFNA	375-95-1	<0.587	0.587	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFOSA	754-91-6	9.73	1.40	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFOS	1763-23-1	<1.11	1.11	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
9Cl-PF3ONS	756426-58-1	<0.862	0.862	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFDA	335-76-2	<0.934	0.934	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
8:2 FTS	39108-34-4	<2.33	2.33	4.15		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFNS	68259-12-1	<1.46	1.46	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
MeFOSAA	2355-31-9	<0.981	0.981	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
EtFOSAA	2991-50-6	<2.63	2.63	2.73		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFUnA	2058-94-8	<1.40	1.40	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFDS	335-77-3	<2.81	2.81	2.86		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
11Cl-PF3OUdS	763051-92-9	<0.443	0.443	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFDoA	307-55-1	<0.815	0.815	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
MeFOSA	31506-32-8	<7.11	7.11	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFTrDA	72629-94-8	<1.15	1.15	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFDoS	79780-39-5	<1.65	1.65	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
PFTeDA	376-06-7	<0.846	0.846	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
EtFOSA	4151-50-2	<7.58	7.58	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
MeFOSE	24448-09-7	<8.31	8.31	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
EtFOSE	1691-99-2	<5.76	5.76	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	127	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
13C3-PFPeA	IS	102	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1
13C3-PFBS	IS	98.0	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 18:28	1

Sample ID: 2706 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-08	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 13:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.711	0.711	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFPeA	2706-90-3	<0.975	0.975	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFBS	375-73-5	<0.766	0.766	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
4:2 FTS	757124-72-4	<1.07	1.07	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFHxA	307-24-4	<1.12	1.12	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFPeS	2706-91-4	<0.900	0.900	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
HFPO-DA	13252-13-6	<0.617	0.617	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFHpA	375-85-9	<0.880	0.880	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
ADONA	919005-14-4	<0.846	0.846	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
6:2 FTS	27619-97-2	<0.960	0.960	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFOA	335-67-1	1.91	1.08	1.99	J	B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFHpS	375-92-8	<2.46	2.46	2.49		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFNA	375-95-1	<0.562	0.562	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFOSA	754-91-6	25.6	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFOS	1763-23-1	<1.06	1.06	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
9Cl-PF3ONS	756426-58-1	<0.826	0.826	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFDA	335-76-2	<0.895	0.895	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
8:2 FTS	39108-34-4	<2.23	2.23	3.98		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
MeFOSAA	2355-31-9	<0.940	0.940	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
EtFOSAA	2991-50-6	<2.52	2.52	2.61		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFDS	335-77-3	<2.69	2.69	2.74		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
11Cl-PF3OUdS	763051-92-9	<0.424	0.424	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFDoA	307-55-1	<0.781	0.781	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
MeFOSA	31506-32-8	<6.81	6.81	7.96		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
PFTeDA	376-06-7	<0.811	0.811	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
EtFOSA	4151-50-2	<7.26	7.26	7.96		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
MeFOSE	24448-09-7	<7.96	7.96	7.96		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
EtFOSE	1691-99-2	<5.52	5.52	7.96		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	120	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
13C3-PFPeA	IS	103	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1
13C3-PFBS	IS	95.4	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 19:42	1

Sample ID: 2716 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-06	Column:	BEH C18
Project:	60135471	Date Collected:	04-Jun-21 15:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.737	0.737	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFPeA	2706-90-3	<1.01	1.01	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFBS	375-73-5	<0.794	0.794	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
4:2 FTS	757124-72-4	<1.11	1.11	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFHxA	307-24-4	<1.17	1.17	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFPeS	2706-91-4	<0.933	0.933	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
HFPO-DA	13252-13-6	<0.639	0.639	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFHpA	375-85-9	<0.913	0.913	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
ADONA	919005-14-4	<0.877	0.877	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFHxS	355-46-4	<1.11	1.11	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
6:2 FTS	27619-97-2	<0.995	0.995	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFOA	335-67-1	4.68	1.12	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFHpS	375-92-8	<2.55	2.55	2.58		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFNA	375-95-1	<0.583	0.583	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFOSA	754-91-6	60.6	1.39	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFOS	1763-23-1	1.79	1.10	2.06	J, Q	B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
9Cl-PF3ONS	756426-58-1	<0.856	0.856	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFDA	335-76-2	<0.928	0.928	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
8:2 FTS	39108-34-4	<2.31	2.31	4.13		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFNS	68259-12-1	<1.45	1.45	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
MeFOSAA	2355-31-9	<0.975	0.975	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
EtFOSAA	2991-50-6	<2.61	2.61	2.71		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFUnA	2058-94-8	<1.39	1.39	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFDS	335-77-3	<2.79	2.79	2.84		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
11Cl-PF3OUdS	763051-92-9	<0.440	0.440	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFDoA	307-55-1	<0.810	0.810	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
MeFOSA	31506-32-8	<7.06	7.06	8.25		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFTTrDA	72629-94-8	<1.14	1.14	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFDoS	79780-39-5	<1.64	1.64	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
PFTeDA	376-06-7	<0.841	0.841	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
EtFOSA	4151-50-2	<7.53	7.53	8.25		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
MeFOSE	24448-09-7	<8.25	8.25	8.25		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
EtFOSE	1691-99-2	<5.72	5.72	8.25		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	104	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
13C3-PFPeA	IS	84.0	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1
13C3-PFBS	IS	84.1	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 01:28	1

Sample ID: 2732 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-07	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 11:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.716	0.716	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFPeA	2706-90-3	<0.982	0.982	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFBS	375-73-5	<0.772	0.772	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
4:2 FTS	757124-72-4	<1.08	1.08	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFHxA	307-24-4	<1.13	1.13	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFPeS	2706-91-4	<0.907	0.907	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
HFPO-DA	13252-13-6	<0.621	0.621	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFHpA	375-85-9	<0.887	0.887	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
ADONA	919005-14-4	<0.852	0.852	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFHxS	355-46-4	<1.08	1.08	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
6:2 FTS	27619-97-2	<0.967	0.967	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFOA	335-67-1	2.27	1.09	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFHpS	375-92-8	<2.47	2.47	2.50		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFNA	375-95-1	<0.566	0.566	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFOSA	754-91-6	29.9	1.35	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFOS	1763-23-1	<1.07	1.07	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
9Cl-PF3ONS	756426-58-1	<0.832	0.832	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFDA	335-76-2	<0.902	0.902	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
8:2 FTS	39108-34-4	<2.24	2.24	4.01		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFNS	68259-12-1	<1.41	1.41	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
MeFOSAA	2355-31-9	<0.947	0.947	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
EtFOSAA	2991-50-6	<2.54	2.54	2.63		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFUnA	2058-94-8	<1.35	1.35	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFDS	335-77-3	<2.71	2.71	2.76		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
11Cl-PF3OUdS	763051-92-9	<0.427	0.427	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFDoA	307-55-1	<0.787	0.787	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
MeFOSA	31506-32-8	<6.86	6.86	8.02		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFTTrDA	72629-94-8	<1.11	1.11	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFDoS	79780-39-5	<1.59	1.59	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
PFTeDA	376-06-7	<0.817	0.817	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
EtFOSA	4151-50-2	<7.31	7.31	8.02		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
MeFOSE	24448-09-7	<8.02	8.02	8.02		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
EtFOSE	1691-99-2	<5.56	5.56	8.02		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	123	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
13C3-PFPeA	IS	104	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1
13C3-PFBS	IS	111	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 19:31	1

Sample ID: 2820 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-01	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 15:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.723	0.723	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFPeA	2706-90-3	<0.991	0.991	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFBS	375-73-5	<0.779	0.779	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
4:2 FTS	757124-72-4	<1.09	1.09	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFHxA	307-24-4	<1.14	1.14	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFPeS	2706-91-4	<0.915	0.915	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
HFPO-DA	13252-13-6	<0.627	0.627	2.02		B1F0015	09-Jun-21	0.247 L	16-Jun-21 22:04	1
PFHpA	375-85-9	<0.895	0.895	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
ADONA	919005-14-4	<0.860	0.860	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFHxS	355-46-4	<1.09	1.09	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
6:2 FTS	27619-97-2	<0.976	0.976	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFOA	335-67-1	1.83	1.10	2.02	J	B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFHpS	375-92-8	<2.50	2.50	2.53		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFNA	375-95-1	<0.571	0.571	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFOSA	754-91-6	20.0	1.37	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFOS	1763-23-1	<1.08	1.08	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
9Cl-PF3ONS	756426-58-1	<0.839	0.839	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFDA	335-76-2	<0.910	0.910	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
8:2 FTS	39108-34-4	<2.27	2.27	2.28		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFNS	68259-12-1	<1.43	1.43	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
MeFOSAA	2355-31-9	<0.956	0.956	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
EtFOSAA	2991-50-6	<2.56	2.56	2.65		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFUnA	2058-94-8	<1.36	1.36	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFDS	335-77-3	<2.74	2.74	2.78		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
11Cl-PF3OUdS	763051-92-9	<0.431	0.431	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFDoA	307-55-1	<0.794	0.794	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
MeFOSA	31506-32-8	<6.93	6.93	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFTTrDA	72629-94-8	<1.12	1.12	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFDoS	79780-39-5	<1.61	1.61	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
PFTeDA	376-06-7	<0.824	0.824	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
EtFOSA	4151-50-2	<7.38	7.38	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
MeFOSE	24448-09-7	<8.09	8.09	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
EtFOSE	1691-99-2	<5.61	5.61	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	89.9	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
13C3-PFPeA	IS	76.3	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1
13C3-PFBS	IS	81.3	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 17:16	1

Sample ID: 2823 S 15th St

PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-01	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 18:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.703	0.703	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFPeA	2706-90-3	<0.963	0.963	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFBS	375-73-5	<0.757	0.757	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
4:2 FTS	757124-72-4	<1.06	1.06	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFPeS	2706-91-4	<0.889	0.889	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
HFPO-DA	13252-13-6	<0.609	0.609	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFHpA	375-85-9	<0.870	0.870	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
ADONA	919005-14-4	<0.835	0.835	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
6:2 FTS	27619-97-2	<0.948	0.948	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFOA	335-67-1	<1.07	1.07	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFHpS	375-92-8	<2.43	2.43	2.46		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFNA	375-95-1	<0.555	0.555	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFOSA	754-91-6	2.98	1.33	1.97	Q	B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
9Cl-PF3ONS	756426-58-1	<0.816	0.816	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFDA	335-76-2	<0.884	0.884	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
8:2 FTS	39108-34-4	<2.20	2.20	2.21		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
MeFOSAA	2355-31-9	<0.929	0.929	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
EtFOSAA	2991-50-6	<2.49	2.49	2.58		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFUnA	2058-94-8	<1.32	1.32	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFDS	335-77-3	<2.66	2.66	2.70		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
11Cl-PF3OUdS	763051-92-9	<0.419	0.419	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFDoA	307-55-1	<0.771	0.771	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
MeFOSA	31506-32-8	<6.73	6.73	7.86		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFDoS	79780-39-5	<1.56	1.56	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
PFTeDA	376-06-7	<0.801	0.801	1.97		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
EtFOSA	4151-50-2	<7.17	7.17	7.86		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
MeFOSE	24448-09-7	<7.86	7.86	7.86		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
EtFOSE	1691-99-2	<5.45	5.45	7.86		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	71.5	25 - 150		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
13C3-PFPeA	IS	77.9	25 - 150		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1
13C3-PFBS	IS	89.7	25 - 150		B1F0009	11-Jun-21	0.254 L	15-Jun-21 18:43	1

Sample ID: 2824 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-10	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 14:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.699	0.699	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFPeA	2706-90-3	<0.957	0.957	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFBS	375-73-5	<0.752	0.752	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
4:2 FTS	757124-72-4	<1.06	1.06	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFPeS	2706-91-4	<0.884	0.884	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
HFPO-DA	13252-13-6	<0.606	0.606	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFHpA	375-85-9	<0.865	0.865	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
ADONA	919005-14-4	<0.830	0.830	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
6:2 FTS	27619-97-2	<0.943	0.943	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFOA	335-67-1	2.53	1.06	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFNA	375-95-1	<0.552	0.552	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFOSA	754-91-6	30.6	1.32	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
9Cl-PF3ONS	756426-58-1	<0.811	0.811	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFDA	335-76-2	<0.879	0.879	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
8:2 FTS	39108-34-4	<2.19	2.19	3.91		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
MeFOSAA	2355-31-9	<0.923	0.923	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
EtFOSAA	2991-50-6	<2.48	2.48	2.56		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFDS	335-77-3	<2.64	2.64	2.69		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
11Cl-PF3OUdS	763051-92-9	<0.417	0.417	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFDoA	307-55-1	<0.767	0.767	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
MeFOSA	31506-32-8	<6.69	6.69	7.82		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFTrDA	72629-94-8	<1.08	1.08	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
PFTeDA	376-06-7	<0.796	0.796	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
EtFOSA	4151-50-2	<7.13	7.13	7.82		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
MeFOSE	24448-09-7	<7.82	7.82	7.82		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
EtFOSE	1691-99-2	<5.42	5.42	7.82		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	123	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
13C3-PFPeA	IS	103	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1
13C3-PFBS	IS	99.9	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 20:03	1

Sample ID: 2827 S 15th St

PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-11	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 08:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.695	0.695	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFPeA	2706-90-3	<0.952	0.952	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFBS	375-73-5	<0.748	0.748	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFHxA	307-24-4	<1.10	1.10	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFPeS	2706-91-4	<0.879	0.879	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
HFPO-DA	13252-13-6	<0.602	0.602	1.94		B1F0015	09-Jun-21	0.257 L	17-Jun-21 00:20	1
PFHpA	375-85-9	<0.860	0.860	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
ADONA	919005-14-4	<0.826	0.826	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFHxS	355-46-4	<1.04	1.04	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
6:2 FTS	27619-97-2	<0.937	0.937	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFOA	335-67-1	2.45	1.06	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFHpS	375-92-8	<2.40	2.40	2.43		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFNA	375-95-1	<0.549	0.549	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFOSA	754-91-6	40.1	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFOS	1763-23-1	<1.03	1.03	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
9Cl-PF3ONS	756426-58-1	<0.806	0.806	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFDA	335-76-2	<0.874	0.874	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
MeFOSAA	2355-31-9	<0.918	0.918	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
EtFOSAA	2991-50-6	<2.46	2.46	2.55		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFUnA	2058-94-8	<1.31	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFDS	335-77-3	<2.63	2.63	2.67		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
11Cl-PF3OUdS	763051-92-9	<0.414	0.414	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFDoA	307-55-1	<0.763	0.763	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
MeFOSA	31506-32-8	<6.65	6.65	7.77		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFDoS	79780-39-5	<1.54	1.54	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
PFTeDA	376-06-7	<0.792	0.792	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
EtFOSA	4151-50-2	<7.09	7.09	7.77		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
MeFOSE	24448-09-7	<7.77	7.77	7.77		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
EtFOSE	1691-99-2	<5.39	5.39	7.77		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	87.4	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
13C3-PFPeA	IS	73.7	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1
13C3-PFBS	IS	78.0	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 19:31	1

Sample ID: 2834 S 15th St

PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-02	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 19:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.687	0.687	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFPeA	2706-90-3	<0.942	0.942	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFBS	375-73-5	<0.740	0.740	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
4:2 FTS	757124-72-4	<1.04	1.04	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFHxA	307-24-4	<1.09	1.09	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFPeS	2706-91-4	<0.870	0.870	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
HFPO-DA	13252-13-6	<0.596	0.596	3.84		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFHpA	375-85-9	<0.851	0.851	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
ADONA	919005-14-4	<0.817	0.817	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFHxS	355-46-4	<1.03	1.03	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
6:2 FTS	27619-97-2	<0.928	0.928	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFOA	335-67-1	<1.05	1.05	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFHpS	375-92-8	<2.37	2.37	2.40		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFNA	375-95-1	<0.543	0.543	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFOSA	754-91-6	3.02	1.30	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFOS	1763-23-1	<1.02	1.02	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
9Cl-PF3ONS	756426-58-1	<0.798	0.798	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFDA	335-76-2	<0.865	0.865	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
8:2 FTS	39108-34-4	<2.15	2.15	2.16		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFNS	68259-12-1	<1.36	1.36	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
MeFOSAA	2355-31-9	<0.908	0.908	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
EtFOSAA	2991-50-6	<2.44	2.44	2.52		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFUnA	2058-94-8	<1.29	1.29	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFDS	335-77-3	<2.60	2.60	2.64		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
11Cl-PF3OUdS	763051-92-9	<0.410	0.410	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFDoA	307-55-1	<0.755	0.755	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
MeFOSA	31506-32-8	<6.58	6.58	7.69		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFTTrDA	72629-94-8	<1.06	1.06	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFDoS	79780-39-5	<1.53	1.53	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
PFTeDA	376-06-7	<0.783	0.783	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
EtFOSA	4151-50-2	<7.02	7.02	7.69		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
MeFOSE	24448-09-7	<7.69	7.69	7.69		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
EtFOSE	1691-99-2	<5.33	5.33	7.69		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	127	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
13C3-PFPeA	IS	90.0	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1
13C3-PFBS	IS	81.3	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 19:50	1

Sample ID: 2908 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-02	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 13:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.723	0.723	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFPeA	2706-90-3	<0.991	0.991	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFBS	375-73-5	<0.779	0.779	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
4:2 FTS	757124-72-4	<1.09	1.09	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFHxA	307-24-4	<1.14	1.14	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFPeS	2706-91-4	<0.915	0.915	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
HFPO-DA	13252-13-6	<0.627	0.627	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFHpA	375-85-9	<0.895	0.895	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
ADONA	919005-14-4	<0.860	0.860	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFHxS	355-46-4	<1.09	1.09	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
6:2 FTS	27619-97-2	<0.976	0.976	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFOA	335-67-1	<1.10	1.10	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFHpS	375-92-8	<2.50	2.50	2.53		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFNA	375-95-1	<0.571	0.571	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFOSA	754-91-6	18.6	1.37	2.02	Q	B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFOS	1763-23-1	<1.08	1.08	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
9Cl-PF3ONS	756426-58-1	<0.839	0.839	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFDA	335-76-2	<0.910	0.910	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
8:2 FTS	39108-34-4	<2.27	2.27	2.28		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFNS	68259-12-1	<1.43	1.43	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
MeFOSAA	2355-31-9	<0.956	0.956	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
EtFOSAA	2991-50-6	<2.56	2.56	2.65		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFUnA	2058-94-8	<1.36	1.36	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFDS	335-77-3	<2.74	2.74	2.78		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
11Cl-PF3OUdS	763051-92-9	<0.431	0.431	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFDoA	307-55-1	<0.794	0.794	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
MeFOSA	31506-32-8	<6.93	6.93	8.09		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFTrDA	72629-94-8	<1.12	1.12	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFDoS	79780-39-5	<1.61	1.61	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
PFTeDA	376-06-7	<0.824	0.824	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
EtFOSA	4151-50-2	<7.38	7.38	8.09		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
MeFOSE	24448-09-7	<8.09	8.09	8.09		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
EtFOSE	1691-99-2	<5.61	5.61	8.09		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	72.7	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
13C3-PFPeA	IS	81.9	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1
13C3-PFBS	IS	81.7	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 18:53	1

Sample ID: 2911 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-09	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 10:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	4.51	0.727	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFPeA	2706-90-3	<0.996	0.996	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFBS	375-73-5	<0.783	0.783	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
4:2 FTS	757124-72-4	<1.10	1.10	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFHxA	307-24-4	<1.15	1.15	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFPeS	2706-91-4	<0.920	0.920	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
HFPO-DA	13252-13-6	<0.630	0.630	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFHpA	375-85-9	<0.900	0.900	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
ADONA	919005-14-4	<0.864	0.864	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFHxS	355-46-4	1.75	1.09	2.03	J	B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
6:2 FTS	27619-97-2	<0.981	0.981	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFOA	335-67-1	2.73	1.11	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFHpS	375-92-8	<2.51	2.51	2.54		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFNA	375-95-1	<0.574	0.574	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFOSA	754-91-6	33.1	1.37	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFOS	1763-23-1	1.40	1.08	2.03	J, Q	B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
9Cl-PF3ONS	756426-58-1	<0.844	0.844	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFDA	335-76-2	<0.915	0.915	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
8:2 FTS	39108-34-4	<2.28	2.28	2.29		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
MeFOSAA	2355-31-9	<0.961	0.961	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
EtFOSAA	2991-50-6	<2.58	2.58	2.67		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFUnA	2058-94-8	<1.37	1.37	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFDS	335-77-3	<2.75	2.75	2.80		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
11Cl-PF3OUdS	763051-92-9	<0.434	0.434	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFDoA	307-55-1	<0.798	0.798	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
MeFOSA	31506-32-8	<6.96	6.96	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFTTrDA	72629-94-8	<1.12	1.12	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFDoS	79780-39-5	<1.62	1.62	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
PFTeDA	376-06-7	<0.828	0.828	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
EtFOSA	4151-50-2	<7.42	7.42	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
MeFOSE	24448-09-7	<8.13	8.13	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
EtFOSE	1691-99-2	<5.64	5.64	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	73.9	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
13C3-PFPeA	IS	77.6	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1
13C3-PFBS	IS	82.5	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:06	1

Sample ID: 2912 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-09	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 08:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.729	0.729	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFPeA	2706-90-3	<0.999	0.999	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFBS	375-73-5	<0.785	0.785	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
4:2 FTS	757124-72-4	<1.10	1.10	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFHxA	307-24-4	<1.15	1.15	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFPeS	2706-91-4	<0.923	0.923	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
HFPO-DA	13252-13-6	<0.632	0.632	4.08		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFHpA	375-85-9	<0.903	0.903	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
ADONA	919005-14-4	<0.867	0.867	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFHxS	355-46-4	<1.10	1.10	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
6:2 FTS	27619-97-2	<0.984	0.984	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFOA	335-67-1	<1.11	1.11	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFHpS	375-92-8	<2.52	2.52	2.55		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFNA	375-95-1	<0.576	0.576	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFOSA	754-91-6	4.24	1.38	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFOS	1763-23-1	<1.09	1.09	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
9Cl-PF3ONS	756426-58-1	<0.846	0.846	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFDA	335-76-2	<0.918	0.918	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
8:2 FTS	39108-34-4	<2.28	2.28	2.29		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFNS	68259-12-1	<1.44	1.44	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
MeFOSAA	2355-31-9	<0.964	0.964	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
EtFOSAA	2991-50-6	<2.59	2.59	2.68		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFUnA	2058-94-8	<1.37	1.37	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFDS	335-77-3	<2.76	2.76	2.80		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
11Cl-PF3OUdS	763051-92-9	<0.435	0.435	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFDoA	307-55-1	<0.801	0.801	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
MeFOSA	31506-32-8	<6.99	6.99	8.16		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFTrDA	72629-94-8	<1.13	1.13	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFDoS	79780-39-5	<1.62	1.62	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
PFTeDA	376-06-7	<0.831	0.831	2.04		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
EtFOSA	4151-50-2	<7.44	7.44	8.16		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
MeFOSE	24448-09-7	<8.16	8.16	8.16		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
EtFOSE	1691-99-2	<5.66	5.66	8.16		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	116	25 - 150		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
13C3-PFPeA	IS	80.3	25 - 150		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1
13C3-PFBS	IS	77.1	25 - 150		B1F0022	15-Jun-21	0.245 L	17-Jun-21 21:03	1

Sample ID: 2917 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-03	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 16:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.743	0.743	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFPeA	2706-90-3	<1.02	1.02	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFBS	375-73-5	<0.800	0.800	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
4:2 FTS	757124-72-4	<1.12	1.12	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFHxA	307-24-4	<1.17	1.17	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFPeS	2706-91-4	<0.941	0.941	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
HFPO-DA	13252-13-6	<0.644	0.644	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFHpA	375-85-9	<0.920	0.920	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
ADONA	919005-14-4	<0.884	0.884	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFHxS	355-46-4	<1.12	1.12	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
6:2 FTS	27619-97-2	<1.00	1.00	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFOA	335-67-1	4.23	1.13	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFHpS	375-92-8	<2.57	2.57	2.60		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFNA	375-95-1	<0.587	0.587	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFOSA	754-91-6	62.1	1.40	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFOS	1763-23-1	<1.11	1.11	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
9Cl-PF3ONS	756426-58-1	<0.863	0.863	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFDA	335-76-2	<0.936	0.936	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
8:2 FTS	39108-34-4	<2.33	2.33	2.34		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFNS	68259-12-1	<1.47	1.47	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
MeFOSAA	2355-31-9	<0.982	0.982	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
EtFOSAA	2991-50-6	<2.64	2.64	2.73		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFUnA	2058-94-8	<1.40	1.40	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFDS	335-77-3	<2.81	2.81	2.86		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
11Cl-PF3OUdS	763051-92-9	<0.443	0.443	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFDoA	307-55-1	<0.816	0.816	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
MeFOSA	31506-32-8	<7.12	7.12	8.32		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFTTrDA	72629-94-8	<1.15	1.15	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFDoS	79780-39-5	<1.65	1.65	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
PFTeDA	376-06-7	<0.847	0.847	2.08		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
EtFOSA	4151-50-2	<7.59	7.59	8.32		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
MeFOSE	24448-09-7	<8.32	8.32	8.32		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
EtFOSE	1691-99-2	<5.77	5.77	8.32		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	64.8	25 - 150		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
13C3-PFPeA	IS	81.5	25 - 150		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1
13C3-PFBS	IS	85.7	25 - 150		B1F0009	11-Jun-21	0.241 L	15-Jun-21 19:04	1

Sample ID: 2918 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-05	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 10:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.743	0.743	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFPeA	2706-90-3	<1.02	1.02	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFBS	375-73-5	<0.800	0.800	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
4:2 FTS	757124-72-4	<1.12	1.12	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFHxA	307-24-4	<1.17	1.17	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFPeS	2706-91-4	<0.940	0.940	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
HFPO-DA	13252-13-6	<0.644	0.644	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFHpA	375-85-9	1.24	0.920	2.08	J, Q	B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
ADONA	919005-14-4	<0.883	0.883	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFHxS	355-46-4	<1.12	1.12	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
6:2 FTS	27619-97-2	<1.00	1.00	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFOA	335-67-1	13.9	1.13	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFHpS	375-92-8	<2.57	2.57	2.60		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFNA	375-95-1	<0.587	0.587	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFOSA	754-91-6	132	1.40	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFOS	1763-23-1	2.23	1.11	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
9Cl-PF3ONS	756426-58-1	<0.862	0.862	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFDA	335-76-2	<0.935	0.935	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
8:2 FTS	39108-34-4	<2.33	2.33	4.16		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFNS	68259-12-1	<1.47	1.47	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
MeFOSAA	2355-31-9	<0.982	0.982	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
EtFOSAA	2991-50-6	<2.63	2.63	2.73		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFUnA	2058-94-8	<1.40	1.40	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFDS	335-77-3	<2.81	2.81	2.86		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
11Cl-PF3OUdS	763051-92-9	<0.443	0.443	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFDoA	307-55-1	<0.816	0.816	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
MeFOSA	31506-32-8	<7.12	7.12	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFTTrDA	72629-94-8	<1.15	1.15	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFDoS	79780-39-5	<1.65	1.65	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
PFTeDA	376-06-7	<0.847	0.847	2.08		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
EtFOSA	4151-50-2	<7.59	7.59	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
MeFOSE	24448-09-7	<8.31	8.31	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
EtFOSE	1691-99-2	<5.77	5.77	8.31		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	120	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
13C3-PFPeA	IS	100	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1
13C3-PFBS	IS	105	25 - 150		B1F0067	20-Jun-21	0.241 L	23-Jun-21 19:10	1

Sample ID: 2925 Fricke Dr
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-02	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 08:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.00	0.697	1.95	J	B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFPeA	2706-90-3	<0.955	0.955	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFBS	375-73-5	<0.750	0.750	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
4:2 FTS	757124-72-4	<1.05	1.05	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFPeS	2706-91-4	<0.882	0.882	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
HFPO-DA	13252-13-6	<0.604	0.604	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFHpA	375-85-9	<0.862	0.862	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
ADONA	919005-14-4	<0.828	0.828	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
6:2 FTS	27619-97-2	<0.940	0.940	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFOA	335-67-1	2.09	1.06	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFNA	375-95-1	<0.550	0.550	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFOSA	754-91-6	36.0	1.32	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFOS	1763-23-1	2.12	1.04	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
9Cl-PF3ONS	756426-58-1	<0.809	0.809	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFDA	335-76-2	<0.877	0.877	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
8:2 FTS	39108-34-4	<2.18	2.18	3.90		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFNS	68259-12-1	<1.37	1.37	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
MeFOSAA	2355-31-9	<0.921	0.921	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
EtFOSAA	2991-50-6	<2.47	2.47	2.56		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFDS	335-77-3	<2.64	2.64	2.68		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
11Cl-PF3OUdS	763051-92-9	<0.416	0.416	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFDoA	307-55-1	<0.765	0.765	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
MeFOSA	31506-32-8	<6.67	6.67	7.79		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFTrDA	72629-94-8	<1.08	1.08	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
PFTeDA	376-06-7	<0.794	0.794	1.95		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
EtFOSA	4151-50-2	<7.11	7.11	7.79		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
MeFOSE	24448-09-7	<7.79	7.79	7.79		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
EtFOSE	1691-99-2	<5.41	5.41	7.79		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	124	25 - 150		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
13C3-PFPeA	IS	101	25 - 150		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1
13C3-PFBS	IS	108	25 - 150		B1F0067	20-Jun-21	0.257 L	23-Jun-21 18:39	1

Sample ID: 3008 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-12	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 13:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.683	0.683	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFPeA	2706-90-3	<0.936	0.936	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFBS	375-73-5	<0.735	0.735	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
4:2 FTS	757124-72-4	<1.03	1.03	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFHxA	307-24-4	<1.08	1.08	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFPeS	2706-91-4	<0.864	0.864	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
HFPO-DA	13252-13-6	<0.592	0.592	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFHpA	375-85-9	<0.845	0.845	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
ADONA	919005-14-4	<0.812	0.812	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFHxS	355-46-4	<1.03	1.03	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
6:2 FTS	27619-97-2	<0.921	0.921	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFOA	335-67-1	4.26	1.04	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFHpS	375-92-8	<2.36	2.36	2.39		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFNA	375-95-1	<0.539	0.539	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFOSA	754-91-6	66.0	1.29	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFOS	1763-23-1	1.03	1.02	1.91	J	B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
9Cl-PF3ONS	756426-58-1	<0.792	0.792	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFDA	335-76-2	<0.859	0.859	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
8:2 FTS	39108-34-4	<2.14	2.14	3.82		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFNS	68259-12-1	<1.35	1.35	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
MeFOSAA	2355-31-9	<0.902	0.902	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
EtFOSAA	2991-50-6	<2.42	2.42	2.51		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFUnA	2058-94-8	<1.28	1.28	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFDS	335-77-3	<2.58	2.58	2.63		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
11Cl-PF3OUdS	763051-92-9	<0.407	0.407	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFDoA	307-55-1	<0.749	0.749	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
MeFOSA	31506-32-8	<6.54	6.54	7.64		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFTTrDA	72629-94-8	<1.05	1.05	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFDoS	79780-39-5	<1.52	1.52	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
PFTeDA	376-06-7	<0.778	0.778	1.91		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
EtFOSA	4151-50-2	<6.97	6.97	7.64		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
MeFOSE	24448-09-7	<7.64	7.64	7.64		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
EtFOSE	1691-99-2	<5.30	5.30	7.64		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	124	25 - 150		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
13C3-PFPeA	IS	97.9	25 - 150		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1
13C3-PFBS	IS	96.7	25 - 150		B1F0067	20-Jun-21	0.262 L	23-Jun-21 20:55	1

Sample ID: 3011 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-04	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 13:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.733	0.733	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFPeA	2706-90-3	<1.01	1.01	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFBS	375-73-5	<0.790	0.790	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
4:2 FTS	757124-72-4	<1.11	1.11	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFHxA	307-24-4	<1.16	1.16	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFPeS	2706-91-4	<0.928	0.928	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
HFPO-DA	13252-13-6	<0.636	0.636	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFHpA	375-85-9	<0.908	0.908	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
ADONA	919005-14-4	<0.872	0.872	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFHxS	355-46-4	<1.10	1.10	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
6:2 FTS	27619-97-2	<0.990	0.990	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFOA	335-67-1	1.55	1.12	2.05	J	B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFHpS	375-92-8	<2.53	2.53	2.56		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFNA	375-95-1	<0.580	0.580	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFOSA	754-91-6	18.6	1.38	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFOS	1763-23-1	<1.09	1.09	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
9Cl-PF3ONS	756426-58-1	<0.851	0.851	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFDA	335-76-2	<0.923	0.923	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
8:2 FTS	39108-34-4	<2.30	2.30	2.31		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFNS	68259-12-1	<1.45	1.45	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
MeFOSAA	2355-31-9	<0.969	0.969	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
EtFOSAA	2991-50-6	<2.60	2.60	2.69		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFUnA	2058-94-8	<1.38	1.38	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFDS	335-77-3	<2.77	2.77	2.82		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
11Cl-PF3OUdS	763051-92-9	<0.437	0.437	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFDoA	307-55-1	<0.805	0.805	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
MeFOSA	31506-32-8	<7.03	7.03	8.21		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFTTrDA	72629-94-8	<1.13	1.13	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFDoS	79780-39-5	<1.63	1.63	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
PFTeDA	376-06-7	<0.836	0.836	2.05		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
EtFOSA	4151-50-2	<7.49	7.49	8.21		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
MeFOSE	24448-09-7	<8.21	8.21	8.21		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
EtFOSE	1691-99-2	<5.69	5.69	8.21		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	75.1	25 - 150		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
13C3-PFPeA	IS	77.3	25 - 150		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1
13C3-PFBS	IS	90.5	25 - 150		B1F0009	11-Jun-21	0.244 L	15-Jun-21 19:14	1

Sample ID: 3019 S 19th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-05	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 14:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.718	0.718	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFPeA	2706-90-3	<0.985	0.985	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFBS	375-73-5	<0.774	0.774	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
4:2 FTS	757124-72-4	<1.09	1.09	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFHxA	307-24-4	<1.14	1.14	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFPeS	2706-91-4	<0.909	0.909	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
HFPO-DA	13252-13-6	<0.623	0.623	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFHpA	375-85-9	<0.889	0.889	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
ADONA	919005-14-4	<0.854	0.854	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
6:2 FTS	27619-97-2	<0.970	0.970	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFOA	335-67-1	<1.10	1.10	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFHpS	375-92-8	<2.48	2.48	2.51		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFNA	375-95-1	<0.568	0.568	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFOSA	754-91-6	7.54	1.36	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
9Cl-PF3ONS	756426-58-1	<0.834	0.834	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFDA	335-76-2	<0.904	0.904	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
8:2 FTS	39108-34-4	<2.25	2.25	2.26		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFNS	68259-12-1	<1.42	1.42	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
MeFOSAA	2355-31-9	<0.950	0.950	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
EtFOSAA	2991-50-6	<2.55	2.55	2.64		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFDS	335-77-3	<2.72	2.72	2.76		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
11Cl-PF3OUdS	763051-92-9	<0.429	0.429	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFDoA	307-55-1	<0.789	0.789	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
MeFOSA	31506-32-8	<6.88	6.88	8.04		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFDoS	79780-39-5	<1.60	1.60	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
PFTeDA	376-06-7	<0.819	0.819	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
EtFOSA	4151-50-2	<7.34	7.34	8.04		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
MeFOSE	24448-09-7	<8.04	8.04	8.04		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
EtFOSE	1691-99-2	<5.58	5.58	8.04		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	77.0	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
13C3-PFPeA	IS	81.8	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1
13C3-PFBS	IS	86.1	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 19:25	1

Sample ID: 3027 Orchard Ln
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-17	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 16:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.693	0.693	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFPeA	2706-90-3	<0.950	0.950	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFBS	375-73-5	<0.746	0.746	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFHxA	307-24-4	<1.10	1.10	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFPeS	2706-91-4	<0.877	0.877	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
HFPO-DA	13252-13-6	<0.601	0.601	1.94		B1F0015	09-Jun-21	0.258 L	17-Jun-21 01:23	1
PFHpA	375-85-9	<0.858	0.858	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
ADONA	919005-14-4	<0.824	0.824	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFHxS	355-46-4	<1.04	1.04	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
6:2 FTS	27619-97-2	<0.935	0.935	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFOA	335-67-1	<1.06	1.06	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFHpS	375-92-8	<2.39	2.39	2.42		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFNA	375-95-1	<0.548	0.548	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFOSA	754-91-6	4.88	1.31	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFOS	1763-23-1	<1.03	1.03	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
9Cl-PF3ONS	756426-58-1	<0.804	0.804	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFDA	335-76-2	<0.872	0.872	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
8:2 FTS	39108-34-4	<2.17	2.17	2.18		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
MeFOSAA	2355-31-9	<0.916	0.916	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
EtFOSAA	2991-50-6	<2.46	2.46	2.54		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFUnA	2058-94-8	<1.30	1.30	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFDS	335-77-3	<2.62	2.62	2.67		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
11Cl-PF3OUdS	763051-92-9	<0.413	0.413	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFDoA	307-55-1	<0.761	0.761	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
MeFOSA	31506-32-8	<6.64	6.64	7.75		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFDoS	79780-39-5	<1.54	1.54	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
PFTeDA	376-06-7	<0.790	0.790	1.94		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
EtFOSA	4151-50-2	<7.07	7.07	7.75		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
MeFOSE	24448-09-7	<7.75	7.75	7.75		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
EtFOSE	1691-99-2	<5.38	5.38	7.75		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	90.6	25 - 150		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
13C3-PFPeA	IS	74.5	25 - 150		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1
13C3-PFBS	IS	76.5	25 - 150		B1F0015	09-Jun-21	0.258 L	11-Jun-21 21:05	1

Sample ID: 3027 S 15th St

PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-09	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 10:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.728	0.728	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFPeA	2706-90-3	<0.998	0.998	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFBS	375-73-5	<0.784	0.784	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
4:2 FTS	757124-72-4	<1.10	1.10	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFHxA	307-24-4	<1.15	1.15	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFPeS	2706-91-4	<0.922	0.922	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
HFPO-DA	13252-13-6	<0.632	0.632	2.04		B1F0015	09-Jun-21	0.245 L	16-Jun-21 23:28	1
PFHpA	375-85-9	<0.902	0.902	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
ADONA	919005-14-4	<0.866	0.866	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFHxS	355-46-4	<1.10	1.10	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
6:2 FTS	27619-97-2	<0.983	0.983	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFOA	335-67-1	<1.11	1.11	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFHpS	375-92-8	<2.52	2.52	2.55		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFNA	375-95-1	<0.576	0.576	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFOSA	754-91-6	4.75	1.38	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFOS	1763-23-1	<1.08	1.08	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
9Cl-PF3ONS	756426-58-1	<0.846	0.846	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFDA	335-76-2	<0.917	0.917	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
8:2 FTS	39108-34-4	<2.28	2.28	2.29		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFNS	68259-12-1	<1.44	1.44	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
MeFOSAA	2355-31-9	<0.963	0.963	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
EtFOSAA	2991-50-6	<2.58	2.58	2.67		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFUnA	2058-94-8	<1.37	1.37	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFDS	335-77-3	<2.76	2.76	2.80		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
11Cl-PF3OUdS	763051-92-9	<0.434	0.434	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFDoA	307-55-1	<0.800	0.800	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
MeFOSA	31506-32-8	<6.98	6.98	8.15		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFTTrDA	72629-94-8	<1.13	1.13	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFDoS	79780-39-5	<1.62	1.62	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
PFTeDA	376-06-7	<0.830	0.830	2.04		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
EtFOSA	4151-50-2	<7.44	7.44	8.15		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
MeFOSE	24448-09-7	<8.15	8.15	8.15		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
EtFOSE	1691-99-2	<5.65	5.65	8.15		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	85.1	25 - 150		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
13C3-PFPeA	IS	73.2	25 - 150		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1
13C3-PFBS	IS	73.6	25 - 150		B1F0015	09-Jun-21	0.245 L	11-Jun-21 19:11	1

Sample ID: 3028 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-10	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 10:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.691	0.691	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFPeA	2706-90-3	<0.947	0.947	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFBS	375-73-5	<0.744	0.744	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
4:2 FTS	757124-72-4	<1.04	1.04	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFHxA	307-24-4	<1.09	1.09	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFPeS	2706-91-4	<0.875	0.875	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
HFPO-DA	13252-13-6	<0.599	0.599	1.93		B1F0015	09-Jun-21	0.259 L	16-Jun-21 23:38	1
PFHpA	375-85-9	<0.856	0.856	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
ADONA	919005-14-4	<0.822	0.822	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFHxS	355-46-4	<1.04	1.04	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
6:2 FTS	27619-97-2	<0.933	0.933	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFOA	335-67-1	<1.05	1.05	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFHpS	375-92-8	<2.39	2.39	2.42		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFNA	375-95-1	<0.546	0.546	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFOSA	754-91-6	2.03	1.31	1.93	Q	B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFOS	1763-23-1	<1.03	1.03	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
9Cl-PF3ONS	756426-58-1	<0.802	0.802	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFDA	335-76-2	<0.870	0.870	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
8:2 FTS	39108-34-4	<2.17	2.17	2.18		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFNS	68259-12-1	<1.36	1.36	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
MeFOSAA	2355-31-9	<0.914	0.914	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
EtFOSAA	2991-50-6	<2.45	2.45	2.54		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFUnA	2058-94-8	<1.30	1.30	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFDS	335-77-3	<2.62	2.62	2.66		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
11Cl-PF3OUdS	763051-92-9	<0.412	0.412	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFDoA	307-55-1	<0.759	0.759	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
MeFOSA	31506-32-8	<6.62	6.62	7.73		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFTrDA	72629-94-8	<1.07	1.07	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFDoS	79780-39-5	<1.54	1.54	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
PFTeDA	376-06-7	<0.788	0.788	1.93		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
EtFOSA	4151-50-2	<7.06	7.06	7.73		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
MeFOSE	24448-09-7	<7.73	7.73	7.73		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
EtFOSE	1691-99-2	<5.37	5.37	7.73		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	89.4	25 - 150		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
13C3-PFPeA	IS	77.1	25 - 150		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1
13C3-PFBS	IS	78.3	25 - 150		B1F0015	09-Jun-21	0.259 L	11-Jun-21 19:21	1

Sample ID: 3114 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-16	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 09:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.723	0.723	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFPeA	2706-90-3	<0.991	0.991	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFBS	375-73-5	<0.779	0.779	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
4:2 FTS	757124-72-4	<1.09	1.09	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFHxA	307-24-4	<1.14	1.14	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFPeS	2706-91-4	<0.915	0.915	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
HFPO-DA	13252-13-6	<0.627	0.627	2.02		B1F0015	09-Jun-21	0.247 L	17-Jun-21 01:13	1
PFHpA	375-85-9	<0.895	0.895	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
ADONA	919005-14-4	<0.860	0.860	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFHxS	355-46-4	<1.09	1.09	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
6:2 FTS	27619-97-2	<0.976	0.976	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFOA	335-67-1	<1.10	1.10	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFHpS	375-92-8	<2.50	2.50	2.53		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFNA	375-95-1	<0.571	0.571	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFOSA	754-91-6	3.13	1.37	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFOS	1763-23-1	<1.08	1.08	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
9Cl-PF3ONS	756426-58-1	<0.840	0.840	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFDA	335-76-2	<0.910	0.910	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
8:2 FTS	39108-34-4	<2.27	2.27	2.28		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFNS	68259-12-1	<1.43	1.43	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
MeFOSAA	2355-31-9	<0.956	0.956	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
EtFOSAA	2991-50-6	<2.56	2.56	2.66		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFUnA	2058-94-8	<1.36	1.36	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFDS	335-77-3	<2.74	2.74	2.78		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
11Cl-PF3OUdS	763051-92-9	<0.431	0.431	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFDoA	307-55-1	<0.794	0.794	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
MeFOSA	31506-32-8	<6.93	6.93	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFTTrDA	72629-94-8	<1.12	1.12	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFDoS	79780-39-5	<1.61	1.61	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
PFTeDA	376-06-7	<0.824	0.824	2.02		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
EtFOSA	4151-50-2	<7.38	7.38	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
MeFOSE	24448-09-7	<8.09	8.09	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
EtFOSE	1691-99-2	<5.61	5.61	8.09		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	92.6	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
13C3-PFPeA	IS	80.9	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1
13C3-PFBS	IS	84.1	25 - 150		B1F0015	09-Jun-21	0.247 L	11-Jun-21 20:54	1

Sample ID: 3120 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-11	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 11:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.715	0.715	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFPeA	2706-90-3	<0.979	0.979	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFBS	375-73-5	<0.770	0.770	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
4:2 FTS	757124-72-4	<1.08	1.08	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFHxA	307-24-4	<1.13	1.13	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFPeS	2706-91-4	<0.905	0.905	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
HFPO-DA	13252-13-6	<0.620	0.620	4.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFHpA	375-85-9	<0.885	0.885	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
ADONA	919005-14-4	<0.850	0.850	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFHxS	355-46-4	<1.07	1.07	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
6:2 FTS	27619-97-2	<0.964	0.964	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFOA	335-67-1	<1.09	1.09	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFHpS	375-92-8	<2.47	2.47	2.50		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFNA	375-95-1	<0.565	0.565	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFOSA	754-91-6	1.36	1.35	2.00	J, Q	B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFOS	1763-23-1	<1.06	1.06	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
9Cl-PF3ONS	756426-58-1	<0.830	0.830	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFDA	335-76-2	<0.900	0.900	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
8:2 FTS	39108-34-4	<2.24	2.24	2.25		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFNS	68259-12-1	<1.41	1.41	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
MeFOSAA	2355-31-9	<0.945	0.945	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
EtFOSAA	2991-50-6	<2.53	2.53	2.62		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFUnA	2058-94-8	<1.34	1.34	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFDS	335-77-3	<2.70	2.70	2.75		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
11Cl-PF3OUdS	763051-92-9	<0.426	0.426	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFDoA	307-55-1	<0.785	0.785	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
MeFOSA	31506-32-8	<6.85	6.85	8.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFTTrDA	72629-94-8	<1.10	1.10	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFDoS	79780-39-5	<1.59	1.59	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
PFTeDA	376-06-7	<0.815	0.815	2.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
EtFOSA	4151-50-2	<7.30	7.30	8.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
MeFOSE	24448-09-7	<8.00	8.00	8.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
EtFOSE	1691-99-2	<5.55	5.55	8.00		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	99.2	25 - 150		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
13C3-PFPeA	IS	77.9	25 - 150		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1
13C3-PFBS	IS	74.0	25 - 150		B1F0022	15-Jun-21	0.250 L	17-Jun-21 21:55	1

Sample ID: 3121 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-17	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 08:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.727	0.727	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFPeA	2706-90-3	<0.996	0.996	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFBS	375-73-5	<0.783	0.783	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
4:2 FTS	757124-72-4	<1.10	1.10	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFHxA	307-24-4	<1.15	1.15	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFPeS	2706-91-4	<0.920	0.920	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
HFPO-DA	13252-13-6	<0.630	0.630	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFHpA	375-85-9	<0.900	0.900	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
ADONA	919005-14-4	<0.864	0.864	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFHxS	355-46-4	<1.09	1.09	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
6:2 FTS	27619-97-2	<0.981	0.981	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFOA	335-67-1	<1.11	1.11	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFHpS	375-92-8	<2.51	2.51	2.54		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFNA	375-95-1	<0.574	0.574	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFOSA	754-91-6	3.87	1.37	2.03	Q	B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFOS	1763-23-1	<1.08	1.08	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
9Cl-PF3ONS	756426-58-1	<0.844	0.844	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFDA	335-76-2	<0.915	0.915	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
8:2 FTS	39108-34-4	<2.28	2.28	2.29		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
MeFOSAA	2355-31-9	<0.961	0.961	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
EtFOSAA	2991-50-6	<2.58	2.58	2.67		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFUnA	2058-94-8	<1.37	1.37	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFDS	335-77-3	<2.75	2.75	2.80		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
11Cl-PF3OUdS	763051-92-9	<0.434	0.434	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFDoA	307-55-1	<0.798	0.798	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
MeFOSA	31506-32-8	<6.96	6.96	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFTTrDA	72629-94-8	<1.12	1.12	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFDoS	79780-39-5	<1.62	1.62	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
PFTeDA	376-06-7	<0.828	0.828	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
EtFOSA	4151-50-2	<7.42	7.42	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
MeFOSE	24448-09-7	<8.13	8.13	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
EtFOSE	1691-99-2	<5.64	5.64	8.13		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	75.7	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
13C3-PFPeA	IS	82.6	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1
13C3-PFBS	IS	88.3	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 22:00	1

Sample ID: 3126 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-06	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 14:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.692	0.692	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFPeA	2706-90-3	<0.949	0.949	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFBS	375-73-5	<0.746	0.746	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFHxA	307-24-4	<1.09	1.09	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFPeS	2706-91-4	<0.876	0.876	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
HFPO-DA	13252-13-6	<0.600	0.600	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFHpA	375-85-9	<0.857	0.857	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
ADONA	919005-14-4	<0.823	0.823	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFHxS	355-46-4	<1.04	1.04	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
6:2 FTS	27619-97-2	<0.935	0.935	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFOA	335-67-1	<1.06	1.06	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFHpS	375-92-8	<2.39	2.39	2.42		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFNA	375-95-1	<0.547	0.547	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFOSA	754-91-6	5.15	1.31	1.94	Q	B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFOS	1763-23-1	<1.03	1.03	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
9Cl-PF3ONS	756426-58-1	<0.804	0.804	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFDA	335-76-2	<0.872	0.872	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
8:2 FTS	39108-34-4	<2.17	2.17	2.18		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
MeFOSAA	2355-31-9	<0.915	0.915	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
EtFOSAA	2991-50-6	<2.46	2.46	2.54		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFUnA	2058-94-8	<1.30	1.30	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFDS	335-77-3	<2.62	2.62	2.66		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
11Cl-PF3OUdS	763051-92-9	<0.413	0.413	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFDoA	307-55-1	<0.760	0.760	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
MeFOSA	31506-32-8	<6.63	6.63	7.75		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFDoS	79780-39-5	<1.54	1.54	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
PFTeDA	376-06-7	<0.789	0.789	1.94		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
EtFOSA	4151-50-2	<7.07	7.07	7.75		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
MeFOSE	24448-09-7	<7.75	7.75	7.75		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
EtFOSE	1691-99-2	<5.37	5.37	7.75		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	73.1	25 - 150		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
13C3-PFPeA	IS	80.5	25 - 150		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1
13C3-PFBS	IS	88.8	25 - 150		B1F0009	11-Jun-21	0.258 L	15-Jun-21 19:35	1

Sample ID: 3131 S. 15th St

PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-18	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 15:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.711	0.711	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFPeA	2706-90-3	<0.974	0.974	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFBS	375-73-5	<0.766	0.766	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
4:2 FTS	757124-72-4	<1.07	1.07	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFHxA	307-24-4	<1.12	1.12	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFPeS	2706-91-4	<0.900	0.900	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
HFPO-DA	13252-13-6	<0.616	0.616	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFHpA	375-85-9	<0.880	0.880	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
ADONA	919005-14-4	<0.845	0.845	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
6:2 FTS	27619-97-2	<0.959	0.959	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFOA	335-67-1	<1.08	1.08	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFHpS	375-92-8	<2.46	2.46	2.49		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFNA	375-95-1	<0.562	0.562	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFOSA	754-91-6	6.24	1.34	1.99	Q	B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFOS	1763-23-1	<1.06	1.06	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
9Cl-PF3ONS	756426-58-1	<0.825	0.825	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFDA	335-76-2	<0.895	0.895	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
8:2 FTS	39108-34-4	<2.23	2.23	2.24		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
MeFOSAA	2355-31-9	<0.940	0.940	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
EtFOSAA	2991-50-6	<2.52	2.52	2.61		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFDS	335-77-3	<2.69	2.69	2.73		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
11Cl-PF3OUdS	763051-92-9	<0.424	0.424	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFDoA	307-55-1	<0.780	0.780	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
MeFOSA	31506-32-8	<6.81	6.81	7.95		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
PFTeDA	376-06-7	<0.810	0.810	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
EtFOSA	4151-50-2	<7.26	7.26	7.95		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
MeFOSE	24448-09-7	<7.95	7.95	7.95		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
EtFOSE	1691-99-2	<5.52	5.52	7.95		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	76.4	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
13C3-PFPeA	IS	81.9	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1
13C3-PFBS	IS	93.7	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 22:11	1

Sample ID: 3217 S 15th St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-17	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 16:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.737	0.737	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFPeA	2706-90-3	<1.01	1.01	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFBS	375-73-5	<0.793	0.793	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
4:2 FTS	757124-72-4	<1.11	1.11	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFHxA	307-24-4	<1.16	1.16	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFPeS	2706-91-4	<0.933	0.933	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
HFPO-DA	13252-13-6	<0.639	0.639	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFHpA	375-85-9	<0.912	0.912	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
ADONA	919005-14-4	<0.876	0.876	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFHxS	355-46-4	<1.11	1.11	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
6:2 FTS	27619-97-2	<0.994	0.994	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFOA	335-67-1	3.40	1.12	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFHpS	375-92-8	<2.55	2.55	2.58		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFNA	375-95-1	<0.582	0.582	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFOSA	754-91-6	58.4	1.39	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFOS	1763-23-1	<1.10	1.10	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
9Cl-PF3ONS	756426-58-1	<0.855	0.855	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFDA	335-76-2	<0.927	0.927	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
8:2 FTS	39108-34-4	<2.31	2.31	4.12		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFNS	68259-12-1	<1.45	1.45	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
MeFOSAA	2355-31-9	<0.974	0.974	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
EtFOSAA	2991-50-6	<2.61	2.61	2.70		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFUnA	2058-94-8	<1.39	1.39	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFDS	335-77-3	<2.79	2.79	2.83		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
11Cl-PF3OUdS	763051-92-9	<0.439	0.439	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFDoA	307-55-1	<0.809	0.809	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
MeFOSA	31506-32-8	<7.06	7.06	8.24		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFTrDA	72629-94-8	<1.14	1.14	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFDoS	79780-39-5	<1.64	1.64	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
PFTeDA	376-06-7	<0.840	0.840	2.06		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
EtFOSA	4151-50-2	<7.52	7.52	8.24		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
MeFOSE	24448-09-7	<8.24	8.24	8.24		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
EtFOSE	1691-99-2	<5.72	5.72	8.24		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	111	25 - 150		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
13C3-PFPeA	IS	95.1	25 - 150		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1
13C3-PFBS	IS	89.5	25 - 150		B1F0067	20-Jun-21	0.243 L	23-Jun-21 21:48	1

Sample ID: 3224 CTH CT
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-13	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 16:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.725	0.725	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFPeA	2706-90-3	<0.993	0.993	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFBS	375-73-5	<0.780	0.780	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
4:2 FTS	757124-72-4	<1.09	1.09	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFHxA	307-24-4	<1.15	1.15	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFPeS	2706-91-4	<0.917	0.917	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
HFPO-DA	13252-13-6	<0.628	0.628	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFHpA	375-85-9	<0.897	0.897	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
ADONA	919005-14-4	<0.861	0.861	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFHxS	355-46-4	<1.09	1.09	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
6:2 FTS	27619-97-2	<0.978	0.978	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFOA	335-67-1	<1.10	1.10	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFHpS	375-92-8	<2.50	2.50	2.53		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFNA	375-95-1	<0.573	0.573	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFOSA	754-91-6	12.3	1.37	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFOS	1763-23-1	<1.08	1.08	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
9Cl-PF3ONS	756426-58-1	<0.841	0.841	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFDA	335-76-2	<0.912	0.912	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
8:2 FTS	39108-34-4	<2.27	2.27	4.05		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
MeFOSAA	2355-31-9	<0.958	0.958	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
EtFOSAA	2991-50-6	<2.57	2.57	2.66		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFUnA	2058-94-8	<1.36	1.36	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFDS	335-77-3	<2.74	2.74	2.79		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
11Cl-PF3OUdS	763051-92-9	<0.432	0.432	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFDoA	307-55-1	<0.796	0.796	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
MeFOSA	31506-32-8	<6.94	6.94	8.11		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFTTrDA	72629-94-8	<1.12	1.12	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFDoS	79780-39-5	<1.61	1.61	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
PFTeDA	376-06-7	<0.826	0.826	2.03		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
EtFOSA	4151-50-2	<7.40	7.40	8.11		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
MeFOSE	24448-09-7	<8.11	8.11	8.11		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
EtFOSE	1691-99-2	<5.62	5.62	8.11		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	114	25 - 150		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
13C3-PFPeA	IS	97.5	25 - 150		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1
13C3-PFBS	IS	88.1	25 - 150		B1F0067	20-Jun-21	0.247 L	23-Jun-21 21:06	1

Sample ID: 3303 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-08	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 08:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.719	0.719	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFPeA	2706-90-3	<0.985	0.985	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFBS	375-73-5	<0.774	0.774	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
4:2 FTS	757124-72-4	<1.09	1.09	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFHxA	307-24-4	<1.14	1.14	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFPeS	2706-91-4	<0.910	0.910	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
HFPO-DA	13252-13-6	<0.623	0.623	2.01		B1F0015	09-Jun-21	0.249 L	16-Jun-21 23:17	1
PFHpA	375-85-9	<0.890	0.890	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
ADONA	919005-14-4	<0.855	0.855	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
6:2 FTS	27619-97-2	<0.970	0.970	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFOA	335-67-1	<1.10	1.10	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFHpS	375-92-8	<2.48	2.48	2.51		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFNA	375-95-1	<0.568	0.568	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFOSA	754-91-6	2.97	1.36	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
9Cl-PF3ONS	756426-58-1	<0.834	0.834	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFDA	335-76-2	<0.905	0.905	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
8:2 FTS	39108-34-4	<2.25	2.25	2.26		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFNS	68259-12-1	<1.42	1.42	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
MeFOSAA	2355-31-9	<0.950	0.950	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
EtFOSAA	2991-50-6	<2.55	2.55	2.64		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFDS	335-77-3	<2.72	2.72	2.76		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
11Cl-PF3OUdS	763051-92-9	<0.429	0.429	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFDoA	307-55-1	<0.789	0.789	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
MeFOSA	31506-32-8	<6.89	6.89	8.04		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFDoS	79780-39-5	<1.60	1.60	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
PFTeDA	376-06-7	<0.819	0.819	2.01		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
EtFOSA	4151-50-2	<7.34	7.34	8.04		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
MeFOSE	24448-09-7	<8.04	8.04	8.04		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
EtFOSE	1691-99-2	<5.58	5.58	8.04		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	104	25 - 150		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
13C3-PFPeA	IS	82.8	25 - 150		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1
13C3-PFBS	IS	79.6	25 - 150		B1F0015	09-Jun-21	0.249 L	11-Jun-21 19:00	1

Sample ID: 3312 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-01	Column:	BEH C18
Project:	60135471	Date Collected:	03-Jun-21 14:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.703	0.703	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFPeA	2706-90-3	<0.964	0.964	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFBS	375-73-5	<0.758	0.758	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
4:2 FTS	757124-72-4	<1.06	1.06	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFPeS	2706-91-4	<0.890	0.890	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
HFPO-DA	13252-13-6	<0.610	0.610	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFHpA	375-85-9	<0.871	0.871	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
ADONA	919005-14-4	<0.836	0.836	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
6:2 FTS	27619-97-2	<0.949	0.949	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFOA	335-67-1	<1.07	1.07	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFHpS	375-92-8	<2.43	2.43	2.46		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFNA	375-95-1	<0.556	0.556	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFOSA	754-91-6	13.2	1.33	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFOS	1763-23-1	1.10	1.05	1.97	J, Q	B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
9Cl-PF3ONS	756426-58-1	<0.817	0.817	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFDA	335-76-2	<0.885	0.885	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
8:2 FTS	39108-34-4	<2.20	2.20	3.94		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
MeFOSAA	2355-31-9	<0.930	0.930	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
EtFOSAA	2991-50-6	<2.49	2.49	2.58		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFUnA	2058-94-8	<1.32	1.32	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFDS	335-77-3	<2.66	2.66	2.71		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
11Cl-PF3OUdS	763051-92-9	<0.420	0.420	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFDoA	307-55-1	<0.772	0.772	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
MeFOSA	31506-32-8	<6.74	6.74	7.87		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFDoS	79780-39-5	<1.56	1.56	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
PFTeDA	376-06-7	<0.802	0.802	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
EtFOSA	4151-50-2	<7.18	7.18	7.87		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
MeFOSE	24448-09-7	<7.87	7.87	7.87		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
EtFOSE	1691-99-2	<5.46	5.46	7.87		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	104	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
13C3-PFPeA	IS	89.3	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1
13C3-PFBS	IS	96.5	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 00:36	1

Sample ID: 3320 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-11	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 15:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.712	0.712	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFPeA	2706-90-3	<0.976	0.976	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFBS	375-73-5	<0.767	0.767	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
4:2 FTS	757124-72-4	<1.08	1.08	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFHxA	307-24-4	<1.13	1.13	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFPeS	2706-91-4	<0.902	0.902	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
HFPO-DA	13252-13-6	<0.618	0.618	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFHpA	375-85-9	<0.882	0.882	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
ADONA	919005-14-4	<0.847	0.847	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
6:2 FTS	27619-97-2	<0.961	0.961	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFOA	335-67-1	<1.09	1.09	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFHpS	375-92-8	<2.46	2.46	2.49		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFNA	375-95-1	<0.563	0.563	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFOSA	754-91-6	5.06	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFOS	1763-23-1	<1.06	1.06	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
9Cl-PF3ONS	756426-58-1	<0.827	0.827	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFDA	335-76-2	<0.897	0.897	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
8:2 FTS	39108-34-4	<2.23	2.23	3.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
MeFOSAA	2355-31-9	<0.941	0.941	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
EtFOSAA	2991-50-6	<2.53	2.53	2.62		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFDS	335-77-3	<2.69	2.69	2.74		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
11Cl-PF3OUdS	763051-92-9	<0.425	0.425	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFDoA	307-55-1	<0.782	0.782	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
MeFOSA	31506-32-8	<6.82	6.82	7.97		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
PFTeDA	376-06-7	<0.812	0.812	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
EtFOSA	4151-50-2	<7.27	7.27	7.97		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
MeFOSE	24448-09-7	<7.97	7.97	7.97		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
EtFOSE	1691-99-2	<5.53	5.53	7.97		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	119	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
13C3-PFPeA	IS	97.9	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1
13C3-PFBS	IS	103	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 20:45	1

Sample ID: 3322 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-10	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 17:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.716	0.716	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFPeA	2706-90-3	<0.981	0.981	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFBS	375-73-5	<0.771	0.771	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
4:2 FTS	757124-72-4	<1.08	1.08	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFHxA	307-24-4	<1.13	1.13	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFPeS	2706-91-4	<0.906	0.906	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
HFPO-DA	13252-13-6	<0.621	0.621	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFHpA	375-85-9	<0.886	0.886	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
ADONA	919005-14-4	<0.851	0.851	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFHxS	355-46-4	<1.08	1.08	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
6:2 FTS	27619-97-2	<0.966	0.966	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFOA	335-67-1	<1.09	1.09	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFHpS	375-92-8	<2.47	2.47	2.50		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFNA	375-95-1	<0.565	0.565	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFOSA	754-91-6	5.62	1.35	2.00	Q	B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFOS	1763-23-1	<1.07	1.07	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
9Cl-PF3ONS	756426-58-1	<0.831	0.831	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFDA	335-76-2	<0.901	0.901	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
8:2 FTS	39108-34-4	<2.24	2.24	2.25		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFNS	68259-12-1	<1.41	1.41	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
MeFOSAA	2355-31-9	<0.946	0.946	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
EtFOSAA	2991-50-6	<2.54	2.54	2.63		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFUnA	2058-94-8	<1.35	1.35	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFDS	335-77-3	<2.71	2.71	2.75		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
11Cl-PF3OUdS	763051-92-9	<0.427	0.427	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFDoA	307-55-1	<0.786	0.786	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
MeFOSA	31506-32-8	<6.86	6.86	8.01		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFTTrDA	72629-94-8	<1.11	1.11	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFDoS	79780-39-5	<1.59	1.59	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
PFTeDA	376-06-7	<0.816	0.816	2.00		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
EtFOSA	4151-50-2	<7.31	7.31	8.01		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
MeFOSE	24448-09-7	<8.01	8.01	8.01		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
EtFOSE	1691-99-2	<5.55	5.55	8.01		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	77.0	25 - 150		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
13C3-PFPeA	IS	86.3	25 - 150		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1
13C3-PFBS	IS	90.6	25 - 150		B1F0009	11-Jun-21	0.250 L	15-Jun-21 20:48	1

Sample ID: 3327 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-02	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 07:30	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.38	0.726	2.03	J	B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFPeA	2706-90-3	<0.995	0.995	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFBS	375-73-5	<0.782	0.782	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
4:2 FTS	757124-72-4	<1.10	1.10	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFHxA	307-24-4	1.38	1.15	2.03	J, Q	B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFPeS	2706-91-4	<0.919	0.919	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
HFPO-DA	13252-13-6	<0.630	0.630	2.03		B1F0015	09-Jun-21	0.246 L	16-Jun-21 22:14	1
PFHpA	375-85-9	<0.899	0.899	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
ADONA	919005-14-4	<0.863	0.863	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFHxS	355-46-4	<1.09	1.09	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
6:2 FTS	27619-97-2	<0.980	0.980	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFOA	335-67-1	2.37	1.11	2.03	Q	B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFHpS	375-92-8	<2.51	2.51	2.54		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFNA	375-95-1	<0.574	0.574	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFOSA	754-91-6	3.75	1.37	2.03	Q	B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFOS	1763-23-1	<1.08	1.08	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
9Cl-PF3ONS	756426-58-1	<0.843	0.843	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFDA	335-76-2	<0.914	0.914	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
8:2 FTS	39108-34-4	<2.27	2.27	2.28		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
MeFOSAA	2355-31-9	<0.960	0.960	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
EtFOSAA	2991-50-6	<2.57	2.57	2.67		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFUnA	2058-94-8	<1.37	1.37	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFDS	335-77-3	<2.75	2.75	2.79		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
11Cl-PF3OUdS	763051-92-9	<0.433	0.433	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFDoA	307-55-1	<0.797	0.797	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
MeFOSA	31506-32-8	<6.96	6.96	8.12		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFTrDA	72629-94-8	<1.12	1.12	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFDoS	79780-39-5	<1.61	1.61	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
PFTeDA	376-06-7	<0.828	0.828	2.03		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
EtFOSA	4151-50-2	<7.41	7.41	8.12		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
MeFOSE	24448-09-7	<8.12	8.12	8.12		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
EtFOSE	1691-99-2	<5.64	5.64	8.12		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	91.0	25 - 150		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
13C3-PFPeA	IS	82.4	25 - 150		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1
13C3-PFBS	IS	82.0	25 - 150		B1F0015	09-Jun-21	0.246 L	11-Jun-21 17:27	1

Sample ID: 3403 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-07	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 10:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.699	0.699	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFPeA	2706-90-3	<0.958	0.958	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFBS	375-73-5	<0.753	0.753	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
4:2 FTS	757124-72-4	<1.06	1.06	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFPeS	2706-91-4	<0.885	0.885	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
HFPO-DA	13252-13-6	<0.606	0.606	3.91		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFHpA	375-85-9	<0.865	0.865	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
ADONA	919005-14-4	<0.831	0.831	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
6:2 FTS	27619-97-2	<0.943	0.943	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFOA	335-67-1	<1.07	1.07	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFNA	375-95-1	<0.552	0.552	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFOSA	754-91-6	6.30	1.32	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
9Cl-PF3ONS	756426-58-1	<0.811	0.811	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFDA	335-76-2	<0.880	0.880	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
MeFOSAA	2355-31-9	<0.924	0.924	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
EtFOSAA	2991-50-6	<2.48	2.48	2.57		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFDS	335-77-3	<2.64	2.64	2.69		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
11Cl-PF3OUdS	763051-92-9	<0.417	0.417	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFDoA	307-55-1	<0.767	0.767	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
MeFOSA	31506-32-8	<6.70	6.70	7.82		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFTrDA	72629-94-8	<1.08	1.08	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
PFTeDA	376-06-7	<0.797	0.797	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
EtFOSA	4151-50-2	<7.14	7.14	7.82		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
MeFOSE	24448-09-7	<7.82	7.82	7.82		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
EtFOSE	1691-99-2	<5.43	5.43	7.82		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	112	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
13C3-PFPeA	IS	85.0	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1
13C3-PFBS	IS	80.9	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 20:42	1

Sample ID: 3412 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-18	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 14:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.704	0.704	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFPeA	2706-90-3	<0.966	0.966	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFBS	375-73-5	<0.759	0.759	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
4:2 FTS	757124-72-4	<1.06	1.06	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFPeS	2706-91-4	<0.892	0.892	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
HFPO-DA	13252-13-6	<0.611	0.611	1.97		B1F0015	09-Jun-21	0.254 L	17-Jun-21 01:34	1
PFHpA	375-85-9	<0.872	0.872	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
ADONA	919005-14-4	<0.838	0.838	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
6:2 FTS	27619-97-2	<0.951	0.951	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFOA	335-67-1	<1.07	1.07	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFHpS	375-92-8	<2.43	2.43	2.46		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFNA	375-95-1	<0.557	0.557	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFOSA	754-91-6	6.84	1.33	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
9Cl-PF3ONS	756426-58-1	<0.818	0.818	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFDA	335-76-2	<0.887	0.887	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
8:2 FTS	39108-34-4	<2.21	2.21	2.22		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
MeFOSAA	2355-31-9	<0.931	0.931	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
EtFOSAA	2991-50-6	<2.50	2.50	2.59		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFUnA	2058-94-8	<1.33	1.33	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFDS	335-77-3	<2.67	2.67	2.71		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
11Cl-PF3OUdS	763051-92-9	<0.420	0.420	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFDoA	307-55-1	<0.773	0.773	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
MeFOSA	31506-32-8	<6.75	6.75	7.88		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFTrDA	72629-94-8	<1.09	1.09	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFDoS	79780-39-5	<1.57	1.57	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
PFTeDA	376-06-7	<0.803	0.803	1.97		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
EtFOSA	4151-50-2	<7.19	7.19	7.88		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
MeFOSE	24448-09-7	<7.88	7.88	7.88		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
EtFOSE	1691-99-2	<5.47	5.47	7.88		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	85.9	25 - 150		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
13C3-PFPeA	IS	74.7	25 - 150		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1
13C3-PFBS	IS	72.1	25 - 150		B1F0015	09-Jun-21	0.254 L	11-Jun-21 21:15	1

Sample ID: 3422 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-11	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 17:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.726	0.726	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFPeA	2706-90-3	<0.994	0.994	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFBS	375-73-5	<0.781	0.781	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
4:2 FTS	757124-72-4	<1.10	1.10	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFHxA	307-24-4	<1.15	1.15	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFPeS	2706-91-4	<0.918	0.918	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
HFPO-DA	13252-13-6	<0.629	0.629	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFHpA	375-85-9	<0.898	0.898	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
ADONA	919005-14-4	<0.863	0.863	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFHxS	355-46-4	<1.09	1.09	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
6:2 FTS	27619-97-2	<0.979	0.979	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFOA	335-67-1	<1.11	1.11	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFHpS	375-92-8	<2.51	2.51	2.54		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFNA	375-95-1	<0.573	0.573	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFOSA	754-91-6	3.80	1.37	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFOS	1763-23-1	<1.08	1.08	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
9Cl-PF3ONS	756426-58-1	<0.842	0.842	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFDA	335-76-2	<0.913	0.913	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
8:2 FTS	39108-34-4	<2.27	2.27	2.28		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
MeFOSAA	2355-31-9	<0.959	0.959	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
EtFOSAA	2991-50-6	<2.57	2.57	2.66		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFUnA	2058-94-8	<1.36	1.36	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFDS	335-77-3	<2.74	2.74	2.79		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
11Cl-PF3OUdS	763051-92-9	<0.433	0.433	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFDoA	307-55-1	<0.797	0.797	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
MeFOSA	31506-32-8	<6.95	6.95	8.12		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFTTrDA	72629-94-8	<1.12	1.12	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFDoS	79780-39-5	<1.61	1.61	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
PFTeDA	376-06-7	<0.827	0.827	2.03		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
EtFOSA	4151-50-2	<7.41	7.41	8.12		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
MeFOSE	24448-09-7	<8.12	8.12	8.12		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
EtFOSE	1691-99-2	<5.63	5.63	8.12		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	68.6	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
13C3-PFPeA	IS	77.8	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1
13C3-PFBS	IS	84.6	25 - 150		B1F0009	11-Jun-21	0.246 L	15-Jun-21 20:58	1

Sample ID: 3461 (3417) Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-14	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 18:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.99	0.716	2.00	J	B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFPeA	2706-90-3	1.87	0.981	2.00	J	B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFBS	375-73-5	1.26	0.771	2.00	J	B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
4:2 FTS	757124-72-4	<1.08	1.08	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFHxA	307-24-4	2.75	1.13	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFPeS	2706-91-4	<0.906	0.906	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
HFPO-DA	13252-13-6	<0.620	0.620	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFHpA	375-85-9	2.29	0.886	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
ADONA	919005-14-4	<0.851	0.851	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFHxS	355-46-4	<1.08	1.08	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
6:2 FTS	27619-97-2	<0.966	0.966	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFOA	335-67-1	19.0	1.09	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFHpS	375-92-8	<2.47	2.47	2.50		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFNA	375-95-1	<0.565	0.565	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFOSA	754-91-6	199	1.35	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFOS	1763-23-1	2.71	1.07	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
9Cl-PF3ONS	756426-58-1	<0.831	0.831	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFDA	335-76-2	<0.901	0.901	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
8:2 FTS	39108-34-4	<2.24	2.24	4.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFNS	68259-12-1	<1.41	1.41	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
MeFOSAA	2355-31-9	<0.946	0.946	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
EtFOSAA	2991-50-6	<2.54	2.54	2.63		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFUnA	2058-94-8	<1.35	1.35	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFDS	335-77-3	<2.71	2.71	2.75		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
11Cl-PF3OUdS	763051-92-9	<0.427	0.427	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFDoA	307-55-1	<0.786	0.786	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
MeFOSA	31506-32-8	<6.86	6.86	8.01		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFTTrDA	72629-94-8	<1.11	1.11	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFDoS	79780-39-5	<1.59	1.59	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
PFTeDA	376-06-7	<0.816	0.816	2.00		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
EtFOSA	4151-50-2	<7.31	7.31	8.01		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
MeFOSE	24448-09-7	<8.01	8.01	8.01		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
EtFOSE	1691-99-2	<5.55	5.55	8.01		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	102	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
13C3-PFPeA	IS	95.9	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1
13C3-PFBS	IS	90.4	25 - 150		B1F0067	20-Jun-21	0.250 L	23-Jun-21 21:16	1

Sample ID: 3504 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-13	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 13:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.706	0.706	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFPeA	2706-90-3	<0.967	0.967	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFBS	375-73-5	<0.760	0.760	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
4:2 FTS	757124-72-4	<1.07	1.07	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFHxA	307-24-4	<1.12	1.12	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFPeS	2706-91-4	<0.893	0.893	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
HFPO-DA	13252-13-6	<0.612	0.612	3.95		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFHpA	375-85-9	<0.873	0.873	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
ADONA	919005-14-4	<0.839	0.839	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
6:2 FTS	27619-97-2	<0.952	0.952	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFOA	335-67-1	<1.08	1.08	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFHpS	375-92-8	<2.44	2.44	2.47		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFNA	375-95-1	<0.558	0.558	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFOSA	754-91-6	2.51	1.33	1.97	Q	B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
9Cl-PF3ONS	756426-58-1	<0.819	0.819	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFDA	335-76-2	<0.888	0.888	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
8:2 FTS	39108-34-4	<2.21	2.21	2.22		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
MeFOSAA	2355-31-9	<0.933	0.933	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
EtFOSAA	2991-50-6	<2.50	2.50	2.59		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFUnA	2058-94-8	<1.33	1.33	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFDS	335-77-3	<2.67	2.67	2.71		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
11Cl-PF3OUdS	763051-92-9	<0.421	0.421	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFDoA	307-55-1	<0.775	0.775	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
MeFOSA	31506-32-8	<6.76	6.76	7.90		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFDoS	79780-39-5	<1.57	1.57	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
PFTeDA	376-06-7	<0.804	0.804	1.97		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
EtFOSA	4151-50-2	<7.20	7.20	7.90		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
MeFOSE	24448-09-7	<7.90	7.90	7.90		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
EtFOSE	1691-99-2	<5.48	5.48	7.90		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	106	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
13C3-PFPeA	IS	76.0	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1
13C3-PFBS	IS	70.6	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:16	1

Sample ID: 3515 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-14	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 09:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.720	0.720	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFPeA	2706-90-3	<0.987	0.987	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFBS	375-73-5	<0.775	0.775	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
4:2 FTS	757124-72-4	<1.09	1.09	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFHxA	307-24-4	<1.14	1.14	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFPeS	2706-91-4	<0.911	0.911	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
HFPO-DA	13252-13-6	<0.624	0.624	2.01		B1F0015	09-Jun-21	0.248 L	17-Jun-21 00:52	1
PFHpA	375-85-9	<0.891	0.891	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
ADONA	919005-14-4	<0.856	0.856	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
6:2 FTS	27619-97-2	<0.971	0.971	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFOA	335-67-1	<1.10	1.10	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFHpS	375-92-8	<2.49	2.49	2.52		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFNA	375-95-1	<0.569	0.569	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFOSA	754-91-6	6.29	1.36	2.01	Q	B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
9Cl-PF3ONS	756426-58-1	<0.836	0.836	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFDA	335-76-2	<0.906	0.906	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
8:2 FTS	39108-34-4	<2.25	2.25	2.26		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFNS	68259-12-1	<1.42	1.42	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
MeFOSAA	2355-31-9	<0.951	0.951	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
EtFOSAA	2991-50-6	<2.55	2.55	2.64		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFDS	335-77-3	<2.72	2.72	2.77		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
11Cl-PF3OUdS	763051-92-9	<0.429	0.429	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFDoA	307-55-1	<0.790	0.790	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
MeFOSA	31506-32-8	<6.90	6.90	8.05		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFDoS	79780-39-5	<1.60	1.60	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
PFTeDA	376-06-7	<0.820	0.820	2.01		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
EtFOSA	4151-50-2	<7.35	7.35	8.05		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
MeFOSE	24448-09-7	<8.05	8.05	8.05		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
EtFOSE	1691-99-2	<5.59	5.59	8.05		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	93.7	25 - 150		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
13C3-PFPeA	IS	77.1	25 - 150		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1
13C3-PFBS	IS	78.6	25 - 150		B1F0015	09-Jun-21	0.248 L	11-Jun-21 20:33	1

Sample ID: 3518 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-15	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 14:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.709	0.709	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFPeA	2706-90-3	<0.971	0.971	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFBS	375-73-5	<0.763	0.763	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
4:2 FTS	757124-72-4	<1.07	1.07	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFHxA	307-24-4	<1.12	1.12	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFPeS	2706-91-4	<0.897	0.897	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
HFPO-DA	13252-13-6	<0.614	0.614	1.98		B1F0015	09-Jun-21	0.252 L	17-Jun-21 01:02	1
PFHpA	375-85-9	<0.877	0.877	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
ADONA	919005-14-4	<0.842	0.842	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFHxS	355-46-4	<1.07	1.07	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
6:2 FTS	27619-97-2	<0.956	0.956	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFOA	335-67-1	<1.08	1.08	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFHpS	375-92-8	<2.45	2.45	2.48		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFNA	375-95-1	<0.560	0.560	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFOSA	754-91-6	5.35	1.34	1.98	Q	B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFOS	1763-23-1	<1.06	1.06	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
9Cl-PF3ONS	756426-58-1	<0.823	0.823	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFDA	335-76-2	<0.892	0.892	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
8:2 FTS	39108-34-4	<2.22	2.22	2.23		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFNS	68259-12-1	<1.40	1.40	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
MeFOSAA	2355-31-9	<0.937	0.937	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
EtFOSAA	2991-50-6	<2.51	2.51	2.60		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFUnA	2058-94-8	<1.33	1.33	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFDS	335-77-3	<2.68	2.68	2.73		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
11Cl-PF3OUdS	763051-92-9	<0.423	0.423	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFDoA	307-55-1	<0.778	0.778	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
MeFOSA	31506-32-8	<6.79	6.79	7.93		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFTrDA	72629-94-8	<1.10	1.10	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFDoS	79780-39-5	<1.58	1.58	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
PFTeDA	376-06-7	<0.808	0.808	1.98		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
EtFOSA	4151-50-2	<7.23	7.23	7.93		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
MeFOSE	24448-09-7	<7.93	7.93	7.93		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
EtFOSE	1691-99-2	<5.50	5.50	7.93		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	88.4	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
13C3-PFPeA	IS	78.7	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1
13C3-PFBS	IS	74.5	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 20:44	1

Sample ID: 3523 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-06	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 11:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.709	0.709	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFPeA	2706-90-3	<0.972	0.972	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFBS	375-73-5	<0.763	0.763	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
4:2 FTS	757124-72-4	<1.07	1.07	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFHxA	307-24-4	<1.12	1.12	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFPeS	2706-91-4	<0.897	0.897	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
HFPO-DA	13252-13-6	<0.615	0.615	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFHpA	375-85-9	<0.877	0.877	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
ADONA	919005-14-4	<0.843	0.843	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFHxS	355-46-4	<1.07	1.07	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
6:2 FTS	27619-97-2	<0.957	0.957	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFOA	335-67-1	3.38	1.08	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFHpS	375-92-8	<2.45	2.45	2.48		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFNA	375-95-1	<0.560	0.560	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFOSA	754-91-6	39.6	1.34	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFOS	1763-23-1	3.92	1.06	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
9Cl-PF3ONS	756426-58-1	<0.823	0.823	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFDA	335-76-2	<0.892	0.892	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
8:2 FTS	39108-34-4	<2.22	2.22	3.97		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFNS	68259-12-1	<1.40	1.40	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
MeFOSAA	2355-31-9	<0.937	0.937	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
EtFOSAA	2991-50-6	<2.51	2.51	2.60		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFUnA	2058-94-8	<1.33	1.33	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFDS	335-77-3	<2.68	2.68	2.73		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
11Cl-PF3OUdS	763051-92-9	<0.423	0.423	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFDoA	307-55-1	<0.778	0.778	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
MeFOSA	31506-32-8	<6.79	6.79	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFTTrDA	72629-94-8	<1.10	1.10	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFDoS	79780-39-5	<1.58	1.58	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
PFTeDA	376-06-7	<0.808	0.808	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
EtFOSA	4151-50-2	<7.24	7.24	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
MeFOSE	24448-09-7	<7.93	7.93	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
EtFOSE	1691-99-2	<5.50	5.50	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	117	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
13C3-PFPeA	IS	105	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1
13C3-PFBS	IS	97.4	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 19:21	1

Sample ID: 3533 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-12	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 09:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	11.3	0.739	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFPeA	2706-90-3	3.10	1.01	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFBS	375-73-5	3.04	0.796	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
4:2 FTS	757124-72-4	<1.12	1.12	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFHxA	307-24-4	2.95	1.17	2.07	Q	B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFPeS	2706-91-4	<0.936	0.936	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
HFPO-DA	13252-13-6	<0.641	0.641	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFHpA	375-85-9	3.65	0.915	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
ADONA	919005-14-4	<0.879	0.879	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFHxS	355-46-4	3.29	1.11	2.07	Q	B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
6:2 FTS	27619-97-2	<0.998	0.998	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFOA	335-67-1	12.0	1.13	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFHpS	375-92-8	<2.55	2.55	2.58		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFNA	375-95-1	<0.584	0.584	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFOSA	754-91-6	9.13	1.40	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFOS	1763-23-1	4.38	1.10	2.07	Q	B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
9Cl-PF3ONS	756426-58-1	<0.858	0.858	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFDA	335-76-2	<0.931	0.931	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
8:2 FTS	39108-34-4	<2.32	2.32	2.33		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFNS	68259-12-1	<1.46	1.46	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
MeFOSAA	2355-31-9	<0.977	0.977	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
EtFOSAA	2991-50-6	<2.62	2.62	2.71		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFUnA	2058-94-8	<1.39	1.39	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFDS	335-77-3	<2.80	2.80	2.84		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
11Cl-PF3OUdS	763051-92-9	<0.441	0.441	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFDoA	307-55-1	<0.812	0.812	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
MeFOSA	31506-32-8	<7.08	7.08	8.27		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFTTrDA	72629-94-8	<1.14	1.14	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFDoS	79780-39-5	<1.64	1.64	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
PFTeDA	376-06-7	<0.843	0.843	2.07		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
EtFOSA	4151-50-2	<7.55	7.55	8.27		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
MeFOSE	24448-09-7	<8.27	8.27	8.27		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
EtFOSE	1691-99-2	<5.74	5.74	8.27		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	79.5	25 - 150		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
13C3-PFPeA	IS	84.1	25 - 150		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1
13C3-PFBS	IS	90.9	25 - 150		B1F0009	11-Jun-21	0.242 L	15-Jun-21 21:08	1

Sample ID: 3609 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-04	Column:	BEH C18
Project:	60135471	Date Collected:	27-May-21 09:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.694	0.694	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFPeA	2706-90-3	<0.952	0.952	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFBS	375-73-5	<0.748	0.748	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFHxA	307-24-4	<1.10	1.10	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFPeS	2706-91-4	<0.879	0.879	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
HFPO-DA	13252-13-6	<0.602	0.602	3.89		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFHpA	375-85-9	<0.860	0.860	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
ADONA	919005-14-4	<0.826	0.826	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFHxS	355-46-4	<1.04	1.04	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
6:2 FTS	27619-97-2	<0.937	0.937	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFOA	335-67-1	<1.06	1.06	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFHpS	375-92-8	<2.40	2.40	2.43		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFNA	375-95-1	<0.549	0.549	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFOSA	754-91-6	10.2	1.31	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFOS	1763-23-1	<1.03	1.03	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
9Cl-PF3ONS	756426-58-1	<0.806	0.806	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFDA	335-76-2	<0.874	0.874	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
MeFOSAA	2355-31-9	<0.918	0.918	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
EtFOSAA	2991-50-6	<2.46	2.46	2.55		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFUnA	2058-94-8	<1.31	1.31	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFDS	335-77-3	<2.63	2.63	2.67		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
11Cl-PF3OUdS	763051-92-9	<0.414	0.414	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFDoA	307-55-1	<0.762	0.762	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
MeFOSA	31506-32-8	<6.65	6.65	7.77		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFDoS	79780-39-5	<1.54	1.54	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
PFTeDA	376-06-7	<0.792	0.792	1.94		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
EtFOSA	4151-50-2	<7.09	7.09	7.77		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
MeFOSE	24448-09-7	<7.77	7.77	7.77		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
EtFOSE	1691-99-2	<5.39	5.39	7.77		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	121	25 - 150		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
13C3-PFPeA	IS	88.3	25 - 150		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1
13C3-PFBS	IS	82.8	25 - 150		B1F0022	15-Jun-21	0.257 L	17-Jun-21 20:11	1

Sample ID: 3609 M & M
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-16	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 13:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.698	0.698	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFPeA	2706-90-3	<0.957	0.957	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFBS	375-73-5	<0.752	0.752	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
4:2 FTS	757124-72-4	<1.05	1.05	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFPeS	2706-91-4	<0.883	0.883	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
HFPO-DA	13252-13-6	<0.605	0.605	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFHpA	375-85-9	<0.864	0.864	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
ADONA	919005-14-4	<0.830	0.830	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
6:2 FTS	27619-97-2	<0.942	0.942	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFOA	335-67-1	<1.06	1.06	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFNA	375-95-1	<0.551	0.551	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFOSA	754-91-6	10.0	1.32	1.95	Q	B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
9Cl-PF3ONS	756426-58-1	<0.810	0.810	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFDA	335-76-2	<0.878	0.878	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
8:2 FTS	39108-34-4	<2.19	2.19	3.90		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
MeFOSAA	2355-31-9	<0.922	0.922	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
EtFOSAA	2991-50-6	<2.47	2.47	2.56		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFDS	335-77-3	<2.64	2.64	2.68		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
11Cl-PF3OUdS	763051-92-9	<0.416	0.416	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFDoA	307-55-1	<0.766	0.766	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
MeFOSA	31506-32-8	<6.69	6.69	7.81		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFTTrDA	72629-94-8	<1.08	1.08	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
PFTeDA	376-06-7	<0.795	0.795	1.95		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
EtFOSA	4151-50-2	<7.13	7.13	7.81		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
MeFOSE	24448-09-7	<7.81	7.81	7.81		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
EtFOSE	1691-99-2	<5.42	5.42	7.81		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	116	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
13C3-PFPeA	IS	97.2	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1
13C3-PFBS	IS	97.3	25 - 150		B1F0067	20-Jun-21	0.256 L	23-Jun-21 21:37	1

Sample ID: 3611 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-13	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 10:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	3.72	0.695	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFPeA	2706-90-3	1.17	0.953	1.94	J	B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFBS	375-73-5	2.99	0.749	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFHxA	307-24-4	1.29	1.10	1.94	J, Q	B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFPeS	2706-91-4	<0.880	0.880	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
HFPO-DA	13252-13-6	<0.603	0.603	1.94		B1F0015	09-Jun-21	0.257 L	17-Jun-21 00:41	1
PFHpA	375-85-9	<0.861	0.861	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
ADONA	919005-14-4	<0.827	0.827	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFHxS	355-46-4	2.76	1.05	1.94	Q	B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
6:2 FTS	27619-97-2	<0.938	0.938	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFOA	335-67-1	6.00	1.06	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFHpS	375-92-8	<2.40	2.40	2.43		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFNA	375-95-1	<0.549	0.549	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFOSA	754-91-6	12.7	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFOS	1763-23-1	16.5	1.04	1.94	Q	B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
9Cl-PF3ONS	756426-58-1	<0.807	0.807	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFDA	335-76-2	<0.875	0.875	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
MeFOSAA	2355-31-9	<0.919	0.919	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
EtFOSAA	2991-50-6	<2.46	2.46	2.55		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFUnA	2058-94-8	<1.31	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFDS	335-77-3	<2.63	2.63	2.67		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
11Cl-PF3OUdS	763051-92-9	<0.415	0.415	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFDoA	307-55-1	<0.763	0.763	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
MeFOSA	31506-32-8	<6.66	6.66	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFDoS	79780-39-5	<1.55	1.55	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
PFTeDA	376-06-7	<0.792	0.792	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
EtFOSA	4151-50-2	<7.10	7.10	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
MeFOSE	24448-09-7	<7.78	7.78	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
EtFOSE	1691-99-2	<5.40	5.40	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	88.3	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
13C3-PFPeA	IS	73.7	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1
13C3-PFBS	IS	74.7	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 20:23	1

Sample ID: 3625 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-14	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 11:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.711	0.711	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFPeA	2706-90-3	<0.975	0.975	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFBS	375-73-5	<0.766	0.766	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
4:2 FTS	757124-72-4	<1.07	1.07	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFHxA	307-24-4	<1.12	1.12	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFPeS	2706-91-4	<0.900	0.900	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
HFPO-DA	13252-13-6	<0.617	0.617	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFHpA	375-85-9	<0.880	0.880	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
ADONA	919005-14-4	<0.845	0.845	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
6:2 FTS	27619-97-2	<0.960	0.960	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFOA	335-67-1	<1.08	1.08	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFHpS	375-92-8	<2.46	2.46	2.49		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFNA	375-95-1	<0.562	0.562	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFOSA	754-91-6	6.72	1.34	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFOS	1763-23-1	<1.06	1.06	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
9Cl-PF3ONS	756426-58-1	<0.826	0.826	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFDA	335-76-2	<0.895	0.895	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
8:2 FTS	39108-34-4	<2.23	2.23	2.24		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
MeFOSAA	2355-31-9	<0.940	0.940	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
EtFOSAA	2991-50-6	<2.52	2.52	2.61		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFDS	335-77-3	<2.69	2.69	2.74		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
11Cl-PF3OUdS	763051-92-9	<0.424	0.424	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFDoA	307-55-1	<0.781	0.781	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
MeFOSA	31506-32-8	<6.81	6.81	7.96		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
PFTeDA	376-06-7	<0.811	0.811	1.99		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
EtFOSA	4151-50-2	<7.26	7.26	7.96		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
MeFOSE	24448-09-7	<7.96	7.96	7.96		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
EtFOSE	1691-99-2	<5.52	5.52	7.96		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	77.6	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
13C3-PFPeA	IS	82.3	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1
13C3-PFBS	IS	91.6	25 - 150		B1F0009	11-Jun-21	0.251 L	15-Jun-21 21:29	1

Sample ID: 3626 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-14	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 13:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.697	0.697	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFPeA	2706-90-3	<0.956	0.956	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFBS	375-73-5	<0.751	0.751	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
4:2 FTS	757124-72-4	<1.05	1.05	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFPeS	2706-91-4	<0.883	0.883	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
HFPO-DA	13252-13-6	<0.605	0.605	3.90		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFHpA	375-85-9	<0.863	0.863	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
ADONA	919005-14-4	<0.829	0.829	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
6:2 FTS	27619-97-2	<0.941	0.941	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFOA	335-67-1	1.23	1.06	1.95	J, Q	B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFNA	375-95-1	<0.551	0.551	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFOSA	754-91-6	13.3	1.32	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
9Cl-PF3ONS	756426-58-1	<0.809	0.809	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFDA	335-76-2	<0.878	0.878	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
MeFOSAA	2355-31-9	<0.922	0.922	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
EtFOSAA	2991-50-6	<2.47	2.47	2.56		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFDS	335-77-3	<2.64	2.64	2.68		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
11Cl-PF3OUdS	763051-92-9	<0.416	0.416	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFDoA	307-55-1	<0.766	0.766	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
MeFOSA	31506-32-8	<6.68	6.68	7.80		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFTTrDA	72629-94-8	<1.08	1.08	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
PFTeDA	376-06-7	<0.795	0.795	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
EtFOSA	4151-50-2	<7.12	7.12	7.80		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
MeFOSE	24448-09-7	<7.80	7.80	7.80		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
EtFOSE	1691-99-2	<5.41	5.41	7.80		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	110	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
13C3-PFPeA	IS	81.5	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1
13C3-PFBS	IS	83.0	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 22:26	1

Sample ID: 3627 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-13	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 09:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.717	0.717	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFPeA	2706-90-3	<0.983	0.983	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFBS	375-73-5	<0.772	0.772	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
4:2 FTS	757124-72-4	<1.08	1.08	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFHxA	307-24-4	<1.13	1.13	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFPeS	2706-91-4	<0.908	0.908	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
HFPO-DA	13252-13-6	<0.622	0.622	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFHpA	375-85-9	<0.887	0.887	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
ADONA	919005-14-4	<0.852	0.852	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
6:2 FTS	27619-97-2	<0.968	0.968	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFOA	335-67-1	<1.09	1.09	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFHpS	375-92-8	<2.48	2.48	2.51		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFNA	375-95-1	<0.567	0.567	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFOSA	754-91-6	<1.35	1.35	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
9Cl-PF3ONS	756426-58-1	<0.832	0.832	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFDA	335-76-2	<0.902	0.902	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
8:2 FTS	39108-34-4	<2.25	2.25	2.26		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFNS	68259-12-1	<1.41	1.41	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
MeFOSAA	2355-31-9	<0.948	0.948	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
EtFOSAA	2991-50-6	<2.54	2.54	2.63		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFDS	335-77-3	<2.71	2.71	2.76		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
11Cl-PF3OUdS	763051-92-9	<0.428	0.428	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFDoA	307-55-1	<0.787	0.787	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
MeFOSA	31506-32-8	<6.87	6.87	8.02		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFDoS	79780-39-5	<1.59	1.59	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
PFTeDA	376-06-7	<0.817	0.817	2.01		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
EtFOSA	4151-50-2	<7.32	7.32	8.02		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
MeFOSE	24448-09-7	<8.02	8.02	8.02		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
EtFOSE	1691-99-2	<5.57	5.57	8.02		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	80.0	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
13C3-PFPeA	IS	85.1	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1
13C3-PFBS	IS	94.8	25 - 150		B1F0009	11-Jun-21	0.249 L	15-Jun-21 21:19	1

Sample ID: 3702 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-03	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 07:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.707	0.707	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFPeA	2706-90-3	<0.970	0.970	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFBS	375-73-5	<0.762	0.762	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
4:2 FTS	757124-72-4	<1.07	1.07	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFHxA	307-24-4	<1.12	1.12	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFPeS	2706-91-4	<0.895	0.895	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
HFPO-DA	13252-13-6	<0.613	0.613	1.98		B1F0015	09-Jun-21	0.253 L	16-Jun-21 22:25	1
PFHpA	375-85-9	<0.876	0.876	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
ADONA	919005-14-4	<0.841	0.841	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFHxS	355-46-4	<1.06	1.06	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
6:2 FTS	27619-97-2	<0.955	0.955	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFOA	335-67-1	<1.08	1.08	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFHpS	375-92-8	<2.44	2.44	2.47		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFNA	375-95-1	<0.559	0.559	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFOSA	754-91-6	6.99	1.34	1.98	Q	B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFOS	1763-23-1	<1.05	1.05	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
9Cl-PF3ONS	756426-58-1	<0.821	0.821	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFDA	335-76-2	<0.890	0.890	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
8:2 FTS	39108-34-4	<2.22	2.22	2.23		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFNS	68259-12-1	<1.40	1.40	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
MeFOSAA	2355-31-9	<0.935	0.935	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
EtFOSAA	2991-50-6	<2.51	2.51	2.60		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFUnA	2058-94-8	<1.33	1.33	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFDS	335-77-3	<2.68	2.68	2.72		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
11Cl-PF3OUdS	763051-92-9	<0.422	0.422	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFDoA	307-55-1	<0.777	0.777	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
MeFOSA	31506-32-8	<6.78	6.78	7.92		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFTTrDA	72629-94-8	<1.09	1.09	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFDoS	79780-39-5	<1.57	1.57	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
PFTeDA	376-06-7	<0.806	0.806	1.98		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
EtFOSA	4151-50-2	<7.22	7.22	7.92		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
MeFOSE	24448-09-7	<7.92	7.92	7.92		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
EtFOSE	1691-99-2	<5.49	5.49	7.92		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	87.3	25 - 150		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
13C3-PFPeA	IS	76.1	25 - 150		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1
13C3-PFBS	IS	75.3	25 - 150		B1F0015	09-Jun-21	0.253 L	11-Jun-21 18:08	1

Sample ID: 3720 Hecker Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-06	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 08:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.695	0.695	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFPeA	2706-90-3	<0.953	0.953	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFBS	375-73-5	<0.749	0.749	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFHxA	307-24-4	<1.10	1.10	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFPeS	2706-91-4	<0.880	0.880	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
HFPO-DA	13252-13-6	<0.603	0.603	1.94		B1F0015	09-Jun-21	0.257 L	16-Jun-21 22:56	1
PFHpA	375-85-9	<0.861	0.861	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
ADONA	919005-14-4	<0.826	0.826	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFHxS	355-46-4	<1.05	1.05	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
6:2 FTS	27619-97-2	<0.938	0.938	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFOA	335-67-1	<1.06	1.06	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFHpS	375-92-8	<2.40	2.40	2.43		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFNA	375-95-1	<0.549	0.549	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFOSA	754-91-6	7.94	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFOS	1763-23-1	<1.04	1.04	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
9Cl-PF3ONS	756426-58-1	<0.807	0.807	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFDA	335-76-2	<0.875	0.875	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
MeFOSAA	2355-31-9	<0.919	0.919	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
EtFOSAA	2991-50-6	<2.46	2.46	2.55		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFUnA	2058-94-8	<1.31	1.31	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFDS	335-77-3	<2.63	2.63	2.67		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
11Cl-PF3OUdS	763051-92-9	<0.415	0.415	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFDoA	307-55-1	<0.763	0.763	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
MeFOSA	31506-32-8	<6.66	6.66	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFTTrDA	72629-94-8	<1.07	1.07	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFDoS	79780-39-5	<1.55	1.55	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
PFTeDA	376-06-7	<0.792	0.792	1.94		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
EtFOSA	4151-50-2	<7.10	7.10	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
MeFOSE	24448-09-7	<7.78	7.78	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
EtFOSE	1691-99-2	<5.40	5.40	7.78		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	95.2	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
13C3-PFPeA	IS	78.1	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1
13C3-PFBS	IS	78.6	25 - 150		B1F0015	09-Jun-21	0.257 L	11-Jun-21 18:39	1

Sample ID: 3817 Viebahn St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-04	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 16:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.699	0.699	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFPeA	2706-90-3	<0.958	0.958	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFBS	375-73-5	<0.753	0.753	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
4:2 FTS	757124-72-4	<1.06	1.06	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFPeS	2706-91-4	<0.885	0.885	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
HFPO-DA	13252-13-6	<0.606	0.606	1.95		B1F0015	09-Jun-21	0.256 L	16-Jun-21 22:35	1
PFHpA	375-85-9	<0.865	0.865	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
ADONA	919005-14-4	<0.831	0.831	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
6:2 FTS	27619-97-2	<0.943	0.943	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFOA	335-67-1	<1.07	1.07	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFNA	375-95-1	<0.552	0.552	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFOSA	754-91-6	10.5	1.32	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
9Cl-PF3ONS	756426-58-1	<0.811	0.811	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFDA	335-76-2	<0.880	0.880	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
MeFOSAA	2355-31-9	<0.924	0.924	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
EtFOSAA	2991-50-6	<2.48	2.48	2.57		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFDS	335-77-3	<2.64	2.64	2.69		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
11Cl-PF3OUdS	763051-92-9	<0.417	0.417	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFDoA	307-55-1	<0.767	0.767	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
MeFOSA	31506-32-8	<6.70	6.70	7.82		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFTTrDA	72629-94-8	<1.08	1.08	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
PFTeDA	376-06-7	<0.797	0.797	1.95		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
EtFOSA	4151-50-2	<7.14	7.14	7.82		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
MeFOSE	24448-09-7	<7.82	7.82	7.82		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
EtFOSE	1691-99-2	<5.42	5.42	7.82		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	82.5	25 - 150		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
13C3-PFPeA	IS	72.3	25 - 150		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1
13C3-PFBS	IS	75.0	25 - 150		B1F0015	09-Jun-21	0.256 L	11-Jun-21 18:19	1

Sample ID: 3825 Viebahn St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-06	Column:	BEH C18
Project:	60135471	Date Collected:	27-May-21 15:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.720	0.720	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFPeA	2706-90-3	<0.987	0.987	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFBS	375-73-5	<0.775	0.775	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
4:2 FTS	757124-72-4	<1.09	1.09	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFHxA	307-24-4	<1.14	1.14	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFPeS	2706-91-4	<0.911	0.911	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
HFPO-DA	13252-13-6	<0.624	0.624	4.03		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFHpA	375-85-9	<0.891	0.891	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
ADONA	919005-14-4	<0.856	0.856	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
6:2 FTS	27619-97-2	<0.972	0.972	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFOA	335-67-1	<1.10	1.10	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFHpS	375-92-8	<2.49	2.49	2.52		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFNA	375-95-1	<0.569	0.569	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFOSA	754-91-6	3.56	1.36	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
9Cl-PF3ONS	756426-58-1	<0.836	0.836	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFDA	335-76-2	<0.906	0.906	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
8:2 FTS	39108-34-4	<2.26	2.26	2.27		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFNS	68259-12-1	<1.42	1.42	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
MeFOSAA	2355-31-9	<0.952	0.952	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
EtFOSAA	2991-50-6	<2.55	2.55	2.64		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFDS	335-77-3	<2.72	2.72	2.77		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
11Cl-PF3OUdS	763051-92-9	<0.429	0.429	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFDoA	307-55-1	<0.790	0.790	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
MeFOSA	31506-32-8	<6.90	6.90	8.06		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFDoS	79780-39-5	<1.60	1.60	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
PFTeDA	376-06-7	<0.821	0.821	2.01		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
EtFOSA	4151-50-2	<7.35	7.35	8.06		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
MeFOSE	24448-09-7	<8.06	8.06	8.06		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
EtFOSE	1691-99-2	<5.59	5.59	8.06		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	125	25 - 150		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
13C3-PFPeA	IS	92.1	25 - 150		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1
13C3-PFBS	IS	91.1	25 - 150		B1F0022	15-Jun-21	0.248 L	17-Jun-21 20:32	1

Sample ID: 3902 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-07	Column:	BEH C18
Project:	60135471	Date Collected:	04-Jun-21 16:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.734	0.734	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFPeA	2706-90-3	<1.01	1.01	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFBS	375-73-5	<0.790	0.790	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
4:2 FTS	757124-72-4	<1.11	1.11	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFHxA	307-24-4	<1.16	1.16	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFPeS	2706-91-4	<0.929	0.929	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
HFPO-DA	13252-13-6	<0.636	0.636	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFHpA	375-85-9	<0.908	0.908	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
ADONA	919005-14-4	<0.872	0.872	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFHxS	355-46-4	<1.10	1.10	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
6:2 FTS	27619-97-2	<0.990	0.990	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFOA	335-67-1	<1.12	1.12	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFHpS	375-92-8	<2.53	2.53	2.57		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFNA	375-95-1	<0.580	0.580	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFOSA	754-91-6	6.82	1.39	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFOS	1763-23-1	<1.09	1.09	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
9Cl-PF3ONS	756426-58-1	<0.852	0.852	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFDA	335-76-2	<0.924	0.924	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
8:2 FTS	39108-34-4	<2.30	2.30	4.11		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFNS	68259-12-1	<1.45	1.45	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
MeFOSAA	2355-31-9	<0.970	0.970	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
EtFOSAA	2991-50-6	<2.60	2.60	2.69		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFUnA	2058-94-8	<1.38	1.38	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFDS	335-77-3	<2.78	2.78	2.82		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
11Cl-PF3OUdS	763051-92-9	<0.438	0.438	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFDoA	307-55-1	<0.806	0.806	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
MeFOSA	31506-32-8	<7.03	7.03	8.21		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFTTrDA	72629-94-8	<1.13	1.13	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFDoS	79780-39-5	<1.63	1.63	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
PFTeDA	376-06-7	<0.836	0.836	2.05		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
EtFOSA	4151-50-2	<7.49	7.49	8.21		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
MeFOSE	24448-09-7	<8.21	8.21	8.21		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
EtFOSE	1691-99-2	<5.70	5.70	8.21		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	101	25 - 150		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
13C3-PFPeA	IS	86.8	25 - 150		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1
13C3-PFBS	IS	89.2	25 - 150		B1F0068	21-Jun-21	0.244 L	24-Jun-21 02:10	1

Sample ID: 3911 Black Hawk Ct
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-07	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 10:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.722	0.722	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFPeA	2706-90-3	<0.990	0.990	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFBS	375-73-5	<0.778	0.778	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
4:2 FTS	757124-72-4	<1.09	1.09	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFHxA	307-24-4	<1.14	1.14	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFPeS	2706-91-4	<0.914	0.914	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
HFPO-DA	13252-13-6	<0.626	0.626	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFHpA	375-85-9	<0.894	0.894	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
ADONA	919005-14-4	<0.859	0.859	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFHxS	355-46-4	<1.09	1.09	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
6:2 FTS	27619-97-2	<0.975	0.975	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFOA	335-67-1	1.20	1.10	2.02	J	B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFHpS	375-92-8	<2.50	2.50	2.53		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFNA	375-95-1	<0.571	0.571	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFOSA	754-91-6	13.4	1.36	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFOS	1763-23-1	<1.08	1.08	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
9Cl-PF3ONS	756426-58-1	<0.839	0.839	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFDA	335-76-2	<0.909	0.909	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
8:2 FTS	39108-34-4	<2.26	2.26	2.27		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFNS	68259-12-1	<1.42	1.42	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
MeFOSAA	2355-31-9	<0.955	0.955	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
EtFOSAA	2991-50-6	<2.56	2.56	2.65		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFUnA	2058-94-8	<1.36	1.36	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFDS	335-77-3	<2.73	2.73	2.78		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
11Cl-PF3OUdS	763051-92-9	<0.431	0.431	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFDoA	307-55-1	<0.793	0.793	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
MeFOSA	31506-32-8	<6.92	6.92	8.08		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFTrDA	72629-94-8	<1.12	1.12	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFDoS	79780-39-5	<1.61	1.61	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
PFTeDA	376-06-7	<0.823	0.823	2.02		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
EtFOSA	4151-50-2	<7.38	7.38	8.08		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
MeFOSE	24448-09-7	<8.08	8.08	8.08		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
EtFOSE	1691-99-2	<5.61	5.61	8.08		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	73.7	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
13C3-PFPeA	IS	82.1	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1
13C3-PFBS	IS	90.5	25 - 150		B1F0009	11-Jun-21	0.247 L	15-Jun-21 19:45	1

Sample ID: 3921 Black Hawk Ct
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-12	Column:	BEH C18
Project:	60135471	Date Collected:	25-May-21 10:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.45	0.688	1.92	J	B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFPeA	2706-90-3	1.13	0.943	1.92	J	B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFBS	375-73-5	<0.741	0.741	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
4:2 FTS	757124-72-4	<1.04	1.04	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFHxA	307-24-4	<1.09	1.09	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFPeS	2706-91-4	<0.871	0.871	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
HFPO-DA	13252-13-6	<0.596	0.596	1.92		B1F0015	09-Jun-21	0.260 L	17-Jun-21 00:31	1
PFHpA	375-85-9	<0.851	0.851	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
ADONA	919005-14-4	<0.818	0.818	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFHxS	355-46-4	<1.03	1.03	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
6:2 FTS	27619-97-2	<0.928	0.928	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFOA	335-67-1	1.86	1.05	1.92	J	B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFHpS	375-92-8	<2.38	2.38	2.41		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFNA	375-95-1	<0.544	0.544	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFOSA	754-91-6	26.1	1.30	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFOS	1763-23-1	<1.02	1.02	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
9Cl-PF3ONS	756426-58-1	<0.798	0.798	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFDA	335-76-2	<0.866	0.866	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
8:2 FTS	39108-34-4	<2.15	2.15	2.16		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFNS	68259-12-1	<1.36	1.36	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
MeFOSAA	2355-31-9	<0.909	0.909	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
EtFOSAA	2991-50-6	<2.44	2.44	2.53		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFUnA	2058-94-8	<1.29	1.29	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFDS	335-77-3	<2.60	2.60	2.65		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
11Cl-PF3OUdS	763051-92-9	<0.410	0.410	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFDoA	307-55-1	<0.755	0.755	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
MeFOSA	31506-32-8	<6.59	6.59	7.70		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFTTrDA	72629-94-8	<1.06	1.06	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFDoS	79780-39-5	<1.53	1.53	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
PFTeDA	376-06-7	<0.784	0.784	1.92		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
EtFOSA	4151-50-2	<7.02	7.02	7.70		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
MeFOSE	24448-09-7	<7.70	7.70	7.70		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
EtFOSE	1691-99-2	<5.34	5.34	7.70		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	94.0	25 - 150		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
13C3-PFPeA	IS	79.6	25 - 150		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1
13C3-PFBS	IS	82.8	25 - 150		B1F0015	09-Jun-21	0.260 L	11-Jun-21 19:42	1

Sample ID: 4002 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-15	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 18:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.730	0.730	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFPeA	2706-90-3	<1.00	1.00	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFBS	375-73-5	<0.787	0.787	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
4:2 FTS	757124-72-4	<1.10	1.10	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFHxA	307-24-4	<1.15	1.15	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFPeS	2706-91-4	<0.925	0.925	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
HFPO-DA	13252-13-6	<0.633	0.633	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFHpA	375-85-9	<0.904	0.904	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
ADONA	919005-14-4	<0.868	0.868	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFHxS	355-46-4	<1.10	1.10	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
6:2 FTS	27619-97-2	<0.986	0.986	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFOA	335-67-1	<1.11	1.11	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFHpS	375-92-8	<2.52	2.52	2.55		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFNA	375-95-1	<0.577	0.577	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFOSA	754-91-6	13.0	1.38	2.04	Q	B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFOS	1763-23-1	<1.09	1.09	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
9Cl-PF3ONS	756426-58-1	<0.848	0.848	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFDA	335-76-2	<0.919	0.919	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
8:2 FTS	39108-34-4	<2.29	2.29	4.09		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFNS	68259-12-1	<1.44	1.44	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
MeFOSAA	2355-31-9	<0.965	0.965	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
EtFOSAA	2991-50-6	<2.59	2.59	2.68		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFUnA	2058-94-8	<1.37	1.37	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFDS	335-77-3	<2.76	2.76	2.81		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
11Cl-PF3OUdS	763051-92-9	<0.436	0.436	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFDoA	307-55-1	<0.802	0.802	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
MeFOSA	31506-32-8	<7.00	7.00	8.17		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFTTrDA	72629-94-8	<1.13	1.13	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFDoS	79780-39-5	<1.62	1.62	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
PFTeDA	376-06-7	<0.833	0.833	2.04		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
EtFOSA	4151-50-2	<7.46	7.46	8.17		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
MeFOSE	24448-09-7	<8.17	8.17	8.17		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
EtFOSE	1691-99-2	<5.67	5.67	8.17		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	107	25 - 150		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
13C3-PFPeA	IS	101	25 - 150		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1
13C3-PFBS	IS	102	25 - 150		B1F0067	20-Jun-21	0.245 L	23-Jun-21 21:27	1

Sample ID: 4004 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-15	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 11:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.695	0.695	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFPeA	2706-90-3	<0.952	0.952	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFBS	375-73-5	<0.748	0.748	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
4:2 FTS	757124-72-4	<1.05	1.05	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFHxA	307-24-4	<1.10	1.10	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFPeS	2706-91-4	<0.879	0.879	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
HFPO-DA	13252-13-6	<0.602	0.602	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFHpA	375-85-9	<0.860	0.860	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
ADONA	919005-14-4	<0.826	0.826	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFHxS	355-46-4	<1.04	1.04	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
6:2 FTS	27619-97-2	<0.938	0.938	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFOA	335-67-1	<1.06	1.06	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFHpS	375-92-8	<2.40	2.40	2.43		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFNA	375-95-1	<0.549	0.549	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFOSA	754-91-6	9.68	1.31	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFOS	1763-23-1	<1.03	1.03	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
9Cl-PF3ONS	756426-58-1	<0.806	0.806	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFDA	335-76-2	<0.874	0.874	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
8:2 FTS	39108-34-4	<2.18	2.18	2.19		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFNS	68259-12-1	<1.37	1.37	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
MeFOSAA	2355-31-9	<0.918	0.918	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
EtFOSAA	2991-50-6	<2.46	2.46	2.55		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFUnA	2058-94-8	<1.31	1.31	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFDS	335-77-3	<2.63	2.63	2.67		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
11Cl-PF3OUdS	763051-92-9	<0.414	0.414	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFDoA	307-55-1	<0.763	0.763	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
MeFOSA	31506-32-8	<6.66	6.66	7.77		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFTrDA	72629-94-8	<1.07	1.07	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFDoS	79780-39-5	<1.54	1.54	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
PFTeDA	376-06-7	<0.792	0.792	1.94		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
EtFOSA	4151-50-2	<7.09	7.09	7.77		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
MeFOSE	24448-09-7	<7.77	7.77	7.77		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
EtFOSE	1691-99-2	<5.39	5.39	7.77		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	76.8	25 - 150		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
13C3-PFPeA	IS	83.8	25 - 150		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1
13C3-PFBS	IS	93.8	25 - 150		B1F0009	11-Jun-21	0.257 L	15-Jun-21 21:40	1

Sample ID: 4005 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-08	Column:	BEH C18
Project:	60135471	Date Collected:	04-Jun-21 14:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.738	0.738	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFPeA	2706-90-3	<1.01	1.01	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFBS	375-73-5	<0.795	0.795	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
4:2 FTS	757124-72-4	<1.11	1.11	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFHxA	307-24-4	<1.17	1.17	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFPeS	2706-91-4	<0.934	0.934	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
HFPO-DA	13252-13-6	<0.640	0.640	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFHpA	375-85-9	<0.914	0.914	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
ADONA	919005-14-4	<0.878	0.878	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFHxS	355-46-4	<1.11	1.11	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
6:2 FTS	27619-97-2	<0.996	0.996	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFOA	335-67-1	1.23	1.13	2.06	J	B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFHpS	375-92-8	<2.55	2.55	2.58		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFNA	375-95-1	<0.583	0.583	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFOSA	754-91-6	18.9	1.39	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFOS	1763-23-1	<1.10	1.10	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
9Cl-PF3ONS	756426-58-1	<0.857	0.857	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFDA	335-76-2	<0.929	0.929	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
8:2 FTS	39108-34-4	<2.31	2.31	4.13		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFNS	68259-12-1	<1.46	1.46	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
MeFOSAA	2355-31-9	<0.976	0.976	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
EtFOSAA	2991-50-6	<2.62	2.62	2.71		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFUnA	2058-94-8	<1.39	1.39	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFDS	335-77-3	<2.79	2.79	2.84		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
11Cl-PF3OUdS	763051-92-9	<0.440	0.440	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFDoA	307-55-1	<0.810	0.810	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
MeFOSA	31506-32-8	<7.07	7.07	8.26		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFTrDA	72629-94-8	<1.14	1.14	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFDoS	79780-39-5	<1.64	1.64	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
PFTeDA	376-06-7	<0.841	0.841	2.06		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
EtFOSA	4151-50-2	<7.54	7.54	8.26		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
MeFOSE	24448-09-7	<8.26	8.26	8.26		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
EtFOSE	1691-99-2	<5.73	5.73	8.26		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	103	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
13C3-PFPeA	IS	88.4	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1
13C3-PFBS	IS	93.4	25 - 150		B1F0068	21-Jun-21	0.242 L	24-Jun-21 02:21	1

Sample ID: 4010 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-08	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 10:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.686	0.686	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFPeA	2706-90-3	<0.941	0.941	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFBS	375-73-5	<0.739	0.739	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
4:2 FTS	757124-72-4	<1.04	1.04	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFHxA	307-24-4	<1.08	1.08	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFPeS	2706-91-4	<0.869	0.869	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
HFPO-DA	13252-13-6	<0.595	0.595	3.84		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFHpA	375-85-9	<0.850	0.850	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
ADONA	919005-14-4	<0.816	0.816	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFHxS	355-46-4	<1.03	1.03	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
6:2 FTS	27619-97-2	<0.926	0.926	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFOA	335-67-1	<1.05	1.05	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFHpS	375-92-8	<2.37	2.37	2.40		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFNA	375-95-1	<0.542	0.542	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFOSA	754-91-6	2.73	1.30	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFOS	1763-23-1	<1.02	1.02	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
9Cl-PF3ONS	756426-58-1	<0.797	0.797	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFDA	335-76-2	<0.864	0.864	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
8:2 FTS	39108-34-4	<2.15	2.15	2.16		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFNS	68259-12-1	<1.35	1.35	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
MeFOSAA	2355-31-9	<0.907	0.907	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
EtFOSAA	2991-50-6	<2.43	2.43	2.52		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFUnA	2058-94-8	<1.29	1.29	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFDS	335-77-3	<2.60	2.60	2.64		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
11Cl-PF3OUdS	763051-92-9	<0.409	0.409	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFDoA	307-55-1	<0.754	0.754	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
MeFOSA	31506-32-8	<6.58	6.58	7.68		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFTTrDA	72629-94-8	<1.06	1.06	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFDoS	79780-39-5	<1.53	1.53	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
PFTeDA	376-06-7	<0.782	0.782	1.92		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
EtFOSA	4151-50-2	<7.01	7.01	7.68		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
MeFOSE	24448-09-7	<7.68	7.68	7.68		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
EtFOSE	1691-99-2	<5.33	5.33	7.68		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	119	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
13C3-PFPeA	IS	80.1	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1
13C3-PFBS	IS	80.8	25 - 150		B1F0022	15-Jun-21	0.260 L	17-Jun-21 20:53	1

Sample ID: 4027 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-01	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 17:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.43	0.701	1.96	J	B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFPeA	2706-90-3	<0.960	0.960	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFBS	375-73-5	0.792	0.754	1.96	J, Q	B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
4:2 FTS	757124-72-4	<1.06	1.06	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFHxA	307-24-4	1.51	1.11	1.96	J	B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFPeS	2706-91-4	<0.887	0.887	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
HFPO-DA	13252-13-6	<0.607	0.607	3.92		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFHpA	375-85-9	<0.867	0.867	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
ADONA	919005-14-4	<0.833	0.833	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFHxS	355-46-4	<1.05	1.05	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
6:2 FTS	27619-97-2	<0.946	0.946	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFOA	335-67-1	<1.07	1.07	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFHpS	375-92-8	<2.42	2.42	2.45		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFNA	375-95-1	<0.554	0.554	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFOSA	754-91-6	3.61	1.32	1.96	Q	B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFOS	1763-23-1	<1.04	1.04	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
9Cl-PF3ONS	756426-58-1	<0.813	0.813	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFDA	335-76-2	<0.882	0.882	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFNS	68259-12-1	<1.38	1.38	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
MeFOSAA	2355-31-9	<0.926	0.926	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
EtFOSAA	2991-50-6	<2.48	2.48	2.57		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFUnA	2058-94-8	<1.32	1.32	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFDS	335-77-3	<2.65	2.65	2.69		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
11Cl-PF3OUdS	763051-92-9	<0.418	0.418	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFDoA	307-55-1	<0.769	0.769	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
MeFOSA	31506-32-8	<6.71	6.71	7.84		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFTTrDA	72629-94-8	<1.08	1.08	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFDoS	79780-39-5	<1.56	1.56	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
PFTeDA	376-06-7	<0.799	0.799	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
EtFOSA	4151-50-2	<7.15	7.15	7.84		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
MeFOSE	24448-09-7	<7.84	7.84	7.84		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
EtFOSE	1691-99-2	<5.44	5.44	7.84		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	106	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
13C3-PFPeA	IS	86.3	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1
13C3-PFBS	IS	74.5	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 19:40	1

Sample ID: 4101 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-19	Column:	BEH C18
Project:	60135471	Date Collected:	03-Jun-21 08:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.711	0.711	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFPeA	2706-90-3	<0.974	0.974	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFBS	375-73-5	<0.766	0.766	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
4:2 FTS	757124-72-4	<1.07	1.07	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFHxA	307-24-4	<1.12	1.12	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFPeS	2706-91-4	<0.900	0.900	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
HFPO-DA	13252-13-6	<0.616	0.616	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFHpA	375-85-9	<0.880	0.880	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
ADONA	919005-14-4	<0.845	0.845	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
6:2 FTS	27619-97-2	<0.959	0.959	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFOA	335-67-1	4.26	1.08	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFHpS	375-92-8	<2.46	2.46	2.49		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFNA	375-95-1	<0.562	0.562	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFOSA	754-91-6	75.0	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFOS	1763-23-1	1.48	1.06	1.99	J	B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
9Cl-PF3ONS	756426-58-1	<0.825	0.825	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFDA	335-76-2	<0.895	0.895	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
8:2 FTS	39108-34-4	<2.23	2.23	3.98		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
MeFOSAA	2355-31-9	<0.940	0.940	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
EtFOSAA	2991-50-6	<2.52	2.52	2.61		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFDS	335-77-3	<2.69	2.69	2.73		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
11Cl-PF3OUdS	763051-92-9	<0.424	0.424	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFDoA	307-55-1	<0.781	0.781	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
MeFOSA	31506-32-8	<6.81	6.81	7.95		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
PFTeDA	376-06-7	<0.810	0.810	1.99		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
EtFOSA	4151-50-2	<7.26	7.26	7.95		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
MeFOSE	24448-09-7	<7.95	7.95	7.95		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
EtFOSE	1691-99-2	<5.52	5.52	7.95		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	114	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
13C3-PFPeA	IS	93.7	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1
13C3-PFBS	IS	102	25 - 150		B1F0067	20-Jun-21	0.251 L	23-Jun-21 22:09	1

Sample ID: 4101 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-05	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 19:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.25	0.710	1.99	J	B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFPeA	2706-90-3	1.05	0.973	1.99	J	B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFBS	375-73-5	<0.765	0.765	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
4:2 FTS	757124-72-4	<1.07	1.07	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFHxA	307-24-4	<1.12	1.12	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFPeS	2706-91-4	<0.899	0.899	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
HFPO-DA	13252-13-6	<0.616	0.616	1.99		B1F0015	09-Jun-21	0.252 L	16-Jun-21 22:46	1
PFHpA	375-85-9	<0.879	0.879	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
ADONA	919005-14-4	<0.844	0.844	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFHxS	355-46-4	<1.07	1.07	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
6:2 FTS	27619-97-2	<0.959	0.959	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFOA	335-67-1	2.70	1.08	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFHpS	375-92-8	<2.45	2.45	2.48		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFNA	375-95-1	<0.561	0.561	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFOSA	754-91-6	51.0	1.34	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFOS	1763-23-1	<1.06	1.06	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
9Cl-PF3ONS	756426-58-1	<0.824	0.824	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFDA	335-76-2	<0.894	0.894	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
8:2 FTS	39108-34-4	<2.23	2.23	2.24		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFNS	68259-12-1	<1.40	1.40	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
MeFOSAA	2355-31-9	<0.939	0.939	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
EtFOSAA	2991-50-6	<2.52	2.52	2.61		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFUnA	2058-94-8	<1.34	1.34	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFDS	335-77-3	<2.69	2.69	2.73		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
11Cl-PF3OUdS	763051-92-9	<0.424	0.424	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFDoA	307-55-1	<0.780	0.780	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
MeFOSA	31506-32-8	<6.80	6.80	7.95		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFTTrDA	72629-94-8	<1.10	1.10	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFDoS	79780-39-5	<1.58	1.58	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
PFTeDA	376-06-7	<0.810	0.810	1.99		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
EtFOSA	4151-50-2	<7.25	7.25	7.95		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
MeFOSE	24448-09-7	<7.95	7.95	7.95		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
EtFOSE	1691-99-2	<5.51	5.51	7.95		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	88.5	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
13C3-PFPeA	IS	77.7	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1
13C3-PFBS	IS	81.1	25 - 150		B1F0015	09-Jun-21	0.252 L	11-Jun-21 18:29	1

Sample ID: 4111 Thunder Ridge
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-02	Column:	BEH C18
Project:	60135471	Date Collected:	03-Jun-21 14:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	0.961	0.718	2.01	J	B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFPeA	2706-90-3	<0.984	0.984	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFBS	375-73-5	<0.773	0.773	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
4:2 FTS	757124-72-4	<1.08	1.08	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFHxA	307-24-4	<1.13	1.13	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFPeS	2706-91-4	<0.909	0.909	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
HFPO-DA	13252-13-6	<0.622	0.622	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFHpA	375-85-9	<0.888	0.888	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
ADONA	919005-14-4	<0.853	0.853	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFHxS	355-46-4	<1.08	1.08	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
6:2 FTS	27619-97-2	<0.969	0.969	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFOA	335-67-1	1.72	1.09	2.01	J	B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFHpS	375-92-8	<2.48	2.48	2.51		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFNA	375-95-1	<0.567	0.567	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFOSA	754-91-6	24.1	1.36	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFOS	1763-23-1	<1.07	1.07	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
9Cl-PF3ONS	756426-58-1	<0.833	0.833	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFDA	335-76-2	<0.904	0.904	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
8:2 FTS	39108-34-4	<2.25	2.25	4.02		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFNS	68259-12-1	<1.42	1.42	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
MeFOSAA	2355-31-9	<0.949	0.949	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
EtFOSAA	2991-50-6	<2.54	2.54	2.64		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFUnA	2058-94-8	<1.35	1.35	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFDS	335-77-3	<2.72	2.72	2.76		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
11Cl-PF3OUdS	763051-92-9	<0.428	0.428	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFDoA	307-55-1	<0.788	0.788	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
MeFOSA	31506-32-8	<6.88	6.88	8.03		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFTTrDA	72629-94-8	<1.11	1.11	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFDoS	79780-39-5	<1.60	1.60	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
PFTeDA	376-06-7	<0.818	0.818	2.01		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
EtFOSA	4151-50-2	<7.33	7.33	8.03		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
MeFOSE	24448-09-7	<8.03	8.03	8.03		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
EtFOSE	1691-99-2	<5.57	5.57	8.03		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	109	25 - 150		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
13C3-PFPeA	IS	90.6	25 - 150		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1
13C3-PFBS	IS	99.8	25 - 150		B1F0068	21-Jun-21	0.249 L	24-Jun-21 00:46	1

Sample ID: 4125 CTH CR
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-20	Column:	BEH C18
Project:	60135471	Date Collected:	03-Jun-21 08:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.709	0.709	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFPeA	2706-90-3	<0.971	0.971	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFBS	375-73-5	<0.763	0.763	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
4:2 FTS	757124-72-4	<1.07	1.07	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFHxA	307-24-4	<1.12	1.12	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFPeS	2706-91-4	<0.897	0.897	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
HFPO-DA	13252-13-6	<0.614	0.614	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFHpA	375-85-9	<0.877	0.877	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
ADONA	919005-14-4	<0.842	0.842	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFHxS	355-46-4	<1.07	1.07	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
6:2 FTS	27619-97-2	<0.956	0.956	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFOA	335-67-1	5.39	1.08	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFHpS	375-92-8	<2.45	2.45	2.48		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFNA	375-95-1	<0.560	0.560	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFOSA	754-91-6	63.8	1.34	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFOS	1763-23-1	<1.06	1.06	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
9Cl-PF3ONS	756426-58-1	<0.823	0.823	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFDA	335-76-2	<0.892	0.892	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
8:2 FTS	39108-34-4	<2.22	2.22	3.96		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFNS	68259-12-1	<1.40	1.40	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
MeFOSAA	2355-31-9	<0.937	0.937	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
EtFOSAA	2991-50-6	<2.51	2.51	2.60		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFUnA	2058-94-8	<1.33	1.33	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFDS	335-77-3	<2.68	2.68	2.73		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
11Cl-PF3OUdS	763051-92-9	<0.423	0.423	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFDoA	307-55-1	<0.778	0.778	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
MeFOSA	31506-32-8	<6.79	6.79	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFTTrDA	72629-94-8	<1.10	1.10	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFDoS	79780-39-5	<1.58	1.58	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
PFTeDA	376-06-7	<0.808	0.808	1.98		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
EtFOSA	4151-50-2	<7.23	7.23	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
MeFOSE	24448-09-7	<7.93	7.93	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
EtFOSE	1691-99-2	<5.50	5.50	7.93		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	105	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
13C3-PFPeA	IS	96.6	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1
13C3-PFBS	IS	104	25 - 150		B1F0067	20-Jun-21	0.252 L	23-Jun-21 22:19	1

Sample ID: 4127 Thunder Ridge Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-08	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 08:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	0.829	0.698	1.95	J	B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFPeA	2706-90-3	<0.957	0.957	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFBS	375-73-5	<0.752	0.752	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
4:2 FTS	757124-72-4	<1.05	1.05	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFPeS	2706-91-4	<0.884	0.884	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
HFPO-DA	13252-13-6	<0.605	0.605	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFHpA	375-85-9	<0.864	0.864	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
ADONA	919005-14-4	<0.830	0.830	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
6:2 FTS	27619-97-2	<0.942	0.942	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFOA	335-67-1	1.90	1.06	1.95	J	B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFNA	375-95-1	<0.552	0.552	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFOSA	754-91-6	23.6	1.32	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
9Cl-PF3ONS	756426-58-1	<0.811	0.811	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFDA	335-76-2	<0.879	0.879	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
MeFOSAA	2355-31-9	<0.923	0.923	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
EtFOSAA	2991-50-6	<2.48	2.48	2.56		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFDS	335-77-3	<2.64	2.64	2.69		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
11Cl-PF3OUdS	763051-92-9	<0.417	0.417	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFDoA	307-55-1	<0.767	0.767	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
MeFOSA	31506-32-8	<6.69	6.69	7.81		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFTTrDA	72629-94-8	<1.08	1.08	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
PFTeDA	376-06-7	<0.796	0.796	1.95		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
EtFOSA	4151-50-2	<7.13	7.13	7.81		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
MeFOSE	24448-09-7	<7.81	7.81	7.81		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
EtFOSE	1691-99-2	<5.42	5.42	7.81		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	60.4	25 - 150		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
13C3-PFPeA	IS	75.0	25 - 150		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1
13C3-PFBS	IS	86.1	25 - 150		B1F0009	11-Jun-21	0.256 L	15-Jun-21 19:56	1

Sample ID: 4141 Viebahn St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105292-16	Column:	BEH C18
Project:	60135471	Date Collected:	24-May-21 12:45	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.701	0.701	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFPeA	2706-90-3	<0.960	0.960	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFBS	375-73-5	<0.754	0.754	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
4:2 FTS	757124-72-4	<1.06	1.06	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFHxA	307-24-4	<1.11	1.11	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFPeS	2706-91-4	<0.887	0.887	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
HFPO-DA	13252-13-6	<0.607	0.607	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFHpA	375-85-9	<0.867	0.867	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
ADONA	919005-14-4	<0.833	0.833	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFHxS	355-46-4	<1.05	1.05	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
6:2 FTS	27619-97-2	<0.946	0.946	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFOA	335-67-1	<1.07	1.07	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFHpS	375-92-8	<2.42	2.42	2.45		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFNA	375-95-1	<0.554	0.554	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFOSA	754-91-6	11.7	1.32	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFOS	1763-23-1	<1.04	1.04	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
9Cl-PF3ONS	756426-58-1	<0.813	0.813	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFDA	335-76-2	<0.882	0.882	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFNS	68259-12-1	<1.38	1.38	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
MeFOSAA	2355-31-9	<0.926	0.926	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
EtFOSAA	2991-50-6	<2.48	2.48	2.57		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFUnA	2058-94-8	<1.32	1.32	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFDS	335-77-3	<2.65	2.65	2.69		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
11Cl-PF3OUdS	763051-92-9	<0.418	0.418	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFDoA	307-55-1	<0.769	0.769	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
MeFOSA	31506-32-8	<6.71	6.71	7.84		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFTTrDA	72629-94-8	<1.08	1.08	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFDoS	79780-39-5	<1.56	1.56	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
PFTeDA	376-06-7	<0.799	0.799	1.96		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
EtFOSA	4151-50-2	<7.15	7.15	7.84		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
MeFOSE	24448-09-7	<7.84	7.84	7.84		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
EtFOSE	1691-99-2	<5.44	5.44	7.84		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	78.5	25 - 150		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
13C3-PFPeA	IS	84.3	25 - 150		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1
13C3-PFBS	IS	89.0	25 - 150		B1F0009	11-Jun-21	0.255 L	15-Jun-21 21:50	1

Sample ID: 4156 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-04	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 10:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	0.765	0.706	1.97	J	B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFPeA	2706-90-3	<0.967	0.967	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFBS	375-73-5	<0.760	0.760	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
4:2 FTS	757124-72-4	<1.07	1.07	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFHxA	307-24-4	<1.12	1.12	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFPeS	2706-91-4	<0.893	0.893	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
HFPO-DA	13252-13-6	<0.612	0.612	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFHpA	375-85-9	<0.874	0.874	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
ADONA	919005-14-4	<0.839	0.839	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
6:2 FTS	27619-97-2	<0.953	0.953	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFOA	335-67-1	<1.08	1.08	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFHpS	375-92-8	<2.44	2.44	2.47		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFNA	375-95-1	<0.558	0.558	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFOSA	754-91-6	12.4	1.33	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
9Cl-PF3ONS	756426-58-1	<0.819	0.819	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFDA	335-76-2	<0.888	0.888	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
8:2 FTS	39108-34-4	<2.21	2.21	3.95		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
MeFOSAA	2355-31-9	<0.933	0.933	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
EtFOSAA	2991-50-6	<2.50	2.50	2.59		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFUnA	2058-94-8	<1.33	1.33	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFDS	335-77-3	<2.67	2.67	2.71		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
11Cl-PF3OUdS	763051-92-9	<0.421	0.421	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFDoA	307-55-1	<0.775	0.775	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
MeFOSA	31506-32-8	<6.76	6.76	7.90		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFDoS	79780-39-5	<1.57	1.57	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
PFTeDA	376-06-7	<0.804	0.804	1.97		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
EtFOSA	4151-50-2	<7.21	7.21	7.90		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
MeFOSE	24448-09-7	<7.90	7.90	7.90		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
EtFOSE	1691-99-2	<5.48	5.48	7.90		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	125	25 - 150		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
13C3-PFPeA	IS	103	25 - 150		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1
13C3-PFBS	IS	91.9	25 - 150		B1F0067	20-Jun-21	0.253 L	23-Jun-21 19:00	1

Sample ID: 4159 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-09	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 13:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	0.885	0.701	1.96	J	B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFPeA	2706-90-3	<0.960	0.960	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFBS	375-73-5	<0.754	0.754	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
4:2 FTS	757124-72-4	<1.06	1.06	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFHxA	307-24-4	<1.11	1.11	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFPeS	2706-91-4	<0.887	0.887	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
HFPO-DA	13252-13-6	<0.607	0.607	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFHpA	375-85-9	<0.867	0.867	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
ADONA	919005-14-4	<0.833	0.833	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFHxS	355-46-4	<1.05	1.05	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
6:2 FTS	27619-97-2	<0.946	0.946	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFOA	335-67-1	<1.07	1.07	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFHpS	375-92-8	<2.42	2.42	2.45		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFNA	375-95-1	<0.554	0.554	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFOSA	754-91-6	3.80	1.32	1.96	Q	B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFOS	1763-23-1	<1.04	1.04	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
9Cl-PF3ONS	756426-58-1	<0.813	0.813	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFDA	335-76-2	<0.882	0.882	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
8:2 FTS	39108-34-4	<2.19	2.19	3.92		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFNS	68259-12-1	<1.38	1.38	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
MeFOSAA	2355-31-9	<0.926	0.926	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
EtFOSAA	2991-50-6	<2.48	2.48	2.57		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFUnA	2058-94-8	<1.32	1.32	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFDS	335-77-3	<2.65	2.65	2.69		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
11Cl-PF3OUdS	763051-92-9	<0.418	0.418	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFDoA	307-55-1	<0.769	0.769	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
MeFOSA	31506-32-8	<6.71	6.71	7.84		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFTTrDA	72629-94-8	<1.08	1.08	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFDoS	79780-39-5	<1.56	1.56	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
PFTeDA	376-06-7	<0.799	0.799	1.96		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
EtFOSA	4151-50-2	<7.15	7.15	7.84		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
MeFOSE	24448-09-7	<7.84	7.84	7.84		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
EtFOSE	1691-99-2	<5.44	5.44	7.84		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	107	25 - 150		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
13C3-PFPeA	IS	89.0	25 - 150		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1
13C3-PFBS	IS	91.7	25 - 150		B1F0067	20-Jun-21	0.255 L	23-Jun-21 19:52	1

Sample ID: 4212 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-05	Column:	BEH C18
Project:	60135471	Date Collected:	04-Jun-21 15:15	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.86	0.716	2.00	J	B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFPeA	2706-90-3	<0.981	0.981	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFBS	375-73-5	1.48	0.771	2.00	J	B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
4:2 FTS	757124-72-4	<1.08	1.08	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFHxA	307-24-4	<1.13	1.13	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFPeS	2706-91-4	<0.906	0.906	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
HFPO-DA	13252-13-6	<0.621	0.621	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFHpA	375-85-9	<0.886	0.886	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
ADONA	919005-14-4	<0.851	0.851	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFHxS	355-46-4	<1.08	1.08	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
6:2 FTS	27619-97-2	<0.966	0.966	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFOA	335-67-1	<1.09	1.09	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFHpS	375-92-8	<2.47	2.47	2.50		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFNA	375-95-1	<0.566	0.566	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFOSA	754-91-6	17.2	1.35	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFOS	1763-23-1	<1.07	1.07	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
9Cl-PF3ONS	756426-58-1	<0.831	0.831	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFDA	335-76-2	<0.901	0.901	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
8:2 FTS	39108-34-4	<2.24	2.24	4.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFNS	68259-12-1	<1.41	1.41	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
MeFOSAA	2355-31-9	<0.946	0.946	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
EtFOSAA	2991-50-6	<2.54	2.54	2.63		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFUnA	2058-94-8	<1.35	1.35	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFDS	335-77-3	<2.71	2.71	2.75		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
11Cl-PF3OUdS	763051-92-9	<0.427	0.427	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFDoA	307-55-1	<0.786	0.786	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
MeFOSA	31506-32-8	<6.86	6.86	8.01		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFTrDA	72629-94-8	<1.11	1.11	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFDoS	79780-39-5	<1.59	1.59	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
PFTeDA	376-06-7	<0.816	0.816	2.00		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
EtFOSA	4151-50-2	<7.31	7.31	8.01		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
MeFOSE	24448-09-7	<8.01	8.01	8.01		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
EtFOSE	1691-99-2	<5.56	5.56	8.01		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	100	25 - 150		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
13C3-PFPeA	IS	91.3	25 - 150		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1
13C3-PFBS	IS	87.9	25 - 150		B1F0068	21-Jun-21	0.250 L	24-Jun-21 01:18	1

Sample ID: 4219 Viebahn St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2105293-07	Column:	BEH C18
Project:	60135471	Date Collected:	26-May-21 08:15	Date Received:	27-May-21 11:11		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.701	0.701	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFPeA	2706-90-3	<0.961	0.961	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFBS	375-73-5	<0.755	0.755	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
4:2 FTS	757124-72-4	<1.06	1.06	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFHxA	307-24-4	<1.11	1.11	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFPeS	2706-91-4	<0.887	0.887	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
HFPO-DA	13252-13-6	<0.608	0.608	1.96		B1F0015	09-Jun-21	0.255 L	16-Jun-21 23:07	1
PFHpA	375-85-9	<0.868	0.868	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
ADONA	919005-14-4	<0.833	0.833	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFHxS	355-46-4	<1.05	1.05	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
6:2 FTS	27619-97-2	<0.946	0.946	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFOA	335-67-1	<1.07	1.07	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFHpS	375-92-8	<2.42	2.42	2.45		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFNA	375-95-1	<0.554	0.554	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFOSA	754-91-6	3.03	1.32	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFOS	1763-23-1	<1.04	1.04	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
9Cl-PF3ONS	756426-58-1	<0.814	0.814	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFDA	335-76-2	<0.882	0.882	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
8:2 FTS	39108-34-4	<2.20	2.20	2.21		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFNS	68259-12-1	<1.38	1.38	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
MeFOSAA	2355-31-9	<0.926	0.926	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
EtFOSAA	2991-50-6	<2.49	2.49	2.57		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFUnA	2058-94-8	<1.32	1.32	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFDS	335-77-3	<2.65	2.65	2.70		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
11Cl-PF3OUdS	763051-92-9	<0.418	0.418	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFDoA	307-55-1	<0.770	0.770	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
MeFOSA	31506-32-8	<6.72	6.72	7.84		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFTTrDA	72629-94-8	<1.08	1.08	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFDoS	79780-39-5	<1.56	1.56	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
PFTeDA	376-06-7	<0.799	0.799	1.96		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
EtFOSA	4151-50-2	<7.16	7.16	7.84		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
MeFOSE	24448-09-7	<7.84	7.84	7.84		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
EtFOSE	1691-99-2	<5.44	5.44	7.84		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	85.6	25 - 150		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
13C3-PFPeA	IS	75.3	25 - 150		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1
13C3-PFBS	IS	78.0	25 - 150		B1F0015	09-Jun-21	0.255 L	11-Jun-21 18:50	1

Sample ID: 4314 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-03	Column:	BEH C18
Project:	60135471	Date Collected:	27-May-21 08:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.35	0.702	1.96	J	B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFPeA	2706-90-3	<0.962	0.962	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFBS	375-73-5	1.79	0.756	1.96	J, Q	B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
4:2 FTS	757124-72-4	<1.06	1.06	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFHxA	307-24-4	<1.11	1.11	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFPeS	2706-91-4	<0.888	0.888	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
HFPO-DA	13252-13-6	<0.609	0.609	3.93		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFHpA	375-85-9	<0.869	0.869	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
ADONA	919005-14-4	<0.834	0.834	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFHxS	355-46-4	<1.06	1.06	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
6:2 FTS	27619-97-2	<0.947	0.947	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFOA	335-67-1	1.28	1.07	1.96	J	B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFHpS	375-92-8	<2.42	2.42	2.45		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFNA	375-95-1	<0.555	0.555	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFOSA	754-91-6	18.9	1.32	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFOS	1763-23-1	<1.05	1.05	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
9Cl-PF3ONS	756426-58-1	<0.815	0.815	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFDA	335-76-2	<0.883	0.883	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
8:2 FTS	39108-34-4	<2.20	2.20	2.21		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFNS	68259-12-1	<1.38	1.38	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
MeFOSAA	2355-31-9	<0.927	0.927	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
EtFOSAA	2991-50-6	<2.49	2.49	2.58		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFUnA	2058-94-8	<1.32	1.32	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFDS	335-77-3	<2.65	2.65	2.70		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
11Cl-PF3OUdS	763051-92-9	<0.419	0.419	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFDoA	307-55-1	<0.770	0.770	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
MeFOSA	31506-32-8	<6.72	6.72	7.85		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFTTrDA	72629-94-8	<1.08	1.08	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFDoS	79780-39-5	<1.56	1.56	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
PFTeDA	376-06-7	<0.800	0.800	1.96		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
EtFOSA	4151-50-2	<7.16	7.16	7.85		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
MeFOSE	24448-09-7	<7.85	7.85	7.85		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
EtFOSE	1691-99-2	<5.45	5.45	7.85		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	114	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
13C3-PFPeA	IS	86.8	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1
13C3-PFBS	IS	76.1	25 - 150		B1F0022	15-Jun-21	0.255 L	17-Jun-21 20:01	1

Sample ID: 4315 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-10	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 11:15	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.698	0.698	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFPeA	2706-90-3	<0.957	0.957	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFBS	375-73-5	<0.752	0.752	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
4:2 FTS	757124-72-4	<1.05	1.05	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFHxA	307-24-4	<1.10	1.10	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFPeS	2706-91-4	<0.884	0.884	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
HFPO-DA	13252-13-6	<0.605	0.605	3.91		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFHpA	375-85-9	<0.864	0.864	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
ADONA	919005-14-4	<0.830	0.830	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFHxS	355-46-4	<1.05	1.05	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
6:2 FTS	27619-97-2	<0.942	0.942	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFOA	335-67-1	<1.06	1.06	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFHpS	375-92-8	<2.41	2.41	2.44		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFNA	375-95-1	<0.552	0.552	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFOSA	754-91-6	6.99	1.32	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFOS	1763-23-1	<1.04	1.04	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
9Cl-PF3ONS	756426-58-1	<0.811	0.811	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFDA	335-76-2	<0.879	0.879	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
8:2 FTS	39108-34-4	<2.19	2.19	2.20		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFNS	68259-12-1	<1.38	1.38	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
MeFOSAA	2355-31-9	<0.923	0.923	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
EtFOSAA	2991-50-6	<2.48	2.48	2.56		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFUnA	2058-94-8	<1.31	1.31	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFDS	335-77-3	<2.64	2.64	2.69		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
11Cl-PF3OUdS	763051-92-9	<0.416	0.416	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFDoA	307-55-1	<0.767	0.767	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
MeFOSA	31506-32-8	<6.69	6.69	7.81		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFTTrDA	72629-94-8	<1.08	1.08	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFDoS	79780-39-5	<1.55	1.55	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
PFTeDA	376-06-7	<0.796	0.796	1.95		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
EtFOSA	4151-50-2	<7.13	7.13	7.81		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
MeFOSE	24448-09-7	<7.81	7.81	7.81		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
EtFOSE	1691-99-2	<5.42	5.42	7.81		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	116	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
13C3-PFPeA	IS	85.2	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1
13C3-PFBS	IS	75.7	25 - 150		B1F0022	15-Jun-21	0.256 L	17-Jun-21 21:13	1

Sample ID: 4747 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-03	Column:	BEH C18
Project:	60135471	Date Collected:	03-Jun-21 14:30	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.750	0.750	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFPeA	2706-90-3	<1.03	1.03	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFBS	375-73-5	<0.808	0.808	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
4:2 FTS	757124-72-4	<1.13	1.13	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFHxA	307-24-4	<1.19	1.19	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFPeS	2706-91-4	<0.950	0.950	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
HFPO-DA	13252-13-6	<0.651	0.651	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFHpA	375-85-9	<0.929	0.929	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
ADONA	919005-14-4	<0.892	0.892	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFHxS	355-46-4	<1.13	1.13	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
6:2 FTS	27619-97-2	<1.01	1.01	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFOA	335-67-1	5.56	1.14	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFHpS	375-92-8	<2.59	2.59	2.62		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFNA	375-95-1	<0.593	0.593	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFOSA	754-91-6	95.0	1.42	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFOS	1763-23-1	1.97	1.12	2.10	J	B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
9Cl-PF3ONS	756426-58-1	<0.871	0.871	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFDA	335-76-2	<0.945	0.945	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
8:2 FTS	39108-34-4	<2.35	2.35	4.20		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFNS	68259-12-1	<1.48	1.48	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
MeFOSAA	2355-31-9	<0.992	0.992	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
EtFOSAA	2991-50-6	<2.66	2.66	2.75		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFUnA	2058-94-8	<1.41	1.41	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFDS	335-77-3	<2.84	2.84	2.89		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
11Cl-PF3OUdS	763051-92-9	<0.448	0.448	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFDoA	307-55-1	<0.824	0.824	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
MeFOSA	31506-32-8	<7.19	7.19	8.40		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFTTrDA	72629-94-8	<1.16	1.16	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFDoS	79780-39-5	<1.67	1.67	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
PFTeDA	376-06-7	<0.855	0.855	2.10		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
EtFOSA	4151-50-2	<7.66	7.66	8.40		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
MeFOSE	24448-09-7	<8.40	8.40	8.40		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
EtFOSE	1691-99-2	<5.82	5.82	8.40		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	106	25 - 150		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
13C3-PFPeA	IS	92.3	25 - 150		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1
13C3-PFBS	IS	92.9	25 - 150		B1F0068	21-Jun-21	0.238 L	24-Jun-21 00:57	1

Sample ID: 4751 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-12	Column:	BEH C18
Project:	60135471	Date Collected:	28-May-21 14:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.707	0.707	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFPeA	2706-90-3	<0.970	0.970	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFBS	375-73-5	<0.762	0.762	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
4:2 FTS	757124-72-4	<1.07	1.07	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFHxA	307-24-4	<1.12	1.12	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFPeS	2706-91-4	<0.895	0.895	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
HFPO-DA	13252-13-6	<0.613	0.613	3.96		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFHpA	375-85-9	<0.876	0.876	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
ADONA	919005-14-4	<0.841	0.841	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFHxS	355-46-4	<1.06	1.06	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
6:2 FTS	27619-97-2	<0.955	0.955	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFOA	335-67-1	<1.08	1.08	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFHpS	375-92-8	<2.44	2.44	2.47		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFNA	375-95-1	<0.559	0.559	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFOSA	754-91-6	5.97	1.34	1.98	Q	B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFOS	1763-23-1	<1.05	1.05	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
9Cl-PF3ONS	756426-58-1	<0.821	0.821	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFDA	335-76-2	<0.890	0.890	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
8:2 FTS	39108-34-4	<2.22	2.22	2.23		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFNS	68259-12-1	<1.39	1.39	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
MeFOSAA	2355-31-9	<0.935	0.935	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
EtFOSAA	2991-50-6	<2.51	2.51	2.60		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFUnA	2058-94-8	<1.33	1.33	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFDS	335-77-3	<2.68	2.68	2.72		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
11Cl-PF3OUdS	763051-92-9	<0.422	0.422	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFDoA	307-55-1	<0.777	0.777	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
MeFOSA	31506-32-8	<6.78	6.78	7.91		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFTTrDA	72629-94-8	<1.09	1.09	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFDoS	79780-39-5	<1.57	1.57	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
PFTeDA	376-06-7	<0.806	0.806	1.98		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
EtFOSA	4151-50-2	<7.22	7.22	7.91		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
MeFOSE	24448-09-7	<7.91	7.91	7.91		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
EtFOSE	1691-99-2	<5.49	5.49	7.91		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	105	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
13C3-PFPeA	IS	77.9	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1
13C3-PFBS	IS	76.1	25 - 150		B1F0022	15-Jun-21	0.253 L	17-Jun-21 22:05	1

Sample ID: 4752 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106056-04	Column:	BEH C18
Project:	60135471	Date Collected:	04-Jun-21 13:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.48	0.705	1.97	J	B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFPeA	2706-90-3	<0.966	0.966	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFBS	375-73-5	<0.759	0.759	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
4:2 FTS	757124-72-4	<1.06	1.06	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFPeS	2706-91-4	<0.892	0.892	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
HFPO-DA	13252-13-6	<0.611	0.611	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFHpA	375-85-9	<0.873	0.873	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
ADONA	919005-14-4	<0.838	0.838	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
6:2 FTS	27619-97-2	<0.951	0.951	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFOA	335-67-1	3.25	1.07	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFHpS	375-92-8	<2.44	2.44	2.46		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFNA	375-95-1	<0.557	0.557	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFOSA	754-91-6	51.0	1.33	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFOS	1763-23-1	1.05	1.05	1.97	J	B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
9Cl-PF3ONS	756426-58-1	<0.818	0.818	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFDA	335-76-2	<0.887	0.887	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
8:2 FTS	39108-34-4	<2.21	2.21	3.94		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
MeFOSAA	2355-31-9	<0.932	0.932	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
EtFOSAA	2991-50-6	<2.50	2.50	2.59		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFUnA	2058-94-8	<1.33	1.33	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFDS	335-77-3	<2.67	2.67	2.71		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
11Cl-PF3OUdS	763051-92-9	<0.420	0.420	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFDoA	307-55-1	<0.774	0.774	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
MeFOSA	31506-32-8	<6.75	6.75	7.89		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFTrDA	72629-94-8	<1.09	1.09	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFDoS	79780-39-5	<1.57	1.57	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
PFTeDA	376-06-7	<0.804	0.804	1.97		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
EtFOSA	4151-50-2	<7.20	7.20	7.89		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
MeFOSE	24448-09-7	<7.89	7.89	7.89		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
EtFOSE	1691-99-2	<5.47	5.47	7.89		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	103	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
13C3-PFPeA	IS	93.4	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1
13C3-PFBS	IS	88.0	25 - 150		B1F0068	21-Jun-21	0.254 L	24-Jun-21 01:07	1

Sample ID: 4904 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-18	Column:	BEH C18
Project:	60135471	Date Collected:	02-Jun-21 19:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	1.41	0.704	1.97	J	B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFPeA	2706-90-3	<0.964	0.964	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFBS	375-73-5	<0.758	0.758	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
4:2 FTS	757124-72-4	<1.06	1.06	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFPeS	2706-91-4	<0.891	0.891	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
HFPO-DA	13252-13-6	<0.610	0.610	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFHpA	375-85-9	<0.871	0.871	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
ADONA	919005-14-4	<0.836	0.836	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
6:2 FTS	27619-97-2	<0.950	0.950	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFOA	335-67-1	1.72	1.07	1.97	J	B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFHpS	375-92-8	<2.43	2.43	2.46		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFNA	375-95-1	<0.556	0.556	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFOSA	754-91-6	28.4	1.33	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
9Cl-PF3ONS	756426-58-1	<0.817	0.817	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFDA	335-76-2	<0.886	0.886	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
8:2 FTS	39108-34-4	<2.20	2.20	3.94		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
MeFOSAA	2355-31-9	<0.930	0.930	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
EtFOSAA	2991-50-6	<2.49	2.49	2.58		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFUnA	2058-94-8	<1.32	1.32	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFDS	335-77-3	<2.66	2.66	2.71		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
11Cl-PF3OUdS	763051-92-9	<0.420	0.420	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFDoA	307-55-1	<0.772	0.772	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
MeFOSA	31506-32-8	<6.74	6.74	7.87		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFDoS	79780-39-5	<1.56	1.56	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
PFTeDA	376-06-7	<0.802	0.802	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
EtFOSA	4151-50-2	<7.18	7.18	7.87		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
MeFOSE	24448-09-7	<7.87	7.87	7.87		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
EtFOSE	1691-99-2	<5.46	5.46	7.87		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	120	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
13C3-PFPeA	IS	93.9	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1
13C3-PFBS	IS	102	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 21:58	1

Sample ID: 5107 Viebahn St
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106055-03	Column:	BEH C18
Project:	60135471	Date Collected:	01-Jun-21 09:45	Date Received:	08-Jun-21 09:28		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.705	0.705	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFPeA	2706-90-3	<0.966	0.966	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFBS	375-73-5	<0.759	0.759	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
4:2 FTS	757124-72-4	<1.07	1.07	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFHxA	307-24-4	<1.11	1.11	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFPeS	2706-91-4	<0.892	0.892	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
HFPO-DA	13252-13-6	<0.611	0.611	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFHpA	375-85-9	<0.873	0.873	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
ADONA	919005-14-4	<0.838	0.838	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFHxS	355-46-4	<1.06	1.06	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
6:2 FTS	27619-97-2	<0.952	0.952	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFOA	335-67-1	<1.07	1.07	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFHpS	375-92-8	<2.44	2.44	2.47		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFNA	375-95-1	<0.557	0.557	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFOSA	754-91-6	2.26	1.33	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFOS	1763-23-1	<1.05	1.05	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
9Cl-PF3ONS	756426-58-1	<0.818	0.818	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFDA	335-76-2	<0.888	0.888	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
8:2 FTS	39108-34-4	<2.21	2.21	3.94		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFNS	68259-12-1	<1.39	1.39	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
MeFOSAA	2355-31-9	<0.932	0.932	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
EtFOSAA	2991-50-6	<2.50	2.50	2.59		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFUnA	2058-94-8	<1.33	1.33	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFDS	335-77-3	<2.67	2.67	2.71		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
11Cl-PF3OUdS	763051-92-9	<0.421	0.421	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFDoA	307-55-1	<0.774	0.774	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
MeFOSA	31506-32-8	<6.75	6.75	7.89		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFTTrDA	72629-94-8	<1.09	1.09	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFDoS	79780-39-5	<1.57	1.57	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
PFTeDA	376-06-7	<0.804	0.804	1.97		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
EtFOSA	4151-50-2	<7.20	7.20	7.89		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
MeFOSE	24448-09-7	<7.89	7.89	7.89		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
EtFOSE	1691-99-2	<5.47	5.47	7.89		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	131	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
13C3-PFPeA	IS	104	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1
13C3-PFBS	IS	97.0	25 - 150		B1F0067	20-Jun-21	0.254 L	23-Jun-21 18:49	1

Sample ID: 5202 Silver Creek Rd
PFAS Isotope Dilution Method

Client Data				Laboratory Data			
Name:	AECOM	Matrix:	Aqueous	Lab Sample:	2106040-05	Column:	BEH C18
Project:	60135471	Date Collected:	27-May-21 11:45	Date Received:	03-Jun-21 10:04		
Location:	Newton, WI						

Analyte	CAS Number	Conc. (ng/L)	MDL	RL	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
PFBA	375-22-4	<0.727	0.727	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFPeA	2706-90-3	<0.996	0.996	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFBS	375-73-5	<0.782	0.782	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
4:2 FTS	757124-72-4	<1.10	1.10	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFHxA	307-24-4	<1.15	1.15	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFPeS	2706-91-4	<0.920	0.920	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
HFPO-DA	13252-13-6	<0.630	0.630	4.06		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFHpA	375-85-9	<0.899	0.899	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
ADONA	919005-14-4	<0.864	0.864	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFHxS	355-46-4	<1.09	1.09	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
6:2 FTS	27619-97-2	<0.981	0.981	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFOA	335-67-1	<1.11	1.11	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFHpS	375-92-8	<2.51	2.51	2.54		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFNA	375-95-1	<0.574	0.574	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFOSA	754-91-6	1.54	1.37	2.03	J, Q	B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFOS	1763-23-1	<1.08	1.08	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
9Cl-PF3ONS	756426-58-1	<0.843	0.843	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFDA	335-76-2	<0.914	0.914	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
8:2 FTS	39108-34-4	<2.28	2.28	2.29		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFNS	68259-12-1	<1.43	1.43	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
MeFOSAA	2355-31-9	<0.960	0.960	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
EtFOSAA	2991-50-6	<2.58	2.58	2.67		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFUnA	2058-94-8	<1.37	1.37	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFDS	335-77-3	<2.75	2.75	2.79		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
11Cl-PF3OUdS	763051-92-9	<0.433	0.433	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFDoA	307-55-1	<0.798	0.798	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
MeFOSA	31506-32-8	<6.96	6.96	8.13		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFTrDA	72629-94-8	<1.12	1.12	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFDoS	79780-39-5	<1.62	1.62	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
PFTeDA	376-06-7	<0.828	0.828	2.03		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
EtFOSA	4151-50-2	<7.42	7.42	8.13		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
MeFOSE	24448-09-7	<8.13	8.13	8.13		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
EtFOSE	1691-99-2	<5.64	5.64	8.13		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1

Labeled Standards	Type	% Recovery	Limits	Qualifiers	Batch	Extracted	Samp Size	Analyzed	Dilution
13C3-PFBA	IS	124	25 - 150		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
13C3-PFPeA	IS	83.3	25 - 150		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1
13C3-PFBS	IS	74.9	25 - 150		B1F0022	15-Jun-21	0.246 L	17-Jun-21 20:21	1