



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. Lorin Cliven
210 West Clark Street
Unity, WI 54488

FILE COPY

Subject: Notification of Private Well Test Results

Dear Mr. Cliven:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the post-treatment water sample collected from the well at 210 West Clark Street, Unity, Wisconsin, and inform you of the contaminants found and provide additional information.

The well was sampled for Volatile Organic Compounds (VOCs) by DNR on June 20, 2016. Chloromethane was detected at concentrations of 44.8 micrograms per liter ($\mu\text{g/l}$). Although this compound was detected above state groundwater standards, this compound is a common laboratory contaminant and not related to chlorinated solvent contamination, so this detect may not reflect the quality of the post-treatment water from your well. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water. Arrangements will be made with you for DNR to collect another sample in the near future to confirm whether or not chloromethane is present in the post-treatment water.

If you have health-related questions about chlorinated solvents in drinking water, contact Steve Moss at the Clark County Health Department at (715) 743-5112.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire
Steve Moss – Clark County Health Department
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. & Mrs. Frank & Angela Makovek
220 West Taylor Street
Unity, WI 54449

FILE COPY

Subject: Notification of Private Well Test Results

Dear Mr. & Mrs. Makovek:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 220 West Taylor Street, Unity, Wisconsin, and inform you of the contaminants found and provide additional information.

The well was sampled for Volatile Organic Compounds (VOCs) by DNR on June 20, 2016. Bromomethane and Chloromethane were detected at concentrations of 2.27 micrograms per liter ($\mu\text{g/l}$) and 22.2 $\mu\text{g/l}$ respectively. However these compounds were detected below state groundwater standards. In addition, both of these compounds are a common laboratory contaminant and not related to chlorinated solvent contamination, so these detects may not reflect the quality of the water from your well. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water. When a state water standard is exceeded, the state may require the party responsible for the contaminant release to restore groundwater quality. In addition, these compounds are common laboratory contaminants so these detects may not reflect the quality of the water from your well.

If you have health-related questions about chlorinated solvents in drinking water, contact Steve Moss at the Clark County Health Department at (715) 743-5112.

If you have any questions about the well water sample results, the cause of the contamination or the status of clean-up efforts, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Rob Larson - ProVisions Partners Cooperative
Marty Nessman - DNR DG-5
David Rozeboom - DNR Eau Claire,
Steve Moss - Clark County Health Department,
Roy Irving - DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. Ernst Kibbel Jr.
S3570 County Highway F
Spencer, WI 54479

Subject: Notification of Private Well Test Results
221 West Clark St., Unity, Wisconsin

FILE COPY

Dear Mr. Kibbel:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 221 West Clark Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) contaminants were not found in the water sample collected from the well.

The well was sampled for VOCs by DNR on June 21, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Melisa Brust, 221 W. Clark St., Unity, WI
Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire,
Steve Moss – Clark County Health Department,
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Ms. Angela Geiger
240 South Washington Street
Unity, WI 54449

Subject: Notification of Private Well Test Results

FILE COPY

Dear Ms. Geiger:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 240 South Washington Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) contaminants were not found in the water sample collected from your well.

The well was sampled for VOCs by DNR on June 21, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire,
Dale Grosskurth - Marathon County Health Department,
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. Steven Knight
250 South Washington Street
Unity, WI 54449

Subject: Notification of Private Well Test Results

FILE COPY

Dear Mr. Knight:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 250 South Washington Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) contaminants were not found in the water sample collected from your well.

The well was sampled for VOCs by DNR on June 20, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire,
Steve Moss – Clark County Health Department,
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. & Mrs. Robin & Heidi Maldonis
101 South Main St.
Unity, WI 54488

Subject: Notification of Private Well Test Results

FILE COPY

Dear Mr. & Mrs. Maldonis:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results collected from the well at 101 South Main St., Unity, Marathon County, and inform you of the contaminants found and provide additional information.

The well was sampled for Volatile Organic Compounds (VOCs) and 1,4-Dioxane by DNR on June 21, 2016 as part of the monitoring required for the chlorinated solvent contamination issue in the Village of Unity. 1,4-Dioxane was not detected in the sample, but, Tetrachloroethene and Dichlorodifluoromethane were detected at concentrations of 1.09 micrograms per liter ($\mu\text{g/l}$) and 1.57 $\mu\text{g/l}$ respectively. However these compounds were detected below state groundwater standards. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water. When a state water standard is exceeded, the state may require the party responsible for the contaminant release to restore groundwater quality.

If you have health-related questions about 1,4-Dioxane or VOCs in drinking water, contact Dale Grosskurth at the Marathon County Health Department at (715) 261-1907.

If you have any questions about the well water sample results, the cause of the contamination or the status of clean-up efforts, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire
Dale Grosskurth - Marathon County Health Department
Roy Irving - DHS



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. Thomas Much
290 South Washington Street
Unity, WI 54449

Subject: Notification of Private Well Test Results

FILE COPY

Dear Mr. Much:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the post-treatment water sample collected from the well at 210 West Clark Street, Unity, Wisconsin, and inform you of the contaminants found and provide additional information.

The well was sampled for Volatile Organic Compounds (VOCs) by DNR on June 20, 2016. Bromomethane and Chloromethane were detected at concentrations of 1.08 micrograms per liter ($\mu\text{g/l}$) and 54.4 $\mu\text{g/l}$ respectively. Although Chloromethane was detected above state groundwater standards (30 $\mu\text{g/l}$), both of these compounds are a common laboratory contaminant and not related to chlorinated solvent contamination, so these detects may not reflect the quality of the water from your well. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water. Arrangements will be made with you for DNR to collect another sample in the near future to confirm whether or not chloromethane is present in the water.

If you have health-related questions about chlorinated solvents in drinking water, contact Steve Moss at the Clark County Health Department at (715) 743-5112.

If you have any questions about the well water sample results, the cause of the contamination or the status of clean-up efforts, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire,
Steve Moss – Clark/Marathon County Health Department,
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. Matt Porath
151 South Madison St.
Unity, WI 54488

Subject: Notification of Private Well Test Results

FILE COPY

Dear Mr. Porath:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 151 South Madison Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) and 1,4-Dioxane contaminants were not found in the water sample collected from your well.

The well was sampled for VOCs and 1,4-Dioxane by DNR on June 21, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire
Steve Moss – Clark County Health Department
Roy Irving – DHS
Steve Faryen - USEPA



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

July 29, 2016

Mr. & Mrs. Clyde & Irene Schreiber
310 West Clark St.
Unity, WI 54488

Subject: Notification of Private Well Test Results and
Discontinuation of Bottled Water Service

FILE COPY

Dear Mr. & Mrs. Schreiber:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results collected from the well at 310 West Clark Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) and 1,4-Dioxane contaminants were not found in the water sample collected from your well.

The well was sampled for VOCs and 1,4-Dioxane by DNR on June 21, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water. When contaminant levels in water exceed state standards, the Wisconsin Department of Health Services recommends that people not consume the water either by drinking or by eating food prepared with the water.

1,4-Dioxane was detected at a concentration above health advisory levels in a prior sample collected from your well, however, the results were not definitive and additional sampling was needed to confirm that it was present. As a precaution DNR has been providing you with bottled water while confirmation sampling was being conducted. Since 1,4-Dioxane has not been detected in any subsequent samples DNR will be discontinuing bottled water service to you. If you wish to continue bottled water service you will need to make your own arrangements with the bottled water supplier at your own cost.

For questions about a temporary water supply, the cause of the contamination or the status of clean-up efforts, please contact me at (715) 421-7850 or Tom.Hvizdak @wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire
Steve Moss – Clark County Health Department
Roy Irving - DHS



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott Walker, Governor
Cathy Stepp, Secretary
Dan Baumann, Regional Director

Wisconsin Rapids Service Center
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494
Telephone 715-421-7800
FAX 715-421-7830

JULY 29, 2016

Mr. Adam Shelley
271 South Madison Street
Unity, WI 54449

Subject: Notification of Private Well Test Results

Dear Mr. Shelley:

This letter is to notify you that the Department of Natural Resources (DNR) received analytical test results for the water sample collected from the well at 271 South Madison Street, Unity, Wisconsin, and inform you that Volatile Organic Compounds (VOCs) contaminants were not found in the water sample collected from your well.

The well was sampled for VOCs by DNR on June 21, 2016, as part of the routine groundwater monitoring program being conducted in the Village of Unity. State groundwater standards are established to protect public health and welfare by limiting the levels of contaminants in groundwater and drinking water.

If you have any questions about the well water sample results, please contact me at (715) 421-7850 or Tom.Hvizdak@wisconsin.gov.

Sincerely,

Tom Hvizdak
Hydrogeologist

cc: Marty Nessman – DNR DG-5
David Rozeboom – DNR Eau Claire,
Steve Moss – Clark County Health Department,
Roy Irving – DHS
Steve Faryen - USEPA

FILE COPY