



Engineers • Land Surveyors • Environmental Scientists

June 4, 2008

Mr. Tom Hvizdak, Hydrogeologist
Wisconsin Department of Natural Resources
473 Griffith Avenue
Wisconsin Rapids, Wisconsin 54494

Re: Results of Additional Site Investigation Activities
Former Garry's One Hour Cleaners/KFC
912 – 1000 South Central Avenue
Marshfield, Wisconsin
BRRTS #02-72-000296 and 02-72-000596

RECEIVED
WI DEPT OF NATURAL RESOURCES
JUN 06 2008
WI RAPIDS SERVICE CENTER
WI RAPIDS, WI

Dear Mr. Hvizdak:

In January 2008 RSV Engineering, Inc. (RSV) conducted site investigation activities at the above-named Site to address potential impacts of contaminated groundwater on nearby utility trenches, groundwater quality at depth near KFC-4, soil and vapor quality beneath the former drycleaner facility and assess current groundwater quality.

Field Activities

On January 15, 2008, RSV mobilized a direct-push drilling rig to the Site to collect soil and groundwater samples from locations adjacent to underground utility trenches downgradient from the Site. Three direct-push borings were advanced approximately 18 inches from the locator markings to depths of approximately 12 feet below ground surface (bgs) (SB101 through SB103, Figure 1 and Appendix A). Soil samples were collected from borings SB102 and SB103 (Table 1) and groundwater samples were collected from all borings and submitted for analyses of volatile organic compounds (VOCs; Table 2).

RSV also installed one additional 2-inch diameter piezometer to determine groundwater quality at depth downgradient from the source adjacent to existing well KFC-4 (Figure 1). The well was installed such that the top of the five-foot screen in the piezometer is approximately 15 feet below the bottom of the 10-foot screen in KFC-4 (Figure 1; Appendix B).

Additionally, to determine presence or absence of soil impacts below the former drycleaner building, RSV advanced three hand-auger borings and collected soil samples from below the floor slab (HA101 through HA103, Figure 2). Three-inch diameter cores were removed from the slab and soil samples were collected at 6-inch intervals below the bottom of the slab to a depth of approximately 2 feet below the slab. A floor drain was not present, so boring locations were selected based on the locations of former dry cleaning equipment, inferred from rust stains on the floor and sketches provided by Mr. Eckes. A field determination was made that the shallowest and deepest samples (0 to 0.5 feet and 1.5 to 2 feet) from each location be submitted for laboratory for analyses of VOCs, as those samples would provide a good representation of the vertical variation of contaminant concentrations (if any) present. Core holes were filled with concrete following sample collection.

Subsequently, to address the risk to indoor air quality, RSV conducted an inspection of the concrete slab to evaluate the ability of the slab to serve as an effective vapor barrier and installed three sub-slab vapor probes at locations adjacent to the hand auger borings (VP101 through VP103, Figure 2). Sub-slab vapor samples were collected with summa canisters at the time of groundwater sampling on January 23, 2008.

The canisters were subsequently submitted to the State Lab of Hygiene for analysis of VOCs. A vapor sample could not be collected from probe VP102 as water was present below the slab at the time of sampling and entered the summa canister.

RSV collected groundwater samples from site monitoring wells and piezometers on January 23, 2008. The wells and piezometers were purged prior to sample collection and groundwater elevations were recorded (Table 3). Groundwater samples were submitted for laboratory analyses of:

- VOCs
- Arsenic (dissolved)
- Chloride
- Ethane
- Ethene
- Iron (dissolved)
- Manganese (dissolved)
- Methane
- Nickel (dissolved)
- Nitrate
- Sulfate
- Sulfide
- Total organic carbon
- Total inorganic carbon

Additionally, field measurements of temperature, pH, conductivity, dissolved oxygen and oxidation/reduction potential were recorded.

Groundwater samples were not collected from wells KFC-1, KFC-3, KFC-5 and KFC-5I during the January 2008 sampling event as these wells were buried under snow and/or ice and could not be located.

Investigation Results

SOIL

Tetrachloroethene (PCE) was detected above the USEPA Generic Soil Screening Levels (SSLs) for dermal ingestion, inhalation of volatiles and migration to groundwater in the sample collected from HA101 at 1.5 to 2 feet bgs (Table 1). The location of this boring is the approximate former location of the drycleaning machine. However, the concentration of PCE was two orders of magnitude lower in the sample collected from 0 to 0.5 feet bgs at the same location, suggesting that the source was not seepage through the floor slab at that location (additionally, the floor slab was observed to be in very good condition and without any major cracks at the time of site investigation activities). Cis-1,2-dichloroethene (DCE) also exceeded the SSL for migration to groundwater in the 1.5 to 2 foot sample collected from HA101. No other compounds were detected above applicable regulatory standards at this location.

PCE was detected above the USEPA SSL protective of groundwater in the sample collected from HA103 from 0 to 0.5 feet bgs. No other compounds were detected above applicable regulatory standards in either sample collected from that location. No compounds were detected above applicable regulatory standards in either sample collected from HA102.

Consequently, the horizontal extent of soil contamination exceeding applicable regulatory standards appears to be defined. Additionally, although the magnitude of soil impacts below 2 feet bgs at the location of HA101 is unclear, the depth to the water table in this area is only approximately 5 feet bgs and

impacts below this depth are considered to be groundwater impacts, the extent of which has been horizontally and vertically defined.

Methylene chloride was the only compound detected above applicable regulatory standards in either of the soil samples collected from borings drilled adjacent to the utility corridor. Additionally, methylene chloride is a common laboratory contaminant and the relatively low level detected in the sample collected from SB102 from 2 to 4 feet bgs is not likely a cause for concern. Consequently, as expected, soils within the utility corridor do not appear to be impacted with VOCs.

GROUNDWATER

Groundwater elevation contours constructed from elevations measured during the January 2008 sampling event indicate that shallow groundwater beneath the site flows toward the east-southeast, similar to previous flow patterns observed (Figure 3). Potentiometric surface elevations were not contoured for the intermediate and deep monitoring well network as there were not enough monitoring points to contour. Groundwater elevations observed at monitoring wells nested with MW-3 and KF-6 indicate a downward vertical gradient at these locations as expected given contaminant concentration trends and previous elevation data.

No VOCs were detected above their respective NR 140 Enforcement Standards (ESs) in any of the groundwater samples collected adjacent to the utility corridor. PCE was detected above the NR 140 Preventive Action Limit (PAL) in the sample collected from SB102 only (Table 3). Consequently, the utility corridor does not appear to be impacted by contaminated groundwater originating at the Site or acting as a preferential pathway for contaminant migration.

PCE was detected above the ES in wells MW-1, KFC-2, MW-3, MW-3I, MW-3D and MW-3D2 during the most recent sampling event (Table 3). Concentrations appear to be increasing in deep piezometer MW-3D2; stable in shallow wells MW-1, MW-3 and KFC-2; and decreasing in intermediate wells MW-3I and MW-3D.

Trichloroethene (TCE) was detected above the ES in wells MW-1, MW-3, MW-3I, MW-3D, MW-3D2 and KFC-2. Concentrations of TCE appear to be increasing in wells MW-3I, MW-3D, MW-3D2 and KFC-2 (deeper and away from the source, respectively) and stable at wells MW-1 and MW-3 (downgradient and at the source, respectively). Similarly, concentrations of daughter compound DCE also exceeded the ES in wells MW-3, MW-3I, MW-3D, MW-3D2 and KFC-2, and also appear to be increasing in all the wells nested with MW-3. DCE was detected for the first time in wells MW-3I, MW-3D or MW-3D2, and its appearance may indicate reductive dechlorination of TCE is occurring in this area.

DCE was also detected above the PAL in well KFC-4 but concentrations appear to be decreasing at that location. DCE was detected at a concentration below the PAL in KFC-4D. No VOCs were detected above NR 140 groundwater standards at that location. No other VOCs were detected at concentrations above their respective NR 140 ESs at any location.

The horizontal and vertical extents of groundwater impacts at the site have been defined. Additionally, increasing concentrations of daughter compound DCE in samples collected from MW-3 nest wells suggest that some natural degradation of VOCs is occurring in the groundwater beneath the site.

REMEDIAL NATURAL ATTENUATION (RNA) PARAMETERS

Limited RNA data collected to date appear to suggest that conditions are favorable for reductive dechlorination to occur, although the data are somewhat inconclusive (Table 5). Chloride concentrations are slightly higher away from source-zone wells, suggesting that more dechlorination may be occurring at the plume margins. Additionally, concentrations of sulfate were also lower in monitoring wells MW-3I and MW-3D, also suggesting dechlorination may be occurring.

However, there were no clear trends observed in concentrations of nitrate, iron, nickel, manganese, arsenic, or total inorganic carbon; sulfide was not detected and is expected to increase with reductive dechlorination, and total organic carbon concentrations were generally below 10 milligrams per liter (mg/L), indicating that there is not a good source of carbon in the soils beneath the Site to drive reductive dechlorination.

SOIL VAPOR

Nineteen VOCs were detected at various levels in the two soil vapor samples collected from VP-101 and VP-103 (Table 5). PCE was detected at 13 parts per billion by volume (ppbv) in VP-101 and 8.4 ppbv in VP-103. The levels of PCE detected are low, and as the 6-inch thick concrete slab appeared to be in good condition at the time of field activities and is expected to act as a barrier to migration of vapors into the ambient air of the building, there does not appear to be a high risk to indoor air quality from soil vapors below the slab.

Conclusions

The horizontal extent of soil contamination exceeding applicable regulatory standards appears to be defined following January 2008 field activities and soils within the utility corridor do not appear to be impacted with VOCs. Additionally, although the magnitude of soil impacts below 2 feet bgs at the location of HA101 is unclear, the depth to the water table in this area is only approximately 5 feet bgs and impacts below this depth are considered to be groundwater impacts, the extent of which has been horizontally and vertically defined.

The horizontal and vertical extents of groundwater impacts at the site have been defined. Additionally, contaminant trends suggest that some natural degradation of VOCs is occurring in the groundwater beneath the site. Limited RNA data collected to date also appear to suggest that conditions are favorable for reductive dechlorination to occur, although the data are somewhat inconclusive, and further monitoring of selected RNA parameters is suggested.

As discussed above, the levels of PCE detected are in sub-slab vapors are low, and as the 6-inch thick concrete slab appeared to be in good condition at the time of field activities and is expected to act as a barrier to migration of vapors into the ambient air of the building, there does not appear to be a high risk to indoor air quality from soil vapors below the slab.

Mr. Tom Hvizdak
Wisconsin Department of Natural Resources
June 4, 2008
Page 5


Please contact either of the undersigned at 920.674.3411 should you have any questions, comments or concerns regarding the information contained in this document.

Sincerely,

RSV Engineering, Inc.



Paula A. Richardson, P.G.
Hydrogeologist



Robert Nauta, P.G.
Vice President

Attachments:

Figures 1 through 3

Tables 1 through 5


Appendices A through C

cc: Mr. Garry Eckes
 Glenn Smith, Esq.

FIGURES

♦ MONITORING WELL
 ◊ BORING LOCATION (JANUARY 2008)

— — — SANITARY SEWER
 - - - WATER
 — - - STORM SEWER
 — - — NATURAL GAS





NORTH

SCALE IN FEET

0 20 40 60 80

 RSV ENGINEERING, INC. Engineers - Land Surveyors - Environmental Scientists 146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411	GARRY'S ONE HOUR CLEANERS MARSHFIELD, WISCONSIN SITE LAYOUT JANUARY 2008			FIGURE
DRAWN BY:	PROJ. No.:	DATE DRAWN:	FILE NAME:	1
PAR	04-515	21 FEB 08	SITE LAYOUT	



\oplus SOIL SAMPLE LOCATION

\boxtimes SOIL VAPOR PROBE

NOT TO SCALE





GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
INDOOR SAMPLES

**FIGURE
2**

DRAWN BY	PROJ. No.	DATE	FILE NAME
PAR	04-515	21 FEB 08	Indoor locs

- ♦ MONITORING WELL
- ◊ BORING LOCATION (JANUARY 2008)
- WATER TABLE ELEVATION CONTOUR (FT)
- SANITARY SEWER
- WATER
- STORM SEWER
- NATURAL GAS



NORTH

SCALE IN FEET
0 20 40 60 80

RSV
ENGINEERING, INC.
Engineers - Land Surveyors - Environmental Scientists
146 E. MILWAUKEE STREET JEFFERSON, WISCONSIN 53549 (920) 674-3411

GARRY'S ONE HOUR CLEANERS
MARSHFIELD, WISCONSIN
WATER TABLE ELEVATIONS
JANUARY 2008

DRAWN BY:	PROJ. No.:	DATE DRAWN:	FILE NAME:
PAR	04-515	21 FEB 08	GW elev cont 080221

**FIGURE
3**

TABLES

TABLE 1
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
SOIL ANALYSES - VOLATILE ORGANIC COMPOUNDS
Concentrations in $\mu\text{g}/\text{kg}$

PCE Results
omitted from
Table

PARAMETER	Wisconsin Administrative Code			EPA SSLs			SAMPLE LOCATION AND DEPTH (ft)							
	NR 720	NR 746	NR 746	Ingestion	Inhalation	Migration to	HA-101	HA-101	HA-102	HA-102	HA-103	HA-103	SB-102	SB-103
	RCLs	SSLs-Table 1	SSLs-Table 2	Dermal	of Volatiles	Groundwater	0-0.5'	1.5-2'	0-0.5'	1.5-2'	0-0.5'	1.5-2'	2-4'	2-4'
Benzene	5.5	8,500	1,100	58,000	1,000	30	<28	<320	<28	<29	<28	<34	<26	<27
n-Butylbenzene	NS	NS	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
sec-Butylbenzene	NS	NS	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
cis-1,2-Dichloroethene	NS	NS	NS	11,000,000	NS	400	<28	1,200	<28	44	<28	57	<26	<27
trans-1,2-Dichloroethene	NS	NS	NS	23,000,000	NS	700	<28	<320	<28	<29	<28	<34	<26	<27
Ethylbenzene	2,900	4,600	NS	110,000,000	400,000	13,000	<28	<320	<28	<29	<28	<34	<26	<27
Isopropylbenzene	NS	NS	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
p-Isopropyltoluene	NS	NS	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
Methylene chloride	NS	NS	NS	420,000	22,000	20	<56	<630	<56	<57	<56	<69	71	<54
Methyl-t-butyl ether	NS	NS	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
Naphthalene	NS	2,700	NS	12,000,000	240,000	84,000	<56	<630	<56	<57	<56	<69	<56	<54
Toluene	1,500	38,000	NS	230,000,000	650,000	12,000	37	<320	<28	33	38	66	39	<27
Trichloroethene	NS	NS	NS	8,000	100	60	<28	3300	<28	<29	<28	46	<26	<27
1,2,4-Trimethylbenzene	NS	83,000	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
1,3,5-Trimethylbenzene	NS	11,000	NS	NS	NS	NS	<28	<320	<28	<29	<28	<34	<26	<27
Vinyl chloride	NS	NS	NS	4,000	1,000	10	<39	<440	<39	<40	<39	<48	<37	<38
Xylenes, total	4,100	42,000	NS	1,000,000,000	NS	200	<96	<1100	<95	<97	<95	<120	<89	<91

380 : Exceeds one or more regulatory standards.

NS : Standard not established.

<28 : Analyte not detected above detection limit shown.

Detected analytes and other analytes of interest shown, reference laboratory report for full list of VOCs analyzed.

TABLE 2
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
VOLATILE ORGANIC COMPOUNDS

PARAMETER	PAL	ES	All concentrations in µg/L														
			GP-1			GP-7		SB-101		SB-102		SB-103		MW-1			
			Apr-95	Apr-95	Apr-95	Jan-08	Jan-08	Mar-93	Dec-94	Sep-96	Oct-99	Jul-04	Jan-08				
Benzene	0.5	5	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.10	<0.90	<0.20			
n-Butylbenzene			<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<0.77	<0.20			
Carbon tetrachloride	0.5	5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<0.83	<0.20			
Chlorobenzene			<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<0.95	<0.20			
Chloroform	0.6	6	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<1.1	<0.20			
Chloromethane	0.3	3				<0.20	<0.20	<0.20								<0.20	
1,2-Dichlorobenzene	60	600	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<1.1	<0.20			
1,4-Dichlorobenzene	15	75	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<1.2	<0.20			
1,2-Dichloroethane	0.5	5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<1.1	<0.50			
1,1-Dichloroethene	0.7	7	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	2.2	<1	<0.25	<0.91	<0.50			
cis-1,2-Dichloroethene	7	70	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	30	36	44	49	10	7.6			
trans-1,2-Dichloroethene	20	100	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<0.84	<0.50			
1,2-Dichloropropane	0.5	5	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<1.5	<0.50			
Ethylbenzene	140	700	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<0.91	<0.50			
Isopropylbenzene			<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<0.97	<0.20			
p-Isopropyltoluene			<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<0.91	<0.20			
1,1,1,2-Tetrachloroethane	7	70	<1.0	<1.0	<1.0	<0.25	<0.25	<0.25	<1.0	<1.0	<1	<0.25	<0.80	<0.25			
1,1,2,2-Tetrachloroethane	0.02	0.2	<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.25	<1.1	<0.20			
Tetrachloroethene	0.5	5	<1.0	14	14	<0.50	0.73	<0.50	3	110	55	53	57	65			
Toluene	200	1,000	2.3	1.6	1.6	0.79	0.38	<0.20	<1.0	<1.0	<1	<0.10	<1.0	<0.20			
1,1,1-Trichloroethane	40	200	<1.0	<1.0	<1.0	<0.50	<0.50	<0.50	<1.0	<1.0	<1	<0.25	<0.94	<0.50			
1,1,2-Trichloroethane	0.5	5	<1.0	<1.0	<1.0	<0.25	<0.25	<0.25	<1.0	<1.0	<1	<0.25	<1.2	<0.25			
Trichloroethene	0.5	5	<1.0	1.2	1.2	<0.20	<0.20	<0.20	<1.0	26	36	44	12	8.5			
1,2,4-Trimethylbenzene	96	480	<1.0	<1.0	<1.0	0.30	<0.20	<0.20	<1.0	<1.0	<1	<0.10	<0.89	<0.20			
1,3,5-Trimethylbenzene			<1.0	<1.0	<1.0	<0.20	<0.20	<0.20	<1.0	<1.0	<1	<0.10	<0.90	<0.20			
Xylenes	1,000	10,000	<2.0	<2.0	<2.0	0.62	<0.50	<0.50	<2.0	<1.0	<3	<0.25	<1.6	<0.50			

Samples were analyzed for full VOC scan; however, only detected parameters are listed.

PAL samples were collected from Geoprobe borings.

PAL: Preventive action limit.

ES: Enforcement standard.

Results in shaded cells indicate exceedance of ES.

TABLE 2
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
VOLATILE ORGANIC COMPOUNDS

PARAMETER	PAL	ES	All concentrations in µg/L																
			MW-2						MW-3						MW-3I				
			Mar-93	Dec-94	Sep-96	Oct-99	Jul-04	Jan-08	Dec-94	Sep-96	Oct-99	Jul-04	Jan-08	Jul-04	Jan-08	Oct-99	Jul-04	Jan-08	
Benzene	0.5	5	<1.0	<1.0	<1	<0.10	<0.18	<0.20	<500	1	<400	<2300	<100	<90	<90	<5.0	<1.0	<7.2	<0.20
n-Butylbenzene			<1.0	<1.0	<1	<0.25	<0.15	<0.20	<500	3	<1000	<1900	<100	<77	<77	<5.0	<2.5	<6.1	<0.20
Carbon tetrachloride	0.5	5	<1.0	<1.0	<1	<0.25	<0.17	<0.50	<500	1	<1000	<2100	<250	<83	<83	<12	<2.5	<6.6	<0.50
Chlorobenzene			<1.0	<1.0	<1	<0.25	<0.19	<0.20	<500	57	<1000	<2400	<100	<95	<95	<5.0	<2.5	<7.6	<0.20
Chloroform	0.6	6	<1.0	<1.0	<1	<0.25	<0.22	<0.20	<500	43	<1000	<2800	<100	<110	<110	<5.0	<2.5	<8.8	<0.20
Chloromethane	0.3	3					0.50	<0.20				<1800	<100	<70	<70	<5.0		<5.6	<0.20
1,2-Dichlorobenzene	60	600	<1.0	<1.0	<1	<0.25	<0.21	<0.20	9	9	<1000	<2600	<100	<110	<110	<5.0	<2.5	<8.4	<0.20
1,4-Dichlorobenzene	15	75	<1.0	<1.0	<1	<0.25	<0.24	<0.20	1	1	<1000	<3000	<100	<120	<120	<5.0	<2.5	<9.6	<0.20
1,2-Dichloroethane	0.5	5	<1.0	<1.0	<1	<0.25	<0.22	<0.50	<500	2	<1000	<2700	<250	<110	<110	<12	<2.5	<8.6	<0.50
1,1-Dichloroethene	0.7	7	<1.0	<1.0	<1	<0.25	<0.18	<0.50	<500	1	<1000	<2300	<250	<91	<91	<12	<2.5	<7.3	<0.50
cis-1,2-Dichloroethene	7	70	<1.0	<1.0	<1	<0.25	0.70	<0.50	<500	1,300	<1000	[1800]	2,400	<73	<73	310	<2.5	<5.8	16
trans-1,2-Dichloroethene	20	100	<1.0	<1.0	<1	<0.25	<0.17	<0.50	<500	22	<1000	<2100	<250	<84	<84	<12	<2.5	<6.7	<0.50
1,2-Dichloropropane	0.5	5	<1.0	<1.0	<1	<0.25	<0.29	<0.50	<500	14	<1000	<3700	<250	<150	<150	<12	<2.5	<12	<0.50
Ethylbenzene	140	700	<1.0	<1.0	<1	<0.25	<0.18	<0.50	<500	5	<1000	<2300	<250	<91	<91	<12	<2.5	<7.3	<0.50
Isopropylbenzene			<1.0	<1.0	<1	<0.25	<0.19	<0.20	<500	4	<1000	<2400	<100	<97	<97	<5.0	<2.5	<7.7	<0.20
p-Isopropyltoluene			<1.0	<1.0	<1	<0.25	<0.18	<0.20	<500	1	<1000	<2300	<100	<91	<91	<5.0	<2.5	<7.2	<0.20
1,1,1,2-Tetrachloroethane	7	70	<1.0	<1.0	<1	<0.25	<0.16	<0.25	<500	69	<1000	<2000	<120	<80	<80	<6.2	<2.5	<6.4	<0.25
1,1,2,2-Tetrachloroethane	0.02	0.2	<1.0	<1.0	<1	<0.25	<0.22	<0.20	<500	20	<1000	<2800	<100	<110	<110	<5.0	<2.5	<8.9	<0.20
Tetrachloroethylene	0.5	5	<1.0	<1.0	<1	1.7	1.7	<0.50	120,000	150,000	170,000	190,000	140,000	4,000	3,700	1,100	480	300	34
Toluene	200	1,000	<1.0	<1.0	<1	<0.10	<0.21	<0.20	<500	14	<400	<2600	<100	<100	<100	<5.0	<1.0	<8.4	<0.20
1,1,1-Trichloroethane	40	200	<1.0	<1.0	<1	<0.25	<0.19	<0.50	<500	27	<1000	<2400	<250	<94	<94	<12	<2.5	<7.5	<0.50
1,1,2-Trichloroethane	0.5	5	<1.0	<1.0	<1	<0.25	<0.23	<0.25	<500	37	<1000	<2900	<120	<120	<120	<6.2	<2.5	<9.3	<0.25
Trichloroethylene	0.5	5	<1.0	<1.0	<1	0.58	0.65	0.24	<500	290	<1000	<2500	620	<100	<100	830	<2.5	<8.0	8.8
1,2,4-Trimethylbenzene	96	480	<1.0	<1.0	<1	<0.10	<0.18	<0.20	<500	15	<400	<2200	<100	<89	<89	<5.0	<1.0	<7.1	<0.20
1,3,5-Trimethylbenzene			<1.0	<1.0	<1	<0.10	<0.18	<0.20	<500	8	<400	<2200	<100	<90	<90	<5.0	<1.0	<7.2	<0.20
Xylenes	1,000	10,000	<2.0	<2.0	<3	<0.25	<0.31	<0.50	<1000	17	<1000	<3900	<250	<180	<180	<12	<2.5	<12	<0.50

Samples were analyzed for full VOC scan; however, only detected parameters are listed.

GP samples were collected from Geoprobe borings.

PAL: Preventive action limit.

ES: Enforcement standard.

Results in shaded cells indicate exceedance of ES.

TABLE 2
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
VOLATILE ORGANIC COMPOUNDS

PARAMETER	PAL	ES	All concentrations in µg/L										
			MW-3D2		KFC-1				KFC-2				
			Jul-04	Jan-08	Nov-93	Sep-96	Oct-99	Jul-04	Dec-93	Sep-96	Oct-99	Jul-04	Jan-08
Benzene	0.5	5	<0.18	<1.0	<5	<1	<0.10	<0.18	<5	<1	<0.50	<4.5	<0.80
n-Butylbenzene			<0.15	<1.0	<5	<1	<0.25	<0.15	<5	<1	<1.2	<3.8	<0.80
Carbon tetrachloride	0.5	5	<0.17	<2.5	<5	<1	<0.25	<0.17	<5	<1	<1.2	<4.1	<2.0
Chlorobenzene			<0.19	<1.0	<5	<1	<0.25	<0.19	<5	<1	<1.2	<4.7	<0.80
Chloroform	0.6	6	<0.22	<1.0	<5	<1	<0.23	<0.22	<5	<1	<1.2	<5.5	<0.80
Chloromethane	0.3	3	<0.14	<1.0				<0.14					<0.80
1,2-Dichlorobenzene	60	600	<0.21	<1.0	<5	<1	<0.25	<0.21	<5	<1	<1.2	<5.3	<0.80
1,4-Dichlorobenzene	15	75	<0.24	<1.0	<5	<1	<0.25	<0.24	<5	<1	<1.2	<6.0	<0.80
1,2-Dichloroethane	0.5	5	<0.22	<2.5	<5	<1	<0.25	<0.22	<5	<1	<1.2	<5.4	<2.0
1,1-Dichloroethene	0.7	7	<0.18	<2.5	<5	<1	<0.25	<0.18	<5	<1	<1.2	<4.6	<2.0
cis-1,2-Dichloroethene	7	70	<0.15	370	<5	<1	<0.25	<0.15	<5	200	110	100	110
trans-1,2-Dichloroethene	20	100	<0.17	2.8	<5	<1	<0.25	<0.17	<5	3	<1.2	<4.2	<2.0
1,2-Dichloropropane	0.5	5	<0.29	<2.5	<5	<1	<0.25	<0.29	<5	<1	<1.2	<7.3	<2.0
Ethylbenzene	140	700	<0.18	<2.5	<5	<1	<0.25	<0.18	26	<1	<1.2	<4.6	<2.0
Isopropylbenzene			<0.19	<1.0	<5	<1	<0.25	<0.19	<5	<1	<1.2	<4.8	<0.80
p-Isopropyltoluene			<0.18	<1.0	<5	<1	<0.25	<0.18	<5	<1	<1.2	<4.5	<0.80
1,1,1,2-Tetrachloroethane	7	70	<0.16	<1.2	<5	<1	<0.25	<0.16	<5	<1	<1.2	<4.0	<1.0
1,1,2,2-Tetrachloroethane	0.02	0.2	<0.22	<1.0	<5	<1	<0.25	<0.22	<5	<1	<1.2	<5.6	<0.80
Tetrachloroethylene	0.5	5	2.6	12	<5	<1	0.34	<0.20	160	95	170	240	150
Toluene	200	1,000	<0.21	<1.0	<5	<1	<0.10	<0.21	11	<1	<0.50	<5.2	<0.80
1,1,1-Trichloroethane	40	200	<0.19	<2.5	<5	<1	<0.25	<0.19	<5	<1	<1.2	<4.7	<2.0
1,1,2-Trichloroethane	0.5	5	<0.23	<1.2	<5	<1	<0.25	<0.23	<5	<1	<1.2	<5.8	<1.0
Trichloroethylene	0.5	5	<0.20	13	<5	<1	<0.25	<0.20	23	270	160	120	190
1,2,4-Trimethylbenzene	96	480	<0.18	<1.0	<5	<1	<0.10	<0.18	<5	<1	<0.50	<4.4	<0.80
1,3,5-Trimethylbenzene			<0.18	<1.0	<5	<1	<0.10	<0.18	<5	<1	<0.50	<4.5	<0.80
Xylenes	1,000	10,000	<0.31	<2.5	<15	<2	<0.25	<0.31	130	<3	<1.2	<7.8	<2.0

Samples were analyzed for full VOC scan; however, only detected parameters are listed.

GP samples were collected from Geoprobe borings.

PAL: Preventive action limit.

ES: Enforcement standard.

Results in shaded cells indicate exceedance of ES.

TABLE 2
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
VOLATILE ORGANIC COMPOUNDS

PARAMETER	PAL	ES	All concentrations in $\mu\text{g/L}$															
			KFC-3			KFC-4			KFC-4D		KFC-5		KFC-5I		KFC-6			
			Sep-96	10/1/1999 ²	Jul-04	Sep-96	Oct-99	Jul-04	Jan-08	Oct-99	Jul-04	Jul-04	Jul-04	Jul-04	Jan-08	Jul-04		
Benzene	0.5	5	<1	<0.10	<0.10	<9.0	<1	<0.10	<0.18	<0.20	<0.10	<0.18	<0.18	<0.18	<0.20	<0.18	<0.20	
n-Butylbenzene			8	<0.25	<0.25	<7.7	<1	<0.25	<0.15	<0.20	<0.20	<0.25	<0.15	<0.15	<0.20	<0.15	<0.20	
Carbon tetrachloride	0.5	5	<1	<0.25	<0.25	<8.3	<1	<0.25	<0.17	<0.50	<0.50	<0.25	<0.17	<0.17	<0.50	<0.17	<0.50	
Chlorobenzene			3	<0.25	<0.25	<9.5	<1	<0.25	<0.19	<0.20	<0.20	<0.25	<0.19	<0.19	<0.20	<0.19	<0.20	
Chloroform	0.6	6	<1	<0.25	<0.25	<11	<1	<0.25	<0.22	<0.20	<0.20	<0.25	<0.22	<0.22	[0.24]	<0.20	<0.22	<0.20
Chloromethane	0.3	3				<7.0		0.61	<0.20	<0.20		0.59	<0.14	<0.14	<0.20	<0.14	<0.20	
1,2-Dichlorobenzene	60	600	<1	<0.25	<0.25	<11	<1	<0.25	<0.21	<0.20	<0.20	<0.25	<0.21	<0.21	<0.20	<0.21	<0.20	
1,4-Dichlorobenzene	15	75	<1	<0.25	<0.25	<12	<1	<0.25	<0.24	<0.20	<0.20	<0.25	<0.24	<0.24	<0.24	<0.20	<0.24	<0.20
1,2-Dichloroethane	0.5	5	<1	<0.25	<0.25	<11	<1	<0.25	<0.22	<0.50	<0.50	<0.25	<0.22	<0.22	<0.22	<0.50	<0.22	<0.50
1,1-Dichloroethene	0.7	7	5	<0.25	<0.25	<9.1	<1	<0.25	<0.18	<0.50	<0.50	<0.25	<0.18	<0.18	<0.18	<0.50	<0.18	<0.50
cis-1,2-Dichloroethene	7	70	87	210	220	480	21	35	11	<0.50	1.5	<0.25	<0.15	<0.15	<0.50	<0.15	<0.50	<0.50
trans-1,2-Dichloroethene	20	100	<1	<0.25	<0.25	[12]	<1	<0.25	[0.24]	<0.50	<0.50	<0.25	<0.17	<0.17	<0.50	<0.17	<0.50	
1,2-Dichloropropane	0.5	5	<1	<0.25	<0.25	<15	<1	<0.25	<0.29	<0.50	<0.50	<0.25	<0.29	<0.29	<0.50	<0.29	<0.50	
Ethylbenzene	140	700	<1	<0.25	<0.25	<9.1	<1	<0.25	<0.18	<0.50	<0.50	<0.25	<0.18	<0.18	<0.18	<0.50	<0.18	<0.50
Isopropylbenzene			<1	<0.25	<0.25	<9.7	<1	<0.25	<0.19	<0.20	<0.20	<0.25	<0.19	<0.19	<0.19	<0.20	<0.19	<0.20
p-Isopropyltoluene			<1	<0.25	<0.25	<9.1	<1	<0.25	<0.18	<0.20	<0.20	<0.25	<0.18	<0.18	<0.18	<0.20	<0.18	<0.20
1,1,1,2-Tetrachloroethane	7	70	21	<0.25	<0.25	<8.0	<1	<0.25	<0.16	<0.25	<0.25	<0.25	<0.16	<0.16	<0.16	<0.25	<0.16	<0.25
1,1,2,2-Tetrachloroethane	0.02	0.2	1	<0.25	<0.25	<11	<1	<0.25	<0.22	<0.20	<0.20	<0.25	<0.22	<0.22	<0.22	<0.20	<0.22	<0.20
Tetrachloroethene	0.5	5	53,000	5,900	6,000	930	3	8.4	5.7	<0.50	<0.50	2.2	<0.20	<0.20	<0.20	0.50	<0.20	1.3
Toluene	200	1,000	<1	<0.10	<0.10	<10	<1	<0.10	<0.21	<0.20	0.46	<0.10	<0.21	<0.21	<0.21	<0.20	<0.21	<0.20
1,1,1-Trichloroethane	40	200	<1	<0.25	<0.25	<9.4	<1	<0.25	<0.19	<0.50	<0.50	<0.25	<0.19	<0.19	<0.50	<0.19	<0.50	
1,1,2-Trichloroethane	0.5	5	1	<0.25	<0.25	<12	<1	<0.25	<0.23	<0.25	<0.25	<0.25	<0.23	<0.23	<0.23	<0.25	<0.23	<0.25
Trichloroethene	0.5	5	13,000	1,200	1,100	300	7	11	3.1	<0.20	<0.20	<0.25	<0.20	<0.20	<0.20	<0.20	<0.20	<0.20
1,2,4-Trimethylbenzene	96	480	5	<0.10	<0.10	<8.9	<1	<0.10	<0.18	<0.20	<0.20	0.40	<0.18	<0.18	<0.18	<0.20	<0.18	<0.20
1,3,5-Trimethylbenzene			1	<0.10	<0.10	<9.0	<1	<0.10	<0.18	<0.20	<0.20	<0.10	<0.18	<0.18	<0.18	<0.20	<0.18	<0.20
Xylenes	1,000	10,000	<2	<0.25	<0.25	<16	<3	<0.25	<0.31	<0.30	<0.50	<0.25	<0.31	<0.31	<0.31	<0.50	<0.31	<0.50

Samples were analyzed for full VOC scan; however, only detected parameters are listed.

GP samples were collected from Geoprobe borings.

PAL: Preventive action limit.

ES: Enforcement standard.

Results in shaded cells indicate exceedance of ES.

TABLE 3
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ELEVATIONS

WELL	TOC ELEV	SCREEN ¹	GW ELEV					
			3/11/93	4/13/93	12/16/94	10/12/99	7/8/04	1/23/08
MW-1	1250.16	12.8 - 22.8	1241.34	1242.48	1241.71	1242.21	1242.80	1242.32
MW-2	1249.84	9.1 - 19.1	1241.03	1241.25	1241.46	1241.99	1242.52	1242.06
MW-3	1250.85	9.5 - 19.5	1241.45	1244.18	1243.89	1243.54	1247.50	1244.86
MW-3I	1250.51	33.1 - 38.1					1242.72	1243.01
MW-3D	1250.61	55.3 - 60.3				1242.80	1248.90	1243.19
MW-3D2	1250.33	69.7 - 74.7					1242.91	1244.77
KFC-1	1253.26	7.4 - 17.4			1248.96	1246.59	1249.54	nm
KFC-2	1250.25	13.6 - 23.6			1242.05	1241.92	1244.50	1242.53
KFC-3	1250.37	10.2 - 20.2				1242.02	1242.93	nm
KFC-4	1250.41	10.4 - 20.4				1241.21	1241.20	1241.65
KFC-4D		35.5 - 40.5						ns
KFC-5	1252.15	9.6 - 19.6				1243.66	1246.25	nm
KFC-5I	1251.92	29.4 - 34.4					1242.90	nm

¹ Approximate screened interval in feet below ground surface.

Blank cells indicate wells not yet constructed at time of measurement.

ns: Not surveyed.

nm : Not measured.

TABLE 4
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
NATURAL REMEDIATION PARAMETERS

PARAMETER	All concentrations in mg/L except as noted												
	MW-1		MW-2		MW-3		MW-3I		MW-3D		MW-3D2		KFC-2
	Oct-99	Jan-08	Oct-99	Jan-08	Oct-99	Jan-08	Jul-04	Jan-08	Jan-08	Jul-04	Jan-08	Oct-99	Jan-08
Alkalinity	140	NA	<50	NA	<50	NA	NA	NA	NA	NA	NA	90	NA
Chloride	NA	350	NA	390	NA	200	NA	11	2.1	NA	300	NA	72
n-Nitrate + Nitrite	<0.024	<0.10	0.27	0.31	0.21	0.64	4.0	<0.10	<0.10	<0.50	<0.10	<0.024	<0.10
Sulfate	32	33	37	26	35	31	20	6.8	0.73	<2.5	12	44	45
Sulfide	NA	<0.20	NA	<0.20	NA	<0.20	NA	<0.20	<0.20	NA	<0.20	NA	<0.20
Iron	0.69	0.82	3.2	<0.016	4.1	<0.016	[0.0060]	0.048	0.017	0.016	0.065	6.7	0.054
Manganese	0.33	0.14	0.47	0.20	0.21	0.53	NA	0.14	0.22	NA	0.0085	0.24	0.13
Nickel	NA	0.023	NA	0.054	NA	0.025	NA	<0.0040	<0.0040	NA	<0.0040	NA	0.0092
Arsenic	NA	0.000703	NA	<0.000430	NA	0.000543	NA	0.00135	0.00122	NA	0.00158	NA	0.000689
Total Inorganic Carbon	NA	23.6	NA	28.8	NA	31.8	NA	43.5	46.0	NA	36.9	NA	26.3
Total Organic Carbon	NA	1.13	NA	1.17	NA	14.9	NA	3.38	<0.500	NA	8.17	NA	1.34
Ethene	NA	0.0117	NA	0.0115	NA	0.0124	NA	0.0153	0.0116	NA	0.0122	NA	0.0114
Methane	NA	<0.015	NA	<0.015	NA	0.405	NA	0.153	0.168	NA	0.0694	NA	0.0239
Ethane	NA	<0.014	NA	<0.014	NA	0.028	2.3	<0.014	<0.014	<0.50	<0.014	NA	<0.014

TABLE 4
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
GROUNDWATER ANALYSES
NATURAL REMEDIATION PARAMETERS

PARAMETER	All concentrations in mg/L except as noted										
	KFC-3 ¹		KFC-4		KFC-4D	KFC-5	KFC-5I	KFC-6		KFC-6I	
	Oct-99	Oct-99	Oct-99	Jan-08	Jan-08	Oct-99	Jul-04	Jul-04	Jan-08	Jul-04	Jan-08
Alkalinity	<50	94	120	NA	NA	110	NA	NA	NA	NA	NA
Chloride	NA	NA	NA	320	20	NA	NA	NA	1200	NA	17
n-Nitrate + Nitrite	<0.024	<0.024	<0.024	0.49	<0.10	2.1	<1.0	1.2	<0.10	<1.0	<0.10
Sulfate	39	38	45	27	15	58	49	46	59	51	52
Sulfide	NA	NA	NA	<0.20	<0.20	NA	NA	NA	<0.20	NA	<0.20
Iron	4.7	19	6.0	0.071	1.1	5.7	[0.0070]	<0.0050	1.7	<0.0050	0.11
Manganese	1.0	1.3	1.7	0.80	0.13	1.7	NA	NA	1.2	NA	0.13
Nickel	NA	NA	NA	0.017	0.013	NA	NA	NA	0.076	NA	<0.0040
Arsenic	NA	NA	NA	0.000457	0.00134	NA	NA	NA	<0.000430	NA	0.000993
Total Inorganic Carbon	NA	NA	NA	53.4	53.5	NA	NA	NA	65.1	NA	41.4
Total Organic Carbon	NA	NA	NA	4.05	5.79	NA	NA	NA	6.90	NA	0.614
ORP (mV)	15	15	-38	NA	NA	81	NA	NA	NA	NA	NA
Dissolved oxygen	3.8	3.8	2.50	NA	NA	4.0	NA	NA	NA	NA	NA
Ethene	NA	NA	NA	0.0115	<0.011	NA	NA	NA	0.0116	NA	0.0114
Methane	NA	NA	NA	<0.015	0.242	NA	NA	NA	<0.015	NA	<0.015
Ethane	NA	NA	NA	<0.014	<0.014	NA	<0.50	<0.50	<0.014	<0.50	<0.014

¹Duplicate sample was collected from well KFC-3.

ORP: Oxidation-reduction potential.

NA: Not analyzed

[]: Sample detected at concentration below the level of quantification.

TABLE 5
GARRY'S CLEANERS
MARSHFIELD, WISCONSIN
SOIL VAPOR ANALYSES - VOLATILE ORGANIC COMPOUNDS
Concentrations in ppb/v

PARAMETER	SAMPLE LOCATION	
	VP-101	VP-103
Ethanol	150	370
Acetone	110	92
Isopropyl Alcohol	17	24
Methylene Chloride	7.8	6.6
Methyl Ethyl Ketone	50	43
Hexane	18	17
Ethyl Acetate	150	130
Cylohexane	10	10
Heptane	3.7	4
Toluene	150	150
Tetrachloroethylene	13	8
Ethylbenzene	8	5.1
M/P-Xylene	20	12
Styrene	210	44
O-xylene	11	6.1
1-Ethyl-4Methyl Benzene	6.7	8.4
1,3,5-Trimethyl Benzene	6.3	9.6
1,2,4-Trimethyl Benzene	14	27

ppb/v: parts per billion by volume.

<28 : Analyte not detected above detection limit shown.

Detected analytes and other analytes of interest shown, reference laboratory report for full list of VOCs analyzed.

APPENDIX A

SOIL BORING LOGS

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 2

Facility/Project Name <i>Garry's Cleaners</i>				License/Permit/Monitoring Number			Boring Number <i>SB101</i>									
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Tony</i> Last Name: <i>Kapugi</i> Firm: <i>On-Site Environmental</i>				Date Drilling Started <i>01/15/2008</i>		Date Drilling Completed <i>01/15/2008</i>		Drilling Method <i>Geoprobe</i>								
WI Unique Well No.	DNR Well ID No.	Well Name		Final Static Water Level Feet MSL		Surface Elevation Feet MSL		Borehole Diameter 2 inches								
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E				Lat <i>0° 0' "</i>	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W											
1/4 of _____ 1/4 of Section _____, T _____ N, R _____				Long <i>0° 0' "</i>												
Facility ID		County <i>Wood</i>		County Code	Civil Town/City/ or Village <i>Marshfield</i>											
Number and Type Recovered (in)	Length Att. & Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit				USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties				RQD/ Comments	
			Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index					P 200					
1 <i>42</i> <i>12</i>	<i>1</i> <i>2</i> <i>3</i> <i>4</i> <i>5</i> <i>6</i> <i>7</i> <i>8</i> <i>9</i> <i>10</i>	<i>O-1 SILT WITH SAND, MLS, topsoil, dark brown, trace gravel, dry</i> <i>1-11 WELL-GRADED SAND</i> <i>SW, light brown, fine to coarse sand, trace fine subrounded gravel, moist</i>	<i>Malfunctioning</i>													
2 <i>48</i> <i>12</i>	<i>8'</i> <i>wet</i>	<i>Malfunctioning</i>														

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Paula Rin* Firm *RSV Engineering, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 2

Facility/Project Name <i>Garry's Cleaners</i>			License/Permit/Monitoring Number		Boring Number <i>SB102</i>					
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: Tony Last Name: Kapugi Firm: On-Site Environmental			Date Drilling Started <i>01/15/2008</i> m m d d y y y y	Date Drilling Completed <i>01/15/2008</i> m m d d y y y y	Drilling Method <i>Geoprobe</i>					
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2 inches					
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Lat <i>0° 0' 0"</i>	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E						
1/4 of _____ 1/4 of Section _____, T _____ N, R _____			Long <i>0° 0' 0"</i>	Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____						
Facility ID		County <i>Wood</i>	County Code	Civil Town/City or Village <i>Marshfield</i>						
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil Properties						ROD/Comments
				U S C S	Graphic Log	Well Diagram	RID/FID	Compressive Strength	Moisture Content	
1	48 1 72		-1	<i>O-10 WELL-GRADED SAND, SW, fine to coarse Sand, trace fine subrounded gravel, strong brown, moist</i>						<i>Mat/funcioning</i>
			-2							
			-3							
			-4							
			-5							
			-6							
			-7							
			-8							
			-9							
			-10	<i>10-12 FAT CLAY, CH, few fine Subangular gravel, wet</i>						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Pam R.* Firm *RSV Engineering, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 2

Facility/Project Name <i>Garry's Cleaners</i>				License/Permit/Monitoring Number		Boring Number <i>SR103</i>							
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Tony</i> Last Name: <i>Kapugi</i> Firm: <i>On-Site Environmental</i>				Date Drilling Started <i>01/15/2008</i> m m d d y y y y	Date Drilling Completed <i>01/15/2008</i> m m d d y y y y	Drilling Method <i>Geoprobe</i>							
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 2 inches								
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E				Lat <u>0</u> <u>0</u> "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W								
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Long <u>0</u> <u>0</u> "											
Facility ID		County <i>Wood</i>	County Code	Civil Town/City/Village <i>Marshfield</i>									
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties				RQD/ Comments				
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength		Moisture Content	Liquid Limit	Plasticity Index	P 200
1 <i>43</i> <i>72</i>	<i>48</i> <i>72</i>		1	<i>0-1 SILT WITH SAND MLS, topsoil, dark brown</i>			<i>malfunctioning</i>						
			2	<i>1-10 WELL-GRADED SAND, SW, fine to coarse Sand, Strong brown, trace fine subrounded gravel</i>									
			3										
			4										
			5										
			6										
			7										
			8	<i>@ 8' wet</i>									
			9										
			10	<i>10-11 POORLY-GRADED GRAVEL WITH SAND, GPs, fine subrounded gravel, fine sand, wet</i>									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Paul Rm* Firm *RSV Engineering*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 2

Facility/Project Name <u>Garry's Cleaners</u>			License/Permit/Monitoring Number		Boring Number <u>KFC-4D</u>									
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <u>Tony</u> Last Name: <u>Kapugi</u> Firm: <u>On-Site Environmental</u>			Date Drilling Started <u>01/15/2008</u> m m d d y y y	Date Drilling Completed <u>01/15/2008</u> m m d d y y y	Drilling Method <u>4 1/4" HSA</u>									
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter <u>8.25 inches</u>									
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Lat <u>0° 0' "</u> o' "	Long <u>0° 0' "</u> o' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W									
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Civil Town/City or Village <u>Marshfield</u>												
Facility ID		County <u>Wood</u>	County Code	Soil Properties			RQD/ Comments							
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log		Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
			-2	0-20' Drill without Sampling. See log of KFC-4 for description of lithology.										
			-4											
			-6											
			-8											
			-10											
			-12											
			-14											
			-16											
			-18	20-22 WELL-GRADED SAND SW, fine to coarse sand, grayish-brown, trace fine subrounded gravel, Saturated										
			-20											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Pat R. Firm RSV Engineering, Inc

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Number and Type	Sample		Soil/Rock Description And Geologic Origin For Each Major Unit	Soil Properties			
	Length Att. & Recovered (in.)	Blow Counts		U S C S	Graphic Log	Well Diagram	PID/FID
1	24 60		22-24 <u>LEAN CLAY WITH SAND</u> , CLs, very fine sand, wet 24-27 <u>POORLY- GRADED SAND</u> , SP, fine sand, wet				
2	24 60		27-28 <u>WELL- GRADED SAND</u> , SW, fining upward sequence 28-30 <u>FAT CLAY</u> , CH, trace fine Subangular gravel, moist 30-31 <u>SILT</u> , ML, wet				
3	12 60		31-34.5 cobbles				
4	48 60		34.5-42 <u>FAT CLAY</u> , CH, trace fine sand and fine gravel, moist				
5	24 24		END OF BORING @ 42' Set well @ 41' with 5' screen				RQD/Comments

APPENDIX B

MONITORING WELL CONSTRUCTION AND DEVELOPMENT FORMS

Facility/Project Name <i>Garry's Cleaners</i>	Local Grid Location of Well ft. N. <input type="checkbox"/> S. <input type="checkbox"/> ft. E. <input type="checkbox"/> W.	Well Name KFC-40
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. _____ DNR Well ID No. _____
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N _____	Date Well Installed 01/15/2008 m m d d y y y y
Type of Well Well Code PZ1	Section Location of Waste/Source 1/4 of _____ 1/4 of Sec. _____ T. _____ N. R. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: Name (first, last) and Firm Tony Kapogi On-Site Environmental
Distance from Waste/ Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
A. Protective pipe, top elevation	ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	ft. MSL	2. Protective cover pipe: a. Inside diameter: 8 in. b. Length: 1 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation	ft. MSL	d. Additional protection? If yes, describe: _____
D. Surface seal, bottom	ft. MSL or _____ ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen:	GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input checked="" type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Other <input checked="" type="checkbox"/>
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight..... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite Bentonite-cement grout <input type="checkbox"/> 50 e. _____ ft ³ volume added for any of the above
14. Drilling method used:	Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	E. Bentonite seal, top _____ 33 ft. MSL or _____ ft.	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	7. Fine sand material: Manufacturer, product name & mesh size a. Badger #40
17. Source of water (attach analysis, if required):	F. Fine sand, top _____ 34 ft. MSL or _____ ft.	8. Filter pack material: Manufacturer, product name & mesh size a. Badger #7
	G. Filter pack, top _____ 35 ft. MSL or _____ ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
	H. Screen joint, top _____ 36 ft. MSL or _____ ft.	10. Screen material: PVC a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
	I. Well bottom _____ 41 ft. MSL or _____ ft.	b. Manufacturer Northern Aire c. Slot size: 0.010 in. d. Slotted length: 5 ft.
	J. Filter pack, bottom _____ 42 ft. MSL or _____ ft.	11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>
	K. Borehole, bottom _____ 42 ft. MSL or _____ ft.	
	L. Borehole, diameter _____ 8.25 in.	
	M. O.D. well casing _____ 2.13 in.	
	N. I.D. well casing _____ 2.07 in.	

The diagram illustrates a vertical monitoring well borehole. It shows concentric layers of different materials. From the outside in, the layers are: 1) A thin outer protective pipe. 2) A thick-walled well casing. 3) A fine sand seal at the top. 4) A filter pack. 5) A screen joint. 6) The well bottom. 7) A borehole. 8) A borehole diameter of 8.25 inches. 9) An O.D. well casing of 2.13 inches. 10) An I.D. well casing of 2.07 inches. Dimensions labeled on the left side of the diagram correspond to these layers: E (top), F (fine sand), G (filter pack), H (screen joint), I (well bottom), J (filter pack bottom), K (borehole bottom), L (borehole diameter), M (O.D. well casing), and N (I.D. well casing). Arrows from the form questions point to these specific layers in the diagram.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Paul R.

Firm

RSV Engineering, Inc.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <i>Garry's Cleaners</i>	County Name <i>Wood</i>	Well Name <i>KFC-4D</i>
Facility License, Permit or Monitoring Number _____ _____ _____ _____	County Code _____ _____ _____ _____	Wis. Unique Well Number _____ _____ _____ _____

1. Can this well be purged dry? <input type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing) a. <u>12.69</u> ft. <u>40.55</u> ft.
2. Well development method surged with bailer and bailed <input type="checkbox"/> 41 surged with bailer and pumped <input type="checkbox"/> 61 surged with block and bailed <input type="checkbox"/> 42 surged with block and pumped <input type="checkbox"/> 62 surged with block, bailed and pumped <input type="checkbox"/> 70 compressed air <input type="checkbox"/> 20 bailed only <input type="checkbox"/> 10 pumped only <input checked="" type="checkbox"/> 51 pumped slowly <input type="checkbox"/> 50 Other _____ <input type="checkbox"/> _____	Date <u>01/15/2008</u> <u>01/15/2008</u> m m d d y y y y Time <u>03:00</u> <input type="checkbox"/> a.m. <u>04:00</u> <input type="checkbox"/> p.m.
3. Time spent developing well <u>60</u> min.	12. Sediment in well bottom <u>0.0</u> inches <u>0.0</u> inches
4. Depth of well (from top of well casisng) <u>40.6</u> ft.	13. Water clarity Clear <input type="checkbox"/> 10 <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 15 <input checked="" type="checkbox"/> 25 (Describe) <u>brown</u> <u>light brown</u>
5. Inside diameter of well <u>2.07</u> in.	
6. Volume of water in filter pack and well casing <u>1</u> gal.	
7. Volume of water removed from well <u>25.0</u> gal.	
8. Volume of water added (if any) <u>0.0</u> gal.	
9. Source of water added <u>n/a</u>	
10. Analysis performed on water added? <input type="checkbox"/> Yes <input type="checkbox"/> No (If yes, attach results) <u>n/a</u>	Fill in if drilling fluids were used and well is at solid waste facility: 14. Total suspended <u>-----</u> mg/l <u>-----</u> mg/l solids solids
17. Additional comments on development:	15. COD <u>-----</u> mg/l <u>-----</u> mg/l
	16. Well developed by: Name (first, last) and Firm First Name: <u>Paula</u> Last Name: <u>Richardson</u> Firm: <u>RSV Engineering</u>

Name and Address of Facility Contact/Owner/Responsible Party First Name: <u>Garry</u> Last Name: <u>Erkes</u>
Facility/Firm: _____
Street: <u>1505 S. Locust St.</u>
City/State/Zip: <u>Marshfield, WI 54449</u>

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: <u>Paula Richardson</u>
Print Name: <u>Paula Richardson</u>
Firm: <u>RSV Engineering, Inc</u>

APPENDIX C

LABORATORY ANALYTICAL REPORTS

University of Wisconsin
2601 Agriculture Drive, PO Box 7996, Madison, WI 53707-7996
Charles D. Brokopp, Dr.P.H., Director D.F. Kurtycz, M.D., Medical Director

Environmental Science Section (608) 224-6269 DNR LAB ID 113133790
Organic chemistry

Id: Point/Well/...: Field #: VP-101 Route:
Collection Date: 01/23/08 Time: 14:02 County: (Unknown)
From: WIS-69
Description: GARRY'S CLEANERS
To: RSV ENGINEERING INC, 146 E MILWAUKEE ST, JEFFERSON WI 53549
Account number: PP001 Collected by:
Date Received: 01/25/08 Labslip #: OS003388 Reported: 02/11/08

----- test: TOX.ORG IN AMBIENT AIR-BY GC/MS INT.STAN-CENSORED

PROPENE	*D <2.0	PPB V #1
DICHLORODIFLUOROMETHANE	*D <2.0	PPB V #1
CHLOROMETHANE	*D <2.0	PPB V #1
1,2-DICHLOROTETRAFLUOROETHANE	*D <2.0	PPB V #1
VINYL CHLORIDE	*D <2.0	PPB V #1
1,3-BUTADIENE	*D <2.0	PPB V #1
BROMOMETHANE	*D <2.0	PPB V #1
CHLOROETHANE	*D <2.0	PPB V #1
ETHANOL	+ 150.	PPB V #1
ACROLEIN	*D <10.	PPB V #1
ACETONE	+ 110.	PPB V #1
HALOCARBON 11	*D <2.0	PPB V #1
ISOPROPYL ALCOHOL	+ 17.	PPB V #1
1,1-DICHLOROETHENE	*D <2.0	PPB V #1
METHYLENE CHLORIDE	+ 7.8	PPB V #1
CARBON DISULFIDE	*D <2.0	PPB V #1
1,1,2-TRICHLOROTRIFLUOROETHANE	*D <2.0	PPB V #1
TRANS-1,2-DICHLOROETHYLENE	*D <2.0	PPB V #1
1,1-DICHLOROETHANE	*D <2.0	PPB V #1
TERT-BUTYL METHYL ETHER	*D <2.0	PPB V #1
VINYL ACETATE	*D <2.0	PPB V #1
METHYL ETHYL KETONE	+ 50.	PPB V #1
CIS-1,2-DICHLOROETHYLENE	*D <2.0	PPB V #1
HEXANE	+ 18.	PPB V #1
CHLOROFORM	*D <2.0	PPB V #1
ETHYL ACETATE	+ 150.	PPB V #1
TETRAHYDROFURAN	*D <5.0	PPB V #1
1,2-DICHLOROETHANE	*D <2.0	PPB V #1
1,1,1-TRICHLOROETHANE	*D <2.0	PPB V #1
BENZENE	*D <2.0	PPB V #1
CARBON TETRACHLORIDE	*D <2.0	PPB V #1
CYCLOHEXANE	+ 10.	PPB V #1
1,2-DICHLOROPROPANE	*D <2.0	PPB V #1
BROMODICHLOROMETHANE	*D <2.0	PPB V #1
TRICHLOROETHYLENE	*D <2.0	PPB V #1

University of Wisconsin
2601 Agriculture Drive, PO Box 7996, Madison, WI 53707-7996
Charles D. Brokopp, Dr.P.H., Director D.F. Kurtycz, M.D., Medical Director

Environmental Science Section (608) 224-6269 DNR LAB ID 113133790

1,4-DIOXANE	*D <10.	PPB V #1
HEPTANE	+ 3.7	PPB V #1
CIS-1,3-DICHLOROPROPENE	*D <2.0	PPB V #1
METHYL ISOBUTYL KETONE	*D <5.0	PPB V #1
TRANS-1,3-DICHLOROPROPENE	*D <2.0	PPB V #1
1,1,2-TRICHLOROETHANE	*D <2.0	PPB V #1
TOLUENE	+ 150.	PPB V #1
METHYL N-BUTYL KETONE	*D <5.0	PPB V #1
DIBROMOCHLOROMETHANE	*D <2.0	PPB V #1
1,2-DIBROMOETHANE	*D <2.0	PPB V #1
TETRACHLOROETHYLENE	+ 13.	PPB V #1
CHLOROBENZENE	*D <2.0	PPB V #1
ETHYLBENZENE	+ 8.0	PPB V #1
M/P-XYLENE	+ 20.	PPB V #1
BROMOFORM	*D <2.0	PPB V #1
STYRENE	+ 210.	PPB V #1
1,1,2,2-TETRACHLOROETHANE	*D <2.0	PPB V #1
O-XYLENE	+ 11.	PPB V #1
1-ETHYL-4-METHYL BENZENE	+ 6.7	PPB V #1
1,3,5-TRIMETHYL BENZENE	+ 6.3	PPB V #1
1,2,4-TRIMETHYL BENZENE	+ 14.	PPB V #1
CHLOROMETHYL BENZENE (ALPHA)	*D <2.0	PPB V #1
1,3-DICHLOROBENZENE	*D <2.0	PPB V #1
1,4-DICHLOROBENZENE	*D <2.0	PPB V #1
1,2-DICHLOROBENZENE	*D <2.0	PPB V #1
1,2,4-TRICHLOROBENZENE	*D <2.0	PPB V #1
HEXACHLORO-1,3-BUTADIENE	*D <2.0	PPB V #1
TOXIC ORGANIC COMPOUNDS IN AMBIENT AIR T015 - PREP	COMPLETE	

--- Footnotes ---

+: Positive results are prefixed by a plus sign.

Remark #1: LOD NOT ACHIEVABLE DUE TO DILUTION - *D.

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

University of Wisconsin
2601 Agriculture Drive, PO Box 7996, Madison, WI 53707-7996
Charles D. Brokopp, Dr.P.H., Director D.F. Kurtycz, M.D., Medical Director

Environmental Science Section (608) 224-6269 DNR LAB ID 113133790
Organic chemistry

Id: Point/Well/...: Field #: VP-103 Route:
Collection Date: 01/23/08 Time: 13:55 County: (Unknown)
From: WIS-74
Description: GARRY'S CLEANERS
To: PAULA RICHARDSON-RSV ENGINEER.
146 E MILWAUKEE ST
JEFFERSON WI 53549
Account number: PP001 Collected by:
Date Received: 01/25/08 Labslip #: OS003390 Reported: 02/11/08

----- test: TOX.ORG IN AMBIENT AIR-BY GC/MS INT.STAN-CENSORED

PROPENE	*D <2.0	PPB V #1
DICHLORODIFLUOROMETHANE	*D <2.0	PPB V #1
CHLOROMETHANE	*D <2.0	PPB V #1
1,2-DICHLOROTETRAFLUOROETHANE	*D <2.0	PPB V #1
VINYL CHLORIDE	*D <2.0	PPB V #1
1,3-BUTADIENE	*D <2.0	PPB V #1
BROMOMETHANE	*D <2.0	PPB V #1
CHLOROETHANE	*D <2.0	PPB V #1
ETHANOL	+ 370.	PPB V #1
ACROLEIN	*D <10.	PPB V #1
ACETONE	+ 92.	PPB V #1
HALOCARBON 11	*D <2.0	PPB V #1
ISOPROPYL ALCOHOL	+ 24.	PPB V #1
1,1-DICHLOROETHENE	*D <2.0	PPB V #1
METHYLENE CHLORIDE	+ 6.6	PPB V #1
CARBON DISULFIDE	*D <2.0	PPB V #1
1,1,2-TRICHLOROTRIFLUOROETHANE	*D <2.0	PPB V #1
TRANS-1,2-DICHLOROETHYLENE	*D <2.0	PPB V #1
1,1-DICHLOROETHANE	*D <2.0	PPB V #1
TERT-BUTYL METHYL ETHER	*D <2.0	PPB V #1
VINYL ACETATE	*D <2.0	PPB V #1
METHYL ETHYL KETONE	+ 43.	PPB V #1
CIS-1,2-DICHLOROETHYLENE	*D <2.0	PPB V #1
HEXANE	+ 17.	PPB V #1
CHLOROFORM	*D <2.0	PPB V #1
ETHYL ACETATE	+ 130.	PPB V #1
TETRAHYDROFURAN	*D <5.0	PPB V #1
1,2-DICHLOROETHANE	*D <2.0	PPB V #1
1,1,1-TRICHLOROETHANE	*D <2.0	PPB V #1
BENZENE	*D <2.0	PPB V #1

University of Wisconsin
 2601 Agriculture Drive, PO Box 7996, Madison, WI 53707-7996
 Charles D. Brokopp, Dr.P.H., Director D.F. Kurtycz, M.D., Medical Director

Environmental Science Section (608) 224-6269 DNR LAB ID 113133790

CARBON TETRACHLORIDE	*D <2.0	PPB V #1
CYCLOHEXANE	+ 10.	PPB V #1
1,2-DICHLOROPROPANE	*D <2.0	PPB V #1
BROMODICHLOROMETHANE	*D <2.0	PPB V #1
TRICHLOROETHYLENE	*D <2.0	PPB V #1
1,4-DIOXANE	*D <10.	PPB V #1
HEPTANE	+ 4.0	PPB V #1
CIS-1,3-DICHLOROPROPENE	*D <2.0	PPB V #1
METHYL ISOBUTYL KETONE	*D <5.0	PPB V #1
TRANS-1,3-DICHLOROPROPENE	*D <2.0	PPB V #1
1,1,2-TRICHLOROETHANE	*D <2.0	PPB V #1
TOLUENE	+ 150.	PPB V #1
METHYL N-BUTYL KETONE	*D <5.0	PPB V #1
DIBROMOCHLOROMETHANE	*D <2.0	PPB V #1
1,2-DIBROMOETHANE	*D <2.0	PPB V #1
TETRACHLOROETHYLENE	+ 8.4	PPB V #1
CHLOROBENZENE	*D <2.0	PPB V #1
ETHYLBENZENE	+ 5.1	PPB V #1
M/P-XYLENE	+ 12.	PPB V #1
BROMOFORM	*D <2.0	PPB V #1
STYRENE	+ 44.	PPB V #1
1,1,2,2-TETRACHLOROETHANE	*D <2.0	PPB V #1
O-XYLENE	+ 6.1	PPB V #1
1-ETHYL-4-METHYL BENZENE	+ 8.4	PPB V #1
1,3,5-TRIMETHYL BENZENE	+ 9.6	PPB V #1
1,2,4-TRIMETHYL BENZENE	+ 27.	PPB V #1
CHLOROMETHYL BENZENE (ALPHA)	*D <2.0	PPB V #1
1,3-DICHLOROBENZENE	*D <2.0	PPB V #1
1,4-DICHLOROBENZENE	*D <2.0	PPB V #1
1,2-DICHLOROBENZENE	*D <2.0	PPB V #1
1,2,4-TRICHLOROBENZENE	*D <2.0	PPB V #1
HEXACHLORO-1,3-BUTADIENE	*D <2.0	PPB V #1
TOXIC ORGANIC COMPOUNDS IN AMBIENT AIR T015 - PREP	COMPLETE	

--- Footnotes ---

+: Positive results are prefixed by a plus sign.

Remark #1: LOD NOT ACHIEVABLE DUE TO DILUTION - *D.

Test results for NELAP accredited tests are certified to meet the requirements of the NELAC standards. For a list of accredited analytes see <http://www.slh.wisc.edu/nelap/>

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

February 22, 2008

Client:	RSV ENGINEERING, INC. 146 East Milwaukee Street PO Box 298 Jefferson, WI 53549	Work Order:	WRA0711
		Project Name:	Garrys
		Project Number:	04-515
Attn:	Ms. Paula Richardson	Date Received:	01/24/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW-1	WRA0711-01	01/23/08 12:00
MW-2	WRA0711-02	01/23/08 12:30
MW-3	WRA0711-03	01/23/08 09:30
MW-3D2	WRA0711-04	01/23/08 10:00
MW-3D	WRA0711-05	01/23/08 10:00
MW-3I	WRA0711-06	01/23/08 09:30
KFC-2	WRA0711-07	01/23/08 11:00
KFC-4	WRA0711-08	01/23/08 15:45
KFC-4D	WRA0711-09	01/23/08 16:00
KFC-6	WRA0711-10	01/23/08 15:00
KFC-6I	WRA0711-11	01/23/08 14:30
OC-1	WRA0711-12	01/23/08 13:00

EPA 206.2 analysis performed at Lab ID: 999917270

RSK 175M, SW 9060 analysis performed at Lab ID: 998020430

Case Narrative: Revised Report.


Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 5 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRA0711-01 (MW-1 - Ground Water)										
Sampled: 01/23/08 12:00										
General Chemistry Parameters										
Chloride	350		mg/L	50	170	50	01/30/08 13:36	p xm	8010668	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:17	p xm	8020035	EPA 353.2
Sulfate	33		mg/L	0.050	0.17	1	01/31/08 11:00	p ju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.82		mg/L	0.016	0.053	1	02/01/08 09:20	mmm	8020007	SW 6010B
Manganese	0.14		mg/L	0.00096	0.0032	1	02/01/08 09:20	mmm	8020007	SW 6010B
Nickel	0.023		mg/L	0.0040	0.013	1	02/01/08 09:20	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 13:26	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	7.6		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-01RE2 (MW-1 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 13:26	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Tetrachloroethene	65		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	0.32	Jb	ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 13:26	MAE	8010627	SW 8260B
Trichloroethene	8.5		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/29/08 13:26	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 13:26	MAE	8010627	SW 8260B
Surr: Dibromofluoromethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	23.6		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW846 9060
Total Organic Carbon	1.13		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 14:53	DRH	8014346	RSK 175
Ethene	11.7	Ja	ug/L	11.0	36.7	1	01/31/08 14:53	DRH	8014346	RSK 175
Methane	<15.0		ug/L	15.0	50.0	1	01/31/08 14:53	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	93 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.000703	J	mg/L	0.000430	0.00143	1	02/04/08 18:40	ztb	8020105	SW 7060A
Sample ID: WRA0711-02 (MW-2 - Ground Water)										
General Chemistry Parameters										
Chloride	390		mg/L	50	170	50	01/30/08 13:39	p xm	8010668	EPA 325.2
Nitrate/Nitrite as N	0.31	Jb	mg/L	0.10	0.33	1	02/04/08 14:18	p xm	8020035	EPA 353.2
Sulfate	26		mg/L	0.050	0.17	1	01/31/08 11:00	p j u	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	<0.016		mg/L	0.016	0.053	1	02/01/08 09:31	mmm	8020007	SW 6010B
Manganese	0.20		mg/L	0.00096	0.0032	1	02/01/08 09:31	mmm	8020007	SW 6010B
Nickel	0.054		mg/L	0.0040	0.013	1	02/01/08 09:31	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-02RE1 (MW-2 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/28/08 15:31	LCK	8010608	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/28/08 15:31	LCK	8010608	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:31	LCK	8010608	SW 8260B
Trichloroethene	0.24	Jb	ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-02RE1 (MW-2 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/28/08 15:31	LCK	8010608	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/28/08 15:31	LCK	8010608	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	104 %									
<i>Surr: Toluene-d8 (91-109%)</i>	98 %									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	99 %									
General Chemistry Parameters										
Total Inorganic Carbon	28.8		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW846 9060
Total Organic Carbon	1.17		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 14:59	DRH	8014346	RSK 175
Ethene	11.5	Ja	ug/L	11.0	36.7	1	01/31/08 14:59	DRH	8014346	RSK 175
Methane	<15.0		ug/L	15.0	50.0	1	01/31/08 14:59	DRH	8014346	RSK 175
<i>Surr: Acetylene (76-122%)</i>	92 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	<0.000430		mg/L	0.000430	0.00143	1	02/04/08 18:47	ztb	8020105	SW 7060A
Sample ID: WRA0711-03 (MW-3 - Ground Water)										
General Chemistry Parameters										
Chloride	200		mg/L	10	33	10	01/30/08 13:39	pxm	8010668	EPA 325.2
Nitrate/Nitrite as N	0.64		mg/L	0.10	0.33	1	02/04/08 14:19	pxm	8020035	EPA 353.2
Sulfate	31		mg/L	0.050	0.17	1	01/31/08 11:00	pju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	<0.016		mg/L	0.016	0.053	1	02/01/08 09:35	mmm	8020007	SW 6010B
Manganese	0.53		mg/L	0.00096	0.0032	1	02/01/08 09:35	mmm	8020007	SW 6010B
Nickel	0.025		mg/L	0.0040	0.013	1	02/01/08 09:35	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Bromobenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Bromochloromethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Bromodichloromethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Bromoform	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Bromomethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
n-Butylbenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
sec-Butylbenzene	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
tert-Butylbenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Carbon Tetrachloride	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Chlorobenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Chlorodibromomethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Chloroethane	<500		ug/L	500	1700	500	01/28/08 19:13	LCK	8010596	SW 8260B
Chloroform	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Chloromethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
2-Chlorotoluene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
4-Chlorotoluene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2-Dibromo-3-chloropropane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2-Dibromoethane (EDB)	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Dibromomethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2-Dichlorobenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,3-Dichlorobenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,4-Dichlorobenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-03RE1 (MW-3 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Dichlorodifluoromethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1-Dichloroethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2-Dichloroethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1-Dichloroethene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
cis-1,2-Dichloroethene	2400		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
trans-1,2-Dichloroethene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2-Dichloropropane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,3-Dichloropropane	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
2,2-Dichloropropane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1-Dichloropropene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
cis-1,3-Dichloropropene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
trans-1,3-Dichloropropene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
2,3-Dichloropropene	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
Isopropyl Ether	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Ethylbenzene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Hexachlorobutadiene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Isopropylbenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
p-Isopropyltoluene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Methylene Chloride	<500		ug/L	500	1700	500	01/28/08 19:13	LCK	8010596	SW 8260B
Methyl tert-Butyl Ether	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Naphthalene	290	Jb	ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
n-Propylbenzene	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Styrene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1,1,2-Tetrachloroethane	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1,2,2-Tetrachloroethane	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Tetrachloroethene	140000		ug/L	1200	4200	2500	01/29/08 15:17	mae	8010626	SW 8260B
Toluene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2,3-Trichlorobenzene	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2,4-Trichlorobenzene	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1,1-Trichloroethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,1,2-Trichloroethane	<120		ug/L	120	420	500	01/28/08 19:13	LCK	8010596	SW 8260B
Trichloroethene	620		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Trichlorofluoromethane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2,3-Trichloropropane	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,2,4-Trimethylbenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
1,3,5-Trimethylbenzene	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Vinyl chloride	<100		ug/L	100	330	500	01/28/08 19:13	LCK	8010596	SW 8260B
Xylenes, Total	<250		ug/L	250	830	500	01/28/08 19:13	LCK	8010596	SW 8260B
Surr: Dibromoefluoromethane (89-119%)	103 %									
Surr: Dibromoefluoromethane (89-119%)	98 %									
Surr: Toluene-d8 (91-109%)	103 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	106 %									
Surr: 4-Bromofluorobenzene (89-114%)	97 %									
General Chemistry Parameters										
Total Inorganic Carbon	31.8		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW846 9060
Total Organic Carbon	14.9		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	28.0		ug/L	14.0	46.7	1	01/31/08 15:06	DRH	8014346	RSK 175
Ethene	12.4	Ja	ug/L	11.0	36.7	1	01/31/08 15:06	DRH	8014346	RSK 175
Methane	405		ug/L	15.0	50.0	1	01/31/08 15:06	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	95 %									

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-03 (MW-3 - Ground Water) - cont.										
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.000543	J	mg/L	0.000430	0.00143	1	02/04/08 19:01	ztb	8020105	SW 7060A
Sample ID: WRA0711-04 (MW-3D2 - Ground Water)										
General Chemistry Parameters										
Chloride	300		mg/L	10	33	10	01/30/08 13:40	pxm	8010668	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:20	pxm	8020035	EPA 353.2
Sulfate	12		mg/L	0.050	0.17	1	01/31/08 11:00	pju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.065		mg/L	0.016	0.053	1	02/01/08 09:39	mmm	8020007	SW 6010B
Manganese	0.0085		mg/L	0.00096	0.0032	1	02/01/08 09:39	mmm	8020007	SW 6010B
Nickel	<0.0040		mg/L	0.0040	0.013	1	02/01/08 09:39	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Bromobenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Bromochloromethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Bromodichloromethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Bromoform	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Bromomethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
n-Butylbenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
sec-Butylbenzene	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
tert-Butylbenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Carbon Tetrachloride	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Chlorobenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Chlorodibromomethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Chloroethane	<5.0		ug/L	5.0	17	5	01/28/08 18:46	LCK	8010596	SW 8260B
Chloroform	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Chloromethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
2-Chlorotoluene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
4-Chlorotoluene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2-Dibromo-3-chloropropane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2-Dibromoethane (EDB)	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Dibromomethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2-Dichlorobenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,3-Dichlorobenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,4-Dichlorobenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Dichlorodifluoromethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1-Dichloroethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2-Dichloroethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1-Dichloroethene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
cis-1,2-Dichloroethene	370		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
trans-1,2-Dichloroethene	2.8	Jb	ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2-Dichloropropane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,3-Dichloropropane	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
2,2-Dichloropropane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1-Dichloropropene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
cis-1,3-Dichloropropene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
trans-1,3-Dichloropropene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
2,3-Dichloropropene	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
Isopropyl Ether	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Ethylbenzene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Hexachlorobutadiene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-04RE1 (MW-3D2 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Sampled: 01/23/08 10:00										
Isopropylbenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
p-Isopropyltoluene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Methylene Chloride	<5.0		ug/L	5.0	17	5	01/28/08 18:46	LCK	8010596	SW 8260B
Methyl tert-Butyl Ether	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Naphthalene	17		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
n-Propylbenzene	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Styrene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1,1,2-Tetrachloroethane	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Tetrachloroethene	12		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Toluene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2,3-Trichlorobenzene	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2,4-Trichlorobenzene	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1,1-Trichloroethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,1,2-Trichloroethane	<1.2		ug/L	1.2	4.2	5	01/28/08 18:46	LCK	8010596	SW 8260B
Trichloroethene	13		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Trichlorofluoromethane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2,3-Trichloropropane	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,2,4-Trimethylbenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
1,3,5-Trimethylbenzene	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Vinyl chloride	<1.0		ug/L	1.0	3.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Xylenes, Total	<2.5		ug/L	2.5	8.3	5	01/28/08 18:46	LCK	8010596	SW 8260B
Surr: Dibromoiodomethane (89-119%)	103 %									
Surr: Toluene-d8 (91-109%)	103 %									
Surr: 4-Bromofluorobenzene (89-114%)	106 %									
General Chemistry Parameters										
Total Inorganic Carbon	36.9		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW 846 9060
Total Organic Carbon	8.17		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW 846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:13	DRH	8014346	RSK 175
Ethene	12.2	Ja	ug/L	11.0	36.7	1	01/31/08 15:13	DRH	8014346	RSK 175
Methane	69.4		ug/L	15.0	50.0	1	01/31/08 15:13	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	91 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.00158		mg/L	0.000430	0.00143	1	02/04/08 19:04	ztb	8020105	SW 7060A
Sample ID: WRA0711-05 (MW-3D - Ground Water)										
Sampled: 01/23/08 10:00										
General Chemistry Parameters										
Chloride	2.1	Jb	mg/L	1.0	3.3	1	01/30/08 13:41	pym	8010668	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:21	pym	8020035	EPA 353.2
Sulfate	0.73		mg/L	0.050	0.17	1	01/31/08 11:00	pju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.017	Jb	mg/L	0.016	0.053	1	02/01/08 09:43	mmm	8020007	SW 6010B
Manganese	0.22		mg/L	0.00096	0.0032	1	02/01/08 09:42	mmm	8020007	SW 6010B
Nickel	<0.0040		mg/L	0.0040	0.013	1	02/01/08 09:43	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-05RE1 (MW-3D - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Bromoform	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/28/08 15:58	LCK	8010608	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
cis-1,2-Dichloroethene	16		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/28/08 15:58	LCK	8010608	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Tetrachloroethene	34		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/28/08 15:58	LCK	8010608	SW 8260B
Trichloroethene	8.8		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-05RE1 (MW-3D - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/28/08 15:58	LCK	8010608	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/28/08 15:58	LCK	8010608	SW 8260B
Surr: Dibromoiodomethane (89-119%)	104 %									
Surr: Toluene-d8 (91-109%)	97 %									
Surr: 4-Bromofluorobenzene (89-114%)	99 %									
General Chemistry Parameters										
Total Inorganic Carbon	46.0		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW846 9060
Total Organic Carbon	<0.500		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:19	DRH	8014346	RSK 175
Ethene	11.6	Ja	ug/L	11.0	36.7	1	01/31/08 15:19	DRH	8014346	RSK 175
Methane	168		ug/L	15.0	50.0	1	01/31/08 15:19	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	92 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.00122		mg/L	0.000430	0.00143	1	02/04/08 19:08	ztb	8020105	SW 7060A
Sample ID: WRA0711-06 (MW-3I - Ground Water)										
General Chemistry Parameters										
Chloride	11		mg/L	1.0	3.3	1	01/30/08 13:42	pym	8010668	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:21	pym	8020035	EPA 353.2
Sulfate	6.8		mg/L	0.050	0.17	1	01/31/08 11:00	pju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.048	Jb	mg/L	0.016	0.053	1	02/01/08 09:47	mmm	8020007	SW 6010B
Manganese	0.14		mg/L	0.00096	0.0032	1	02/01/08 09:47	mmm	8020007	SW 6010B
Nickel	<0.0040		mg/L	0.0040	0.013	1	02/01/08 09:47	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Bromobenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Bromo-chloromethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Bromo-dichloromethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Bromoform	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Bromomethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
n-Butylbenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
sec-Butylbenzene	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
tert-Butylbenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Carbon Tetrachloride	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Chlorobenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Chloro-dibromomethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Chloroethane	<25		ug/L	25	83	25	01/29/08 17:08	MAE	8010627	SW 8260B
Chloroform	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Chloromethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
2-Chlorotoluene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
4-Chlorotoluene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Dibromomethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-06 (MW-3I - Ground Water) - cont.										
Sampled: 01/23/08 09:30										
VOCs by SW8260B - cont.										
1,3-Dichlorobenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1-Dichloroethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2-Dichloroethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1-Dichloroethene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	310		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2-Dichloropropane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,3-Dichloropropane	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
2,2-Dichloropropane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1-Dichloropropene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
2,3-Dichloropropene	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
Isopropyl Ether	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Ethylbenzene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Hexachlorobutadiene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Isopropylbenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
p-Isopropyltoluene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Methylene Chloride	<25		ug/L	25	83	25	01/29/08 17:08	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Naphthalene	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
n-Propylbenzene	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Styrene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Tetrachloroethene	1100		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Toluene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<6.2		ug/L	6.2	21	25	01/29/08 17:08	MAE	8010627	SW 8260B
Trichloroethene	830		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Trichlorofluoromethane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Vinyl chloride	<5.0		ug/L	5.0	17	25	01/29/08 17:08	MAE	8010627	SW 8260B
Xylenes, Total	<12		ug/L	12	42	25	01/29/08 17:08	MAE	8010627	SW 8260B
Surr: Dibromofluoromethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	99 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	43.5		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020956	SW846 9060
Total Organic Carbon	3.38		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:26	DRH	8014346	RSK 175
Ethene	15.3	Ja	ug/L	11.0	36.7	1	01/31/08 15:26	DRH	8014346	RSK 175
Methane	153		ug/L	15.0	50.0	1	01/31/08 15:26	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	92 %									

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-06 (MW-3I - Ground Water) - cont.										
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.00135		mg/L	0.000430	0.00143	1	02/04/08 19:11	ztb	8020105	SW 7060A
Sample ID: WRA0711-07 (KFC-2 - Ground Water)										
General Chemistry Parameters										
Chloride	72		mg/L	10	33	10	01/30/08 13:43	pxm	8010668	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:22	pxm	8020035	EPA 353.2
Sulfate	45		mg/L	0.050	0.17	1	01/31/08 11:00	pju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.054		mg/L	0.016	0.053	1	02/01/08 09:51	mmm	8020007	SW 6010B
Manganese	0.13		mg/L	0.00096	0.0032	1	02/01/08 09:51	mmm	8020007	SW 6010B
Nickel	0.0092	Jb	mg/L	0.0040	0.013	1	02/01/08 09:51	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Bromobenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Bromochloromethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Bromodichloromethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Bromoform	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Bromomethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
n-Butylbenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
sec-Butylbenzene	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Carbon Tetrachloride	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Chlorobenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Chloroethane	<4.0		ug/L	4.0	13	4	01/29/08 16:40	MAE	8010627	SW 8260B
Chloroform	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Chloromethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
2-Chlorotoluene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Dibromomethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1-Dichloroethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2-Dichloroethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1-Dichloroethene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	110		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2-Dichloropropane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,3-Dichloropropane	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
2,2-Dichloropropane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1-Dichloropropene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
2,3-Dichloropropene	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
Isopropyl Ether	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Ethylbenzene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Hexachlorobutadiene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-07 (KFC-2 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Isopropylbenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Methylene Chloride	<4.0		ug/L	4.0	13	4	01/29/08 16:40	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Naphthalene	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
n-Propylbenzene	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Styrene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Tetrachloroethene	150		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Toluene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<1.0		ug/L	1.0	3.3	4	01/29/08 16:40	MAE	8010627	SW 8260B
Trichloroethene	190		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Trichlorofluoromethane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Vinyl chloride	<0.80		ug/L	0.80	2.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Xylenes, Total	<2.0		ug/L	2.0	6.7	4	01/29/08 16:40	MAE	8010627	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	99 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	26.3		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020960	SW846 9060
Total Organic Carbon	1.34		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:38	DRH	8014346	RSK 175
Ethene	11.4	Ja	ug/L	11.0	36.7	1	01/31/08 15:38	DRH	8014346	RSK 175
Methane	23.9	Ja	ug/L	15.0	50.0	1	01/31/08 15:38	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	91 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.000689	J	mg/L	0.000430	0.00143	1	02/04/08 19:15	ztb	8020105	SW 7060A

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-08 (KFC-4 - Ground Water)										
General Chemistry Parameters										
Chloride	320		mg/L	10	33	10	01/30/08 13:43	p xm	8010668	EPA 325.2
Nitrate/Nitrite as N	0.49		mg/L	0.10	0.33	1	02/04/08 14:23	p xm	8020035	EPA 353.2
Sulfate	27		mg/L	0.050	0.17	1	01/31/08 11:00	p ju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.071		mg/L	0.016	0.053	1	02/01/08 09:54	mmm	8020007	SW 6010B
Manganese	0.80		mg/L	0.00096	0.0032	1	02/01/08 09:54	mmm	8020007	SW 6010B
Nickel	0.017		mg/L	0.0040	0.013	1	02/01/08 09:54	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromochloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 14:21	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 14:21	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-08 (KFC-4 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:21	MAE	8010627	SW 8260B
Trichloroethylene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/29/08 14:21	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 14:21	MAE	8010627	SW 8260B
Surr: Dibromoiodomethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	99 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									
General Chemistry Parameters										
Total Inorganic Carbon	53.4		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020960	SW846 9060
Total Organic Carbon	4.05		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:45	DRH	8014346	RSK 175
Ethene	11.5	Ja	ug/L	11.0	36.7	1	01/31/08 15:45	DRH	8014346	RSK 175
Methane	<15.0		ug/L	15.0	50.0	1	01/31/08 15:45	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	93 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.000457	J	mg/L	0.000430	0.00143	1	02/04/08 19:18	ztb	8020105	SW 7060A

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRA0711-09 (KFC-4D - Ground Water)										
General Chemistry Parameters										
Sampled: 01/23/08 16:00										
Chloride	20		mg/L	1.0	3.3	1	01/30/08 13:48	p xm	8010669	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:24	p xm	8020035	EPA 353.2
Sulfate	15		mg/L	0.050	0.17	1	01/31/08 11:00	p ju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	1.1		mg/L	0.016	0.053	1	02/01/08 10:10	mmm	8020007	SW 6010B
Manganese	0.13		mg/L	0.00096	0.0032	1	02/01/08 10:10	mmm	8020007	SW 6010B
Nickel	0.013	Jb	mg/L	0.0040	0.013	1	02/01/08 10:10	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 14:49	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	1.5	Jb	ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 14:49	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-09 (KFC-4D - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Toluene	0.46	Jb	ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 14:49	MAE	8010627	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/29/08 14:49	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 14:49	MAE	8010627	SW 8260B
Surr: Dibromoiodomethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	53.5		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020960	SW846 9060
Total Organic Carbon	5.79		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:52	DRH	8014346	RSK 175
Ethene	<11.0		ug/L	11.0	36.7	1	01/31/08 15:52	DRH	8014346	RSK 175
Methane	242		ug/L	15.0	50.0	1	01/31/08 15:52	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	80 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.00134		mg/L	0.000430	0.00143	1	02/04/08 19:22	ztb	8020105	SW 7060A

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-10 (KFC-6 - Ground Water)										
General Chemistry Parameters										
Sampled: 01/23/08 15:00										
Chloride	1200		mg/L	50	170	50	01/30/08 13:49	p xm	8010669	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 14:28	p xm	8020036	EPA 353.2
Sulfate	59		mg/L	0.050	0.17	1	01/31/08 11:00	p ju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	1.7		mg/L	0.016	0.053	1	02/01/08 10:14	mmm	8020007	SW 6010B
Manganese	1.2		mg/L	0.00096	0.0032	1	02/01/08 10:14	mmm	8020007	SW 6010B
Nickel	0.076		mg/L	0.0040	0.013	1	02/01/08 10:14	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromochloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 15:17	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 15:17	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B

TestAmerica Watertown

 Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-10 (KFC-6 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Tetrachloroethene	0.50	Jb	ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:17	MAE	8010627	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/29/08 15:17	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 15:17	MAE	8010627	SW 8260B
Surr: Dibromoformmethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromoformbenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	65.1		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020960	SW846 9060
Total Organic Carbon	6.90		mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020361	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 15:58	DRH	8014346	RSK 175
Ethene	11.6	Ja	ug/L	11.0	36.7	1	01/31/08 15:58	DRH	8014346	RSK 175
Methane	<15.0		ug/L	15.0	50.0	1	01/31/08 15:58	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	92 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	<0.000430		mg/L	0.000430	0.00143	1	02/04/08 19:25	ztb	8020105	SW 7060A

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-11 (KFC-6I - Ground Water)										
General Chemistry Parameters										
Sampled: 01/23/08 14:30										
Chloride	17		mg/L	1.0	3.3	1	01/30/08 13:50	p xm	8010669	EPA 325.2
Nitrate/Nitrite as N	<0.10		mg/L	0.10	0.33	1	02/04/08 15:12	p xm	8020036	EPA 353.2
Sulfate	52		mg/L	0.050	0.17	1	01/31/08 11:00	p ju	8010702	EPA 300.0
Sulfide	<0.20		mg/L	0.20	0.67	1	01/30/08 16:12	mmm	8010674	SM 4500SE
Metals Dissolved										
Iron	0.11		mg/L	0.016	0.053	1	02/01/08 10:18	mmm	8020007	SW 6010B
Manganese	0.13		mg/L	0.00096	0.0032	1	02/01/08 10:18	mmm	8020007	SW 6010B
Nickel	<0.0040		mg/L	0.0040	0.013	1	02/01/08 10:18	mmm	8020007	SW 6010B
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromoform	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromochloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 15:45	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 15:45	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
 Project Manager

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-11 (KFC-6I - Ground Water) - cont.										
VOCs by SW8260B - cont.										
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Tetrachloroethylene	1.3	Jb	ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 15:45	MAE	8010627	SW 8260B
Trichloroethylene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	01/29/08 15:45	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 15:45	MAE	8010627	SW 8260B
Surr: Dibromoformmethane (89-119%)	99 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									
General Chemistry Parameters										
Total Inorganic Carbon	41.4		mg/L	0.500	1.67	1	02/07/08 01:24	CCW	8020960	SW846 9060
Total Organic Carbon	0.614	Ja	mg/L	0.500	1.67	1	02/05/08 14:33	CCW	8020362	SW846 9060A
Methane, Ethane, and Ethene by GC										
Ethane	<14.0		ug/L	14.0	46.7	1	01/31/08 16:12	DRH	8014346	RSK 175
Ethene	11.4	Ja	ug/L	11.0	36.7	1	01/31/08 16:12	DRH	8014346	RSK 175
Methane	<15.0		ug/L	15.0	50.0	1	01/31/08 16:12	DRH	8014346	RSK 175
Surr: Acetylene (76-122%)	91 %									
Dissolved Metals by SW 846 Series Methods										
Arsenic	0.000993	J	mg/L	0.000430	0.00143	1	02/04/08 19:29	ztb	8020105	SW 7060A

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-12 (OC-1 - Ground Water)										
Sampled: 01/23/08 13:00										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	01/29/08 16:13	MAE	8010627	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
cis-1,2-Dichloroethene	320		ug/L	2.5	8.3	5	01/30/08 11:45	mae	8010662	SW 8260B
trans-1,2-Dichloroethene	3.3		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	01/29/08 16:13	MAE	8010627	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Tetrachloroethene	11		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WRA0711-12 (OC-1 - Ground Water) - cont.										
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	01/29/08 16:13	MAE	8010627	SW 8260B
Trichloroethene	12		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Vinyl chloride	0.40	Jb	ug/L	0.20	0.67	1	01/29/08 16:13	MAE	8010627	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	01/29/08 16:13	MAE	8010627	SW 8260B
<i>Surr: Dibromoformmethane (89-119%)</i>	<i>100 %</i>									
<i>Surr: Dibromoformmethane (89-119%)</i>	<i>96 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>100 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>98 %</i>									
<i>Surr: 4-Bromoformbenzene (89-114%)</i>	<i>101 %</i>									
<i>Surr: 4-Bromoformbenzene (89-114%)</i>	<i>100 %</i>									

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
Chloride	8010668			mg/L	1.0	3.3	<1.0						
Chloride	8010669			mg/L	1.0	3.3	<1.0						
Sulfate	8010702			mg/L	0.050	0.17	<0.050						
Nitrate/Nitrite as N	8020035			mg/L	0.10	0.33	<0.10						
Nitrate/Nitrite as N	8020036			mg/L	0.10	0.33	<0.10						
VOCs by SW8260B													
Benzene	8010596			ug/L	0.20	0.67	<0.20						
Bromobenzene	8010596			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8010596			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8010596			ug/L	0.20	0.67	<0.20						
Bromoform	8010596			ug/L	0.20	0.67	<0.20						
Bromomethane	8010596			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8010596			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8010596			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8010596			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8010596			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8010596			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8010596			ug/L	0.20	0.67	<0.20						
Chloroethane	8010596			ug/L	1.0	3.3	<1.0						
Chloroform	8010596			ug/L	0.20	0.67	<0.20						
Chloromethane	8010596			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8010596			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8010596			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8010596			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8010596			ug/L	0.20	0.67	<0.20						
Dibromomethane	8010596			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8010596			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8010596			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8010596			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8010596			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8010596			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8010596			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8010596			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8010596			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8010596			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8010596			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8010596			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8010596			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8010596			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8010596			ug/L	0.20	0.67	<0.20						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
trans-1,3-Dichloropropene	8010596			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8010596			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8010596			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8010596			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8010596			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8010596			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8010596			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8010596			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8010596			ug/L	0.50	1.7	<0.50						
Naphthalene	8010596			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8010596			ug/L	0.50	1.7	<0.50						
Styrene	8010596			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8010596			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8010596			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8010596			ug/L	0.50	1.7	<0.50						
Toluene	8010596			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8010596			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8010596			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8010596			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8010596			ug/L	0.25	0.83	<0.25						
Trichloroethene	8010596			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8010596			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8010596			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8010596			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8010596			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8010596			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8010596			ug/L	0.50	1.7	<0.50						
<i>Surrogate: Dibromofluoromethane</i>	8010596			ug/L				102		89-119			
<i>Surrogate: Toluene-d8</i>	8010596			ug/L				102		91-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	8010596			ug/L				104		89-114			
Benzene	8010608			ug/L	0.20	0.67	<0.20						
Bromobenzene	8010608			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8010608			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8010608			ug/L	0.20	0.67	<0.20						
Bromoform	8010608			ug/L	0.20	0.67	<0.20						
Bromomethane	8010608			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8010608			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8010608			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8010608			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8010608			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8010608			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8010608			ug/L	0.20	0.67	<0.20						
Chloroethane	8010608			ug/L	1.0	3.3	<1.0						
Chloroform	8010608			ug/L	0.20	0.67	<0.20						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
Chloromethane	8010608			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8010608			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8010608			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8010608			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8010608			ug/L	0.20	0.67	<0.20						
Dibromomethane	8010608			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8010608			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8010608			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8010608			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8010608			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8010608			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8010608			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8010608			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8010608			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8010608			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8010608			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8010608			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8010608			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8010608			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8010608			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8010608			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8010608			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8010608			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8010608			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8010608			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8010608			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8010608			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8010608			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8010608			ug/L	0.50	1.7	<0.50						
Naphthalene	8010608			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8010608			ug/L	0.50	1.7	<0.50						
Styrene	8010608			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8010608			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8010608			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8010608			ug/L	0.50	1.7	<0.50						
Toluene	8010608			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8010608			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8010608			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8010608			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8010608			ug/L	0.25	0.83	<0.25						
Trichloroethene	8010608			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8010608			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8010608			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8010608			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8010608			ug/L	0.20	0.67	<0.20						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
Vinyl chloride	8010608			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8010608			ug/L	0.50	1.7	<0.50						
<i>Surrogate: Dibromofluoromethane</i>	8010608			ug/L				99		89-119			
<i>Surrogate: Toluene-d8</i>	8010608			ug/L				98		91-109			
<i>Surrogate: 4-Bromo Fluorobenzene</i>	8010608			ug/L				99		89-114			
Benzene	8010626			ug/L	0.20	0.67	<0.20						
Bromobenzene	8010626			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8010626			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8010626			ug/L	0.20	0.67	<0.20						
Bromoform	8010626			ug/L	0.20	0.67	<0.20						
Bromomethane	8010626			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8010626			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8010626			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8010626			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8010626			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8010626			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8010626			ug/L	0.20	0.67	<0.20						
Chloroethane	8010626			ug/L	1.0	3.3	<1.0						
Chloroform	8010626			ug/L	0.20	0.67	<0.20						
Chloromethane	8010626			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8010626			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8010626			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8010626			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8010626			ug/L	0.20	0.67	<0.20						
Dibromomethane	8010626			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8010626			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8010626			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8010626			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8010626			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8010626			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8010626			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8010626			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8010626			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8010626			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8010626			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8010626			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8010626			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8010626			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8010626			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8010626			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8010626			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8010626			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8010626			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8010626			ug/L	0.50	1.7	<0.50						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
Isopropylbenzene	8010626			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8010626			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8010626			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8010626			ug/L	0.50	1.7	<0.50						
Naphthalene	8010626			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8010626			ug/L	0.50	1.7	<0.50						
Styrene	8010626			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8010626			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8010626			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8010626			ug/L	0.50	1.7	<0.50						
Toluene	8010626			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8010626			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8010626			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8010626			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8010626			ug/L	0.25	0.83	<0.25						
Trichloroethene	8010626			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8010626			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8010626			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8010626			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8010626			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8010626			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8010626			ug/L	0.50	1.7	<0.50						
<i>Surrogate: Dibromo^fluoromethane</i>	8010626			ug/L				98		89-119			
<i>Surrogate: Toluene-d8</i>	8010626			ug/L					96		91-109		
<i>Surrogate: 4-Bromo^fluorobenzene</i>	8010626			ug/L					97		89-114		
Benzene	8010627			ug/L	0.20	0.67	<0.20						
Bromobenzene	8010627			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8010627			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8010627			ug/L	0.20	0.67	<0.20						
Bromoform	8010627			ug/L	0.20	0.67	<0.20						
Bromomethane	8010627			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8010627			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8010627			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8010627			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8010627			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8010627			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8010627			ug/L	0.20	0.67	<0.20						
Chloroethane	8010627			ug/L	1.0	3.3	<1.0						
Chloroform	8010627			ug/L	0.20	0.67	<0.20						
Chloromethane	8010627			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8010627			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8010627			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8010627			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8010627			ug/L	0.20	0.67	<0.20						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Dibromomethane	8010627			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8010627			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8010627			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8010627			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8010627			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8010627			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8010627			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8010627			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8010627			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8010627			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8010627			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8010627			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8010627			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8010627			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8010627			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8010627			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8010627			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8010627			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8010627			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8010627			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8010627			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8010627			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8010627			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8010627			ug/L	0.50	1.7	<0.50						
Naphthalene	8010627			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	8010627			ug/L	0.50	1.7	<0.50						
Styrene	8010627			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8010627			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8010627			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8010627			ug/L	0.50	1.7	<0.50						
Toluene	8010627			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8010627			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8010627			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8010627			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8010627			ug/L	0.25	0.83	<0.25						
Trichloroethene	8010627			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8010627			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8010627			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8010627			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8010627			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8010627			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8010627			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromoformmethane	8010627			ug/L				98		89-119			
Surrogate: Toluene-d8	8010627			ug/L				99		91-109			
Surrogate: 4-Bromoformbenzene	8010627			ug/L				100		89-114			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	8010662			ug/L	0.20	0.67	<0.20						
Bromobenzene	8010662			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8010662			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8010662			ug/L	0.20	0.67	<0.20						
Bromoform	8010662			ug/L	0.20	0.67	<0.20						
Bromomethane	8010662			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8010662			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8010662			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8010662			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8010662			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8010662			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8010662			ug/L	0.20	0.67	<0.20						
Chloroethane	8010662			ug/L	1.0	3.3	<1.0						
Chloroform	8010662			ug/L	0.20	0.67	<0.20						
Chloromethane	8010662			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8010662			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8010662			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8010662			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8010662			ug/L	0.20	0.67	<0.20						
Dibromomethane	8010662			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8010662			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8010662			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8010662			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8010662			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8010662			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8010662			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8010662			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8010662			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8010662			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8010662			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8010662			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8010662			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8010662			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8010662			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8010662			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8010662			ug/L	0.25	0.83	<0.25						
Isopropyl Ether	8010662			ug/L	0.50	1.7	<0.50						
Ethylbenzene	8010662			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	8010662			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	8010662			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	8010662			ug/L	0.20	0.67	<0.20						
Methylene Chloride	8010662			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	8010662			ug/L	0.50	1.7	<0.50						
Naphthalene	8010662			ug/L	0.25	0.83	<0.25						

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
n-Propylbenzene	8010662			ug/L	0.50	1.7	<0.50						
Styrene	8010662			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	8010662			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	8010662			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	8010662			ug/L	0.50	1.7	<0.50						
Toluene	8010662			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	8010662			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	8010662			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	8010662			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	8010662			ug/L	0.25	0.83	<0.25						
Trichloroethene	8010662			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	8010662			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	8010662			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	8010662			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	8010662			ug/L	0.20	0.67	<0.20						
Vinyl chloride	8010662			ug/L	0.20	0.67	<0.20						
Xylenes, Total	8010662			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	8010662			ug/L				98		89-119			
Surrogate: Toluene-d8	8010662			ug/L				95		91-109			
Surrogate: 4-Bromofluorobenzene	8010662			ug/L				99		89-114			
Dissolved Metals by SW 846 Series Methods													
Arsenic	8020105			mg/L	0.000430	0.00100	<0.000430						

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
General Chemistry Parameters													
Total Organic Carbon	8020361			mg/L	0.50	1.67	<0.50						
Total Organic Carbon	8020362			mg/L	0.50	1.67	<0.50						
Total Inorganic Carbon	8020956			mg/L	0.50	1.67	<0.50						
Total Inorganic Carbon	8020960			mg/L	0.50	1.67	<0.50						
Methane, Ethane, and Ethene by GC													
Ethane	8014346			ug/L	14.0	46.7	<14.0						
Ethene	8014346			ug/L	11.0	36.7	11.0						Ja
Methane	8014346			ug/L	15.0	50.0	<15.0						
<i>Surrogate: Acetylene</i>	8014346			ug/L				88		76-120			

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

Page 32 of 54

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Metals Dissolved													
Iron	8B01004	5.0000	mg/L	N/A	N/A	5.14	103	90-110					
Manganese	8B01004	5.0000	mg/L	N/A	N/A	5.11	102	90-110					
Nickel	8B01004	5.0000	mg/L	N/A	N/A	5.14	103	90-110					
Iron	8B01004	5.0000	mg/L	N/A	N/A	5.11	102	90-110					
Manganese	8B01004	5.0000	mg/L	N/A	N/A	5.11	102	90-110					
Nickel	8B01004	5.0000	mg/L	N/A	N/A	5.12	102	90-110					
Iron	8B01004	5.0000	mg/L	N/A	N/A	5.07	101	90-110					
Manganese	8B01004	5.0000	mg/L	N/A	N/A	5.08	102	90-110					
Nickel	8B01004	5.0000	mg/L	N/A	N/A	5.08	102	90-110					
Iron	8B01004	5.0000	mg/L	N/A	N/A	4.95	99	90-110					
Manganese	8B01004	5.0000	mg/L	N/A	N/A	4.94	99	90-110					
Nickel	8B01004	5.0000	mg/L	N/A	N/A	4.94	99	90-110					
VOCs by SW8260B													
Benzene	8A28002	50.000	ug/L	N/A	N/A	52.8	106	80-120					
Bromobenzene	8A28002	50.000	ug/L	N/A	N/A	47.7	95	80-120					
Bromochloromethane	8A28002	50.000	ug/L	N/A	N/A	48.0	96	80-120					
Bromodichloromethane	8A28002	50.000	ug/L	N/A	N/A	52.6	105	80-120					
Bromoform	8A28002	50.000	ug/L	N/A	N/A	49.1	98	80-120					
Bromomethane	8A28002	50.000	ug/L	N/A	N/A	48.6	97	80-120					
n-Butylbenzene	8A28002	50.000	ug/L	N/A	N/A	53.9	108	80-120					
sec-Butylbenzene	8A28002	50.000	ug/L	N/A	N/A	51.7	103	80-120					
tert-Butylbenzene	8A28002	50.000	ug/L	N/A	N/A	51.0	102	80-120					
Carbon Tetrachloride	8A28002	50.000	ug/L	N/A	N/A	55.1	110	80-120					
Chlorobenzene	8A28002	50.000	ug/L	N/A	N/A	48.0	96	80-120					
Chlorodibromomethane	8A28002	50.000	ug/L	N/A	N/A	50.8	102	80-120					
Chloroethane	8A28002	50.000	ug/L	N/A	N/A	52.1	104	80-120					
Chloroform	8A28002	50.000	ug/L	N/A	N/A	54.8	110	80-120					
Chloromethane	8A28002	50.000	ug/L	N/A	N/A	49.4	99	80-120					
2-Chlorotoluene	8A28002	50.000	ug/L	N/A	N/A	51.0	102	80-120					
4-Chlorotoluene	8A28002	50.000	ug/L	N/A	N/A	46.8	94	80-120					
1,2-Dibromo-3-chloropropane	8A28002	50.000	ug/L	N/A	N/A	50.3	101	80-120					
1,2-Dibromoethane (EDB)	8A28002	50.000	ug/L	N/A	N/A	50.8	102	80-120					
Dibromomethane	8A28002	50.000	ug/L	N/A	N/A	46.9	94	80-120					
1,2-Dichlorobenzene	8A28002	50.000	ug/L	N/A	N/A	49.6	99	80-120					
1,3-Dichlorobenzene	8A28002	50.000	ug/L	N/A	N/A	49.6	99	80-120					
1,4-Dichlorobenzene	8A28002	50.000	ug/L	N/A	N/A	47.7	95	80-120					
Dichlorodifluoromethane	8A28002	50.000	ug/L	N/A	N/A	56.5	113	80-120					
1,1-Dichloroethane	8A28002	50.000	ug/L	N/A	N/A	55.2	110	80-120					
1,2-Dichloroethane	8A28002	50.000	ug/L	N/A	N/A	56.8	114	80-120					
1,1-Dichloroethene	8A28002	50.000	ug/L	N/A	N/A	55.5	111	80-120					
cis-1,2-Dichloroethene	8A28002	50.000	ug/L	N/A	N/A	51.8	104	80-120					
trans-1,2-Dichloroethene	8A28002	50.000	ug/L	N/A	N/A	54.2	108	80-120					
1,2-Dichloropropane	8A28002	50.000	ug/L	N/A	N/A	50.2	100	80-120					
1,3-Dichloropropane	8A28002	50.000	ug/L	N/A	N/A	51.2	102	80-120					
2,2-Dichloropropane	8A28002	50.000	ug/L	N/A	N/A	57.2	114	80-120					

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1-Dichloropropene	8A28002	50.000	ug/L	N/A	N/A	53.6	107			80-120			
cis-1,3-Dichloropropene	8A28002	50.000	ug/L	N/A	N/A	51.4	103			80-120			
trans-1,3-Dichloropropene	8A28002	50.000	ug/L	N/A	N/A	52.1	104			80-120			
2,3-Dichloropropene	8A28002	50.000	ug/L	N/A	N/A	51.7	103			80-120			
Isopropyl Ether	8A28002	50.000	ug/L	N/A	N/A	55.4	111			80-120			
Ethylbenzene	8A28002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
Hexachlorobutadiene	8A28002	50.000	ug/L	N/A	N/A	45.1	90			80-120			
Isopropylbenzene	8A28002	50.000	ug/L	N/A	N/A	49.5	99			80-120			
p-Isopropyltoluene	8A28002	50.000	ug/L	N/A	N/A	49.1	98			80-120			
Methylene Chloride	8A28002	50.000	ug/L	N/A	N/A	56.3	113			80-120			
Methyl tert-Butyl Ether	8A28002	50.000	ug/L	N/A	N/A	57.3	115			80-120			
Naphthalene	8A28002	50.000	ug/L	N/A	N/A	50.8	102			80-120			
n-Propylbenzene	8A28002	50.000	ug/L	N/A	N/A	48.9	98			80-120			
Styrene	8A28002	50.000	ug/L	N/A	N/A	49.7	99			80-120			
1,1,1,2-Tetrachloroethane	8A28002	50.000	ug/L	N/A	N/A	50.0	100			80-120			
1,1,2,2-Tetrachloroethane	8A28002	50.000	ug/L	N/A	N/A	50.1	100			80-120			
Tetrachloroethene	8A28002	50.000	ug/L	N/A	N/A	48.3	97			80-120			
Toluene	8A28002	50.000	ug/L	N/A	N/A	49.8	100			80-120			
1,2,3-Trichlorobenzene	8A28002	50.000	ug/L	N/A	N/A	49.1	98			80-120			
1,2,4-Trichlorobenzene	8A28002	50.000	ug/L	N/A	N/A	48.0	96			80-120			
1,1,1-Trichloroethane	8A28002	50.000	ug/L	N/A	N/A	55.9	112			80-120			
1,1,2-Trichloroethane	8A28002	50.000	ug/L	N/A	N/A	49.9	100			80-120			
Trichloroethene	8A28002	50.000	ug/L	N/A	N/A	49.0	98			80-120			
Trichlorofluoromethane	8A28002	50.000	ug/L	N/A	N/A	55.8	112			80-120			
1,2,3-Trichloropropane	8A28002	50.000	ug/L	N/A	N/A	50.0	100			80-120			
1,2,4-Trimethylbenzene	8A28002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
1,3,5-Trimethylbenzene	8A28002	50.000	ug/L	N/A	N/A	50.5	101			80-120			
Vinyl chloride	8A28002	50.000	ug/L	N/A	N/A	52.2	104			80-120			
Xylenes, Total	8A28002	150.00	ug/L	N/A	N/A	148	99			80-120			
Surrogate: Dibromoform	8A28002		ug/L				105			80-120			
Surrogate: Toluene-d8	8A28002		ug/L				102			80-120			
Surrogate: 4-Bromofluorobenzene	8A28002		ug/L				104			80-120			
Benzene	8A28007	50.000	ug/L	N/A	N/A	50.2	100			80-120			
Bromobenzene	8A28007	50.000	ug/L	N/A	N/A	49.7	99			80-120			
Bromochloromethane	8A28007	50.000	ug/L	N/A	N/A	45.3	91			80-120			
Bromodichloromethane	8A28007	50.000	ug/L	N/A	N/A	50.2	100			80-120			
Bromoform	8A28007	50.000	ug/L	N/A	N/A	49.6	99			80-120			
Bromomethane	8A28007	50.000	ug/L	N/A	N/A	46.3	93			80-120			
n-Butylbenzene	8A28007	50.000	ug/L	N/A	N/A	52.6	105			80-120			
sec-Butylbenzene	8A28007	50.000	ug/L	N/A	N/A	51.3	103			80-120			
tert-Butylbenzene	8A28007	50.000	ug/L	N/A	N/A	49.5	99			80-120			
Carbon Tetrachloride	8A28007	50.000	ug/L	N/A	N/A	48.9	98			80-120			
Chlorobenzene	8A28007	50.000	ug/L	N/A	N/A	49.6	99			80-120			
Chlorodibromomethane	8A28007	50.000	ug/L	N/A	N/A	49.8	100			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Chloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	47.6	95		80-120			
Chloroform	8A28007	50.000	ug/L	N/A	N/A	N/A	50.0	100		80-120			
Chloromethane	8A28007	50.000	ug/L	N/A	N/A	N/A	46.7	93		80-120			
2-Chlorotoluene	8A28007	50.000	ug/L	N/A	N/A	N/A	53.1	106		80-120			
4-Chlorotoluene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.1	98		80-120			
1,2-Dibromo-3-chloropropane	8A28007	50.000	ug/L	N/A	N/A	N/A	51.4	103		80-120			
1,2-Dibromoethane (EDB)	8A28007	50.000	ug/L	N/A	N/A	N/A	49.8	100		80-120			
Dibromomethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.7	99		80-120			
1,2-Dichlorobenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.1	98		80-120			
1,3-Dichlorobenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.8	100		80-120			
1,4-Dichlorobenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.4	99		80-120			
Dichlorodifluoromethane	8A28007	50.000	ug/L	N/A	N/A	N/A	47.1	94		80-120			
1,1-Dichloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.2	98		80-120			
1,2-Dichloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.5	99		80-120			
1,1-Dichloroethene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.1	98		80-120			
cis-1,2-Dichloroethene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.9	100		80-120			
trans-1,2-Dichloroethene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.2	100		80-120			
1,2-Dichloropropane	8A28007	50.000	ug/L	N/A	N/A	N/A	50.0	100		80-120			
1,3-Dichloropropane	8A28007	50.000	ug/L	N/A	N/A	N/A	50.6	101		80-120			
2,2-Dichloropropane	8A28007	50.000	ug/L	N/A	N/A	N/A	50.6	101		80-120			
1,1-Dichloropropene	8A28007	50.000	ug/L	N/A	N/A	N/A	48.8	98		80-120			
cis-1,3-Dichloropropene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.4	101		80-120			
trans-1,3-Dichloropropene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.3	101		80-120			
2,3-Dichloropropene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.6	99		80-120			
Isopropyl Ether	8A28007	50.000	ug/L	N/A	N/A	N/A	50.2	100		80-120			
Ethylbenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	51.0	102		80-120			
Hexachlorobutadiene	8A28007	50.000	ug/L	N/A	N/A	N/A	52.1	104		80-120			
Isopropylbenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.4	99		80-120			
p-Isopropyltoluene	8A28007	50.000	ug/L	N/A	N/A	N/A	52.2	104		80-120			
Methylene Chloride	8A28007	50.000	ug/L	N/A	N/A	N/A	49.1	98		80-120			
Methyl tert-Butyl Ether	8A28007	50.000	ug/L	N/A	N/A	N/A	51.0	102		80-120			
Naphthalene	8A28007	50.000	ug/L	N/A	N/A	N/A	52.0	104		80-120			
n-Propylbenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	51.3	103		80-120			
Styrene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.9	102		80-120			
1,1,1,2-Tetrachloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	50.0	100		80-120			
1,1,2,2-Tetrachloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.7	99		80-120			
Tetrachloroethene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.5	99		80-120			
Toluene	8A28007	50.000	ug/L	N/A	N/A	N/A	49.5	99		80-120			
1,2,3-Trichlorobenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.8	102		80-120			
1,2,4-Trichlorobenzene	8A28007	50.000	ug/L	N/A	N/A	N/A	52.0	104		80-120			
1,1,1-Trichloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.1	98		80-120			
1,1,2-Trichloroethane	8A28007	50.000	ug/L	N/A	N/A	N/A	49.8	100		80-120			
Trichloroethene	8A28007	50.000	ug/L	N/A	N/A	N/A	50.4	101		80-120			
Trichlorofluoromethane	8A28007	50.000	ug/L	N/A	N/A	N/A	47.1	94		80-120			
1,2,3-Trichloropropane	8A28007	50.000	ug/L	N/A	N/A	N/A	50.2	100		80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2,4-Trimethylbenzene	8A28007	50.000	ug/L	N/A	N/A	49.9	100			80-120			
1,3,5-Trimethylbenzene	8A28007	50.000	ug/L	N/A	N/A	50.3	101			80-120			
Vinyl chloride	8A28007	50.000	ug/L	N/A	N/A	47.9	96			80-120			
Xylenes, Total	8A28007	150.00	ug/L	N/A	N/A	150	100			80-120			
Surrogate: Dibromoform	8A28007		ug/L				99			80-120			
Surrogate: Toluene-d8	8A28007		ug/L				98			80-120			
Surrogate: 4-Bromofluorobenzene	8A28007		ug/L				99			80-120			
Benzene	8A29001	50.000	ug/L	N/A	N/A	46.8	94			80-120			
Bromobenzene	8A29001	50.000	ug/L	N/A	N/A	44.8	90			80-120			
Bromoform	8A29001	50.000	ug/L	N/A	N/A	43.1	86			80-120			
Bromochloromethane	8A29001	50.000	ug/L	N/A	N/A	47.0	94			80-120			
Bromodichloromethane	8A29001	50.000	ug/L	N/A	N/A	45.6	91			80-120			
Bromoform	8A29001	50.000	ug/L	N/A	N/A	42.6	85			80-120			
Bromomethane	8A29001	50.000	ug/L	N/A	N/A	47.1	94			80-120			
n-Butylbenzene	8A29001	50.000	ug/L	N/A	N/A	46.6	93			80-120			
sec-Butylbenzene	8A29001	50.000	ug/L	N/A	N/A	45.3	91			80-120			
tert-Butylbenzene	8A29001	50.000	ug/L	N/A	N/A	44.8	90			80-120			
Carbon Tetrachloride	8A29001	50.000	ug/L	N/A	N/A	45.5	91			80-120			
Chlorobenzene	8A29001	50.000	ug/L	N/A	N/A	46.2	92			80-120			
Chlorodibromomethane	8A29001	50.000	ug/L	N/A	N/A	42.9	86			80-120			
Chloroethane	8A29001	50.000	ug/L	N/A	N/A	47.4	95			80-120			
Chloroform	8A29001	50.000	ug/L	N/A	N/A	40.7	81			80-120			
Chloromethane	8A29001	50.000	ug/L	N/A	N/A	47.4	95			80-120			
2-Chlorotoluene	8A29001	50.000	ug/L	N/A	N/A	44.5	89			80-120			
4-Chlorotoluene	8A29001	50.000	ug/L	N/A	N/A	47.8	96			80-120			
1,2-Dibromo-3-chloropropane	8A29001	50.000	ug/L	N/A	N/A	45.5	91			80-120			
1,2-Dibromoethane (EDB)	8A29001	50.000	ug/L	N/A	N/A	45.6	91			80-120			
Dibromomethane	8A29001	50.000	ug/L	N/A	N/A	45.3	91			80-120			
1,2-Dichlorobenzene	8A29001	50.000	ug/L	N/A	N/A	45.7	91			80-120			
1,3-Dichlorobenzene	8A29001	50.000	ug/L	N/A	N/A	45.4	91			80-120			
1,4-Dichlorobenzene	8A29001	50.000	ug/L	N/A	N/A	43.5	87			80-120			
Dichlorodifluoromethane	8A29001	50.000	ug/L	N/A	N/A	45.7	91			80-120			
1,1-Dichloroethane	8A29001	50.000	ug/L	N/A	N/A	48.0	96			80-120			
1,1-Dichloroethane	8A29001	50.000	ug/L	N/A	N/A	44.4	89			80-120			
cis-1,2-Dichloroethene	8A29001	50.000	ug/L	N/A	N/A	46.4	93			80-120			
trans-1,2-Dichloroethene	8A29001	50.000	ug/L	N/A	N/A	46.0	92			80-120			
1,2-Dichloropropane	8A29001	50.000	ug/L	N/A	N/A	45.0	90			80-120			
1,3-Dichloropropane	8A29001	50.000	ug/L	N/A	N/A	46.5	93			80-120			
2,2-Dichloropropane	8A29001	50.000	ug/L	N/A	N/A	47.2	94			80-120			
1,1-Dichloropropene	8A29001	50.000	ug/L	N/A	N/A	45.0	90			80-120			
cis-1,3-Dichloropropene	8A29001	50.000	ug/L	N/A	N/A	46.5	93			80-120			
trans-1,3-Dichloropropene	8A29001	50.000	ug/L	N/A	N/A	46.8	94			80-120			
2,3-Dichloropropene	8A29001	50.000	ug/L	N/A	N/A	46.8	94			80-120			
Isopropyl Ether	8A29001	50.000	ug/L	N/A	N/A	46.8	94			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
VOCs by SW8260B													
Ethylbenzene	8A29001	50.000	ug/L	N/A	N/A	45.6	91				80-120		
Hexachlorobutadiene	8A29001	50.000	ug/L	N/A	N/A	47.0	94				80-120		
Isopropylbenzene	8A29001	50.000	ug/L	N/A	N/A	44.7	89				80-120		
p-Isopropyltoluene	8A29001	50.000	ug/L	N/A	N/A	46.3	93				80-120		
Methylene Chloride	8A29001	50.000	ug/L	N/A	N/A	46.1	92				80-120		
Methyl tert-Butyl Ether	8A29001	50.000	ug/L	N/A	N/A	48.2	96				80-120		
Naphthalene	8A29001	50.000	ug/L	N/A	N/A	48.0	96				80-120		
n-Propylbenzene	8A29001	50.000	ug/L	N/A	N/A	46.0	92				80-120		
Styrene	8A29001	50.000	ug/L	N/A	N/A	45.8	92				80-120		
1,1,1,2-Tetrachloroethane	8A29001	50.000	ug/L	N/A	N/A	46.6	93				80-120		
1,1,2,2-Tetrachloroethane	8A29001	50.000	ug/L	N/A	N/A	45.5	91				80-120		
Tetrachloroethene	8A29001	50.000	ug/L	N/A	N/A	44.0	88				80-120		
Toluene	8A29001	50.000	ug/L	N/A	N/A	44.9	90				80-120		
1,2,3-Trichlorobenzene	8A29001	50.000	ug/L	N/A	N/A	47.3	95				80-120		
1,2,4-Trichlorobenzene	8A29001	50.000	ug/L	N/A	N/A	47.3	95				80-120		
1,1,1-Trichloroethane	8A29001	50.000	ug/L	N/A	N/A	45.7	91				80-120		
1,1,2-Trichloroethane	8A29001	50.000	ug/L	N/A	N/A	45.4	91				80-120		
Trichloroethene	8A29001	50.000	ug/L	N/A	N/A	45.3	91				80-120		
Trichlorofluoromethane	8A29001	50.000	ug/L	N/A	N/A	44.6	89				80-120		
1,2,3-Trichloropropane	8A29001	50.000	ug/L	N/A	N/A	46.5	93				80-120		
1,2,4-Trimethylbenzene	8A29001	50.000	ug/L	N/A	N/A	44.8	90				80-120		
1,3,5-Trimethylbenzene	8A29001	50.000	ug/L	N/A	N/A	45.3	91				80-120		
Vinyl chloride	8A29001	50.000	ug/L	N/A	N/A	43.1	86				80-120		
Xylenes, Total	8A29001	150.00	ug/L	N/A	N/A	136	91				80-120		
Surrogate: Dibromofluoromethane	8A29001		ug/L				100				80-120		
Surrogate: Toluene-d8	8A29001		ug/L				96				80-120		
Surrogate: 4-Bromo fluoro benzene	8A29001		ug/L				98				80-120		
Benzene	8A29002	50.000	ug/L	N/A	N/A	49.6	99				80-120		
Bromobenzene	8A29002	50.000	ug/L	N/A	N/A	48.7	97				80-120		
Bromochloromethane	8A29002	50.000	ug/L	N/A	N/A	47.1	94				80-120		
Bromodichloromethane	8A29002	50.000	ug/L	N/A	N/A	49.4	99				80-120		
Bromoform	8A29002	50.000	ug/L	N/A	N/A	49.8	100				80-120		
Bromomethane	8A29002	50.000	ug/L	N/A	N/A	45.7	91				80-120		
n-Butylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.1	98				80-120		
sec-Butylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.1	98				80-120		
tert-Butylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.3	99				80-120		
Carbon Tetrachloride	8A29002	50.000	ug/L	N/A	N/A	51.3	103				80-120		
Chlorobenzene	8A29002	50.000	ug/L	N/A	N/A	49.1	98				80-120		
Chlorodibromomethane	8A29002	50.000	ug/L	N/A	N/A	49.4	99				80-120		
Chloorethane	8A29002	50.000	ug/L	N/A	N/A	49.5	99				80-120		
Chloroform	8A29002	50.000	ug/L	N/A	N/A	50.0	100				80-120		
Chloromethane	8A29002	50.000	ug/L	N/A	N/A	50.2	100				80-120		
2-Chlorotoluene	8A29002	50.000	ug/L	N/A	N/A	49.0	98				80-120		
4-Chlorotoluene	8A29002	50.000	ug/L	N/A	N/A	48.3	97				80-120		

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dibromo-3-chloropropane	8A29002	50.000	ug/L	N/A	N/A	44.8	90			80-120			
1,2-Dibromoethane (EDB)	8A29002	50.000	ug/L	N/A	N/A	48.5	97			80-120			
Dibromomethane	8A29002	50.000	ug/L	N/A	N/A	48.9	98			80-120			
1,2-Dichlorobenzene	8A29002	50.000	ug/L	N/A	N/A	48.6	97			80-120			
1,3-Dichlorobenzene	8A29002	50.000	ug/L	N/A	N/A	48.6	97			80-120			
1,4-Dichlorobenzene	8A29002	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Dichlorodifluoromethane	8A29002	50.000	ug/L	N/A	N/A	52.7	105			80-120			
1,1-Dichloroethane	8A29002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
1,2-Dichloroethane	8A29002	50.000	ug/L	N/A	N/A	49.7	99			80-120			
1,1-Dichloroethene	8A29002	50.000	ug/L	N/A	N/A	51.4	103			80-120			
cis-1,2-Dichloroethene	8A29002	50.000	ug/L	N/A	N/A	50.2	100			80-120			
trans-1,2-Dichloroethene	8A29002	50.000	ug/L	N/A	N/A	50.6	101			80-120			
1,2-Dichloropropane	8A29002	50.000	ug/L	N/A	N/A	48.2	96			80-120			
1,3-Dichloropropane	8A29002	50.000	ug/L	N/A	N/A	48.5	97			80-120			
2,2-Dichloropropane	8A29002	50.000	ug/L	N/A	N/A	50.8	102			80-120			
1,1-Dichloropropene	8A29002	50.000	ug/L	N/A	N/A	50.2	100			80-120			
cis-1,3-Dichloropropene	8A29002	50.000	ug/L	N/A	N/A	49.0	98			80-120			
trans-1,3-Dichloropropene	8A29002	50.000	ug/L	N/A	N/A	48.8	98			80-120			
2,3-Dichloropropene	8A29002	50.000	ug/L	N/A	N/A	49.5	99			80-120			
Isopropyl Ether	8A29002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
Ethylbenzene	8A29002	50.000	ug/L	N/A	N/A	50.3	101			80-120			
Hexachlorobutadiene	8A29002	50.000	ug/L	N/A	N/A	44.4	89			80-120			
Isopropylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.2	98			80-120			
p-Isopropyltoluene	8A29002	50.000	ug/L	N/A	N/A	48.8	98			80-120			
Methylene Chloride	8A29002	50.000	ug/L	N/A	N/A	52.7	105			80-120			
Methyl tert-Butyl Ether	8A29002	50.000	ug/L	N/A	N/A	49.4	99			80-120			
Naphthalene	8A29002	50.000	ug/L	N/A	N/A	42.2	84			80-120			
n-Propylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.4	99			80-120			
Styrene	8A29002	50.000	ug/L	N/A	N/A	49.8	100			80-120			
1,1,1,2-Tetrachloroethane	8A29002	50.000	ug/L	N/A	N/A	49.6	99			80-120			
1,1,2,2-Tetrachloroethane	8A29002	50.000	ug/L	N/A	N/A	48.1	96			80-120			
Tetrachloroethene	8A29002	50.000	ug/L	N/A	N/A	49.6	99			80-120			
Toluene	8A29002	50.000	ug/L	N/A	N/A	49.7	99			80-120			
1,2,3-Trichlorobenzene	8A29002	50.000	ug/L	N/A	N/A	43.8	88			80-120			
1,2,4-Trichlorobenzene	8A29002	50.000	ug/L	N/A	N/A	45.2	90			80-120			
1,1,1-Trichloroethane	8A29002	50.000	ug/L	N/A	N/A	50.4	101			80-120			
1,1,2-Trichloroethane	8A29002	50.000	ug/L	N/A	N/A	49.0	98			80-120			
Trichloroethene	8A29002	50.000	ug/L	N/A	N/A	49.9	100			80-120			
Trichlorofluoromethane	8A29002	50.000	ug/L	N/A	N/A	51.3	103			80-120			
1,2,3-Trichloropropane	8A29002	50.000	ug/L	N/A	N/A	46.6	93			80-120			
1,2,4-Trimethylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.0	98			80-120			
1,3,5-Trimethylbenzene	8A29002	50.000	ug/L	N/A	N/A	49.4	99			80-120			
Vinyl chloride	8A29002	50.000	ug/L	N/A	N/A	54.3	109			80-120			
Xylenes, Total	8A29002	150.00	ug/L	N/A	N/A	147	98			80-120			
<i>Surrogate: Dibromofluoromethane</i>	8A29002		ug/L				100			80-120			

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Surrogate: Toluene-d8	8A29002			ug/L				99		80-120			
Surrogate: 4-Bromofluorobenzene	8A29002			ug/L				99		80-120			
Benzene	8A30003	50.000	ug/L	N/A	N/A	46.8	94			80-120			
Bromobenzene	8A30003	50.000	ug/L	N/A	N/A	48.5	97			80-120			
Bromoform	8A30003	50.000	ug/L	N/A	N/A	44.2	88			80-120			
Bromochloromethane	8A30003	50.000	ug/L	N/A	N/A	49.3	99			80-120			
Bromodichloromethane	8A30003	50.000	ug/L	N/A	N/A	48.8	98			80-120			
Bromomethane	8A30003	50.000	ug/L	N/A	N/A	44.6	89			80-120			
n-Butylbenzene	8A30003	50.000	ug/L	N/A	N/A	50.7	101			80-120			
sec-Butylbenzene	8A30003	50.000	ug/L	N/A	N/A	48.6	97			80-120			
tert-Butylbenzene	8A30003	50.000	ug/L	N/A	N/A	47.1	94			80-120			
Carbon Tetrachloride	8A30003	50.000	ug/L	N/A	N/A	48.2	96			80-120			
Chlorobenzene	8A30003	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Chlorodibromomethane	8A30003	50.000	ug/L	N/A	N/A	49.4	99			80-120			
Chloroethane	8A30003	50.000	ug/L	N/A	N/A	45.0	90			80-120			
Chloroform	8A30003	50.000	ug/L	N/A	N/A	48.1	96			80-120			
Chloromethane	8A30003	50.000	ug/L	N/A	N/A	45.7	91			80-120			
2-Chlorotoluene	8A30003	50.000	ug/L	N/A	N/A	51.1	102			80-120			
4-Chlorotoluene	8A30003	50.000	ug/L	N/A	N/A	46.9	94			80-120			
1,2-Dibromo-3-chloropropane	8A30003	50.000	ug/L	N/A	N/A	47.3	95			80-120			
1,2-Dibromoethane (EDB)	8A30003	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Dibromomethane	8A30003	50.000	ug/L	N/A	N/A	48.7	97			80-120			
1,2-Dichlorobenzene	8A30003	50.000	ug/L	N/A	N/A	47.6	95			80-120			
1,3-Dichlorobenzene	8A30003	50.000	ug/L	N/A	N/A	48.5	97			80-120			
1,4-Dichlorobenzene	8A30003	50.000	ug/L	N/A	N/A	48.3	97			80-120			
Dichlorodifluoromethane	8A30003	50.000	ug/L	N/A	N/A	49.2	98			80-120			
1,1-Dichloroethane	8A30003	50.000	ug/L	N/A	N/A	46.4	93			80-120			
1,2-Dichloroethane	8A30003	50.000	ug/L	N/A	N/A	48.1	96			80-120			
1,1-Dichloroethene	8A30003	50.000	ug/L	N/A	N/A	48.0	96			80-120			
cis-1,2-Dichloroethene	8A30003	50.000	ug/L	N/A	N/A	47.4	95			80-120			
trans-1,2-Dichloroethene	8A30003	50.000	ug/L	N/A	N/A	47.5	95			80-120			
1,2-Dichloropropane	8A30003	50.000	ug/L	N/A	N/A	46.6	93			80-120			
1,3-Dichloropropane	8A30003	50.000	ug/L	N/A	N/A	48.2	96			80-120			
2,2-Dichloropropane	8A30003	50.000	ug/L	N/A	N/A	49.7	99			80-120			
1,1-Dichloropropene	8A30003	50.000	ug/L	N/A	N/A	47.1	94			80-120			
cis-1,3-Dichloropropene	8A30003	50.000	ug/L	N/A	N/A	48.2	96			80-120			
trans-1,3-Dichloropropene	8A30003	50.000	ug/L	N/A	N/A	48.8	98			80-120			
2,3-Dichloropropene	8A30003	50.000	ug/L	N/A	N/A	48.1	96			80-120			
Isopropyl Ether	8A30003	50.000	ug/L	N/A	N/A	45.6	91			80-120			
Ethylbenzene	8A30003	50.000	ug/L	N/A	N/A	47.4	95			80-120			
Hexachlorobutadiene	8A30003	50.000	ug/L	N/A	N/A	53.0	106			80-120			
Isopropylbenzene	8A30003	50.000	ug/L	N/A	N/A	48.2	96			80-120			
p-Isopropyltoluene	8A30003	50.000	ug/L	N/A	N/A	50.8	102			80-120			
Methylene Chloride	8A30003	50.000	ug/L	N/A	N/A	46.3	93			80-120			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Methyl tert-Butyl Ether	8A30003	50.000	ug/L	N/A	N/A	48.1	96			80-120			
Naphthalene	8A30003	50.000	ug/L	N/A	N/A	49.2	98			80-120			
n-Propylbenzene	8A30003	50.000	ug/L	N/A	N/A	49.6	99			80-120			
Styrene	8A30003	50.000	ug/L	N/A	N/A	49.0	98			80-120			
1,1,1,2-Tetrachloroethane	8A30003	50.000	ug/L	N/A	N/A	49.0	98			80-120			
1,1,2,2-Tetrachloroethane	8A30003	50.000	ug/L	N/A	N/A	46.7	93			80-120			
Tetrachloroethene	8A30003	50.000	ug/L	N/A	N/A	49.6	99			80-120			
Toluene	8A30003	50.000	ug/L	N/A	N/A	48.1	96			80-120			
1,2,3-Trichlorobenzene	8A30003	50.000	ug/L	N/A	N/A	50.0	100			80-120			
1,2,4-Trichlorobenzene	8A30003	50.000	ug/L	N/A	N/A	51.3	103			80-120			
1,1,1-Trichloroethane	8A30003	50.000	ug/L	N/A	N/A	48.7	97			80-120			
1,1,2-Trichloroethane	8A30003	50.000	ug/L	N/A	N/A	47.7	95			80-120			
Trichloroethene	8A30003	50.000	ug/L	N/A	N/A	49.3	99			80-120			
Trichlorofluoromethane	8A30003	50.000	ug/L	N/A	N/A	49.1	98			80-120			
1,2,3-Trichloropropane	8A30003	50.000	ug/L	N/A	N/A	47.6	95			80-120			
1,2,4-Trimethylbenzene	8A30003	50.000	ug/L	N/A	N/A	49.3	99			80-120			
1,3,5-Trimethylbenzene	8A30003	50.000	ug/L	N/A	N/A	49.1	98			80-120			
Vinyl chloride	8A30003	50.000	ug/L	N/A	N/A	48.9	98			80-120			
Xylenes, Total	8A30003	150.00	ug/L	N/A	N/A	144	96			80-120			
<i>Surrogate: Dibromofluoromethane</i>	8A30003		ug/L				97			80-120			
<i>Surrogate: Toluene-d8</i>	8A30003		ug/L				98			80-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	8A30003		ug/L				102			80-120			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
Dissolved Metals by SW 846 Series Methods													
QC Source Sample: WRA0711-01													
Arsenic	8020105	0.000703		mg/L	0.000430	0.00100	0.000661				6	15	J

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WRA0711-03													
Total Organic Carbon	8020361	14.9		mg/L	0.50	1.67	15.1				1	20	
QC Source Sample: WRA0711-11													
Total Organic Carbon	8020362	0.614		mg/L	0.50	1.67	<0.50					20	
QC Source Sample: WRA0711-04													
Total Inorganic Carbon	8020956	36.9		mg/L	0.50	1.67	35.6				3	20	
QC Source Sample: WRA0711-11													
Total Inorganic Carbon	8020960	41.4		mg/L	0.50	1.67	41.8				1	20	

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Dup Result	% Result	Dup REC	% REC Limits	RPD	RPD Limit	Q
Dissolved Metals by SW 846 Series Methods													
Arsenic		8020105	0.0553	mg/L	N/A	N/A	0.0546	99		80-120			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
Total Organic Carbon	8020361		200	mg/L	N/A	1.67	195		97	90-110			
Total Organic Carbon	8020362		200	mg/L	N/A	1.67	196		98	90-110			
Total Inorganic Carbon	8020956		25.0	mg/L	0.50	1.67	24.0		96	90-110			
Total Inorganic Carbon	8020960		25.0	mg/L	0.50	1.67	23.8		95	90-110			
Methane, Ethane, and Ethene by GC													
Ethane	8014346		2500	ug/L	14.0	46.7	2360	2380	94	95	78-112	1	20
Ethene	8014346		2340	ug/L	11.0	36.7	2260	2290	96	98	79-112	2	20
Methane	8014346		1330	ug/L	15.0	50.0	1220	1230	91	92	85-117	1	25
<i>Surrogate: Acetylene</i>	<i>8014346</i>			ug/L					95	96	76-120		

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

Page 44 of 54

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WRA0711-01													
Chloride	8010668	348	200.00	mg/L	50	160	635	496	144	74	64-132	25	19
QC Source Sample: WRA0760-08													
Chloride	8010669	183	200.00	mg/L	10	33	418	453	118	135	64-132	8	19
QC Source Sample: WRA0715-02													
Sulfate	8010702	20.0	25.000	mg/L	0.050	0.17	45.7	45.6	103	102	66-132	0	22
QC Source Sample: WRB0006-01													
Nitrate/Nitrite as N	8020035	0.151	5.0000	mg/L	0.10	0.33	5.54	5.19	108	101	67-126	7	17
QC Source Sample: WRA0760-08													
Nitrate/Nitrite as N	8020036	2.23	5.0000	mg/L	0.10	0.33	7.44	7.72	104	110	67-126	4	17
Metals Dissolved													
QC Source Sample: WRA0711-01													
Iron	8020007	0.818	2.0000	mg/L	0.016	0.053	2.84	2.83	101	101	60-131	0	42
Manganese	8020007	0.141	1.0000	mg/L	0.00096	0.0032	1.13	1.12	99	98	69-119	1	27
Nickel	8020007	0.0229	2.0000	mg/L	0.0040	0.014	2.01	1.99	99	99	63-117	1	21
QC Source Sample: WRA0760-08													
Iron	8020007	<0.016	2.0000	mg/L	0.016	0.053	1.74	1.72	87	86	60-131	1	42
Manganese	8020007	0.0132	1.0000	mg/L	0.00096	0.0032	0.992	0.978	98	96	69-119	1	27
Nickel	8020007	0.0704	2.0000	mg/L	0.0040	0.014	2.02	2.00	98	96	63-117	1	21
VOCs by SW8260B													
QC Source Sample: WRA0737-01													
Benzene	8010596	<0.20	50.000	ug/L	0.20	0.67	55.3	54.4	111	109	80-121	2	11
Bromobenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	50.1	47.7	100	95	70-130	5	20
Bromochloromethane	8010596	<0.50	50.000	ug/L	0.50	1.7	50.5	49.4	101	99	70-130	2	20
Bromodichloromethane	8010596	<0.20	50.000	ug/L	0.20	0.67	55.6	53.0	111	106	70-130	5	20
Bromoform	8010596	<0.20	50.000	ug/L	0.20	0.67	50.6	49.0	101	98	70-130	3	20
Bromomethane	8010596	<0.20	50.000	ug/L	0.20	0.67	52.8	51.3	106	103	70-130	3	20
n-Butylbenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	55.6	53.7	111	107	70-130	4	20
sec-Butylbenzene	8010596	<0.25	50.000	ug/L	0.25	0.83	53.5	51.9	107	104	70-130	3	20
tert-Butylbenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	53.1	51.0	106	102	70-130	4	20
Carbon Tetrachloride	8010596	<0.50	50.000	ug/L	0.50	1.7	57.5	56.3	115	113	70-130	2	20
Chlorobenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	50.6	48.1	101	96	85-116	5	9
Chlorodibromomethane	8010596	<0.20	50.000	ug/L	0.20	0.67	52.8	50.6	106	101	70-130	4	20
Chloorethane	8010596	<1.0	50.000	ug/L	1.0	3.3	56.9	54.9	114	110	70-130	4	20
Chloroform	8010596	<0.20	50.000	ug/L	0.20	0.67	58.1	56.5	116	113	70-130	3	20
Chloromethane	8010596	<0.20	50.000	ug/L	0.20	0.67	56.5	51.9	113	104	70-130	8	20
2-Chlorotoluene	8010596	<0.50	50.000	ug/L	0.50	1.7	49.5	43.8	99	88	70-130	12	20
4-Chlorotoluene	8010596	<0.20	50.000	ug/L	0.20	0.67	52.8	48.7	106	97	70-130	8	20
1,2-Dibromo-3-chloropropane	8010596	<0.50	50.000	ug/L	0.50	1.7	50.2	50.2	100	100	70-130	0	20
1,2-Dibromoethane (EDB)	8010596	<0.20	50.000	ug/L	0.20	0.67	52.2	51.0	104	102	70-130	2	20
Dibromomethane	8010596	<0.20	50.000	ug/L	0.20	0.67	49.2	46.8	98	94	70-130	5	20
1,2-Dichlorobenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	51.7	49.8	103	100	70-130	4	20
1,3-Dichlorobenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	51.5	49.7	103	99	70-130	4	20
1,4-Dichlorobenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	51.3	48.9	103	98	70-130	5	20
Dichlorodifluoromethane	8010596	<0.50	50.000	ug/L	0.50	1.7	59.5	57.6	119	115	70-130	3	20
1,1-Dichloroethane	8010596	<0.50	50.000	ug/L	0.50	1.7	58.6	56.8	117	114	70-130	3	20
1,2-Dichloroethane	8010596	<0.50	50.000	ug/L	0.50	1.7	59.6	58.5	119	117	70-130	2	20
1,1-Dichloroethene	8010596	<0.50	50.000	ug/L	0.50	1.7	60.1	58.5	120	117	72-131	3	17
cis-1,2-Dichloroethene	8010596	<0.50	50.000	ug/L	0.50	1.7	55.0	53.2	110	106	70-130	3	20

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0737-01													
trans-1,2-Dichloroethene	8010596	<0.50	50.000	ug/L	0.50	1.7	57.3	55.2	115	110	70-130	4	20
1,2-Dichloropropane	8010596	<0.50	50.000	ug/L	0.50	1.7	53.2	51.5	106	103	70-130	3	20
1,3-Dichloropropane	8010596	<0.25	50.000	ug/L	0.25	0.83	53.3	51.0	107	102	70-130	4	20
2,2-Dichloropropane	8010596	<0.50	50.000	ug/L	0.50	1.7	60.2	58.5	120	117	70-130	3	20
1,1-Dichloropropene	8010596	<0.50	50.000	ug/L	0.50	1.7	56.3	55.0	113	110	70-130	2	20
cis-1,3-Dichloropropene	8010596	<0.20	50.000	ug/L	0.20	0.67	53.8	51.8	108	104	70-130	4	20
trans-1,3-Dichloropropene	8010596	<0.20	50.000	ug/L	0.20	0.67	54.0	51.9	108	104	70-130	4	20
Isopropyl Ether	8010596	<0.50	50.000	ug/L	0.50	1.7	57.1	56.7	114	113	68-128	1	16
Ethylbenzene	8010596	<0.50	50.000	ug/L	0.50	1.7	51.8	49.1	104	98	83-118	5	13
Hexachlorobutadiene	8010596	<0.50	50.000	ug/L	0.50	1.7	47.3	46.2	95	92	70-130	2	20
Isopropylbenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	52.2	49.9	104	100	70-130	5	20
p-Isopropyltoluene	8010596	<0.20	50.000	ug/L	0.20	0.67	51.1	49.8	102	100	70-130	3	20
Methylene Chloride	8010596	<1.0	50.000	ug/L	1.0	3.3	58.9	51.3	118	103	70-130	14	20
Methyl tert-Butyl Ether	8010596	<0.50	50.000	ug/L	0.50	1.7	60.2	54.8	120	110	71-127	9	22
Naphthalene	8010596	<0.25	50.000	ug/L	0.25	0.83	47.5	49.2	95	98	70-130	3	20
n-Propylbenzene	8010596	<0.50	50.000	ug/L	0.50	1.7	51.8	49.1	104	98	70-130	5	20
Styrene	8010596	<0.20	50.000	ug/L	0.20	0.67	52.1	49.6	104	99	70-130	5	20
1,1,1,2-Tetrachloroethane	8010596	<0.25	50.000	ug/L	0.25	0.83	51.9	50.1	104	100	70-130	4	20
1,1,2,2-Tetrachloroethane	8010596	<0.20	50.000	ug/L	0.20	0.67	51.7	50.3	103	101	70-130	3	20
Tetrachloroethene	8010596	<0.50	50.000	ug/L	0.50	1.7	50.6	48.3	101	97	70-130	5	20
Toluene	8010596	0.210	50.000	ug/L	0.20	0.67	52.5	49.7	105	99	82-116	6	11
1,2,3-Trichlorobenzene	8010596	<0.25	50.000	ug/L	0.25	0.83	46.9	47.8	94	96	70-130	2	20
1,2,4-Trichlorobenzene	8010596	<0.25	50.000	ug/L	0.25	0.83	47.3	47.4	95	95	70-130	0	20
1,1,1-Trichloroethane	8010596	<0.50	50.000	ug/L	0.50	1.7	58.6	57.4	117	115	70-130	2	20
1,1,2-Trichloroethane	8010596	<0.25	50.000	ug/L	0.25	0.83	52.2	50.1	104	100	70-130	4	20
Trichloroethene	8010596	<0.20	50.000	ug/L	0.20	0.67	51.6	49.2	103	98	80-117	5	13
Trichlorofluoromethane	8010596	<0.50	50.000	ug/L	0.50	1.7	58.6	58.5	117	117	70-130	0	20
1,2,3-Trichloropropane	8010596	<0.50	50.000	ug/L	0.50	1.7	51.0	49.5	102	99	70-130	3	20
1,2,4-Trimethylbenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	52.1	50.0	104	100	80-122	4	14
1,3,5-Trimethylbenzene	8010596	<0.20	50.000	ug/L	0.20	0.67	52.6	50.2	105	100	83-122	5	12
Vinyl chloride	8010596	<0.20	50.000	ug/L	0.20	0.67	59.1	55.3	118	111	70-130	7	20
Xylenes, Total	8010596	<0.50	150.00	ug/L	0.50	1.7	155	148	104	99	84-119	5	12
Surrogate: Dibromofluoromethane	8010596			ug/L						106	108	89-119	
Surrogate: Toluene-d8	8010596			ug/L						101	101	91-109	
Surrogate: 4-Bromofluorobenzene	8010596			ug/L						105	105	89-114	
QC Source Sample: WRA0737-02													
Benzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.8	49.3	96	99	80-121	3	11
Bromobenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.0	49.4	94	99	70-130	5	20
Bromochloromethane	8010608	<0.50	50.000	ug/L	0.50	1.7	43.8	45.4	88	91	70-130	3	20
Bromodichloromethane	8010608	<0.20	50.000	ug/L	0.20	0.67	47.2	48.6	94	97	70-130	3	20
Bromoform	8010608	<0.20	50.000	ug/L	0.20	0.67	47.9	50.0	96	100	70-130	4	20
Bromomethane	8010608	<0.20	50.000	ug/L	0.20	0.67	44.7	47.0	89	94	70-130	5	20
n-Butylbenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	50.0	51.4	100	103	70-130	3	20
sec-Butylbenzene	8010608	<0.25	50.000	ug/L	0.25	0.83	49.0	50.5	98	101	70-130	3	20
tert-Butylbenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.2	48.4	94	97	70-130	2	20

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0737-02													
Carbon Tetrachloride	8010608	<0.50	50.000	ug/L	0.50	1.7	47.7	48.7	95	97	70-130	2	20
Chlorobenzene	8010608	0.380	50.000	ug/L	0.20	0.67	47.4	49.4	94	98	85-116	4	9
Chlorodibromomethane	8010608	<0.20	50.000	ug/L	0.20	0.67	47.0	48.7	94	97	70-130	4	20
Chloroethane	8010608	<1.0	50.000	ug/L	1.0	3.3	46.6	47.0	93	94	70-130	1	20
Chloroform	8010608	<0.20	50.000	ug/L	0.20	0.67	47.4	49.0	95	98	70-130	3	20
Chloromethane	8010608	<0.20	50.000	ug/L	0.20	0.67	46.7	47.8	93	96	70-130	2	20
2-Chlorotoluene	8010608	<0.50	50.000	ug/L	0.50	1.7	51.4	52.1	103	104	70-130	1	20
4-Chlorotoluene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.7	48.0	95	96	70-130	1	20
1,2-Dibromo-3-chloropropane	8010608	<0.50	50.000	ug/L	0.50	1.7	50.0	50.9	100	102	70-130	2	20
1,2-Dibromoethane (EDB)	8010608	<0.20	50.000	ug/L	0.20	0.67	47.4	49.3	95	99	70-130	4	20
Dibromomethane	8010608	<0.20	50.000	ug/L	0.20	0.67	47.9	49.4	96	99	70-130	3	20
1,2-Dichlorobenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	46.3	48.0	93	96	70-130	4	20
1,3-Dichlorobenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.3	49.1	95	98	70-130	4	20
1,4-Dichlorobenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	45.5	47.2	91	94	70-130	4	20
Dichlorodifluoromethane	8010608	<0.50	50.000	ug/L	0.50	1.7	47.8	49.4	96	99	70-130	3	20
1,1-Dichloroethane	8010608	<0.50	50.000	ug/L	0.50	1.7	47.3	48.2	95	96	70-130	2	20
1,2-Dichloroethane	8010608	<0.50	50.000	ug/L	0.50	1.7	46.4	48.6	93	97	70-130	5	20
1,1-Dichloroethene	8010608	<0.50	50.000	ug/L	0.50	1.7	48.4	49.4	97	99	72-131	2	17
cis-1,2-Dichloroethene	8010608	<0.50	50.000	ug/L	0.50	1.7	48.4	49.8	97	100	70-130	3	20
trans-1,2-Dichloroethene	8010608	<0.50	50.000	ug/L	0.50	1.7	49.4	49.4	99	99	70-130	0	20
1,2-Dichloropropane	8010608	<0.50	50.000	ug/L	0.50	1.7	46.9	48.1	94	96	70-130	3	20
1,3-Dichloropropane	8010608	<0.25	50.000	ug/L	0.25	0.83	47.8	49.0	96	98	70-130	2	20
2,2-Dichloropropane	8010608	<0.50	50.000	ug/L	0.50	1.7	49.4	49.9	99	100	70-130	1	20
1,1-Dichloropropene	8010608	<0.50	50.000	ug/L	0.50	1.7	47.8	48.7	96	97	70-130	2	20
cis-1,3-Dichloropropene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.6	49.4	95	99	70-130	4	20
trans-1,3-Dichloropropene	8010608	<0.20	50.000	ug/L	0.20	0.67	48.2	49.4	96	99	70-130	2	20
Isopropyl Ether	8010608	<0.50	50.000	ug/L	0.50	1.7	47.5	49.1	95	98	68-128	3	16
Ethylbenzene	8010608	<0.50	50.000	ug/L	0.50	1.7	47.4	50.2	95	100	83-118	6	13
Hexachlorobutadiene	8010608	<0.50	50.000	ug/L	0.50	1.7	54.5	52.0	109	104	70-130	5	20
Isopropylbenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.3	49.5	95	99	70-130	4	20
p-Isopropyltoluene	8010608	<0.20	50.000	ug/L	0.20	0.67	49.3	51.7	99	103	70-130	5	20
Methylene Chloride	8010608	<1.0	50.000	ug/L	1.0	3.3	47.0	48.6	94	97	70-130	3	20
Methyl tert-Butyl Ether	8010608	<0.50	50.000	ug/L	0.50	1.7	48.4	49.8	97	100	71-127	3	22
Naphthalene	8010608	<0.25	50.000	ug/L	0.25	0.83	49.4	50.6	99	101	70-130	2	20
n-Propylbenzene	8010608	<0.50	50.000	ug/L	0.50	1.7	48.5	50.7	97	101	70-130	4	20
Styrene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.7	50.2	95	100	70-130	5	20
1,1,1,2-Tetrachloroethane	8010608	<0.25	50.000	ug/L	0.25	0.83	46.9	49.6	94	99	70-130	5	20
1,1,2,2-Tetrachloroethane	8010608	<0.20	50.000	ug/L	0.20	0.67	47.4	49.1	95	98	70-130	3	20
Tetrachloroethene	8010608	<0.50	50.000	ug/L	0.50	1.7	47.6	50.3	95	101	70-130	6	20
Toluene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.8	49.8	96	100	82-116	4	11
1,2,3-Trichlorobenzene	8010608	<0.25	50.000	ug/L	0.25	0.83	49.2	50.4	98	101	70-130	3	20
1,2,4-Trichlorobenzene	8010608	<0.25	50.000	ug/L	0.25	0.83	49.9	50.9	100	102	70-130	2	20
1,1,1-Trichloroethane	8010608	<0.50	50.000	ug/L	0.50	1.7	47.5	49.1	95	98	70-130	3	20
1,1,2-Trichloroethane	8010608	<0.25	50.000	ug/L	0.25	0.83	47.2	48.6	94	97	70-130	3	20
Trichloroethene	8010608	<0.20	50.000	ug/L	0.20	0.67	48.1	49.2	96	98	80-117	2	13

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0737-02													
Trichlorofluoromethane	8010608	<0.50	50.000	ug/L	0.50	1.7	46.8	49.4	94	99	70-130	5	20
1,2,3-Trichloropropane	8010608	<0.50	50.000	ug/L	0.50	1.7	48.1	49.6	96	99	70-130	3	20
1,2,4-Trimethylbenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.4	49.8	95	100	80-122	5	14
1,3,5-Trimethylbenzene	8010608	<0.20	50.000	ug/L	0.20	0.67	47.8	50.1	96	100	83-122	5	12
Vinyl chloride	8010608	<0.20	50.000	ug/L	0.20	0.67	48.7	50.8	97	102	70-130	4	20
Xylenes, Total	8010608	<0.50	150.00	ug/L	0.50	1.7	145	150	96	100	84-119	3	12
<i>Surrogate: Dibromofluoromethane</i>	8010608			ug/L					99	100	89-119		
<i>Surrogate: Toluene-d8</i>	8010608			ug/L					98	101	91-109		
<i>Surrogate: 4-Bromofluorobenzene</i>	8010608			ug/L					99	101	89-114		
QC Source Sample: WRA0756-02													
Benzene	8010627	0.510	50.000	ug/L	0.20	0.67	50.8	49.5	101	98	80-121	3	11
Bromobenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	49.0	48.3	98	97	70-130	2	20
Bromochloromethane	8010627	<0.50	50.000	ug/L	0.50	1.7	47.1	46.0	94	92	70-130	3	20
Bromodichloromethane	8010627	<0.20	50.000	ug/L	0.20	0.67	51.3	48.7	103	97	70-130	5	20
Bromoform	8010627	<0.20	50.000	ug/L	0.20	0.67	50.6	49.3	101	99	70-130	3	20
Bromomethane	8010627	<0.20	50.000	ug/L	0.20	0.67	50.0	49.0	100	98	70-130	2	20
n-Butylbenzene	8010627	0.250	50.000	ug/L	0.20	0.67	51.2	48.2	102	96	70-130	6	20
sec-Butylbenzene	8010627	<0.25	50.000	ug/L	0.25	0.83	50.9	48.2	102	96	70-130	5	20
tert-Butylbenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	50.6	48.7	101	97	70-130	4	20
Carbon Tetrachloride	8010627	<0.50	50.000	ug/L	0.50	1.7	52.4	50.3	105	101	70-130	4	20
Chlorobenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	49.1	48.2	98	96	85-116	2	9
Chlorodibromomethane	8010627	<0.20	50.000	ug/L	0.20	0.67	51.0	48.7	102	97	70-130	5	20
Chloroethane	8010627	<1.0	50.000	ug/L	1.0	3.3	50.7	49.5	101	99	70-130	2	20
Chloroform	8010627	<0.20	50.000	ug/L	0.20	0.67	51.1	49.0	102	98	70-130	4	20
Chloromethane	8010627	<0.20	50.000	ug/L	0.20	0.67	48.4	47.4	97	95	70-130	2	20
2-Chlorotoluene	8010627	<0.50	50.000	ug/L	0.50	1.7	51.2	50.4	102	101	70-130	2	20
4-Chlorotoluene	8010627	<0.20	50.000	ug/L	0.20	0.67	47.4	46.3	95	93	70-130	3	20
1,2-Dibromo-3-chloropropane	8010627	<0.50	50.000	ug/L	0.50	1.7	50.3	49.4	101	99	70-130	2	20
1,2-Dibromoethane (EDB)	8010627	<0.20	50.000	ug/L	0.20	0.67	49.5	48.2	99	96	70-130	3	20
Dibromomethane	8010627	<0.20	50.000	ug/L	0.20	0.67	50.4	47.5	101	95	70-130	6	20
1,2-Dichlorobenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	49.3	47.2	99	94	70-130	4	20
1,3-Dichlorobenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	49.2	47.2	98	94	70-130	4	20
1,4-Dichlorobenzene	8010627	<0.20	50.000	ug/L	0.20	0.67	48.7	46.4	97	93	70-130	5	20
Dichlorodifluoromethane	8010627	<0.50	50.000	ug/L	0.50	1.7	53.1	50.2	106	100	70-130	5	20
1,1-Dichloroethane	8010627	<0.50	50.000	ug/L	0.50	1.7	51.2	49.3	102	99	70-130	4	20
1,2-Dichloroethane	8010627	<0.50	50.000	ug/L	0.50	1.7	51.1	48.7	102	97	70-130	5	20
1,1-Dichloroethene	8010627	<0.50	50.000	ug/L	0.50	1.7	50.8	50.0	102	100	72-131	2	17
cis-1,2-Dichloroethene	8010627	<0.50	50.000	ug/L	0.50	1.7	50.9	49.2	102	98	70-130	3	20
trans-1,2-Dichloroethene	8010627	<0.50	50.000	ug/L	0.50	1.7	51.4	50.0	103	100	70-130	3	20
1,2-Dichloropropane	8010627	<0.50	50.000	ug/L	0.50	1.7	50.7	47.9	101	96	70-130	6	20
1,3-Dichloropropane	8010627	<0.25	50.000	ug/L	0.25	0.83	51.0	48.4	102	97	70-130	5	20
2,2-Dichloropropane	8010627	<0.50	50.000	ug/L	0.50	1.7	50.9	49.0	102	98	70-130	4	20
1,1-Dichloropropene	8010627	<0.50	50.000	ug/L	0.50	1.7	51.7	49.0	103	98	70-130	5	20
cis-1,3-Dichloropropene	8010627	<0.20	50.000	ug/L	0.20	0.67	51.3	48.6	103	97	70-130	5	20
trans-1,3-Dichloropropene	8010627	<0.20	50.000	ug/L	0.20	0.67	50.2	48.3	100	97	70-130	4	20

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0756-02													
Isopropyl Ether	8010627	<0.50	50.000	ug/L	0.50	1.7	50.5	49.2	101	98	68-128	3	16
Ethylbenzene	8010627	0.640	50.000	ug/L	0.50	1.7	49.2	48.7	97	96	83-118	1	13
Hexachlorobutadiene	8010627	<0.50	50.000	ug/L	0.50	1.7	47.2	43.6	94	87	70-130	8	20
Isopropylbenzene	8010627	0.220	50.000	ug/L	0.20	0.67	50.2	48.9	100	97	70-130	3	20
p-Isopropyltoluene	8010627	0.280	50.000	ug/L	0.20	0.67	50.2	48.8	100	97	70-130	3	20
Methylene Chloride	8010627	<1.0	50.000	ug/L	1.0	3.3	53.1	51.2	106	102	70-130	4	20
Methyl tert-Butyl Ether	8010627	<0.50	50.000	ug/L	0.50	1.7	50.9	50.0	102	100	71-127	2	22
Naphthalene	8010627	3.05	50.000	ug/L	0.25	0.83	47.9	48.9	90	92	70-130	2	20
n-Propylbenzene	8010627	<0.50	50.000	ug/L	0.50	1.7	50.4	49.1	101	98	70-130	3	20
Styrene	8010627	<0.20	50.000	ug/L	0.20	0.67	49.5	47.5	99	95	70-130	4	20
1,1,1,2-Tetrachloroethane	8010627	<0.25	50.000	ug/L	0.25	0.83	49.4	48.7	99	97	70-130	2	20
1,1,2,2-Tetrachloroethane	8010627	<0.20	50.000	ug/L	0.20	0.67	50.3	48.5	101	97	70-130	4	20
Tetrachloroethene	8010627	<0.50	50.000	ug/L	0.50	1.7	49.3	48.0	99	96	70-130	3	20
Toluene	8010627	1.00	50.000	ug/L	0.20	0.67	50.8	49.9	100	98	82-116	2	11
1,2,3-Trichlorobenzene	8010627	<0.25	50.000	ug/L	0.25	0.83	46.2	45.9	92	92	70-130	1	20
1,2,4-Trichlorobenzene	8010627	0.270	50.000	ug/L	0.25	0.83	47.8	46.4	95	92	70-130	3	20
1,1,1-Trichloroethane	8010627	<0.50	50.000	ug/L	0.50	1.7	51.6	49.5	103	99	70-130	4	20
1,1,2-Trichloroethane	8010627	<0.25	50.000	ug/L	0.25	0.83	50.6	48.3	101	97	70-130	5	20
Trichloroethene	8010627	<0.20	50.000	ug/L	0.20	0.67	50.9	48.8	102	98	80-117	4	13
Trichlorofluoromethane	8010627	<0.50	50.000	ug/L	0.50	1.7	51.8	50.8	104	102	70-130	2	20
1,2,3-Trichloropropane	8010627	<0.50	50.000	ug/L	0.50	1.7	49.6	48.4	99	97	70-130	2	20
1,2,4-Trimethylbenzene	8010627	1.86	50.000	ug/L	0.20	0.67	50.9	49.8	98	96	80-122	2	14
1,3,5-Trimethylbenzene	8010627	0.470	50.000	ug/L	0.20	0.67	51.3	50.5	102	100	83-122	2	12
Vinyl chloride	8010627	<0.20	50.000	ug/L	0.20	0.67	50.9	50.6	102	101	70-130	1	20
Xylenes, Total	8010627	2.11	150.00	ug/L	0.50	1.7	151	147	99	97	84-119	2	12
Surrogate: Dibromoform	8010627			ug/L					100	100	89-119		
Surrogate: Toluene-d8	8010627			ug/L					99	100	91-109		
Surrogate: 4-Bromoform	8010627			ug/L					100	101	89-114		
QC Source Sample: WRA0756-03													
Benzene	8010662	1.45	50.000	ug/L	0.20	0.67	48.7	47.5	94	92	80-121	3	11
Bromobenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	50.8	48.2	102	96	70-130	5	20
Bromochloromethane	8010662	<0.50	50.000	ug/L	0.50	1.7	44.7	43.4	89	87	70-130	3	20
Bromodichloromethane	8010662	<0.20	50.000	ug/L	0.20	0.67	50.2	48.7	100	97	70-130	3	20
Bromoform	8010662	<0.20	50.000	ug/L	0.20	0.67	52.1	49.6	104	99	70-130	5	20
Bromomethane	8010662	<0.20	50.000	ug/L	0.20	0.67	40.7	35.3	81	71	70-130	14	20
n-Butylbenzene	8010662	0.210	50.000	ug/L	0.20	0.67	50.5	49.0	101	98	70-130	3	20
sec-Butylbenzene	8010662	<0.25	50.000	ug/L	0.25	0.83	49.1	47.4	98	95	70-130	4	20
tert-Butylbenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	47.3	45.1	95	90	70-130	5	20
Carbon Tetrachloride	8010662	<0.50	50.000	ug/L	0.50	1.7	50.3	48.7	101	97	70-130	3	20
Chlorobenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	49.4	46.7	99	93	85-116	6	9
Chlorodibromomethane	8010662	<0.20	50.000	ug/L	0.20	0.67	50.7	49.6	101	99	70-130	2	20
Chloroethane	8010662	<1.0	50.000	ug/L	1.0	3.3	44.3	43.9	89	88	70-130	1	20
Chloroform	8010662	<0.20	50.000	ug/L	0.20	0.67	48.6	46.8	97	94	70-130	4	20
Chloromethane	8010662	<0.20	50.000	ug/L	0.20	0.67	45.6	43.6	91	87	70-130	5	20
2-Chlorotoluene	8010662	<0.50	50.000	ug/L	0.50	1.7	53.4	48.1	107	96	70-130	11	20

RSV ENGINEERING, INC.
 146 East Milwaukee Street PO Box 298
 Jefferson, WI 53549
 Ms. Paula Richardson

Work Order: WRA0711
 Project: Garrys
 Project Number: 04-515

Received: 01/24/08
 Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0756-03													
4-Chlorotoluene	8010662	<0.20	50.000	ug/L	0.20	0.67	47.3	47.7	95	95	70-130	1	20
1,2-Dibromo-3-chloropropane	8010662	<0.50	50.000	ug/L	0.50	1.7	54.6	53.3	109	107	70-130	2	20
1,2-Dibromoethane (EDB)	8010662	<0.20	50.000	ug/L	0.20	0.67	50.6	47.5	101	95	70-130	6	20
Dibromomethane	8010662	<0.20	50.000	ug/L	0.20	0.67	51.1	49.7	102	99	70-130	3	20
1,2-Dichlorobenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	48.9	46.8	98	94	70-130	4	20
1,3-Dichlorobenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	49.6	47.6	99	95	70-130	4	20
1,4-Dichlorobenzene	8010662	<0.20	50.000	ug/L	0.20	0.67	48.6	46.5	97	93	70-130	4	20
Dichlorodifluoromethane	8010662	<0.50	50.000	ug/L	0.50	1.7	49.4	48.2	99	96	70-130	2	20
1,1-Dichloroethane	8010662	<0.50	50.000	ug/L	0.50	1.7	46.6	45.5	93	91	70-130	2	20
1,2-Dichloroethane	8010662	<0.50	50.000	ug/L	0.50	1.7	48.7	47.7	97	95	70-130	2	20
1,1-Dichloroethene	8010662	<0.50	50.000	ug/L	0.50	1.7	47.9	46.9	96	94	72-131	2	17
cis-1,2-Dichloroethene	8010662	<0.50	50.000	ug/L	0.50	1.7	48.7	47.4	97	95	70-130	3	20
trans-1,2-Dichloroethene	8010662	<0.50	50.000	ug/L	0.50	1.7	49.0	48.3	98	97	70-130	1	20
1,2-Dichloropropane	8010662	<0.50	50.000	ug/L	0.50	1.7	47.3	46.2	95	92	70-130	2	20
1,3-Dichloropropane	8010662	<0.25	50.000	ug/L	0.25	0.83	49.1	48.2	98	96	70-130	2	20
2,2-Dichloropropane	8010662	<0.50	50.000	ug/L	0.50	1.7	50.2	49.1	100	98	70-130	2	20
1,1-Dichloropropene	8010662	<0.50	50.000	ug/L	0.50	1.7	48.2	46.6	96	93	70-130	3	20
cis-1,3-Dichloropropene	8010662	<0.20	50.000	ug/L	0.20	0.67	49.5	48.3	99	97	70-130	2	20
trans-1,3-Dichloropropene	8010662	<0.20	50.000	ug/L	0.20	0.67	50.3	49.2	101	98	70-130	2	20
Isopropyl Ether	8010662	<0.50	50.000	ug/L	0.50	1.7	45.9	44.8	92	90	68-128	2	16
Ethylbenzene	8010662	1.06	50.000	ug/L	0.50	1.7	50.7	49.4	99	97	83-118	2	13
Hexachlorobutadiene	8010662	<0.50	50.000	ug/L	0.50	1.7	55.2	53.3	110	107	70-130	3	20
Isopropylbenzene	8010662	0.310	50.000	ug/L	0.20	0.67	49.8	47.2	99	94	70-130	6	20
p-Isopropyltoluene	8010662	0.420	50.000	ug/L	0.20	0.67	50.8	49.4	101	98	70-130	3	20
Methylene Chloride	8010662	<1.0	50.000	ug/L	1.0	3.3	46.8	46.4	94	93	70-130	1	20
Methyl tert-Butyl Ether	8010662	<0.50	50.000	ug/L	0.50	1.7	48.3	47.6	97	95	71-127	2	22
Naphthalene	8010662	3.28	50.000	ug/L	0.25	0.83	51.3	51.3	96	96	70-130	0	20
n-Propylbenzene	8010662	<0.50	50.000	ug/L	0.50	1.7	50.6	48.3	101	97	70-130	5	20
Styrene	8010662	<0.20	50.000	ug/L	0.20	0.67	49.5	46.4	99	93	70-130	6	20
1,1,1,2-Tetrachloroethane	8010662	<0.25	50.000	ug/L	0.25	0.83	51.0	48.1	102	96	70-130	6	20
1,1,2,2-Tetrachloroethane	8010662	<0.20	50.000	ug/L	0.20	0.67	49.9	47.4	100	95	70-130	5	20
Tetrachloroethene	8010662	<0.50	50.000	ug/L	0.50	1.7	51.9	49.0	104	98	70-130	6	20
Toluene	8010662	2.84	50.000	ug/L	0.20	0.67	52.4	49.1	99	92	82-116	7	11
1,2,3-Trichlorobenzene	8010662	<0.25	50.000	ug/L	0.25	0.83	49.0	48.6	98	97	70-130	1	20
1,2,4-Trichlorobenzene	8010662	<0.25	50.000	ug/L	0.25	0.83	49.3	48.9	99	98	70-130	1	20
1,1,1-Trichloroethane	8010662	<0.50	50.000	ug/L	0.50	1.7	50.0	48.3	100	97	70-130	3	20
1,1,2-Trichloroethane	8010662	<0.25	50.000	ug/L	0.25	0.83	48.8	47.8	98	96	70-130	2	20
Trichloroethene	8010662	0.330	50.000	ug/L	0.20	0.67	51.4	50.3	102	100	80-117	2	13
Trichlorofluoromethane	8010662	<0.50	50.000	ug/L	0.50	1.7	49.8	48.4	100	97	70-130	3	20
1,2,3-Trichloropropane	8010662	<0.50	50.000	ug/L	0.50	1.7	51.9	48.9	104	98	70-130	6	20
1,2,4-Trimethylbenzene	8010662	1.77	50.000	ug/L	0.20	0.67	49.2	46.9	95	90	80-122	5	14
1,3,5-Trimethylbenzene	8010662	0.450	50.000	ug/L	0.20	0.67	50.5	48.5	100	96	83-122	4	12
Vinyl chloride	8010662	<0.20	50.000	ug/L	0.20	0.67	47.3	45.6	95	91	70-130	4	20
Xylenes, Total	8010662	4.61	150.00	ug/L	0.50	1.7	152	143	98	92	84-119	6	12
Surrogate: Dibromofluoromethane	8010662			ug/L				97	97	97	89-119		

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WRA0756-03													
<i>Surrogate: Toluene-d8</i>													
Surrogate: 4-Bromofluorobenzene		8010662		ug/L					99	97	91-109		
		8010662		ug/L					101	100	89-114		

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WRA0711-01													
Total Organic Carbon	8020361	1.13	20.0	mg/L	N/A	1.67	19.3	19.1	91	90	79-130	1	20
QC Source Sample: NRA2668-08													
Total Organic Carbon	8020362	2.72	20.0	mg/L	N/A	1.67	25.7	25.9	115	116	79-130	1	20
QC Source Sample: WRA0711-01													
Total Inorganic Carbon	8020956	23.6	25.0	mg/L	0.50	1.67	38.5	38.5	60	60	79-130	0	20
QC Source Sample: WRA0711-07													
Total Inorganic Carbon	8020960	26.3	25.0	mg/L	0.50	1.67	45.4	45.0	76	74	79-130	1	20
Methane, Ethane, and Ethene by GC													
QC Source Sample: NRA2302-04													
Ethane	8014346	<14.0	2500	ug/L	14.0	46.7	2180	2180	87	87	72-117	0	20
Ethene	8014346	11.3	2340	ug/L	11.0	36.7	2070	2080	88	88	66-117	1	20
Methane	8014346	8140	1330	ug/L	15.0	50.0	8440	8350	22	15	62-141	1	25
Surrogate: Acetylene	8014346			ug/L					87	87	76-120		M2

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

OTHER

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
Dissolved Metals by SW 846 Series Methods													
QC Source Sample: WRA0711-02													
Arsenic	8020105	0.000340	0.0227	mg/L	N/A	N/A	0.0226	98		75-125			

RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549
Ms. Paula Richardson

Work Order: WRA0711
Project: Garrys
Project Number: 04-515

Received: 01/24/08
Reported: 02/22/08 09:28

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 300.0	Water - NonPotable	X	X
EPA 325.2	Water - NonPotable	X	X
EPA 353.2	Water - NonPotable		X
SM 4500SE	Water - NonPotable		X
SW 6010B	Water - NonPotable		X
SW 8260B	Water - NonPotable	X	X

Subcontracted Laboratories

TestAmerica Analytical - Cedar Falls NELAC Cert #000668, Wisconsin Cert #999917270, Illinois Cert #000668, Minnesota Cert #019-999-319, Iowa Cert #007

704 Enterprise Drive - Cedar Falls, IA 50613

Method Performed: SW 7060A

Samples: WRA0711-01, WRA0711-02, WRA0711-03, WRA0711-04, WRA0711-05, WRA0711-06, WRA0711-07, WRA0711-08, WRA0711-09, WRA0711-10, WRA0711-11

TestAmerica Analytical - Nashville NELAC Cert #200010, Wisconsin Cert #998020430, Illinois Cert #200010, Minnesota Cert #047-999-345, Iowa Cert #131, North Dakota Cert #R-146

2960 Foster Creighton Drive - Nashville, TN 37204

Method Performed: RSK 175

Samples: WRA0711-01, WRA0711-02, WRA0711-03, WRA0711-04, WRA0711-05, WRA0711-06, WRA0711-07, WRA0711-08, WRA0711-09, WRA0711-10, WRA0711-11

Method Performed: SW846 9060

Samples: WRA0711-01, WRA0711-02, WRA0711-03, WRA0711-04, WRA0711-05, WRA0711-06, WRA0711-07, WRA0711-08, WRA0711-09, WRA0711-10, WRA0711-11

Method Performed: SW846 9060A

Samples: WRA0711-01, WRA0711-02, WRA0711-03, WRA0711-04, WRA0711-05, WRA0711-06, WRA0711-07, WRA0711-08, WRA0711-09, WRA0711-10, WRA0711-11

DATA QUALIFIERS AND DEFINITIONS

- J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- Ja** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- Jb** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- M11** The MS and/or MSD were above the acceptance limits. See calibration verification (CCV)
- M12** The MS and/or MSD were below the acceptance limits. See calibration verification (CCV)
- M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- M8** The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).

ADDITIONAL COMMENTS

TestAmerica Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53044

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WRH 0711
To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name RSU Engineering Client #: _____

Address: 146 E. Milwaukee St.

City/State/Zip Code: Jefferson, WI 53549

Project Manager: Bob Nauha

Telephone Number: 920-674-3411 Fax: 920-674-3481

Sampler Name: (Print Name) Paula Richardson / Rick Jirsa

Sampler Signature: Paula R.

Project Name: Gerry's Cleaners

Project #: 04-515

Site/Location ID: _____ State: _____

Report To: Paula Richardson

Invoice To: Paula Richardson

Quote #: _____ PO#: _____

TAT			Matrix	Preservation & # of Containers		Analyze For:	QC Deliverables										
	Standard	Rush (surcharges may apply)		SL - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify Other								
				HNO ₃	HCl	NaOH / <u>2% acetic acid</u>		H ₂ SO ₄	Methanol	VOCs	As, Fe, Mn, Ni, Dissolved	Chloride	Ethanolamine, NH ₂	Surfactants	Total Organic Carbon	Nitrate + nitrite	None
Date Needed:																	Level 2 (Batch QC)
Fax Results:	Y	N	Date Sampled														Level 3
SAMPLE ID			Time Sampled	G = Grab, C = Composite	Field Filtered	metals or											Level 4
MW-1	1/23/08	12p	6	Y	GW	1	6	1	2	2	X	X	X	X	X	X	Other:
MW-2	1/23/08	12:30p	6	Y													
MW-3	1/23/08	9:30a	6	Y													
MW-3I	1/23/08	10a	6	Y													
MW-3D	1/23/08	10a	6	Y													
MW-3D2	1/23/08	9:30a	6	Y													
<i>PAR KFC-1</i>																	
KFC-2	1/23/08	11a	6	Y													
<i>PAR KFC-3</i>																	
KFC-4	1/23/08	3:45p	6	Y	GW	1	6	1	2	2	X	X	X	X	X		

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp:

Rec Lab Temp: on ice

Custody Seals: Y N N/A

Bottles Supplied by Test America: Y N

Method of Shipment: Ship it

Relinquished By: <u>Paula R.</u>	Date: <u>1/24/08</u>	Time: <u>10a</u>	Received By: <u>Za M.</u>	Date: <u>1/24/08</u>	Time: <u>11a</u>
Relinquished By: <u>Za M.</u>	Date: <u>1/24/08</u>	Time: <u>10a</u>	Received By: <u>T. Paula</u>	Date: <u>1/24/08</u>	Time: <u>11a</u>
Relinquished By: <u>T. Paula</u>	Date: <u>1/24/08</u>	Time: <u>10a</u>	Received By: <u></u>	Date: <u>1/24/08</u>	Time: <u>11a</u>

TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

LORA 0711
To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name: RSV Engineering Client #: _____
Address: 146 E. Milwaukee St.
City/State/Zip Code: Jefferson, WI 53549
Project Manager: Bob Nanta
Telephone Number: 920-674-3411 Fax 920-674-3481
Sampler Name: (Print Name) Paula Richardson / Rick Jirsa
Sampler Signature: Ron R.

Project Name: Garry's Cleaners
Project #: 04-515
Site/Location ID: _____ State: _____
Report To: Paula Richardson
Invoice To: Paula Richardson
Quote #: _____ PO #: _____

TAT	Matrix		Preservation & # of Containers		Analyze For:		QC Deliverables							
	SI - Sludge	DW - Drinking Water	WW - Wastewater	S - Soil/Solid	Other (Specify)	VOCs	As, Fe, Mg, Al (dissolved)	Chloride	Ethene, Ethene, Methane	Surface	Total Organic Carbon	Total Inorganic Carbon	Nitrate + Nitrite	
Standard														None
Rush (surcharges may apply)														Level 2
Date Needed: _____	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Method Used									(Batch QC)
Fax Results: Y N						HNO ₃	ICl	NaOH	/2% acetic acid					Level 3
SAMPLE ID						H ₂ SO ₄		Methanol						Level 4
KFL-4D	1/23/08	4pm	G	Y	6W	16	12	2	X X X X X X	X X X X X X	X X X X X X	X X X X X X	2 frozen tanks	Other: _____
KFL-5														
KFL-5T														
KFL-6	1/23/08	3pm	G	Y										
KFL-6T	1/23/08	2:30pm	G	Y										
QC-1	1/23/08	1pm	G	Y	6W	16	12	2	X X X X X X	X X X X X X	X X X X X X	X X X X X X	Only Received 3 vials	
Trip Blank														Was received
Special Instructions:													REMARKS	

Relinquished By: <u>Paula R.</u>	Date: <u>1/24/08</u>	Time: <u>10:30</u>	Received By: <u>D. Miller</u>	Date: <u>1/24/08</u>	Time: <u>10:30</u>	LABORATORY COMMENTS:
Relinquished By: <u>B. M.R.</u>	Date: <u>1/24/08</u>	Time: <u>10:30</u>	Received By: <u>T. Spauld.</u>	Date: <u>1/24/08</u>	Time: <u>10:32</u>	Init Lab Temp: <u>01/14</u>
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	Rec Lab Temp: <u>01/14</u>

Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N

Method of Shipment: Client

Dan Milewsky

From: Paula Richardson [prichardson@rsv-jefferson.com]
Sent: Thursday, February 21, 2008 1:51 PM
To: Dan Milewsky
Subject: revised lab report for WRA0711
Attachments: Lab edits 080221.pdf

Hi Dan,

Unfortunately it appears the bottles for wells MW-3D2 and MW-3I got transposed at the site while sampling. I have amended the chain of custody and first page of the lab report accordingly. Please issue a revised report at your earliest convenience (a PDF via email is fine).

Also, any idea on an ETA for the Quebecor Brookfield samples I submitted last week? I know it hasn't quite been a week yet, just want to give the client an idea.

Thanks!

Paula Richardson

Hydrogeologist
RSV Engineering, Inc.
146 E. Milwaukee Street
Jefferson, WI 53549
Ph. 920-674-3411
Cell 920-605-6073
Fax 920-674-3481
email: prichardson@rsv-jefferson.com

This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from any computer.

RECEIVED FEB 15 2008

802 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

February 13, 2008

Client: RSV ENGINEERING, INC.
146 East Milwaukee Street PO Box 298
Jefferson, WI 53549 Work Order: WRA0711
Project Name: Garrys
Project Number: 04-515

Attn: Ms. Paula Richardson Date Received: 01/24/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW-1	WRA0711-01	01/23/08 12:00
MW-2	WRA0711-02	01/23/08 12:30
MW-3	WRA0711-03	01/23/08 09:30
MW-3 1 MW-3D2 PAR	WRA0711-04	01/23/08 10:00
MW-3D- QPSlet	WRA0711-05	01/23/08 10:00
MW-3D2 MW-3I PAR	WRA0711-06	01/23/08 09:30
KFC-2	WRA0711-07	01/23/08 11:00
KFC-4	WRA0711-08	01/23/08 15:45
KFC-4D	WRA0711-09	01/23/08 16:00
KFC-6	WRA0711-10	01/23/08 15:00
KFC-6I	WRA0711-11	01/23/08 14:30
OC-1	WRA0711-12	01/23/08 13:00

EPA 206.2 analysis performed at Lab ID: 999917270

RSK 175M, SW 9060 analysis performed at Lab ID: 998020430

Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOCS, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WRA 0711

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring _____

Client Name RSV Engineering Client #: _____

Address: 146 E. Milwaukee St.

City/State/Zip Code: Jefferson, WI 53549

Project Manager: Bob Nauka

Telephone Number: 920-674-3411 Fax: 920-674-3481

Sampler Name: (Print Name) Paula Richardson / Rick Jirsa

Sampler Signature: Paul R

Project Name: Gerry's Cleaners

Project #: 04-515

Site/Location ID: _____ State: _____

Report To: Paula Richardson

Invoice To: Paula Richardson

Quote #: _____ PO #: _____

TAT Standard Rush (surcharges may apply)	Date Sampled	Time Sampled	G = Grab, C = Composite Field Filtered	Matrix	Preservation & # of Containers		Analysis For:							QC Deliverables None Level 2 (Batch QC) Level 3 Level 4 Other: _____									
					Sl - Sludge	DW - Drinking Water	GW - Groundwater	S - Solid	WW - Wastewater	Specify Other	HNO ₃	NaOH / Zn acetate	H ₂ SO ₄	Methanol	None	Other (Specify)	VOCs	As Ferrous Ni (dissolved)	Chloride	Extracept. Trace ME	Sulfate	Sulfide	Total Organic Carbon
MW-1	1/23/08	12p	G	Y	GW	1	6	1	2	2	X	X	X	X	X	X	X	X	X	X	X	X	X
MW-2	1/23/08	12:30p	G	Y																			
MW-3	1/23/08	9:30a	G	Y																			
MW-3D 3D2 PMS	1/23/08	10a	G	Y																			
MW-3D	1/23/08	10a	G	Y																			
MW-3D2 3T PMS	1/23/08	9:30a	G	Y																			
RAR KFC-1																							
KFC-2	1/23/08	11a	G	Y																			
KFC-3																							
KFC-4	1/23/08	3:45p	G	Y	GW	1	6	1	2	2	X	X	X	X	X	X	X	X	X	X	X	X	

Special Instructions:

LABORATORY COMMENTS:

<u>Paul R</u>	1/24/08	1020	Received By: <u>Pa M</u>	Date: 1/27/08	Time: 1020
<u>Pa M</u>	1/24/08	1030	Received By: <u>T. Paule</u>	Date: 1/24/08	Time: 33
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Init Lab Temp:

Rec Lab Temp: 09.46

Custody Seals: Y N N
Bottles Supplied by Test America: Y N

Method of Shipment: client