



July 14, 2008

Ms. Eileen Kramer
Wisconsin Department of Natural Resources
West Central Region Office
P.O. Box 4001
Eau Claire, WI 54702

**SUBJECT: Onalaska Landfill Superfund Site
April 2008 Groundwater Monitoring Report
State of Wisconsin Purchase Order #NMH00000997
WDNR FID #632013360
U.S. EPA ID #WID980821656
Bid Item #10
BT² Project #3550**

Dear Ms. Kramer:

BT² is submitting the required semiannual groundwater monitoring report for the above referenced site. The semiannual groundwater monitoring was conducted on April 9 & 10, 2008 by BT² and consisted of the following scope items:

- Collection of groundwater samples from monitoring wells AW-28, MW-1SR, MW4S, MW5S, MW6S, MW6M, MW8S, MW8M, MW14S, MW15M, MW16S, MW16M, MW17S, MW17M and piezometers PZ-1, PZ-2, and PZ-3. Samples were analyzed for volatile organic compounds (VOCs), alkalinity, chloride, and dissolved arsenic, barium, iron, lead, manganese, cadmium, cobalt, mercury, and vanadium.
- Collection of private water supply well samples from the Johnson, Miller, and Pretasky wells for analysis of VOCs.
- Measurement of field natural attenuation parameters at all the monitoring wells and piezometers for temperature, specific conductivity, dissolved oxygen, reduction-oxidation potential, and pH.
- Measurement of water levels at all the wells listed above along with wells MW2S, MW2M, MW7M, MW10M, MW12S, PZ-4, PZ-5, and PZ-6.

The Ackerman private water supply well was not sampled during the April 9 & 10 event; the Ackerman's were out of the state and the power to their well was shut off. The Ackerman well was sampled on May 7, 2008 and the analytical results for this well are included in this report.

All samples were collected according to the procedures outlined in Section III Monitoring requirements of the Scope of Work BT² Standard Operating Procedures.

Ms. Eileen Kramer
July 14, 2008
Page 2

Please contact us at (608) 224-2830 if you have any questions about this report.

Sincerely,
BT², Inc.



Steven Smith
Environmental Specialist



Robert Langdon
Project Manager

Enclosures: Table 1 – Summary of Detected Compounds
Table 2 – Water Table Elevations
Figure 1 – Site Plan
Figure 2 – Water Table Map
Figure 3 – Potentiometric Surface Map
Figure 4 – Isocontour Map for Trimethylbenzenes (Shallow Wells)
Figure 5 – Isocontour Map for Trimethylbenzenes (Medium Wells)
Figure 6 – Isocontour Map for Iron (Shallow Wells)
Figure 7 – Isocontour Map for Iron (Medium Wells)
Figure 8 – Isocontour Map for Manganese (Shallow Wells)
Figure 9 – Isocontour Map for Manganese (Medium Wells)
Figure 10 – Isocontour Map for Chloride (Shallow Wells)
Figure 11 – Isocontour Map for Chloride (Medium Wells)
Figure 12 – Isocontour Map for Alkalinity (Shallow Wells)
Figure 13 – Isocontour Map for Alkalinity (Medium Wells)
Attachment A – Groundwater Monitoring Data Certification Form, Exceedance Summary,
and Database Detail Report
Attachment B – Laboratory Analytical Reports

SS/RL

I:\3550\Reports\GW_Semiann.Rpt1.080707.doc

TABLES

- 1 Summary of Detected Compounds
- 2 Water Table Elevations

Table 1
AW-28
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic

Compounds (VOC), ug/L	12/12/2002	4/22/2003	4/14/2004	9/24/2004	12/3/2004	3/11/2005	6/10/2005	3/23/2006	9/8/2006	9/10/2007	4/9/2008	PAL	ES
1,2,4-Trimethylbenzene	45	44	10	2.2	34	35	11	24	35	1.5	2.9	96	480
1,3,5-Trimethylbenzene	21	18	2.6	0.24	9.7	11	3.6	6.4	8.5	<0.096	0.46	96	480
2-Butanone	< 0.74	< 1.2	< 0.36	<0.39	<0.39	0.46	0.96	1.7	<0.78	<0.57	----	90	460
4-Methyl-2-pentanone	< 0.32	< 0.52	< 0.34	<0.32	<0.32	<0.32	0.35	<0.64	<0.64	<0.32	----	50	500
Acetone	5.4	< 2.2	1.2	<0.74	1	<0.74	1.8	3.2	<1.5	1.4	----	200	1000
Benzene	< 0.46	< 0.74	0.44	<0.22	<0.22	<0.22	<0.22	<0.44	<0.44	<0.13	<0.20	0.5	5
Chloromethane	< 0.61	< 0.98	< 0.26	<0.14	<0.14	<0.14	<0.14	<0.28	<0.28	0.45	<0.20	0.3	3
Methylene chloride	4.6	< 0.58	< 0.28	<0.19	0.52	<0.19	<0.19	<0.38	<0.38	<0.33	<1.0	0.5	5
Naphthalene	< 0.52	< 0.84	0.25	<0.15	<0.15	<0.15	<0.15	0.36	0.34	<0.24	0.36	10	100
Toluene	0.83	< 0.78	< 0.17	<0.17	<0.17	<0.17	<0.17	<0.34	<0.34	<0.13	0.41	200	1,000
Xylenes (total)	2.9	1.6	0.57	<0.44	0.66	1.4	0.6	<0.88	<0.88	<0.28	<0.50	1,000	10,000

Metals, mg/L

Arsenic	0.0026	< 0.0021	< 0.0026	<0.0026	<0.0026	<0.0026	<0.0026	<0.0043	<0.0043	<0.0043	0.0012	0.001	0.01
Barium	0.26	0.22	0.22	0.19	0.25	0.254	0.239	0.164	0.237	0.199	0.210	0.4	2
Cadmium	< 0.00028	< 0.00028	0.00034	<0.00028	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	0.00008	0.0005	0.005
Cobalt	0.0064	0.0036	0.0059	<0.00096	0.003	0.0029	0.0024	<0.0012	0.0022	0.0025	0.0016	0.008	0.04
Iron	9.8	3.7	0.74	0.66	5.6	8.89	6.8	5.4	7.8	2	1.1	0.15	0.3
Lead	< 0.0016	< 0.0016	< 0.0017	<0.0017	<0.0017	<0.0017	0.002	<0.0017	<0.0017	<0.0017	0.00016	0.0015	0.015
Manganese	5	2.4	2.5	1.1	3.7	4.32	3.32	1.31	2.72	0.977	1.3	0.025	0.05
Mercury	< 0.000087	< 0.000087	< 0.000029	0.000032	<0.000029	<0.000029	0.00006	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	< 0.00067	< 0.00067	< 0.00071	<0.00071	<0.00071	<0.00071	<0.00071	<0.0019	<0.0019	<0.0019	0.0019	0.006	0.03

Dissolved Gases, ug/L

Ethane	< 3	< 3	< 0.14	---	---	---	---	----	----	----	----	----	----
Ethene	< 2.9	< 2.9	0.18	---	---	---	---	----	----	----	----	----	----
Methane	1200	1700	2800	---	---	---	---	----	----	----	----	----	----

Natural Attenuation

Parameters, mg/L

Chloride	10.8	14	19.7	---	2.6	---	4.9	13.8	5.1	0.2	5.9	125	250
Nitrate as N	1.1	1.7	8.9	---	0.29	---	0.52	0.16	0.16	0.5	---	2	10
Sulfate	1.4	2.7	9.6	---	3.4	---	5.3	1.8	2.8	2.6	---	125	250
Total Alkalinity	370	360	390	---	---	---	---	270	330	450	350	----	----
Total Organic Carbon	9	11	33	---	---	---	---	5	4	3	---	----	----
pH	---	7.02	---	6.15	6.54	7.16	6.01	6.95	6.54	6.57	7.00	----	----
Conductivity (mS/cm)	---	0.7	---	0.67	0.722	0.764	447	329	423	0.517	476	----	----
Temperature (C)	---	8.35	---	14.29	12.34	9.23	11.14	9.35	14.1	14.01	7.4	----	----
ORP (mV)	---	166	---	214	184	189	-35.3	-37.5	-58.7	-14.1	+4	----	----
Dissolved Oxygen (mg/L)	---	1.36	---	0.43	3.01	0.92	0.71	1.08	0.11	0.43	1.5	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-ISR
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic

Compounds (VOC), ug/L	10/8/2003	4/13/2004	9/23/2004	12/2/2004	3/10/2005	6/8/2005	3/23/2006	3/22/2007	4/10/2008	PAL	ES
1,2,4-Trimethylbenzene	1.1	< 0.14	<0.12	0.13	<0.12	<0.12	<0.12	<0.12	<0.20	96	480
1,3,5-Trimethylbenzene	0.3	< 0.18	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.20	96	480
Acetone	< 0.66	< 0.66	<0.74	<0.74	<0.74	<0.74	0.8	<0.74	---	200	1000
Benzene	< 0.2	0.5	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.20	0.5	5
Bromomethane	< 0.16	< 0.16	0.45	<0.36	<0.36	<0.36	<0.36	<0.36	<0.20	1	10
Chloromethane	< 0.26	< 0.26	0.18	<0.14	<0.14	<0.14	<0.14	<0.14	<0.20	0.3	3
Methylene chloride	< 0.28	< 0.28	<0.19	0.41	<0.19	<0.19	0.48	<0.19	<1.0	0.5	5
Naphthalene	0.34	< 0.16	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.25	8	40
Toluene	< 0.17	< 0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	0.29	200	1,000
Xylenes (total)	0.64	< 0.45	<0.44	<0.44	<0.44	<0.44	<0.44	<0.44	<0.50	1,000	10,000

Metals, mg/L

Arsenic	< 0.0029	< 0.0026	<0.0026	<0.0026	<0.0026	<0.0026	<0.0043	<0.0043	0.00039	0.001	0.01
Barium	0.18	0.047	0.12	0.085	0.0644	0.0455	0.0393	0.0407	0.027	0.4	2
Cadmium	< 0.00036	< 0.00028	<0.00028	0.00029	<0.00028	<0.00028	<0.00042	<0.00042	0.00002	0.0005	0.005
Cobalt	0.003	0.00099	<0.00096	0.0016	0.0011	0.0014	<0.0012	<0.0012	0.00041	0.008	0.04
Iron	6.2	0.76	2.8	2.8	3.63	1.3	0.51	0.25	<0.0022	0.15	0.3
Lead	0.0024	< 0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00026	0.0015	0.015
Manganese	2.1	1.8	4.3	4	2.88	2.41	1.84	2.05	0.68	0.025	0.05
Mercury	< 0.000067	< 0.000029	<0.000029	<0.000029	<0.000029	0.00007	<0.00009	<0.00009	<0.00065	0.0002	0.002
Vanadium	0.008	0.0018	<0.00071	0.0013	0.003	0.002	<0.0019	<0.0019	0.00084	0.006	0.03

Dissolved Gases, ug/L

Ethane	< 0.3	< 0.14	---	---	---	---	---	---	---	---	---
Ethene	< 0.29	< 0.13	---	---	---	---	---	---	---	---	---
Methane	250	87	---	---	---	---	---	---	---	---	---

Natural Attenuation

Parameters, mg/L

Chloride	8.9	7.3	---	9.3	---	6.9	7.2	8.1	7.9	125	250
Nitrate as N	< 0.019	0.23	---	<0.016	---	0.042	0.051	<0.031	---	2	10
Sulfate	7	4.6	---	5.2	---	10.9	11.9	5.6	---	125	250
Total Alkalinity	95	97	---	---	---	---	100	83	89	---	---
Total Organic Carbon	5	5	---	---	---	---	4	5	---	---	---

pH	6.95	---	6.33	7.08	7.8	7.07	7.25	7.19	6.86	---	---
Conductivity (mS/cm)	0.254	---	0.363	0.359	0.241	136	144	130	239	---	---
Temperature (C)	11.93	---	13.74	12.06	8.82	8.67	8.36	8.43	6.3	---	---
ORP (mV)	162	---	182	203	195	54	12.7	16.2	+7	---	---
Dissolved Oxygen (mg/L)	6.6	---	1.11	1.67	2.26	4.6	3.57	2.71	---	---	---

Note: Please see notes provided at the end of this table.

Table 1
MW-4S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	Duplicate			Duplicate			Duplicate			
	12/12/2002	12/12/2002	4/22/2003	10/8/2003	4/13/2004	4/13/2004	9/24/2004	12/2/2004	12/3/2004	3/10/2005
1,2,4-Trimethylbenzene	540	570	780	1100	1100	1000	1900	1600	1500	1100
1,3,5-Trimethylbenzene	120	130	170	230	310	280	390	410	360	260
Acetone	< 28	< 28	< 31	< 55	< 26	< 19	<53	<37	<37	<25
Benzene	< 9.2	< 9.2	< 11	< 17	13	17	<16	<11	<11	<7.3
n-Butylbenzene	----	----	----	----	----	----	----	----	----	----
sec-Butylbenzene	----	----	----	----	----	----	----	----	----	----
Ethylbenzene	10	< 10	16	38	9.4	8.4	50	26	27	21
Hexachlorobutadiene	----	----	----	----	----	----	----	----	----	----
Isopropylbenzene	----	----	----	----	----	----	----	----	----	----
p-Isopropyltoluene	----	----	----	----	----	----	----	----	----	----
Methylene chloride	< 7.2	< 7.2	< 8.3	< 23	< 11	< 8	<14	49	42	<6.3
Naphthalene	< 10	< 10	14	20	< 6.4	7.6	<11	<7.5	<7.5	14
n-Propylbenzene	----	----	----	----	----	----	----	----	----	----
Toluene	< 9.8	< 9.8	< 11	< 14	< 6.8	< 4.9	<12	<8.5	<8.5	<5.7
Xylenes (total)	29	27	54	160	52	39	210	93	87	77

Metals, mg/L

Arsenic	0.0089	0.009	0.0065	0.0091	0.0086	0.0083	0.0066	0.0095	0.01	0.0083
Barium	0.3	0.32	0.26	0.29	0.33	0.33	0.29	0.32	0.33	0.315
Cadmium	< 0.00028	< 0.00028	< 0.00028	< 0.00036	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028	< 0.00028
Cobalt	< 0.00074	< 0.00074	< 0.00074	< 0.0011	< 0.00096	< 0.00096	< 0.00096	< 0.00096	< 0.00096	< 0.00096
Iron	16.9	17.2	15.4	18.9	24.7	25.4	18	22.9	23.2	23.8
Lead	< 0.0016	< 0.0016	< 0.0016	< 0.0023	< 0.0017	< 0.0017	< 0.0017	< 0.0017	< 0.0017	< 0.0017
Manganese	2.1	2.1	1.8	2.1	2.1	2.2	2.1	2.5	2.5	2.14
Mercury	< 0.000087	< 0.000087	< 0.000087	< 0.000067	< 0.000029	< 0.000029	0.000045	< 0.000029	< 0.000029	< 0.000029
Vanadium	< 0.00067	< 0.00067	< 0.00067	< 0.00096	< 0.00071	0.00088	< 0.00071	< 0.00071	0.0012	0.0011

Dissolved Gases, ug/L

Ethane	< 3	< 3	< 3	< 3	< 2.8	< 2.8	---	---	---	----
Ethene	< 2.9	< 2.9	< 2.9	< 2.9	< 2.6	< 2.6	---	---	---	----
Methane	1200	750	1700	1400	160	500	---	---	---	----

**Natural Attenuation
Parameters, mg/L**

Chloride	13.5	13.5	10.2	7.7	11.4	11	---	5.9	6.1	----
Nitrate as N	< 0.0076	< 0.0076	< 0.0076	< 0.019	< 0.016	< 0.016	---	< 0.016	< 0.016	----
Sulfate	0.98	0.92	0.22	0.15	1	---	---	0.14	0.44	----
Total Alkalinity	280	280	260	290	310	310	---	---	---	----
Total Organic Carbon	5	6	5	4	12	14	---	---	---	----

pH	6.66	7.15	---	6.825	---	---	6.34	6.61	---	7.22
Conductivity (mS/cm)	0.612	0.543	---	0.611	---	---	0.635	0.645	---	0.596
Temperature (C)	12.02	10.15	---	11.72	---	---	11.88	12.44	---	11.19
ORP (mV)	117	132	---	133	---	---	181	173	---	179
Dissolved Oxygen (mg/L)	4.49	0.58	---	7.49	---	---	3.02	1.13	---	2.08

Note: Please see notes provided at the end of this table.

**Table 1
MW-4S
Summary of Detected Compounds
Onalaska Superfund Landfill**

Volatile Organic Compounds (VOC), ug/L	Duplicate		Duplicate		BT ² Project #3550		PAL	ES		
	3/10/2005	6/9/2005	6/9/2005	3/23/2006	9/7/2006	3/22/2007			9/11/2007	4/9/2008
1,2,4-Trimethylbenzene	1100	1500	1700	580	1200	660	1200	440	96	480
1,3,5-Trimethylbenzene	270	380	420	150	260	110	280	120	96	480
Acetone	<25	<37	<37	48	<25	<12	<55	----	200	1000
Benzene	<7.3	<11	<11	<3.7	<7.3	<3.7	<6.5	<0.20	0.5	5
n-Butylbenzene	----	----	----	----	----	----	----	9.5	----	----
sec-Butylbenzene	----	----	----	----	----	----	----	16	----	----
Ethylbenzene	21	32	27	4.1	9.6	3.7	19	1.3	140	700
Hexachlorobutadiene	----	----	----	----	----	----	----	1.2	----	----
Isopropylbenzene	----	----	----	----	----	----	----	6.4	----	----
p-Isopropyltoluene	----	----	----	----	----	----	----	30	----	----
Methylene chloride	<6.3	<9.5	<9.5	<3.2	<6.3	<3.2	<16	<1.0	0.5	5
Naphthalene	13	32	25	7	18	8.3	30	5.1	10	100
n-Propylbenzene	----	----	----	----	----	----	----	13	----	----
Toluene	<5.7	<8.5	<8.5	<2.8	<5.7	<2.8	<6.5	0.42	200	1,000
Xylenes (total)	79	140	120	23	52	25	120	13	1,000	10,000

Metals, mg/L

Arsenic	0.0101	0.0091	0.0092	0.0052	<0.0043	<0.0043	0.0058	0.0046	0.001	0.01
Barium	0.313	0.361	0.342	0.248	0.267	0.244	0.328	0.27	0.4	2
Cadmium	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	0.00001	0.0005	0.005
Cobalt	<0.00096	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	0.00068	0.008	0.04
Iron	23.3	27.5	25.9	17	16.1	13.3	14.9	11	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00019	0.0015	0.015
Manganese	2.13	2.29	2.14	1.41	1.78	1.28	1.84	1.3	0.025	0.05
Mercury	<0.000029	0.000087	0.000042	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	0.00074	<0.00071	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	0.0019	0.006	0.03

Dissolved Gases, ug/L

Ethane	----	----	----	----	----	----	----	----	----	----
Ethene	----	----	----	----	----	----	----	----	----	----
Methane	----	----	----	----	----	----	----	----	----	----

Natural Attenuation

Parameters, mg/L

Chloride	----	15.9	15.6	13.8	9.6	8.9	4.4	13	125	250
Nitrate as N	----	<0.016	<0.016	<0.015	<0.031	0.36	<0.023	----	2	10
Sulfate	----	0.16	0.18	2.9	0.68	0.83	<0.12	----	125	250
Total Alkalinity	----	----	----	220	260	240	340	310	----	----
Total Organic Carbon	----	----	----	9	12	10	14	----	----	----

pH	----	6.44	----	6.96	-94.2	6.89	6.75	6.66	----	----
Conductivity (mS/cm)	----	391	----	330	343	350	0.404	884	----	----
Temperature (C)	----	10.49	----	11.21	12.13	10.58	11.73	8.2	----	----
ORP (mV)	----	-78.3	----	-73	-94.2	-56.7	118.6	-7	----	----
Dissolved Oxygen (mg/L)	----	1.43	----	3.6	0.18	0.75	1.09	1.0	----	----

Note: Please see notes provided at the end of this table.

Table I
MW-5S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	4/22/2003	10/7/2003	4/14/2004	Duplicate 4/14/2004	9/23/2004	Duplicate 9/23/2004	12/2/2004	Duplicate 12/2/2004
1,2,4-Trimethylbenzene	210	180	750	67	51	210	150	1300	1200
1,3,5-Trimethylbenzene	47	38	200	2.7	2.4	19	15	350	330
2-Butanone	< 4.5	< 3.4	< 24	< 1.2	< 0.72	< 2.2	< 3	< 20	< 20
n-Butylbenzene	----	----	----	----	----	----	----	----	----
sec-Butylbenzene	----	----	----	----	----	----	----	----	----
tert-Butylbenzene	----	----	----	----	----	----	----	----	----
Acetone	< 8.5	< 6.3	< 44	< 2.2	< 1.3	< 4.2	< 5.7	< 37	< 37
Benzene	< 2.8	< 2.1	< 13	1.5	0.56	< 1.3	< 1.7	< 11	< 11
Ethylbenzene	6.2	5.1	29	1.5	1.2	5.9	5.7	60	54
Isopropylbenzene	----	----	----	----	----	----	----	----	----
p-Isopropyltoluene	----	----	----	----	----	----	----	----	----
Methylene chloride	3.9	< 1.7	< 19	< 0.93	< 0.56	< 1.1	< 1.5	41	41
Naphthalene	6.2	5.4	28	2.2	1.6	7.7	14	< 7.5	< 7.5
n-Propylbenzene	----	----	----	----	----	----	----	----	----
Toluene	< 3	< 2.2	< 11	< 0.57	< 0.34	< 0.97	< 1.3	< 8.5	< 8.5
Xylenes (total)	12	13	150	2	1.8	120	94	160	160

Metals, mg/L

Arsenic	0.0098	0.011	0.022	0.01	0.012	0.0053	0.0047	0.012	0.012
Barium	0.18	0.28	0.27	0.27	0.28	0.29	0.29	0.31	0.29
Cadmium	< 0.00028	< 0.00028	< 0.00036	< 0.00028	< 0.00028	< 0.00028	< 0.00028	0.00032	0.00033
Cobalt	0.0025	0.0041	0.0058	0.0045	0.0041	0.0056	0.0054	0.0094	0.0091
Iron	10.2	19.4	30.5	11.2	11.7	15.9	16.3	34.7	31.9
Lead	< 0.0016	< 0.0016	< 0.0023	< 0.0017	< 0.0017	< 0.0017	0.003	< 0.0017	< 0.0017
Manganese	1.6	2	2.3	1.3	1.3	2.5	2.6	3.3	3.1
Mercury	0.000088	< 0.000087	0.000075	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029
Vanadium	< 0.00067	< 0.00067	< 0.00096	< 0.00071	< 0.00071	< 0.00071	< 0.00071	< 0.00071	< 0.00071

Dissolved Gases, ug/L

Ethane	< 3	< 0.3	< 3	< 1.4	< 2.8	---	---	---	---
Ethene	< 2.9	< 0.29	< 2.9	< 1.3	< 2.6	---	---	---	---
Methane	130	230	910	1100	490	---	---	---	---

Natural Attenuation

Parameters, mg/L

Chloride	5.8	5.7	4.3	4.6	4.5	---	---	5	5
Nitrate as N	0.1	0.62	0.02	0.94	1.3	---	---	0.47	0.45
Sulfate	0.34	3.3	0.16	1.8	2.3	---	---	0.77	0.81
Total Alkalinity	140	160	180	160	160	---	---	---	---
Total Organic Carbon	5	4	9	6	6	---	---	---	---

pH	6.99	7.12	6.65	---	---	6.1	---	6.42	---
Conductivity (mS/cm)	0.333	0.379	0.425	---	---	0.645	---	0.549	---
Temperature (C)	12.4	9.66	12.77	---	---	13.51	---	12.73	---
ORP (mV)	106	117	151	---	---	192	---	178	---
Dissolved Oxygen (mg/L)	1.75	0.74	5.12	---	---	2.27	---	1.17	---

Note: Please see notes provided at the end of this table.

Table 1
MW-5S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	Duplicate								PAL
	3/10/2005	6/10/2005	6/10/2005	3/23/2006	9/7/2006	3/22/2007	9/11/2007	4/9/2008	
1,2,4-Trimethylbenzene	490	1300	1200	670	710	1200	1100	460	96
1,3,5-Trimethylbenzene	48	390	370	73	110	120	160	14	96
2-Butanone	<4.9	<16	<16	10	<7.1	<7.8	<28	----	90
n-Butylbenzene	----	----	----	----	----	----	----	6.6	----
sec-Butylbenzene	----	----	----	----	----	----	----	12	----
tert-Butylbenzene	----	----	----	----	----	----	----	11	----
Acetone	<9.2	<31	<31	38	<13	<15	<55	----	200
Benzene	<2.8	<9.2	<9.2	<4.4	<4	<4.4	<6.5	<0.20	0.5
Ethylbenzene	17	57	51	41	19	23	10	11	140
Isopropylbenzene	----	----	----	----	----	----	----	42	----
p-Isopropyltoluene	----	----	----	----	----	----	----	3.5	----
Methylene chloride	<2.4	<7.9	<7.9	<3.8	<3.5	<3.8	<16	<1.0	0.5
Naphthalene	19	41	40	48	42	44	32	26	10
n-Propylbenzene	----	----	----	----	----	----	----	52	----
Toluene	<2.1	<7.1	<7.1	<3.4	<3.1	<3.4	<6.5	0.88	200
Xylenes (total)	61	250	240	53	83	30	40	10	1,000

Metals, mg/L

Arsenic	0.0151	0.0231	0.0227	0.0137	0.0138	0.0121	0.0062	0.015	0.001
Barium	0.391	0.5	0.519	0.392	0.382	0.383	0.281	0.28	0.4
Cadmium	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	0.00002	0.0005
Cobalt	0.0086	0.0126	0.0127	0.0099	0.0105	0.0109	0.0056	0.0082	0.008
Iron	39.7	60.7	59.1	39.2	40.7	39.1	14.6	370	0.15
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.0001	0.0015
Manganese	2.83	3.86	3.83	3.98	4.87	3.79	1.85	2.8	0.025
Mercury	<0.000029	0.00009	0.000058	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002
Vanadium	<0.00071	0.0013	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	0.0012	0.006

Dissolved Gases, ug/L

Ethane	----	----	----	----	----	----	----	----	----
Ethene	----	----	----	----	----	----	----	----	----
Methane	----	----	----	----	----	----	----	----	----

**Natural Attenuation
Parameters, mg/L**

Chloride	----	4.8	4.6	6	2.5	5.9	4.2	2.2	125
Nitrate as N	----	<0.016	<0.016	0.18	<0.031	0.63	0.2	----	2
Sulfate	----	0.2	0.18	0.52	2.5	1	3.6	----	125
Total Alkalinity	----	----	----	200	250	220	280	200	----
Total Organic Carbon	----	----	----	9	13	9	7	----	----

pH	7.12	6.08	----	6.76	6.59	6.71	6.49	5.87	----
Conductivity (mS/cm)	0.489	340	----	320	365	339	0.367	547	----
Temperature (C)	10.51	10.5	----	10.69	12.64	9.83	13.27	5.8	----
ORP (mV)	183	-75.2	----	-59.2	-88.8	-53.5	168.1	+23	----
Dissolved Oxygen (mg/L)	2.51	0.76	----	0.97	0.62	0.65	0.53	1.5	----

Note: Please see notes provided at the end of this table.

Table 1
MW-5S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic

Compounds (VOC), ug/L	ES
1,2,4-Trimethylbenzene	480
1,3,5-Trimethylbenzene	480
2-Butanone	460
n-Butylbenzene	----
sec-Butylbenzene	----
tert-Butylbenzene	----
Acetone	1000
Benzene	5
Ethylbenzene	700
Isopropylbenzene	----
p-Isopropyltoluene	----
Methylene chloride	5
Naphthalene	100
n-Propylbenzene	----
Toluene	1,000
Xylenes (total)	10,000

Metals, mg/L

Arsenic	0.01
Barium	2
Cadmium	0.005
Cobalt	0.04
Iron	0.3
Lead	0.015
Manganese	0.05
Mercury	0.002
Vanadium	0.03

Dissolved Gases, ug/L

Ethane	----
Ethene	----
Methane	----

Natural Attenuation

Parameters, mg/L

Chloride	250
Nitrate as N	10
Sulfate	250
Total Alkalinity	----
Total Organic Carbon	----

pH	----
Conductivity (mS/cm)	----
Temperature (C)	----
ORP (mV)	----
Dissolved Oxygen (mg/L)	----

Note: Please see notes provided at the end of this table.

Table 1
MW-6S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
1,1-Dichloroethane	0.55	0.71	0.29	0.31	<0.21	<0.50	85	850
1,2,4-Trimethylbenzene	< 0.37	< 0.14	<0.12	<0.12	0.27	1.6	96	480
Acetone	2.6	< 0.66	<0.74	<0.74	<0.74	----	200	1000
sec-Butylbenzene	----	----	----	----	----	0.84	----	----
tert-Butylbenzene	----	----	----	----	----	3.7	----	----
Chloroethane	< 0.29	< 0.22	<0.24	<0.24	<0.24	1.2	80	400
cis-1,2-Dichloroethene	< 0.35	0.59	0.36	0.49	0.33	<0.50	7	70
Isopropylbenzene	----	----	----	----	----	0.32	----	----
Methylene chloride	2.2	< 0.28	0.54	<0.19	<0.19	<1.0	0.5	5
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.17	0.35	200	1,000
Trichloroethene	< 0.42	0.37	<0.28	<0.28	<0.28	<0.20	0.5	5

Metals, mg/L	12/12/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Arsenic	< 0.0021	< 0.0029	<0.0026	<0.0026	<0.0043	0.00091	0.001	0.01
Barium	0.17	0.13	0.22	0.265	0.191	0.21	0.4	2
Cadmium	< 0.00028	< 0.00036	<0.00028	<0.00028	<0.00042	0.00012	0.0005	0.005
Cobalt	0.0022	< 0.0011	0.0025	0.0019	0.0016	0.0012	0.008	0.04
Iron	0.065	< 0.044	0.25	0.16	<0.032	<0.0022	0.15	0.3
Lead	< 0.0016	< 0.0023	<0.0017	<0.0017	<0.0017	0.00016	0.0015	0.015
Manganese	2.7	2.7	3.6	4.68	2.72	2.7	0.025	0.05
Mercury	< 0.000087	< 0.000067	<0.000029	<0.000029	<0.00009	<0.000065	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	0.00071	<0.00071	<0.0019	0.0013	0.006	0.03

Dissolved Gases, ug/L	12/12/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Ethane	< 0.3	< 0.3	---	----	----	----	----	----
Ethene	< 0.29	< 0.29	---	----	----	----	----	----
Methane	2.9	7.9	---	----	----	----	----	----

Natural Attenuation Parameters, mg/L	12/12/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Chloride	6.7	5.6	11	12.7	8.8	26	125	250
Nitrate as N	< 0.0076	< 0.019	<0.016	<0.016	<0.031	----	2	10
Sulfate	4	3.6	9.7	0.99	0.86	----	125	250
Total Alkalinity	160	150	---	----	210	230	----	----
Total Organic Carbon	6	5	---	----	4	----	----	----

pH	7.45	7.37	7.25	6.97	7.3	7.10	----	----
Conductivity (mS/cm)	0.342	0.307	0.506	316	274	562	----	----
Temperature (C)	11.1	10.28	11.4	9.17	9.53	7.3	----	----
ORP (mV)	113	127	191	31	69.5	+73	----	----
Dissolved Oxygen (mg/L)	2.86	3.08	0.84	7.47	0.66	1.5	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-6M
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
1,1-Dichloroethane	< 0.3	0.61	0.27	0.21	<0.21	<0.50	85	850
1,2,4-Trimethylbenzene	< 0.37	< 0.14	0.23	26	<0.12	6.5	96	480
1,3,5-Trimethylbenzene	< 0.4	< 0.18	<0.16	<0.16	<0.16	<0.20	96	480
Acetone	2.1	< 0.66	<0.74	<0.74	<0.74	----	200	1000
sec-Butylbenzene	----	----	----	----	----	0.76	----	----
tert-Butylbenzene	----	----	----	----	----	1.7	----	----
cis-1,2-Dichloroethene	< 0.35	0.42	0.35	0.42	<0.21	<0.50	7	70
Ethylbenzene	< 0.41	< 0.19	<0.19	0.22	<0.19	<0.50	140	700
Isopropylbenzene	----	----	----	----	----	1.1	----	----
Methylene chloride	2.1	< 0.28	0.44	<0.19	<0.19	<1.0	0.5	5
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.17	0.69	200	1,000

Metals, mg/L								
Arsenic	0.0024	< 0.0029	<0.0026	<0.0026	<0.0043	0.0022	0.001	0.01
Barium	0.75	0.89	0.77	1.07	0.744	1.7	0.4	2
Cadmium	< 0.00028	< 0.00036	<0.00028	<0.00028	<0.00042	0.00001	0.0005	0.005
Cobalt	< 0.00074	< 0.0011	<0.00096	<0.00096	<0.0012	0.0027	0.008	0.04
Iron	< 0.042	0.12	<0.049	<0.049	<0.032	<0.0022	0.15	0.3
Lead	< 0.0016	0.0024	0.0023	<0.0017	<0.0017	0.00007	0.0015	0.015
Manganese	1.7	2.8	2	2.48	1.9	3.7	0.025	0.05
Mercury	0.000097	< 0.000067	<0.000029	0.000055	<0.00009	<0.000065	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	<0.00071	<0.00071	<0.0019	0.0015	0.006	0.03

Dissolved Gases, ug/L								
Ethane	< 0.3	< 0.3	---	----	----	----	----	----
Ethene	< 0.29	< 0.29	---	----	----	----	----	----
Methane	1.1	6.6	---	----	----	----	----	----

Natural Attenuation Parameters, mg/L								
Chloride	6	4.7	5	7.4	5.5	16	125	250
Nitrate as N	< 0.0076	0.02	<0.016	<0.016	<0.031	----	2	10
Sulfate	0.42	1.8	0.2	0.21	<0.12	----	125	250
Total Alkalinity	100	140	---	----	130	310	----	----
Total Organic Carbon	4	3	---	----	4	----	----	----

pH	7.49	7.44	7.64	7.53	7.75	7.41	----	----
Conductivity (mS/cm)	0.227	0.289	0.3	199	178	530	----	----
Temperature (C)	10.5	10.71	10.25	10.51	10.13	9.5	----	----
ORP (mV)	96	140	195	25.4	77.9	+95	----	----
Dissolved Oxygen (mg/L)	0.42	4.41	3.22	1.42	1.67	3.0	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-8S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatiles Organic Compounds (VOC), ug/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	Duplicate 04/09/2008	PAL	ES
Acetone	2.2	< 0.66	<0.74	<0.74	1	----	----	200	1000
Methylene chloride	2.6	< 0.28	0.5	<0.19	0.2	<1.0	<1.0	0.5	5
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.17	0.21	0.20	200	1,000

Metals, mg/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	Duplicate 04/09/2008	PAL	ES
Arsenic	< 0.0021	< 0.0029	<0.0026	<0.0026	<0.0043	0.00043	----	0.001	0.01
Barium	0.088	0.093	0.073	0.0637	0.0525	0.064	----	0.4	2
Cadmium	< 0.00028	< 0.00036	0.00029	<0.00028	<0.00042	0.00003	----	0.0005	0.005
Cobalt	< 0.00074	< 0.0011	<0.00096	<0.00096	<0.0012	0.00022	----	0.008	0.04
Iron	0.052	< 0.044	0.45	<0.049	<0.032	<0.0022	----	0.15	0.3
Lead	< 0.0016	< 0.0023	<0.0017	<0.0017	<0.0017	0.00018	----	0.0015	0.015
Manganese	0.59	0.32	0.79	0.33	0.135	0.14	----	0.025	0.05
Mercury	< 0.000087	< 0.000067	<0.000029	<0.000029	<0.00009	<0.000065	----	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	0.001	<0.00071	<0.0019	0.0014	----	0.006	0.03

Dissolved Gases, ug/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	Duplicate 04/09/2008	PAL	ES
Ethane	< 0.3	< 0.3	---	---	---	----	----	----	----
Ethene	< 0.29	< 0.29	---	---	---	----	----	----	----
Methane	0.58	6.2	---	---	---	----	----	----	----

Natural Attenuation Parameters, mg/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	Duplicate 04/09/2008	PAL	ES
Chloride	9.5	17.2	7.1	6.8	17.4	33	----	125	250
Nitrate as N	1.5	0.15	0.21	0.087	0.051	----	----	2	10
Sulfate	12.3	5.6	12.2	9.4	2.4	----	----	125	250
Total Alkalinity	190	230	---	---	230	250	----	----	----
Total Organic Carbon	0.9	2	---	---	3	----	----	----	----

pH	7.32	7.15	7.41	7.15	7.32	7.31	----	----	----
Conductivity (mS/cm)	0.44	0.497	0.373	237	316	466	----	----	----
Temperature (C)	11.73	11.96	12.14	9.5	9.52	7.9	----	----	----
ORP (mV)	124	177	208	163	271.5	+4	----	----	----
Dissolved Oxygen (mg/L)	7.07	4.3	3.34	6.64	5.32	7.0	----	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-8M
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
1,2,4-Trimethylbenzene	< 0.37	0.36	1.7	4.1	28	4.8	96	480
1,3,5-Trimethylbenzene	< 0.4	0.22	<0.16	1.6	<0.27	<0.20	96	480
Acetone	2.9	< 0.66	<0.74	<0.74	1.9	---	200	1000
Benzene	< 0.37	< 0.2	0.3	0.53	<0.37	<0.20	0.5	5
sec-Butylbenzene	---	---	---	---	---	4.3	---	---
tert-Butylbenzene	---	---	---	---	---	0.84	---	---
Chloroethane	< 0.29	< 0.22	0.43	<0.24	<0.4	<1.0	80	400
cis-1,2-Dichloroethene	< 0.35	< 0.25	0.41	0.39	<0.35	<0.50	7	70
Ethylbenzene	< 0.41	< 0.19	2.4	2.6	0.74	<0.50	140	700
Isopropylbenzene	---	---	---	---	---	1.1	---	---
Methylene chloride	3.2	< 0.28	0.55	<0.19	0.32	<1.0	0.5	5
Naphthalene	< 0.42	< 0.16	<0.15	0.43	<0.25	<0.25	8	40
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.28	0.44	200	1,000
Trichloroethene	< 0.42	0.23	0.3	<0.28	<0.47	<0.20	0.5	5

Metals, mg/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Arsenic	< 0.0021	< 0.0029	0.0027	0.0047	0.0058	0.0042	0.001	0.01
Barium	0.68	0.73	0.7	0.997	0.874	0.68	0.4	2
Cadmium	< 0.00028	< 0.00036	0.0003	<0.00028	<0.00042	0.00003	0.0005	0.005
Cobalt	< 0.00074	< 0.0011	<0.00096	<0.00096	<0.0012	0.00089	0.008	0.04
Iron	< 0.042	0.045	0.12	0.4	0.27	0.36	0.15	0.3
Lead	< 0.0016	< 0.0023	0.002	<0.0017	<0.0017	0.00022	0.0015	0.015
Manganese	2.7	2.8	3.3	4.34	3.97	3.0	0.025	0.05
Mercury	0.00009	< 0.00067	<0.00029	0.000063	<0.00009	<0.00065	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	<0.00071	<0.00071	<0.0019	0.0012	0.006	0.03

Dissolved Gases, ug/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Ethane	< 0.3	< 0.3	---	---	---	---	---	---
Ethene	< 0.29	< 0.29	---	---	---	---	---	---
Methane	2	110	---	---	---	---	---	---

Natural Attenuation Parameters, mg/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/21/2007	4/9/2008	PAL	ES
Chloride	2.6	12.8	14	21.9	12.4	13	125	250
Nitrate as N	< 0.0076	< 0.019	<0.016	<0.016	<0.031	---	2	10
Sulfate	5.7	1.1	0.84	0.48	0.45	---	125	250
Total Alkalinity	220	240	---	---	330	260	---	---
Total Organic Carbon	2	3	---	---	4	---	---	---

pH	7.41	7.31	7.37	7.3	7.48	7.32	---	---
Conductivity (mS/cm)	0.422	0.479	0.558	393	426	561	---	---
Temperature (C)	9.95	10.44	10.21	10.88	10.64	8.8	---	---
ORP (mV)	105	150	194	-49.1	-39.1	-17	---	---
Dissolved Oxygen (mg/L)	1.74	0.92	1.02	0.79	1	1.0	---	---

Note: Please see notes provided at the end of this table.

Table 1
MW-14S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	12/2/2004	6/9/2005	3/22/2006	9/8/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
1,2,4-Trimethylbenzene	1.7	0.97	5.5	2.1	3.1	2.5	1.9	3.7	1.1	4.4	0.29	96	480
1,3,5-Trimethylbenzene	0.64	< 0.4	1.8	0.8	1.3	0.96	0.66	1.1	0.34	1.8	<0.20	96	480
2-Butanone	< 0.59	< 0.59	< 1.8	< 0.36	<0.65	<0.39	1.2	<0.65	<0.39	<0.57	---	90	460
Acetone	4.3	< 1.1	< 3.3	< 0.66	2	<0.74	2.3	<1.2	2.1	<1.1	---	200	1000
Benzene	< 0.37	< 0.37	< 1	0.43	<0.37	<0.22	<0.22	<0.37	<0.22	<0.13	<0.20	0.5	5
n-Butylbenzene	---	---	---	---	---	---	---	---	---	---	0.72	---	---
sec-Butylbenzene	---	---	---	---	---	---	---	---	---	---	0.36	---	---
Ethylbenzene	< 0.41	< 0.41	1.2	0.4	0.78	0.76	0.49	0.98	0.35	1	<0.50	140	700
Isopropylbenzene	---	---	---	---	---	---	---	---	---	---	0.24	---	---
Methylene chloride	2.1	< 0.29	< 1.4	< 0.28	1.2	<0.19	<0.19	<0.32	0.3	<0.33	<1.0	0.5	5
Naphthalene	5	2.2	18	6	11	13	8.8	18	7.5	16	1.9	10	100
Xylenes (total)	1.4	0.47	2.3	1.1	2.1	2.3	1.4	2.6	0.86	2.9	<0.50	1,000	10,000

Metals, mg/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	12/2/2004	6/9/2005	3/22/2006	9/8/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Arsenic	< 0.0021	< 0.0021	< 0.0029	< 0.0026	0.0029	<0.0026	<0.0043	<0.0043	<0.0043	<0.0043	0.00053	0.001	0.01
Barium	0.18	0.084	0.19	0.11	0.16	0.168	0.117	0.154	0.0893	0.13	0.091	0.4	2
Cadmium	0.00045	< 0.00028	< 0.00036	< 0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	0.00006	0.0005	0.005
Cobalt	0.0052	0.0015	< 0.0011	0.0017	0.0013	0.0018	<0.0012	<0.0012	<0.0012	0.0013	0.0001	0.008	0.04
Iron	11.6	2.5	17.8	5.4	12.1	12.9	7.4	13.6	3.5	8.4	4.8	0.15	0.3
Lead	< 0.0016	< 0.0016	< 0.0023	< 0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.0001	0.0015	0.015
Manganese	3.7	0.83	7	1.9	3.1	2.88	1.9	3.36	1.05	2.2	1.6	0.025	0.05
Mercury	0.00088	< 0.00087	< 0.00067	< 0.00029	<0.00029	0.00069	<0.0009	<0.0009	<0.0009	<0.0009	<0.00065	0.0002	0.002
Vanadium	< 0.00067	< 0.00067	< 0.00096	< 0.00071	0.0011	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	0.00077	0.006	0.03

Dissolved Gases, ug/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	12/2/2004	6/9/2005	3/22/2006	9/8/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Ethane	< 3	< 0.6	< 3	< 1.4	---	---	---	---	---	---	---	---	---
Ethene	< 2.9	< 0.58	< 2.9	< 1.3	---	---	---	---	---	---	---	---	---
Methane	450	430	1200	1700	---	---	---	---	---	---	---	---	---

Natural Attenuation Parameters, mg/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	12/2/2004	6/9/2005	3/22/2006	9/8/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Chloride	5	5.4	7.3	5.7	3.4	4.4	6	5.6	5.8	2.6	5.2	125	250
Nitrate as N	0.01	0.34	< 0.019	0.21	0.082	0.13	0.16	<0.031	0.16	0.1	---	2	10
Sulfate	3	5.4	0.18	8.4	4.3	3.9	7.9	2.6	4.4	6.3	---	125	250
Total Alkalinity	210	150	170	160	---	---	170	180	140	190	140	---	---
Total Organic Carbon	14	5	12	10	---	---	7	9	6	13	---	---	---

pH	6.88	6.96	6.89	---	6.41	6.45	6.91	6.75	6.77	6.59	7.26	---	---
Conductivity (mS/cm)	0.441	0.328	0.404	---	0.385	229	223	247	201	0.248	248	---	---
Temperature (C)	11.13	7.7	12.24	---	11.6	9.3	8.52	12.05	7.97	12.38	6.0	---	---
ORP (mV)	114	166	162	---	188	-45.5	-23.3	-88.1	13.4	181.3	-17	---	---
Dissolved Oxygen (mg/L)	3.22	5.02	6.03	---	2.11	4.08	7.56	0.84	4.35	6.13	---	---	---

Note: Please see notes provided at the end of this table.

Table 1
MW-15M
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	Duplicate										PAL	ES
	12/12/2002	10/7/2003	10/7/2003	12/2/2004	6/8/2005	3/22/2006	9/7/2006	3/22/2007	9/11/2007	4/9/2008		
1,1-Dichloroethane	1	< 0.26	< 0.26	<0.21	<0.21	<2.1	<0.21	<0.21	<0.15	<0.50	85	850
1,2,4-Trimethylbenzene	< 0.37	0.29	0.28	<0.12	<0.12	290	12	4.1	<0.12	0.22	96	480
2-Butanone	< 0.59	< 0.36	< 0.36	<0.39	<0.39	5.7	<0.39	<0.39	<0.57	----	90	460
Acetone	< 1.1	< 0.66	< 0.66	<0.74	<0.74	12	<0.74	<0.74	1.2	----	200	1000
sec-Butylbenzene	----	----	----	----	----	----	----	----	----	1.5	----	----
tert-Butylbenzene	----	----	----	----	----	----	----	----	----	0.35	----	----
Chlorobenzene	< 0.38	< 0.16	< 0.16	<0.2	0.26	<2	<0.2	<0.2	0.39	<0.20	----	----
cis-1,2-Dichloroethene	0.56	0.29	0.26	<0.21	<0.21	<2.1	<0.21	<0.21	0.24	<0.50	7	70
Methylene chloride	3	< 0.28	< 0.28	0.44	<0.19	<1.9	<0.19	<0.19	<0.33	<1.0	0.5	5
Naphthalene	< 0.42	< 0.16	< 0.16	<0.15	<0.15	2.5	<0.15	<0.15	<0.24	<0.25	10	100
Toluene	< 0.39	< 0.17	< 0.17	<0.17	<0.17	<1.7	<0.17	<0.17	<0.13	0.22	200	1,000

Metals, mg/L												
Arsenic	0.0054	< 0.0029	< 0.0029	<0.0026	0.0026	<0.0043	<0.0043	<0.0043	<0.0043	0.00047	0.001	0.01
Barium	0.86	0.74	0.75	0.44	0.958	1.06	0.874	0.679	0.834	0.52	0.4	2
Cadmium	0.00031	0.00092	< 0.00036	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	0.00017	0.0005	0.005
Cobalt	0.0012	< 0.0011	< 0.0011	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	0.00073	0.008	0.04
Iron	1.1	4.1	1.6	0.51	0.64	0.67	0.13	0.069	0.3	<0.0022	0.15	0.3
Lead	0.0049	0.13	0.043	<0.0017	0.002	<0.0017	<0.0017	<0.0017	<0.0017	0.00058	0.0015	0.015
Manganese	3.6	3.4	3.5	2.2	4.65	5.53	5.01	3.43	4.72	2.7	0.025	0.05
Mercury	0.000092	< 0.000067	< 0.000067	<0.000029	0.0001	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	< 0.00096	<0.00071	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	0.00083	0.006	0.03

Dissolved Gases, ug/L												
Ethane	< 0.3	< 0.3	< 0.3	---	---	---	---	---	---	---	---	---
Ethene	< 0.29	< 0.29	< 0.29	---	---	---	---	---	---	---	---	---
Methane	12	19	21	---	---	---	---	---	---	---	---	---

Natural Attenuation Parameters, mg/L												
Chloride	5.2	5.1	5.2	3.8	12.3	7.3	9.1	8.5	12.8	6.2	125	250
Nitrate as N	0.03	< 0.019	< 0.019	<0.016	<0.016	<0.015	<0.031	<0.031	<0.023	---	2	10
Sulfate	2.4	5.8	5.6	5.5	3.6	0.84	0.67	1.8	0.2	---	125	250
Total Alkalinity	240	230	230	---	---	330	300	220	320	240	----	----
Total Organic Carbon	3	2	2	---	---	7	5	6	5	---	----	----

pH	7.25	7.2	---	7.44	7.2	7.43	7.41	7.44	7.3	7.63	----	----
Conductivity (mS/cm)	0.466	0.469	---	0.299	320	397	344	297	0.377	380	----	----
Temperature (C)	10.65	10.76	---	10.31	10.64	10.18	10.84	10.18	10.67	8.8	----	----
ORP (mV)	93	100	---	172	-59.2	-50	-74.6	-32.5	202.3	+310	----	----
Dissolved Oxygen (mg/L)	0.51	2.3	---	0.68	0.66	1.42	0.64	0.71	0.56	1.0	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-16S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	3/23/2006	Duplicate 3/23/2006	6/9/2006	Duplicate 6/9/2006	9/7/2006	Duplicate 9/7/2006	12/11/2006	Duplicate 12/11/2006	3/23/2007	Duplicate 3/23/2007
1,2,4-Trimethylbenzene	1500	1500	390	370	1800	1800	400	400	370	400
1,3,5-Trimethylbenzene	150	160	16	12	200	200	9.8	8.8	9.3	14
n-Butylbenzene	----	----	----	----	----	----	----	----	----	----
sec-Butylbenzene	----	----	----	----	----	----	----	----	----	----
tert-Butylbenzene	----	----	----	----	----	----	----	----	----	----
Acetone	120	110	27	31	<46	<46	<4.9	<4.9	<4.9	<4.9
Benzene	<15	<15	<3.7	<3.7	<14	<14	<1.5	<1.5	<1.5	<1.5
Chlorobenzene	<13	<13	<3.3	<3.3	<12	<12	<1.3	<1.3	1.7	1.7
Ethylbenzene	22	24	4.6	4.2	20	19	8.1	7	8.1	10
Isopropylbenzene	----	----	----	----	----	----	----	----	----	----
p-Isopropyltoluene	----	----	----	----	----	----	----	----	----	----
Methylene chloride	<13	<13	<3.2	<3.2	<12	<12	4.7	4.4	<1.3	<1.3
Naphthalene	37	35	4.9	4.8	37	37	27	29	49	48
n-Propylbenzene	----	----	----	----	----	----	----	----	----	----
Toluene	<11	<11	<2.8	<2.8	<11	<11	<1.1	<1.1	<1.1	<1.1
Xylenes (total)	91	93	22	22	61	59	15	12	12	18

Metals, mg/L

Arsenic	0.0099	0.0104	0.0076	0.0096	0.0111	0.0099	0.0057	0.0062	0.0124	0.0138
Barium	0.45	0.454	0.408	0.402	0.366	0.369	0.212	0.209	0.274	0.292
Cadmium	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042
Cobalt	0.0052	0.0053	0.0072	0.0071	0.0039	0.0029	0.0021	0.0021	0.0025	0.0035
Iron	42.6	44.6	46.4	46	37.3	37.4	22.3	21.9	32.6	35.3
Lead	0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017
Manganese	9.53	9.61	12.2	12	8.42	8.29	4.52	4.46	5.38	5.5
Mercury	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009
Vanadium	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019

Natural Attenuation

Parameters, mg/L

Chloride	4.7	4.9	17.8	17.5	12.3	11.8	36.2	36.4	21.8	21.9
Nitrate as N	<0.015	<0.015	<0.015	<0.015	<0.031	<0.031	<0.031	<0.031	<0.031	<0.031
Sulfate	2.4	2.6	4.4	4.1	<0.12	<0.12	<0.12	<0.12	1.9	1.8
Total Alkalinity	470	480	570	580	460	450	180	180	260	250
Total Organic Carbon	12	12	9	10	11	11	7	7	10	10

pH	6.75	---	6.62	----	6.58	----	6.68	----	6.63	----
Conductivity (mS/cm)	624	---	766	----	625	----	393	----	419	----
Temperature (C)	9.27	---	10.44	----	14.16	----	11.59	----	9.3	----
ORP (mV)	-55.8	---	-89.1	----	-110.6	----	-92	----	-42.5	----
Dissolved Oxygen (mg/L)	2.22	---	2.2	----	0.83	----	1.59	----	0.54	----

Note: Please see notes provided at the end of this table.

Table 1
MW-16S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	Duplicate		Duplicate		4/9/2008	PAL	ES
	6/21/2007	6/21/2007	9/11/2007	9/11/2007			
1,2,4-Trimethylbenzene	610	590	400	440	130	96	480
1,3,5-Trimethylbenzene	11	14	<2.7	<2.7	14	96	480
n-Butylbenzene	----	----	----	----	14	----	----
sec-Butylbenzene	----	----	----	----	16	----	----
tert-Butylbenzene	----	----	----	----	8.3	----	----
Acetone	<37	<37	<31	<31	----	200	1000
Benzene	<4.3	<4.3	<3.7	<3.7	0.42	0.5	5
Chlorobenzene	<5	<5	<4.3	<4.3	0.52	----	----
Ethylbenzene	<5.7	<5.7	<4.9	<4.9	4.2	140	700
Isopropylbenzene	----	----	----	----	38	----	----
p-Isopropyltoluene	----	----	----	----	3.2	----	----
Methylene chloride	58	59	<9.4	<9.4	<1.0	0.5	5
Naphthalene	8	9.4	7.1	<6.9	30	10	100
n-Propylbenzene	----	----	----	----	61	----	----
Toluene	<4.3	<4.3	<3.7	<3.7	0.51	200	1,000
Xylenes (total)	16	17	16	16	14	1,000	10,000

Metals, mg/L

Arsenic	0.012	0.0106	0.0104	0.0102	0.015	0.001	0.01
Barium	0.513	0.484	0.461	0.461	0.24	0.4	2
Cadmium	<0.00042	<0.00042	<0.00042	<0.00042	0.00001	0.0005	0.005
Cobalt	0.0054	0.0055	0.0036	0.0039	0.0026	0.008	0.04
Iron	43.1	41.1	29.6	28.7	32	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	0.00004	0.0015	0.015
Manganese	11.8	11.3	12.2	12.6	3.4	0.025	0.05
Mercury	0.000095	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	<0.0019	<0.0019	<0.0019	<0.0019	0.0026	0.006	0.03

Natural Attenuation

Parameters, mg/L

Chloride	14.2	14.2	39.7	39.4	13	125	250
Nitrate as N	<0.031	<0.031	<0.023	<0.023	----	2	10
Sulfate	6.1	6.1	1.8	1.8	----	125	250
Total Alkalinity	610	610	590	590	220	----	----
Total Organic Carbon	11	11	10	10	----	----	----
pH	6.69	----	6.58	----	6.67	----	----
Conductivity (mS/cm)	819	----	0.843	----	619	----	----
Temperature (C)	10.79	----	15.49	----	6.7	----	----
ORP (mV)	-82.3	----	-64.3	----	+235	----	----
Dissolved Oxygen (mg/L)	1.42	----	1.17	----	3.0	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-16M
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	Duplicate					Duplicate					PAL	ES
	3/23/2006	3/23/2006	6/9/2006	9/7/2006	12/11/2006	3/23/2007	3/23/2007	6/21/2007	9/11/2007	4/9/2008		
1,4-Dichlorobenzene	---	---	---	---	---	---	---	---	---	0.23	15	75
1,2,4-Trimethylbenzene	34	37	15	190	68	240	240	47	2.7	13	96	480
1,3,5-Trimethylbenzene	<0.32	<0.32	<0.16	<1.1	<0.16	7.1	8.6	<0.24	<0.096	2.2	96	480
2-Butanone	<0.78	1.4	<0.39	<2.6	<0.39	<1.3	<1.3	<1.4	<0.57	---	90	460
Acetone	4.3	4.2	<0.74	<4.9	<0.74	<2.5	<2.5	<2.8	<1.1	---	200	1000
Benzene	0.97	0.86	0.76	<1.5	0.59	1.6	1.7	<0.32	0.88	1.2	0.5	5
n-Butylbenzene	---	---	---	---	---	---	---	---	---	0.5	---	---
sec-Butylbenzene	---	---	---	---	---	---	---	---	---	0.36	---	---
tert-Butylbenzene	---	---	---	---	---	---	---	---	---	0.27	---	---
Chlorobenzene	2.2	2.2	1.7	<1.3	1.7	2.9	2.8	1.8	1	1.3	---	---
Chloroethane	1.3	1.4	1.3	<1.6	<0.24	<0.8	0.87	<0.72	0.44	<1.0	80	400
Isopropylbenzene	---	---	---	---	---	---	---	---	---	1.2	---	---
Methylene chloride	<0.38	<0.38	<0.19	<1.3	<0.19	<0.63	<0.63	2.7	<0.33	<1.0	0.5	5
Naphthalene	3.1	3	1.8	23	5.8	13	12	2.1	0.3	0.87	10	100
Toluene	<0.34	<0.34	<0.17	<1.1	<0.17	<0.57	<0.57	<0.32	<0.13	0.40	200	1,000
Xylenes (total)	4.2	4	1.4	3.6	2.7	5	7	<0.7	0.7	5.0	1,000	10,000
Metals, mg/L												
Arsenic	0.0225	0.0213	0.0204	0.0103	<0.0043	0.0277	0.0245	0.0234	0.0141	0.028	0.001	0.01
Barium	1.04	0.981	1.13	1.31	1.14	1.84	1.81	1.01	1.13	1.1	0.4	2
Cadmium	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	0.00002	0.0005	0.005
Cobalt	<0.0012	<0.0012	<0.0012	0.0022	<0.0012	0.0013	<0.0012	<0.0012	<0.0012	0.0019	0.008	0.04
Iron	22.1	20.7	22.6	20.9	7.5	32.9	31.8	18.1	18	21	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00009	0.0015	0.015
Manganese	1.43	1.36	1.28	1.88	1.14	1.82	1.78	1.06	1.32	1.2	0.025	0.05
Mercury	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	0.00096	0.006	0.03
Natural Attenuation Parameters, mg/L												
Chloride	31.9	32	41.1	43.5	42.4	35.2	35.3	23.8	30.1	41	125	250
Nitrate as N	<0.015	<0.015	<0.015	<0.031	<0.031	<0.031	<0.031	<0.031	<0.023	---	2	10
Sulfate	<0.12	<0.12	0.34	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	---	125	250
Total Alkalinity	180	180	170	250	170	260	270	170	180	170	---	---
Total Organic Carbon	5	120	5	7	5	7	7	5	5	---	---	---
pH	7.15	---	7.05	6.99	7.31	7.2	---	7.27	7.17	7.20	---	---
Conductivity (mS/cm)	329	---	355	410	352	481	---	327	0.301	348	---	---
Temperature (C)	10.83	---	11.27	11.48	9.85	11.17	---	11.38	10.87	7.0	---	---
ORP (mV)	-114	---	-140.6	-149.7	-153	-131.5	---	-155.3	-40.5	+10	---	---
Dissolved Oxygen (mg/L)	0.88	---	0.85	0.17	0.48	0.52	---	0.4	0.62	1.0	---	---

Note: Please see notes provided at the end of this table.

Table 1
MW-17S
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	3/23/2006	6/9/2006	9/7/2006	12/11/2006	3/23/2007	6/21/2007	9/11/2007	4/9/2008	PAL	ES
1,2,4-Trimethylbenzene	400	420	1100	550	240	1200	1200	570	96	480
1,3,5-Trimethylbenzene	47	74	67	38	21	45	15	13	96	480
n-Butylbenzene	----	----	----	----	----	----	----	6.7	----	----
sec-Butylbenzene	----	----	----	----	----	----	----	23	----	----
tert-Butylbenzene	----	----	----	----	----	----	----	6.1	----	----
Acetone	82	14	<25	<7.4	<2.5	<69	<69	----	200	1000
Ethylbenzene	7.8	4.9	<6.3	2.7	1.6	<11	<11	2.6	140	700
Isopropylbenzene	----	----	----	----	----	----	----	16	----	----
p-Isopropyltoluene	----	----	----	----	----	----	----	12	----	----
Methylene chloride	<7.6	<2.7	<6.3	6.3	<0.63	130	<21	<1.0	0.5	5
Naphthalene	<6	<2.1	7.7	10	1.4	<15	<15	5.7	10	100
n-Propylbenzene	----	----	----	----	----	----	----	34	----	----
Toluene	<6.8	<2.4	<5.7	<1.7	<0.57	<8.1	<8.1	0.46	200	1,000
Xylenes (total)	22	17	<15	8.7	1.8	<18	<18	8.1	1,000	10,000

Metals, mg/L

Arsenic	0.0086	0.0095	0.009	0.0063	<0.0043	0.0117	0.0116	0.014	0.001	0.01
Barium	0.23	0.183	0.229	0.216	0.146	0.265	0.272	0.27	0.4	2
Cadmium	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	0.00001	0.0005	0.005
Cobalt	<0.0012	0.0016	<0.0012	<0.0012	0.0017	<0.0012	0.0025	0.0019	0.008	0.04
Iron	21	22.2	25.4	22.3	7.6	31.7	30.4	37	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00007	0.0015	0.015
Manganese	3.65	3.22	3.79	3.33	1.39	3.51	4.38	3.7	0.025	0.05
Mercury	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	0.00011	<0.00009	<0.000065	0.0002	0.002
Vanadium	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	0.0019	0.006	0.03

Natural Attenuation

Parameters, mg/L

Chloride	4.2	5.8	4.9	6.4	4.6	4.5	3.1	6.2	125	250
Nitrate as N	0.97	0.29	<0.031	0.2	2.1	0.3	0.4	----	2	10
Sulfate	1.6	3.3	0.34	0.63	16	1.5	2.7	----	125	250
Total Alkalinity	230	190	200	190	220	250	300	220	----	----
Total Organic Carbon	4	4	4	3	3	3	5	----	----	----

pH	7.06	1.51	6.78	6.92	6.97	6.88	6.67	6.46	----	----
Conductivity (mS/cm)	322	295	313	324	312	375	0.418	528	----	----
Temperature (C)	9.29	10.33	13.35	11.24	7.79	9.99	13.8	5.8	----	----
ORP (mV)	-88.7	-92.7	-123	-103.8	-12.4	-86.7	49.5	-22	----	----
Dissolved Oxygen (mg/L)	1.1	1.51	0.26	1.43	3.09	1.25	0.45	3.0	----	----

Note: Please see notes provided at the end of this table.

Table 1
MW-17M
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	3/23/2006	6/9/2006	9/7/2006	12/11/2006	3/23/2007	6/21/2007	9/11/2007	4/9/2008	PAL	ES
1,2,4-Trimethylbenzene	<0.12	1.3	<0.12	5.2	<0.12	34	9.7	<0.20	96	480
1,3,5-Trimethylbenzene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.096	<0.096	<0.20	96	480
sec-Butylbenzene	---	---	---	---	---	---	---	0.88	---	---
tert-Butylbenzene	---	---	---	---	---	---	---	1.4	---	---
Acetone	1.6	1.3	<0.74	<0.74	<0.74	<1.1	<1.1	---	200	1000
Isopropylbenzene	---	---	---	---	---	---	---	0.27	---	---
Methylene chloride	<0.19	1.7	<0.19	<0.19	<0.19	<0.33	<0.33	<1.0	0.5	5
Naphthalene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.24	<0.24	0.28	10	100
Toluene	<0.17	0.56	<0.17	<0.17	<0.17	<0.13	<0.13	0.44	200	1,000

Metals, mg/L

Arsenic	0.0059	0.0078	0.006	<0.0043	0.0069	0.0086	0.0074	0.012	0.001	0.01
Barium	0.433	0.586	0.713	0.756	0.683	0.77	1.05	0.69	0.4	2
Cadmium	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00042	<0.00001	0.0005	0.005
Cobalt	<0.0012	<0.0012	<0.0012	<0.0012	<0.0012	<0.0012	<0.0012	0.00041	0.008	0.04
Iron	2.8	4.1	0.53	0.11	4.7	4.7	2.5	6.1	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00012	0.0015	0.015
Manganese	1.71	2.03	2.43	2.27	2.09	2.2	3.52	1.4	0.025	0.05
Mercury	<0.00009	<0.00009	<0.00009	<0.00009	<0.00009	0.000093	<0.00009	<0.000065	0.0002	0.002
Vanadium	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	<0.0019	0.0011	0.006	0.03

Natural Attenuation

Parameters, mg/L

Chloride	4.8	6.1	5.4	5	4.9	3.2	5.1	7.3	125	250
Nitrate as N	<0.015	<0.015	<0.031	<0.031	<0.031	<0.031	<0.023	---	2	10
Sulfate	0.89	0.83	0.35	<0.12	2.2	1.9	0.6	---	---	250
Total Alkalinity	150	190	200	240	210	260	320	190	---	---
Total Organic Carbon	5	6	8	7	4	4	5	---	---	---

pH	7.39	7.23	7.4	7.61	7.56	7.56	7.54	6.78	---	---
Conductivity (mS/cm)	204	257	249	305	288	332	0.361	329	---	---
Temperature (C)	10.53	10.97	11.12	9.65	10.48	10.84	10.76	7.9	---	---
ORP (mV)	-113	-136.8	-159	-162.7	-146	-159.3	-155.6	-17	---	---
Dissolved Oxygen (mg/L)	2.45	1.23	0.18	0.31	0.35	0.45	0.61	2.0	---	---

Note: Please see notes provided at the end of this table.

Table 1
PZ-1
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Acetone	< 1.1	< 1.1	< 0.66	< 0.66	1.3	<0.74	----	200	1000
Benzene	< 0.37	< 0.37	< 0.2	0.5	<0.22	<0.22	<0.20	0.5	5
Methylene chloride	3.4	< 0.29	< 0.28	< 0.28	0.39	<0.19	<1.0	0.5	5
Toluene	< 0.39	< 0.39	< 0.17	< 0.17	<0.17	<0.17	0.2	200	1,000

Metals, mg/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Arsenic	0.0029	< 0.0021	< 0.0029	0.0035	<0.0043	<0.0043	0.00091	0.001	0.01
Barium	0.024	0.031	0.033	0.039	0.0245	0.0349	0.036	0.4	2
Cadmium	< 0.00028	< 0.00028	< 0.00036	< 0.00028	<0.00042	<0.00042	0.00006	0.0005	0.005
Cobalt	< 0.00074	< 0.00074	< 0.0011	< 0.00096	<0.0012	<0.0012	0.00034	0.008	0.04
Iron	< 0.042	< 0.042	< 0.044	0.058	<0.032	<0.032	<0.0022	0.15	0.3
Lead	< 0.0016	< 0.0016	< 0.0023	< 0.0017	<0.0017	<0.0017	0.00013	0.0015	0.015
Manganese	0.19	0.3	0.37	0.49	0.258	0.371	0.4	0.025	0.05
Mercury	0.000091	< 0.000087	< 0.000067	< 0.000029	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	0.0013	0.0011	0.0012	0.0015	<0.0019	<0.0019	0.0013	0.006	0.03

Dissolved Gases, ug/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Ethane	< 0.3	< 0.3	< 0.3	< 0.14	---	---	----	---	---
Ethene	< 0.29	< 0.29	< 0.29	< 0.13	---	---	----	---	---
Methane	6.6	1.5	48	3.8	---	---	----	---	---

Natural Attenuation Parameters, mg/L	12/12/2002	4/23/2003	10/8/2003	4/13/2004	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Chloride	9.4	12.8	5.8	7.2	8.5	7.3	9.0	125	250
Nitrate as N	0.23	0.23	< 0.019	< 0.016	<0.015	<0.031	---	2	10
Sulfate	1.6	5.5	6.1	9.1	9.5	9	---	125	250
Total Alkalinity	120	130	190	150	120	130	150	---	---
Total Organic Carbon	3	< 0.7	2	3	2	2	---	---	---

pH	7.54	7.43	7.31	---	8.08	7.97	7.04	---	---
Conductivity (mS/cm)	0.271	0.314	0.404	---	170	194	228	---	---
Temperature (C)	11.33	9.93	11.09	---	9.96	9.74	6.1	---	---
ORP (mV)	105	169	186	---	223.6	70.2	0	---	---
Dissolved Oxygen (mg/L)	2.78	4.8	3.99	---	3.3	0.64	---	---	---

Note: Please see notes provided at the end of this table.

Table 1
PZ-2
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/11/2002	10/7/2003	12/2/2004	6/9/2005	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Acetone	2.6	< 0.66	2.9	<0.74	0.76	<0.74	----	200	1000
Carbon disulfide	< 0.24	< 0.21	<0.28	0.56	<0.28	<0.28	----	200	1000
Methylene chloride	2.4	< 0.28	0.64	<0.19	0.42	<0.19	<1.0	0.5	5

Metals, mg/L	12/11/2002	10/7/2003	12/2/2004	6/9/2005	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Arsenic	0.056	< 0.0029	0.011	0.007	<0.0043	<0.0043	0.00057	0.001	0.01
Barium	0.66	0.071	0.14	0.117	0.0601	0.0522	0.036	0.4	2
Cadmium	< 0.00028	< 0.00036	0.00033	<0.00028	<0.00042	<0.00042	0.0001	0.0005	0.005
Cobalt	0.011	< 0.0011	0.0024	0.0046	<0.0012	<0.0012	0.00057	0.008	0.04
Iron	98.8	20.8	39.6	17.3	35.6	13.5	0.025	0.15	0.3
Lead	0.0062	< 0.0023	<0.0017	<0.0017	<0.0017	<0.0017	0.0002	0.0015	0.015
Manganese	5.2	1.5	3.4	3.59	4.04	1.51	0.14	0.025	0.05
Mercury	0.00013	< 0.000067	<0.000029	0.00005	0.00014	<0.00009	<0.000065	0.0002	0.002
Vanadium	0.026	0.0016	0.0017	0.0014	<0.0019	<0.0019	0.0014	0.006	0.03

Dissolved Gases, ug/L	12/11/2002	10/7/2003	12/2/2004	6/9/2005	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Ethane	< 0.6	< 3	---	---	---	---	---	----	----
Ethene	< 0.58	< 2.9	---	---	---	---	---	----	----
Methane	98	490	---	---	---	---	---	----	----

Natural Attenuation Parameters, mg/L	12/11/2002	10/7/2003	12/2/2004	6/9/2005	3/22/2006	3/22/2007	4/10/2008	PAL	ES
Chloride	8.6	6.6	9.1	6.7	8.2	11.9	9.6	125	250
Nitrate as N	< 0.0076	< 0.019	<0.016	<0.016	<0.015	<0.031	---	2	10
Sulfate	2.4	< 0.14	3.2	2	0.81	9	---	125	250
Total Alkalinity	160	77	---	---	160	110	170	----	----
Total Organic Carbon	15	7	---	---	9	6	---	----	----

pH	6.68	6.67	6.41	5.72	6.83	6.79	7.49	----	----
Conductivity (mS/cm)	0.432	0.239	0.412	235	275	207	249	----	----
Temperature (C)	11.03	11.08	10.89	8.85	8.4	8.02	5.7	----	----
ORP (mV)	116	149	173	-68.1	-78.7	-33.1	0	----	----
Dissolved Oxygen (mg/L)	5.14	4.43	1.6	0.92	8.45	1.38	---	----	----

Note: Please see notes provided at the end of this table.

Table 1
PZ-3
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/11/2002	10/7/2003	12/2/2004	6/8/2005	3/22/2006	3/21/2007	4/9/2008	Duplicate 04/09/2008	PAL	ES
1,2,4-Trimethylbenzene	< 0.37	< 0.14	<0.12	4.3	<0.12	2.1	0.24	0.3	96	480
Acetone	3.1	< 0.66	1.3	<0.74	0.8	1.1	---	---	200	1000
tert-Butylbenzene	---	---	---	---	---	---	1.2	0.78	---	---
cis-1,2-Dichloroethene	< 0.35	< 0.25	<0.21	0.26	0.23	0.26	<0.50	<0.50	7	70
Methylene chloride	2.5	< 0.28	1.1	<0.19	0.38	0.21	<1.0	<1.0	0.5	5
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.17	<0.17	0.55	0.41	200	1,000

Metals, mg/L

Arsenic	0.0038	< 0.0029	<0.0026	<0.0026	<0.0043	<0.0043	0.00084	---	0.001	0.01
Barium	0.097	0.081	0.16	0.166	0.148	0.152	0.18	---	0.4	2
Cadmium	0.00099	< 0.00036	<0.00028	<0.00028	<0.00042	<0.00042	0.00006	---	0.0005	0.005
Cobalt	0.0018	< 0.0011	0.0014	0.0016	<0.0012	0.0021	0.0024	---	0.008	0.04
Iron	1.2	0.58	1.5	2.4	0.7	0.28	0.41	---	0.15	0.3
Lead	< 0.0016	< 0.0023	<0.0017	<0.0017	<0.0017	<0.0017	0.00029	---	0.0015	0.015
Manganese	2.7	2.2	3.9	4.14	3.87	4.2	4.6	---	0.025	0.05
Mercury	0.00012	0.00007	<0.000029	0.000055	<0.00009	<0.00009	<0.000065	---	0.0002	0.002
Vanadium	0.0028	< 0.00096	0.00092	0.0012	<0.0019	<0.0019	0.0016	---	0.006	0.03

Dissolved Gases, ug/L

Ethane	< 0.3	< 0.3	---	---	---	---	---	---	---	---
Ethene	< 0.29	< 0.29	---	---	---	---	---	---	---	---
Methane	2.4	51	---	---	---	---	---	---	---	---

**Natural Attenuation
Parameters, mg/L**

Chloride	6.3	5.5	7.8	6.9	7.1	5.1	11	---	125	250
Nitrate as N	< 0.0076	< 0.019	<0.016	<0.016	<0.015	<0.031	---	---	2	10
Sulfate	1.2	3.5	0.74	1.5	1.7	0.42	---	---	125	250
Total Alkalinity	160	180	---	---	260	300	310	---	---	---
Total Organic Carbon	---	6	---	---	6	6	4.1	---	---	---

pH	7.06	6.96	6.97	6.89	7.25	7.14	7.11	---	---	---
Conductivity (mS/cm)	0.33	0.363	0.558	304	313	370	523	---	---	---
Temperature (C)	10.98	10.18	11.09	9.46	9.97	9.81	8.7	---	---	---
ORP (mV)	133	191	179	-18.9	-14.9	13.7	+500	---	---	---
Dissolved Oxygen (mg/L)	4.48	3.83	0.78	1.39	4.27	0.43	---	---	---	---

Note: Please see notes provided at the end of this table.

Table 1
Ackerman
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic

Compounds (VOC), ug/L	4/22/2003	10/7/2003	9/23/2004	6/8/2005	6/9/2006	9/7/2006	6/21/2007	9/10/2007	5/7/2008	PAL	ES
1,2,4-Trimethylbenzene	< 0.37	< 0.14	<0.12	<0.12	0.16	<0.12	<0.12	<0.12	<0.20	96	480
1,3,5-Trimethylbenzene	< 0.4	< 0.18	<0.16	<0.16	<0.16	<0.16	<0.096	<0.096	<0.20	96	480
Acetone	< 1.1	< 0.66	<0.74	<0.74	1.3	<0.74	<1.1	<1.1	----	200	1000
Chloromethane	< 0.49	< 0.26	<0.14	<0.14	0.17	<0.14	<0.3	<0.3	<0.20	0.3	3

(No VOCs Detected)

Metals, mg/L

Arsenic	< 0.0021	< 0.0029	<0.0026	<0.0026	<0.0043	<0.0043	<0.0043	<0.0043	<0.0012	0.001	0.01
Barium	0.024	0.023	0.022	0.0217	0.0202	0.0181	0.0217	0.0197	0.024	0.4	2
Cadmium	< 0.00028	< 0.00036	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	<0.00012	0.0005	0.005
Cobalt	< 0.00074	< 0.0011	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	<0.00012	0.008	0.04
Iron	5.9	1.7	5.4	3.8	4.1	0.57	4.4	0.88	6.5	0.15	0.3
Lead	0.0034	< 0.0023	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.28	0.0015	0.015
Manganese	0.12	0.085	0.13	0.105	0.116	0.138	0.132	0.148	0.11	0.025	0.05
Mercury	< 0.000087	< 0.000067	0.000061	0.000044	<0.00009	<0.00009	<0.00009	<0.00009	0.000066	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	<0.00071	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	<0.00012	0.006	0.03

Note: Please see notes provided at the end of this table.

Table I
Johnson
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic													
Compounds (VOC), ug/L	4/22/2003	10/8/2003	9/23/2004	12/2/2004	3/10/2005	6/9/2005	3/23/2006	9/7/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
1,2,4-Trimethylbenzene	< 0.37	0.18	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.20	96	480
1,3,5-Trimethylbenzene	< 0.4	< 0.18	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.096	<0.20	96	480
Acetone	< 1.1	< 0.66	<0.74	<0.74	<0.74	<0.74	0.77	0.82	<0.74	<1.1	----	200	1000
Chloromethane	< 0.49	< 0.26	0.18	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.3	<0.20	0.3	3
Methylene chloride	< 0.29	< 0.28	<0.19	0.4	<0.19	<0.19	<0.19	0.2	0.24	<0.33	<1.0	0.5	5
Toluene	< 0.39	< 0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.13	0.21	200	1,000
Metals, mg/L													
Arsenic	< 0.0021	< 0.0029	<0.0026	<0.0026	<0.0026	<0.0026	<0.0043	<0.0043	<0.0043	<0.0043	0.00051	0.001	0.01
Barium	0.084	0.087	0.083	0.089	0.0751	0.116	0.0827	0.0815	0.0829	0.0726	0.085	0.4	2
Cadmium	< 0.00028	< 0.00036	<0.00028	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	<0.00001	0.0005	0.005
Cobalt	< 0.00074	< 0.0011	<0.00096	<0.00096	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	0.00014	0.008	0.04
Iron	0.16	0.16	0.079	0.17	0.0576	0.72	0.038	<0.032	0.06	0.033	0.012	0.15	0.3
Lead	< 0.0016	< 0.0023	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00044	0.0015	0.015
Manganese	0.2	0.32	0.35	0.2	0.0424	0.948	0.0477	0.295	0.0378	0.277	0.13	0.025	0.05
Mercury	< 0.000087	< 0.000067	<0.000029	<0.000029	<0.000029	0.000086	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	< 0.00067	< 0.00096	<0.00071	<0.00071	<0.00071	<0.00071	<0.0019	<0.0019	<0.0019	<0.0019	<0.00010	0.006	0.03

Note: Please see notes provided at the end of this table.

Table 1
Miller
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	9/24/2004	12/2/2004	3/10/2005	6/9/2005	3/23/2006	9/8/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Acetone	<0.74	<0.74	<0.74	<0.74	1.1	1.2	<0.74	<1.1	---	200	1000
Chloromethane	0.18	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.3	<0.20	0.3	3
Methylene chloride	<0.19	0.45	<0.19	<0.19	<0.19	<0.19	0.23	<0.33	<1.0	0.5	5
Toluene	1.5	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.13	<0.20	200	1,000
Metals, mg/L											
Arsenic	0.0072	0.0098	0.0078	0.0092	0.0053	0.0065	0.0082	<0.0043	0.0073	0.001	0.01
Barium	0.29	0.28	0.279	0.304	0.199	0.213	0.607	0.225	0.43	0.4	2
Cadmium	<0.00028	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	<0.00001	0.0005	0.005
Cobalt	<0.00096	<0.00096	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	0.00019	0.008	0.04
Iron	8.8	9.3	8	8.6	4	3.9	17.6	1.5	16	0.15	0.3
Lead	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00006	0.0015	0.015
Manganese	5.3	5	4.84	5.12	4.04	4.09	9.36	3.95	5.3	0.025	0.05
Mercury	0.000038	<0.000029	<0.000029	0.000057	0.00015	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	<0.00071	0.0014	<0.00071	0.0013	<0.0019	<0.0019	<0.0019	<0.0019	0.00082	0.006	0.03

Note: Please see notes provided at the end of this table.

Table 1
Pretasky
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	4/14/2004	9/23/2004	12/2/2004	3/10/2005	6/9/2005	3/23/2006	9/7/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Acetone	< 0.66	<0.74	<0.74	<0.74	<0.74	0.87	1.7	<0.74	<1.1	----	200	1000
Benzene	0.34	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.13	<0.20	0.5	5
Chloromethane	< 0.26	0.16	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.3	<0.20	0.3	3
Methylene chloride	< 0.28	<0.19	0.58	<0.19	<0.19	<0.19	0.22	0.23	<0.33	<1.0	0.5	5
Toluene	< 0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.13	0.25	200	1,000

Metals, mg/L	4/14/2004	9/23/2004	12/2/2004	3/10/2005	6/9/2005	3/23/2006	9/7/2006	3/22/2007	9/10/2007	4/10/2008	PAL	ES
Arsenic	0.0082	0.0035	0.0074	0.0068	0.0081	0.0066	0.0057	0.0077	0.0055	0.0047	0.001	0.01
Barium	0.083	0.1	0.093	0.0962	0.116	0.119	0.105	0.122	0.107	0.092	0.4	2
Cadmium	< 0.00028	<0.00028	<0.00028	<0.00028	<0.00028	<0.00042	<0.00042	<0.00042	<0.00042	<0.00001	0.0005	0.005
Cobalt	< 0.00096	<0.00096	<0.00096	<0.00096	<0.00096	<0.0012	<0.0012	<0.0012	<0.0012	0.00022	0.008	0.04
Iron	0.22	0.51	0.15	0.17	0.19	0.091	<0.032	0.24	0.1	0.36	0.15	0.3
Lead	< 0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	0.00019	0.0015	0.015
Manganese	1.1	1.3	1.2	1.17	1.41	1.52	1.44	1.52	1.46	1.3	0.025	0.05
Mercury	< 0.000029	0.000061	<0.000029	<0.000029	0.000053	<0.00009	<0.00009	<0.00009	<0.00009	<0.000065	0.0002	0.002
Vanadium	0.0019	<0.00071	0.0015	0.001	0.0012	<0.0019	<0.0019	<0.0019	<0.0019	0.0015	0.006	0.03

Note: Please see notes provided at the end of this table.

Table 1
 TRIP BLANK
 Summary of Detected Compounds
 Onalaska Superfund Landfill
 BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	12/12/2002	12/12/2002	4/22/2003	10/7/2003 (133874)	10/8/2003 (133875)	4/14/2004 (K544)	4/14/2004 (K581)	9/24/2004	12/2/2004	3/10/2005	(029) 6/9/2005
1,1,1-Trichloroethane	< 0.39	< 0.39	< 0.39	< 0.18	< 0.18	< 0.18	< 0.18	<0.21	<0.21	<0.21	<0.21
1,1,2,2-Tetrachloroethane	< 0.36	< 0.36	< 0.36	< 0.23	< 0.23	< 0.23	< 0.23	<0.22	<0.22	<0.22	<0.22
1,1,2-Trichloroethane	< 0.36	< 0.36	< 0.36	< 0.21	< 0.21	< 0.21	< 0.21	<0.22	<0.22	<0.22	<0.22
1,1-Dichloroethane	< 0.3	< 0.3	< 0.3	< 0.26	< 0.26	< 0.26	< 0.26	<0.21	<0.21	<0.21	<0.21
1,1-Dichloroethene	< 0.31	< 0.31	< 0.31	< 0.22	< 0.22	< 0.22	< 0.22	<0.18	<0.18	<0.18	0.3
1,2,4-Trimethylbenzene	< 0.37	< 0.37	< 0.37	< 0.14	< 0.14	< 0.14	< 0.14	<0.12	<0.12	<0.12	<0.12
1,2-Dichloroethane	< 0.28	< 0.28	< 0.28	< 0.22	< 0.22	< 0.22	< 0.22	<0.16	<0.16	<0.16	<0.16
1,2-Dichloropropane	< 0.41	< 0.41	< 0.41	< 0.18	< 0.18	< 0.18	< 0.18	<0.15	<0.15	<0.15	<0.15
1,3,5-Trimethylbenzene	< 0.4	< 0.4	< 0.4	< 0.18	< 0.18	< 0.18	< 0.18	<0.16	<0.16	<0.16	<0.16
2-Butanone	< 0.59	< 0.59	2.2	0.45	< 0.36	1	1.1	3.3	2.5	<0.39	<0.39
2-Hexanone	< 0.58	< 0.58	< 0.58	< 0.31	< 0.31	< 0.31	< 0.31	<0.35	0.42	<0.35	0.54
4-Methyl-2-pentanone	< 0.26	< 0.26	< 0.26	< 0.34	< 0.34	< 0.34	< 0.34	<0.32	<0.32	<0.32	0.68
Acetone	< 1.1	< 1.1	3.5	1	0.66	1.9	2.1	7.4	5	6.6	4.1
Benzene	< 0.37	< 0.37	< 0.37	< 0.2	< 0.2	< 0.2	0.32	<0.22	<0.22	<0.22	<0.22
Bromodichloromethane	< 0.32	< 0.32	< 0.32	< 0.2	< 0.2	< 0.2	< 0.2	<0.14	<0.14	<0.14	<0.14
Bromoform	< 0.37	< 0.37	< 0.37	< 0.32	< 0.32	< 0.32	< 0.32	<0.17	<0.17	<0.17	<0.17
Bromomethane	< 0.3	< 0.3	< 0.3	< 0.16	< 0.16	< 0.16	< 0.16	<0.36	<0.36	<0.36	<0.36
Carbon disulfide	< 0.24	< 0.24	< 0.24	< 0.21	< 0.21	< 0.21	< 0.21	<0.28	<0.28	<0.28	<0.28
Carbon tetrachloride	< 0.37	< 0.37	< 0.37	< 0.18	< 0.18	< 0.18	< 0.18	<0.19	<0.19	<0.19	<0.19
Chlorobenzene	< 0.38	< 0.38	< 0.38	< 0.16	< 0.16	< 0.16	< 0.16	<0.2	<0.2	<0.2	<0.2
Chloroethane	< 0.29	< 0.29	< 0.29	< 0.22	< 0.22	< 0.22	< 0.22	<0.24	<0.24	<0.24	<0.24
Chloroform	< 0.35	< 0.35	< 0.35	< 0.21	< 0.21	< 0.21	< 0.21	<0.16	<0.16	<0.16	<0.16
Chloromethane	< 0.49	< 0.49	< 0.49	< 0.26	< 0.26	< 0.26	< 0.26	<0.14	<0.14	<0.14	<0.14
cis-1,2-Dichloroethene	< 0.35	< 0.35	< 0.35	< 0.25	< 0.25	< 0.25	< 0.25	<0.21	<0.21	<0.21	<0.21
cis-1,3-Dichloropropene	< 0.35	< 0.35	< 0.35	< 0.15	< 0.15	< 0.15	< 0.15	<0.12	<0.12	<0.12	<0.12
Dibromochloromethane	< 0.37	< 0.37	< 0.37	< 0.25	< 0.25	< 0.25	< 0.25	<0.19	<0.19	<0.19	<0.19
Ethylbenzene	< 0.41	< 0.41	< 0.41	< 0.19	< 0.19	< 0.19	< 0.19	<0.19	<0.19	<0.19	<0.19
Methylene chloride	1.9	2	1	< 0.28	< 0.28	1.4	0.9	5.9	1.9	14	<0.19
Naphthalene	< 0.42	< 0.42	< 0.42	< 0.16	< 0.16	< 0.16	< 0.16	<0.15	<0.15	<0.15	<0.15
Styrene	< 0.35	< 0.35	< 0.35	< 0.16	< 0.16	< 0.16	< 0.16	<0.13	<0.13	<0.13	<0.13
Tetrachloroethene	< 0.42	< 0.42	< 0.42	< 0.12	< 0.12	< 0.12	< 0.12	<0.19	<0.19	<0.19	<0.19
Toluene	< 0.39	< 0.39	< 0.39	< 0.17	< 0.17	< 0.17	< 0.17	0.19	0.21	<0.17	<0.17
trans-1,2-Dichloroethene	< 0.33	< 0.33	< 0.33	< 0.24	< 0.24	< 0.24	< 0.24	<0.16	<0.16	<0.16	<0.16
trans-1,3-Dichloropropene	< 0.35	< 0.35	< 0.35	< 0.17	< 0.17	< 0.17	< 0.17	<0.17	<0.17	<0.17	<0.17
Trichloroethene	< 0.42	< 0.42	< 0.42	< 0.22	< 0.22	< 0.22	< 0.22	<0.28	<0.28	<0.28	<0.28
Vinyl chloride	< 0.36	< 0.36	< 0.36	< 0.26	< 0.26	< 0.26	< 0.26	<0.21	<0.21	<0.21	<0.21
Xylenes (total)	< 0.44	< 0.44	< 0.44	< 0.45	< 0.45	< 0.45	< 0.45	<0.44	<0.44	<0.44	<0.44

Note: Please see notes provided at the end of this table.

Table 1
TRIP BLANK
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

Volatile Organic Compounds (VOC), ug/L	(041) 6/9/2005	3/23/2006	6/9/2006	9/7/2006	3/22/2007	3/23/2007	6/21/2007	9/10/2007	4/9/2008	4/10/2008	5/7/2008	PAL	ES
1,1,1-Trichloroethane	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.22	<0.22	<0.50	<0.50	<0.50	40	200
1,1,2,2-Tetrachloroethane	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.18	<0.18	<0.20	<0.20	<0.20	0.02	0.2
1,1,2-Trichloroethane	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.27	<0.27	<0.25	<0.25	<0.25	0.5	5
1,1-Dichloroethane	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.15	<0.15	<0.50	<0.50	<0.50	85	850
1,1-Dichloroethene	<0.18	<0.18	<0.18	<0.18	<0.18	<0.18	<0.19	<0.19	<0.50	<0.50	<0.50	0.7	7
1,2,4-Trimethylbenzene	<0.12	<0.12	<0.12	<0.12	<0.12	0.76	<0.12	<0.12	<0.20	<0.20	<0.20	96	480
1,2-Dichloroethane	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.22	<0.22	<0.50	<0.50	<0.50	0.5	5
1,2-Dichloropropane	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.18	<0.18	<0.50	<0.50	<0.50	0.5	5
1,3,5-Trimethylbenzene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.096	<0.096	<0.20	<0.20	<0.20	96	480
2-Butanone	<0.39	<0.39	<0.39	<0.39	<0.39	<0.39	<0.57	<0.57	---	---	---	90	460
2-Hexanone	0.37	<0.35	<0.35	<0.35	<0.35	<0.35	<0.41	<0.41	---	---	---	---	---
4-Methyl-2-pentanone	0.51	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	<0.32	---	---	---	50	500
Acetone	<0.74	1	1.8	1.5	3.4	3.6	<1.1	2.6	---	---	---	200	1000
Benzene	<0.22	<0.22	<0.22	<0.22	<0.22	<0.22	<0.13	<0.13	<0.20	<0.20	<0.20	0.5	5
Bromodichloromethane	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.15	<0.15	<0.20	<0.20	<0.20	0.06	0.6
Bromoform	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.64	<0.64	<0.20	<0.20	<0.20	0.44	4.4
Bromomethane	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.41	<0.41	<0.20	<0.20	<0.20	1	10
Carbon disulfide	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.13	<0.13	---	---	---	200	1000
Carbon tetrachloride	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.13	<0.13	<0.50	<0.50	<0.50	5	0.5
Chlorobenzene	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.15	<0.15	<0.20	<0.20	<0.20	---	---
Chloroethane	<0.24	<0.24	<0.24	<0.24	<0.24	<0.24	<0.29	<0.29	<1.0	<1.0	<1.0	80	400
Chloroform	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.20	<0.20	<0.20	0.6	6
Chloromethane	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.3	<0.3	<0.20	<0.20	<0.20	0.3	3
cis-1,2-Dichloroethene	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.17	<0.17	<0.50	<0.50	<0.50	7	70
cis-1,3-Dichloropropene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.14	<0.14	<0.20	<0.20	<0.20	0.2	0.02
Dibromochloromethane	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.18	<0.18	<0.20	<0.20	<0.20	6	60
Ethylbenzene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.17	<0.17	<0.50	<0.50	<0.50	140	700
Methylene chloride	<0.19	1.7	<0.19	0.77	1.7	2.3	<0.33	<0.33	<1.0	<1.0	<1.0	0.5	5
Naphthalene	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.24	<0.24	<0.25	<0.25	<0.25	10	100
Styrene	<0.13	<0.13	<0.13	<0.13	<0.13	<0.13	<0.11	<0.11	<0.20	<0.20	<0.20	10	100
Tetrachloroethene	<0.19	<0.19	<0.19	<0.19	<0.19	<0.19	<0.29	<0.29	<0.50	<0.50	<0.50	0.5	5
Toluene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.13	<0.13	0.21	0.27	<0.20	200	1,000
trans-1,2-Dichloroethene	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.19	<0.19	<0.50	<0.50	<0.50	20	100
trans-1,3-Dichloropropene	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.19	<0.19	<0.20	<0.20	<0.20	0.02	0.2
Trichloroethene	<0.28	<0.28	<0.28	<0.28	<0.28	<0.28	<0.17	<0.17	<0.20	<0.20	<0.20	0.5	5
Vinyl chloride	<0.21	<0.21	<0.21	<0.21	<0.21	<0.21	<0.22	<0.22	<0.20	<0.20	<0.20	0.02	0.2
Xylenes (total)	<0.44	<0.44	<0.44	<0.44	<0.44	<0.44	<0.28	<0.28	<0.50	<0.50	<0.50	1,000	10,000

Note: Please see notes provided at the end of this table.

Table 1
Notes
Summary of Detected Compounds
Onalaska Superfund Landfill
BT² Project #3550

For the VOC only; the compounds reported are the only VOC that have been detected since the December 2002 sampling event

Shaded cells indicate the compound exceeds the WDNR Preventive Action Level (PAL)

Shaded cell and bold number indicates the compound exceeds the WDNR PAL and Enforcement Standard (ES)

The ES and PAL criteria for trimethylbenzene (TMB) is the sum of 1,2,4-TMB and 1,3,5-TMB

< indicates the compound was not detected at or above the method detection limit

--- indicates that there is no available criteria associated with the specified compound or the compound was not analyzed

Residential wells are sampled for VOC and metals only

Created by (beginning with 4/9/08 results):	<u>TLR</u>	Date: <u>5/6/2008</u>
Last revision by:	<u>SS</u>	Date: <u>7/8/2008</u>
Checked by:	<u>RL</u>	Date: <u>7/10/2008</u>

Table 2
Water Table Elevations
Onalaska Superfund Landfill / BT² Project #3550

Well Number	Date	Elevation Top of Casing ¹	Depth to Groundwater	Elevation of Groundwater
AW-28	4/9/2008	660.91	14.72	646.19
MW-1SR	4/10/2008	660.54	13.09	647.45
MW-2M	4/10/2008	673.64	28.01	645.63
MW-2S	4/10/2008	672.85	27.10	645.75
MW-4S	4/9/2008	665.84	19.61	646.23
MW-5S	4/9/2008	660.50	13.88	646.62
MW-6M	4/9/2008	649.71	3.59	646.12
MW-6S	4/9/2008	647.86	1.75	646.11
MW-7M	4/10/2008	663.74	17.33	646.41
MW-8M	4/9/2008	660.71	14.83	645.88
MW-8S	4/9/2008	660.74	14.78	645.96
MW-10M	4/9/2008	657.74	12.04	645.70
MW-12S	4/10/2008	664.22	17.91	646.31
MW-14S	4/10/2008	656.05	9.13	646.92
MW-15M	4/9/2008	656.98	10.96	646.02
MW-16S	4/9/2008	658.94	12.60	646.34
MW-16M	4/9/2008	659.22	12.86	646.36
MW-17S	4/9/2008	658.51	11.98	646.53
MW-17M	4/9/2008	658.76	12.14	646.62
PZ-1	4/10/2008	656.40	9.64	646.76
PZ-2	4/10/2008	651.36	4.50	646.86
PZ-3	4/9/2008	648.96	2.54	646.42
PZ-4	4/9/2008	649.13	3.03	646.10
PZ-5	4/10/2008	661.98	15.57	646.41
PZ-6	4/10/2008	660.78	13.89	646.89

Notes:

1. Groundwater elevations were collected on April 9 & 10, 2008.
2. Top of Casing elevation surveyed by Coulee Region Land Surveyors, Inc. on April 22, 2003. MW-1SR and Pretasky well were surveyed on April 13, 2004. MW-16S, MW-16M, MW-17S and MW-17M and MW-5S were surveyed on March 23, 2006.


By: S. Smith

Date: 6/3/08

Checked By: L. Reeves


FIGURES

- 1 Site Plan
- 2 Water Table Map
- 3 Potentiometric Surface Map
- 4 Isocontour Map for Trimethylbenzenes (Shallow Wells)
- 5 Isocontour Map for Trimethylbenzenes (Medium Wells)
- 6 Isocontour Map for Iron (Shallow Wells)
- 7 Isocontour Map for Iron (Medium Wells)
- 8 Isocontour Map for Manganese (Shallow Wells)
- 9 Isocontour Map for Manganese (Medium Wells)
- 10 Isocontour Map for Chloride (Shallow Wells)
- 11 Isocontour Map for Chloride (Medium Wells)
- 12 Isocontour Map for Alkalinity (Shallow Wells)
- 13 Isocontour Map for Alkalinity (Medium Wells)




LEGEND	
	APPROXIMATE PROPERTY LINE
	APPROXIMATE EXTENT OF LANDFILL CAP
	RAILROAD TRACKS
	FENCE
	TREELINE
	UTILITY LINES
	UTILITY POLE
	MONITORING WELL
	PIEZOMETER
	EXTRACTION WELL
	AIR WELL

NOTES:
 1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.




PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	SITE PLAN	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS							1
REVISED: 07/07/08	APPROVED BY:							



- LEGEND**
- APPROXIMATE PROPERTY LINE
 - - - APPROXIMATE EXTENT OF LANDFILL CAP
 - ||||| RAILROAD TRACKS
 - FENCE
 - TREELINE
 - UTILITY LINES
 - UTILITY POLE
 - ⊕ ABANDONED MONITORING WELL
 - ⊙ MONITORING WELL
 - ⊕ PIEZOMETER
 - 647.45** WATER TABLE ELEVATION MEASURED IN FEET ABOVE MEAN SEA LEVEL ON APRIL 9 AND 10 2008
 - WATER TABLE CONTOUR
 - ➔ APPROXIMATE GROUNDWATER FLOW DIRECTION

NOTES:

- MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.



PROJECT NO.	3550	DRAWN BY:	KP
DRAWN:	08/16/08	CHECKED BY:	SS
REVISED:	07/07/08	APPROVED BY:	RPL

ENGINEER **BT² inc.**
 2830 DAIRY DRIVE
 MADISON, WI 53718-6751
 PHONE: (608) 224-2830
 FAX: (608) 224-2839

CLIENT


SITE ONALASKA LANDFILL ONALASKA, WISCONSIN

WATER TABLE MAP

FIGURE 2

I:\3550\figures-general\WTBL.dwg, 7/7/2008 10:09:46 AM


April 2008



- LEGEND**
- APPROXIMATE PROPERTY LINE
 - - - APPROXIMATE EXTENT OF LANDFILL CAP
 - ||||| RAILROAD TRACKS
 - - - FENCE
 - ~~~~~ TREELINE
 - - - UTILITY LINES
 - UTILITY POLE
 - ⊕ ABANDONED MONITORING WELL
 - ⊙ MONITORING WELL
 - ⊕ PIEZOMETER
 - 645.63 POTENTIOMETRIC SURFACE MEASURED IN FEET ABOVE MEAN SEA LEVEL ON APRIL 9 AND 10, 2008
 - WATER TABLE CONTOUR
 - ➔ APPROXIMATE GROUNDWATER FLOW DIRECTION


NOTES:

- MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.




April 2008

PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS						3
REVISED: 07/07/08	APPROVED BY: <i>[Signature]</i>						



LEGEND	
	APPROXIMATE PROPERTY LINE
	APPROXIMATE EXTENT OF LANDFILL CAP
	RAILROAD TRACKS
	FENCE
	TREELINE
	UTILITY LINES
	UTILITY POLE
	ABANDONED MONITORING WELL
	MONITORING WELL
	PIEZOMETER
560	TRIMETHYLBENZENE CONCENTRATION ($\mu\text{g}/\text{l}$)
	ISOCONCENTRATION CONTOUR

NOTES:
1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.





PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR TRIMETHYLBENZENES APRIL 2008 (SHALLOW WELLS)	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS							4
REVISED: 07/07/08	APPROVED BY:							




LEGEND	
	APPROXIMATE PROPERTY LINE
	APPROXIMATE EXTENT OF LANDFILL CAP
	RAILROAD TRACKS
	FENCE
	TREELINE
	UTILITY LINES
	UTILITY POLE
	ABANDONED MONITORING WELL
	MONITORING WELL
	PIEZOMETER
6.5	TRIMETHYLBENZENE CONCENTRATION ($\mu\text{g/l}$)
	ISOCONCENTRATION CONTOUR

NOTES:
 1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.




PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR TRIMETHYLBENZENES	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS						APRIL 2008	5
REVISED: 07/07/08	APPROVED BY:						(MEDIUM WELLS)	




- LEGEND**
- APPROXIMATE PROPERTY LINE
 - APPROXIMATE EXTENT OF LANDFILL CAP
 - RAILROAD TRACKS
 - FENCE
 - TREELINE
 - UTILITY LINES
 - UTILITY POLE
 - ABANDONED MONITORING WELL
 - MONITORING WELL
 - ⊕ PIEZOMETER
 - <math><0.0022</math> IRON CONCENTRATION (mg/l)
 - ISOCONCENTRATION CONTOUR

NOTES:

- MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.




PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR IRON APRIL 2008 (SHALLOW WELLS)	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS							
REVISED: 07/07/08	APPROVED BY: <i>[Signature]</i>							6



LEGEND


	APPROXIMATE PROPERTY LINE
	APPROXIMATE EXTENT OF LANDFILL CAP
	RAILROAD TRACKS
	FENCE
	TREELINE
	UTILITY LINES
	UTILITY POLE
	ABANDONED MONITORING WELL
	MONITORING WELL
	PIEZOMETER
	<0.0022 IRON CONCENTRATION (mg/l)
	ISOCONCENTRATION CONTOUR

NOTES:
 1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.



SCALE: 1" = 200'


PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR IRON APRIL 2008 (MEDIUM WELLS)	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS							7
REVISED: 07/07/07	APPROVED BY:							




- LEGEND**
- APPROXIMATE PROPERTY LINE
 - APPROXIMATE EXTENT OF LANDFILL CAP
 - RAILROAD TRACKS
 - FENCE
 - TREE LINE
 - UTILITY LINES
 - UTILITY POLE
 - ABANDONED MONITORING WELL
 - MONITORING WELL
 - ⊕ PIEZOMETER
 - 0.68 MANGANESE CONCENTRATION (mg/l)
 - ISOCONCENTRATION CONTOUR

NOTES:

- MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.



PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR MANGANESE	FIGURE	
DRAWN: 08/16/08	CHECKED BY: SS						APRIL 2008		8
REVISED: 07/07/08	APPROVED BY: <i>ZEL</i>						(SHALLOW WELLS)		



PROJECT NO. 3550	DRAWN BY: KP	 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR CHLORIDE	FIGURE	
DRAWN: 08/16/08	CHECKED BY: SS					APRIL 2008		10
REVISED: 07/07/08	APPROVED BY:					(SHALLOW WELLS)		




LEGEND


- APPROXIMATE PROPERTY LINE
- APPROXIMATE EXTENT OF LANDFILL CAP
- RAILROAD TRACKS
- FENCE
- TREELINE
- UTILITY LINES
- UTILITY POLE
- ⊕ ABANDONED MONITORING WELL
- ⊕ MONITORING WELL
- ⊕ PIEZOMETER
- 6.5 CHLORIDE CONCENTRATION (mg/l)
- ISOCONCENTRATION CONTOUR

NOTES:


1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.



SCALE: 1" = 200'



PROJECT NO.	3550	DRAWN BY:	KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR CHLORIDE	FIGURE
DRAWN:	08/16/08	CHECKED BY:	SS						APRIL 2008	11
REVISED:	07/07/08	APPROVED BY:	<i>RBL</i>						(MEDIUM WELLS)	



LEGEND

- APPROXIMATE PROPERTY LINE
- APPROXIMATE EXTENT OF LANDFILL CAP
- RAILROAD TRACKS
- FENCE
- TREELINE
- UTILITY LINES
- UTILITY POLE
- ABANDONED MONITORING WELL
- MONITORING WELL
- ⊕ PIEZOMETER
- 89 ALKALINITY CONCENTRATION (mg/l)
- ISOCONCENTRATION CONTOUR

NOTES:

1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.





SCALE: 1" = 200'

PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR ALKALINITY APRIL 2008 (SHALLOW WELLS)	FIGURE
DRAWN: 08/16/08	CHECKED BY: SS			SITE			
REVISED: 07/07/08	APPROVED BY:			FIGURE			
							12



LEGEND	
	APPROXIMATE PROPERTY LINE
	APPROXIMATE EXTENT OF LANDFILL CAP
	RAILROAD TRACKS
	FENCE
	TREELINE
	UTILITY LINES
	UTILITY POLE
	ABANDONED MONITORING WELL
	MONITORING WELL
	PIEZOMETER
310	ALKALINITY CONCENTRATION (mg/l)
	ISOCONCENTRATION CONTOUR

NOTES:
 1. MAP BASED ON ENSR CORPORATION FIGURE 3-1 FROM THE ENSR 2007 ANNUAL MONITORED NATURAL ATTENUATION REPORT DATED NOVEMBER 2007.



PROJECT NO. 3550	DRAWN BY: KP		2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839	CLIENT	SITE	ONALASKA LANDFILL ONALASKA, WISCONSIN	ISOCONTOUR MAP FOR ALKALINITY	FIGURE	
DRAWN: 08/16/08	CHECKED BY: SS						APRIL 2008		13
REVISED: 07/07/08	APPROVED BY:						(MEDIUM WELLS)		

ATTACHMENT A

Groundwater Monitoring Data Certification Form, Exceedance Summary,
and Database Detail Report

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats.

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to: GEMS Data Submittal Contact - WA/3
Bureau of Waste Management
Wisconsin Department of Natural Resources
101 South Webster Street
Madison WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

BT2, Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Mari Bull, Project Assistant Phone: (608) 467-1512

E-mail: mbull@bt2inc.cm

Facility name:	License # / Monitoring ID	Facility ID (FID)	Actual sampling dates (e.g., July 2-6, 2003)
Onalaska TN Landfill	632013360	507	April 9 - May 7, 2008

The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)

April 2008

Type of Data Submitted (Check all that apply)

- | | |
|---|--|
| <input checked="" type="checkbox"/> Groundwater monitoring data from monitoring wells | <input type="checkbox"/> Gas monitoring data |
| <input checked="" type="checkbox"/> Groundwater monitoring data from private water supply wells | <input type="checkbox"/> Air monitoring data |
| <input type="checkbox"/> Leachate monitoring data | <input type="checkbox"/> Other (specify) _____ |

Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
- Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Steven B. Smith Environmental Specialist (608) 224-2830
Facility Representative Name (Print) Title (Area Code) Telephone No.

Steven B. Smith 7/11/08
Signature Date

FOR DNR USE ONLY. Check action taken, and record date and your initials. Describe on back side if necessary.

Found uploading problems on _____ Initials _____

Notified contact of problems on _____ Uploaded data successfully on _____

EDD format(s): Diskette CD (initial submittal and follow-up) E-mail (follow-up only) Other _____

NR 140 Exceedance Summary (By Parameter)

Site ID: 507
 Site Name: Onalaska TN Landfill
 Reporting Period: April 2008

Parameter	Well	Result	PAL	ES	Exceedance Type
Arsenic, dissolved (ug/l As)	AW-28	1.2	J	10	PAL
	MW-04S	4.6	J	10	PAL
	MW-05S	15	J	10	ES
	MW-06M	2.2	J	10	PAL
	MW-08M	4.2	J	10	PAL
	MW-16M	28	J	10	ES
	MW-16S	15	J	10	ES
	MW-17M	12	J	10	ES
	MW-17S	14	J	10	ES
Arsenic, total (ug/l As)	MILLER-JOEL	7.3	J	10	PAL
	PRETASKY	4.7	J	10	PAL
Barium, dissolved (ug/l as Ba)	MW-06M	1700	400	2000	PAL
	MW-08M	680	400	2000	PAL
	MW-15M	520	400	2000	PAL
	MW-16M	1100	400	2000	PAL
	MW-17M	690	400	2000	PAL
Barium, total (ug/l Ba)	MILLER-JOEL	430 B	400	2000	PAL
Cobalt, dissolved (ug/l as Co)	MW-05S	8.2	8	40	PAL
Iron, dissolved (mg/l as Fe)	AW-28	1.1	0.15	0.3	ES
	MW-04S	11	0.15	0.3	ES
	MW-05S	370	0.15	0.3	ES
	MW-08M	0.36	0.15	0.3	ES
	MW-14S	4.8	0.15	0.3	ES
	MW-16M	21	0.15	0.3	ES
	MW-16S	32	0.15	0.3	ES
	MW-17M	6.1	0.15	0.3	ES
	MW-17S	37	0.15	0.3	ES
	PZ-3	0.41	0.15	0.3	ES
Iron, total (mg/l as Fe)	ACKERMAN (NEW)	6.5	0.15	0.3	ES
	MILLER-JOEL	16	0.15	0.3	ES

J Result is an estimated value below the laboratory's limit of quantitation.
 B Compound detected in blank.
 P Did not meet required preservation and/or hold time.
 M Failed method QC check.
 * PAL or ES is an Alternative Concentration Limit.

Site ID: 507
 Site Name: Onalaska TN Landfill
 Reporting Period: April 2008

Parameter	Well	Result	PAL	ES	Exceedance Type
Iron, total (mg/l as Fe)	PRETASKY	0.36	0.15	0.3	ES
Lead, total (ug/l Pb)	ACKERMAN (NEW)	280	1.5	15	ES
Manganese, dissolved (ug/l as Mn)	AW-28	1300	25	50	ES
	MW-01SR	680	25	50	ES
	MW-04S	1300	25	50	ES
	MW-05S	2800	25	50	ES
	MW-06M	3700	25	50	ES
	MW-06S	2700	25	50	ES
	MW-08M	3000	25	50	ES
	MW-08S	140	25	50	ES
	MW-14S	1600	25	50	ES
	MW-15M	2700	25	50	ES
	MW-16M	1200	25	50	ES
	MW-16S	3400	25	50	ES
	MW-17M	1400	25	50	ES
	MW-17S	3700	25	50	ES
	PZ-1	400	25	50	ES
PZ-2	140	25	50	ES	
PZ-3	4600	25	50	ES	
Manganese, total (ug/l as Mn)	ACKERMAN (NEW)	110	25	50	ES
	JOHNSON ADRIEN	130 B	25	50	ES
	MILLER-JOEL	5300 B	25	50	ES
	PRETASKY	1300 B	25	50	ES
1,2,4-Trimethylbenzene (ug/l)	MW-04S	440	96	480	PAL
	MW-05S	460	96	480	PAL
	MW-16S	130	96	480	PAL
	MW-17S	570	96	480	ES
1,3,5-Trimethylbenzene (ug/l)	MW-04S	120	96	480	PAL
Benzene (ug/l)	MW-16M	1.2	0.5	5	PAL
Naphthalene (ug/l)	MW-05S	26	10	100	PAL
	MW-16S	30	10	100	PAL

J Result is an estimated value below the laboratory's limit of quantitation.
 B Compound detected in blank.
 P Did not meet required preservation and/or hold time.
 M Failed method QC check.
 * PAL or ES is an Alternative Concentration Limit.

NR 140 Exceedance Summary (By Well)

Site ID: 507
 Site Name: Onalaska TN Landfill
 Reporting Period: April 2008

Well	Parameter	Result	PAL	ES	Exceedance Type
ACKERMAN (NEW)	Iron, total (mg/l as Fe)	6.5	0.15	0.3	ES
	Lead, total (ug/l Pb)	280	1.5	15	ES
	Manganese, total (ug/l as Mn)	110	25	50	ES
AW-28	Arsenic, dissolved (ug/l As)	1.2	1	10	PAL
	Iron, dissolved (mg/l as Fe)	1.1	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	1300	25	50	ES
JOHNSON ADRIEN	Manganese, total (ug/l as Mn)	130 B	25	50	ES
MILLER-JOEL	Arsenic, total (ug/l As)	7.3	1	10	PAL
	Barium, total (ug/l Ba)	430 B	400	2000	PAL
	Iron, total (mg/l as Fe)	16	0.15	0.3	ES
	Manganese, total (ug/l as Mn)	5300 B	25	50	ES
MW-01SR	Manganese, dissolved (ug/l as Mn)	680	25	50	ES
MW-04S	Arsenic, dissolved (ug/l As)	4.6	1	10	PAL
	Iron, dissolved (mg/l as Fe)	11	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	1300	25	50	ES
	1,2,4-Trimethylbenzene (ug/l)	440	96	480	PAL
	1,3,5-Trimethylbenzene (ug/l)	120	96	480	PAL
MW-05S	Arsenic, dissolved (ug/l As)	15	1	10	ES
	Cobalt, dissolved (ug/l as Co)	8.2	8	40	PAL
	Iron, dissolved (mg/l as Fe)	370	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	2800	25	50	ES
	1,2,4-Trimethylbenzene (ug/l)	460	96	480	PAL
	Naphthalene (ug/l)	26	10	100	PAL
MW-06M	Arsenic, dissolved (ug/l As)	2.2	1	10	PAL
	Barium, dissolved (ug/l as Ba)	1700	400	2000	PAL
	Manganese, dissolved (ug/l as Mn)	3700	25	50	ES
MW-06S	Manganese, dissolved (ug/l as Mn)	2700	25	50	ES
MW-08M	Arsenic, dissolved (ug/l As)	4.2	1	10	PAL
	Barium, dissolved (ug/l as Ba)	680	400	2000	PAL

- J Result is an estimated value below the laboratory's limit of quantitation.
 B Compound detected in QC blank.
 P Did not meet required preservation or hold time.
 M Failed method QC check.
 * PAL or ES is Alternative Concentration Limit.

Site ID: 507
 Site Name: Onalaska TN Landfill
 Reporting Period: April 2008

Well	Parameter	Result	PAL	ES	Exceedance Type
MW-08M	Iron, dissolved (mg/l as Fe)	0.36	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	3000	25	50	ES
MW-08S	Manganese, dissolved (ug/l as Mn)	140	25	50	ES
MW-14S	Iron, dissolved (mg/l as Fe)	4.8	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	1600	25	50	ES
MW-15M	Barium, dissolved (ug/l as Ba)	520	400	2000	PAL
	Manganese, dissolved (ug/l as Mn)	2700	25	50	ES
MW-16M	Arsenic, dissolved (ug/l As)	28	1	10	ES
	Barium, dissolved (ug/l as Ba)	1100	400	2000	PAL
	Iron, dissolved (mg/l as Fe)	21	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	1200	25	50	ES
	Benzene (ug/l)	1.2	0.5	5	PAL
MW-16S	Arsenic, dissolved (ug/l As)	15	1	10	ES
	Iron, dissolved (mg/l as Fe)	32	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	3400	25	50	ES
	1,2,4-Trimethylbenzene (ug/l)	130	96	480	PAL
	Naphthalene (ug/l)	30	10	100	PAL
MW-17M	Arsenic, dissolved (ug/l As)	12	1	10	ES
	Barium, dissolved (ug/l as Ba)	690	400	2000	PAL
	Iron, dissolved (mg/l as Fe)	6.1	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	1400	25	50	ES
MW-17S	Arsenic, dissolved (ug/l As)	14	1	10	ES
	Iron, dissolved (mg/l as Fe)	37	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	3700	25	50	ES
	1,2,4-Trimethylbenzene (ug/l)	570	96	480	ES
PRETASKY	Arsenic, total (ug/l As)	4.7	1	10	PAL
	Iron, total (mg/l as Fe)	0.36	0.15	0.3	ES
	Manganese, total (ug/l as Mn)	1300 B	25	50	ES
PZ-1	Manganese, dissolved (ug/l as Mn)	400	25	50	ES
PZ-2	Manganese, dissolved (ug/l as Mn)	140	25	50	ES

- J Result is an estimated value below the laboratory's limit of quantitation.
- B Compound detected in QC blank.
- P Did not meet required preservation or hold time.
- M Failed method QC check.
- * PAL or ES is Alternative Concentration Limit.

Site ID: 507
Site Name: Onalaska TN Landfill
Reporting Period: April 2008

Well	Parameter	Result	PAL	ES	Exceedance Type
PZ-3	Iron, dissolved (mg/l as Fe)	0.41	0.15	0.3	ES
	Manganese, dissolved (ug/l as Mn)	4600	25	50	ES

- J Result is an estimated value below the laboratory's limit of quantitation.
- B Compound detected in QC blank.
- P Did not meet required preservation or hold time.
- M Failed method QC check.
- * PAL or ES is Alternative Concentration Limit.

Environmental Monitoring Database Detail Report

Query Criteria: Reporting Period: 4/1/08

Site: Onalaska TN Landfill License #: 507 Reporting Period: April 2008 Agency: 1 (1 = Client)

Point Name: ACKERMAN (NEW)			DNR ID: 115				Sample Date: 5/7/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L02	245.1	Mercury, total (ug/l Hg)	71900	0.066 J	M	M	M	0.065	0.23		5/14/08	WRE027802	128053530
L02	SW 6020A	Arsenic, total (ug/l As)	1002	<0.12	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 6020A	Barium, total (ug/l Ba)	1007	24	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 6020A	Cadmium, total (ug/l as Cd)	1027	<0.12	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 6020A	Cobalt, total (ug/l Co)	1037	<0.12	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 6020A	Iron, total (mg/l as Fe)	74010	6.5	M	M	M	0.3	1		5/15/08	WRE027802	128053530
L02	SW 6020A	Lead, total (ug/l Pb)	1051	280	M	M	M	0.24	0.8		5/12/08	WRE027802	128053530
L02	SW 6020A	Manganese, total (ug/l as Mn)	1055	110	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 6020A	Vanadium, total (ug/l V)	1087	<0.12	M	M	M	0.12	0.4		5/12/08	WRE027802	128053530
L02	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530

Point Name: ACKERMAN (NEW)			DNR ID: 115				Sample Date: 5/7/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L02	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		5/9/08	WRE027802	128053530
L02	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		5/9/08	WRE027802	128053530
L02	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Naphthalene (ug/l)	34696	<0.25 B	F	M	M	0.25	0.83		5/9/08	WRE027802	128053530
L02	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
L02	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027802	128053530
L02	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027802	128053530
Record Count Subtotal: 70													

Point Name: AW-28			DNR ID: 136				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	Yes									
F01		Comment, sample turbidity	3	Yes									

Point Name: AW-28

DNR ID: 136

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Groundwater elevation (ft MSL)	4189	646.19									
F01		ph-Field (standard units)	400	7									
F01		Specific conductance-field (umhos/cm @ 25c)	94	476									
F01		Temperature, water (degrees centigrade)	10	7.4									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039107	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	350	M	M	M	20	67		4/18/08	WRD039107	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	5.9	M	M	M	1	3.3		4/16/08	WRD039107	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	1.2	M	M	M	0.07	0.22		4/14/08	WRD039107	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	210	M	M	M	6	19		4/14/08	WRD039107	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.08	M	M	M	0.01	0.032		4/14/08	WRD039107	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	1.6	M	M	M	0.01	0.032		4/14/08	WRD039107	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	1.1	M	M	M	0.002	0.007		4/14/08	WRD039107	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.16	M	M	M	0.04	0.13		4/14/08	WRD039107	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	1300	M	M	M	2	6.4		4/14/08	WRD039107	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.9	M	M	M	0.1	0.32		4/14/08	WRD039107	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	2.9	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	0.46 J	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530

Point Name: AW-28			DNR ID: 136				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039107	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039107	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	0.36 J	M	M	M	0.25	0.83		4/15/08	WRD039107	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039107	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.41 JB	F	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039107	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039107	128053530
Record Count Subtotal: 79													

Point Name: JOHNSON ADRIEN			DNR ID: 112				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									

Point Name: JOHNSON ADRIEN

DNR ID: 112

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample turbidity	3	No									
F01		ph-Field (standard units)	400	7.33									
F01		Specific conductance-field (umhos/cm @ 25c)	94	235									
F01		Temperature, water (degrees centigrade)	10	5.9									
L01	245.1	Mercury, total (ug/l Hg)	71900	<0.065	M	M	M	0.065	0.23		4/16/08	WRD039122	128053530
L01	SW 6020A	Arsenic, total (ug/l As)	1002	0.51	M	M	M	0.07	0.22		4/17/08	WRD039122	128053530
L01	SW 6020A	Barium, total (ug/l Ba)	1007	85 B	F	M	M	0.06	0.19		4/17/08	WRD039122	128053530
L01	SW 6020A	Cadmium, total (ug/l as Cd)	1027	<0.01	M	M	M	0.01	0.032		4/17/08	WRD039122	128053530
L01	SW 6020A	Cobalt, total (ug/l Co)	1037	0.14	M	M	M	0.01	0.032		4/17/08	WRD039122	128053530
L01	SW 6020A	Iron, total (mg/l as Fe)	74010	0.012	M	M	M	0.002	0.007		4/17/08	WRD039122	128053530
L01	SW 6020A	Lead, total (ug/l Pb)	1051	0.44 B	F	M	M	0.04	0.13		4/17/08	WRD039122	128053530
L01	SW 6020A	Manganese, total (ug/l as Mn)	1055	130 B	F	M	M	0.02	0.064		4/17/08	WRD039122	128053530
L01	SW 6020A	Vanadium, total (ug/l V)	1087	<0.1	M	M	M	0.1	0.32		4/17/08	WRD039122	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530

Point Name: JOHNSON ADRIEN			DNR ID: 112				Sample Date: 4/10/08				Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039122	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039122	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039122	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.21 JB	F	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039122	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039122	128053530
Record Count Subtotal: 76													

Point Name: MILLER-JOEL			DNR ID: 143				Sample Date: 4/10/08				Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		ph-Field (standard units)	400	6.98									

Point Name: MILLER-JOEL

DNR ID: 143

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Specific conductance-field (umhos/cm @ 25c)	94	367									
F01		Temperature, water (degrees centigrade)	10	6.8									
L01	245.1	Mercury, total (ug/l Hg)	71900	<0.065	M	M	M	0.065	0.23		4/16/08	WRD039123	128053530
L01	SW 6020A	Arsenic, total (ug/l As)	1002	7.3	M	M	M	0.07	0.22		4/17/08	WRD039123	128053530
L01	SW 6020A	Barium, total (ug/l Ba)	1007	430 B	F	M	M	6	19		4/17/08	WRD039123	128053530
L01	SW 6020A	Cadmium, total (ug/l as Cd)	1027	<0.01	M	M	M	0.01	0.032		4/17/08	WRD039123	128053530
L01	SW 6020A	Cobalt, total (ug/l Co)	1037	0.19	M	M	M	0.01	0.032		4/17/08	WRD039123	128053530
L01	SW 6020A	Iron, total (mg/l as Fe)	74010	16	M	M	M	0.002	0.007		4/17/08	WRD039123	128053530
L01	SW 6020A	Lead, total (ug/l Pb)	1051	0.06 JB	F	M	M	0.04	0.13		4/17/08	WRD039123	128053530
L01	SW 6020A	Manganese, total (ug/l as Mn)	1055	5300 B	F	M	M	2	6.4		4/17/08	WRD039123	128053530
L01	SW 6020A	Vanadium, total (ug/l V)	1087	0.82	M	M	M	0.1	0.32		4/17/08	WRD039123	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039123	128053530

Point Name: MILLER-JOEL			DNR ID: 143					Sample Date: 4/10/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039123	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039123	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	Toluene (ug/l)	34010	<0.2 B	F	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039123	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039123	128053530
Record Count Subtotal: 76													

Point Name: MW-01SR			DNR ID: 141					Sample Date: 4/10/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	647.75									
F01		ph-Field (standard units)	400	6.86									
F01		Specific conductance-field (umhos/cm @ 25c)	94	239									

Point Name: MW-01SR

DNR ID: 141

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Temperature, water (degrees centigrade)	10	6.3									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039118	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	89	M	M	M	20	67		4/18/08	WRD039118	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	7.9	M	M	M	1	3.3		4/16/08	WRD039118	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	0.39	M	M	M	0.07	0.22		4/14/08	WRD039118	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	27	M	M	M	0.06	0.19		4/14/08	WRD039118	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.02 J	M	M	M	0.01	0.032		4/14/08	WRD039118	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.41	M	M	M	0.01	0.032		4/14/08	WRD039118	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039118	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.26	M	M	M	0.04	0.13		4/14/08	WRD039118	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	680	M	M	M	2	6.4		4/14/08	WRD039118	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	0.84	M	M	M	0.1	0.32		4/14/08	WRD039118	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530

Point Name: MW-01SR			DNR ID: 141				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039118	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039118	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039118	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.29 JB	F	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039118	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039118	128053530
Record Count Subtotal: 79													

Point Name: MW-02M			DNR ID: 118				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Groundwater elevation (ft MSL)	4189	645.63									
Record Count Subtotal: 1													

Point Name: MW-02S			DNR ID: 117				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID

Point Name: MW-02S			DNR ID: 117			Sample Date: 4/10/08			Mult Sample ID: 01			
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Groundwater elevation (ft MSL)	4189	645.75									
Record Count Subtotal: 1												

Point Name: MW-04S			DNR ID: 120			Sample Date: 4/9/08			Mult Sample ID: 01			
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Comment, sample color	2	Yes									
F01	Comment, sample odor	1	Yes									
F01	Comment, sample turbidity	3	No									
F01	Groundwater elevation (ft MSL)	4189	646.23									
F01	ph-Field (standard units)	400	6.66									
F01	Specific conductance-field (umhos/cm @ 25c)	94	884									
F01	Temperature, water (degrees centigrade)	10	8.2									
L01 245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039108	128053530
L01 310.2	Alkalinity, total (mg/l as CaCO3)	410	310	M	M	M	20	67		4/18/08	WRD039108	128053530
L01 325.2	Chloride, total (mg/l as Cl)	940	13	M	M	M	1	3.3		4/16/08	WRD039108	128053530
L01 SW 6020A	Arsenic, dissolved (ug/l As)	1000	4.6	M	M	M	0.07	0.22		4/14/08	WRD039108	128053530
L01 SW 6020A	Barium, dissolved (ug/l as Ba)	1005	270	M	M	M	6	19		4/14/08	WRD039108	128053530
L01 SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.01 J	M	M	M	0.01	0.032		4/14/08	WRD039108	128053530
L01 SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.68	M	M	M	0.01	0.032		4/14/08	WRD039108	128053530
L01 SW 6020A	Iron, dissolved (mg/l as Fe)	1046	11	M	M	M	0.002	0.007		4/14/08	WRD039108	128053530
L01 SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.19	M	M	M	0.04	0.13		4/14/08	WRD039108	128053530
L01 SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	1300	M	M	M	2	6.4		4/14/08	WRD039108	128053530
L01 SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.9	M	M	M	0.1	0.32		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	440	M	M	M	1.6	5.4		4/15/08	WRD039108	128053530
L01 SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01 SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	120	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01 SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01 SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530

Point Name: MW-04S

DNR ID: 120

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	9.5	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	16	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039108	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039108	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	1.3 J	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	1.2 J	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	6.4	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	5.1	M	M	M	0.25	0.83		4/14/08	WRD039108	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	13	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	30	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.42 JB	F	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530

Point Name: MW-04S			DNR ID: 120				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039108	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	13	M	M	M	0.5	1.7		4/14/08	WRD039108	128053530
Record Count Subtotal: 79													

Point Name: MW-05S			DNR ID: 121				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	646.62									
F01		ph-Field (standard units)	400	5.87									
F01		Specific conductance-field (umhos/cm @ 25c)	94	547									
F01		Temperature, water (degrees centigrade)	10	5.8									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039102	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	200	M	M	M	20	67		4/18/08	WRD039102	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	2.2 J	M	M	M	1	3.3		4/16/08	WRD039102	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	15	M	M	M	0.07	0.22		4/14/08	WRD039102	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	280	M	M	M	6	19		4/14/08	WRD039102	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.02 J	M	M	M	0.01	0.032		4/14/08	WRD039102	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	8.2	M	M	M	0.01	0.032		4/14/08	WRD039102	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	370	M	M	M	0.002	0.007		4/14/08	WRD039102	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.1 J	M	M	M	0.04	0.13		4/14/08	WRD039102	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	2800	M	M	M	2	6.4		4/14/08	WRD039102	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.2	M	M	M	0.1	0.32		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	460	M	M	M	2	6.7		4/15/08	WRD039102	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	14	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530

Point Name: MW-05S

DNR ID: 121

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	6.6	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	12	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	11	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039102	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039102	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	11	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	42	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	26	M	M	M	0.25	0.83		4/14/08	WRD039102	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	52	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	3.5	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.88 B	F	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530

Point Name: MW-05S			DNR ID: 121				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039102	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	10	M	M	M	0.5	1.7		4/14/08	WRD039102	128053530
Record Count Subtotal: 79													

Point Name: MW-06M			DNR ID: 123				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.12									
F01		ph-Field (standard units)	400	7.41									
F01		Specific conductance-field (umhos/cm @ 25c)	94	530									
F01		Temperature, water (degrees centigrade)	10	9.5									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039112	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	310	M	M	M	20	67		4/18/08	WRD039112	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	16	M	M	M	1	3.3		4/16/08	WRD039112	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	2.2	M	M	M	0.07	0.22		4/14/08	WRD039112	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	1700	M	M	M	6	19		4/14/08	WRD039112	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.01 J	M	M	M	0.01	0.032		4/14/08	WRD039112	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	2.7	M	M	M	0.01	0.032		4/14/08	WRD039112	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039112	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.07 J	M	M	M	0.04	0.13		4/14/08	WRD039112	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	3700	M	M	M	2	6.4		4/14/08	WRD039112	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.5	M	M	M	0.1	0.32		4/14/08	WRD039112	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	6.5	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530

Point Name: MW-06M

DNR ID: 123

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	0.76 J	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	1.7	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039112	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039112	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	1.1	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039112	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.69 B	F	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530

Point Name: MW-06M			DNR ID: 123					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039112	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039112	128053530
Record Count Subtotal: 79													

Point Name: MW-06S			DNR ID: 122					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.11									
F01		ph-Field (standard units)	400	7.1									
F01		Specific conductance-field (umhos/cm @ 25c)	94	562									
F01		Temperature, water (degrees centigrade)	10	7.3									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039111	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	230	M	M	M	20	67		4/18/08	WRD039111	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	26	M	M	M	1	3.3		4/16/08	WRD039111	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	0.91	M	M	M	0.07	0.22		4/14/08	WRD039111	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	210	M	M	M	6	19		4/14/08	WRD039111	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.12	M	M	M	0.01	0.032		4/14/08	WRD039111	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	1.2	M	M	M	0.01	0.032		4/14/08	WRD039111	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039111	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.16	M	M	M	0.04	0.13		4/14/08	WRD039111	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	2700	M	M	M	2	6.4		4/14/08	WRD039111	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.3	M	M	M	0.1	0.32		4/14/08	WRD039111	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	1.6	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530

Point Name: MW-06S

DNR ID: 122

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	0.84	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	3.7	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	1.2 J	M	M	M	1	3.3		4/15/08	WRD039111	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039111	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	0.32 J	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039111	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039111	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.35 JB	F	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530

Point Name: MW-06S

DNR ID: 122

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039111	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039111	128053530

Record Count Subtotal: 79

Point Name: MW-07M

DNR ID: 151

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Groundwater elevation (ft MSL)	4189	646.41									

Record Count Subtotal: 1

Point Name: MW-08M

DNR ID: 125

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	645.88									
F01		ph-Field (standard units)	400	7.32									
F01		Specific conductance-field (umhos/cm @ 25c)	94	561									
F01		Temperature, water (degrees centigrade)	10	8.8									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039115	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	260	M	M	M	20	67		4/18/08	WRD039115	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	13	M	M	M	1	3.3		4/16/08	WRD039115	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	4.2	M	M	M	0.07	0.22		4/14/08	WRD039115	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	680	M	M	M	6	19		4/14/08	WRD039115	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.03 J	M	M	M	0.01	0.032		4/14/08	WRD039115	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.89	M	M	M	0.01	0.032		4/14/08	WRD039115	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	0.36	M	M	M	0.002	0.007		4/14/08	WRD039115	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.22	M	M	M	0.04	0.13		4/14/08	WRD039115	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	3000	M	M	M	2	6.4		4/14/08	WRD039115	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.2	M	M	M	0.1	0.32		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530

Point Name: MW-08M

DNR ID: 125

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	4.8	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	4.3	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	0.84	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039115	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039115	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	1.1	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039115	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530

Point Name: MW-08M			DNR ID: 125				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.44 JB	F	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039115	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039115	128053530
Record Count Subtotal: 79													

Point Name: MW-08S			DNR ID: 124				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	645.96									
F01		ph-Field (standard units)	400	7.31									
F01		Specific conductance-field (umhos/cm @ 25c)	94	466									
F01		Temperature, water (degrees centigrade)	10	7.9									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039114	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	250	M	M	M	20	67		4/18/08	WRD039114	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	33	M	M	M	10	33		4/16/08	WRD039114	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	0.43	M	M	M	0.07	0.22		4/14/08	WRD039114	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	64	M	M	M	0.06	0.19		4/14/08	WRD039114	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.03 J	M	M	M	0.01	0.032		4/14/08	WRD039114	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.22	M	M	M	0.01	0.032		4/14/08	WRD039114	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039114	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.18	M	M	M	0.04	0.13		4/14/08	WRD039114	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	140	M	M	M	2	6.4		4/14/08	WRD039114	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.4	M	M	M	0.1	0.32		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530

Point Name: MW-08S

DNR ID: 124

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039114	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039114	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039114	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530

Point Name: MW-08S			DNR ID: 124				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.21 JB	F	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039114	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039114	128053530
Record Count Subtotal: 79													

Point Name: MW-08S			Dup	DNR ID: 124				Dup	Sample Date: 4/9/08			Mult Sample ID: 02	
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530

Point Name: MW-08S			Dup	DNR ID: 124			Dup	Sample Date: 4/9/08			Mult Sample ID: 02		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039116	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039116	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039116	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.2 JB	F	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039116	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039116	128053530
Record Count Subtotal: 61													

Point Name: MW-10M			DNR ID: 145			Sample Date: 4/9/08			Mult Sample ID: 01				
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Groundwater elevation (ft MSL)	4189	645.7									

Point Name: MW-10M		DNR ID: 145				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
Record Count Subtotal: 1												

Point Name: MW-12S		DNR ID: 126				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Groundwater elevation (ft MSL)	4189	646.31									
Record Count Subtotal: 1												

Point Name: MW-14S		DNR ID: 127				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Comment, sample color	2	Yes									
F01	Comment, sample odor	1	No									
F01	Comment, sample turbidity	3	Yes									
F01	Groundwater elevation (ft MSL)	4189	646.92									
F01	ph-Field (standard units)	400	7.26									
F01	Specific conductance-field (umhos/cm @ 25c)	94	248									
F01	Temperature, water (degrees centigrade)	10	6									
L01	245.1 Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039119	128053530
L01	310.2 Alkalinity, total (mg/l as CaCO3)	410	140	M	M	M	20	67		4/18/08	WRD039119	128053530
L01	325.2 Chloride, total (mg/l as Cl)	940	5.2	M	M	M	1	3.3		4/16/08	WRD039119	128053530
L01	SW 6020A Arsenic, dissolved (ug/l As)	1000	0.53	M	M	M	0.07	0.22		4/14/08	WRD039119	128053530
L01	SW 6020A Barium, dissolved (ug/l as Ba)	1005	91	M	M	M	0.06	0.19		4/14/08	WRD039119	128053530
L01	SW 6020A Cadmium, dissolved (ug/l as Cd)	1025	0.06	M	M	M	0.01	0.032		4/14/08	WRD039119	128053530
L01	SW 6020A Cobalt, dissolved (ug/l as Co)	1035	1	M	M	M	0.01	0.032		4/14/08	WRD039119	128053530
L01	SW 6020A Iron, dissolved (mg/l as Fe)	1046	4.8	M	M	M	0.002	0.007		4/14/08	WRD039119	128053530
L01	SW 6020A Lead, dissolved (ug/l as Pb)	1049	0.1 J	M	M	M	0.04	0.13		4/14/08	WRD039119	128053530
L01	SW 6020A Manganese, dissolved (ug/l as Mn)	1056	1600	M	M	M	2	6.4		4/14/08	WRD039119	128053530
L01	SW 6020A Vanadium, dissolved (ug/l as V)	1085	0.77	M	M	M	0.1	0.32		4/14/08	WRD039119	128053530
L01	SW 8260B 1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2,4-Trimethylbenzene (ug/l)	77222	0.29 J	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B 1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530

Point Name: MW-14S

DNR ID: 127

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	0.72	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	0.36 J	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039119	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039119	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	0.24 J	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	1.9	M	M	M	0.25	0.83		4/15/08	WRD039119	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	Toluene (ug/l)	34010	<0.2 B	F	M	M	0.2	0.67		4/15/08	WRD039119	128053530

Point Name: MW-14S			DNR ID: 127					Sample Date: 4/10/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039119	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039119	128053530
Record Count Subtotal: 79													

Point Name: MW-15M			DNR ID: 137					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.02									
F01		ph-Field (standard units)	400	7.63									
F01		Specific conductance-field (umhos/cm @ 25c)	94	380									
F01		Temperature, water (degrees centigrade)	10	8.8									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039113	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	240	M	M	M	20	67		4/18/08	WRD039113	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	6.2	M	M	M	1	3.3		4/16/08	WRD039113	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	0.47	M	M	M	0.07	0.22		4/14/08	WRD039113	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	520	M	M	M	6	19		4/14/08	WRD039113	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.17	M	M	M	0.01	0.032		4/14/08	WRD039113	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.73	M	M	M	0.01	0.032		4/14/08	WRD039113	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039113	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.58	M	M	M	0.04	0.13		4/14/08	WRD039113	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	2700	M	M	M	2	6.4		4/14/08	WRD039113	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	0.83	M	M	M	0.1	0.32		4/14/08	WRD039113	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	0.22 J	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530

Point Name: MW-15M

DNR ID: 137

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	1.5	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	0.35 J	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039113	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039113	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039113	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039113	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530

Point Name: MW-15M

DNR ID: 137

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Toluene (ug/l)	34010	0.22 JB	F	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039113	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039113	128053530
Record Count Subtotal: 79													

Point Name: MW-16M

DNR ID: 148

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	Yes									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.36									
F01		ph-Field (standard units)	400	7.2									
F01		Specific conductance-field (umhos/cm @ 25c)	94	348									
F01		Temperature, water (degrees centigrade)	10	7									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039106	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	170	M	M	M	20	67		4/18/08	WRD039106	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	41	M	M	M	10	33		4/16/08	WRD039106	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	28	M	M	M	0.07	0.22		4/14/08	WRD039106	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	1100	M	M	M	6	19		4/14/08	WRD039106	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.02 J	M	M	M	0.01	0.032		4/14/08	WRD039106	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	1.9	M	M	M	0.01	0.032		4/14/08	WRD039106	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	21	M	M	M	0.002	0.007		4/14/08	WRD039106	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.09 J	M	M	M	0.04	0.13		4/14/08	WRD039106	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	1200	M	M	M	2	6.4		4/14/08	WRD039106	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	0.96	M	M	M	0.1	0.32		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	13	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530

Point Name: MW-16M

DNR ID: 148

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	2.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	Benzene (ug/l)	34030	1.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	0.5 J	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	0.36 J	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	0.27 J	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	1.3	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039106	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039106	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	1.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	0.87	M	M	M	0.25	0.83		4/14/08	WRD039106	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	0.23 J	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530

Point Name: MW-16M			DNR ID: 148				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.4 JB	F	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039106	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	5	M	M	M	0.5	1.7		4/14/08	WRD039106	128053530
Record Count Subtotal: 79													

Point Name: MW-16S			DNR ID: 147				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	Yes									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	646.34									
F01		ph-Field (standard units)	400	6.67									
F01		Specific conductance-field (umhos/cm @ 25c)	94	619									
F01		Temperature, water (degrees centigrade)	10	6.7									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039105	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	220	M	M	M	20	67		4/18/08	WRD039105	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	13	M	M	M	1	3.3		4/16/08	WRD039105	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	15	M	M	M	0.07	0.22		4/14/08	WRD039105	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	240	M	M	M	6	19		4/14/08	WRD039105	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.01 J	M	M	M	0.01	0.032		4/14/08	WRD039105	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	2.6	M	M	M	0.01	0.032		4/14/08	WRD039105	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	32	M	M	M	0.002	0.007		4/14/08	WRD039105	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.04 J	M	M	M	0.04	0.13		4/14/08	WRD039105	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	3400	M	M	M	2	6.4		4/14/08	WRD039105	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	2.6	M	M	M	0.1	0.32		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	130	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530

Point Name: MW-16S

DNR ID: 147

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	14	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	Benzene (ug/l)	34030	0.42 J	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	14	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	16	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	8.3	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	0.52 J	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039105	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039105	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	4.2	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	38	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	30	M	M	M	0.25	0.83		4/14/08	WRD039105	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	61	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	3.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530

Point Name: MW-16S			DNR ID: 147					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.51 JB	F	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039105	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	14	M	M	M	0.5	1.7		4/14/08	WRD039105	128053530
Record Count Subtotal: 79													

Point Name: MW-17M			DNR ID: 150					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	Yes									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.62									
F01		ph-Field (standard units)	400	6.78									
F01		Specific conductance-field (umhos/cm @ 25c)	94	329									
F01		Temperature, water (degrees centigrade)	10	7.9									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039104	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	190	M	M	M	20	67		4/18/08	WRD039104	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	7.3	M	M	M	1	3.3		4/16/08	WRD039104	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	12	M	M	M	0.07	0.22		4/14/08	WRD039104	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	690	M	M	M	6	19		4/14/08	WRD039104	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	<0.01	M	M	M	0.01	0.032		4/14/08	WRD039104	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.41	M	M	M	0.01	0.032		4/14/08	WRD039104	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	6.1	M	M	M	0.002	0.007		4/14/08	WRD039104	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.12 J	M	M	M	0.04	0.13		4/14/08	WRD039104	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	1400	M	M	M	2	6.4		4/14/08	WRD039104	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.1	M	M	M	0.1	0.32		4/14/08	WRD039104	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530

Point Name: MW-17M

DNR ID: 150

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	0.88	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	1.4	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039104	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039104	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	0.27 J	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	0.28 J	M	M	M	0.25	0.83		4/15/08	WRD039104	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039104	128053530

Point Name: MW-17M			DNR ID: 150				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.44 JB	F	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039104	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039104	128053530
Record Count Subtotal: 79													

Point Name: MW-17S			DNR ID: 149				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	646.53									
F01		ph-Field (standard units)	400	6.46									
F01		Specific conductance-field (umhos/cm @ 25c)	94	528									
F01		Temperature, water (degrees centigrade)	10	5.8									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039103	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	220	M	M	M	20	67		4/18/08	WRD039103	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	6.2	M	M	M	1	3.3		4/16/08	WRD039103	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	14	M	M	M	0.07	0.22		4/14/08	WRD039103	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	270	M	M	M	6	19		4/14/08	WRD039103	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.01 J	M	M	M	0.01	0.032		4/14/08	WRD039103	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	1.9	M	M	M	0.01	0.032		4/14/08	WRD039103	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	37	M	M	M	0.002	0.007		4/14/08	WRD039103	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.07 J	M	M	M	0.04	0.13		4/14/08	WRD039103	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	3700	M	M	M	2	6.4		4/14/08	WRD039103	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.9	M	M	M	0.1	0.32		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530

Point Name: MW-17S

DNR ID: 149

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	570	M	M	M	2	6.7		4/15/08	WRD039103	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	13	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	6.7	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	23	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	6.1	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039103	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039103	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	2.6	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	16	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	5.7	M	M	M	0.25	0.83		4/14/08	WRD039103	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	34	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530

Point Name: MW-17S			DNR ID: 149				Sample Date: 4/9/08				Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	12	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.46 JB	F	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039103	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	8.1	M	M	M	0.5	1.7		4/14/08	WRD039103	128053530
Record Count Subtotal: 79													

Point Name: PRETASKY			DNR ID: 142				Sample Date: 4/10/08				Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		ph-Field (standard units)	400	7.2									
F01		Specific conductance-field (umhos/cm @ 25c)	94	255									
F01		Temperature, water (degrees centigrade)	10	8.5									
L01	245.1	Mercury, total (ug/l Hg)	71900	<0.065	M	M	M	0.065	0.23		4/16/08	WRD039124	128053530
L01	SW 6020A	Arsenic, total (ug/l As)	1002	4.7	M	M	M	0.07	0.22		4/17/08	WRD039124	128053530
L01	SW 6020A	Barium, total (ug/l Ba)	1007	92 B	F	M	M	6	19		4/17/08	WRD039124	128053530
L01	SW 6020A	Cadmium, total (ug/l as Cd)	1027	<0.01	M	M	M	0.01	0.032		4/17/08	WRD039124	128053530
L01	SW 6020A	Cobalt, total (ug/l Co)	1037	0.22	M	M	M	0.01	0.032		4/17/08	WRD039124	128053530
L01	SW 6020A	Iron, total (mg/l as Fe)	74010	0.36	M	M	M	0.002	0.007		4/17/08	WRD039124	128053530
L01	SW 6020A	Lead, total (ug/l Pb)	1051	0.19 B	F	M	M	0.04	0.13		4/17/08	WRD039124	128053530
L01	SW 6020A	Manganese, total (ug/l as Mn)	1055	1300 B	F	M	M	2	6.4		4/17/08	WRD039124	128053530
L01	SW 6020A	Vanadium, total (ug/l V)	1087	1.5	M	M	M	0.1	0.32		4/17/08	WRD039124	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530

Point Name: PRETASKY

DNR ID: 142

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039124	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039124	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039124	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530

Point Name: PRETASKY			DNR ID: 142				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.25 JB	F	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039124	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039124	128053530
Record Count Subtotal: 76													

Point Name: PZ-1			DNR ID: 129				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	No									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	No									
F01		Groundwater elevation (ft MSL)	4189	646.76									
F01		ph-Field (standard units)	400	7.04									
F01		Specific conductance-field (umhos/cm @ 25c)	94	228									
F01		Temperature, water (degrees centigrade)	10	6.1									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039120	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	150	M	M	M	20	67		4/18/08	WRD039120	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	9	M	M	M	1	3.3		4/16/08	WRD039120	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	0.91	M	M	M	0.07	0.22		4/14/08	WRD039120	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	36	M	M	M	0.06	0.19		4/14/08	WRD039120	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.06	M	M	M	0.01	0.032		4/14/08	WRD039120	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.34	M	M	M	0.01	0.032		4/14/08	WRD039120	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	<0.002	M	M	M	0.002	0.007		4/14/08	WRD039120	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.13	M	M	M	0.04	0.13		4/14/08	WRD039120	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	400	M	M	M	2	6.4		4/14/08	WRD039120	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.3	M	M	M	0.1	0.32		4/14/08	WRD039120	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530

Point Name: PZ-1

DNR ID: 129

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039120	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039120	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039120	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530

Point Name: PZ-1			DNR ID: 129				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.2 JB	F	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039120	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039120	128053530
Record Count Subtotal: 79													

Point Name: PZ-2			DNR ID: 138				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	No									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	646.86									
F01		ph-Field (standard units)	400	7.49									
F01		Specific conductance-field (umhos/cm @ 25c)	94	249									
F01		Temperature, water (degrees centigrade)	10	5.7									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039121	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	170	M	M	M	20	67		4/18/08	WRD039121	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	9.6	M	M	M	1	3.3		4/16/08	WRD039121	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l as As)	1000	0.57	M	M	M	0.07	0.22		4/14/08	WRD039121	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	36	M	M	M	0.06	0.19		4/14/08	WRD039121	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.1	M	M	M	0.01	0.032		4/14/08	WRD039121	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	0.57	M	M	M	0.01	0.032		4/14/08	WRD039121	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	0.025	M	M	M	0.002	0.007		4/14/08	WRD039121	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.2	M	M	M	0.04	0.13		4/14/08	WRD039121	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	140	M	M	M	2	6.4		4/14/08	WRD039121	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.4	M	M	M	0.1	0.32		4/14/08	WRD039121	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530

Point Name: PZ-2

DNR ID: 138

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/15/08	WRD039121	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/15/08	WRD039121	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/15/08	WRD039121	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530

Point Name: PZ-2			DNR ID: 138				Sample Date: 4/10/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	Toluene (ug/l)	34010	<0.2 B	F	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/15/08	WRD039121	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/15/08	WRD039121	128053530
Record Count Subtotal: 79													

Point Name: PZ-3			DNR ID: 139				Sample Date: 4/9/08			Mult Sample ID: 01			
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Comment, sample color	2	Yes									
F01		Comment, sample odor	1	Yes									
F01		Comment, sample turbidity	3	Yes									
F01		Groundwater elevation (ft MSL)	4189	646.42									
F01		ph-Field (standard units)	400	7.11									
F01		Specific conductance-field (umhos/cm @ 25c)	94	523									
F01		Temperature, water (degrees centigrade)	10	8.7									
L01	245.1	Mercury, dissolved (ug/l as Hg)	71890	<0.065	M	M	M	0.065	0.23		4/14/08	WRD039109	128053530
L01	310.2	Alkalinity, total (mg/l as CaCO3)	410	310	M	M	M	20	67		4/18/08	WRD039109	128053530
L01	325.2	Chloride, total (mg/l as Cl)	940	11	M	M	M	1	3.3		4/16/08	WRD039109	128053530
L01	SW 6020A	Arsenic, dissolved (ug/l As)	1000	0.84	M	M	M	0.07	0.22		4/14/08	WRD039109	128053530
L01	SW 6020A	Barium, dissolved (ug/l as Ba)	1005	180	M	M	M	6	19		4/14/08	WRD039109	128053530
L01	SW 6020A	Cadmium, dissolved (ug/l as Cd)	1025	0.06	M	M	M	0.01	0.032		4/14/08	WRD039109	128053530
L01	SW 6020A	Cobalt, dissolved (ug/l as Co)	1035	2.4	M	M	M	0.01	0.032		4/14/08	WRD039109	128053530
L01	SW 6020A	Iron, dissolved (mg/l as Fe)	1046	0.41	M	M	M	0.002	0.007		4/14/08	WRD039109	128053530
L01	SW 6020A	Lead, dissolved (ug/l as Pb)	1049	0.29	M	M	M	0.04	0.13		4/14/08	WRD039109	128053530
L01	SW 6020A	Manganese, dissolved (ug/l as Mn)	1056	4600	M	M	M	2	6.4		4/14/08	WRD039109	128053530
L01	SW 6020A	Vanadium, dissolved (ug/l as V)	1085	1.6	M	M	M	0.1	0.32		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530

Point Name: PZ-3

DNR ID: 139

Sample Date: 4/9/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	0.24 J	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	1.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039109	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039109	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039109	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530

Point Name: PZ-3			DNR ID: 139					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.55 JB	F	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039109	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039109	128053530
Record Count Subtotal: 79													

Point Name: PZ-3			Dup	DNR ID: 139					Dup	Sample Date: 4/9/08			Mult Sample ID: 02	
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID	
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	0.3 J	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530	
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530	
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530	

Point Name: PZ-3			DNR ID: 139			Dup			Sample Date: 4/9/08			Mult Sample ID: 02	
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	0.78	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039110	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039110	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039110	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.41 JB	F	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039110	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039110	128053530
Record Count Subtotal: 61													

Point Name: PZ-4			DNR ID: 140			Sample Date: 4/9/08			Mult Sample ID: 01				
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01		Groundwater elevation (ft MSL)	4189	646.1									

Point Name: PZ-4		DNR ID: 140			Sample Date: 4/9/08			Mult Sample ID: 01				
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
Record Count Subtotal: 1												

Point Name: PZ-5		DNR ID: 130			Sample Date: 4/10/08			Mult Sample ID: 01				
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Groundwater elevation (ft MSL)	4189	646.41									
Record Count Subtotal: 1												

Point Name: PZ-6		DNR ID: 153			Sample Date: 4/10/08			Mult Sample ID: 01				
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
F01	Groundwater elevation (ft MSL)	4189	646.89									
Record Count Subtotal: 1												

Point Name: TRIP BLANK		DNR ID: 999			Sample Date: 4/9/08			Mult Sample ID: 01				
QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7	4/14/08	WRD039101	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83	4/14/08	WRD039101	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67	4/14/08	WRD039101	128053530

Point Name: TRIP BLANK			DNR ID: 999					Sample Date: 4/9/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039101	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039101	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039101	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.21 JB	F	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039101	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039101	128053530
Record Count Subtotal: 61													

Point Name: TRIP BLANK			DNR ID: 999					Sample Date: 4/10/08			Mult Sample ID: 01		
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530

Point Name: TRIP BLANK

DNR ID: 999

Sample Date: 4/10/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		4/14/08	WRD039117	128053530
L01	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		4/14/08	WRD039117	128053530
L01	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5 M	M	M	F	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530

Point Name: TRIP BLANK			DNR ID: 999			Sample Date: 4/10/08			Mult Sample ID: 01				
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L01	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		4/14/08	WRD039117	128053530
L01	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	Toluene (ug/l)	34010	0.27 JB	F	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
L01	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		4/14/08	WRD039117	128053530
L01	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		4/14/08	WRD039117	128053530
Record Count Subtotal: 61													

Point Name: TRIP BLANK			DNR ID: 999			Sample Date: 5/7/08			Mult Sample ID: 01				
QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L02	SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	2,3-Dichloropropene (ug/l)	77166	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530

Point Name: TRIP BLANK

DNR ID: 999

Sample Date: 5/7/08

Mult Sample ID: 01

QCG	Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
L02	SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		5/9/08	WRE027801	128053530
L02	SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		5/9/08	WRE027801	128053530
L02	SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Naphthalene (ug/l)	34696	<0.25 B	F	M	M	0.25	0.83		5/9/08	WRE027801	128053530
L02	SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530
L02	SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		5/9/08	WRE027801	128053530
L02	SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		5/9/08	WRE027801	128053530

Point Name: TRIP BLANK

DNR ID: 999

Sample Date: 5/7/08

Mult Sample ID: 01

QCG Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
--------------	-----------	---------	--------------	-----	-----	-----	-----	-----	----	---------------	--------------	-------------

Record Count Subtotal: 61

Record Count Total: 1954

ATTACHMENT B

Laboratory Analytical Reports

TestAmerica

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WRD0391

Pg. 2 of 3

THE LEADER IN ENVIRONMENTAL TESTING

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?

Compliance Monitoring _____

Client Name _____ Client #: _____

Address: _____

City/State/Zip Code: _____

Project Manager: _____

Telephone Number: _____ Fax: _____

Sampler Name: (Print Name) _____

Sampler Signature: _____

Project Name: _____

Project #: _____

Site/Location ID: _____ State: _____

Report To: _____

Invoice To: _____

Quote #: _____ PO#: _____

#3550
see p. 1

#3550
see p. 1

E-mail address: _____		Matrix		Preservation & # of Containers								Analyze For:				QC Deliverables													
TAT	Date Needed: _____	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	SL - Sludge	DW - Drinking Water	GW - Groundwater	S - Soil/Solid	WW - Wastewater	Specify	Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	VOC's (E2608)	As, B, F, Pb, Mn, Cd, Cr, Hg, V	Chloride	Alkalinity	Level 2 (Batch QC)	Level 3	Level 4	Other: _____	REMARKS	
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)	Zuck's																												
Fax Results: Y <input type="checkbox"/> N <input checked="" type="checkbox"/>																													
E-mail: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N																													
SAMPLE ID																													
10 MWGS		4/1/08	1400	G	Y	GW							1	3						X	X	X	X						
12 MWGM			1420																	X	X	X	X						
13 MWISM			1505																	X	X	X	X						
14 MW8S			1530																	X	X	X	X						
15 MW8M			1600																	X	X	X	X						
16 MW8S Dip.			1530																	X									

Special Instructions: VOC's are not filtered. All otl's are field filtered.

LABORATORY COMMENTS:

Relinquished By: *K. Long* Date: 4/11/08 Time: _____ Received By: *Paul* Date: 4/15/08 Time: _____

Init Lab Temp: _____ Rec Lab Temp: 3°C ICE

Relinquished By: *Fred* Date: 4/15/08 Time: _____ Received By: *T. Spurch* Date: 4/16/08 Time: 12:45

Custody Seals: Y N N/A

Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Bottles Supplied by TestAmerica: Y N

Method of Shipment: TA-RR

April 21, 2008

Client: BT2, INC.
2830 Dairy Drive
Madison, WI 53718

Work Order: WRD0391
Project Name: Onalaska Landfill
Project Number: 3550

Attn: Mr. Steve Smith

Date Received: 04/11/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
Trip Blank #1	WRD0391-01	04/09/08
MW-5S	WRD0391-02	04/09/08 09:00
MW-17S	WRD0391-03	04/09/08 09:45
MW-17M	WRD0391-04	04/09/08 10:15
MW-16S	WRD0391-05	04/09/08 11:00
MW-16M	WRD0391-06	04/09/08 11:20
AW-28	WRD0391-07	04/09/08 12:00
MW-4S	WRD0391-08	04/09/08 12:30
PZ-3	WRD0391-09	04/09/08 13:30
PZ-3 Dup.	WRD0391-10	04/09/08 13:30
MW-6S	WRD0391-11	04/09/08 14:00
MW-6M	WRD0391-12	04/09/08 14:20
MW-15M	WRD0391-13	04/09/08 15:05
MW-8S	WRD0391-14	04/09/08 15:30
MW-8M	WRD0391-15	04/09/08 16:00
MW-8S Dup.	WRD0391-16	04/09/08 15:30
Trip Blank #2	WRD0391-17	04/10/08 08:00
MW-1SR	WRD0391-18	04/10/08 08:30
MW-14S	WRD0391-19	04/10/08 10:15
PZ-1	WRD0391-20	04/10/08 10:55
PZ-2	WRD0391-21	04/10/08 11:30
Johnson Well	WRD0391-22	04/10/08 09:30
Miller Well	WRD0391-23	04/10/08 09:05
Pretasky Well	WRD0391-24	04/10/08 08:50

Samples were received into laboratory at a temperature of 3 °C.

Wisconsin Certification Number: 128053530

The Chain(s) of Custody, 3 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, P_{VOC}, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Approved By:



TestAmerica Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-01 (Trip Blank #1 - DI)						Sampled: 04/09/08				
Sample Location: 00507999										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 12:30	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 12:30	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B

TestAmerica Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-01 (Trip Blank #1 - DI) - cont.						Sampled: 04/09/08				
Sample Location: 00507999										
VOCs by SW8260B - cont.										
Toluene	0.21	J	ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:30	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 12:30	mae	8040344	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 12:30	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	112 %									
Surr: Toluene-d8 (91-109%)	108 %									
Surr: 4-Bromofluorobenzene (89-114%)	95 %									
Sample ID: WRD0391-02 (MW-5S - Ground Water)						Sampled: 04/09/08 09:00				
Sample Location: 00507121										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	200		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	2.2	J	mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	15		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	280		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.020	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	8.2		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	370000		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.10	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	2800		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.2		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
n-Butylbenzene	6.6		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
sec-Butylbenzene	12		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
tert-Butylbenzene	11		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 12:56	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-02 (MW-5S - Ground Water) - cont.						Sampled: 04/09/08 09:00				
Sample Location: 00507121										
VOCs by SW8260B - cont.										
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Ethylbenzene	11		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Isopropylbenzene	42		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
p-Isopropyltoluene	3.5		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 12:56	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Naphthalene	26		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
n-Propylbenzene	52		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Toluene	0.88		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:56	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	460		ug/L	2.0	6.7	10	04/15/08 21:15	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	14		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 12:56	mae	8040344	SW 8260B
Xylenes, Total	10		ug/L	0.50	1.7	1	04/14/08 12:56	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	107 %									
Surr: Dibromofluoromethane (89-119%)	98 %									
Surr: Toluene-d8 (91-109%)	103 %									
Surr: Toluene-d8 (91-109%)	109 %									
Surr: 4-Bromofluorobenzene (89-114%)	99 %									
Surr: 4-Bromofluorobenzene (89-114%)	102 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-03 (MW-17S - Ground Water)						Sampled: 04/09/08 09:45				
Sample Location: 00507149										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	220		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	6.2		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	14		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	270		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.010	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	1.9		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	37000		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.070	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	3700		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.9		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
n-Butylbenzene	6.7		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
sec-Butylbenzene	23		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
tert-Butylbenzene	6.1		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 13:23	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-03 (MW-17S - Ground Water) - cont.						Sampled: 04/09/08 09:45				
Sample Location: 00507149										
VOCs by SW8260B - cont.										
Ethylbenzene	2.6		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Isopropylbenzene	16		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
p-Isopropyltoluene	12		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 13:23	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Naphthalene	5.7		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
n-Propylbenzene	34		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Toluene	0.46	J	ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 13:23	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	570		ug/L	2.0	6.7	10	04/15/08 20:04	mae	8040383	SW 8260B
1,3,5-Trimethylbenzene	13		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 13:23	mae	8040344	SW 8260B
Xylenes, Total	8.1		ug/L	0.50	1.7	1	04/14/08 13:23	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	105 %									
Surr: Dibromofluoromethane (89-119%)	103 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	107 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-04 (MW-17M - Ground Water)						Sampled: 04/09/08 10:15				
Sample Location: 00507150										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	190		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	7.3		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	12		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	690		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	<0.010		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.41		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	6100		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.12	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	1400		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.1		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
sec-Butylbenzene	0.88		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
tert-Butylbenzene	1.4		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 15:57	mae	8040382	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 13:49	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-04RE1 (MW-17M - Ground Water) - cont.						Sampled: 04/09/08 10:15				
Sample Location: 00507150										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Isopropylbenzene	0.27	J	ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 15:57	mae	8040382	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Naphthalene	0.28	J	ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Toluene	0.44	J	ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 15:57	mae	8040382	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 15:57	mae	8040382	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 15:57	mae	8040382	SW 8260B
Surr: Dibromofluoromethane (89-119%)	105 %									
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: 4-Bromofluorobenzene (89-114%)	95 %									
Surr: 4-Bromofluorobenzene (89-114%)	93 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-05 (MW-16S - Ground Water)						Sampled: 04/09/08 11:00				
Sample Location: 00507147										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	220		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	13		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	15		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	240		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.010	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	2.6		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	32000		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.040	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	3400		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	2.6		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	0.42	J	ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
n-Butylbenzene	14		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
sec-Butylbenzene	16		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
tert-Butylbenzene	8.3		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Chlorobenzene	0.52	J	ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 14:16	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-05 (MW-16S - Ground Water) - cont.						Sampled: 04/09/08 11:00				
Sample Location: 00507147										
VOCs by SW8260B - cont.										
Ethylbenzene	4.2		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Isopropylbenzene	38		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
p-Isopropyltoluene	3.2		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 14:16	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Naphthalene	30		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
n-Propylbenzene	61		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Toluene	0.51	J	ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:16	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	130		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
1,3,5-Trimethylbenzene	14		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 14:16	mae	8040344	SW 8260B
Xylenes, Total	14		ug/L	0.50	1.7	1	04/14/08 14:16	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%) 107 %										
Surr: Toluene-d8 (91-109%) 99 %										
Surr: 4-Bromofluorobenzene (89-114%) 101 %										
Sample ID: WRD0391-06 (MW-16M - Ground Water)						Sampled: 04/09/08 11:20				
Sample Location: 00507148										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	170		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	41		mg/L	10	33	10	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	28		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	1100		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.020	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	1.9		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	21000		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.090	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	1200		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	0.96		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	1.2		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
n-Butylbenzene	0.50	J	ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-06 (MW-16M - Ground Water) - cont.							Sampled: 04/09/08 11:20			
Sample Location: 00507148										
VOCs by SW8260B - cont.										
sec-Butylbenzene	0.36	J	ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
tert-Butylbenzene	0.27	J	ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Chlorobenzene	1.3		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 14:42	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,4-Dichlorobenzene	0.23	J	ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Isopropylbenzene	1.2		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 14:42	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Naphthalene	0.87		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Toluene	0.40	J	ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 14:42	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	13		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-06 (MW-16M - Ground Water) - cont.						Sampled: 04/09/08 11:20				
Sample Location: 00507148										
VOCs by SW8260B - cont.										
1,3,5-Trimethylbenzene	2.2		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 14:42	mae	8040344	SW 8260B
Xylenes, Total	5.0		ug/L	0.50	1.7	1	04/14/08 14:42	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	103 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: 4-Bromofluorobenzene (89-114%)	96 %									
Sample ID: WRD0391-07 (AW-28 - Ground Water)						Sampled: 04/09/08 12:00				
Sample Location: 00507136										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	350		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	5.9		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	1.2		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	210		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.080		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	1.6		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	1100		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.16		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	1300		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.9		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 16:23	mae	8040382	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:09	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-07RE1 (AW-28 - Ground Water) - cont.						Sampled: 04/09/08 12:00				
Sample Location: 00507136										
VOCs by SW8260B - cont.										
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 16:23	mae	8040382	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Naphthalene	0.36	J	ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Toluene	0.41	J	ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:23	mae	8040382	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
1,2,4-Trimethylbenzene	2.9		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	0.46	J	ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 16:23	mae	8040382	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 16:23	mae	8040382	SW 8260B
Surr: Dibromofluoromethane (89-119%)	103 %									
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	98 %									
Surr: Toluene-d8 (91-109%)	102 %									
Surr: 4-Bromofluorobenzene (89-114%)	94 %									
Surr: 4-Bromofluorobenzene (89-114%)	93 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-08 (MW-4S - Ground Water)						Sampled: 04/09/08 12:30				
Sample Location: 00507120										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	310		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	13		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	4.6		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	270		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.010	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.68		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	11000		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.19		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	1300		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.9		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
n-Butylbenzene	9.5		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
sec-Butylbenzene	16		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 15:35	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-08 (MW-4S - Ground Water) - cont.							Sampled: 04/09/08 12:30			
Sample Location: 00507120										
VOCs by SW8260B - cont.										
Ethylbenzene	1.3	J	ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Hexachlorobutadiene	1.2	J	ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Isopropylbenzene	6.4		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
p-Isopropyltoluene	30		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 15:35	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Naphthalene	5.1		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
n-Propylbenzene	13		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Toluene	0.42	J	ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 15:35	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	440		ug/L	1.6	5.3	8	04/15/08 20:48	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	120		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 15:35	mae	8040344	SW 8260B
Xylenes, Total	13		ug/L	0.50	1.7	1	04/14/08 15:35	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	107 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	107 %									
Surr: 4-Bromofluorobenzene (89-114%)	105 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-09 (PZ-3 - Ground Water)						Sampled: 04/09/08 13:30				
Sample Location: 00507139										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	310		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	11		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.84		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	180		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.060		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	2.4		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	410		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.29		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	4600		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.6		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
tert-Butylbenzene	1.2		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 12:03	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-09 (PZ-3 - Ground Water) - cont.						Sampled: 04/09/08 13:30				
Sample Location: 00507139										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 12:03	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Toluene	0.55	J	ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 12:03	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	0.24	J	ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 12:03	mae	8040344	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 12:03	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	111 %									
Surr: Toluene-d8 (91-109%)	114 %	ZI								
Surr: 4-Bromofluorobenzene (89-114%)	102 %									
Sample ID: WRD0391-10 (PZ-3 Dup. - Ground Water)						Sampled: 04/09/08 13:30				
Sample Location: 00507139										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
tert-Butylbenzene	0.78		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 10:44	mae	8040344	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-10 (PZ-3 Dup. - Ground Water) - cont.						Sampled: 04/09/08 13:30				
Sample Location: 00507139										
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 10:44	mae	8040344	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Toluene	0.41	J	ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 10:44	mae	8040344	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
1,2,4-Trimethylbenzene	0.30	J	ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 10:44	mae	8040344	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 10:44	mae	8040344	SW 8260B
Surr: Dibromofluoromethane (89-119%)	110 %									
Surr: Toluene-d8 (91-109%)	106 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-11 (MW-6S - Ground Water)						Sampled: 04/09/08 14:00				
Sample Location: 00507122										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	230		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	26		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.91		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	210		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.12		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	1.2		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.16		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	2700		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.3		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
sec-Butylbenzene	0.84		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
tert-Butylbenzene	3.7		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Chloroethane	1.2	J	ug/L	1.0	3.3	1	04/15/08 16:50	mae	8040382	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 16:02	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-11RE1 (MW-6S - Ground Water) - cont.						Sampled: 04/09/08 14:00				
Sample Location: 00507122										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Isopropylbenzene	0.32	J	ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 16:50	mae	8040382	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Toluene	0.35	J	ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 16:50	mae	8040382	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
1,2,4-Trimethylbenzene	1.6		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 16:50	mae	8040382	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 16:50	mae	8040382	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Dibromofluoromethane (89-119%)	96 %									
Surr: Toluene-d8 (91-109%)	95 %									
Surr: Toluene-d8 (91-109%)	107 %									
Surr: 4-Bromofluorobenzene (89-114%)	95 %									
Surr: 4-Bromofluorobenzene (89-114%)	95 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-12 (MW-6M - Ground Water)						Sampled: 04/09/08 14:20				
Sample Location: 00507123										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	310		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	16		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	2.2		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	1700		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.010	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	2.7		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.070	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	3700		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.5		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
sec-Butylbenzene	0.76	J	ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
tert-Butylbenzene	1.7		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 17:16	mae	8040382	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-12RE1 (MW-6M - Ground Water) - cont.						Sampled: 04/09/08 14:20				
Sample Location: 00507123										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Isopropylbenzene	1.1		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 17:16	mae	8040382	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Toluene	0.69		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:16	mae	8040382	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
1,2,4-Trimethylbenzene	6.5		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 17:16	mae	8040382	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 17:16	mae	8040382	SW 8260B
Surr: Dibromofluoromethane (89-119%) 101 %										
Surr: Toluene-d8 (91-109%) 102 %										
Surr: 4-Bromofluorobenzene (89-114%) 96 %										
Sample ID: WRD0391-13 (MW-15M - Ground Water)						Sampled: 04/09/08 15:05				
Sample Location: 00507137										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	240		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	6.2		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.47		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	520		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.17		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.73		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.58		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	2700		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	0.83		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-13RE1 (MW-15M - Ground Water) - cont.							Sampled: 04/09/08 15:05			
Sample Location: 00507137										
VOCs by SW8260B - cont.										
sec-Butylbenzene	1.5		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
tert-Butylbenzene	0.35	J	ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 17:43	mae	8040382	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 16:54	mae	8040344	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 17:43	mae	8040382	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Toluene	0.22	J	ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 17:43	mae	8040382	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
1,2,4-Trimethylbenzene	0.22	J	ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-13RE1 (MW-15M - Ground Water) - cont.						Sampled: 04/09/08 15:05				
Sample Location: 00507137										
VOCs by SW8260B - cont.										
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 17:43	mae	8040382	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 17:43	mae	8040382	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	99 %									
Surr: Toluene-d8 (91-109%)	108 %									
Surr: 4-Bromofluorobenzene (89-114%)	91 %									
Surr: 4-Bromofluorobenzene (89-114%)	99 %									
Sample ID: WRD0391-14 (MW-8S - Ground Water)						Sampled: 04/09/08 15:30				
Sample Location: 00507124										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	250		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	33		mg/L	10	33	10	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.43		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	64		ug/L	0.060	0.20	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.030	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.22		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.18		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	140		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.4		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 22:39	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-14 (MW-8S - Ground Water) - cont.						Sampled: 04/09/08 15:30				
Sample Location: 00507124										
VOCs by SW8260B - cont.										
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 22:39	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Toluene	0.21	J	ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 22:39	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 22:39	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 22:39	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	103 %									
Surr: Toluene-d8 (91-109%)	113 %	ZI								
Surr: 4-Bromofluorobenzene (89-114%)	97 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-15 (MW-8M - Ground Water)						Sampled: 04/09/08 16:00				
Sample Location: 00507125										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	260		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	13		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	4.2		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	680		ug/L	6.0	20	100	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.030	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.89		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	360		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.22		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	3000		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.2		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
sec-Butylbenzene	4.3		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
tert-Butylbenzene	0.84		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 23:32	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-15 (MW-8M - Ground Water) - cont.						Sampled: 04/09/08 16:00				
Sample Location: 00507125										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Isopropylbenzene	1.1		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 23:32	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Toluene	0.44	J	ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:32	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	4.8		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 23:32	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 23:32	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%) 104 %										
Surr: Toluene-d8 (91-109%) 105 %										
Surr: 4-Bromofluorobenzene (89-114%) 96 %										
Sample ID: WRD0391-16 (MW-8S Dup. - Ground Water)						Sampled: 04/09/08 15:30				
Sample Location: 00507124										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 23:06	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-16 (MW-8S Dup. - Ground Water) - cont.						Sampled: 04/09/08 15:30				
Sample Location: 00507124										
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 23:06	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Toluene	0.20	J	ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:06	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 23:06	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 23:06	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	109 %									
Surr: 4-Bromofluorobenzene (89-114%)	86 %	Z6								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-17 (Trip Blank #2 - DI)						Sampled: 04/10/08 08:00				
Sample Location: 00507999										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/14/08 23:59	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/14/08 23:59	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Toluene	0.27	J	ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-17 (Trip Blank #2 - DI) - cont.						Sampled: 04/10/08 08:00				
Sample Location: 00507999										
VOCs by SW8260B - cont.										
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/14/08 23:59	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/14/08 23:59	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/14/08 23:59	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%) 102 %										
Surr: Toluene-d8 (91-109%) 106 %										
Surr: 4-Bromofluorobenzene (89-114%) 93 %										
Sample ID: WRD0391-18 (MW-1SR - Ground Water)						Sampled: 04/10/08 08:30				
Sample Location: 00507141										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	89		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	7.9		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.39		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	27		ug/L	0.060	0.20	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.020	J	ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.41		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.26		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	680		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	0.84		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 00:25	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-18 (MW-1SR - Ground Water) - cont.						Sampled: 04/10/08 08:30				
Sample Location: 00507141										
VOCs by SW8260B - cont.										
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 00:25	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Toluene	0.29	J	ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:25	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 00:25	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 00:25	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	98 %									
Surr: Toluene-d8 (91-109%)	106 %									
Surr: 4-Bromofluorobenzene (89-114%)	93 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-19 (MW-14S - Ground Water)						Sampled: 04/10/08 10:15				
Sample Location: 00507127										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	140		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	5.2		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.53		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	91		ug/L	0.060	0.20	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.060		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	1.0		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	4800		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.10	J	ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	1600		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	0.77		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
n-Butylbenzene	0.72		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
sec-Butylbenzene	0.36	J	ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 00:52	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-19 (MW-14S - Ground Water) - cont.						Sampled: 04/10/08 10:15				
Sample Location: 00507127										
VOCs by SW8260B - cont.										
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Isopropylbenzene	0.24	J	ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 00:52	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Naphthalene	1.9		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 00:52	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	0.29	J	ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 00:52	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 00:52	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%) 98 %										
Surr: Toluene-d8 (91-109%) 103 %										
Surr: 4-Bromofluorobenzene (89-114%) 94 %										
Sample ID: WRD0391-20 (PZ-1 - Ground Water)						Sampled: 04/10/08 10:55				
Sample Location: 00507129										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	150		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	9.0		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.91		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	36		ug/L	0.060	0.20	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.060		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.34		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	<2.2		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.13		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	400		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.3		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-20 (PZ-1 - Ground Water) - cont.						Sampled: 04/10/08 10:55				
Sample Location: 00507129										
VOCs by SW8260B - cont.										
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 01:18	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 01:18	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Toluene	0.20	J	ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:18	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-20 (PZ-1 - Ground Water) - cont.						Sampled: 04/10/08 10:55				
Sample Location: 00507129										
VOCs by SW8260B - cont.										
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 01:18	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 01:18	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	104 %									
Surr: Toluene-d8 (91-109%)	107 %									
Surr: 4-Bromofluorobenzene (89-114%)	99 %									
Sample ID: WRD0391-21 (PZ-2 - Ground Water)						Sampled: 04/10/08 11:30				
Sample Location: 00507138										
General Chemistry Parameters										
Alkalinity, Total (CaCO3)	170		mg/L	20	67	1	04/18/08 16:18	pxm	8040519	EPA 310.2
Chloride	9.6		mg/L	1.0	3.3	1	04/16/08 14:28	pxm	8040430	EPA 325.2
Metals Dissolved										
Arsenic	0.57		ug/L	0.070	0.23	1	04/14/08 09:17	gaf	8040350	SW 6020A
Barium	36		ug/L	0.060	0.20	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cadmium	0.10		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Cobalt	0.57		ug/L	0.010	0.033	1	04/14/08 09:17	gaf	8040350	SW 6020A
Iron	25		ug/L	2.2	7.3	1	04/14/08 09:17	gaf	8040350	SW 6020A
Lead	0.20		ug/L	0.040	0.13	1	04/14/08 09:17	gaf	8040350	SW 6020A
Manganese	140		ug/L	2.0	6.7	100	04/14/08 09:17	gaf	8040350	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/14/08 14:09	jej	8040353	EPA 245.1
Vanadium	1.4		ug/L	0.10	0.33	1	04/14/08 09:17	gaf	8040350	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 01:45	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-21 (PZ-2 - Ground Water) - cont.							Sampled: 04/10/08 11:30			
Sample Location: 00507138										
VOCs by SW8260B - cont.										
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 01:45	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 01:45	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 01:45	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 01:45	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	98 %									
Surr: Toluene-d8 (91-109%)	104 %									
Surr: 4-Bromofluorobenzene (89-114%)	91 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-22 (Johnson Well - Ground Water)							Sampled: 04/10/08 09:30			
Sample Location: 00507112										
Metals										
Arsenic	0.51		ug/L	0.070	0.23	1	04/17/08 13:38	gaf	8040357	SW 6020A
Barium	85	B	ug/L	0.060	0.20	1	04/17/08 13:38	gaf	8040357	SW 6020A
Cadmium	<0.010		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Cobalt	0.14		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Iron	12		ug/L	2.2	7.3	1	04/17/08 13:38	gaf	8040357	SW 6020A
Lead	0.44	B	ug/L	0.040	0.13	1	04/17/08 13:38	gaf	8040357	SW 6020A
Manganese	130	B	ug/L	0.020	0.067	1	04/17/08 13:38	gaf	8040357	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/16/08 13:18	jej	8040390	EPA 245.1
Vanadium	<0.10		ug/L	0.10	0.33	1	04/17/08 13:38	gaf	8040357	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 02:11	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-22 (Johnson Well - Ground Water) - cont.						Sampled: 04/10/08 09:30				
Sample Location: 00507112										
VOCs by SW8260B - cont.										
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 02:11	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
Toluene	0.21	J	ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:11	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 02:11	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 02:11	mae	8040346	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	<i>102 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>107 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>96 %</i>									
Sample ID: WRD0391-23 (Miller Well - Ground Water)						Sampled: 04/10/08 09:05				
Sample Location: 00507143										
Metals										
Arsenic	7.3		ug/L	0.070	0.23	1	04/17/08 13:38	gaf	8040357	SW 6020A
Barium	430	B	ug/L	6.0	20	100	04/17/08 13:38	gaf	8040357	SW 6020A
Cadmium	<0.010		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Cobalt	0.19		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Iron	16000		ug/L	2.2	7.3	1	04/17/08 13:38	gaf	8040357	SW 6020A
Lead	0.060	J, B	ug/L	0.040	0.13	1	04/17/08 13:38	gaf	8040357	SW 6020A
Manganese	5300	B	ug/L	2.0	6.7	100	04/17/08 13:38	gaf	8040357	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/16/08 13:18	jej	8040390	EPA 245.1
Vanadium	0.82		ug/L	0.10	0.33	1	04/17/08 13:38	gaf	8040357	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 02:37	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-23 (Miller Well - Ground Water) - cont.						Sampled: 04/10/08 09:05				
Sample Location: 00507143										
VOCs by SW8260B - cont.										
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 02:37	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 02:37	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 02:37	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 02:37	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	106 %									
Surr: 4-Bromofluorobenzene (89-114%)	100 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-24 (Pretasky Well - Ground Water)							Sampled: 04/10/08 08:50			
Sample Location: 00507142										
Metals										
Arsenic	4.7		ug/L	0.070	0.23	1	04/17/08 13:38	gaf	8040357	SW 6020A
Barium	92	B	ug/L	6.0	20	100	04/17/08 13:38	gaf	8040357	SW 6020A
Cadmium	<0.010		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Cobalt	0.22		ug/L	0.010	0.033	1	04/17/08 13:38	gaf	8040357	SW 6020A
Iron	360		ug/L	2.2	7.3	1	04/17/08 13:38	gaf	8040357	SW 6020A
Lead	0.19	B	ug/L	0.040	0.13	1	04/17/08 13:38	gaf	8040357	SW 6020A
Manganese	1300	B	ug/L	2.0	6.7	100	04/17/08 13:38	gaf	8040357	SW 6020A
Mercury	<0.000065		mg/L	0.000065	0.00022	1	04/16/08 13:18	jej	8040390	EPA 245.1
Vanadium	1.5		ug/L	0.10	0.33	1	04/17/08 13:38	gaf	8040357	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	04/15/08 03:04	mae	8040346	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
2,2-Dichloropropane	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Hexachlorobutadiene	<0.50	C4	ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRD0391-24 (Pretasky Well - Ground Water) - cont.							Sampled: 04/10/08 08:50			
Sample Location: 00507142										
VOCs by SW8260B - cont.										
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	04/15/08 03:04	mae	8040346	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Toluene	0.25	J	ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	04/15/08 03:04	mae	8040346	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	04/15/08 03:04	mae	8040346	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	04/15/08 03:04	mae	8040346	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	112 %	ZI								
Surr: 4-Bromofluorobenzene (89-114%)	100 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters													
Chloride	8040430			mg/L	1.0	3.3	<1.0						
Alkalinity, Total (CaCO3)	8040519			mg/L	20	67	<20						
Metals													
Arsenic	8040357			ug/L	0.070	0.22	<0.070						
Barium	8040357			ug/L	0.060	0.19	0.100						J
Cadmium	8040357			ug/L	0.010	0.032	<0.010						
Cobalt	8040357			ug/L	0.010	0.032	<0.010						
Iron	8040357			ug/L	2.2	7.0	<2.2						
Lead	8040357			ug/L	0.040	0.13	0.0900						J
Manganese	8040357			ug/L	0.020	0.064	0.0500						J
Vanadium	8040357			ug/L	0.10	0.32	<0.10						
Mercury	8040390			mg/L	0.000065	0.00023	<0.000065						
Metals Dissolved													
Mercury	8040353			mg/L	0.000065	0.00023	<0.000065						
VOCs by SW8260B													
Benzene	8040344			ug/L	0.20	0.67	<0.20						
Bromobenzene	8040344			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8040344			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8040344			ug/L	0.20	0.67	<0.20						
Bromoform	8040344			ug/L	0.20	0.67	<0.20						
Bromomethane	8040344			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8040344			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8040344			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8040344			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8040344			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8040344			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8040344			ug/L	0.20	0.67	<0.20						
Chloroethane	8040344			ug/L	1.0	3.3	<1.0						
Chloroform	8040344			ug/L	0.20	0.67	<0.20						
Chloromethane	8040344			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8040344			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8040344			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8040344			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8040344			ug/L	0.20	0.67	<0.20						
Dibromomethane	8040344			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8040344			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8040344			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8040344			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8040344			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8040344			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8040344			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8040344			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8040344			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8040344			ug/L	0.50	1.7	<0.50						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichloropropane	8040344			ug/L	0.50	1.7	<0.50							
1,3-Dichloropropane	8040344			ug/L	0.25	0.83	<0.25							
2,2-Dichloropropane	8040344			ug/L	0.50	1.7	<0.50							
1,1-Dichloropropene	8040344			ug/L	0.50	1.7	<0.50							
cis-1,3-Dichloropropene	8040344			ug/L	0.20	0.67	<0.20							
trans-1,3-Dichloropropene	8040344			ug/L	0.20	0.67	<0.20							
2,3-Dichloropropene	8040344			ug/L	0.25	0.83	<0.25							
Isopropyl Ether	8040344			ug/L	0.50	1.7	<0.50							
Ethylbenzene	8040344			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	8040344			ug/L	0.50	1.7	<0.50							
Isopropylbenzene	8040344			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	8040344			ug/L	0.20	0.67	<0.20							
Methylene Chloride	8040344			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	8040344			ug/L	0.50	1.7	<0.50							
Naphthalene	8040344			ug/L	0.25	0.83	<0.25							
n-Propylbenzene	8040344			ug/L	0.50	1.7	<0.50							
Styrene	8040344			ug/L	0.20	0.67	<0.20							
1,1,1,2-Tetrachloroethane	8040344			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	8040344			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	8040344			ug/L	0.50	1.7	<0.50							
Toluene	8040344			ug/L	0.20	0.67	<0.20							
1,2,3-Trichlorobenzene	8040344			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	8040344			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	8040344			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	8040344			ug/L	0.25	0.83	<0.25							
Trichloroethene	8040344			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	8040344			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	8040344			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	8040344			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	8040344			ug/L	0.20	0.67	<0.20							
Vinyl chloride	8040344			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8040344			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	8040344			ug/L					104		89-119			
Surrogate: Toluene-d8	8040344			ug/L					100		91-109			
Surrogate: 4-Bromofluorobenzene	8040344			ug/L					100		89-114			
Benzene	8040346			ug/L	0.20	0.67	<0.20							
Bromobenzene	8040346			ug/L	0.20	0.67	<0.20							
Bromochloromethane	8040346			ug/L	0.50	1.7	<0.50							
Bromodichloromethane	8040346			ug/L	0.20	0.67	<0.20							
Bromoform	8040346			ug/L	0.20	0.67	<0.20							
Bromomethane	8040346			ug/L	0.20	0.67	<0.20							
n-Butylbenzene	8040346			ug/L	0.20	0.67	<0.20							
sec-Butylbenzene	8040346			ug/L	0.25	0.83	<0.25							
tert-Butylbenzene	8040346			ug/L	0.20	0.67	<0.20							

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	%REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Carbon Tetrachloride	8040346			ug/L	0.50	1.7	<0.50							
Chlorobenzene	8040346			ug/L	0.20	0.67	<0.20							
Chlorodibromomethane	8040346			ug/L	0.20	0.67	<0.20							
Chloroethane	8040346			ug/L	1.0	3.3	<1.0							
Chloroform	8040346			ug/L	0.20	0.67	<0.20							
Chloromethane	8040346			ug/L	0.20	0.67	<0.20							
2-Chlorotoluene	8040346			ug/L	0.50	1.7	<0.50							
4-Chlorotoluene	8040346			ug/L	0.20	0.67	<0.20							
1,2-Dibromo-3-chloropropane	8040346			ug/L	0.50	1.7	<0.50							
1,2-Dibromoethane (EDB)	8040346			ug/L	0.20	0.67	<0.20							
Dibromomethane	8040346			ug/L	0.20	0.67	<0.20							
1,2-Dichlorobenzene	8040346			ug/L	0.20	0.67	<0.20							
1,3-Dichlorobenzene	8040346			ug/L	0.20	0.67	<0.20							
1,4-Dichlorobenzene	8040346			ug/L	0.20	0.67	<0.20							
Dichlorodifluoromethane	8040346			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethane	8040346			ug/L	0.50	1.7	<0.50							
1,2-Dichloroethane	8040346			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethene	8040346			ug/L	0.50	1.7	<0.50							
cis-1,2-Dichloroethene	8040346			ug/L	0.50	1.7	<0.50							
trans-1,2-Dichloroethene	8040346			ug/L	0.50	1.7	<0.50							
1,2-Dichloropropane	8040346			ug/L	0.50	1.7	<0.50							
1,3-Dichloropropane	8040346			ug/L	0.25	0.83	<0.25							
2,2-Dichloropropane	8040346			ug/L	0.50	1.7	<0.50							C4
1,1-Dichloropropene	8040346			ug/L	0.50	1.7	<0.50							
cis-1,3-Dichloropropene	8040346			ug/L	0.20	0.67	<0.20							
trans-1,3-Dichloropropene	8040346			ug/L	0.20	0.67	<0.20							
2,3-Dichloropropene	8040346			ug/L	0.25	0.83	<0.25							
Isopropyl Ether	8040346			ug/L	0.50	1.7	<0.50							
Ethylbenzene	8040346			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	8040346			ug/L	0.50	1.7	<0.50							C4
Isopropylbenzene	8040346			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	8040346			ug/L	0.20	0.67	<0.20							
Methylene Chloride	8040346			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	8040346			ug/L	0.50	1.7	<0.50							
Naphthalene	8040346			ug/L	0.25	0.83	<0.25							
n-Propylbenzene	8040346			ug/L	0.50	1.7	<0.50							
Styrene	8040346			ug/L	0.20	0.67	<0.20							
1,1,1,2-Tetrachloroethane	8040346			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	8040346			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	8040346			ug/L	0.50	1.7	<0.50							
Toluene	8040346			ug/L	0.20	0.67	<0.20							
1,2,3-Trichlorobenzene	8040346			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	8040346			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	8040346			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	8040346			ug/L	0.25	0.83	<0.25							

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup	%	Dup	% REC	RPD	RPD	Q
								Result	REC	%REC	Limits	RPD	Limit	
VOCs by SW8260B														
Trichloroethene	8040346			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	8040346			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	8040346			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	8040346			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	8040346			ug/L	0.20	0.67	<0.20							
Vinyl chloride	8040346			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8040346			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	8040346			ug/L					101		89-119			
Surrogate: Toluene-d8	8040346			ug/L					100		91-109			
Surrogate: 4-Bromofluorobenzene	8040346			ug/L					92		89-114			
Benzene	8040382			ug/L	0.20	0.67	<0.20							
Bromobenzene	8040382			ug/L	0.20	0.67	<0.20							
Bromochloromethane	8040382			ug/L	0.50	1.7	<0.50							
Bromodichloromethane	8040382			ug/L	0.20	0.67	<0.20							
Bromoform	8040382			ug/L	0.20	0.67	<0.20							
Bromomethane	8040382			ug/L	0.20	0.67	<0.20							
n-Butylbenzene	8040382			ug/L	0.20	0.67	<0.20							
sec-Butylbenzene	8040382			ug/L	0.25	0.83	<0.25							
tert-Butylbenzene	8040382			ug/L	0.20	0.67	<0.20							
Carbon Tetrachloride	8040382			ug/L	0.50	1.7	<0.50							
Chlorobenzene	8040382			ug/L	0.20	0.67	<0.20							
Chlorodibromomethane	8040382			ug/L	0.20	0.67	<0.20							
Chloroethane	8040382			ug/L	1.0	3.3	<1.0							
Chloroform	8040382			ug/L	0.20	0.67	<0.20							
Chloromethane	8040382			ug/L	0.20	0.67	<0.20							
2-Chlorotoluene	8040382			ug/L	0.50	1.7	<0.50							
4-Chlorotoluene	8040382			ug/L	0.20	0.67	<0.20							
1,2-Dibromo-3-chloropropane	8040382			ug/L	0.50	1.7	<0.50							
1,2-Dibromoethane (EDB)	8040382			ug/L	0.20	0.67	<0.20							
Dibromomethane	8040382			ug/L	0.20	0.67	<0.20							
1,2-Dichlorobenzene	8040382			ug/L	0.20	0.67	<0.20							
1,3-Dichlorobenzene	8040382			ug/L	0.20	0.67	<0.20							
1,4-Dichlorobenzene	8040382			ug/L	0.20	0.67	<0.20							
Dichlorodifluoromethane	8040382			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethane	8040382			ug/L	0.50	1.7	<0.50							
1,2-Dichloroethane	8040382			ug/L	0.50	1.7	<0.50							
1,1-Dichloroethene	8040382			ug/L	0.50	1.7	<0.50							
cis-1,2-Dichloroethene	8040382			ug/L	0.50	1.7	<0.50							
trans-1,2-Dichloroethene	8040382			ug/L	0.50	1.7	<0.50							
1,2-Dichloropropane	8040382			ug/L	0.50	1.7	<0.50							
1,3-Dichloropropane	8040382			ug/L	0.25	0.83	<0.25							
2,2-Dichloropropane	8040382			ug/L	0.50	1.7	<0.50							
1,1-Dichloropropene	8040382			ug/L	0.50	1.7	<0.50							
cis-1,3-Dichloropropene	8040382			ug/L	0.20	0.67	<0.20							

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
trans-1,3-Dichloropropene	8040382			ug/L	0.20	0.67	<0.20							
2,3-Dichloropropene	8040382			ug/L	0.25	0.83	<0.25							
Isopropyl Ether	8040382			ug/L	0.50	1.7	<0.50							
Ethylbenzene	8040382			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	8040382			ug/L	0.50	1.7	<0.50							
Isopropylbenzene	8040382			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	8040382			ug/L	0.20	0.67	<0.20							
Methylene Chloride	8040382			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	8040382			ug/L	0.50	1.7	<0.50							
Naphthalene	8040382			ug/L	0.25	0.83	<0.25							
n-Propylbenzene	8040382			ug/L	0.50	1.7	<0.50							
Styrene	8040382			ug/L	0.20	0.67	<0.20							
1,1,1,2-Tetrachloroethane	8040382			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	8040382			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	8040382			ug/L	0.50	1.7	<0.50							
Toluene	8040382			ug/L	0.20	0.67	<0.20							
1,2,3-Trichlorobenzene	8040382			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	8040382			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	8040382			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	8040382			ug/L	0.25	0.83	<0.25							
Trichloroethene	8040382			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	8040382			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	8040382			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	8040382			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	8040382			ug/L	0.20	0.67	<0.20							
Vinyl chloride	8040382			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8040382			ug/L	0.50	1.7	<0.50							
<i>Surrogate: Dibromofluoromethane</i>	<i>8040382</i>			ug/L						<i>100</i>		<i>89-119</i>		
<i>Surrogate: Toluene-d8</i>	<i>8040382</i>			ug/L						<i>112</i>		<i>91-109</i>		Z1
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8040382</i>			ug/L						<i>102</i>		<i>89-114</i>		
Benzene	8040383			ug/L	0.20	0.67	<0.20							
Bromobenzene	8040383			ug/L	0.20	0.67	<0.20							
Bromochloromethane	8040383			ug/L	0.50	1.7	<0.50							
Bromodichloromethane	8040383			ug/L	0.20	0.67	<0.20							
Bromoform	8040383			ug/L	0.20	0.67	<0.20							
Bromomethane	8040383			ug/L	0.20	0.67	<0.20							
n-Butylbenzene	8040383			ug/L	0.20	0.67	<0.20							
sec-Butylbenzene	8040383			ug/L	0.25	0.83	<0.25							
tert-Butylbenzene	8040383			ug/L	0.20	0.67	<0.20							
Carbon Tetrachloride	8040383			ug/L	0.50	1.7	<0.50							
Chlorobenzene	8040383			ug/L	0.20	0.67	<0.20							
Chlorodibromomethane	8040383			ug/L	0.20	0.67	<0.20							
Chloroethane	8040383			ug/L	1.0	3.3	<1.0							
Chloroform	8040383			ug/L	0.20	0.67	<0.20							

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q	
VOCs by SW8260B															
Chloromethane	8040383			ug/L	0.20	0.67	<0.20								
2-Chlorotoluene	8040383			ug/L	0.50	1.7	<0.50								
4-Chlorotoluene	8040383			ug/L	0.20	0.67	<0.20								
1,2-Dibromo-3-chloropropane	8040383			ug/L	0.50	1.7	<0.50								
1,2-Dibromoethane (EDB)	8040383			ug/L	0.20	0.67	<0.20								
Dibromomethane	8040383			ug/L	0.20	0.67	<0.20								
1,2-Dichlorobenzene	8040383			ug/L	0.20	0.67	<0.20								
1,3-Dichlorobenzene	8040383			ug/L	0.20	0.67	<0.20								
1,4-Dichlorobenzene	8040383			ug/L	0.20	0.67	<0.20								
Dichlorodifluoromethane	8040383			ug/L	0.50	1.7	<0.50								
1,1-Dichloroethane	8040383			ug/L	0.50	1.7	<0.50								
1,2-Dichloroethane	8040383			ug/L	0.50	1.7	<0.50								
1,1-Dichloroethene	8040383			ug/L	0.50	1.7	<0.50								
cis-1,2-Dichloroethene	8040383			ug/L	0.50	1.7	<0.50								
trans-1,2-Dichloroethene	8040383			ug/L	0.50	1.7	<0.50								
1,2-Dichloropropane	8040383			ug/L	0.50	1.7	<0.50								
1,3-Dichloropropane	8040383			ug/L	0.25	0.83	<0.25								
2,2-Dichloropropane	8040383			ug/L	0.50	1.7	<0.50								
1,1-Dichloropropene	8040383			ug/L	0.50	1.7	<0.50								
cis-1,3-Dichloropropene	8040383			ug/L	0.20	0.67	<0.20								
trans-1,3-Dichloropropene	8040383			ug/L	0.20	0.67	<0.20								
2,3-Dichloropropene	8040383			ug/L	0.25	0.83	<0.25								
Isopropyl Ether	8040383			ug/L	0.50	1.7	<0.50								
Ethylbenzene	8040383			ug/L	0.50	1.7	<0.50								
Hexachlorobutadiene	8040383			ug/L	0.50	1.7	<0.50								
Isopropylbenzene	8040383			ug/L	0.20	0.67	<0.20								
p-Isopropyltoluene	8040383			ug/L	0.20	0.67	<0.20								
Methylene Chloride	8040383			ug/L	1.0	3.3	<1.0								
Methyl tert-Butyl Ether	8040383			ug/L	0.50	1.7	<0.50								
Naphthalene	8040383			ug/L	0.25	0.83	<0.25								
n-Propylbenzene	8040383			ug/L	0.50	1.7	<0.50								
Styrene	8040383			ug/L	0.20	0.67	<0.20								
1,1,1,2-Tetrachloroethane	8040383			ug/L	0.25	0.83	<0.25								
1,1,2,2-Tetrachloroethane	8040383			ug/L	0.20	0.67	<0.20								
Tetrachloroethene	8040383			ug/L	0.50	1.7	<0.50								
Toluene	8040383			ug/L	0.20	0.67	<0.20								
1,2,3-Trichlorobenzene	8040383			ug/L	0.25	0.83	<0.25								
1,2,4-Trichlorobenzene	8040383			ug/L	0.25	0.83	<0.25								
1,1,1-Trichloroethane	8040383			ug/L	0.50	1.7	<0.50								
1,1,2-Trichloroethane	8040383			ug/L	0.25	0.83	<0.25								
Trichloroethene	8040383			ug/L	0.20	0.67	<0.20								
Trichlorofluoromethane	8040383			ug/L	0.50	1.7	<0.50								
1,2,3-Trichloropropane	8040383			ug/L	0.50	1.7	<0.50								
1,2,4-Trimethylbenzene	8040383			ug/L	0.20	0.67	<0.20								
1,3,5-Trimethylbenzene	8040383			ug/L	0.20	0.67	<0.20								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Vinyl chloride	8040383			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8040383			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	8040383			ug/L					100		89-119			
Surrogate: Toluene-d8	8040383			ug/L					100		91-109			
Surrogate: 4-Bromofluorobenzene	8040383			ug/L					98		89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Benzene	8D14001		50.000	ug/L	N/A	N/A	48.2		96		80-120			
Bromobenzene	8D14001		50.000	ug/L	N/A	N/A	41.8		84		80-120			
Bromochloromethane	8D14001		50.000	ug/L	N/A	N/A	44.2		88		80-120			
Bromodichloromethane	8D14001		50.000	ug/L	N/A	N/A	45.6		91		80-120			
Bromoform	8D14001		50.000	ug/L	N/A	N/A	45.9		92		80-120			
Bromomethane	8D14001		50.000	ug/L	N/A	N/A	45.0		90		80-120			
n-Butylbenzene	8D14001		50.000	ug/L	N/A	N/A	47.6		95		80-120			
sec-Butylbenzene	8D14001		50.000	ug/L	N/A	N/A	47.5		95		80-120			
tert-Butylbenzene	8D14001		50.000	ug/L	N/A	N/A	43.5		87		80-120			
Carbon Tetrachloride	8D14001		50.000	ug/L	N/A	N/A	43.4		87		80-120			
Chlorobenzene	8D14001		50.000	ug/L	N/A	N/A	45.1		90		80-120			
Chlorodibromomethane	8D14001		50.000	ug/L	N/A	N/A	44.2		88		80-120			
Chloroethane	8D14001		50.000	ug/L	N/A	N/A	44.2		88		80-120			
Chloroform	8D14001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
Chloromethane	8D14001		50.000	ug/L	N/A	N/A	47.6		95		80-120			
2-Chlorotoluene	8D14001		50.000	ug/L	N/A	N/A	43.6		87		80-120			
4-Chlorotoluene	8D14001		50.000	ug/L	N/A	N/A	47.0		94		80-120			
1,2-Dibromo-3-chloropropane	8D14001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
1,2-Dibromoethane (EDB)	8D14001		50.000	ug/L	N/A	N/A	45.0		90		80-120			
Dibromomethane	8D14001		50.000	ug/L	N/A	N/A	43.9		88		80-120			
1,2-Dichlorobenzene	8D14001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
1,3-Dichlorobenzene	8D14001		50.000	ug/L	N/A	N/A	46.8		94		80-120			
1,4-Dichlorobenzene	8D14001		50.000	ug/L	N/A	N/A	44.5		89		80-120			
Dichlorodifluoromethane	8D14001		50.000	ug/L	N/A	N/A	44.6		89		80-120			
1,1-Dichloroethane	8D14001		50.000	ug/L	N/A	N/A	49.7		99		80-120			
1,2-Dichloroethane	8D14001		50.000	ug/L	N/A	N/A	43.6		87		80-120			
1,1-Dichloroethene	8D14001		50.000	ug/L	N/A	N/A	48.3		97		80-120			
cis-1,2-Dichloroethene	8D14001		50.000	ug/L	N/A	N/A	49.3		99		80-120			
trans-1,2-Dichloroethene	8D14001		50.000	ug/L	N/A	N/A	48.7		97		80-120			
1,2-Dichloropropane	8D14001		50.000	ug/L	N/A	N/A	48.0		96		80-120			
1,3-Dichloropropane	8D14001		50.000	ug/L	N/A	N/A	48.3		97		80-120			
2,2-Dichloropropane	8D14001		50.000	ug/L	N/A	N/A	46.6		93		80-120			
1,1-Dichloropropene	8D14001		50.000	ug/L	N/A	N/A	46.2		92		80-120			
cis-1,3-Dichloropropene	8D14001		50.000	ug/L	N/A	N/A	44.8		90		80-120			
trans-1,3-Dichloropropene	8D14001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
2,3-Dichloropropene	8D14001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
Isopropyl Ether	8D14001		50.000	ug/L	N/A	N/A	53.4		107		80-120			
Ethylbenzene	8D14001		50.000	ug/L	N/A	N/A	45.9		92		80-120			
Hexachlorobutadiene	8D14001		50.000	ug/L	N/A	N/A	45.1		90		80-120			
Isopropylbenzene	8D14001		50.000	ug/L	N/A	N/A	46.9		94		80-120			
p-Isopropyltoluene	8D14001		50.000	ug/L	N/A	N/A	46.1		92		80-120			
Methylene Chloride	8D14001		50.000	ug/L	N/A	N/A	49.5		99		80-120			
Methyl tert-Butyl Ether	8D14001		50.000	ug/L	N/A	N/A	43.5		87		80-120			
Naphthalene	8D14001		50.000	ug/L	N/A	N/A	47.4		95		80-120			
n-Propylbenzene	8D14001		50.000	ug/L	N/A	N/A	44.1		88		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8D14001		50.000	ug/L	N/A	N/A	49.6		99		80-120			
1,1,1,2-Tetrachloroethane	8D14001		50.000	ug/L	N/A	N/A	42.7		85		80-120			
1,1,2,2-Tetrachloroethane	8D14001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
Tetrachloroethene	8D14001		50.000	ug/L	N/A	N/A	44.1		88		80-120			
Toluene	8D14001		50.000	ug/L	N/A	N/A	45.8		92		80-120			
1,2,3-Trichlorobenzene	8D14001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
1,2,4-Trichlorobenzene	8D14001		50.000	ug/L	N/A	N/A	44.5		89		80-120			
1,1,1-Trichloroethane	8D14001		50.000	ug/L	N/A	N/A	43.5		87		80-120			
1,1,2-Trichloroethane	8D14001		50.000	ug/L	N/A	N/A	47.3		95		80-120			
Trichloroethene	8D14001		50.000	ug/L	N/A	N/A	43.9		88		80-120			
Trichlorofluoromethane	8D14001		50.000	ug/L	N/A	N/A	46.6		93		80-120			
1,2,3-Trichloropropane	8D14001		50.000	ug/L	N/A	N/A	41.0		82		80-120			
1,2,4-Trimethylbenzene	8D14001		50.000	ug/L	N/A	N/A	45.2		90		80-120			
1,3,5-Trimethylbenzene	8D14001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
Vinyl chloride	8D14001		50.000	ug/L	N/A	N/A	43.2		86		80-120			
Xylenes, Total	8D14001		150.00	ug/L	N/A	N/A	141		94		80-120			
<i>Surrogate: Dibromofluoromethane</i>	<i>8D14001</i>			ug/L					<i>101</i>		<i>80-120</i>			
<i>Surrogate: Toluene-d8</i>	<i>8D14001</i>			ug/L					<i>101</i>		<i>80-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8D14001</i>			ug/L					<i>105</i>		<i>80-120</i>			
Benzene	8D14003		50.000	ug/L	N/A	N/A	47.5		95		80-120			
Bromobenzene	8D14003		50.000	ug/L	N/A	N/A	42.7		85		80-120			
Bromochloromethane	8D14003		50.000	ug/L	N/A	N/A	45.1		90		80-120			
Bromodichloromethane	8D14003		50.000	ug/L	N/A	N/A	43.2		86		80-120			
Bromoform	8D14003		50.000	ug/L	N/A	N/A	43.7		87		80-120			
Bromomethane	8D14003		50.000	ug/L	N/A	N/A	45.0		90		80-120			
n-Butylbenzene	8D14003		50.000	ug/L	N/A	N/A	45.5		91		80-120			
sec-Butylbenzene	8D14003		50.000	ug/L	N/A	N/A	45.8		92		80-120			
tert-Butylbenzene	8D14003		50.000	ug/L	N/A	N/A	43.4		87		80-120			
Carbon Tetrachloride	8D14003		50.000	ug/L	N/A	N/A	40.3		81		80-120			
Chlorobenzene	8D14003		50.000	ug/L	N/A	N/A	43.3		87		80-120			
Chlorodibromomethane	8D14003		50.000	ug/L	N/A	N/A	40.2		80		80-120			
Chloroethane	8D14003		50.000	ug/L	N/A	N/A	40.8		82		80-120			
Chloroform	8D14003		50.000	ug/L	N/A	N/A	45.2		90		80-120			
Chloromethane	8D14003		50.000	ug/L	N/A	N/A	46.6		93		80-120			
2-Chlorotoluene	8D14003		50.000	ug/L	N/A	N/A	42.9		86		80-120			
4-Chlorotoluene	8D14003		50.000	ug/L	N/A	N/A	44.7		89		80-120			
1,2-Dibromo-3-chloropropane	8D14003		50.000	ug/L	N/A	N/A	44.9		90		80-120			
1,2-Dibromoethane (EDB)	8D14003		50.000	ug/L	N/A	N/A	45.1		90		80-120			
Dibromomethane	8D14003		50.000	ug/L	N/A	N/A	42.6		85		80-120			
1,2-Dichlorobenzene	8D14003		50.000	ug/L	N/A	N/A	45.5		91		80-120			
1,3-Dichlorobenzene	8D14003		50.000	ug/L	N/A	N/A	44.4		89		80-120			
1,4-Dichlorobenzene	8D14003		50.000	ug/L	N/A	N/A	44.1		88		80-120			
Dichlorodifluoromethane	8D14003		50.000	ug/L	N/A	N/A	40.5		81		80-120			
1,1-Dichloroethane	8D14003		50.000	ug/L	N/A	N/A	50.0		100		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
VOCs by SW8260B														
1,2-Dichloroethane	8D14003		50.000	ug/L	N/A	N/A	42.4		85		80-120			
1,1-Dichloroethene	8D14003		50.000	ug/L	N/A	N/A	46.0		92		80-120			
cis-1,2-Dichloroethene	8D14003		50.000	ug/L	N/A	N/A	45.6		91		80-120			
trans-1,2-Dichloroethene	8D14003		50.000	ug/L	N/A	N/A	45.6		91		80-120			
1,2-Dichloropropane	8D14003		50.000	ug/L	N/A	N/A	49.8		100		80-120			
1,3-Dichloropropane	8D14003		50.000	ug/L	N/A	N/A	47.0		94		80-120			
2,2-Dichloropropane	8D14003		50.000	ug/L	N/A	N/A	38.9		78		80-120			C4
1,1-Dichloropropene	8D14003		50.000	ug/L	N/A	N/A	45.7		91		80-120			
cis-1,3-Dichloropropene	8D14003		50.000	ug/L	N/A	N/A	44.0		88		80-120			
trans-1,3-Dichloropropene	8D14003		50.000	ug/L	N/A	N/A	44.8		90		80-120			
2,3-Dichloropropene	8D14003		50.000	ug/L	N/A	N/A	46.9		94		80-120			
Isopropyl Ether	8D14003		50.000	ug/L	N/A	N/A	57.2		114		80-120			
Ethylbenzene	8D14003		50.000	ug/L	N/A	N/A	44.4		89		80-120			
Hexachlorobutadiene	8D14003		50.000	ug/L	N/A	N/A	39.3		79		80-120			C4
Isopropylbenzene	8D14003		50.000	ug/L	N/A	N/A	45.2		90		80-120			
p-Isopropyltoluene	8D14003		50.000	ug/L	N/A	N/A	42.5		85		80-120			
Methylene Chloride	8D14003		50.000	ug/L	N/A	N/A	48.8		98		80-120			
Methyl tert-Butyl Ether	8D14003		50.000	ug/L	N/A	N/A	48.0		96		80-120			
Naphthalene	8D14003		50.000	ug/L	N/A	N/A	44.4		89		80-120			
n-Propylbenzene	8D14003		50.000	ug/L	N/A	N/A	45.3		91		80-120			
Styrene	8D14003		50.000	ug/L	N/A	N/A	48.7		97		80-120			
1,1,1,2-Tetrachloroethane	8D14003		50.000	ug/L	N/A	N/A	43.0		86		80-120			
1,1,2,2-Tetrachloroethane	8D14003		50.000	ug/L	N/A	N/A	47.3		95		80-120			
Tetrachloroethene	8D14003		50.000	ug/L	N/A	N/A	40.1		80		80-120			
Toluene	8D14003		50.000	ug/L	N/A	N/A	45.9		92		80-120			
1,2,3-Trichlorobenzene	8D14003		50.000	ug/L	N/A	N/A	44.3		89		80-120			
1,2,4-Trichlorobenzene	8D14003		50.000	ug/L	N/A	N/A	42.8		86		80-120			
1,1,1-Trichloroethane	8D14003		50.000	ug/L	N/A	N/A	41.2		82		80-120			
1,1,2-Trichloroethane	8D14003		50.000	ug/L	N/A	N/A	43.6		87		80-120			
Trichloroethene	8D14003		50.000	ug/L	N/A	N/A	42.0		84		80-120			
Trichlorofluoromethane	8D14003		50.000	ug/L	N/A	N/A	40.7		81		80-120			
1,2,3-Trichloropropane	8D14003		50.000	ug/L	N/A	N/A	43.6		87		80-120			
1,2,4-Trimethylbenzene	8D14003		50.000	ug/L	N/A	N/A	44.0		88		80-120			
1,3,5-Trimethylbenzene	8D14003		50.000	ug/L	N/A	N/A	43.8		88		80-120			
Vinyl chloride	8D14003		50.000	ug/L	N/A	N/A	43.1		86		80-120			
Xylenes, Total	8D14003		150.00	ug/L	N/A	N/A	132		88		80-120			
Surrogate: Dibromofluoromethane	8D14003			ug/L					99		80-120			
Surrogate: Toluene-d8	8D14003			ug/L					102		80-120			
Surrogate: 4-Bromofluorobenzene	8D14003			ug/L					101		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Benzene	8D15001		50.000	ug/L	N/A	N/A	50.4		101		80-120			
Bromobenzene	8D15001		50.000	ug/L	N/A	N/A	49.9		100		80-120			
Bromochloromethane	8D15001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
Bromodichloromethane	8D15001		50.000	ug/L	N/A	N/A	49.5		99		80-120			
Bromoform	8D15001		50.000	ug/L	N/A	N/A	51.0		102		80-120			
Bromomethane	8D15001		50.000	ug/L	N/A	N/A	49.4		99		80-120			
n-Butylbenzene	8D15001		50.000	ug/L	N/A	N/A	47.4		95		80-120			
sec-Butylbenzene	8D15001		50.000	ug/L	N/A	N/A	48.1		96		80-120			
tert-Butylbenzene	8D15001		50.000	ug/L	N/A	N/A	46.7		93		80-120			
Carbon Tetrachloride	8D15001		50.000	ug/L	N/A	N/A	46.7		93		80-120			
Chlorobenzene	8D15001		50.000	ug/L	N/A	N/A	47.3		95		80-120			
Chlorodibromomethane	8D15001		50.000	ug/L	N/A	N/A	48.8		98		80-120			
Chloroethane	8D15001		50.000	ug/L	N/A	N/A	45.7		91		80-120			
Chloroform	8D15001		50.000	ug/L	N/A	N/A	47.1		94		80-120			
Chloromethane	8D15001		50.000	ug/L	N/A	N/A	50.1		100		80-120			
2-Chlorotoluene	8D15001		50.000	ug/L	N/A	N/A	49.5		99		80-120			
4-Chlorotoluene	8D15001		50.000	ug/L	N/A	N/A	53.0		106		80-120			
1,2-Dibromo-3-chloropropane	8D15001		50.000	ug/L	N/A	N/A	51.2		102		80-120			
1,2-Dibromoethane (EDB)	8D15001		50.000	ug/L	N/A	N/A	49.5		99		80-120			
Dibromomethane	8D15001		50.000	ug/L	N/A	N/A	48.0		96		80-120			
1,2-Dichlorobenzene	8D15001		50.000	ug/L	N/A	N/A	46.5		93		80-120			
1,3-Dichlorobenzene	8D15001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
1,4-Dichlorobenzene	8D15001		50.000	ug/L	N/A	N/A	45.4		91		80-120			
Dichlorodifluoromethane	8D15001		50.000	ug/L	N/A	N/A	47.6		95		80-120			
1,1-Dichloroethane	8D15001		50.000	ug/L	N/A	N/A	46.4		93		80-120			
1,2-Dichloroethane	8D15001		50.000	ug/L	N/A	N/A	46.3		93		80-120			
1,1-Dichloroethene	8D15001		50.000	ug/L	N/A	N/A	47.4		95		80-120			
cis-1,2-Dichloroethene	8D15001		50.000	ug/L	N/A	N/A	47.7		95		80-120			
trans-1,2-Dichloroethene	8D15001		50.000	ug/L	N/A	N/A	48.6		97		80-120			
1,2-Dichloropropane	8D15001		50.000	ug/L	N/A	N/A	50.3		101		80-120			
1,3-Dichloropropane	8D15001		50.000	ug/L	N/A	N/A	51.3		103		80-120			
2,2-Dichloropropane	8D15001		50.000	ug/L	N/A	N/A	47.4		95		80-120			
1,1-Dichloropropene	8D15001		50.000	ug/L	N/A	N/A	48.7		97		80-120			
cis-1,3-Dichloropropene	8D15001		50.000	ug/L	N/A	N/A	49.4		99		80-120			
trans-1,3-Dichloropropene	8D15001		50.000	ug/L	N/A	N/A	49.2		98		80-120			
2,3-Dichloropropene	8D15001		50.000	ug/L	N/A	N/A	50.0		100		80-120			
Isopropyl Ether	8D15001		50.000	ug/L	N/A	N/A	50.8		102		80-120			
Ethylbenzene	8D15001		50.000	ug/L	N/A	N/A	49.8		100		80-120			
Hexachlorobutadiene	8D15001		50.000	ug/L	N/A	N/A	44.3		89		80-120			
Isopropylbenzene	8D15001		50.000	ug/L	N/A	N/A	52.7		105		80-120			
p-Isopropyltoluene	8D15001		50.000	ug/L	N/A	N/A	51.6		103		80-120			
Methylene Chloride	8D15001		50.000	ug/L	N/A	N/A	51.2		102		80-120			
Methyl tert-Butyl Ether	8D15001		50.000	ug/L	N/A	N/A	48.0		96		80-120			
Naphthalene	8D15001		50.000	ug/L	N/A	N/A	48.3		97		80-120			
n-Propylbenzene	8D15001		50.000	ug/L	N/A	N/A	53.2		106		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8D15001		50.000	ug/L	N/A	N/A	53.1		106		80-120			
1,1,1,2-Tetrachloroethane	8D15001		50.000	ug/L	N/A	N/A	49.0		98		80-120			
1,1,1,2,2-Tetrachloroethane	8D15001		50.000	ug/L	N/A	N/A	51.6		103		80-120			
Tetrachloroethene	8D15001		50.000	ug/L	N/A	N/A	50.6		101		80-120			
Toluene	8D15001		50.000	ug/L	N/A	N/A	49.7		99		80-120			
1,2,3-Trichlorobenzene	8D15001		50.000	ug/L	N/A	N/A	47.3		95		80-120			
1,2,4-Trichlorobenzene	8D15001		50.000	ug/L	N/A	N/A	46.2		92		80-120			
1,1,1-Trichloroethane	8D15001		50.000	ug/L	N/A	N/A	46.6		93		80-120			
1,1,2-Trichloroethane	8D15001		50.000	ug/L	N/A	N/A	51.3		103		80-120			
Trichloroethene	8D15001		50.000	ug/L	N/A	N/A	47.2		94		80-120			
Trichlorofluoromethane	8D15001		50.000	ug/L	N/A	N/A	47.1		94		80-120			
1,2,3-Trichloropropane	8D15001		50.000	ug/L	N/A	N/A	52.0		104		80-120			
1,2,4-Trimethylbenzene	8D15001		50.000	ug/L	N/A	N/A	53.1		106		80-120			
1,3,5-Trimethylbenzene	8D15001		50.000	ug/L	N/A	N/A	51.7		103		80-120			
Vinyl chloride	8D15001		50.000	ug/L	N/A	N/A	45.4		91		80-120			
Xylenes, Total	8D15001		150.00	ug/L	N/A	N/A	153		102		80-120			
<i>Surrogate: Dibromofluoromethane</i>	<i>8D15001</i>			ug/L					<i>98</i>		<i>80-120</i>			
<i>Surrogate: Toluene-d8</i>	<i>8D15001</i>			ug/L					<i>103</i>		<i>80-120</i>			
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>8D15001</i>			ug/L					<i>106</i>		<i>80-120</i>			
Benzene	8D15002		50.000	ug/L	N/A	N/A	50.3		101		80-120			
Bromobenzene	8D15002		50.000	ug/L	N/A	N/A	48.8		98		80-120			
Bromochloromethane	8D15002		50.000	ug/L	N/A	N/A	47.4		95		80-120			
Bromodichloromethane	8D15002		50.000	ug/L	N/A	N/A	50.0		100		80-120			
Bromoform	8D15002		50.000	ug/L	N/A	N/A	49.4		99		80-120			
Bromomethane	8D15002		50.000	ug/L	N/A	N/A	50.7		101		80-120			
n-Butylbenzene	8D15002		50.000	ug/L	N/A	N/A	50.2		100		80-120			
sec-Butylbenzene	8D15002		50.000	ug/L	N/A	N/A	49.7		99		80-120			
tert-Butylbenzene	8D15002		50.000	ug/L	N/A	N/A	49.3		99		80-120			
Carbon Tetrachloride	8D15002		50.000	ug/L	N/A	N/A	50.6		101		80-120			
Chlorobenzene	8D15002		50.000	ug/L	N/A	N/A	49.1		98		80-120			
Chlorodibromomethane	8D15002		50.000	ug/L	N/A	N/A	50.4		101		80-120			
Chloroethane	8D15002		50.000	ug/L	N/A	N/A	53.5		107		80-120			
Chloroform	8D15002		50.000	ug/L	N/A	N/A	49.6		99		80-120			
Chloromethane	8D15002		50.000	ug/L	N/A	N/A	48.2		96		80-120			
2-Chlorotoluene	8D15002		50.000	ug/L	N/A	N/A	53.6		107		80-120			
4-Chlorotoluene	8D15002		50.000	ug/L	N/A	N/A	50.7		101		80-120			
1,2-Dibromo-3-chloropropane	8D15002		50.000	ug/L	N/A	N/A	51.5		103		80-120			
1,2-Dibromoethane (EDB)	8D15002		50.000	ug/L	N/A	N/A	49.8		100		80-120			
Dibromomethane	8D15002		50.000	ug/L	N/A	N/A	49.0		98		80-120			
1,2-Dichlorobenzene	8D15002		50.000	ug/L	N/A	N/A	49.5		99		80-120			
1,3-Dichlorobenzene	8D15002		50.000	ug/L	N/A	N/A	49.5		99		80-120			
1,4-Dichlorobenzene	8D15002		50.000	ug/L	N/A	N/A	48.2		96		80-120			
Dichlorodifluoromethane	8D15002		50.000	ug/L	N/A	N/A	50.0		100		80-120			
1,1-Dichloroethane	8D15002		50.000	ug/L	N/A	N/A	50.0		100		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
1,2-Dichloroethane	8D15002		50.000	ug/L	N/A	N/A	49.6		99		80-120			
1,1-Dichloroethene	8D15002		50.000	ug/L	N/A	N/A	51.8		104		80-120			
cis-1,2-Dichloroethene	8D15002		50.000	ug/L	N/A	N/A	50.4		101		80-120			
trans-1,2-Dichloroethene	8D15002		50.000	ug/L	N/A	N/A	50.4		101		80-120			
1,2-Dichloropropane	8D15002		50.000	ug/L	N/A	N/A	49.7		99		80-120			
1,3-Dichloropropane	8D15002		50.000	ug/L	N/A	N/A	49.7		99		80-120			
2,2-Dichloropropane	8D15002		50.000	ug/L	N/A	N/A	49.9		100		80-120			
1,1-Dichloropropene	8D15002		50.000	ug/L	N/A	N/A	50.6		101		80-120			
cis-1,3-Dichloropropene	8D15002		50.000	ug/L	N/A	N/A	50.4		101		80-120			
trans-1,3-Dichloropropene	8D15002		50.000	ug/L	N/A	N/A	50.2		100		80-120			
2,3-Dichloropropene	8D15002		50.000	ug/L	N/A	N/A	50.4		101		80-120			
Isopropyl Ether	8D15002		50.000	ug/L	N/A	N/A	49.7		99		80-120			
Ethylbenzene	8D15002		50.000	ug/L	N/A	N/A	48.6		97		80-120			
Hexachlorobutadiene	8D15002		50.000	ug/L	N/A	N/A	50.5		101		80-120			
Isopropylbenzene	8D15002		50.000	ug/L	N/A	N/A	48.8		98		80-120			
p-Isopropyltoluene	8D15002		50.000	ug/L	N/A	N/A	49.2		98		80-120			
Methylene Chloride	8D15002		50.000	ug/L	N/A	N/A	45.6		91		80-120			
Methyl tert-Butyl Ether	8D15002		50.000	ug/L	N/A	N/A	50.8		102		80-120			
Naphthalene	8D15002		50.000	ug/L	N/A	N/A	51.5		103		80-120			
n-Propylbenzene	8D15002		50.000	ug/L	N/A	N/A	49.5		99		80-120			
Styrene	8D15002		50.000	ug/L	N/A	N/A	49.4		99		80-120			
1,1,1,2-Tetrachloroethane	8D15002		50.000	ug/L	N/A	N/A	49.2		98		80-120			
1,1,2,2-Tetrachloroethane	8D15002		50.000	ug/L	N/A	N/A	49.3		99		80-120			
Tetrachloroethene	8D15002		50.000	ug/L	N/A	N/A	49.6		99		80-120			
Toluene	8D15002		50.000	ug/L	N/A	N/A	48.6		97		80-120			
1,2,3-Trichlorobenzene	8D15002		50.000	ug/L	N/A	N/A	50.6		101		80-120			
1,2,4-Trichlorobenzene	8D15002		50.000	ug/L	N/A	N/A	50.6		101		80-120			
1,1,1-Trichloroethane	8D15002		50.000	ug/L	N/A	N/A	49.5		99		80-120			
1,1,2-Trichloroethane	8D15002		50.000	ug/L	N/A	N/A	49.6		99		80-120			
Trichloroethene	8D15002		50.000	ug/L	N/A	N/A	49.7		99		80-120			
Trichlorofluoromethane	8D15002		50.000	ug/L	N/A	N/A	52.6		105		80-120			
1,2,3-Trichloropropane	8D15002		50.000	ug/L	N/A	N/A	49.0		98		80-120			
1,2,4-Trimethylbenzene	8D15002		50.000	ug/L	N/A	N/A	48.0		96		80-120			
1,3,5-Trimethylbenzene	8D15002		50.000	ug/L	N/A	N/A	48.5		97		80-120			
Vinyl chloride	8D15002		50.000	ug/L	N/A	N/A	44.7		89		80-120			
Xylenes, Total	8D15002		150.00	ug/L	N/A	N/A	146		97		80-120			
Surrogate: Dibromofluoromethane	8D15002			ug/L					99		80-120			
Surrogate: Toluene-d8	8D15002			ug/L					99		80-120			
Surrogate: 4-Bromofluorobenzene	8D15002			ug/L					99		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
Metals														
Arsenic	8040357		50.000	ug/L	0.070	0.22	38.8		78		85-115			L2
Barium	8040357		50.000	ug/L	0.060	0.19	58.5		117		78-110			L1,B
Cadmium	8040357		50.000	ug/L	0.010	0.032	43.6		87		83-109			
Cobalt	8040357		50.000	ug/L	0.010	0.032	50.2		100		81-111			
Iron	8040357		5050.0	ug/L	2.2	7.0	5380		107		77-115			
Lead	8040357		50.000	ug/L	0.040	0.13	47.2		94		85-115			B
Manganese	8040357		50.000	ug/L	0.020	0.064	50.6		101		83-109			B
Vanadium	8040357		50.000	ug/L	0.10	0.32	51.6		103		82-115			
Mercury	8040390		0.0025 000	mg/L	0.000065	0.00023	0.00248		99		78-131			
Metals Dissolved														
Mercury	8040353		0.0025 000	mg/L	0.000065	0.00023	0.00249		100		79-128			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
General Chemistry Parameters														
QC Source Sample: WRD0391-02														
Chloride	8040430	2.15	200.00	mg/L	10	33	194	188	96	93	64-132	3	19	
QC Source Sample: WRD0391-02														
Alkalinity, Total (CaCO3)	8040519	204	200.00	mg/L	20	67	351	348	74	72	47-136	1	24	
Metals														
QC Source Sample: WRD0391-22														
Arsenic	8040357	0.510	50.000	ug/L	0.070	0.22	39.5	38.9	78	77	75-125	2	20	
Barium	8040357	85.0	50.000	ug/L	0.060	0.19	148	148	125	125	57-124	0	32	M11,B
Cadmium	8040357	<0.0100	50.000	ug/L	0.010	0.032	43.7	43.4	87	87	65-118	1	18	
Cobalt	8040357	0.140	50.000	ug/L	0.010	0.032	47.0	46.2	94	92	56-122	2	22	
Iron	8040357	12.0	5050.0	ug/L	2.2	7.0	5350	5300	106	105	60-131	1	42	
Lead	8040357	0.440	50.000	ug/L	0.040	0.13	44.1	44.1	87	87	75-125	0	20	B
Manganese	8040357	129	50.000	ug/L	0.020	0.064	179	177	101	97	69-119	1	27	B
Vanadium	8040357	<0.10	50.000	ug/L	0.10	0.32	49.5	49.3	99	99	75-125	1	20	
Metals Dissolved														
QC Source Sample: WRD0391-02														
Arsenic	8040350	15.4	50.000	ug/L	0.070	0.22	74.2	74.0	118	117	75-125	0	20	
Barium	8040350	283	50.000	ug/L	0.060	0.19	325	325	85	84	57-124	0	32	
Cadmium	8040350	0.0200	50.000	ug/L	0.010	0.032	54.6	54.5	109	109	65-118	0	18	
Cobalt	8040350	8.18	50.000	ug/L	0.010	0.032	60.7	61.1	105	106	56-122	1	22	
Lead	8040350	0.100	50.000	ug/L	0.040	0.13	49.8	50.8	99	101	75-125	2	20	
Vanadium	8040350	1.24	50.000	ug/L	0.10	0.32	55.3	55.7	108	109	75-125	1	20	
QC Source Sample: WRD0391-02														
Mercury	8040353	<0.000065	0.0050	mg/L	0.000065	0.00023	0.00532	0.00549	106	110	67-141	3	13	
VOCs by SW8260B														
QC Source Sample: WRD0391-10														
Benzene	8040344	<0.20	50.000	ug/L	0.20	0.67	49.2	51.0	98	102	80-121	3	11	
Bromobenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	45.4	50.7	91	101	70-130	11	20	
Bromochloromethane	8040344	<0.50	50.000	ug/L	0.50	1.7	47.3	50.4	95	101	70-130	6	20	
Bromodichloromethane	8040344	<0.20	50.000	ug/L	0.20	0.67	43.2	49.1	86	98	70-130	13	20	
Bromoform	8040344	<0.20	50.000	ug/L	0.20	0.67	47.8	50.8	96	102	70-130	6	20	
Bromomethane	8040344	<0.20	50.000	ug/L	0.20	0.67	42.6	43.9	85	88	70-130	3	20	
n-Butylbenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	48.3	50.4	97	101	70-130	4	20	
sec-Butylbenzene	8040344	<0.25	50.000	ug/L	0.25	0.83	50.2	51.8	100	104	70-130	3	20	
tert-Butylbenzene	8040344	0.780	50.000	ug/L	0.20	0.67	49.7	51.8	98	102	70-130	4	20	
Carbon Tetrachloride	8040344	<0.50	50.000	ug/L	0.50	1.7	47.1	49.0	94	98	70-130	4	20	
Chlorobenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	45.9	49.0	92	98	85-116	6	9	
Chlorodibromomethane	8040344	<0.20	50.000	ug/L	0.20	0.67	41.6	46.5	83	93	70-130	11	20	
Chloroethane	8040344	<1.0	50.000	ug/L	1.0	3.3	46.3	50.4	93	101	70-130	8	20	
Chloroform	8040344	<0.20	50.000	ug/L	0.20	0.67	46.6	49.3	93	99	70-130	6	20	
Chloromethane	8040344	<0.20	50.000	ug/L	0.20	0.67	47.6	49.6	95	99	70-130	4	20	
2-Chlorotoluene	8040344	<0.50	50.000	ug/L	0.50	1.7	45.5	50.2	91	100	70-130	10	20	
4-Chlorotoluene	8040344	<0.20	50.000	ug/L	0.20	0.67	46.1	52.1	92	104	70-130	12	20	
1,2-Dibromo-3-chloropropane	8040344	<0.50	50.000	ug/L	0.50	1.7	49.6	50.1	99	100	70-130	1	20	
1,2-Dibromoethane (EDB)	8040344	<0.20	50.000	ug/L	0.20	0.67	45.2	48.8	90	98	70-130	8	20	
Dibromomethane	8040344	<0.20	50.000	ug/L	0.20	0.67	42.6	46.7	85	93	70-130	9	20	
1,2-Dichlorobenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	46.4	50.6	93	101	70-130	9	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRD0391-10														
1,3-Dichlorobenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	46.0	50.4	92	101	70-130	9	20	
1,4-Dichlorobenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	46.0	50.1	92	100	70-130	8	20	
Dichlorodifluoromethane	8040344	<0.50	50.000	ug/L	0.50	1.7	46.7	45.4	93	91	70-130	3	20	
1,1-Dichloroethane	8040344	<0.50	50.000	ug/L	0.50	1.7	50.0	52.9	100	106	70-130	6	20	
1,2-Dichloroethane	8040344	<0.50	50.000	ug/L	0.50	1.7	45.9	49.2	92	98	70-130	7	20	
1,1-Dichloroethene	8040344	<0.50	50.000	ug/L	0.50	1.7	48.8	50.0	98	100	72-131	2	17	
cis-1,2-Dichloroethene	8040344	<0.50	50.000	ug/L	0.50	1.7	49.7	50.3	99	101	70-130	1	20	
trans-1,2-Dichloroethene	8040344	<0.50	50.000	ug/L	0.50	1.7	48.3	48.7	97	97	70-130	1	20	
1,2-Dichloropropane	8040344	<0.50	50.000	ug/L	0.50	1.7	45.6	52.0	91	104	70-130	13	20	
1,3-Dichloropropane	8040344	<0.25	50.000	ug/L	0.25	0.83	44.4	51.8	89	104	70-130	15	20	
2,2-Dichloropropane	8040344	<0.50	50.000	ug/L	0.50	1.7	48.8	49.6	98	99	70-130	2	20	
1,1-Dichloropropene	8040344	<0.50	50.000	ug/L	0.50	1.7	48.9	50.6	98	101	70-130	3	20	
cis-1,3-Dichloropropene	8040344	<0.20	50.000	ug/L	0.20	0.67	45.8	50.1	92	100	70-130	9	20	
trans-1,3-Dichloropropene	8040344	<0.20	50.000	ug/L	0.20	0.67	45.9	50.1	92	100	70-130	9	20	
Isopropyl Ether	8040344	<0.50	50.000	ug/L	0.50	1.7	52.4	56.4	105	113	68-128	7	16	
Ethylbenzene	8040344	<0.50	50.000	ug/L	0.50	1.7	46.6	49.8	93	100	83-118	6	13	
Hexachlorobutadiene	8040344	<0.50	50.000	ug/L	0.50	1.7	49.0	49.9	98	100	70-130	2	20	
Isopropylbenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	50.3	51.4	101	103	70-130	2	20	
p-Isopropyltoluene	8040344	<0.20	50.000	ug/L	0.20	0.67	48.7	54.9	97	110	70-130	12	20	
Methylene Chloride	8040344	<1.0	50.000	ug/L	1.0	3.3	49.4	50.6	99	101	70-130	2	20	
Methyl tert-Butyl Ether	8040344	<0.50	50.000	ug/L	0.50	1.7	45.7	51.7	91	103	71-127	12	22	
Naphthalene	8040344	<0.25	50.000	ug/L	0.25	0.83	49.2	49.0	98	98	70-130	0	20	
n-Propylbenzene	8040344	<0.50	50.000	ug/L	0.50	1.7	48.2	52.4	96	105	70-130	8	20	
Styrene	8040344	<0.20	50.000	ug/L	0.20	0.67	49.8	54.9	100	110	70-130	10	20	
1,1,1,2-Tetrachloroethane	8040344	<0.25	50.000	ug/L	0.25	0.83	43.8	48.2	88	96	70-130	10	20	
1,1,2,2-Tetrachloroethane	8040344	<0.20	50.000	ug/L	0.20	0.67	47.8	50.7	96	101	70-130	6	20	
Tetrachloroethene	8040344	<0.50	50.000	ug/L	0.50	1.7	43.1	48.0	86	96	70-130	11	20	
Toluene	8040344	0.410	50.000	ug/L	0.20	0.67	49.7	51.8	99	103	82-116	4	11	
1,2,3-Trichlorobenzene	8040344	<0.25	50.000	ug/L	0.25	0.83	48.4	49.2	97	98	70-130	2	20	
1,2,4-Trichlorobenzene	8040344	<0.25	50.000	ug/L	0.25	0.83	46.4	47.3	93	95	70-130	2	20	
1,1,1-Trichloroethane	8040344	<0.50	50.000	ug/L	0.50	1.7	48.5	49.5	97	99	70-130	2	20	
1,1,2-Trichloroethane	8040344	<0.25	50.000	ug/L	0.25	0.83	44.2	49.9	88	100	70-130	12	20	
Trichloroethene	8040344	<0.20	50.000	ug/L	0.20	0.67	44.0	47.2	88	94	80-117	7	13	
Trichlorofluoromethane	8040344	<0.50	50.000	ug/L	0.50	1.7	48.7	46.5	97	93	70-130	5	20	
1,2,3-Trichloropropane	8040344	<0.50	50.000	ug/L	0.50	1.7	46.1	47.8	92	96	70-130	4	20	
1,2,4-Trimethylbenzene	8040344	0.300	50.000	ug/L	0.20	0.67	48.4	53.8	96	107	80-122	11	14	
1,3,5-Trimethylbenzene	8040344	<0.20	50.000	ug/L	0.20	0.67	49.5	53.0	99	106	83-122	7	12	
Vinyl chloride	8040344	<0.20	50.000	ug/L	0.20	0.67	46.3	47.8	93	96	70-130	3	20	
Xylenes, Total	8040344	<0.50	150.00	ug/L	0.50	1.7	144	156	96	104	84-119	8	12	
Surrogate: Dibromofluoromethane	8040344			ug/L					102	104	89-119			
Surrogate: Toluene-d8	8040344			ug/L					102	103	91-109			
Surrogate: 4-Bromofluorobenzene	8040344			ug/L					107	108	89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup		%	Dup	% REC	RPD		Q
							Result	Result	REC	%REC	Limits	RPD	Limit	
VOCs by SW8260B														
QC Source Sample: WRD0391-14														
Benzene	8040346	<0.20	50.000	ug/L	0.20	0.67	50.4	49.9	101	100	80-121	1	11	
Bromobenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	45.2	45.4	90	91	70-130	0	20	
Bromochloromethane	8040346	<0.50	50.000	ug/L	0.50	1.7	47.0	44.8	94	90	70-130	5	20	
Bromodichloromethane	8040346	<0.20	50.000	ug/L	0.20	0.67	45.8	46.2	92	92	70-130	1	20	
Bromoform	8040346	<0.20	50.000	ug/L	0.20	0.67	44.8	45.2	90	90	70-130	1	20	
Bromomethane	8040346	<0.20	50.000	ug/L	0.20	0.67	37.7	36.3	75	73	70-130	4	20	
n-Butylbenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	44.8	41.6	90	83	70-130	8	20	
sec-Butylbenzene	8040346	<0.25	50.000	ug/L	0.25	0.83	44.2	44.9	88	90	70-130	1	20	
tert-Butylbenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	46.3	46.4	93	93	70-130	0	20	
Carbon Tetrachloride	8040346	<0.50	50.000	ug/L	0.50	1.7	43.0	42.8	86	86	70-130	0	20	
Chlorobenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	46.1	44.8	92	90	85-116	3	9	
Chlorodibromomethane	8040346	<0.20	50.000	ug/L	0.20	0.67	42.6	43.6	85	87	70-130	2	20	
Chloroethane	8040346	<1.0	50.000	ug/L	1.0	3.3	45.3	47.6	91	95	70-130	5	20	
Chloroform	8040346	<0.20	50.000	ug/L	0.20	0.67	46.5	44.3	93	89	70-130	5	20	
Chloromethane	8040346	<0.20	50.000	ug/L	0.20	0.67	49.3	49.3	99	99	70-130	0	20	
2-Chlorotoluene	8040346	<0.50	50.000	ug/L	0.50	1.7	47.0	44.9	94	90	70-130	5	20	
4-Chlorotoluene	8040346	<0.20	50.000	ug/L	0.20	0.67	47.7	46.8	95	94	70-130	2	20	
1,2-Dibromo-3-chloropropane	8040346	<0.50	50.000	ug/L	0.50	1.7	48.1	50.1	96	100	70-130	4	20	
1,2-Dibromoethane (EDB)	8040346	<0.20	50.000	ug/L	0.20	0.67	47.9	45.0	96	90	70-130	6	20	
Dibromomethane	8040346	<0.20	50.000	ug/L	0.20	0.67	42.5	44.3	85	89	70-130	4	20	
1,2-Dichlorobenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	45.3	46.3	91	93	70-130	2	20	
1,3-Dichlorobenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	44.8	45.3	90	91	70-130	1	20	
1,4-Dichlorobenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	45.6	43.8	91	88	70-130	4	20	
Dichlorodifluoromethane	8040346	<0.50	50.000	ug/L	0.50	1.7	38.2	38.0	76	76	70-130	1	20	
1,1-Dichloroethane	8040346	<0.50	50.000	ug/L	0.50	1.7	49.6	50.8	99	102	70-130	2	20	
1,2-Dichloroethane	8040346	<0.50	50.000	ug/L	0.50	1.7	43.7	43.7	87	87	70-130	0	20	
1,1-Dichloroethene	8040346	<0.50	50.000	ug/L	0.50	1.7	48.5	46.5	97	93	72-131	4	17	
cis-1,2-Dichloroethene	8040346	<0.50	50.000	ug/L	0.50	1.7	48.2	48.3	96	97	70-130	0	20	
trans-1,2-Dichloroethene	8040346	<0.50	50.000	ug/L	0.50	1.7	47.5	45.1	95	90	70-130	5	20	
1,2-Dichloropropane	8040346	<0.50	50.000	ug/L	0.50	1.7	51.3	53.2	103	106	70-130	4	20	
1,3-Dichloropropane	8040346	<0.25	50.000	ug/L	0.25	0.83	48.4	49.0	97	98	70-130	1	20	
2,2-Dichloropropane	8040346	<0.50	50.000	ug/L	0.50	1.7	41.9	41.3	84	83	70-130	1	20	C4
1,1-Dichloropropene	8040346	<0.50	50.000	ug/L	0.50	1.7	48.9	48.6	98	97	70-130	1	20	
cis-1,3-Dichloropropene	8040346	<0.20	50.000	ug/L	0.20	0.67	48.4	50.4	97	101	70-130	4	20	
trans-1,3-Dichloropropene	8040346	<0.20	50.000	ug/L	0.20	0.67	47.3	47.8	95	96	70-130	1	20	
Isopropyl Ether	8040346	<0.50	50.000	ug/L	0.50	1.7	54.4	56.1	109	112	68-128	3	16	
Ethylbenzene	8040346	<0.50	50.000	ug/L	0.50	1.7	47.0	45.8	94	92	83-118	3	13	
Hexachlorobutadiene	8040346	<0.50	50.000	ug/L	0.50	1.7	41.4	41.5	83	83	70-130	0	20	C4
Isopropylbenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	45.5	47.0	91	94	70-130	3	20	
p-Isopropyltoluene	8040346	<0.20	50.000	ug/L	0.20	0.67	44.7	44.4	89	89	70-130	1	20	
Methylene Chloride	8040346	<1.0	50.000	ug/L	1.0	3.3	47.9	47.2	96	94	70-130	1	20	
Methyl tert-Butyl Ether	8040346	<0.50	50.000	ug/L	0.50	1.7	46.8	46.2	94	92	71-127	1	22	
Naphthalene	8040346	<0.25	50.000	ug/L	0.25	0.83	46.6	49.7	93	99	70-130	6	20	
n-Propylbenzene	8040346	<0.50	50.000	ug/L	0.50	1.7	48.0	47.6	96	95	70-130	1	20	
Styrene	8040346	<0.20	50.000	ug/L	0.20	0.67	48.4	44.9	97	90	70-130	7	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRD0391-14														
1,1,1,2-Tetrachloroethane	8040346	<0.25	50.000	ug/L	0.25	0.83	45.3	45.0	91	90	70-130	1	20	
1,1,2,2-Tetrachloroethane	8040346	<0.20	50.000	ug/L	0.20	0.67	47.6	47.2	95	94	70-130	1	20	
Tetrachloroethene	8040346	<0.50	50.000	ug/L	0.50	1.7	43.2	41.1	86	82	70-130	5	20	
Toluene	8040346	0.210	50.000	ug/L	0.20	0.67	48.4	48.2	96	96	82-116	1	11	
1,2,3-Trichlorobenzene	8040346	<0.25	50.000	ug/L	0.25	0.83	44.3	45.0	89	90	70-130	2	20	
1,2,4-Trichlorobenzene	8040346	<0.25	50.000	ug/L	0.25	0.83	41.9	43.8	84	88	70-130	4	20	
1,1,1-Trichloroethane	8040346	<0.50	50.000	ug/L	0.50	1.7	45.5	43.9	91	88	70-130	4	20	
1,1,2-Trichloroethane	8040346	<0.25	50.000	ug/L	0.25	0.83	46.5	45.4	93	91	70-130	2	20	
Trichloroethene	8040346	<0.20	50.000	ug/L	0.20	0.67	43.6	45.0	87	90	80-117	3	13	
Trichlorofluoromethane	8040346	<0.50	50.000	ug/L	0.50	1.7	39.2	39.2	78	78	70-130	0	20	
1,2,3-Trichloropropane	8040346	<0.50	50.000	ug/L	0.50	1.7	45.1	45.0	90	90	70-130	0	20	
1,2,4-Trimethylbenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	45.1	44.6	90	89	80-122	1	14	
1,3,5-Trimethylbenzene	8040346	<0.20	50.000	ug/L	0.20	0.67	47.7	44.8	95	90	83-122	6	12	
Vinyl chloride	8040346	<0.20	50.000	ug/L	0.20	0.67	44.2	44.5	88	89	70-130	1	20	
Xylenes, Total	8040346	<0.50	150.00	ug/L	0.50	1.7	141	137	94	91	84-119	3	12	
Surrogate: Dibromofluoromethane	8040346			ug/L					98	101	89-119			
Surrogate: Toluene-d8	8040346			ug/L					102	101	91-109			
Surrogate: 4-Bromofluorobenzene	8040346			ug/L					102	99	89-114			
QC Source Sample: WRD0435-01														
Benzene	8040382	<0.20	50.000	ug/L	0.20	0.67	46.4	50.3	93	101	80-121	8	11	
Bromobenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	46.4	50.7	93	101	70-130	9	20	
Bromochloromethane	8040382	<0.50	50.000	ug/L	0.50	1.7	46.2	48.7	92	97	70-130	5	20	
Bromodichloromethane	8040382	<0.20	50.000	ug/L	0.20	0.67	47.7	50.5	95	101	70-130	6	20	
Bromoform	8040382	<0.20	50.000	ug/L	0.20	0.67	48.5	52.8	97	106	70-130	8	20	
Bromomethane	8040382	<0.20	50.000	ug/L	0.20	0.67	53.3	50.5	107	101	70-130	5	20	
n-Butylbenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	46.1	48.2	92	96	70-130	4	20	
sec-Butylbenzene	8040382	<0.25	50.000	ug/L	0.25	0.83	48.0	51.4	96	103	70-130	7	20	
tert-Butylbenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	47.3	51.1	95	102	70-130	8	20	
Carbon Tetrachloride	8040382	<0.50	50.000	ug/L	0.50	1.7	46.3	49.9	93	100	70-130	8	20	
Chlorobenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	47.0	49.4	94	99	85-116	5	9	
Chlorodibromomethane	8040382	<0.20	50.000	ug/L	0.20	0.67	47.4	47.8	95	96	70-130	1	20	
Chloroethane	8040382	<1.0	50.000	ug/L	1.0	3.3	41.1	50.2	82	100	70-130	20	20	
Chloroform	8040382	<0.20	50.000	ug/L	0.20	0.67	47.6	48.6	95	97	70-130	2	20	
Chloromethane	8040382	<0.20	50.000	ug/L	0.20	0.67	49.3	51.0	99	102	70-130	4	20	
2-Chlorotoluene	8040382	<0.50	50.000	ug/L	0.50	1.7	48.9	53.0	98	106	70-130	8	20	
4-Chlorotoluene	8040382	<0.20	50.000	ug/L	0.20	0.67	49.6	52.7	99	105	70-130	6	20	
1,2-Dibromo-3-chloropropane	8040382	<0.50	50.000	ug/L	0.50	1.7	49.8	54.3	100	109	70-130	9	20	
1,2-Dibromoethane (EDB)	8040382	<0.20	50.000	ug/L	0.20	0.67	49.0	50.1	98	100	70-130	2	20	
Dibromomethane	8040382	<0.20	50.000	ug/L	0.20	0.67	46.8	48.6	94	97	70-130	4	20	
1,2-Dichlorobenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	47.8	47.7	96	95	70-130	0	20	
1,3-Dichlorobenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	48.2	48.6	96	97	70-130	1	20	
1,4-Dichlorobenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	45.3	46.8	91	94	70-130	3	20	
Dichlorodifluoromethane	8040382	<0.50	50.000	ug/L	0.50	1.7	45.0	48.8	90	98	70-130	8	20	
1,1-Dichloroethane	8040382	<0.50	50.000	ug/L	0.50	1.7	48.8	51.1	98	102	70-130	5	20	
1,2-Dichloroethane	8040382	<0.50	50.000	ug/L	0.50	1.7	46.2	49.8	92	100	70-130	7	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRD0435-01														
1,1-Dichloroethene	8040382	<0.50	50.000	ug/L	0.50	1.7	47.0	50.1	94	100	72-131	6	17	
cis-1,2-Dichloroethene	8040382	<0.50	50.000	ug/L	0.50	1.7	47.8	50.8	96	102	70-130	6	20	
trans-1,2-Dichloroethene	8040382	<0.50	50.000	ug/L	0.50	1.7	46.3	49.7	93	99	70-130	7	20	
1,2-Dichloropropane	8040382	<0.50	50.000	ug/L	0.50	1.7	47.0	48.8	94	98	70-130	4	20	
1,3-Dichloropropane	8040382	<0.25	50.000	ug/L	0.25	0.83	48.9	49.6	98	99	70-130	2	20	
2,2-Dichloropropane	8040382	<0.50	50.000	ug/L	0.50	1.7	45.2	48.4	90	97	70-130	7	20	
1,1-Dichloropropene	8040382	<0.50	50.000	ug/L	0.50	1.7	46.5	50.4	93	101	70-130	8	20	
cis-1,3-Dichloropropene	8040382	<0.20	50.000	ug/L	0.20	0.67	48.4	48.9	97	98	70-130	1	20	
trans-1,3-Dichloropropene	8040382	<0.20	50.000	ug/L	0.20	0.67	49.9	51.3	100	103	70-130	3	20	
Isopropyl Ether	8040382	<0.50	50.000	ug/L	0.50	1.7	50.1	49.7	100	99	68-128	1	16	
Ethylbenzene	8040382	<0.50	50.000	ug/L	0.50	1.7	50.0	51.6	100	103	83-118	3	13	
Hexachlorobutadiene	8040382	<0.50	50.000	ug/L	0.50	1.7	41.3	42.7	83	85	70-130	3	20	
Isopropylbenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	52.0	54.6	104	109	70-130	5	20	
p-Isopropyltoluene	8040382	<0.20	50.000	ug/L	0.20	0.67	49.0	54.3	98	109	70-130	10	20	
Methylene Chloride	8040382	<1.0	50.000	ug/L	1.0	3.3	51.4	51.2	103	102	70-130	0	20	
Methyl tert-Butyl Ether	8040382	<0.50	50.000	ug/L	0.50	1.7	47.8	51.0	96	102	71-127	7	22	
Naphthalene	8040382	<0.25	50.000	ug/L	0.25	0.83	45.0	48.1	90	96	70-130	7	20	
n-Propylbenzene	8040382	<0.50	50.000	ug/L	0.50	1.7	48.4	54.9	97	110	70-130	13	20	
Styrene	8040382	<0.20	50.000	ug/L	0.20	0.67	51.6	53.2	103	106	70-130	3	20	
1,1,1,2-Tetrachloroethane	8040382	<0.25	50.000	ug/L	0.25	0.83	49.2	50.8	98	102	70-130	3	20	
1,1,2,2-Tetrachloroethane	8040382	<0.20	50.000	ug/L	0.20	0.67	47.8	52.2	96	104	70-130	9	20	
Tetrachloroethene	8040382	<0.50	50.000	ug/L	0.50	1.7	46.8	48.2	94	96	70-130	3	20	
Toluene	8040382	<0.20	50.000	ug/L	0.20	0.67	47.5	49.5	95	99	82-116	4	11	
1,2,3-Trichlorobenzene	8040382	<0.25	50.000	ug/L	0.25	0.83	45.7	49.0	91	98	70-130	7	20	
1,2,4-Trichlorobenzene	8040382	<0.25	50.000	ug/L	0.25	0.83	45.4	47.0	91	94	70-130	3	20	
1,1,1-Trichloroethane	8040382	<0.50	50.000	ug/L	0.50	1.7	47.5	50.3	95	101	70-130	6	20	
1,1,2-Trichloroethane	8040382	<0.25	50.000	ug/L	0.25	0.83	49.8	49.4	100	99	70-130	1	20	
Trichloroethene	8040382	<0.20	50.000	ug/L	0.20	0.67	48.5	50.2	97	100	80-117	4	13	
Trichlorofluoromethane	8040382	<0.50	50.000	ug/L	0.50	1.7	45.9	47.5	92	95	70-130	3	20	
1,2,3-Trichloropropane	8040382	<0.50	50.000	ug/L	0.50	1.7	46.9	52.5	94	105	70-130	11	20	
1,2,4-Trimethylbenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	47.0	53.3	94	107	80-122	13	14	
1,3,5-Trimethylbenzene	8040382	<0.20	50.000	ug/L	0.20	0.67	49.5	54.5	99	109	83-122	10	12	
Vinyl chloride	8040382	<0.20	50.000	ug/L	0.20	0.67	45.7	49.4	91	99	70-130	8	20	
Xylenes, Total	8040382	<0.50	150.00	ug/L	0.50	1.7	148	158	99	105	84-119	7	12	
Surrogate: Dibromofluoromethane	8040382			ug/L					98	102	89-119			
Surrogate: Toluene-d8	8040382			ug/L					100	100	91-109			
Surrogate: 4-Bromofluorobenzene	8040382			ug/L					99	103	89-114			
QC Source Sample: WRD0436-01														
Benzene	8040383	<0.20	50.000	ug/L	0.20	0.67	50.3	49.9	101	100	80-121	1	11	
Bromobenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	48.8	48.9	98	98	70-130	0	20	
Bromochloromethane	8040383	<0.50	50.000	ug/L	0.50	1.7	47.5	47.5	95	95	70-130	0	20	
Bromodichloromethane	8040383	<0.20	50.000	ug/L	0.20	0.67	52.3	52.0	105	104	70-130	1	20	
Bromoform	8040383	<0.20	50.000	ug/L	0.20	0.67	49.8	50.1	100	100	70-130	1	20	
Bromomethane	8040383	<0.20	50.000	ug/L	0.20	0.67	47.4	46.0	95	92	70-130	3	20	
n-Butylbenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	50.0	45.7	100	91	70-130	9	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
VOCs by SW8260B														
QC Source Sample: WRD0436-01														
sec-Butylbenzene	8040383	<0.25	50.000	ug/L	0.25	0.83	49.2	48.7	98	97	70-130	1	20	
tert-Butylbenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.1	48.8	98	98	70-130	1	20	
Carbon Tetrachloride	8040383	<0.50	50.000	ug/L	0.50	1.7	53.8	53.2	108	106	70-130	1	20	
Chlorobenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.2	48.9	98	98	85-116	1	9	
Chlorodibromomethane	8040383	<0.20	50.000	ug/L	0.20	0.67	51.8	51.7	104	103	70-130	0	20	
Chloroethane	8040383	<1.0	50.000	ug/L	1.0	3.3	55.3	54.5	111	109	70-130	1	20	
Chloroform	8040383	<0.20	50.000	ug/L	0.20	0.67	51.8	51.6	104	103	70-130	0	20	
Chloromethane	8040383	<0.20	50.000	ug/L	0.20	0.67	62.9	65.6	126	131	70-130	4	20	M11
2-Chlorotoluene	8040383	<0.50	50.000	ug/L	0.50	1.7	42.3	46.8	85	94	70-130	10	20	
4-Chlorotoluene	8040383	<0.20	50.000	ug/L	0.20	0.67	52.7	52.4	105	105	70-130	1	20	
1,2-Dibromo-3-chloropropane	8040383	<0.50	50.000	ug/L	0.50	1.7	47.9	49.5	96	99	70-130	3	20	
1,2-Dibromoethane (EDB)	8040383	<0.20	50.000	ug/L	0.20	0.67	50.3	50.0	101	100	70-130	1	20	
Dibromomethane	8040383	<0.20	50.000	ug/L	0.20	0.67	49.1	48.8	98	98	70-130	1	20	
1,2-Dichlorobenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	48.1	48.3	96	97	70-130	0	20	
1,3-Dichlorobenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	48.4	48.4	97	97	70-130	0	20	
1,4-Dichlorobenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	47.2	47.4	94	95	70-130	1	20	
Dichlorodifluoromethane	8040383	<0.50	50.000	ug/L	0.50	1.7	68.8	65.7	138	131	70-130	5	20	M11
1,1-Dichloroethane	8040383	<0.50	50.000	ug/L	0.50	1.7	51.8	51.1	104	102	70-130	1	20	
1,2-Dichloroethane	8040383	<0.50	50.000	ug/L	0.50	1.7	52.7	52.3	105	105	70-130	1	20	
1,1-Dichloroethene	8040383	<0.50	50.000	ug/L	0.50	1.7	52.2	51.4	104	103	72-131	2	17	
cis-1,2-Dichloroethene	8040383	<0.50	50.000	ug/L	0.50	1.7	51.1	50.5	102	101	70-130	1	20	
trans-1,2-Dichloroethene	8040383	<0.50	50.000	ug/L	0.50	1.7	51.6	51.3	103	103	70-130	1	20	
1,2-Dichloropropane	8040383	<0.50	50.000	ug/L	0.50	1.7	50.7	49.9	101	100	70-130	2	20	
1,3-Dichloropropane	8040383	<0.25	50.000	ug/L	0.25	0.83	50.7	50.0	101	100	70-130	1	20	
2,2-Dichloropropane	8040383	<0.50	50.000	ug/L	0.50	1.7	52.4	51.1	105	102	70-130	2	20	
1,1-Dichloropropene	8040383	<0.50	50.000	ug/L	0.50	1.7	52.2	51.3	104	103	70-130	2	20	
cis-1,3-Dichloropropene	8040383	<0.20	50.000	ug/L	0.20	0.67	51.0	50.8	102	102	70-130	1	20	
trans-1,3-Dichloropropene	8040383	<0.20	50.000	ug/L	0.20	0.67	51.1	50.8	102	102	70-130	1	20	
Isopropyl Ether	8040383	<0.50	50.000	ug/L	0.50	1.7	53.5	53.4	107	107	68-128	0	16	
Ethylbenzene	8040383	<0.50	50.000	ug/L	0.50	1.7	51.2	50.1	102	100	83-118	2	13	
Hexachlorobutadiene	8040383	<0.50	50.000	ug/L	0.50	1.7	46.3	46.1	93	92	70-130	1	20	
Isopropylbenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	42.4	41.8	85	84	70-130	1	20	
p-Isopropyltoluene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.7	47.1	99	94	70-130	5	20	
Methylene Chloride	8040383	<1.0	50.000	ug/L	1.0	3.3	54.3	54.1	109	108	70-130	0	20	
Methyl tert-Butyl Ether	8040383	<0.50	50.000	ug/L	0.50	1.7	52.8	52.8	106	106	71-127	0	22	
Naphthalene	8040383	<0.25	50.000	ug/L	0.25	0.83	46.6	38.2	93	76	70-130	20	20	
n-Propylbenzene	8040383	<0.50	50.000	ug/L	0.50	1.7	49.5	49.2	99	98	70-130	1	20	
Styrene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.1	49.4	98	99	70-130	1	20	
1,1,1,2-Tetrachloroethane	8040383	<0.25	50.000	ug/L	0.25	0.83	50.0	49.7	100	99	70-130	1	20	
1,1,2,2-Tetrachloroethane	8040383	<0.20	50.000	ug/L	0.20	0.67	49.9	50.1	100	100	70-130	0	20	
Tetrachloroethene	8040383	4.88	50.000	ug/L	0.50	1.7	54.4	53.9	99	98	70-130	1	20	
Toluene	8040383	<0.20	50.000	ug/L	0.20	0.67	50.0	49.6	100	99	82-116	1	11	
1,2,3-Trichlorobenzene	8040383	<0.25	50.000	ug/L	0.25	0.83	45.8	38.5	92	77	70-130	17	20	
1,2,4-Trichlorobenzene	8040383	<0.25	50.000	ug/L	0.25	0.83	46.9	39.5	94	79	70-130	17	20	
1,1,1-Trichloroethane	8040383	<0.50	50.000	ug/L	0.50	1.7	52.9	51.9	106	104	70-130	2	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
VOCs by SW8260B														
QC Source Sample: WRD0436-01														
1,1,2-Trichloroethane	8040383	<0.25	50.000	ug/L	0.25	0.83	49.9	49.4	100	99	70-130	1	20	
Trichloroethene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.6	48.9	99	98	80-117	2	13	
Trichlorofluoromethane	8040383	<0.50	50.000	ug/L	0.50	1.7	55.0	52.6	110	105	70-130	5	20	
1,2,3-Trichloropropane	8040383	<0.50	50.000	ug/L	0.50	1.7	49.3	49.7	99	99	70-130	1	20	
1,2,4-Trimethylbenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.0	44.2	98	88	80-122	10	14	
1,3,5-Trimethylbenzene	8040383	<0.20	50.000	ug/L	0.20	0.67	49.9	45.9	100	92	83-122	8	12	
Vinyl chloride	8040383	<0.20	50.000	ug/L	0.20	0.67	55.4	55.7	111	111	70-130	1	20	
Xylenes, Total	8040383	<0.50	150.00	ug/L	0.50	1.7	148	145	99	97	84-119	2	12	
Surrogate: Dibromofluoromethane	8040383			ug/L					103	100	89-119			
Surrogate: Toluene-d8	8040383			ug/L					101	100	91-109			
Surrogate: 4-Bromofluorobenzene	8040383			ug/L					102	102	89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRD0391
Project: Onalaska Landfill
Project Number: 3550

Received: 04/11/08
Reported: 04/21/08 08:04

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 245.1	Water - NonPotable	X	X
EPA 310.2	Water - NonPotable	X	X
EPA 325.2	Water - NonPotable	X	X
SW 6020A	Water - NonPotable		
SW 8260B	Water - NonPotable	X	X

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- C4** Calibration Verification recovery was below the method control limit for this analyte.
- J** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- L2** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was below acceptance limits.
- M11** The MS and/or MSD were above the acceptance limits. See calibration verification (CCV)
- Z1** Surrogate recovery was above acceptance limits.
- Z6** Surrogate recovery was below acceptance limits.

ADDITIONAL COMMENTS

May 15, 2008

Client: BT2, INC.
2830 Dairy Drive
Madison, WI 53718

Work Order: WRE0278
Project Name: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Attn: Mr. Steve Smith

Date Received: 05/08/08

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
Trip Blank	WRE0278-01	05/07/08 07:00
Ackerman PW	WRE0278-02	05/07/08 15:00


Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530

The Chain of Custody, 1 page, is included and is an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, P_{VOC}, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

BT2. INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRE0278-01 (Trip Blank - Ground Water)						Sampled: 05/07/08 07:00				
Sample Location: 00507999										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/09/08 11:40	aba	8050222	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/09/08 11:40	aba	8050222	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Naphthalene	<0.25	B	ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRE0278-01 (Trip Blank - Ground Water) - cont.						Sampled: 05/07/08 07:00				
Sample Location: 00507999										
VOCs by SW8260B - cont.										
Toluene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/09/08 11:40	aba	8050222	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/09/08 11:40	aba	8050222	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/09/08 11:40	aba	8050222	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%) 100 %</i>										
<i>Surr: Toluene-d8 (91-109%) 102 %</i>										
<i>Surr: 4-Bromofluorobenzene (89-114%) 96 %</i>										
Sample ID: WRE0278-02 (Ackerman PW - Ground Water)						Sampled: 05/07/08 15:00				
Sample Location: 00507115										
Metals										
Arsenic	<0.12		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
Barium	24		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
Cadmium	<0.12		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
Cobalt	<0.12		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
Iron	6500		ug/L	300	1000	2	05/15/08 10:43	gaf	8050226	SW 6020A
Lead	280		ug/L	0.24	0.80	2	05/12/08 10:10	gaf	8050226	SW 6020A
Manganese	110		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
Mercury	0.000066	J	mg/L	0.000065	0.00022	1	05/14/08 13:04	jej	8050292	EPA 245.1
Vanadium	<0.12		ug/L	0.12	0.40	1	05/12/08 10:10	gaf	8050226	SW 6020A
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/09/08 12:09	aba	8050222	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WRE0278-02 (Ackerman PW - Ground Water) - cont.						Sampled: 05/07/08 15:00				
Sample Location: 00507115										
VOCs by SW8260B - cont.										
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
2,3-Dichloropropene	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/09/08 12:09	aba	8050222	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Naphthalene	<0.25	B	ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/09/08 12:09	aba	8050222	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/09/08 12:09	aba	8050222	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/09/08 12:09	aba	8050222	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	95 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals													
Arsenic	8050226			ug/L	0.12	0.40	<0.12						
Barium	8050226			ug/L	0.12	0.40	<0.12						
Cadmium	8050226			ug/L	0.12	0.40	<0.12						
Cobalt	8050226			ug/L	0.12	0.40	<0.12						
Lead	8050226			ug/L	0.12	0.40	<0.12						
Manganese	8050226			ug/L	0.12	0.40	<0.12						
Vanadium	8050226			ug/L	0.12	0.40	<0.12						
Mercury	8050292			mg/L	0.000065	0.00023	<0.000065						
VOCs by SW8260B													
Benzene	8050222			ug/L	0.20	0.67	<0.20						
Bromobenzene	8050222			ug/L	0.20	0.67	<0.20						
Bromochloromethane	8050222			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	8050222			ug/L	0.20	0.67	<0.20						
Bromoform	8050222			ug/L	0.20	0.67	<0.20						
Bromomethane	8050222			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	8050222			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	8050222			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	8050222			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	8050222			ug/L	0.50	1.7	<0.50						
Chlorobenzene	8050222			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	8050222			ug/L	0.20	0.67	<0.20						
Chloroethane	8050222			ug/L	1.0	3.3	<1.0						
Chloroform	8050222			ug/L	0.20	0.67	<0.20						
Chloromethane	8050222			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	8050222			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	8050222			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	8050222			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	8050222			ug/L	0.20	0.67	<0.20						
Dibromomethane	8050222			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	8050222			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	8050222			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	8050222			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	8050222			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	8050222			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	8050222			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	8050222			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	8050222			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	8050222			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	8050222			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	8050222			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	8050222			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	8050222			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	8050222			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	8050222			ug/L	0.20	0.67	<0.20						
2,3-Dichloropropene	8050222			ug/L	0.25	0.83	<0.25						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Isopropyl Ether	8050222			ug/L	0.50	1.7	<0.50							
Ethylbenzene	8050222			ug/L	0.50	1.7	<0.50							
Hexachlorobutadiene	8050222			ug/L	0.50	1.7	<0.50							
Isopropylbenzene	8050222			ug/L	0.20	0.67	<0.20							
p-Isopropyltoluene	8050222			ug/L	0.20	0.67	<0.20							
Methylene Chloride	8050222			ug/L	1.0	3.3	<1.0							
Methyl tert-Butyl Ether	8050222			ug/L	0.50	1.7	<0.50							
Naphthalene	8050222			ug/L	0.25	0.83	0.260							B.J
n-Propylbenzene	8050222			ug/L	0.50	1.7	<0.50							
Styrene	8050222			ug/L	0.20	0.67	<0.20							
1,1,1,2-Tetrachloroethane	8050222			ug/L	0.25	0.83	<0.25							
1,1,2,2-Tetrachloroethane	8050222			ug/L	0.20	0.67	<0.20							
Tetrachloroethene	8050222			ug/L	0.50	1.7	<0.50							
Toluene	8050222			ug/L	0.20	0.67	<0.20							
1,2,3-Trichlorobenzene	8050222			ug/L	0.25	0.83	<0.25							
1,2,4-Trichlorobenzene	8050222			ug/L	0.25	0.83	<0.25							
1,1,1-Trichloroethane	8050222			ug/L	0.50	1.7	<0.50							
1,1,2-Trichloroethane	8050222			ug/L	0.25	0.83	<0.25							
Trichloroethene	8050222			ug/L	0.20	0.67	<0.20							
Trichlorofluoromethane	8050222			ug/L	0.50	1.7	<0.50							
1,2,3-Trichloropropane	8050222			ug/L	0.50	1.7	<0.50							
1,2,4-Trimethylbenzene	8050222			ug/L	0.20	0.67	<0.20							
1,3,5-Trimethylbenzene	8050222			ug/L	0.20	0.67	<0.20							
Vinyl chloride	8050222			ug/L	0.20	0.67	<0.20							
Xylenes, Total	8050222			ug/L	0.50	1.7	<0.50							
Surrogate: Dibromofluoromethane	8050222			ug/L					102		89-119			
Surrogate: Toluene-d8	8050222			ug/L					101		91-109			
Surrogate: 4-Bromofluorobenzene	8050222			ug/L					94		89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Benzene	8E09003		50.000	ug/L	N/A	N/A	52.0		104		80-120			
Bromobenzene	8E09003		50.000	ug/L	N/A	N/A	51.5		103		80-120			
Bromochloromethane	8E09003		50.000	ug/L	N/A	N/A	53.1		106		80-120			
Bromodichloromethane	8E09003		50.000	ug/L	N/A	N/A	52.8		106		80-120			
Bromoform	8E09003		50.000	ug/L	N/A	N/A	55.7		111		80-120			
Bromomethane	8E09003		50.000	ug/L	N/A	N/A	54.7		109		80-120			
n-Butylbenzene	8E09003		50.000	ug/L	N/A	N/A	50.5		101		80-120			
sec-Butylbenzene	8E09003		50.000	ug/L	N/A	N/A	51.1		102		80-120			
tert-Butylbenzene	8E09003		50.000	ug/L	N/A	N/A	50.1		100		80-120			
Carbon Tetrachloride	8E09003		50.000	ug/L	N/A	N/A	53.5		107		80-120			
Chlorobenzene	8E09003		50.000	ug/L	N/A	N/A	50.5		101		80-120			
Chlorodibromomethane	8E09003		50.000	ug/L	N/A	N/A	53.6		107		80-120			
Chloroethane	8E09003		50.000	ug/L	N/A	N/A	47.0		94		80-120			
Chloroform	8E09003		50.000	ug/L	N/A	N/A	53.2		106		80-120			
Chloromethane	8E09003		50.000	ug/L	N/A	N/A	45.9		92		80-120			
2-Chlorotoluene	8E09003		50.000	ug/L	N/A	N/A	51.5		103		80-120			
4-Chlorotoluene	8E09003		50.000	ug/L	N/A	N/A	52.5		105		80-120			
1,2-Dibromo-3-chloropropane	8E09003		50.000	ug/L	N/A	N/A	51.7		103		80-120			
1,2-Dibromoethane (EDB)	8E09003		50.000	ug/L	N/A	N/A	53.4		107		80-120			
Dibromomethane	8E09003		50.000	ug/L	N/A	N/A	53.9		108		80-120			
1,2-Dichlorobenzene	8E09003		50.000	ug/L	N/A	N/A	49.6		99		80-120			
1,3-Dichlorobenzene	8E09003		50.000	ug/L	N/A	N/A	50.1		100		80-120			
1,4-Dichlorobenzene	8E09003		50.000	ug/L	N/A	N/A	48.9		98		80-120			
Dichlorodifluoromethane	8E09003		50.000	ug/L	N/A	N/A	53.8		108		80-120			
1,1-Dichloroethane	8E09003		50.000	ug/L	N/A	N/A	53.3		107		80-120			
1,2-Dichloroethane	8E09003		50.000	ug/L	N/A	N/A	53.2		106		80-120			
1,1-Dichloroethene	8E09003		50.000	ug/L	N/A	N/A	52.2		104		80-120			
cis-1,2-Dichloroethene	8E09003		50.000	ug/L	N/A	N/A	53.7		107		80-120			
trans-1,2-Dichloroethene	8E09003		50.000	ug/L	N/A	N/A	53.1		106		80-120			
1,2-Dichloropropane	8E09003		50.000	ug/L	N/A	N/A	52.6		105		80-120			
1,3-Dichloropropane	8E09003		50.000	ug/L	N/A	N/A	52.7		105		80-120			
2,2-Dichloropropane	8E09003		50.000	ug/L	N/A	N/A	55.5		111		80-120			
1,1-Dichloropropene	8E09003		50.000	ug/L	N/A	N/A	54.4		109		80-120			
cis-1,3-Dichloropropene	8E09003		50.000	ug/L	N/A	N/A	52.7		105		80-120			
trans-1,3-Dichloropropene	8E09003		50.000	ug/L	N/A	N/A	53.0		106		80-120			
2,3-Dichloropropene	8E09003		50.000	ug/L	N/A	N/A	52.2		104		80-120			
Isopropyl Ether	8E09003		50.000	ug/L	N/A	N/A	52.7		105		80-120			
Ethylbenzene	8E09003		50.000	ug/L	N/A	N/A	51.5		103		80-120			
Hexachlorobutadiene	8E09003		50.000	ug/L	N/A	N/A	49.2		98		80-120			
Isopropylbenzene	8E09003		50.000	ug/L	N/A	N/A	53.2		106		80-120			
p-Isopropyltoluene	8E09003		50.000	ug/L	N/A	N/A	51.8		104		80-120			
Methylene Chloride	8E09003		50.000	ug/L	N/A	N/A	51.4		103		80-120			
Methyl tert-Butyl Ether	8E09003		50.000	ug/L	N/A	N/A	54.7		109		80-120			
Naphthalene	8E09003		50.000	ug/L	N/A	N/A	48.5		97		80-120			B
n-Propylbenzene	8E09003		50.000	ug/L	N/A	N/A	51.6		103		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Styrene	8E09003		50.000	ug/L	N/A	N/A	52.2		104		80-120			
1,1,1,2-Tetrachloroethane	8E09003		50.000	ug/L	N/A	N/A	50.7		101		80-120			
1,1,2,2-Tetrachloroethane	8E09003		50.000	ug/L	N/A	N/A	53.6		107		80-120			
Tetrachloroethene	8E09003		50.000	ug/L	N/A	N/A	52.5		105		80-120			
Toluene	8E09003		50.000	ug/L	N/A	N/A	51.4		103		80-120			
1,2,3-Trichlorobenzene	8E09003		50.000	ug/L	N/A	N/A	47.6		95		80-120			
1,2,4-Trichlorobenzene	8E09003		50.000	ug/L	N/A	N/A	49.5		99		80-120			
1,1,1-Trichloroethane	8E09003		50.000	ug/L	N/A	N/A	52.8		106		80-120			
1,1,2-Trichloroethane	8E09003		50.000	ug/L	N/A	N/A	52.4		105		80-120			
Trichloroethene	8E09003		50.000	ug/L	N/A	N/A	52.7		105		80-120			
Trichlorofluoromethane	8E09003		50.000	ug/L	N/A	N/A	54.6		109		80-120			
1,2,3-Trichloropropane	8E09003		50.000	ug/L	N/A	N/A	52.8		106		80-120			
1,2,4-Trimethylbenzene	8E09003		50.000	ug/L	N/A	N/A	51.6		103		80-120			
1,3,5-Trimethylbenzene	8E09003		50.000	ug/L	N/A	N/A	51.3		103		80-120			
Vinyl chloride	8E09003		50.000	ug/L	N/A	N/A	51.1		102		80-120			
Xylenes, Total	8E09003		150.00	ug/L	N/A	N/A	156		104		80-120			
Surrogate: Dibromofluoromethane	8E09003			ug/L					101		80-120			
Surrogate: Toluene-d8	8E09003			ug/L					99		80-120			
Surrogate: 4-Bromofluorobenzene	8E09003			ug/L					101		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Arsenic	8050226		50.000	ug/L	0.12	0.40	48.6		97		85-115			
Barium	8050226		50.000	ug/L	0.12	0.40	53.8		108		78-110			
Cadmium	8050226		50.000	ug/L	0.12	0.40	52.1		104		83-109			
Cobalt	8050226		50.000	ug/L	0.12	0.40	49.1		98		81-111			
Lead	8050226		50.000	ug/L	0.12	0.40	51.8		104		85-115			
Manganese	8050226		50.000	ug/L	0.12	0.40	49.5		99		83-109			
Vanadium	8050226		50.000	ug/L	0.12	0.40	49.4		99		82-115			
Mercury	8050292		0.0025 000	mg/L	0.000065	0.00023	0.00260		104		78-131			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
QC Source Sample: WRE0278-02														
Arsenic	8050226	<0.12	50.000	ug/L	0.12	0.40	48.2	48.8	96	98	75-125	1	20	
Barium	8050226	24.1	50.000	ug/L	0.12	0.40	78.2	77.3	108	106	57-124	1	32	
Cadmium	8050226	<0.12	50.000	ug/L	0.12	0.40	50.1	50.3	100	101	65-118	0	18	
Cobalt	8050226	<0.12	50.000	ug/L	0.12	0.40	48.8	47.8	98	96	56-122	2	22	
Vanadium	8050226	<0.12	50.000	ug/L	0.12	0.40	50.6	50.2	101	100	75-125	1	20	
VOCs by SW8260B														
QC Source Sample: WRE0278-02														
Benzene	8050222	<0.20	50.000	ug/L	0.20	0.67	51.4	53.7	103	107	80-121	4	11	
Bromobenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	50.1	50.2	100	100	70-130	0	20	
Bromochloromethane	8050222	<0.50	50.000	ug/L	0.50	1.7	50.5	52.7	101	105	70-130	4	20	
Bromodichloromethane	8050222	<0.20	50.000	ug/L	0.20	0.67	52.2	52.4	104	105	70-130	0	20	
Bromoform	8050222	<0.20	50.000	ug/L	0.20	0.67	51.7	51.9	103	104	70-130	1	20	
Bromomethane	8050222	<0.20	50.000	ug/L	0.20	0.67	54.6	56.8	109	114	70-130	4	20	
n-Butylbenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	54.8	53.6	110	107	70-130	2	20	
sec-Butylbenzene	8050222	<0.25	50.000	ug/L	0.25	0.83	53.6	53.6	107	107	70-130	0	20	
tert-Butylbenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	54.7	53.5	109	107	70-130	2	20	
Carbon Tetrachloride	8050222	<0.50	50.000	ug/L	0.50	1.7	54.0	55.0	108	110	70-130	2	20	
Chlorobenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	50.0	52.0	100	104	85-116	4	9	
Chlorodibromomethane	8050222	<0.20	50.000	ug/L	0.20	0.67	51.1	53.0	102	106	70-130	4	20	
Chloroethane	8050222	<1.0	50.000	ug/L	1.0	3.3	48.0	47.7	96	95	70-130	1	20	
Chloroform	8050222	<0.20	50.000	ug/L	0.20	0.67	52.0	53.3	104	107	70-130	3	20	
Chloromethane	8050222	<0.20	50.000	ug/L	0.20	0.67	44.5	46.3	89	93	70-130	4	20	
2-Chlorotoluene	8050222	<0.50	50.000	ug/L	0.50	1.7	50.9	50.6	102	101	70-130	1	20	
4-Chlorotoluene	8050222	<0.20	50.000	ug/L	0.20	0.67	52.5	52.1	105	104	70-130	1	20	
1,2-Dibromo-3-chloropropane	8050222	<0.50	50.000	ug/L	0.50	1.7	52.0	52.2	104	104	70-130	0	20	
1,2-Dibromoethane (EDB)	8050222	<0.20	50.000	ug/L	0.20	0.67	51.4	53.1	103	106	70-130	3	20	
Dibromomethane	8050222	<0.20	50.000	ug/L	0.20	0.67	51.5	53.3	103	107	70-130	3	20	
1,2-Dichlorobenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	50.8	50.2	102	100	70-130	1	20	
1,3-Dichlorobenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	50.1	51.4	100	103	70-130	3	20	
1,4-Dichlorobenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	49.3	50.0	99	100	70-130	1	20	
Dichlorodifluoromethane	8050222	<0.50	50.000	ug/L	0.50	1.7	54.4	59.1	109	118	70-130	8	20	
1,1-Dichloroethane	8050222	<0.50	50.000	ug/L	0.50	1.7	53.1	54.3	106	109	70-130	2	20	
1,2-Dichloroethane	8050222	<0.50	50.000	ug/L	0.50	1.7	53.1	53.8	106	108	70-130	1	20	
1,1-Dichloroethene	8050222	<0.50	50.000	ug/L	0.50	1.7	53.4	56.4	107	113	72-131	5	17	
cis-1,2-Dichloroethene	8050222	<0.50	50.000	ug/L	0.50	1.7	52.0	53.5	104	107	70-130	3	20	
trans-1,2-Dichloroethene	8050222	<0.50	50.000	ug/L	0.50	1.7	51.8	54.6	104	109	70-130	5	20	
1,2-Dichloropropane	8050222	<0.50	50.000	ug/L	0.50	1.7	52.0	52.2	104	104	70-130	0	20	
1,3-Dichloropropane	8050222	<0.25	50.000	ug/L	0.25	0.83	50.2	51.2	100	102	70-130	2	20	
2,2-Dichloropropane	8050222	<0.50	50.000	ug/L	0.50	1.7	56.6	57.0	113	114	70-130	1	20	
1,1-Dichloropropene	8050222	<0.50	50.000	ug/L	0.50	1.7	55.0	54.8	110	110	70-130	0	20	
cis-1,3-Dichloropropene	8050222	<0.20	50.000	ug/L	0.20	0.67	52.5	53.7	105	107	70-130	2	20	
trans-1,3-Dichloropropene	8050222	<0.20	50.000	ug/L	0.20	0.67	51.5	52.4	103	105	70-130	2	20	
Isopropyl Ether	8050222	<0.50	50.000	ug/L	0.50	1.7	51.9	53.3	104	107	68-128	3	16	
Ethylbenzene	8050222	<0.50	50.000	ug/L	0.50	1.7	51.4	53.6	103	107	83-118	4	13	
Hexachlorobutadiene	8050222	<0.50	50.000	ug/L	0.50	1.7	59.0	54.1	118	108	70-130	9	20	
Isopropylbenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	53.2	53.0	106	106	70-130	1	20	
p-Isopropyltoluene	8050222	<0.20	50.000	ug/L	0.20	0.67	54.1	54.3	108	109	70-130	0	20	

BT2. INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
QC Source Sample: WRE0278-02														
Methylene Chloride	8050222	<1.0	50.000	ug/L	1.0	3.3	49.4	52.8	99	106	70-130	7	20	
Methyl tert-Butyl Ether	8050222	<0.50	50.000	ug/L	0.50	1.7	52.2	54.1	104	108	71-127	4	22	
Naphthalene	8050222	<0.25	50.000	ug/L	0.25	0.83	51.2	51.0	102	102	70-130	0	20	B
n-Propylbenzene	8050222	<0.50	50.000	ug/L	0.50	1.7	52.5	51.2	105	102	70-130	2	20	
Styrene	8050222	<0.20	50.000	ug/L	0.20	0.67	51.0	51.7	102	103	70-130	1	20	
1,1,1,2-Tetrachloroethane	8050222	<0.25	50.000	ug/L	0.25	0.83	49.6	50.8	99	102	70-130	2	20	
1,1,2,2-Tetrachloroethane	8050222	<0.20	50.000	ug/L	0.20	0.67	50.5	50.6	101	101	70-130	0	20	
Tetrachloroethene	8050222	<0.50	50.000	ug/L	0.50	1.7	50.9	54.3	102	109	70-130	6	20	
Toluene	8050222	<0.20	50.000	ug/L	0.20	0.67	50.0	53.2	100	106	82-116	6	11	
1,2,3-Trichlorobenzene	8050222	<0.25	50.000	ug/L	0.25	0.83	52.3	52.2	105	104	70-130	0	20	
1,2,4-Trichlorobenzene	8050222	<0.25	50.000	ug/L	0.25	0.83	53.6	51.9	107	104	70-130	3	20	
1,1,1-Trichloroethane	8050222	<0.50	50.000	ug/L	0.50	1.7	52.8	54.9	106	110	70-130	4	20	
1,1,2-Trichloroethane	8050222	<0.25	50.000	ug/L	0.25	0.83	49.2	50.7	98	101	70-130	3	20	
Trichloroethene	8050222	<0.20	50.000	ug/L	0.20	0.67	51.9	54.3	104	109	80-117	5	13	
Trichlorofluoromethane	8050222	<0.50	50.000	ug/L	0.50	1.7	50.9	53.9	102	108	70-130	6	20	
1,2,3-Trichloropropane	8050222	<0.50	50.000	ug/L	0.50	1.7	50.7	50.3	101	101	70-130	1	20	
1,2,4-Trimethylbenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	51.1	51.0	102	102	80-122	0	14	
1,3,5-Trimethylbenzene	8050222	<0.20	50.000	ug/L	0.20	0.67	52.2	51.1	104	102	83-122	2	12	
Vinyl chloride	8050222	<0.20	50.000	ug/L	0.20	0.67	52.6	52.9	105	106	70-130	1	20	
Xylenes, Total	8050222	<0.50	150.00	ug/L	0.50	1.7	153	158	102	105	84-119	3	12	
Surrogate: Dibromofluoromethane	8050222			ug/L					101	101	89-119			
Surrogate: Toluene-d8	8050222			ug/L					98	99	91-109			
Surrogate: 4-Bromofluorobenzene	8050222			ug/L					102	96	89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WRE0278
Project: Onalaska Landfill
Project Number: 3550 Onalaska Landfill

Received: 05/08/08
Reported: 05/15/08 11:02

CERTIFICATION SUMMARY

TestAmerica Watertown

Method	Matrix	Nelac	Wisconsin
EPA 245.1	Water - NonPotable	X	X
SW 6020A	Water - NonPotable		
SW 8260B	Water - NonPotable	X	X

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- J** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.

ADDITIONAL COMMENTS