

RECEIVED

AUG 02 2013

DNR - SUPERIOR



Antea USA, Inc.
5910 Rice Creek Parkway, Suite 100
Shoreview, Minnesota 55126 USA
www.anteagroup.com

August 1, 2013

Ms. Erin Endsley
Wisconsin Dept. of Natural Resources
1701 N 4TH ST
Superior WI 54880

Subject: **System and Well Abandonment Work Plan**
Former Amoco Terminal and Barge Dock Properties
2904 Winter Street, Superior, Wisconsin
Antea Group Project No. WISUPER131
(FID No. 816009920)

BRRTS Nos. 02-16-000331 – Former Amoco Terminal Property
02-16-117873 – Amoco Oil Barge Dock – Manifold & AST
02-16-297979 – Amoco Oil Barge Dock – OW Separator & Loading Rack

Dear Ms. Endsley:

Antea[®] Group is submitting the following System and Well Abandonment Work Plan pursuant to our meeting discussion at the Wisconsin Department of Natural Resources (WDNR) Superior office on July 2, 2013. Please note that the following work plan has been developed based on consideration of both historical site data and recently received information from multiple site area stakeholders requesting the removal of monitoring/remediation features to accommodate property development plans. In each of the four areas of concern presented below, Antea Group is requesting abandonment without replacement of the referenced monitoring and/or remediation features.

Sue Vinje Trucking Property: Abandonment of MW-28

Antea Group met in June 2013 with Sue Vinje Trucking personnel Mr. Carl Svendson (Controller) and Mr. Ryan Fraley (Vice President) to discuss the status of the subject site investigation and future development plans for the Sue Vinje Trucking property east of the Terminal Property and Maryland Avenue (**Figure 1 Terminal Site Map**). During that meeting a request was made to have monitoring well MW-28 abandoned to accommodate redevelopment of the Sue Vinje property, including the potential installation of one or more detention basins to handle surface water runoff. The removal of monitoring well MW-28 will not preclude the future evaluation of site conditions and incident closure suitability based on the following considerations:

- Groundwater flow is consistently northwest and monitoring well MW-28 is sidegradient/upgradient of the delineated groundwater impact;
- Monitoring well MW-28 was most recently sampled in May 2013 and was non-detect for all BTEX, MTBE, TMB, and naphthalene analytes (**Table 1 Groundwater Analytical Data - Terminal**);

- Monitoring well MW-28 has been sampled (42) times since July 1989 and has never had an NR140 ES exceedence for any contaminant of concern;
- Monitoring well MW-28 has not had a benzene detect since October 1996 (4 ppb) and has been non-detect for all BTEX, TMB, MTBE constituents since the last TMB constituent detect in April 2004 (1.1 ppb total TMB); and
- As presented in Antea Group's May 17, 2013 Progress Report for Calendar Year 2012, the preponderance of site groundwater data indicates both liquid-phase hydrocarbon (LPH) thickness and dissolved-phase hydrocarbon concentration trends are decreasing; abandonment of monitoring well MW-28 does not represent a critical monitoring point given its sidegradient/upgradient location relative to the main investigation area, lengthy history below and the NR140 ES, and overall contracting plume conditions.

Antea Group requests WDNR approval to abandon monitoring well MW-28 without replacement; well abandonment will be completed by a licensed Wisconsin driller in accordance with WAC ch. NR 141 well abandonment requirements. ✓

1.91 Acre Parcel C South of Halvor Lane: Abandonment of MW-4S/4D

Antea Group communicated via telephone and email in June 2013 with Mr. Todd Koneczny of RJS Construction Group, LLC (RJS) to review the status of the subject site investigation and future development plans for the 1.91 Acre Parcel C south of Halvor Lane (**Figure 1 Terminal Site Map**). As part of these information exchanges, RJS forwarded to Antea Group a draft Facility Development Map (**Appendix A RJS Draft Parcel Development Map**) for the proposed Nuss Truck and Equipment Facility. A request was made during Antea Group's telephone conversations with RJS to have monitoring wells MW-4S/4D abandoned to accommodate redevelopment of parcel C which include construction of a new building, storm water detention basin installation, and asphalt and gravel parking lot construction. The removal of monitoring wells MW-4S/4D will not preclude the future evaluation of site conditions and incident closure suitability based on the following considerations:

- Monitoring wells MW-4S/4D are located upgradient (south) of the subject site;
- Monitoring well MW-4S was sampled (38) times between March 1988 and October 2009 and has never had an NR140 ES exceedence for any BTEX, MTBE, or TMB analyte;
- The historical high benzene concentration at MW-4S was 1.4 ppb in April 1995;
- Monitoring well MW-3 is located between the former Terminal property and MW-4S, remains in place for future monitoring, and has only exhibited (4) nominal exceedences of the benzene NR 140 ES over (16) sampling events during the period March 1988 through October 2012 (October 2012 results benzene 29.9 ppb, toluene 2.2 ppb and all other COCs non-detect). **Table 1 Groundwater Analytical Results – Terminal** summarizes site groundwater sampling analytical;
- Monitoring well MW-4D has been sampled (26) times during the period July 1994 through October 2009and has never exhibited an NR140 ES exceedence for any BTEX, MTBE, or TMB analyte;
- The last benzene detection at MW-4D was 1.5 ppb in November 1997; and
- Monitoring wells MW-4S/4D are not on the current sampling schedule and there are no plans to add them based on the overall contracting plume site conditions.

Antea Group requests WDNR approval to abandon monitoring wells MW-4S/4D without replacement; well abandonment will be completed by a licensed Wisconsin driller in accordance with WAC ch. NR 141 well abandonment requirements. ✓

7.63 Acre Parcel I East of Susquehanna Avenue: Abandonment of MW-9, MW-12, MW-15S, MW-15D, and MW-19R

During the above-referenced conversation regarding Parcel C with Mr. Todd Koneczny of RJS, Antea Group was informed that RJS also had plans to develop the 7.63 acre Parcel I east of Susquehanna Avenue and south of Winter Street for commercial purposes (**Figure 1 Terminal Site Map**). While draft development plans are not available for Parcel I, the near-term development of this parcel, along with the development of many other vacant properties in the broader site

area, are a favorable trend for the site area and the removal of monitoring wells MW-9, MW-12, MW-15S, MW-15D, and MW-19R will facilitate this development without limiting future evaluation of the site conditions which represent the current barrier to incident closure based on the following considerations:

- Monitoring wells MW-10 (Parcel H), EW-9 (Parcel H), and EW-10 (Halvor Lines Parcel) provide delineation between the residual eastern Terminal impact and the parcels to the west, sidegradient/downgradient;
- Monitoring well MW-10 has been sampled (27) times since March 1988 and has only exhibited nominal exceedences of the benzene NR140 ES over the past 2 sampling events (6.4 ppb October 2011 and 9.3 ppb October 2012) after 5 consecutive rounds below the standard as illustrated on **Figures 2a/2b Benzene/Groundwater Hydrograph** (see also **Table 1 Groundwater Analytical Results - Terminal**);
- Monitoring well EW-9 has been sampled (4) times during the period July 2011 through May 2013 and exhibited only a nominal exceedence of the NR140 ES for benzene during the May 2013 sampling event (34.1 ppb), groundwater sampling analytical results decreased during each event following the July 2011 round of sampling, and no other BTEX, MTBE, TMB analyte concentrations have exceeded their respective NR140 ES during this period;
- Monitoring well EW-10 has been sampled (4) times during the period July 2011 through May 2013 and exhibited only a nominal benzene NR140 ES exceedence (18.3 ppb) during the May 2013 sampling event, benzene concentrations during this period are decreasing, and no other BTEX, MTBE, TMB analytes have exceeded their respective NR140 ES during this period;
- Monitoring well MW-34, installed northwest (downgradient) of MW-19R across Winter Street, has been sampled (38) times during the period August 1991 through October 2012 and has never exhibited a benzene concentration above 0.6 ppb, an NR140 ES exceedence for any BTEX, MTBE, TMB or naphthalene analyte and has been non-detect for all BTEX, MTBE, TMB, and naphthalene analytes over the past (14) sampling events. Monitoring well MW-34 will be added to the annual (fall) groundwater sampling schedule to provide delineation downgradient of the northwest Terminal parcel;
- Monitoring wells MW-15S (sampled 42 times between September 1988 and October 2012) and MW-15D (sampled 33 times between July 1994 and October 2012) have each exhibited nominal and infrequent exceedences of the NR140 ES for benzene (MW-15S has had one benzene exceedence, 16.7 ppb, since April 2004, and MW-15D has had one benzene detect, 25.1 ppb, since November 2004), all other contaminants of concern have historically been below their respective NR140 ES at both wells;
- Monitoring well MW-9 has been sampled (26) times during the period March 1988 through October 2012 and exhibited decreasing concentration trends for benzene and naphthalene, the only contaminants of concern exceeding their respective NR140 ES, as illustrated on **Figures 3a/3b Benzene/Groundwater Hydrograph** and **Figure 4a/b Naphthalene/Groundwater Hydrograph**. The October 2012 benzene concentration (198 ppb) was the lowest concentration observed at MW-9 since April 2005 and the October 2011 naphthalene concentration (118 ppb) was the lowest observed since January 1991 (see **Table 1 Groundwater Analytical Results - Terminal**); and
- As presented in considerable detail in the 2012 Annual Progress Report, liquid-phase hydrocarbon conditions at MW-12 and MW-19R are stable, localized, historically well delineated with many years of favorable trend gauging/sampling data, and immobile with limited and decreasing dissolved-phase hydrocarbons measured in nearby wells. LPH at MW-12 have been characterized as distillates in the diesel fuel or fuel oil boiling point range and LPH at MW-19R have been documented to be viscous (2.3 centipoise) and relatively dense (0.8404 g/ml) suggesting similar low volatility, low-mobility product.

Based on the above conditions, Antea Group requests WDNR approval to close out monitoring activities on the northwest Terminal parcel and abandon monitoring wells MW-9, MW-12, MW-15S, MW-15D, and MW-19R without replacement; well abandonment will be completed by a licensed Wisconsin driller in accordance with WAC ch. NR 141 well abandonment requirements.

Lake City Towing (Northeast Terminal): Abandonment of Remediation Points EW-1, EW-3, EW-4, RW-2, Monitoring Well MW-1, the Terminal VE/TFRT System

Antea Group met in June 2013 with Lake City Towing representatives including Mr. Jay Thompson to discuss the status of the subject site investigation and future development plans for the Lake City Towing parcel at the northeast corner of the former Terminal Property (**Figure 1 Terminal Site Map**). During that meeting Lake City Towing representatives outlined their plans to construct a new truck and equipment service building (estimated dimensions 60 ft x 130 ft) on their property to facilitate the expansion of their growing and diversifying businesses (a photo of the proposed construction area is included in **Appendix B Lake City Towing – Photo of Proposed Construction Area**). The proposed building location is currently occupied by the VE/TFRT system equipment building with several adjacent remediation/monitoring wells including EW-1, EW-3, EW-4, RW-2 and MW-1. The VE/TFRT system has not operated in 2013 and, as demonstrated in detail in the 2012 Annual Progress Report, recovery by the VE/TFRT system has decreased significantly over the past several years, reached asymptotic conditions, and continued operation was not recommended in the 2012 Annual Progress Report. Abandonment of the above-referenced northeast Terminal features is recommended based on the following considerations:

- The inactive treatment system equipment building is occupying a valuable area on the Lake City Towing property preventing business expansion and the construction of a new truck and equipment service building;
- There are no other suitable locations on the northeast Terminal parcel for the proposed Lake City Towing building;
- The proposed building will be slab on grade and significant re-grading of the property is not anticipated;
- Soil handling will be the responsibility of Lake City Towing or their designated contractors and offsite disposal of soil is not anticipated;
- Antea Group will coordinate with Lake City Towing should proper offsite disposal at an approved facility be required;
- The wells recommended for abandonment are within the estimated footprint of the proposed building or the construction area immediately around the building that will be significantly disturbed by equipment and construction operations;
- Future monitoring of this area of the site will be adequately covered by existing wells including LPH impact monitoring wells MW-25, MW-23, MW-22, RW-5 and low-level dissolved-phase impact monitoring wells MW-3, EW-9, EW-10, and MW-35.

Based on the above conditions, Antea Group requests WDNR approval to abandon remediation points EW-1, EW-3, EW-4, RW-2, monitoring well MW-1, and the Terminal VE/TFRT system without replacement. Monitoring/recovery well and system abandonment will be completed by a licensed Wisconsin driller in accordance with WAC ch. NR 141 well abandonment requirements. The power drop and tele-communication lines to the treatment building will be removed and the conduits within the treatment building cut off flush to floor slab and sealed to the first elbow. All remediation equipment will be re-used, recycled or properly disposed of by the well abandonment contractor or other designated abandonment contractor. Ownership of the VE/TFRT treatment system equipment building will be transferred to Lake City Towing for relocation and re-use as a storage shed at another location on the Lake City Towing property.

Tables

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|------------------|----------------------------|--|---------|---------------|---------|------------|------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-1 | | | 03/88 to 06/90 - No free product present in the well. | | | | | | | | | | | | | | | | | |
| MW-1 | | | 06/90 to 10/05 - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-1 | 10/12/2005 | | 660 | <20 | 570 | 5000 | 2320 | 29 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | +10 | |
| MW-1 | 05/23/06 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | |
| MW-1 | 10/16/06 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | |
| MW-1 | 04/23/07 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | |
| MW-1 | 09/25/07 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | |
| MW-2 | 03/88 to 12/89 | | No free product present in the well. | | | | | | | | | | | | | | | | | |
| MW-2 | 05/90 to present | | The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-2 | 6/26/2007 | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-3 | 3/23/1988 | | 30 | 30 | 20 | 50 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-3 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 3.50 | 141 | NM | NM | NM | 0.07 | |
| MW-3 | 10/21/2003 | | 230 | 17 | 23 | 42 | 22.2 | <4.0 | NA | NA | 490 | NA | NA | 3.70 | -107 | NM | NM | NM | NM | |
| MW-3 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.24 | 009 | NM | NM | NM | NM | |
| MW-3 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 680 | NA | 1.90 | 067 | NM | NM | NM | 0.10 | |
| MW-3 | 4/19/2005 | | 1.7 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.1 | -010 | NM | NM | NM | NM | |
| MW-3 | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.74 | -089 | NM | 753 | 7.42 | 1.0 | |
| MW-3 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.6 | -052 | NM | 840 | 7.40 | 1.0 | |
| MW-3 | 10/22/2006 | | 4.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 6.1 | -227 | NM | NM | 6.87 | 7.0 | |
| MW-3 | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 1.04 | -169.8 | NM | NM | 6.97 | 3.0 | |
| MW-3 | 9/29/2007 | | 3.9 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.28 | -059.1 | NM | NM | 7.05 | 5.0 | |
| MW-3 | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.94 | 249.4 | NM | NM | 6.32 | 1.0 | |
| MW-3 | 10/25/2008 | | 1.7 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.25 | 101.4 | NM | NM | 6.80 | 2.0 | |
| MW-3 | 10/14/2009 | | 2.9 | <2.0 | <2.0 | <6.0 | <2.0 | <2.0 | NA | NA | NA | NA | NA | 4.51 | 163.0 | NM | NM | 7.34 | NM | |
| MW-3 | 10/17/2011 | | 18.2 | 1.2 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.89 | -201.0 | 7.91 | 969 | 7.85 | NM | |
| MW-3 | 10/3/2012 | | 29.9 | 2.2 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 3/23/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 1/31/1991 | | <1.0 | <1.0 | 4.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-4S | 7/10/1991 | | <1.0 | <1.0 | 2.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-4S | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1.0 | NM | NM | NM | NM | NM | NM | |
| MW-4S | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1.0 | NM | NM | NM | NM | NM | NM | |
| MW-4S | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | 92 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 10/28/1993 | | <1.0 | <1.0 | 4.2 | <2.0 | <1.0 | <4.0 | <1.6 | NA | 200 | <140 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/27/1994 | | 1.2 | <1.0 | 3.8 | <2.0 | 1.2 | <4.0 | <1.5 | NA | 230 | 270 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 10/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 110 | 260 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/4/1995 | | 1.4 | 1.7 | <1.0 | <2.0 | 1 | <4.0 | <1.6 | NA | 98 | 460 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 11/14/1995 | | <1.0 | <1.0 | 3.4 | <2.0 | <1.0 | <4.0 | NA | NA | 160 | 440 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.24 | NA | 160 | 320 | NA | NM | NM | NM | NM | NM | NM | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|------|-------|----------------|------|--------------|----------|--------------|-----|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4S | 11/5/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | 2.3 | <4.0 | NA | NA | 170 | 300 | NA | 0.90 | 062 | 6.9 | 700 | 7.04 | NM | |
| MW-4S | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | 470 | NA | 3.07 | NM | 8.9 | 1010 | 6.89 | NM | |
| MW-4S | 3/3/1999 | | <1.0 | <1.0 | 3.4 | 3.3 | NA | <4.0 | NA | NA | 140 | NA | NA | 3.25 | NM | 7.0 | NM | NM | NM | |
| MW-4S | 3/3/1999 | D | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | 230 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 8/17/1999 | | <1.0 | <1.0 | 3.6 | <3.0 | NA | <4.0 | NA | NA | 170 | 330 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/26/2000 | | 0.357 | <0.40 | 4.16 | <0.55 | <0.40 | <0.30 | NA | NA | 204 | 752 | NA | 0.70 | -048 | NM | NM | NM | NM | |
| MW-4S | 10/10/2000 | | 0.86 | <0.20 | 11 | 0.46 | 1.7 | <0.16 | <1.1 | NA | 330 | 730 | NA | 1.40 | -008 | NM | NM | NM | 4.00 | |
| MW-4S | 4/24/2001 | | 0.19 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | 100 | 430 | NA | 0.70 | 155 | NM | NM | NM | NM | |
| MW-4S | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | 57 | 270 | NA | 4.10 | -019 | NM | NM | NM | 1.50 | |
| MW-4S | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | 110 | NA | 2.30 | 177 | NM | NM | NM | 3.00 | |
| MW-4S | 11/6/2002 | | 0.18 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | 350 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4S | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.20 | -001 | NM | NM | NM | 2.55 | |
| MW-4S | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 10.70 | 017 | NM | NM | NM | NM | |
| MW-4S | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 2.19 | 103 | NM | NM | NM | NM | |
| MW-4S | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | 66 J | 860 | NA | 1.00 | -77 | NM | NM | NM | 4.00 | |
| MW-4S | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.7 | -85 | NM | NM | NM | NM | |
| MW-4S | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.4 | -149 | NM | 863 | 7.26 | 10 | |
| MW-4S | 5/23/2006 | | <1.0 | <1.0 | 1.1 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.5 | -126 | NM | 851 | 7.23 | 1.0 | |
| MW-4S | 10/22/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4 | -49.8 | NM | NM | 6.81 | 8.0 | |
| MW-4S | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 0.52 | -210.0 | NM | NM | 6.87 | 10.0 | |
| MW-4S | 9/25/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.04 | -66.6 | NM | NM | 7.2 | 10.0 | |
| MW-4S | 5/7/2008 | | <1.0 | <1.0 | 11.6 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.62 | -32.1 | NM | NM | 6.26 | 10.0 | |
| MW-4S | 10/25/2008 | | <1.0 | <1.0 | 1.9 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.16 | -52.5 | NM | NM | 6.9 | 10.0 | |
| MW-4S | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 7/21/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | NA | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 10/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 4/6/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 11/14/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | 100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 4/22/1996 | | <1.0 | <1.0 | <1.0 | 2.0 | 1.2 | <4.0 | <2.5 | NA | <50 | 110 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 11/5/1997 | | 1.5 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | 0.70 | 046 | 6.7 | 400 | 7.92 | NM | |
| MW-4D | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <100 | NA | 0.15 | NM | 8.1 | 735 | 7.2 | NM | |
| MW-4D | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 2.70 | NM | 6.4 | NM | NM | NM | |
| MW-4D | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | <50 | <100 | NA | 0.20 | -018 | NM | NM | NM | NM | |
| MW-4D | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | 180 | NA | 0.50 | 002 | NM | NM | NM | 3.00 | |
| MW-4D | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 270 | NA | 0.70 | 039 | NM | NM | NM | 0.60 | |
| MW-4D | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 0.96 | 114 | NM | NM | NM | 1.00 | |
| MW-4D | 11/6/2002 | | <0.13 | <0.20 | <0.22 | 0.53 | <0.29 | <0.16 | <0.46 | NA | <50 | 160 | NA | NM | NM | NM | NM | NM | NM | |
| MW-4D | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.20 | -014 | NM | NM | NM | 0.36 | |
| MW-4D | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 4.00 | -065 | NM | NM | NM | NM | |
| MW-4D | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.82 | 104 | NM | NM | NM | NM | |
| MW-4D | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 930 | NA | 0.80 | -90 | NM | NM | NM | 1.00 | |
| MW-4D | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.9 | -080 | NM | NM | NM | NM | |
| MW-4D | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.67 | -264 | NM | 435 | 8.72 | 2.0 | |
| MW-4D | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.8 | -150 | NM | 602 | 7.61 | 1.0 |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|----|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-4D | 10/22/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 5.5 | -313.5 | NM | NM | 8.54 | 2.0 | |
| MW-4D | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 0.51 | -226.9 | NM | NM | 8.04 | 2.0 | |
| MW-4D | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.02 | -206.6 | NM | NM | 8.26 | 1.0 | |
| MW-4D | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.3 | 200.2 | NM | NM | 9.15 | 5.0 | |
| MW-4D | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.66 | -250.4 | NM | NM | 8.26 | 1.0 | |
| MW-4D | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-5 | 3/23/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-5 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | NM | |
| MW-5 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-5 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-5 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-5 | 1/8/1992 | | 1.0 | 5.0 | <1.0 | 5.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-5 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-5 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 4.50 | NM | 6.9 | NM | NM | NM | NM |
| MW-5 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | NM | |
| MW-5 | 8/18/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 4.10 | 087 | NM | NM | NM | <1 | |
| MW-5 | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 3.90 | 158 | NM | NM | NM | 0.30 | |
| MW-5 | 4/24/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | 2.10 | 139 | NM | NM | NM | NM | |
| MW-5 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | 4.00 | 088 | NM | NM | NM | 0.10 | |
| MW-5 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 2.63 | 105 | NM | NM | NM | 0.10 | |
| MW-5 | 11/6/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | 160 | NA | NM | NM | NM | NM | NM | NM | |
| MW-5 | 4/15/2003 | | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | |
| MW-5 | 8/28/2003 | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-6 | 3/23/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 8/29/1990 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | <1.0 | <1.5 | 8.5 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 1/31/1991 | | 3.0 | <1.0 | <1.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-6 | 1/31/1991 | D | 2.6 | <1.0 | <1.0 | NA | NA | <1.5 | 9.5 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-6 | 7/10/1991 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | <1.5 | 2.0 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-6 | 1/8/1992 | D | <1.0 | <1.0 | <1.0 | <2.0 | NA | NA | <1.5 | 4.2 | NA | NA | 10 | NM | NM | NM | NM | NM | NM | |
| MW-6 | 10/14/1992 | | 32 | <1.0 | 55 | 10 | NA | <20 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 6/25/1993 | | 65 | 4.2 | 160 | 17 | 14.3 | <8 | 8.5 | NA | 570 | 180 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 10/28/1993 | | 38 | 5.1 | 200 | 25 | 25.5 | <8 | 10 | NA | 830 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/27/1994 | | 14 | <1.0 | 100 | 4.4 | 9.6 | <4.0 | <1.5 | NA | 470 | 220 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 10/27/1994 | | 180 | 4.7 | 120 | 22 | 22.2 | <4.0 | 3.3 | NA | 920 | 180 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/4/1995 | | 4.6 | <1.0 | 11 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 11/15/1995 | | 140 | 6.1 | 93 | 11 | 16.1 | <4.0 | NA | NA | 730 | 310 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/22/1996 | | 100 | 2.0 | 93 | 5.6 | 16.9 | <4.0 | 0.72 | NA | 820 | 110 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/29/1997 | | 450 | 13.0 | 500 | 31 | 57.8 | <8.0 | 8.4 | NA | 2200 | 640 | NA | NM | NM | NM | NM | NM | NM | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|----------------|----------------------------|-------------------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-6 | 11/5/1997 | | 200 | 1.5 | 170 | 27 | 31.4 | <4.0 | NA | NA | 980 | 410 | NA | 1.00 | 044 | 7.1 | 800 | 7.29 | NM | |
| MW-6 | 11/3/1998 | | 13 | <1.0 | 15 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <100 | NA | 0.73 | NM | 7.2 | 1040 | 6.95 | NM | |
| MW-6 | 3/3/1999 | | 8.9 | <1.0 | 13 | 2.1 | NA | <4.0 | NA | NA | <100 | <100 | NA | 2.86 | NM | 5.8 | NM | NM | NM | |
| MW-6 | 8/17/1999 | | 200 | 5.0 | 150 | 23 | NA | 5.4 | NA | NA | 930 | 170 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/26/2000 | | 65 | 5.49 | 88.8 | 17.28 | 8.02 | 2.11 | NA | NA | 342 | 441 | NA | 2.20 | 042 | NM | NM | NM | NM | |
| MW-6 | 10/10/2000 | | 46 | 0.76 | 62 | 7.9 | 4.57 | <0.25 | 4.2 | <0.25 | 280 | 270 | NA | 1.20 | 100 | NM | NM | NM | 0.20 | |
| MW-6 | 4/24/2001 | | 20 | 0.33 | 27 | 1.3 | 0.81 | <0.16 | NA | NA | 110 | 990 | NA | 0.60 | 159 | NM | NM | NM | NM | |
| MW-6 | 10/23/2001 | | 13 | <0.20 | 15 | 0.57 | 0.40 | <0.16 | NA | NA | 58 | NA | NA | 1.20 | 018 | NM | NM | NM | 0.10 | |
| MW-6 | 4/23/2002 | | 9.8 | 0.39 | 11 | 0.45 | <0.29 | <0.16 | <1.1 | NA | <50 | 130 | NA | 1.96 | 084 | NM | NM | NM | 0.20 | |
| MW-6 | 11/7/2002 | | 46 | 1.50 | 60 | 23 | 10.05 | <0.16 | 4.3 | NA | 270 | 380 | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.38 | 093 | NM | NM | NM | 0.09 | |
| MW-6 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.00 | 047 | NM | NM | NM | NM | |
| MW-6 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 2.09 | 254 | NM | NM | NM | NM | |
| MW-6 | 11/18/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | <100 | 190 | NA | 1.30 | 55 | NM | NM | NM | 0.00 | |
| MW-6 | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 1.0 | 82 | NM | NM | NM | NM | |
| MW-6 | 10/12/2005 | | 3.3 | 0.60 J | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-6 | 5/6 to present | | Well Damaged Unable to Sample | | | | | | | | | | | | | | | | | |
| MW-6 | 9/25/2007 | | Well Damaged Unable to Sample | | | | | | | | | | | | | | | | | |
| MW-6 | 7/29/2009 | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-6R | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | | | | | | | |
| MW-7 | 3/23/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 1/31/1991 | | <1.0 | 20 | <1.0 | 30 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-7 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-7 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-7 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-7 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | 1.5 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <110 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 10/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/4/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/4/1995 | D | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 11/14/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <2.4 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.0 | NA | <50 | 270 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 11/5/1997 | | 2.8 | <1.0 | 2.8 | <2.0 | <1.0 | <4.0 | NA | NA | 52 | <110 | NA | 1.20 | 050 | 7.3 | 200 | 7.3 | NM | |
| MW-7 | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.44 | NM | 8.2 | 288 | 6.95 | NM | |
| MW-7 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 0.60 | NM | 5.1 | NM | NM | NM | |
| MW-7 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-7 | 4/26/2000 | | <0.15 | 8.17 | <0.5 | 0.631 | 0.748 | <0.3 | NA | NA | <50 | 233 | NA | 2.80 | 062 | NM | NM | NM | NM | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | Bio-Parameters | | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|-------|----------------|------|-------------|------|--------------|----------|--------------|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | |
| MW-7 | 10/10/2000 | | <0.13 | 0.22 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | 190 | NA | 5.00 | 177 | NM | NM | NM | 0.30 |
| MW-7 | 4/24/2001 | | <0.13 | 13 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 4100 | NA | 8.00 | 147 | NM | NM | NM | NM |
| MW-7 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 100 | NA | 2.30 | 075 | NM | NM | NM | NM |
| MW-7 | 10/23/2001 | D | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-7 | 4/23/2002 | | <0.13 | 0.26 | <0.22 | 0.46 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 0.89 | -003 | NM | NM | NM | NM |
| MW-7 | 4/23/2002 | D | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-7 | 11/7/2002 | | 1.6 | <0.20 | <0.22 | 0.55 | <0.29 | <0.16 | <0.46 | NA | 57 | 200 | NA | NM | NM | NM | NM | NM | NM |
| MW-7 | 8/28/2003 | | Abandoned | | | | | | | | | | | | | | | | |
| MW-8 | 3/23/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | <10 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 1/31/1991 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM |
| MW-8 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | NM |
| MW-8 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | NM |
| MW-8 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | NM |
| MW-8 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | 3.5 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <40 | <1.6 | NA | <50 | <120 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 10/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/4/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 11/14/1995 | | <1.0 | 3.4 | 2.1 | 12 | 4.4 | <4.0 | NA | NA | 53 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.24 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 10/8/1996 | | <0.5 | <2 | <2 | <3 | <2.0 | <2 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | 180 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 11/5/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <110 | NA | 1.30 | 057 | 7.1 | 800 | 7.19 | NM |
| MW-8 | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <110 | NA | 2.98 | NM | 7.7 | 930 | NM | NM |
| MW-8 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 4.53 | NM | 5.3 | NM | NM | NM |
| MW-8 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | <50 | 138 | NA | 0.20 | 134 | NM | NM | NM | NM |
| MW-8 | 10/10/2000 | | 0.29 | 0.72 | <0.22 | 0.34 | <0.29 | <0.16 | <1.1 | NA | <50 | 790 | NA | 1.20 | 132 | NM | NM | NM | 0.30 |
| MW-8 | 4/24/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | 3.80 | 209 | NM | NM | NM | NM |
| MW-8 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | 0.28 | 0.41 | <0.16 | NA | NA | <50 | <100 | NA | 3.70 | 097 | NM | NM | NM | 0.10 |
| MW-8 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | 0.41 | <0.29 | <0.16 | <1.1 | NA | <50 | 880 | NA | 3.53 | 241 | NM | NM | NM | 0.20 |
| MW-8 | 11/7/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | 150 | NA | NM | NM | NM | NM | NM | NM |
| MW-8 | 8/18/2003 | | Abandoned | | | | | | | | | | | | | | | | |
| MW-9 | 3/23/1988 | | 370 | 170 | 14000 | 1500 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-9 | 9/21/1988 | | 610 | 44 | 290 | 1200 | NA | NA | NA | NA | NA | NA | 10300 | NM | NM | NM | NM | NM | NM |
| MW-9 | 4/27/1989 | | 2610 | 1280 | 1600 | 3650 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-9 | 8/29/1990 | | 13800 | 14200 | 5710 | 1910 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-9 | 1/31/1991 | | 1240 | 701 | 1300 | 2230 | NA | 1700 | NA | NA | NA | NA | 210000 | NM | NM | NM | NM | NM | NM |
| MW-9 | 1/31/1991 | D | <50 | <50 | 670 | NA | NA | NA | 86 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-9 | 7/10/1991 | | 627 | 255 | 794 | 1130 | NA | 750 | NA | NA | NA | NA | 69000 | NM | NM | NM | NM | NM | NM |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|--------|------|--------|-------|----------------|------|--------------|----------|--------------|----|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-9 | 1/8/1992 | | 961 | 508 | 1090 | 1950 | NA | 1310 | NA | NA | NA | NA | 136000 | NM | NM | NM | NM | NM | NM | |
| MW-9 | 10/14/1992 | | 56 | 222 | 738 | 843 | NA | 40 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-9 | 3/3/1999 | | <100 | <100 | 520 | 480 | NA | <400 | NA | NA | 11000 | 9700 | NA | 1.98 | NM | 7.2 | NM | NM | NM | |
| MW-9 | 8/17/1999 | | 99 | 86 | 920 | 760 | NA | <40 | NA | NA | 16000 | 5300 | NA | NM | NM | NM | NM | NM | NM | |
| MW-9 | 8/18/2000 | | 74 | 31 | 530 | 400 | 860 | <16 | 340 | NA | 89000 | 4600 | NA | 0.70 | -057 | NM | NM | NM | 6.00 | |
| MW-9 | 10/10/2000 | | <550 | <40 | <91 | <1500 | 1600 | <32 | <220 | NA | 536000 | 4800 | NA | 2.40 | 173 | NM | NM | NM | 3.00 | |
| MW-9 | 10/21/2003 | | 290 | 54 | 830 | 1100 | 1000 | <4.0 | NA | NA | 9300 | NA | NA | 6.31 | 086 | NM | NM | NM | NM | |
| MW-9 | 4/20/2004 | | 320 | 27 | 690 | 650 | 830 | 22 | NA | NA | 8000 | NA | NA | 2.21 | 191 | NM | NM | NM | NM | |
| MW-9 | 11/18/2004 | | 256 | 14.6 | 542 | 585 | 627 | <5.0 | 159 | NA | 5650 | 6900 | NA | 1.00 | 44 | NM | NM | NM | 0.00 | |
| MW-9 | 4/19/2005 | | 186 | 2.2 | 241 | 42.6 | 216.1 | <1.0 | 81.3 | NA | NA | NA | NA | 1.3 | -10 | NM | NM | NM | NM | |
| MW-9 | 10/12/2005 | | 380 | 31 | 570 | 287 | 440 | 9.9 J | 170 | NA | NA | NA | NA | 0.94 | -122 | NM | 920 | 7.61 | 2.0 | |
| MW-9 | 5/23/2006 | | 307 | 12.0 | 588 | 304 | 447 | <5.0 | 190 | NA | NA | NA | NA | 1.1 | -118 | NM | 886 | 7.58 | 1.0 | |
| MW-9 | 5/23/2006 | D | 339 | <50.0 | 658 | <150 | 559 | <50.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-9 | 10/22/2006 | | 237 | 12.5 | 442 | 204 | 292 | <10.0 | 149 | NA | NA | NA | NA | 10.10 | -143.5 | NM | NM | 6.9 | 3.00 | |
| MW-9 | 4/29/2007 | | 319 | 17.0 | 554 | 213 | 263 | <1.0 | 190 | NA | NA | NA | NA | 0.38 | -132.3 | NM | NM | 7.07 | 5.00 | |
| MW-9 | 9/25/2007 | | 314 | 13.7 | 443 | 256 | 313 | <5.0 | 167 | NA | NA | NA | NA | 0.06 | -10.4 | NM | NM | 7.01 | 3.00 | |
| MW-9 | 5/7/2008 | | 314 | 17.5 | 521 | 357 | 340 | <5.0 | 201 | NA | NA | NA | NA | 2.45 | 8.2 | NM | NM | 6.48 | 5.00 | |
| MW-9 | 10/25/2008 | | 311 | 17.9 | 487 | 301 | 330 | <5.0 | 169 | NA | NA | NA | NA | 0.57 | -19.2 | NM | NM | 7.05 | 10.00 | |
| MW-9 | 10/27/2010 | | 239 | 15.6 | 461 | 296 | 319 | <5.0 | 150 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-9 | 10/17/2011 | | 209 | 13.0 | 358 | 225 | 260 | <1.0 | 118 | NA | NA | NA | NA | 2.77 | -176 | 7.67 | 1001 | 7.97 | NM | |
| MW-9 | 10/3/2012 | | 198 | 14.0 | 376 | 294 | 325 | <5.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 3/23/1988 | | 230 | <1.0 | 90 | 40 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 9/21/1988 | | 80 | 11 | 3.0 | 15 | NA | NA | NA | NA | NA | NA | 600 | NM | NM | NM | NM | NM | NM | |
| MW-10 | 4/27/1989 | | 260 | 42 | 18 | 45 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 8/29/1990 | | 235 | 27 | 69 | 63 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 1/31/1991 | | 69 | 7.0 | 15 | 17 | NA | 30 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-10 | 7/10/1991 | | 26 | 13 | 31 | 22 | NA | 30 | NA | NA | NA | NA | 2000 | NM | NM | NM | NM | NM | NM | |
| MW-10 | 1/8/1992 | | 3.0 | <1.0 | 17 | 11 | NA | 30 | NA | NA | NA | NA | 2000 | NM | NM | NM | NM | NM | NM | |
| MW-10 | 10/14/1992 | | 11 | 7.0 | 21 | 10 | NA | <20 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 3/3/1999 | | 110 | 7.9 | 35 | 25 | NA | <4.0 | NA | NA | 1000 | 350 | NA | 3.32 | NM | 7.5 | NM | NM | NM | NM |
| MW-10 | 8/17/1999 | | 5.3 | 4.1 | 6 | 3 | NA | <4.0 | NA | NA | 330 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 8/18/2000 | | 48 | 12 | 49 | 43 | 36 | <0.8 | 18 | NA | 1400 | 1000 | NA | 2.40 | -096 | NM | NM | NM | 10+ | |
| MW-10 | 10/10/2000 | | 140 | 31 | 120 | 130 | 103 | <1.6 | 76 | NA | 2800 | 860 | NA | 2.10 | 106 | NM | NM | NM | 10.00 | |
| MW-10 | 10/21/2003 | | 72 | 11 | 79 | 50 | 27 | <4.0 | NA | NA | 910 | NA | NA | 1.10 | -120 | NM | NM | NM | NM | |
| MW-10 | 4/20/2004 | | 400 | 46 | 210 | 150 | 149 | 21 | NA | NA | 2900 | NA | NA | 2.40 | 056 | NM | NM | NM | NM | |
| MW-10 | 11/18/2004 | | 90.6 | 3.0 | 61.6 | 31.0 | 41.5 | <1.0 | 21.9 | NA | 1100 | 830 | NA | 1.10 | -134 | NM | NM | NM | 4.00 | |
| MW-10 | 4/19/2005 | | 7.6 | <1.0 | 2.9 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 1.2 | -040 | NM | NM | NM | NM | |
| MW-10 | 10/12/2005 | | 4.3 | <1.0 | 0.61 J | <3.0 | <1.0 | <1.0 | 1.5 | NA | NA | NA | NA | 1.85 | -090 | NM | 996 | 7.66 | +10 | |
| MW-10 | 10/12/2005 | D | 10 | 0.91 J | 1.2 | <3.0 | <1.0 | <1.0 | 1.4 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 5/23/2006 | | 6.7 | <1.0 | 3.7 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 1.9 | -087 | NM | 1015 | 7.60 | +10 | |
| MW-10 | 5/23/2006 | D | 6.6 | <1.0 | 3.6 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 10/22/2006 | | 12.1 | 0.73 J | 8.5 | 3.2 | 1.3 | <1.0 | 1.2 | NA | NA | NA | <1000 | 6.80 | -98.2 | NM | NM | 7.07 | 10.00 | |
| MW-10 | 10/22/2006 | D | 12.2 | 0.76 J | 8.9 | 3.0 | 1.5 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-10 | 4/29/2007 | | 24.1 | <1.0 | 8.7 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 1.14 | -94.2 | NM | NM | 7.18 | 10.00 | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|--|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-10 | 4/29/2007 | D | 24.4 | <1.0 | 8.7 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-10 | 10/1/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 0.25 | -23.6 | NM | NM | 7.16 | | |
| MW-10 | 5/10/2008 | | <1.0 | <1.0 | 5.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 0.95 | -32.4 | NM | NM | 6.52 | | |
| MW-10 | 5/10/2008 | D | <1.0 | <1.0 | 4.7 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-10 | 10/28/2008 | | 4.0 | <1.0 | 4.2 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 0.86 | 0.86 | NM | NM | 6.97 | | |
| MW-10 | 10/14/2009 | | 4.3 | <1.0 | 1.9 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 1.54 | -39 | NM | NM | 7.21 | | |
| MW-10 | 10/27/2010 | | 1.1 | 1.6 | 1.8 | 3.0 | 1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-10 | 10/17/2011 | | 6.4 | <1.0 | 1.7 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 2.67 | -187 | 8.47 | 895 | 7.99 | | |
| MW-10 | 10/3/2012 | | 9.3 | <1.0 | 1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-10 | 10/3/2012 | D | 9.0 | <1.0 | 1.1 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-11 | 3/23/1988 | | 70 | <1.0 | 7.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-11 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | NA | 10 | NM | NM | NM | NM | | |
| MW-11 | 4/27/1989 | | 147 | 19 | 18 | 19 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-11 | 8/29/1990 | | 69 | 3.0 | 24 | 9.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-11 | 1/31/1991 | | 125 | 14 | 40 | 12 | NA | 20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-11 | 7/10/1991 | | 87 | 10 | 20 | 9.0 | NA | 30 | NA | NA | NA | NA | 2000 | NM | NM | NM | NM | NM | | |
| MW-11 | 1/8/1992 | | 24 | <1.0 | 3.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-11 | 10/14/1992 | | 180 | 10 | 100 | 6.0 | NA | <20 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-11 | 3/3/1999 | | 18 | <1.0 | 4.5 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 4.50 | NM | 7.2 | NM | NM | NM | |
| MW-11 | 8/17/1999 | | 3.7 | <1.0 | 3.3 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-11 | 8/18/2000 | | 16 | 0.35 | 0.51 | 0.7 | 0.25 | <0.16 | <1.1 | NA | 73 | <100 | NA | 0.50 | 036 | NM | NM | NM | 6.00 | |
| MW-11 | 10/10/2000 | | 73 | 3.6 | 23 | 11 | 4.5 | <0.16 | 3.8 | NA | 510 | 310 | NA | 3.10 | 140 | NM | NM | NM | 1.00 | |
| MW-11 | 8/18/2003 | | | | | | | | | | | | | | | | | | | |
| | | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-12 | | | 03/88 to 12/89 - No free product present in the well. | | | | | | | | | | | | | | | | | |
| MW-12 | | | 05/90 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-13 | 3/23/1988 | | <1.0 | <1.0 | <1.0 | 10 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-13 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | NM | |
| MW-13 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-13 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-13 | 1/31/1991 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-13 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-13 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-13 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | NM | |
| MW-13 | 8/18/2000 | | 0.16 | 0.21 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 7.30 | 173 | NM | NM | NM | 1.00 | |
| MW-13 | 8/18/2003 | | | | | | | | | | | | | | | | | | | |
| | | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-14 | | | 09/88 to 12/89 - No free product present in the well. | | | | | | | | | | | | | | | | | |
| MW-14 | | | 05/90 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-15S | 9/21/1988 | | 18 | 16 | 7.0 | 16 | NA | NA | NA | NA | NA | NA | 510 | NM | NM | NM | NM | NM | NM | |
| MW-15S | 4/27/1989 | | 36 | 2.0 | 5.0 | 6.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-15S | 8/29/1990 | | 4.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-15S | 1/31/1991 | | 2.0 | 3.0 | <1.0 | 2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-15S | 1/31/1991 | D | 1.9 | 1.8 | <1.0 | NA | NA | NA | <1.5 | <0.20 | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-15S | 7/10/1991 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | <1.5 | <0.20 | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-15S | 1/8/1992 | D | <1.0 | <1.0 | <1.0 | <2.0 | NA | NA | <1.5 | <0.2 | NA | NA | 86 | NM | NM | NM | NM | NM | | |
| MW-15S | 10/14/1992 | | 1.0 | 2.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/14/1992 | D | 1.4 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | 58 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 6/25/1993 | | 3.3 | 2.1 | <1.0 | 2.4 | 5.1 | <4.0 | <1.6 | NA | 89 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/28/1993 | | 1.4 | <1.0 | <1.0 | <2.0 | 4.0 | <4.0 | <1.5 | NA | 54 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 130 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/27/1994 | | 1.4 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 52 | 230 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/5/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | 370 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 11/14/1995 | | 3.1 | 1.4 | 1.7 | <2.0 | 1.2 | <4.0 | NA | NA | 110 | 580 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 04/22/1996 | | 1.6 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.26 | NA | <50 | 650 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/8/1996 | | 1 | <2 | <2 | <3 | <2.0 | 2 | NA | NA | 180 | 600 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/29/1997 | | 7.6 | 1.8 | 1.5 | 12 | 3.5 | <4.0 | <1.0 | NA | 170 | 120 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 11/5/1997 | | 1.1 | <1.0 | <1.0 | <2.0 | 1.3 | <4.0 | NA | NA | 79 | 99 | NA | 1.30 | 027 | 7.3 | 800 | 7.58 | | |
| MW-15S | 11/3/1998 | | 12 | 3 | 3.2 | <2.0 | <1.0 | 13 | NA | NA | 170 | 470 | NA | 0.88 | NM | 7.7 | 937 | NM | | |
| MW-15S | 3/3/1999 | | 7.4 | <1.0 | 1.6 | <2.0 | NA | <4.0 | NA | NA | <100 | 510 | NA | 2.80 | NM | 5.8 | NM | NM | | |
| MW-15S | 8/17/1999 | | 6.5 | 2.6 | 3 | <3.0 | NA | <4.0 | NA | NA | 200 | 410 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | 50.7 | 744 | NA | 0.20 | 080 | NM | NM | NM | | |
| MW-15S | 10/10/2000 | | 5.7 | 0.52 | 8.3 | 2.7 | 22.6 | <0.16 | 1.7 | NA | 270 | 360 | NA | 0.10 | 028 | NM | NM | 6.00 | | |
| MW-15S | 10/23/2001 | | 3.1 | <0.20 | 1.2 | 0.30 | 0.35 | <0.16 | NA | NA | 71 | 400 | NA | 1.00 | -002 | NM | NM | 1.50 | | |
| MW-15S | 4/23/2002 | | 0.73 | <0.20 | <0.22 | 0.72 | 0.49 | <0.16 | <1.1 | NA | <50 | 490 | NA | 2.75 | 174 | NM | NM | 0.30 | | |
| MW-15S | 1/7/2002 | | 1.6 | <0.20 | <0.22 | 0.55 | <0.29 | <0.16 | <0.46 | NA | 57 | 200 | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/15/2003 | | 3.2 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.30 | 066 | NM | NM | 0.73 | | |
| MW-15S | 10/21/2003 | | 33 | 3.1 | 25 | <3.0 | <1.0 | <4.0 | NA | NA | 390 | NA | NA | 1.80 | 056 | NM | NM | NM | | |
| MW-15S | 4/20/2004 | | 14 | <1.0 | 7.9 | <3.0 | <1.0 | <4.0 | NA | NA | 110 | NA | NA | 1.63 | 121 | NM | NM | NM | | |
| MW-15S | 11/18/2004 | | 1.7 | <1.0 | 1.5 | <3.0 | <1.0 | <1.0 | NA | <100 | 490 | NA | 1.30 | 097 | NM | NM | NM | 0.10 | | |
| MW-15S | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.5 | 50 | NM | NM | NM | | |
| MW-15S | 10/12/2005 | | 1.4 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/15/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/27/2010 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15S | 10/17/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.34 | -254 | 7.89 | 1001 | 7.97 | | |
| MW-15S | 10/3/2012 | | 16.7 | 1.1 | 22.5 | 3.4 | 5.4 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-15D | 7/21/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | NA | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | Bio-Parameters | | | | | | |
|-----------|-------------|----------------------------|--|---------|---------------|---------|------------|-------|-------------|---------|--------|------|----------------|------|-------------|------|--------------|----------|--------------|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | |
| MW-15D | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/6/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 11/14/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.2 | NA | <50 | 150 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/8/1996 | | <0.5 | <2 | <2 | <3 | <2.0 | <2 | NA | NA | <100 | 2300 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.0 | NA | <50 | 430 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 11/5/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | 240 | NA | 1.00 | 045 | 7 | 900 | 7.04 | |
| MW-15D | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <100 | NA | 0.17 | NM | 7.3 | 890 | NM | |
| MW-15D | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 3.79 | NM | 6 | NM | NM | |
| MW-15D | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.3 | NA | NA | <50 | <100 | NA | 0.10 | -014 | NM | NM | NM | |
| MW-15D | 10/10/2000 | | 0.13 | <0.20 | <0.22 | 0.58 | <0.29 | <0.16 | <1.1 | NA | <50 | 560 | NA | 0.20 | 132 | NM | NM | 8.00 | |
| MW-15D | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 140 | NA | 1.20 | -120 | NM | NM | 3.00 | |
| MW-15D | 4/23/2002 | | 2.60 | 0.45 | 0.48 | 1.10 | 0.55 | <0.16 | 2.1 | NA | <50 | <100 | NA | 1.35 | -012 | NM | NM | 3.00 | |
| MW-15D | 1/7/2002 | | 0.31 | <0.20 | <0.22 | 0.58 | <0.29 | <0.16 | <0.46 | NA | <50 | 130 | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/15/2003 | | 9.6 | 1.5 | 1.4 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.20 | -046 | NM | NM | 0.80 | |
| MW-15D | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.70 | -046 | NM | NM | NM | |
| MW-15D | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.50 | 064 | NM | NM | NM | |
| MW-15D | 11/18/2004 | | 7.1 | 0.57 J | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | 53.2 J | 88 J | NA | 2.00 | -103 | NM | NM | 0.60 | |
| MW-15D | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 1.8 | -80 | NM | NM | NM | |
| MW-15D | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/27/2010 | | 25.1 | 2.5 | 2.6 | 4.2 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/17/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.62 | -223 | 7.8 | 822 | 8.38 | |
| MW-15D | 10/3/2012 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-15D | 10/3/2012 | D | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-16 | 9/21/1988 | | 770 | 3400 | 710 | 2800 | NA | NA | NA | NA | NA | NA | 37000 | NM | NM | NM | NM | NM | |
| MW-16 | 4/27/1989 | | 1540 | 2380 | 358 | 3410 | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-16 | 7/11/1989 | | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NM | NM | NM | NM | NM | |
| MW-16 | 8/29/1990 | | 195 | 2340 | 360 | 3130 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-16 | 8/29/1990 | D | 1000 | 3400 | 660 | 3500 | NA | <100 | 45 | <20 | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-16 | 1/31/1991 | | 169 | 2869 | 599 | 3410 | NA | 510 | NA | NA | NA | NA | 47000 | NM | NM | NM | NM | NM | |
| MW-16 | 1/31/1991 | D | 1200 | 4200 | 670 | NA | NA | NA | 120 | <40 | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-16 | 7/10/1991 | | 689 | 4260 | 817 | 3800 | NA | 550 | NA | NA | NA | NA | 57000 | NM | NM | NM | NM | NM | |
| MW-16 | 7/10/1991 | D | 360 | 3200 | 660 | 2800 | NA | NA | <7.5 | 24 | NA | NA | NA | NM | NM | NM | NM | NM | |
| MW-16 | | | 08/91 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|-------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-17 | 9/21/1988 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NA | <10 | NM | NM | NM | NM | NM | | |
| MW-17 | 4/27/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 8/29/1990 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | <1.0 | <1.5 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 1/31/1991 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-17 | 1/31/1991 | D | <1.0 | <1.0 | <1.0 | NA | NA | <1.5 | <0.20 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-17 | 7/10/1991 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | NA | <1.5 | <0.20 | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-17 | 1/8/1992 | D | <1.0 | <1.0 | <1.0 | <2.0 | NA | NA | <1.5 | <0.2 | NA | NA | <10.0 | NM | NM | NM | NM | NM | | |
| MW-17 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-17 | 10/14/1992 | D | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 4/6/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | 1.1 | <4.0 | <1.5 | NA | 130 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 11/15/1995 | | <1.0 | <1.0 | <1.0 | 3.7 | 2.7 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 10/8/1996 | | <0.5 | <2 | <2 | <3 | 2.0 | <2 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-17 | 4/29/1997 | | NA | NA | NA | NA | NA | <1 | NA | <50 | 190 | NA | NM | NM | NM | NM | NM | NM | | |
| MW-17 | 11/5/1997 | | 1.8 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | 68 | <100 | NA | 2.90 | 037 | 7.9 | 626 | 7.49 | NM | |
| MW-17 | 11/5/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <100 | NA | 4.10 | NM | 8 | 775 | 7.07 | NM | |
| MW-17 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 6.35 | NM | 7 | NM | NM | NM | |
| MW-17 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 4.10 | NM | 9.4 | NM | NM | NM | |
| MW-17 | 4/26/2000 | | <0.15 | 0.523 | 0.653 | 1.858 | 1.12 | <0.30 | NA | NA | <50 | <100 | NA | 4.20 | 153 | NM | NM | NM | NM | |
| MW-17 | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 3.90 | 200 | NM | NM | NM | 0.40 | |
| MW-17 | 4/24/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | 5.50 | 157 | NM | NM | NM | NM | |
| MW-17 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | 0.47 | 0.32 | <0.16 | NA | NA | <50 | <100 | NA | 10.00 | 156 | NM | NM | NM | 2.00 | |
| MW-17 | 10/23/2001 | D | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 6.91 | 277 | NM | NM | NM | 0.30 | |
| MW-17 | 4/23/2002 | D | <0.13 | 0.25 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 11/7/2002 | | <0.13 | 0.25 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 11/7/2002 | D | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 3.60 | 242 | NM | NM | NM | 0.0 | |
| MW-17 | 4/15/2003 | D | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 6.40 | 113 | NM | NM | NM | NM | |
| MW-17 | 10/21/2003 | D | <1.0 | <1.0 | <1.0 | <3.0 | 1.2 | <4.0 | NA | NA | <100 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | 1.2 | <4.0 | NA | NA | <100 | NA | NA | 3.70 | 215 | NM | NM | NM | NM | |
| MW-17 | 4/20/2004 | D | 4.0 | 3.9 | 1.9 | 4.8 | 1.6 | <4.0 | NA | NA | 100 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 180 | NA | 5.80 | 128 | NM | NM | NM | 0.00 | |
| MW-17 | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 5.7 | 181 | NM | NM | NM | NM | |
| MW-17 | 10/11/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 6.27 | 31.1 | NM | 547 | 7.85 | 0.1 | |
| MW-17 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.1 | 039 | NM | 562 | 7.62 | 0.1 | |
| MW-17 | 10/24/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 33.4 | 107 | NM | NM | 7.17 | 0.0 | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|-------|------|------|-------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-17 | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 7.69 | 10.7 | NM | NM | 7.44 | 1.0 | |
| MW-17 | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.25 | -13.9 | NM | NM | 7.43 | 0.0 | |
| MW-17 | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.2 | 114.8 | NM | NM | 6.74 | 1.0 | |
| MW-17 | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 5.89 | 22 | NM | NM | 7.19 | 0.0 | |
| MW-17 | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 10/17/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.61 | -68 | 8.58 | 562 | 8.28 | NM | |
| MW-17 | 10/2/2012 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-17 | 5/6/2013 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 6.29 | 357.2 | 8.7 | 635.9 | 7.08 | NM | |
| P-17DD | 9/13/2011 | | <2.0 | <2.0 | <2.0 | <6.0 | <2.0 | <2.0 | <8.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-18 | 9/21/1988 | | 55 | <1.0 | 1 | 9 | NA | NA | NA | NA | NA | NA | NA | 330 | NM | NM | NM | NM | NM | |
| MW-18 | 4/27/1989 | | 641 | 27 | 7.0 | 31 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-18 | 8/29/1990 | | 308 | 11 | 10 | 17 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-18 | 1/31/1991 | | 166 | 13 | <1.0 | 15 | NA | 80 | NA | NA | NA | NA | NA | 3000 | NM | NM | NM | NM | NM | |
| MW-18 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | |
| MW-18 | 1/8/1992 | | 57 | 3.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | |
| MW-18 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | |
| MW-18 | 8/18/2000 | | 0.62 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 4.50 | 190 | NM | NM | NM | 1.00 | |
| MW-18 | 8/18/2003 | | | | | | | | | | | | | | | | | | | |
| | | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-19 | 7/11/1989 | | 3.0 | <2.0 | 9.0 | 9.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 8/29/1990 | | <2.0 | <2.0 | 9.0 | 36 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 8/29/1990 | D | 2.3 | <1.0 | 6.3 | 35 | NA | <1.0 | 23 | <0.20 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 1/31/1991 | | <1.0 | <1.0 | 3.0 | 3.0 | NA | <20 | NA | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | |
| MW-19 | 7/10/1991 | | 1.0 | 1.0 | 7.0 | 28 | NA | <20 | NA | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | |
| MW-19 | 7/10/1991 | D | 2.2 | <1.0 | 8.8 | 22 | NA | NA | 33 | <0.20 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 1/8/1992 | | 2.0 | <1.0 | 7.0 | 56 | NA | <20 | NA | NA | NA | NA | NA | 2000 | NM | NM | NM | NM | NM | |
| MW-19 | 1/8/1992 | D | 2.4 | <2.0 | 9.4 | 51 | NA | NA | 37 | <0.40 | NA | NA | NA | 1900 | NM | NM | NM | NM | NM | |
| MW-19 | 10/14/1992 | | 1.0 | 1 | 2.0 | 25 | NA | <20 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 10/14/1992 | D | 1.8 | <1.0 | 3.2 | 32 | 60 | <4.0 | NA | NA | 600 | 420 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 6/25/1993 | | 2.0 | <1.0 | 4.5 | 48 | 90 | <4.0 | 18 | NA | 540 | 330 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 10/28/1993 | | 1.9 | <1.0 | 2.1 | 31 | 66 | <4.0 | 27 | NA | 450 | 190 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/27/1994 | | 1.6 | <1.0 | 1.8 | 19 | 45.7 | <4.0 | 23 | NA | 380 | 460 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 10/28/1994 | | 2.2 | <1.0 | 1.7 | 43 | 105 | <4.0 | 33 | NA | 790 | 660 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/4/1995 | | 2.6 | 2.1 | 6.8 | 59 | 136 | 4.3 | 30 | NA | 950 | 1200 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 11/14/1995 | | 2.8 | <1.0 | 2.5 | 62 | 158 | <4.0 | NA | NA | 960 | 1900 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/22/1996 | | 1.9 | <1.0 | 2.3 | 63 | 172 | <4.0 | 36 | NA | 13000 | 1800 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 10/8/1996 | | 2 | <2 | 2 | 61 | 147 | 3 | NA | NA | 910 | 2100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/29/1997 | | 2.3 | <1.0 | 3.2 | 59 | 114 | <4.0 | 44 | NA | 420 | 220 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 11/5/1997 | | 1.2 | <1.0 | <1.0 | 5 | 27 | 12 | NA | NA | 280 | 98 | NA | 0.50 | 021 | 7.4 | 1009 | 7.34 | NM | |
| MW-19 | 11/5/1998 | | <5.0 | <5.0 | <5.0 | 19 | 199 | <20 | NA | NA | 620 | 1500 | NA | 3.23 | NM | 7.3 | 1200 | 6.84 | NM | |
| MW-19 | 3/3/1999 | | 2.2 | <1.0 | 2.1 | 29 | NA | <4.0 | NA | NA | <100 | 1900 | NA | 3.70 | NM | 7.2 | NM | NM | NM | |
| MW-19 | 8/17/1999 | | 3.3 | 2.5 | <1.0 | 8.3 | NA | <4.0 | NA | NA | 920 | 1500 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/26/2000 | | 0.871 | <2.0 | <2.50 | 6.2 | 122 | <1.50 | NA | NA | 597 | 2670 | NA | 0.70 | -073 | NM | NM | NM | NM | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|--|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-19 | 10/10/2000 | | 3.6 | <2.0 | <2.2 | 9.5 | 137 | <1.6 | 100 | NA | 840 | 2300 | NA | 0.50 | 032 | NM | NM | NM | 10.00 | |
| MW-19 | 4/24/2001 | | 2.2 | 1.3 | 2.0 | 8.5 | 135 | 3.0 | 76 | NA | 820 | 2400 | NA | 1.70 | 170 | NM | NM | NM | NM | |
| MW-19 | 10/23/2001 | | 1.1 | 0.27 | 0.94 | 3.8 | 92 | <0.32 | NA | NA | 650 | 2600 | NA | 1.70 | -118 | NM | NM | NM | 7.50 | |
| MW-19 | 4/23/2002 | | 0.23 | <0.20 | <0.22 | 0.32 | 5.5 | 0.29 | 3.3 | NA | 56 | 360 | NA | 1.02 | -023 | NM | NM | NM | 8.00 | |
| MW-19 | 11/8/2002 | | 1.3 | <0.20 | 0.69 | 2.2 | 133 | 1.4 | 59 | NA | 730 | 1300 | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/15/2003 | | 1.0 | <1.0 | <3.0 | 94 | <4.0 | NA | NA | 380 | NA | NA | 1.30 | 000 | NM | NM | NM | NM | >3.3 | |
| MW-19 | 10/21/2003 | | Abandoned - replaced (as MW-19 again) per city request due to new road construction. | | | | | | | | | | | | | | | | | |
| MW-19 | 10/21/2003 | | 6.7 | <1.0 | 2.5 | 14 | 95 | <4.0 | NA | NA | 470 | NA | NA | 5.31 | 014 | NM | NM | NM | NM | |
| MW-19 | 4/20/2004 | | 4.6 | <1.0 | 3.9 | <3.0 | 29 | <4.0 | NA | NA | 430 | NA | NA | 2.06 | 119 | NM | NM | NM | NM | |
| MW-19 | 11/17/2004 | | 1.8 | <1.0 | 1.1 | 19.9 | 235.3 | <1.0 | 12.2 | NA | 883 | 2400 | NA | 1.50 | -6.3 | NM | NM | NM | NM | |
| MW-19 | 11/17/2004 | D | 0.84 J | <1.0 | <1.0 | 19.6 | 217.9 | <4.0 | NA | NA | 992 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 4/19/2005 | | <1.0 | <1.0 | <1.0 | 13.1 | 254.1 | <1.0 | 7.6 | NA | NA | NA | NA | 1.0 | 8 | NM | NM | NM | NM | |
| MW-19 | 4/19/2005 | D | 1.2 | <1.0 | <1.0 | 11.5 | 242.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19 | 9/7/2005 | | Abandoned - replaced with MW-19R per city request due to retention pond re-construction. | | | | | | | | | | | | | | | | | |
| MW-19R | 10/12/2005 | | 320 | 12 | 150 | 148.9 | 248 | 3.0 | 270 | NA | NA | NA | NA | 1.40 | -114 | NM | 1182 | 7.36 | +10 | |
| MW-19R | 10/12/2005 | D | 320 | 13 | 150 | 148.4 | 236 | 2.0 J | 260 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-19R | 05/23/06 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-19R | 10/16/06 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-19R | 04/23/07 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-19R | 09/25/07 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-19R | 05/01/08 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-19R | 10/20/08 | | No sample collected due to presence of product | | | | | | | | | | | | | | | | | |
| MW-20 | 7/11/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-20 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-20 | 1/31/1991 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-20 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-20 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-20 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-20 | 6/25/1993 | | 1.4 | 2.1 | 1.8 | 5.8 | 5.5 | <4.0 | <1.6 | NA | 130 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 83 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 79 | 110 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | 84 | 470 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 4/4/1995 | | <1.0 | <1.0 | 1.2 | <2.0 | <1.0 | <4.0 | <1.8 | NA | 60 | 360 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 11/14/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | 2.1 | <4.0 | NA | NA | 220 | 2900 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.24 | NA | 130 | 440 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 10/8/1996 | | 0.6 | <2 | <2 | <3 | 2 | <2 | NA | NA | 200 | 770 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 4/29/1997 | | <1.0 | <1.0 | 1.2 | <2.0 | 1.2 | 6.5 | <1.0 | NA | 290 | 590 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 11/5/1997 | | <1.0 | <1.0 | 1.4 | <2.0 | 3 | <4.0 | NA | NA | 100 | 54 | NA | 0.90 | -007 | 7.9 | 762 | 7.36 | NM | |
| MW-20 | 11/5/1998 | | <5.0 | <5.0 | <5.0 | <10 | <5.0 | <20 | NA | NA | <500 | 360 | NA | 0.53 | NM | 8 | 900 | 6.86 | NM | |
| MW-20 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 2.86 | NM | 7.3 | NM | NM | NM | |
| MW-20 | 8/17/1999 | | <1.0 | 1.3 | 5.8 | <3.0 | NA | <4.0 | NA | NA | 130 | 1400 | NA | NM | NM | NM | NM | NM | | |
| MW-20 | 4/26/2000 | | 0.518 | <0.40 | 4.92 | 1.631 | 5.61 | <0.30 | NA | NA | 264 | 1600 | NA | 0.20 | -024 | NM | NM | NM | NM | |
| MW-20 | 10/10/2000 | | 0.72 | 0.25 | 6.5 | 2.50 | 7.1 | <0.16 | 17 | NA | 260 | 760 | NA | 0.50 | 030 | NM | NM | NM | 10.00 | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|--|---------|---------------|---------|------------|-------|-------------|---------|------|------|-------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-20 | 8/18/2003 | | | | | | | | | | | | | | | | | | | |
| | | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-21 | 7/11/1989 | | 1970 | 31 | 27 | 50 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-21 | 8/29/1990 | | 45 | <2.0 | <2.0 | 7.0 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-21 | 1/31/1991 | | 750 | 3.0 | <1.0 | 5.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-21 | 7/10/1991 | | 85 | 1.0 | <1.0 | 3.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-21 | 1/8/1992 | | 1570 | 37 | 34 | 78 | NA | 50 | NA | NA | NA | NA | 7000 | NM | NM | NM | NM | NM | | |
| MW-21 | 8/18/2000 | | 74 | <0.20 | <0.22 | 0.82 | <0.29 | <0.16 | <1.1 | NA | 100 | <100 | NA | 5.60 | 207 | NM | NM | NM | <1.0 | |
| MW-21 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 6.36 | 167 | NM | NM | NM | NM | |
| MW-21 | 11/16/2004 | | | | | | | | | | | | | | | | | | | |
| MW-21 | 4/19/2005 | | 1.8 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | 0.8 | -72 | NM | NM | NM | NM | | |
| MW-21 | 10/12/2005 | | 40 | 1.1 | 2.0 | 2.7 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-21 | 5/23/2006 | | 2840 | 82.1 | 181 | 161 | 40.6 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-21 | 10/22/2006 | | 1300 | 20.7 | 40.9 | 40.4 | 2.01 J | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-21 | 4/29/2007 | | 59.3 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-21 | 6/26/2007 | | | | | | | | | | | | | | | | | | | |
| MW-22 | | | Abandoned | | | | | | | | | | | | | | | | | |
| MW-22 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-23 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-24 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-25 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-26 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-27 | | | 06/89 to present - The well was not sampled due to the presence of free product. | | | | | | | | | | | | | | | | | |
| MW-28 | 7/11/1989 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-28 | 8/29/1990 | | <2.0 | <2.0 | <2.0 | <4.0 | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-28 | 8/29/1990 | D | <1.0 | <1.0 | <1.0 | <1.0 | NA | <1.0 | <1.5 | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| MW-28 | 7/10/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-28 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-28 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | NA | <1000 | NM | NM | NM | NM | NM | | |
| MW-28 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <140 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 4/5/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 11/15/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.26 | NA | <50 | 110 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 10/8/1996 | | 4 | 33 | 18 | 75 | 33 | <2 | NA | NA | 360 | 250 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.0 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-28 | 11/5/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <110 | NA | 0.80 | 043 | 6.9 | 111 | 7.44 | NM | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|------|------|----------------|------|--------------|----------|--------------|----|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES -> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-28 | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | <100 | <100 | NA | 0.62 | NM | 8.3 | 1290 | NM | NM | | |
| MW-28 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | <100 | <100 | NA | 2.51 | NM | 8.1 | NM | NM | NM | | |
| MW-28 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | | |
| MW-28 | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | <50 | <100 | NA | 0.30 | 083 | NM | NM | NM | NM | |
| MW-28 | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.13 | <1.1 | NA | <50 | 450 | NA | 0.60 | 253 | NM | NM | NM | 0.40 | |
| MW-28 | 4/24/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 250 | NA | 0.90 | 213 | NM | NM | NM | NM | |
| MW-28 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | <100 | NA | 1.50 | -006 | NM | NM | NM | 0.20 | |
| MW-28 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 2.67 | 136 | NM | NM | NM | 0.30 | |
| MW-28 | 11/6/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-28 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.30 | 177 | NM | NM | NM | 0.13 | |
| MW-28 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.70 | 105 | NM | NM | NM | NM | |
| MW-28 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | 1.1 | <4.0 | NA | NA | <100 | NA | NA | 3.31 | 270 | NM | NM | NM | NM | |
| MW-28 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 210 | NA | 2.70 | 107 | NM | NM | NM | 0.10 | |
| MW-28 | 4/19/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.1 | 50 | NM | NM | NM | NM | |
| MW-28 | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.8 | -122 | NM | 1174 | 7.78 | 0.2 | |
| MW-28 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.1 | -100 | NM | 1098 | 7.72 | 0.2 | |
| MW-28 | 10/22/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 9.9 | 118 | NM | NM | 7.22 | 0.0 | |
| MW-28 | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 1.59 | 95.2 | NM | NM | 7.13 | 1.0 | |
| MW-28 | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.55 | 51.6 | NM | NM | 7.42 | 1.0 | |
| MW-28 | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.06 | 235.9 | NM | NM | 6.86 | 1.0 | |
| MW-28 | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.22 | 153.3 | NM | NM | 7.05 | 0.0 | |
| MW-28 | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-28 | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.28 | 154 | NM | NM | 7.57 | NM | |
| MW-28 | 10/27/2010 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-28 | 10/13/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.09 | 37 | 9.35 | 1354 | 8.06 | NM | |
| MW-28 | 10/3/2012 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-28 | 5/7/2013 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 1.74 | 359.6 | 9.3 | 1666 | 6.89 | NM | |
| MW-30S | 7/11/1989 | | 2670 | 282 | 80 | 368 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 8/29/1990 | | 1850 | 293 | 30 | 374 | NA | NA | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 8/29/1990 | D | 1700 | 250 | 23 | 280 | NA | 9.8 | 150 | 0.90 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 1/31/1991 | | 578 | 73 | 3.0 | 840 | NA | 160 | NA | NA | NA | NA | 7000 | NM | NM | NM | NM | NM | NM | |
| MW-30S | 1/31/1991 | D | 850 | 100 | <25 | NA | NA | NA | 75 | <5.0 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 7/10/1991 | | 904 | 59 | <1.0 | 90 | NA | 160 | NA | NA | NA | NA | 9000 | NM | NM | NM | NM | NM | NM | |
| MW-30S | 7/10/1991 | D | 1400 | <100 | <100 | <100 | NA | NA | <1.5 | <20 | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 1/8/1992 | | 68 | <1.0 | <1.0 | 10 | NA | 60 | NA | NA | NA | NA | 2000 | NM | NM | NM | NM | NM | NM | |
| MW-30S | 1/8/1992 | D | 130 | 2.6 | <1.0 | 4.6 | NA | NA | 2.0 | <0.40 | NA | NA | 1500 | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/14/1992 | | 28 | 6 | <1.0 | 1 | NA | <20 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/14/1992 | D | 36 | 1.3 | 1.4 | 3.7 | 1.3 | <4.0 | NA | NA | 490 | <100 | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 6/25/1993 | | 230 | 42 | 2.5 | 69 | 12.5 | <8.0 | 3.5 | NA | 1400 | <100 | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 10/28/1993 | | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | 15 | NA | <50 | <110 | NA | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 4/27/1994 | | 890 | 35 | 24 | 47 | 28 | <20 | 22 | NA | 3600 | 270 | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 10/28/1994 | | 830 | 46 | 43 | 59 | 33 | <8.0 | 27 | NA | 4200 | 240 | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 4/6/1995 | | 2200 | 140 | 70 | 110 | 48 | <20 | 190 | NA | 8900 | 1400 | NA | NM | NM | NM | NM | NM | NM | NM |
| MW-30S | 11/15/1995 | | 1800 | 140 | 200 | 220 | 165 | <40 | NA | NA | 7500 | 950 | NA | NM | NM | NM | NM | NM | NM | NM |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|-------|------|------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-30S | 4/22/1996 | | 1800 | 170 | 150 | 250 | 182 | <40 | 100 E | NA | 8200 | 720 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/8/1996 | | 600 | 44 | 68 | 67 | 53 | 43 | NA | NA | 3900 | 640 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/8/1996 | D | 780 | 41 | 67 | 70 | 49 | 61 | NA | NA | 3400 | 350 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 4/29/1997 | | 600 | 33 | 62 | 62 | 39 | 33 | 37 | NA | 4600 | 370 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 11/5/1997 | | 150 | 5.4 | 24 | 17 | 10.5 | 7.5 | NA | NA | 1700 | 1300 | NA | 0.90 | 028 | 7 | 432 | 7.52 | NM | |
| MW-30S | 11/3/1998 | | 3100 | 660 | 300 | 1400 | 396 | 210 | NA | NA | 13000 | 150 | NA | 0.25 | NM | 6.5 | 970 | 7.03 | NM | |
| MW-30S | 3/3/1999 | | 3600 | 580 | 400 | 1200 | NA | 1200 | NA | NA | 14000 | 2000 | NA | 3.05 | NM | 6 | NM | NM | NM | |
| MW-30S | 8/17/1999 | | 1500 | 180 | 230 | 310 | NA | 800 | NA | NA | 9000 | 1700 | NA | 1.00 | NM | 9.2 | NM | NM | NM | |
| MW-30S | 4/26/2000 | | 1130 | 73.9 | 124 | 73 | 60.1 | <1.50 | NA | NA | 3660 | 1800 | NA | 0.30 | -084 | NM | NM | NM | NM | |
| MW-30S | 10/10/2000 | | 1100 | 64 | 120 | 73 | 54 | <0.16 | 100 | NA | 5400 | 1400 | NA | 0.20 | 099 | NM | NM | NM | 0.40 | |
| MW-30S | 4/24/2001 | D | 1400 | 87 | 160 | 99 | 73 | <0.16 | 150 | NA | 6400 | 1600 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/23/2001 | | 1300 | 190 | 200 | 300 | 175 | <4.9 | NA | NA | 6900 | 2700 | NA | 1.00 | 170 | NM | NM | NM | 0.10 | |
| MW-30S | 4/23/2002 | | 2900 | 810 | 300 | 920 | 306 | <3.2 | 330 | NA | 11000 | 2500 | NA | 1.53 | 063 | NM | NM | NM | 0.20 | |
| MW-30S | 11/6/2002 | | 1400 | 140 | 200 | 220 | 164 | <4.0 | 220 | NA | 5900 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 11/7/2002 | D | 1300 | 120 | 160 | 170 | 126 | <7.5 | 170 | NA | 5100 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 4/15/2003 | | 1900 | 180 | 180 | 320 | 175 | <4.0 | NA | NA | 6300 | NA | NA | 0.30 | 171 | NM | NM | NM | 0.22 | |
| MW-30S | 4/15/2003 | D | 1500 | 160 | 160 | 280 | 160 | <4.0 | NA | NA | <5000 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/21/2003 | | 1700 | 200 | 180 | 340 | 162 | <4.0 | NA | NA | 6800 | NA | NA | 1.94 | -060 | NM | NM | NM | NM | |
| MW-30S | 10/21/2003 | D | 1900 | 280 | 230 | 420 | 207 | <40 | NA | NA | 6400 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 4/20/2004 | | 2700 | 1700 | 380 | 1100 | 357 | 150 | NA | NA | 12000 | NA | NA | 1.42 | 120 | NM | NM | NM | NM | |
| MW-30S | 4/20/2004 | D | 2800 | 320 | 360 | 700 | 145 | 100 | NA | NA | 13000 | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 11/17/2004 | | 1520 | 410 | 143 | 326 | 223.4 | <1.0 | <50 | NA | 11100 | 440 | NA | 1.50 | -13 | NM | NM | NM | 4.00 | |
| MW-30S | 4/20/2005 | | 2640 | 656 | 304 | 550 | 298.7 | <1.0 | 390 | NA | NA | NA | NA | 2.0 | 169 | NM | NM | NM | NM | |
| MW-30S | 10/11/2005 | | 1500 | 120 | 230 | 209 | 187 | 32 | 240 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 5/23/2006 | | 1130 | 36.9 | 191 | <75.0 | 72.9 | <25.0 | 221 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/24/2006 | | 496 | 30.5 | 153 | 61.9 | 70.2 | <10.0 | 122 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 4/30/2007 | | 1300 | 806 | 183 | 712 | 202.9 | <1.0 | 159 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/1/2007 | | 1620 | 1090 | 263 | 858 | 289.2 | <10 | 209 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 5/10/2008 | | 725 | 88.7 | 65.1 | 90 | 102 | <5.0 | 140 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/28/2008 | | 1110 | 41.5 | 86.8 | 74.7 | 66.0 | <10.0 | 109 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/18/2011 | | 726 | 58.2 | 79.5 | 89.6 | 70.5 | <1.0 | 93.4 | NA | NA | NA | NA | 2.36 | -81 | 6.82 | 593 | 8.17 | NM | |
| MW-30S | 4/17/2012 | | 253 | 105 | 66.8 | 107 | 36.1 | <1.0 | NA | NA | NA | NA | NA | 3.50 | 52.2 | 7.00 | 778 | 7.12 | NM | |
| MW-30S | 10/2/2012 | | 336 | 45 | 16.1 | 44.1 | 31.1 | <2.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 10/2/2012 | D | 348 | 45.9 | 16.7 | 44.3 | 32.2 | <2.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30S | 5/7/2013 | | 3230 | 2180 | 393 | 1240 | 413.6 | <5.0 | 382 | NA | NA | NA | NA | 3.28 | 231.3 | 8.2 | 969 | 7.14 | NM | |
| MW-30D | 7/21/1994 | | 1500 | 55 | <20 | 50 | NA | NA | 190 | NA | 4800 | 1.0 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/28/1994 | | 2000 | 110 | 49 | 100 | 42 | <20 | 170 | NA | 8200 | 720 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/6/1995 | | 2500 | 390 | 300 | 540 | 363 | <80 | 180 | NA | 9900 | 1200 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 11/15/1995 | | 1500 | 120 | 90 | 100 | 71 | <40 | NA | NA | 5500 | 1500 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/22/1996 | | 2400 | 110 | 89 | 100 | 44 | <40 | NA | NA | 8500 | 1200 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/8/1996 | | 1800 | 100 | 73 | 86 | 54 | 180 | NA | NA | 6800 | 1500 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/29/1997 | | 2000 | 110 | 63 | 110 | 42 | 180 | 120 | NA | 9400 | 1100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 11/5/1997 | | 2300 | 130 | 72 | 110 | 27 | 1300 | NA | NA | 10000 | 1200 | NA | 0.40 | 026 | 6.7 | 762 | 7.55 | NM | |
| MW-30D | 11/3/1998 | | 2500 | 100 | 88 | 100 | <20 | 180 | NA | NA | 10000 | 120 | NA | 0.10 | NM | 6.5 | 950 | 6.96 | NM | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|--------|------|------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-30D | 3/3/1999 | | 2500 | 140 | 110 | 150 | NA | 1700 | NA | NA | 12000 | 920 | NA | 3.23 | NM | 5.2 | NM | NM | NM | |
| MW-30D | 8/17/1999 | | 1600 | 98 | 84 | 100 | NA | 1600 | NA | NA | 8600 | 1100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/26/2000 | | 2180 | 106 | 70.5 | 82.6 | 33.5 | <3.0 | NA | NA | 7180 | 1530 | NA | 0.10 | 029 | NM | NM | NM | NM | |
| MW-30D | 10/10/2000 | | 2400 | 96 | 83 | 90 | 39 | <3.2 | 260 | NA | 10000 | 950 | NA | 0.40 | 110 | NM | NM | NM | 2.00 | |
| MW-30D | 10/10/2000 | D | 2400 | 96 | 79 | 85 | 37 | <3.2 | 240 | NA | 9600 | 840 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/23/2001 | | 720 | 29 | 11 | 39 | 21 | <3.2 | NA | NA | 3500 | 1300 | NA | 1.20 | -132 | NM | NM | NM | NM | |
| MW-30D | 4/23/2002 | | 1600 | 120 | 83 | 96 | 46 | <1.6 | 270 | NA | 10000 | 1600 | NA | 1.58 | 017 | NM | NM | NM | 1.00 | |
| MW-30D | 11/7/2002 | | 880 | 32 | 16 | 34 | 16 | <2.0 | 110 | NA | 4200 | 970 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/15/2003 | | 1600 | 62 | 32 | 65 | 16 | <40 | NA | NA | 6700 | NA | NA | 0.20 | -110 | NM | NM | NM | >3.30 | |
| MW-30D | 10/21/2003 | | 1100 | 51 | 25 | 42 | 18.1 | <4.0 | NA | NA | 4200 | NA | NA | 1.70 | -148 | NM | NM | NM | NM | |
| MW-30D | 4/21/2004 | | 990 | 44 | 34 | 59 | 56 | <40 | NA | NA | 4300 | NA | NA | 2.23 | -022 | NM | NM | NM | NM | |
| MW-30D | 11/17/2004 | | 2140 | 113 | 84.9 | 99.3 | 37 | <1.0 | 299 | NA | 8360 | 1400 | NA | 0.90 | -217 | NM | NM | NM | 0.90 | |
| MW-30D | 4/20/2005 | | 671 | 34.1 | 21.1 | 26.2 | 9.7 | <1.0 | 61.6 | NA | NA | NA | NA | 1.5 | 176 | NM | NM | NM | NM | |
| MW-30D | 10/11/2005 | | 170 | 13 | 4.9 | 16.3 | 7.4 | <1.0 | 23 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 5/23/2006 | | 2420 | 84.3 | 72.9 | <150 | <50.0 | <50.0 | 241 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/24/2006 | | 2080 | 102 | 83 | 88 | 23.3 J | <25.0 | 233 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 4/30/2007 | | 1750 | 71.9 | 70.3 | 71.4 | 26.8 | <1.0 | 216 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/1/2007 | | 1450 | 60 | 53.1 | 55.4 | 17.8 | <10 | 153 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 5/10/2008 | | 2170 | 107 | 117 | 105 | 39.4 | <10 | 312 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/28/2008 | | 2040 | 105 | 139 | 80.2 | 24 | <2.0 | 186 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 10/18/2011 | | 1220 | 81.4 | 94 | 67.7 | 20.2 | <1.0 | 129 | NA | NA | NA | NA | 0.86 | -157 | 8.03 | 724 | 7.96 | NM | |
| MW-30D | 4/17/2012 | | 1260 | 52.2 | 54.7 | 44.5 | 24.4 | <10.0 | NA | NA | NA | NA | NA | 3.60 | 8.9 | 7.5 | 973 | 6.95 | NM | |
| MW-30D | 10/2/2012 | | 1460 | 60.2 | 62.2 | 58.7 | 18.3 | <10.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | |
| MW-30D | 5/7/2013 | | 1350 | 57.6 | 47.7 | 49.2 | 15.2 | <10.0 | 128 | NA | NA | NA | NA | 0.31 | 91.5 | 8.5 | 866 | 7 | NM | |
| MW-30DD | 6/2/1995 | | 0.5 | <0.6 | <0.8 | <1.3 | <0.7 | <1.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 8/18/1995 | | 1.2 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | 600 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 11/15/1995 | | 5.2 | 7.1 | 1.6 | 18 | 13.2 | <4.0 | 2.9 | NA | 200 | 290 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 4/22/1996 | | 4.1 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.31 | NA | <50 | <150 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 10/8/1996 | | 33 | 2 | 3 | 6 | 3 | 3 | NA | NA | 170 | 240 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 4/29/1997 | | 430 | 35 | 26 | 49 | 27.5 | 26 | 18 | NA | 2200 | 850 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 11/5/1997 | | 660 | 45 | 28 | 56 | 35 | 41 | NA | NA | 4100 | 240 | NA | 0.50 | 001 | 8.1 | 500 | 7.01 | NM | |
| MW-30DD | 11/3/1998 | | 140 | 7.6 | 5.7 | 8.3 | 4.3 | 78 | NA | NA | 400 | <140 | NA | 1.67 | NM | 6.3 | 583 | 8.55 | NM | |
| MW-30DD | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 1.86 | NM | 6 | NM | NM | NM | |
| MW-30DD | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 4/26/2000 | | 0.444 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | <50 | <100 | NA | 0.10 | 032 | NM | NM | NM | NM | |
| MW-30DD | 10/10/2000 | | 1.44 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 0.20 | 113 | NM | NM | NM | 2.00 | |
| MW-30DD | 10/23/2001 | | 64 | 6 | 3.9 | 6.9 | 3.54 | 0.21 | NA | NA | 180 | 100 | NA | 1.30 | 126 | NM | NM | NM | 2.00 | |
| MW-30DD | 4/23/2002 | | 0.84 | 0.37 | 0.34 | 1.0 | 0.28 | <0.16 | <1.1 | NA | <50 | <100 | NA | 0.64 | -137 | NM | NM | NM | 2.00 | |
| MW-30DD | 11/7/2002 | | 0.81 | 0.5 | 0.49 | 1.0 | 0.6 | <0.16 | <0.46 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-30DD | 4/15/2003 | | 14 | 4.6 | 1.4 | 3.2 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.20 | 146 | NM | NM | NM | 3.00 | |
| MW-30DD | 10/21/2003 | | 15 | 1.9 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.16 | -153 | NM | NM | NM | NM | |
| MW-30DD | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 2.94 | 015 | NM | NM | NM | NM | |
| MW-30DD | 11/17/2004 | | 15.1 | 1.4 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | 75 J | 100 | NA | 0.80 | -183 | NM | NM | NM | 6.00 | |
| MW-30DD | 11/18/2004 | D | 73.7 | 1.2 | <1.0 | <3.0 | 1.3 | 8.6 | NA | NA | 73.7 J | NA | NA | NM | NM | NM | NM | NM | NM | |

Please do not hesitate to contact me at 651-697-5219 or Jonathan.Zimdars@AnteaGroup.com if you have any question or require additional information regarding this request.

Sincerely,



Jonathan Zimdars
Senior Project Manager
651-697-5219
Jonathan.Zimdars@anteagroup.com
Antea Group

JZ/dm

Attachments:


- Figure 1 Terminal Site Map
- Figure 2a MW-10 Benzene/Groundwater Hydrograph (1988-2012)
- Figure 2b MW-10 Benzene/Groundwater Hydrograph (2007-2012)
- Figure 3a MW-9 Benzene/Groundwater Hydrograph (1988-2012)
- Figure 3b MW-9 Benzene/Groundwater Hydrograph (2007-2012)
- Figure 4a MW-9 Naphthalene/Groundwater Hydrograph (1988-2012)
- Figure 4b MW-9 Naphthalene/Groundwater Hydrograph (2007-2012)

- Table 1 Groundwater Analytical Data – Terminal
- Table 2 Groundwater Gauging Data – Terminal

Appendix A RJS Parcel Development Map

Appendix B Lake City Towing – Photo of Proposed Construction Area

Figures



LEGEND:

- MONITORING WELL LOCATION
- DEEP MONITORING WELL LOCATIONS
- RECOVERY WELL LOCATION
- ◊ SVE TOTAL FLUIDS RECOVERY WELL LOCATION
- ||||| RAILROAD TRACKS
- FENCE LINE
- APPROXIMATE PROPERTY LINE
- (02-16-000331) WDNR BRRTS NUMBER

0 200
SCALE IN FEET
North

FIGURE 1
TERMINAL SITE MAP
FORMER AMOCO TERMINAL
SUPERIOR, WISCONSIN

| | | |
|---------------------------|-------------------|----------------------------|
| PROJECT NO. WISUPERIOR | PREPARED BY RA | DRAWN BY DD |
| DATE 07/31/13 | REVIEWED BY | FILE NAME Superior-Sur2 |



Figure 2a: MW-10
Benzene/Groundwater Hydrograph (1988-2012)
Northwest Terminal




Figure 2b: MW-10
Benzene/Groundwater Hydrograph (2007-2012)
Northwest Terminal




Figure 3a: MW-9
Benzene/Groundwater Hydrograph (1988-2012)
Northwest Terminal




Figure 3b: MW-9
Benzene/Groundwater Hydrograph (2007-2012)
Northwest Terminal




Figure 4a: MW-9
Naphthalene/Groundwater Hydrograph (1988-2012)
Northwest Terminal




Figure 4b: MW-9
Naphthalene/Groundwater Hydrograph (2007-2012)
Northwest Terminal




Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-------------------------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|-------|------|-------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| NR 140 ES --> | | | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | | |
| MW-33 | 11/6/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-33 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.70 | 202 | NM | NM | 0.02 | | |
| MW-33 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 4.30 | 161 | NM | NM | NM | | |
| MW-33 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | 2.2 | <4.0 | NA | NA | <100 | NA | NA | 3.23 | 232 | NM | NM | NM | | |
| MW-33 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | 2.2 | <4.0 | NA | NA | <100 | 96 J | NA | 3.20 | 32 | NM | NM | 0.00 | | |
| MW-33 | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.0 | 213 | NM | NM | NM | | |
| MW-33 | 10/11/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.60 | 2.2 | NM | 491 | 7.88 | | |
| MW-33 | 10/24/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 34.70 | 132.1 | NM | NM | 7.27 | | |
| MW-33 | 4/30/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 5.02 | 58.8 | NM | NM | 7.30 | | |
| MW-33 | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 8.80 | 19.4 | NM | NM | 7.37 | | |
| MW-33 | 5/9/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.97 | 184.3 | NM | NM | 6.60 | | |
| MW-33 | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.63 | 88.4 | NM | NM | 7.25 | | |
| MW-34 | 8/6/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/14/1992 | D | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.7 | NA | <50 | <140 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/6/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | 2.7 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 11/15/1995 | | <1.0 | 9.2 | 5.1 | 18 | 7.4 | <4.0 | NA | NA | 160 | 170 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.24 | NA | <50 | 320 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/8/1996 | | 0.6 | <2 | <2 | <3 | <2.0 | <2 | NA | NA | <100 | 330 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.0 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 11/5/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | 6.2 | NA | NA | 62 | 190 | NA | 1.40 | 057 | 7.4 | 657 | 7.54 | | |
| MW-34 | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | 160 | NA | 3.54 | NM | 6.7 | 816 | 7.18 | | |
| MW-34 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 4.44 | NM | 6.7 | NM | NM | | |
| MW-34 | 8/17/1999 | | <1.0 | <1.0 | <1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/26/2000 | | <0.15 | <0.40 | <0.50 | <0.55 | <0.40 | <0.30 | NA | NA | <50 | 396 | NA | 2.00 | 153 | NM | NM | NM | | |
| MW-34 | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | 390 | NA | 4.20 | 193 | NM | NM | 0.20 | | |
| MW-34 | 10/24/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 220 | NA | 10.70 | 074 | NM | NM | 0.10 | | |
| MW-34 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 2.46 | 141 | NM | NM | 0.10 | | |
| MW-34 | 11/7/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | 130 | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.70 | 059 | NM | NM | 0.0 | | |
| MW-34 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 3.60 | -055 | NM | NM | NM | | |
| MW-34 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | 2.1 | <4.0 | NA | NA | <100 | NA | NA | 1.67 | 164 | NM | NM | NM | | |
| MW-34 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 130 | NA | 1.50 | 078 | NM | NM | 0.10 | | |
| MW-34 | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.1 | 171 | NM | NM | NM | | |
| MW-34 | 10/11/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/24/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|-------|------|-------|----------------|------|--------------|-----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | p H units | ppm | |
| | | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | | |
| MW-34 | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/27/2010 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-34 | 10/20/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.56 | -81 | 7.28 | 690 | 8.3 | NM | |
| MW-34 | 10/2/2012 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| P-34D | 9/13/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 8/6/1991 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 1/8/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 10/14/1992 | | <1.0 | <1.0 | <1.0 | <1.0 | NA | <20 | NA | NA | NA | <1000 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 6/25/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 10/28/1993 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.6 | NA | <50 | <130 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 4/27/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 10/28/1994 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 4/6/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.5 | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 11/15/1995 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <50 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 4/22/1996 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <0.24 | NA | <50 | 190 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 10/8/1996 | | <0.5 | <2 | <2 | <3 | <2.0 | <2 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 4/29/1997 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | <1.0 | NA | <50 | 180 | NA | NM | NM | NM | NM | NM | | |
| MW-35 | 11/5/1997 | | 2.3 | 2.3 | 2.4 | 6.8 | 5.2 | 9.5 | NA | NA | 76 | <110 | NA | 2.10 | 065 | 2.9 | 1157 | 6.73 | NM | |
| MW-35 | 11/3/1998 | | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <4.0 | NA | NA | <100 | <100 | NA | 1.26 | NM | 7.7 | 1340 | 6.52 | NM | |
| MW-35 | 3/3/1999 | | <1.0 | <1.0 | <1.0 | <2.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | 3.49 | NM | 6.7 | NM | NM | NM | |
| MW-35 | 8/17/1999 | | <1.0 | <1.0 | 1.0 | <3.0 | NA | <4.0 | NA | NA | <100 | <100 | NA | NM | NM | NM | NM | NM | NM | |
| MW-35 | 4/26/2000 | | <0.15 | <0.40 | <0.50 | 0.215 | 0.6 | <0.3 | NA | NA | <50 | 519 | NA | 0.10 | 191 | NM | NM | NM | NM | |
| MW-35 | 10/10/2000 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | 110 | NA | 0.90 | 280 | NM | NM | NM | 0.40 | |
| MW-35 | 4/24/2001 | | <0.13 | <0.20 | <0.22 | 0.340 | <0.29 | <0.16 | NA | NA | <50 | 230 | NA | 2.60 | 178 | NM | NM | NM | NM | |
| MW-35 | 10/23/2001 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | NA | NA | <50 | 110 | NA | 2.90 | -018 | NM | NM | NM | 0.00 | |
| MW-35 | 4/23/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <1.1 | NA | <50 | <100 | NA | 3.73 | 164 | NM | NM | NM | 0.30 | |
| MW-35 | 11/6/2002 | | <0.13 | <0.20 | <0.22 | <0.23 | <0.29 | <0.16 | <0.46 | NA | <50 | <100 | NA | NA | NA | NA | NA | NA | | |
| MW-35 | 4/15/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 0.50 | 191 | NA | NA | NA | 0.07 | |
| MW-35 | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.60 | 055 | NA | NA | NA | NM | |
| MW-35 | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 1.68 | 224 | NA | NA | NA | NM | |
| MW-35 | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | 350 | NA | 2.30 | 153 | NA | NA | NA | 0.00 | |
| MW-35 | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.2 | 120 | NA | NA | NA | NM | |
| MW-35 | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.9 | -083 | NA | 1055 | 7.02 | 0.2 | |
| MW-35 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.6 | -066 | NM | 1026 | 7.40 | 0.1 | |
| MW-35 | 10/22/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 33 | 229 | NM | NM | 6.60 | 0.0 | |
| MW-35 | 4/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | NA | NA | NA | 10.52 | 184.5 | NM | NM | 6.73 | 0.0 | |
| MW-35 | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 0.15 | 056.5 | NM | NM | 6.73 | 1.0 | |
| MW-35 | 5/7/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 5.15 | 256.4 | NM | NM | 6.32 | 1.0 | |
| MW-35 | 10/25/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 3.95 | 163.0 | NM | NM | 6.42 | 1.0 | |
| MW-35 | 4/20/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | Bio-Parameters | | | | | | |
|-----------|-------------|----------------------------|--|---------|---------------|---------|------------|-------|-------------|---------|------|------|----------------|------|-------------|------|--------------|----------|--------------|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | |
| MW-35 | 10/14/2009 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.96 | 166.0 | NM | NM | 6.96 | NM |
| MW-35 | 10/27/2010 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MW-35 | 10/13/2011 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.81 | 56 | 7.88 | 1064 | 7.76 | NM |
| MW-35 | 10/3/2012 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-6 | 10/23/03 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 04/19/04 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 11/15/04 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 04/18/05 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 10/12/2005 | | 340 | 480 | 390 | 1380 | 680 | <5.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-6 | 05/23/06 | | Not sampled | | | | | | | | | | | | | | | | |
| MWT-6 | 10/16/06 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 04/23/07 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 09/25/07 | | Not sampled due to presence of product | | | | | | | | | | | | | | | | |
| MWT-6 | 10/30/08 | | 278 | 208 | 138 | 1730 | 867 | <5.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-6 | 10/03/12 | | 63 | 31.6 | 75 | 548 | 469 | <2.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-2S | 10/21/2003 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 2.40 | 139 | NM | NM | NM | NM |
| MWT-2S | 4/20/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <4.0 | NA | NA | <100 | NA | NA | 2.14 | 193 | NM | NM | NM | NM |
| MWT-2S | 11/17/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | <100 | 160 | NA | 3.00 | 140 | NM | NM | NM | 0.10 |
| MWT-2S | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.7 | 209 | NM | NM | NM | NM |
| MWT-2S | 10/11/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 5.63 | 37.5 | NM | 617 | 7.85 | 0.1 |
| MWT-2S | 10/25/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 14.8 | 146.2 | NM | NM | 7.16 | 1.0 |
| MWT-2S | 5/1/2007 | | 4.1 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 4.39 | 80.9 | NM | NM | 7.18 | 1.0 |
| MWT-2S | 9/29/2007 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.95 | 18.1 | NM | NM | 7.36 | 1.0 |
| MWT-2S | 5/10/2008 | | 6.2 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.85 | 248.4 | NM | NM | 6.43 | 1.0 |
| MWT-2S | 10/28/2008 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 2.27 | 95.9 | NM | NM | 7.04 | 0.0 |
| MWT-2D | 10/21/2003 | | 1500 | 67 | 11 | 87 | 46 | <4.0 | NA | NA | 3600 | NA | NA | 0.60 | 047 | NM | NM | NM | NM |
| MWT-2D | 4/13/2004 | | 85 | 7.4 | 1.0 | <3.0 | 6.0 | <4.0 | NA | NA | 860 | NA | NA | 4.04 | 177 | NM | NM | NM | NM |
| MWT-2D | 11/17/2004 | | 1820 | 92.3 | 32.0 | 132 | 74.2 | <1.0 | 83.2 | NA | 4580 | 1400 | NA | 2.40 | 127 | NM | NM | NM | 0.00 |
| MWT-2D | 11/18/2004 | D | 1720 | 99.8 | 29.0 | 132 | 70.2 | 67.8 | NA | NA | 4270 | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-2D | 4/20/2005 | | 4510 | 153 | 158 | 340 | 182.8 | <1.0 | 226 | NA | NA | NA | NA | 0.80 | 231 | NM | NM | NM | NM |
| MWT-2D | 10/11/2005 | | 4700 | 220 | 120 | 300 | 179 | <50 | 220 | NA | NA | NA | NA | 1.35 | -6.2 | NM | 828 | 7.94 | 0.1 |
| MWT-2D | 10/25/2006 | | 5740 | 273 | 184 | 310 | 187.6 | <10.0 | 245 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-2D | 5/1/2007 | | 4790 | 258 | 150 | 337 | 185.2 | <25.0 | 241 | NA | NA | NA | NA | 0.52 | -116.4 | NM | NM | 7.06 | 0.00 |
| MWT-2D | 9/29/2007 | | 3910 | 215 | 55.3 | 305 | 154.9 | <25.0 | NA | NA | NA | NA | NA | 0.16 | -4.6 | NM | NM | 7.18 | 0.00 |
| MWT-2D | 5/10/2008 | | 5060 | 227 | 43.6 | 252 | 105.3 | <25.0 | <100 | NA | NA | NA | NA | 0.55 | 77.5 | NM | NM | 6.53 | 1.00 |
| MWT-2D | 10/28/2008 | | 5080 | 214 | 41.0 | 250 | 102.7 | <5.0 | 72.3 | NA | NA | NA | NA | 0.79 | -36.4 | NM | NM | 6.96 | 0.00 |
| MWT-2D | 10/17/2011 | | 2800 | 174 | 75.0 | 261 | 138.5 | <1.0 | 129 | NA | NA | NA | NA | 0.65 | -99 | 7.33 | 922 | 7.94 | NM |
| MWT-2D | 4/17/2012 | | 3230 | 159 | 137 | 226 | 118.7 | <25.0 | NA | NA | NA | NA | NA | 0.31 | 54.3 | 7.2 | 1267 | 7.19 | NM |
| MWT-2D | 10/2/2012 | | 4310 | 224 | 275 | 342 | 172.7 | <20.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM |
| MWT-2D | 5/7/2013 | | 4570 | 211 | 264 | 350 | 175.9 | <50.0 | <200 | NA | NA | NA | NA | 0.58 | 168.3 | 7.7 | 1195 | 6.97 | NM |
| MWT-2D | 5/7/2013 | D | 4540 | 222 | 257 | 343 | 173.7 | <50.0 | <200 | NA | NA | NA | NA | 0.58 | 168.3 | 7.7 | 1195 | 6.97 | NM |

Term Prop GW Chem Data
GW Chem

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|-------|-------------|---------|------|------|------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | | |
| RW-3 | 11/17/2004 | | 1950 | 57.4 | 87.6 | 86.6 | 34.7 | <5.0 | 27.6 | NA | 3890 | 530 | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 4/19/2005 | | 741 | 5.6 | 16.5 | 4.5 | 3.3 | <1.0 | <1.0 | NA | NA | NA | NA | 0.8 | 28 | NM | NM | NM | | |
| RW-3 | 10/12/2005 | | 8800 | 210 | 360 | 258 J | 86 J | <120 | 63 J | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 5/23/2006 | | 5820 | 601 | 309 | 462 | 70.7 | 102 | 36.3 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 10/23/2006 | | 2320 | 66.1 | 123 | 85.7 | 34.6 | <10.0 | <10.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 4/29/2007 | | 2830 | 57.2 | 220 | 118 | 21.5 | <20.0 | <20.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 10/1/2007 | | 5120 | 123 | 348 | 185 | 55.2 | 35.9 | 34.1 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 5/10/2008 | | 2000 | 38.7 | 130 | 54 | 19.6 | <10.0 | <40.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 10/28/2008 | | 4680 | 52 | 244 | 108 | 22.1 | <20 | 82.4 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 10/27/2010 | | 6540 | 464 | 698 | 981 | 166.2 | <50 | <200 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-3 | 10/13/2011 | | 4560 | 131 | 449 | 625 | 125.2 | 13.8 | 40.5 | NA | NA | NA | NA | 2.02 | -188 | 9.6 | 1243 | 7.95 | NM | |
| RW-3 | 4/17/2012 | | 4760 | 89.6 | 677 | 625 | 169.5 | <50.0 | NA | NA | NA | NA | NA | 4.23 | -49.4 | 9.2 | 1530 | 7.52 | NM | |
| RW-3 | 10/3/2012 | | 4670 | <50.0 | 488 | 327 | <50.0 | 309.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | NM | | |
| | | | | | | | | | | | | | | | | | | | | |
| RW-7 | 11/18/2004 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | 1.1 | NA | <100 | 290 | NA | NM | NM | NM | NM | NM | | |
| RW-7 | 4/20/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | 0.4 | -040 | NM | NM | NM | | |
| RW-7 | 10/12/2005 | | <1.0 | <1.0 | <1.0 | <3.0 | <1.0 | <1.0 | <1.0 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-7 | 5/23/2006 | | <1.0 | <1.0 | <1.0 | <3.0 | 1.3 | <1.0 | 7.8 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-7 | 10/23/2006 | | <1.0 | <1.0 | 1.3 | <3.0 | 1.6 | <1.0 | 3.4 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| RW-7 | 4/29/2007 | | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NS | NM | NM | NM | NM | NM | | |
| RW-7 | 6/26/2007 | | | | | | | | | | | | | | | | | | | |
| | | | Abandoned | | | | | | | | | | | | | | | | | |
| EW-06 | 7/28/2011 | | 9440 | 9600 | 772 | 5200 | 1078 | <50.0 | 396 | NA | NA | NA | NA | 0.32 | -184 | 9.48 | 995 | 7.54 | NM | |
| EW-06 | 10/19/2011 | | 12500 | 9800 | 1090 | 6260 | 1229 | 58.4 | 353 | NA | NA | NA | NA | 0.23 | -196 | 9.27 | 988 | 7.83 | NM | |
| EW-06 | 4/18/2012 | | 10400 | 1920 | 662 | 3260 | 991 | 382 | NA | NA | NA | NA | NA | 0.69 | -4.6 | 9.4 | 1501 | 6.92 | NM | |
| EW-06 | 5/7/2013 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | | |
| | | | | | | | | | | | | | | | | | | | | |
| EW-07 | 7/28/2011 | | 258 | 857 | 490 | 2350 | 591 | <10.0 | 159 | NA | NA | NA | NA | 0.57 | -214 | 9.95 | 955 | 7.66 | NM | |
| EW-07 | 10/19/2011 | | 226 | 646 | 307 | 1330 | 343.3 | <2.0 | 87.9 | NA | NA | NA | NA | 0.67 | -268 | 8.97 | 926 | 7.89 | NM | |
| EW-07 | 4/18/2012 | | 615 | 796 | 247 | 969 | 183.9 | <5.0 | NA | NA | NA | NA | NA | 1.46 | -54.7 | 8.9 | 1247 | 7.01 | NM | |
| EW-07 | 5/7/2013 | | 385 | 270 | 334 | 2240 | 1254.0 | <25.0 | 199.0 | NA | NA | NA | NA | 0.5 | -24.9 | 9.9 | 1181 | 6.85 | NM | |
| | | | | | | | | | | | | | | | | | | | | |
| EW-08 | 7/28/2011 | | 82 | 1.9 | 13.4 | 25 | 16.8 | <1.0 | 9.2 | NA | NA | NA | NA | 0.18 | -201 | 9.11 | 804 | 7.58 | NM | |
| EW-08 | 7/28/2011 | D | 87.2 | 2.0 | 14.2 | 26.3 | 17.3 | <1.0 | 9.7 | NA | NA | NA | NA | 0.25 | -190 | 9.46 | 913 | 7.87 | NM | |
| EW-08 | 10/19/2011 | | 234 | 7.5 | 53.3 | 116 | 98.7 | <1.0 | 45.1 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| EW-08 | 10/19/2011 | D | 242 | 8.0 | 54.3 | 121 | 98.2 | <1.0 | 41.2 | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| EW-08 | 4/18/2012 | | 466 | 11.4 | 193 | 444 | 372.3 | <5.0 | NA | NA | NA | NA | NA | 0.86 | -31.6 | 9.3 | 1187 | 6.6 | NM | |
| EW-08 | 4/18/2012 | D | 448 | 12.1 | 190 | 435 | 365.4 | <5.0 | NA | NA | NA | NA | NA | NM | NM | NM | NM | NM | | |
| EW-08 | 5/7/2013 | | 574 | 16.7 | 292 | 745 | 615 | <5.0 | 220 | NA | NA | NA | NA | 0.54 | 34.4 | 10 | 1104 | 6.74 | NM | |
| | | | | | | | | | | | | | | | | | | | | |
| EW-09 | 7/28/2011 | | 374 | 18.7 | 215 | 436 | 317.4 | <2.0 | 188 | NA | NA | NA | NA | 0.16 | -198 | 8.04 | 920 | 7.52 | NM | |
| EW-09 | 10/19/2011 | | 231 | 11.1 | 132 | 304 | 268.1 | <2.0 | 135 | NA | NA | NA | NA | 0.13 | -181 | 8.05 | 954 | 7.88 | NM | |
| EW-09 | 4/18/2012 | | 74.2 | 2.8 | 25.0 | 49.2 | 60.7 | <1.0 | NA | NA | NA | NA | NA | 0.66 | -21.1 | 7.6 | 1228 | 7.26 | NM | |
| EW-09 | 5/7/2013 | | 34.1 | 2.6 | 24.2 | 19.4 | 31.2 | <1.0 | 5.0 | NA | NA | NA | NA | 0.56 | 75.5 | 8.2 | 1042 | 7.05 | NM | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | | | Bio-Parameters | | | | | |
|-----------|-------------|----------------------------|-----------------------|---------|---------------|---------|------------|------|-------------|---------|------|------|------|------|----------------|------|--------------|----------|--------------|--|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron | |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm | |
| | | NR 140 ES --> | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| EW-10 | 7/28/2011 | | 3430 | <20.0 | <20.0 | <60.0 | <20.0 | <200 | <80.0 | NA | NA | NA | NA | 2.28 | -143 | 8.93 | 1190 | 7.73 | NM | |
| EW-10 | 10/19/2011 | | 3970 | <1.0 | 2.6 | <3.0 | <1.0 | <1.0 | <4.0 | NA | NA | NA | NA | 0.32 | -162 | 8.45 | 1130 | 7.99 | NM | |
| EW-10 | 4/18/2012 | | 1510 | <1.0 | 1.0 | <3.0 | <1.0 | <1.0 | NA | NA | NA | NA | NA | 1.06 | 91.4 | 7.6 | 1437 | 7.17 | NM | |
| EW-10 | 5/7/2013 | | 18.3 | <1.0 | 6.0 | 44.4 | 48.9 | <1.0 | 4.9 | NA | NA | NA | NA | 0.93 | 167.1 | 8.2 | 1225 | 7 | NM | |
| EW-10 | 5/7/2013 | D | 16.0 | <1.0 | 4.4 | 34.0 | 38.7 | <1.0 | <4.0 | NA | NA | NA | NA | 0.93 | 167.1 | 8.2 | 1225 | 7 | NM | |
| EW-11 | 7/28/2011 | | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | FP | |

Table 1
Groundwater Analytical Results - Terminal

Former Amoco Terminal
Superior, Wisconsin

| Sample ID | Sample Date | Duplicate (D) or Split (S) | Analytical Parameters | | | | | | | | | | Bio-Parameters | | | | | | |
|--|-------------|----------------------------|-----------------------|------------|---------------|-------------|------------|-----------|-------------|----------|------|------|----------------|-----|-------------|------|--------------|----------|--------------|
| | | | Benzene | Toluene | Ethyl-benzene | Xylenes | Total TMBs | MTBE | Naphthalene | 1,2-DCA | GRO | DRO | THC | DO | REDOX | Temp | Conductivity | pH | Soluble Iron |
| | | | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | ppm | milli Volts | °C | µmhos/cm | pH units | ppm |
| NR 140 ES --> | | | 5 | 800 | 700 | 2000 | 480 | 60 | 100 | 5 | -- | -- | -- | -- | -- | -- | -- | -- | |
| Notes: | | | | | | | | | | | | | | | | | | | |
| µg/L = micrograms per liter (equivalent to parts per billion) | | | | | | | | | | | | | | | | | | | |
| D = Duplicate sample | | | | | | | | | | | | | | | | | | | |
| 1,2-DCA = 1,2-Dichloroethane | | | | | | | | | | | | | | | | | | | |
| DRO = Diesel Range Organics | | | | | | | | | | | | | | | | | | | |
| GRO = Gasoline Range Organics | | | | | | | | | | | | | | | | | | | |
| FP = The well was not sampled due to the presence of free product | | | | | | | | | | | | | | | | | | | |
| THC = Total hydrocarbons or total petroleum hydrocarbons as gasoline | | | | | | | | | | | | | | | | | | | |
| MTBE = Methyl Tertiary Butyl Ether | | | | | | | | | | | | | | | | | | | |
| NA = Not Analyzed for indicated parameter | | | | | | | | | | | | | | | | | | | |
| NM = Not Measured | | | | | | | | | | | | | | | | | | | |
| NR 140 ES = Wisconsin Administrative Code Chapter NR 140 Enforcement Standard | | | | | | | | | | | | | | | | | | | |
| NS = Not Sampled on indicated date | | | | | | | | | | | | | | | | | | | |
| TMBs = Trimethylbenzenes | | | | | | | | | | | | | | | | | | | |
| "BOLD TYPE" = The indicated concentration exceeds the NR 140 ES | | | | | | | | | | | | | | | | | | | |
| J = Laboratory flag. Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. | | | | | | | | | | | | | | | | | | | |
| Note: Bio-Parameters for the 4/29/07 - 4/30/07 sampling event were taken on 4/24/07 | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-01 | 03/23/88 | 22.99 | 615.94 | 612.21 | NA | 13.48 | Yes | 18.02 | |
| MW-01 | 09/08/88 | 22.65 | 616.26 | 612.55 | 0.32 | 13.80 | Yes | 17.70 | |
| MW-01 | 09/20/88 | 22.38 | 616.14 | 612.82 | -0.13 | 13.54 | Yes | 17.96 | |
| MW-01 | 04/27/89 | 20.21 | 616.68 | 614.99 | 0.54 | 13.54 | Yes | 17.96 | |
| MW-01 | 05/18/89 | 22.48 | 616.49 | 612.72 | -0.19 | 14.04 | Yes | 17.46 | |
| MW-01 | 06/30/89 | 20.93 | 617.35 | 614.27 | 0.86 | 14.67 | Yes | 16.83 | |
| MW-01 | 07/12/89 | 21.44 | 616.93 | 613.76 | -0.42 | 14.28 | Yes | 17.22 | |
| MW-01 | 07/26/89 | 23.69 | 616.24 | 611.51 | -0.68 | 14.12 | Yes | 17.38 | |
| MW-01 | 07/27/89 | 24.30 | 616.05 | 610.90 | -0.19 | 14.07 | Yes | 17.43 | |
| MW-01 | 09/03/89 | 21.56 | 616.62 | 613.64 | 0.56 | 13.91 | Yes | 17.59 | |
| MW-01 | 11/16/89 | 27.04 | 615.30 | 608.16 | -1.32 | 13.98 | Yes | 17.52 | |
| MW-01 | 11/29/89 | 27.34 | 615.08 | 607.86 | -0.23 | 13.78 | Yes | 17.72 | |
| MW-01 | 12/01/89 | 28.52 | 614.71 | 606.68 | -0.37 | 13.68 | Yes | 17.82 | |
| MW-01 | 12/02/89 | 25.87 | 615.34 | 609.33 | 0.63 | 13.64 | Yes | 17.86 | |
| MW-01 | 06/01/90 | 18.25 | 623.51 | 616.95 | 8.17 | 22.00 | Yes | 9.50 | |
| MW-01 | 06/19/90 | 21.21 | 616.37 | 613.99 | -7.14 | 13.46 | Yes | 18.04 | 28.52 |
| MW-01 | 06/27/90 | 22.07 | 616.11 | 613.13 | -0.26 | 13.40 | Yes | 18.10 | |
| MW-01 | 07/05/90 | 18.74 | 616.79 | 616.46 | 0.68 | 13.20 | Yes | 18.30 | |
| MW-01 | 07/13/90 | 21.98 | 616.05 | 613.22 | -0.74 | 13.29 | Yes | 18.21 | |
| MW-01 | 07/17/90 | 22.98 | 615.96 | 612.22 | -0.08 | 13.51 | Yes | 17.99 | |
| MW-01 | 07/25/90 | 22.50 | 615.93 | 612.70 | -0.04 | 13.30 | Yes | 18.20 | |
| MW-01 | 08/09/90 | 22.42 | 616.02 | 612.78 | 0.10 | 13.40 | Yes | 18.10 | |
| MW-01 | 08/27/90 | 21.24 | 616.30 | 613.96 | 0.28 | 13.38 | Yes | 18.12 | |
| MW-01 | 09/06/90 | 21.45 | 616.53 | 613.75 | 0.23 | 13.75 | Yes | 17.75 | |
| MW-01 | 01/04/91 | 23.29 | 616.33 | 611.91 | -0.20 | 14.10 | Yes | 17.40 | |
| MW-01 | 01/30/91 | 26.13 | 615.43 | 609.07 | -0.90 | 13.85 | Yes | 17.65 | |
| MW-01 | 04/24/91 | 21.08 | 616.61 | 614.12 | 1.18 | 13.74 | Yes | 17.76 | |
| MW-01 | 06/06/91 | 19.47 | 618.09 | 615.73 | 1.48 | 15.17 | Yes | 16.33 | |
| MW-01 | 07/09/91 | 17.65 | 619.58 | 617.55 | 1.49 | 16.55 | Yes | 14.95 | |
| MW-01 | 08/06/91 | 17.28 | 620.16 | 617.92 | 0.58 | 17.20 | Yes | 14.30 | |
| MW-01 | 09/04/91 | 17.46 | 619.96 | 617.74 | -0.20 | 17.00 | Yes | 14.50 | |
| MW-01 | 10/08/91 | 17.32 | 620.69 | 617.88 | 0.73 | 17.93 | Yes | 13.57 | |
| MW-01 | 11/08/91 | 17.38 | 620.03 | 617.82 | -0.66 | 17.07 | Yes | 14.43 | |
| MW-01 | 12/03/91 | 16.33 | 621.83 | 618.87 | 1.80 | 19.12 | Yes | 12.38 | |
| MW-01 | 01/07/92 | 17.46 | 619.71 | 617.74 | -2.13 | 16.66 | Yes | 14.84 | |
| MW-01 | 02/04/92 | 18.20 | 618.88 | 617.00 | -0.83 | 15.80 | Yes | 15.70 | |
| MW-01 | 03/03/92 | 18.78 | 618.42 | 616.42 | -0.46 | 15.38 | Yes | 16.12 | |
| MW-01 | 09/24/92 | 15.68 | 621.19 | 619.52 | 2.78 | 18.05 | Yes | 13.45 | |
| MW-01 | 10/14/92 | 16.88 | 620.08 | 618.32 | -1.12 | 16.96 | Yes | 14.54 | |
| MW-01 | 06/25/93 | 13.51 | 623.34 | 621.69 | 3.26 | 20.19 | Yes | 11.31 | |
| MW-01 | 10/28/93 | 17.22 | 619.16 | 617.98 | -4.18 | 15.85 | Yes | 15.65 | |
| MW-01 | 01/29/94 | 18.08 | 618.32 | 617.12 | -0.84 | 15.02 | Yes | 16.48 | |
| MW-01 | 04/27/94 | 17.65 | 618.87 | 617.55 | 0.55 | 15.61 | Yes | 15.89 | |
| MW-01 | 07/21/94 | 16.69 | 620.37 | 618.51 | 1.50 | 17.29 | Yes | 14.21 | |
| MW-01 | 10/25/94 | 16.96 | 620.24 | 618.24 | -0.14 | 17.20 | Yes | 14.30 | |
| MW-01 | 11/02/94 | 14.74 | 620.46 | 620.46 | 0.23 | 16.76 | Yes | 14.74 | |
| MW-01 | 02/01/95 | 17.92 | 617.90 | 617.28 | -2.56 | 14.40 | Yes | 17.10 | |
| MW-01 | 04/04/95 | 20.41 | 617.20 | 614.79 | -0.70 | 14.30 | Yes | 17.20 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|------------------------------|
| MW-01 | 07/12/95 | 18.87 | 618.98 | 616.33 | 1.78 | 16.16 | Yes | 15.34 | |
| MW-01 | 03/13/96 | 19.50 | 617.61 | 615.70 | -1.37 | 14.55 | Yes | 16.95 | |
| MW-01 | 10/08/96 | 15.79 | 621.27 | 619.41 | 3.66 | 18.19 | Yes | 13.31 | |
| MW-01 | 04/29/97 | 12.85 | 623.09 | 622.35 | 1.81 | 19.63 | Yes | 11.87 | |
| MW-01 | 06/10/97 | 14.34 | 621.06 | 620.86 | -2.03 | 17.42 | Yes | 14.08 | FP bailed 5/22/97 |
| MW-01 | 11/03/98 | 17.68 | 619.43 | 617.52 | -1.62 | 16.37 | Yes | 15.13 | |
| MW-01 | 03/02/99 | 17.96 | 617.92 | 617.24 | -1.51 | 14.45 | Yes | 17.05 | |
| MW-01 | 10/07/99 | 13.35 | 621.90 | 621.85 | 3.98 | 18.22 | Yes | 13.28 | |
| MW-01 | 11/09/99 | 16.01 | 619.21 | 619.19 | -2.69 | 15.52 | Yes | 15.98 | bailed <0.1 gal. FP |
| MW-01 | 12/21/99 | 14.93 | 620.29 | 620.27 | 1.08 | 16.60 | Yes | 14.90 | |
| MW-01 | 01/27/00 | 16.19 | 619.03 | 619.01 | -1.27 | 15.33 | Yes | 16.17 | |
| MW-01 | 02/24/00 | 17.15 | 618.39 | 618.05 | -0.64 | 14.80 | Yes | 16.70 | bailed 0.1 gal. FP |
| MW-01 | 03/31/00 | 16.42 | 618.81 | 618.78 | 0.42 | 15.12 | Yes | 16.38 | |
| MW-01 | 04/20/00 | 15.50 | 619.97 | 619.70 | 1.16 | 16.36 | Yes | 15.14 | bailed 0.2 gal. FP |
| MW-01 | 04/26/00 | 15.81 | 619.40 | 619.39 | -0.57 | 15.70 | Yes | 15.80 | |
| MW-01 | 05/31/00 | 16.01 | 619.21 | 619.19 | -0.18 | 15.52 | Yes | 15.98 | |
| MW-01 | 06/29/00 | 15.36 | 619.85 | 619.84 | 0.63 | 16.15 | Yes | 15.35 | |
| MW-01 | 07/26/00 | 15.92 | 619.30 | 619.28 | -0.55 | 15.60 | Yes | 15.90 | |
| MW-01 | 08/18/00 | 16.39 | 618.82 | 618.81 | -0.48 | 15.12 | Yes | 16.38 | |
| MW-01 | 09/27/00 | 16.70 | 618.51 | 618.50 | -0.31 | 14.81 | Yes | 16.69 | |
| MW-01 | 10/11/00 | 16.68 | 618.54 | 618.52 | 0.03 | 14.84 | Yes | 16.66 | |
| MW-01 | 11/17/00 | 16.00 | 619.21 | 619.20 | 0.67 | 15.51 | Yes | 15.99 | |
| MW-01 | 12/12/00 | 16.34 | 618.88 | 618.86 | -0.33 | 15.19 | Yes | 16.31 | bailed 0.2 gal. FP |
| MW-01 | 01/18/01 | 16.68 | 618.54 | 618.52 | -0.35 | 14.84 | Yes | 16.66 | bailed 0.1 gal. FP |
| MW-01 | 04/24/01 | 17.07 | 618.61 | 618.13 | 0.07 | 15.07 | Yes | 16.43 | product abated using vatruck |
| MW-01 | 05/23/01 | 16.60 | 619.76 | 618.60 | 1.15 | 16.45 | Yes | 15.05 | no product bailed |
| MW-01 | 06/19/01 | 16.45 | 619.92 | 618.75 | 0.16 | 16.61 | Yes | 14.89 | |
| MW-01 | 07/26/01 | 17.24 | 618.73 | 617.96 | -1.19 | 15.29 | Yes | 16.21 | |
| MW-01 | 08/31/01 | 17.37 | 618.67 | 617.83 | -0.06 | 15.25 | Yes | 16.25 | |
| MW-01 | 09/26/01 | 17.67 | 618.57 | 617.53 | -0.10 | 15.22 | Yes | 16.28 | |
| MW-01 | 10/24/01 | 17.64 | 618.70 | 617.56 | 0.13 | 15.38 | Yes | 16.12 | |
| MW-01 | 12/20/01 | 17.35 | 618.74 | 617.85 | 0.04 | 15.34 | Yes | 16.16 | |
| MW-01 | 01/22/02 | 18.16 | 618.08 | 617.04 | -0.66 | 14.73 | Yes | 16.77 | |
| MW-01 | 02/26/02 | 18.43 | 617.49 | 616.77 | -0.59 | 14.03 | Yes | 17.47 | |
| MW-01 | 03/20/02 | 18.52 | 617.35 | 616.68 | -0.74 | 13.87 | Yes | 17.63 | |
| MW-01 | 04/24/02 | 17.91 | 618.70 | 617.29 | 1.35 | 15.47 | Yes | 16.03 | |
| MW-01 | 05/15/02 | 17.46 | 619.32 | 617.74 | 0.62 | 16.15 | Yes | 15.35 | |
| MW-01 | 06/27/02 | 17.36 | 618.99 | 617.84 | -0.34 | 15.67 | Yes | 15.83 | |
| MW-01 | 07/25/02 | 17.45 | 618.99 | 617.75 | 0.00 | 15.70 | Yes | 15.80 | |
| MW-01 | 08/20/02 | 16.84 | 619.37 | 618.36 | 0.38 | 16.00 | Yes | 15.50 | |
| MW-01 | 09/30/02 | 15.85 | 620.35 | 619.35 | 0.98 | 16.98 | Yes | 14.52 | |
| MW-01 | 11/05/02 | 15.47 | 620.74 | 619.73 | 0.39 | 17.37 | Yes | 14.13 | |
| MW-01 | 12/23/02 | 17.53 | 618.49 | 617.67 | -2.25 | 15.06 | Yes | 16.44 | |
| MW-01 | 01/28/03 | 18.15 | 617.77 | 617.05 | -0.72 | 14.31 | Yes | 17.19 | |
| MW-01 | 02/19/03 | 18.27 | 617.50 | 616.93 | -0.27 | 13.99 | Yes | 17.51 | |
| MW-01 | 04/17/03 | 18.83 | 616.84 | 616.37 | -0.67 | 13.29 | Yes | 18.21 | |
| MW-01 | 05/15/03 | 18.67 | 616.91 | 616.53 | 0.08 | 13.34 | Yes | 18.16 | |
| MW-01 | 06/10/03 | 18.16 | 617.63 | 617.04 | 0.71 | 14.12 | Yes | 17.38 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-01 | 10/23/03 | 19.07 | 617.65 | 616.13 | 0.02 | 14.45 | Yes | 17.05 | |
| MW-01 | 12/03/03 | 19.03 | 617.63 | 616.17 | -0.02 | 14.41 | Yes | 17.09 | |
| MW-01 | 04/19/04 | 19.64 | 616.91 | 616.17 | -0.72 | 13.45 | Yes | 18.66 | |
| MW-01 | 07/28/04 | 18.06 | 618.52 | 617.75 | 1.62 | 15.08 | Yes | 17.03 | |
| MW-01 | 11/15/04 | 16.79 | 619.76 | 619.02 | 1.23 | 16.30 | Yes | 15.81 | |
| MW-01 | 04/18/05 | 16.92 | 618.90 | 618.89 | -0.06 | 15.20 | Yes | 16.91 | |
| MW-01 | 10/11/05 | 15.51 | 620.30 | 620.30 | 1.40 | 16.60 | Yes | | |
| MW-01 | 05/23/06 | 15.43 | 620.61 | 620.38 | 0.30 | 16.98 | Yes | 15.13 | |
| MW-01 | 10/16/06 | 17.43 | 620.11 | 618.38 | -0.50 | 16.98 | Yes | 15.13 | |
| MW-01 | 04/23/07 | 18.58 | 617.52 | 617.23 | -2.59 | 13.91 | Yes | 18.20 | |
| MW-01 | 09/25/07 | 18.16 | 617.88 | 617.65 | 0.37 | 14.26 | Yes | 17.85 | |
| MW-01 | 05/01/08 | 16.66 | 619.24 | 619.15 | 1.36 | 15.57 | Yes | 16.54 | |
| MW-01 | 10/20/08 | 14.83 | 621.07 | 620.98 | 1.83 | 17.40 | Yes | 14.71 | |
| MW-01 | 04/18/09 | 16.32 | 619.76 | 619.49 | -1.31 | 16.15 | Yes | 15.96 | |
| MW-01 | 10/11/09 | 16.75 | 619.39 | 619.06 | -0.37 | 15.80 | Yes | 16.31 | |
| MW-01 | 04/28/10 | 17.15 | 618.86 | 618.66 | -0.53 | 15.22 | Yes | 16.89 | |
| MW-01 | 04/25/11 | 15.70 | 620.42 | 620.11 | 1.56 | 16.82 | Yes | 15.29 | |
| MW-01 | 10/10/11 | 16.38 | 619.67 | 619.43 | 0.82 | 16.05 | Yes | 16.06 | |
| MW-01 | 01/04/12 | 17.91 | 618.14 | 617.90 | -2.28 | 14.52 | Yes | 17.59 | |
| MW-01 | 04/16/12 | 18.05 | 617.76 | 617.76 | -1.91 | 14.06 | Yes | | |
| MW-01 | 06/26/12 | 13.34 | 622.47 | 622.47 | 4.33 | 18.77 | Yes | | |
| MW-01 | 12/17/12 | 18.31 | 617.79 | 617.50 | 0.03 | 14.19 | Yes | 17.92 | |
| MW-01 | 03/25/13 | | | | | | | | Too much snow on well |
| MW-01 | 05/05/13 | | | | | | | | Too much snow on well |
| MW-02 | 03/23/88 | 20.94 | 616.33 | | NA | 6.32 | No | | |
| MW-02 | 09/08/88 | 20.91 | 616.19 | | -0.14 | 6.12 | No | | |
| MW-02 | 09/20/88 | 21.06 | 616.05 | | -0.13 | 5.99 | No | | |
| MW-02 | 04/27/89 | 20.90 | 616.05 | | 0.00 | 5.93 | No | | |
| MW-02 | 05/18/89 | 20.29 | 616.56 | | 0.51 | 6.41 | No | | |
| MW-02 | 06/30/89 | 20.49 | 616.60 | | 0.04 | 6.53 | No | | |
| MW-02 | 07/12/89 | 20.86 | 615.84 | | -0.76 | 5.64 | No | | |
| MW-02 | 07/26/89 | 20.54 | 616.70 | | 0.86 | 6.68 | No | | |
| MW-02 | 07/27/89 | 20.59 | 616.65 | | -0.05 | 6.63 | No | | |
| MW-02 | 09/03/89 | 20.38 | 616.47 | | -0.18 | 6.32 | No | | |
| MW-02 | 11/16/89 | 20.51 | 616.62 | | 0.15 | 6.56 | No | | |
| MW-02 | 11/29/89 | 20.06 | 616.66 | | 0.04 | 6.46 | No | | |
| MW-02 | 12/01/89 | 20.66 | 616.34 | | -0.31 | 6.24 | No | | |
| MW-02 | 12/02/89 | 20.87 | 616.25 | | -0.09 | 6.19 | No | | |
| MW-02 | 05/04/90 | 20.79 | 615.93 | | -0.32 | 5.74 | No | | |
| MW-02 | 06/01/90 | 21.11 | 616.23 | | 0.29 | 6.24 | No | | |
| MW-02 | 06/19/90 | 20.73 | 616.31 | | 0.08 | 6.22 | No | | |
| MW-02 | 06/27/90 | 21.18 | 616.07 | | -0.24 | 6.05 | No | | |
| MW-02 | 07/05/90 | 21.28 | 615.71 | | -0.36 | 5.60 | No | | |
| MW-02 | 07/13/90 | 21.11 | 615.93 | | 0.22 | 5.84 | No | | |
| MW-02 | 07/17/90 | 21.03 | 616.15 | | 0.22 | 6.11 | No | | |
| MW-02 | 07/25/90 | 21.23 | 615.91 | | -0.25 | 5.85 | No | | |
| MW-02 | 08/09/90 | 21.17 | 616.15 | | 0.24 | 6.15 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-02 | 08/27/90 | 21.12 | 615.96 | | -0.19 | 5.88 | No | | |
| MW-02 | 09/06/90 | 21.36 | 616.36 | | 0.40 | 6.50 | No | | |
| MW-02 | 01/04/91 | 21.09 | 616.83 | | 0.46 | 7.03 | No | | |
| MW-02 | 01/30/91 | 21.13 | 616.65 | | -0.17 | 6.81 | No | | |
| MW-02 | 04/24/91 | 21.10 | 616.34 | | -0.31 | 6.39 | No | | |
| MW-02 | 06/06/91 | 20.93 | 617.42 | | 1.08 | 7.77 | No | | |
| MW-02 | 07/09/91 | 20.85 | 618.41 | | 0.99 | 9.06 | No | | |
| MW-02 | 08/06/91 | 20.83 | 619.11 | | 0.70 | 9.99 | Yes | | |
| MW-02 | 09/04/91 | 20.79 | 619.17 | | 0.06 | 10.06 | Yes | | |
| MW-02 | 10/08/91 | 20.77 | 620.02 | | 0.84 | 11.18 | Yes | | |
| MW-02 | 11/08/91 | 20.82 | 619.33 | | -0.69 | 10.28 | Yes | | |
| MW-02 | 12/03/91 | 20.78 | 621.07 | | 1.74 | 12.59 | Yes | | |
| MW-02 | 01/07/92 | 20.84 | 619.60 | | -1.47 | 10.65 | Yes | | |
| MW-02 | 02/04/92 | 20.86 | 618.80 | | -0.80 | 9.59 | Yes | | |
| MW-02 | 03/03/92 | 20.89 | 618.35 | | -0.46 | 8.99 | No | | |
| MW-02 | 09/24/92 | 21.80 | 619.37 | | 1.02 | 10.66 | Yes | | |
| MW-02 | 10/14/92 | 20.85 | 619.57 | | 0.20 | 10.61 | Yes | | |
| MW-02 | 06/25/93 | 20.70 | 621.94 | | 2.37 | 13.72 | Yes | | |
| MW-02 | 10/28/93 | 21.39 | 618.46 | | -3.48 | 9.31 | Yes | | |
| MW-02 | 01/29/94 | 20.89 | 618.20 | | -0.27 | 8.79 | No | | |
| MW-02 | 04/27/94 | 20.86 | 618.32 | | 0.13 | 8.95 | No | | |
| MW-02 | 07/21/94 | 21.39 | 619.23 | | 0.90 | 10.33 | Yes | | |
| MW-02 | 10/25/94 | 20.84 | 619.26 | | 0.03 | 10.19 | Yes | | |
| MW-02 | 11/02/94 | 18.31 | 618.24 | | -1.02 | 7.99 | No | | |
| MW-02 | 02/01/95 | 21.50 | 617.20 | | -1.04 | 7.67 | No | | |
| MW-02 | 04/04/95 | 20.76 | 617.11 | | -0.09 | 7.30 | No | | |
| MW-02 | 07/12/95 | 20.71 | 618.35 | | 1.24 | 8.94 | No | | |
| MW-02 | 11/13/95 | 20.66 | 618.97 | | 0.61 | 9.74 | Yes | | |
| MW-02 | 03/13/96 | 20.76 | 617.59 | | -1.38 | 7.94 | No | | |
| MW-02 | 10/08/96 | 20.62 | 620.55 | | 2.96 | 11.84 | Yes | | |
| MW-02 | 04/29/97 | 20.41 | 621.58 | | 1.03 | 13.14 | Yes | | |
| MW-02 | 06/10/97 | 20.51 | 620.13 | | -1.45 | 11.24 | Yes | FP bailed 5/22/97 | |
| MW-02 | 03/02/99 | 21.35 | 616.39 | | -3.73 | 6.54 | No | | |
| MW-02 | 11/09/99 | 14.54 | 620.66 | | 4.27 | 9.96 | Yes | ferret pump installed | |
| MW-02 | 12/21/99 | 16.96 | 618.35 | | -2.31 | 7.69 | No | pump line frozen | |
| MW-02 | 01/27/00 | 18.41 | 617.26 | | -1.09 | 6.72 | No | ferret pump re-installed | |
| MW-02 | 02/24/00 | 17.48 | 617.74 | | 0.47 | 7.04 | No | | |
| MW-02 | 03/31/00 | 17.42 | 617.78 | | 0.04 | 7.08 | No | Moved ferret pump to RW-6 | |
| MW-02 | 04/20/00 | 18.08 | 617.56 | | -0.23 | 7.00 | No | | |
| MW-02 | 04/26/00 | 18.25 | 617.36 | | -0.20 | 6.79 | No | bailed 0.25 gal. FP | |
| MW-02 | 05/31/00 | 17.79 | 618.01 | | 0.65 | 7.51 | No | bailed 0.25 gal. FP | |
| MW-02 | 06/29/00 | 17.24 | 618.37 | | 0.36 | 7.81 | No | bailed 0.25 gal. FP | |
| MW-02 | 07/26/00 | 17.65 | 618.17 | | -0.20 | 7.68 | No | bailed <0.1 gal. FP | |
| MW-02 | 08/18/00 | 18.16 | 617.69 | | -0.48 | 7.21 | No | bailed 0.25 gal. FP | |
| MW-02 | 09/27/00 | 18.54 | 617.29 | | -0.40 | 6.80 | No | bailed <0.1 gal. FP | |
| MW-02 | 10/11/00 | 18.45 | 617.39 | | 0.10 | 6.90 | No | bailed 0.25 gal. FP | |
| MW-02 | 11/17/00 | 18.60 | 617.44 | | 0.05 | 7.02 | No | bailed 1 gal. FP | |
| MW-02 | 12/12/00 | 17.61 | 617.79 | | 0.35 | 7.15 | No | bailed 0.2 gal. FP | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-02 | 01/18/01 | 18.49 | 617.25 | | -0.53 | 6.73 | No | | bailed 0.75 gal. FP |
| MW-02 | 04/24/01 | 18.74 | 617.14 | | -0.11 | 6.67 | No | | product abated using vactruck |
| MW-02 | 05/23/01 | 17.01 | 618.54 | | 1.40 | 7.96 | No | | no product bailed |
| MW-02 | 06/19/01 | 17.36 | 618.49 | | -0.05 | 8.01 | No | | TPC = TOC + 0.85 feet |
| MW-02 | 07/26/01 | 17.47 | 618.60 | | 0.11 | 8.19 | No | | |
| MW-02 | 08/31/01 | 18.55 | 617.47 | | -1.13 | 7.04 | No | | |
| MW-02 | 09/26/01 | 18.47 | 617.47 | | 0.00 | 7.01 | No | | |
| MW-02 | 10/24/01 | 17.63 | 618.37 | | 0.91 | 7.94 | No | | |
| MW-02 | 12/20/01 | 19.09 | 616.88 | | -1.50 | 6.43 | No | | |
| MW-02 | 02/26/02 | 19.71 | 616.41 | | -0.46 | 6.02 | No | | |
| MW-02 | 03/20/02 | 20.01 | 616.23 | | -0.64 | 5.88 | No | | |
| MW-02 | 04/24/02 | 18.14 | 617.85 | | 1.62 | 7.41 | No | | |
| MW-02 | 05/15/02 | 17.83 | 618.26 | | 0.42 | 7.86 | No | | |
| MW-02 | 06/27/02 | 18.12 | 617.99 | | -0.28 | 7.59 | No | | |
| MW-02 | 07/25/02 | 18.00 | 618.24 | | 0.26 | 7.89 | No | | |
| MW-02 | 08/20/02 | 18.12 | 618.06 | | -0.19 | 7.68 | No | | |
| MW-02 | 09/30/02 | 17.62 | 618.79 | | 0.73 | 8.49 | No | | |
| MW-02 | 11/05/02 | 18.46 | 617.95 | | -0.84 | 7.65 | No | | |
| MW-02 | 12/23/02 | 19.09 | 617.12 | | -0.83 | 6.75 | No | | |
| MW-02 | 01/28/03 | 19.77 | 616.62 | | -0.49 | 6.32 | No | | |
| MW-02 | 02/19/03 | 18.99 | 617.46 | | 0.83 | 7.17 | No | | |
| MW-02 | 04/17/03 | 20.63 | 615.94 | | -1.51 | 5.70 | No | | |
| MW-02 | 05/15/03 | 19.86 | 616.75 | | 0.81 | 6.52 | No | | |
| MW-02 | 06/10/03 | 19.19 | 617.20 | | 0.45 | 6.89 | No | | |
| MW-02 | 10/23/03 | 20.24 | 616.04 | | -1.16 | 5.70 | No | | |
| MW-02 | 12/03/03 | 19.51 | 616.84 | | 0.80 | 6.52 | No | | |
| MW-02 | 04/19/04 | 22.13 | 615.54 | | -1.30 | 5.34 | No | | |
| MW-02 | 07/28/04 | 21.47 | 616.57 | | 1.03 | 6.49 | No | | |
| MW-02 | 11/15/04 | 21.47 | 617.41 | | 0.85 | 7.62 | No | | |
| MW-02 | 04/18/05 | 22.93 | 616.01 | | -1.40 | 6.24 | No | | |
| MW-02 | 09/09/05 | 21.72 | 617.34 | | 1.33 | 7.61 | No | | |
| MW-02 | 10/11/05 | 21.70 | 617.54 | | 1.53 | 7.87 | No | | |
| MW-02 | 05/23/06 | 21.38 | 618.34 | | 2.32 | 8.82 | No | | |
| MW-02 | 10/16/06 | 21.98 | 617.29 | | -0.06 | 7.62 | No | | |
| MW-02 | 04/23/07 | NA | NA | | NA | NA | NA | | Well broken - could not gauge |
| MW-02 | 09/25/07 | | | Abandoned | | | | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECT ED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|---------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-03 | 03/23/88 | 15.88 | 618.02 | 618.02 | NA | 8.42 | No | | |
| MW-03 | 09/08/88 | 15.62 | 618.28 | 618.28 | 0.26 | 8.68 | No | | |
| MW-03 | 09/20/88 | 15.11 | 618.79 | 618.79 | 0.51 | 9.19 | Yes | | |
| MW-03 | 04/27/89 | 14.10 | 619.80 | 619.80 | 1.01 | 10.20 | Yes | | |
| MW-03 | 05/18/89 | 13.53 | 620.37 | 620.37 | 0.57 | 10.77 | Yes | | |
| MW-03 | 06/30/89 | 14.06 | 619.84 | 619.84 | -0.53 | 10.24 | Yes | | |
| MW-03 | 07/12/89 | 14.80 | 619.10 | 619.10 | -0.74 | 9.50 | Yes | | |
| MW-03 | 07/26/89 | 15.11 | 618.79 | 618.79 | -0.31 | 9.19 | Yes | | |
| MW-03 | 07/27/89 | 15.33 | 618.57 | 618.57 | -0.22 | 8.97 | No | | |
| MW-03 | 09/03/89 | 15.49 | 618.41 | 618.41 | -0.16 | 8.81 | No | | |
| MW-03 | 11/16/89 | 15.45 | 618.45 | 618.45 | 0.04 | 8.85 | No | | |
| MW-03 | 11/28/89 | 15.88 | 618.02 | 618.02 | -0.43 | 8.42 | No | | |
| MW-03 | 06/01/90 | 11.15 | 622.75 | 622.75 | 4.73 | 13.15 | Yes | | |
| MW-03 | 06/19/90 | 14.08 | 619.82 | 619.82 | -2.93 | 10.22 | Yes | | |
| MW-03 | 06/27/90 | 14.96 | 618.94 | 618.94 | -0.88 | 9.34 | Yes | | |
| MW-03 | 07/05/90 | 15.54 | 618.36 | 618.36 | -0.58 | 8.76 | No | | |
| MW-03 | 07/13/90 | 15.84 | 618.06 | 618.06 | -0.30 | 8.46 | No | | |
| MW-03 | 07/17/90 | 15.45 | 618.45 | 618.45 | 0.39 | 8.85 | No | | |
| MW-03 | 07/25/90 | 15.99 | 617.91 | 617.91 | -0.54 | 8.31 | No | | |
| MW-03 | 08/09/90 | 15.87 | 618.03 | 618.03 | 0.12 | 8.43 | No | | |
| MW-03 | 08/14/90 | 15.96 | 617.94 | 617.94 | -0.09 | 8.34 | No | | |
| MW-03 | 08/27/90 | 15.24 | 618.66 | 618.66 | 0.72 | 9.06 | Yes | | |
| MW-03 | 09/06/90 | 14.75 | 619.15 | 619.15 | 0.49 | 9.55 | Yes | | |
| MW-03 | 01/04/91 | 15.24 | 618.66 | 618.66 | -0.49 | 9.06 | Yes | | |
| MW-03 | 01/30/91 | 15.69 | 618.21 | 618.21 | -0.45 | 8.61 | No | | |
| MW-03 | 04/24/91 | 13.69 | 620.21 | 620.21 | 2.00 | 10.61 | Yes | | |
| MW-03 | 07/09/91 | 11.50 | 622.40 | 622.40 | 2.19 | 12.80 | Yes | | |
| MW-03 | 10/08/91 | 11.17 | 622.73 | 622.73 | 0.33 | 13.13 | Yes | | |
| MW-03 | 01/07/92 | 11.15 | 622.75 | 622.75 | 0.02 | 13.15 | Yes | | |
| MW-03 | 10/14/92 | 5.26 | 628.64 | 628.64 | 5.89 | 19.04 | Yes | | |
| MW-03 | 01/29/94 | 13.68 | 620.22 | 620.22 | -8.42 | 10.62 | Yes | | |
| MW-03 | 04/27/94 | 10.57 | 623.33 | 623.33 | 3.11 | 13.73 | Yes | | |
| MW-03 | 07/21/94 | 11.72 | 622.18 | 622.18 | -1.15 | 12.58 | Yes | | |
| MW-03 | 10/25/94 | 4.49 | 629.41 | 629.41 | 7.23 | 19.81 | Yes | | |
| MW-03 | 10/27/94 | 4.41 | 629.49 | 629.49 | 0.08 | 19.89 | Yes | | |
| MW-03 | 11/02/94 | 15.93 | 618.50 | 617.97 | -11.00 | 9.07 | Yes | | |
| MW-03 | 02/01/95 | 13.18 | 620.72 | 620.72 | 2.22 | 11.12 | Yes | | |
| MW-03 | 04/04/95 | 14.67 | 619.23 | 619.23 | -1.49 | 9.63 | Yes | | |
| MW-03 | 07/12/95 | 13.14 | 620.76 | 620.76 | 1.53 | 11.16 | Yes | | |
| MW-03 | 11/13/95 | 11.19 | 622.72 | 622.71 | 1.96 | 13.12 | Yes | | |
| MW-03 | 03/13/96 | 14.38 | 619.53 | 619.52 | -3.19 | 9.93 | Yes | | |
| MW-03 | 10/08/96 | 11.05 | 622.85 | 622.85 | 3.32 | 13.25 | Yes | | |
| MW-03 | 04/29/97 | 7.95 | 625.95 | 625.95 | 3.10 | 16.35 | Yes | | |
| MW-03 | 11/03/98 | 14.28 | 619.62 | 619.62 | -6.33 | 10.02 | Yes | | |
| MW-03 | 03/02/99 | 14.67 | 619.23 | 619.23 | -0.39 | 9.63 | Yes | | |
| MW-03 | 04/26/00 | 4.45 | 629.45 | 629.45 | 10.22 | 19.85 | Yes | | |
| MW-03 | 08/18/00 | 14.04 | 619.86 | 619.86 | -9.59 | 10.26 | 'Yes | | |
| MW-03 | 03/20/02 | 15.87 | 618.03 | 618.03 | -1.83 | 8.43 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-03 | 05/15/02 | 4.57 | 629.33 | 629.33 | 11.30 | 19.73 | Yes | | |
| MW-03 | 08/20/02 | 4.32 | 629.58 | 629.58 | 0.25 | 19.98 | Yes | | |
| MW-03 | 11/05/02 | 4.25 | 629.65 | 629.65 | 0.07 | 20.05 | Yes | | |
| MW-03 | 12/23/02 | 14.80 | 619.10 | 619.10 | -10.55 | 9.50 | Yes | | |
| MW-03 | 01/28/03 | 15.48 | 618.42 | 618.42 | -0.68 | 8.82 | No | | |
| MW-03 | 02/19/03 | 15.75 | 618.15 | 618.15 | -0.27 | 8.55 | No | | |
| MW-03 | 04/17/03 | 15.33 | 618.57 | 618.57 | 0.42 | 8.97 | No | | |
| MW-03 | 06/10/03 | 15.33 | 618.57 | 618.57 | NA | 8.97 | No | | |
| MW-03 | 10/20/03 | 15.71 | 618.19 | 618.19 | -0.38 | 8.59 | No | | |
| MW-03 | 12/03/03 | 16.03 | 617.87 | 617.87 | -0.32 | 8.27 | No | | |
| MW-03 | 04/19/04 | 16.33 | 618.18 | 618.18 | 0.31 | 8.58 | No | | |
| MW-03 | 07/28/04 | 15.34 | 619.17 | 619.17 | 0.99 | 9.57 | Yes | | |
| MW-03 | 11/16/04 | 14.23 | 620.28 | 620.28 | 1.11 | 10.68 | Yes | | |
| MW-03 | 04/18/05 | 14.32 | 620.19 | 620.19 | -0.09 | 10.59 | Yes | | |
| MW-03 | 10/11/05 | 13.84 | 620.67 | 620.67 | 0.48 | 11.07 | Yes | | |
| MW-03 | 05/23/06 | 11.26 | 623.25 | 623.25 | 2.58 | 13.65 | Yes | | |
| MW-03 | 10/16/06 | 15.32 | 619.19 | 619.19 | -4.06 | 9.59 | Yes | | |
| MW-03 | 04/23/07 | 8.86 | 625.65 | 625.65 | 6.46 | 16.05 | Yes | | |
| MW-03 | 09/25/07 | 11.85 | 622.66 | 622.66 | -2.99 | 13.06 | Yes | | |
| MW-03 | 05/01/08 | 10.03 | 624.48 | 624.48 | 1.82 | 14.88 | Yes | | |
| MW-03 | 10/20/08 | 4.81 | 629.70 | 629.70 | 5.22 | 20.10 | Yes | | |
| MW-03 | 04/18/09 | 6.36 | 628.15 | 628.15 | -1.55 | 18.55 | Yes | | |
| MW-03 | 10/11/09 | 14.75 | 619.76 | 619.76 | -8.39 | 10.16 | Yes | | |
| MW-03 | 04/28/10 | 13.34 | 621.17 | 621.17 | 1.41 | 11.57 | Yes | | |
| MW-03 | 10/25/10 | 5.45 | 629.06 | 629.06 | 7.89 | 19.46 | Yes | | |
| MW-03 | 04/25/11 | 5.30 | 629.21 | 629.21 | 0.15 | 19.61 | Yes | | |
| MW-03 | 10/10/11 | 13.99 | 620.52 | 620.52 | -8.69 | 10.92 | Yes | | |
| MW-03 | 01/04/12 | 15.25 | 619.26 | 619.26 | -1.26 | 9.66 | Yes | | |
| MW-03 | 04/16/12 | 13.68 | 620.83 | 620.83 | 1.57 | 11.23 | Yes | | |
| MW-03 | 06/26/12 | 4.90 | 629.61 | 629.61 | 8.78 | 20.01 | Yes | | |
| MW-03 | 09/30/12 | 15.37 | 619.14 | 619.14 | -10.47 | 9.54 | Yes | | |
| MW-03 | 03/25/13 | 16.89 | 617.62 | 617.62 | -1.52 | 8.02 | No | | |
| MW-03 | 05/05/13 | 7.21 | 627.30 | 627.30 | 9.68 | 17.70 | Yes | | |
| MW-04S | 03/23/88 | 16.39 | 617.91 | 617.91 | NA | 7.91 | No | | |
| MW-04S | 09/08/88 | 16.37 | 617.93 | 617.93 | 0.02 | 7.93 | No | | |
| MW-04S | 09/20/88 | 16.58 | 617.72 | 617.72 | -0.21 | 7.72 | No | | |
| MW-04S | 04/27/89 | 15.17 | 619.13 | 619.13 | 1.41 | 9.13 | No | | |
| MW-04S | 05/18/89 | 14.42 | 619.88 | 619.88 | 0.75 | 9.88 | No | | |
| MW-04S | 06/30/89 | 14.84 | 619.46 | 619.46 | -0.42 | 9.46 | No | | |
| MW-04S | 07/12/89 | 15.51 | 618.79 | 618.79 | -0.67 | 8.79 | No | | |
| MW-04S | 07/26/89 | 15.81 | 618.49 | 618.49 | -0.30 | 8.49 | No | | |
| MW-04S | 07/27/89 | 15.94 | 618.36 | 618.36 | -0.13 | 8.36 | No | | |
| MW-04S | 09/03/89 | 16.26 | 618.04 | 618.04 | -0.32 | 8.04 | No | | |
| MW-04S | 11/16/89 | 16.20 | 618.10 | 618.10 | 0.06 | 8.10 | No | | |
| MW-04S | 11/28/89 | 16.52 | 617.78 | 617.78 | -0.32 | 7.78 | No | | |
| MW-04S | 06/01/90 | 15.51 | 618.79 | 618.79 | 1.01 | 8.79 | No | | |
| MW-04S | 06/19/90 | 15.53 | 618.77 | 618.77 | -0.02 | 8.77 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECT ED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|---------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-04S | 06/27/90 | 15.89 | 618.41 | 618.41 | -0.36 | 8.41 | No | | |
| MW-04S | 07/05/90 | 16.37 | 617.93 | 617.93 | -0.48 | 7.93 | No | | |
| MW-04S | 07/13/90 | 16.58 | 617.72 | 617.72 | -0.21 | 7.72 | No | | |
| MW-04S | 07/17/90 | 16.19 | 618.11 | 618.11 | 0.39 | 8.11 | No | | |
| MW-04S | 07/25/90 | 16.64 | 617.66 | 617.66 | -0.45 | 7.66 | No | | |
| MW-04S | 08/09/90 | 16.52 | 617.78 | 617.78 | 0.12 | 7.78 | No | | |
| MW-04S | 08/14/90 | 16.58 | 617.72 | 617.72 | -0.06 | 7.72 | No | | |
| MW-04S | 08/27/90 | 16.31 | 617.99 | 617.99 | 0.27 | 7.99 | No | | |
| MW-04S | 09/06/90 | 15.69 | 618.61 | 618.61 | 0.62 | 8.61 | No | | |
| MW-04S | 01/04/91 | 15.83 | 618.47 | 618.47 | -0.14 | 8.47 | No | | |
| MW-04S | 01/30/91 | 16.29 | 618.01 | 618.01 | -0.46 | 8.01 | No | | |
| MW-04S | 04/24/91 | 15.48 | 618.82 | 618.82 | 0.81 | 8.82 | No | | |
| MW-04S | 07/09/91 | 12.97 | 621.33 | 621.33 | 2.51 | 11.33 | Yes | | |
| MW-04S | 08/06/91 | 12.67 | 621.63 | 621.63 | 0.30 | 11.63 | Yes | | |
| MW-04S | 09/04/91 | 13.12 | 621.18 | 621.18 | -0.45 | 11.18 | Yes | | |
| MW-04S | 10/08/91 | 12.14 | 622.16 | 622.16 | 0.98 | 12.16 | Yes | | |
| MW-04S | 11/08/91 | 12.62 | 621.68 | 621.68 | -0.48 | 11.68 | Yes | | |
| MW-04S | 12/03/91 | 10.71 | 623.59 | 623.59 | 1.91 | 13.59 | Yes | | |
| MW-04S | 01/07/92 | 12.32 | 621.98 | 621.98 | -1.61 | 11.98 | Yes | | |
| MW-04S | 02/04/92 | 13.44 | 620.86 | 620.86 | -1.12 | 10.86 | Yes | | |
| MW-04S | 03/03/92 | 14.14 | 620.16 | 620.16 | -0.70 | 10.16 | Yes | | |
| MW-04S | 09/24/92 | 12.24 | 622.06 | 622.06 | 1.90 | 12.06 | Yes | | |
| MW-04S | 10/14/92 | 12.88 | 621.42 | 621.42 | -0.64 | 11.42 | Yes | | |
| MW-04S | 06/25/93 | 10.25 | 624.05 | 624.05 | 2.63 | 14.05 | Yes | | |
| MW-04S | 10/28/93 | 13.21 | 621.09 | 621.09 | -2.96 | 11.09 | Yes | | |
| MW-04S | 01/29/94 | 14.41 | 619.89 | 619.89 | -1.20 | 9.89 | No | | |
| MW-04S | 04/27/94 | 13.15 | 621.15 | 621.15 | 1.26 | 11.15 | Yes | | |
| MW-04S | 06/14/94 | 12.17 | 622.13 | 622.13 | 0.98 | 12.13 | Yes | | |
| MW-04S | 07/21/94 | 12.62 | 621.68 | 621.68 | -0.45 | 11.68 | Yes | | |
| MW-04S | 08/30/94 | 14.31 | 619.99 | 619.99 | -1.69 | 9.99 | No | | |
| MW-04S | 10/25/94 | 12.89 | 621.41 | 621.41 | 1.42 | 11.41 | Yes | | |
| MW-04S | 10/27/94 | 12.46 | 621.84 | 621.84 | 0.43 | 11.84 | Yes | | |
| MW-04S | 11/02/94 | 16.31 | 617.99 | 617.99 | -3.85 | 7.99 | No | | |
| MW-04S | 04/04/95 | 15.57 | 618.73 | 618.73 | 0.74 | 8.73 | No | | |
| MW-04S | 07/12/95 | 14.11 | 620.19 | 620.19 | 1.46 | 10.19 | Yes | | |
| MW-04S | 11/13/95 | 12.32 | 621.98 | 621.98 | 1.79 | 11.98 | Yes | | |
| MW-04S | 03/13/96 | 15.96 | 618.34 | 618.34 | -3.64 | 8.34 | No | | |
| MW-04S | 04/22/96 | 12.50 | 621.80 | 621.80 | 3.46 | 11.80 | Yes | | |
| MW-04S | 10/08/96 | 11.99 | 622.31 | 622.31 | 0.51 | 12.31 | Yes | | |
| MW-04S | 04/29/97 | 10.12 | 624.18 | 624.18 | 1.87 | 14.18 | Yes | | |
| MW-04S | 11/03/98 | 15.22 | 619.08 | 619.08 | -5.10 | 9.08 | No | | |
| MW-04S | 03/02/99 | 15.51 | 618.79 | 618.79 | -0.29 | 8.79 | No | | |
| MW-04S | 04/26/00 | 14.08 | 620.22 | 620.22 | 1.43 | 10.22 | Yes | | |
| MW-04S | 10/10/00 | 15.27 | 619.03 | 619.03 | -1.19 | 9.03 | No | | |
| MW-04S | 04/24/01 | 14.54 | 619.76 | 619.76 | 0.73 | 9.76 | No | | |
| MW-04S | 10/23/01 | 15.29 | 619.01 | 619.01 | -0.75 | 9.01 | No | | |
| MW-04S | 04/23/02 | 15.31 | 618.99 | 618.99 | -0.02 | 8.99 | No | | |
| MW-04S | 11/05/02 | 13.60 | 620.70 | 620.70 | 1.71 | 10.70 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-04S | 04/17/03 | 16.65 | 617.65 | 617.65 | -3.05 | 7.65 | No | | |
| MW-04S | 10/20/03 | 16.40 | 617.90 | 617.90 | NA | 7.90 | No | | |
| MW-04S | 04/19/04 | 17.79 | 617.18 | 617.18 | -0.72 | 7.18 | No | | |
| MW-04S | 11/16/04 | 15.38 | 619.59 | 619.59 | 2.41 | 9.59 | No | | |
| MW-04S | 04/18/05 | 15.96 | 619.01 | 619.01 | -0.58 | 9.01 | No | | |
| MW-04S | 10/11/05 | 15.42 | 619.55 | 619.55 | 0.54 | 9.55 | No | | |
| MW-04S | 05/23/06 | 14.39 | 620.58 | 620.58 | 1.03 | 10.58 | Yes | | |
| MW-04S | 10/16/06 | 15.96 | 619.01 | 619.01 | -1.57 | 9.01 | No | | |
| MW-04S | 04/23/07 | 17.07 | 617.90 | 617.90 | -1.11 | 7.90 | No | | |
| MW-04S | 09/25/07 | 17.37 | 617.60 | 617.60 | -0.30 | 7.60 | No | | |
| MW-04S | 05/01/08 | 15.37 | 619.60 | 619.60 | 2.00 | 9.60 | No | | |
| MW-04S | 10/20/08 | 13.97 | 621.00 | 621.00 | 1.40 | 11.00 | Yes | | |
| MW-04S | 04/18/09 | 15.72 | 619.25 | 619.25 | -1.75 | 9.25 | No | | |
| MW-04S | 10/11/09 | 16.66 | 618.31 | 618.31 | -0.94 | 8.31 | No | | |
| MW-04S | 04/28/10 | 16.49 | 618.48 | 618.48 | 0.17 | 8.48 | No | | |
| MW-04S | 10/25/10 | 14.42 | 620.55 | 620.55 | 2.07 | 10.55 | Yes | | |
| MW-04S | 04/25/11 | 15.65 | 619.32 | 619.32 | -1.23 | 9.32 | No | | |
| MW-04S | 10/10/11 | 15.62 | 619.35 | 619.35 | 0.03 | 9.35 | No | | |
| MW-04S | 01/04/12 | 16.78 | 618.19 | 618.19 | -1.16 | 8.19 | No | | |
| MW-04S | 04/16/12 | 17.08 | 617.89 | 617.89 | -0.30 | 7.89 | No | | |
| MW-04S | 06/26/12 | 13.82 | 621.15 | 621.15 | 3.26 | 11.15 | Yes | | |
| MW-04S | 09/30/12 | 16.85 | 618.12 | 618.12 | -3.03 | 8.12 | No | | |
| MW-04S | 03/25/13 | 18.26 | 616.71 | 616.71 | -1.41 | 6.71 | No | | |
| MW-04S | 05/05/13 | 17.49 | 617.48 | 617.48 | 0.77 | 7.48 | No | | |
| MW-04D | 06/14/94 | 14.21 | 620.09 | 620.09 | NA | 40.09 | Yes | | |
| MW-04D | 07/21/94 | 14.34 | 619.96 | 619.96 | -0.13 | 39.96 | Yes | | |
| MW-04D | 08/30/94 | 15.63 | 618.67 | 618.67 | -1.29 | 38.67 | Yes | | |
| MW-04D | 10/25/94 | 14.54 | 619.76 | 619.76 | 1.09 | 39.76 | Yes | | |
| MW-04D | 10/27/94 | 13.10 | 621.20 | 621.20 | 1.44 | 41.20 | Yes | | |
| MW-04D | 02/01/95 | 16.23 | 618.07 | 618.07 | -3.13 | 38.07 | Yes | | |
| MW-04D | 04/04/95 | 16.86 | 617.44 | 617.44 | -0.63 | 37.44 | Yes | | |
| MW-04D | 07/12/95 | 15.78 | 618.52 | 618.52 | 1.08 | 38.52 | Yes | | |
| MW-04D | 11/13/95 | 14.35 | 619.95 | 619.95 | 1.43 | 39.95 | Yes | | |
| MW-04D | 03/13/96 | 16.54 | 617.77 | 617.76 | -2.18 | 37.77 | Yes | | |
| MW-04D | 04/22/96 | 14.70 | 619.60 | 619.60 | 1.83 | 39.60 | Yes | | |
| MW-04D | 10/08/96 | 13.97 | 620.33 | 620.33 | 0.73 | 40.33 | Yes | | |
| MW-04D | 04/29/97 | 12.60 | 621.70 | 621.70 | 1.37 | 41.70 | Yes | | |
| MW-04D | 11/03/98 | 16.72 | 617.58 | 617.58 | -4.12 | 37.58 | Yes | | |
| MW-04D | 03/02/99 | 16.73 | 617.57 | 617.57 | -0.01 | 37.57 | Yes | | |
| MW-04D | 04/26/00 | 15.76 | 618.54 | 618.54 | 0.97 | 38.54 | Yes | | |
| MW-04D | 10/10/00 | 17.25 | 617.05 | 617.05 | -1.49 | 37.05 | Yes | | |
| MW-04D | 10/23/01 | 16.66 | 617.64 | 617.64 | 0.59 | 37.64 | Yes | | |
| MW-04D | 04/23/02 | 16.90 | 617.40 | 617.40 | -0.24 | 37.40 | Yes | | |
| MW-04D | 11/05/02 | 15.34 | 618.96 | 618.96 | 1.56 | 38.96 | Yes | | |
| MW-04D | 04/17/03 | 17.82 | 616.48 | 616.48 | -2.48 | 36.48 | Yes | | |
| MW-04D | 10/20/03 | 17.61 | 616.69 | 616.69 | NA | 36.69 | Yes | | |
| MW-04D | 04/19/04 | 18.88 | 616.10 | 616.10 | -0.59 | 36.10 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-04D | 11/16/04 | 17.01 | 617.97 | 617.97 | 1.87 | 37.97 | Yes | | |
| MW-04D | 04/18/05 | 17.54 | 617.44 | 617.44 | -0.53 | 37.44 | Yes | | |
| MW-04D | 10/11/05 | 16.88 | 618.10 | 618.10 | 0.66 | 38.10 | Yes | | |
| MW-04D | 05/23/06 | 15.98 | 619.00 | 619.00 | 0.90 | 39.00 | Yes | | |
| MW-04D | 10/16/06 | 17.42 | 617.56 | 617.56 | -1.44 | 37.56 | Yes | | |
| MW-04D | 04/23/07 | 17.19 | 617.79 | 617.79 | 0.23 | 37.79 | Yes | | |
| MW-04D | 09/25/07 | 18.15 | 616.83 | 616.83 | -0.96 | 36.83 | Yes | | |
| MW-04D | 05/01/08 | 16.42 | 618.56 | 618.56 | 1.73 | 38.56 | Yes | | |
| MW-04D | 10/20/08 | 15.00 | 619.98 | 619.98 | 1.42 | 39.98 | Yes | | |
| MW-04D | 04/18/09 | 16.59 | 618.39 | 618.39 | -1.59 | 38.39 | Yes | | |
| MW-04D | 10/11/09 | 17.19 | 617.79 | 617.79 | -0.60 | 37.79 | Yes | | |
| MW-04D | 04/28/10 | 17.31 | 617.67 | 617.67 | -0.12 | 37.67 | Yes | | |
| MW-04D | 10/25/10 | 15.23 | 619.75 | 619.75 | 2.08 | 39.75 | Yes | | |
| MW-04D | 04/25/11 | 16.45 | 618.53 | 618.53 | -1.22 | 38.53 | Yes | | |
| MW-04D | 10/10/11 | 16.21 | 618.77 | 618.77 | 0.24 | 38.77 | Yes | | |
| MW-04D | 01/04/12 | 17.36 | 617.62 | 617.62 | -1.15 | 37.62 | Yes | | |
| MW-04D | 04/16/12 | 17.64 | 617.34 | 617.34 | -0.28 | 37.34 | Yes | | |
| MW-04D | 06/26/12 | 14.93 | 620.05 | 620.05 | 2.71 | 40.05 | Yes | | |
| MW-04D | 09/30/12 | 17.35 | 617.63 | 617.63 | -2.42 | 37.63 | Yes | | |
| MW-04D | 03/25/13 | 18.28 | 616.70 | 616.70 | -0.93 | 36.70 | Yes | | |
| MW-04D | 05/05/13 | 18.03 | 616.95 | 616.95 | 0.25 | 36.95 | Yes | | |
| MW-05 | 03/23/88 | 16.91 | 617.49 | | NA | 7.99 | No | | |
| MW-05 | 09/08/88 | 16.96 | 617.44 | | -0.05 | 7.94 | No | | |
| MW-05 | 09/20/88 | 16.96 | 617.44 | | 0.00 | 7.94 | No | | |
| MW-05 | 04/27/89 | 16.27 | 618.13 | | 0.69 | 8.63 | No | | |
| MW-05 | 05/18/89 | 15.52 | 618.88 | | 0.75 | 9.38 | Yes | | |
| MW-05 | 06/30/89 | 15.81 | 618.59 | | -0.29 | 9.09 | Yes | | |
| MW-05 | 07/12/89 | 16.27 | 618.13 | | -0.46 | 8.63 | No | | |
| MW-05 | 07/26/89 | 16.42 | 617.98 | | -0.15 | 8.48 | No | | |
| MW-05 | 07/27/89 | 16.53 | 617.87 | | -0.11 | 8.37 | No | | |
| MW-05 | 09/03/89 | 16.81 | 617.59 | | -0.28 | 8.09 | No | | |
| MW-05 | 11/28/89 | 17.28 | 617.12 | | -0.47 | 7.62 | No | | |
| MW-05 | 06/01/90 | 16.38 | 618.02 | | 0.90 | 8.52 | No | | |
| MW-05 | 06/19/90 | 16.41 | 617.99 | | -0.03 | 8.49 | No | | |
| MW-05 | 06/27/90 | 16.71 | 617.69 | | -0.30 | 8.19 | No | | |
| MW-05 | 07/05/90 | 17.11 | 617.29 | | -0.40 | 7.79 | No | | |
| MW-05 | 07/13/90 | 17.24 | 617.16 | | -0.13 | 7.66 | No | | |
| MW-05 | 07/17/90 | 16.79 | 617.61 | | 0.45 | 8.11 | No | | |
| MW-05 | 07/25/90 | 17.22 | 617.18 | | -0.43 | 7.68 | No | | |
| MW-05 | 08/09/90 | 17.07 | 617.33 | | 0.15 | 7.83 | No | | |
| MW-05 | 08/14/90 | 17.09 | 617.31 | | -0.02 | 7.81 | No | | |
| MW-05 | 08/27/90 | 16.86 | 617.54 | | 0.23 | 8.04 | No | | |
| MW-05 | 09/06/90 | 18.80 | 615.60 | | -1.94 | 6.10 | No | | |
| MW-05 | 01/04/91 | 16.06 | 618.34 | | 2.74 | 8.84 | No | | |
| MW-05 | 01/30/91 | 16.66 | 617.74 | | -0.60 | 8.24 | No | | |
| MW-05 | 04/24/91 | 16.37 | 618.03 | | 0.29 | 8.53 | No | | |
| MW-05 | 07/09/91 | 14.20 | 620.20 | | 2.17 | 10.70 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-05 | 10/08/91 | 13.07 | 621.33 | | 1.13 | 11.83 | Yes | | |
| MW-05 | 01/07/92 | 13.20 | 621.20 | | -0.13 | 11.70 | Yes | | |
| MW-05 | 10/14/92 | 13.52 | 620.88 | | -0.32 | 11.38 | Yes | | |
| MW-05 | 01/29/94 | 14.84 | 619.56 | | -1.32 | 10.06 | Yes | | |
| MW-05 | 04/27/94 | 14.15 | 620.25 | | 0.69 | 10.75 | Yes | | |
| MW-05 | 07/21/94 | 13.26 | 621.14 | | 0.89 | 11.64 | Yes | | |
| MW-05 | 10/25/94 | 13.69 | 620.71 | | -0.43 | 11.21 | Yes | | |
| MW-05 | 10/27/94 | 13.28 | 621.12 | | 0.41 | 11.62 | Yes | | |
| MW-05 | 11/02/94 | 18.30 | 617.51 | | -3.61 | 8.48 | No | | |
| MW-05 | 02/01/95 | 15.47 | 618.93 | | 1.42 | 9.43 | Yes | | |
| MW-05 | 04/04/95 | 16.24 | 618.16 | | -0.77 | 8.66 | No | | |
| MW-05 | 07/12/95 | 14.76 | 619.64 | | 1.48 | 10.14 | Yes | | |
| MW-05 | 11/13/95 | 13.34 | 621.06 | | 1.42 | 11.56 | Yes | | |
| MW-05 | 03/13/96 | 15.38 | 619.02 | | -2.04 | 9.52 | Yes | | |
| MW-05 | 10/08/96 | 12.74 | 621.66 | | 2.64 | 12.16 | Yes | | |
| MW-05 | 04/29/97 | 11.28 | 623.12 | | 1.46 | 13.62 | Yes | | |
| MW-05 | 11/03/98 | 11.80 | 622.60 | | -0.52 | 13.10 | Yes | | |
| MW-05 | 03/02/99 | 14.92 | 619.48 | | -3.12 | 9.98 | Yes | | |
| MW-05 | 04/26/00 | 13.85 | 620.55 | | 1.07 | 11.05 | Yes | | |
| MW-05 | 08/18/00 | 14.40 | 620.00 | | -0.55 | 10.50 | Yes | | |
| MW-05 | 10/10/00 | 14.75 | 619.65 | | -0.35 | 10.15 | Yes | | |
| MW-05 | 04/24/01 | 14.63 | 619.77 | | 0.12 | 10.27 | Yes | | |
| MW-05 | 10/23/01 | 15.54 | 618.86 | | -0.91 | 9.36 | Yes | | |
| MW-05 | 04/23/02 | 15.29 | 619.11 | | 0.25 | 9.61 | Yes | | |
| MW-05 | 11/05/02 | 13.69 | 620.71 | | 1.60 | 11.21 | Yes | | |
| MW-05 | 08/28/03 | | | Abandoned | | | | | |
| MW-06 | 03/23/88 | 18.87 | 616.63 | | NA | 5.33 | No | | |
| MW-06 | 09/08/88 | 19.14 | 616.36 | | -0.27 | 5.06 | No | | |
| MW-06 | 09/20/88 | 19.50 | 616.00 | | -0.36 | 4.70 | No | | |
| MW-06 | 04/27/89 | 19.14 | 616.36 | | 0.36 | 5.06 | No | | |
| MW-06 | 05/18/89 | 18.74 | 616.76 | | 0.40 | 5.46 | No | | |
| MW-06 | 06/30/89 | 18.43 | 617.07 | | 0.31 | 5.77 | No | | |
| MW-06 | 07/12/89 | 18.53 | 616.97 | | -0.10 | 5.67 | No | | |
| MW-06 | 07/26/89 | 18.50 | 617.00 | | 0.03 | 5.70 | No | | |
| MW-06 | 07/27/89 | 18.60 | 616.90 | | -0.10 | 5.60 | No | | |
| MW-06 | 09/03/89 | 18.87 | 616.63 | | -0.27 | 5.33 | No | | |
| MW-06 | 11/16/89 | 18.95 | 616.55 | | -0.08 | 5.25 | No | | |
| MW-06 | 11/28/89 | 19.07 | 616.43 | | -0.12 | 5.13 | No | | |
| MW-06 | 06/01/90 | 19.14 | 616.36 | | -0.07 | 5.06 | No | | |
| MW-06 | 06/19/90 | 19.04 | 616.46 | | 0.10 | 5.16 | No | | |
| MW-06 | 06/27/90 | 19.13 | 616.37 | | -0.09 | 5.07 | No | | |
| MW-06 | 07/05/90 | 19.24 | 616.26 | | -0.11 | 4.96 | No | | |
| MW-06 | 07/13/90 | 19.21 | 616.29 | | 0.03 | 4.99 | No | | |
| MW-06 | 07/17/90 | 18.96 | 616.54 | | 0.25 | 5.24 | No | | |
| MW-06 | 07/25/90 | 19.14 | 616.36 | | -0.18 | 5.06 | No | | |
| MW-06 | 08/09/90 | 19.09 | 616.41 | | 0.05 | 5.11 | No | | |
| MW-06 | 08/14/90 | 19.07 | 616.43 | | 0.02 | 5.13 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-06 | 08/27/90 | 18.95 | 616.55 | | 0.12 | 5.25 | No | | |
| MW-06 | 09/06/90 | 19.10 | 616.40 | | -0.15 | 5.10 | No | | |
| MW-06 | 01/04/91 | 18.34 | 617.16 | | 0.76 | 5.86 | No | | |
| MW-06 | 01/30/91 | 18.53 | 616.97 | | -0.19 | 5.67 | No | | |
| MW-06 | 04/24/91 | 19.18 | 616.32 | | -0.65 | 5.02 | No | | |
| MW-06 | 07/09/91 | 17.73 | 617.77 | | 1.45 | 6.47 | No | | |
| MW-06 | 10/08/91 | 16.22 | 619.28 | | 1.51 | 7.98 | No | | |
| MW-06 | 01/07/92 | 16.21 | 619.29 | | 0.01 | 7.99 | No | | |
| MW-06 | 10/14/92 | 16.24 | 619.26 | | -0.03 | 7.96 | No | | |
| MW-06 | 06/25/93 | 15.18 | 620.32 | | 1.06 | 9.02 | Yes | | |
| MW-06 | 10/28/93 | 16.10 | 619.40 | | -0.92 | 8.10 | No | | |
| MW-06 | 01/29/94 | 17.05 | 618.45 | | -0.95 | 7.15 | No | | |
| MW-06 | 04/27/94 | 17.45 | 618.05 | | -0.40 | 6.75 | No | | |
| MW-06 | 07/21/94 | 16.09 | 619.41 | | 1.36 | 8.11 | No | | |
| MW-06 | 10/25/94 | 16.66 | 618.84 | | -0.57 | 7.54 | No | | |
| MW-06 | 10/27/94 | 15.97 | 619.53 | | 0.69 | 8.23 | No | | |
| MW-06 | 11/02/94 | 17.38 | 619.19 | | -0.34 | 8.25 | No | | |
| MW-06 | 02/01/95 | 17.43 | 618.07 | | -1.12 | 6.77 | No | | |
| MW-06 | 04/04/95 | 18.14 | 617.36 | | -0.71 | 6.06 | No | | |
| MW-06 | 07/12/95 | 17.36 | 618.14 | | 0.78 | 6.84 | No | | |
| MW-06 | 11/13/95 | 16.78 | 618.72 | | 0.58 | 7.42 | No | | |
| MW-06 | 03/13/96 | 17.63 | 617.87 | | -0.85 | 6.57 | No | | |
| MW-06 | 04/22/96 | 17.25 | 618.25 | | 0.38 | 6.95 | No | | |
| MW-06 | 10/08/96 | 15.64 | 619.86 | | 1.61 | 8.56 | No | | |
| MW-06 | 04/29/97 | 15.05 | 620.45 | | 0.59 | 9.15 | Yes | | |
| MW-06 | 11/03/98 | 18.17 | 617.33 | | -3.12 | 6.03 | No | | |
| MW-06 | 03/02/99 | 18.13 | 617.37 | | 0.04 | 6.07 | No | | |
| MW-06 | 04/26/00 | 17.55 | 617.95 | | 0.58 | 6.65 | No | | |
| MW-06 | 10/10/00 | 17.86 | 617.64 | | -0.31 | 6.34 | No | | |
| MW-06 | 04/24/01 | 18.36 | 617.14 | | -0.50 | 5.84 | No | | |
| MW-06 | 10/23/01 | 17.96 | 617.54 | | 0.40 | 6.24 | No | | |
| MW-06 | 04/23/02 | 18.96 | 616.54 | | -1.00 | 5.24 | No | | |
| MW-06 | 11/05/02 | 18.68 | 616.82 | | 0.28 | 5.52 | No | | |
| MW-06 | 04/17/03 | 18.09 | 617.41 | | 0.59 | 6.11 | No | | |
| MW-06 | 10/20/03 | 19.09 | 616.41 | | NA | 5.11 | No | | |
| MW-06 | 04/19/04 | 19.84 | 615.48 | | -0.93 | 4.18 | No | | |
| MW-06 | 11/16/04 | 18.37 | 616.95 | | 1.47 | 5.65 | No | | |
| MW-06 | 04/18/05 | 18.57 | 616.75 | | -0.20 | 5.45 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-06 | 10/11/05 | 18.14 | 617.18 | | 0.43 | 5.88 | No | | |
| MW-06 | 05/23/06 | 17.57 | 617.75 | | 0.57 | 6.45 | No | | |
| MW-06 | 10/16/06 | 18.05 | 617.27 | | -0.48 | 5.97 | No | | |
| MW-06 | 04/23/07 | 18.73 | 616.59 | | -0.68 | 5.29 | No | | |
| MW-06 | 09/25/07 | 18.70 | 616.62 | | 0.03 | 5.32 | No | | |
| MW-06 | 05/01/08 | 17.70 | 617.62 | | 1.00 | 6.32 | No | | |
| MW-06 | 10/20/08 | 16.67 | 618.65 | | 1.03 | 7.35 | No | | |
| MW-06 | 04/18/09 | 17.29 | 618.03 | | -0.62 | 6.73 | No | | |
| MW-06 | 07/29/09 | | | Abandoned | | | | | |
| MW-06R | 07/29/09 | | | | | | | | |
| MW-06R | 10/11/09 | 19.41 | 617.71 | | | 4.59 | No | | |
| MW-06R | 04/28/10 | 19.30 | 617.82 | | 0.11 | 4.70 | No | | |
| MW-06R | 10/25/10 | 17.51 | 619.61 | | 1.79 | 6.49 | No | | |
| MW-06R | 04/25/11 | 18.64 | 618.48 | | -1.13 | 5.36 | No | | |
| MW-06R | 10/10/11 | 18.02 | 619.10 | | 0.62 | 5.98 | No | | |
| MW-06R | 01/04/12 | 19.02 | 618.10 | | -1.00 | 4.98 | No | | |
| MW-06R | 04/16/12 | 19.82 | 617.30 | | -0.80 | 4.18 | No | | |
| MW-06R | 06/26/12 | 18.10 | 619.02 | | 1.72 | 5.90 | No | | |
| MW-06R | 09/30/12 | 19.11 | 618.01 | | -1.01 | 4.89 | No | | |
| MW-06R | 03/25/13 | 20.33 | 616.79 | | -1.22 | 3.67 | No | | |
| MW-06R | 05/05/13 | 20.07 | 617.05 | | 0.26 | 3.93 | No | | |
| MW-07 | 03/23/88 | 18.64 | 615.76 | | NA | 5.76 | No | | |
| MW-07 | 09/08/88 | 18.90 | 615.50 | | -0.26 | 5.50 | No | | |
| MW-07 | 09/20/88 | 19.06 | 615.34 | | -0.16 | 5.34 | No | | |
| MW-07 | 04/27/89 | 18.97 | 615.43 | | 0.09 | 5.43 | No | | |
| MW-07 | 05/18/89 | 18.72 | 615.68 | | 0.25 | 5.68 | No | | |
| MW-07 | 06/30/89 | 18.34 | 616.06 | | 0.38 | 6.06 | No | | |
| MW-07 | 07/12/89 | 18.39 | 616.01 | | -0.05 | 6.01 | No | | |
| MW-07 | 07/26/89 | 18.36 | 616.04 | | 0.03 | 6.04 | No | | |
| MW-07 | 07/27/89 | 18.44 | 615.96 | | -0.08 | 5.96 | No | | |
| MW-07 | 09/03/89 | 18.53 | 615.87 | | -0.09 | 5.87 | No | | |
| MW-07 | 11/16/89 | 18.63 | 615.77 | | -0.10 | 5.77 | No | | |
| MW-07 | 11/28/89 | 18.67 | 615.73 | | -0.04 | 5.73 | No | | |
| MW-07 | 06/01/90 | 19.04 | 615.36 | | -0.37 | 5.36 | No | | |
| MW-07 | 06/19/90 | 18.86 | 615.54 | | 0.18 | 5.54 | No | | |
| MW-07 | 06/27/90 | 18.83 | 615.57 | | 0.03 | 5.57 | No | | |
| MW-07 | 07/05/90 | 18.82 | 615.58 | | 0.01 | 5.58 | No | | |
| MW-07 | 07/13/90 | 18.85 | 615.55 | | -0.03 | 5.55 | No | | |
| MW-07 | 07/17/90 | 18.73 | 615.67 | | 0.12 | 5.67 | No | | |
| MW-07 | 07/25/90 | 18.72 | 615.68 | | 0.01 | 5.68 | No | | |
| MW-07 | 08/09/90 | 18.70 | 615.70 | | 0.02 | 5.70 | No | | |
| MW-07 | 08/14/90 | 18.74 | 615.66 | | -0.04 | 5.66 | No | | |
| MW-07 | 08/27/90 | 18.70 | 615.70 | | 0.04 | 5.70 | No | | |
| MW-07 | 09/06/90 | 18.66 | 615.74 | | 0.04 | 5.74 | No | | |
| MW-07 | 01/04/91 | 18.25 | 616.15 | | 0.41 | 6.15 | No | | |
| MW-07 | 01/30/91 | 18.34 | 616.06 | | -0.09 | 6.06 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-07 | 04/24/91 | 18.79 | 615.61 | | -0.45 | 5.61 | No | | |
| MW-07 | 07/09/91 | 17.55 | 616.85 | | 1.24 | 6.85 | No | | |
| MW-07 | 08/06/91 | 17.19 | 617.21 | | 0.36 | 7.21 | No | | |
| MW-07 | 09/04/91 | 17.30 | 617.10 | | -0.11 | 7.10 | No | | |
| MW-07 | 10/08/91 | 16.96 | 617.44 | | 0.34 | 7.44 | No | | |
| MW-07 | 11/08/91 | 16.73 | 617.67 | | 0.23 | 7.67 | No | | |
| MW-07 | 12/03/91 | 16.68 | 617.72 | | 0.05 | 7.72 | No | | |
| MW-07 | 01/07/92 | 16.66 | 617.74 | | 0.02 | 7.74 | No | | |
| MW-07 | 02/04/92 | 16.87 | 617.53 | | -0.21 | 7.53 | No | | |
| MW-07 | 03/03/92 | 17.12 | 617.28 | | -0.25 | 7.28 | No | | |
| MW-07 | 09/24/92 | 13.83 | 620.57 | | 3.29 | 10.57 | Yes | | |
| MW-07 | 10/14/92 | 16.53 | 617.87 | | -2.70 | 7.87 | No | | |
| MW-07 | 06/25/93 | 14.90 | 619.50 | | 1.63 | 9.50 | Yes | | |
| MW-07 | 10/28/93 | 16.52 | 617.88 | | -1.62 | 7.88 | No | | |
| MW-07 | 01/29/94 | 17.13 | 617.27 | | -0.61 | 7.27 | No | | |
| MW-07 | 04/27/94 | 17.79 | 616.61 | | -0.66 | 6.61 | No | | |
| MW-07 | 07/21/94 | 16.72 | 617.68 | | 1.07 | 7.68 | No | | |
| MW-07 | 10/25/94 | 17.04 | 617.36 | | -0.32 | 7.36 | No | | |
| MW-07 | 10/27/94 | 16.52 | 617.88 | | 0.52 | 7.88 | No | | |
| MW-07 | 11/02/94 | 14.46 | 619.94 | | 2.06 | 9.94 | Yes | | |
| MW-07 | 02/01/95 | 17.60 | 616.80 | | -3.14 | 6.80 | No | | |
| MW-07 | 04/04/95 | 17.98 | 616.42 | | -0.38 | 6.42 | No | | |
| MW-07 | 07/12/95 | 17.72 | 616.68 | | 0.26 | 6.68 | No | | |
| MW-07 | 11/13/95 | 17.37 | 617.03 | | 0.35 | 7.03 | No | | |
| MW-07 | 03/13/96 | 17.96 | 616.44 | | -0.59 | 6.44 | No | | |
| MW-07 | 04/22/96 | 17.83 | 616.57 | | 0.13 | 6.57 | No | | |
| MW-07 | 10/08/96 | 16.32 | 618.08 | | 1.51 | 8.08 | No | | |
| MW-07 | 04/29/97 | 16.11 | 618.29 | | 0.21 | 8.29 | No | | |
| MW-07 | 11/03/98 | 18.21 | 616.19 | | -2.10 | 6.19 | No | | |
| MW-07 | 03/02/99 | 18.26 | 616.14 | | -0.05 | 6.14 | No | | |
| MW-07 | 04/26/00 | 17.73 | 616.67 | | 0.53 | 6.67 | No | | |
| MW-07 | 10/10/00 | 17.04 | 617.36 | | 0.69 | 7.36 | No | | |
| MW-07 | 04/24/01 | 17.90 | 616.50 | | -0.86 | 6.50 | No | | |
| MW-07 | 10/23/01 | 17.99 | 616.41 | | -0.09 | 6.41 | No | | |
| MW-07 | 04/23/02 | 18.51 | 615.89 | | -0.52 | 5.89 | No | | |
| MW-07 | 11/05/02 | 17.95 | 616.45 | | 0.56 | 6.45 | No | | Cover Rusted On |
| MW-07 | 08/28/03 | | | Abandoned | | | | | |
| MW-08 | 03/23/88 | 18.69 | 613.81 | | NA | 7.21 | No | | |
| MW-08 | 09/08/88 | 19.24 | 613.26 | | -0.55 | 6.66 | No | | |
| MW-08 | 09/20/88 | 19.34 | 613.16 | | -0.10 | 6.56 | No | | |
| MW-08 | 04/27/89 | 19.02 | 613.48 | | 0.32 | 6.88 | No | | |
| MW-08 | 05/18/89 | 18.76 | 613.74 | | 0.26 | 7.14 | No | | |
| MW-08 | 06/30/89 | 18.57 | 613.93 | | 0.19 | 7.33 | No | | |
| MW-08 | 07/12/89 | 18.59 | 613.91 | | -0.02 | 7.31 | No | | |
| MW-08 | 07/26/89 | 18.62 | 613.88 | | -0.03 | 7.28 | No | | |
| MW-08 | 07/27/89 | 18.68 | 613.82 | | -0.06 | 7.22 | No | | |
| MW-08 | 09/03/89 | 18.85 | 613.65 | | -0.17 | 7.05 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well Submerged with Liquid? | Screen Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|---------------------------------------|--------------------------------------|-----------------------|
| MW-08 | 11/16/89 | 18.93 | 613.57 | | -0.08 | 6.97 | No | |
| MW-08 | 11/28/89 | 18.97 | 613.53 | | -0.04 | 6.93 | No | |
| MW-08 | 06/01/90 | 19.64 | 612.86 | | -0.67 | 6.26 | No | |
| MW-08 | 06/19/90 | 19.31 | 613.19 | | 0.33 | 6.59 | No | |
| MW-08 | 06/27/90 | 19.29 | 613.21 | | 0.02 | 6.61 | No | |
| MW-08 | 07/05/90 | 19.28 | 613.22 | | 0.01 | 6.62 | No | |
| MW-08 | 07/13/90 | 19.32 | 613.18 | | -0.04 | 6.58 | No | |
| MW-08 | 07/17/90 | 19.19 | 613.31 | | 0.13 | 6.71 | No | |
| MW-08 | 07/25/90 | 19.22 | 613.28 | | -0.03 | 6.68 | No | |
| MW-08 | 08/09/90 | 19.23 | 613.27 | | -0.01 | 6.67 | No | |
| MW-08 | 08/14/90 | 19.27 | 613.23 | | -0.04 | 6.63 | No | |
| MW-08 | 08/27/90 | 19.25 | 613.25 | | 0.02 | 6.65 | No | |
| MW-08 | 09/06/90 | 19.19 | 613.31 | | 0.06 | 6.71 | No | |
| MW-08 | 01/04/91 | 18.52 | 613.98 | | 0.67 | 7.38 | No | |
| MW-08 | 01/30/91 | 18.69 | 613.81 | | -0.17 | 7.21 | No | |
| MW-08 | 04/24/91 | 19.16 | 613.34 | | -0.47 | 6.74 | No | |
| MW-08 | 07/09/91 | 17.83 | 614.67 | | 1.33 | 8.07 | No | |
| MW-08 | 10/08/91 | 16.19 | 616.31 | | 1.64 | 9.71 | No | |
| MW-08 | 01/07/92 | 15.69 | 616.81 | | 0.50 | 10.21 | Yes | |
| MW-08 | 10/14/92 | 15.50 | 617.00 | | 0.19 | 10.40 | Yes | |
| MW-08 | 06/25/93 | 15.26 | 617.24 | | 0.24 | 10.64 | Yes | |
| MW-08 | 10/28/93 | 15.45 | 617.05 | | -0.19 | 10.45 | Yes | |
| MW-08 | 01/29/94 | 16.06 | 616.44 | | -0.61 | 9.84 | No | |
| MW-08 | 04/27/94 | 16.70 | 615.80 | | -0.64 | 9.20 | No | |
| MW-08 | 07/21/94 | 15.70 | 616.80 | | 1.00 | 10.20 | Yes | |
| MW-08 | 10/25/94 | 16.01 | 616.49 | | -0.31 | 9.89 | No | |
| MW-08 | 10/27/94 | 15.70 | 616.80 | | 0.31 | 10.20 | Yes | |
| MW-08 | 11/02/94 | 15.10 | 617.40 | | 0.60 | 10.80 | Yes | |
| MW-08 | 02/01/95 | 16.62 | 615.88 | | -1.52 | 9.28 | No | |
| MW-08 | 04/04/95 | 17.31 | 615.19 | | -0.69 | 8.59 | No | |
| MW-08 | 07/12/95 | 17.15 | 615.35 | | 0.16 | 8.75 | No | |
| MW-08 | 11/13/95 | 16.53 | 615.97 | | 0.62 | 9.37 | No | |
| MW-08 | 03/13/96 | 17.21 | 615.29 | | -0.68 | 8.69 | No | |
| MW-08 | 04/22/96 | 16.77 | 615.73 | | 0.44 | 9.13 | No | |
| MW-08 | 10/08/96 | 15.10 | 617.40 | | 1.67 | 10.80 | Yes | |
| MW-08 | 04/29/97 | 14.88 | 617.62 | | 0.22 | 11.02 | Yes | |
| MW-08 | 11/03/98 | 17.71 | 614.79 | | -2.83 | 8.19 | No | |
| MW-08 | 03/02/99 | 17.81 | 614.69 | | -0.10 | 8.09 | No | |
| MW-08 | 04/26/00 | 16.76 | 615.74 | | 1.05 | 9.14 | No | |
| MW-08 | 10/10/00 | 17.17 | 615.33 | | -0.41 | 8.73 | No | |
| MW-08 | 04/24/01 | 17.95 | 614.55 | | -0.78 | 7.95 | No | |
| MW-08 | 10/23/01 | 17.38 | 615.12 | | 0.57 | 8.52 | No | |
| MW-08 | 04/23/02 | 18.27 | 614.23 | | -0.89 | 7.63 | No | |
| MW-08 | 11/05/02 | 17.22 | 615.28 | | 1.05 | 8.68 | No | |
| MW-08 | 11/18/03 | | | Abandoned | | | | |
| MW-09 | 03/23/88 | 13.61 | 615.79 | | NA | 10.89 | Yes | |
| MW-09 | 09/08/88 | 12.64 | 616.76 | | 0.97 | 11.86 | Yes | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-09 | 09/20/88 | 12.69 | 616.71 | | -0.05 | 11.81 | Yes | | |
| MW-09 | 04/27/89 | 13.14 | 616.26 | | -0.45 | 11.36 | Yes | | |
| MW-09 | 05/18/89 | 12.51 | 616.89 | | 0.63 | 11.99 | Yes | | |
| MW-09 | 06/30/89 | 12.42 | 616.98 | | 0.09 | 12.08 | Yes | | |
| MW-09 | 07/12/89 | 12.78 | 616.62 | | -0.36 | 11.72 | Yes | | |
| MW-09 | 07/26/89 | 13.09 | 616.31 | | -0.31 | 11.41 | Yes | | |
| MW-09 | 07/27/89 | 13.16 | 616.24 | | -0.07 | 11.34 | Yes | | |
| MW-09 | 09/03/89 | 12.92 | 616.48 | | 0.24 | 11.58 | Yes | | |
| MW-09 | 11/16/89 | 11.19 | 618.21 | | 1.73 | 13.31 | Yes | | |
| MW-09 | 11/28/89 | 11.70 | 617.70 | | -0.51 | 12.80 | Yes | | |
| MW-09 | 06/01/90 | 12.29 | 617.11 | | -0.59 | 12.21 | Yes | | |
| MW-09 | 06/19/90 | 11.96 | 617.44 | | 0.33 | 12.54 | Yes | | |
| MW-09 | 06/27/90 | 12.12 | 617.28 | | -0.16 | 12.38 | Yes | | |
| MW-09 | 07/05/90 | 12.45 | 616.95 | | -0.33 | 12.05 | Yes | | |
| MW-09 | 07/13/90 | 12.70 | 616.70 | | -0.25 | 11.80 | Yes | | |
| MW-09 | 07/17/90 | 12.57 | 616.83 | | 0.13 | 11.93 | Yes | | |
| MW-09 | 07/25/90 | 12.92 | 616.48 | | -0.35 | 11.58 | Yes | | |
| MW-09 | 08/09/90 | 12.98 | 616.42 | | -0.06 | 11.52 | Yes | | |
| MW-09 | 08/14/90 | 13.17 | 616.23 | | -0.19 | 11.33 | Yes | | |
| MW-09 | 08/27/90 | 12.35 | 617.05 | | 0.82 | 12.15 | Yes | | |
| MW-09 | 09/06/90 | 12.51 | 616.89 | | -0.16 | 11.99 | Yes | | |
| MW-09 | 01/04/91 | 11.70 | 617.70 | | 0.81 | 12.80 | Yes | | |
| MW-09 | 01/30/91 | 12.68 | 616.72 | | -0.98 | 11.82 | Yes | | |
| MW-09 | 04/24/91 | 12.89 | 616.51 | | -0.21 | 11.61 | Yes | | |
| MW-09 | 07/09/91 | 10.27 | 619.13 | | 2.62 | 14.23 | Yes | | |
| MW-09 | 10/08/91 | 9.40 | 620.00 | | 0.87 | 15.10 | Yes | | |
| MW-09 | 01/07/92 | 7.62 | 621.78 | | 1.78 | 16.88 | Yes | | |
| MW-09 | 10/14/92 | 7.40 | 622.00 | | 0.22 | 17.10 | Yes | | |
| MW-09 | 01/29/94 | 11.46 | 617.94 | | -4.06 | 13.04 | Yes | | |
| MW-09 | 04/27/94 | 10.26 | 619.14 | | 1.20 | 14.24 | Yes | | |
| MW-09 | 07/21/94 | 10.38 | 619.02 | | -0.12 | 14.12 | Yes | | |
| MW-09 | 10/25/94 | 9.04 | 620.36 | | 1.34 | 15.46 | Yes | | |
| MW-09 | 10/27/94 | 8.60 | 620.80 | | 0.44 | 15.90 | Yes | | |
| MW-09 | 11/02/94 | 6.72 | 622.68 | | 1.88 | 17.78 | Yes | | |
| MW-09 | 02/01/95 | 12.08 | 617.32 | | -5.36 | 12.42 | Yes | | |
| MW-09 | 04/04/95 | 13.03 | 616.37 | | -0.95 | 11.47 | Yes | | |
| MW-09 | 07/12/95 | 11.12 | 618.28 | | 1.91 | 13.38 | Yes | | |
| MW-09 | 11/13/95 | 7.61 | 621.79 | | 3.51 | 16.89 | Yes | | |
| MW-09 | 03/13/96 | 12.39 | 617.01 | | -4.78 | 12.11 | Yes | | |
| MW-09 | 10/08/96 | 8.36 | 621.04 | | 4.03 | 16.14 | Yes | | |
| MW-09 | 04/29/97 | 7.77 | 621.63 | | 0.59 | 16.73 | Yes | | |
| MW-09 | 11/03/98 | 11.66 | 617.74 | | -3.89 | 12.84 | Yes | | |
| MW-09 | 03/02/99 | 12.37 | 617.03 | | -0.71 | 12.13 | Yes | | |
| MW-09 | 04/26/00 | 11.62 | 617.78 | | 0.75 | 12.88 | Yes | | |
| MW-09 | 08/18/00 | 11.66 | 617.74 | | -0.04 | 12.84 | Yes | | |
| MW-09 | 10/10/00 | 12.08 | 617.32 | | -0.42 | 12.42 | Yes | | |
| MW-09 | 11/05/02 | 13.21 | 616.19 | | -1.13 | 11.29 | Yes | | |
| MW-09 | 04/19/04 | 17.63 | 613.67 | | NA | 8.77 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-09 | 11/16/04 | 15.47 | 615.83 | | -0.36 | 10.93 | Yes | | |
| MW-09 | 04/18/05 | 16.40 | 614.90 | | -0.93 | 10.00 | Yes | | |
| MW-09 | 10/11/05 | 15.58 | 615.72 | | 0.82 | 10.82 | Yes | | |
| MW-09 | 05/23/06 | 14.77 | 616.53 | | 0.81 | 11.63 | Yes | | |
| MW-09 | 10/16/06 | 15.66 | 615.64 | | -0.89 | 10.74 | Yes | | |
| MW-09 | 04/23/07 | 16.39 | 614.91 | | -0.73 | 10.01 | Yes | | |
| MW-09 | 09/25/07 | 16.54 | 614.76 | | -0.15 | 9.86 | Yes | | |
| MW-09 | 05/01/08 | 15.29 | 616.01 | | 1.25 | 11.11 | Yes | | |
| MW-09 | 10/20/08 | 13.91 | 617.39 | | 1.38 | 12.49 | Yes | | |
| MW-09 | 04/18/09 | 14.74 | 616.56 | | -0.83 | 11.66 | Yes | | |
| MW-09 | 10/11/09 | 15.25 | 616.05 | | -0.51 | 11.15 | Yes | | |
| MW-09 | 04/28/10 | 15.20 | 616.10 | | 0.05 | 11.20 | Yes | | |
| MW-09 | 10/25/10 | 13.70 | 617.60 | | 1.50 | 12.70 | Yes | | |
| MW-09 | 04/25/11 | 14.50 | 616.80 | | -0.80 | 11.90 | Yes | | |
| MW-09 | 10/10/11 | 14.01 | 617.29 | | 0.49 | 12.39 | Yes | | |
| MW-09 | 01/04/12 | 15.20 | 616.10 | | -1.19 | 11.20 | Yes | | |
| MW-09 | 04/16/12 | 15.83 | 615.47 | | -0.63 | 10.57 | Yes | | |
| MW-09 | 06/26/12 | 13.58 | 617.72 | | 2.25 | 12.82 | Yes | | |
| MW-09 | 09/30/12 | 15.00 | 616.30 | | -1.42 | 11.40 | Yes | | |
| MW-09 | 03/25/13 | 16.46 | 614.84 | | -1.46 | 9.94 | Yes | | |
| MW-09 | 05/05/13 | 16.15 | 615.15 | | 0.31 | 10.25 | Yes | | |
| MW-10 | 03/23/88 | 15.64 | 615.76 | | NA | 8.86 | No | | |
| MW-10 | 09/08/88 | 16.01 | 615.39 | | -0.37 | 8.49 | No | | |
| MW-10 | 09/20/88 | 16.23 | 615.17 | | -0.22 | 8.27 | No | | |
| MW-10 | 04/27/89 | 16.00 | 615.40 | | 0.23 | 8.50 | No | | |
| MW-10 | 05/18/89 | 15.73 | 615.67 | | 0.27 | 8.77 | No | | |
| MW-10 | 06/30/89 | 15.18 | 616.22 | | 0.55 | 9.32 | Yes | | |
| MW-10 | 07/12/89 | 15.29 | 616.11 | | -0.11 | 9.21 | Yes | | |
| MW-10 | 07/26/89 | 15.24 | 616.16 | | 0.05 | 9.26 | Yes | | |
| MW-10 | 07/27/89 | 15.31 | 616.09 | | -0.07 | 9.19 | Yes | | |
| MW-10 | 09/03/89 | 15.36 | 616.04 | | -0.05 | 9.14 | Yes | | |
| MW-10 | 11/16/89 | 15.57 | 615.83 | | -0.21 | 8.93 | No | | |
| MW-10 | 11/28/89 | 15.83 | 615.57 | | -0.26 | 8.67 | No | | |
| MW-10 | 06/01/90 | 15.97 | 615.43 | | -0.14 | 8.53 | No | | |
| MW-10 | 06/19/90 | 15.77 | 615.63 | | 0.20 | 8.73 | No | | |
| MW-10 | 06/27/90 | 15.91 | 615.49 | | -0.14 | 8.59 | No | | |
| MW-10 | 07/05/90 | 16.13 | 615.27 | | -0.22 | 8.37 | No | | |
| MW-10 | 07/13/90 | 16.03 | 615.37 | | 0.10 | 8.47 | No | | |
| MW-10 | 07/17/90 | 15.86 | 615.54 | | 0.17 | 8.64 | No | | |
| MW-10 | 07/25/90 | 15.99 | 615.41 | | -0.13 | 8.51 | No | | |
| MW-10 | 08/09/90 | 15.91 | 615.49 | | 0.08 | 8.59 | No | | |
| MW-10 | 08/14/90 | 16.02 | 615.38 | | -0.11 | 8.48 | No | | |
| MW-10 | 08/27/90 | 15.72 | 615.68 | | 0.30 | 8.78 | No | | |
| MW-10 | 09/06/90 | 15.65 | 615.75 | | 0.07 | 8.85 | No | | |
| MW-10 | 01/04/91 | 15.07 | 616.33 | | 0.58 | 9.43 | Yes | | |
| MW-10 | 01/30/91 | 15.20 | 616.20 | | -0.13 | 9.30 | Yes | | |
| MW-10 | 04/24/91 | 15.82 | 615.58 | | -0.62 | 8.68 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-10 | 07/09/91 | 13.79 | 617.61 | | 2.03 | 10.71 | Yes | | |
| MW-10 | 10/08/91 | 12.52 | 618.88 | | 1.27 | 11.98 | Yes | | |
| MW-10 | 01/07/92 | 12.51 | 618.89 | | 0.01 | 11.99 | Yes | | |
| MW-10 | 10/14/92 | 12.50 | 618.90 | | 0.01 | 12.00 | Yes | | |
| MW-10 | 01/29/94 | 13.64 | 617.76 | | -1.14 | 10.86 | Yes | | |
| MW-10 | 04/27/94 | 13.76 | 617.64 | | -0.12 | 10.74 | Yes | | |
| MW-10 | 07/21/94 | 12.41 | 618.99 | | 1.35 | 12.09 | Yes | | |
| MW-10 | 10/25/94 | 12.88 | 618.52 | | -0.47 | 11.62 | Yes | | |
| MW-10 | 10/27/94 | 12.33 | 619.07 | | 0.55 | 12.17 | Yes | | |
| MW-10 | 11/02/94 | 14.83 | 616.57 | | -2.50 | 9.67 | Yes | | |
| MW-10 | 02/01/95 | 14.59 | 616.81 | | 0.24 | 9.91 | Yes | | |
| MW-10 | 04/04/95 | 14.75 | 616.65 | | -0.16 | 9.75 | Yes | | |
| MW-10 | 07/12/95 | 13.78 | 617.62 | | 0.97 | 10.72 | Yes | | |
| MW-10 | 11/13/95 | 12.51 | 618.89 | | 1.27 | 11.99 | Yes | | |
| MW-10 | 03/13/96 | 14.31 | 617.10 | | -1.79 | 10.20 | Yes | | 14.30 |
| MW-10 | 10/08/96 | 11.65 | 619.75 | | 2.65 | 12.85 | Yes | | |
| MW-10 | 04/29/97 | 10.93 | 620.47 | | 0.72 | 13.57 | Yes | | |
| MW-10 | 11/03/98 | 14.64 | 616.76 | | -3.71 | 9.86 | Yes | | |
| MW-10 | 03/02/99 | 14.64 | 616.76 | | 0.00 | 9.86 | Yes | | |
| MW-10 | 04/26/00 | 13.81 | 617.59 | | 0.83 | 10.69 | Yes | | |
| MW-10 | 08/18/00 | 14.25 | 617.15 | | -0.44 | 10.25 | Yes | | |
| MW-10 | 10/10/00 | 14.43 | 616.97 | | -0.18 | 10.07 | Yes | | |
| MW-10 | 09/30/02 | 14.72 | 616.68 | | -0.29 | 9.78 | Yes | | |
| MW-10 | 11/05/02 | 13.97 | 617.43 | | 0.75 | 10.53 | Yes | | |
| MW-10 | 06/10/03 | 15.48 | 615.92 | | -1.51 | 9.02 | Yes | | |
| MW-10 | 10/20/03 | 15.60 | 615.80 | | -0.12 | 8.90 | No | | |
| MW-10 | 12/03/03 | 15.94 | 615.46 | | -0.34 | 8.56 | No | | |
| MW-10 | 04/19/04 | 19.31 | 615.44 | | -0.02 | 8.54 | No | | |
| MW-10 | 07/28/04 | 18.66 | 616.09 | | 0.65 | 9.19 | Yes | | |
| MW-10 | 11/16/04 | 18.09 | 616.66 | | 0.57 | 9.76 | Yes | | |
| MW-10 | 04/18/05 | 18.31 | 616.44 | | -0.22 | 9.54 | Yes | | |
| MW-10 | 10/11/05 | 17.54 | 617.21 | | 0.77 | 10.31 | Yes | | |
| MW-10 | 05/23/06 | 16.83 | 617.92 | | 0.71 | 11.02 | Yes | | |
| MW-10 | 10/16/06 | 17.73 | 617.02 | | -0.90 | 10.12 | Yes | | |
| MW-10 | 04/23/07 | 18.61 | 616.14 | | -0.88 | 9.24 | Yes | | |
| MW-10 | 09/25/07 | 18.36 | 616.39 | | 0.25 | 9.49 | Yes | | |
| MW-10 | 05/01/08 | 17.15 | 617.60 | | 1.21 | 10.70 | Yes | | |
| MW-10 | 10/20/08 | 16.06 | 618.69 | | 1.09 | 11.79 | Yes | | |
| MW-10 | 04/18/09 | 17.13 | 617.62 | | -1.07 | 10.72 | Yes | | |
| MW-10 | 10/11/09 | 17.59 | 617.16 | | -0.46 | 10.26 | Yes | | |
| MW-10 | 04/28/10 | 17.71 | 617.04 | | -0.12 | 10.14 | Yes | | |
| MW-10 | 10/25/10 | 15.50 | 619.25 | | 2.21 | 12.35 | Yes | | |
| MW-10 | 04/25/11 | 16.72 | 618.03 | | -1.22 | 11.13 | Yes | | |
| MW-10 | 10/10/11 | 16.28 | 618.47 | | 0.44 | 11.57 | Yes | | |
| MW-10 | 01/04/12 | 17.58 | 617.17 | | -1.30 | 10.27 | Yes | | |
| MW-10 | 04/16/12 | 18.37 | 616.38 | | -0.79 | 9.48 | Yes | | |
| MW-10 | 06/26/12 | 15.98 | 618.77 | | 2.39 | 11.87 | Yes | | |
| MW-10 | 09/30/12 | 17.41 | 617.34 | | -1.43 | 10.44 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-10 | 03/25/13 | 18.77 | 615.98 | | -1.36 | 9.08 | Yes | | |
| MW-10 | 05/05/13 | 18.56 | 616.19 | | 0.21 | 9.29 | Yes | | |
| MW-11 | 03/23/88 | 14.66 | 615.44 | | NA | 9.54 | Yes | | |
| MW-11 | 09/08/88 | 15.03 | 615.07 | | -0.37 | 9.17 | Yes | | |
| MW-11 | 09/20/88 | 15.08 | 615.02 | | -0.05 | 9.12 | Yes | | |
| MW-11 | 04/27/89 | 15.46 | 614.64 | | -0.38 | 8.74 | No | | |
| MW-11 | 05/18/89 | 14.89 | 615.21 | | 0.57 | 9.31 | Yes | | |
| MW-11 | 06/30/89 | 14.41 | 615.69 | | 0.48 | 9.79 | Yes | | |
| MW-11 | 07/12/89 | 14.48 | 615.62 | | -0.07 | 9.72 | Yes | | |
| MW-11 | 07/26/89 | 14.54 | 615.56 | | -0.06 | 9.66 | Yes | | |
| MW-11 | 07/27/89 | 14.57 | 615.53 | | -0.03 | 9.63 | Yes | | |
| MW-11 | 09/03/89 | 14.67 | 615.43 | | -0.10 | 9.53 | Yes | | |
| MW-11 | 11/16/89 | 14.68 | 615.42 | | -0.01 | 9.52 | Yes | | |
| MW-11 | 11/28/89 | 14.78 | 615.32 | | -0.10 | 9.42 | Yes | | |
| MW-11 | 06/01/90 | 14.86 | 615.24 | | -0.08 | 9.34 | Yes | | |
| MW-11 | 06/19/90 | 14.44 | 615.66 | | 0.42 | 9.76 | Yes | | |
| MW-11 | 06/27/90 | 14.65 | 615.45 | | -0.21 | 9.55 | Yes | | |
| MW-11 | 07/05/90 | 14.77 | 615.33 | | -0.12 | 9.43 | Yes | | |
| MW-11 | 07/13/90 | 14.86 | 615.24 | | -0.09 | 9.34 | Yes | | |
| MW-11 | 07/17/90 | 14.72 | 615.38 | | 0.14 | 9.48 | Yes | | |
| MW-11 | 07/25/90 | 14.83 | 615.27 | | -0.11 | 9.37 | Yes | | |
| MW-11 | 08/09/90 | 14.83 | 615.27 | | 0.00 | 9.37 | Yes | | |
| MW-11 | 08/14/90 | 14.92 | 615.18 | | -0.09 | 9.28 | Yes | | |
| MW-11 | 08/27/90 | 14.74 | 615.36 | | 0.18 | 9.46 | Yes | | |
| MW-11 | 09/06/90 | 14.65 | 615.45 | | 0.09 | 9.55 | Yes | | |
| MW-11 | 01/04/91 | 14.33 | 615.77 | | 0.32 | 9.87 | Yes | | |
| MW-11 | 01/30/91 | 14.52 | 615.58 | | -0.19 | 9.68 | Yes | | |
| MW-11 | 04/24/91 | 14.84 | 615.26 | | -0.32 | 9.36 | Yes | | |
| MW-11 | 07/09/91 | 13.09 | 617.01 | | 1.75 | 11.11 | Yes | | |
| MW-11 | 10/08/91 | 11.60 | 618.50 | | 1.49 | 12.60 | Yes | | |
| MW-11 | 01/07/92 | 11.69 | 618.41 | | -0.09 | 12.51 | Yes | | |
| MW-11 | 10/14/92 | 11.59 | 618.51 | | 0.10 | 12.61 | Yes | | |
| MW-11 | 01/29/94 | 12.65 | 617.45 | | -1.06 | 11.55 | Yes | | |
| MW-11 | 04/27/94 | 12.69 | 617.41 | | -0.04 | 11.51 | Yes | | |
| MW-11 | 07/21/94 | 11.48 | 618.62 | | 1.21 | 12.72 | Yes | | |
| MW-11 | 10/25/94 | 11.43 | 618.67 | | 0.05 | 12.77 | Yes | | |
| MW-11 | 10/27/94 | 11.04 | 619.06 | | 0.39 | 13.16 | Yes | | |
| MW-11 | 02/01/95 | 15.58 | 614.52 | | -4.54 | 8.62 | No | | |
| MW-11 | 04/04/95 | 13.62 | 616.48 | | 1.96 | 10.58 | Yes | | |
| MW-11 | 07/12/95 | 12.66 | 617.44 | | 0.96 | 11.54 | Yes | | |
| MW-11 | 11/13/95 | 11.38 | 618.72 | | 1.28 | 12.82 | Yes | | |
| MW-11 | 03/13/96 | 13.32 | 616.78 | | -1.94 | 10.88 | Yes | | |
| MW-11 | 10/08/96 | 10.79 | 619.31 | | 2.53 | 13.41 | Yes | | |
| MW-11 | 04/29/97 | 10.38 | 619.72 | | 0.41 | 13.82 | Yes | | |
| MW-11 | 11/03/98 | 13.46 | 616.64 | | -3.08 | 10.74 | Yes | | |
| MW-11 | 03/02/99 | 14.31 | 615.79 | | -0.85 | 9.89 | Yes | | |
| MW-11 | 04/26/00 | 12.92 | 617.18 | | 1.39 | 11.28 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-11 | 08/18/00 | 13.48 | 616.62 | | -0.56 | 10.72 | Yes | | |
| MW-11 | 10/10/00 | 13.48 | 616.62 | | 0.00 | 10.72 | Yes | | |
| MW-11 | 11/05/02 | 13.48 | 616.62 | | 0.00 | 10.72 | Yes | | |
| MW-11 | 08/18/03 | | | Abandoned | | | | | Cover Rusted On |
| MW-12 | 03/23/88 | 14.56 | 616.59 | 616.04 | NA | 8.67 | No | 13.83 | |
| MW-12 | 09/08/88 | 15.33 | 616.25 | 615.27 | -0.33 | 8.48 | No | 14.02 | |
| MW-12 | 09/20/88 | 15.78 | 616.11 | 614.82 | -0.14 | 8.44 | No | 14.06 | |
| MW-12 | 04/27/89 | 16.69 | 615.75 | 613.91 | -0.36 | 8.26 | No | 14.24 | |
| MW-12 | 05/18/89 | 15.69 | 616.24 | 614.91 | 0.49 | 8.58 | No | 13.92 | |
| MW-12 | 06/30/89 | 14.21 | 616.86 | 616.39 | 0.63 | 8.92 | No | 13.58 | |
| MW-12 | 07/12/89 | 14.71 | 616.69 | 615.89 | -0.17 | 8.86 | No | 13.64 | |
| MW-12 | 07/26/89 | 14.49 | 616.77 | 616.11 | 0.08 | 8.89 | No | 13.61 | |
| MW-12 | 07/27/89 | 15.11 | 616.61 | 615.49 | -0.16 | 8.88 | No | 13.62 | |
| MW-12 | 09/03/89 | 15.70 | 616.41 | 614.90 | -0.20 | 8.81 | No | 13.69 | |
| MW-12 | 11/16/89 | 15.56 | 616.92 | 615.04 | 0.51 | 9.45 | Yes | 13.05 | |
| MW-12 | 11/29/89 | 15.23 | 616.56 | 615.37 | -0.36 | 8.86 | No | 13.64 | |
| MW-12 | 12/01/89 | 14.85 | 616.58 | 615.75 | 0.02 | 8.76 | No | 13.74 | |
| MW-12 | 12/02/89 | 16.30 | 616.12 | 614.30 | -0.47 | 8.62 | No | 13.88 | |
| MW-12 | 05/04/90 | 15.83 | 616.15 | 614.77 | 0.03 | 8.51 | No | 13.99 | |
| MW-12 | 06/19/90 | 15.18 | 616.43 | 615.42 | 0.28 | 8.67 | No | 13.83 | |
| MW-12 | 06/27/90 | 15.46 | 616.29 | 615.14 | -0.14 | 8.57 | No | 13.93 | |
| MW-12 | 07/05/90 | 16.26 | 616.09 | 614.34 | -0.20 | 8.57 | No | 13.93 | |
| MW-12 | 07/13/90 | 15.68 | 616.27 | 614.92 | 0.18 | 8.62 | No | 13.88 | |
| MW-12 | 07/17/90 | 15.58 | 616.32 | 615.02 | 0.05 | 8.65 | No | 13.85 | |
| MW-12 | 07/25/90 | 16.20 | 616.10 | 614.40 | -0.21 | 8.57 | No | 13.93 | |
| MW-12 | 08/09/90 | 16.35 | 616.01 | 614.25 | -0.10 | 8.49 | No | 14.01 | |
| MW-12 | 01/04/91 | 14.79 | 616.73 | 615.81 | 0.73 | 8.94 | No | 13.56 | |
| MW-12 | 01/30/91 | 15.55 | 616.51 | 615.05 | -0.22 | 8.90 | No | 13.60 | |
| MW-12 | 04/24/91 | 16.05 | 616.31 | 614.55 | -0.21 | 8.79 | No | 13.71 | |
| MW-12 | 07/09/91 | 13.76 | 617.73 | 616.84 | 1.42 | 9.92 | Yes | 12.58 | |
| MW-12 | 10/08/91 | 13.80 | 618.83 | 616.80 | 1.10 | 11.40 | Yes | 11.10 | |
| MW-12 | 01/07/92 | 13.95 | 618.80 | 616.65 | -0.03 | 11.41 | Yes | 11.09 | |
| MW-12 | 10/14/92 | 14.46 | 618.88 | 616.14 | 0.08 | 11.69 | Yes | 10.81 | |
| MW-12 | 06/25/93 | 14.39 | 619.80 | 616.21 | 0.92 | 12.89 | Yes | 9.61 | |
| MW-12 | 10/28/93 | 13.88 | 618.37 | 616.72 | -1.43 | 10.82 | Yes | 11.68 | |
| MW-12 | 01/29/94 | 13.57 | 617.88 | 617.03 | -0.49 | 10.06 | Yes | 12.44 | |
| MW-12 | 04/27/94 | 13.33 | 617.70 | 617.27 | -0.18 | 9.74 | Yes | 12.76 | |
| MW-12 | 07/21/94 | 12.20 | 618.81 | 618.40 | 1.11 | 10.84 | Yes | 11.66 | |
| MW-12 | 08/30/94 | 12.87 | 618.04 | 617.73 | -0.77 | 10.04 | Yes | 12.46 | |
| MW-12 | 10/25/94 | 12.41 | 618.52 | 618.19 | 0.48 | 10.53 | Yes | 11.97 | |
| MW-12 | 07/12/95 | 13.72 | 617.52 | 616.88 | -1.00 | 9.63 | Yes | 12.87 | |
| MW-12 | 11/13/95 | 13.43 | 618.37 | 617.17 | 0.85 | 10.67 | Yes | 11.83 | |
| MW-12 | 03/13/96 | 14.08 | 617.07 | 616.52 | -1.30 | 9.15 | Yes | 13.35 | |
| MW-12 | 10/08/96 | 13.88 | 618.90 | 616.72 | 1.83 | 11.52 | Yes | 10.98 | |
| MW-12 | 04/29/97 | 14.08 | 619.15 | 616.52 | 0.25 | 11.92 | Yes | 10.58 | |
| MW-12 | 06/10/97 | 13.78 | 618.64 | 616.82 | -0.50 | 11.15 | Yes | 11.35 | FP bailed 5/22/97 |
| MW-12 | 11/03/98 | 15.25 | 616.60 | 615.35 | -2.05 | 8.91 | No | 13.59 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-12 | 03/02/99 | 15.97 | 616.39 | 614.63 | -0.21 | 8.87 | No | 13.63 | |
| MW-12 | 10/07/99 | 14.44 | 618.62 | 616.16 | 2.24 | 11.34 | Yes | 11.16 | |
| MW-12 | 11/09/99 | 14.25 | 618.68 | 616.35 | 0.06 | 11.36 | Yes | 11.14 | bailed .5 gal. FP |
| MW-12 | 12/21/99 | 14.24 | 616.47 | 616.36 | -2.21 | 8.41 | No | 14.09 | bailed <0.1 gal. FP |
| MW-12 | 01/27/00 | 14.18 | 617.40 | 616.42 | 0.92 | 9.62 | Yes | 12.88 | bailed 0.2 gal. FP |
| MW-12 | 02/24/00 | 14.17 | 617.17 | 616.43 | -0.23 | 9.31 | Yes | 13.19 | bailed 0.2 gal. FP |
| MW-12 | 03/31/00 | 14.12 | 617.13 | 616.48 | -0.03 | 9.25 | Yes | 13.25 | bailed 0.25 gal. FP |
| MW-12 | 04/20/00 | 15.11 | 617.07 | 615.49 | -0.06 | 9.50 | Yes | 13.00 | bailed .5 gal. FP |
| MW-12 | 04/26/00 | 14.11 | 617.11 | 616.49 | 0.04 | 9.22 | Yes | 13.28 | bailed .5 gal. FP |
| MW-12 | 05/31/00 | 13.93 | 617.09 | 616.67 | -0.02 | 9.13 | Yes | 13.37 | bailed .125 gal. FP |
| MW-12 | 06/29/00 | 13.92 | 617.26 | 616.68 | 0.17 | 9.35 | Yes | 13.15 | bailed 0.25 gal. FP |
| MW-12 | 07/26/00 | 13.97 | 617.15 | 616.63 | -0.11 | 9.22 | Yes | 13.28 | bailed <0.1 gal. FP |
| MW-12 | 08/18/00 | 14.07 | 616.96 | 616.53 | -0.19 | 9.00 | No | 13.50 | bailed 0.25 gal. FP |
| MW-12 | 09/27/00 | 14.14 | 616.78 | 616.46 | -0.17 | 8.79 | No | 13.71 | bailed 0.125 gal. FP |
| MW-12 | 10/11/00 | 13.98 | 616.89 | 616.62 | 0.11 | 8.88 | No | 13.62 | bailed 0.15 gal. FP |
| MW-12 | 11/17/00 | 14.23 | 616.72 | 616.37 | -0.17 | 8.73 | No | 13.77 | bailed 0.25 gal. FP |
| MW-12 | 12/12/00 | 14.09 | 616.79 | 616.51 | 0.07 | 8.78 | No | 13.72 | bailed 0.25 gal. FP |
| MW-12 | 01/18/01 | 14.24 | 616.56 | 616.36 | -0.23 | 8.52 | No | 13.98 | bailed 0.25 gal. FP |
| MW-12 | 05/23/01 | 13.66 | 617.30 | 616.94 | 0.75 | 9.32 | Yes | 13.18 | no product bailed |
| MW-12 | 06/19/01 | 13.70 | 617.34 | 616.90 | 0.03 | 9.38 | Yes | 13.12 | |
| MW-12 | 07/26/01 | 13.93 | 617.09 | 616.67 | -0.25 | 9.13 | Yes | 13.37 | |
| MW-12 | 08/31/01 | 14.17 | 616.72 | 616.43 | -0.37 | 8.72 | No | 13.78 | |
| MW-12 | 09/26/01 | 14.16 | 616.71 | 616.44 | -0.01 | 8.70 | No | 13.80 | |
| MW-12 | 10/24/01 | 14.18 | 616.65 | 616.42 | -0.07 | 8.62 | No | 13.88 | |
| MW-12 | 12/20/01 | 14.60 | 616.16 | 616.00 | -0.49 | 8.11 | No | 14.39 | |
| MW-12 | 01/22/02 | 14.45 | 616.21 | 616.15 | 0.05 | 8.13 | No | 14.37 | |
| MW-12 | 02/26/02 | 14.83 | 615.94 | 615.77 | -0.27 | 7.89 | No | 14.61 | |
| MW-12 | 03/20/02 | 15.29 | 615.76 | 615.31 | -0.45 | 7.81 | No | 14.69 | |
| MW-12 | 04/24/02 | 13.78 | 616.96 | 616.82 | 1.20 | 8.91 | No | 13.59 | |
| MW-12 | 05/15/02 | 14.38 | 616.29 | 616.22 | -0.67 | 8.21 | No | 14.29 | |
| MW-12 | 06/27/02 | 14.60 | 616.11 | 616.00 | -0.18 | 8.04 | No | 14.46 | |
| MW-12 | 07/25/02 | 14.50 | 616.23 | 616.10 | 0.12 | 8.17 | No | 14.33 | |
| MW-12 | 08/20/02 | 14.56 | 616.18 | 616.04 | -0.05 | 8.13 | No | 14.37 | |
| MW-12 | 09/30/02 | 14.24 | 616.58 | 616.36 | 0.39 | 8.55 | No | 13.95 | |
| MW-12 | 11/05/02 | 14.22 | 616.65 | 616.38 | 0.07 | 8.64 | No | 13.86 | |
| MW-12 | 12/23/02 | 14.38 | 616.45 | 616.22 | -0.20 | 8.43 | No | 14.07 | |
| MW-12 | 01/28/03 | 14.76 | 616.05 | 615.84 | -0.40 | 8.02 | No | 14.48 | |
| MW-12 | 02/19/03 | 14.80 | 615.95 | 615.80 | -0.10 | 7.90 | No | 14.60 | |
| MW-12 | 04/17/03 | 15.91 | 615.53 | 614.69 | -0.42 | 7.71 | No | 14.79 | |
| MW-12 | 10/23/03 | 16.41 | 615.32 | 614.19 | -0.21 | 7.59 | No | 14.91 | |
| MW-12 | 12/03/03 | 16.83 | 615.14 | 613.77 | -0.17 | 7.50 | No | 15.00 | |
| MW-12 | 04/19/04 | 19.50 | 614.68 | 612.86 | -0.46 | 7.19 | No | 17.07 | |
| MW-12 | 07/28/04 | 17.35 | 615.63 | 615.01 | 0.94 | 7.73 | No | 16.53 | |
| MW-12 | 11/15/04 | 16.15 | 616.32 | 616.21 | 0.70 | 8.26 | No | 16.00 | |
| MW-12 | 04/18/05 | 16.03 | 616.45 | 616.33 | 0.13 | 8.39 | No | 15.87 | |
| MW-12 | 10/11/05 | 16.16 | 616.67 | 616.20 | 0.22 | 8.72 | No | 15.54 | |
| MW-12 | 05/23/06 | 16.35 | 617.17 | 616.01 | 0.51 | 9.46 | Yes | 14.80 | |
| MW-12 | 10/16/06 | 16.64 | 616.48 | 615.72 | -0.70 | 8.63 | No | 15.63 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-12 | 04/23/07 | 18.05 | 615.75 | 614.31 | -.73 | 8.13 | No | 16.13 | |
| MW-12 | 09/25/07 | 18.09 | 615.72 | 614.27 | -.03 | 8.10 | No | 16.16 | |
| MW-12 | 05/01/08 | 16.77 | 616.87 | 615.59 | 1.15 | 9.19 | Yes | 15.07 | |
| MW-12 | 10/20/08 | 16.53 | 617.70 | 615.83 | .83 | 10.22 | Yes | 14.04 | |
| MW-12 | 04/18/09 | 16.88 | 616.97 | 615.48 | -.73 | 9.37 | Yes | 14.89 | |
| MW-12 | 10/11/09 | 17.37 | 616.38 | 614.99 | -.60 | 8.74 | No | 15.52 | |
| MW-12 | 04/28/10 | 17.13 | 616.52 | 615.23 | .14 | 8.85 | No | 15.41 | |
| MW-12 | 10/25/10 | 16.67 | 617.88 | 615.69 | 1.36 | 10.51 | Yes | 13.75 | |
| MW-12 | 04/25/11 | 17.32 | 616.82 | 615.04 | -.16 | 9.31 | Yes | 14.95 | |
| MW-12 | 10/10/11 | 17.14 | 617.15 | 615.22 | .33 | 9.69 | Yes | 14.57 | |
| MW-12 | 01/04/12 | 17.74 | 616.30 | 614.62 | -.85 | 8.76 | No | 15.50 | |
| MW-12 | 04/16/12 | 17.40 | 615.97 | 614.96 | -.34 | 8.20 | No | 16.06 | |
| MW-12 | 06/26/12 | 16.87 | 617.79 | 615.49 | 1.83 | 10.46 | Yes | 13.80 | |
| MW-12 | 07/12/12 | 17.04 | 617.30 | 615.32 | -.49 | 9.86 | Yes | 14.40 | Spill Buddy Before Reading |
| MW-12 | 07/26/12 | 17.25 | 617.00 | 615.11 | -.20 | 9.53 | Yes | 14.73 | Spill Buddy Before Reading |
| MW-12 | 08/09/12 | 16.84 | 616.81 | 615.52 | -.26 | 9.14 | Yes | 15.12 | Spill Buddy Before Reading |
| MW-12 | 09/29/12 | 16.94 | 616.24 | 615.42 | -.57 | 8.41 | No | 15.85 | Spill Buddy Before Reading |
| MW-12 | 09/30/12 | 16.81 | 616.29 | 615.55 | .09 | 8.43 | No | 15.83 | |
| MW-12 | 11/21/12 | 17.05 | 615.93 | 615.31 | -.36 | 8.03 | No | 16.23 | |
| MW-12 | 12/17/12 | 17.08 | 615.78 | 615.28 | -.14 | 7.85 | No | 16.41 | |
| MW-12 | 05/05/13 | 17.27 | 615.53 | 615.09 | -.25 | 7.58 | No | 16.68 | |
| MW-13 | 03/23/88 | 17.78 | 616.62 | | NA | 6.82 | No | | |
| MW-13 | 09/08/88 | 17.99 | 616.41 | | -.21 | 6.61 | No | | |
| MW-13 | 09/20/88 | 18.22 | 616.18 | | -.23 | 6.38 | No | | |
| MW-13 | 04/27/89 | 18.11 | 616.29 | | .11 | 6.49 | No | | |
| MW-13 | 05/18/89 | 17.74 | 616.66 | | 0.37 | 6.86 | No | | |
| MW-13 | 06/30/89 | 16.49 | 617.91 | | 1.25 | 8.11 | No | | |
| MW-13 | 07/12/89 | 17.66 | 616.74 | | -.17 | 6.94 | No | | |
| MW-13 | 07/26/89 | 17.59 | 616.81 | | .07 | 7.01 | No | | |
| MW-13 | 07/27/89 | 17.69 | 616.71 | | -.10 | 6.91 | No | | |
| MW-13 | 09/03/89 | 17.85 | 616.55 | | -.16 | 6.75 | No | | |
| MW-13 | 11/16/89 | 17.97 | 616.43 | | -.12 | 6.63 | No | | |
| MW-13 | 11/28/89 | 18.19 | 616.21 | | -.22 | 6.41 | No | | |
| MW-13 | 06/01/90 | 17.92 | 616.48 | | 0.27 | 6.68 | No | | |
| MW-13 | 06/19/90 | 17.87 | 616.53 | | 0.05 | 6.73 | No | | |
| MW-13 | 06/27/90 | 19.03 | 615.37 | | 1.16 | 5.57 | No | | |
| MW-13 | 07/05/90 | 18.30 | 616.10 | | 0.73 | 6.30 | No | | |
| MW-13 | 07/13/90 | 18.25 | 616.15 | | 0.05 | 6.35 | No | | |
| MW-13 | 07/17/90 | 18.67 | 615.73 | | -.42 | 5.93 | No | | |
| MW-13 | 07/25/90 | 18.20 | 616.20 | | 0.47 | 6.40 | No | | |
| MW-13 | 08/09/90 | 18.05 | 616.35 | | 0.15 | 6.55 | No | | |
| MW-13 | 08/14/90 | 18.07 | 616.33 | | -.02 | 6.53 | No | | |
| MW-13 | 08/27/90 | 17.82 | 616.58 | | 0.25 | 6.78 | No | | |
| MW-13 | 09/06/90 | 17.61 | 616.79 | | 0.21 | 6.99 | No | | |
| MW-13 | 01/04/91 | 17.37 | 617.03 | | 0.24 | 7.23 | No | | |
| MW-13 | 01/30/91 | 17.50 | 616.90 | | -.13 | 7.10 | No | | |
| MW-13 | 04/24/91 | 18.03 | 616.37 | | -.53 | 6.57 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-13 | 07/09/91 | 16.33 | 618.07 | | 1.70 | 8.27 | No | | |
| MW-13 | 10/08/91 | 14.99 | 619.41 | | 1.34 | 9.61 | Yes | | |
| MW-13 | 01/07/92 | 15.12 | 619.28 | | -0.13 | 9.48 | Yes | | |
| MW-13 | 10/14/92 | 14.80 | 619.60 | | 0.32 | 9.80 | Yes | | |
| MW-13 | 01/29/94 | 16.00 | 618.40 | | -1.20 | 8.60 | No | | |
| MW-13 | 04/27/94 | 16.11 | 618.29 | | -0.11 | 8.49 | No | | |
| MW-13 | 07/21/94 | 15.91 | 618.49 | | 0.20 | 8.69 | No | | |
| MW-13 | 10/25/94 | 15.25 | 619.15 | | 0.66 | 9.35 | Yes | | |
| MW-13 | 10/27/94 | 14.74 | 619.66 | | 0.51 | 9.86 | Yes | | |
| MW-13 | 02/01/95 | 16.43 | 617.97 | | -1.69 | 8.17 | No | | |
| MW-13 | 04/04/95 | 17.26 | 617.14 | | -0.83 | 7.34 | No | | |
| MW-13 | 07/12/95 | 16.13 | 618.27 | | 1.13 | 8.47 | No | | |
| MW-13 | 11/13/95 | 15.14 | 619.26 | | 0.99 | 9.46 | Yes | | |
| MW-13 | 03/13/96 | 16.60 | 617.80 | | -1.46 | 8.00 | No | | |
| MW-13 | 10/08/96 | 14.33 | 620.07 | | 2.27 | 10.27 | Yes | | |
| MW-13 | 04/29/97 | 13.77 | 620.63 | | 0.56 | 10.83 | Yes | | |
| MW-13 | 11/03/98 | 16.95 | 617.45 | | -3.18 | 7.65 | No | | |
| MW-13 | 03/02/99 | 16.94 | 617.46 | | 0.01 | 7.66 | No | | |
| MW-13 | 04/26/00 | 16.28 | 618.12 | | 0.66 | 8.32 | No | | |
| MW-13 | 08/18/00 | 16.27 | 618.13 | | 0.01 | 8.33 | No | | |
| MW-13 | 11/05/02 | 16.36 | 618.04 | | -0.09 | 8.24 | No | | |
| MW-13 | 08/19/03 | | | | | | | | Abandoned |
| MW-14 | 09/08/88 | 23.53 | 614.63 | 611.37 | NA | 7.82 | No | 19.18 | |
| MW-14 | 09/20/88 | 25.33 | 614.24 | 609.57 | -0.39 | 7.90 | No | 19.10 | |
| MW-14 | 04/27/89 | 25.86 | 614.10 | 609.04 | -0.14 | 7.89 | No | 19.11 | |
| MW-14 | 05/18/89 | 23.78 | 614.98 | 611.12 | 0.87 | 8.36 | No | 18.64 | |
| MW-14 | 06/30/89 | 23.21 | 615.65 | 611.69 | 0.67 | 9.07 | No | 17.93 | |
| MW-14 | 07/12/89 | 23.66 | 615.22 | 611.24 | -0.43 | 8.64 | No | 18.36 | |
| MW-14 | 07/26/89 | 23.11 | 615.38 | 611.79 | 0.16 | 8.67 | No | 18.33 | |
| MW-14 | 07/27/89 | 26.26 | 614.33 | 608.64 | -1.05 | 8.32 | No | 18.68 | |
| MW-14 | 09/03/89 | 26.11 | 614.06 | 608.79 | -0.26 | 7.92 | No | 19.08 | |
| MW-14 | 11/16/89 | 25.81 | 614.18 | 609.09 | 0.12 | 7.98 | No | 19.02 | |
| MW-14 | 11/29/89 | 23.73 | 614.85 | 611.17 | 0.66 | 8.17 | No | 18.83 | |
| MW-14 | 12/01/89 | 23.27 | 614.81 | 611.63 | -0.03 | 7.97 | No | 19.03 | |
| MW-14 | 12/02/89 | 22.95 | 614.84 | 611.95 | 0.03 | 7.90 | No | 19.10 | |
| MW-14 | 05/04/90 | 24.85 | 613.99 | 610.05 | -0.85 | 7.40 | No | 19.60 | |
| MW-14 | 06/01/90 | 24.33 | 614.32 | 610.57 | 0.33 | 7.67 | No | 19.33 | |
| MW-14 | 06/19/90 | 23.63 | 614.59 | 611.27 | 0.26 | 7.79 | No | 19.21 | |
| MW-14 | 06/27/90 | 24.84 | 614.21 | 610.06 | -0.38 | 7.69 | No | 19.31 | |
| MW-14 | 07/05/90 | 24.59 | 614.05 | 610.31 | -0.15 | 7.40 | No | 19.60 | |
| MW-14 | 07/13/90 | 24.93 | 614.19 | 609.97 | 0.13 | 7.69 | No | 19.31 | |
| MW-14 | 07/17/90 | 25.08 | 614.25 | 609.82 | 0.06 | 7.82 | No | 19.18 | |
| MW-14 | 07/25/90 | 26.21 | 613.87 | 608.69 | -0.37 | 7.70 | No | 19.30 | |
| MW-14 | 08/09/90 | 25.53 | 614.07 | 609.37 | 0.20 | 7.74 | No | 19.26 | |
| MW-14 | 08/27/90 | 25.08 | 614.19 | 609.82 | 0.12 | 7.75 | No | 19.25 | |
| MW-14 | 09/06/90 | 23.58 | 614.67 | 611.32 | 0.48 | 7.89 | No | 19.11 | |
| MW-14 | 01/04/91 | 23.30 | 615.17 | 611.60 | 0.50 | 8.46 | No | 18.54 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-14 | 01/30/91 | 24.20 | 614.84 | 610.70 | -0.33 | 8.32 | No | 18.68 | |
| MW-14 | 04/24/91 | 22.48 | 614.87 | 612.42 | 0.03 | 7.79 | No | 19.21 | |
| MW-14 | 06/06/91 | 19.95 | 616.23 | 614.95 | 1.35 | 8.75 | No | 18.25 | |
| MW-14 | 07/09/91 | 18.71 | 617.22 | 616.19 | 0.99 | 9.66 | No | 17.34 | |
| MW-14 | 08/06/91 | 17.67 | 618.15 | 617.23 | 0.93 | 10.55 | Yes | 16.45 | |
| MW-14 | 09/04/91 | 17.77 | 618.14 | 617.13 | -0.01 | 10.57 | Yes | 16.43 | |
| MW-14 | 10/08/91 | 16.85 | 619.03 | 618.05 | 0.89 | 11.45 | Yes | 15.55 | |
| MW-14 | 11/08/91 | 17.57 | 618.34 | 617.33 | -0.68 | 10.78 | Yes | 16.22 | |
| MW-14 | 12/03/91 | 15.73 | 620.11 | 619.17 | 1.77 | 12.52 | Yes | 14.48 | |
| MW-14 | 01/07/92 | 17.27 | 618.58 | 617.63 | -1.53 | 11.00 | Yes | 16.00 | |
| MW-14 | 02/04/92 | 17.93 | 617.87 | 616.97 | -0.71 | 10.27 | Yes | 16.73 | |
| MW-14 | 03/03/92 | 18.51 | 617.43 | 616.39 | -0.44 | 9.87 | No | 17.13 | |
| MW-14 | 09/24/92 | 16.52 | 619.28 | 618.38 | 1.85 | 11.68 | Yes | 15.32 | |
| MW-14 | 10/14/92 | 17.57 | 618.31 | 617.33 | -0.97 | 10.74 | Yes | 16.26 | |
| MW-14 | 06/25/93 | 14.90 | 621.37 | 620.00 | 3.05 | 13.92 | Yes | 13.08 | |
| MW-14 | 10/28/93 | 18.45 | 617.82 | 616.45 | -3.55 | 10.37 | Yes | 16.63 | |
| MW-14 | 01/29/94 | 19.12 | 617.13 | 615.78 | -0.69 | 9.68 | No | 17.32 | |
| MW-14 | 04/27/94 | 22.10 | 616.60 | 612.80 | -0.53 | 9.97 | No | 17.03 | |
| MW-14 | 07/21/94 | 17.81 | 618.73 | 617.09 | 2.12 | 11.37 | Yes | 15.63 | |
| MW-14 | 10/25/94 | 18.44 | 618.04 | 616.46 | -0.69 | 10.66 | Yes | 16.34 | |
| MW-14 | 11/02/94 | 17.03 | 620.14 | 617.87 | 2.10 | 12.99 | Yes | 14.01 | |
| MW-14 | 02/01/95 | 19.93 | 616.25 | 614.97 | -3.88 | 8.78 | No | 18.22 | |
| MW-14 | 04/04/95 | 20.93 | 615.86 | 613.97 | -0.39 | 8.59 | No | 18.41 | |
| MW-14 | 07/12/95 | 18.67 | 617.15 | 616.23 | 1.29 | 9.56 | No | 17.44 | |
| MW-14 | 11/14/95 | 16.68 | 618.72 | 618.22 | 1.56 | 10.98 | Yes | 16.02 | |
| MW-14 | 03/13/96 | 19.83 | 616.35 | 615.07 | -2.37 | 8.87 | No | 18.13 | |
| MW-14 | 10/08/96 | 16.36 | 619.61 | 618.54 | 3.27 | 12.07 | Yes | 14.93 | |
| MW-14 | 04/29/97 | 15.28 | 620.67 | 619.62 | 1.06 | 13.12 | Yes | 13.88 | |
| MW-14 | 06/10/97 | 15.88 | 619.22 | 619.02 | -1.45 | 11.39 | Yes | 15.61 | FP bailed 5/22/97 |
| MW-14 | 11/03/98 | 21.37 | 616.04 | 613.53 | -3.19 | 8.97 | No | 18.03 | |
| MW-14 | 03/02/99 | 21.61 | 615.87 | 613.29 | -0.17 | 8.83 | No | 18.17 | |
| MW-14 | 10/07/99 | 15.08 | 619.94 | 619.82 | 4.07 | 12.08 | Yes | 14.92 | |
| MW-14 | 11/09/99 | 15.14 | 620.07 | 619.76 | 0.13 | 12.27 | Yes | 14.73 | bailed <0.1 gal. FP |
| MW-14 | 12/21/99 | 16.73 | 618.21 | 618.17 | -1.86 | 10.32 | Yes | 16.68 | |
| MW-14 | 01/27/00 | 17.54 | 617.37 | 617.36 | -0.84 | 9.47 | No | 17.53 | |
| MW-14 | 02/24/00 | 18.44 | 618.19 | 616.46 | 0.82 | 10.87 | Yes | 16.13 | bailed <0.1 gal. FP |
| MW-14 | 03/31/00 | 19.13 | 616.92 | 615.77 | -1.27 | 9.40 | No | 17.60 | bailed 0.25 gal. FP |
| MW-14 | 04/20/00 | 18.81 | 617.13 | 616.09 | 0.21 | 9.57 | No | 17.43 | bailed 0.25 gal. FP |
| MW-14 | 04/26/00 | 18.46 | 617.27 | 616.44 | 0.14 | 9.64 | No | 17.36 | bailed 1 gal. FP |
| MW-14 | 05/31/00 | 17.63 | 617.37 | 617.27 | 0.10 | 9.50 | No | 17.50 | bailed 0.125 gal. FP |
| MW-14 | 06/29/00 | 17.57 | 617.41 | 617.33 | 0.04 | 9.54 | No | 17.46 | bailed 0.1 gal. FP |
| MW-14 | 07/26/00 | 17.67 | 617.27 | 617.23 | -0.14 | 9.38 | No | 17.62 | |
| MW-14 | 08/18/00 | 18.06 | 616.89 | 616.84 | -0.38 | 9.01 | No | 17.99 | bailed 0.125 gal. FP |
| MW-14 | 09/27/00 | 19.19 | 616.46 | 615.71 | -0.43 | 8.81 | No | 18.19 | bailed 0.125 gal. FP |
| MW-14 | 10/11/00 | 19.56 | 616.21 | 615.34 | -0.25 | 8.60 | No | 18.40 | bailed 0.75 gal. FP |
| MW-14 | 11/17/00 | 20.29 | 616.36 | 614.61 | 0.15 | 9.04 | No | 17.96 | bailed 1.75 gal. FP |
| MW-14 | 12/12/00 | 18.90 | 616.73 | 616.00 | 0.37 | 9.07 | No | 17.93 | bailed 1.25 gal. FP |
| MW-14 | 01/18/01 | 19.18 | 616.46 | 615.72 | -0.27 | 8.81 | No | 18.19 | bailed 2 gal. FP |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-14 | 04/24/01 | 20.33 | 616.31 | 614.57 | -0.15 | 8.99 | No | 18.01 | product abated using vactruck |
| MW-14 | 05/23/01 | 18.01 | 617.58 | 616.89 | 1.27 | 9.91 | No | 17.09 | no product bailed |
| MW-14 | 06/19/01 | 17.80 | 617.76 | 617.10 | 0.18 | 10.08 | Yes | 16.92 | |
| MW-14 | 07/26/01 | 18.46 | 617.12 | 616.44 | -0.64 | 9.44 | No | 17.56 | |
| MW-14 | 08/31/01 | 18.83 | 616.74 | 616.07 | -0.38 | 9.06 | No | 17.94 | |
| MW-14 | 09/26/01 | 19.22 | 616.49 | 615.68 | -0.25 | 8.86 | No | 18.14 | |
| MW-14 | 10/24/01 | 19.58 | 616.42 | 615.32 | -0.07 | 8.88 | No | 18.12 | |
| MW-14 | 12/20/01 | 21.07 | 615.89 | 613.83 | -0.53 | 8.67 | No | 18.33 | |
| MW-14 | 01/22/02 | 21.66 | 615.37 | 613.24 | -0.51 | 8.18 | No | 18.82 | |
| MW-14 | 02/26/02 | 22.44 | 615.27 | 612.46 | -0.11 | 8.30 | No | 18.70 | |
| MW-14 | 03/20/02 | 22.45 | 615.09 | 612.45 | -0.28 | 8.07 | No | 18.93 | |
| MW-14 | 04/24/02 | 21.09 | 615.97 | 613.81 | 0.88 | 8.79 | No | 18.21 | |
| MW-14 | 05/15/02 | 20.33 | 616.39 | 614.57 | 0.41 | 9.09 | No | 17.91 | |
| MW-14 | 06/27/02 | 19.70 | 616.43 | 615.20 | 0.05 | 8.94 | No | 18.06 | |
| MW-14 | 07/25/02 | 18.88 | 616.59 | 616.02 | 0.16 | 8.88 | No | 18.12 | |
| MW-14 | 08/20/02 | 18.71 | 616.83 | 616.19 | 0.24 | 9.14 | No | 17.86 | |
| MW-14 | 09/30/02 | 18.11 | 617.30 | 616.79 | 0.47 | 9.57 | No | 17.43 | |
| MW-14 | 11/05/02 | 17.81 | 617.59 | 617.09 | 0.29 | 9.86 | No | 17.14 | |
| MW-14 | 12/23/02 | 18.83 | 616.58 | 616.07 | -1.01 | 8.85 | No | 18.15 | |
| MW-14 | 01/28/03 | 19.36 | 615.94 | 615.54 | -0.64 | 8.17 | No | 18.83 | |
| MW-14 | 02/19/03 | 20.98 | 615.55 | 613.92 | -0.39 | 8.19 | No | 18.81 | |
| MW-14 | 04/17/03 | 22.63 | 614.95 | 612.27 | -0.60 | 7.94 | No | 19.06 | |
| MW-14 | 05/15/03 | 22.29 | 614.99 | 612.61 | 0.04 | 7.88 | No | 19.12 | |
| MW-14 | 06/10/03 | 20.97 | 615.45 | 613.93 | 0.46 | 8.06 | No | 18.94 | |
| MW-14 | 10/23/03 | 21.71 | 615.01 | 613.19 | -0.44 | 7.72 | No | 19.28 | |
| MW-14 | 12/03/03 | 22.23 | 614.83 | 612.67 | -0.18 | 7.65 | No | 19.35 | |
| MW-14 | 04/19/04 | 23.75 | 614.10 | 611.30 | -0.73 | 7.13 | No | 20.02 | |
| MW-14 | 07/28/04 | 20.24 | 615.52 | 614.81 | 1.42 | 7.85 | No | 19.30 | |
| MW-14 | 11/15/04 | 18.60 | 616.68 | 616.45 | 1.16 | 8.85 | No | 18.30 | |
| MW-14 | 04/18/05 | 20.09 | 615.75 | 614.96 | -0.93 | 8.11 | No | 19.04 | |
| MW-14 | 09/09/05 | 19.41 | 616.32 | 615.64 | 0.58 | 8.65 | No | 18.50 | |
| MW-14 | 10/11/05 | 19.06 | 616.65 | 615.99 | 0.33 | 8.97 | No | 18.18 | |
| MW-14 | 05/23/06 | 18.49 | 617.52 | 616.56 | 0.87 | 9.94 | No | 17.21 | |
| MW-14 | 10/16/06 | 20.88 | 615.92 | 614.17 | -1.60 | 8.60 | No | 18.55 | |
| MW-14 | 04/23/07 | 22.65 | 614.94 | 612.40 | -0.98 | 7.89 | No | 19.26 | |
| MW-14 | 09/25/07 | 22.99 | 614.94 | 612.06 | 0.00 | 8.00 | No | 19.15 | |
| MW-14 | 05/01/08 | 19.31 | 616.50 | 615.74 | 1.56 | 8.85 | No | 18.30 | |
| MW-14 | 10/20/08 | 17.74 | 618.10 | 617.31 | 1.60 | 10.46 | Yes | 16.69 | |
| MW-14 | 04/18/09 | 18.83 | 617.01 | 616.22 | -1.09 | 9.37 | No | 17.78 | |
| MW-14 | 08/04/09 | 19.45 | 616.39 | 615.60 | -0.62 | 8.75 | No | 18.40 | |
| MW-14 | 08/05/09 | 19.35 | 615.85 | 615.70 | -0.54 | 8.00 | No | 19.15 | |
| MW-14 | 08/13/09 | 18.78 | 616.37 | 616.27 | 0.52 | 8.50 | No | 18.65 | |
| MW-14 | 08/18/09 | 18.68 | 616.45 | 616.37 | 0.08 | 8.57 | No | 18.58 | |
| MW-14 | 08/26/09 | 18.27 | 616.85 | 616.78 | 0.40 | 8.97 | No | 18.18 | |
| MW-14 | 09/03/09 | 18.07 | 617.06 | 616.98 | 0.21 | 9.18 | No | 17.97 | |
| MW-14 | 09/08/09 | 18.14 | 616.98 | 616.91 | -0.08 | 9.10 | No | 18.05 | |
| MW-14 | 09/14/09 | 18.19 | 616.92 | 616.86 | -0.06 | 9.04 | No | 18.11 | |
| MW-14 | 10/11/09 | 18.88 | 616.28 | 616.17 | -0.64 | 8.42 | No | 18.73 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-14 | 10/15/09 | 18.88 | 616.28 | 616.17 | 0.00 | 8.42 | No | 18.73 | |
| MW-14 | 04/28/10 | 19.72 | 616.18 | 615.33 | -0.11 | 8.56 | No | 18.59 | |
| MW-14 | 10/25/10 | 17.39 | 618.45 | 617.66 | 2.27 | 10.81 | Yes | 16.34 | |
| MW-14 | 04/25/11 | 18.63 | 617.22 | 616.42 | -1.23 | 9.59 | No | 17.56 | |
| MW-14 | 08/04/11 | 16.89 | 618.93 | 618.16 | 1.71 | 11.29 | Yes | 15.86 | |
| MW-14 | 09/14/11 | 17.26 | 617.90 | 617.79 | 0.67 | 10.03 | Yes | 17.12 | |
| MW-14 | 09/23/11 | 17.38 | 617.78 | 617.67 | -0.11 | 9.92 | No | 17.23 | |
| MW-14 | 09/29/11 | 17.39 | 617.83 | 617.66 | 0.04 | 9.98 | No | 17.17 | 26.26 |
| MW-14 | 10/07/11 | 17.39 | 617.77 | 617.66 | -0.06 | 9.90 | No | 17.25 | |
| MW-14 | 10/10/11 | 17.56 | 617.57 | 617.49 | -0.20 | 9.69 | No | 17.46 | |
| MW-14 | 10/21/11 | 17.80 | 617.36 | 617.25 | -0.21 | 9.49 | No | 17.66 | |
| MW-14 | 10/27/11 | 17.96 | 617.21 | 617.09 | -0.14 | 9.35 | No | 17.80 | |
| MW-14 | 11/04/11 | 18.16 | 617.00 | 616.89 | -0.21 | 9.14 | No | 18.01 | |
| MW-14 | 11/09/11 | 18.05 | 617.11 | 617.00 | 0.11 | 9.25 | No | 17.90 | |
| MW-14 | 11/18/11 | 18.22 | 616.94 | 616.83 | -0.17 | 9.08 | No | 18.07 | |
| MW-14 | 11/22/11 | 18.36 | 616.82 | 616.69 | -0.13 | 8.96 | No | 18.19 | |
| MW-14 | 12/01/11 | 18.75 | 616.43 | 616.30 | -0.39 | 8.57 | No | 18.58 | |
| MW-14 | 01/04/12 | 19.79 | 616.07 | 615.26 | -0.36 | 8.44 | No | 18.71 | |
| MW-14 | 02/16/12 | 21.72 | 615.36 | 613.33 | -0.72 | 8.13 | No | 19.02 | |
| MW-14 | 03/13/12 | 22.41 | 615.21 | 612.64 | -0.15 | 8.16 | No | 18.99 | |
| MW-14 | 04/03/12 | 23.09 | 614.97 | 611.96 | -0.24 | 8.07 | No | 19.08 | Spill Buddy Before Reading |
| MW-14 | 04/16/12 | 22.63 | 614.96 | 612.42 | 0.83 | 7.90 | No | 19.25 | |
| MW-14 | 06/18/12 | 18.59 | 617.11 | 616.46 | 2.15 | 9.42 | No | 17.73 | |
| MW-14 | 06/26/12 | 17.94 | 617.83 | 617.11 | 0.73 | 10.17 | Yes | 16.98 | |
| MW-14 | 07/12/12 | 18.13 | 617.65 | 616.92 | -0.18 | 9.99 | No | 17.16 | |
| MW-14 | 07/24/12 | 18.50 | 617.29 | 616.55 | -0.36 | 9.64 | No | 17.51 | |
| MW-14 | 08/09/12 | 18.67 | 617.14 | 616.38 | -0.15 | 9.49 | No | 17.66 | Spill Buddy Before Reading |
| MW-14 | 08/17/12 | 18.09 | 617.03 | 616.96 | -0.05 | 9.15 | No | 18.00 | |
| MW-14 | 09/17/12 | 18.51 | 616.59 | 616.54 | -0.44 | 8.70 | No | 18.45 | |
| MW-14 | 09/30/12 | 18.70 | 616.40 | 616.35 | -0.19 | 8.51 | No | 18.64 | |
| MW-14 | 11/21/12 | 21.55 | 615.62 | 613.50 | -0.77 | 8.43 | No | 18.72 | |
| MW-14 | 12/17/12 | 22.39 | 615.29 | 612.66 | -0.33 | 8.27 | No | 18.88 | |
| MW-14 | 03/25/13 | 23.81 | 614.42 | 611.24 | -0.87 | 7.58 | No | 19.57 | |
| MW-14 | 05/05/13 | 23.39 | 614.64 | 611.66 | 0.22 | 7.73 | No | 19.42 | |
| MW-15S | 09/08/88 | 17.29 | 612.81 | | NA | 7.71 | No | | |
| MW-15S | 09/20/88 | 17.62 | 612.48 | | -0.33 | 7.38 | No | | |
| MW-15S | 04/27/89 | 17.21 | 612.89 | | 0.41 | 7.79 | No | | |
| MW-15S | 05/18/89 | 16.98 | 613.12 | | 0.23 | 8.02 | No | | |
| MW-15S | 06/30/89 | 16.71 | 613.39 | | 0.27 | 8.29 | No | | |
| MW-15S | 07/12/89 | 16.82 | 613.28 | | -0.11 | 8.18 | No | | |
| MW-15S | 07/26/89 | 16.89 | 613.21 | | -0.07 | 8.11 | No | | |
| MW-15S | 07/27/89 | 17.03 | 613.07 | | -0.14 | 7.97 | No | | |
| MW-15S | 09/03/89 | 17.13 | 612.97 | | -0.10 | 7.87 | No | | |
| MW-15S | 11/16/89 | 17.29 | 612.81 | | -0.16 | 7.71 | No | | |
| MW-15S | 11/28/89 | 17.46 | 612.64 | | -0.17 | 7.54 | No | | |
| MW-15S | 06/01/90 | 17.46 | 612.64 | | 0.00 | 7.54 | No | | |
| MW-15S | 06/19/90 | 17.28 | 612.82 | | 0.18 | 7.72 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well Submerged with Liquid? | Screen Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|---------------------------------------|--------------------------------------|-----------------------|
| MW-15S | 06/27/90 | 17.31 | 612.79 | | -0.03 | 7.69 | No | |
| MW-15S | 07/05/90 | 17.42 | 612.68 | | -0.11 | 7.58 | No | |
| MW-15S | 07/13/90 | 17.51 | 612.59 | | -0.09 | 7.49 | No | |
| MW-15S | 07/17/90 | 17.35 | 612.75 | | 0.16 | 7.65 | No | |
| MW-15S | 07/25/90 | 17.46 | 612.64 | | -0.11 | 7.54 | No | |
| MW-15S | 08/09/90 | 17.87 | 612.23 | | -0.41 | 7.13 | No | |
| MW-15S | 08/14/90 | 17.55 | 612.55 | | 0.32 | 7.45 | No | |
| MW-15S | 01/04/91 | 16.94 | 613.16 | | 0.61 | 8.06 | No | |
| MW-15S | 01/30/91 | 17.17 | 612.93 | | -0.23 | 7.83 | No | |
| MW-15S | 04/24/91 | 17.33 | 612.77 | | -0.16 | 7.67 | No | |
| MW-15S | 07/09/91 | 15.50 | 614.60 | | 1.83 | 9.50 | No | |
| MW-15S | 10/08/91 | 14.47 | 615.63 | | 1.03 | 10.53 | Yes | |
| MW-15S | 01/07/92 | 14.40 | 615.70 | | 0.07 | 10.60 | Yes | |
| MW-15S | 10/14/92 | 14.26 | 615.84 | | 0.14 | 10.74 | Yes | |
| MW-15S | 06/25/93 | 13.11 | 616.99 | | 1.15 | 11.89 | Yes | |
| MW-15S | 10/28/93 | 14.37 | 615.73 | | -1.26 | 10.63 | Yes | |
| MW-15S | 01/29/94 | 14.71 | 615.39 | | -0.34 | 10.29 | Yes | |
| MW-15S | 04/27/94 | 15.07 | 615.03 | | -0.36 | 9.93 | No | |
| MW-15S | 06/14/94 | 14.38 | 615.72 | | 0.69 | 10.62 | Yes | |
| MW-15S | 07/21/94 | 14.29 | 615.81 | | 0.09 | 10.71 | Yes | |
| MW-15S | 08/30/94 | 15.02 | 615.08 | | -0.73 | 9.98 | No | |
| MW-15S | 10/25/94 | 14.53 | 615.57 | | 0.49 | 10.47 | Yes | |
| MW-15S | 10/27/94 | 14.35 | 615.75 | | 0.18 | 10.65 | Yes | |
| MW-15S | 02/01/95 | 15.79 | 614.31 | | -1.44 | 9.21 | No | |
| MW-15S | 04/04/95 | 16.12 | 613.98 | | -0.33 | 8.88 | No | |
| MW-15S | 07/12/95 | 15.46 | 614.64 | | 0.66 | 9.54 | No | |
| MW-15S | 11/13/95 | 14.56 | 615.54 | | 0.90 | 10.44 | Yes | |
| MW-15S | 03/13/96 | 15.98 | 614.12 | | -1.42 | 9.02 | No | |
| MW-15S | 04/22/96 | 14.76 | 615.34 | | 1.22 | 10.24 | Yes | |
| MW-15S | 10/08/96 | 13.80 | 616.30 | | 0.96 | 11.20 | Yes | |
| MW-15S | 04/29/97 | 13.22 | 616.88 | | 0.58 | 11.78 | Yes | |
| MW-15S | 11/03/98 | 16.11 | 613.99 | | -2.89 | 8.89 | No | |
| MW-15S | 03/02/99 | 16.30 | 613.80 | | -0.19 | 8.70 | No | |
| MW-15S | 04/26/00 | 15.51 | 614.59 | | 0.79 | 9.49 | No | |
| MW-15S | 10/10/00 | 15.97 | 614.13 | | -0.46 | 9.03 | No | |
| MW-15S | 10/23/01 | 15.94 | 614.16 | | 0.03 | 9.06 | No | |
| MW-15S | 04/23/02 | 16.43 | 613.67 | | -0.49 | 8.57 | No | |
| MW-15S | 11/05/02 | 15.23 | 614.87 | | 1.20 | 9.77 | No | |
| MW-15S | 04/17/03 | 17.09 | 613.01 | | -1.86 | 7.91 | No | |
| MW-15S | 10/20/03 | 16.91 | 613.19 | | 0.18 | 8.09 | No | |
| MW-15S | 04/19/04 | 19.59 | 612.42 | | -0.77 | 7.32 | No | |
| MW-15S | 11/16/04 | 17.90 | 614.11 | | 1.69 | 9.01 | No | |
| MW-15S | 04/18/05 | 18.27 | 613.74 | | -0.37 | 8.64 | No | |
| MW-15S | 10/11/05 | 17.51 | 614.50 | | 0.76 | 9.40 | No | |
| MW-15S | 05/23/06 | 17.00 | 615.01 | | 0.51 | 9.91 | No | |
| MW-15S | 10/16/06 | 17.94 | 614.07 | | -0.94 | 8.97 | No | |
| MW-15S | 04/23/07 | 18.60 | 613.41 | | -0.66 | 8.31 | No | |
| MW-15S | 09/25/07 | 18.45 | 613.56 | | 0.15 | 8.46 | No | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-15S | 05/01/08 | 17.08 | 614.93 | | 1.37 | 9.83 | No | | |
| MW-15S | 10/20/08 | 15.90 | 616.11 | | 1.18 | 11.01 | Yes | | |
| MW-15S | 04/18/09 | 16.89 | 615.12 | | -0.99 | 10.02 | Yes | | |
| MW-15S | 10/11/09 | 17.35 | 614.66 | | -0.46 | 9.56 | No | | |
| MW-15S | 04/28/10 | 17.80 | 614.21 | | -0.45 | 9.11 | No | | |
| MW-15S | 10/25/10 | 16.07 | 615.94 | | 1.73 | 10.84 | Yes | | |
| MW-15S | 04/25/11 | 16.92 | 615.09 | | -0.85 | 9.99 | No | | |
| MW-15S | 10/10/11 | 16.34 | 615.67 | | 0.58 | 10.57 | Yes | | |
| MW-15S | 01/04/12 | 17.58 | 614.43 | | -1.24 | 9.33 | No | | |
| MW-15S | 04/16/12 | 18.27 | 613.74 | | -0.69 | 8.64 | No | | |
| MW-15S | 06/26/12 | 15.95 | 616.06 | | 2.32 | 10.96 | Yes | | |
| MW-15S | 09/30/12 | 17.36 | 614.65 | | -1.41 | 9.55 | No | | |
| MW-15S | 03/25/13 | 18.97 | 613.04 | | -1.61 | 7.94 | No | | |
| MW-15S | 05/05/13 | 18.33 | 613.68 | | 0.64 | 8.58 | No | | |
| MW-15D | 06/14/94 | 14.36 | 615.64 | | NA | 40.83 | Yes | | |
| MW-15D | 07/21/94 | 14.32 | 615.68 | | 0.04 | 40.87 | Yes | | |
| MW-15D | 08/30/94 | 15.02 | 614.98 | | -0.70 | 40.17 | Yes | | |
| MW-15D | 10/25/94 | 14.58 | 615.42 | | 0.44 | 40.61 | Yes | | |
| MW-15D | 10/27/94 | 14.41 | 615.59 | | 0.17 | 40.78 | Yes | | |
| MW-15D | 02/01/95 | 15.71 | 614.29 | | -1.30 | 39.48 | Yes | | |
| MW-15D | 04/04/95 | 16.15 | 613.85 | | -0.44 | 39.04 | Yes | | |
| MW-15D | 07/12/95 | 15.52 | 614.48 | | 0.63 | 39.67 | Yes | | |
| MW-15D | 11/13/95 | 14.54 | 615.46 | | 0.98 | 40.65 | Yes | | |
| MW-15D | 03/13/96 | 16.04 | 613.96 | | -1.50 | 39.15 | Yes | | |
| MW-15D | 04/22/96 | 14.65 | 615.35 | | 1.39 | 40.54 | Yes | | |
| MW-15D | 10/08/96 | 13.36 | 616.64 | | 1.29 | 41.83 | Yes | | |
| MW-15D | 04/29/97 | 13.17 | 616.83 | | 0.19 | 42.02 | Yes | | |
| MW-15D | 11/03/98 | 16.11 | 613.89 | | -2.94 | 39.08 | Yes | | |
| MW-15D | 03/02/99 | 16.27 | 613.73 | | -0.16 | 38.92 | Yes | | |
| MW-15D | 04/26/00 | 15.40 | 614.60 | | 0.87 | 39.79 | Yes | | |
| MW-15D | 10/10/00 | 15.98 | 614.02 | | -0.58 | 39.21 | Yes | | |
| MW-15D | 10/23/01 | 15.95 | 614.05 | | 0.03 | 39.24 | Yes | | |
| MW-15D | 04/23/02 | 16.39 | 613.61 | | -0.44 | 38.80 | Yes | | |
| MW-15D | 11/05/02 | 15.18 | 614.82 | | 1.21 | 40.01 | Yes | | |
| MW-15D | 04/17/03 | 17.06 | 612.94 | | -1.88 | 38.13 | Yes | | |
| MW-15D | 10/20/03 | 16.87 | 613.13 | | 0.19 | 38.32 | Yes | | |
| MW-15D | 04/19/04 | 19.86 | 612.42 | | -0.71 | 37.61 | Yes | | |
| MW-15D | 11/16/04 | 18.19 | 614.09 | | 1.67 | 39.28 | Yes | | |
| MW-15D | 04/18/05 | 18.56 | 613.72 | | -0.37 | 38.91 | Yes | | |
| MW-15D | 10/11/05 | 17.82 | 614.46 | | 0.74 | 39.65 | Yes | | |
| MW-15D | 05/23/06 | 17.30 | 614.98 | | 0.52 | 40.17 | Yes | | |
| MW-15D | 10/16/06 | 18.30 | 613.98 | | -1.00 | 39.17 | Yes | | |
| MW-15D | 04/23/07 | 18.96 | 613.32 | | -0.66 | 38.51 | Yes | | |
| MW-15D | 09/25/07 | 18.68 | 613.60 | | 0.28 | 38.79 | Yes | | |
| MW-15D | 05/01/08 | 17.37 | 614.91 | | 1.31 | 40.10 | Yes | | |
| MW-15D | 10/20/08 | 16.22 | 616.06 | | 1.15 | 41.25 | Yes | | |
| MW-15D | 04/18/09 | 17.25 | 615.03 | | -1.03 | 40.22 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|------------------------|
| MW-15D | 10/11/09 | 17.70 | 614.58 | | -0.45 | 39.77 | Yes | | |
| MW-15D | 04/28/10 | 18.10 | 614.18 | | -0.40 | 39.37 | Yes | | |
| MW-15D | 10/25/10 | 16.46 | 615.82 | | 1.64 | 41.01 | Yes | | |
| MW-15D | 04/25/11 | 17.24 | 615.04 | | -0.78 | 40.23 | Yes | | |
| MW-15D | 10/10/11 | 16.75 | 615.53 | | 0.49 | 40.72 | Yes | | |
| MW-15D | 01/04/12 | 17.93 | 614.35 | | -1.18 | 39.54 | Yes | | |
| MW-15D | 04/16/12 | 18.47 | 613.81 | | -0.54 | 39.00 | Yes | | |
| MW-15D | 06/26/12 | 16.21 | 616.07 | | 2.26 | 41.26 | Yes | | |
| MW-15D | 09/30/12 | 17.75 | 614.53 | | -1.54 | 39.72 | Yes | | |
| MW-15D | 03/25/13 | 19.31 | 612.97 | | -1.56 | 38.16 | Yes | | |
| MW-15D | 05/05/13 | 18.61 | 613.67 | | 0.70 | 38.86 | Yes | | |
| MW-16 | 09/08/88 | 20.53 | 613.77 | 613.77 | NA | 9.47 | No | | |
| MW-16 | 09/20/88 | 20.69 | 613.61 | 613.61 | -0.16 | 9.31 | No | | |
| MW-16 | 04/27/89 | 20.37 | 613.93 | 613.93 | 0.32 | 9.63 | No | | |
| MW-16 | 05/18/89 | 20.12 | 614.18 | 614.18 | 0.25 | 9.88 | No | | |
| MW-16 | 06/30/89 | 19.84 | 614.46 | 614.46 | 0.28 | 10.16 | No | | |
| MW-16 | 07/12/89 | 20.05 | 614.25 | 614.25 | -0.21 | 9.95 | No | | |
| MW-16 | 07/26/89 | 20.31 | 613.99 | 613.99 | -0.26 | 9.69 | No | | |
| MW-16 | 07/27/89 | 20.38 | 613.92 | 613.92 | -0.07 | 9.62 | No | | |
| MW-16 | 09/03/89 | 20.52 | 613.78 | 613.78 | -0.14 | 9.48 | No | | |
| MW-16 | 11/16/89 | 20.69 | 613.61 | 613.61 | -0.17 | 9.31 | No | | |
| MW-16 | 11/28/89 | 20.74 | 613.56 | 613.56 | -0.05 | 9.26 | No | | |
| MW-16 | 06/01/90 | 20.68 | 613.62 | 613.62 | 0.06 | 9.32 | No | | |
| MW-16 | 06/19/90 | 20.50 | 613.80 | 613.80 | 0.18 | 9.50 | No | | |
| MW-16 | 06/27/90 | 20.61 | 613.69 | 613.69 | -0.11 | 9.39 | No | | |
| MW-16 | 07/05/90 | 20.76 | 613.54 | 613.54 | -0.15 | 9.24 | No | | |
| MW-16 | 07/13/90 | 20.73 | 613.57 | 613.57 | 0.03 | 9.27 | No | | |
| MW-16 | 07/17/90 | 20.73 | 613.57 | 613.57 | 0.00 | 9.27 | No | | |
| MW-16 | 07/25/90 | 20.86 | 613.44 | 613.44 | -0.13 | 9.14 | No | | |
| MW-16 | 08/09/90 | 20.83 | 613.47 | 613.47 | 0.03 | 9.17 | No | | product beads on probe |
| MW-16 | 08/14/90 | 20.92 | 613.38 | 613.38 | -0.09 | 9.08 | No | | |
| MW-16 | 08/27/90 | 20.61 | 613.69 | 613.69 | 0.31 | 9.39 | No | | |
| MW-16 | 09/06/90 | 20.45 | 613.85 | 613.85 | 0.16 | 9.55 | No | | |
| MW-16 | 01/04/91 | 20.26 | 614.04 | 614.04 | 0.19 | 9.74 | No | | |
| MW-16 | 01/30/91 | 20.50 | 613.80 | 613.80 | -0.24 | 9.50 | No | | |
| MW-16 | 04/24/91 | 20.39 | 613.91 | 613.91 | 0.11 | 9.61 | No | | |
| MW-16 | 06/06/91 | 19.03 | 615.27 | 615.27 | 1.36 | 10.97 | No | | |
| MW-16 | 07/09/91 | 18.25 | 616.06 | 616.05 | 0.79 | 11.76 | No | 18.24 | |
| MW-16 | 08/06/91 | 18.79 | 616.60 | 615.51 | 0.54 | 12.66 | No | 17.34 | |
| MW-16 | 09/04/91 | 22.78 | 616.43 | 611.52 | -0.16 | 13.77 | No | 16.23 | 29.28 |
| MW-16 | 10/08/91 | 22.78 | 616.88 | 611.52 | 0.45 | 14.37 | No | 15.63 | |
| MW-16 | 11/08/91 | 22.99 | 616.51 | 611.31 | -0.38 | 13.94 | No | 16.06 | |
| MW-16 | 12/03/91 | 23.58 | 617.77 | 610.72 | 1.26 | 15.82 | Yes | 14.18 | |
| MW-16 | 01/07/92 | 23.67 | 616.60 | 610.63 | -1.17 | 14.29 | No | 15.71 | |
| MW-16 | 02/04/92 | 24.58 | 615.91 | 609.72 | -0.69 | 13.67 | No | 16.33 | |
| MW-16 | 03/03/92 | 25.03 | 615.50 | 609.27 | -0.41 | 13.27 | No | 16.73 | |
| MW-16 | 09/24/92 | 25.13 | 616.88 | 609.17 | 1.38 | 15.15 | Yes | 14.85 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-16 | 10/14/92 | 24.33 | 616.36 | 609.97 | -0.52 | 14.19 | No | 15.81 | |
| MW-16 | 06/25/93 | 25.48 | 618.56 | 608.82 | 2.20 | 17.51 | Yes | 12.49 | |
| MW-16 | 10/28/93 | 25.00 | 615.90 | 609.30 | -2.66 | 13.80 | No | 16.20 | |
| MW-16 | 01/29/94 | 23.14 | 615.29 | 611.16 | -0.61 | 12.37 | No | 17.63 | |
| MW-16 | 04/27/94 | 22.62 | 615.97 | 611.68 | 0.68 | 13.10 | No | 16.90 | |
| MW-16 | 07/21/94 | 24.53 | 616.37 | 609.77 | 0.40 | 14.27 | No | 15.73 | |
| MW-16 | 08/30/94 | 25.35 | 615.39 | 608.95 | -0.99 | 13.23 | No | 16.77 | |
| MW-16 | 10/25/94 | 24.23 | 616.10 | 610.07 | 0.72 | 13.81 | No | 16.19 | |
| MW-16 | 11/02/94 | 23.13 | 616.20 | 611.17 | 0.10 | 13.58 | No | 16.42 | |
| MW-16 | 02/01/95 | 20.14 | 614.23 | 614.16 | -1.98 | 9.95 | No | 20.05 | |
| MW-16 | 04/04/95 | 19.86 | 614.55 | 614.44 | 0.33 | 10.29 | No | 19.71 | |
| MW-16 | 07/12/95 | 19.13 | 615.58 | 615.17 | 1.03 | 11.42 | No | 18.58 | |
| MW-16 | 11/14/95 | 22.78 | 616.62 | 611.52 | 1.04 | 14.02 | No | 15.98 | |
| MW-16 | 03/13/96 | 25.13 | 614.68 | 609.17 | -1.94 | 12.22 | No | 17.78 | |
| MW-16 | 10/08/96 | 17.44 | 616.92 | 616.86 | 2.24 | 12.64 | No | 17.36 | |
| MW-16 | 04/29/97 | 23.83 | 617.66 | 610.47 | 0.74 | 15.75 | Yes | 14.25 | |
| MW-16 | 06/10/97 | 22.36 | 616.75 | 611.94 | -0.91 | 14.05 | No | 15.95 | FP bailed 5/22/97 |
| MW-16 | 11/03/98 | 26.88 | 614.36 | 607.42 | -2.39 | 12.37 | No | 17.63 | |
| MW-16 | 09/27/00 | 27.57 | 613.36 | 606.73 | -1.00 | 11.27 | No | 18.73 | bailed 2.5 gal. FP |
| MW-16 | 10/11/00 | 27.28 | 614.67 | 607.02 | 1.31 | 12.92 | No | 17.08 | bailed 2.6 gal. FP |
| MW-16 | 11/17/00 | 24.64 | 615.23 | 609.66 | 0.55 | 12.78 | No | 17.22 | bailed 2.5 gal. FP |
| MW-16 | 12/12/00 | 23.29 | 615.46 | 611.01 | 0.23 | 12.64 | No | 17.36 | bailed 2.5 gal. FP |
| MW-16 | 01/18/01 | 22.99 | 615.63 | 611.31 | 0.17 | 12.77 | No | 17.23 | bailed 2 gal. FP |
| MW-16 | 04/24/01 | 23.22 | 615.50 | 611.08 | -0.13 | 12.67 | No | 17.33 | product abated using vactruck |
| MW-16 | 05/23/01 | 21.00 | 616.58 | 613.30 | 1.08 | 13.37 | No | 16.63 | no product bailed |
| MW-16 | 06/19/01 | 23.04 | 616.49 | 612.26 | -0.09 | 13.60 | No | 17.40 | |
| MW-16 | 07/26/01 | 24.43 | 615.54 | 609.87 | -0.95 | 13.13 | No | 16.87 | |
| MW-16 | 08/31/01 | 26.03 | 615.15 | 609.27 | -0.39 | 12.81 | No | 18.19 | |
| MW-16 | 09/26/01 | 29.01 | 614.78 | 607.29 | -0.37 | 12.98 | No | 19.02 | |
| MW-16 | 10/24/01 | 27.66 | 614.77 | 607.64 | -0.01 | 12.85 | No | 18.15 | |
| MW-16 | 12/20/01 | 26.70 | 614.77 | 608.60 | 0.00 | 12.53 | No | 18.47 | |
| MW-16 | 01/22/02 | 28.32 | 614.32 | 606.98 | -0.46 | 12.46 | No | 18.54 | |
| MW-16 | 02/26/02 | 28.78 | 614.00 | 606.52 | -0.32 | 12.19 | No | 18.81 | |
| MW-16 | 03/20/02 | 28.92 | 613.86 | 606.38 | -0.46 | 12.05 | No | 18.95 | |
| MW-16 | 04/24/02 | 27.31 | 614.57 | 607.99 | 0.71 | 12.46 | No | 18.54 | |
| MW-16 | 05/15/02 | 25.33 | 615.29 | 609.97 | 0.72 | 12.76 | No | 18.24 | |
| MW-16 | 06/27/02 | 25.19 | 615.26 | 610.11 | -0.03 | 12.67 | No | 18.33 | |
| MW-16 | 07/25/02 | 25.25 | 615.20 | 610.05 | -0.05 | 12.62 | No | 18.38 | |
| MW-16 | 08/20/02 | 24.97 | 615.39 | 610.33 | 0.19 | 12.78 | No | 18.22 | |
| MW-16 | 09/30/02 | 24.55 | 615.68 | 610.75 | 0.29 | 13.02 | No | 17.98 | |
| MW-16 | 11/05/02 | 23.57 | 616.13 | 611.73 | 0.45 | 13.29 | No | 17.71 | |
| MW-16 | 12/23/02 | 26.44 | 615.07 | 608.86 | -1.06 | 12.84 | No | 18.16 | |
| MW-16 | 01/28/03 | 28.03 | 614.49 | 607.27 | -0.59 | 12.59 | No | 18.41 | |
| MW-16 | 02/19/03 | 28.75 | 614.16 | 606.55 | -0.32 | 12.40 | No | 18.60 | |
| MW-16 | 04/17/03 | 29.28 | 613.72 | 606.02 | -0.45 | 11.98 | No | 19.02 | |
| MW-16 | 05/15/03 | 27.73 | 614.03 | 607.57 | 0.31 | 11.88 | No | 19.12 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change In Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-16 | 06/10/03 | 26.79 | 614.44 | 608.51 | 0.42 | 12.12 | No | 18.88 | |
| MW-16 | 10/23/03 | 28.62 | 613.78 | 606.68 | -0.67 | 11.84 | No | 19.16 | |
| MW-16 | 12/03/03 | 28.75 | 613.65 | 606.55 | -0.13 | 11.71 | No | 19.29 | |
| MW-16 | 04/19/04 | 25.11 | 613.26 | 608.56 | -0.39 | 10.52 | No | 18.85 | |
| MW-16 | 07/28/04 | 23.86 | 614.19 | 609.81 | 0.93 | 11.35 | No | 18.02 | |
| MW-16 | 11/15/04 | 21.95 | 615.16 | 611.72 | 0.97 | 12.01 | No | 17.36 | |
| MW-16 | 04/18/05 | 23.73 | 614.61 | 609.94 | -0.55 | 11.87 | No | 17.50 | |
| MW-16 | 09/09/05 | 26.96 | 611.76 | 606.71 | -2.86 | 9.14 | No | 20.23 | |
| MW-16 | 10/11/05 | 25.98 | 612.42 | 607.69 | 0.66 | 9.69 | No | 19.68 | |
| MW-16 | 05/23/06 | 23.60 | 613.07 | 610.07 | 0.65 | 9.77 | No | 19.60 | |
| MW-16 | 10/16/06 | 27.41 | 611.62 | 606.26 | -1.45 | 9.10 | No | 20.27 | |
| MW-16 | 04/23/07 | 28.13 | 611.05 | 605.54 | -0.56 | 8.59 | No | 20.78 | |
| MW-16 | 09/25/07 | 25.46 | 613.37 | 608.21 | 2.32 | 10.79 | No | 18.58 | |
| MW-16 | 05/01/08 | 20.80 | 615.71 | 612.87 | 2.34 | 12.35 | No | 17.02 | |
| MW-16 | 10/20/08 | 19.46 | 616.97 | 614.21 | 1.26 | 13.59 | No | 15.78 | |
| MW-16 | 04/18/09 | 21.51 | 615.94 | 612.16 | -1.03 | 12.90 | No | 16.47 | |
| MW-16 | 08/04/09 | 23.08 | 615.32 | 610.59 | -0.63 | 12.59 | No | 16.78 | |
| MW-16 | 08/05/09 | 23.04 | 615.16 | 610.63 | -0.78 | 12.37 | No | 17.00 | |
| MW-16 | 08/13/09 | 22.97 | 615.37 | 610.70 | -0.57 | 12.63 | No | 16.74 | |
| MW-16 | 08/18/09 | 23.02 | 615.27 | 610.65 | -0.10 | 12.51 | No | 16.86 | |
| MW-16 | 08/26/09 | 22.14 | 615.60 | 611.53 | 0.33 | 12.65 | No | 16.72 | |
| MW-16 | 09/03/09 | 22.31 | 615.70 | 611.36 | 0.11 | 12.85 | No | 16.52 | |
| MW-16 | 09/08/09 | 22.29 | 615.72 | 611.38 | 0.02 | 12.87 | No | 16.50 | |
| MW-16 | 09/14/09 | 22.81 | 615.58 | 610.86 | -0.15 | 12.85 | No | 16.52 | |
| MW-16 | 10/11/09 | 23.49 | 615.12 | 610.18 | -0.45 | 12.47 | No | 16.90 | |
| MW-16 | 10/15/09 | 23.49 | 615.12 | 610.18 | 0.00 | 12.47 | No | 16.90 | |
| MW-16 | 04/28/10 | 24.20 | 614.92 | 609.47 | -0.21 | 12.43 | No | 16.94 | |
| MW-16 | 10/25/10 | 22.16 | 616.77 | 611.51 | 1.85 | 14.22 | No | 15.15 | |
| MW-16 | 04/25/11 | 22.26 | 615.94 | 611.41 | -0.83 | 13.15 | No | 16.22 | |
| MW-16 | 08/04/11 | 20.60 | 617.63 | 613.07 | 1.69 | 14.85 | No | 14.52 | |
| MW-16 | 09/14/11 | 21.69 | 616.60 | 611.98 | 0.66 | 13.84 | No | 15.53 | |
| MW-16 | 09/23/11 | 21.91 | 616.40 | 611.76 | -0.21 | 13.64 | No | 15.73 | |
| MW-16 | 09/29/11 | 22.11 | 616.34 | 611.56 | -0.06 | 13.63 | No | 15.74 | |
| MW-16 | 10/07/11 | 22.24 | 616.17 | 611.43 | -0.17 | 13.45 | No | 15.92 | |
| MW-16 | 10/10/11 | 22.33 | 616.07 | 611.34 | -0.11 | 13.34 | No | 16.03 | |
| MW-16 | 10/21/11 | 22.53 | 615.84 | 611.14 | -0.22 | 13.11 | No | 16.26 | |
| MW-16 | 10/27/11 | 22.61 | 615.75 | 611.06 | -0.10 | 13.01 | No | 16.36 | |
| MW-16 | 11/04/11 | 22.75 | 615.61 | 610.92 | -0.14 | 12.87 | No | 16.50 | |
| MW-16 | 11/09/11 | 22.79 | 615.58 | 610.88 | -0.03 | 12.85 | No | 16.52 | |
| MW-16 | 11/18/11 | 22.89 | 615.45 | 610.78 | -0.14 | 12.70 | No | 16.67 | |
| MW-16 | 11/22/11 | 22.98 | 615.33 | 610.69 | -0.12 | 12.57 | No | 16.80 | |
| MW-16 | 12/01/11 | 23.17 | 615.10 | 610.50 | -0.23 | 12.33 | No | 17.04 | |
| MW-16 | 01/04/12 | 23.66 | 614.72 | 610.01 | -0.38 | 11.99 | No | 17.38 | |
| MW-16 | 02/16/12 | 24.73 | 614.10 | 608.94 | -0.62 | 11.52 | No | 17.85 | |
| MW-16 | 03/13/12 | 25.93 | 613.80 | 607.74 | -0.30 | 11.52 | No | 17.85 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|--|
| MW-16 | 04/03/12 | 25.84 | 614.05 | | 0.25 | 11.82 | No | | |
| MW-16 | 04/16/12 | 25.16 | 614.36 | 608.51 | 0.31 | 12.01 | No | 17.55 | Spill Buddy Probe could not go past approximately 12-15 feet in well, could not recover with Spill Buddy |
| MW-16 | 06/26/12 | 18.04 | 617.09 | 615.63 | 2.73 | 13.27 | No | 17.36 | |
| MW-16 | 07/12/12 | 20.07 | 616.53 | 613.60 | -0.55 | 13.21 | No | 16.10 | |
| MW-16 | 07/24/12 | 21.15 | 616.30 | 612.52 | 0.69 | 13.26 | No | 16.11 | |
| MW-16 | 08/17/12 | 21.88 | 615.94 | 611.79 | -0.36 | 13.02 | No | 16.35 | |
| MW-16 | 09/17/12 | 23.75 | 615.24 | 609.92 | -0.70 | 12.71 | No | 16.66 | |
| MW-16 | 09/30/12 | 24.16 | 614.22 | 609.51 | -1.02 | 11.49 | No | 17.88 | |
| MW-16 | 11/2/12 | 24.30 | 614.58 | 609.37 | 0.36 | 12.01 | No | 17.36 | |
| MW-16 | 12/17/12 | 24.50 | 614.36 | 609.17 | -0.22 | 11.79 | No | 17.58 | |
| MW-16 | 03/25/13 | 27.46 | 613.37 | 606.21 | -1.00 | 11.45 | No | 17.92 | |
| MW-16 | 04/03/13 | 27.30 | 613.66 | 606.37 | 0.30 | 11.79 | No | 17.58 | Spill Buddy Before Reading |
| MW-16 | 05/05/13 | 24.31 | 614.20 | 609.36 | 0.54 | 11.51 | No | 17.86 | |
| MW-17 | 09/08/88 | 16.76 | 613.74 | | NA | 7.24 | No | | |
| MW-17 | 09/20/88 | 17.24 | 613.26 | | -0.48 | 6.76 | No | | |
| MW-17 | 04/27/89 | 16.78 | 613.72 | | 0.46 | 7.22 | No | | |
| MW-17 | 05/18/89 | 16.31 | 614.19 | | 0.47 | 7.69 | No | | |
| MW-17 | 06/30/89 | 15.60 | 614.90 | | 0.71 | 8.40 | No | | |
| MW-17 | 07/12/89 | 15.75 | 614.75 | | -0.15 | 8.25 | No | | |
| MW-17 | 07/26/89 | 16.09 | 614.41 | | -0.34 | 7.91 | No | | |
| MW-17 | 07/27/89 | 16.14 | 614.36 | | -0.05 | 7.86 | No | | |
| MW-17 | 09/03/89 | 16.48 | 614.02 | | -0.34 | 7.52 | No | | |
| MW-17 | 11/28/89 | 16.93 | 613.57 | | -0.45 | 7.07 | No | | |
| MW-17 | 06/01/90 | 16.91 | 613.59 | | 0.02 | 7.09 | No | | |
| MW-17 | 06/19/90 | 16.78 | 613.72 | | 0.13 | 7.22 | No | | |
| MW-17 | 06/27/90 | 16.80 | 613.70 | | -0.02 | 7.20 | No | | |
| MW-17 | 07/05/90 | 16.85 | 613.65 | | -0.05 | 7.15 | No | | |
| MW-17 | 07/17/90 | 16.89 | 613.61 | | -0.04 | 7.11 | No | | |
| MW-17 | 07/25/90 | 16.96 | 613.54 | | -0.07 | 7.04 | No | | |
| MW-17 | 08/09/90 | 17.00 | 613.50 | | -0.04 | 7.00 | No | | |
| MW-17 | 08/27/90 | 16.95 | 613.55 | | 0.05 | 7.05 | No | | |
| MW-17 | 09/06/90 | 16.68 | 613.82 | | 0.27 | 7.32 | No | | |
| MW-17 | 01/04/91 | 15.92 | 614.58 | | 0.76 | 8.08 | No | | |
| MW-17 | 01/30/91 | 16.43 | 614.07 | | -0.51 | 7.57 | No | | |
| MW-17 | 04/24/91 | 16.45 | 614.05 | | -0.02 | 7.55 | No | | |
| MW-17 | 07/09/91 | 13.45 | 617.05 | | 3.00 | 10.55 | Yes | | |
| MW-17 | 10/08/91 | 12.26 | 618.24 | | 1.19 | 11.74 | Yes | | |
| MW-17 | 01/07/92 | 12.94 | 617.56 | | -0.68 | 11.06 | Yes | | |
| MW-17 | 10/14/92 | 13.11 | 617.39 | | -0.17 | 10.89 | Yes | | |
| MW-17 | 06/25/93 | 9.02 | 621.48 | | 4.09 | 14.98 | Yes | | |
| MW-17 | 10/28/93 | 13.45 | 617.05 | | -4.43 | 10.55 | Yes | | |
| MW-17 | 01/29/94 | 14.41 | 616.09 | | -0.96 | 9.59 | No | | |
| MW-17 | 04/27/94 | 13.28 | 617.22 | | 1.13 | 10.72 | Yes | | |
| MW-17 | 07/21/94 | 13.08 | 617.42 | | 0.20 | 10.92 | Yes | | |
| MW-17 | 10/25/94 | 13.61 | 616.89 | | -0.53 | 10.39 | Yes | | |
| MW-17 | 10/28/94 | 12.79 | 617.71 | | 0.82 | 11.21 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-17 | 02/01/95 | 15.21 | 615.29 | | -2.42 | 8.79 | No | | |
| MW-17 | 04/04/95 | 15.25 | 615.25 | | -0.04 | 8.75 | No | | |
| MW-17 | 07/12/95 | 14.19 | 616.31 | | 1.06 | 9.81 | No | | |
| MW-17 | 11/13/95 | 12.67 | 617.83 | | 1.52 | 11.33 | Yes | | |
| MW-17 | 03/13/96 | 14.97 | 615.53 | | -2.30 | 9.03 | No | | |
| MW-17 | 04/22/96 | 12.80 | 617.70 | | 2.17 | 11.20 | Yes | | |
| MW-17 | 10/08/96 | 11.85 | 618.65 | | 0.95 | 12.15 | Yes | | |
| MW-17 | 04/29/97 | 10.52 | 619.98 | | 1.33 | 13.48 | Yes | | |
| MW-17 | 11/03/98 | 15.19 | 615.31 | | -4.67 | 8.81 | No | | |
| MW-17 | 03/02/99 | 15.39 | 615.11 | | -0.20 | 8.61 | No | | |
| MW-17 | 04/26/00 | 14.03 | 616.47 | | 1.36 | 9.97 | No | | |
| MW-17 | 10/10/00 | 9.53 | 620.97 | | 4.50 | 14.47 | Yes | | |
| MW-17 | 04/24/01 | 14.51 | 615.99 | | -4.98 | 9.49 | No | | |
| MW-17 | 10/23/01 | 15.02 | 615.48 | | -0.51 | 8.98 | No | | |
| MW-17 | 01/22/02 | 15.76 | 614.74 | | -0.74 | 8.24 | No | | |
| MW-17 | 02/26/02 | 15.85 | 614.65 | | -0.09 | 8.15 | No | | |
| MW-17 | 03/20/02 | 16.04 | 614.46 | | -0.28 | #VALUE! | No | | |
| MW-17 | 04/23/02 | 17.45 | 613.05 | | -1.41 | 6.55 | No | | |
| MW-17 | 05/15/02 | 14.34 | 616.16 | | 3.11 | 9.66 | Yes | | |
| MW-17 | 08/20/02 | 14.28 | 616.22 | | 0.06 | 9.72 | Yes | | |
| MW-17 | 09/30/02 | 13.99 | 616.51 | | 0.29 | 10.01 | Yes | | |
| MW-17 | 11/05/02 | 13.45 | 617.05 | | 0.54 | 10.55 | Yes | | |
| MW-17 | 12/23/02 | 14.89 | 615.61 | | -1.44 | 9.11 | Yes | | |
| MW-17 | 01/28/03 | 15.29 | 615.21 | | -0.40 | 8.71 | No | | |
| MW-17 | 02/19/03 | 15.56 | 614.94 | | -0.27 | 8.44 | No | | |
| MW-17 | 04/17/03 | 16.13 | 614.37 | | -0.57 | 7.87 | No | | |
| MW-17 | 06/10/03 | 15.52 | 614.98 | | 0.61 | 8.48 | No | | |
| MW-17 | 10/20/03 | 16.07 | 614.43 | | -0.55 | 7.93 | No | | |
| MW-17 | 12/03/03 | 16.62 | 613.88 | | -0.55 | 7.38 | No | | |
| MW-17 | 04/19/04 | 16.92 | 613.78 | | -0.10 | 7.28 | No | | |
| MW-17 | 07/28/04 | 15.09 | 615.61 | | 1.83 | 9.11 | Yes | | |
| MW-17 | 11/16/04 | 14.25 | 616.45 | | 0.84 | 9.95 | Yes | | |
| MW-17 | 04/18/05 | 14.60 | 616.10 | | -0.35 | 9.60 | Yes | | |
| MW-17 | 10/11/05 | 13.60 | 617.10 | | 1.00 | 10.60 | Yes | | |
| MW-17 | 05/23/06 | 13.14 | 617.56 | | 0.46 | 11.06 | Yes | | |
| MW-17 | 10/16/06 | 14.41 | 616.29 | | -1.27 | 9.79 | Yes | | |
| MW-17 | 04/23/07 | 15.88 | 614.82 | | -1.47 | 8.32 | No | | |
| MW-17 | 09/25/07 | 15.74 | 614.96 | | 0.14 | 8.46 | No | | |
| MW-17 | 05/01/08 | 13.99 | 616.71 | | 1.75 | 10.21 | Yes | | |
| MW-17 | 10/20/08 | 12.33 | 618.37 | | 1.66 | 11.87 | Yes | | |
| MW-17 | 04/18/09 | 13.58 | 617.12 | | -1.25 | 10.62 | Yes | | |
| MW-17 | 08/31/11 | 12.24 | 618.46 | | 1.34 | 11.96 | Yes | | |
| MW-17 | 10/10/11 | 13.54 | 617.16 | | -1.30 | 10.66 | Yes | | |
| MW-17 | 01/04/12 | 14.84 | 615.86 | | -1.30 | 9.36 | Yes | | |
| MW-17 | 04/16/12 | 15.57 | 615.13 | | -0.73 | 8.63 | No | | |
| MW-17 | 06/26/12 | 11.87 | 618.83 | | 3.70 | 12.33 | Yes | | |
| MW-17 | 09/30/12 | 14.62 | 616.08 | | -2.75 | 9.58 | Yes | | |
| MW-17 | 03/25/13 | 16.74 | 613.96 | | -2.12 | 7.46 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-17 | 05/05/13 | 15.93 | 614.77 | | | | No | | |
| MW-18 | 09/08/88 | 18.59 | 616.01 | | NA | 6.41 | No | | |
| MW-18 | 09/20/88 | 18.89 | 615.71 | | -0.30 | 6.11 | No | | |
| MW-18 | 04/27/89 | 18.62 | 615.98 | | 0.27 | 6.38 | No | | |
| MW-18 | 05/18/89 | 18.25 | 616.35 | | 0.37 | 6.75 | No | | |
| MW-18 | 06/30/89 | 17.96 | 616.64 | | 0.29 | 7.04 | No | | |
| MW-18 | 07/12/89 | 18.12 | 616.48 | | -0.16 | 6.88 | No | | |
| MW-18 | 07/26/89 | 18.01 | 616.59 | | 0.11 | 6.99 | No | | |
| MW-18 | 07/27/89 | 18.17 | 616.43 | | -0.16 | 6.83 | No | | |
| MW-18 | 09/03/89 | 18.33 | 616.27 | | -0.16 | 6.67 | No | | |
| MW-18 | 11/16/89 | 18.26 | 616.34 | | 0.07 | 6.74 | No | | |
| MW-18 | 11/28/89 | 18.50 | 616.10 | | -0.24 | 6.50 | No | | |
| MW-18 | 06/01/90 | 18.44 | 616.16 | | 0.06 | 6.56 | No | | |
| MW-18 | 06/19/90 | 18.39 | 616.21 | | 0.05 | 6.61 | No | | |
| MW-18 | 06/27/90 | 18.58 | 616.02 | | -0.19 | 6.42 | No | | |
| MW-18 | 07/05/90 | 18.80 | 615.80 | | -0.22 | 6.20 | No | | |
| MW-18 | 07/13/90 | 18.67 | 615.93 | | 0.13 | 6.33 | No | | |
| MW-18 | 07/17/90 | 18.40 | 616.20 | | 0.27 | 6.60 | No | | |
| MW-18 | 07/25/90 | 18.64 | 615.96 | | -0.24 | 6.36 | No | | |
| MW-18 | 08/09/90 | 18.65 | 615.95 | | -0.01 | 6.35 | No | | |
| MW-18 | 08/14/90 | 18.59 | 616.01 | | 0.06 | 6.41 | No | | |
| MW-18 | 08/27/90 | 18.44 | 616.16 | | 0.15 | 6.56 | No | | |
| MW-18 | 01/04/91 | 17.85 | 616.75 | | 0.59 | 7.15 | No | | |
| MW-18 | 01/30/91 | 17.94 | 616.66 | | -0.09 | 7.06 | No | | |
| MW-18 | 04/24/91 | 18.51 | 616.09 | | -0.57 | 6.49 | No | | |
| MW-18 | 07/09/91 | 16.74 | 617.86 | | 1.77 | 8.26 | No | | |
| MW-18 | 10/08/91 | 15.26 | 619.34 | | 1.48 | 9.74 | No | | |
| MW-18 | 01/07/92 | 15.45 | 619.15 | | -0.19 | 9.55 | No | | |
| MW-18 | 10/14/92 | 15.29 | 619.31 | | 0.16 | 9.71 | No | | |
| MW-18 | 01/29/94 | 16.45 | 618.15 | | -1.16 | 8.55 | No | | |
| MW-18 | 04/27/94 | 16.59 | 618.01 | | -0.14 | 8.41 | No | | |
| MW-18 | 07/21/94 | 15.21 | 619.39 | | 1.38 | 9.79 | No | | |
| MW-18 | 10/25/94 | 15.69 | 618.91 | | -0.48 | 9.31 | No | | |
| MW-18 | 10/27/94 | 15.13 | 619.47 | | 0.56 | 9.87 | No | | |
| MW-18 | 02/01/95 | 16.91 | 617.69 | | -1.78 | 8.09 | No | | |
| MW-18 | 04/04/95 | 17.63 | 616.97 | | -0.72 | 7.37 | No | | |
| MW-18 | 07/12/95 | 16.59 | 618.01 | | 1.04 | 8.41 | No | | |
| MW-18 | 11/13/95 | 15.40 | 619.20 | | 1.19 | 9.60 | No | | |
| MW-18 | 03/13/96 | 17.02 | 617.58 | | -1.62 | 7.98 | No | | |
| MW-18 | 10/08/96 | 14.58 | 620.02 | | 2.44 | 10.42 | Yes | | |
| MW-18 | 04/29/97 | 13.94 | 620.66 | | 0.64 | 11.06 | Yes | | |
| MW-18 | 11/03/98 | 17.44 | 617.16 | | -3.50 | 7.56 | No | | |
| MW-18 | 03/02/99 | 17.45 | 617.15 | | -0.01 | 7.55 | No | | |
| MW-18 | 04/26/00 | 16.61 | 617.99 | | 0.84 | 8.39 | No | | |
| MW-18 | 08/18/00 | 17.09 | 617.51 | | -0.48 | 7.91 | No | | |
| MW-18 | 11/05/02 | 16.70 | 617.90 | | 0.39 | 8.30 | No | | |
| MW-18 | 08/18/03 | | | Abandoned | | | | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-19 | 06/30/89 | 18.33 | 614.47 | | NA | 13.37 | Yes | | |
| MW-19 | 07/12/89 | 20.24 | 612.56 | | -1.91 | 11.46 | Yes | | |
| MW-19 | 07/26/89 | 20.47 | 612.33 | | -0.23 | 11.23 | Yes | | |
| MW-19 | 07/27/89 | 20.55 | 612.25 | | -0.08 | 11.15 | Yes | | |
| MW-19 | 09/03/89 | 20.51 | 612.29 | | 0.04 | 11.19 | Yes | | |
| MW-19 | 11/16/89 | 20.80 | 612.00 | | -0.29 | 10.90 | Yes | | |
| MW-19 | 11/28/89 | 21.10 | 611.70 | | -0.30 | 10.60 | Yes | | |
| MW-19 | 06/19/90 | 20.58 | 612.22 | | 0.52 | 11.12 | Yes | | |
| MW-19 | 06/27/90 | 20.99 | 611.81 | | -0.41 | 10.71 | Yes | | |
| MW-19 | 07/05/90 | 21.24 | 611.56 | | -0.25 | 10.46 | Yes | | |
| MW-19 | 07/13/90 | 21.26 | 611.54 | | -0.02 | 10.44 | Yes | | |
| MW-19 | 07/17/90 | 21.10 | 611.70 | | 0.16 | 10.60 | Yes | | |
| MW-19 | 07/25/90 | 20.76 | 612.04 | | 0.34 | 10.94 | Yes | | |
| MW-19 | 08/09/90 | 21.23 | 611.57 | | -0.47 | 10.47 | Yes | | |
| MW-19 | 08/14/90 | 21.31 | 611.49 | | -0.08 | 10.39 | Yes | | |
| MW-19 | 08/27/90 | 21.08 | 611.72 | | 0.23 | 10.62 | Yes | | |
| MW-19 | 09/06/90 | 20.72 | 612.08 | | 0.36 | 10.98 | Yes | | |
| MW-19 | 01/04/91 | 20.80 | 612.00 | | -0.08 | 10.90 | Yes | | |
| MW-19 | 01/30/91 | 21.02 | 611.78 | | -0.22 | 10.68 | Yes | | |
| MW-19 | 04/24/91 | 20.85 | 611.95 | | 0.17 | 10.85 | Yes | | |
| MW-19 | 07/09/91 | 19.10 | 613.70 | | 1.75 | 12.60 | Yes | | |
| MW-19 | 10/08/91 | 18.22 | 614.58 | | 0.88 | 13.48 | Yes | | |
| MW-19 | 01/07/92 | 18.37 | 614.43 | | -0.15 | 13.33 | Yes | | |
| MW-19 | 10/14/92 | 18.36 | 614.44 | | 0.01 | 13.34 | Yes | | |
| MW-19 | 06/25/93 | 16.94 | 615.86 | | 1.42 | 14.76 | Yes | | |
| MW-19 | 10/28/93 | 18.50 | 614.30 | | -1.56 | 13.20 | Yes | | |
| MW-19 | 01/29/94 | 19.20 | 613.60 | | -0.70 | 12.50 | Yes | | |
| MW-19 | 04/27/94 | 18.94 | 613.86 | | 0.26 | 12.76 | Yes | | |
| MW-19 | 07/21/94 | 17.99 | 614.81 | | 0.95 | 13.71 | Yes | | |
| MW-19 | 10/25/94 | 18.29 | 614.51 | | -0.30 | 13.41 | Yes | | |
| MW-19 | 10/28/94 | 17.96 | 614.84 | | 0.33 | 13.74 | Yes | | |
| MW-19 | 02/01/95 | 19.61 | 613.19 | | -1.65 | 12.09 | Yes | | |
| MW-19 | 04/04/95 | 19.78 | 613.02 | | -0.17 | 11.92 | Yes | | |
| MW-19 | 07/12/95 | 26.99 | 605.81 | | -7.21 | 4.71 | No | | |
| MW-19 | 11/13/95 | 18.10 | 614.70 | | 8.89 | 13.60 | Yes | | |
| MW-19 | 03/13/96 | 20.63 | 612.17 | | -2.53 | 11.07 | Yes | | |
| MW-19 | 04/22/96 | 18.23 | 614.57 | | 2.40 | 13.47 | Yes | | |
| MW-19 | 10/08/96 | 17.40 | 615.40 | | 0.83 | 14.30 | Yes | | |
| MW-19 | 04/29/97 | 16.78 | 616.02 | | 0.62 | 14.92 | Yes | | |
| MW-19 | 11/03/98 | 19.69 | 613.11 | | -2.91 | 12.01 | Yes | | |
| MW-19 | 03/02/99 | 20.05 | 612.75 | | -0.36 | 11.65 | Yes | | |
| MW-19 | 03/02/99 | 19.06 | 613.74 | | 0.99 | 12.64 | Yes | | |
| MW-19 | 10/10/00 | 19.65 | 613.15 | | -0.59 | 12.05 | Yes | | |
| MW-19 | 04/24/01 | 19.02 | 613.78 | | 0.63 | 12.68 | Yes | | |
| MW-19 | 10/23/01 | 19.64 | 613.16 | | -0.62 | 12.06 | Yes | | |
| MW-19 | 04/23/02 | 19.92 | 612.88 | | -0.28 | 11.78 | Yes | | |
| MW-19 | 11/05/02 | 18.65 | 614.15 | | 1.27 | 13.05 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-19 | 04/17/03 | 20.71 | 612.09 | | -2.06 | 10.99 | Yes | | |
| MW-19 | 05/15/03 | NM | NM | | NM | #VALUE! | | | |
| MW-19 abandoned and replaced as MW-19 due to city road construction | | | | | | | | | |
| MW-19 | 04/19/04 | 21.62 | 612.00 | | NA | NA | NA | | |
| MW-19 | 11/18/04 | 19.96 | 613.66 | | 1.66 | NA | NA | | |
| MW-19 | 04/18/05 | 20.13 | 613.49 | | -0.17 | NA | NA | | |
| MW-19 again abandoned and replaced as MW-19R due to reconstruction of nearby retention basin | | | | | | | | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-19R | 10/11/05 | 15.92 | 614.58 | 614.58 | NA | NA | NA | -2.55 | |
| MW-19R | 05/23/06 | 16.87 | 614.92 | 613.63 | 0.34 | NA | NA | 15.15 | |
| MW-19R | 10/16/06 | 18.71 | 613.34 | 611.79 | -1.58 | NA | NA | 16.64 | |
| MW-19R | 04/23/07 | 18.10 | 613.24 | 612.40 | -0.10 | NA | NA | 16.98 | |
| MW-19R | 09/25/07 | 19.58 | 612.82 | 610.92 | -0.42 | NA | NA | 17.05 | |
| MW-19R | 05/01/08 | 15.97 | 614.91 | 614.53 | 2.09 | NA | NA | 15.47 | |
| MW-19R | 10/20/08 | 15.34 | 615.67 | 615.16 | 0.76 | NA | NA | 14.66 | |
| MW-19R | 04/18/09 | 16.06 | 614.81 | 614.44 | -0.86 | NA | NA | 15.57 | |
| MW-19R | 10/11/09 | 17.69 | 614.06 | 612.81 | -0.75 | NA | NA | 16.02 | |
| MW-19R | 04/28/10 | 17.61 | 613.87 | 612.89 | -0.20 | NA | NA | 16.31 | |
| MW-19R | 10/25/10 | 16.32 | 615.28 | 614.18 | 1.41 | NA | NA | 14.86 | |
| MW-19R | 04/25/11 | 16.52 | 614.65 | 613.98 | -0.63 | NA | NA | 15.63 | |
| MW-19R | 10/10/11 | 17.42 | 614.66 | 613.08 | 0.01 | NA | NA | 15.31 | |
| MW-19R | 01/04/12 | 18.84 | 613.35 | 611.66 | -1.31 | NA | NA | 16.59 | |
| MW-19R | 04/05/12 | 19.64 | 612.83 | 610.86 | -0.52 | NA | NA | 17.02 | Spill Buddy Before Reading |
| MW-19R | 04/05/12 | 18.26 | 612.35 | 612.24 | -0.48 | NA | NA | 18.12 | Spill Buddy After Reading |
| MW-19R | 04/16/12 | 18.27 | 613.03 | 612.23 | 0.69 | NA | NA | 17.20 | |
| MW-19R | 06/26/12 | 14.60 | 615.91 | 615.90 | 2.88 | NA | NA | 14.59 | |
| MW-19R | 07/26/12 | 16.13 | 615.14 | 614.37 | -0.76 | NA | NA | 15.10 | Spill Buddy Before Reading |
| MW-19R | 07/26/12 | 15.74 | 614.78 | 614.76 | -0.36 | NA | NA | 15.71 | Spill Buddy After Reading |
| MW-19R | 08/09/12 | 16.50 | 614.95 | 614.00 | 0.16 | NA | NA | 15.24 | Spill Buddy Before Reading |
| MW-19R | 08/09/12 | 15.90 | 614.65 | 614.60 | -0.29 | NA | NA | 15.83 | Spill Buddy After Reading |
| MW-19R | 09/29/12 | 18.04 | 613.77 | 612.46 | -0.88 | NA | NA | 16.29 | Spill Buddy Before Reading |
| MW-19R | 09/29/12 | 17.04 | 613.53 | 613.46 | -0.25 | NA | NA | 16.95 | Spill Buddy After Reading |
| MW-19R | 09/30/12 | 17.07 | 613.94 | 613.43 | 0.41 | NA | NA | 16.39 | |
| MW-19R | 11/21/12 | 17.59 | 613.50 | 612.91 | -0.44 | NA | NA | 16.80 | |
| MW-19R | 12/17/12 | 17.90 | 613.24 | 612.60 | -0.26 | NA | NA | 17.05 | |
| MW-19R | 03/25/13 | 18.84 | 612.30 | 611.66 | -0.94 | NA | NA | 17.87 | |
| MW-19R | 05/05/13 | 18.08 | 613.06 | 612.42 | 0.76 | NA | NA | 16.97 | |
| MW-20 | 06/30/89 | 17.19 | 616.61 | | NA | 7.61 | No | | |
| MW-20 | 07/12/89 | 17.31 | 616.49 | | -0.12 | 7.49 | No | | |
| MW-20 | 07/26/89 | 17.25 | 616.55 | | 0.06 | 7.55 | No | | |
| MW-20 | 07/27/89 | 17.38 | 616.42 | | -0.13 | 7.42 | No | | |
| MW-20 | 09/03/89 | 17.49 | 616.31 | | -0.11 | 7.31 | No | | |
| MW-20 | 11/16/89 | 17.50 | 616.30 | | -0.01 | 7.30 | No | | |
| MW-20 | 11/28/89 | 17.66 | 616.14 | | -0.16 | 7.14 | No | | |
| MW-20 | 06/01/90 | 17.66 | 616.14 | | 0.00 | 7.14 | No | | |
| MW-20 | 06/19/90 | 17.53 | 616.27 | | 0.13 | 7.27 | No | | |
| MW-20 | 06/27/90 | 17.60 | 616.20 | | -0.07 | 7.20 | No | | |
| MW-20 | 07/05/90 | 17.80 | 616.00 | | -0.20 | 7.00 | No | | |
| MW-20 | 07/13/90 | 17.79 | 616.01 | | 0.01 | 7.01 | No | | |
| MW-20 | 07/17/90 | 17.57 | 616.23 | | 0.22 | 7.23 | No | | |
| MW-20 | 07/25/90 | 17.76 | 616.04 | | -0.19 | 7.04 | No | | |
| MW-20 | 08/09/90 | 17.68 | 616.12 | | 0.08 | 7.12 | No | | |
| MW-20 | 08/14/90 | 17.74 | 616.06 | | -0.06 | 7.06 | No | | |
| MW-20 | 08/27/90 | 17.57 | 616.23 | | 0.17 | 7.23 | No | | |
| MW-20 | 09/06/90 | 17.31 | 616.49 | | 0.26 | 7.49 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-20 | 01/04/91 | 17.09 | 616.71 | | 0.22 | 7.71 | No | | |
| MW-20 | 01/30/91 | 17.19 | 616.61 | | -0.10 | 7.61 | No | | |
| MW-20 | 04/24/91 | 17.59 | 616.21 | | -0.40 | 7.21 | No | | |
| MW-20 | 07/09/91 | 16.16 | 617.64 | | 1.43 | 8.64 | No | | |
| MW-20 | 10/08/91 | 14.66 | 619.14 | | 1.50 | 10.14 | Yes | | |
| MW-20 | 01/07/92 | 14.82 | 618.98 | | -0.16 | 9.98 | No | | |
| MW-20 | 10/14/92 | 14.56 | 619.24 | | 0.26 | 10.24 | Yes | | |
| MW-20 | 06/25/93 | 13.19 | 620.61 | | 1.37 | 11.61 | Yes | | |
| MW-20 | 10/28/93 | 14.76 | 619.04 | | -1.57 | 10.04 | Yes | | |
| MW-20 | 01/29/94 | 15.74 | 618.06 | | -0.98 | 9.06 | No | | |
| MW-20 | 04/27/94 | 15.85 | 617.95 | | -0.11 | 8.95 | No | | |
| MW-20 | 07/21/94 | 14.63 | 619.17 | | 1.22 | 10.17 | Yes | | |
| MW-20 | 10/25/94 | 15.00 | 618.80 | | -0.37 | 9.80 | No | | |
| MW-20 | 10/27/94 | 14.26 | 619.54 | | 0.74 | 10.54 | Yes | | |
| MW-20 | 02/01/95 | 16.04 | 617.76 | | -1.78 | 8.76 | No | | |
| MW-20 | 04/04/95 | 16.68 | 617.12 | | -0.64 | 8.12 | No | | |
| MW-20 | 11/13/95 | 14.87 | 618.93 | | 1.81 | 9.93 | No | | |
| MW-20 | 03/13/96 | 16.34 | 617.46 | | -1.47 | 8.46 | No | | |
| MW-20 | 04/22/96 | 15.68 | 618.12 | | 0.66 | 9.12 | No | | |
| MW-20 | 10/08/96 | 14.16 | 619.64 | | 1.52 | 10.64 | Yes | | |
| MW-20 | 04/29/97 | 13.63 | 620.17 | | 0.53 | 11.17 | Yes | | |
| MW-20 | 11/03/98 | 16.72 | 617.08 | | -3.09 | 8.08 | No | | |
| MW-20 | 03/02/99 | 16.72 | 617.08 | | 0.00 | 8.08 | No | | |
| MW-20 | 04/26/00 | 16.04 | 617.76 | | 0.68 | 8.76 | No | | |
| MW-20 | 10/10/00 | 16.28 | 617.52 | | -0.24 | 8.52 | No | | |
| MW-20 | 11/05/02 | 16.21 | 617.59 | | 0.07 | 8.59 | No | | |
| MW-20 | 04/17/03 | NM | NM | | NM | NM | NM | | |
| MW-20 | 05/15/03 | NM | NM | | NM | NM | NM | | |
| MW-20 | 08/18/03 | | | Abandoned | | | | | |
| MW-21 | 06/30/89 | 18.37 | 616.73 | | NA | 8.23 | No | | |
| MW-21 | 07/12/89 | 18.52 | 616.58 | | -0.15 | 8.08 | No | | |
| MW-21 | 07/26/89 | 18.37 | 616.73 | | 0.15 | 8.23 | No | | |
| MW-21 | 07/27/89 | 18.53 | 616.57 | | -0.16 | 8.07 | No | | |
| MW-21 | 09/03/89 | 18.73 | 616.37 | | -0.20 | 7.87 | No | | |
| MW-21 | 11/16/89 | 18.64 | 616.46 | | 0.09 | 7.96 | No | | |
| MW-21 | 11/28/89 | 18.87 | 616.23 | | -0.23 | 7.73 | No | | |
| MW-21 | 06/01/90 | 18.89 | 616.21 | | -0.02 | 7.71 | No | | |
| MW-21 | 06/19/90 | 18.90 | 616.20 | | -0.01 | 7.70 | No | | |
| MW-21 | 06/27/90 | 19.09 | 616.01 | | -0.19 | 7.51 | No | | |
| MW-21 | 07/05/90 | 19.34 | 615.76 | | -0.25 | 7.26 | No | | |
| MW-21 | 07/13/90 | 19.21 | 615.89 | | 0.13 | 7.39 | No | | |
| MW-21 | 07/17/90 | 18.90 | 616.20 | | 0.31 | 7.70 | No | | |
| MW-21 | 07/25/90 | 19.14 | 615.96 | | -0.24 | 7.46 | No | | |
| MW-21 | 08/09/90 | 19.01 | 616.09 | | 0.13 | 7.59 | No | | |
| MW-21 | 08/14/90 | 19.17 | 615.93 | | -0.16 | 7.43 | No | | |
| MW-21 | 08/27/90 | 19.08 | 616.02 | | 0.09 | 7.52 | No | | |
| MW-21 | 09/06/90 | 18.86 | 616.24 | | 0.22 | 7.74 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-21 | 01/04/91 | 18.25 | 616.85 | | 0.61 | 8.35 | No | | |
| MW-21 | 01/30/91 | 18.36 | 616.74 | | -0.11 | 8.24 | No | | |
| MW-21 | 04/24/91 | 18.88 | 616.22 | | -0.52 | 7.72 | No | | |
| MW-21 | 06/06/91 | 17.90 | 617.20 | | 0.98 | 8.70 | No | | |
| MW-21 | 07/09/91 | 17.02 | 618.08 | | 0.88 | 9.58 | No | | |
| MW-21 | 08/06/91 | 16.33 | 618.77 | | 0.69 | 10.27 | Yes | | |
| MW-21 | 09/04/91 | 16.21 | 618.89 | | 0.12 | 10.39 | Yes | | |
| MW-21 | 10/08/91 | 15.43 | 619.67 | | 0.78 | 11.17 | Yes | | |
| MW-21 | 11/08/91 | 16.12 | 618.98 | | -0.69 | 10.48 | Yes | | |
| MW-21 | 12/03/91 | 14.37 | 620.73 | | 1.75 | 12.23 | Yes | | |
| MW-21 | 01/07/92 | 15.67 | 619.43 | | -1.30 | 10.93 | Yes | | |
| MW-21 | 02/04/92 | 16.37 | 618.73 | | -0.70 | 10.23 | Yes | | |
| MW-21 | 03/03/92 | 16.79 | 618.31 | | -0.42 | 9.81 | No | | |
| MW-21 | 09/24/92 | 14.92 | 620.18 | | 1.87 | 11.68 | Yes | | |
| MW-21 | 10/14/92 | 15.68 | 619.42 | | -0.76 | 10.92 | Yes | | |
| MW-21 | 06/25/93 | 13.51 | 621.59 | | 2.17 | 13.09 | Yes | | |
| MW-21 | 10/28/93 | 16.10 | 619.00 | | -2.59 | 10.50 | Yes | | |
| MW-21 | 04/27/94 | 16.87 | 618.23 | | -0.77 | 9.73 | No | | |
| MW-21 | 07/21/94 | 15.43 | 619.67 | | 1.44 | 11.17 | Yes | | |
| MW-21 | 04/04/95 | 18.05 | 617.05 | | -2.62 | 8.55 | No | | |
| MW-21 | 07/12/95 | 16.88 | 618.22 | | 1.17 | 9.72 | No | | |
| MW-21 | 11/13/95 | 15.63 | 619.48 | | 1.26 | 10.98 | Yes | | |
| MW-21 | 10/08/96 | 14.77 | 620.33 | | 0.85 | 11.83 | Yes | | |
| MW-21 | 04/29/97 | 13.94 | 621.16 | | 0.83 | 12.66 | Yes | | |
| MW-21 | 03/02/99 | 17.83 | 617.27 | | -3.89 | 8.77 | No | | |
| MW-21 | 10/07/99 | 14.73 | 620.37 | | 3.10 | 11.87 | Yes | | |
| MW-21 | 11/09/99 | 14.44 | 620.66 | | 0.29 | 12.16 | Yes | | |
| MW-21 | 01/27/00 | 17.02 | 618.08 | | -2.58 | 9.58 | No | | |
| MW-21 | 04/20/00 | 16.95 | 618.15 | | 0.07 | 9.65 | No | | |
| MW-21 | 04/26/00 | 16.96 | 618.14 | | -0.01 | 9.64 | No | | |
| MW-21 | 08/18/00 | 17.46 | 617.64 | | -0.50 | 9.14 | No | | |
| MW-21 | 11/05/02 | 16.85 | 618.25 | | 0.61 | 9.75 | No | | |
| MW-21 | 10/23/03 | 18.85 | 616.25 | | -2.00 | 7.75 | No | | |
| MW-21 | 04/19/04 | 20.44 | 615.44 | | -0.81 | 6.94 | No | | |
| MW-21 | 11/16/04 | 18.71 | 617.17 | | 1.73 | 8.67 | No | | |
| MW-21 | 04/18/05 | 18.93 | 616.95 | | -0.22 | 8.45 | No | | |
| MW-21 | 10/11/05 | 18.40 | 617.48 | | 0.53 | 8.98 | No | | |
| MW-21 | 05/23/06 | 17.65 | 618.23 | | 0.75 | 9.73 | No | | |
| MW-21 | 10/16/06 | 18.44 | 617.44 | | -0.79 | 8.94 | No | | |
| MW-21 | 04/23/07 | 19.39 | 616.49 | | -0.95 | 7.99 | No | | Well bent |
| MW-21 | 06/26/07 | | | Abandoned | | | | | |
| MW-22 | 06/30/89 | 21.04 | 616.39 | 615.26 | NA | 8.16 | No | 19.54 | |
| MW-22 | 07/12/89 | 21.93 | 616.25 | 614.37 | -0.14 | 8.27 | No | 19.43 | |
| MW-22 | 07/26/89 | 22.05 | 616.28 | 614.25 | 0.04 | 8.36 | No | 19.34 | |
| MW-22 | 07/27/89 | 22.17 | 616.22 | 614.13 | -0.07 | 8.31 | No | 19.39 | |
| MW-22 | 09/03/89 | 22.22 | 616.06 | 614.08 | -0.15 | 8.12 | No | 19.58 | |
| MW-22 | 11/16/89 | 22.02 | 616.24 | 614.28 | 0.18 | 8.29 | No | 19.41 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-22 | 11/29/89 | 21.97 | 616.30 | 614.33 | 0.06 | 8.35 | No | 19.35 | |
| MW-22 | 12/01/89 | 22.13 | 616.01 | 614.17 | -0.29 | 8.02 | No | 19.68 | |
| MW-22 | 12/02/89 | 21.93 | 615.91 | 614.37 | -0.10 | 7.82 | No | 19.88 | |
| MW-22 | 05/04/90 | 23.67 | 615.30 | 612.63 | -0.61 | 7.59 | No | 20.11 | |
| MW-22 | 06/01/90 | 23.38 | 615.57 | 612.92 | 0.27 | 7.85 | No | 19.85 | |
| MW-22 | 06/19/90 | 23.09 | 615.64 | 613.21 | 0.07 | 7.85 | No | 19.85 | |
| MW-22 | 06/27/90 | 23.09 | 615.51 | 613.21 | -0.13 | 7.68 | No | 20.02 | |
| MW-22 | 07/05/90 | 23.40 | 615.32 | 612.90 | -0.20 | 7.52 | No | 20.18 | |
| MW-22 | 07/13/90 | 23.09 | 615.54 | 613.21 | 0.23 | 7.72 | No | 19.98 | |
| MW-22 | 07/17/90 | 22.90 | 615.73 | 613.40 | 0.19 | 7.91 | No | 19.79 | |
| MW-22 | 07/25/90 | 23.13 | 615.53 | 613.17 | -0.20 | 7.72 | No | 19.98 | |
| MW-22 | 08/27/90 | 23.01 | 615.60 | 613.29 | 0.07 | 7.77 | No | 19.93 | |
| MW-22 | 09/06/90 | 22.77 | 615.74 | 613.53 | 0.13 | 7.87 | No | 19.83 | |
| MW-22 | 01/04/91 | 21.34 | 616.45 | 614.96 | 0.72 | 8.35 | No | 19.35 | |
| MW-22 | 01/30/91 | 21.72 | 616.30 | 614.58 | -0.15 | 8.27 | No | 19.43 | |
| MW-22 | 04/24/91 | 22.77 | 615.80 | 613.53 | -0.50 | 7.95 | No | 19.75 | |
| MW-22 | 07/09/91 | 19.24 | 617.44 | 617.06 | 1.64 | 8.96 | No | 18.74 | |
| MW-22 | 10/08/91 | 19.67 | 619.18 | 616.63 | 1.75 | 11.43 | Yes | 16.27 | |
| MW-22 | 01/07/92 | 19.27 | 619.09 | 617.03 | -0.10 | 11.17 | Yes | 16.53 | |
| MW-22 | 10/14/92 | 19.39 | 618.97 | 616.91 | -0.12 | 11.05 | Yes | 16.65 | |
| MW-22 | 06/25/93 | 18.52 | 620.95 | 617.78 | 1.98 | 13.40 | Yes | 14.30 | 24.12 |
| MW-22 | 10/29/93 | 19.25 | 620.90 | 617.05 | -0.05 | 13.58 | Yes | 14.12 | |
| MW-22 | 01/29/94 | 19.37 | 617.98 | 616.93 | -2.92 | 9.73 | No | 17.97 | |
| MW-22 | 04/27/94 | 19.65 | 617.84 | 616.65 | -0.14 | 9.63 | No | 18.07 | |
| MW-22 | 07/21/94 | 19.29 | 619.26 | 617.01 | 1.42 | 11.41 | Yes | 16.29 | |
| MW-22 | 10/25/94 | 19.18 | 618.68 | 617.12 | -0.58 | 10.60 | Yes | 17.10 | |
| MW-22 | 02/01/95 | 19.65 | 617.53 | 616.65 | -1.15 | 9.22 | No | 18.48 | |
| MW-22 | 04/04/95 | 20.31 | 616.88 | 615.99 | -0.65 | 8.57 | No | 19.13 | |
| MW-22 | 07/12/95 | 19.01 | 617.88 | 617.29 | 1.00 | 9.47 | No | 18.23 | |
| MW-22 | 11/14/95 | 17.88 | 619.17 | 618.42 | 1.30 | 10.82 | Yes | 16.88 | |
| MW-22 | 03/13/96 | 20.11 | 617.27 | 616.19 | -1.90 | 9.03 | No | 18.67 | |
| MW-22 | 10/08/96 | 18.05 | 620.07 | 618.25 | 2.80 | 12.07 | Yes | 15.63 | |
| MW-22 | 04/29/97 | 16.93 | 620.87 | 619.37 | 0.80 | 12.77 | Yes | 14.93 | |
| MW-22 | 06/10/97 | 18.48 | 619.62 | 617.82 | -1.25 | 11.62 | Yes | 16.08 | |
| MW-22 | 11/03/98 | 19.76 | 617.02 | 616.54 | -2.60 | 8.58 | No | 19.12 | |
| MW-22 | 03/02/99 | 20.63 | 616.76 | 615.67 | -0.26 | 8.52 | No | 19.18 | |
| MW-22 | 10/07/99 | 16.15 | 620.30 | 620.15 | 3.54 | 11.75 | Yes | 15.95 | |
| MW-22 | 11/09/99 | 15.90 | 620.44 | 620.40 | 0.14 | 11.85 | Yes | 15.85 | bailed <0.1 gal. FP |
| MW-22 | 12/21/99 | 15.75 | 620.60 | 620.55 | 0.16 | 12.01 | Yes | 15.69 | |
| MW-22 | 01/27/00 | 19.27 | 618.04 | 617.03 | -2.56 | 9.77 | No | 17.93 | bailed 0.3 gal. FP |
| MW-22 | 02/24/00 | 19.26 | 617.66 | 617.04 | -0.37 | 9.27 | No | 18.43 | bailed 0.2 gal. FP |
| MW-22 | 03/31/00 | 18.99 | 617.55 | 617.31 | -0.11 | 9.03 | No | 18.67 | bailed 0.12 gal. FP |
| MW-22 | 04/20/00 | 19.47 | 617.63 | 616.83 | 0.07 | 9.29 | No | 18.41 | bailed 0.05 gal. FP |
| MW-22 | 04/26/00 | 18.73 | 617.89 | 617.57 | 0.27 | 9.40 | No | 18.30 | bailed 0.25 gal. FP |
| MW-22 | 05/31/00 | 18.69 | 617.83 | 617.61 | -0.07 | 9.30 | No | 18.40 | bailed 0.125 gal. FP |
| MW-22 | 06/29/00 | 18.47 | 618.03 | 617.83 | 0.20 | 9.49 | No | 18.21 | bailed 0.1 gal. FP |
| MW-22 | 07/26/00 | 18.53 | 617.96 | 617.77 | -0.07 | 9.42 | No | 18.28 | bailed <0.1 gal. FP |
| MW-22 | 08/18/00 | 18.62 | 617.85 | 617.68 | -0.10 | 9.31 | No | 18.39 | bailed 0.125 gal. FP |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-22 | 09/27/00 | 19.38 | 617.19 | 616.92 | -0.66 | 8.68 | No | 19.02 | bailed <0.05 gal. FP |
| MW-22 | 10/11/00 | 18.93 | 617.39 | 617.37 | 0.20 | 8.80 | No | 18.90 | |
| MW-22 | 11/17/00 | 19.81 | 617.14 | 616.49 | -0.26 | 8.75 | No | 18.95 | bailed 0.5 gal. FP |
| MW-22 | 12/12/00 | 19.14 | 617.54 | 617.16 | 0.41 | 9.07 | No | 18.63 | bailed 0.25 gal. FP |
| MW-22 | 01/18/01 | 19.61 | 617.12 | 616.69 | -0.42 | 8.66 | No | 19.04 | bailed 0.25 gal. FP |
| MW-22 | 04/24/01 | 20.72 | 616.77 | 615.58 | -0.35 | 8.57 | No | 19.13 | product abated using vactruck |
| MW-22 | 05/23/01 | 19.37 | 617.88 | 616.93 | 1.10 | 9.59 | No | 18.11 | no product bailed |
| MW-22 | 06/19/01 | 19.06 | 618.12 | 617.24 | 0.24 | 9.81 | No | 17.89 | |
| MW-22 | 07/26/01 | 19.35 | 617.69 | 616.95 | -0.43 | 9.33 | No | 18.37 | |
| MW-22 | 08/31/01 | 19.37 | 617.43 | 616.93 | -0.25 | 9.00 | No | 18.70 | |
| MW-22 | 09/26/01 | 19.23 | 617.42 | 617.07 | -0.02 | 8.93 | No | 18.77 | |
| MW-22 | 10/24/01 | 19.23 | 617.37 | 617.07 | -0.05 | 8.87 | No | 18.83 | |
| MW-22 | 12/20/01 | 20.67 | 616.67 | 615.63 | -0.70 | 8.42 | No | 19.28 | |
| MW-22 | 01/22/02 | 21.05 | 616.81 | 615.25 | 0.14 | 8.73 | No | 18.97 | |
| MW-22 | 02/26/02 | 21.72 | 616.34 | 614.58 | -0.48 | 8.32 | No | 19.38 | |
| MW-22 | 03/20/02 | 22.09 | 616.13 | 614.21 | -0.68 | 8.17 | No | 19.53 | |
| MW-22 | 04/24/02 | 22.62 | 616.52 | 613.68 | 0.38 | 8.86 | No | 18.84 | |
| MW-22 | 05/15/02 | 21.65 | 616.90 | 614.65 | 0.38 | 9.05 | No | 18.65 | |
| MW-22 | 06/27/02 | 21.18 | 616.73 | 615.12 | -0.17 | 8.67 | No | 19.03 | |
| MW-22 | 07/25/02 | 20.87 | 616.99 | 615.43 | 0.26 | 8.91 | No | 18.79 | |
| MW-22 | 08/20/02 | 20.65 | 616.95 | 615.65 | -0.04 | 8.78 | No | 18.92 | |
| MW-22 | 09/30/02 | 19.77 | 617.56 | 616.53 | 0.61 | 9.30 | No | 18.40 | |
| MW-22 | 11/05/02 | 19.31 | 617.66 | 616.99 | 0.10 | 9.28 | No | 18.42 | |
| MW-22 | 12/23/02 | 19.30 | 617.20 | 617.00 | -0.46 | 8.66 | No | 19.04 | |
| MW-22 | 01/28/03 | 20.66 | 616.65 | 615.64 | -0.55 | 8.38 | No | 19.32 | |
| MW-22 | 02/19/03 | 21.01 | 616.52 | 615.29 | -0.13 | 8.33 | No | 19.37 | |
| MW-22 | 04/17/03 | 22.38 | 615.95 | 613.92 | -0.57 | 8.02 | No | 19.68 | |
| MW-22 | 05/15/03 | 22.60 | 615.62 | 613.70 | -0.33 | 7.66 | No | 20.04 | |
| MW-22 | 06/10/03 | 22.00 | 616.03 | 614.30 | 0.41 | 8.01 | No | 19.69 | |
| MW-22 | 10/23/03 | 22.30 | 615.90 | 614.00 | -0.13 | 7.93 | No | 19.77 | |
| MW-22 | 12/03/03 | 22.67 | 615.74 | 613.63 | -0.16 | 7.84 | No | 19.86 | |
| MW-22 | 04/19/04 | 24.12 | 615.06 | 612.20 | -0.68 | 7.41 | No | 20.31 | |
| MW-22 | 07/28/04 | 21.63 | 616.13 | 614.69 | 1.07 | 8.01 | No | 19.71 | |
| MW-22 | 11/15/04 | 20.34 | 616.92 | 615.98 | 0.79 | 8.63 | No | 19.09 | |
| MW-22 | 04/18/05 | 21.32 | 616.48 | 615.00 | -0.44 | 8.37 | No | 19.35 | |
| MW-22 | 09/09/05 | 19.59 | 617.24 | 616.73 | 0.76 | 8.81 | No | 18.91 | |
| MW-22 | 05/23/06 | 19.21 | 617.94 | 617.11 | 0.70 | 9.62 | No | 18.10 | |
| MW-22 | 10/16/06 | 20.05 | 617.10 | 616.27 | -0.84 | 8.78 | No | 18.94 | |
| MW-22 | 04/23/07 | 22.25 | 615.94 | 614.07 | -1.17 | 7.96 | No | 19.76 | |
| MW-22 | 09/25/07 | 21.87 | 616.16 | 614.45 | 0.22 | 8.13 | No | 19.59 | |
| MW-22 | 05/01/08 | 20.00 | 617.27 | 616.32 | 1.11 | 8.98 | No | 18.74 | |
| MW-22 | 10/20/08 | 17.84 | 618.75 | 618.48 | 1.49 | 10.24 | Yes | 17.48 | |
| MW-22 | 04/18/09 | 18.76 | 617.88 | 617.56 | -0.87 | 9.39 | No | 18.33 | |
| MW-22 | 10/11/09 | 19.34 | 617.34 | 616.98 | -0.54 | 8.86 | No | 18.86 | |
| MW-22 | 04/28/10 | 19.78 | 617.28 | 616.54 | -0.07 | 8.92 | No | 18.80 | |
| MW-22 | 10/25/10 | 17.67 | 619.50 | 618.65 | 2.22 | 11.18 | Yes | 16.54 | |
| MW-22 | 04/25/11 | 18.84 | 618.22 | 617.48 | -1.28 | 9.86 | No | 17.86 | |
| MW-22 | 08/03/11 | 17.35 | 619.69 | 618.97 | 1.48 | 11.33 | Yes | 16.39 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-22 | 10/10/11 | 17.61 | 618.84 | 618.71 | 0.62 | 10.28 | Yes | 17.44 | |
| MW-22 | 01/04/12 | 19.22 | 617.47 | 617.10 | -2.22 | 8.99 | No | 18.73 | |
| MW-22 | 04/05/12 | 20.63 | 616.55 | 615.69 | -2.28 | 8.24 | No | 19.48 | Spill Buddy Before Reading |
| MW-22 | 04/16/12 | 20.90 | 616.35 | 615.42 | -0.20 | 8.06 | No | 19.66 | |
| MW-22 | 06/18/12 | 18.84 | 618.06 | 617.48 | 1.52 | 9.65 | No | 18.07 | |
| MW-22 | 06/26/12 | 18.32 | 618.50 | 618.00 | 2.14 | 10.06 | Yes | 17.66 | |
| MW-22 | 09/30/12 | 19.27 | 617.60 | 617.05 | -0.46 | 9.18 | No | 18.54 | |
| MW-22 | 11/21/12 | 19.17 | 617.20 | 617.15 | -1.29 | 8.62 | No | 19.10 | |
| MW-22 | 12/17/12 | 19.52 | 616.94 | 616.80 | -0.66 | 8.38 | No | 19.34 | |
| MW-22 | 03/25/13 | 21.97 | 616.20 | 614.35 | -1.00 | 8.22 | No | 19.50 | |
| MW-22 | 05/05/13 | 22.32 | 616.09 | 614.00 | -0.85 | 8.18 | No | 19.54 | |
| MW-23 | 06/30/89 | 17.36 | 618.94 | 616.54 | NA | 10.04 | No | 14.16 | |
| MW-23 | 07/12/89 | 14.67 | 621.11 | 619.23 | 2.16 | 12.03 | No | 12.17 | |
| MW-23 | 07/26/89 | 17.63 | 618.32 | 616.27 | -2.79 | 9.30 | No | 14.90 | |
| MW-23 | 07/27/89 | 17.69 | 618.29 | 616.21 | -0.03 | 9.28 | No | 14.92 | |
| MW-23 | 09/03/89 | 18.76 | 617.93 | 615.14 | -0.36 | 9.16 | No | 15.04 | |
| MW-23 | 11/16/89 | 19.44 | 618.32 | 614.46 | 0.39 | 9.91 | No | 14.29 | |
| MW-23 | 11/29/89 | 18.62 | 618.27 | 615.28 | -0.06 | 9.56 | No | 14.64 | |
| MW-23 | 12/01/89 | 17.56 | 618.04 | 616.34 | -0.22 | 8.91 | No | 15.29 | |
| MW-23 | 12/02/89 | 16.91 | 618.05 | 616.99 | 0.00 | 8.70 | No | 15.50 | |
| MW-23 | 05/04/90 | 19.38 | 617.72 | 614.52 | -0.33 | 9.08 | No | 15.12 | |
| MW-23 | 06/01/90 | 18.09 | 618.55 | 615.81 | 0.83 | 9.76 | No | 14.44 | |
| MW-23 | 06/19/90 | 17.95 | 618.48 | 615.95 | -0.07 | 9.62 | No | 14.58 | |
| MW-23 | 06/27/90 | 18.15 | 618.21 | 615.75 | -0.27 | 9.33 | No | 14.87 | |
| MW-23 | 07/05/90 | 18.62 | 617.85 | 615.28 | -0.36 | 9.01 | No | 15.19 | |
| MW-23 | 07/13/90 | 18.76 | 617.88 | 615.14 | 0.02 | 9.09 | No | 15.11 | 20.80 |
| MW-23 | 07/17/90 | 18.44 | 618.14 | 615.46 | 0.26 | 9.33 | No | 14.87 | |
| MW-23 | 07/25/90 | 18.98 | 617.76 | 614.92 | -0.38 | 9.01 | No | 15.19 | |
| MW-23 | 08/09/90 | 20.42 | 615.47 | 613.48 | -2.29 | 6.43 | No | 17.77 | |
| MW-23 | 08/27/90 | 19.09 | 617.59 | 614.81 | 2.13 | 8.82 | No | 15.38 | |
| MW-23 | 09/06/90 | 17.91 | 618.29 | 615.99 | 0.70 | 9.36 | No | 14.84 | |
| MW-23 | 01/04/91 | 17.49 | 618.33 | 616.41 | 0.04 | 9.27 | No | 14.93 | |
| MW-23 | 01/30/91 | 18.32 | 617.97 | 615.58 | -0.37 | 9.06 | No | 15.14 | |
| MW-23 | 04/24/91 | 18.05 | 618.69 | 615.85 | 0.72 | 9.93 | No | 14.27 | |
| MW-23 | 06/06/91 | 16.87 | 620.53 | 617.03 | 1.85 | 12.00 | No | 12.20 | |
| MW-23 | 07/09/91 | 16.78 | 621.57 | 617.12 | 1.04 | 13.35 | No | 10.85 | |
| MW-23 | 08/06/91 | 17.06 | 622.17 | 616.84 | 0.60 | 14.24 | No | 9.96 | |
| MW-23 | 09/04/91 | 17.04 | 621.38 | 616.86 | -0.79 | 13.18 | No | 11.02 | |
| MW-23 | 10/08/91 | 16.79 | 622.06 | 617.11 | 0.68 | 14.01 | No | 10.19 | |
| MW-23 | 11/08/91 | 16.56 | 621.20 | 617.34 | -0.86 | 12.79 | No | 11.41 | |
| MW-23 | 12/03/91 | 17.64 | 623.87 | 616.26 | 2.67 | 16.71 | Yes | 7.49 | |
| MW-23 | 01/07/92 | 17.96 | 621.64 | 615.94 | -2.23 | 13.84 | No | 10.36 | |
| MW-23 | 02/04/92 | 17.03 | 620.28 | 616.87 | -1.37 | 11.71 | No | 12.49 | |
| MW-23 | 03/03/92 | 18.29 | 619.92 | 615.61 | -0.35 | 11.66 | No | 12.54 | |
| MW-23 | 09/24/92 | 16.72 | 622.14 | 617.18 | 2.22 | 14.09 | No | 10.11 | |
| MW-23 | 10/14/92 | 16.96 | 621.17 | 616.94 | -0.97 | 12.88 | No | 11.32 | |
| MW-23 | 06/25/93 | 16.60 | 624.61 | 617.30 | 3.43 | 17.34 | Yes | 6.86 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-23 | 10/28/93 | 16.95 | 620.36 | 616.95 | -4.24 | 11.80 | No | 12.40 | |
| MW-23 | 01/29/94 | 17.11 | 619.57 | 616.79 | -0.80 | 10.79 | No | 13.41 | |
| MW-23 | 04/27/94 | 17.42 | 621.24 | 616.48 | 1.67 | 13.12 | No | 11.08 | |
| MW-23 | 07/21/94 | 16.67 | 621.63 | 617.23 | 0.39 | 13.39 | No | 10.81 | |
| MW-23 | 10/25/94 | 17.42 | 621.35 | 616.48 | -0.28 | 13.27 | No | 10.93 | |
| MW-23 | 02/01/95 | 16.90 | 618.90 | 617.00 | -2.45 | 9.83 | No | 14.37 | |
| MW-23 | 04/04/95 | 17.34 | 618.55 | 616.56 | -0.35 | 9.51 | No | 14.69 | |
| MW-23 | 11/13/95 | 17.04 | 622.04 | 616.86 | 3.49 | 14.06 | No | 10.14 | |
| MW-23 | 10/08/96 | 16.34 | 622.41 | 617.56 | 0.38 | 14.33 | No | 9.87 | |
| MW-23 | 04/29/97 | 16.54 | 624.26 | 617.36 | 1.85 | 16.86 | Yes | 7.34 | |
| MW-23 | 06/10/97 | 15.94 | 622.01 | 617.96 | -2.25 | 13.66 | No | 10.54 | FP bailed 5/22/97 |
| MW-23 | 11/03/98 | 18.30 | 619.47 | 615.60 | -2.54 | 11.06 | No | 13.14 | |
| MW-23 | 03/02/99 | 18.04 | 618.89 | 615.86 | -0.58 | 10.20 | No | 14.00 | |
| MW-23 | 10/07/99 | 15.14 | 622.97 | 618.76 | 4.08 | 14.67 | No | 9.53 | |
| MW-23 | 11/09/99 | 15.79 | 623.17 | 618.11 | 0.20 | 15.16 | Yes | 9.04 | bailed 3 gal. FP |
| MW-23 | 12/21/99 | 16.09 | 621.15 | 617.81 | -2.02 | 12.56 | No | 11.64 | bailed 8 gal. FP |
| MW-23 | 01/27/00 | 15.99 | 619.10 | 617.91 | -2.05 | 9.79 | No | 14.41 | bailed 0.4 gal. FP |
| MW-23 | 02/24/00 | 16.05 | 618.84 | 617.85 | -0.25 | 9.47 | No | 14.73 | bailed 0.25 gal. FP |
| MW-23 | 03/31/00 | 16.86 | 620.09 | 617.04 | 1.25 | 11.41 | No | 12.79 | bailed 2 gal. FP |
| MW-23 | 04/20/00 | 17.64 | 621.79 | 616.26 | 1.69 | 13.93 | No | 10.27 | bailed 6 gal. FP |
| MW-23 | 04/26/00 | 16.09 | 620.20 | 617.81 | -1.59 | 11.29 | No | 12.91 | bailed 2 gal. FP |
| MW-23 | 05/31/00 | 15.87 | 619.97 | 618.03 | -0.23 | 10.91 | No | 13.29 | bailed 3 gal. FP |
| MW-23 | 06/29/00 | 15.84 | 620.76 | 618.06 | 0.80 | 11.96 | No | 12.24 | bailed 1 gal. FP |
| MW-23 | 07/26/00 | 15.95 | 620.08 | 617.95 | -0.68 | 11.09 | No | 13.11 | bailed 1 gal. FP |
| MW-23 | 08/18/00 | 16.14 | 619.64 | 617.76 | -0.44 | 10.56 | No | 13.64 | bailed 1 gal. FP |
| MW-23 | 09/27/00 | 16.62 | 618.87 | 617.28 | -0.77 | 9.70 | No | 14.50 | bailed 1.25 gal. FP |
| MW-23 | 10/11/00 | 16.44 | 618.77 | 617.46 | -0.10 | 9.51 | No | 14.69 | bailed .25 gal. FP |
| MW-23 | 11/17/00 | 17.40 | 620.50 | 616.50 | 1.73 | 12.13 | No | 12.07 | bailed 4.25 gal. FP |
| MW-23 | 12/12/00 | 17.18 | 620.46 | 616.72 | -0.04 | 12.00 | No | 12.20 | bailed 2.5 gal. FP |
| MW-23 | 01/18/01 | 17.52 | 620.07 | 616.38 | -0.38 | 11.60 | No | 12.60 | bailed 2.75 gal. FP |
| MW-23 | 04/24/01 | 16.71 | 619.79 | 617.19 | -0.28 | 10.95 | No | 13.25 | product abated using vactruck |
| MW-23 | 05/23/01 | 16.64 | 621.63 | 617.26 | 1.84 | 13.38 | No | 10.82 | no product bailed |
| MW-23 | 06/19/01 | 16.33 | 620.92 | 617.57 | -0.70 | 12.34 | No | 11.86 | |
| MW-23 | 07/26/01 | 16.44 | 619.23 | 617.46 | -1.69 | 10.12 | No | 14.08 | |
| MW-23 | 08/31/01 | 16.77 | 619.15 | 617.13 | -0.08 | 10.12 | No | 14.08 | |
| MW-23 | 09/26/01 | 16.69 | 618.72 | 617.21 | -0.43 | 9.52 | No | 14.68 | |
| MW-23 | 10/24/01 | 16.95 | 618.98 | 616.95 | 0.26 | 9.95 | No | 14.25 | |
| MW-23 | 12/20/01 | 17.42 | 618.30 | 616.48 | -0.67 | 9.21 | No | 14.99 | |
| MW-23 | 01/22/02 | 16.99 | 618.42 | 616.91 | 0.12 | 9.22 | No | 14.98 | |
| MW-23 | 02/26/02 | 18.30 | 617.77 | 615.60 | -0.65 | 8.79 | No | 15.41 | |
| MW-23 | 03/20/02 | 18.64 | 617.59 | 615.26 | -0.83 | 8.66 | No | 15.54 | |
| MW-23 | 04/24/02 | 17.15 | 618.80 | 616.75 | 1.21 | 9.78 | No | 14.42 | |
| MW-23 | 05/15/02 | 16.55 | 619.59 | 617.35 | 0.80 | 10.64 | No | 13.56 | |
| MW-23 | 06/27/02 | 16.58 | 619.21 | 617.32 | -0.38 | 10.14 | No | 14.06 | |
| MW-23 | 07/25/02 | 16.26 | 619.10 | 617.64 | -0.12 | 9.88 | No | 14.32 | |
| MW-23 | 08/20/02 | 16.48 | 618.88 | 617.42 | -0.21 | 9.67 | No | 14.53 | |
| MW-23 | 09/30/02 | 15.79 | 619.65 | 618.11 | 0.76 | 10.46 | No | 13.74 | |
| MW-23 | 11/05/02 | 16.75 | 620.43 | 617.15 | 0.78 | 11.82 | No | 12.38 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-23 | 12/23/02 | 16.56 | 618.68 | 617.34 | -1.75 | 9.42 | No | 14.78 | |
| MW-23 | 01/28/03 | 17.21 | 618.15 | 616.69 | -0.53 | 8.93 | No | 15.27 | |
| MW-23 | 02/19/03 | 18.04 | 617.84 | 615.86 | -0.31 | 8.80 | No | 15.40 | |
| MW-23 | 04/17/03 | 19.33 | 617.28 | 614.57 | -0.56 | 8.48 | No | 15.72 | |
| MW-23 | 05/15/03 | 19.09 | 617.50 | 614.81 | 0.22 | 8.69 | No | 15.51 | |
| MW-23 | 06/10/03 | 17.51 | 618.13 | 616.39 | 0.64 | 9.01 | No | 15.19 | |
| MW-23 | 10/23/03 | 18.87 | 617.52 | 615.03 | -0.61 | 8.65 | No | 15.55 | |
| MW-23 | 12/03/03 | 19.25 | 617.34 | 614.65 | -0.19 | 8.53 | No | 15.67 | |
| MW-23 | 04/19/04 | 20.80 | 617.08 | 614.27 | -0.25 | 8.32 | No | 17.05 | |
| MW-23 | 07/28/04 | 18.26 | 618.42 | 616.81 | 1.34 | 9.26 | No | 16.11 | |
| MW-23 | 11/15/04 | 17.70 | 619.79 | 617.37 | 1.37 | 10.90 | No | 14.47 | |
| MW-23 | 04/18/05 | 18.64 | 619.35 | 616.43 | -0.45 | 10.62 | No | 14.75 | |
| MW-23 | 09/09/05 | 17.41 | 618.71 | 617.66 | -0.64 | 9.36 | No | 16.01 | |
| MW-23 | 10/11/05 | 18.45 | 619.79 | 616.62 | 1.08 | 11.14 | No | 14.23 | |
| MW-23 | 05/23/06 | 16.45 | 620.62 | 618.62 | 0.83 | 11.58 | No | 13.79 | |
| MW-23 | 10/16/06 | 17.28 | 618.94 | 617.79 | -1.68 | 9.62 | No | 15.75 | |
| MW-23 | 04/23/07 | 19.72 | 617.83 | 615.35 | -1.11 | 8.96 | No | 16.41 | |
| MW-23 | 09/25/07 | 19.36 | 618.16 | 615.71 | 0.33 | 9.28 | No | 16.09 | |
| MW-23 | 05/01/08 | 17.32 | 620.63 | 617.75 | 2.47 | 11.89 | No | 13.48 | |
| MW-23 | 10/20/08 | 17.27 | 622.40 | 617.80 | 1.77 | 14.23 | No | 11.14 | |
| MW-23 | 04/18/09 | 17.31 | 620.86 | 617.76 | -1.54 | 12.19 | No | 13.18 | |
| MW-23 | 10/11/09 | 16.50 | 618.96 | 618.57 | -1.90 | 9.39 | No | 15.98 | |
| MW-23 | 04/28/10 | 16.42 | 619.43 | 618.65 | 0.47 | 9.99 | No | 15.38 | |
| MW-23 | 10/25/10 | 15.69 | 621.40 | 619.38 | 1.97 | 12.37 | No | 13.00 | |
| MW-23 | 04/25/11 | 16.40 | 620.64 | 618.67 | -0.76 | 11.59 | No | 13.78 | |
| MW-23 | 08/03/11 | 15.83 | 621.78 | 619.24 | 1.14 | 12.92 | No | 12.45 | |
| MW-23 | 10/10/11 | 15.70 | 620.22 | 619.37 | -0.42 | 10.80 | No | 14.57 | |
| MW-23 | 01/04/12 | 16.62 | 618.83 | 618.45 | -2.94 | 9.26 | No | 16.11 | |
| MW-23 | 04/05/12 | 18.45 | 618.18 | 616.62 | -2.04 | 9.00 | No | 16.37 | Spill Buddy Before Reading |
| MW-23 | 04/16/12 | 17.77 | 618.60 | 617.30 | 0.42 | 9.33 | No | 16.04 | |
| MW-23 | 06/26/12 | 16.09 | 621.85 | 618.98 | 4.50 | 13.10 | No | 12.27 | |
| MW-23 | 07/11/12 | 16.01 | 621.99 | 619.06 | 3.39 | 13.26 | No | 12.11 | Spill Buddy Before Reading |
| MW-23 | 08/09/12 | 15.86 | 619.95 | 619.21 | -2.04 | 10.49 | No | 14.88 | Spill Buddy Before Reading |
| MW-23 | 09/29/12 | 16.61 | 618.84 | 618.46 | -1.11 | 9.26 | No | 16.11 | Spill buddy not working |
| MW-23 | 09/30/12 | 16.54 | 618.91 | 618.53 | -0.57 | 9.33 | No | 16.04 | |
| MW-23 | 11/17/12 | 17.69 | 618.39 | 617.38 | -0.44 | 9.03 | No | 16.34 | |
| MW-23 | 03/25/13 | 19.93 | 617.46 | 615.14 | -1.45 | 8.53 | No | 16.84 | |
| MW-23 | 05/05/13 | 18.72 | 618.10 | 616.35 | -0.29 | 8.98 | No | 16.39 | |
| MW-24 | 06/30/89 | 22.88 | 617.27 | 613.22 | NA | 8.25 | No | 17.48 | |
| MW-24 | 07/12/89 | 23.04 | 616.79 | 613.06 | -0.48 | 7.66 | No | 18.07 | |
| MW-24 | 07/26/89 | 22.91 | 616.81 | 613.19 | 0.03 | 7.65 | No | 18.08 | |
| MW-24 | 07/27/89 | 22.95 | 616.67 | 613.15 | -0.14 | 7.47 | No | 18.26 | |
| MW-24 | 09/03/89 | 22.91 | 616.51 | 613.19 | -0.16 | 7.24 | No | 18.49 | |
| MW-24 | 11/16/89 | 23.03 | 616.46 | 613.07 | -0.05 | 7.22 | No | 18.51 | |
| MW-24 | 11/29/89 | 23.01 | 616.54 | 613.09 | 0.08 | 7.32 | No | 18.41 | |
| MW-24 | 12/01/89 | 22.97 | 616.21 | 613.13 | -0.33 | 6.87 | No | 18.86 | 25.54 |
| MW-24 | 12/02/89 | 23.00 | 616.14 | 613.10 | -0.08 | 6.78 | No | 18.95 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-24 | 05/04/90 | 22.92 | 615.75 | 613.18 | -0.38 | 6.24 | No | 19.49 | |
| MW-24 | 06/01/90 | 22.93 | 616.32 | 613.17 | 0.57 | 7.00 | No | 18.73 | |
| MW-24 | 06/19/90 | 22.88 | 616.39 | 613.22 | 0.07 | 7.07 | No | 18.66 | |
| MW-24 | 06/27/90 | 22.82 | 616.12 | 613.28 | -0.27 | 6.69 | No | 19.04 | |
| MW-24 | 07/05/90 | 22.91 | 615.76 | 613.19 | -0.35 | 6.25 | No | 19.48 | |
| MW-24 | 07/13/90 | 22.86 | 615.96 | 613.24 | 0.20 | 6.50 | No | 19.23 | |
| MW-24 | 07/17/90 | 22.83 | 616.22 | 613.27 | 0.25 | 6.83 | No | 18.90 | |
| MW-24 | 07/25/90 | 22.86 | 615.85 | 613.24 | -0.37 | 6.35 | No | 19.38 | |
| MW-24 | 08/09/90 | 22.88 | 616.03 | 613.22 | 0.18 | 6.59 | No | 19.14 | |
| MW-24 | 08/27/90 | 22.85 | 616.09 | 613.25 | 0.06 | 6.66 | No | 19.07 | |
| MW-24 | 09/06/90 | 22.80 | 616.50 | 613.30 | 0.41 | 7.19 | No | 18.54 | |
| MW-24 | 01/04/91 | 22.95 | 616.75 | 613.15 | 0.25 | 7.58 | No | 18.15 | |
| MW-24 | 01/30/91 | 22.93 | 616.52 | 613.17 | -0.23 | 7.27 | No | 18.46 | |
| MW-24 | 04/24/91 | 22.83 | 616.59 | 613.27 | 0.07 | 7.33 | No | 18.40 | |
| MW-24 | 07/09/91 | 22.61 | 619.24 | 613.49 | 2.64 | 10.78 | No | 14.95 | |
| MW-24 | 10/08/91 | 22.72 | 620.58 | 613.38 | 1.34 | 12.61 | No | 13.12 | |
| MW-24 | 12/03/91 | 22.73 | 621.81 | 613.37 | 1.23 | 14.25 | No | 11.48 | |
| MW-24 | 01/07/92 | 22.74 | 619.72 | 613.36 | -2.09 | 11.47 | No | 14.26 | |
| MW-24 | 10/14/92 | 22.82 | 619.87 | 613.28 | 0.15 | 11.69 | No | 14.04 | |
| MW-24 | 06/25/93 | 22.57 | 622.65 | 613.53 | 2.78 | 15.32 | Yes | 10.41 | |
| MW-24 | 10/28/93 | 22.90 | 618.93 | 613.20 | -3.72 | 10.47 | No | 15.26 | |
| MW-24 | 01/29/94 | 22.92 | 617.95 | 613.18 | -0.98 | 9.17 | No | 16.56 | |
| MW-24 | 04/27/94 | 22.68 | 618.68 | 613.42 | 0.73 | 10.06 | No | 15.67 | |
| MW-24 | 07/21/94 | 22.73 | 619.90 | 613.37 | 1.22 | 11.70 | No | 14.03 | |
| MW-24 | 10/25/94 | 22.77 | 619.43 | 613.33 | -0.47 | 11.09 | No | 14.64 | |
| MW-24 | 02/01/95 | 22.78 | 617.65 | 613.32 | -1.78 | 8.72 | No | 17.01 | |
| MW-24 | 04/04/95 | 22.73 | 616.92 | 613.37 | -0.73 | 7.73 | No | 18.00 | |
| MW-24 | 07/12/95 | 22.63 | 618.05 | 613.47 | 1.14 | 9.21 | No | 16.52 | |
| MW-24 | 10/08/96 | 22.66 | 620.67 | 613.44 | 2.62 | 12.71 | No | 13.02 | |
| MW-24 | 03/13/97 | 22.73 | 617.46 | 613.37 | -3.21 | 8.45 | No | 17.28 | |
| MW-24 | 04/29/97 | 22.50 | 621.98 | 613.60 | 4.52 | 14.40 | No | 11.33 | |
| MW-24 | 06/10/97 | 22.43 | 620.35 | 613.67 | -1.63 | 12.20 | No | 13.53 | FP bailed 5/22/97 |
| MW-24 | 11/03/98 | 22.72 | 617.36 | 613.38 | -2.99 | 8.31 | No | 17.42 | |
| MW-24 | 03/02/99 | 22.78 | 616.97 | 613.32 | -0.39 | 7.81 | No | 17.92 | |
| MW-24 | 10/07/99 | 22.35 | 620.76 | 613.75 | 3.80 | 12.73 | No | 13.00 | |
| MW-24 | 11/09/99 | 22.31 | 621.04 | 613.79 | 0.27 | 13.08 | No | 12.65 | bailed 6 gal. FP |
| MW-24 | 12/21/99 | 22.43 | 619.26 | 613.67 | -1.78 | 10.75 | No | 14.98 | bailed 10 gal. FP |
| MW-24 | 01/27/00 | 22.31 | 617.86 | 613.79 | -1.39 | 8.85 | No | 16.88 | bailed 1 gal. FP |
| MW-24 | 02/24/00 | 22.30 | 617.48 | 613.80 | -0.38 | 8.34 | No | 17.39 | bailed 5 gal. FP |
| MW-24 | 03/31/00 | 22.03 | 617.81 | 614.07 | 0.33 | 8.69 | No | 17.04 | bailed 4 gal. FP |
| MW-24 | 04/20/00 | 25.54 | 617.94 | 610.56 | 0.13 | 10.03 | No | 15.70 | bailed 6.75 gal. FP |
| MW-24 | 04/26/00 | 22.00 | 618.26 | 614.10 | 0.32 | 9.28 | No | 16.45 | bailed 4 gal. FP |
| MW-24 | 05/31/00 | 22.00 | 618.17 | 614.10 | -0.10 | 9.15 | No | 16.58 | bailed 6 gal. FP |
| MW-24 | 06/29/00 | 21.63 | 618.52 | 614.47 | 0.36 | 9.50 | No | 16.23 | bailed 2.5 gal. FP |
| MW-24 | 07/26/00 | 21.79 | 618.16 | 614.31 | -0.36 | 9.07 | No | 16.66 | bailed 3 gal. FP |
| MW-24 | 08/18/00 | 22.05 | 617.92 | 614.05 | -0.24 | 8.84 | No | 16.89 | bailed 4 gal. FP |
| MW-24 | 09/27/00 | 22.26 | 617.22 | 613.84 | -0.71 | 7.97 | No | 17.76 | bailed 4 gal. FP |
| MW-24 | 10/11/00 | 21.12 | 617.28 | 614.98 | 0.07 | 7.68 | No | 18.05 | bailed 2.5 gal. FP |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-24 | 11/17/00 | 21.09 | 617.67 | 615.01 | 0.39 | 8.19 | No | 17.54 | bailed 4 gal. FP |
| MW-24 | 12/12/00 | 19.20 | 618.04 | 616.90 | 0.37 | 8.05 | No | 17.68 | bailed 2 gal. FP |
| MW-24 | 01/18/01 | 19.67 | 617.63 | 616.43 | -0.41 | 7.66 | No | 18.07 | bailed 1.75 gal. FP |
| MW-24 | 04/24/01 | 21.08 | 617.57 | 615.02 | -0.06 | 8.05 | No | 17.68 | product abated using vactruck |
| MW-24 | 05/23/01 | 21.08 | 618.61 | 615.02 | 1.04 | 9.44 | No | 16.29 | no product bailed |
| MW-24 | 06/19/01 | 20.46 | 618.81 | 615.64 | 0.20 | 9.50 | No | 16.23 | |
| MW-24 | 07/26/01 | 21.51 | 617.76 | 614.59 | -1.06 | 8.44 | No | 17.29 | |
| MW-24 | 08/31/01 | 22.11 | 617.56 | 613.99 | -0.20 | 8.38 | No | 17.35 | |
| MW-24 | 09/26/01 | 21.97 | 617.40 | 614.13 | -0.16 | 8.12 | No | 17.61 | |
| MW-24 | 10/24/01 | 22.00 | 617.51 | 614.10 | 0.11 | 8.28 | No | 17.45 | |
| MW-24 | 12/20/01 | 22.30 | 617.19 | 613.80 | -0.32 | 7.95 | No | 17.78 | |
| MW-24 | 01/22/02 | 22.31 | 616.94 | 613.79 | -0.25 | 7.62 | No | 18.11 | |
| MW-24 | 02/26/02 | 22.37 | 616.36 | 613.73 | -0.59 | 6.86 | No | 18.87 | |
| MW-24 | 03/20/02 | 22.48 | 616.13 | 613.62 | -0.81 | 6.60 | No | 19.13 | |
| MW-24 | 04/24/02 | 22.03 | 617.24 | 614.07 | 1.11 | 7.93 | No | 17.80 | |
| MW-24 | 05/15/02 | 21.72 | 617.92 | 614.38 | 0.68 | 8.73 | No | 17.00 | |
| MW-24 | 06/27/02 | 22.03 | 617.66 | 614.07 | -0.26 | 8.49 | No | 17.24 | |
| MW-24 | 07/25/02 | 22.02 | 617.72 | 614.08 | 0.06 | 8.56 | No | 17.17 | |
| MW-24 | 08/20/02 | 21.97 | 617.75 | 614.13 | 0.03 | 8.59 | No | 17.14 | |
| MW-24 | 09/30/02 | 21.83 | 618.49 | 614.27 | 0.74 | 9.53 | No | 16.20 | |
| MW-24 | 11/05/02 | 22.08 | 618.76 | 614.02 | 0.27 | 9.97 | No | 15.76 | |
| MW-24 | 12/23/02 | 22.63 | 617.27 | 613.47 | -1.50 | 8.16 | No | 17.57 | |
| MW-24 | 01/28/03 | 22.55 | 616.75 | 613.55 | -0.52 | 7.44 | No | 18.29 | |
| MW-24 | 02/19/03 | 22.56 | 616.43 | 613.54 | -0.32 | 7.02 | No | 18.71 | |
| MW-24 | 04/17/03 | 22.52 | 615.85 | 613.58 | -0.58 | 6.24 | No | 19.49 | |
| MW-24 | 05/15/03 | 22.52 | 615.93 | 613.58 | 0.08 | 6.34 | No | 19.39 | |
| MW-24 | 06/10/03 | 22.34 | 616.48 | 613.76 | 0.55 | 7.01 | No | 18.72 | |
| MW-24 | 10/23/03 | 22.45 | 616.22 | 613.65 | -0.26 | 6.70 | No | 19.03 | |
| MW-24 | 12/03/03 | 22.53 | 616.05 | 613.57 | -0.17 | 6.50 | No | 19.23 | |
| MW-24 | 04/19/04 | 22.68 | 615.59 | 613.51 | -0.46 | 5.91 | No | 19.91 | |
| MW-24 | 07/28/04 | 22.18 | 616.94 | 614.01 | 1.36 | 7.55 | No | 18.27 | |
| MW-24 | 11/15/04 | 21.79 | 618.05 | 614.40 | 1.10 | 8.89 | No | 16.93 | |
| MW-24 | 04/18/05 | 22.10 | 617.65 | 614.09 | -0.40 | 8.46 | No | 17.36 | |
| MW-24 | 09/09/05 | 22.12 | 617.42 | 614.07 | -0.23 | 8.16 | No | 17.66 | |
| MW-24 | 10/11/05 | 21.66 | 618.14 | 614.53 | 0.72 | 8.97 | No | 16.85 | |
| MW-24 | 05/23/06 | 21.85 | 619.10 | 614.34 | 0.97 | 10.32 | No | 15.50 | |
| MW-24 | 10/16/06 | 22.33 | 617.41 | 613.86 | -1.70 | 8.22 | No | 17.60 | |
| MW-24 | 04/23/07 | 22.56 | 616.24 | 613.63 | -1.17 | 6.74 | No | 19.08 | |
| MW-24 | 09/25/07 | 22.26 | 616.36 | 613.93 | 0.12 | 6.80 | No | 19.02 | |
| MW-24 | 05/01/08 | 21.65 | 618.34 | 614.54 | 1.98 | 9.24 | No | 16.58 | |
| MW-24 | 10/20/08 | 21.73 | 619.89 | 614.46 | 1.55 | 11.33 | No | 14.49 | |
| MW-24 | 04/18/09 | 21.53 | 618.48 | 614.66 | -1.41 | 9.38 | No | 16.44 | |
| MW-24 | 10/11/09 | 22.08 | 617.64 | 614.11 | -0.84 | 8.44 | No | 17.38 | |
| MW-24 | 04/28/10 | 21.78 | 617.60 | 614.41 | -0.04 | 8.29 | No | 17.53 | |
| MW-24 | 10/25/10 | 21.68 | 619.91 | 614.51 | 2.31 | 11.34 | No | 14.48 | |
| MW-24 | 04/25/11 | 19.11 | 619.29 | 617.08 | -0.62 | 9.66 | No | 16.16 | |
| MW-24 | 08/02/11 | 21.23 | 620.68 | 614.96 | 1.39 | 12.22 | No | 13.60 | |
| MW-24 | 10/10/11 | 21.58 | 618.80 | 614.61 | -0.49 | 9.83 | No | 15.99 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-24 | 01/04/12 | 22.22 | 617.43 | 613.97 | -3.26 | 8.21 | No | 17.61 | |
| MW-24 | 04/05/12 | 22.28 | 616.49 | 613.91 | -2.31 | 6.98 | No | 18.84 | Spill Buddy Before Reading |
| MW-24 | 04/16/12 | 22.12 | 616.51 | 614.07 | 0.02 | 6.95 | No | 18.87 | |
| MW-24 | 06/18/12 | 21.20 | 618.99 | 614.99 | 2.57 | 9.95 | No | 15.87 | Spill Buddy Before Reading |
| MW-24 | 06/26/12 | 20.03 | 619.76 | 616.16 | 0.77 | 10.59 | No | 15.23 | |
| MW-24 | 07/11/12 | 20.79 | 619.21 | 615.40 | 0.35 | 10.11 | No | 15.71 | Spill Buddy Before Reading |
| MW-24 | 08/09/12 | 20.87 | 618.53 | 615.32 | -0.68 | 9.23 | No | 16.59 | Spill Buddy Before Reading |
| MW-24 | 09/29/12 | 21.28 | 617.40 | 614.91 | -1.13 | 7.86 | No | 17.96 | Spill Buddy Before Reading |
| MW-24 | 09/30/12 | 20.50 | 617.47 | 615.69 | 0.07 | 7.69 | No | 18.13 | |
| MW-24 | 11/21/12 | 21.39 | 617.16 | 614.80 | -0.15 | 7.58 | No | 18.24 | |
| MW-24 | 12/17/12 | 21.69 | 616.91 | 614.50 | -0.56 | 7.34 | No | 18.48 | |
| MW-24 | 03/25/13 | 21.96 | 615.81 | 614.23 | -1.36 | 5.96 | No | 19.86 | |
| MW-24 | 05/05/13 | 21.62 | 616.48 | 614.57 | -0.43 | 6.74 | No | 19.08 | |
| MW-25 | 06/30/89 | 18.81 | 616.95 | 616.09 | NA | 14.74 | No | 17.66 | |
| MW-25 | 07/12/89 | 19.79 | 616.33 | 615.11 | -0.62 | 14.24 | No | 18.16 | |
| MW-25 | 07/26/89 | 20.11 | 616.27 | 614.79 | -0.06 | 14.26 | No | 18.14 | |
| MW-25 | 07/27/89 | 20.40 | 616.18 | 614.50 | -0.09 | 14.24 | No | 18.16 | |
| MW-25 | 09/03/89 | 21.61 | 615.93 | 613.29 | -0.25 | 14.31 | No | 18.09 | |
| MW-25 | 11/16/89 | 22.07 | 615.86 | 612.83 | -0.07 | 14.37 | No | 18.03 | |
| MW-25 | 11/29/89 | 21.74 | 615.83 | 613.16 | -0.03 | 14.22 | No | 18.18 | |
| MW-25 | 12/01/89 | 20.82 | 615.72 | 614.08 | -0.12 | 13.76 | No | 18.64 | 24.46 |
| MW-25 | 12/02/89 | 20.02 | 615.76 | 614.88 | 0.04 | 13.55 | No | 18.85 | |
| MW-25 | 05/04/90 | 24.46 | 614.69 | 610.44 | -1.07 | 13.61 | No | 18.79 | |
| MW-25 | 06/01/90 | 22.21 | 615.47 | 612.69 | 0.77 | 13.89 | No | 18.51 | |
| MW-25 | 06/19/90 | 22.13 | 615.68 | 612.77 | 0.22 | 14.15 | No | 18.25 | |
| MW-25 | 06/27/90 | 22.01 | 615.60 | 612.89 | -0.08 | 14.00 | No | 18.40 | |
| MW-25 | 07/05/90 | 22.39 | 615.40 | 612.51 | -0.20 | 13.86 | No | 18.54 | |
| MW-25 | 07/13/90 | 21.98 | 615.45 | 612.92 | 0.05 | 13.79 | No | 18.61 | |
| MW-25 | 07/17/90 | 21.82 | 615.65 | 613.08 | 0.21 | 14.01 | No | 18.39 | |
| MW-25 | 07/25/90 | 22.23 | 615.41 | 612.67 | -0.25 | 13.82 | No | 18.58 | |
| MW-25 | 08/09/90 | 22.19 | 615.52 | 612.71 | 0.12 | 13.96 | No | 18.44 | |
| MW-25 | 08/27/90 | 23.07 | 615.55 | 611.83 | 0.03 | 14.29 | No | 18.11 | |
| MW-25 | 09/06/90 | 22.12 | 615.90 | 612.78 | 0.35 | 14.44 | No | 17.96 | |
| MW-25 | 01/04/91 | 20.86 | 616.19 | 614.04 | 0.29 | 14.41 | No | 17.99 | |
| MW-25 | 01/30/91 | 21.00 | 615.97 | 613.90 | -0.22 | 14.16 | No | 18.24 | |
| MW-25 | 04/24/91 | 22.52 | 615.99 | 612.38 | 0.02 | 14.69 | No | 17.71 | |
| MW-25 | 07/09/91 | 20.70 | 618.68 | 614.20 | 2.69 | 17.67 | Yes | 14.73 | |
| MW-25 | 10/08/91 | 18.57 | 620.01 | 616.33 | 1.33 | 18.73 | Yes | 13.67 | |
| MW-25 | 01/07/92 | 18.44 | 619.18 | 616.46 | -0.82 | 17.59 | Yes | 14.81 | |
| MW-25 | 10/14/92 | 18.30 | 619.39 | 616.60 | 0.21 | 17.82 | Yes | 14.58 | |
| MW-25 | 06/25/93 | 18.25 | 622.49 | 616.65 | 3.10 | 21.93 | Yes | 10.47 | |
| MW-25 | 10/28/93 | 18.33 | 618.45 | 616.57 | -4.04 | 16.57 | Yes | 15.83 | |
| MW-25 | 01/29/94 | 18.65 | 617.57 | 616.25 | -0.88 | 15.51 | Yes | 16.89 | |
| MW-25 | 04/27/94 | 18.61 | 618.46 | 616.29 | 0.89 | 16.68 | Yes | 15.72 | |
| MW-25 | 07/21/94 | 18.26 | 619.36 | 616.64 | 0.91 | 17.77 | Yes | 14.63 | |
| MW-25 | 10/25/94 | 18.55 | 618.92 | 616.35 | -0.45 | 17.27 | Yes | 15.13 | |
| MW-25 | 02/01/95 | 18.52 | 617.14 | 616.38 | -1.78 | 14.89 | No | 17.51 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-25 | 04/04/95 | 18.54 | 616.91 | 616.36 | -0.23 | 14.59 | No | 17.81 | |
| MW-25 | 07/12/95 | 18.91 | 618.53 | 615.99 | 1.63 | 16.88 | Yes | 15.52 | |
| MW-25 | 03/13/96 | 18.61 | 616.91 | 616.29 | -1.63 | 14.61 | No | 17.79 | |
| MW-25 | 10/08/96 | 17.33 | 620.10 | 617.57 | 3.19 | 18.44 | Yes | 13.96 | |
| MW-25 | 04/29/97 | 17.83 | 621.66 | 617.07 | 1.56 | 20.69 | Yes | 11.71 | |
| MW-25 | 06/10/97 | 15.92 | 619.94 | 618.98 | -1.72 | 17.76 | Yes | 14.64 | FP bailed 5/22/97 |
| MW-25 | 11/03/98 | 18.25 | 617.18 | 616.65 | -2.76 | 14.85 | No | 17.55 | |
| MW-25 | 03/02/99 | 18.50 | 616.63 | 616.40 | -0.55 | 14.20 | No | 18.20 | |
| MW-25 | 10/07/99 | 14.84 | 620.56 | 620.06 | 3.93 | 18.22 | Yes | 14.18 | |
| MW-25 | 11/09/99 | 14.81 | 620.69 | 620.09 | 0.13 | 18.39 | Yes | 14.01 | bailed 0.25 gal. FP |
| MW-25 | 12/21/99 | 16.22 | 618.93 | 618.68 | -1.76 | 16.51 | Yes | 15.89 | bailed 0.25 gal. FP |
| MW-25 | 01/27/00 | 17.55 | 618.14 | 617.35 | -0.79 | 15.90 | Yes | 16.50 | bailed 0.2 gal. FP |
| MW-25 | 02/24/00 | 18.06 | 617.04 | 616.84 | -1.10 | 14.60 | No | 17.80 | bailed <0.1 gal. FP |
| MW-25 | 03/31/00 | 17.46 | 617.55 | 617.44 | 0.52 | 15.09 | Yes | 17.31 | No product bailed |
| MW-25 | 04/20/00 | 17.40 | 618.46 | 617.50 | 0.91 | 16.28 | Yes | 16.12 | bailed 0.25 gal. FP |
| MW-25 | 04/26/00 | 17.05 | 617.90 | 617.85 | -0.57 | 15.41 | Yes | 16.99 | No product bailed |
| MW-25 | 05/31/00 | 17.07 | 617.92 | 617.83 | 0.03 | 15.45 | Yes | 16.95 | bailed 0.125 gal. FP |
| MW-25 | 06/29/00 | 16.74 | 618.24 | 618.16 | 0.31 | 15.76 | Yes | 16.64 | bailed 0.05 gal. FP |
| MW-25 | 07/26/00 | 17.01 | 618.54 | 617.89 | 0.30 | 16.25 | Yes | 16.15 | bailed <0.1 gal. FP |
| MW-25 | 08/18/00 | 17.30 | 617.65 | 617.60 | -0.89 | 15.16 | Yes | 17.24 | No product bailed |
| MW-25 | 09/27/00 | 18.02 | 617.03 | 616.88 | -0.62 | 14.58 | No | 17.82 | bailed <0.1 gal. FP |
| MW-25 | 10/11/00 | 16.93 | 617.97 | 617.97 | 0.94 | 15.47 | Yes | | No product bailed |
| MW-25 | 11/17/00 | 16.37 | 618.57 | 618.53 | 0.60 | 16.08 | Yes | 16.32 | No product bailed |
| MW-25 | 12/12/00 | 16.52 | 618.39 | 618.38 | -0.18 | 15.89 | Yes | 16.51 | No product bailed |
| MW-25 | 01/18/01 | 17.01 | 617.91 | 617.89 | -0.48 | 15.41 | Yes | 16.99 | No product bailed |
| MW-25 | 04/24/01 | 16.99 | 617.91 | 617.91 | 0.00 | 15.41 | Yes | | No product bailed |
| MW-25 | 05/23/01 | 15.79 | 619.11 | 619.11 | 1.20 | 16.61 | Yes | | No product bailed |
| MW-25 | 06/19/01 | 15.97 | 618.93 | 618.93 | -0.18 | 16.43 | Yes | | |
| MW-25 | 07/26/01 | 17.28 | 617.64 | 617.62 | -1.29 | 15.15 | Yes | 17.25 | |
| MW-25 | 08/31/01 | 17.50 | 617.43 | 617.40 | -0.21 | 14.94 | No | 17.46 | |
| MW-25 | 09/26/01 | 17.83 | 617.07 | 617.07 | -0.36 | 14.57 | No | | |
| MW-25 | 10/24/01 | 17.71 | 617.19 | 617.19 | 0.12 | 14.69 | No | 17.71 | |
| MW-25 | 12/20/01 | 17.86 | 617.09 | 617.04 | -0.10 | 14.61 | No | 17.79 | |
| MW-25 | 01/22/02 | 18.34 | 616.56 | 616.56 | -0.53 | 14.06 | No | | |
| MW-25 | 02/26/02 | 18.71 | 616.20 | 616.19 | -0.36 | 13.70 | No | 18.70 | |
| MW-25 | 03/20/02 | 18.75 | 616.15 | 616.15 | -0.41 | 13.65 | No | | |
| MW-25 | 04/24/02 | 18.75 | 617.16 | 617.15 | 1.01 | 14.66 | No | 18.74 | |
| MW-25 | 05/15/02 | 17.67 | 618.23 | 618.23 | 1.07 | 15.73 | Yes | | |
| MW-25 | 06/27/02 | 17.87 | 618.03 | 618.03 | -0.20 | 15.53 | Yes | | |
| MW-25 | 07/25/02 | 18.29 | 617.61 | 617.61 | -0.42 | 15.11 | Yes | | |
| MW-25 | 08/20/02 | 17.88 | 618.02 | 618.02 | 0.41 | 15.52 | Yes | | |
| MW-25 | 09/30/02 | 17.49 | 618.41 | 618.41 | 0.39 | 15.91 | Yes | | |
| MW-25 | 11/05/02 | 17.18 | 618.72 | 618.72 | 0.31 | 16.22 | Yes | | |
| MW-25 | 12/23/02 | 18.74 | 617.18 | 617.16 | -1.54 | 14.69 | No | 18.71 | |
| MW-25 | 01/28/03 | 19.39 | 616.52 | 616.51 | -0.66 | 14.02 | No | 19.38 | |
| MW-25 | 02/19/03 | 19.72 | 616.18 | 616.18 | -0.34 | 13.68 | No | | |
| MW-25 | 04/17/03 | 20.54 | 615.60 | 615.36 | -0.58 | 13.18 | No | 20.22 | |
| MW-25 | 05/15/03 | 20.01 | 615.97 | 615.89 | 0.37 | 13.49 | No | 19.91 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-25 | 06/10/03 | 19.65 | 616.36 | 616.25 | 0.39 | 13.89 | No | 19.51 | |
| MW-25 | 10/23/03 | 20.49 | 615.93 | 615.41 | -0.43 | 13.60 | No | 19.80 | |
| MW-25 | 12/03/03 | 21.83 | 615.58 | 614.07 | -0.35 | 13.58 | No | 19.82 | |
| MW-25 | 04/19/04 | 23.59 | 615.27 | 611.83 | -0.31 | 13.91 | No | 19.01 | |
| MW-25 | 07/28/04 | 20.79 | 616.60 | 614.63 | 1.34 | 14.76 | No | 18.16 | |
| MW-25 | 11/15/04 | 19.68 | 617.89 | 615.74 | 1.28 | 16.10 | Yes | 16.82 | |
| MW-25 | 04/18/05 | 19.70 | 617.34 | 615.72 | -0.54 | 15.38 | Yes | 17.54 | |
| MW-25 | 09/09/05 | 19.90 | 617.07 | 615.52 | -0.27 | 15.08 | Yes | 17.84 | |
| MW-25 | 10/11/05 | 19.33 | 618.13 | 616.09 | 1.06 | 16.31 | Yes | 16.61 | |
| MW-25 | 05/23/06 | 19.28 | 618.82 | 616.14 | 0.69 | 17.21 | Yes | 15.71 | |
| MW-25 | 10/16/06 | 20.00 | 617.01 | 615.42 | -1.81 | 15.04 | Yes | 17.88 | |
| MW-25 | 04/23/07 | 19.75 | 616.41 | 615.67 | -0.60 | 14.15 | No | 18.77 | |
| MW-25 | 09/25/07 | 19.44 | 616.54 | 615.98 | 0.13 | 14.22 | No | 18.70 | |
| MW-25 | 05/01/08 | 19.25 | 618.04 | 616.17 | 1.50 | 16.16 | Yes | 16.76 | |
| MW-25 | 10/20/08 | 19.25 | 619.58 | 616.17 | 1.55 | 18.22 | Yes | 14.70 | |
| MW-25 | 04/18/09 | 19.35 | 618.10 | 616.07 | -1.48 | 16.28 | Yes | 16.64 | |
| MW-25 | 10/11/09 | 19.46 | 617.45 | 615.96 | -0.65 | 15.45 | Yes | 17.47 | |
| MW-25 | 04/28/10 | 19.50 | 617.23 | 615.92 | -0.22 | 15.17 | Yes | 17.75 | |
| MW-25 | 10/25/10 | 19.24 | 620.01 | 616.18 | 2.77 | 18.78 | Yes | 14.14 | |
| MW-25 | 04/25/11 | 21.67 | 617.91 | 613.75 | -2.10 | 16.79 | Yes | 16.13 | |
| MW-25 | 08/02/11 | 18.95 | 620.34 | 616.47 | 2.43 | 19.13 | Yes | 13.79 | |
| MW-25 | 10/10/11 | 18.66 | 618.35 | 616.76 | 0.44 | 16.38 | Yes | 16.54 | |
| MW-25 | 01/04/12 | 18.96 | 616.99 | 616.46 | -3.35 | 14.67 | No | 18.25 | |
| MW-25 | 04/05/12 | 19.45 | 616.20 | 615.97 | -2.15 | 13.77 | No | 19.15 | |
| MW-25 | 04/16/12 | 19.25 | 616.26 | 616.17 | -0.73 | 13.79 | No | 19.13 | |
| MW-25 | 06/18/12 | 18.57 | 618.43 | 616.85 | 2.23 | 16.45 | Yes | 16.47 | Spill Buddy Before Reading |
| MW-25 | 06/26/12 | 17.37 | 619.42 | 618.05 | 1.00 | 17.38 | Yes | 15.54 | |
| MW-25 | 07/11/12 | 17.82 | 618.86 | 617.60 | 0.48 | 16.78 | Yes | 16.14 | Spill Buddy Before Reading |
| MW-25 | 08/09/12 | 17.98 | 618.19 | 617.44 | -0.67 | 15.94 | Yes | 16.98 | Spill Buddy Before Reading |
| MW-25 | 09/29/12 | 18.67 | 617.10 | 616.75 | -1.09 | 14.72 | No | 18.20 | Spill Buddy Before Reading |
| MW-25 | 09/30/12 | 18.57 | 617.13 | 616.85 | 0.02 | 14.72 | No | 18.20 | |
| MW-25 | 11/21/12 | 18.74 | 616.73 | 616.68 | -0.34 | 14.24 | No | 18.68 | |
| MW-25 | 12/17/12 | 19.02 | 616.49 | 616.40 | -0.64 | 14.02 | No | 18.90 | |
| MW-25 | 03/25/13 | 21.80 | 615.36 | 613.62 | -1.37 | 13.44 | No | 19.48 | |
| MW-25 | 05/05/13 | 20.71 | 616.39 | 614.71 | -0.10 | 14.45 | No | 18.47 | |
| MW-26 | 06/30/89 | 18.77 | 615.81 | 613.93 | NA | 12.23 | No | 16.27 | |
| MW-26 | 07/12/89 | 19.02 | 615.48 | 613.68 | -0.33 | 11.88 | No | 16.62 | |
| MW-26 | 07/26/89 | 19.08 | 615.42 | 613.62 | -0.06 | 11.82 | No | 16.68 | |
| MW-26 | 07/27/89 | 19.23 | 615.30 | 613.47 | -0.12 | 11.71 | No | 16.79 | |
| MW-26 | 09/03/89 | 19.68 | 615.00 | 613.02 | -0.30 | 11.46 | No | 17.04 | |
| MW-26 | 11/15/89 | 19.92 | 614.87 | 612.78 | -0.13 | 11.36 | No | 17.14 | |
| MW-26 | 11/29/89 | 19.83 | 614.98 | 612.87 | 0.11 | 11.48 | No | 17.02 | |
| MW-26 | 12/01/89 | 19.82 | 614.85 | 612.88 | -0.13 | 11.31 | No | 17.19 | |
| MW-26 | 12/02/89 | 19.83 | 614.84 | 612.87 | -0.01 | 11.30 | No | 17.20 | |
| MW-26 | 05/04/90 | 21.11 | 614.01 | 611.59 | -0.83 | 10.62 | No | 17.88 | |
| MW-26 | 06/01/90 | 26.62 | 610.88 | 606.08 | -3.13 | 8.28 | No | 20.22 | |
| MW-26 | 06/19/90 | 20.00 | 614.55 | 612.70 | 3.67 | 10.96 | No | 17.54 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-26 | 06/27/90 | 19.95 | 614.57 | 612.75 | 0.02 | 10.97 | No | 17.53 | |
| MW-26 | 07/05/90 | 19.97 | 614.57 | 612.73 | 0.00 | 10.98 | No | 17.52 | |
| MW-26 | 07/13/90 | 20.00 | 614.56 | 612.70 | -0.01 | 10.98 | No | 17.52 | |
| MW-26 | 07/17/90 | 19.95 | 614.59 | 612.75 | 0.03 | 11.00 | No | 17.50 | |
| MW-26 | 07/25/90 | 20.10 | 614.54 | 612.60 | -0.05 | 10.98 | No | 17.52 | |
| MW-26 | 08/09/90 | 20.12 | 614.55 | 612.58 | 0.02 | 11.01 | No | 17.49 | |
| MW-26 | 08/27/90 | 20.12 | 614.51 | 612.58 | -0.04 | 10.95 | No | 17.55 | |
| MW-26 | 09/06/90 | 19.90 | 614.68 | 612.80 | 0.17 | 11.11 | No | 17.39 | |
| MW-26 | 01/04/91 | 19.14 | 615.41 | 613.56 | 0.73 | 11.83 | No | 16.67 | |
| MW-26 | 01/30/91 | 19.50 | 615.15 | 613.20 | -0.26 | 11.60 | No | 16.90 | |
| MW-26 | 04/24/91 | 19.55 | 614.97 | 613.15 | -0.18 | 11.37 | No | 17.13 | |
| MW-26 | 07/09/91 | 17.24 | 617.40 | 615.46 | 2.44 | 13.85 | No | 14.65 | |
| MW-26 | 10/08/91 | 17.97 | 618.86 | 614.73 | 1.45 | 16.03 | Yes | 12.47 | |
| MW-26 | 01/07/92 | 17.86 | 618.28 | 614.84 | -0.57 | 15.23 | Yes | 13.27 | |
| MW-26 | 10/14/92 | 17.82 | 618.07 | 614.88 | -0.22 | 14.93 | No | 13.57 | |
| MW-26 | 06/25/93 | 17.22 | 621.42 | 615.48 | 3.35 | 19.20 | Yes | 9.30 | |
| MW-26 | 10/28/93 | 17.59 | 617.44 | 615.11 | -3.99 | 14.01 | No | 14.49 | |
| MW-26 | 01/29/94 | 17.45 | 616.76 | 615.25 | -0.68 | 13.06 | No | 15.44 | |
| MW-26 | 04/27/94 | 17.34 | 617.35 | 615.36 | 0.59 | 13.81 | No | 14.69 | |
| MW-26 | 07/21/94 | 17.17 | 618.32 | 615.53 | 0.97 | 15.05 | Yes | 13.45 | |
| MW-26 | 10/25/94 | 17.34 | 617.75 | 615.36 | -0.58 | 14.34 | No | 14.16 | |
| MW-26 | 02/01/95 | 17.79 | 616.36 | 614.91 | -1.39 | 12.64 | No | 15.86 | |
| MW-26 | 04/04/95 | 18.55 | 615.90 | 614.15 | -0.46 | 12.28 | No | 16.22 | |
| MW-26 | 07/12/95 | 17.14 | 616.85 | 615.56 | 0.95 | 13.08 | No | 15.42 | |
| MW-26 | 11/13/95 | 17.02 | 618.57 | 615.68 | 1.72 | 15.33 | Yes | 13.17 | |
| MW-26 | 10/08/96 | 16.95 | 619.45 | 615.75 | 0.88 | 16.48 | Yes | 12.02 | |
| MW-26 | 04/29/97 | 16.87 | 620.48 | 615.83 | 1.03 | 17.83 | Yes | 10.67 | |
| MW-26 | 06/10/97 | 16.75 | 618.82 | 615.95 | -1.66 | 15.58 | Yes | 12.92 | FP bailed 5/22/97 |
| MW-26 | 11/03/98 | 18.47 | 615.93 | 614.23 | -2.90 | 12.29 | No | 16.21 | |
| MW-26 | 03/04/99 | 18.62 | 615.84 | 614.08 | -0.09 | 12.22 | No | 16.28 | |
| MW-26 | 10/07/99 | 16.77 | 619.64 | 615.93 | 3.81 | 16.68 | Yes | 11.82 | |
| MW-26 | 11/09/99 | 16.90 | 619.84 | 615.80 | 0.19 | 16.98 | Yes | 11.52 | bailed 4 gal. FP |
| MW-26 | 12/21/99 | 15.94 | 618.01 | 616.76 | -1.82 | 14.23 | No | 14.27 | bailed 0.25 gal. FP |
| MW-26 | 01/27/00 | 16.65 | 616.94 | 616.05 | -1.08 | 13.03 | No | 15.47 | bailed 0.2 gal. FP |
| MW-26 | 02/24/00 | 17.40 | 616.43 | 615.30 | -0.51 | 12.60 | No | 15.90 | bailed 2 gal. FP |
| MW-26 | 03/31/00 | 17.35 | 616.79 | 615.35 | 0.36 | 13.07 | No | 15.43 | bailed 0.25 gal. FP |
| MW-26 | 04/20/00 | 17.04 | 617.02 | 615.66 | 0.23 | 13.27 | No | 15.23 | bailed 2 gal. FP |
| MW-26 | 04/26/00 | 16.80 | 617.07 | 615.90 | 0.05 | 13.26 | No | 15.24 | bailed 1.5 gal. FP |
| MW-26 | 05/31/00 | 16.48 | 617.42 | 616.22 | 0.35 | 13.62 | No | 14.88 | bailed 2 gal. FP |
| MW-26 | 06/29/00 | 16.92 | 617.24 | 615.78 | -0.18 | 13.53 | No | 14.97 | bailed 0.5 gal. FP |
| MW-26 | 07/26/00 | 15.68 | 617.14 | 617.02 | -0.10 | 12.98 | No | 15.52 | bailed 2 gal. FP |
| MW-26 | 08/18/00 | 16.85 | 616.74 | 615.85 | -0.40 | 12.84 | No | 15.66 | bailed 0.25 gal. FP |
| MW-26 | 09/27/00 | 17.98 | 616.10 | 614.72 | -0.64 | 12.36 | No | 16.14 | bailed 0.5 gal. FP |
| MW-26 | 10/11/00 | 18.32 | 616.13 | 614.38 | 0.03 | 12.51 | No | 15.99 | bailed 1.5 gal. FP |
| MW-26 | 11/17/00 | 17.87 | 616.21 | 614.83 | 0.08 | 12.47 | No | 16.03 | bailed 2.5 gal. FP |
| MW-26 | 12/12/00 | 16.35 | 616.74 | 616.35 | 0.53 | 12.67 | No | 15.83 | bailed 0.25 gal. FP |
| MW-26 | 01/18/01 | 16.71 | 616.34 | 615.99 | -0.40 | 12.26 | No | 16.24 | bailed 0.2 gal. FP |
| MW-26 | 04/24/01 | 17.15 | 616.35 | 615.55 | 0.00 | 12.41 | No | 16.09 | product abated using vactruck |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-26 | 05/23/01 | 16.54 | 617.57 | 616.16 | 1.23 | 13.84 | No | 14.66 | no product bailed |
| MW-26 | 06/19/01 | 16.57 | 617.68 | 616.13 | 0.11 | 14.00 | No | 14.50 | |
| MW-26 | 07/26/01 | 16.56 | 616.80 | 616.14 | -0.88 | 12.82 | No | 15.68 | |
| MW-26 | 08/31/01 | 17.03 | 616.44 | 615.67 | -0.37 | 12.49 | No | 16.01 | |
| MW-26 | 09/26/01 | 17.81 | 616.25 | 614.89 | -0.19 | 12.50 | No | 16.00 | |
| MW-26 | 10/24/01 | 18.04 | 616.16 | 614.66 | -0.09 | 12.46 | No | 16.04 | |
| MW-26 | 12/20/01 | 18.24 | 615.92 | 614.46 | -0.25 | 12.20 | No | 16.30 | |
| MW-26 | 01/22/02 | 19.06 | 615.65 | 613.64 | -0.26 | 12.12 | No | 16.38 | |
| MW-26 | 02/26/02 | 19.66 | 615.25 | 613.04 | -0.40 | 11.78 | No | 16.72 | |
| MW-26 | 03/20/02 | 19.38 | 615.15 | 613.32 | -0.50 | 11.56 | No | 16.94 | |
| MW-26 | 04/24/02 | 17.42 | 616.07 | 615.28 | 0.92 | 12.13 | No | 16.37 | |
| MW-26 | 05/15/02 | 16.88 | 616.49 | 615.82 | 0.42 | 12.51 | No | 15.99 | |
| MW-26 | 06/27/02 | 17.01 | 616.43 | 615.69 | -0.06 | 12.48 | No | 16.02 | |
| MW-26 | 07/25/02 | 16.76 | 616.52 | 615.94 | 0.09 | 12.51 | No | 15.99 | |
| MW-26 | 08/20/02 | 16.89 | 616.65 | 615.81 | 0.13 | 12.73 | No | 15.77 | |
| MW-26 | 09/30/02 | 16.51 | 617.22 | 616.19 | 0.57 | 13.36 | No | 15.14 | |
| MW-26 | 11/05/02 | 16.43 | 617.48 | 616.27 | 0.26 | 13.68 | No | 14.82 | |
| MW-26 | 12/23/02 | 17.21 | 616.37 | 615.49 | -1.11 | 12.46 | No | 16.04 | |
| MW-26 | 01/28/03 | 18.99 | 615.65 | 613.71 | -0.72 | 12.10 | No | 16.40 | |
| MW-26 | 02/19/03 | 19.93 | 615.33 | 612.77 | -0.33 | 11.98 | No | 16.52 | |
| MW-26 | 04/17/03 | 19.85 | 614.89 | 612.85 | -0.44 | 11.37 | No | 17.13 | |
| MW-26 | 05/15/03 | 18.39 | 615.18 | 614.31 | 0.29 | 11.27 | No | 17.23 | |
| MW-26 | 06/10/03 | 17.92 | 615.61 | 614.78 | 0.42 | 11.68 | No | 16.82 | |
| MW-26 | 10/23/03 | 19.92 | 614.89 | 612.78 | -0.72 | 11.39 | No | 17.11 | |
| MW-26 | 12/03/03 | 20.10 | 614.69 | 612.60 | -0.20 | 11.19 | No | 17.31 | |
| MW-26 | 04/19/04 | 20.66 | 614.61 | 612.79 | -0.08 | 11.02 | No | 18.23 | |
| MW-26 | 07/28/04 | 19.10 | 615.60 | 614.35 | 0.99 | 11.82 | No | 17.43 | |
| MW-26 | 11/15/04 | 17.24 | 616.70 | 616.21 | 1.10 | 12.66 | No | 16.59 | |
| MW-26 | 04/18/05 | 17.64 | 616.24 | 615.81 | -0.46 | 12.18 | No | 17.07 | 26.62 |
| MW-26 | 09/09/05 | 18.53 | 616.33 | 614.92 | 0.09 | 12.60 | No | 16.65 | |
| MW-26 | 10/11/05 | 17.58 | 616.94 | 615.87 | 0.61 | 13.09 | No | 16.16 | |
| MW-26 | 05/23/06 | 17.20 | 617.83 | 616.25 | 0.90 | 14.16 | No | 15.09 | |
| MW-26 | 10/16/06 | 19.31 | 616.00 | 614.14 | -1.83 | 12.42 | No | 16.83 | |
| MW-26 | 04/23/07 | 18.04 | 615.64 | 615.41 | -0.36 | 11.52 | No | 17.73 | |
| MW-26 | 09/25/07 | 18.09 | 615.65 | 615.36 | 0.00 | 11.54 | No | 17.71 | |
| MW-26 | 05/01/08 | 16.98 | 616.91 | 616.47 | 1.27 | 12.86 | No | 16.39 | |
| MW-26 | 10/20/08 | 17.32 | 618.43 | 616.13 | 1.51 | 14.99 | No | 14.26 | |
| MW-26 | 04/18/09 | 17.64 | 617.37 | 615.81 | -1.05 | 13.69 | No | 15.56 | |
| MW-26 | 10/11/09 | 18.27 | 616.31 | 615.18 | -1.06 | 12.48 | No | 16.77 | |
| MW-26 | 04/28/10 | 17.73 | 616.55 | 615.72 | 0.24 | 12.62 | No | 16.63 | |
| MW-26 | 10/25/10 | 17.10 | 618.53 | 616.35 | 1.98 | 15.05 | Yes | 14.20 | |
| MW-26 | 04/25/11 | 17.40 | 617.54 | 616.05 | -0.98 | 13.84 | No | 15.41 | |
| MW-26 | 08/03/11 | 16.89 | 619.13 | 616.56 | 1.59 | 15.79 | Yes | 13.46 | |
| MW-26 | 10/10/11 | 17.03 | 617.67 | 616.42 | 0.12 | 13.88 | No | 15.37 | |
| MW-26 | 01/04/12 | 18.72 | 616.23 | 614.73 | -2.90 | 12.53 | No | 16.72 | |
| MW-26 | 04/05/12 | 19.29 | 615.52 | 614.16 | -2.15 | 11.77 | No | 17.48 | Spill Buddy Before Reading |
| MW-26 | 04/16/12 | 17.79 | 615.79 | 615.66 | 0.27 | 11.63 | No | 17.62 | |
| MW-26 | 06/26/12 | 16.23 | 618.49 | 617.22 | 3.71 | 14.71 | No | 14.54 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-26 | 07/11/12 | 16.56 | 617.96 | 616.89 | 2.17 | 14.11 | No | 15.14 | |
| MW-26 | 07/11/12 | 15.82 | 617.89 | 617.63 | -0.60 | 13.77 | No | 15.48 | |
| MW-26 | 09/29/12 | 17.69 | 616.43 | 615.76 | -1.53 | 12.45 | No | 16.80 | Spill Buddy Before Reading |
| MW-26 | 09/30/12 | 17.64 | 616.49 | 615.81 | 0.06 | 12.51 | No | 16.74 | |
| MW-26 | 11/21/12 | 19.23 | 615.86 | 614.22 | -0.44 | 12.21 | No | 17.04 | |
| MW-26 | 12/17/12 | 19.79 | 615.61 | 613.66 | -0.88 | 12.06 | No | 17.19 | |
| MW-26 | 03/25/13 | 20.75 | 614.75 | 612.70 | -1.12 | 11.23 | No | 18.02 | |
| MW-26 | 05/05/13 | 17.79 | 615.66 | 615.66 | 0.05 | 11.46 | No | #VALUE! | |
| MW-27 | 06/30/89 | 24.08 | 614.32 | 611.02 | NA | 9.53 | No | 19.68 | |
| MW-27 | 07/12/89 | 24.28 | 614.20 | 610.82 | -0.13 | 9.43 | No | 19.78 | |
| MW-27 | 07/26/89 | 24.02 | 614.19 | 611.08 | -0.01 | 9.33 | No | 19.88 | |
| MW-27 | 07/27/89 | 27.64 | 613.18 | 607.46 | -1.01 | 9.19 | No | 20.02 | |
| MW-27 | 09/03/89 | 28.67 | 612.80 | 606.43 | -0.38 | 9.03 | No | 20.18 | |
| MW-27 | 11/16/89 | 28.30 | 613.00 | 606.80 | 0.20 | 9.18 | No | 20.03 | |
| MW-27 | 11/29/89 | 28.03 | 613.01 | 607.07 | 0.01 | 9.10 | No | 20.11 | |
| MW-27 | 12/01/89 | 28.35 | 612.84 | 606.75 | -0.17 | 8.98 | No | 20.23 | |
| MW-27 | 12/02/89 | 28.43 | 612.79 | 606.67 | -0.05 | 8.94 | No | 20.27 | |
| MW-27 | 05/04/90 | 29.78 | 611.97 | 605.32 | -0.82 | 8.29 | No | 20.92 | |
| MW-27 | 06/01/90 | 28.28 | 612.48 | 606.82 | 0.52 | 8.48 | No | 20.73 | |
| MW-27 | 06/19/90 | 27.35 | 612.75 | 607.75 | 0.27 | 8.53 | No | 20.68 | |
| MW-27 | 06/27/90 | 26.14 | 613.84 | 608.96 | 1.09 | 9.58 | No | 19.63 | |
| MW-27 | 07/05/90 | 27.02 | 613.60 | 608.08 | -0.24 | 9.55 | No | 19.66 | 29.78 |
| MW-27 | 07/13/90 | 26.58 | 613.77 | 608.52 | 0.17 | 9.63 | No | 19.58 | |
| MW-27 | 07/17/90 | 26.51 | 613.80 | 608.59 | 0.02 | 9.64 | No | 19.57 | |
| MW-27 | 07/25/90 | 26.84 | 613.71 | 608.26 | -0.09 | 9.63 | No | 19.58 | |
| MW-27 | 08/09/90 | 26.85 | 613.73 | 608.25 | 0.02 | 9.66 | No | 19.55 | |
| MW-27 | 08/27/90 | 26.12 | 613.89 | 608.98 | 0.17 | 9.64 | No | 19.57 | |
| MW-27 | 09/06/90 | 23.18 | 614.70 | 611.92 | 0.80 | 9.73 | No | 19.48 | |
| MW-27 | 01/04/91 | 22.90 | 615.29 | 612.20 | 0.60 | 10.43 | No | 18.78 | |
| MW-27 | 01/30/91 | 25.90 | 614.46 | 609.20 | -0.83 | 10.32 | No | 18.89 | |
| MW-27 | 04/24/91 | 23.98 | 614.67 | 611.12 | 0.21 | 9.96 | No | 19.25 | |
| MW-27 | 06/06/91 | 21.23 | 616.05 | 613.87 | 1.38 | 10.88 | No | 18.33 | |
| MW-27 | 07/09/91 | 20.06 | 617.01 | 615.04 | 0.97 | 11.78 | No | 17.43 | |
| MW-27 | 08/06/91 | 19.12 | 617.93 | 615.98 | 0.92 | 12.69 | No | 16.52 | |
| MW-27 | 09/04/91 | 19.02 | 617.93 | 616.08 | 0.00 | 12.66 | No | 16.55 | |
| MW-27 | 10/08/91 | 18.58 | 618.77 | 616.52 | 0.84 | 13.63 | No | 15.58 | |
| MW-27 | 11/08/91 | 18.75 | 618.23 | 616.35 | -0.54 | 12.96 | No | 16.25 | |
| MW-27 | 12/03/91 | 18.38 | 619.83 | 616.72 | 1.61 | 14.98 | No | 14.23 | |
| MW-27 | 01/07/92 | 18.43 | 618.47 | 616.67 | -1.36 | 13.18 | No | 16.03 | |
| MW-27 | 02/04/92 | 19.00 | 617.80 | 616.10 | -0.67 | 12.48 | No | 16.73 | |
| MW-27 | 03/03/92 | 19.58 | 617.38 | 615.52 | -0.42 | 12.11 | No | 17.10 | |
| MW-27 | 09/24/92 | 18.43 | 619.33 | 616.67 | 1.95 | 14.33 | No | 14.88 | |
| MW-27 | 10/14/92 | 18.70 | 618.21 | 616.40 | -1.13 | 12.92 | No | 16.29 | |
| MW-27 | 06/25/93 | 17.74 | 621.07 | 617.36 | 2.87 | 16.42 | Yes | 12.79 | |
| MW-27 | 10/28/93 | 18.96 | 617.75 | 616.14 | -3.33 | 12.39 | No | 16.82 | |
| MW-27 | 01/29/94 | 19.99 | 617.07 | 615.11 | -0.68 | 11.83 | No | 17.38 | |
| MW-27 | 04/27/94 | 19.52 | 617.25 | 615.58 | 0.18 | 11.92 | No | 17.29 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-27 | 07/21/94 | 18.12 | 618.55 | 616.98 | 1.30 | 13.18 | No | 16.03 | |
| MW-27 | 10/25/94 | 18.50 | 617.96 | 616.60 | -0.59 | 12.52 | No | 16.69 | |
| MW-27 | 11/02/94 | 18.78 | 618.20 | 616.32 | 0.24 | 12.93 | No | 16.28 | |
| MW-27 | 02/01/95 | 22.48 | 615.74 | 612.62 | -2.45 | 10.89 | No | 18.32 | |
| MW-27 | 04/04/95 | 21.15 | 616.13 | 613.95 | 0.38 | 10.96 | No | 18.25 | |
| MW-27 | 07/12/95 | 18.74 | 617.28 | 616.36 | 1.16 | 11.70 | No | 17.51 | |
| MW-27 | 11/14/95 | 17.40 | 618.62 | 617.70 | 1.33 | 13.03 | No | 16.18 | |
| MW-27 | 03/13/96 | 20.73 | 616.55 | 614.37 | -2.07 | 11.38 | No | 17.83 | |
| MW-27 | 10/08/96 | 17.36 | 619.51 | 617.74 | 2.97 | 14.21 | No | 15.00 | |
| MW-27 | 04/29/97 | 17.08 | 620.42 | 618.02 | 0.91 | 15.33 | Yes | 13.88 | |
| MW-27 | 06/10/97 | 17.23 | 619.07 | 617.87 | -1.35 | 13.58 | No | 15.63 | FP bailed 5/22/97 |
| MW-27 | 11/03/98 | 21.59 | 616.01 | 613.51 | -3.06 | 10.95 | No | 18.26 | |
| MW-27 | 03/02/99 | 20.58 | 615.74 | 614.52 | -0.27 | 10.25 | No | 18.96 | |
| MW-27 | 10/07/99 | 18.00 | 619.46 | 617.10 | 3.72 | 14.35 | No | 14.86 | |
| MW-27 | 11/09/99 | 17.13 | 619.85 | 617.97 | 0.39 | 14.58 | No | 14.63 | bailed 1.5 gal. FP |
| MW-27 | 12/21/99 | 17.36 | 618.18 | 617.74 | -1.67 | 12.43 | No | 16.78 | bailed 0.25 gal. FP |
| MW-27 | 01/27/00 | 20.08 | 616.61 | 615.02 | -1.56 | 11.25 | No | 17.96 | bailed 0.3 gal. FP |
| MW-27 | 02/24/00 | 19.95 | 616.60 | 615.15 | -0.01 | 11.19 | No | 18.02 | bailed 1 gal. FP |
| MW-27 | 03/31/00 | 20.98 | 616.57 | 614.12 | -0.02 | 11.50 | No | 17.71 | bailed 2.5 gal. FP |
| MW-27 | 04/20/00 | 18.85 | 617.09 | 616.25 | 0.52 | 11.48 | No | 17.73 | bailed 0.25 gal. FP |
| MW-27 | 04/26/00 | 18.61 | 617.21 | 616.49 | 0.12 | 11.56 | No | 17.65 | bailed 1 gal. FP |
| MW-27 | 05/31/00 | 18.16 | 617.28 | 616.94 | 0.07 | 11.50 | No | 17.71 | bailed 0.125 gal. FP |
| MW-27 | 06/29/00 | 18.27 | 617.32 | 616.83 | 0.04 | 11.59 | No | 17.62 | bailed 0.25 gal. FP |
| MW-27 | 07/26/00 | 17.76 | 617.39 | 617.34 | 0.07 | 11.52 | No | 17.69 | |
| MW-27 | 08/18/00 | 22.28 | 616.31 | 612.82 | -1.08 | 11.58 | No | 17.63 | bailed 1.5 gal. FP |
| MW-27 | 09/27/00 | 20.55 | 616.33 | 614.55 | 0.02 | 11.03 | No | 18.18 | bailed 1 gal. FP |
| MW-27 | 10/11/00 | 20.77 | 616.40 | 614.33 | 0.07 | 11.20 | No | 18.01 | bailed 3 gal. FP |
| MW-27 | 11/17/00 | 21.07 | 616.22 | 614.03 | -0.18 | 11.06 | No | 18.15 | bailed 3 gal. FP |
| MW-27 | 12/12/00 | 19.14 | 616.82 | 615.96 | 0.59 | 11.21 | No | 18.00 | bailed 2 gal. FP |
| MW-27 | 01/18/01 | 19.85 | 616.20 | 615.25 | -0.62 | 10.62 | No | 18.59 | bailed 2 gal. FP |
| MW-27 | 04/24/01 | 20.25 | 616.49 | 614.85 | 0.30 | 11.15 | No | 18.06 | product abated using vactruck |
| MW-27 | 05/23/01 | 17.57 | 617.55 | 617.53 | 1.05 | 11.66 | No | 17.55 | no product bailed |
| MW-27 | 06/19/01 | 18.09 | 617.09 | 617.01 | -0.46 | 11.22 | No | 17.99 | TPC = TOC + 0.61 feet |
| MW-27 | 07/26/01 | 18.41 | 617.07 | 616.69 | -0.01 | 11.31 | No | 17.90 | |
| MW-27 | 08/31/01 | 19.51 | 616.65 | 615.59 | -0.42 | 11.11 | No | 18.10 | |
| MW-27 | 09/26/01 | 20.06 | 616.45 | 615.04 | -0.20 | 11.03 | No | 18.18 | |
| MW-27 | 10/24/01 | 20.76 | 616.29 | 614.34 | -0.16 | 11.05 | No | 18.16 | |
| MW-27 | 12/20/01 | 21.89 | 615.22 | 613.21 | -1.07 | 10.00 | No | 19.21 | |
| MW-27 | 01/22/02 | 21.85 | 615.49 | 613.25 | 0.27 | 10.35 | No | 18.86 | |
| MW-27 | 02/26/02 | 22.35 | 615.26 | 612.75 | -0.23 | 10.21 | No | 19.00 | |
| MW-27 | 03/20/02 | 22.48 | 615.10 | 612.62 | -0.39 | 10.04 | No | 19.17 | |
| MW-27 | 04/24/02 | 22.14 | 615.79 | 612.96 | 0.69 | 10.84 | No | 18.37 | |
| MW-27 | 05/15/02 | 21.25 | 616.24 | 613.85 | 0.45 | 11.15 | No | 18.06 | |
| MW-27 | 06/27/02 | 20.92 | 616.18 | 614.18 | -0.06 | 10.96 | No | 18.25 | |
| MW-27 | 07/25/02 | 20.38 | 616.39 | 614.72 | 0.20 | 11.05 | No | 18.16 | |
| MW-27 | 08/20/02 | 19.94 | 616.58 | 615.16 | 0.19 | 11.16 | No | 18.05 | |
| MW-27 | 09/30/02 | 18.43 | 617.16 | 616.67 | 0.58 | 11.43 | No | 17.78 | |
| MW-27 | 11/05/02 | 17.71 | 617.44 | 617.39 | 0.28 | 11.56 | No | 17.65 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-27 | 12/23/02 | 19.47 | 616.43 | 615.63 | -1.01 | 10.80 | No | 18.41 | |
| MW-27 | 01/28/03 | 20.54 | 615.76 | 614.56 | -0.66 | 10.27 | No | 18.94 | |
| MW-27 | 02/19/03 | 21.51 | 615.50 | 613.59 | -0.26 | 10.24 | No | 18.97 | |
| MW-27 | 04/17/03 | 22.70 | 614.90 | 612.40 | -0.60 | 9.84 | No | 19.37 | |
| MW-27 | 05/15/03 | 22.90 | 614.80 | 612.20 | -0.10 | 9.77 | No | 19.44 | |
| MW-27 | 06/10/03 | 22.04 | 615.06 | 613.06 | 0.26 | 9.83 | No | 19.38 | |
| MW-27 | 10/23/03 | 22.44 | 614.92 | 612.66 | -0.14 | 9.78 | No | 19.43 | |
| MW-27 | 12/03/03 | 22.78 | 614.77 | 612.32 | -0.15 | 9.69 | No | 19.52 | |
| MW-27 | 04/19/04 | 24.13 | 613.93 | 610.97 | -0.84 | 9.02 | No | 20.19 | |
| MW-27 | 07/28/04 | 21.41 | 615.25 | 613.69 | 1.33 | 9.88 | No | 19.33 | |
| MW-27 | 11/16/04 | 20.39 | 615.63 | 614.71 | 0.38 | 10.05 | No | 19.16 | |
| MW-27 | 04/18/05 | 21.16 | 615.57 | 613.94 | -0.06 | 10.22 | No | 18.99 | |
| MW-27 | 09/09/05 | 20.24 | 616.14 | 614.86 | 0.57 | 10.67 | No | 18.54 | |
| MW-27 | 10/11/05 | 19.34 | 616.56 | 615.76 | 0.42 | 10.93 | No | 18.28 | |
| MW-27 | 05/23/06 | 18.75 | 617.27 | 616.35 | 0.71 | 11.68 | No | 17.53 | |
| MW-27 | 10/16/06 | 21.12 | 615.76 | 613.98 | -1.51 | 10.46 | No | 18.75 | |
| MW-27 | 04/23/07 | 23.07 | 614.62 | 612.03 | -1.14 | 9.59 | No | 19.62 | |
| MW-27 | 09/25/07 | 22.65 | 615.14 | 612.45 | 0.52 | 10.15 | No | 19.06 | |
| MW-27 | 05/01/08 | 19.64 | 616.53 | 615.46 | 1.39 | 11.00 | No | 18.21 | |
| MW-27 | 10/20/08 | 17.40 | 618.29 | 617.70 | 1.75 | 12.59 | No | 16.62 | |
| MW-27 | 04/18/09 | 18.49 | 617.98 | 616.61 | -0.30 | 12.55 | No | 16.66 | |
| MW-27 | 08/04/09 | 19.77 | 616.58 | 615.33 | -1.41 | 11.10 | No | 18.11 | |
| MW-27 | 08/05/09 | 19.78 | 616.26 | 615.32 | -0.32 | 10.68 | No | 18.53 | |
| MW-27 | 08/13/09 | 18.91 | 616.63 | 616.19 | 0.37 | 10.88 | No | 18.33 | |
| MW-27 | 08/18/09 | 18.75 | 616.94 | 616.35 | 0.32 | 11.25 | No | 17.96 | |
| MW-27 | 08/26/09 | 18.65 | 616.95 | 616.45 | 0.00 | 11.22 | No | 17.99 | |
| MW-27 | 09/03/09 | 18.41 | 617.22 | 616.69 | 0.27 | 11.50 | No | 17.71 | |
| MW-27 | 09/08/09 | 18.36 | 617.26 | 616.74 | 0.04 | 11.54 | No | 17.67 | |
| MW-27 | 09/14/09 | 18.69 | 617.13 | 616.41 | -0.13 | 11.48 | No | 17.73 | |
| MW-27 | 10/11/09 | 19.17 | 616.70 | 615.93 | -0.43 | 11.07 | No | 18.14 | |
| MW-27 | 10/15/09 | 19.17 | 616.70 | 615.93 | 0.00 | 11.07 | No | 18.14 | |
| MW-27 | 04/28/10 | 20.05 | 616.47 | 615.05 | -0.24 | 11.05 | No | 18.16 | |
| MW-27 | 10/25/10 | 17.27 | 618.69 | 617.83 | 2.22 | 13.08 | No | 16.13 | |
| MW-27 | 04/25/11 | 18.25 | 617.44 | 616.85 | -1.24 | 11.75 | No | 17.46 | |
| MW-27 | 08/04/11 | 16.86 | 619.16 | 618.24 | 1.71 | 13.57 | No | 15.64 | |
| MW-27 | 09/15/11 | 17.16 | 618.18 | 617.94 | 0.74 | 12.37 | No | 16.84 | |
| MW-27 | 09/23/11 | 17.11 | 618.09 | 617.99 | -0.09 | 12.23 | No | 16.98 | |
| MW-27 | 09/29/11 | 17.38 | 618.10 | 617.72 | 0.01 | 12.33 | No | 16.88 | |
| MW-27 | 10/07/11 | 17.37 | 618.05 | 617.73 | -0.05 | 12.26 | No | 16.95 | |
| MW-27 | 10/10/11 | 17.52 | 617.87 | 617.58 | -0.17 | 12.08 | No | 17.13 | |
| MW-27 | 10/21/11 | 17.71 | 617.63 | 617.39 | -0.24 | 11.82 | No | 17.39 | |
| MW-27 | 10/27/11 | 17.81 | 617.51 | 617.29 | -0.12 | 11.69 | No | 17.52 | |
| MW-27 | 11/04/11 | 18.07 | 617.31 | 617.03 | -0.20 | 11.51 | No | 17.70 | |
| MW-27 | 11/09/11 | 17.87 | 617.41 | 617.23 | 0.10 | 11.58 | No | 17.63 | |
| MW-27 | 11/18/11 | 18.11 | 617.25 | 616.99 | -0.16 | 11.45 | No | 17.76 | |
| MW-27 | 11/22/11 | 18.36 | 617.12 | 616.74 | -0.14 | 11.35 | No | 17.86 | |
| MW-27 | 12/01/11 | 19.14 | 616.70 | 615.96 | -0.42 | 11.05 | No | 18.16 | |
| MW-27 | 01/04/12 | 20.97 | 616.09 | 614.13 | -0.61 | 10.85 | No | 18.36 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-27 | 02/16/12 | 21.09 | 615.77 | 614.01 | -0.32 | 10.47 | No | 18.74 | |
| MW-27 | 03/13/12 | 21.62 | 615.53 | 613.48 | -0.25 | 10.32 | No | 18.89 | |
| MW-27 | 04/03/12 | 21.85 | 615.38 | 613.25 | -0.15 | 10.20 | No | 19.01 | Spill Buddy Before Reading |
| MW-27 | 04/16/12 | 21.77 | 615.59 | 613.33 | 0.28 | 10.45 | No | 18.76 | |
| MW-27 | 06/18/12 | 18.25 | 617.37 | 616.85 | 1.78 | 11.65 | No | 17.56 | |
| MW-27 | 06/26/12 | 17.41 | 618.22 | 617.69 | 0.85 | 12.50 | No | 16.71 | |
| MW-27 | 07/12/12 | 17.82 | 617.90 | 617.28 | -0.32 | 12.21 | No | 17.00 | |
| MW-27 | 07/24/12 | 18.01 | 617.58 | 617.09 | -0.32 | 11.85 | No | 17.36 | |
| MW-27 | 08/09/12 | 18.18 | 617.45 | 616.92 | -0.13 | 11.74 | No | 17.47 | Spill Buddy Before Reading |
| MW-27 | 08/17/12 | 18.33 | 617.29 | 616.77 | -0.07 | 11.57 | No | 17.64 | |
| MW-27 | 09/17/12 | 19.01 | 616.85 | 616.09 | -0.44 | 11.21 | No | 18.00 | |
| MW-27 | 09/18/12 | 18.98 | 616.88 | 616.12 | 0.03 | 11.24 | No | 17.97 | Spill Buddy Before Reading |
| MW-27 | 09/30/12 | 19.31 | 616.64 | 615.79 | -0.23 | 11.03 | No | 18.18 | |
| MW-27 | 11/21/12 | 20.67 | 616.00 | 614.43 | -0.64 | 10.63 | No | 18.58 | |
| MW-27 | 12/17/12 | 21.36 | 615.71 | 613.74 | -0.28 | 10.48 | No | 18.73 | |
| MW-27 | 03/25/13 | 22.97 | 615.31 | 612.13 | -0.40 | 10.48 | No | 18.73 | |
| MW-27 | 05/05/13 | 22.58 | 615.03 | 612.52 | -0.28 | 9.97 | No | 19.24 | |
| MW-28 | 06/30/89 | 18.66 | 617.04 | | NA | 7.96 | No | | |
| MW-28 | 07/12/89 | 19.15 | 616.55 | | -0.49 | 7.47 | No | | |
| MW-28 | 07/26/89 | 19.29 | 616.41 | | -0.14 | 7.33 | No | | |
| MW-28 | 07/27/89 | 19.40 | 616.30 | | -0.11 | 7.22 | No | | |
| MW-28 | 09/03/89 | 19.51 | 616.19 | | -0.11 | 7.11 | No | | |
| MW-28 | 11/16/89 | 19.67 | 616.03 | | -0.16 | 6.95 | No | | |
| MW-28 | 11/29/89 | 19.95 | 615.75 | | -0.28 | 6.67 | No | | |
| MW-28 | 06/19/90 | 19.57 | 616.13 | | 0.38 | 7.05 | No | | |
| MW-28 | 06/27/90 | 19.63 | 616.07 | | -0.06 | 6.99 | No | | |
| MW-28 | 07/05/90 | 20.01 | 615.69 | | -0.38 | 6.61 | No | | |
| MW-28 | 07/13/90 | 20.01 | 615.69 | | 0.00 | 6.61 | No | | |
| MW-28 | 07/17/90 | 19.72 | 615.98 | | 0.29 | 6.90 | No | | |
| MW-28 | 07/25/90 | 20.04 | 615.66 | | -0.32 | 6.58 | No | | |
| MW-28 | 09/06/90 | 19.39 | 616.31 | | 0.65 | 7.23 | No | | |
| MW-28 | 01/04/91 | 19.27 | 616.43 | | 0.12 | 7.35 | No | | |
| MW-28 | 07/09/91 | 16.40 | 619.30 | | 2.87 | 10.22 | No | | |
| MW-28 | 10/08/91 | 15.27 | 620.43 | | 1.13 | 11.35 | No | | |
| MW-28 | 01/07/92 | 16.33 | 619.37 | | -1.06 | 10.29 | No | | |
| MW-28 | 10/14/92 | 16.04 | 619.66 | | 0.29 | 10.58 | No | | |
| MW-28 | 06/25/93 | 13.05 | 622.65 | | 2.99 | 13.57 | No | | |
| MW-28 | 10/28/93 | 16.66 | 619.04 | | -3.61 | 9.96 | No | | |
| MW-28 | 01/29/94 | 18.15 | 617.55 | | -1.49 | 8.47 | No | | |
| MW-28 | 04/27/94 | 17.23 | 618.47 | | 0.92 | 9.39 | No | | |
| MW-28 | 07/21/94 | 16.20 | 619.50 | | 1.03 | 10.42 | No | | |
| MW-28 | 10/25/94 | 16.60 | 619.10 | | -0.40 | 10.02 | No | | |
| MW-28 | 10/27/94 | 15.91 | 619.79 | | 0.69 | 10.71 | No | | |
| MW-28 | 02/01/95 | 18.52 | 617.18 | | -2.61 | 8.10 | No | | |
| MW-28 | 04/04/95 | 19.07 | 616.63 | | -0.55 | 7.55 | No | | |
| MW-28 | 07/12/95 | 17.54 | 618.16 | | 1.53 | 9.08 | No | | |
| MW-28 | 11/13/95 | 16.08 | 619.62 | | 1.46 | 10.54 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-28 | 03/13/96 | 18.67 | 617.03 | | -2.59 | 7.95 | No | | |
| MW-28 | 04/22/96 | 16.63 | 619.07 | | 2.04 | 9.99 | No | | |
| MW-28 | 10/08/96 | 15.38 | 620.32 | | 1.25 | 11.24 | No | | |
| MW-28 | 04/29/97 | 11.21 | 624.49 | | 4.17 | 15.41 | Yes | | |
| MW-28 | 11/03/98 | 18.58 | 617.12 | | -7.37 | 8.04 | No | | |
| MW-28 | 03/02/99 | 19.16 | 616.54 | | -0.58 | 7.46 | No | | |
| MW-28 | 04/26/00 | 17.73 | 617.97 | | 1.43 | 8.89 | No | | |
| MW-28 | 10/10/00 | 18.68 | 617.02 | | -0.95 | 7.94 | No | | |
| MW-28 | 04/24/01 | 18.19 | 617.51 | | 0.49 | 8.43 | No | | |
| MW-28 | 10/24/01 | 18.54 | 617.16 | | -0.35 | 8.08 | No | | |
| MW-28 | 01/22/02 | 21.88 | 616.24 | | -0.92 | 7.97 | No | | |
| MW-28 | 02/26/02 | 19.71 | 615.99 | | -1.17 | 6.91 | No | | |
| MW-28 | 03/20/02 | 19.93 | 615.77 | | -1.39 | 6.69 | No | | |
| MW-28 | 04/23/02 | 18.97 | 616.73 | | 0.96 | 7.65 | No | | |
| MW-28 | 05/15/02 | 18.05 | 617.65 | | 0.92 | 8.57 | No | | |
| MW-28 | 08/20/02 | 17.96 | 617.74 | | 0.09 | 8.66 | No | | |
| MW-28 | 11/05/02 | 16.99 | 618.71 | | 0.97 | 9.63 | No | | |
| MW-28 | 12/23/02 | 18.78 | 616.92 | | -1.79 | 7.84 | No | | |
| MW-28 | 01/28/03 | 19.26 | 616.44 | | -0.48 | 7.36 | No | | |
| MW-28 | 01/28/03 | 19.63 | 616.07 | | -0.37 | 6.99 | No | | |
| MW-28 | 04/17/03 | 20.04 | 615.66 | | -0.41 | 6.58 | No | | |
| MW-28 | 06/10/03 | 19.49 | 616.21 | | 0.55 | 7.13 | No | | |
| MW-28 | 10/20/03 | 19.61 | 616.09 | | -0.12 | 7.01 | No | | |
| MW-28 | 12/03/03 | 19.95 | 615.75 | | -0.34 | 6.67 | No | | |
| MW-28 | 04/19/04 | 20.31 | 615.44 | | -0.31 | 6.36 | No | | |
| MW-28 | 07/28/04 | 18.91 | 616.84 | | 1.40 | 7.76 | No | | |
| MW-28 | 11/16/04 | 17.78 | 617.97 | | 1.13 | 8.89 | No | | |
| MW-28 | 04/18/05 | 18.26 | 617.49 | | -0.48 | 8.41 | No | | |
| MW-28 | 10/11/05 | 17.53 | 618.22 | | 0.73 | 9.14 | No | | |
| MW-28 | 05/23/06 | 16.67 | 619.08 | | 0.86 | 10.00 | No | | |
| MW-28 | 10/16/06 | 18.59 | 617.16 | | -1.92 | 8.08 | No | | |
| MW-28 | 04/23/07 | 19.69 | 616.06 | | -1.10 | 6.98 | No | | |
| MW-28 | 09/25/07 | 19.60 | 616.15 | | 0.09 | 7.07 | No | | |
| MW-28 | 05/01/08 | 17.49 | 618.26 | | 2.11 | 9.18 | No | | |
| MW-28 | 10/20/08 | 15.82 | 619.93 | | 1.67 | 10.85 | No | | |
| MW-28 | 04/18/09 | 17.40 | 618.35 | | -1.58 | 9.27 | No | | |
| MW-28 | 10/11/09 | 18.26 | 617.49 | | -0.86 | 8.41 | No | | |
| MW-28 | 04/28/10 | 18.41 | 617.34 | | -0.15 | 8.26 | No | | |
| MW-28 | 10/25/10 | 16.06 | 619.69 | | 2.35 | 10.61 | No | | |
| MW-28 | 04/25/11 | 17.13 | 618.62 | | -1.07 | 9.54 | No | | |
| MW-28 | 10/10/11 | 17.29 | 618.46 | | -0.16 | 9.38 | No | | |
| MW-28 | 01/04/12 | 18.78 | 616.97 | | -1.49 | 7.89 | No | | |
| MW-28 | 04/16/12 | 19.45 | 616.30 | | -0.67 | 7.22 | No | | |
| MW-28 | 06/26/12 | 15.83 | 619.92 | | 3.62 | 10.84 | No | | |
| MW-28 | 09/30/12 | 18.63 | 617.12 | | -2.80 | 8.04 | No | | |
| MW-28 | 03/25/13 | 20.38 | 615.37 | | -1.75 | 6.29 | No | | |
| MW-28 | 05/05/13 | 19.45 | 616.30 | | 0.93 | 7.22 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED ED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|-----------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-30S | 06/30/89 | 14.39 | 615.51 | | NA | 10.31 | Yes | | |
| MW-30S | 07/12/89 | 14.79 | 615.11 | | -0.40 | 9.91 | No | | |
| MW-30S | 07/26/89 | 14.97 | 614.93 | | -0.18 | 9.73 | No | | |
| MW-30S | 07/27/89 | 15.11 | 614.79 | | -0.14 | 9.59 | No | | |
| MW-30S | 09/03/89 | 15.43 | 614.47 | | -0.32 | 9.27 | No | | |
| MW-30S | 11/16/89 | 15.65 | 614.25 | | -0.22 | 9.05 | No | | |
| MW-30S | 11/29/89 | 15.76 | 614.14 | | -0.11 | 8.94 | No | | |
| MW-30S | 06/01/90 | 15.43 | 614.47 | | 0.33 | 9.27 | No | | |
| MW-30S | 06/19/90 | 15.29 | 614.61 | | 0.14 | 9.41 | No | | |
| MW-30S | 06/27/90 | 15.52 | 614.38 | | -0.23 | 9.18 | No | | |
| MW-30S | 07/05/90 | 15.64 | 614.26 | | -0.12 | 9.06 | No | | |
| MW-30S | 07/13/90 | 15.71 | 614.19 | | -0.07 | 8.99 | No | | |
| MW-30S | 07/17/90 | 15.55 | 614.35 | | 0.16 | 9.15 | No | | |
| MW-30S | 07/25/90 | 15.77 | 614.13 | | -0.22 | 8.93 | No | | |
| MW-30S | 08/09/90 | 15.79 | 614.11 | | -0.02 | 8.91 | No | | |
| MW-30S | 08/27/90 | 15.66 | 614.24 | | 0.13 | 9.04 | No | | |
| MW-30S | 09/06/90 | 15.43 | 614.47 | | 0.23 | 9.27 | No | | |
| MW-30S | 01/04/91 | 14.89 | 615.01 | | 0.54 | 9.81 | No | | |
| MW-30S | 01/30/91 | 15.19 | 614.71 | | -0.30 | 9.51 | No | | |
| MW-30S | 04/24/91 | 15.37 | 614.53 | | -0.18 | 9.33 | No | | |
| MW-30S | 07/09/91 | 11.65 | 618.25 | | 3.72 | 13.05 | Yes | | |
| MW-30S | 10/08/91 | 11.06 | 618.84 | | 0.59 | 13.64 | Yes | | |
| MW-30S | 01/07/92 | 11.93 | 617.97 | | -0.87 | 12.77 | Yes | | |
| MW-30S | 10/14/92 | 12.57 | 617.33 | | -0.64 | 12.13 | Yes | | |
| MW-30S | 06/25/93 | 7.96 | 621.94 | | 4.61 | 16.74 | Yes | | |
| MW-30S | 10/28/93 | 12.77 | 617.13 | | -4.81 | 11.93 | Yes | | |
| MW-30S | 01/29/94 | 14.01 | 615.89 | | -1.24 | 10.69 | Yes | | |
| MW-30S | 04/27/94 | 12.52 | 617.38 | | 1.49 | 12.18 | Yes | | |
| MW-30S | 06/14/94 | 11.77 | 618.13 | | 0.75 | 12.93 | Yes | | |
| MW-30S | 07/21/94 | 12.24 | 617.66 | | -0.47 | 12.46 | Yes | | |
| MW-30S | 08/30/94 | 13.58 | 616.32 | | -1.34 | 11.12 | Yes | | |
| MW-30S | 10/25/94 | 12.84 | 617.06 | | 0.74 | 11.86 | Yes | | |
| MW-30S | 10/28/94 | 12.24 | 617.66 | | 0.60 | 12.46 | Yes | | |
| MW-30S | 02/01/95 | 15.19 | 614.71 | | -2.95 | 9.51 | No | | |
| MW-30S | 04/04/95 | 14.77 | 615.13 | | 0.42 | 9.93 | No | | |
| MW-30S | 07/12/95 | 13.60 | 616.30 | | 1.17 | 11.10 | Yes | | |
| MW-30S | 08/18/95 | 14.27 | 615.63 | | -0.67 | 10.43 | Yes | | |
| MW-30S | 11/13/95 | 11.79 | 618.11 | | 2.48 | 12.91 | Yes | | |
| MW-30S | 03/13/96 | 14.54 | 615.36 | | -2.75 | 10.16 | Yes | | |
| MW-30S | 04/22/96 | 11.91 | 617.99 | | 2.63 | 12.79 | Yes | | |
| MW-30S | 10/08/96 | 11.21 | 618.69 | | 0.70 | 13.49 | Yes | | |
| MW-30S | 04/29/97 | 9.69 | 620.21 | | 1.52 | 15.01 | Yes | | |
| MW-30S | 11/03/98 | 14.90 | 615.00 | | -5.21 | 9.80 | No | | |
| MW-30S | 04/26/00 | 13.23 | 616.67 | | 1.67 | 11.47 | Yes | | |
| MW-30S | 10/10/00 | 14.65 | 615.25 | | -1.42 | 10.05 | Yes | | |
| MW-30S | 10/24/01 | 14.66 | 615.24 | | -0.01 | 10.04 | Yes | | |
| MW-30S | 01/22/02 | 15.10 | 614.80 | | -0.44 | 9.60 | No | | |
| MW-30S | 02/26/02 | 15.52 | 614.38 | | -0.42 | 9.18 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-30S | 04/23/02 | 14.82 | 615.08 | | 0.28 | 9.88 | No | | |
| MW-30S | 08/20/02 | 13.51 | 616.39 | | 1.31 | 11.19 | Yes | | |
| MW-30S | 09/30/02 | 13.26 | 616.64 | | 0.25 | 11.44 | Yes | | |
| MW-30S | 11/05/02 | 12.52 | 617.38 | | 0.74 | 12.18 | Yes | | |
| MW-30S | 12/23/02 | 14.41 | 615.49 | | -1.89 | 10.29 | Yes | | |
| MW-30S | 01/28/03 | 15.00 | 614.90 | | -0.59 | 9.70 | No | | |
| MW-30S | 02/19/03 | 15.27 | 614.63 | | -0.27 | 9.43 | No | | |
| MW-30S | 04/17/03 | 15.77 | 614.13 | | -0.50 | 8.93 | No | | |
| MW-30S | 10/20/03 | 15.65 | 614.25 | | 0.12 | 9.05 | No | | |
| MW-30S | 12/03/03 | 15.88 | 614.02 | | -0.23 | 8.82 | No | | |
| MW-30S | 04/19/04 | 16.28 | 613.82 | | -0.20 | 8.62 | No | | |
| MW-30S | 07/28/04 | 14.72 | 615.38 | | 1.56 | 10.18 | Yes | | |
| MW-30S | 11/16/04 | 13.55 | 616.55 | | 1.17 | 11.35 | Yes | | |
| MW-30S | 04/18/05 | 13.55 | 616.55 | | 0.00 | 11.35 | Yes | | |
| MW-30S | 10/11/05 | 13.28 | 616.82 | | 0.27 | 11.62 | Yes | | |
| MW-30S | 05/23/06 | 12.10 | 618.00 | | 1.18 | 12.80 | Yes | | |
| MW-30S | 10/16/06 | 14.78 | 615.32 | | -2.68 | 10.12 | Yes | | |
| MW-30S | 04/23/07 | 15.50 | 614.60 | | -0.72 | 9.40 | No | | Water low in well |
| MW-30S | 09/25/07 | 15.57 | 614.53 | | -0.07 | 9.33 | No | | |
| MW-30S | 05/01/08 | 12.62 | 617.48 | | 2.95 | 12.28 | Yes | | |
| MW-30S | 10/20/08 | 11.89 | 618.21 | | 0.73 | 13.01 | Yes | | |
| MW-30S | 04/18/09 | 12.92 | 617.18 | | -1.03 | 11.98 | Yes | | |
| MW-30S | 08/31/11 | 11.81 | 618.29 | | 1.11 | 13.09 | Yes | | |
| MW-30S | 10/10/11 | 13.24 | 616.86 | | -1.43 | 11.66 | Yes | | |
| MW-30S | 01/04/12 | 14.83 | 615.27 | | -1.59 | 10.07 | Yes | | |
| MW-30S | 04/16/12 | 15.49 | 614.61 | | -0.66 | 9.41 | No | | |
| MW-30S | 06/26/12 | 10.73 | 619.37 | | 4.76 | 14.17 | Yes | | |
| MW-30S | 09/30/12 | 14.48 | 615.62 | | -3.75 | 10.42 | Yes | | |
| MW-30S | 03/25/13 | 16.19 | 613.91 | | -1.71 | 8.71 | No | | |
| MW-30S | 05/05/13 | 15.52 | 614.58 | | 0.67 | 9.38 | No | | |
| MW-30D | 06/14/94 | 13.81 | 616.19 | | NA | 40.90 | Yes | | |
| MW-30D | 07/21/94 | 14.08 | 615.92 | | -0.27 | 40.63 | Yes | | |
| MW-30D | 10/25/94 | 14.44 | 615.56 | | -0.36 | 40.27 | Yes | | |
| MW-30D | 10/28/94 | 14.04 | 615.96 | | 0.40 | 40.67 | Yes | | |
| MW-30D | 04/04/95 | 16.20 | 613.80 | | -2.16 | 38.51 | Yes | | |
| MW-30D | 07/12/95 | 15.23 | 614.77 | | 0.97 | 39.48 | Yes | | |
| MW-30D | 08/18/95 | 15.91 | 614.09 | | -0.68 | 38.80 | Yes | | |
| MW-30D | 11/13/95 | 13.99 | 616.01 | | 1.92 | 40.72 | Yes | | |
| MW-30D | 04/22/96 | 14.01 | 615.99 | | -0.02 | 40.70 | Yes | | |
| MW-30D | 10/08/96 | 13.16 | 616.84 | | 0.85 | 41.55 | Yes | | |
| MW-30D | 04/29/97 | 12.26 | 617.74 | | 0.90 | 42.45 | Yes | | |
| MW-30D | 11/03/98 | 16.24 | 613.76 | | -3.98 | 38.47 | Yes | | |
| MW-30D | 03/02/99 | 16.21 | 613.79 | | 0.03 | 38.50 | Yes | | |
| MW-30D | 04/26/00 | 15.19 | 614.81 | | 1.02 | 39.52 | Yes | | |
| MW-30D | 10/10/00 | 16.26 | 613.74 | | -1.07 | 38.45 | Yes | | |
| MW-30D | 10/24/01 | 16.16 | 613.84 | | 0.10 | 38.55 | Yes | | |
| MW-30D | 04/23/02 | 16.24 | 613.76 | | -0.08 | 38.47 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-30D | 11/05/02 | 14.62 | 615.38 | | 1.62 | 40.09 | Yes | | |
| MW-30D | 04/17/03 | 17.19 | 612.81 | | -2.57 | 37.52 | Yes | | |
| MW-30D | 10/20/03 | 16.99 | 613.01 | | 0.20 | 37.72 | Yes | | |
| MW-30D | 04/19/04 | 17.24 | 612.91 | | -0.10 | 37.62 | Yes | | |
| MW-30D | 11/16/04 | 15.33 | 614.82 | | 1.91 | 39.53 | Yes | | |
| MW-30D | 04/18/05 | 15.31 | 614.84 | | 0.02 | 39.55 | Yes | | |
| MW-30D | 10/11/05 | 15.95 | 614.20 | | -0.64 | 38.91 | Yes | | |
| MW-30D | 05/23/06 | 14.37 | 615.78 | | 1.58 | 40.49 | Yes | | |
| MW-30D | 10/16/06 | 16.13 | 614.02 | | -1.76 | 38.73 | Yes | | |
| MW-30D | 04/23/07 | 16.62 | 613.53 | | -0.49 | 38.24 | Yes | | |
| MW-30D | 09/25/07 | 16.69 | 613.46 | | -0.07 | 38.17 | Yes | | |
| MW-30D | 05/01/08 | 14.63 | 615.52 | | 2.06 | 40.23 | Yes | | |
| MW-30D | 10/20/08 | 13.69 | 616.46 | | 0.94 | 41.17 | Yes | | |
| MW-30D | 04/18/09 | 14.84 | 615.31 | | -1.15 | 40.02 | Yes | | |
| MW-30D | 08/31/11 | 13.58 | 616.57 | | 1.26 | 41.28 | Yes | | |
| MW-30D | 10/10/11 | 14.92 | 615.23 | | -1.34 | 39.94 | Yes | | |
| MW-30D | 01/04/12 | 16.22 | 613.93 | | -1.30 | 38.64 | Yes | | |
| MW-30D | 04/16/12 | 16.50 | 613.65 | | -0.28 | 38.36 | Yes | | |
| MW-30D | 06/26/12 | 13.22 | 616.93 | | 3.28 | 41.64 | Yes | | |
| MW-30D | 09/30/12 | 15.99 | 614.16 | | -2.77 | 38.87 | Yes | | |
| MW-30D | 03/25/13 | 17.53 | 612.62 | | -1.54 | 37.33 | Yes | | |
| MW-30D | 05/05/13 | 16.52 | 613.63 | | 1.01 | 38.34 | Yes | | |
| MW-30DD | 07/12/95 | 15.60 | 614.40 | | NA | 68.77 | Yes | | |
| MW-30DD | 08/08/95 | 15.82 | 614.18 | | -0.22 | 68.55 | Yes | | |
| MW-30DD | 11/13/95 | 14.07 | 615.93 | | 1.75 | 70.30 | Yes | | |
| MW-30DD | 04/22/96 | 14.43 | 615.57 | | -0.36 | 69.94 | Yes | | |
| MW-30DD | 10/08/96 | 13.71 | 616.29 | | 0.72 | 70.66 | Yes | | |
| MW-30DD | 04/29/97 | 13.47 | 616.53 | | 0.24 | 70.90 | Yes | | |
| MW-30DD | 11/03/98 | 16.37 | 613.63 | | -2.90 | 68.00 | Yes | | |
| MW-30DD | 03/02/99 | 16.14 | 613.86 | | 0.23 | 68.23 | Yes | | |
| MW-30DD | 04/26/00 | 15.19 | 614.81 | | 0.95 | 69.18 | Yes | | |
| MW-30DD | 10/10/00 | 16.36 | 613.64 | | -1.17 | 68.01 | Yes | | |
| MW-30DD | 04/23/02 | 16.39 | 613.61 | | -0.03 | 67.98 | Yes | | |
| MW-30DD | 11/05/02 | 14.88 | 615.12 | | 1.51 | 69.49 | Yes | | |
| MW-30DD | 04/17/03 | 17.33 | 612.67 | | -2.45 | 67.04 | Yes | | |
| MW-30DD | 10/20/03 | 17.12 | 612.88 | | 0.21 | 67.25 | Yes | | Very silty |
| MW-30DD | 04/19/04 | 17.20 | 612.97 | | 0.09 | 67.34 | Yes | | Very silty |
| MW-30DD | 11/16/04 | 15.48 | 614.69 | | 1.72 | 69.06 | Yes | | |
| MW-30DD | 04/18/05 | 16.04 | 614.13 | | -0.56 | 68.50 | Yes | | |
| MW-30DD | 10/11/05 | 15.27 | 614.90 | | 0.77 | 69.27 | Yes | | |
| MW-30DD | 05/23/06 | 14.65 | 615.52 | | 0.62 | 69.89 | Yes | | |
| MW-30DD | 10/16/06 | 16.24 | 613.93 | | -1.59 | 68.30 | Yes | | |
| MW-30DD | 04/23/07 | 16.79 | 613.38 | | -0.55 | 67.75 | Yes | | |
| MW-30DD | 09/25/07 | 16.90 | 613.27 | | -0.11 | 67.64 | Yes | | |
| MW-30DD | 05/01/08 | 15.05 | 615.12 | | 1.85 | 69.49 | Yes | | |
| MW-30DD | 10/20/08 | 13.83 | 616.34 | | 1.22 | 70.71 | Yes | | |
| MW-30DD | 04/18/09 | 15.17 | 615.00 | | -1.34 | 69.37 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-30DD | 08/31/11 | 13.58 | 616.59 | | 1.59 | 70.96 | Yes | | |
| MW-30DD | 10/10/11 | 14.97 | 615.20 | | -1.39 | 69.57 | Yes | | |
| MW-30DD | 01/04/12 | 16.46 | 613.71 | | -1.49 | 68.08 | Yes | | |
| MW-30DD | 04/16/12 | 16.69 | 613.48 | | -0.23 | 67.85 | Yes | | |
| MW-30DD | 06/26/12 | 13.63 | 616.54 | | 3.06 | 70.91 | Yes | | |
| MW-30DD | 09/30/12 | 16.25 | 613.92 | | -2.62 | 68.29 | Yes | | |
| MW-30DD | 03/25/13 | 17.61 | 612.56 | | -1.36 | 66.93 | Yes | | |
| MW-30DD | 05/05/13 | 16.70 | 613.47 | | 0.91 | 67.84 | Yes | | |
| MW-31 | 06/30/89 | 17.60 | 615.60 | | NA | 11.10 | Yes | | |
| MW-31 | 07/12/89 | 17.99 | 615.21 | | -0.39 | 10.71 | Yes | | |
| MW-31 | 07/26/89 | 18.23 | 614.97 | | -0.24 | 10.47 | Yes | | |
| MW-31 | 07/27/89 | 18.37 | 614.83 | | -0.14 | 10.33 | Yes | | |
| MW-31 | 09/03/89 | 18.54 | 614.66 | | -0.17 | 10.16 | Yes | | |
| MW-31 | 11/29/89 | 19.26 | 613.94 | | -0.72 | 9.44 | No | | |
| MW-31 | 12/01/89 | 18.61 | 614.59 | | 0.65 | 10.09 | Yes | | |
| MW-31 | 06/19/90 | 18.46 | 614.74 | | 0.15 | 10.24 | Yes | | |
| MW-31 | 06/27/90 | 18.70 | 614.50 | | -0.24 | 10.00 | No | | |
| MW-31 | 07/05/90 | 18.88 | 614.32 | | -0.18 | 9.82 | No | | |
| MW-31 | 07/13/90 | 18.89 | 614.31 | | -0.01 | 9.81 | No | | |
| MW-31 | 07/17/90 | 18.73 | 614.47 | | 0.16 | 9.97 | No | | |
| MW-31 | 07/25/90 | 18.94 | 614.26 | | -0.21 | 9.76 | No | | |
| MW-31 | 08/09/90 | 18.96 | 614.24 | | -0.02 | 9.74 | No | | |
| MW-31 | 08/14/90 | 19.01 | 614.19 | | -0.05 | 9.69 | No | | |
| MW-31 | 08/27/90 | 18.67 | 614.53 | | 0.34 | 10.03 | Yes | | |
| MW-31 | 09/06/90 | 18.27 | 614.93 | | 0.40 | 10.43 | Yes | | |
| MW-31 | 01/04/91 | 18.19 | 615.01 | | 0.08 | 10.51 | Yes | | |
| MW-31 | 01/30/91 | 18.53 | 614.67 | | -0.34 | 10.17 | Yes | | |
| MW-31 | 04/24/91 | 18.32 | 614.88 | | 0.21 | 10.38 | Yes | | |
| MW-31 | 07/09/91 | 15.12 | 618.08 | | 3.20 | 13.58 | Yes | | |
| MW-31 | 10/08/91 | 14.38 | 618.82 | | 0.74 | 14.32 | Yes | | |
| MW-31 | 01/07/92 | 15.24 | 617.96 | | -0.86 | 13.46 | Yes | | |
| MW-31 | 10/14/92 | 15.60 | 617.60 | | -0.36 | 13.10 | Yes | | |
| MW-31 | 06/25/93 | 12.07 | 621.13 | | 3.53 | 16.63 | Yes | | |
| MW-31 | 10/28/93 | 15.95 | 617.25 | | -3.88 | 12.75 | Yes | | |
| MW-31 | 01/29/94 | 16.19 | 617.01 | | -0.24 | 12.51 | Yes | | |
| MW-31 | 04/27/94 | 15.95 | 617.25 | | 0.24 | 12.75 | Yes | | |
| MW-31 | 07/21/94 | 15.47 | 617.73 | | 0.48 | 13.23 | Yes | | |
| MW-31 | 10/25/94 | 15.98 | 617.22 | | -0.51 | 12.72 | Yes | | |
| MW-31 | 10/28/94 | 15.49 | 617.71 | | 0.49 | 13.21 | Yes | | |
| MW-31 | 02/01/95 | 18.39 | 614.81 | | -2.90 | 10.31 | Yes | | |
| MW-31 | 04/04/95 | 18.03 | 615.17 | | 0.36 | 10.67 | Yes | | |
| MW-31 | 07/12/95 | 16.77 | 616.43 | | 1.26 | 11.93 | Yes | | |
| MW-31 | 11/13/95 | 15.13 | 618.07 | | 1.64 | 13.57 | Yes | | |
| MW-31 | 03/13/96 | 17.81 | 615.39 | | -2.68 | 10.89 | Yes | | |
| MW-31 | 04/22/96 | 15.43 | 617.77 | | 2.38 | 13.27 | Yes | | |
| MW-31 | 10/08/96 | 14.56 | 618.64 | | 0.87 | 14.14 | Yes | | |
| MW-31 | 04/29/97 | 13.30 | 619.90 | | 1.26 | 15.40 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-31 | 11/03/98 | 17.93 | 615.27 | | -4.63 | 10.77 | Yes | | |
| MW-31 | 03/02/99 | 18.03 | 615.17 | | -0.10 | 10.67 | Yes | | |
| MW-31 | 04/26/00 | 16.63 | 616.57 | | 1.40 | 12.07 | Yes | | |
| MW-31 | 10/10/00 | 17.83 | 615.37 | | -1.20 | 10.87 | Yes | | |
| MW-31 | 04/24/01 | 16.94 | 616.26 | | 0.89 | 11.76 | Yes | | |
| MW-31 | 10/23/01 | 17.67 | 615.53 | | -0.73 | 11.03 | Yes | | |
| MW-31 | 04/23/02 | 17.80 | 615.40 | | -0.13 | 10.90 | Yes | | |
| MW-31 | 11/05/02 | 17.64 | 615.56 | | 0.16 | 11.06 | Yes | | |
| MW-31 | 04/17/03 | 18.90 | 614.30 | | -1.26 | 9.80 | No | | |
| MW-31 | 10/20/03 | 18.59 | 614.61 | | 0.31 | 10.11 | Yes | | |
| MW-31 | 04/19/04 | 19.21 | 613.96 | | -0.65 | 9.46 | No | | |
| MW-31 | 11/16/04 | 16.57 | 616.60 | | 2.64 | 12.10 | Yes | | |
| MW-31 | 04/18/05 | 16.85 | 616.32 | | -0.28 | 11.82 | Yes | | |
| MW-31 | 10/11/05 | 16.24 | 616.93 | | 0.61 | 12.43 | Yes | | |
| MW-31 | 05/23/06 | 15.46 | 617.71 | | 0.78 | 13.21 | Yes | | |
| MW-31 | 10/16/06 | 17.65 | 615.52 | | -2.19 | 11.02 | Yes | | |
| MW-31 | 04/23/07 | 18.39 | 614.78 | | -0.74 | 10.28 | Yes | | |
| MW-31 | 09/25/07 | 18.18 | 614.99 | | 0.21 | 10.49 | Yes | | |
| MW-31 | 05/01/08 | 16.40 | 616.77 | | 1.78 | 12.27 | Yes | | |
| MW-31 | 10/20/08 | 14.47 | 618.70 | | 1.93 | 14.20 | Yes | | |
| MW-31 | 04/18/09 | 15.80 | 617.37 | | -1.33 | 12.87 | Yes | | |
| MW-31 | 10/11/09 | 17.09 | 616.08 | | -1.29 | 11.58 | Yes | | |
| MW-31 | 04/28/10 | 17.02 | 616.15 | | 0.07 | 11.65 | Yes | | |
| MW-31 | 10/25/10 | 14.99 | 618.18 | | 2.03 | 13.68 | Yes | | |
| MW-31 | 04/25/11 | 15.72 | 617.45 | | -0.73 | 12.95 | Yes | | |
| MW-31 | 10/10/11 | 16.01 | 617.16 | | -0.29 | 12.66 | Yes | | |
| MW-31 | 01/04/12 | 17.65 | 615.52 | | -1.64 | 11.02 | Yes | | |
| MW-31 | 04/16/12 | 18.21 | 614.96 | | -0.56 | 10.46 | Yes | | |
| MW-31 | 06/26/12 | 13.92 | 619.25 | | 4.29 | 14.75 | Yes | | |
| MW-31 | 09/30/12 | 17.32 | 615.85 | | -3.40 | 11.35 | Yes | | |
| MW-31 | 03/25/13 | 19.07 | 614.10 | | -1.75 | 9.60 | No | | |
| MW-31 | 05/05/13 | 18.06 | 615.11 | | 1.01 | 10.61 | Yes | | |
| MW-32 | 08/06/91 | 13.20 | 618.51 | 618.10 | NA | 11.47 | Yes | 12.65 | |
| MW-32 | 09/04/91 | 13.38 | 618.11 | 617.92 | -0.40 | 10.99 | Yes | 13.13 | |
| MW-32 | 10/08/91 | 12.70 | 618.77 | 618.60 | 0.66 | 11.64 | Yes | 12.48 | |
| MW-32 | 11/08/91 | 13.31 | 618.12 | 617.99 | -0.65 | 10.98 | Yes | 13.14 | |
| MW-32 | 12/03/91 | 11.24 | 620.10 | 620.06 | 1.98 | 12.93 | Yes | 11.19 | |
| MW-32 | 01/07/92 | 13.56 | 617.95 | 617.74 | -2.15 | 10.84 | Yes | 13.28 | |
| MW-32 | 02/04/92 | 14.82 | 616.97 | 616.48 | -0.98 | 9.95 | No | 14.17 | |
| MW-32 | 03/03/92 | 15.54 | 616.45 | 615.76 | -0.52 | 9.50 | No | 14.62 | 19.70 |
| MW-32 | 09/24/92 | 13.02 | 618.81 | 618.28 | 2.36 | 11.80 | Yes | 12.32 | |
| MW-32 | 10/14/92 | 13.84 | 617.51 | 617.46 | -1.30 | 10.34 | Yes | 13.78 | |
| MW-32 | 06/25/93 | 9.46 | 621.84 | 621.84 | 4.34 | 14.66 | Yes | 9.46 | |
| MW-32 | 10/28/93 | 15.03 | 616.77 | 616.27 | -5.07 | 9.75 | No | 14.37 | |
| MW-32 | 01/29/94 | 16.32 | 616.06 | 614.98 | -0.71 | 9.24 | No | 14.88 | |
| MW-32 | 04/27/94 | 13.95 | 617.35 | 617.35 | 1.29 | 10.17 | Yes | 13.95 | |
| MW-32 | 07/21/94 | 14.97 | 617.70 | 616.33 | 0.35 | 10.98 | Yes | 13.14 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| MW-32 | 10/25/94 | 14.95 | 617.19 | 616.35 | -0.51 | 10.29 | Yes | 13.83 | |
| MW-32 | 02/01/95 | 17.65 | 615.61 | 613.65 | -1.58 | 9.08 | No | 15.04 | |
| MW-32 | 04/04/95 | 17.27 | 615.34 | 614.03 | -0.27 | 8.59 | No | 15.53 | |
| MW-32 | 07/12/95 | 16.20 | 616.30 | 615.10 | 0.97 | 9.52 | No | 14.60 | |
| MW-32 | 11/13/95 | 14.52 | 618.07 | 616.78 | 1.77 | 11.32 | Yes | 12.80 | |
| MW-32 | 03/13/96 | 17.81 | 615.43 | 613.49 | -2.64 | 8.90 | No | 15.22 | |
| MW-32 | 10/08/96 | 14.90 | 618.81 | 616.40 | 3.38 | 12.43 | Yes | 11.69 | |
| MW-32 | 04/29/97 | 14.57 | 620.06 | 616.73 | 1.25 | 13.99 | Yes | 10.13 | |
| MW-32 | 06/10/97 | 14.61 | 618.38 | 616.69 | -1.68 | 11.76 | Yes | 12.36 | FP bailed 5/22/97 |
| MW-32 | 11/03/98 | 18.42 | 615.10 | 612.88 | -3.28 | 8.66 | No | 15.46 | |
| MW-32 | 03/02/99 | 18.47 | 614.94 | 612.83 | -0.16 | 8.46 | No | 15.66 | |
| MW-32 | 10/07/99 | 14.78 | 619.03 | 616.52 | 4.09 | 12.68 | Yes | 11.44 | |
| MW-32 | 11/09/99 | 14.88 | 619.28 | 616.42 | 0.25 | 13.05 | Yes | 11.07 | bailed 5 gal. FP |
| MW-32 | 12/21/99 | 14.97 | 617.25 | 616.33 | -2.02 | 10.38 | Yes | 13.74 | bailed 5 gal. FP |
| MW-32 | 01/27/00 | 17.22 | 616.17 | 614.08 | -1.09 | 9.68 | No | 14.44 | bailed 5 gal. FP |
| MW-32 | 02/24/00 | 17.97 | 615.62 | 613.33 | -0.55 | 9.20 | No | 14.92 | bailed 2 gal. FP |
| MW-32 | 03/31/00 | 16.90 | 616.08 | 614.40 | 0.46 | 9.46 | No | 14.66 | bailed 2 gal. FP |
| MW-32 | 04/26/00 | 15.39 | 616.59 | 615.91 | 0.50 | 9.63 | No | 14.49 | bailed 0.5 gal. FP |
| MW-32 | 05/31/00 | 15.48 | 616.56 | 615.82 | -0.03 | 9.62 | No | 14.50 | bailed 2 gal. FP |
| MW-32 | 06/29/00 | 14.97 | 616.82 | 616.33 | 0.26 | 9.80 | No | 14.32 | bailed 0.25 gal. FP |
| MW-32 | 07/26/00 | 16.43 | 616.24 | 614.87 | -0.58 | 9.51 | No | 14.61 | bailed 1.5 gal. FP |
| MW-32 | 08/18/00 | 16.56 | 616.06 | 614.74 | -0.17 | 9.32 | No | 14.80 | bailed 0.5 gal. FP |
| MW-32 | 09/27/00 | 18.14 | 615.43 | 613.16 | -0.63 | 9.00 | No | 15.12 | bailed 1.5 gal. FP |
| MW-32 | 10/11/00 | 18.47 | 616.02 | 612.83 | 0.59 | 9.90 | No | 14.22 | bailed 0.75 gal. FP |
| MW-32 | 12/12/00 | 17.24 | 615.66 | 614.06 | -0.36 | 9.01 | No | 15.11 | bailed 0.5 gal. FP |
| MW-32 | 01/18/01 | 17.83 | 615.08 | 613.47 | -0.58 | 8.43 | No | 15.69 | bailed 0.25 gal. FP |
| MW-32 | 04/24/01 | 17.21 | 615.84 | 614.09 | 0.76 | 9.24 | No | 14.88 | product abated using vactruck |
| MW-32 | 05/23/01 | 14.20 | 617.55 | 617.10 | 1.71 | 10.52 | Yes | 13.60 | product abated using vactruck |
| MW-32 | 06/19/01 | 14.74 | 617.39 | 616.56 | -0.16 | 10.49 | Yes | 13.63 | |
| MW-32 | 07/26/01 | 17.10 | 616.12 | 614.20 | -1.27 | 9.58 | No | 14.54 | |
| MW-32 | 08/31/01 | 17.70 | 615.73 | 613.60 | -0.39 | 9.26 | No | 14.86 | |
| MW-32 | 09/26/01 | 18.08 | 615.46 | 613.22 | -0.27 | 9.02 | No | 15.10 | |
| MW-32 | 10/24/01 | 18.33 | 615.30 | 612.97 | -0.15 | 8.90 | No | 15.22 | |
| MW-32 | 12/20/01 | 18.59 | 615.07 | 612.71 | -0.23 | 8.68 | No | 15.44 | |
| MW-32 | 01/22/02 | 18.75 | 615.61 | 612.55 | 0.54 | 9.45 | No | 14.67 | |
| MW-32 | 02/26/02 | 18.90 | 613.73 | 612.40 | -1.88 | 6.99 | No | 17.13 | |
| MW-32 | 03/20/02 | 19.17 | 614.28 | 612.13 | -1.33 | 7.81 | No | 16.31 | |
| MW-32 | 04/24/02 | 18.27 | 615.00 | 613.03 | 0.73 | 8.48 | No | 15.64 | |
| MW-32 | 05/15/02 | 17.10 | 615.80 | 614.20 | 0.79 | 9.15 | No | 14.97 | |
| MW-32 | 06/27/02 | 16.85 | 615.95 | 614.45 | 0.15 | 9.27 | No | 14.85 | |
| MW-32 | 07/25/02 | 16.54 | 615.99 | 614.76 | 0.04 | 9.22 | No | 14.90 | |
| MW-32 | 08/20/02 | 16.13 | 616.21 | 615.17 | 0.22 | 9.38 | No | 14.74 | |
| MW-32 | 09/30/02 | 14.96 | 616.69 | 616.34 | 0.47 | 9.62 | No | 14.50 | |
| MW-32 | 11/05/02 | 14.77 | 617.13 | 616.53 | 0.44 | 10.15 | Yes | 13.97 | |
| MW-32 | 12/23/02 | 17.94 | 615.59 | 613.36 | -1.54 | 9.15 | No | 14.97 | |
| MW-32 | 01/28/03 | 18.70 | 614.93 | 612.60 | -0.66 | 8.53 | No | 15.59 | |
| MW-32 | 02/19/03 | 18.98 | 614.67 | 612.32 | -0.26 | 8.27 | No | 15.85 | |
| MW-32 | 04/17/03 | 19.50 | 614.10 | 611.80 | -0.57 | 7.68 | No | 16.44 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change In Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| MW-32 | 05/15/03 | 19.37 | 614.21 | 611.93 | 0.12 | 7.79 | No | 16.33 | |
| MW-32 | 06/10/03 | 18.34 | 614.79 | 612.96 | 0.58 | 8.22 | No | 15.90 | |
| MW-32 | 10/23/03 | 19.32 | 614.19 | 611.98 | -0.60 | 7.75 | No | 16.37 | |
| MW-32 | 12/03/03 | 19.63 | 614.02 | 611.67 | -0.17 | 7.62 | No | 16.50 | |
| MW-32 | 04/19/04 | 19.70 | 613.84 | 611.61 | -0.18 | 7.40 | No | 16.73 | |
| MW-32 | 07/28/04 | 17.60 | 615.30 | 613.71 | 1.46 | 8.65 | No | 15.48 | |
| MW-32 | 11/15/04 | 14.58 | 617.04 | 616.73 | 1.74 | 9.96 | No | 14.17 | |
| MW-32 | 04/18/05 | 16.08 | 616.13 | 615.23 | -0.91 | 9.25 | No | 14.88 | |
| MW-32 | 09/09/05 | 19.07 | 613.52 | 612.24 | -2.62 | 6.76 | No | 17.37 | |
| MW-32 | 10/11/05 | 15.58 | 616.53 | 615.73 | 3.02 | 9.62 | No | 14.51 | |
| MW-32 | 05/23/06 | 14.11 | 617.68 | 617.20 | 1.15 | 10.66 | Yes | 13.47 | |
| MW-32 | 10/16/06 | 18.11 | 615.26 | 613.20 | -2.42 | 8.77 | No | 15.36 | |
| MW-32 | 04/23/07 | 19.03 | 614.37 | 612.28 | -0.90 | 7.88 | No | 16.25 | |
| MW-32 | 09/25/07 | 19.37 | 614.18 | 611.94 | -0.19 | 7.74 | No | 16.39 | |
| MW-32 | 05/01/08 | 14.56 | 616.75 | 616.75 | 2.58 | 9.57 | No | | |
| MW-32 | 10/20/08 | 14.49 | 617.87 | 616.82 | 1.12 | 11.04 | Yes | 13.09 | |
| MW-32 | 04/18/09 | 14.52 | 616.79 | 616.79 | -1.08 | 9.61 | No | | |
| MW-32 | 08/31/11 | 14.59 | 618.06 | 616.72 | 1.27 | 11.33 | Yes | 12.80 | |
| MW-32 | 10/10/11 | 15.20 | 616.72 | 616.11 | -1.35 | 9.74 | No | 14.39 | |
| MW-32 | 01/04/12 | 18.37 | 615.15 | 612.94 | -1.57 | 8.70 | No | 15.43 | |
| MW-32 | 04/05/12 | 19.22 | 614.32 | 612.09 | -0.83 | 7.88 | No | 16.25 | Spill Buddy Before Reading |
| MW-32 | 04/16/12 | 19.20 | 614.32 | 612.11 | -0.07 | 7.88 | No | 16.25 | |
| MW-32 | 06/26/12 | 14.39 | 618.59 | 616.92 | 4.27 | 11.97 | Yes | 12.16 | |
| MW-32 | 09/28/12 | 17.56 | 615.43 | 613.75 | -3.16 | 8.81 | No | 15.32 | Spill Buddy Before Reading |
| MW-32 | 09/30/12 | 17.51 | 615.47 | 613.80 | -0.02 | 8.85 | No | 15.28 | |
| MW-32 | 11/21/12 | 18.57 | 614.86 | 612.74 | -0.61 | 8.39 | No | 15.74 | |
| MW-32 | 12/17/12 | 18.90 | 614.62 | 612.41 | -0.24 | 8.18 | No | 15.95 | |
| MW-32 | 03/25/13 | 20.11 | 613.77 | 611.20 | -0.86 | 7.44 | No | 16.69 | |
| MW-32 | 05/05/13 | 19.24 | 614.13 | 612.07 | 0.37 | 7.64 | No | 16.49 | |
| MW-33 | 08/06/91 | 10.44 | 619.96 | | NA | 13.12 | Yes | | |
| MW-33 | 10/08/91 | 10.88 | 619.52 | | -0.44 | 12.68 | Yes | | |
| MW-33 | 01/07/92 | 11.95 | 618.45 | | -1.07 | 11.61 | Yes | | |
| MW-33 | 10/14/92 | 13.15 | 617.25 | | -1.20 | 10.41 | Yes | | |
| MW-33 | 06/25/93 | 7.36 | 623.04 | | 5.79 | 16.20 | Yes | | |
| MW-33 | 10/28/93 | 13.44 | 616.96 | | -6.08 | 10.12 | Yes | | |
| MW-33 | 01/29/94 | 14.52 | 615.88 | | -1.08 | 9.04 | No | | |
| MW-33 | 04/27/94 | 12.85 | 617.55 | | 1.67 | 10.71 | Yes | | |
| MW-33 | 07/21/94 | 12.63 | 617.77 | | 0.22 | 10.93 | Yes | | |
| MW-33 | 10/25/94 | 13.57 | 616.83 | | -0.94 | 9.99 | No | | |
| MW-33 | 10/28/94 | 13.28 | 617.12 | | 0.29 | 10.28 | Yes | | |
| MW-33 | 02/01/95 | 15.28 | 615.12 | | -2.00 | 8.28 | No | | |
| MW-33 | 04/04/95 | 15.21 | 615.19 | | 0.07 | 8.35 | No | | |
| MW-33 | 07/12/95 | 14.11 | 616.29 | | 1.10 | 9.45 | No | | |
| MW-33 | 11/13/95 | 12.42 | 617.98 | | 1.69 | 11.14 | Yes | | |
| MW-33 | 03/13/96 | 15.26 | 615.14 | | -2.84 | 8.30 | No | | |
| MW-33 | 04/22/96 | 12.03 | 618.37 | | 3.23 | 11.53 | Yes | | |
| MW-33 | 10/08/96 | 11.95 | 618.45 | | 0.08 | 11.61 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-33 | 04/29/97 | 10.01 | 620.39 | | 1.94 | 13.55 | Yes | | |
| MW-33 | 11/03/98 | 15.75 | 614.65 | | -5.74 | 7.81 | No | | |
| MW-33 | 03/02/99 | 15.66 | 614.74 | | 0.09 | 7.90 | No | | |
| MW-33 | 04/26/00 | 13.58 | 616.82 | | 2.08 | 9.98 | No | | |
| MW-33 | 04/24/01 | 14.23 | 616.17 | | -0.65 | 9.33 | No | | |
| MW-33 | 10/23/01 | 15.40 | 615.00 | | -1.17 | 8.16 | No | | |
| MW-33 | 04/23/02 | 15.51 | 614.89 | | -0.11 | 8.05 | No | | |
| MW-33 | 08/20/02 | 14.13 | 616.27 | | 1.38 | 9.43 | No | | |
| MW-33 | 11/05/02 | 13.20 | 617.20 | | 0.93 | 10.36 | Yes | | |
| MW-33 | 12/23/02 | 14.83 | 615.57 | | -1.63 | 8.73 | No | | |
| MW-33 | 01/28/03 | 15.46 | 614.94 | | -0.63 | 8.10 | No | | |
| MW-33 | 02/19/03 | 15.84 | 614.56 | | -0.38 | 7.72 | No | | |
| MW-33 | 04/17/03 | 16.46 | 613.94 | | -0.62 | 7.10 | No | | |
| MW-33 | 10/20/03 | 16.32 | 614.08 | | 0.14 | 7.24 | No | | |
| MW-33 | 12/03/03 | 16.61 | 613.79 | | -0.29 | 6.95 | No | | |
| MW-33 | 04/19/04 | 16.76 | 613.85 | | 0.06 | 7.01 | No | | |
| MW-33 | 07/28/04 | 15.21 | 615.40 | | 1.55 | 8.56 | No | | |
| MW-33 | 11/16/04 | 14.20 | 616.41 | | 1.01 | 9.57 | No | | |
| MW-33 | 04/18/05 | 14.24 | 616.37 | | -0.04 | 9.53 | No | | |
| MW-33 | 10/11/05 | 14.01 | 616.60 | | 0.23 | 9.76 | No | | |
| MW-33 | 05/23/06 | 12.30 | 618.31 | | 1.71 | 11.47 | Yes | | |
| MW-33 | 10/16/06 | 15.55 | 615.06 | | -3.25 | 8.22 | No | | |
| MW-33 | 04/23/07 | 16.00 | 614.61 | | -0.45 | 7.77 | No | | |
| MW-33 | 09/25/07 | 16.27 | 614.34 | | -0.27 | 7.50 | No | | |
| MW-33 | 05/01/08 | 12.71 | 617.90 | | 3.56 | 11.06 | Yes | | |
| MW-33 | 10/20/08 | 12.58 | 618.03 | | 0.13 | 11.19 | Yes | | |
| MW-33 | 08/31/11 | 12.09 | 618.52 | | 0.49 | 11.68 | Yes | | |
| MW-33 | 10/10/11 | 13.62 | 616.99 | | -1.53 | 10.15 | Yes | | |
| MW-33 | 01/04/12 | 15.32 | 615.29 | | -1.70 | 8.45 | No | | |
| MW-33 | 04/16/12 | 15.99 | 614.62 | | -0.67 | 7.78 | No | | |
| MW-33 | 06/26/12 | 10.48 | 620.13 | | 5.51 | 13.29 | Yes | | |
| MW-33 | 09/30/12 | 14.90 | 615.71 | | -4.42 | 8.87 | No | | |
| MW-33 | 03/25/13 | 16.86 | 613.75 | | -1.96 | 6.91 | No | | |
| MW-33 | 05/05/13 | 15.95 | 614.66 | | 0.91 | 7.82 | No | | |
| MW-34 | 08/06/91 | 10.88 | 616.82 | | NA | 17.85 | Yes | | |
| MW-34 | 10/08/91 | 10.88 | 616.82 | | 0.00 | 17.85 | Yes | | |
| MW-34 | 01/07/92 | 11.32 | 616.38 | | -0.44 | 17.41 | Yes | | |
| MW-34 | 10/14/92 | 11.80 | 615.90 | | -0.48 | 16.93 | Yes | | |
| MW-34 | 06/25/93 | 8.65 | 619.05 | | 3.15 | 20.08 | Yes | | |
| MW-34 | 10/28/93 | 12.13 | 615.57 | | -3.48 | 16.60 | Yes | | |
| MW-34 | 01/29/94 | 12.74 | 614.96 | | -0.61 | 15.99 | Yes | | |
| MW-34 | 04/27/94 | 11.38 | 616.32 | | 1.36 | 17.35 | Yes | | |
| MW-34 | 07/21/94 | 11.50 | 616.20 | | -0.12 | 17.23 | Yes | | |
| MW-34 | 10/25/94 | 11.91 | 615.79 | | -0.41 | 16.82 | Yes | | |
| MW-34 | 10/28/94 | 11.67 | 616.03 | | 0.24 | 17.06 | Yes | | |
| MW-34 | 04/04/95 | 14.26 | 613.44 | | -2.59 | 14.47 | Yes | | |
| MW-34 | 11/13/95 | 11.06 | 616.64 | | 3.20 | 17.67 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-34 | 04/22/96 | 10.74 | 616.96 | | 0.32 | 17.99 | Yes | | |
| MW-34 | 10/08/96 | 11.20 | 616.50 | | -0.46 | 17.53 | Yes | | |
| MW-34 | 04/29/97 | 9.93 | 617.77 | | 1.27 | 18.80 | Yes | | |
| MW-34 | 11/03/98 | 13.53 | 614.17 | | -3.60 | 15.20 | Yes | | |
| MW-34 | 03/02/99 | 13.61 | 614.09 | | -0.08 | 15.12 | Yes | | |
| MW-34 | 04/26/00 | 12.00 | 615.70 | | 1.61 | 16.73 | Yes | | |
| MW-34 | 10/10/00 | 13.22 | 614.48 | | -1.22 | 15.51 | Yes | | |
| MW-34 | 10/23/01 | 13.42 | 614.28 | | -0.20 | 15.31 | Yes | | |
| MW-34 | 04/23/02 | 13.25 | 614.45 | | 0.17 | 15.48 | Yes | | |
| MW-34 | 11/05/02 | 11.48 | 616.22 | | 1.77 | 17.25 | Yes | | |
| MW-34 | 04/17/03 | 14.23 | 613.47 | | -2.75 | 14.50 | Yes | | |
| MW-34 | 10/20/03 | 13.97 | 613.73 | | 0.26 | 14.76 | Yes | | |
| MW-34 | 04/19/04 | 13.99 | 613.73 | | 0.00 | 14.76 | Yes | | |
| MW-34 | 11/16/04 | 11.74 | 615.98 | | 2.25 | 17.01 | Yes | | |
| MW-34 | 04/18/05 | 12.00 | 615.72 | | -0.26 | 16.75 | Yes | | |
| MW-34 | 10/11/05 | 11.78 | 615.94 | | 0.22 | 16.97 | Yes | | |
| MW-34 | 05/23/06 | 11.15 | 616.57 | | 0.63 | 17.60 | Yes | | |
| MW-34 | 10/16/06 | 13.26 | 614.46 | | -2.11 | 15.49 | Yes | | |
| MW-34 | 04/23/07 | 13.77 | 613.95 | | -0.51 | 14.98 | Yes | | |
| MW-34 | 09/25/07 | 13.69 | 614.03 | | 0.08 | 15.06 | Yes | | |
| MW-34 | 05/01/08 | 11.31 | 616.41 | | 2.38 | 17.44 | Yes | | |
| MW-34 | 10/20/08 | 11.03 | 616.69 | | 0.28 | 17.72 | Yes | | |
| MW-34 | 04/18/09 | 12.05 | 615.67 | | -1.02 | 16.70 | Yes | | |
| MW-34 | 10/11/09 | 13.15 | 614.57 | | -1.10 | 15.60 | Yes | | |
| MW-34 | 04/28/10 | 13.10 | 614.62 | | 0.05 | 15.65 | Yes | | |
| MW-34 | 10/25/10 | 11.71 | 616.01 | | 1.39 | 17.04 | Yes | | |
| MW-34 | 04/25/11 | 12.05 | 615.67 | | -0.34 | 16.70 | Yes | | |
| MW-34 | 10/10/11 | 12.26 | 615.46 | | -0.21 | 16.49 | Yes | | |
| MW-34 | 01/04/12 | 13.41 | 614.31 | | -1.15 | 15.34 | Yes | | |
| MW-34 | 04/16/12 | 14.05 | 613.67 | | -0.64 | 14.70 | Yes | | |
| MW-34 | 06/26/12 | 10.56 | 617.16 | | 3.49 | 18.19 | Yes | | |
| MW-34 | 09/30/12 | 13.09 | 614.63 | | -2.53 | 15.66 | Yes | | |
| MW-34 | 05/05/13 | 13.91 | 613.81 | | -0.82 | 14.84 | Yes | | |
| MW-35 | 08/06/91 | 14.58 | 622.62 | | NA | 13.54 | Yes | | |
| MW-35 | 10/08/91 | 14.47 | 622.73 | | 0.11 | 13.65 | Yes | | |
| MW-35 | 01/07/92 | 14.90 | 622.30 | | -0.43 | 13.22 | Yes | | |
| MW-35 | 10/14/92 | 15.21 | 621.99 | | -0.31 | 12.91 | Yes | | |
| MW-35 | 06/25/93 | 12.01 | 625.19 | | 3.20 | 16.11 | Yes | | |
| MW-35 | 10/28/93 | 15.71 | 621.49 | | -3.70 | 12.41 | Yes | | |
| MW-35 | 01/29/94 | 17.03 | 620.17 | | -1.32 | 11.09 | Yes | | |
| MW-35 | 04/27/94 | 15.05 | 622.15 | | 1.98 | 13.07 | Yes | | |
| MW-35 | 07/21/94 | 14.97 | 622.23 | | 0.08 | 13.15 | Yes | | |
| MW-35 | 10/25/94 | 14.97 | 622.23 | | 0.00 | 13.15 | Yes | | |
| MW-35 | 10/28/94 | 14.55 | 622.65 | | 0.42 | 13.57 | Yes | | |
| MW-35 | 02/01/95 | 17.53 | 619.67 | | -2.98 | 10.59 | Yes | | |
| MW-35 | 04/04/95 | 17.97 | 619.23 | | -0.44 | 10.15 | Yes | | |
| MW-35 | 07/12/95 | 16.50 | 620.70 | | 1.47 | 11.62 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MW-35 | 11/13/95 | 14.67 | 622.53 | | 1.83 | 13.45 | Yes | | |
| MW-35 | 03/13/96 | 17.84 | 619.36 | | -3.17 | 10.28 | Yes | | |
| MW-35 | 04/22/96 | 14.74 | 622.46 | | 3.10 | 13.38 | Yes | | |
| MW-35 | 10/08/96 | 14.45 | 622.75 | | 0.29 | 13.67 | Yes | | |
| MW-35 | 04/29/97 | 11.57 | 625.63 | | 2.88 | 16.55 | Yes | | |
| MW-35 | 11/03/98 | 17.53 | 619.67 | | -5.96 | 10.59 | Yes | | |
| MW-35 | 03/02/99 | 19.21 | 617.99 | | -1.68 | 8.91 | No | | |
| MW-35 | 04/26/00 | 16.21 | 620.99 | | 3.00 | 11.91 | Yes | | |
| MW-35 | 10/10/00 | 19.52 | 617.68 | | -3.31 | 8.60 | No | | |
| MW-35 | 10/23/01 | 17.84 | 619.36 | | 1.68 | 10.28 | Yes | | |
| MW-35 | 01/22/02 | 18.13 | 619.07 | | -0.29 | 9.99 | No | | |
| MW-35 | 02/26/02 | 18.89 | 618.31 | | -0.76 | 9.23 | No | | |
| MW-35 | 03/20/02 | 19.11 | 618.09 | | -0.22 | 9.01 | No | | |
| MW-35 | 04/23/02 | 17.63 | 619.57 | | 1.48 | 10.49 | Yes | | |
| MW-35 | 05/15/02 | 16.09 | 621.11 | | 1.54 | 12.03 | Yes | | |
| MW-35 | 08/20/02 | 16.92 | 620.28 | | -0.83 | 11.20 | Yes | | |
| MW-35 | 09/30/02 | 16.40 | 620.80 | | 0.52 | 11.72 | Yes | | |
| MW-35 | 11/05/02 | 17.44 | 619.76 | | -1.04 | 10.68 | Yes | | |
| MW-35 | 12/23/02 | 19.45 | 617.75 | | -2.01 | 8.67 | No | | |
| MW-35 | 01/28/03 | 20.18 | 617.02 | | -0.73 | 7.94 | No | | |
| MW-35 | 02/19/03 | 20.74 | 616.46 | | -0.56 | 7.38 | No | | |
| MW-35 | 04/17/03 | 19.34 | 617.86 | | 1.40 | 8.78 | No | | |
| MW-35 | 06/10/03 | 18.11 | 619.09 | | 1.23 | 10.01 | Yes | | |
| MW-35 | 10/20/03 | 17.31 | 619.89 | | 0.80 | 10.81 | Yes | | |
| MW-35 | 12/03/03 | 19.25 | 617.95 | | -1.94 | 8.87 | No | | |
| MW-35 | 04/19/04 | 21.22 | 616.33 | | -1.62 | 7.25 | No | | |
| MW-35 | 07/28/04 | 17.87 | 619.68 | | 3.35 | 10.60 | Yes | | |
| MW-35 | 11/16/04 | 18.49 | 619.06 | | -0.62 | 9.98 | No | | |
| MW-35 | 04/18/05 | 19.44 | 618.11 | | -0.95 | 9.03 | No | | |
| MW-35 | 10/11/05 | 16.93 | 620.62 | | 2.51 | 11.54 | Yes | | |
| MW-35 | 05/23/06 | 15.78 | 621.77 | | 1.15 | 12.69 | Yes | | |
| MW-35 | 10/16/06 | 17.78 | 619.77 | | -2.00 | 10.69 | Yes | | |
| MW-35 | 04/23/07 | 19.07 | 618.48 | | -1.29 | 9.40 | No | | |
| MW-35 | 09/25/07 | 18.51 | 619.04 | | 0.56 | 9.96 | No | | |
| MW-35 | 05/01/08 | 16.54 | 621.01 | | 1.97 | 11.93 | Yes | | |
| MW-35 | 10/20/08 | 14.97 | 622.58 | | 1.57 | 13.50 | Yes | | |
| MW-35 | 04/18/09 | 17.15 | 620.40 | | -2.18 | 11.32 | Yes | | |
| MW-35 | 10/11/09 | 18.01 | 619.54 | | -0.86 | 10.46 | Yes | | |
| MW-35 | 04/28/10 | 18.07 | 619.48 | | -0.06 | 10.40 | Yes | | |
| MW-35 | 10/25/10 | 16.05 | 621.50 | | 2.02 | 12.42 | Yes | | |
| MW-35 | 04/25/11 | 17.42 | 620.13 | | -1.37 | 11.05 | Yes | | |
| MW-35 | 10/10/11 | 17.56 | 619.99 | | -0.14 | 10.91 | Yes | | |
| MW-35 | 01/04/12 | 18.99 | 618.56 | | -1.43 | 9.48 | No | | |
| MW-35 | 04/16/12 | 19.05 | 618.50 | | -0.06 | 9.42 | No | | |
| MW-35 | 06/26/12 | 15.31 | 622.24 | | 3.74 | 13.16 | Yes | | |
| MW-35 | 09/30/12 | 18.85 | 618.70 | | -3.54 | 9.62 | No | | |
| MW-35 | 03/25/13 | 20.73 | 616.82 | | -1.88 | 7.74 | No | | |
| MW-35 | 05/05/13 | 19.48 | 618.07 | | 1.25 | 8.99 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MWT-2S | 10/21/03 | 16.18 | 613.89 | | NA | 8.19 | No | | |
| MWT-2S | 01/20/04 | 16.77 | 613.30 | | -0.59 | 7.60 | No | | |
| MWT-2S | 04/19/04 | 16.46 | 613.61 | | 0.31 | 7.91 | No | | |
| MWT-2S | 07/27/04 | 15.13 | 614.94 | | 1.33 | 9.24 | No | | |
| MWT-2S | 11/16/04 | 14.02 | 616.05 | | 1.11 | 10.35 | No | | |
| MWT-2S | 04/18/05 | 14.07 | 616.00 | | -0.05 | 10.30 | No | | |
| MWT-2S | 10/11/05 | 13.58 | 616.49 | | 0.49 | 10.79 | No | | |
| MWT-2S | 05/23/06 | 12.49 | 617.58 | | 1.09 | 11.88 | No | | |
| MWT-2S | 10/16/06 | 15.35 | 614.72 | | -2.86 | 9.02 | No | | |
| MWT-2S | 04/23/07 | 15.88 | 614.19 | | -0.53 | 8.49 | No | | |
| MWT-2S | 09/25/07 | 15.97 | 614.10 | | -0.09 | 8.40 | No | | |
| MWT-2S | 05/01/08 | 13.35 | 616.72 | | 2.62 | 11.02 | No | | |
| MWT-2S | 10/20/08 | 12.33 | 617.74 | | 1.02 | 12.04 | No | | |
| MWT-2S | 08/31/11 | 12.32 | 617.75 | | 0.01 | 12.05 | No | | |
| MWT-2S | 10/10/11 | 13.78 | 616.29 | | -1.46 | 10.59 | No | | |
| MWT-2S | 01/04/12 | 15.30 | 614.77 | | -1.52 | 9.07 | No | | |
| MWT-2S | 04/16/12 | 15.84 | 614.23 | | -0.54 | 8.53 | No | | |
| MWT-2S | 06/26/12 | 11.02 | 619.05 | | 4.82 | 13.35 | No | | |
| MWT-2S | 09/30/12 | 14.94 | 615.13 | | -3.92 | 9.43 | No | | |
| MWT-2S | 03/25/13 | 16.76 | 613.31 | | -1.82 | 7.61 | No | | |
| MWT-2S | 05/05/13 | 15.81 | 614.26 | | 0.95 | 8.56 | No | | |
| MWT-2D | 10/21/03 | 17.37 | 612.68 | | NA | 39.83 | Yes | | |
| MWT-2D | 01/20/04 | 18.03 | 612.02 | | -0.66 | 39.17 | Yes | | |
| MWT-2D | 04/19/04 | 17.52 | 612.53 | | 0.51 | 39.68 | Yes | | |
| MWT-2D | 07/27/04 | 16.57 | 613.48 | | 0.95 | 40.63 | Yes | | |
| MWT-2D | 11/16/04 | 15.72 | 614.33 | | 0.85 | 41.48 | Yes | | |
| MWT-2D | 04/18/05 | 16.04 | 614.01 | | -0.32 | 41.16 | Yes | | |
| MWT-2D | 10/11/05 | 15.37 | 614.68 | | 0.67 | 41.83 | Yes | | |
| MWT-2D | 05/23/06 | 14.76 | 615.29 | | 0.61 | 42.44 | Yes | | |
| MWT-2D | 10/16/06 | 16.54 | 613.51 | | -1.78 | 40.66 | Yes | | |
| MWT-2D | 04/23/07 | 16.95 | 613.10 | | -0.41 | 40.25 | Yes | | |
| MWT-2D | 05/01/08 | 15.18 | 614.87 | | 1.77 | 42.02 | Yes | | |
| MWT-2D | 10/20/08 | 14.17 | 615.88 | | 1.01 | 43.03 | Yes | | |
| MWT-2D | 08/31/11 | 14.05 | 616.00 | | 0.12 | 43.15 | Yes | | |
| MWT-2D | 10/10/11 | 15.27 | 614.78 | | -1.22 | 41.93 | Yes | | |
| MWT-2D | 01/04/12 | 16.57 | 613.48 | | -1.30 | 40.63 | Yes | | |
| MWT-2D | 04/16/12 | 16.81 | 613.24 | | -0.24 | 40.39 | Yes | | |
| MWT-2D | 06/26/12 | 13.60 | 616.45 | | 3.21 | 43.60 | Yes | | |
| MWT-2D | 09/30/12 | 16.34 | 613.71 | | -2.74 | 40.86 | Yes | | |
| MWT-2D | 03/25/13 | 17.85 | 612.20 | | -1.51 | 39.35 | Yes | | |
| MWT-2D | 05/05/13 | 16.77 | 613.28 | | 1.08 | 40.43 | Yes | | |
| MWT-6 | 10/23/03 | 20.07 | 615.38 | | NA | 2.52 | No | | |
| MWT-6 | 04/19/04 | 21.46 | 615.00 | | -0.38 | 2.47 | No | | |
| MWT-6 | 11/15/04 | 19.55 | 616.74 | | 1.75 | 4.16 | No | | |
| MWT-6 | 04/18/05 | 21.44 | 616.26 | | -0.48 | 4.15 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| MWT-6 | 10/11/05 | 17.70 | 617.31 | | 1.05 | 4.30 | No | | |
| MWT-6 | 05/23/06 | 17.00 | 618.01 | | 0.70 | 5.00 | No | | |
| MWT-6 | 10/16/06 | 18.18 | 616.92 | | -1.09 | 3.94 | No | | |
| MWT-6 | 04/23/07 | 19.32 | 615.85 | | -1.07 | 2.89 | No | | |
| MWT-6 | 09/25/07 | 22.62 | 614.98 | | -0.87 | 2.83 | No | | |
| MWT-6 | 05/01/08 | 20.05 | 615.79 | | 0.82 | 3.06 | No | | |
| MWT-6 | 10/20/08 | 17.60 | 617.41 | | 1.62 | 4.40 | No | | |
| MWT-6 | 04/18/09 | 18.28 | 616.73 | | -0.68 | 3.72 | No | | |
| MWT-6 | 08/04/09 | 18.66 | 616.35 | | -0.38 | 3.34 | No | | |
| MWT-6 | 08/05/09 | 18.66 | 616.35 | | 0.00 | 3.34 | No | | |
| MWT-6 | 08/13/09 | 18.64 | 616.37 | | 0.02 | 3.36 | No | | |
| MWT-6 | 08/18/09 | 18.66 | 616.35 | | -0.02 | 3.34 | No | | |
| MWT-6 | 08/26/09 | 18.56 | 616.45 | | 0.10 | 3.44 | No | | |
| MWT-6 | 09/03/09 | 18.36 | 616.65 | | 0.20 | 3.64 | No | | |
| MWT-6 | 09/08/09 | 18.30 | 616.71 | | 0.06 | 3.70 | No | | |
| MWT-6 | 09/14/09 | 18.25 | 616.76 | | 0.05 | 3.75 | No | | |
| MWT-6 | 10/11/09 | 18.70 | 616.31 | | -0.45 | 3.30 | No | | |
| MWT-6 | 10/15/09 | 18.70 | 616.31 | | 0.00 | 3.30 | No | | |
| MWT-6 | 04/28/10 | 18.96 | 616.05 | | -0.26 | 3.04 | No | | |
| MWT-6 | 10/25/10 | 16.89 | 618.12 | | 2.07 | 5.11 | No | | |
| MWT-6 | 04/25/11 | 18.02 | 616.99 | | -1.13 | 3.98 | No | | |
| MWT-6 | 09/14/11 | 17.04 | 617.97 | | 0.98 | 4.96 | No | | |
| MWT-6 | 09/23/11 | 17.13 | 617.88 | | -0.09 | 4.87 | No | | |
| MWT-6 | 09/29/11 | 17.02 | 617.99 | | 0.11 | 4.98 | No | | |
| MWT-6 | 10/10/11 | 17.23 | 617.78 | | -0.21 | 4.77 | No | | |
| MWT-6 | 10/21/11 | 17.58 | 617.43 | | -0.35 | 4.42 | No | | |
| MWT-6 | 10/21/11 | 17.69 | 617.32 | | -0.11 | 4.31 | No | | |
| MWT-6 | 11/03/11 | 17.84 | 617.17 | | -0.15 | 4.16 | No | | |
| MWT-6 | 11/09/11 | 17.83 | 617.18 | | 0.01 | 4.17 | No | | |
| MWT-6 | 11/13/11 | 17.92 | 617.09 | | -0.09 | 4.08 | No | | |
| MWT-6 | 11/22/11 | 18.03 | 616.98 | | -0.11 | 3.97 | No | | |
| MWT-6 | 12/01/11 | 18.29 | 616.72 | | -0.26 | 3.71 | No | | |
| MWT-6 | 01/04/12 | 18.59 | 616.42 | | -0.30 | 3.41 | No | | |
| MWT-6 | 02/16/12 | 19.17 | 615.84 | | -0.58 | 2.83 | No | | |
| MWT-6 | 03/13/12 | 19.59 | 615.47 | | -0.38 | 2.47 | No | | |
| MWT-6 | 04/16/12 | 19.46 | 615.55 | | 0.09 | 2.54 | No | | |
| MWT-6 | 06/26/12 | 17.60 | 617.41 | | 1.86 | 4.40 | No | | |
| MWT-6 | 07/24/12 | 17.78 | 617.23 | | -0.18 | 4.22 | No | | |
| MWT-6 | 08/19/12 | 18.02 | 616.99 | | -0.24 | 3.98 | No | | |
| MWT-6 | 09/17/12 | 18.38 | 616.63 | | -0.36 | 3.62 | No | | |
| MWT-6 | 09/30/12 | 18.53 | 616.48 | | -0.15 | 3.47 | No | | |
| MWT-6 | 03/25/13 | 20.41 | 614.67 | | -1.81 | 1.68 | No | | |
| MWT-6 | 05/05/13 | 20.12 | 614.89 | | 0.22 | 1.88 | No | | |
| RW-01 | 08/28/89 | 16.24 | 618.56 | 618.56 | NA | 24.76 | No | 16.24 | |
| RW-01 | 11/28/89 | 21.40 | 616.15 | 613.40 | NA | 23.26 | No | 17.74 | |
| RW-01 | 12/01/89 | 21.28 | 616.01 | 613.52 | -2.55 | 23.04 | No | 17.96 | |
| RW-01 | 12/02/89 | 20.37 | 616.04 | 614.43 | -0.11 | 22.77 | No | 18.23 | 28.38 |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| RW-01 | 05/04/90 | 25.87 | 615.23 | 608.93 | -0.78 | 23.53 | No | 17.47 | |
| RW-01 | 06/19/90 | 24.20 | 615.89 | 610.60 | 0.66 | 23.85 | No | 17.15 | |
| RW-01 | 06/27/90 | 24.24 | 615.79 | 610.56 | -0.10 | 23.73 | No | 17.27 | |
| RW-01 | 07/05/90 | 24.66 | 615.60 | 610.14 | -0.19 | 23.62 | No | 17.38 | |
| RW-01 | 07/13/90 | 25.10 | 615.61 | 609.70 | 0.01 | 23.78 | No | 17.22 | |
| RW-01 | 07/17/90 | 25.25 | 615.69 | 609.55 | 0.08 | 23.94 | No | 17.06 | |
| RW-01 | 07/25/90 | 25.61 | 615.48 | 609.19 | -0.21 | 23.78 | No | 17.22 | |
| RW-01 | 08/09/90 | 24.22 | 615.89 | 610.58 | 0.41 | 23.86 | No | 17.14 | |
| RW-01 | 09/06/90 | 23.30 | 616.21 | 611.50 | 0.32 | 23.98 | No | 17.02 | |
| RW-01 | 01/04/91 | 25.08 | 616.21 | 609.72 | 0.00 | 24.57 | No | 16.43 | |
| RW-01 | 01/30/91 | 28.38 | 613.60 | 606.42 | -2.61 | 22.19 | No | 18.81 | |
| RW-01 | 04/24/91 | 25.38 | 613.97 | 609.42 | 0.37 | 21.68 | No | 19.32 | |
| RW-01 | 06/06/91 | 21.62 | 614.08 | 613.18 | 0.12 | 20.58 | No | 20.42 | |
| RW-01 | 07/09/91 | 20.20 | 616.57 | 614.60 | 2.49 | 23.43 | No | 17.57 | |
| RW-01 | 08/06/91 | 19.29 | 617.42 | 615.51 | 0.84 | 24.25 | No | 16.75 | |
| RW-01 | 09/04/91 | 18.75 | 617.37 | 616.05 | -0.05 | 24.01 | No | 16.99 | |
| RW-01 | 10/08/91 | 19.47 | 618.03 | 615.33 | 0.66 | 25.13 | Yes | 15.87 | |
| RW-01 | 11/08/91 | 18.71 | 617.55 | 616.09 | -0.48 | 24.24 | No | 16.76 | |
| RW-01 | 12/03/91 | 17.72 | 619.37 | 617.08 | 1.82 | 26.33 | Yes | 14.67 | |
| RW-01 | 01/07/92 | 18.38 | 617.80 | 616.42 | -1.57 | 24.46 | No | 16.54 | |
| RW-01 | 02/04/92 | 18.77 | 616.93 | 616.03 | -0.87 | 23.43 | No | 17.57 | |
| RW-01 | 03/03/92 | 19.24 | 616.46 | 615.56 | -0.47 | 22.96 | No | 18.04 | |
| RW-01 | 09/24/92 | 17.93 | 618.66 | 616.87 | 2.20 | 25.45 | Yes | 15.55 | |
| RW-01 | 10/14/92 | 19.03 | 617.56 | 615.77 | -1.09 | 24.36 | No | 16.64 | |
| RW-01 | 06/25/93 | 15.13 | 620.92 | 619.67 | 3.35 | 27.53 | Yes | 13.47 | |
| RW-01 | 07/21/93 | 15.05 | 620.57 | 619.75 | -0.35 | 27.04 | Yes | 13.96 | |
| RW-01 | 08/17/93 | 19.21 | 618.34 | 615.59 | -2.23 | 25.46 | Yes | 15.54 | |
| RW-01 | 09/09/93 | 19.26 | 617.93 | 615.54 | -0.42 | 24.92 | No | 16.08 | |
| RW-01 | 10/28/93 | 18.86 | 617.46 | 615.94 | -0.47 | 24.16 | No | 16.84 | |
| RW-01 | 11/24/93 | 19.04 | 616.80 | 615.76 | -0.65 | 23.35 | No | 17.65 | |
| RW-01 | 12/17/93 | 19.02 | 616.91 | 615.78 | 0.10 | 23.48 | No | 17.52 | |
| RW-01 | 01/29/94 | 19.17 | 616.49 | 615.63 | -0.42 | 22.97 | No | 18.03 | |
| RW-01 | 02/25/94 | 21.55 | 615.94 | 613.25 | -0.54 | 23.04 | No | 17.96 | |
| RW-01 | 03/24/94 | 19.52 | 616.06 | 615.28 | 0.12 | 22.52 | No | 18.48 | |
| RW-01 | 04/27/94 | 19.81 | 616.75 | 614.99 | 0.69 | 23.54 | No | 17.46 | |
| RW-01 | 05/26/94 | 18.56 | 617.78 | 616.24 | 1.02 | 24.49 | No | 16.51 | |
| RW-01 | 06/29/94 | 18.07 | 618.31 | 616.73 | 0.53 | 25.03 | Yes | 15.97 | |
| RW-01 | 07/27/94 | 18.64 | 618.08 | 616.16 | -0.23 | 24.92 | No | 16.08 | |
| RW-01 | 08/30/94 | 19.83 | 616.76 | 614.97 | -1.32 | 23.56 | No | 17.44 | |
| RW-01 | 10/25/94 | 19.25 | 617.46 | 615.55 | 0.70 | 24.30 | No | 16.70 | |
| RW-01 | 11/02/94 | 16.52 | 618.28 | 618.28 | 0.82 | 24.48 | No | 16.52 | |
| RW-01 | 04/04/95 | 21.02 | 615.51 | 613.78 | -2.77 | 22.28 | No | 18.72 | |
| RW-01 | 07/12/95 | 18.10 | 616.87 | 616.70 | 1.36 | 23.12 | No | 17.88 | |
| RW-01 | 11/14/95 | 18.67 | 618.13 | 616.13 | 1.26 | 24.99 | No | 16.01 | |
| RW-01 | 03/13/96 | 24.22 | 615.38 | 610.58 | -2.75 | 23.18 | No | 17.82 | |
| RW-01 | 05/28/96 | 16.14 | 618.71 | 618.66 | 3.32 | 24.92 | No | 16.08 | |
| RW-01 | 10/08/96 | 15.52 | 619.39 | 619.28 | 0.68 | 25.62 | Yes | 15.38 | |
| RW-01 | 04/29/97 | 16.32 | 620.39 | 618.48 | 1.01 | 27.23 | Yes | 13.77 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------------|
| RW-01 | 06/10/97 | 15.77 | 619.05 | 619.03 | -1.34 | 25.26 | Yes | 15.74 | FP bailed 5/22/97 |
| RW-01 | 11/03/98 | 25.86 | 614.89 | 608.94 | -4.16 | 23.07 | No | 17.93 | |
| RW-01 | 10/07/99 | 17.84 | 619.15 | 616.96 | 4.26 | 26.08 | Yes | 14.92 | |
| RW-01 | 11/09/99 | 16.44 | 619.56 | 618.36 | 0.41 | 26.16 | Yes | 14.84 | Ferret pump installed |
| RW-01 | 12/21/99 | 18.62 | 617.57 | 616.18 | -1.99 | 24.23 | No | 16.77 | bailed 20 gal. FP |
| RW-01 | 01/27/00 | 19.77 | 616.81 | 615.03 | -0.76 | 23.60 | No | 17.40 | Ferret pump operating |
| RW-01 | 02/24/00 | 18.70 | 616.89 | 616.10 | 0.08 | 23.35 | No | 17.65 | bailed 2 gal. FP |
| RW-01 | 03/31/00 | 20.22 | 616.37 | 614.58 | -0.51 | 23.17 | No | 17.83 | bailed 3 gal. FP/instl. pump |
| RW-01 | 04/20/00 | 18.87 | 616.83 | 615.93 | 0.46 | 23.33 | No | 17.67 | Ferret pump operating |
| RW-01 | 04/26/00 | 19.52 | 616.78 | 615.28 | -0.05 | 23.48 | No | 17.52 | bailed 5 gal. FP |
| RW-01 | 05/31/00 | 18.97 | 616.65 | 615.83 | -0.13 | 23.12 | No | 17.88 | bailed 3 gal. FP -instl. Skmmr. |
| RW-01 | 06/29/00 | 19.16 | 616.89 | 615.64 | 0.25 | 23.51 | No | 17.49 | bailed 4 gal. FP |
| RW-01 | 07/26/00 | 19.14 | 616.76 | 615.66 | -0.13 | 23.33 | No | 17.67 | bailed 2 gal. FP |
| RW-01 | 08/18/00 | 17.97 | 617.24 | 616.83 | 0.48 | 23.58 | No | 17.42 | bailed 1 gal. FP- installed skimmer |
| RW-01 | 09/27/00 | 21.73 | 615.85 | 613.07 | -1.40 | 22.97 | No | 18.03 | skimmer down-bailed 25 gal.FP |
| RW-01 | 10/11/00 | 21.57 | 615.89 | 613.23 | 0.05 | 22.98 | No | 18.02 | skimmer down-bailed 24 gal.FP |
| RW-01 | 11/17/00 | 22.12 | 615.88 | 612.68 | -0.02 | 23.14 | No | 17.86 | skimmer down-bailed 27 gal.FP |
| RW-01 | 12/12/00 | 21.28 | 616.00 | 613.52 | 0.13 | 23.03 | No | 17.97 | skimmer down-bailed 15 gal.FP |
| RW-01 | 01/18/01 | 21.46 | 615.71 | 613.34 | -0.29 | 22.70 | No | 18.30 | skimmer down-bailed 12 gal.FP |
| RW-01 | 04/24/01 | 22.05 | 615.84 | 612.75 | 0.13 | 23.07 | No | 17.93 | product abated using vactruck |
| RW-01 | 05/23/01 | 17.93 | 616.87 | 616.87 | 1.03 | 23.07 | No | 17.93 | skimmer pump operating |
| RW-01 | 06/19/01 | 17.36 | 617.59 | 617.44 | 0.72 | 23.84 | No | 17.16 | |
| RW-01 | 07/26/01 | 17.91 | 616.93 | 616.89 | -0.66 | 23.14 | No | 17.86 | |
| RW-01 | 08/31/01 | 18.50 | 616.50 | 616.30 | -0.43 | 22.77 | No | 18.23 | |
| RW-01 | 09/26/01 | 19.24 | 616.21 | 615.56 | -0.30 | 22.62 | No | 18.38 | |
| RW-01 | 10/24/01 | 21.02 | 615.94 | 613.78 | -0.26 | 22.86 | No | 18.14 | |
| RW-01 | 12/20/01 | 23.01 | 615.32 | 611.79 | -0.63 | 22.69 | No | 18.31 | |
| RW-01 | 01/22/02 | 23.19 | 615.16 | 611.61 | -0.16 | 22.54 | No | 18.46 | |
| RW-01 | 02/26/02 | 25.94 | 614.30 | 608.86 | -0.86 | 22.31 | No | 18.69 | |
| RW-01 | 03/20/02 | 24.72 | 614.40 | 610.08 | 0.10 | 22.04 | No | 18.96 | |
| RW-01 | 04/24/02 | 24.11 | 615.14 | 610.69 | 0.74 | 22.82 | No | 18.18 | |
| RW-01 | 05/15/02 | 22.61 | 615.65 | 612.19 | 0.51 | 23.00 | No | 18.00 | |
| RW-01 | 06/27/02 | 20.82 | 615.98 | 613.98 | 0.33 | 22.84 | No | 18.16 | |
| RW-01 | 07/25/02 | 18.65 | 616.15 | 616.15 | 0.18 | 22.35 | No | | |
| RW-01 | 08/20/02 | 19.62 | 616.45 | 615.18 | 0.30 | 23.07 | No | 17.93 | |
| RW-01 | 09/30/02 | 18.00 | 616.88 | 616.80 | 0.43 | 23.10 | No | 17.90 | |
| RW-01 | 11/05/02 | 17.72 | 617.25 | 617.08 | 0.37 | 23.50 | No | 17.50 | |
| RW-01 | 12/23/02 | 18.73 | 616.15 | 616.07 | -1.10 | 22.37 | No | 18.63 | |
| RW-01 | 01/28/03 | 19.50 | 615.57 | 615.30 | -0.58 | 21.86 | No | 19.14 | |
| RW-01 | 02/19/03 | 19.63 | 615.21 | 615.17 | -0.36 | 21.42 | No | 19.58 | |
| RW-01 | 03/13/03 | 23.83 | 614.45 | 610.97 | -0.76 | 21.81 | No | 19.19 | |
| RW-01 | 04/17/03 | 20.08 | 614.77 | 614.72 | 0.32 | 20.98 | No | 20.02 | |
| RW-01 | 05/15/03 | 20.50 | 614.68 | 614.30 | -0.08 | 21.01 | No | 19.99 | |
| RW-01 | 06/10/03 | 20.40 | 615.14 | 614.40 | 0.45 | 21.58 | No | 19.42 | |
| RW-01 | 07/07/03 | 20.63 | 615.24 | 614.17 | 0.11 | 21.80 | No | 19.20 | |
| RW-01 | 07/30/03 | 20.52 | 615.55 | 614.28 | 0.30 | 22.17 | No | 18.83 | |
| RW-01 | 07/31/03 | 19.72 | 615.55 | 615.08 | 0.01 | 21.91 | No | 19.09 | |
| RW-01 | 09/08/03 | 22.09 | 614.78 | 612.71 | -0.77 | 21.67 | No | 19.33 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-01 | 10/02/03 | 19.98 | 614.84 | 614.82 | 0.06 | 21.05 | No | 19.95 | |
| RW-01 | 10/23/03 | 20.04 | 614.76 | 614.76 | -0.08 | 20.96 | No | | |
| RW-01 | 12/03/03 | 20.30 | 614.61 | 614.50 | -0.16 | 20.84 | No | 20.16 | |
| RW-01 | 01/20/04 | 20.62 | 614.35 | 614.18 | -0.25 | 20.61 | No | 20.39 | removed skimming pump |
| RW-01 | 02/24/04 | 23.60 | 613.86 | 611.20 | -0.50 | 20.94 | No | 20.06 | |
| RW-01 | 04/19/04 | 25.26 | 613.58 | 609.51 | -0.28 | 21.13 | No | 19.84 | |
| RW-01 | 07/28/04 | 21.35 | 615.08 | 613.42 | 1.50 | 21.83 | No | 19.14 | |
| RW-01 | 11/15/04 | 19.90 | 616.16 | 614.87 | 1.08 | 22.79 | No | 18.18 | |
| RW-01 | 04/18/05 | 22.88 | 615.12 | 611.89 | -1.04 | 22.39 | No | 18.58 | |
| RW-01 | 10/11/05 | 20.15 | 616.23 | 614.62 | 1.11 | 22.96 | No | 18.01 | |
| RW-01 | 05/23/06 | 20.74 | 616.86 | 614.03 | 0.63 | 24.00 | No | 16.97 | |
| RW-01 | 10/16/06 | 23.16 | 615.05 | 611.61 | -1.81 | 22.39 | No | 18.58 | |
| RW-01 | 04/23/07 | 27.19 | 613.71 | 607.58 | -1.34 | 21.95 | No | 19.02 | |
| RW-01 | 09/25/07 | 28.26 | 614.21 | 606.51 | 0.50 | 22.98 | No | 17.99 | |
| RW-01 | 05/01/08 | 20.52 | 616.20 | 614.25 | 1.99 | 23.05 | No | 17.92 | |
| RW-01 | 10/20/08 | 18.76 | 617.80 | 616.01 | 1.60 | 24.60 | No | 16.37 | |
| RW-01 | 04/18/09 | 20.10 | 617.32 | 614.67 | -0.49 | 24.40 | No | 16.57 | |
| RW-01 | 08/04/09 | 20.77 | 615.94 | 614.00 | -1.38 | 22.78 | No | 18.19 | |
| RW-01 | 08/05/09 | 19.13 | 616.96 | 615.64 | 1.03 | 23.60 | No | 17.37 | |
| RW-01 | 08/26/09 | 17.77 | 618.26 | 617.00 | 1.30 | 24.88 | No | 16.09 | |
| RW-01 | 09/03/09 | 18.07 | 617.96 | 616.70 | -0.30 | 24.58 | No | 16.39 | |
| RW-01 | 09/08/09 | 18.09 | 617.95 | 616.68 | -0.01 | 24.57 | No | 16.40 | |
| RW-01 | 09/14/09 | 18.11 | 618.00 | 616.66 | 0.05 | 24.64 | No | 16.33 | |
| RW-01 | 10/11/09 | 18.25 | 617.53 | 616.52 | -0.46 | 24.07 | No | 16.90 | |
| RW-01 | 10/15/09 | 18.25 | 617.53 | 616.52 | 0.00 | 24.07 | No | 16.90 | |
| RW-01 | 04/28/10 | 18.25 | 617.86 | 616.52 | 0.33 | 24.51 | No | 16.46 | |
| RW-01 | 10/25/10 | 19.16 | 617.73 | 615.61 | -0.14 | 24.63 | No | 16.34 | |
| RW-01 | 04/25/11 | 20.98 | 616.59 | 613.79 | -1.14 | 23.72 | No | 17.25 | |
| RW-01 | 09/14/11 | 20.10 | 616.91 | 614.67 | 0.33 | 23.86 | No | 17.11 | |
| RW-01 | 09/23/11 | 19.91 | 617.15 | 614.86 | 0.24 | 24.11 | No | 16.86 | |
| RW-01 | 09/29/11 | 19.91 | 617.22 | 614.86 | 0.07 | 24.21 | No | 16.76 | |
| RW-01 | 10/07/11 | 19.94 | 617.40 | 614.83 | 0.18 | 24.46 | No | 16.51 | |
| RW-01 | 10/11/11 | 20.01 | 616.94 | 614.76 | -0.46 | 23.87 | No | 17.10 | |
| RW-01 | 10/21/11 | 20.34 | 616.67 | 614.43 | -0.27 | 23.62 | No | 17.35 | |
| RW-01 | 10/27/11 | 20.41 | 616.57 | 614.36 | -0.11 | 23.50 | No | 17.47 | |
| RW-01 | 11/04/11 | 20.60 | 616.37 | 614.17 | -0.20 | 23.30 | No | 17.67 | |
| RW-01 | 11/09/11 | 20.59 | 616.38 | 614.18 | 0.01 | 23.31 | No | 17.66 | |
| RW-01 | 11/18/11 | 20.76 | 616.25 | 614.01 | -0.13 | 23.19 | No | 17.78 | |
| RW-01 | 11/22/11 | 20.85 | 616.13 | 613.92 | -0.12 | 23.06 | No | 17.91 | |
| RW-01 | 12/01/11 | 21.10 | 615.87 | 613.67 | -0.26 | 22.80 | No | 18.17 | |
| RW-01 | 01/04/12 | 21.40 | 615.53 | 613.37 | -0.34 | 22.45 | No | 18.52 | |
| RW-01 | 02/15/12 | 22.14 | 614.92 | 612.63 | -0.61 | 21.88 | No | 19.09 | |
| RW-01 | 03/13/12 | 23.07 | 614.68 | 611.70 | -0.24 | 21.87 | No | 19.10 | |
| RW-01 | 04/03/12 | 24.15 | 614.61 | 610.62 | -0.07 | 22.14 | No | 18.83 | Spill Buddy Before Reading |
| RW-01 | 04/16/12 | 23.13 | 614.73 | 611.64 | 3.49 | 21.96 | No | 19.01 | |
| RW-01 | 05/10/12 | 23.12 | 615.77 | 611.65 | 1.04 | 23.34 | No | 17.63 | Spill Buddy Before Reading |
| RW-01 | 05/18/12 | 21.51 | 615.65 | 613.26 | 2.90 | 22.65 | No | 18.32 | |
| RW-01 | 06/18/12 | 19.76 | 616.85 | 615.01 | 1.19 | 23.66 | No | 17.31 | Spill Buddy Before Reading |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-01 | 06/26/12 | 17.02 | 617.85 | 617.75 | 2.39 | 24.08 | No | 16.89 | |
| RW-01 | 07/12/12 | 17.43 | 617.42 | 617.34 | -0.42 | 23.65 | No | 17.32 | |
| RW-01 | 07/24/12 | 17.90 | 617.00 | 616.87 | -0.43 | 23.24 | No | 17.73 | |
| RW-01 | 08/17/12 | 18.23 | 616.66 | 616.54 | -0.34 | 22.90 | No | 18.07 | |
| RW-01 | 09/17/12 | 18.79 | 616.12 | 615.98 | -0.54 | 22.37 | No | 18.60 | |
| RW-01 | 09/30/12 | 19.03 | 615.88 | 615.74 | -0.25 | 22.12 | No | 18.85 | |
| RW-01 | 11/21/12 | 21.37 | 615.22 | 613.40 | -0.65 | 22.03 | No | 18.94 | |
| RW-01 | 12/17/12 | 23.24 | 614.82 | 611.53 | -0.41 | 22.11 | No | 18.86 | |
| RW-01 | 03/25/13 | 29.55 | 613.46 | 605.22 | -1.35 | 22.41 | No | 18.56 | |
| RW-01 | 04/02/13 | 29.61 | 613.04 | 605.16 | -0.43 | 21.86 | No | 19.11 | Spill Buddy Before Reading |
| RW-01 | 04/03/13 | 23.54 | 614.22 | 611.23 | 1.18 | 21.41 | No | 19.56 | Spill Buddy Before Reading |
| RW-01 | 04/29/13 | 24.30 | 614.59 | 610.47 | 0.37 | 22.16 | No | 18.81 | Spill Buddy Before Reading |
| RW-01 | 05/05/13 | 23.95 | 614.39 | 610.82 | -0.20 | 21.78 | No | 19.19 | |
| RW-02 | 05/04/90 | 27.99 | 614.17 | 607.61 | NA | 27.36 | Yes | 19.24 | |
| RW-02 | 06/01/90 | 28.74 | 614.59 | 606.86 | 0.41 | 28.16 | Yes | 18.44 | |
| RW-02 | 06/19/90 | 28.85 | 614.69 | 606.75 | 0.10 | 28.33 | Yes | 18.27 | |
| RW-02 | 06/27/90 | 28.77 | 614.59 | 606.83 | -0.09 | 28.18 | Yes | 18.42 | |
| RW-02 | 07/05/90 | 29.03 | 614.39 | 606.57 | -0.21 | 27.99 | Yes | 18.61 | |
| RW-02 | 07/13/90 | 29.14 | 614.37 | 606.46 | -0.01 | 28.01 | Yes | 18.59 | 29.62 |
| RW-02 | 07/17/90 | 29.28 | 614.54 | 606.32 | 0.17 | 28.28 | Yes | 18.32 | |
| RW-02 | 07/25/90 | 29.42 | 614.31 | 606.18 | -0.23 | 28.02 | Yes | 18.58 | |
| RW-02 | 08/09/90 | 29.55 | 614.41 | 606.05 | 0.10 | 28.19 | Yes | 18.41 | |
| RW-02 | 09/06/90 | 29.03 | 614.81 | 606.57 | 0.41 | 28.56 | Yes | 18.04 | |
| RW-02 | 01/04/91 | 28.67 | 615.09 | 606.93 | 0.28 | 28.81 | Yes | 17.79 | |
| RW-02 | 01/30/91 | 29.62 | 614.61 | 605.98 | -0.49 | 28.48 | Yes | 18.12 | |
| RW-02 | 04/24/91 | 27.23 | 615.20 | 608.37 | 0.60 | 28.48 | Yes | 18.12 | |
| RW-02 | 06/06/91 | 21.70 | 615.52 | 613.90 | 0.32 | 27.06 | Yes | 19.54 | |
| RW-02 | 07/09/91 | 21.32 | 618.39 | 614.28 | 2.87 | 30.76 | Yes | 15.84 | |
| RW-02 | 08/06/91 | 17.83 | 619.41 | 617.77 | 1.01 | 30.95 | Yes | 15.65 | |
| RW-02 | 09/04/91 | 18.02 | 619.24 | 617.58 | -0.17 | 30.79 | Yes | 15.81 | |
| RW-02 | 10/08/91 | 17.16 | 620.11 | 618.44 | 0.87 | 31.66 | Yes | 14.94 | |
| RW-02 | 11/08/91 | 17.53 | 619.51 | 618.07 | -0.59 | 30.99 | Yes | 15.61 | |
| RW-02 | 12/03/91 | 15.71 | 621.32 | 619.89 | 1.80 | 32.79 | Yes | 13.81 | |
| RW-02 | 01/07/92 | 17.67 | 619.34 | 617.93 | -1.98 | 30.81 | Yes | 15.79 | |
| RW-02 | 02/04/92 | 18.56 | 618.44 | 617.04 | -0.90 | 29.91 | Yes | 16.69 | |
| RW-02 | 03/03/92 | 19.21 | 617.91 | 616.39 | -0.54 | 29.41 | Yes | 17.19 | |
| RW-02 | 09/24/92 | 16.88 | 620.25 | 618.72 | 2.35 | 31.76 | Yes | 14.84 | |
| RW-02 | 06/25/93 | 14.26 | 622.14 | 621.34 | 1.89 | 33.41 | Yes | 13.19 | |
| RW-02 | 07/21/93 | 14.85 | 621.56 | 620.75 | -0.58 | 32.83 | Yes | 13.77 | |
| RW-02 | 08/17/93 | 16.40 | 620.02 | 619.20 | -1.54 | 31.29 | Yes | 15.31 | |
| RW-02 | 09/09/93 | 15.53 | 620.25 | 620.07 | 0.23 | 31.31 | Yes | 15.29 | |
| RW-02 | 10/28/93 | 17.29 | 619.81 | 618.31 | -0.44 | 31.31 | Yes | 15.29 | |
| RW-02 | 11/24/93 | 17.54 | 618.28 | 618.06 | -1.53 | 29.35 | Yes | 17.25 | |
| RW-02 | 12/17/93 | 17.34 | 618.48 | 618.26 | 0.20 | 29.55 | Yes | 17.05 | |
| RW-02 | 01/29/94 | 17.98 | 617.74 | 617.62 | -0.74 | 28.78 | Yes | 17.82 | |
| RW-02 | 02/25/94 | 18.65 | 617.30 | 616.95 | -0.44 | 28.42 | Yes | 18.18 | |
| RW-02 | 03/24/94 | 18.60 | 617.41 | 617.00 | 0.11 | 28.55 | Yes | 18.05 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| RW-02 | 04/27/94 | 17.96 | 618.26 | 617.64 | 0.84 | 29.46 | Yes | 17.14 | |
| RW-02 | 05/26/94 | 16.61 | 619.41 | 618.99 | 1.15 | 30.55 | Yes | 16.05 | |
| RW-02 | 06/29/94 | 15.58 | 620.69 | 620.02 | 1.28 | 31.91 | Yes | 14.69 | |
| RW-02 | 07/27/94 | 17.21 | 619.06 | 618.39 | -1.63 | 30.28 | Yes | 16.32 | |
| RW-02 | 08/30/94 | 17.21 | 618.83 | 618.39 | -0.23 | 29.97 | Yes | 16.63 | |
| RW-02 | 10/25/94 | 16.32 | 619.36 | 619.28 | 0.53 | 30.38 | Yes | 16.22 | |
| RW-02 | 04/04/95 | 22.99 | 616.21 | 612.61 | -3.14 | 28.41 | Yes | 18.19 | |
| RW-02 | 07/12/95 | 17.74 | 618.99 | 617.86 | 2.77 | 30.36 | Yes | 16.24 | |
| RW-02 | 10/07/99 | 17.99 | 620.31 | 617.61 | 1.33 | 32.21 | Yes | 14.39 | |
| RW-02 | 11/09/99 | 17.49 | 620.24 | 618.11 | -0.07 | 31.95 | Yes | 14.65 | bailed 3 gal. FP |
| RW-02 | 12/21/99 | 16.56 | 619.09 | 619.04 | -1.15 | 30.11 | Yes | 16.49 | bailed 0.25 gal. FP |
| RW-02 | 01/27/00 | 18.49 | 617.81 | 617.11 | -1.29 | 29.04 | Yes | 17.56 | bailed 0.3 gal. FP |
| RW-02 | 02/24/00 | 19.12 | 617.27 | 616.48 | -0.54 | 28.53 | Yes | 18.07 | bailed 1.5 gal. FP |
| RW-02 | 03/31/00 | 18.88 | 617.45 | 616.72 | 0.18 | 28.69 | Yes | 17.91 | |
| RW-02 | 04/20/00 | 18.30 | 617.95 | 617.30 | 0.50 | 29.17 | Yes | 17.43 | bailed 11 gal. FP |
| RW-02 | 04/26/00 | 25.06 | 617.28 | 610.54 | -0.68 | 30.52 | Yes | 16.08 | bailed 1 gal. FP |
| RW-02 | 05/31/00 | 18.13 | 617.89 | 617.47 | 0.62 | 29.03 | Yes | 17.57 | bailed 1 gal. FP |
| RW-02 | 06/29/00 | 17.84 | 618.25 | 617.76 | 0.36 | 29.41 | Yes | 17.19 | bailed 1 gal. FP |
| RW-02 | 07/26/00 | 17.96 | 617.96 | 617.64 | -0.29 | 29.06 | Yes | 17.54 | bailed 1 gal. FP |
| RW-02 | 08/18/00 | 17.50 | 618.17 | 618.10 | 0.21 | 29.19 | Yes | 17.41 | bailed 0.125 gal. FP |
| RW-02 | 09/27/00 | 19.10 | 617.06 | 616.50 | -1.10 | 28.25 | Yes | 18.35 | bailed 1.5 gal. FP |
| RW-02 | 10/11/00 | 18.84 | 617.09 | 616.76 | 0.03 | 28.20 | Yes | 18.40 | bailed 1.75 gal. FP |
| RW-02 | 11/17/00 | 18.16 | 618.20 | 617.44 | 1.11 | 29.45 | Yes | 17.15 | bailed 1.5 gal. FP |
| RW-02 | 12/12/00 | 17.96 | 617.66 | 617.64 | -0.54 | 28.66 | Yes | 17.94 | bailed 0.1 gal. FP |
| RW-02 | 01/18/01 | 18.44 | 617.18 | 617.16 | -0.47 | 28.19 | Yes | 18.41 | no product bailed |
| RW-02 | 04/24/01 | 23.90 | 616.67 | 611.70 | -0.52 | 29.32 | Yes | 17.28 | product abated using vactruck |
| RW-02 | 05/23/01 | 22.09 | 618.18 | 613.51 | 1.52 | 30.74 | Yes | 15.86 | no product bailed |
| RW-02 | 06/19/01 | 21.82 | 618.28 | 613.78 | 0.10 | 30.78 | Yes | 15.82 | |
| RW-02 | 07/26/01 | 22.63 | 617.19 | 612.97 | -1.09 | 29.60 | Yes | 17.00 | |
| RW-02 | 08/31/01 | 22.94 | 616.96 | 612.66 | -0.24 | 29.39 | Yes | 17.21 | |
| RW-02 | 09/26/01 | 23.26 | 616.74 | 612.34 | -0.22 | 29.21 | Yes | 17.39 | |
| RW-02 | 10/24/01 | 21.44 | 617.24 | 614.16 | 0.49 | 29.26 | Yes | 17.34 | |
| RW-02 | 12/20/01 | 23.75 | 616.54 | 611.85 | -0.70 | 29.10 | Yes | 17.50 | |
| RW-02 | 01/22/02 | 24.30 | 616.09 | 611.30 | -0.44 | 28.69 | Yes | 17.91 | |
| RW-02 | 02/26/02 | 25.29 | 615.46 | 610.31 | -0.64 | 28.17 | Yes | 18.43 | |
| RW-02 | 03/20/02 | 25.93 | 615.15 | 609.67 | -0.30 | 27.98 | Yes | 18.62 | |
| RW-02 | 04/24/02 | 26.06 | 616.13 | 609.54 | 0.98 | 29.33 | Yes | 17.27 | |
| RW-02 | 05/15/02 | 25.56 | 616.70 | 610.04 | 0.57 | 29.92 | Yes | 16.68 | |
| RW-02 | 06/27/02 | 25.41 | 616.57 | 610.19 | -0.13 | 29.69 | Yes | 16.91 | |
| RW-02 | 07/25/02 | 25.30 | 616.58 | 610.30 | 0.01 | 29.67 | Yes | 16.93 | |
| RW-02 | 08/20/02 | 25.04 | 616.88 | 610.56 | 0.30 | 29.98 | Yes | 16.62 | |
| RW-02 | 09/30/02 | 24.35 | 617.69 | 611.25 | 0.81 | 30.83 | Yes | 15.77 | |
| RW-02 | 12/23/02 | 24.68 | 616.42 | 610.92 | -1.27 | 29.25 | Yes | 17.35 | |
| RW-02 | 01/28/03 | 25.63 | 615.57 | 609.97 | -0.84 | 28.44 | Yes | 18.16 | |
| RW-02 | 02/19/03 | 26.35 | 615.13 | 609.25 | -0.44 | 28.09 | Yes | 18.51 | |
| RW-02 | 04/17/03 | 27.67 | 614.48 | 607.93 | -0.65 | 27.66 | Yes | 18.94 | |
| RW-02 | 05/15/03 | 27.80 | 614.51 | 607.80 | 0.03 | 27.74 | Yes | 18.86 | |
| RW-02 | 06/10/03 | 27.63 | 615.00 | 607.97 | 0.49 | 28.34 | Yes | 18.26 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|---|
| RW-02 | 07/31/03 | 27.47 | 615.55 | 608.13 | 0.55 | 29.02 | Yes | 17.58 | |
| RW-02 | 09/08/03 | 27.84 | 612.25 | 607.76 | -3.29 | 24.75 | No | 21.85 | |
| RW-02 | 09/11/03 | 20.83 | 615.99 | 614.77 | 3.74 | 27.40 | Yes | 19.20 | |
| RW-02 | 10/02/03 | 22.58 | 615.69 | 613.02 | -0.30 | 27.58 | Yes | 19.02 | |
| RW-02 | 10/23/03 | 23.60 | 615.42 | 612.00 | -0.27 | 27.56 | Yes | 19.04 | |
| RW-02 | 12/03/03 | 24.99 | 615.06 | 610.61 | -0.36 | 27.54 | Yes | 19.06 | |
| RW-02 | 01/20/04 | 26.73 | 614.34 | 608.87 | -0.72 | 27.16 | Yes | 19.44 | started skimming pump |
| RW-02 | 02/24/04 | 21.15 | 614.59 | 614.45 | 0.25 | 25.63 | Yes | 20.97 | |
| RW-02 | 03/22/04 | 24.37 | 614.37 | 611.23 | -0.22 | 26.41 | Yes | 20.19 | pump inoperative |
| RW-02 | 07/28/04 | 19.78 | 616.64 | 616.14 | 2.28 | 27.81 | Yes | 19.11 | pump inoperative |
| RW-02 | 11/15/04 | 15.25 | 620.99 | 620.67 | 4.34 | 32.09 | Yes | 14.83 | |
| RW-02 | 04/18/05 | 17.13 | 618.79 | 618.79 | -2.20 | 29.79 | Yes | | |
| RW-02 | 10/11/05 | 21.01 | 614.91 | 614.91 | -3.88 | 25.91 | Yes | 21.92 | |
| RW-02 | 05/23/06 | 14.12 | 621.80 | 621.80 | 6.89 | 32.80 | Yes | | |
| RW-02 | 10/16/06 | 20.43 | 615.49 | 615.49 | -6.31 | 26.49 | Yes | | |
| RW-02 | 09/14/11 | 15.47 | 620.13 | 620.13 | 4.64 | 31.45 | Yes | | TFRT System Down on 8/31/11 for well recovery test |
| RW-02 | | | | 0.00 | | | | | |
| RW-02 | 09/23/11 | 15.55 | 620.05 | 620.05 | -0.08 | 31.37 | Yes | | |
| RW-02 | 09/29/11 | 16.09 | 619.51 | 619.51 | -0.54 | 30.83 | Yes | | |
| RW-02 | 10/07/11 | 16.07 | 619.53 | 619.53 | 0.02 | 30.85 | Yes | | |
| RW-02 | 10/13/11 | 15.98 | 619.62 | 619.62 | 0.09 | 30.94 | Yes | | |
| RW-02 | 10/21/11 | 15.86 | 619.74 | 619.74 | 0.12 | 31.06 | Yes | | |
| RW-02 | 10/27/11 | 16.28 | 619.32 | 619.32 | -0.42 | 30.64 | Yes | | |
| RW-02 | 11/01/11 | 16.17 | 619.43 | 619.43 | 0.11 | 30.75 | Yes | | Conducted 2011 annual well pump maintenance |
| RW-02 | 11/09/11 | 16.42 | 619.18 | 619.18 | -0.25 | 30.50 | Yes | | |
| RW-02 | 11/18/11 | 16.71 | 618.89 | 618.89 | -0.29 | 30.21 | Yes | | Restarted TFRT system on 11/30/11 with only EW 4 & EW 5 |
| RW-02 | 11/30/11 | 17.05 | 618.55 | 618.55 | -0.34 | 29.87 | Yes | | |
| RW-02 | 09/18/12 | 18.12 | 617.52 | 617.48 | -1.02 | 28.86 | Yes | 18.06 | |
| RW-02 | 11/21/12 | 18.92 | 616.75 | 616.68 | -0.77 | 28.10 | Yes | 18.82 | |
| RW-02 | 03/25/13 | 0.22 | 635.38 | 635.38 | 18.63 | 46.70 | Yes | 0.22 | Too much snow on well |
| RW-02 | 05/05/13 | 18.16 | 618.07 | 617.44 | -17.31 | 29.60 | Yes | 17.32 | |
| RW-03 | 05/04/90 | 19.59 | 614.41 | 614.41 | NA | 26.91 | Yes | | |
| RW-03 | 06/01/90 | 19.19 | 614.81 | 614.81 | 0.40 | 27.31 | Yes | | |
| RW-03 | 06/19/90 | 19.08 | 614.93 | 614.92 | 0.12 | 27.43 | Yes | | |
| RW-03 | 06/27/90 | 19.22 | 614.78 | 614.78 | -0.15 | 27.28 | Yes | | |
| RW-03 | 07/05/90 | 19.34 | 614.66 | 614.66 | -0.12 | 27.16 | Yes | | |
| RW-03 | 07/13/90 | 19.22 | 614.78 | 614.78 | 0.12 | 27.28 | Yes | | |
| RW-03 | 07/17/90 | 19.12 | 614.88 | 614.88 | 0.10 | 27.38 | Yes | | |
| RW-03 | 07/25/90 | 19.22 | 614.78 | 614.78 | -0.10 | 27.28 | Yes | | |
| RW-03 | 08/09/90 | 19.20 | 615.05 | 614.80 | 0.27 | 27.63 | Yes | | |
| RW-03 | 09/06/90 | 18.92 | 615.08 | 615.08 | 0.03 | 27.58 | Yes | | |
| RW-03 | 01/04/91 | 18.49 | 615.51 | 615.51 | 0.43 | 28.01 | Yes | | |
| RW-03 | 01/30/91 | 18.71 | 615.29 | 615.29 | -0.22 | 27.79 | Yes | | |
| RW-03 | 04/24/91 | 18.90 | 615.10 | 615.10 | -0.19 | 27.60 | Yes | | |
| RW-03 | 07/09/91 | 16.52 | 617.48 | 617.48 | 2.38 | 29.98 | Yes | | |
| RW-03 | 10/08/91 | 15.08 | 618.92 | 618.92 | 1.44 | 31.42 | Yes | | |
| RW-03 | 01/07/92 | 15.66 | 618.34 | 618.34 | -0.58 | 30.84 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| RW-03 | 10/14/92 | 15.86 | 618.14 | 618.14 | -0.20 | 30.64 | Yes | | |
| RW-03 | 06/25/93 | 13.10 | 620.90 | 620.90 | 2.76 | 33.40 | Yes | | |
| RW-03 | 10/28/93 | 16.42 | 617.58 | 617.58 | -3.32 | 30.08 | Yes | | |
| RW-03 | 01/29/94 | 17.28 | 616.72 | 616.72 | -0.86 | 29.22 | Yes | | |
| RW-03 | 04/27/94 | 16.74 | 617.26 | 617.26 | 0.54 | 29.76 | Yes | | |
| RW-03 | 07/21/94 | 15.74 | 618.26 | 618.26 | 1.00 | 30.76 | Yes | | |
| RW-03 | 10/25/94 | 16.25 | 617.75 | 617.75 | -0.51 | 30.25 | Yes | | |
| RW-03 | 02/01/95 | 17.79 | 616.21 | 616.21 | -1.54 | 28.71 | Yes | | |
| RW-03 | 04/04/95 | 18.42 | 615.58 | 615.58 | -0.63 | 28.08 | Yes | | |
| RW-03 | 07/12/95 | 17.14 | 616.86 | 616.86 | 1.28 | 29.36 | Yes | | |
| RW-03 | 11/03/98 | 18.17 | 615.83 | 615.83 | -1.03 | 28.33 | Yes | | |
| RW-03 | 03/02/99 | 18.44 | 615.56 | 615.56 | -0.27 | 28.06 | Yes | | |
| RW-03 | 10/07/99 | 14.93 | 619.07 | 619.07 | 3.51 | 31.57 | Yes | | |
| RW-03 | 11/09/99 | 14.71 | 619.29 | 619.29 | 0.22 | 31.79 | Yes | | |
| RW-03 | 12/21/99 | 16.29 | 617.71 | 617.71 | -1.58 | 30.21 | Yes | | |
| RW-03 | 01/27/00 | 17.36 | 616.64 | 616.64 | -1.07 | 29.14 | Yes | | |
| RW-03 | 02/24/00 | 17.85 | 616.15 | 616.15 | -0.49 | 28.65 | Yes | | |
| RW-03 | 03/31/00 | 17.57 | 616.43 | 616.43 | 0.28 | 28.93 | Yes | | |
| RW-03 | 04/20/00 | 17.08 | 616.92 | 616.92 | 0.49 | 29.42 | Yes | | |
| RW-03 | 04/26/00 | 17.17 | 616.83 | 616.83 | -0.09 | 29.33 | Yes | | |
| RW-03 | 05/31/00 | 17.18 | 616.82 | 616.82 | -0.01 | 29.32 | Yes | | |
| RW-03 | 06/29/00 | 16.97 | 617.03 | 617.03 | 0.21 | 29.53 | Yes | | |
| RW-03 | 07/26/00 | 20.24 | 617.03 | 617.03 | 0.00 | 29.53 | Yes | | |
| RW-03 | 08/18/00 | 20.24 | 616.48 | 616.48 | -0.55 | 28.98 | Yes | | |
| RW-03 | 09/27/00 | 20.24 | 615.98 | 615.98 | -0.50 | 28.48 | Yes | | |
| RW-03 | 10/11/00 | 20.24 | 615.88 | 615.88 | -0.10 | 28.38 | Yes | | |
| RW-03 | 11/17/00 | 20.24 | 616.25 | 616.25 | 0.37 | 28.75 | Yes | | |
| RW-03 | 12/12/00 | 20.24 | 616.22 | 616.22 | -0.03 | 28.72 | Yes | | |
| RW-03 | 01/18/01 | 20.24 | 615.83 | 615.83 | -0.39 | 28.33 | Yes | | |
| RW-03 | 06/19/01 | 21.24 | 617.55 | 617.55 | 1.72 | 30.05 | Yes | | |
| RW-03 | 08/31/01 | 21.24 | 616.24 | 616.24 | -1.31 | 28.74 | Yes | | |
| RW-03 | 02/26/02 | 21.24 | 615.01 | 615.01 | -1.23 | 27.51 | Yes | | |
| RW-03 | 03/20/02 | 19.18 | 614.82 | 614.82 | -0.19 | 27.32 | Yes | | |
| RW-03 | 08/20/02 | 17.51 | 616.49 | 616.49 | 1.67 | 28.99 | Yes | | |
| RW-03 | 08/20/02 | 17.51 | 616.49 | 616.49 | 0.00 | 28.99 | Yes | | |
| RW-03 | 06/10/03 | 18.55 | 615.45 | 615.45 | -1.04 | 27.95 | Yes | | |
| RW-03 | 12/03/03 | 19.19 | 614.81 | 614.81 | -0.64 | 27.31 | Yes | | |
| RW-03 | 04/19/04 | 19.96 | 614.24 | 614.24 | -0.57 | 26.74 | Yes | | |
| RW-03 | 07/28/04 | 18.77 | 615.43 | 615.43 | 1.19 | 27.93 | Yes | | |
| RW-03 | 07/28/04 | 17.76 | 616.44 | 616.44 | 1.01 | 28.94 | Yes | | |
| RW-03 | 11/15/04 | 17.76 | 616.44 | 616.44 | 0.00 | 28.94 | Yes | | |
| RW-03 | 04/18/05 | 18.26 | 615.94 | 615.94 | -0.50 | 28.44 | Yes | | |
| RW-03 | 10/11/05 | 17.60 | 616.60 | 616.60 | 0.66 | 29.10 | Yes | | |
| RW-03 | 05/23/06 | 16.61 | 617.59 | 617.59 | 0.99 | 30.09 | Yes | | |
| RW-03 | 10/16/06 | 18.20 | 616.00 | 616.00 | -1.59 | 28.50 | Yes | | |
| RW-03 | 04/23/07 | 19.13 | 615.07 | 615.07 | -0.93 | 27.57 | Yes | | |
| RW-03 | 09/25/07 | 19.07 | 615.13 | 615.13 | 0.06 | 27.63 | Yes | | |
| RW-03 | 05/01/08 | 17.46 | 616.74 | 616.74 | 1.61 | 29.24 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| RW-03 | 10/20/08 | 15.96 | 618.24 | 618.24 | 1.50 | 30.74 | Yes | | |
| RW-03 | 04/18/09 | 17.08 | 617.12 | 617.12 | -1.12 | 29.62 | Yes | | |
| RW-03 | 10/11/09 | 17.95 | 616.25 | 616.25 | -0.87 | 28.75 | Yes | | |
| RW-03 | 04/28/10 | 18.00 | 616.20 | 616.20 | -0.05 | 28.70 | Yes | | |
| RW-03 | 10/25/10 | 15.84 | 618.36 | 618.36 | 2.16 | 30.86 | Yes | | |
| RW-03 | 04/25/11 | 16.84 | 617.36 | 617.36 | -1.00 | 29.86 | Yes | | |
| RW-03 | 09/14/11 | 16.30 | 617.90 | 617.90 | 0.54 | 30.40 | Yes | | |
| RW-03 | 09/23/11 | 16.50 | 617.70 | 617.70 | -0.20 | 30.20 | Yes | | |
| RW-03 | 09/29/11 | 16.36 | 617.84 | 617.84 | 0.14 | 30.34 | Yes | | |
| RW-03 | 10/07/11 | 16.53 | 617.67 | 617.67 | -0.17 | 30.17 | Yes | | |
| RW-03 | 10/11/11 | 16.67 | 617.53 | 617.53 | -0.14 | 30.03 | Yes | | |
| RW-03 | 10/21/11 | 16.90 | 617.30 | 617.30 | -0.23 | 29.80 | Yes | | |
| RW-03 | 10/27/11 | 17.04 | 617.16 | 617.16 | -0.14 | 29.66 | Yes | | |
| RW-03 | 11/04/11 | 17.27 | 616.93 | 616.93 | -0.23 | 29.43 | Yes | | |
| RW-03 | 11/09/11 | 17.15 | 617.05 | 617.05 | 0.12 | 29.55 | Yes | | |
| RW-03 | 11/18/11 | 17.31 | 616.89 | 616.89 | -0.16 | 29.39 | Yes | | |
| RW-03 | 11/22/11 | 17.46 | 616.74 | 616.74 | -0.15 | 29.24 | Yes | | |
| RW-03 | 12/01/11 | 17.85 | 616.35 | 616.35 | -0.39 | 28.85 | Yes | | |
| RW-03 | 01/04/12 | 18.15 | 616.05 | 616.05 | -0.30 | 28.55 | Yes | | |
| RW-03 | 02/16/12 | 18.75 | 615.45 | 615.45 | -0.60 | 27.95 | Yes | | |
| RW-03 | 03/16/12 | 18.90 | 615.30 | 615.30 | -0.15 | 27.80 | Yes | | |
| RW-03 | 04/16/12 | 19.00 | 615.20 | 615.20 | -0.10 | 27.70 | Yes | | |
| RW-03 | 05/18/12 | 17.96 | 616.24 | 616.24 | 1.04 | 28.74 | Yes | | |
| RW-03 | 06/26/12 | 15.99 | 618.21 | 618.21 | 1.97 | 30.71 | Yes | | |
| RW-03 | 07/24/12 | 16.80 | 617.40 | 617.40 | -0.81 | 29.90 | Yes | | |
| RW-03 | 08/17/12 | 17.15 | 617.05 | 617.05 | -0.35 | 29.55 | Yes | | |
| RW-03 | 09/17/12 | 17.69 | 616.51 | 616.51 | -0.54 | 29.01 | Yes | | |
| RW-03 | 09/30/12 | 17.90 | 616.30 | 616.30 | -0.21 | 28.80 | Yes | | |
| RW-03 | 03/25/13 | 19.56 | 614.64 | 614.64 | -1.66 | 27.14 | Yes | | |
| RW-03 | 05/05/13 | 19.13 | 615.07 | 615.07 | 0.43 | 27.57 | Yes | | |
| RW-04 | 06/01/90 | 24.54 | 613.76 | 610.16 | NA | 27.16 | Yes | 19.74 | |
| RW-04 | 01/04/91 | 21.98 | 614.83 | 612.72 | NA | 27.73 | Yes | 19.17 | |
| RW-04 | 01/30/91 | 21.77 | 614.77 | 612.93 | -0.06 | 27.58 | Yes | 19.32 | |
| RW-04 | 04/24/91 | 22.01 | 614.63 | 612.69 | -0.13 | 27.48 | Yes | 19.42 | 26.81 |
| RW-04 | 06/06/91 | 20.46 | 615.94 | 614.24 | 1.31 | 28.71 | Yes | 18.19 | |
| RW-04 | 07/09/91 | 19.44 | 616.91 | 615.26 | 0.97 | 29.66 | Yes | 17.24 | |
| RW-04 | 08/06/91 | 18.60 | 617.79 | 616.10 | 0.88 | 30.55 | Yes | 16.35 | |
| RW-04 | 09/04/91 | 18.89 | 617.76 | 615.81 | -0.03 | 30.61 | Yes | 16.29 | |
| RW-04 | 10/08/91 | 18.05 | 618.68 | 616.65 | 0.92 | 31.55 | Yes | 15.35 | |
| RW-04 | 11/08/91 | 18.93 | 618.06 | 615.77 | -0.62 | 31.02 | Yes | 15.88 | |
| RW-04 | 12/03/91 | 17.64 | 619.66 | 617.06 | 1.61 | 32.73 | Yes | 14.17 | |
| RW-04 | 01/07/92 | 19.09 | 618.21 | 615.61 | -1.45 | 31.28 | Yes | 15.62 | |
| RW-04 | 02/04/92 | 19.59 | 617.53 | 615.11 | -0.69 | 30.53 | Yes | 16.37 | |
| RW-04 | 03/03/92 | 19.92 | 617.14 | 614.78 | -0.39 | 30.12 | Yes | 16.78 | |
| RW-04 | 09/24/92 | 19.77 | 618.67 | 614.93 | 1.53 | 32.11 | Yes | 14.79 | |
| RW-04 | 10/14/92 | 19.89 | 617.86 | 614.81 | -0.80 | 31.08 | Yes | 15.82 | |
| RW-04 | 06/25/93 | 17.58 | 620.77 | 617.12 | 2.91 | 34.19 | Yes | 12.71 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| RW-04 | 10/28/93 | 19.85 | 617.45 | 614.85 | -3.32 | 30.52 | Yes | 16.38 | |
| RW-04 | 01/29/94 | 20.57 | 616.74 | 614.13 | -0.71 | 29.81 | Yes | 17.09 | |
| RW-04 | 04/27/94 | 20.31 | 616.96 | 614.39 | 0.22 | 30.01 | Yes | 16.89 | |
| RW-04 | 07/21/94 | 19.78 | 618.09 | 614.92 | 1.13 | 31.34 | Yes | 15.56 | |
| RW-04 | 10/25/94 | 20.19 | 617.53 | 614.51 | -0.56 | 30.73 | Yes | 16.17 | |
| RW-04 | 11/02/94 | 19.72 | 617.94 | 614.98 | 0.42 | 31.13 | Yes | 15.77 | |
| RW-04 | 02/01/95 | 21.42 | 619.47 | 613.28 | 1.52 | 33.73 | Yes | 13.17 | |
| RW-04 | 04/04/95 | 23.67 | 618.42 | 611.03 | -1.05 | 33.08 | Yes | 13.82 | |
| RW-04 | 11/14/95 | 18.54 | 620.09 | 616.16 | 1.67 | 33.60 | Yes | 13.30 | |
| RW-04 | 11/09/99 | 20.30 | 619.07 | 614.40 | -1.02 | 32.83 | Yes | 14.07 | bailed 11 gal FP |
| RW-04 | 12/21/99 | 17.91 | 617.65 | 616.79 | -1.43 | 30.13 | Yes | 16.77 | bailed 2 gal FP |
| RW-04 | 01/27/00 | 19.07 | 616.79 | 615.63 | -0.85 | 29.38 | Yes | 17.52 | bailed 0.2 gal FP |
| RW-04 | 02/24/00 | 15.67 | 620.42 | 619.03 | 3.63 | 33.08 | Yes | 13.82 | bailed 1.5 gal FP |
| RW-04 | 03/31/00 | 18.75 | 616.66 | 615.95 | -3.76 | 29.10 | Yes | 17.80 | bailed 0.25 gal FP |
| RW-04 | 04/26/00 | 18.29 | 617.69 | 616.41 | 1.02 | 30.31 | Yes | 16.59 | bailed 2.5 gal FP |
| RW-04 | 05/31/00 | 18.14 | 616.88 | 616.56 | -0.80 | 29.19 | Yes | 17.71 | bailed 1 gal FP |
| RW-04 | 06/29/00 | 17.99 | 617.03 | 616.71 | 0.15 | 29.34 | Yes | 17.56 | bailed 2 gal FP |
| RW-04 | 07/26/00 | 18.08 | 616.85 | 616.62 | -0.19 | 29.12 | Yes | 17.78 | bailed 0.5 gal FP |
| RW-04 | 08/18/00 | 18.48 | 616.32 | 616.22 | -0.53 | 28.55 | Yes | 18.35 | bailed 0.125 |
| RW-04 | 09/27/00 | 19.59 | 616.10 | 615.11 | -0.22 | 28.63 | Yes | 18.27 | bailed 3 gal. FP |
| RW-04 | 10/11/00 | 18.59 | 616.13 | 616.11 | 0.02 | 28.33 | Yes | 18.57 | bailed 3 gal. FP |
| RW-04 | 11/17/00 | 19.11 | 616.18 | 615.59 | 0.05 | 28.57 | Yes | 18.33 | bailed 0.75 gal. FP |
| RW-04 | 12/12/00 | 19.27 | 616.28 | 615.43 | 0.10 | 28.76 | Yes | 18.14 | bailed 0.25 gal. FP |
| RW-04 | 01/18/01 | 19.58 | 615.81 | 615.12 | -0.47 | 28.24 | Yes | 18.66 | bailed 0.25 gal. FP |
| RW-04 | 04/24/01 | 19.36 | 616.53 | 615.34 | 0.71 | 29.12 | Yes | 17.78 | product abated using vactruck |
| RW-04 | 05/23/01 | 19.36 | 616.96 | 615.34 | 0.44 | 29.70 | Yes | 17.20 | no product bailed |
| RW-04 | 06/19/01 | 17.40 | 617.50 | 617.30 | 0.54 | 29.77 | Yes | 17.13 | |
| RW-04 | 07/26/01 | 18.10 | 616.81 | 616.60 | -0.69 | 29.08 | Yes | 17.82 | |
| RW-04 | 08/31/01 | 18.47 | 616.43 | 616.23 | -0.38 | 28.70 | Yes | 18.20 | |
| RW-04 | 09/26/01 | 18.54 | 616.39 | 616.16 | -0.05 | 28.66 | Yes | 18.24 | |
| RW-04 | 10/24/01 | 19.29 | 616.22 | 615.41 | -0.16 | 28.69 | Yes | 18.21 | |
| RW-04 | 02/26/02 | 23.25 | 614.96 | 611.45 | -1.26 | 28.33 | Yes | 18.57 | |
| RW-04 | 03/20/02 | 24.60 | 614.53 | 610.10 | -0.44 | 28.20 | Yes | 18.70 | |
| RW-04 | 04/24/02 | 23.59 | 615.35 | 611.11 | 0.82 | 28.96 | Yes | 17.94 | |
| RW-04 | 05/15/02 | 21.15 | 616.18 | 613.55 | 0.83 | 29.25 | Yes | 17.65 | |
| RW-04 | 06/27/02 | 21.11 | 615.98 | 613.59 | -0.19 | 28.98 | Yes | 17.92 | |
| RW-04 | 07/25/02 | 19.92 | 616.37 | 614.78 | 0.39 | 29.10 | Yes | 17.80 | |
| RW-04 | 08/20/02 | 19.50 | 616.51 | 615.20 | 0.14 | 29.15 | Yes | 17.75 | |
| RW-04 | 09/30/02 | 18.81 | 616.98 | 615.89 | 0.46 | 29.54 | Yes | 17.36 | |
| RW-04 | 11/05/02 | 18.52 | 617.25 | 616.18 | 0.27 | 29.80 | Yes | 17.10 | |
| RW-04 | 12/23/02 | 19.49 | 615.56 | 615.21 | -1.69 | 27.87 | Yes | 19.03 | |
| RW-04 | 01/28/03 | 20.27 | 615.71 | 614.43 | 0.16 | 28.34 | Yes | 18.56 | |
| RW-04 | 02/19/03 | 21.06 | 615.46 | 613.64 | -0.25 | 28.27 | Yes | 18.63 | |
| RW-04 | 04/17/03 | 24.87 | 614.24 | 609.83 | -1.22 | 27.91 | Yes | 18.99 | |
| RW-04 | 05/15/03 | 24.10 | 614.31 | 610.60 | 0.07 | 27.74 | Yes | 19.16 | |
| RW-04 | 06/10/03 | 24.48 | 614.60 | 610.22 | 0.29 | 28.26 | Yes | 18.64 | |
| RW-04 | 10/23/03 | 25.93 | 614.05 | 608.77 | -0.55 | 28.01 | Yes | 18.89 | |
| RW-04 | 12/03/03 | 26.42 | 613.81 | 608.28 | -0.24 | 27.85 | Yes | 19.05 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-04 | 04/19/04 | 25.76 | 613.36 | 609.06 | -0.45 | 26.99 | Yes | 20.03 | |
| RW-04 | 07/28/04 | 21.38 | 615.08 | 613.44 | 1.73 | 27.83 | Yes | 19.19 | |
| RW-04 | 11/15/04 | 19.67 | 616.15 | 615.15 | 1.07 | 28.68 | Yes | 18.34 | |
| RW-04 | 04/18/05 | 21.62 | 615.28 | 613.20 | -0.87 | 28.17 | Yes | 18.85 | |
| RW-04 | 10/11/05 | 20.16 | 616.31 | 614.66 | 1.03 | 29.06 | Yes | 17.96 | |
| RW-04 | 05/23/06 | 19.49 | 617.04 | 615.33 | 0.73 | 29.81 | Yes | 17.21 | |
| RW-04 | 10/16/06 | 22.43 | 615.41 | 612.39 | -1.63 | 28.61 | Yes | 18.41 | |
| RW-04 | 04/23/07 | 19.66 | 615.78 | 615.16 | 0.38 | 28.19 | Yes | 18.83 | |
| RW-04 | 09/25/07 | 26.81 | 613.81 | 608.01 | -1.98 | 27.94 | Yes | 19.08 | |
| RW-04 | 05/01/08 | 20.46 | 616.21 | 614.36 | 2.40 | 29.03 | Yes | 17.99 | |
| RW-04 | 10/20/08 | 19.14 | 617.79 | 615.68 | 1.58 | 30.69 | Yes | 16.33 | |
| RW-04 | 04/18/09 | 20.11 | 616.55 | 614.71 | -1.24 | 29.36 | Yes | 17.66 | |
| RW-04 | 08/04/09 | 21.60 | 615.80 | 613.22 | -0.75 | 28.86 | Yes | 18.16 | |
| RW-04 | 08/26/09 | 20.76 | 616.15 | 614.06 | 0.35 | 29.05 | Yes | 17.97 | |
| RW-04 | 09/03/09 | 20.38 | 616.44 | 614.44 | 0.29 | 29.31 | Yes | 17.71 | |
| RW-04 | 09/08/09 | 20.38 | 616.40 | 614.44 | -0.04 | 29.25 | Yes | 17.77 | |
| RW-04 | 09/14/09 | 20.43 | 616.34 | 614.39 | -0.06 | 29.19 | Yes | 17.83 | |
| RW-04 | 10/11/09 | 21.23 | 615.74 | 613.59 | -0.61 | 28.65 | Yes | 18.37 | |
| RW-04 | 10/15/09 | 21.23 | 615.74 | 613.59 | 0.00 | 28.65 | Yes | 18.37 | |
| RW-04 | 04/28/10 | 22.21 | 615.58 | 612.61 | -0.15 | 28.77 | Yes | 18.25 | |
| RW-04 | 10/25/10 | 19.27 | 617.87 | 615.55 | 2.29 | 30.84 | Yes | 16.18 | |
| RW-04 | 04/25/11 | 20.02 | 616.74 | 614.80 | -1.13 | 29.59 | Yes | 17.43 | |
| RW-04 | 09/14/11 | 19.92 | 617.35 | 614.90 | 0.60 | 30.36 | Yes | 16.66 | |
| RW-04 | 09/23/11 | 19.90 | 617.25 | 614.92 | -0.09 | 30.23 | Yes | 16.79 | |
| RW-04 | 09/29/11 | 19.81 | 617.28 | 615.01 | 0.03 | 30.24 | Yes | 16.78 | |
| RW-04 | 10/07/11 | 19.75 | 617.14 | 615.07 | -0.14 | 30.03 | Yes | 16.99 | |
| RW-04 | 10/11/11 | 19.82 | 617.00 | 615.00 | -0.14 | 29.87 | Yes | 17.15 | |
| RW-04 | 10/21/11 | 19.93 | 616.74 | 614.89 | -0.26 | 29.56 | Yes | 17.46 | |
| RW-04 | 10/27/11 | 19.98 | 616.65 | 614.84 | -0.10 | 29.45 | Yes | 17.57 | |
| RW-04 | 11/04/11 | 20.16 | 616.45 | 614.66 | -0.20 | 29.24 | Yes | 17.78 | |
| RW-04 | 11/09/11 | 20.06 | 616.53 | 614.76 | 0.08 | 29.32 | Yes | 17.70 | |
| RW-04 | 11/18/11 | 20.21 | 616.39 | 614.61 | -0.14 | 29.18 | Yes | 17.84 | |
| RW-04 | 11/22/11 | 20.42 | 616.23 | 614.40 | -0.16 | 29.04 | Yes | 17.98 | |
| RW-04 | 12/01/11 | 20.80 | 615.87 | 614.02 | -0.37 | 28.68 | Yes | 18.34 | |
| RW-04 | 01/04/12 | 21.10 | 615.57 | 613.72 | -0.29 | 28.39 | Yes | 18.63 | |
| RW-04 | 02/16/12 | 22.85 | 614.87 | 611.97 | -0.70 | 28.04 | Yes | 18.98 | |
| RW-04 | 03/13/12 | 25.58 | 614.15 | 609.24 | -0.72 | 27.99 | Yes | 19.03 | |
| RW-04 | 04/03/12 | 26.38 | 614.01 | 608.44 | -0.14 | 28.07 | Yes | 18.95 | Spill Buddy Before Reading |
| RW-04 | 04/16/12 | 23.98 | 614.41 | 610.84 | 4.87 | 27.80 | Yes | 19.22 | |
| RW-04 | 05/10/12 | 23.66 | 615.15 | 611.16 | 0.74 | 28.68 | Yes | 18.34 | Spill Buddy Before Reading |
| RW-04 | 05/18/12 | 22.93 | 615.29 | 611.89 | 3.26 | 28.62 | Yes | 18.40 | |
| RW-04 | 05/21/12 | 23.06 | 615.18 | 611.76 | -0.11 | 28.52 | Yes | 18.50 | Spill Buddy Before Reading |
| RW-04 | 06/18/12 | 19.93 | 616.77 | 614.89 | 4.51 | 29.59 | Yes | 17.43 | Spill Buddy Before Reading |
| RW-04 | 06/26/12 | 17.38 | 617.59 | 617.44 | 2.27 | 29.84 | Yes | 17.18 | |
| RW-04 | 07/12/12 | 18.74 | 616.16 | 616.08 | -1.43 | 28.39 | Yes | 18.63 | |
| RW-04 | 07/24/12 | 20.18 | 616.68 | 614.64 | 0.52 | 29.56 | Yes | 17.46 | |
| RW-04 | 08/09/12 | 20.93 | 616.48 | 613.89 | -0.20 | 29.54 | Yes | 17.48 | Spill Buddy Before Reading |
| RW-04 | 08/17/12 | 20.36 | 616.30 | 614.46 | 1.39 | 29.11 | Yes | 17.91 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-04 | 09/17/12 | 22.78 | 615.49 | 612.04 | -0.81 | 28.84 | Yes | 18.18 | |
| RW-04 | 09/18/12 | 22.76 | 615.50 | 612.06 | 0.01 | 28.85 | Yes | 18.17 | Spill Buddy Before Reading |
| RW-04 | 09/30/12 | 20.02 | 615.51 | 614.80 | 2.89 | 27.95 | Yes | 19.07 | |
| RW-04 | 11/21/12 | 25.03 | 614.46 | 609.79 | -1.05 | 28.22 | Yes | 18.80 | |
| RW-04 | 12/17/12 | 26.83 | 614.03 | 607.99 | -0.43 | 28.24 | Yes | 18.78 | |
| RW-04 | 03/25/13 | 29.38 | 612.96 | 605.44 | -1.07 | 27.66 | Yes | 19.36 | |
| RW-04 | 04/03/13 | 29.17 | 612.96 | 605.65 | 0.00 | 27.59 | Yes | 19.43 | Spill Buddy Before Reading |
| RW-04 | 04/29/13 | 25.66 | 613.89 | 609.16 | 0.94 | 27.67 | Yes | 19.35 | Spill Buddy Before Reading |
| RW-04 | 05/05/13 | 22.26 | 614.47 | 612.56 | 0.57 | 27.30 | Yes | 19.72 | |
| RW-05 | 05/04/90 | 21.84 | 614.80 | 614.16 | NA | 26.71 | Yes | 20.99 | |
| RW-05 | 06/01/90 | 21.94 | 615.15 | 614.06 | 0.35 | 27.21 | Yes | 20.49 | |
| RW-05 | 06/19/90 | 22.14 | 615.14 | 613.86 | -0.01 | 27.26 | Yes | 20.44 | |
| RW-05 | 06/27/90 | 21.03 | 615.13 | 614.97 | -0.01 | 26.88 | Yes | 20.82 | |
| RW-05 | 07/05/90 | 21.37 | 614.93 | 614.63 | -0.20 | 26.73 | Yes | 20.97 | |
| RW-05 | 07/13/90 | 21.35 | 615.01 | 614.65 | 0.08 | 26.83 | Yes | 20.87 | |
| RW-05 | 07/17/90 | 21.24 | 615.19 | 614.76 | 0.18 | 27.03 | Yes | 20.67 | |
| RW-05 | 07/25/90 | 21.49 | 615.00 | 614.51 | -0.19 | 26.86 | Yes | 20.84 | |
| RW-05 | 08/09/90 | 21.49 | 615.11 | 614.51 | 0.11 | 27.01 | Yes | 20.69 | |
| RW-05 | 09/06/90 | 22.42 | 615.24 | 613.58 | 0.13 | 27.49 | Yes | 20.21 | 26.04 |
| RW-05 | 01/04/91 | 22.74 | 615.66 | 613.26 | 0.42 | 28.16 | Yes | 19.54 | |
| RW-05 | 01/30/91 | 23.05 | 615.46 | 612.95 | -0.20 | 27.99 | Yes | 19.71 | |
| RW-05 | 04/24/91 | 23.21 | 615.28 | 612.79 | -0.18 | 27.81 | Yes | 19.89 | |
| RW-05 | 07/09/91 | 22.07 | 617.06 | 613.93 | 1.78 | 29.80 | Yes | 17.90 | |
| RW-05 | 10/08/91 | 21.43 | 618.56 | 614.57 | 1.50 | 31.59 | Yes | 16.11 | |
| RW-05 | 01/07/92 | 21.93 | 618.35 | 614.07 | -0.21 | 31.48 | Yes | 16.22 | |
| RW-05 | 10/14/92 | 23.21 | 618.16 | 612.79 | -0.19 | 31.65 | Yes | 16.05 | |
| RW-05 | 06/25/93 | 21.51 | 620.30 | 614.49 | 2.13 | 33.93 | Yes | 13.77 | |
| RW-05 | 10/28/93 | 24.03 | 617.75 | 611.97 | -2.55 | 31.37 | Yes | 16.33 | |
| RW-05 | 01/29/94 | 25.12 | 616.12 | 610.88 | -1.62 | 29.57 | Yes | 18.13 | |
| RW-05 | 04/27/94 | 19.86 | 617.54 | 616.14 | 1.42 | 29.71 | Yes | 17.99 | |
| RW-05 | 07/21/94 | 17.36 | 619.08 | 618.64 | 1.54 | 30.93 | Yes | 16.77 | |
| RW-05 | 10/25/94 | 18.40 | 618.46 | 617.60 | -0.62 | 30.45 | Yes | 17.25 | |
| RW-05 | 02/01/95 | 19.74 | 617.24 | 616.26 | -1.23 | 29.26 | Yes | 18.44 | |
| RW-05 | 04/04/95 | 20.59 | 616.45 | 615.41 | -0.79 | 28.49 | Yes | 19.21 | |
| RW-05 | 07/12/95 | 19.74 | 617.43 | 616.26 | 0.99 | 29.52 | Yes | 18.18 | |
| RW-05 | 11/14/95 | 18.62 | 618.74 | 617.38 | 1.31 | 30.89 | Yes | 16.81 | |
| RW-05 | 03/13/96 | 20.68 | 616.84 | 615.32 | -1.90 | 29.04 | Yes | 18.66 | |
| RW-05 | 11/03/98 | 21.88 | 616.30 | 614.12 | -0.54 | 28.72 | Yes | 18.98 | |
| RW-05 | 03/02/99 | 22.06 | 616.23 | 613.94 | -0.07 | 28.69 | Yes | 19.01 | |
| RW-05 | 10/07/99 | 17.40 | 619.58 | 618.60 | 3.35 | 31.60 | Yes | 16.10 | |
| RW-05 | 11/09/99 | 16.84 | 619.81 | 619.16 | 0.24 | 31.73 | Yes | 15.97 | bailed 0.25 gal. FP |
| RW-05 | 12/21/99 | 16.22 | 619.91 | 619.78 | 0.10 | 31.65 | Yes | 16.05 | bailed 0.25 gal. FP |
| RW-05 | 01/27/00 | 19.17 | 617.51 | 616.83 | -2.40 | 29.43 | Yes | 18.27 | bailed 0.2 gal. FP |
| RW-05 | 02/24/00 | 19.43 | 617.11 | 616.57 | -0.39 | 28.99 | Yes | 18.71 | bailed 0.25 gal. FP |
| RW-05 | 03/31/00 | 19.42 | 617.03 | 616.58 | -0.08 | 28.88 | Yes | 18.82 | bailed 0.5 gal. FP |
| RW-05 | 04/20/00 | 21.20 | 617.13 | 614.80 | 0.10 | 29.60 | Yes | 18.10 | bailed 5 gal. FP |
| RW-05 | 04/26/00 | 19.04 | 617.40 | 616.96 | 0.27 | 29.24 | Yes | 18.46 | bailed 0.5 gal. FP |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| RW-05 | 05/31/00 | 18.91 | 617.36 | 617.09 | -0.03 | 29.15 | Yes | 18.55 | bailed 0.5 gal. FP |
| RW-05 | 06/29/00 | 18.77 | 617.53 | 617.23 | 0.17 | 29.33 | Yes | 18.37 | bailed 1 gal. FP |
| RW-05 | 07/26/00 | 18.75 | 617.47 | 617.25 | -0.06 | 29.24 | Yes | 18.46 | bailed 0.5 gal. FP |
| RW-05 | 08/18/00 | 19.22 | 617.13 | 616.78 | -0.34 | 28.95 | Yes | 18.75 | bailed 0.25 gal. FP |
| RW-05 | 09/27/00 | 19.52 | 616.71 | 616.48 | -0.42 | 28.49 | Yes | 19.21 | bailed 0.5 gal FP |
| RW-05 | 10/11/00 | 19.23 | 616.82 | 616.77 | 0.11 | 28.54 | Yes | 19.16 | bailed 0.01 gal FP |
| RW-05 | 11/17/00 | 19.18 | 616.88 | 616.82 | 0.06 | 28.60 | Yes | 19.10 | No product bailed |
| RW-05 | 12/12/00 | 19.13 | 616.99 | 616.87 | 0.11 | 28.73 | Yes | 18.97 | bailed 0.1 gal FP |
| RW-05 | 01/18/01 | 19.33 | 616.72 | 616.67 | -0.27 | 28.44 | Yes | 19.26 | bailed 0.2 gal FP |
| RW-05 | 04/24/01 | 19.59 | 616.56 | 616.41 | -0.16 | 28.31 | Yes | 19.39 | product abated using vactruck |
| RW-05 | 05/23/01 | 18.36 | 617.73 | 617.64 | 1.17 | 29.46 | Yes | 18.24 | no product bailed |
| RW-05 | 06/19/01 | 18.26 | 617.85 | 617.74 | 0.12 | 29.58 | Yes | 18.12 | |
| RW-05 | 07/26/01 | 19.01 | 617.19 | 616.99 | -0.65 | 28.96 | Yes | 18.74 | |
| RW-05 | 08/31/01 | 19.30 | 616.94 | 616.70 | -0.25 | 28.72 | Yes | 18.98 | |
| RW-05 | 09/26/01 | 19.43 | 616.80 | 616.57 | -0.14 | 28.58 | Yes | 19.12 | |
| RW-05 | 10/24/01 | 19.49 | 616.77 | 616.51 | -0.04 | 28.55 | Yes | 19.15 | |
| RW-05 | 12/20/01 | 19.95 | 616.30 | 616.05 | -0.47 | 28.08 | Yes | 19.62 | |
| RW-05 | 01/22/02 | 20.02 | 616.25 | 615.98 | -0.05 | 28.04 | Yes | 19.66 | |
| RW-05 | 02/26/02 | 20.47 | 615.82 | 615.53 | -0.43 | 27.62 | Yes | 20.08 | |
| RW-05 | 03/20/02 | 20.66 | 615.63 | 615.34 | -0.19 | 27.43 | Yes | 20.27 | |
| RW-05 | 04/24/02 | 20.00 | 616.32 | 616.00 | 0.68 | 28.12 | Yes | 19.58 | |
| RW-05 | 05/15/02 | 19.76 | 616.56 | 616.24 | 0.25 | 28.37 | Yes | 19.33 | |
| RW-05 | 06/27/02 | 19.87 | 616.50 | 616.13 | -0.07 | 28.32 | Yes | 19.38 | |
| RW-05 | 07/25/02 | 19.77 | 616.63 | 616.23 | 0.13 | 28.46 | Yes | 19.24 | |
| RW-05 | 08/20/02 | 19.80 | 616.63 | 616.20 | 0.00 | 28.47 | Yes | 19.23 | |
| RW-05 | 09/30/02 | 19.39 | 617.13 | 616.61 | 0.50 | 29.00 | Yes | 18.70 | |
| RW-05 | 11/05/02 | 19.33 | 617.29 | 616.67 | 0.17 | 29.20 | Yes | 18.50 | |
| RW-05 | 12/23/02 | 20.18 | 616.53 | 615.82 | -0.76 | 28.47 | Yes | 19.23 | |
| RW-05 | 01/28/03 | 20.68 | 616.09 | 615.32 | -0.44 | 28.05 | Yes | 19.65 | |
| RW-05 | 02/19/03 | 20.92 | 615.86 | 615.08 | -0.23 | 27.82 | Yes | 19.88 | |
| RW-05 | 04/17/03 | 21.42 | 615.35 | 614.58 | -0.51 | 27.31 | Yes | 20.39 | |
| RW-05 | 05/15/03 | 21.58 | 615.19 | 614.42 | -0.17 | 27.14 | Yes | 20.56 | |
| RW-05 | 06/10/03 | 21.10 | 615.65 | 614.90 | 0.47 | 27.60 | Yes | 20.10 | |
| RW-05 | 10/23/03 | 21.51 | 615.34 | 614.49 | -0.31 | 27.32 | Yes | 20.38 | |
| RW-05 | 12/03/03 | 21.68 | 615.19 | 614.32 | -0.15 | 27.18 | Yes | 20.52 | |
| RW-05 | 04/19/04 | 22.89 | 614.87 | 613.78 | -0.32 | 26.93 | Yes | 21.44 | |
| RW-05 | 07/28/04 | 22.76 | 615.70 | 613.91 | 0.83 | 27.99 | Yes | 20.38 | |
| RW-05 | 11/15/04 | 22.27 | 616.45 | 614.40 | 0.75 | 28.83 | Yes | 19.54 | |
| RW-05 | 04/18/05 | 22.92 | 616.01 | 613.75 | -0.44 | 28.46 | Yes | 19.91 | |
| RW-05 | 10/11/05 | 23.04 | 616.55 | 613.63 | 0.54 | 29.22 | Yes | 19.15 | |
| RW-05 | 05/23/06 | 23.27 | 617.20 | 613.40 | 0.65 | 30.17 | Yes | 18.20 | |
| RW-05 | 10/16/06 | 25.10 | 615.96 | 611.57 | -1.25 | 29.12 | Yes | 19.25 | |
| RW-05 | 04/23/07 | 26.04 | 615.05 | 610.63 | -0.91 | 28.22 | Yes | 20.15 | |
| RW-05 | 09/25/07 | 26.01 | 615.16 | 610.66 | 0.11 | 28.36 | Yes | 20.01 | |
| RW-05 | 05/01/08 | 25.31 | 616.06 | 611.36 | 0.90 | 29.32 | Yes | 19.05 | |
| RW-05 | 10/20/08 | 23.66 | 617.92 | 613.01 | 1.87 | 31.26 | Yes | 17.11 | |
| RW-05 | 04/18/09 | 25.95 | 616.45 | 610.72 | -1.47 | 30.06 | Yes | 18.31 | |
| RW-05 | 10/11/09 | 20.25 | 617.27 | 616.42 | 0.82 | 29.25 | Yes | 19.12 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| RW-05 | 04/28/10 | 20.92 | 616.70 | 615.75 | -0.57 | 28.72 | Yes | 19.65 | |
| RW-05 | 10/25/10 | 18.26 | 618.95 | 618.41 | 2.25 | 30.83 | Yes | 17.54 | |
| RW-05 | 04/25/11 | 20.79 | 617.49 | 615.88 | -1.47 | 29.72 | Yes | 18.65 | |
| RW-05 | 09/14/11 | 19.90 | 618.39 | 616.77 | 0.90 | 30.63 | Yes | 17.74 | |
| RW-05 | 09/23/11 | 20.17 | 618.16 | 616.50 | -0.23 | 30.41 | Yes | 17.96 | |
| RW-05 | 09/29/11 | 20.10 | 618.26 | 616.57 | 0.10 | 30.52 | Yes | 17.85 | |
| RW-05 | 10/07/11 | 20.32 | 618.05 | 616.35 | -0.21 | 30.31 | Yes | 18.06 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-05 | 10/11/11 | 20.44 | 617.96 | 616.23 | -0.09 | 30.23 | Yes | 18.14 | |
| RW-05 | 10/21/11 | 20.78 | 617.65 | 615.89 | -0.30 | 29.94 | Yes | 18.43 | |
| RW-05 | 10/27/11 | 20.83 | 617.57 | 615.84 | -0.09 | 29.84 | Yes | 18.53 | |
| RW-05 | 11/01/11 | 21.05 | 617.36 | 615.62 | -0.21 | 29.64 | Yes | 18.73 | |
| RW-05 | 11/09/11 | 20.99 | 617.43 | 615.68 | 0.07 | 29.71 | Yes | 18.66 | |
| RW-05 | 11/18/11 | 21.10 | 617.33 | 615.57 | -0.10 | 29.61 | Yes | 18.76 | |
| RW-05 | 11/22/11 | 21.31 | 617.15 | 615.36 | -0.17 | 29.45 | Yes | 18.92 | |
| RW-05 | 12/01/11 | 21.62 | 616.81 | 615.05 | -0.34 | 29.10 | Yes | 19.27 | |
| RW-05 | 01/04/12 | 21.85 | 616.59 | 614.82 | -0.22 | 28.88 | Yes | 19.49 | |
| RW-05 | 02/16/12 | 22.42 | 616.01 | 614.25 | -0.59 | 28.29 | Yes | 20.08 | |
| RW-05 | 03/13/12 | 22.70 | 615.73 | 613.97 | -0.27 | 28.02 | Yes | 20.35 | |
| RW-05 | 04/05/12 | 22.71 | 615.74 | 613.96 | 0.00 | 28.03 | Yes | 20.34 | Spill Buddy Before Reading |
| RW-05 | 04/16/12 | 20.71 | 616.07 | 615.96 | 1.98 | 27.81 | Yes | 20.56 | |
| RW-05 | 05/18/12 | 20.01 | 616.86 | 616.66 | 0.79 | 28.63 | Yes | 19.74 | |
| RW-05 | 06/18/12 | 19.11 | 617.80 | 617.56 | 0.94 | 29.58 | Yes | 18.79 | |
| RW-05 | 06/26/12 | 18.57 | 618.34 | 618.10 | 0.54 | 30.12 | Yes | 18.25 | |
| RW-05 | 07/24/12 | 19.06 | 617.90 | 617.61 | -0.45 | 29.69 | Yes | 18.68 | |
| RW-05 | 08/17/12 | 19.46 | 617.55 | 617.21 | -0.35 | 29.36 | Yes | 19.01 | |
| RW-05 | 09/17/12 | 20.01 | 617.09 | 616.66 | -0.46 | 28.93 | Yes | 19.44 | |
| RW-05 | 09/30/12 | 20.24 | 616.87 | 616.43 | -0.21 | 28.72 | Yes | 19.65 | |
| RW-05 | 11/21/12 | 20.70 | 616.44 | 615.97 | -0.44 | 28.29 | Yes | 20.08 | |
| RW-05 | 12/17/12 | 20.97 | 616.20 | 615.70 | -0.24 | 28.06 | Yes | 20.31 | |
| RW-05 | 03/25/13 | 21.98 | 615.31 | 614.69 | -0.88 | 27.22 | Yes | 21.15 | |
| RW-05 | 05/05/13 | 21.62 | 615.68 | 615.05 | 0.37 | 27.59 | Yes | 20.78 | |
| RW-06 | 06/01/90 | 22.44 | 616.29 | 612.76 | NA | 27.46 | Yes | 17.74 | |
| RW-06 | 01/30/91 | 23.85 | 615.96 | 611.35 | NA | 27.49 | Yes | 17.71 | |
| RW-06 | 04/24/91 | 22.68 | 614.94 | 612.52 | -1.02 | 25.74 | Yes | 19.46 | |
| RW-06 | 06/06/91 | 20.50 | 616.76 | 614.70 | 1.83 | 27.45 | Yes | 17.75 | |
| RW-06 | 07/09/91 | 20.16 | 617.74 | 615.04 | 0.98 | 28.64 | Yes | 16.56 | |
| RW-06 | 08/06/91 | 19.28 | 618.47 | 615.92 | 0.73 | 29.32 | Yes | 15.88 | |
| RW-06 | 09/04/91 | 19.18 | 618.48 | 616.02 | 0.01 | 29.30 | Yes | 15.90 | |
| RW-06 | 10/08/91 | 18.72 | 617.79 | 616.48 | -0.69 | 28.23 | Yes | 16.97 | 23.85 |
| RW-06 | 11/08/91 | 19.21 | 617.45 | 615.99 | -0.34 | 27.94 | Yes | 17.26 | |
| RW-06 | 12/03/91 | 17.83 | 620.51 | 617.37 | 3.06 | 31.56 | Yes | 13.64 | |
| RW-06 | 01/07/92 | 17.71 | 619.04 | 617.49 | -1.48 | 29.55 | Yes | 15.65 | |
| RW-06 | 02/04/92 | 19.09 | 617.65 | 616.11 | -1.39 | 28.16 | Yes | 17.04 | |
| RW-06 | 03/03/92 | 19.36 | 617.68 | 615.84 | 0.03 | 28.29 | Yes | 16.91 | |
| RW-06 | 09/24/92 | 17.79 | 619.83 | 617.41 | 2.15 | 30.64 | Yes | 14.56 | |
| RW-06 | 06/25/93 | 15.49 | 621.65 | 619.71 | 1.81 | 32.29 | Yes | 12.91 | |
| RW-06 | 07/21/93 | 15.58 | 620.99 | 619.62 | -0.66 | 31.44 | Yes | 13.76 | |
| RW-06 | 08/17/93 | 17.49 | 619.29 | 617.71 | -1.69 | 29.82 | Yes | 15.38 | |
| RW-06 | 09/09/93 | 18.37 | 618.41 | 616.83 | -0.88 | 28.94 | Yes | 16.26 | |
| RW-06 | 10/28/93 | 18.45 | 618.01 | 616.75 | -0.40 | 28.43 | Yes | 16.77 | |
| RW-06 | 11/24/93 | 18.59 | 617.72 | 616.61 | -0.29 | 28.09 | Yes | 17.11 | |
| RW-06 | 12/17/93 | 18.26 | 617.77 | 616.94 | 0.04 | 28.04 | Yes | 17.16 | |
| RW-06 | 01/29/94 | 18.79 | 617.70 | 616.41 | -0.06 | 28.13 | Yes | 17.07 | |
| RW-06 | 02/25/94 | 19.37 | 617.38 | 615.83 | -0.32 | 27.90 | Yes | 17.30 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|------------------------------------|
| RW-06 | 03/24/94 | 19.32 | 617.32 | 615.88 | -0.06 | 27.80 | Yes | 17.40 | |
| RW-06 | 04/27/94 | 18.81 | 617.89 | 616.39 | 0.57 | 28.39 | Yes | 16.81 | |
| RW-06 | 05/26/94 | 17.24 | 618.98 | 617.96 | 1.09 | 29.32 | Yes | 15.88 | |
| RW-06 | 06/29/94 | 16.25 | 619.68 | 618.95 | 0.70 | 29.92 | Yes | 15.28 | |
| RW-06 | 07/21/94 | 17.55 | 618.66 | 617.65 | -1.01 | 29.00 | Yes | 16.20 | |
| RW-06 | 08/30/94 | 17.96 | 618.10 | 617.24 | -0.56 | 28.39 | Yes | 16.81 | |
| RW-06 | 10/25/94 | 17.22 | 619.13 | 617.98 | 1.02 | 29.51 | Yes | 15.69 | |
| RW-06 | 11/02/94 | 17.24 | 619.20 | 617.96 | 0.07 | 29.61 | Yes | 15.59 | |
| RW-06 | 02/01/95 | 17.82 | 617.74 | 617.38 | -1.46 | 27.86 | Yes | 17.34 | |
| RW-06 | 04/04/95 | 19.84 | 616.98 | 615.36 | -0.76 | 27.52 | Yes | 17.68 | |
| RW-06 | 07/12/95 | 16.99 | 618.23 | 618.21 | 1.25 | 28.23 | Yes | 16.97 | |
| RW-06 | 11/13/95 | 15.80 | 619.42 | 619.40 | 1.19 | 29.42 | Yes | 15.78 | |
| RW-06 | 03/13/96 | 19.39 | 617.54 | 615.81 | -1.88 | 28.11 | Yes | 17.09 | |
| RW-06 | 05/28/96 | 15.72 | 619.50 | 619.48 | 1.97 | 29.51 | Yes | 15.69 | |
| RW-06 | 10/08/96 | 14.86 | 620.36 | 620.34 | 0.85 | 30.36 | Yes | 14.84 | |
| RW-06 | 04/29/97 | 13.86 | 621.34 | 621.34 | 0.99 | 31.34 | Yes | | |
| RW-06 | 06/10/97 | 15.24 | 619.96 | 619.96 | -1.38 | 29.96 | Yes | | |
| RW-06 | 03/02/99 | 19.78 | 617.04 | 615.42 | -2.92 | 27.58 | Yes | 17.62 | |
| RW-06 | 10/07/99 | 15.73 | 620.47 | 619.47 | 3.43 | 30.80 | Yes | 14.40 | |
| RW-06 | 11/09/99 | 17.16 | 619.31 | 618.04 | -1.16 | 29.73 | Yes | 15.47 | bailed 2 gal. FP |
| RW-06 | 12/21/99 | 16.12 | 619.17 | 619.08 | -0.14 | 29.20 | Yes | 16.00 | |
| RW-06 | 01/27/00 | 17.31 | 617.98 | 617.89 | -1.19 | 28.01 | Yes | 17.19 | |
| RW-06 | 02/24/00 | 18.76 | 617.68 | 616.44 | -0.30 | 28.09 | Yes | 17.11 | bailed 2 gal. FP |
| RW-06 | 03/31/00 | 19.17 | 617.70 | 616.03 | 0.02 | 28.25 | Yes | 16.95 | installed pump from MW-2 |
| RW-06 | 04/20/00 | 19.12 | 618.30 | 616.08 | 0.61 | 29.04 | Yes | 16.16 | bailed 4 gal. FP |
| RW-06 | 04/26/00 | 18.21 | 618.09 | 616.99 | -0.21 | 28.46 | Yes | 16.74 | |
| RW-06 | 05/31/00 | 18.27 | 617.97 | 616.93 | -0.13 | 28.31 | Yes | 16.89 | installed skimmer |
| RW-06 | 06/20/00 | 16.92 | 618.30 | 618.28 | 0.33 | 28.30 | Yes | 16.90 | Skimmer operating |
| RW-06 | 07/26/00 | 17.12 | 618.10 | 618.08 | -0.20 | 28.10 | Yes | 17.10 | Skimmer operating |
| RW-06 | 08/18/00 | 18.64 | 618.17 | 616.56 | 0.07 | 28.70 | Yes | 16.50 | bailed 1 gal. FP-installed skimmer |
| RW-06 | 09/27/00 | 18.95 | 617.22 | 616.25 | -0.95 | 27.54 | Yes | 17.66 | skimmer down-bailed 1.25 gal. FP |
| RW-06 | 10/11/00 | 19.23 | 617.38 | 615.97 | 0.16 | 27.85 | Yes | 17.35 | skimmer down-bailed 3.75 gal. FP |
| RW-06 | 11/17/00 | 19.76 | 617.56 | 615.44 | 0.18 | 28.27 | Yes | 16.93 | skimmer down-bailed 6 gal. FP |
| RW-06 | 12/12/00 | 18.77 | 617.62 | 616.43 | 0.06 | 28.02 | Yes | 17.18 | skimmer down-bailed 3 gal. FP |
| RW-06 | 01/18/01 | 19.22 | 617.29 | 615.98 | -0.33 | 27.73 | Yes | 17.47 | skimmer down-bailed 4 gal. FP |
| RW-06 | 04/24/01 | 20.46 | 617.00 | 614.74 | -0.29 | 27.75 | Yes | 17.45 | product abated using vactruck |
| RW-06 | 05/23/01 | 17.76 | 618.42 | 617.44 | 1.42 | 28.74 | Yes | 16.46 | skimmer down/no product bailed |
| RW-06 | 06/19/01 | 17.41 | 618.33 | 617.79 | -0.09 | 28.51 | Yes | 16.69 | |
| RW-06 | 07/26/01 | 18.45 | 617.49 | 616.75 | -0.84 | 27.74 | Yes | 17.46 | |
| RW-06 | 08/31/01 | 17.66 | 617.55 | 617.54 | 0.05 | 27.55 | Yes | 17.65 | |
| RW-06 | 09/26/01 | 17.89 | 617.49 | 617.31 | -0.06 | 27.55 | Yes | 17.65 | |
| RW-06 | 10/24/01 | 18.69 | 617.60 | 616.51 | 0.11 | 27.95 | Yes | 17.24 | |
| RW-06 | 12/20/01 | 19.66 | 616.92 | 615.54 | -0.68 | 27.38 | Yes | 17.82 | |
| RW-06 | 01/22/02 | 19.65 | 616.96 | 615.55 | 0.04 | 27.43 | Yes | 17.77 | |
| RW-06 | 02/26/02 | 19.35 | 616.52 | 615.85 | -0.44 | 26.74 | Yes | 18.46 | |
| RW-06 | 03/20/02 | 18.98 | 616.33 | 616.22 | -0.19 | 26.36 | Yes | 18.84 | |
| RW-06 | 04/24/02 | 20.10 | 617.01 | 615.10 | 0.68 | 27.64 | Yes | 17.56 | |
| RW-06 | 05/15/02 | 19.57 | 617.35 | 615.63 | 0.34 | 27.92 | Yes | 17.28 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-06 | 06/27/02 | 19.21 | 617.14 | 615.99 | -0.21 | 27.52 | Yes | 17.68 | |
| RW-06 | 07/25/02 | 17.85 | 617.38 | 617.35 | 0.24 | 27.39 | Yes | 17.81 | |
| RW-06 | 08/20/02 | 18.12 | 617.19 | 617.08 | -0.19 | 27.23 | Yes | 17.97 | |
| RW-06 | 09/30/02 | 17.27 | 617.93 | 617.93 | 0.74 | 27.93 | Yes | | |
| RW-06 | 11/05/02 | 17.15 | 618.07 | 618.05 | 0.13 | 28.07 | Yes | 17.13 | |
| RW-06 | 12/23/02 | 18.00 | 617.22 | 617.20 | -0.85 | 27.22 | Yes | 17.98 | |
| RW-06 | 01/28/03 | 18.46 | 616.82 | 616.74 | -0.39 | 26.85 | Yes | 18.35 | |
| RW-06 | 02/19/03 | 18.79 | 616.64 | 616.41 | -0.18 | 26.72 | Yes | 18.48 | |
| RW-06 | 03/13/03 | 19.89 | 616.35 | 615.31 | -0.30 | 26.69 | Yes | 18.51 | |
| RW-06 | 04/17/03 | 20.96 | 616.13 | 614.24 | -0.22 | 26.76 | Yes | 18.44 | |
| RW-06 | 04/25/03 | 21.30 | 615.88 | 613.90 | -0.25 | 26.54 | Yes | 18.66 | |
| RW-06 | 05/15/03 | 21.65 | 615.78 | 613.55 | -0.10 | 26.52 | Yes | 18.68 | |
| RW-06 | 06/10/03 | 20.49 | 616.26 | 614.71 | 0.48 | 26.77 | Yes | 18.43 | |
| RW-06 | 07/31/03 | 20.09 | 616.57 | 615.11 | 0.32 | 27.06 | Yes | 18.14 | |
| RW-06 | 10/23/03 | 20.05 | 616.40 | 615.15 | -0.17 | 26.82 | Yes | 18.38 | |
| RW-06 | 12/03/03 | 21.52 | 615.87 | 613.68 | -0.53 | 26.60 | Yes | 18.60 | |
| RW-06 | 04/19/04 | 22.28 | 615.57 | 613.81 | -0.30 | 26.16 | Yes | 19.93 | |
| RW-06 | 07/28/04 | 21.11 | 616.56 | 614.98 | 0.98 | 27.08 | Yes | 19.01 | |
| RW-06 | 11/15/04 | 19.93 | 617.51 | 616.16 | 0.95 | 27.96 | Yes | 18.13 | |
| RW-06 | 04/18/05 | 20.91 | 617.18 | 615.18 | -0.33 | 27.85 | Yes | 18.24 | |
| RW-06 | 10/11/05 | 19.84 | 617.64 | 616.25 | 0.46 | 28.10 | Yes | 17.99 | |
| RW-06 | 05/23/06 | 18.68 | 618.45 | 617.41 | 0.81 | 28.80 | Yes | 17.29 | |
| RW-06 | 10/16/06 | 20.37 | 617.33 | 615.72 | -1.12 | 27.87 | Yes | 18.22 | |
| RW-06 | 04/23/07 | 21.87 | 616.36 | 614.22 | -0.97 | 27.07 | Yes | 19.02 | |
| RW-06 | 09/25/07 | 21.69 | 616.44 | 614.40 | 0.08 | 27.12 | Yes | 18.97 | |
| RW-06 | 05/01/08 | 19.82 | 617.87 | 616.27 | 1.43 | 28.40 | Yes | 17.69 | |
| RW-06 | 10/20/08 | 17.61 | 619.43 | 618.48 | 1.56 | 29.74 | Yes | 16.35 | |
| RW-06 | 04/18/09 | 18.85 | 618.31 | 617.24 | -1.11 | 28.67 | Yes | 17.42 | |
| RW-06 | 04/28/10 | 19.78 | 617.66 | 616.31 | -0.65 | 28.11 | Yes | 17.98 | |
| RW-06 | 10/25/10 | 17.05 | 619.87 | 619.04 | 2.21 | 30.15 | Yes | 15.94 | |
| RW-06 | 04/25/11 | 18.22 | 618.61 | 617.87 | -1.26 | 28.86 | Yes | 17.23 | |
| RW-06 | 09/14/11 | 17.44 | 619.38 | 618.65 | 0.76 | 29.62 | Yes | 16.47 | |
| RW-06 | 09/23/11 | 17.63 | 619.17 | 618.46 | -0.21 | 29.41 | Yes | 16.68 | |
| RW-06 | 09/29/11 | 17.52 | 619.31 | 618.57 | 0.13 | 29.55 | Yes | 16.54 | |
| RW-06 | 10/07/11 | 17.64 | 619.18 | 618.45 | -0.13 | 29.42 | Yes | 16.67 | |
| RW-06 | 10/11/11 | 17.98 | 618.83 | 618.11 | -0.35 | 29.07 | Yes | 17.02 | |
| RW-06 | 10/21/11 | 18.11 | 618.72 | 617.98 | -0.12 | 28.96 | Yes | 17.13 | |
| RW-06 | 10/27/11 | 18.21 | 618.62 | 617.88 | -0.10 | 28.86 | Yes | 17.23 | |
| RW-06 | 11/04/11 | 18.44 | 618.37 | 617.65 | -0.25 | 28.61 | Yes | 17.48 | |
| RW-06 | 11/09/11 | 18.29 | 618.49 | 617.80 | 0.12 | 28.72 | Yes | 17.37 | |
| RW-06 | 11/18/11 | 18.41 | 618.40 | 617.68 | -0.09 | 28.64 | Yes | 17.45 | |
| RW-06 | 11/22/11 | 18.60 | 618.23 | 617.49 | -0.17 | 28.48 | Yes | 17.61 | |
| RW-06 | 12/01/11 | 19.06 | 617.77 | 617.03 | -0.47 | 28.01 | Yes | 18.08 | |
| RW-06 | 01/04/12 | 19.82 | 617.64 | 616.27 | -0.13 | 28.09 | Yes | 18.00 | |
| RW-06 | 02/16/12 | 20.77 | 617.06 | 615.32 | -0.57 | 27.64 | Yes | 18.45 | |
| RW-06 | 03/13/12 | 21.17 | 616.00 | 614.92 | -1.06 | 26.36 | Yes | 19.73 | |
| RW-06 | 04/05/12 | 21.20 | 616.75 | 614.89 | 0.75 | 27.37 | Yes | 18.72 | Spill Buddy Before Reading |
| RW-06 | 04/16/12 | 20.87 | 616.86 | 615.22 | 0.81 | 27.40 | Yes | 18.69 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| RW-06 | 05/18/12 | 23.22 | 616.23 | 612.87 | -0.63 | 27.35 | Yes | 18.74 | |
| RW-06 | 06/26/12 | 17.64 | 619.28 | 618.45 | 3.04 | 29.55 | Yes | 16.54 | |
| RW-06 | 07/11/12 | 17.91 | 619.03 | 618.18 | -0.25 | 29.31 | Yes | 16.78 | Spill Buddy Before Reading |
| RW-06 | 07/24/12 | 17.30 | 618.81 | 618.79 | 0.46 | 28.81 | Yes | 17.28 | |
| RW-06 | 08/09/12 | 17.53 | 618.58 | 618.56 | -0.22 | 28.59 | Yes | 17.50 | |
| RW-06 | 08/17/12 | 17.70 | 618.41 | 618.39 | -0.17 | 28.42 | Yes | 17.67 | |
| RW-06 | 09/17/12 | 18.08 | 618.03 | 618.01 | -0.39 | 28.03 | Yes | 18.06 | |
| RW-06 | 09/30/12 | 18.33 | 617.79 | 617.76 | -0.24 | 27.80 | Yes | 18.29 | |
| RW-06 | 11/21/12 | 20.18 | 617.40 | 615.91 | -0.39 | 27.90 | Yes | 18.19 | |
| RW-06 | 12/17/12 | 20.53 | 617.13 | 615.56 | -0.27 | 27.65 | Yes | 18.44 | |
| RW-06 | 03/25/13 | 21.97 | 616.30 | 614.12 | -0.83 | 27.02 | Yes | 19.07 | |
| RW-06 | 05/05/13 | 21.56 | 616.59 | 614.53 | 0.29 | 27.27 | Yes | 18.82 | Spill Buddy Before Reading |
| RW-06 | 05/16/13 | 21.22 | 616.62 | 614.87 | 0.03 | 27.20 | Yes | 18.89 | Spill Buddy Before Reading |
| RW-07 | 05/04/90 | 15.51 | 615.19 | | NA | 28.45 | Yes | | |
| RW-07 | 06/01/90 | 15.35 | 615.35 | | 0.16 | 28.61 | Yes | | |
| RW-07 | 06/19/90 | 15.24 | 615.57 | | 0.22 | 28.87 | Yes | | |
| RW-07 | 06/27/90 | 15.25 | 615.45 | | -0.12 | 28.71 | Yes | | |
| RW-07 | 07/05/90 | 15.44 | 615.27 | | -0.18 | 28.53 | Yes | | |
| RW-07 | 07/13/90 | 15.56 | 615.14 | | -0.13 | 28.40 | Yes | | |
| RW-07 | 07/17/90 | 15.44 | 615.27 | | 0.13 | 28.53 | Yes | | |
| RW-07 | 07/25/90 | 15.46 | 615.24 | | -0.03 | 28.50 | Yes | | |
| RW-07 | 08/09/90 | 15.08 | 615.62 | | 0.38 | 28.88 | Yes | | |
| RW-07 | 01/04/91 | 14.82 | 615.88 | | 0.26 | 29.14 | Yes | | |
| RW-07 | 01/30/91 | 15.53 | 615.17 | | -0.71 | 28.43 | Yes | | |
| RW-07 | 04/24/91 | 15.13 | 615.57 | | 0.40 | 28.83 | Yes | | |
| RW-07 | 07/09/91 | 13.68 | 617.02 | | 1.45 | 30.28 | Yes | | |
| RW-07 | 10/08/91 | 12.42 | 618.28 | | 1.26 | 31.54 | Yes | | |
| RW-07 | 01/07/92 | 12.46 | 618.24 | | -0.04 | 31.50 | Yes | | |
| RW-07 | 10/14/92 | 12.20 | 618.51 | | 0.27 | 31.77 | Yes | | |
| RW-07 | 06/25/93 | 11.02 | 619.68 | | 1.17 | 32.94 | Yes | | |
| RW-07 | 10/28/93 | 12.72 | 617.98 | | -1.70 | 31.24 | Yes | | |
| RW-07 | 01/29/94 | 13.15 | 617.55 | | -0.43 | 30.81 | Yes | | |
| RW-07 | 04/27/94 | 13.37 | 617.33 | | -0.22 | 30.59 | Yes | | |
| RW-07 | 07/21/94 | 12.30 | 618.40 | | 1.07 | 31.66 | Yes | | |
| RW-07 | 10/25/94 | 12.60 | 618.10 | | -0.30 | 31.36 | Yes | | |
| RW-07 | 02/01/95 | 13.78 | 616.92 | | -1.18 | 30.18 | Yes | | |
| RW-07 | 04/04/95 | 14.03 | 616.67 | | -0.25 | 29.93 | Yes | | |
| RW-07 | 07/12/95 | 13.37 | 617.33 | | 0.66 | 30.59 | Yes | | |
| RW-07 | 11/13/95 | 12.47 | 618.23 | | 0.90 | 31.49 | Yes | | |
| RW-07 | 11/03/98 | 14.06 | 616.64 | | -1.59 | 29.90 | Yes | | |
| RW-07 | 03/02/99 | 14.21 | 616.49 | | -0.15 | 29.75 | Yes | | |
| RW-07 | 11/09/99 | 11.78 | 618.92 | | 2.43 | 32.18 | Yes | | |
| RW-07 | 12/21/99 | 11.43 | 619.27 | | 0.35 | 32.53 | Yes | | |
| RW-07 | 01/27/00 | 13.25 | 617.45 | | -1.82 | 30.71 | Yes | | |
| RW-07 | 02/24/00 | 13.49 | 617.21 | | -0.24 | 30.47 | Yes | | |
| RW-07 | 03/31/00 | 13.56 | 617.14 | | -0.07 | 30.40 | Yes | | |
| RW-07 | 04/20/00 | 13.48 | 617.22 | | 0.08 | 30.48 | Yes | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-------------------------------------|
| RW-07 | 04/26/00 | 13.56 | 617.14 | | -0.08 | 30.40 | Yes | | |
| RW-07 | 05/31/00 | 13.60 | 617.10 | | -0.04 | 30.36 | Yes | | |
| RW-07 | 06/29/00 | 13.38 | 617.32 | | 0.22 | 30.58 | Yes | | |
| RW-07 | 07/26/00 | 13.38 | 617.32 | | 0.00 | 30.58 | Yes | | |
| RW-07 | 08/18/00 | 13.70 | 617.00 | | -0.32 | 30.26 | Yes | | |
| RW-07 | 09/27/00 | 13.90 | 616.80 | | -0.20 | 30.06 | Yes | | |
| RW-07 | 10/11/00 | 13.93 | 616.77 | | -0.03 | 30.03 | Yes | | |
| RW-07 | 11/17/00 | 13.86 | 616.84 | | 0.07 | 30.10 | Yes | | |
| RW-07 | 12/12/00 | 13.81 | 616.89 | | 0.05 | 30.15 | Yes | | |
| RW-07 | 01/18/01 | 14.12 | 616.60 | | -0.30 | 29.86 | Yes | | |
| RW-07 | 05/23/01 | 13.23 | 617.47 | | 0.88 | 30.73 | Yes | | |
| RW-07 | 06/19/01 | 13.16 | 617.54 | | 0.07 | 30.80 | Yes | | |
| RW-07 | 07/26/01 | 13.47 | 617.23 | | -0.31 | 30.49 | Yes | | |
| RW-07 | 08/31/01 | 13.85 | 616.85 | | -0.38 | 30.11 | Yes | | |
| RW-07 | 09/26/01 | 13.92 | 616.78 | | -0.07 | 30.04 | Yes | | |
| RW-07 | 12/20/01 | 14.44 | 616.26 | | -0.52 | 29.52 | Yes | | |
| RW-07 | 01/22/02 | 14.41 | 616.29 | | 0.03 | 29.55 | Yes | | |
| RW-07 | 02/26/02 | 14.67 | 616.03 | | -0.26 | 29.29 | Yes | | |
| RW-07 | 03/20/02 | 14.83 | 615.87 | | -0.16 | 29.13 | Yes | | |
| RW-07 | 04/24/02 | 14.66 | 616.04 | | 0.17 | 29.30 | Yes | | |
| RW-07 | 05/15/02 | 14.33 | 616.37 | | 0.33 | 29.63 | Yes | | |
| RW-07 | 06/27/02 | 14.46 | 616.24 | | -0.13 | 29.50 | Yes | | |
| RW-07 | 07/25/02 | 14.36 | 616.34 | | 0.10 | 29.60 | Yes | | |
| RW-07 | 08/20/02 | 14.31 | 616.39 | | 0.05 | 29.65 | Yes | | |
| RW-07 | 09/30/02 | 14.31 | 616.39 | | 0.00 | 29.65 | Yes | | |
| RW-07 | 11/05/02 | 13.87 | 616.83 | | 0.44 | 30.09 | Yes | | |
| RW-07 | 12/23/02 | 14.16 | 616.54 | | -0.29 | 29.80 | Yes | | |
| RW-07 | 01/28/03 | 14.66 | 616.04 | | -0.50 | 29.30 | Yes | | |
| RW-07 | 02/19/03 | 14.77 | 615.93 | | -0.11 | 29.19 | Yes | | |
| RW-07 | 04/17/03 | 15.05 | 615.65 | | -0.28 | 28.91 | Yes | | |
| RW-07 | 10/23/03 | 15.19 | 615.51 | | NA | 28.77 | Yes | | |
| RW-07 | 12/03/03 | 15.31 | 615.39 | | -0.12 | 28.65 | Yes | | |
| RW-07 | 04/19/04 | 16.92 | 614.63 | | -0.76 | 27.89 | Yes | | |
| RW-07 | 07/28/04 | 16.13 | 615.42 | | 0.79 | 28.68 | Yes | | |
| RW-07 | 11/16/04 | 16.63 | 614.92 | | -0.50 | 28.18 | Yes | | |
| RW-07 | 04/18/05 | 16.47 | 615.08 | | 0.16 | 28.34 | Yes | | |
| RW-07 | 10/11/05 | 15.05 | 616.50 | | 1.42 | 29.76 | Yes | | |
| RW-07 | 05/23/06 | 13.95 | 617.60 | | 1.10 | 30.86 | Yes | | |
| RW-07 | 10/16/06 | 14.41 | 617.14 | | -0.46 | 30.40 | Yes | | |
| RW-07 | 04/23/07 | 15.27 | 616.28 | | -0.86 | 29.54 | Yes | | No sample - 2" of water around well |
| RW-07 | 06/24/07 | | | | | | | | Abandoned |

| | | | | | | | |
|-------|----------|-------|--------|-------|-------|----|--|
| EW-01 | 09/14/11 | 14.97 | 620.23 | NA | 19.53 | No | TFRT System Down on 8/31/11 for well recovery test |
| EW-01 | 09/23/11 | 14.81 | 620.39 | 0.16 | 19.69 | No | |
| EW-01 | 09/29/11 | 15.14 | 620.06 | -0.33 | 19.36 | No | |
| EW-01 | 10/07/11 | 15.03 | 620.17 | 0.11 | 19.47 | No | |
| EW-01 | 10/13/11 | 15.11 | 620.09 | -0.08 | 19.39 | No | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid In Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|---|
| EW-01 | 10/21/11 | 15.15 | 620.05 | | -0.04 | 19.35 | No | | |
| EW-01 | 10/27/11 | 15.47 | 619.73 | | -0.32 | 19.03 | No | | |
| EW-01 | 11/01/11 | 15.25 | 619.95 | | 0.22 | 19.25 | No | | Conducted 2011 annual well pump maintenance |
| EW-01 | 11/10/11 | 15.70 | 619.50 | | -0.45 | 18.80 | No | | |
| EW-01 | 11/18/11 | 15.88 | 619.32 | | -0.18 | 18.62 | No | | |
| EW-01 | 11/22/11 | 16.11 | 619.09 | | -0.23 | 18.39 | No | | |
| EW-01 | 11/30/11 | 16.21 | 618.99 | | -0.10 | 18.29 | No | | Restarted TFRT system on 11/30/11 with only EW 4 & EW 5 |
| EW-01 | 09/18/12 | 17.65 | 617.55 | | -1.44 | 16.85 | No | | |
| EW-01 | 09/18/12 | 17.65 | 617.55 | | 0.00 | 16.85 | No | | |
| EW-01 | 05/06/13 | 18.88 | 616.32 | | -1.23 | 15.62 | No | | |
| EW-03 | 09/14/11 | 16.51 | 619.37 | | NA | 18.49 | No | | TFRT System Down on 8/31/11 for well recovery test |
| EW-03 | 09/23/11 | 16.74 | 619.14 | | -0.23 | 18.26 | No | | |
| EW-03 | 09/29/11 | 16.56 | 619.32 | | 0.18 | 18.44 | No | | |
| EW-03 | 10/07/11 | 16.82 | 619.06 | | -0.26 | 18.18 | No | | |
| EW-03 | 10/13/11 | 14.26 | 621.62 | | 2.56 | 20.74 | Yes | | |
| EW-03 | 10/21/11 | 17.19 | 618.69 | | -2.93 | 17.81 | No | | |
| EW-03 | 10/27/11 | 17.28 | 618.60 | | -0.09 | 17.72 | No | | |
| EW-03 | 11/02/11 | 17.61 | 618.27 | | -0.33 | 17.39 | No | | Conducted 2011 annual well pump maintenance |
| EW-03 | 11/10/11 | 17.64 | 618.24 | | -0.03 | 17.36 | No | | |
| EW-03 | 11/18/11 | 17.72 | 618.16 | | -0.08 | 17.28 | No | | |
| EW-03 | 11/22/11 | 17.82 | 618.06 | | -0.10 | 17.18 | No | | |
| EW-03 | 12/01/11 | 17.80 | 618.08 | | 0.02 | 17.20 | No | | Restarted TFRT system on 11/30/11 with only EW 4 & EW 5 |
| EW-03 | 09/18/12 | 18.08 | 617.80 | | -0.28 | 16.92 | No | | |
| EW-03 | 05/06/13 | 19.21 | 616.67 | | -1.13 | 15.79 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|---|
| EW-04 | 09/14/11 | 19.81 | 619.94 | | NA | 18.71 | No | | TFRT System Down on 8/31/11 for well recovery test |
| EW-04 | 09/23/11 | 22.10 | 619.70 | | -0.24 | 19.16 | No | | |
| EW-04 | 09/29/11 | 23.39 | 619.08 | | -0.62 | 18.76 | No | | |
| EW-04 | 10/07/11 | 24.41 | 619.04 | | -0.04 | 19.05 | No | | |
| EW-04 | 10/13/11 | 24.94 | 618.80 | | -0.24 | 18.91 | No | | |
| EW-04 | 10/21/11 | 25.48 | 618.76 | | -0.05 | 19.03 | No | | |
| EW-04 | 10/27/11 | 26.10 | 618.36 | | -0.40 | 18.70 | No | | |
| EW-04 | 11/02/11 | 26.36 | 618.25 | | -0.11 | 18.64 | No | | Conducted 2011 annual well pump maintenance |
| EW-04 | 11/10/11 | 26.67 | 618.14 | | -0.11 | 18.60 | No | | |
| EW-04 | 11/18/11 | 27.20 | 617.98 | | -0.15 | 18.57 | No | | |
| EW-04 | 11/22/11 | 27.67 | 617.75 | | -0.24 | 18.41 | No | | |
| EW-04 | 11/30/11 | 28.93 | 616.42 | | -1.33 | 17.06 | No | | Restarted TFRT system on 11/30/11 with only EW 4 & EW 5 |
| EW-04 | 09/18/12 | 25.11 | 616.68 | | 0.26 | 16.13 | No | | |
| EW-04 | 03/26/13 | 26.97 | 614.77 | | -1.90 | 14.21 | No | | |
| EW-04 | 05/06/13 | 27.19 | 614.51 | | -0.26 | 13.94 | No | | |
| EW-04 | 05/16/13 | 25.93 | 615.53 | | 1.01 | 14.87 | No | | Spill Buddy Before Reading |
| EW-05 | 09/14/11 | 16.86 | 618.41 | | NA | 18.17 | No | | TFRT System Down on 8/31/11 for well recovery test |
| EW-05 | 09/23/11 | 16.99 | 618.30 | | -0.11 | 18.07 | No | | |
| EW-05 | 09/29/11 | 16.99 | 618.33 | | 0.03 | 18.11 | No | | |
| EW-05 | 10/07/11 | 16.98 | 618.33 | | 0.00 | 18.10 | No | | |
| EW-05 | 10/13/11 | 17.02 | 618.29 | | -0.04 | 18.06 | No | | |
| EW-05 | 10/21/11 | 17.44 | 617.88 | | -0.40 | 17.66 | No | | |
| EW-05 | 10/27/11 | 17.66 | 617.68 | | -0.21 | 17.46 | No | | |
| EW-05 | 11/01/11 | 17.88 | 617.49 | | -0.19 | 17.28 | No | | Conducted 2011 annual well pump maintenance |
| EW-05 | 11/10/11 | 18.56 | 616.88 | | -0.61 | 16.69 | No | | |
| EW-05 | 11/18/11 | 18.56 | 616.88 | | 0.00 | 16.69 | No | | |
| EW-05 | 11/22/11 | 18.70 | 616.75 | | -0.13 | 16.57 | No | | |
| EW-05 | 11/30/11 | 18.70 | 616.75 | | 0.00 | 16.57 | No | | Restarted TFRT system on 11/30/11 with only EW 4 & EW 5 |
| EW-05 | 09/18/12 | 18.05 | 617.20 | | 0.45 | 16.95 | No | | |
| EW-05 | 05/06/13 | 18.14 | 617.11 | | -0.09 | 16.86 | No | | |
| EW-06 | 07/25/11 | 17.70 | 619.20 | 619.20 | NA | 17.30 | No | | |
| EW-06 | 08/18/11 | 17.18 | 619.72 | 619.72 | 0.52 | 17.82 | No | | |
| EW-06 | 08/25/11 | 17.68 | 619.22 | 619.22 | -0.50 | 17.32 | No | | |
| EW-06 | 09/01/11 | 17.67 | 619.23 | 619.23 | 0.01 | 17.33 | No | | |
| EW-06 | 09/08/11 | 18.17 | 618.73 | 618.73 | -0.50 | 16.83 | No | | |
| EW-06 | 09/14/11 | 18.55 | 618.35 | 618.35 | -0.38 | 16.45 | No | | |
| EW-06 | 09/23/11 | 18.67 | 618.23 | 618.23 | -0.12 | 16.33 | No | | |
| EW-06 | 09/29/11 | 18.64 | 618.26 | 618.26 | 0.03 | 16.36 | No | | 21.29 |
| EW-06 | 10/07/11 | 18.67 | 618.23 | 618.23 | -0.03 | 16.33 | No | | |
| EW-06 | 10/11/11 | 18.84 | 618.06 | 618.06 | -0.17 | 16.16 | No | | |
| EW-06 | 10/21/11 | 19.04 | 617.86 | 617.86 | -0.20 | 15.96 | No | | |
| EW-06 | 10/27/11 | 18.46 | 618.44 | 618.44 | 0.58 | 16.54 | No | | |
| EW-06 | 11/04/11 | 19.37 | 617.53 | 617.53 | -0.91 | 15.63 | No | | |
| EW-06 | 11/09/11 | 19.25 | 617.65 | 617.65 | 0.12 | 15.75 | No | | |
| EW-06 | 11/18/11 | 19.41 | 617.49 | 617.49 | -0.16 | 15.59 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change In Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|----------------------------|
| EW-06 | 11/22/11 | 19.53 | 617.37 | 617.37 | -0.12 | 15.47 | No | | |
| EW-06 | 12/01/11 | 19.94 | 616.96 | 616.96 | -0.41 | 15.06 | No | | |
| EW-06 | 01/04/12 | 20.24 | 616.66 | 616.66 | -0.30 | 14.76 | No | | |
| EW-06 | 02/16/12 | 20.75 | 616.15 | 616.15 | -0.51 | 14.25 | No | | |
| EW-06 | 03/13/12 | 20.94 | 615.96 | 615.96 | -0.19 | 14.06 | No | | |
| EW-06 | 04/16/12 | 21.29 | 615.61 | 615.61 | -0.35 | 13.71 | No | | |
| EW-06 | 05/18/12 | 20.71 | 616.53 | 616.19 | 0.92 | 14.74 | No | 20.26 | |
| EW-06 | 06/26/12 | 18.94 | 618.16 | 617.96 | 1.63 | 16.32 | No | 18.68 | |
| EW-06 | 07/12/12 | 19.09 | 618.01 | 617.81 | -0.15 | 16.17 | No | 18.83 | |
| EW-06 | 07/24/12 | 19.59 | 617.75 | 617.31 | -0.25 | 16.00 | No | 19.00 | |
| EW-06 | 08/09/12 | 19.75 | 617.62 | 617.15 | -0.13 | 15.88 | No | 19.12 | Spill Buddy Before Reading |
| EW-06 | 08/17/12 | 19.89 | 617.46 | 617.01 | -0.03 | 15.71 | No | 19.29 | |
| EW-06 | 09/17/12 | 20.62 | 617.01 | 616.28 | -0.45 | 15.35 | No | 19.65 | |
| EW-06 | 09/18/12 | 20.25 | 617.14 | 616.65 | 0.13 | 15.40 | No | 19.60 | Spill Buddy Before Reading |
| EW-06 | 09/30/12 | 20.32 | 616.91 | 616.58 | -0.10 | 15.12 | No | 19.88 | |
| EW-06 | 11/21/12 | 20.84 | 616.39 | 616.06 | -0.52 | 14.60 | No | 20.40 | |
| EW-06 | 12/17/12 | 21.39 | 616.09 | 615.51 | -0.30 | 14.38 | No | 20.62 | |
| EW-06 | 03/25/13 | 23.31 | 615.23 | 613.59 | -0.86 | 13.88 | No | 21.12 | |
| EW-06 | 04/03/13 | 23.42 | 615.21 | 613.48 | -0.02 | 13.89 | No | 21.11 | Spill Buddy Before Reading |
| EW-06 | 05/05/13 | 22.93 | 615.40 | 613.97 | 0.18 | 13.97 | No | 21.03 | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| EW-07 | 07/25/11 | 17.07 | 618.33 | | NA | 17.93 | No | | |
| EW-07 | 08/18/11 | 16.71 | 618.69 | | 0.36 | 18.29 | No | | |
| EW-07 | 08/25/11 | 17.12 | 618.28 | | -0.41 | 17.88 | No | | |
| EW-07 | 09/01/11 | 17.24 | 618.16 | | -0.12 | 17.76 | No | | |
| EW-07 | 09/08/11 | 17.72 | 617.68 | | -0.48 | 17.28 | No | | |
| EW-07 | 09/14/11 | 18.04 | 617.36 | | -0.32 | 16.96 | No | | |
| EW-07 | 09/23/11 | 18.24 | 617.16 | | -0.20 | 16.76 | No | | |
| EW-07 | 09/29/11 | 18.24 | 617.16 | | 0.00 | 16.76 | No | | |
| EW-07 | 10/07/11 | 18.38 | 617.02 | | -0.14 | 16.62 | No | | |
| EW-07 | 10/11/11 | 18.51 | 616.89 | | -0.13 | 16.49 | No | | |
| EW-07 | 10/21/11 | 18.76 | 616.64 | | -0.25 | 16.24 | No | | |
| EW-07 | 10/27/11 | 18.86 | 616.54 | | -0.10 | 16.14 | No | | |
| EW-07 | 11/01/11 | 19.05 | 616.35 | | -0.19 | 15.95 | No | | |
| EW-07 | 11/09/11 | 19.02 | 616.38 | | 0.03 | 15.98 | No | | |
| EW-07 | 11/18/11 | 19.18 | 616.22 | | -0.16 | 15.82 | No | | |
| EW-07 | 11/22/11 | 19.31 | 616.09 | | -0.13 | 15.69 | No | | |
| EW-07 | 12/01/11 | 19.24 | 616.16 | | 0.07 | 15.76 | No | | |
| EW-07 | 01/04/12 | 19.95 | 615.45 | | -0.71 | 15.05 | No | | |
| EW-07 | 02/16/12 | 20.46 | 614.94 | | -0.51 | 14.54 | No | | |
| EW-07 | 03/13/12 | 20.71 | 614.69 | | -0.25 | 14.29 | No | | |
| EW-07 | 04/16/12 | 20.60 | 614.80 | | 0.11 | 14.40 | No | | |
| EW-07 | 05/18/12 | 19.65 | 615.75 | | 0.95 | 15.35 | No | | |
| EW-07 | 06/26/12 | 17.65 | 617.75 | | 2.00 | 17.35 | No | | |
| EW-07 | 07/24/12 | 18.40 | 617.00 | | -0.75 | 16.60 | No | | |
| EW-07 | 08/17/12 | 18.68 | 616.72 | | -0.28 | 16.32 | No | | |
| EW-07 | 09/17/12 | 19.10 | 616.30 | | -0.42 | 15.90 | No | | |
| EW-07 | 09/30/12 | 19.27 | 616.13 | | -0.17 | 15.73 | No | | |
| EW-07 | 03/25/13 | 20.90 | 614.50 | | -1.63 | 14.10 | No | | |
| EW-07 | 05/05/13 | 20.21 | 615.19 | | 0.69 | 14.79 | No | | |
| EW-08 | 07/25/11 | 15.86 | 619.44 | | NA | 19.14 | No | | |
| EW-08 | 08/18/11 | 15.34 | 619.96 | | 0.52 | 19.66 | No | | |
| EW-08 | 08/25/11 | 15.77 | 619.53 | | -0.43 | 19.23 | No | | |
| EW-08 | 09/01/11 | 15.82 | 619.48 | | -0.05 | 19.18 | No | | |
| EW-08 | 09/08/11 | 16.29 | 619.01 | | -0.47 | 18.71 | No | | |
| EW-08 | 09/14/11 | 16.65 | 618.65 | | -0.36 | 18.35 | No | | |
| EW-08 | 09/23/11 | 16.78 | 618.52 | | -0.13 | 18.22 | No | | |
| EW-08 | 09/29/11 | 16.81 | 618.49 | | -0.03 | 18.19 | No | | |
| EW-08 | 10/07/11 | 16.82 | 618.48 | | -0.01 | 18.18 | No | | |
| EW-08 | 10/11/11 | 16.99 | 618.31 | | -0.17 | 18.01 | No | | |
| EW-08 | 10/21/11 | 17.20 | 618.10 | | -0.21 | 17.80 | No | | |
| EW-08 | 10/27/11 | 17.34 | 617.96 | | -0.14 | 17.66 | No | | |
| EW-08 | 11/04/11 | 17.50 | 617.80 | | -0.16 | 17.50 | No | | |
| EW-08 | 11/09/11 | 17.43 | 617.87 | | 0.07 | 17.57 | No | | |
| EW-08 | 11/18/11 | 17.57 | 617.73 | | -0.14 | 17.43 | No | | |
| EW-08 | 11/22/11 | 17.67 | 617.63 | | -0.10 | 17.33 | No | | |
| EW-08 | 12/01/11 | 18.03 | 617.27 | | -0.36 | 16.97 | No | | |
| EW-08 | 01/04/12 | 18.29 | 617.01 | | -0.26 | 16.71 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| EW-08 | 02/16/12 | 18.77 | 616.53 | | -0.48 | 16.23 | No | | |
| EW-08 | 03/13/12 | 18.99 | 616.31 | | -0.22 | 16.01 | No | | |
| EW-08 | 04/16/12 | 19.33 | 615.97 | | -0.34 | 15.67 | No | | |
| EW-08 | 05/18/12 | 18.46 | 616.84 | | 0.87 | 16.54 | No | | |
| EW-08 | 06/26/12 | 16.90 | 618.40 | | 1.56 | 18.10 | No | | |
| EW-08 | 07/24/12 | 16.21 | 619.09 | | 0.69 | 18.79 | No | | |
| EW-08 | 08/19/12 | 17.55 | 617.75 | | -1.34 | 17.45 | No | | |
| EW-08 | 09/17/12 | 17.61 | 617.69 | | -0.06 | 17.39 | No | | |
| EW-08 | 09/30/12 | 18.11 | 617.19 | | -0.50 | 16.89 | No | | |
| EW-08 | 03/25/13 | 19.57 | 615.73 | | -1.46 | 15.43 | No | | |
| EW-08 | 05/05/13 | 19.42 | 615.88 | | 0.15 | 15.58 | No | | |
| EW-09 | 07/25/11 | 16.24 | 618.96 | | NA | 18.76 | No | | |
| EW-09 | 08/18/11 | 15.82 | 619.38 | | 0.42 | 19.18 | No | | |
| EW-09 | 08/25/11 | 16.19 | 619.01 | | -0.37 | 18.81 | No | | |
| EW-09 | 09/01/11 | 16.31 | 618.89 | | -0.12 | 18.69 | No | | |
| EW-09 | 09/08/11 | 16.76 | 618.44 | | -0.45 | 18.24 | No | | |
| EW-09 | 09/14/11 | 17.10 | 618.10 | | -0.34 | 17.90 | No | | |
| EW-09 | 09/23/11 | 17.33 | 617.87 | | -0.23 | 17.67 | No | | |
| EW-09 | 09/29/11 | 17.32 | 617.88 | | 0.01 | 17.68 | No | | |
| EW-09 | 10/07/11 | 17.48 | 617.72 | | -0.16 | 17.52 | No | | |
| EW-09 | 10/11/11 | 17.60 | 617.60 | | -0.12 | 17.40 | No | | |
| EW-09 | 10/21/11 | 17.75 | 617.45 | | -0.15 | 17.25 | No | | |
| EW-09 | 10/27/11 | 18.00 | 617.20 | | -0.25 | 17.00 | No | | |
| EW-09 | 11/04/11 | 18.25 | 616.95 | | -0.25 | 16.75 | No | | |
| EW-09 | 11/09/11 | 18.21 | 616.99 | | 0.04 | 16.79 | No | | |
| EW-09 | 11/18/11 | 18.42 | 616.78 | | -0.21 | 16.58 | No | | |
| EW-09 | 11/22/11 | 18.14 | 617.06 | | 0.28 | 16.86 | No | | |
| EW-09 | 12/01/11 | 18.52 | 616.68 | | -0.38 | 16.48 | No | | |
| EW-09 | 01/04/12 | 19.23 | 615.97 | | -0.71 | 15.77 | No | | |
| EW-09 | 02/16/12 | 19.78 | 615.42 | | -0.55 | 15.22 | No | | |
| EW-09 | 03/13/12 | 20.06 | 615.14 | | -0.28 | 14.94 | No | | |
| EW-09 | 04/16/12 | 19.91 | 615.29 | | 0.15 | 15.09 | No | | |
| EW-09 | 05/18/12 | 18.94 | 616.26 | | 0.97 | 16.06 | No | | |
| EW-09 | 06/26/12 | 17.18 | 618.02 | | 1.76 | 17.82 | No | | |
| EW-09 | 07/24/12 | 17.75 | 617.45 | | -0.57 | 17.25 | No | | |
| EW-09 | 08/19/12 | 18.15 | 617.05 | | -0.40 | 16.85 | No | | |
| EW-09 | 09/17/12 | 18.64 | 616.56 | | -0.49 | 16.36 | No | | |
| EW-09 | 09/30/12 | 18.89 | 616.31 | | -0.25 | 16.11 | No | | |
| EW-09 | 03/25/13 | 20.43 | 614.77 | | -1.54 | 14.57 | No | | |
| EW-09 | 05/05/13 | 20.01 | 615.19 | | 0.42 | 14.99 | No | | |
| EW-10 | 07/25/11 | 16.28 | 619.62 | | NA | 18.72 | No | | |
| EW-10 | 08/18/11 | 15.81 | 620.09 | | 0.47 | 19.19 | No | | |
| EW-10 | 08/25/11 | 16.14 | 619.76 | | -0.33 | 18.86 | No | | |
| EW-10 | 09/01/11 | 16.10 | 619.80 | | 0.04 | 18.90 | No | | |
| EW-10 | 09/08/11 | 16.61 | 619.29 | | -0.51 | 18.39 | No | | |
| EW-10 | 09/14/11 | 17.00 | 618.90 | | -0.39 | 18.00 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------|
| EW-10 | 09/23/11 | 17.23 | 618.67 | | -0.23 | 17.77 | No | | |
| EW-10 | 09/29/11 | 17.17 | 618.73 | | 0.06 | 17.83 | No | | |
| EW-10 | 10/07/11 | 17.31 | 618.59 | | -0.14 | 17.69 | No | | |
| EW-10 | 10/11/11 | 17.45 | 618.45 | | -0.14 | 17.55 | No | | |
| EW-10 | 10/21/11 | 17.76 | 618.14 | | -0.31 | 17.24 | No | | |
| EW-10 | 10/27/11 | 17.90 | 618.00 | | -0.14 | 17.10 | No | | |
| EW-10 | 11/04/11 | 18.12 | 617.78 | | -0.22 | 16.88 | No | | |
| EW-10 | 11/09/11 | 18.02 | 617.88 | | 0.10 | 16.98 | No | | |
| EW-10 | 11/18/11 | 18.19 | 617.71 | | -0.17 | 16.81 | No | | |
| EW-10 | 11/22/11 | 18.27 | 617.63 | | -0.08 | 16.73 | No | | |
| EW-10 | 12/01/11 | 18.73 | 617.17 | | -0.46 | 16.27 | No | | |
| EW-10 | 01/04/12 | 18.92 | 616.98 | | -0.19 | 16.08 | No | | |
| EW-10 | 02/16/12 | 19.47 | 616.43 | | -0.55 | 15.53 | No | | |
| EW-10 | 03/13/12 | 19.72 | 616.18 | | -0.25 | 15.28 | No | | |
| EW-10 | 04/16/12 | 19.66 | 616.24 | | 0.06 | 15.34 | No | | |
| EW-10 | 05/18/12 | 18.75 | 617.15 | | 0.91 | 16.25 | No | | |
| EW-10 | 06/26/12 | 17.26 | 618.64 | | 1.49 | 17.74 | No | | |
| EW-10 | 07/24/12 | 17.61 | 618.29 | | -0.35 | 17.39 | No | | |
| EW-10 | 08/19/12 | 18.00 | 617.90 | | -0.39 | 17.00 | No | | |
| EW-10 | 09/17/12 | 18.40 | 617.50 | | -0.40 | 16.60 | No | | |
| EW-10 | 09/30/12 | 18.62 | 617.28 | | -0.22 | 16.38 | No | | |
| EW-10 | 03/25/13 | 20.04 | 615.86 | | -1.42 | 14.96 | No | | |
| EW-10 | 05/05/13 | 19.79 | 616.11 | | 0.25 | 15.21 | No | | |

Table 2
Groundwater Elevations and FP Measurements
Terminal Property at the Former Amoco Terminal
2904 Winter Street

| Well ID | Date | Depth to Water Below Ground | Corrected GW Elevation (AMSL) | UNCORRECTED GW Elevation | Change in Corrected GW Elevation | Liquid in Well (feet) | Screen Submerged with Liquid? | Depth to Product Below Ground | Comments/Observations |
|---------|----------|-----------------------------|-------------------------------|--------------------------|----------------------------------|-----------------------|-------------------------------|-------------------------------|-----------------------------|
| EW-11 | 07/25/11 | 18.55 | 620.03 | 618.65 | NA | 18.29 | No | 16.71 | |
| EW-11 | 08/18/11 | 19.58 | 620.31 | 617.62 | 0.27 | 19.00 | No | 16.00 | |
| EW-11 | 08/25/11 | 20.35 | 619.86 | 616.85 | -0.45 | 18.66 | No | 16.34 | |
| EW-11 | 09/01/11 | 20.26 | 619.98 | 616.94 | 0.12 | 18.79 | No | 16.21 | |
| EW-11 | 09/08/11 | 20.83 | 619.43 | 616.37 | -0.55 | 18.25 | No | 16.75 | |
| EW-11 | 09/14/11 | 21.46 | 618.97 | 615.74 | -0.46 | 17.84 | No | 17.16 | |
| EW-11 | 09/23/11 | 21.92 | 618.78 | 615.28 | -0.19 | 17.74 | No | 17.26 | |
| EW-11 | 09/29/11 | 22.18 | 618.87 | 615.02 | 0.09 | 17.95 | No | 17.05 | 24.24 |
| EW-11 | 10/07/11 | 22.28 | 618.72 | 614.92 | -0.14 | 17.79 | No | 17.21 | |
| EW-11 | 10/11/11 | 22.43 | 618.64 | 614.77 | -0.23 | 17.73 | No | 17.27 | |
| EW-11 | 10/21/11 | 21.81 | 618.49 | 615.39 | -0.24 | 17.32 | No | 17.68 | |
| EW-11 | 10/27/11 | 22.54 | 618.25 | 614.66 | -0.24 | 17.24 | No | 17.76 | |
| EW-11 | 11/04/11 | 22.96 | 618.01 | 614.24 | -0.23 | 17.07 | No | 17.93 | |
| EW-11 | 11/09/11 | 23.05 | 618.13 | 614.15 | 0.12 | 17.26 | No | 17.74 | |
| EW-11 | 11/10/11 | 23.35 | 617.97 | 613.85 | -0.16 | 17.14 | No | 17.86 | Before EFR |
| EW-11 | 11/13/11 | 20.81 | 618.46 | 616.39 | 1.06 | 16.95 | No | 18.05 | EFR Check |
| EW-11 | 11/18/11 | 21.36 | 618.14 | 615.84 | -0.32 | 16.71 | No | 18.29 | |
| EW-11 | 11/22/11 | 21.76 | 617.93 | 615.44 | -0.21 | 16.56 | No | 18.44 | |
| EW-11 | 12/01/11 | 22.65 | 617.46 | 614.55 | -0.47 | 16.23 | No | 18.77 | |
| EW-11 | 01/04/12 | 23.69 | 617.23 | 613.51 | -0.23 | 16.27 | No | 18.73 | |
| EW-11 | 02/16/12 | 24.24 | 616.61 | 612.96 | -0.62 | 15.63 | No | 19.37 | |
| EW-11 | 03/13/12 | 24.08 | 616.38 | 613.12 | -0.24 | 15.26 | No | 19.74 | |
| EW-11 | 04/12/12 | 23.73 | 616.52 | 613.47 | 0.14 | 15.33 | No | 19.67 | Spill Buddy Before Reading |
| EW-11 | 04/16/12 | 22.65 | 616.47 | 614.55 | 0.02 | 14.91 | No | 20.09 | |
| EW-11 | 05/18/12 | 19.74 | 618.77 | 617.46 | | 17.01 | No | 17.99 | |
| EW-11 | 06/26/12 | 20.81 | 618.87 | 616.39 | 0.10 | 17.50 | No | 17.50 | |
| EW-11 | 06/27/12 | 20.81 | 618.87 | 616.39 | 0.00 | 17.50 | No | 17.50 | Installed Portable system 1 |
| EW-11 | 11/21/12 | 21.88 | 617.12 | 615.32 | -1.75 | 15.52 | No | 19.48 | |
| EW-11 | 12/17/12 | 22.91 | 616.76 | 614.29 | -0.36 | 15.38 | No | 19.62 | |
| EW-11 | 03/25/13 | 23.84 | 615.91 | 613.36 | -0.85 | 14.56 | No | 20.44 | |
| EW-11 | 05/05/13 | 23.50 | 616.23 | 613.70 | 0.32 | 14.87 | No | 20.13 | |
| EW-11 | 05/16/13 | 23.64 | 616.26 | 613.56 | 0.03 | 14.96 | No | 20.04 | Spill Buddy Before Reading |

Notes:

NM = Not Measured

NP = No Product

BTOC = Below Top of Casing


AMSL = Above Mean Sea Level

* Corrections for free product made using: TOC elevation-[depth to ground water-(product thickness * product density)]

Product Density =



Appendix A



Appendix B

