

Table 1  
 VOC Groundwater Analytical Results  
 Village of Webster, Wisconsin  
 Meridian Alliance # 05C636

Rec 2/7/06  
 Put on  
 BERTS  
 8/7/06

Sample Location	Sample Date	LAB ID	Benzene	sec-Butyl benzene	Chloroform	1,2-Dichloro-benzene	Cis-1,2-Dichloro ethene	Ethyl benzene	Naphthalene	Tetra chloro-ethene	Toluene	Trichloro-ethene	Xylenes
91-1	5/5/2004	569821	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583921	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179918	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
91-2A	5/5/2004	569822	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1.4	<0.20	<0.20	<0.50
	8/12/2004	583922	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179919	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	0.711	<0.3	<0.5	<0.62
	6/28/2006	606293-02	ND	ND	ND	ND	ND	ND	ND	1.19	ND	ND	ND
91-2B	5/5/2004	569823	0.2	0.85	<0.20	0.24	0.86	<0.50	<0.25	8.7	<0.20	0.47	<0.50
	8/12/2004	583923	0.29	0.91	<0.20	0.27	0.67	<0.50	<0.25	7.6	<0.20	0.52	<0.50
	6/22/2005	179920	0.377	1.6	<0.2	<0.60	<0.4	<0.5	<0.8	5.57	<0.3	<0.5	<0.62
	6/28/2006	606293-03	ND	ND	ND	ND	ND	ND	ND	3.43	ND	ND	ND
91-4	5/5/2004	569824	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1.6	<0.20	<0.20	<0.50
	8/12/2004	583924	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1.4	<0.20	<0.20	<0.50
	6/22/2005	179921	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	1.23	<0.3	<0.5	<0.62
91-5B	5/5/2004	569825	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583925	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179922	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	0.678	<0.3	<0.5	<0.62
	6/28/2006	606293-05	ND	ND	ND	ND	ND	ND	ND	0.91	ND	ND	ND
91-5A	5/5/2004	569826	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1.8	<0.20	<0.20	<0.50
	8/12/2004	583926	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1	<0.20	<0.20	<0.50
	6/22/2005	179923	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
91-6	5/5/2004	569827	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	86	<0.20	0.23	<0.50
	8/12/2004	583927	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	95	<0.20	0.3	<0.50
	6/22/2005	179924	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	38.9	<0.3	<0.5	<0.62
	6/28/2006	606293-06	ND	ND	ND	ND	ND	ND	ND	42.7	ND	ND	ND
91-7	5/5/2004	569828	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583928	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179925	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-1	5/5/2004	569829	<0.20	<0.25	1.5	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583929	<0.20	<0.25	0.69	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179926	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-2	5/5/2004	569830	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583930	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179927	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-3	5/5/2004	569831	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583931	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179928	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-4	5/5/2004	569832	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583932	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179929	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-5	5/5/2004	569833	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583933	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179930	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-6	5/5/2004	569834	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583934	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179931	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
OW-8	5/5/2004	569835	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583935	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	0.68	<0.20	<0.20	<0.50
	6/22/2005	179932	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-14	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
VW-2	5/5/2004	569836	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583936	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	6/22/2005	179933	<0.31	<0.4	<0.2	<0.60	<0.4	<0.5	<0.8	<0.45	<0.3	<0.5	<0.62
	6/28/2006	606293-15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FB	5/5/2004	569837	<0.20	<0.25	1.5	<0.20	<0.50	<0.50	<0.25	<0.50	<0.20	<0.20	<0.50
	8/12/2004	583937	<0.20	<0.25	0.62	<0.20	<0.50	<0.50	<0.25	<0.50	0.25	<0.20	<0.50
91-2B Dup	5/5/2004	569838	0.25	0.8	<0.20	0.28	0.73	<0.50	<0.25	8	<0.20	0.5	<0.50
91-5B Dup	8/12/2004	583938	<0.20	<0.25	<0.20	<0.20	<0.50	<0.50	<0.25	1.1	<0.20	<0.20	<0.50
NR 140 Preventive Action Limit			0.5	ns	0.6	60	7	140	8	0.5	200	0.5	1000
NR 140 Enforcement Standard			5	ns	6	600	70	700	40	5	1000	5	10000

Bold = Exceeds ES

ns = no standard currently exists



A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

June 30, 2006

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

Attn: Ken Shimko

**REPORT NO.: 0606293**

**PROJECT NO.: WEBSTER**

Please find enclosed the analytical report, including the Sample Summary, Sample Narrative and Chain of Custody for your sample set received June 22, 2006.

All analyses were performed in accordance with NELAC Standards using approved methods as indicated on this report.

If you have any questions about the results, please call. Thank you for using USFilter, Enviroscan Services for your analytical needs.

Sincerely,

**USFilter, Enviroscan Services**

James Salkowski  
Lab Director

*I certify that the data contained in this report has been generated and reviewed in accordance with the USFilter, Enviroscan Services Quality Assurance Program. Exceptions, if any, are discussed in the sample narrative. Samples will be retained for 30 days from the date of this report, then disposed in an appropriate manner. USFilter, Enviroscan Services reserves the right to return samples identified as hazardous. Release of this Final Report is authorized as verified by the following signature.*

Approved by: \_\_\_\_\_

**Certifications:**

Wisconsin 737053130  
Minnesota 055-999-302  
Illinois 100317





A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
[www.enviroscan.usfilter.com](http://www.enviroscan.usfilter.com)

**SAMPLE SUMMARY**

<u>Lab Id</u>	<u>Client Sample Id</u>	<u>Date/Time</u>	<u>Matrix</u>
0606293-01	91-1	06/21/06 00:00	Ground Water
0606293-02	91-2A	06/21/06 00:00	Ground Water
0606293-03	91-2B	06/21/06 00:00	Ground Water
0606293-04	91-5A	06/21/06 00:00	Ground Water
0606293-05	91-5B	06/21/06 00:00	Ground Water
0606293-06	91-6	06/21/06 00:00	Ground Water
0606293-07	91-7	06/21/06 00:00	Ground Water
0606293-08	OW-1	06/21/06 00:00	Ground Water
0606293-09	OW-2	06/21/06 00:00	Ground Water
0606293-10	OW-3	06/21/06 00:00	Ground Water
0606293-11	OW-4	06/21/06 00:00	Ground Water
0606293-12	OW-5	06/21/06 00:00	Ground Water
0606293-13	OW-6	06/21/06 00:00	Ground Water
0606293-14	OW-8	06/21/06 00:00	Ground Water
0606293-15	VW-2	06/21/06 00:00	Ground Water
0606293-16	Trip Blank	06/21/06 00:00	Water



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-1

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfiller.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-1

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-01

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u>	<u>Analyst</u>
							<u>Analyzed</u>	
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-2A

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-02

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-2A

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-02

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	1.19	ug/L	0.71	2.36	1	J	06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-2B

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-03

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP





ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-2B

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-03

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8021B Continued</u>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	3.43	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-5A

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-04

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-5A

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-04

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-5B

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-05

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-5B

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-05

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8021B Continued</u>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	0.91	ug/L	0.71	2.36	1	J	06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-6

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-06

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	2.10	7.00	5		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	3.05	10.0	5	S1L, S2L	06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	1.50	5.00	5		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	2.50	8.35	5		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	2.50	8.35	5		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	2.50	8.35	5		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	5.00	16.6	5		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	2.00	6.50	5		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	6.50	21.6	5		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	5.50	18.5	5	S1L	06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	3.00	10.0	5		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	2.00	6.65	5		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	2.00	6.65	5		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	1.55	5.15	5	S1H, S2H	06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	2.50	8.35	5		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	4.50	15.0	5		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	3.00	10.0	5		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	7.50	25.0	5		06/28/06	LMP
Benzene	ND	ug/L	1.55	5.00	5		06/28/06	LMP
Bromobenzene	ND	ug/L	2.05	6.85	5		06/28/06	LMP
Bromodichloromethane	ND	ug/L	1.50	5.00	5		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	2.00	6.65	5		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	2.15	7.15	5		06/28/06	LMP
Chlorobenzene	ND	ug/L	2.55	8.50	5		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	4.35	14.5	5		06/28/06	LMP
Chloroethane	ND	ug/L	5.00	16.6	5	CSL	06/28/06	LMP
Chloroform	ND	ug/L	1.00	5.00	5		06/28/06	LMP
Chloromethane	ND	ug/L	1.45	5.00	5	S1H, S2H	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	3.50	11.6	5		06/28/06	LMP
Ethylbenzene	ND	ug/L	2.50	8.50	5		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	5.00	16.5	5		06/28/06	LMP
Isopropyl Ether	ND	ug/L	3.00	10.0	5		06/28/06	LMP
Isopropylbenzene	ND	ug/L	1.55	5.00	5		06/28/06	LMP
m&p-Xylene	ND	ug/L	3.10	10.5	5		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	1.50	5.00	5		06/28/06	LMP
Methylene Chloride	ND	ug/L	1.65	5.50	5		06/28/06	LMP
Naphthalene	ND	ug/L	4.00	13.3	5		06/28/06	LMP
n-Butylbenzene	ND	ug/L	1.80	6.00	5		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-6

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-06

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	1.50	5.00	5	SIH, DUP	06/28/06	LMP
o-Chlorotoluene	ND	ug/L	3.00	10.0	5		06/28/06	LMP
o-Xylene	ND	ug/L	1.50	5.00	5		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	5.00	16.6	5		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	2.50	8.35	5		06/28/06	LMP
Secbutylbenzene	ND	ug/L	2.00	6.65	5		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	1.95	6.50	5		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	2.00	6.65	5		06/28/06	LMP
Tetrachloroethene	42.7	ug/L	3.55	11.8	5		06/28/06	LMP
Toluene	ND	ug/L	1.50	5.00	5		06/28/06	LMP
Trichloroethene	ND	ug/L	2.50	8.35	5		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	5.00	16.6	5		06/28/06	LMP
Vinyl Chloride	ND	ug/L	1.00	5.00	5		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-7

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-07

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP





ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 91-7

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-07

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-1

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-08

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-1

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-08

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 0W-2

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-09

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: 0W-2

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-09

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-3

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-10

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1	CSL	06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1		06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: **OW-3**

Matrix: **Ground Water**

Sample Date/Time: **06/21/06 0:00**

Lab No. **0606293-10**

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-4

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-11

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP





A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-4

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-11

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<u>EPA 8021B Continued</u>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54774

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-5

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-12

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution Factor</u>	<u>Qualifiers</u>	<u>Date Analyzed</u>	<u>Analyst</u>
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: **OW-5**

Matrix: **Ground Water**

Sample Date/Time: **06/21/06 0:00**

Lab No. **0606293-12**

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-6

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-13

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-6

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-13

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-8

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-14

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



A Siemens Business

ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: OW-8

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-14

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: VW-2

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-15

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP





ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: VW-2

Matrix: Ground Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-15

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-16

	Results	Units	LOD	LOQ	Dilution Factor	Qualifiers	Date Analyzed	Analyst
<b>EPA 8021B</b>								
1,1,1-Trichloroethane	ND	ug/L	0.42	1.40	1		06/28/06	LMP
1,1,2,2-Tetrachloroethane	ND	ug/L	0.61	2.00	1		06/28/06	LMP
1,1,2-Trichloroethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
1,1-Dichloroethane	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,1-Dichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,3-Trichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,2,4-Trichlorobenzene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
1,2,4-Trimethylbenzene	ND	ug/L	0.40	1.30	1		06/28/06	LMP
1,2-Dibromo-3-chloropropane (DBCP)	ND	ug/L	1.30	4.33	1		06/28/06	LMP
1,2-Dibromoethane (EDB)	ND	ug/L	1.10	3.70	1		06/28/06	LMP
1,2-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
1,2-Dichloroethane	ND	ug/L	0.40	1.33	1	CSL	06/28/06	LMP
1,2-Dichloropropane	ND	ug/L	0.40	1.33	1		06/28/06	LMP
1,3,5-Trimethylbenzene	ND	ug/L	0.31	1.03	1		06/28/06	LMP
1,3-Dichlorobenzene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
1,3-Dichloropropane	ND	ug/L	0.90	3.00	1		06/28/06	LMP
1,4-Dichlorobenzene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
2,2-Dichloropropane	ND	ug/L	1.50	5.00	1		06/28/06	LMP
Benzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
Bromobenzene	ND	ug/L	0.41	1.37	1		06/28/06	LMP
Bromodichloromethane	ND	ug/L	0.30	1.00	1		06/28/06	LMP
c-1,2-Dichloroethene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Carbon Tetrachloride	ND	ug/L	0.43	1.43	1		06/28/06	LMP
Chlorobenzene	ND	ug/L	0.51	1.70	1		06/28/06	LMP
Chlorodibromomethane	ND	ug/L	0.87	2.90	1		06/28/06	LMP
Chloroethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Chloroform	ND	ug/L	0.20	1.00	1		06/28/06	LMP
Chloromethane	ND	ug/L	0.29	1.00	1	CSH, CSL	06/28/06	LMP
Dichlorodifluoromethane	ND	ug/L	0.70	2.33	1		06/28/06	LMP
Ethylbenzene	ND	ug/L	0.50	1.70	1		06/28/06	LMP
Hexachlorobutadiene	ND	ug/L	1.00	3.30	1		06/28/06	LMP
Isopropyl Ether	ND	ug/L	0.60	2.00	1		06/28/06	LMP
Isopropylbenzene	ND	ug/L	0.31	1.00	1		06/28/06	LMP
m&p-Xylene	ND	ug/L	0.62	2.10	1		06/28/06	LMP
Methyl Tert Butyl Ether	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Methylene Chloride	ND	ug/L	0.33	1.10	1		06/28/06	LMP
Naphthalene	ND	ug/L	0.80	2.66	1		06/28/06	LMP
n-Butylbenzene	ND	ug/L	0.36	1.20	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE 800-338-7226  
FACSIMILE 715-355-3221  
WEBSITE www.enviroscan.usfilter.com

A Siemens Business

Meridian Alliance Group LLC  
2711 North Elco Road  
Fall Creek, WI 54742

PROJECT NO. : WEBSTER  
REPORT NO. : 0606293  
DATE REC'D : 06/22/06 09:49  
REPORT DATE : 06/30/06 16:29  
PREPARED BY : JRS

Attn: Ken Shimko

Sample ID: Trip Blank

Matrix: Water

Sample Date/Time: 06/21/06 0:00

Lab No. 0606293-16

	<u>Results</u>	<u>Units</u>	<u>LOD</u>	<u>LOQ</u>	<u>Dilution</u> <u>Factor</u>	<u>Qualifiers</u>	<u>Date</u> <u>Analyzed</u>	<u>Analyst</u>
<b><u>EPA 8021B Continued</u></b>								
n-Propylbenzene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
o-Chlorotoluene	ND	ug/L	0.60	2.00	1		06/28/06	LMP
o-Xylene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
p-Chlorotoluene	ND	ug/L	1.00	3.33	1		06/28/06	LMP
p-Isopropyltoluene	ND	ug/L	0.50	1.67	1	CSH, CSL	06/28/06	LMP
Secbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
t-1,2-Dichloroethene	ND	ug/L	0.39	1.30	1		06/28/06	LMP
Tertbutylbenzene	ND	ug/L	0.40	1.33	1		06/28/06	LMP
Tetrachloroethene	ND	ug/L	0.71	2.36	1		06/28/06	LMP
Toluene	ND	ug/L	0.30	1.00	1		06/28/06	LMP
Trichloroethene	ND	ug/L	0.50	1.67	1		06/28/06	LMP
Trichlorofluoromethane	ND	ug/L	1.00	3.33	1		06/28/06	LMP
Vinyl Chloride	ND	ug/L	0.20	1.00	1		06/28/06	LMP



ENVIROSCAN SERVICES  
301 WEST MILITARY ROAD  
ROTHSCHILD, WI 54474

TELEPHONE  
FACSIMILE  
WEBSITE

800-338-7226  
715-355-3221  
www.enviroscan.usfilter.com

A Siemens Business

### Qualifier Descriptions

S2L	Second sample matrix spike recovery was low.
S2H	Second sample matrix spike recovery was high.
S1L	First sample matrix spike recovery was low.
S1H	First sample matrix spike recovery was high.
J	Estimated concentration below laboratory quantitation level.
DUP	Result of duplicate analysis in this quality assurance batch exceeds the limits for precision.
CSL	Check standard for this analyte exhibited a low bias. Sample results may also be biased low.
CSH	Check standard for this analyte exhibited a high bias. Sample results may also be biased high.

### Definitions

LOD = Limit of Detection (Dilution Corrected)  
LOQ = Limit of Quantitation (Dilution Corrected)  
ND = Not Detected  
COMP = Complete  
SUBCON = Subcontracted analysis  
mv = millivolts  
pci/L = picocurie per Liter  
mL/L = milliliters/Liter  
mg = milligram

ug/l = Microgram per Liter = parts per billion (ppb)  
ug/kg = Microgram per kilogram = parts per billion (ppb)  
mg/l = Milligram per liter parts per million (ppm)  
mg/kg = Milligram per kilogram parts per million (ppm)  
NOT PRES = Not Present  
ppth = Parts per thousand  
\* = Result outside established limits.  
mg/m<sup>3</sup> = Milligrams/ meter cubed  
ng/L = Nanograms per Liter = Parts per trillion (ppt)  
> = Greater Than

When the word "dry" follows the units on the result page the sample results are dry weight corrected.

LODs and LOQs are dry weight corrected for all soils except methanol and methylene chloride preserved soils.

# REQUEST FOR SERVICES



A Siemens Business

**ENVIROSCAN SERVICES**

301 W. MILITARY RD.

ROTHSCHILD, WI 54474

1-800-338-SCAN

**REPORT TO:**

Name: Ken Shinko

Company: Meridian Alliance

Address: 271 W. Felco Rd

Fall Creek, WI 54742

Phone: ( 715 ) 832-6608

P.O.# \_\_\_\_\_

Project # \_\_\_\_\_ Quote # \_\_\_\_\_

Location Webster

**BILL TO: (if different from Report To info)**

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

**PAGE 1 of 2**

**ANALYTICAL REQUESTS**  
(use separate sheet if necessary)

**Sample Type**  
(Check all that apply)

- Groundwater
- Wastewater
- Soil/Solid
- Drinking Water
- Oil
- Vapor
- Other

**Turnaround Time**

- Normal
- Rush (Pre-approved by Lab)

Date Needed \_\_\_\_\_

Approved By \_\_\_\_\_

0606293

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	REMARKS
			COMP	GRAB		
	6/21/06	AM			91-1	3 vials w/ filter
					91-2A	
					91-2B	
					91-5A	
					91-5B	
					91-6	
					91-7	
					OW-1	
					OW-2	
					OW-3	

VOC (8021)

## CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) \_\_\_\_\_

RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED BY: (Signature)
RELINQUISHED BY: (Signature)	DATE/TIME	RECEIVED FOR LABORATORY BY: (Signature)

Del'v: Hand Comm	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Ship: Cont. OK	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Samples leaking?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Seals OK?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A
Rec'd on ice?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	<input type="checkbox"/> N/A 3°C

Comments: \_\_\_\_\_

6-22-06 9:49

# REQUEST FOR SERVICES



A Siemens Business

ENVIROSCAN SERVICES

301 W. MILITARY RD.

ROTHSCHILD, WI 54474

1-800-338-SCAN

**REPORT TO:**

Name: Ken Shinko

Company: \_\_\_\_\_

Address: PAGE TWO

Phone: (\_\_\_\_) \_\_\_\_\_

P.O.# \_\_\_\_\_

Project # \_\_\_\_\_ Quote # \_\_\_\_\_

Location Webster

**BILL TO:** (if different from Report To info)

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: (\_\_\_\_) \_\_\_\_\_

Page 2 of 2

**ANALYTICAL REQUESTS**

(use separate sheet if necessary)

**Sample Type**  
(Check all that apply)

- Groundwater
- Wastewater
- Soil/Solid
- Drinking Water
- Oil
- Vapor
- Other

**Turnaround Time**

- Normal
- Rush (Pre-approved by Lab)

Date Needed \_\_\_\_\_

Approved By \_\_\_\_\_

LAB USE ONLY	DATE	TIME	No. of Containers		SAMPLE ID	REMARKS
			COMP	GRAB		
	6/21/06	1pm			OW-4	3 vials w/label ↓
					OW-5	
					OW-6	
					OW-8	
					VW-2	
					Trip Blank	
					7/1/12	

## CHAIN OF CUSTODY RECORD

SAMPLERS: (Signature) [Signature]

RELINQUISHED BY: (Signature) <u>[Signature]</u>	DATE/TIME <u>6/21/06 4pm</u>	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED BY: (Signature) _____
RELINQUISHED BY: (Signature) _____	DATE/TIME _____	RECEIVED FOR LABORATORY BY: (Signature) <u>[Signature]</u>

Del'v. Hand Comm	<input checked="" type="checkbox"/>	N	NA
Ship. Cont. OK	<input checked="" type="checkbox"/>	N	NA
Samples leaking?	<input checked="" type="checkbox"/>	N	NA
Seals OK?	<input checked="" type="checkbox"/>	N	NA
Rec'd on ice?	<input checked="" type="checkbox"/>	N	NA

Comments: \_\_\_\_\_

DATE/TIME 6-22-06 9:49