

October 13, 2016

Brian Hegge
MSA Professional Services
1835 N Stevens St
Rhineland, WI 54501

RE: Project: 17644000 Webster GW
Pace Project No.: 10364786

Dear Brian Hegge:

Enclosed are the analytical results for sample(s) received by the laboratory on October 04, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Shawn Davis
shawn.davis@pacelabs.com
Project Manager

Enclosures

cc: Erica Evert, MSA Professionals
Curt Kleist



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 17644000 Webster GW

Pace Project No.: 10364786

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10364786001	91-1	Water	10/03/16 09:40	10/04/16 18:50
10364786002	91-2A	Water	10/03/16 10:15	10/04/16 18:50
10364786003	91-2B	Water	10/03/16 11:00	10/04/16 18:50
10364786004	91-5A	Water	10/03/16 14:30	10/04/16 18:50
10364786005	91-5B	Water	10/03/16 15:15	10/04/16 18:50
10364786006	91-6	Water	10/03/16 12:00	10/04/16 18:50
10364786007	91-7	Water	10/03/16 13:30	10/04/16 18:50
10364786008	OW-1	Water	10/03/16 16:00	10/04/16 18:50
10364786009	OW-2	Water	10/03/16 16:45	10/04/16 18:50
10364786010	Trip Blank	Water	10/03/16 06:00	10/04/16 18:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 17644000 Webster GW

Pace Project No.: 10364786

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10364786001	91-1	EPA 8260B	EMC	70	PASI-M
10364786002	91-2A	EPA 8260B	EMC	70	PASI-M
10364786003	91-2B	EPA 8260B	EMC	70	PASI-M
10364786004	91-5A	EPA 8260B	EMC	70	PASI-M
10364786005	91-5B	EPA 8260B	EMC	70	PASI-M
10364786006	91-6	EPA 8260B	EMC	70	PASI-M
10364786007	91-7	EPA 8260B	EMC	70	PASI-M
10364786008	OW-1	EPA 8260B	EMC	70	PASI-M
10364786009	OW-2	EPA 8260B	EMC	70	PASI-M
10364786010	Trip Blank	EPA 8260B	EMC	70	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 17644000 Webster GW

Pace Project No.: 10364786

Method: EPA 8260B

Description: 8260B VOC

Client: MSA-WI

Date: October 13, 2016

General Information:

10 samples were analyzed for EPA 8260B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 440704

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- 91-1 (Lab ID: 10364786001)
 - Bromomethane
- 91-2A (Lab ID: 10364786002)
 - Bromomethane
- 91-2B (Lab ID: 10364786003)
 - Bromomethane
- 91-5A (Lab ID: 10364786004)
 - Bromomethane
- 91-5B (Lab ID: 10364786005)
 - Bromomethane
- 91-6 (Lab ID: 10364786006)
 - Bromomethane
- 91-7 (Lab ID: 10364786007)
 - Bromomethane
- BLANK (Lab ID: 2397252)
 - Bromomethane
- LCS (Lab ID: 2397253)
 - Bromomethane
- MS (Lab ID: 2397305)
 - Bromomethane
- MSD (Lab ID: 2397306)
 - Bromomethane
- OW-1 (Lab ID: 10364786008)
 - Bromomethane
- OW-2 (Lab ID: 10364786009)
 - Bromomethane
- Trip Blank (Lab ID: 10364786010)
 - Bromomethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: 17644000 Webster GW

Pace Project No.: 10364786

Method: EPA 8260B

Description: 8260B VOC

Client: MSA-WI

Date: October 13, 2016

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 440704

B: Analyte was detected in the associated method blank.

- BLANK for HBN 440704 [MSV/3742 (Lab ID: 2397252)]
- Methylene Chloride

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-1 **Lab ID: 10364786001** Collected: 10/03/16 09:40 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 17:21	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 17:21	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:21	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 17:21	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 17:21	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 17:21	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 17:21	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 17:21	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 17:21	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:21	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:21	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 17:21	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 17:21	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 17:21	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 17:21	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 17:21	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 17:21	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 17:21	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 17:21	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 17:21	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 17:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 17:21	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 17:21	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 17:21	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:21	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:21	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 17:21	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:21	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:21	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 17:21	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:21	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:21	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 17:21	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 17:21	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 17:21	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 17:21	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:21	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:21	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:21	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 17:21	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 17:21	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:21	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 17:21	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:21	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 17:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 17:21	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-1 **Lab ID: 10364786001** Collected: 10/03/16 09:40 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 17:21	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 17:21	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:21	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 17:21	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 17:21	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 17:21	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 17:21	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 17:21	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 17:21	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:21	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:21	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:21	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 17:21	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 17:21	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 17:21	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 17:21	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 17:21	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:21	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 17:21	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 17:21	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 17:21	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	93	%	75-125		1		10/12/16 17:21	17060-07-0	
Toluene-d8 (S)	97	%	75-125		1		10/12/16 17:21	2037-26-5	
4-Bromofluorobenzene (S)	99	%	75-125		1		10/12/16 17:21	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-2A **Lab ID: 10364786002** Collected: 10/03/16 10:15 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 17:37	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 17:37	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:37	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 17:37	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 17:37	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 17:37	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 17:37	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 17:37	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 17:37	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:37	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:37	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 17:37	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 17:37	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 17:37	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 17:37	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 17:37	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 17:37	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 17:37	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 17:37	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 17:37	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 17:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 17:37	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 17:37	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 17:37	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:37	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:37	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 17:37	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:37	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:37	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 17:37	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:37	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:37	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 17:37	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 17:37	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 17:37	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 17:37	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:37	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:37	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:37	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 17:37	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 17:37	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:37	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 17:37	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:37	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 17:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 17:37	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-2A **Lab ID: 10364786002** Collected: 10/03/16 10:15 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 17:37	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 17:37	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:37	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 17:37	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 17:37	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 17:37	79-34-5	
Tetrachloroethene	0.38J	ug/L	1.0	0.25	1		10/12/16 17:37	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 17:37	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 17:37	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:37	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:37	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:37	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 17:37	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 17:37	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 17:37	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 17:37	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 17:37	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:37	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 17:37	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 17:37	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 17:37	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	94	%	75-125		1		10/12/16 17:37	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 17:37	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 17:37	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-2B Lab ID: 10364786003 Collected: 10/03/16 11:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 17:54	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 17:54	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:54	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 17:54	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 17:54	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 17:54	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 17:54	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 17:54	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 17:54	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:54	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:54	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 17:54	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 17:54	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 17:54	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 17:54	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 17:54	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 17:54	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 17:54	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 17:54	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 17:54	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 17:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 17:54	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 17:54	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 17:54	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:54	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:54	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 17:54	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:54	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:54	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 17:54	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 17:54	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 17:54	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 17:54	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 17:54	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 17:54	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 17:54	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:54	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:54	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 17:54	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 17:54	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 17:54	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:54	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 17:54	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 17:54	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 17:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 17:54	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-2B **Lab ID: 10364786003** Collected: 10/03/16 11:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 17:54	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 17:54	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 17:54	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 17:54	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 17:54	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 17:54	79-34-5	
Tetrachloroethene	1.1	ug/L	1.0	0.25	1		10/12/16 17:54	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 17:54	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 17:54	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:54	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 17:54	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 17:54	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 17:54	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 17:54	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 17:54	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 17:54	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 17:54	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 17:54	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 17:54	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 17:54	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 17:54	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	94	%	75-125		1		10/12/16 17:54	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 17:54	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 17:54	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-5A **Lab ID: 10364786004** Collected: 10/03/16 14:30 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 18:10	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 18:10	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:10	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 18:10	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 18:10	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 18:10	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 18:10	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 18:10	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 18:10	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:10	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:10	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 18:10	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 18:10	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 18:10	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 18:10	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 18:10	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 18:10	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 18:10	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 18:10	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 18:10	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 18:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 18:10	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 18:10	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 18:10	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:10	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:10	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 18:10	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:10	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:10	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 18:10	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:10	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:10	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 18:10	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 18:10	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 18:10	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 18:10	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:10	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:10	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:10	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 18:10	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 18:10	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:10	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 18:10	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:10	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 18:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 18:10	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-5A **Lab ID: 10364786004** Collected: 10/03/16 14:30 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 18:10	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 18:10	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:10	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 18:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 18:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 18:10	79-34-5	
Tetrachloroethene	1.8	ug/L	1.0	0.25	1		10/12/16 18:10	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 18:10	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 18:10	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:10	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:10	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:10	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 18:10	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 18:10	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 18:10	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 18:10	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 18:10	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:10	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 18:10	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 18:10	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 18:10	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	93	%	75-125		1		10/12/16 18:10	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 18:10	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 18:10	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-5B **Lab ID: 10364786005** Collected: 10/03/16 15:15 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 18:26	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 18:26	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:26	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 18:26	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 18:26	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 18:26	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 18:26	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 18:26	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 18:26	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:26	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:26	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 18:26	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 18:26	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 18:26	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 18:26	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 18:26	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 18:26	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 18:26	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 18:26	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 18:26	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 18:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 18:26	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 18:26	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 18:26	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:26	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:26	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 18:26	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:26	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:26	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 18:26	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:26	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:26	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 18:26	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 18:26	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 18:26	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 18:26	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:26	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:26	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:26	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 18:26	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 18:26	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:26	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 18:26	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:26	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 18:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 18:26	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-5B **Lab ID: 10364786005** Collected: 10/03/16 15:15 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 18:26	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 18:26	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:26	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 18:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 18:26	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 18:26	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 18:26	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 18:26	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 18:26	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:26	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:26	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:26	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 18:26	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 18:26	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 18:26	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 18:26	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 18:26	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:26	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 18:26	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 18:26	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 18:26	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	93	%	75-125		1		10/12/16 18:26	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 18:26	2037-26-5	
4-Bromofluorobenzene (S)	99	%	75-125		1		10/12/16 18:26	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-6 **Lab ID: 10364786006** Collected: 10/03/16 12:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 20:53	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 20:53	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 20:53	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 20:53	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 20:53	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 20:53	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 20:53	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 20:53	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 20:53	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 20:53	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 20:53	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 20:53	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 20:53	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 20:53	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 20:53	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 20:53	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 20:53	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 20:53	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 20:53	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 20:53	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 20:53	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 20:53	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 20:53	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 20:53	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 20:53	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 20:53	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 20:53	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 20:53	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 20:53	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 20:53	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 20:53	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 20:53	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 20:53	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 20:53	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 20:53	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 20:53	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 20:53	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 20:53	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 20:53	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 20:53	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 20:53	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 20:53	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 20:53	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 20:53	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 20:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 20:53	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-6 **Lab ID: 10364786006** Collected: 10/03/16 12:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 20:53	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 20:53	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 20:53	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 20:53	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 20:53	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 20:53	79-34-5	
Tetrachloroethene	38.4	ug/L	1.0	0.25	1		10/12/16 20:53	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 20:53	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 20:53	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 20:53	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 20:53	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 20:53	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 20:53	79-00-5	
Trichloroethene	0.54	ug/L	0.40	0.052	1		10/12/16 20:53	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 20:53	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 20:53	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 20:53	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 20:53	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 20:53	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 20:53	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 20:53	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	92	%	75-125		1		10/12/16 20:53	17060-07-0	
Toluene-d8 (S)	97	%	75-125		1		10/12/16 20:53	2037-26-5	
4-Bromofluorobenzene (S)	97	%	75-125		1		10/12/16 20:53	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-7 **Lab ID: 10364786007** Collected: 10/03/16 13:30 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 18:43	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 18:43	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:43	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 18:43	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 18:43	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 18:43	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 18:43	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 18:43	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 18:43	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:43	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:43	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 18:43	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 18:43	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 18:43	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 18:43	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 18:43	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 18:43	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 18:43	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 18:43	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 18:43	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 18:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 18:43	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 18:43	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 18:43	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:43	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:43	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 18:43	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:43	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:43	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 18:43	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:43	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:43	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 18:43	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 18:43	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 18:43	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 18:43	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:43	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:43	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:43	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 18:43	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 18:43	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:43	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 18:43	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:43	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 18:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 18:43	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: 91-7 **Lab ID: 10364786007** Collected: 10/03/16 13:30 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 18:43	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 18:43	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:43	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 18:43	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 18:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 18:43	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 18:43	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 18:43	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 18:43	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:43	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:43	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:43	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 18:43	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 18:43	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 18:43	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 18:43	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 18:43	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:43	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 18:43	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 18:43	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 18:43	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	92	%	75-125		1		10/12/16 18:43	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 18:43	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 18:43	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: OW-1 **Lab ID: 10364786008** Collected: 10/03/16 16:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 18:59	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 18:59	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:59	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 18:59	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 18:59	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 18:59	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 18:59	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 18:59	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 18:59	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:59	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:59	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 18:59	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 18:59	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 18:59	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 18:59	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 18:59	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 18:59	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 18:59	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 18:59	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 18:59	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 18:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 18:59	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 18:59	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 18:59	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:59	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:59	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 18:59	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:59	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:59	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 18:59	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 18:59	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 18:59	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 18:59	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 18:59	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 18:59	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 18:59	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:59	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:59	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 18:59	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 18:59	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 18:59	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:59	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 18:59	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 18:59	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 18:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 18:59	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: OW-1 **Lab ID: 10364786008** Collected: 10/03/16 16:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 18:59	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 18:59	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 18:59	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 18:59	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 18:59	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 18:59	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 18:59	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 18:59	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 18:59	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:59	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 18:59	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 18:59	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 18:59	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 18:59	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 18:59	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 18:59	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 18:59	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 18:59	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 18:59	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 18:59	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 18:59	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	95	%	75-125		1		10/12/16 18:59	17060-07-0	
Toluene-d8 (S)	97	%	75-125		1		10/12/16 18:59	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 18:59	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: **OW-2** Lab ID: **10364786009** Collected: 10/03/16 16:45 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	<2.0	ug/L	20.0	2.0	1		10/12/16 19:15	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 19:15	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 19:15	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 19:15	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 19:15	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 19:15	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 19:15	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 19:15	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 19:15	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 19:15	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 19:15	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 19:15	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 19:15	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 19:15	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 19:15	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 19:15	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 19:15	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 19:15	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 19:15	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 19:15	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 19:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 19:15	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 19:15	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 19:15	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 19:15	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 19:15	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 19:15	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 19:15	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 19:15	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 19:15	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 19:15	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 19:15	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 19:15	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 19:15	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 19:15	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 19:15	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 19:15	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 19:15	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 19:15	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 19:15	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 19:15	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 19:15	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 19:15	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 19:15	99-87-6	
Methylene Chloride	<0.29	ug/L	4.0	0.29	1		10/12/16 19:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 19:15	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: OW-2 **Lab ID: 10364786009** Collected: 10/03/16 16:45 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 19:15	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 19:15	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 19:15	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 19:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 19:15	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 19:15	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 19:15	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 19:15	109-99-9	
Toluene	<0.14	ug/L	1.0	0.14	1		10/12/16 19:15	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 19:15	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 19:15	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 19:15	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 19:15	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 19:15	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 19:15	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 19:15	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 19:15	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 19:15	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 19:15	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 19:15	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 19:15	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	94	%	75-125		1		10/12/16 19:15	17060-07-0	
Toluene-d8 (S)	97	%	75-125		1		10/12/16 19:15	2037-26-5	
4-Bromofluorobenzene (S)	100	%	75-125		1		10/12/16 19:15	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: Trip Blank Lab ID: 10364786010 Collected: 10/03/16 06:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Acetone	5.9J	ug/L	20.0	2.0	1		10/12/16 15:11	67-64-1	
Allyl chloride	<0.25	ug/L	4.0	0.25	1		10/12/16 15:11	107-05-1	
Benzene	<0.16	ug/L	1.0	0.16	1		10/12/16 15:11	71-43-2	
Bromobenzene	<0.34	ug/L	1.0	0.34	1		10/12/16 15:11	108-86-1	
Bromochloromethane	<0.19	ug/L	1.0	0.19	1		10/12/16 15:11	74-97-5	
Bromodichloromethane	<0.24	ug/L	1.0	0.24	1		10/12/16 15:11	75-27-4	
Bromoform	<0.27	ug/L	4.0	0.27	1		10/12/16 15:11	75-25-2	
Bromomethane	<0.44	ug/L	4.0	0.44	1		10/12/16 15:11	74-83-9	CL
2-Butanone (MEK)	<1.1	ug/L	5.0	1.1	1		10/12/16 15:11	78-93-3	
n-Butylbenzene	<0.16	ug/L	1.0	0.16	1		10/12/16 15:11	104-51-8	
sec-Butylbenzene	<0.19	ug/L	1.0	0.19	1		10/12/16 15:11	135-98-8	
tert-Butylbenzene	<0.22	ug/L	1.0	0.22	1		10/12/16 15:11	98-06-6	
Carbon tetrachloride	<0.20	ug/L	4.0	0.20	1		10/12/16 15:11	56-23-5	
Chlorobenzene	<0.11	ug/L	1.0	0.11	1		10/12/16 15:11	108-90-7	
Chloroethane	<0.34	ug/L	1.0	0.34	1		10/12/16 15:11	75-00-3	
Chloroform	<0.21	ug/L	1.0	0.21	1		10/12/16 15:11	67-66-3	
Chloromethane	<0.25	ug/L	4.0	0.25	1		10/12/16 15:11	74-87-3	
2-Chlorotoluene	<0.30	ug/L	1.0	0.30	1		10/12/16 15:11	95-49-8	
4-Chlorotoluene	<0.26	ug/L	1.0	0.26	1		10/12/16 15:11	106-43-4	
1,2-Dibromo-3-chloropropane	<0.60	ug/L	10.0	0.60	1		10/12/16 15:11	96-12-8	
Dibromochloromethane	<0.16	ug/L	4.0	0.16	1		10/12/16 15:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.20	ug/L	1.0	0.20	1		10/12/16 15:11	106-93-4	
Dibromomethane	<0.19	ug/L	4.0	0.19	1		10/12/16 15:11	74-95-3	
1,2-Dichlorobenzene	<0.17	ug/L	1.0	0.17	1		10/12/16 15:11	95-50-1	
1,3-Dichlorobenzene	<0.12	ug/L	1.0	0.12	1		10/12/16 15:11	541-73-1	
1,4-Dichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 15:11	106-46-7	
Dichlorodifluoromethane	<0.23	ug/L	1.0	0.23	1		10/12/16 15:11	75-71-8	
1,1-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 15:11	75-34-3	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 15:11	107-06-2	
1,1-Dichloroethene	<0.28	ug/L	1.0	0.28	1		10/12/16 15:11	75-35-4	
cis-1,2-Dichloroethene	<0.12	ug/L	1.0	0.12	1		10/12/16 15:11	156-59-2	
trans-1,2-Dichloroethene	<0.16	ug/L	1.0	0.16	1		10/12/16 15:11	156-60-5	
Dichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		10/12/16 15:11	75-43-4	
1,2-Dichloropropane	<0.22	ug/L	4.0	0.22	1		10/12/16 15:11	78-87-5	
1,3-Dichloropropane	<0.096	ug/L	1.0	0.096	1		10/12/16 15:11	142-28-9	
2,2-Dichloropropane	<0.13	ug/L	4.0	0.13	1		10/12/16 15:11	594-20-7	
1,1-Dichloropropene	<0.23	ug/L	1.0	0.23	1		10/12/16 15:11	563-58-6	
cis-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 15:11	10061-01-5	
trans-1,3-Dichloropropene	<0.15	ug/L	4.0	0.15	1		10/12/16 15:11	10061-02-6	
Diethyl ether (Ethyl ether)	<0.19	ug/L	4.0	0.19	1		10/12/16 15:11	60-29-7	
Ethylbenzene	<0.15	ug/L	1.0	0.15	1		10/12/16 15:11	100-41-4	
Hexachloro-1,3-butadiene	<0.18	ug/L	1.0	0.18	1		10/12/16 15:11	87-68-3	
Isopropylbenzene (Cumene)	<0.25	ug/L	1.0	0.25	1		10/12/16 15:11	98-82-8	
p-Isopropyltoluene	<0.19	ug/L	1.0	0.19	1		10/12/16 15:11	99-87-6	
Methylene Chloride	1.6J	ug/L	4.0	0.29	1		10/12/16 15:11	75-09-2	B
4-Methyl-2-pentanone (MIBK)	<0.43	ug/L	5.0	0.43	1		10/12/16 15:11	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 17644000 Webster GW

Pace Project No.: 10364786

Sample: Trip Blank **Lab ID: 10364786010** Collected: 10/03/16 06:00 Received: 10/04/16 18:50 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260B VOC Analytical Method: EPA 8260B									
Methyl-tert-butyl ether	<0.15	ug/L	1.0	0.15	1		10/12/16 15:11	1634-04-4	
Naphthalene	<0.20	ug/L	4.0	0.20	1		10/12/16 15:11	91-20-3	
n-Propylbenzene	<0.23	ug/L	1.0	0.23	1		10/12/16 15:11	103-65-1	
Styrene	<0.29	ug/L	1.0	0.29	1		10/12/16 15:11	100-42-5	
1,1,1,2-Tetrachloroethane	<0.17	ug/L	4.0	0.17	1		10/12/16 15:11	630-20-6	
1,1,2,2-Tetrachloroethane	<0.22	ug/L	1.0	0.22	1		10/12/16 15:11	79-34-5	
Tetrachloroethene	<0.25	ug/L	1.0	0.25	1		10/12/16 15:11	127-18-4	
Tetrahydrofuran	<1.5	ug/L	10.0	1.5	1		10/12/16 15:11	109-99-9	
Toluene	0.18J	ug/L	1.0	0.14	1		10/12/16 15:11	108-88-3	
1,2,3-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 15:11	87-61-6	
1,2,4-Trichlorobenzene	<0.21	ug/L	1.0	0.21	1		10/12/16 15:11	120-82-1	
1,1,1-Trichloroethane	<0.17	ug/L	1.0	0.17	1		10/12/16 15:11	71-55-6	
1,1,2-Trichloroethane	<0.15	ug/L	1.0	0.15	1		10/12/16 15:11	79-00-5	
Trichloroethene	<0.052	ug/L	0.40	0.052	1		10/12/16 15:11	79-01-6	
Trichlorofluoromethane	<0.33	ug/L	1.0	0.33	1		10/12/16 15:11	75-69-4	
1,2,3-Trichloropropane	<0.28	ug/L	4.0	0.28	1		10/12/16 15:11	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.32	ug/L	1.0	0.32	1		10/12/16 15:11	76-13-1	
1,2,4-Trimethylbenzene	<0.18	ug/L	1.0	0.18	1		10/12/16 15:11	95-63-6	
1,3,5-Trimethylbenzene	<0.27	ug/L	1.0	0.27	1		10/12/16 15:11	108-67-8	
Vinyl chloride	<0.069	ug/L	0.20	0.069	1		10/12/16 15:11	75-01-4	
Xylene (Total)	<0.32	ug/L	3.0	0.32	1		10/12/16 15:11	1330-20-7	
Surrogates									
1,2-Dichloroethane-d4 (S)	94	%	75-125		1		10/12/16 15:11	17060-07-0	
Toluene-d8 (S)	98	%	75-125		1		10/12/16 15:11	2037-26-5	
4-Bromofluorobenzene (S)	98	%	75-125		1		10/12/16 15:11	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 17644000 Webster GW
Pace Project No.: 10364786

QC Batch: 440704 Analysis Method: EPA 8260B
QC Batch Method: EPA 8260B Analysis Description: 8260B MSV 465 W
Associated Lab Samples: 10364786001, 10364786002, 10364786003, 10364786004, 10364786005, 10364786006, 10364786007, 10364786008, 10364786009, 10364786010

METHOD BLANK: 2397252 Matrix: Water
Associated Lab Samples: 10364786001, 10364786002, 10364786003, 10364786004, 10364786005, 10364786006, 10364786007, 10364786008, 10364786009, 10364786010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.17	4.0	10/12/16 14:54	
1,1,1-Trichloroethane	ug/L	<0.17	1.0	10/12/16 14:54	
1,1,2,2-Tetrachloroethane	ug/L	<0.22	1.0	10/12/16 14:54	
1,1,2-Trichloroethane	ug/L	<0.15	1.0	10/12/16 14:54	
1,1,2-Trichlorotrifluoroethane	ug/L	<0.32	1.0	10/12/16 14:54	
1,1-Dichloroethane	ug/L	<0.17	1.0	10/12/16 14:54	
1,1-Dichloroethene	ug/L	<0.28	1.0	10/12/16 14:54	
1,1-Dichloropropene	ug/L	<0.23	1.0	10/12/16 14:54	
1,2,3-Trichlorobenzene	ug/L	<0.21	1.0	10/12/16 14:54	
1,2,3-Trichloropropane	ug/L	<0.28	4.0	10/12/16 14:54	
1,2,4-Trichlorobenzene	ug/L	<0.21	1.0	10/12/16 14:54	
1,2,4-Trimethylbenzene	ug/L	<0.18	1.0	10/12/16 14:54	
1,2-Dibromo-3-chloropropane	ug/L	<0.60	10.0	10/12/16 14:54	
1,2-Dibromoethane (EDB)	ug/L	<0.20	1.0	10/12/16 14:54	
1,2-Dichlorobenzene	ug/L	<0.17	1.0	10/12/16 14:54	
1,2-Dichloroethane	ug/L	<0.17	1.0	10/12/16 14:54	
1,2-Dichloropropane	ug/L	<0.22	4.0	10/12/16 14:54	
1,3,5-Trimethylbenzene	ug/L	<0.27	1.0	10/12/16 14:54	
1,3-Dichlorobenzene	ug/L	<0.12	1.0	10/12/16 14:54	
1,3-Dichloropropane	ug/L	<0.096	1.0	10/12/16 14:54	
1,4-Dichlorobenzene	ug/L	<0.21	1.0	10/12/16 14:54	
2,2-Dichloropropane	ug/L	<0.13	4.0	10/12/16 14:54	
2-Butanone (MEK)	ug/L	<1.1	5.0	10/12/16 14:54	
2-Chlorotoluene	ug/L	<0.30	1.0	10/12/16 14:54	
4-Chlorotoluene	ug/L	<0.26	1.0	10/12/16 14:54	
4-Methyl-2-pentanone (MIBK)	ug/L	<0.43	5.0	10/12/16 14:54	
Acetone	ug/L	<2.0	20.0	10/12/16 14:54	
Allyl chloride	ug/L	<0.25	4.0	10/12/16 14:54	
Benzene	ug/L	<0.16	1.0	10/12/16 14:54	
Bromobenzene	ug/L	<0.34	1.0	10/12/16 14:54	
Bromochloromethane	ug/L	<0.19	1.0	10/12/16 14:54	
Bromodichloromethane	ug/L	<0.24	1.0	10/12/16 14:54	
Bromoform	ug/L	<0.27	4.0	10/12/16 14:54	
Bromomethane	ug/L	<0.44	4.0	10/12/16 14:54	CL
Carbon tetrachloride	ug/L	<0.20	4.0	10/12/16 14:54	
Chlorobenzene	ug/L	<0.11	1.0	10/12/16 14:54	
Chloroethane	ug/L	<0.34	1.0	10/12/16 14:54	
Chloroform	ug/L	<0.21	1.0	10/12/16 14:54	
Chloromethane	ug/L	<0.25	4.0	10/12/16 14:54	
cis-1,2-Dichloroethene	ug/L	<0.12	1.0	10/12/16 14:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 17644000 Webster GW
Pace Project No.: 10364786

METHOD BLANK: 2397252

Matrix: Water

Associated Lab Samples: 10364786001, 10364786002, 10364786003, 10364786004, 10364786005, 10364786006, 10364786007, 10364786008, 10364786009, 10364786010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,3-Dichloropropene	ug/L	<0.15	4.0	10/12/16 14:54	
Dibromochloromethane	ug/L	<0.16	4.0	10/12/16 14:54	
Dibromomethane	ug/L	<0.19	4.0	10/12/16 14:54	
Dichlorodifluoromethane	ug/L	<0.23	1.0	10/12/16 14:54	
Dichlorofluoromethane	ug/L	<0.21	1.0	10/12/16 14:54	
Diethyl ether (Ethyl ether)	ug/L	<0.19	4.0	10/12/16 14:54	
Ethylbenzene	ug/L	<0.15	1.0	10/12/16 14:54	
Hexachloro-1,3-butadiene	ug/L	<0.18	1.0	10/12/16 14:54	
Isopropylbenzene (Cumene)	ug/L	<0.25	1.0	10/12/16 14:54	
Methyl-tert-butyl ether	ug/L	<0.15	1.0	10/12/16 14:54	
Methylene Chloride	ug/L	0.64J	4.0	10/12/16 14:54	
n-Butylbenzene	ug/L	<0.16	1.0	10/12/16 14:54	
n-Propylbenzene	ug/L	<0.23	1.0	10/12/16 14:54	
Naphthalene	ug/L	<0.20	4.0	10/12/16 14:54	
p-Isopropyltoluene	ug/L	<0.19	1.0	10/12/16 14:54	
sec-Butylbenzene	ug/L	<0.19	1.0	10/12/16 14:54	
Styrene	ug/L	<0.29	1.0	10/12/16 14:54	
tert-Butylbenzene	ug/L	<0.22	1.0	10/12/16 14:54	
Tetrachloroethene	ug/L	<0.25	1.0	10/12/16 14:54	
Tetrahydrofuran	ug/L	<1.5	10.0	10/12/16 14:54	
Toluene	ug/L	<0.14	1.0	10/12/16 14:54	
trans-1,2-Dichloroethene	ug/L	<0.16	1.0	10/12/16 14:54	
trans-1,3-Dichloropropene	ug/L	<0.15	4.0	10/12/16 14:54	
Trichloroethene	ug/L	<0.052	0.40	10/12/16 14:54	
Trichlorofluoromethane	ug/L	<0.33	1.0	10/12/16 14:54	
Vinyl chloride	ug/L	<0.069	0.20	10/12/16 14:54	
Xylene (Total)	ug/L	<0.32	3.0	10/12/16 14:54	
1,2-Dichloroethane-d4 (S)	%	93	75-125	10/12/16 14:54	
4-Bromofluorobenzene (S)	%	96	75-125	10/12/16 14:54	
Toluene-d8 (S)	%	97	75-125	10/12/16 14:54	

LABORATORY CONTROL SAMPLE: 2397253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	22.7	114	75-125	
1,1,1-Trichloroethane	ug/L	20	22.3	112	73-125	
1,1,2,2-Tetrachloroethane	ug/L	20	19.1	96	75-128	
1,1,2-Trichloroethane	ug/L	20	22.1	110	75-129	
1,1,2-Trichlorotrifluoroethane	ug/L	20	21.6	108	69-125	
1,1-Dichloroethane	ug/L	20	21.3	107	75-131	
1,1-Dichloroethene	ug/L	20	21.6	108	72-125	
1,1-Dichloropropene	ug/L	20	21.7	108	74-125	
1,2,3-Trichlorobenzene	ug/L	20	20.9	105	68-127	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 17644000 Webster GW

Pace Project No.: 10364786

LABORATORY CONTROL SAMPLE: 2397253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,3-Trichloropropane	ug/L	20	21.1	106	75-125	
1,2,4-Trichlorobenzene	ug/L	20	21.1	105	70-125	
1,2,4-Trimethylbenzene	ug/L	20	21.6	108	75-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.1	96	74-125	
1,2-Dibromoethane (EDB)	ug/L	20	23.3	116	75-125	
1,2-Dichlorobenzene	ug/L	20	21.1	105	75-125	
1,2-Dichloroethane	ug/L	20	20.3	102	72-129	
1,2-Dichloropropane	ug/L	20	21.8	109	71-129	
1,3,5-Trimethylbenzene	ug/L	20	21.0	105	75-127	
1,3-Dichlorobenzene	ug/L	20	21.5	107	75-125	
1,3-Dichloropropane	ug/L	20	22.5	113	75-125	
1,4-Dichlorobenzene	ug/L	20	21.0	105	75-125	
2,2-Dichloropropane	ug/L	20	23.2	116	71-125	
2-Butanone (MEK)	ug/L	100	89.5	89	58-150	
2-Chlorotoluene	ug/L	20	21.8	109	75-125	
4-Chlorotoluene	ug/L	20	21.4	107	75-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	98.7	99	72-140	
Acetone	ug/L	100	131	131	69-137	
Allyl chloride	ug/L	20	21.2	106	68-132	
Benzene	ug/L	20	21.0	105	75-125	
Bromobenzene	ug/L	20	22.7	114	75-125	
Bromochloromethane	ug/L	20	22.4	112	75-125	
Bromodichloromethane	ug/L	20	22.6	113	69-128	
Bromoform	ug/L	20	20.8	104	75-125	
Bromomethane	ug/L	20	11.6	58	30-150	CL
Carbon tetrachloride	ug/L	20	20.7	103	74-125	
Chlorobenzene	ug/L	20	22.5	113	75-125	
Chloroethane	ug/L	20	22.7	113	60-150	
Chloroform	ug/L	20	21.2	106	75-126	
Chloromethane	ug/L	20	16.3	82	46-150	
cis-1,2-Dichloroethene	ug/L	20	22.3	111	75-126	
cis-1,3-Dichloropropene	ug/L	20	20.9	104	75-125	
Dibromochloromethane	ug/L	20	21.4	107	75-125	
Dibromomethane	ug/L	20	22.4	112	72-127	
Dichlorodifluoromethane	ug/L	20	24.7	123	58-135	
Dichlorofluoromethane	ug/L	20	21.3	106	68-149	
Diethyl ether (Ethyl ether)	ug/L	20	20.9	104	66-144	
Ethylbenzene	ug/L	20	21.5	107	75-125	
Hexachloro-1,3-butadiene	ug/L	20	21.8	109	73-125	
Isopropylbenzene (Cumene)	ug/L	20	22.6	113	69-140	
Methyl-tert-butyl ether	ug/L	20	21.4	107	75-126	
Methylene Chloride	ug/L	20	21.9	110	71-130	
n-Butylbenzene	ug/L	20	25.7	128	71-129	
n-Propylbenzene	ug/L	20	21.3	106	71-133	
Naphthalene	ug/L	20	20.4	102	59-137	
p-Isopropyltoluene	ug/L	20	22.1	110	74-127	
sec-Butylbenzene	ug/L	20	21.1	106	66-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 17644000 Webster GW
Pace Project No.: 10364786

LABORATORY CONTROL SAMPLE: 2397253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Styrene	ug/L	20	21.9	110	75-125	
tert-Butylbenzene	ug/L	20	21.3	107	73-129	
Tetrachloroethene	ug/L	20	23.5	117	75-125	
Tetrahydrofuran	ug/L	200	251	126	71-129	
Toluene	ug/L	20	21.6	108	75-125	
trans-1,2-Dichloroethene	ug/L	20	22.4	112	75-125	
trans-1,3-Dichloropropene	ug/L	20	20.3	102	75-125	
Trichloroethene	ug/L	20	23.8	119	75-125	
Trichlorofluoromethane	ug/L	20	22.3	111	74-128	
Vinyl chloride	ug/L	20	21.1	105	71-131	
Xylene (Total)	ug/L	60	67.4	112	75-125	
1,2-Dichloroethane-d4 (S)	%			95	75-125	
4-Bromofluorobenzene (S)	%			97	75-125	
Toluene-d8 (S)	%			100	75-125	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2397305 2397306

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		10364947003 Result	Spike Conc.	Spike Conc.	MS Result							MSD Result
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	21.6	22.3	108	112	75-125	3	30	
1,1,1-Trichloroethane	ug/L	ND	20	20	22.2	22.6	111	113	71-144	2	30	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	20.0	20.0	100	100	75-131	0	30	
1,1,2-Trichloroethane	ug/L	ND	20	20	21.4	21.9	107	109	75-125	2	30	
1,1,2-Trichlorotrifluoroethane	ug/L	ND	20	20	24.4	24.0	122	120	75-150	2	30	
1,1-Dichloroethane	ug/L	ND	20	20	21.2	20.8	106	104	64-150	2	30	
1,1-Dichloroethene	ug/L	ND	20	20	23.0	22.6	115	113	68-150	2	30	
1,1-Dichloropropene	ug/L	ND	20	20	23.9	23.0	119	115	68-145	3	30	
1,2,3-Trichlorobenzene	ug/L	ND	20	20	19.9	20.2	100	101	57-142	1	30	
1,2,3-Trichloropropane	ug/L	ND	20	20	20.3	20.4	102	102	75-125	1	30	
1,2,4-Trichlorobenzene	ug/L	ND	20	20	20.1	20.7	101	103	60-135	3	30	
1,2,4-Trimethylbenzene	ug/L	ND	20	20	20.7	20.5	104	103	67-148	1	30	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	48.7	48.1	97	96	32-137	1	30	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.5	21.8	108	109	75-125	2	30	
1,2-Dichlorobenzene	ug/L	ND	20	20	21.0	20.8	105	104	75-125	1	30	
1,2-Dichloroethane	ug/L	ND	20	20	20.3	19.8	101	99	62-138	2	30	
1,2-Dichloropropane	ug/L	ND	20	20	21.6	20.9	108	104	62-144	3	30	
1,3,5-Trimethylbenzene	ug/L	ND	20	20	20.8	20.4	104	102	67-148	2	30	
1,3-Dichlorobenzene	ug/L	ND	20	20	20.8	20.7	104	104	74-131	0	30	
1,3-Dichloropropane	ug/L	ND	20	20	22.8	21.9	114	109	75-127	4	30	
1,4-Dichlorobenzene	ug/L	ND	20	20	20.3	20.3	101	102	74-126	0	30	
2,2-Dichloropropane	ug/L	ND	20	20	21.6	21.1	108	105	56-146	2	30	
2-Butanone (MEK)	ug/L	ND	100	100	89.0	85.8	89	86	47-150	4	30	
2-Chlorotoluene	ug/L	ND	20	20	20.8	21.3	104	106	74-137	2	30	
4-Chlorotoluene	ug/L	ND	20	20	21.0	20.9	105	104	72-138	0	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 17644000 Webster GW

Pace Project No.: 10364786

Parameter	Units	10364947003		2397305		2397306		% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec						
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	100	99.8	100	100	100	60-147	0	30	
Acetone	ug/L	5.5J	100	100	112	113	107	108	108	61-150	1	30	
Allyl chloride	ug/L	ND	20	20	20.2	19.9	101	99	99	53-150	2	30	
Benzene	ug/L	ND	20	20	21.2	20.7	106	103	103	52-147	3	30	
Bromobenzene	ug/L	ND	20	20	22.1	21.9	111	110	110	75-129	1	30	
Bromochloromethane	ug/L	ND	20	20	22.0	22.5	110	113	113	72-128	2	30	
Bromodichloromethane	ug/L	ND	20	20	22.5	22.4	112	112	112	65-137	0	30	
Bromoform	ug/L	ND	20	20	19.6	20.0	98	100	100	59-133	2	30	
Bromomethane	ug/L	ND	20	20	14.4	15.0	72	75	75	30-150	4	30	CL
Carbon tetrachloride	ug/L	ND	20	20	22.7	23.1	113	116	116	73-144	2	30	
Chlorobenzene	ug/L	ND	20	20	21.7	21.6	108	108	108	75-126	0	30	
Chloroethane	ug/L	ND	20	20	22.4	22.4	112	112	112	55-150	0	30	
Chloroform	ug/L	ND	20	20	21.0	21.1	105	105	105	66-143	0	30	
Chloromethane	ug/L	ND	20	20	18.3	18.1	91	90	90	42-150	1	30	
cis-1,2-Dichloroethene	ug/L	ND	20	20	21.5	21.6	108	108	108	65-143	1	30	
cis-1,3-Dichloropropene	ug/L	ND	20	20	20.6	19.7	103	99	99	75-125	4	30	
Dibromochloromethane	ug/L	ND	20	20	21.1	20.9	106	105	105	75-125	1	30	
Dibromomethane	ug/L	ND	20	20	22.1	21.3	111	106	106	66-133	4	30	
Dichlorodifluoromethane	ug/L	ND	20	20	26.6	25.7	133	128	128	74-150	4	30	
Dichlorofluoromethane	ug/L	ND	20	20	20.1	20.2	100	101	101	68-150	1	30	
Diethyl ether (Ethyl ether)	ug/L	ND	20	20	20.6	20.5	103	102	102	57-148	1	30	
Ethylbenzene	ug/L	ND	20	20	21.5	21.4	107	107	107	67-149	1	30	
Hexachloro-1,3-butadiene	ug/L	ND	20	20	19.6	19.5	98	98	98	65-143	1	30	
Isopropylbenzene (Cumene)	ug/L	ND	20	20	21.7	22.2	108	111	111	64-150	2	30	
Methyl-tert-butyl ether	ug/L	ND	20	20	20.9	20.5	104	103	103	71-130	2	30	
Methylene Chloride	ug/L	ND	20	20	21.4	21.8	107	109	109	67-137	2	30	
n-Butylbenzene	ug/L	ND	20	20	23.2	22.9	116	114	114	70-138	1	30	
n-Propylbenzene	ug/L	ND	20	20	20.6	20.6	103	103	103	70-148	0	30	
Naphthalene	ug/L	ND	20	20	20.0	20.6	100	103	103	39-150	3	30	
p-Isopropyltoluene	ug/L	ND	20	20	20.5	20.4	103	102	102	74-138	0	30	
sec-Butylbenzene	ug/L	ND	20	20	20.9	21.0	105	105	105	64-150	0	30	
Styrene	ug/L	ND	20	20	20.8	21.1	104	105	105	75-132	1	30	
tert-Butylbenzene	ug/L	ND	20	20	20.7	20.8	104	104	104	75-138	0	30	
Tetrachloroethene	ug/L	ND	20	20	23.5	23.1	117	116	116	73-136	1	30	
Tetrahydrofuran	ug/L	ND	200	200	224	225	112	112	112	68-142	0	30	
Toluene	ug/L	ND	20	20	21.5	21.6	108	108	108	69-139	0	30	
trans-1,2-Dichloroethene	ug/L	ND	20	20	22.7	22.9	114	114	114	75-135	1	30	
trans-1,3-Dichloropropene	ug/L	ND	20	20	20.3	20.3	102	102	102	66-136	0	30	
Trichloroethene	ug/L	ND	20	20	23.5	23.1	117	116	116	74-135	2	30	
Trichlorofluoromethane	ug/L	ND	20	20	24.0	23.4	120	117	117	75-150	3	30	
Vinyl chloride	ug/L	ND	20	20	21.8	21.9	109	109	109	69-150	0	30	
Xylene (Total)	ug/L	ND	60	60	64.8	65.5	108	109	109	70-147	1	30	
1,2-Dichloroethane-d4 (S)	%						96	99	99	75-125			
4-Bromofluorobenzene (S)	%						97	98	98	75-125			
Toluene-d8 (S)	%						100	102	102	75-125			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 17644000 Webster GW

Pace Project No.: 10364786

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

B Analyte was detected in the associated method blank.

CL The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 17644000 Webster GW

Pace Project No.: 10364786

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10364786001	91-1	EPA 8260B	440704		
10364786002	91-2A	EPA 8260B	440704		
10364786003	91-2B	EPA 8260B	440704		
10364786004	91-5A	EPA 8260B	440704		
10364786005	91-5B	EPA 8260B	440704		
10364786006	91-6	EPA 8260B	440704		
10364786007	91-7	EPA 8260B	440704		
10364786008	OW-1	EPA 8260B	440704		
10364786009	OW-2	EPA 8260B	440704		
10364786010	Trip Blank	EPA 8260B	440704		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10364784

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Page: _____ of _____	
Company: MSA PRO-SERVICES		Report To: ERICA EVERT / BRIAN HEGGE		Attention: _____		1525072	
Address: _____		Copy To: _____		Company Name: _____		REGULATORY AGENCY	
Email To: _____		Purchase Order No.: _____		Address: _____			
Phone: _____	Fax: _____	Project Name: WEBSTER GW		Pace Quote Reference: _____		Site Location STATE: WI	
Requested Due Date/TAT: _____		Project Number: 17644000		Pace Project Manager: _____			

ITEM #	SAMPLE ID (A-Z, 0-9 / -)	Matrix Codes MATRIX / CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analysis Test ↓	Residual Chlorine (Y/N)	Face Project No. / Lab I.D.	
					COMPOSITE START		COMPOSITE END/GRAB				Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other				Y/N
					DATE	TIME	DATE	TIME														
1	91-1		WTG		10/3/16	940														001		
2	91-2A					1015															002	
3	91-2B					1100															003	
4	91-5A					1430															004	
5	91-5B					1515															005	
6	91-6					1200															006	
7	91-7					1330															007	
8	GW-1					1600															008	
9	GW-2					1645															009	
10	TRIP BLANK					0600															010	
11																						
12																						


ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	<i>Erica Evert</i>	10-4-16	815	<i>Christine Polson</i>	10/4/16	0815	3.9	Y	Y	Y
	<i>Christine Polson</i>	10/4/16	1535	<i>[Signature]</i>	10/4/16	1535				
	<i>[Signature]</i>	10/4/16	1850	<i>Alan [Signature]</i>	10-4-16	1850	0.7	Y	Y	X

ORIGINAL	SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	PRINT Name of SAMPLER: Erica Evert	DATE Signed (MM/DD/YY): 10/04/16				
	SIGNATURE of SAMPLER: <i>[Signature]</i>					

Sample Condition Upon Receipt

Client Name: MSA Pro Services

Project #: **WO# : 10364786**



Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeedDee Other: _____
Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No **Seals Intact?** Yes No **Optional:** Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ **Temp Blank?** Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 **Type of Ice:** Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 0.5 **Cooler Temp Corrected (°C):** 0.7 **Biological Tissue Frozen?** Yes No N/A
Temp should be above freezing to 6°C **Correction Factor:** +0.2 **Date and Initials of Person Examining Contents:** 10-4-16 JA

USDA Regulated Soil (N/A, water sample)
Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A -Includes Date/Time/ID/Analysis Matrix: <u>WT</u>	12.
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
(HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Pace Trip Blank Lot # (if purchased): <u>97663</u>	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ **Date/Time:** _____
Comments/Resolution: _____

Project Manager Review: Sharon Davis **Date:** 10/5/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).