

**Notice:** Use this form to request a **written response (on agency letterhead)** from the Department of Natural Resources (DNR) regarding technical assistance, a post-closure change to a site, a specialized agreement or liability clarification for Property with known or suspected environmental contamination. A fee will be required as is authorized by s. 292.55, Wis. Stats., and NR 749, Wis. Adm. Code., unless noted in the instructions below. Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Public Records law [ss. 19.31 - 19.39, Wis. Stats.].

## Definitions

**"Property"** refers to the subject Property that is perceived to have been or has been impacted by the discharge of hazardous substances.

**"Liability Clarification"** refers to a written determination by the Department provided in response to a request made on this form. The response clarifies whether a person is or may become liable for the environmental contamination of a Property, as provided in s. 292.55, Wis. Stats.

**"Technical Assistance"** refers to the Department's assistance or comments on the planning and implementation of an environmental investigation or environmental cleanup on a Property in response to a request made on this form as provided in s. 292.55, Wis. Stats.

**"Post-closure modification"** refers to changes to Property boundaries and/or continuing obligations for Properties or sites that received closure letters for which continuing obligations have been applied or where contamination remains. Many, but not all, of these sites are included on the GIS Registry layer of RR Sites Map to provide public notice of residual contamination and continuing obligations.

## Select the Correct Form

This form should be used to request the following from the DNR:

- Technical Assistance
- Liability Clarification
- Post-Closure Modifications
- Specialized Agreements (tax cancellation, negotiated agreements, etc.)

**Do not use this form if one of the following applies:**

- Request for an **off-site liability exemption or clarification** for Property that has been or is perceived to be contaminated by one or more hazardous substances that originated on another Property containing the source of the contamination. Use DNR's Off-Site Liability Exemption and Liability Clarification Application Form 4400-201.
- Submittal of an Environmental Assessment for the **Lender Liability Exemption**, s 292.21, Wis. Stats., **if no response or review by DNR is requested**. Use the Lender Liability Exemption Environmental Assessment Tracking Form 4400-196.
- Request for an **exemption to develop on a historic fill site** or licensed landfill. Use DNR's Form 4400-226 or 4400-226A.
- **Request for closure** for Property where the investigation and cleanup actions are completed. Use DNR's Case Closure - GIS Registry Form 4400-202.

**All forms, publications and additional information are available on the internet at:** [dnr.wi.gov/topic/Brownfields/Pubs.html](http://dnr.wi.gov/topic/Brownfields/Pubs.html).

## Instructions

1. Complete sections 1, 2, 6 and 7 for all requests. Be sure to provide adequate and complete information.
2. Select the type of assistance requested: Section 3 for technical assistance or post-closure modifications, Section 4 for a written determination or clarification of environmental liabilities; or Section 5 for a specialized agreement.
3. Include the fee payment that is listed in Section 3, 4, or 5, unless you are a "Voluntary Party" enrolled in the Voluntary Party Liability Exemption Program **and** the questions in Section 2 direct otherwise. Information on to whom and where to send the fee is found in Section 8 of this form.
4. Send the completed request, supporting materials and the fee to the appropriate DNR regional office where the Property is located. See the map on the last page of this form. A paper copy of the signed form and all reports and supporting materials shall be sent with an electronic copy of the form and supporting materials on a compact disk. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>

The time required for DNR's determination varies depending on the complexity of the site, and the clarity and completeness of the request and supporting documentation.

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 2 of 7

## Section 1. Contact and Recipient Information

### Requester Information

This is the person requesting technical assistance or a post-closure modification review, that his or her liability be clarified or a specialized agreement and is identified as the requester in Section 7. DNR will address its response letter to this person.

Last Name LaFond	First Andy	MI	Organization/ Business Name Village of Thiensville
Mailing Address 132 W Freistadt Rd			City Thiensville
			State WI
			ZIP Code 53092
Phone # (include area code) (262) 242-3720	Fax # (include area code)	Email alafond@village.thiensville.wi.us	

The requester listed above: (select all that apply)

- Is currently the owner
  Is considering selling the Property  
 Is renting or leasing the Property
  Is considering acquiring the Property  
 Is a lender with a mortgagee interest in the Property  
 Other. Explain the status of the Property with respect to the applicant:

Mr. LaFond is the Village of Thiensville Director of Public Works

### Contact Information (to be contacted with questions about this request)

Select if same as requester

Contact Last Name LaFond	First Andy	MI	Organization/ Business Name Village of Thiensville
Mailing Address 132 W Freistadt Rd			City Thiensville
			State WI
			ZIP Code 53092
Phone # (include area code) (262) 242-3720	Fax # (include area code)	Email alafond@village.thiensville.wi.us	

### Environmental Consultant (if applicable)

Contact Last Name Lennon	First David	MI	Organization/ Business Name Moraine Environmental, Inc.
Mailing Address 766 Tower Drive			City Fredonia
			State WI
			ZIP Code 53021
Phone # (include area code) (262) 692-3345	Fax # (include area code)	Email moraine@execpc.com	

## Section 2. Property Information

Property Name Village of Thiensville Highway Department			FID No. (if known) 246090900
BRRTS No. (if known) 0246000366		Parcel Identification Number 120500214001	
Street Address 132 W Freistadt Rd			City Thiensville
			State WI
			ZIP Code 53092
County Ozaukee	Municipality where the Property is located <input type="radio"/> City <input type="radio"/> Town <input checked="" type="radio"/> Village of Thiensville	Property is composed of: <input checked="" type="radio"/> Single tax parcel <input type="radio"/> Multiple tax parcels	Property Size Acres 6.5

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 3 of 7

1. Is a response needed by a specific date? (e.g., Property closing date) Note: Most requests are completed within 60 days. Please plan accordingly.

No  Yes

Date requested by: \_\_\_\_\_

Reason:

2. Is the "Requester" enrolled as a Voluntary Party in the Voluntary Party Liability Exemption (VPLE) program?

No. **Include the fee that is required for your request in Section 3, 4 or 5.**

Yes. **Do not include a separate fee.** This request will be billed separately through the VPLE Program.

**Fill out the information in Section 3, 4 or 5 which corresponds with the type of request:**

**Section 3. Technical Assistance or Post-Closure Modifications;**

**Section 4. Liability Clarification; or Section 5. Specialized Agreement.**

## Section 3. Request for Technical Assistance or Post-Closure Modification

Select the type of technical assistance requested: [Numbers in brackets are for WI DNR Use]

- No Further Action Letter (NFA) (Immediate Actions) - NR 708.09, [183] - Include a fee of \$350. Use for a written response to an immediate action after a discharge of a hazardous substance occurs. Generally, these are for a one-time spill event.
- Review of Site Investigation Work Plan - NR 716.09, [135] - **Include a fee of \$700.**
- Review of Site Investigation Report - NR 716.15, [137] - **Include a fee of \$1050.**
- Approval of a Site-Specific Soil Cleanup Standard - NR 720.10 or 12, [67] - **Include a fee of \$1050.**
- Review of a Remedial Action Options Report - NR 722.13, [143] - **Include a fee of \$1050.**
- Review of a Remedial Action Design Report - NR 724.09, [148] - **Include a fee of \$1050.**
- Review of a Remedial Action Documentation Report - NR 724.15, [152] - **Include a fee of \$350**
- Review of a Long-term Monitoring Plan - NR 724.17, [25] - **Include a fee of \$425.**
- Review of an Operation and Maintenance Plan - NR 724.13, [192] - **Include a fee of \$425.**

Other Technical Assistance - s. 292.55, Wis. Stats. [97] (For request to build on an abandoned landfill use Form 4400-226)

- Schedule a Technical Assistance Meeting - **Include a fee of \$700.**
- Hazardous Waste Determination - **Include a fee of \$700.**
- Other Technical Assistance - **Include a fee of \$700.** Explain your request in an attachment.

Post-Closure Modifications - NR 727, [181]

- Post-Closure Modifications: Modification to Property boundaries and/or continuing obligations of a closed site or Property; sites may be on the GIS Registry. This also includes removal of a site or Property from the GIS Registry. **Include a fee of \$1050, and:**
  - Include a fee of \$300 for sites with residual soil contamination; and
  - Include a fee of \$350 for sites with residual groundwater contamination, monitoring wells or for vapor intrusion continuing obligations.

Attach a description of the changes you are proposing, and documentation as to why the changes are needed (if the change to a Property, site or continuing obligation will result in revised maps, maintenance plans or photographs, those documents may be submitted later in the approval process, on a case-by-case basis).

## Section 4. Request for Liability Clarification

Select the type of liability clarification requested. Use the available space given or attach information, explanations, or specific questions that you need answered in DNR's reply. Complete Sections 6 and 7 of this form. [Numbers in brackets are for DNR Use]

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 4 of 7

"Lender" liability exemption clarification - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the real Property, and/or the personal Property and fixtures;
- (2) an environmental assessment, in accordance with s. 292.21, Wis. Stats.;
- (3) the date the environmental assessment was conducted by the lender;
- (4) the date of the Property acquisition; for foreclosure actions, include a copy of the signed and dated court order confirming the sheriff's sale.
- (5) documentation showing how the Property was acquired and the steps followed under the appropriate state statutes.
- (6) a copy of the Property deed with the correct legal description; and,
- (7) the Lender Liability Exemption Environmental Assessment Tracking Form (Form 4400-196).
- (8) If no sampling was done, please provide reasoning as to why it was **not** conducted. Include this either in the accompanying environmental assessment or as an attachment to this form, and cite language in s. 292. 21(1)(c)2.,h.-i., Wis. Stats.:
  - h. The collection and analysis of representative samples of soil or other materials in the ground that are suspected of being contaminated based on observations made during a visual inspection of the real Property or based on aerial photographs, or other information available to the lender, including stained or discolored soil or other materials in the ground and including soil or materials in the ground in areas with dead or distressed vegetation. The collection and analysis shall identify contaminants in the soil or other materials in the ground and shall quantify concentrations.
  - i. The collection and analysis of representative samples of unknown wastes or potentially hazardous substances found on the real Property and the determination of concentrations of hazardous waste and hazardous substances found in tanks, drums or other containers or in piles or lagoons on the real Property.

"Representative" liability exemption clarification (e.g. trustees, receivers, etc.) - s. 292.21, Wis. Stats. [686]

❖ **Include a fee of \$700.**

Provide the following documentation:

- (1) ownership status of the Property;
- (2) the date of Property acquisition by the representative;
- (3) the means by which the Property was acquired;
- (4) documentation that the representative has no beneficial interest in any entity that owns, possesses, or controls the Property;
- (5) documentation that the representative has not caused any discharge of a hazardous substance on the Property; and
- (6) a copy of the Property deed with the correct legal description.

Clarification of local governmental unit (LGU) liability exemption at sites with: (select all that apply)

- hazardous substances spills - s. 292.11(9)(e), Wis. Stats. [649];
- Perceived environmental contamination - [649];
- hazardous waste - s. 292.24 (2), Wis. Stats. [649]; and/or
- solid waste - s. 292.23 (2), Wis. Stats. [649].

❖ **Include a fee of \$700, a summary of the environmental liability clarification being requested, and the following:**

- (1) clear supporting documentation showing the acquisition method used, and the steps followed under the appropriate state statute(s).
- (2) current and proposed ownership status of the Property;
- (3) date and means by which the Property was acquired by the LGU, where applicable;
- (4) a map and the ¼, ¼ section location of the Property;
- (5) summary of current uses of the Property;
- (6) intended or potential use(s) of the Property;
- (7) descriptions of other investigations that have taken place on the Property; and
- (8) (for solid waste clarifications) a summary of the license history of the facility.

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 5 of 7

## Section 4. Request for Liability Clarification (cont.)

- Lease liability clarification - s. 292.55, Wis. Stats. [646]
- ❖ **Include a fee of \$700 for a single Property, or \$1400 for multiple Properties and the information listed below:**
  - (1) a copy of the proposed lease;
  - (2) the name of the current owner of the Property and the person who will lease the Property;
  - (3) a description of the lease holder's association with any persons who have possession, control, or caused a discharge of a hazardous substance on the Property;
  - (4) map(s) showing the Property location and any suspected or known sources of contamination detected on the Property;
  - (5) a description of the intended use of the Property by the lease holder, with reference to the maps to indicate which areas will be used. Explain how the use will not interfere with any future investigation or cleanup at the Property; and
  - (6) all reports or investigations (e.g. Phase I and Phase II Environmental Assessments and/or Site Investigation Reports conducted under s. NR 716, Wis. Adm. Code) that identify areas of the Property where a discharge has occurred.

General or other environmental liability clarification - s. 292.55, Wis. Stats. [682] - Explain your request below.

- ❖ **Include a fee of \$700 and an adequate summary of relevant environmental work to date.**

- No Action Required (NAR) - NR 716.05, [682]

- ❖ **Include a fee of \$700.**

Use where an environmental discharge has or has not occurred, and applicant wants a DNR determination that no further assessment or clean-up work is required. Usually this is requested after a Phase I and Phase II environmental assessment has been conducted; the assessment reports should be submitted with this form. This is not a closure letter.

- Clarify the liability associated with a "closed" Property - s. 292.55, Wis. Stats. [682]

- ❖ **Include a fee of \$700.**

- Include a copy of any closure documents if a state agency other than DNR approved the closure.

---

Use this space or attach additional sheets to provide necessary information, explanations or specific questions to be answered by the DNR.

## Section 5. Request for a Specialized Agreement

Select the type of agreement needed. Include the appropriate draft agreements and supporting materials. Complete Sections 6 and 7 of this form. More information and model draft agreements are available at: [dnr.wi.gov/topic/Brownfields/Igu.html#tabx4](http://dnr.wi.gov/topic/Brownfields/Igu.html#tabx4).

- Tax cancellation agreement - s. 75.105(2)(d), Wis. Stats. [654]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

- Agreement for assignment of tax foreclosure judgement - s.75.106, Wis. Stats. [666]

- ❖ **Include a fee of \$700, and the information listed below:**

- (1) Phase I and II Environmental Site Assessment Reports,
- (2) a copy of the Property deed with the correct legal description.

- Negotiated agreement - Enforceable contract for non-emergency remediation - s. 292.11(7)(d) and (e), Wis. Stats. [630]

- ❖ **Include a fee of \$1400, and the information listed below:**

- (1) a draft schedule for remediation; and,
- (2) the name, mailing address, phone and email for each party to the agreement.

Technical Assistance, Environmental Liability  
Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 6 of 7

Section 6. Other Information Submitted

Identify all materials that are included with this request.

Send both a paper copy of the signed form and all reports and supporting materials, and an electronic copy of the form and all reports, including Environmental Site Assessment Reports, and supporting materials on a compact disk.

Include one copy of any document from any state agency files that you want the Department to review as part of this request. The person submitting this request is responsible for contacting other state agencies to obtain appropriate reports or information.

- Phase I Environmental Site Assessment Report - Date: \_\_\_\_\_
- Phase II Environmental Site Assessment Report - Date: \_\_\_\_\_
- Legal Description of Property (required for all liability requests and specialized agreements)
- Map of the Property (required for all liability requests and specialized agreements)

Analytical results of the following sampled media: Select all that apply and include date of collection.

- Groundwater
- Soil
- Sediment
- Other medium - Describe: \_\_\_\_\_

Date of Collection: \_\_\_\_\_

- A copy of the closure letter and submittal materials
- Draft tax cancellation agreement
- Draft agreement for assignment of tax foreclosure judgment
- Other report(s) or information - Describe: SI Status Report - August 2023

For Property with newly identified discharges of hazardous substances only: Has a notification of a discharge of a hazardous substance been sent to the DNR as required by s. NR 706.05(1)(b), Wis. Adm. Code?

- Yes - Date (if known): \_\_\_\_\_
- No

Note: The Notification for Hazardous Substance Discharge Form - Non-Emergency Only (Form 4400-225) is accessible through the RR Program Submittal Portal application. Directions for using the form and the Submittal Portal application are available on the [Submittal Portal web page](#).

Section 7. Certification by the Person who completed this form

- I am the person submitting this request (requester)
- I prepared this request for: Village of Thiensville  
Requester Name

I certify that I am familiar with the information submitted on this request, and that the information on and included with this request is true, accurate and complete to the best of my knowledge. I also certify I have the legal authority and the applicant's permission to make this request.

David M. Lennon  
Signature

11-27-23  
Date Signed

Senior Project Manager - Moraine Environmental, Inc.  
Title

(262) 692-3345  
Telephone Number (include area code)

# Technical Assistance, Environmental Liability Clarification or Post-Closure Modification Request

Form 4400-237 (R 10/21)

Page 7 of 7

## Section 8. DNR Contacts and Addresses for Request Submittals

Send or deliver one paper copy and one electronic copy on a compact disk of the completed request, supporting materials, and fee to the region where the property is located to the address below. Contact a [DNR regional brownfields specialist](#) with any questions about this form or a specific situation involving a contaminated property. For electronic document submittal requirements see: <http://dnr.wi.gov/files/PDF/pubs/rr/RR690.pdf>.

### DNR NORTHERN REGION

Attn: RR Program Assistant  
Department of Natural Resources  
223 E Steinfest Rd Antigo, WI 54409

### DNR NORTHEAST REGION

Attn: RR Program Assistant  
Department of Natural Resources  
2984 Shawano Avenue  
Green Bay WI 54313

### DNR SOUTH CENTRAL REGION


Attn: RR Program Assistant  
Department of Natural Resources  
3911 Fish Hatchery Road  
Fitchburg WI 53711

### DNR SOUTHEAST REGION

Attn: RR Program Assistant  
Milwaukee DNR Office  
1027 West St. Paul Ave  
Milwaukee WI 53233


### DNR WEST CENTRAL REGION

Attn: RR Program Assistant  
Department of Natural Resources  
1300 Clairemont Ave.  
Eau Claire WI 54702



Note: These are the Remediation and Redevelopment Program's designated regions. Other DNR program regional boundaries may be different.

DNR Use Only			
Date Received	Date Assigned	BRRTS Activity Code	BRRTS No. (if used)
DNR Reviewer		Comments	
Fee Enclosed? <input type="radio"/> Yes <input type="radio"/> No	Fee Amount \$	Date Additional Information Requested	Date Requested for DNR Response Letter
Date Approved	Final Determination		



# Moraine Environmental, Inc.

Design • Engineer • Construct

August 25, 2023

Proj. Ref. #5323

John Feeney  
WDNR SE Region  
1155 Pilgrim Road  
Plymouth, WI 53073

RE: Status Report & Proposed Additional Investigative Activities  
Thiensville Highway Department Site  
132 W Freistadt Road, Thiensville, WI  
BRRTS #02-46-000366

Dear Mr. Feeney,

Moraine Environmental, Inc. (Moraine) has completed the activities discussed in our September 20, 2022 "Status Report & Proposed Additional Investigative Activities" letter report. The intent of recently completed work items was to 1) define the extent of polycyclic aromatic hydrocarbon (PAH) soil contamination in the direct contact zone (upper 4' of soil column) in select areas, 2) confirm identified shallow PAH soil contaminants were not a source of groundwater PAH contamination, and 3) assess the impact to soil & groundwater for per- and polyfluoroalkyl substances (PFAS) at the north end of the yard in the firefighting practice area. As previously mentioned, the Village of Thiensville no longer allows the use of foams for firefighting practice sessions.

## **SUMMARY OF FIELD ACTIVITIES**

Moraine supervised installation of 11 soil probes, completed by Horizon Construction & Exploration, on December 21, 2022. Nine (9) soil probes were completed to 5 feet below ground surface (bgs). One soil probe was completed to 10 feet bgs and converted to a small diameter well (SD-25). One 3.25" dual tube probe was completed to 30' bgs and converted to a piezometer (PZ-1) constructed with a 5' screen and 25' of riser. PZ-1 was nested with small diameter well SD/B6, the location with the most elevated shallow groundwater PFAS previously identified, and directly within the former firefighting area where PFAS containing foams had been used. Moraine returned to the site on January 4, 2023, and completed groundwater monitoring, as described in our September 2022 report.



Soil probe and well locations are provided on Figure B.1.b. in **Attachment A**. Tabulated data tables are provided in **Attachment B**. Boring logs, abandonment forms, and well construction forms are provided in **Attachment C**. Laboratory analytical reports are provided in **Attachment D**.

## **PAH ASSESSMENT**

Soil probes SP-16, 17, and SP-25 were installed to assess unsaturated soil PAH constituents. SP-25 was converted to a small diameter well and used to assess PFAS groundwater quality.

**Soil PAH** results indicated extents are defined at SP-25 in the northwestern investigated area, yet remain undefined at SP-16 and SP-17, both located along the eastern portion of the investigated interval. Rather than continue with the PAH soil investigation, Moraine recommends defining the PAH contaminated fill extents to the property boundary.

**Groundwater PAH** analysis was completed for a third time at SD/B28 on January 4, 2023, as B28 contained the most elevated unsaturated PAH soil constituents, with several compounds above industrial direct contact RCLs. Groundwater analysis resulted in a naphthalene detection of 0.29 J ug/L, well below its PAL of 10 ug/L. Moraine recommends no additional soil or groundwater investigation of PAHs.

## **GROUNDWATER LEAD ASSESSMENT**

Moraine had lead analysis performed on groundwater samples collected from small diameter wells SD/B1, SD/B3, and B-4 due to soil lead concentrations at each location above the groundwater pathway RCL. Lead was not detected in shallow groundwater from samples collected at each of SD/B1, SD/B3, and B-4. Therefore, we recommend no additional groundwater lead analysis.

## **PFAS ASSESSMENT**

**Soil PFAS** analysis was performed on 11 soil samples collected from eight (8) locations. One soil sample each at SP-18 through SP-24, from 3-4 feet bgs, was analyzed for PFAS. Four (4) samples from PZ-1 (3-4', 9-10', 19-20', and 29-30') were analyzed for PFAS. PFOS was detected in each of the shallow soil probe locations, as well as at PZ-1 (3-4) and PZ-1 (9-10). No sample results exceeded the non-industrial direct contact RCL established for both PFOS and PFOA of 1,260 µg/kg. The most elevated PFOS detections observed were at SP-18 (110 µg/kg) on the western side of the PFAS soil investigation, and at SP-24 (210 µg/kg) on the east side of the PFAS soil investigation area. PFAS soil results are provided in Table A.2. and represented on Figure B.2.a.

**Groundwater PFAS** analysis was completed on January 4, 2023, on water samples collected from nested wells SD/B6 & PZ-1, and new small diameter well SD-25. PFOS was detected in groundwater from SD/B6 at 3,000 nanograms per liter (ng/L), a proposed ES exceedance; groundwater analysis on the sample collected at PZ-1, nested with SD/B6 resulted in PFOS detected at 5 ng/L, a proposed PAL exceedance. Analysis of the groundwater sample collected from new small diameter well SD-25 resulted in a PFOS detection of 980 ng/L, above the proposed ES. PFAS groundwater analytical results and proposed WDNR PFAS standards are provided in Table A.1. The distribution of groundwater PFAS results over the past three (3) sampling events is provided in Figure B.3.b.

## **SUMMARY & RECOMMENDATIONS**

Moraine recommends no additional soil or groundwater investigation for VOCs, PAHs or metals on the subject property. Extents of VOCs, PAHs, and metals at this fill site can be defined to the property boundary.

Groundwater PFAS extents need yet be determined. At this time, Moraine recommends installation of NR141 groundwater monitoring wells at six (6) locations to consist of three (3) new well locations to the north and west of SD-25, which had a PFOS detection of 980 ng/L in January 2023, and at three (3) additional locations to include: 1) near SD/B1 on the southern side of the PFAS plume, 2) near SP/SD-13 on the eastern side of the PFAS plume, and 3) at SD/B3 near the center of the proposed ES extents within the PFAS plume. One soil sample from each of the three wells installed north and west of SD-25 and at the well installed near SP/SD-13 will have one soil sample collected and analyzed for PFAS from near the water table interface (3-4 feet bgs).


Upon completion of NR141 well installations, Moraine proposes groundwater sample collection with PFAS analysis at nine locations including the six (6) new NR 141 wells plus at SP/SD-14, SP/SD-25, and the well/piezo nest of SD/B6 and PZ-1. The initial data will be reviewed, and a brief summary report of findings and additional recommendations will be made, as necessary. If the groundwater PFAS extents are defined with the first post NR141 well installation sampling event, then conduct a second similar event three months later, to confirm the initial results. If warranted, a site investigation report can be submitted to the WDNR for a fee-based review.

If you have any questions, please contact us.

Sincerely,  
Moraine Environmental, Inc.



David M. Lennon, P.E.  
Senior Project Manager




Thomas C. Sweet  
President

Attachments

cc: Andy Lafond, Village of Thiensville

# ATTACHMENT A

## Figures




**Legend**

- SD/B3 - Soil Boring Locations
- B7 - Soil Boring / Temporary Well Locations
- SP-1 - Soil Probe Locations
- SP/SD-14 - Soil Probe / Small Diameter Well Location & ID
- PZ-1 - Piezometer
- 55-gallon drums

LT = Leaking Top      LB = Leaking Bottom

\*Borings B-1 through B-3 advanced on 12/28/11  
 \*Borings B-4 through B-9 advanced on 5/2/12  
 \*Borings B-14 through B-21 advanced on 1/23/13

**FIGURE B.1.b**  
**DETAILED SITE MAP**  
 VILLAGE OF THIENSVILLE - DPW SERVICE CENTER  
 132 W. FREISTADT RD., THIENSVILLE, WI 53092



W. Freistadt Rd.

666.9  
665.6  
666.5

N

Extent of PAH soil contamination in upper 4' Above Direct Contact RCLs which require a cap

Extent of PAH soil contamination in upper 4' above Direct Contact RCLs (dashed where inferred)  
- Also denotes extent of soil at any depth above Groundwater Pathway RCL's, except B18 & B21

Village of Thiensville  
Highway Department Property  
132 W. Freistadt Road  
Thiensville, WI 53092

**Legend**


- ⊕ SD/B3 - Soil Boring Locations
- ⊕ (B7) - Soil Boring/Temporary Well Locations
- ⊙ SP-1 - Soil Probe Locations    LT = Leaking Top
- 55-gallon drums    LB = Leaking Bottom

\*Borings B-1 through B-3 advanced on 12/28/11  
\*Borings B-4 through B-9 advanced on 5/2/12.  
\*Borings B-14 through B-21 advanced on 1/23/13

**1,800** - concentration in µg/kg (micrograms per kilogram)

< DC - Value below direct contact RCL  
GWP - Value exceeds groundwater pathway RCL  
<RCL - Values below Residual Contaminant Level  
ND - No Analytes Detected  
PAH - Polycyclic Aromatic Hydrocarbon

FIGURE B.2.a.  
SOIL CONTAMINATION (PAH)  
VILLAGE OF THIENSVILLE - DPW SERVICE CENTER  
132 W. FREISTADT RD., THIENSVILLE, WI 53092



Note: PFOS Detections shown for unsaturated soil samples each collected from 3-4' bgs. Deeper sample PFAS results collected at PZ-1 shown in Table A.2.

**Legend**


- ⊕ SD/B3 - Soil Boring Locations
- ⊕ (B7) - Soil Boring / Temporary Well Locations
- ⊖ SP-1 - Soil Probe Locations
- ⊕ SP/SD-14 - Soil Probe / Small Diameter Well Location & ID
- ⊕ PZ-1 - Piezometer      ○ 55-gallon drums

LT = Leaking Top      LB = Leaking Bottom

\*Borings B-1 through B-3 advanced on 12/28/11  
 \*Borings B-4 through B-9 advanced on 5/2/12  
 \*Borings B-14 through B-21 advanced on 1/23/13

W. Freistadt Rd.





Extent of PFAS in Groundwater above the ES (dashed where inferred)


Extent of PFAS in Groundwater above the PAL (dashed where inferred)

**Legend**

- ⊕ SD/B3 - Soil Boring Locations
- ⊕ B7 - Soil Boring / Temporary Well Locations
- ⊙ SP-1 - Soil Probe Locations
- ⊕ SP/SD-14 - Soil Probe / Small Diameter Well Location & ID
- 55-gallon drums
- LT = Leaking Top      LB = Leaking Bottom

\*Borings B-1 through B-3 advanced on 12/28/11  
 \*Borings B-4 through B-9 advanced on 5/2/12  
 \*Borings B-14 through B-21 advanced on 1/23/13

**PFAS** - per & polyfluoroalkyl substances  
**PFOS** - Perfluorooctane Sulfonic Acid  
**PFOA** - Perfluorooctanoic Acid  
**54** - concentration in nanograms per liter (ng/L)  
**ES** - Enforcement Standard Exceedance  
**PAL** - Preventative Action Limit Exceedance



**Proposed Well Locations (6)**

Extent of PFAS in Groundwater above the ES (dashed where inferred)

Extent of PFAS in Groundwater above the PAL (dashed where inferred)

**Legend**

- SD/B3 - Soil Boring Locations
- B7 - Soil Boring / Temporary Well Locations
- SP-1 - Soil Probe Locations
- SP/SD-14 - Soil Probe / Small Diameter Well Location & ID
- 55-gallon drums
- LT = Leaking Top      LB = Leaking Bottom

\*Borings B-1 through B-3 advanced on 12/28/11  
 \*Borings B-4 through B-9 advanced on 5/2/12  
 \*Borings B-14 through B-21 advanced on 1/23/13

**PFAS** - per & polyfluoroalkyl substances  
**PFOS** - Perfluorooctane Sulfonic Acid  
**PFOA** - Perfluorooctanoic Acid  
**54** - concentration in nanograms per liter (ng/L)  
**ES** - Enforcement Standard Exceedance  
**PAL** - Preventative Action Limit Exceedance



## ATTACHMENT B

### Tables

**Table A.1.  
Groundwater Analytical Results**

Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092

Sample ID	B-4		B-7	B-9	B-11	SD/B1			SD/B2	SD/B3			SD/B6		SD/B14		SD/B16		SD/B28			NR 140 Preventive Action Limit (PAL)	NR 140 Enforcement Standard (ES)	
Sample Collection Date	5/3/12	1/4/23	5/3/12	5/3/12	5/3/12	12/19/19	1/19/22	1/4/23	12/19/19	12/19/19	1/19/22	1/4/23	12/19/19	1/19/22	12/19/19	1/19/22	12/19/19	1/19/22	12/19/19	1/19/22	1/4/23			
<b>Petroleum Volatile Organic Compounds (µg/l)</b>																								
1,2,4-Trimethylbenzene	<0.43	---	<0.43	<0.43	<0.43	---	---	---	---	<0.84	---	---	---	---	---	---	---	---	---	---	---	NS	NS	
1,3,5-Trimethylbenzene	<0.40	---	<0.40	<0.40	<0.40	---	---	---	---	<0.87	---	---	---	---	---	---	---	---	---	---	---	NS	NS	
Benzene	<0.39	---	<0.39	<0.39	<0.39	---	---	---	---	<0.25	---	---	---	---	---	---	---	---	---	---	---	0.5	5	
Ethylbenzene	8.3	---	<0.41	<0.41	<0.41	---	---	---	---	<0.22	---	---	---	---	---	---	---	---	---	---	---	140	700	
Methyl-tert-butyl ether	<0.38	---	<0.38	<0.38	<0.38	---	---	---	---	<1.2	---	---	---	---	---	---	---	---	---	---	---	12	60	
Naphthalene	0.019 J	---	0.067	0.043 J	0.32	---	---	---	---	<1.2	---	---	---	---	---	---	---	---	---	---	---	10	100	
Toluene	<0.42	---	<0.42	<0.42	0.77 J	---	---	---	---	1.3 J	---	---	---	---	---	---	---	---	---	---	---	160	800	
m&p-Xylene	2.4	---	<0.87	<0.87	<0.87	---	---	---	---	<0.47	---	---	---	---	---	---	---	---	---	---	---	NS	NS	
o-Xylene	2	---	<0.38	<0.38	<0.38	---	---	---	---	<0.26	---	---	---	---	---	---	---	---	---	---	---	NS	NS	
Total Trimethylbenzenes	<0.83	---	<0.83	<0.83	<0.83	---	---	---	---	<1.71	---	---	---	---	---	---	---	---	---	---	---	96	480	
Total Xylenes	4.4	---	<1.25	<1.25	<1.25	---	---	---	---	<0.73	---	---	---	---	---	---	---	---	---	---	---	400	2,000	
<b>Polycyclic Aromatic Hydrocarbons (µg/l)</b>																								
1-Methylnaphthalene	0.013 J	---	0.021 J	0.025 J	0.24	---	<0.016	---	0.026 J	---	<0.016	---	0.035	<0.017	0.022 J	<0.017	0.016 J	<0.017	0.019 J	<0.017	<0.016	NS	NS	
2-Methylnaphthalene	0.022 J	---	0.037 J	0.041 J	0.4	---	0.018 J	---	0.044	---	0.022 J	---	0.053	0.019 J	0.040	0.023 J	0.034	0.018 J	0.034	0.020 J	0.028 J	NS	NS	
Acenaphthene	<0.0048	---	<0.0051	0.041 J	0.014 J	---	<0.013	---	0.026 J	---	<0.013	---	0.030 J	0.033 J	<0.0061	<0.013	<0.0061	<0.013	0.012 J	<0.013	<0.013	NS	NS	
Acenaphthylene	<0.0038	---	<0.0040	0.010 J	0.0073 J	---	<0.012	---	<0.0050	---	<0.012	---	0.016 J	0.013 J	<0.0050	<0.012	<0.0050	<0.012	<0.0050	<0.012	<0.012	NS	NS	
Anthracene	0.011 J	---	<0.0064	<0.0061	0.0091 J	---	<0.017	---	<0.010	---	<0.017	---	0.033 J	<0.017	<0.010	<0.017	<0.010	<0.017	0.033 J	<0.017	<0.017	600	3,000	
Benzo(a)anthracene	<0.0038	---	<0.0040	0.0084 J	0.0095 J	---	<0.012	---	<0.0076	---	<0.012	---	<0.0076	<0.013	<0.0076	<0.013	<0.0076	<0.013	0.040	<0.013	<0.012	NS	NS	
Benzo(a)pyrene	0.0052 J	---	<0.0032	0.012 J	0.016 J	---	<0.018	---	<0.011	---	<0.018	---	0.014 J	<0.018	<0.011	<0.018	<0.011	<0.018	0.065	<0.018	<0.012	0.02	0.2	
Benzo(b)fluoranthene	0.0041 J	---	0.0038 J	0.013 J	0.014 J	---	<0.018	---	<0.0057	---	0.020 J	---	0.0066 J	<0.018	<0.0057	<0.018	<0.0057	<0.018	0.077	<0.018	<0.0083	0.02	0.2	
Benzo(g,h,i)perylene	0.0069 J	---	<0.0054	0.013 J	0.014 J	---	<0.021	---	<0.0068	---	<0.021	---	0.018 J	<0.022	<0.0068	<0.022	<0.0068	<0.022	0.045	<0.022	<0.021	NS	NS	
Benzo(k)fluoranthene	<0.0046	---	0.0052 J	0.012 J	0.014 J	---	<0.020	---	<0.0076	---	<0.020	---	0.012 J	<0.021	<0.0076	<0.021	<0.0076	<0.021	0.062	<0.021	<0.020	NS	NS	
Chrysene	0.0047 J	---	0.0062 J	0.016 J	0.015 J	---	<0.024	---	<0.013	---	<0.024	---	0.018 J	<0.025	<0.013	<0.025	<0.013	<0.025	0.13	<0.025	<0.012	0.02	0.2	
Dibenz(a,h)anthracene	<0.0034	---	<0.0036	<0.0034	<0.0035	---	<0.016	---	<0.010	---	<0.016	---	<0.010	<0.017	<0.010	<0.017	<0.010	<0.017	<0.010	<0.017	<0.016	NS	NS	
Fluoranthene	<0.0047	---	<0.0049	0.018 J	0.028 J	---	<0.024	---	<0.011	---	<0.024	---	0.031 J	<0.025	<0.011	<0.024	<0.011	<0.024	0.22	<0.025	<0.024	80	400	
Fluorene	<0.0051	---	<0.0053	0.0075 J	0.027 J	---	<0.022	---	<0.0080	---	<0.022	---	0.018 J	<0.022	<0.0080	<0.022	<0.0080	<0.022	0.011 J	<0.022	<0.021	80	400	
Indeno(1,2,3-cd)pyrene	<0.0050	---	<0.0052	0.0096 J	0.011 J	---	<0.014	---	<0.018	---	<0.014	---	<0.018	<0.015	<0.018	<0.014	<0.018	<0.015	0.038 J	<0.015	<0.014	NS	NS	
Naphthalene	0.019 J	---	0.067	0.043 J	0.32	---	<0.018	---	0.050 J	---	<0.018	---	0.052 J	<0.019	0.045 J	<0.019	0.036 J	<0.019	0.036 J	<0.019	0.029 J	10	100	
Phenanthrene	<0.0086	---	<0.0090	0.011 J	0.037 J	---	<0.023	---	0.014 J	---	<0.024	---	0.034 J	<0.024	<0.014	<0.024	<0.014	<0.024	0.14	<0.024	<0.023	NS	NS	
Pyrene	<0.0050	---	<0.0053	0.017 J	0.024 J	---	<0.021	---	0.014 J	---	<0.021	---	0.048	<0.021	<0.0076	<0.021	<0.0076	<0.021	0.23	<0.021	<0.021	50	250	
<b>Resource Conservation &amp; Recovery Act (RCRA) Metals (µg/L)</b>																								
Arsenic	<4.7	---	6.3 J	4.7 J	5.9 J	1.4	<13.2	---	---	---	---	---	---	---	---	<13.2	---	---	---	---	---	1	10	
Barium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	400	2,000	
Cadmium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.5	5	
Chromium	<2.0	---	<2.0	<2.0	<2.0	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	10	100	
Lead	2.4 J	<6.4	3.7 J	2.1 J	<1.7	---	---	<5.9	---	---	---	<6.4	---	---	---	---	---	---	---	---	---	1.5	15	
Selenium	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	10	50	
Silver	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	10	50	
Mercury	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.2	2	

All values expressed in µg/L (micrograms per liter), unless otherwise noted

PAL - Preventive Action Limit

ES - Enforcement Standard

--- - sample not analyzed for this parameter

NS - No Standard established for this analyte

ND - Not Detected

< - less than the laboratory method detection limit (MDL)

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

**Underlined text** - identifies Proposed NR 140 Enforcement Standard Exceedance

*Underlined text* - identifies Proposed NR 140 Preventive Action Limit Exceedance.

**Table A.1.**  
**Groundwater Analytical Results - PFAS**

Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092

Well ID	Near or within PFAS Source Area						Stepped Out from Source Area						Proposed WDNR Standards (Cycle 11)			EPA Health Advisory Level		
	Well/Piezo Nest			SD/B1	B7	SD-13	SD-14	SD-15	SD-25	Field Blank			NR 140 PAL	NR 140 ES				
	SD/B6	PZ-1								1/19/22	7/6/22	7/6/22			7/6/22		7/6/22	1/4/23
Collection Date	1/19/22	1/19/22	1/19/22	1/19/22	1/4/23	1/4/23	7/6/22	7/6/22	7/6/22	7/6/22	7/6/22	1/4/23	1/19/22	7/6/22	1/4/23			
<b>PFAS Compounds (ng/L)</b>																		
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9CI-PF3ONS)	<0.41	<0.50	<0.43	<0.48	<0.45	<0.43	<0.459	<0.452	<0.439	<0.467	<0.439	<0.44	<0.53	<0.450	<0.43	**	**	
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11CI-PF3OUdS)	<0.57	<0.68	<0.59	<0.66	<0.61	<0.60	<0.459	<0.452	<0.439	<0.467	<0.439	<0.61	<0.73	<0.450	<0.59	**	**	
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	<1.4	<1.7	<1.4	<1.6	<1.5	<1.4	<0.541	<0.532	<0.518	<0.550	<0.518	<1.5	<1.8	<0.530	<1.4	**	**	
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	10	<2.1	<1.8	<2.0	<1.8	<1.9	<0.765	<0.753	<0.732	<0.778	<0.732	5.4 J	<2.2	<0.750	<1.8	**	**	
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	<0.75	<0.90	<0.78	<0.87	<0.81	<0.79	<0.633	<0.622	<0.605	<0.643	<0.605	<0.80	<0.96	<0.620	<0.78	**	**	
Hexafluoropropylene oxide dimer acid (GenX)	<1.8	<2.1	<1.9	<2.1	<1.9	<1.9	<3.40	<3.35	<3.26	<3.46	<3.26	<1.9	<2.3	<3.34	<1.8	30	300	
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	<0.41	<0.50	<0.43	<0.48	<0.45	<0.44	<0.439	<0.432	<0.420	<0.446	<0.420	<0.45	<0.53	<0.430	<0.43	600	3,000	
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	<1.2	<1.4	<1.2	<1.4	<1.3	<1.2	<0.714	<0.703	<0.684	<0.726	<0.684	<1.2	<1.5	<0.700	<1.2	2 *	20 *	
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	<0.64	<0.78	<0.67	1.5 J	<u>3.8 J</u>	<0.68	<0.806	<0.793	<0.771	<0.820	<0.771	<0.69	<0.83	<0.790	<0.67	2 *	20 *	
Polycyclic Aromatic Hydrocarbons (µg/l)		<0.98	<0.85	<0.95	<0.88	<0.86	<0.515	<0.507	<0.493	<0.524	<0.493	<0.88	<1.0	<0.505	<0.85	2 *	20 *	
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	<1.1	<1.3	<1.1	<1.3	<1.2	<1.1	<0.847	<0.833	<0.811	<0.861	<0.811	<1.2	<1.4	<0.830	<1.1	**	**	
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	<0.80	<0.96	<0.83	1.2 J	1.8 J	<0.84	<0.459	<0.452	<0.439	<0.467	<0.439	<0.86	<1.0	<0.450	<0.83	**	**	
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	<1.1	<1.3	<1.1	<1.3	<1.2	<1.2	<0.663	<0.653	<0.635	<0.674	<0.635	<1.2	<1.4	<0.650	<1.1	**	**	
Perfluoro-1-butanefluoronic acid (PFBS)	1.6 J	2.6 J	1.5 J	4	5.8	<0.37	5.71	<0.311	<0.303	<0.322	<0.303	34	<0.46	<0.310	<0.37	90,000	450,000	
Perfluoro-1-decanesulfonic acid (PFDS)	<0.66	<0.80	<0.69	1.4 J	1.6 J	<0.70	<0.622	<0.612	<0.596	<0.633	<0.596	<0.72	<0.86	<0.610	<0.69	**	**	
Perfluoro-1-heptanesulfonic acid (PFHpS)	0.64 J	1.3 J	<0.45	9.2	22	<0.45	<0.622	<0.612	<0.596	<0.633	<0.596	13	<0.55	<0.610	<0.44	**	**	
Perfluoro-1-nonanesulfonic acid (PFNS)	<0.61	<0.74	<0.64	<0.71	1.6 J	<0.64	<0.888	<0.873	<0.850	<0.902	<0.850	0.74 J	<0.78	<0.870	<0.63	**	**	
Perfluoro-1-octanesulfonamide (PFOSA)	<0.52	<0.63	<0.55	<u>2.2 J</u>	6.1	<0.55	<0.378	<0.371	<0.361	<0.384	<0.361	<0.56	<0.68	<0.370	<0.54	2 *	20 *	
Perfluoro-1-pentanesulfonic acid (PFPeS)	0.70 J	<0.61	<0.53	3.4 J	6.8	<0.54	<0.520	<0.512	<0.498	<0.529	<0.498	66	<0.65	<0.510	<0.53	**	**	
Perfluorododecanesulfonic acid (PFDOS)	<0.89	<1.1	<0.93	<1.0	<0.97	<0.94	<0.668	<0.658	<0.640	<0.679	<0.640	<0.96	<1.2	<0.655	<0.93	**	**	
Perfluorohexanesulfonic acid (PFHxS)	<u>10</u>	<u>25</u>	<0.49	<u>76</u>	<u>130</u>	<0.50	<0.633	<0.622	<0.605	<0.643	<0.605	<u>800</u>	<0.61	<0.620	<0.49	4	40	
Perfluoro-n-butanoic acid (PFBA)	5.0	7.3	5.7	11	9.1	2.2 J	8.17	4.97	3.6	4.91	3.48	9.2 B	<0.66	<0.760	<0.54	2,000	10,000	
Perfluoro-n-decanoic acid (PFDA)	<0.45	<0.54	<0.47	0.59 J	0.98 J	<0.47	<0.735	<0.723	<0.703	<0.747	<0.703	<0.48	<0.58	<0.720	<0.47	60	300	
Perfluoro-n-dodecanoic acid (PFDoA)	<0.40	<0.49	<0.42	<0.47	<0.44	<0.43	<0.663	<0.653	<0.635	<0.674	<0.635	<0.43	<0.52	<0.650	<0.42	100	500	
Perfluoro-n-heptanoic acid (PFHpA)	0.78 J	3.4 J	1.4 J	4.5	8.3	<0.40	<0.592	2.6	<0.566	<0.602	<0.566	8.7	<0.49	<0.580	<0.40	**	**	
Perfluoro-n-hexanoic acid (PFHxA)	1.8 J	4.6	2.5 J	9.8	8.3	0.75 J	6.55	4.35	<0.459	2.33	<0.459	42	<0.76	<0.470	<0.61	30,000	150,000	
Perfluoro-n-nonanoic acid (PFNA)	<0.39	1.1 J	<0.41	1.6 J	<u>3.2 J</u>	<0.42	<0.500	<0.492	<0.479	<0.508	<0.479	1.1 J	<0.51	<0.490	<0.41	3	30	
Perfluoro-n-octanoic acid (PFOA)	1.9 J	<u>4.2</u>	<u>2.3 J</u>	<u>17</u>	<u>37</u>	1.2 J	<0.429	<u>3.56</u>	<0.410	<0.436	<0.410	<u>16</u>	<0.91	<0.420	<0.74	2 *	20 *	70
Resource Conservation & Recovery Act (RCRA) Metals (µg/L)			2.2 J	6.6	9.2	<0.49	4.06	3.05	<0.430	<0.456	<0.430	8.6	<0.60	<0.440	<0.48	**	**	
Perfluoro-n-tetradecanoic acid (PFTeDA)	<0.51	<0.62	<0.54	<0.60	<0.56	<0.54	<0.582	<0.572	<0.557	<0.591	<0.557	<0.55	<0.66	<0.570	<0.53	2,000	10,000	
Perfluoro-n-tridecanoic acid (PFTrDA)	<0.45	<0.55	<0.47	<0.53	<0.49	<0.48	<0.628	<0.617	<0.601	<0.638	<0.601	<0.49	<0.58	<0.615	<0.47	**	**	
Perfluoro-n-undecanoic acid (PFUdA)	<0.53	<0.65	<0.56	<0.63	<0.58	<0.56	<0.633	<0.622	<0.605	<0.643	<0.605	<0.58	<0.68	<0.620	<0.56	600	3,000	
Perfluorooctanesulfonic acid (PFOS)	<u>54.0</u>	<u>92</u>	<1.8	<u>1100</u>	<u>3000</u>	<u>5</u>	<0.388	<0.382	<u>4.41</u>	<0.394	<0.371	<u>980</u>	<2.2	<0.380	<1.8	2 *	20 *	70

\* Wisconsin Department of Health Services (DHS) proposed standards for PFOA & PFOS in Cycle 10 would become published and effective Fall 2021  
 \*\* DHS has not yet determined proposed standards for the remaining 34 (Cycle 11) PFAS compounds in this table, but would become effective Fall 2023

All values expressed in ng/L (nanograms per liter).  
 PAL - Preventive Action Limit  
 ES - Enforcement Standard  
 --- - sample not analyzed for this parameter  
 NS - No Standard established for this analyte  
 ND - Not Detected  
 < - less than the laboratory method detection limit (MDL)  
 B - Analyte detected in method blank  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.  
**Bold underlined text** - identifies Proposed NR 140 Enforcement Standard Exceedance  
*Italics underlined text* - identifies Proposed NR 140 Preventative Action Limit Exceedance.

Table A.2.  
Soil Analytical Results  
Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092

Boring & Sample Information				PAHs & Detected SVOCs (ug/kg)																		Data Review Results							
Borehole No.	Sample Date	Sample Depth (feet)	Saturated (S) / Unsaturated (U)	1-Methyl naphthalene	2-Methyl naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a) anthracene	Benzo(a) pyrene	Benzo(b) fluor anthrene	Benzo(g,h,i) perylene	Benzo(k) fluor anthrene	Chrysene	Dibenz(a,h) anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene	Carbazole	Bis(2-Ethylhexyl) phthalate	GW Pathway Exceedance	DC Exceedance	cPAH Analysis Performed	cPAH Result	Extent Defined	Comments:
Groundwater Pathway RCL				NS	NS	NS	NS	196,949	NS	470	478	NS	NS	144.2	NS	88,878	14,830	NS	658.2	NS	54,546	NS	2,880						
Non-Industrial Direct Contact Pathway RCL				17,600	239,000	3,590,000	NS	17,900,000	1,140	115	1,150	NS	11,500	115,000	115	2,390,000	2,390,000	1,150	5,520	NS	1,790,000	NS	38,800						
Industrial Direct Contact Pathway RCL				72,700	3,010,000	45,200,000	NS	100,000,000	20,800	2,110	21,100	NS	211,000	2,110,000	2,110	30,100,000	30,100,000	21,100	24,100	NS	22,600,000	NS	164,000						
B-1	12/28/11	1	U	--	<38.7	<176	<37.7	<176	339 J	505	439	473	472	458	156 J	335 J	34.5 J	421	<41.1	269 J	868	<36.2	<71.9	Y	Y	X	Fail	Y	Cap required; Groundwater Analysis Needed at this Location due to GW Pathway exceedances of Arsenic in 7.5' soil sample. Install 10' Small diameter well and analyze groundwater for Arsenic. Arsenic in GW was first a PAL then ND. Good!
B-1	12/28/11	3	U	--	<38.3	<174	<37.3	<174	420	431	435	342 J	420	527	113 J	483	64.7 J	326 J	<40.7	544	1,340	36.5 J	<71.2	Y	Y	X	Fail	Y	
B-1	12/28/11	7.5	S	--	<20.5	<92.7	<19.9	<92.7	<20.9	<22.5	<21.9	<92.7	<29.3	<27.1	<34.0	<32.8	<9.3	<24.9	<21.7	<92.7	<45.2	<19.1	<38.0	N	N	--	--	Y	
B-2	12/28/11	1	U	--	<78.9	<358	<76.8	<358	149 J	450 J	319 J	595 J	400 J	287 J	<131	<127	<36.0	544 J	<83.7	<358	397 J	<73.8	<147	Y	Y	X	Fail	N	Cap Required; Groundwater Analysis Needed at this Location due to GW Pathway exceedances of PAHs in 5' soil sample. Install 10' Small diameter well and analyze groundwater for PAH. GW analysis for PAH resulted in No PAHs above standards
B-2	12/28/11	5	S	--	266 J	<848	<182	<848	1,190 J	4,990	5,200	3,440	5,070	5,690	1,380 J	8,880	1,020 J	3,520	280 J	8,380	17,000	922 J	2,050	Y	Y	X	Fail	N	
B-3	12/28/11	1	U	--	<416	<1,890	<405	<1,890	560 J	1,770 J	<446	<1,890	<596	827 J	<692	<668	<190	1,820 J	<442	<1,890	<919	<390	<773	Y	Y	X	Fail	Y	Cap Required; Groundwater Analysis Needed at this Location due to GW Pathway Exceedance of Toluene in 8' soil sample. Install 10' Small diameter well and analyze groundwater for PVOC. GW Analysis resulted in no PVOC detections above standards.
B-3	12/28/11	3	U	--	<405	<1,840	<394	<1,840	<414	<446	<434	<1,840	<580	<536	<673	<650	<185	<493	<430	<1,840	<895	<379	16,600	N	N	--	--	Y	
B-3	12/28/11	8	S	--	<23.0	<104	<22.4	<104	37.5 J	37.0 J	33.8 J	<104	45.8 J	42.2 J	<38.2	55.2 J	<10.5	37.0 J	<24.4	<104	79.8 J	<21.5	<42.7	Y	N	--	--	N	
B-4	5/2/12	2	U	<57.6	<57.6	<53.0	78.9 J	597	1,830	2,040	2,100	1410	1,710	2,250	424	2,960	98 J	1,240	<66.0	805	2,520	NA	NA	Y	Y	X	Fail	Y	Cap required; No need for additional soil or groundwater analysis around this Location
B-4	5/2/12	5	S	4.5 J	4.2 J	7.7 J	4.0 J	27.2	29.9	42	40.5	15.5 J	30.7	37.7	6.2 J	74.5	9.9 J	15.5 J	6.5 J	77	82.8	NA	NA	N	N	--	--	Y	
B-5	5/2/12	2	U	<11.4	12.9 J	<10.5	107	119	403	604	716	276	502	545	99.2	732	19.6 J	258	<13.1	161	755	NA	NA	Y	Y	X	Fail	Y	Cap required; No need for additional soil or groundwater analysis around this Location
B-5	5/2/12	5	S	<2.7	<2.7	<2.5	<2.8	<4.1	<2.5	<2.9	<3.1	<2.3	<3.3	<3.2	<4.8	<8.9	<4.4	<2.5	<3.1	<3.9	<3.2	NA	NA	N	N	--	--	Y	
B-6	5/2/12	2	U	<14.0	<14.0	33.7 J	214	307	650	944	913	473	807	768	174	1,350	82.2 J	473	23.0 J	553	1,160	NA	NA	Y	Y	X	Fail	N	Cap Required: DC Extents in shallow soil to North of B-6 are undefined. One 4' probe to N and soil PAH analysis and install 10' SD well at B6. PAH analysis. Results at SP-1 (soil) to define extents good. SD well at B-6 resulted in no PAH detections above standards
B-6	5/2/12	5	S	<5.5	<5.5	<5.1	102	125	221	289	308	115	257	246	44.4	301	13.6 J	110	<6.3	82.1	315	NA	NA	Y	Y	X	PASS	N	
B-7	5/2/12	2	U	<2.8	<2.8	<2.6	<2.9	<4.2	4.8 J	5.1 J	5.0 J	2.9 J	5.2 J	5.8 J	<4.9	<9.1	<4.5	2.9 J	<3.2	<4.0	7.6 J	7.6 J	NA	N	N	--	--	Y	No Cap required and extent is defined - No further investigation needed around B7
B-7	5/2/12	5	S	<2.8	<2.8	<2.5	<2.9	<4.2	<2.6	<3.0	<3.1	<2.4	<3.4	<3.4	<4.9	<9.1	<4.5	<2.6	<3.2	<4.0	<3.3	NA	NA	N	N	--	--	Y	
B-8	5/2/12	2	U	5.2 J	9.2 J	4.3 J	109	108	167	278	243	176	212	189	51.7	239	9.6 J	140	<3.3	18.1	82	247	NA	Y	Y	X	PASS	Y	No Cap required and extent is defined - No further investigation needed around B8
B-8	5/2/12	5	S	<2.9	<2.9	<2.7	<3.0	<4.4	<2.7	<3.1	<3.3	<2.5	<3.5	<3.4	<5.2	<9.5	<4.7	<2.7	<3.3	<4.2	<3.5	NA	NA	N	N	--	--	Y	
B-9	5/2/12	2	U	<5.7	8.4 J	13.0 J	55.1	114	264	393	390	215	364	352	74.9	539	27.0 J	194	16.7 J	253	458	NA	NA	Y	Y	X	PASS	Y	No Cap required and extent is defined - No further investigation needed around B9
B-9	5/2/12	6	S	<2.8	<2.8	<2.6	<2.9	<4.3	3.4 J	7.5 J	6.2 J	4.4 J	5.6 J	6.4 J	<5.0	<9.2	<4.6	3.6 J	<3.2	<4.0	10.8 J	NA	NA	N	N	--	--	Y	
B-10	5/2/12	2	U	<5.4	5.5 J	6.5 J	100	154	279	392	389	193	299	350	73.4	534	24.2 J	183	<6.2	236	532	NA	NA	Y	Y	X	PASS	Y	No Cap required and extent is defined - No further investigation needed around B10
B-10	5/2/12	6	S	<2.9	3.6 J	3.5 J	8.6 J	24.4	40.3	44.9	43.4	19.1	39.3	49	7.5 J	84	8.7 J	17.8 J	14.2 J	51.2	74.7	NA	NA	N	N	--	--	Y	
B-11	5/2/12	2	U	6.4 J	10.0 J	12.3 J	88.1	168	418	418	463	174	323	366	65.6	616	27.6 J	167	9.9 J	248	543	NA	NA	Y	Y	X	Fail	Y	Cap required but extent is defined - No further investigation needed around B11
B-11	5/2/12	6.5	S	<2.8	<2.8	<2.6	<2.9	<4.3	3.6 J	3.2 J	3.2 J	<3.2	<2.4	<3.4	3.9 J	<5.0	<9.2	<2.6	<3.2	5.3 J	7.5 J	NA	NA	N	N	--	--	Y	
B-12	5/2/12	2	U	<11.3	<11.3	31.0 J	23.6 J	186	388	400	421	141	376	445	56.0 J	1,080	24	44.5 J	146	<13.0	604	897	NA	Y	Y	X	PASS	Y	No Cap required and extent is defined - No further investigation needed around B12
B-12	5/2/12	5	S	<2.8	<2.8	<2.6	<2.9	<4.3	7.6 J	8.8 J	9.0 J	4.5 J	9.5 J	11.1 J	<5.0	24	<4.6	4.4 J	<3.2	9.3 J	20.6	NA	NA	N	N	--	--	Y	
B-13	5/2/12	2	U	<5.5	6.3 J	6.7 J	29.3 J	77.4	164	219	241	118	226	230	34.2 J	404	13.2 J	95.7	10 J	161	337	NA	NA	Y	Y	X	PASS	Y	No Cap required and extent is defined - No further investigation needed around B13
B-13	5/2/12	5	S	<2.8	<2.8	<2.6	<3.0	5.3 J	9.4 J	9.7 J	9.8 J	3.6 J	8.1 J	9.5 J	19.5	<4.76	19.5	<3.3	10.7 J	17.9 J	337	NA	NA	N	N	--	--	Y	
B-14	12/3/13	4	U	<175	51.1 J	352 J	451	2,300	3,860	3,670	2,980	2,210	3,350	4,260	810	10,200	710	2,000	<72.2	7,070	6,580	NA	NA	Y	Y	X	Fail	N	Cap Required, Soil Extents undefined to SW & NE - Install 2-4' probes accordingly and install 10' SD well at B14. PAH analysis. Installed SP-6 & SP-7
B-15	12/3/13	4	U	<8.3	4.6 J	<9.1	69.0	58.6	128	195	160	101	160	146	37.6	184	<9.1	99.0	5.1 J	35.5	197	NA	NA	Y	Y	X	PASS	N	
B-16	12/3/13	4	U	<728	377 J	<797	3,400	7,230	8,590	8,150	5,940	4,500	7,760	8,720	1,530 J	22,000	3,590	4,090	310 J	18,000	15,500	NA	NA	Y	Y	X	Fail	N	No Cap required but extent is undefined - Install 2-4' probes accordingly and install 10' SD well at B16. PAH analysis. Installed SP-4 & SP-5 SD well at B16
B-17	12/3/13	4	U	<8.6	<1.8	<9.4	<9.4	8.1 J	16.4 J	23.3	24.9	24.1	18.5 J	20.9	<9.4	29.3	<9.4	17.8 J	<3.5	10.4 J	23.2	NA	NA	N	N	--	--	Y	
B-18	12/3/13	4	U	<8.7	6.4 J	<9.6	24.7	69.9	134	147	124	82.9	158	145	32.0	318	12.7 J	77.3	9.4 J	179	263	NA	NA	N	Y	X	PASS	N	No Cap required but extent is undefined - Install 1-4' probe to Northeast of B18. PAH Analysis. Installed SP-12 leading to Extent Defined
B-19	12/3/13	4	U	<8.8	5.1 J	<9.6	<9.6	9.7 J	<9.6	<9.6	6.3 J	<9.6	10.8 J	9.7 J	<9.6	15.9 J	<9.6	<9.6	9.9 J	10.0 J	12.9 J	NA	NA	N	N	--	--	Y	
B-20	12/3/13	4	U	<9.0	4.9 J	<9.9	30.5	20.4	48.4	81.2	72.5	62.5	59.7	60.4	19.0 J	64.5	<9.9	49.7	8.4 J	17.0 J	72.7	NA	NA	N	N	--	--	Y	No Cap required and extent is defined - No further investigation needed around B19
B-21	12/3/13	4	U	<8.6	<1.8	<9.5	<9.5	3.9 J	11.7 J	12.1 J	12.3 J	10.3 J	12.1 J	14.5 J	<9.5	26.5	<9.5	<9.5	<3.6	11.0 J	18.7 J	NA	NA	N	N	--	--	Y	
B-22	10/16/13	3-4	U	<3.5	<9.9	<9.9	13.9 J	43.3	111	130	109	73.8	122	133	26.9	262	<9.9	63.9	<9.9	116	210	NA	NA	N	N	--	--	Y	No Cap required and extent is defined - No further investigation needed around B20
B-23	10/16/13	3-4	U	<3.4	<9.6	<9.6	<9.6	<9.6	10.7 J	12.4 J	15.7 J	<9.6	9.4 J	15.7 J	<9.6	29.3	<9.6	<9.6	<9.6	20.4	26.4	NA	NA	N	N	--	--	Y	
B-24	10/16/13	3-4	U	6.8 J	<19.2	<19.2	47.8	93.1	248	293	260	210	271	313	67.5	598	29.8 J	176	<19.2	273	470	NA	NA	N	Y	X	PASS	N	No Cap required and extent is defined - No further investigation needed around B21
B-25	10/16/13	3-4	U	6.1 J	<9.6	<9.6	96.3	69.1	193	286	211	194	269	236	71.7	292	21.1	160	14.3 J	139	267	NA	NA	N	Y	X	PASS	N	
B-26	10/16/13	3-4	U	<3.1	<8.8	<8.8	<8.8	<8.8	9.3 J	7.1 J	8.9 J	<8.8	6.2 J	10.2 J	<8.8	22.5	<8.8	<8.8	<8.8	16.7 J	17.0 J	NA	NA	N	N	--	--	Y	No Cap required and extent is defined - No further investigation needed around B22
B-27	10/16/13	3-4	U	3.9 J	<8.7	<8.7	<8.7</																						

Table A.2.  
Soil Analytical Results  
Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092

Boring & Sample Information				RCRA Metals (mg/kg)							
Borehole No.	Sample Date	Sample Depth (feet)	Saturated (S)/Unstaurated (U)	Arsenic	Barium	Cadmium	Total Chromium	Lead	Selenium	Silver	Mercury
Groundwater Pathway RCL				0.584	164.8	0.752	360,000	27	0.52	0.8497	0.208
Non-Industrial DC Pathway RCL				0.614	15,300	71.1	NS	400	391	391	3.13
Industrial DC Pathway RCL				0.614	15,300	985	NS	800	391	391	3.13
Background Threshold Value				8.3	364	1.07	44.0	51.6	NS	NS	NS
B-1	12/28/11	1	U	2.5	25.8	0.18 J	7.5	12.2	<0.31	<0.092	0.012
B-1	12/28/11	3	U	3.0	35.9	0.32 J	10.4	63.7	<0.29	<0.087	0.030
B-1	12/28/11	7.5	S	<b>12.4</b>	13.3	0.29 J	5.9	31.4	<0.31	<0.093	0.0089
B-2	12/28/11	1	U	4.3	64.0	0.29 J	19.9	26.5	<0.30	<0.089	0.022
B-2	12/28/11	5	S	3.8	79.9	0.31 J	17.5	34.5	<0.35	<0.10	0.030
B-3	12/28/11	1	U	3.6	12.0	0.10 J	7.6	4.7	<0.31	<0.091	0.0063
B-3	12/28/11	3	U	3.4	35.6	0.32 J	17.3	54.9	<0.32	0.16 J	0.051
B-3	12/28/11	8	S	3.3	13.4	0.23 J	4.5	5.7	<0.32	<0.096	0.011
B-4	5/2/12	2	U	3.8	--	--	11.8	43.4	--	--	--
B-4	5/2/12	5	S	3.3	--	--	6.7	12.9	--	--	--
B-5	5/2/12	2	U	2.6	--	--	4.8	23.9	--	--	--
B-5	5/2/12	5	S	3.7	--	--	3.8	8.3	--	--	--
B-6	5/2/12	2	U	3.6	--	--	13.3	15.5	--	--	--
B-6	5/2/12	5	S	3.7	--	--	15.5	17.4	--	--	--
B-7	5/2/12	2	U	3.6	--	--	12.3	22.7	--	--	--
B-7	5/2/12	5	S	4.7	--	--	5.0	8.3	--	--	--
B-8	5/2/12	2	U	3.9	--	--	15.1	17.1	--	--	--
B-8	5/2/12	5	S	3.0	--	--	5.4	12.4	--	--	--
B-9	5/2/12	2	U	4.1	--	--	22.5	10.3	--	--	--
B-9	5/2/12	6	S	2.6	--	--	5.8	4.9	--	--	--
B-10	5/2/12	2	U	3.4	--	--	23.2	18.5	--	--	--
B-10	5/2/12	6	S	4.5	--	--	7.2	19.1	--	--	--
B-11	5/2/12	2	U	3.3	--	--	9.0	16.0	--	--	--
B-11	5/2/12	6.5	S	4.1	--	--	4.8	5.9	--	--	--
B-12	5/2/12	2	U	2.9	--	--	10.7	20.7	--	--	--
B-12	5/2/12	5	S	3.9	--	--	5.4	11.2	--	--	--
B-13	5/2/12	2	U	3.0	--	--	8.8	85.5	--	--	--
B-13	5/2/12	5	S	4.0	--	--	5.1	5.4	--	--	--
B-14	1/23/13	4	U	4.5	--	--	16.5	--	--	--	--
B-15	1/23/13	4	U	3.7	--	--	11.2	--	--	--	--
B-16	1/23/13	4	U	6.8	--	--	16.0	--	--	--	--
B-17	1/23/13	4	U	5.2	--	--	15.0	--	--	--	--
B-18	1/23/13	4	U	7.0	--	--	25.4	--	--	--	--
B-19	1/23/13	4	U	3.9	--	--	13.0	--	--	--	--
B-20	1/23/13	4	U	3.7	--	--	25.5	--	--	--	--
B-21	1/23/13	4	U	6.6	--	--	9.7	--	--	--	--
B-22	10/16/13	3-4	U	6.7	--	--	--	--	--	--	--
B-23	10/16/13	3-4	U	<b>12.6</b>	--	--	--	--	--	--	--
B-24	10/16/13	3-4	U	4.7	--	--	--	--	--	--	--
B-25	10/16/13	3-4	U	5.0	--	--	--	--	--	--	--
B-26	10/16/13	3-4	U	4.7	--	--	--	--	--	--	--
B-27	10/16/13	3-4	U	4.0	--	--	--	--	--	--	--
B-28	10/16/13	3-4	U	8.6	--	--	--	--	--	--	--
B-29	10/16/13	3-4	U	4.0 J	--	--	--	--	--	--	--

Groundwater Pathway and Direct Contact RCLs calculated using the USEPA Regional Screening Level Web Calculator (PUB-RR-890)

All values expressed in mg/kg (milligrams per kilogram).

BGS - feet below ground surface

DC - Direct Contact

PAHs - Polycyclic Aromatic Hydrocarbons

RCL - Residual Contaminant Level

NS - No Standard established for this analyte

< - less than the specified detection limit

J - Estimated concentration at or above the limit of detection and below the limit of quantitation

-- sample not analyzed for this parameter

-- no sample collected from this location

*Italics* - concentration exceeds Groundwater Pathway RCL

**Bold** - concentration exceeds Non-Industrial Direct Contact RCL or Background Threshold Value

**Bold Underlined** - concentration exceeds Industrial Direct Contact

**Table A.2.**  
**Soil Analytical Results - PFAS**  
Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092

Sample I.D.	SP-18	SP-19	SP-20	SP-21	SP-22	SP-23	SP-24	PZ-1			Groundwater Pathway RCLs	Non-Industrial DC Pathway RCLs	Industrial DC Pathway RCLs	
Sample Depth (feet-bgs)	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	9-10	19-20				29-30
Saturated (S)/Unsaturated (U)	U	U		U	U	U	U	U	S	S				S
Collection Date	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22	12/21/22				12/21/22
<b>PFAS Compounds (µg/kg)</b>														
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	<0.17	<0.17	<0.16	<0.20	<0.16	<0.15	<0.14	<0.16	<0.16	<0.17	<0.16			
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUs)	<0.19	<0.19	<0.17	<0.22	<0.17	<0.16	<0.16	<0.18	<0.17	<0.19	<0.17			
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	<0.30	<0.30	<0.28	<0.36	<0.27	<0.26	<0.25	<0.29	<0.28	<0.30	<0.28			
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	<0.34	<0.33	<0.31	<0.40	<0.30	<0.29	<0.28	<0.32	<0.31	<0.33	<0.31			
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	<0.24	<0.24	<0.22	<0.28	<0.21	<0.20	<0.20	<0.23	<0.22	<0.24	<0.22			
Hexafluoropropylene oxide dimer acid (GenX)	<0.64	<0.63	<0.59	<0.75	<0.57	<0.54	<0.53	<0.60	<0.59	<0.63	<0.59			
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	<0.17	<0.16	<0.15	<0.19	<0.15	<0.14	<0.14	<0.16	<0.15	<0.16	<0.15			
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	<0.39	<0.39	<0.36	<0.46	<0.35	<0.33	<0.33	<0.37	<0.36	<0.39	<0.36			
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	<0.32	<0.32	<0.29	<0.38	<0.29	<0.27	<0.27	<0.30	<0.29	<0.31	<0.29			
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	<0.25	<0.25	<0.23	<0.30	<0.23	<0.21	<0.21	<0.24	<0.23	<0.25	<0.23			
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	<0.38	<0.38	<0.35	<0.45	<0.34	<0.32	<0.32	<0.36	<0.35	<0.38	<0.35			
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	<0.43	<0.43	<0.40	<0.51	<0.39	<0.37	<0.36	<0.41	<0.40	<0.43	<0.40			
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	<0.37	<0.37	<0.34	<0.43	<0.33	<0.31	<0.31	<0.35	<0.34	<0.36	<0.34			
Perfluoro-1-butanefluoric acid (PFBS)	<0.14	<0.14	<0.13	<0.17	<0.13	<0.12	0.33 J	<0.14	<0.13	<0.14	<0.13			
Perfluoro-1-decanesulfonic acid (PFDS)	2.0	<0.24	<0.23	<0.29	<0.22	<0.21	1.2	<0.23	<0.23	<0.24	<0.23			
Perfluoro-1-heptanesulfonic acid (PFHpS)	0.39 J	<0.19	<0.18	<0.23	<0.17	<0.16	1.6	<0.18	<0.18	<0.19	<0.18			
Perfluoro-1-nonanesulfonic acid (PFNS)	0.66 J	<0.24	<0.22	<0.29	<0.22	<0.21	0.38 J	<0.23	<0.22	<0.24	<0.22			
Perfluoro-1-octanesulfonamide (PFOSA)	0.92 J	<0.19	<0.18	<0.23	<0.17	<0.16	0.29 J	<0.18	<0.18	<0.19	<0.18			
Perfluoro-1-pentanesulfonic acid (PFPeS)	<0.20	<0.20	<0.19	<0.24	<0.18	<0.17	0.65 J	<0.19	<0.19	<0.20	<0.19			
Perfluorododecanesulfonic acid (PFDOS)	0.62 J	<0.28	<0.26	<0.34	<0.26	<0.24	<0.24	<0.27	<0.26	<0.28	<0.26			
Perfluorohexanesulfonic acid (PFHxS)	1.8	1.5	0.50 J	0.93 J	<0.17	0.42 J	11	0.36 J	<0.18	<0.19	<0.18			
Perfluoro-n-butanofluoric acid (PFBA)	<0.46	<0.45	<0.42	<0.54	<0.41	<0.39	<0.38	<0.43	<0.42	<0.45	<0.42			
Perfluoro-n-decanofluoric acid (PFDA)	<0.17	<0.17	<0.16	<0.20	<0.16	<0.15	<0.14	<0.16	<0.16	<0.17	<0.16			
Perfluoro-n-dodecanofluoric acid (PFDoA)	<0.19	<0.19	<0.18	<0.23	<0.17	<0.16	<0.16	<0.18	<0.18	<0.19	<0.18			
Perfluoro-n-heptanofluoric acid (PFHpA)	<0.16	<0.16	<0.15	0.23 J	<0.14	<0.13	0.15 J	<0.15	<0.14	<0.16	<0.15			
Perfluoro-n-hexanofluoric acid (PFHxA)	0.31 J	<0.20	<0.19	<0.24	<0.18	<0.17	0.37 J	<0.19	<0.19	<0.20	<0.19			
Perfluoro-n-nonanofluoric acid (PFNA)	<0.16	<0.16	<0.15	<0.19	<0.15	<0.14	<0.14	<0.16	<0.15	<0.16	<0.15			
Perfluoro-n-octanofluoric acid (PFOA)	<0.23	<0.23	<0.22	<0.28	<0.21	<0.20	0.81 J	0.29 J	<0.21	<0.23	<0.22		1,260	16,400
Perfluoro-n-pentanofluoric acid (PFPeA)	<0.17	<0.17	<0.16	<0.21	<0.16	<0.15	<0.15	<0.16	<0.16	<0.17	<0.16			
Perfluoro-n-tetradecanofluoric acid (PFTeDA)	<0.21	<0.21	<0.19	<0.25	<0.19	<0.18	<0.17	<0.20	<0.19	<0.21	<0.19			
Perfluoro-n-tridecanofluoric acid (PFTrDA)	<0.19	<0.19	<0.17	<0.22	<0.17	<0.16	<0.16	<0.18	<0.17	<0.19	<0.17			
Perfluoro-n-undecanofluoric acid (PFUdA)	<0.20	<0.20	<0.19	<0.24	<0.18	<0.17	<0.17	<0.19	<0.19	<0.20	<0.19			
Perfluorooctanesulfonic acid (PFOS)	110	1.8	12	5.9	3.6	17	210	14	2.7	<0.39	<0.36		1,260	16,400

All values expressed in µg/kg (micrograms per kilogram)  
BGS - feet below ground surface  
DC - Direct Contact  
RCL - Residual Contaminant Level  
NS - No Standard established for this analyte  
NA - sample Not Analyzed for this parameter  
"-" - sample not analyzed for this parameter  
< - less than the specified detection limit  
J - Estimated concentration at or above the limit of detection and below the limit of quantitation  
**Italics - value exceeds Groundwater Pathway RCL**  
*Bold - value exceeds Non-Industrial Direct Contact RCL*  
**Bold Underlined - value exceeds Industrial Direct Contact RCL**

**A.6.  
Water Level Elevations  
Village of Thiensville - DPW Service Center  
132 W Freistadt Rd., Thiensville, WI 53092**

Monitoring Well No./ Date	Ground Surface (ft-MSL)	Top of PVC Well Casing (ft-MSL)	Depth to Groundwater (ft)	Groundwater Elevation (ft-MSL)
<b>SD/B1</b>	665.28	665.28		
12/19/19	Well Screened to	660.78 655.78	5.00	660.28
1/19/22			5.20	660.08
7/6/22			4.90	660.38
1/4/23			4.85	660.43
<b>SD/B2</b>	665.29	665.29		
12/19/19	Well Screened to	660.79 655.79	5.00	660.29
1/19/22			5.26	660.03
7/6/22			5.00	660.29
1/4/23			---	---
<b>SD/B3</b>	664.54	664.54		
12/19/19	Well Screened to	660.04 655.04	5.15	659.39
1/19/22			4.60	659.94
7/6/22			4.30	660.24
1/4/23			4.27	660.27
<b>B4</b>	665.36	665.36		
12/19/19	Well Screened to	660.86 655.86	---	---
1/19/22			5.30	660.06
7/6/22			5.00	660.36
1/4/23			4.85	660.51
<b>SD/B6</b>	665.08	665.28		
12/19/19	Well Screened to	660.58 655.58 666.59 Repair - New TOC	5.00	660.28
1/19/22			5.38	659.90
7/6/22			5.05	660.23
1/4/23			6.39	660.20
<b>PZ-1</b>	665.08	667.58		
12/19/19	Well Screened to	640.08 635.08	---	---
1/19/22			---	---
7/6/22			---	---
1/4/23			5.20	662.38
<b>B7</b>			NO WLI or SURVEY 7/6/22	
12/19/19	Well Screened to	-4.50 -9.50	---	---
1/19/22			---	---
7/6/22			---	---
1/4/23			---	---

**A.6.**  
**Water Level Elevations**  
**Village of Thiensville - DPW Service Center**  
**132 W Freistadt Rd., Thiensville, WI 53092**

Monitoring Well No./ Date	Ground Surface (ft-MSL)	Top of PVC Well Casing (ft-MSL)	Depth to Groundwater (ft)	Groundwater Elevation (ft-MSL)
<b>SP/SD-13</b>	666.32	668.18		
12/19/19	Well Screened to	661.82	---	---
1/19/22			---	---
7/6/22			7.90	660.28
1/4/23			---	---
<b>SP/SD-14</b>	663.36	665.41		
12/19/19	Well Screened to	658.86	---	---
1/19/22			---	---
7/6/22			5.20	660.21
1/4/23			---	
<b>SD/B14</b>	664.83	665.37		
12/19/19	Well Screened to	660.33	5.29	661.17
1/19/22			5.74	660.72
7/6/22			5.25	661.21
1/4/23			---	---
<b>SP/SD-15</b>	666.53	668.66		
12/19/19	Well Screened to	662.03	---	---
1/19/22			---	---
7/6/22			8.50	660.16
1/4/23			---	---
<b>SD/B16</b>	662.88	662.88		
12/19/19	Well Screened to	658.38	3.10	659.78
1/19/22			3.25	659.63
7/6/22			3.00	659.88
1/4/23			---	
<b>SD/B28</b>	663.20	666.46		
12/19/19	Well Screened to	658.70	6.15	660.31
1/19/22			6.50	659.96
7/6/22			6.28	660.18
1/4/23			6.15	660.31
<b>SP/SD-25</b>	663.38	665.19		
12/19/19	Well Screened to	660.24	---	---
1/19/22			---	---
7/6/22			---	---
1/4/23			5.13	660.06

ft-MSL - feet Mean Sea Level  
BGS - feet below ground surface



## ATTACHMENT C

Boring Logs & Abandonment Forms

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 2

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number	Boring Number <i>PE-1</i>
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12-21-2022</i> m m d d y y y y	Date Drilling Completed <i>12-21-2022</i> m m d d y y y y
Firm: <i>Horizon Construction &amp; Exploration</i>		Drilling Method <i>Direct Push</i>	
WI Unique Well No.	DNR Well ID No.	Well Name	Borehole Diameter _____ inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		Final Static Water Level _____ Feet MSL.	Surface Elevation _____ Feet MSL
State Plane _____ N, _____ E		Lat _____ ° ' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Long _____ ° ' "	
Facility ID <i>246090900</i>	County <i>Ozaukee</i>	County Code	Civil Town/City/ or Village <i>Village of Fredonia</i>

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5'	<i>48 / 60</i>			<i>3" Silty Sand &amp; Gravel</i>				<i>0</i>		<i>D</i>				
				<i>45" Gravely Silty Clay fill</i>				<i>0</i>		<i>M</i>				
10'	<i>24 / 60</i>			<i>12" Silty Clay</i>				<i>0</i>		<i>M</i>				
				<i>12" Sand + Gravel fill</i>				<i>0</i>		<i>W</i>				
				<i>Continued</i>										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>[Signature]</i>	Firm <i>Moraine Environmental, Inc.</i>
---------------------------------	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Number and Type	Sample Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments					
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200						
15'	60/60			4" Gravel				0		3									
				25" Gravelly Silty Clay											0	3			
				30" Silty Clay w/ some Pea Stone															
20'	60/60			60" Silty clay w/ some pebbles				0		3									
															0	3			
25'	60/60			60" Silty Clay				0		3									
															0	3			
30'	60/60			42" Silty clay				0		3									
				28" Silty Fine Sand											0	3			
				E08 @ 30' BGS															

PZ-1


Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-16</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i> Firm: <i>Horizon Construction + Exploration</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____ '' Long _____ ' _____ ''		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Dane</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
	<i>30/60</i>			<i>30" Sand &amp; Gravel Fill</i>				<i>0</i>		<i>D</i>				
<i>5'</i>				<i>EOB @ 5' BGS</i>				<i>0</i>		<i>M</i>				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>			License/Permit/Monitoring Number		Boring Number <i>SP-17</i>
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i> Firm: <i>Horizon Construction + Exploration</i>			Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Lat <u>0</u> ' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Long <u>0</u> ' "			
Facility ID <i>246090900</i>		County <i>DeaVkee</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5'	34/60			3' Top soil										
				15" Sandy Gravelly Clay										
				16" Sand + Gravel Fill										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelpoment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-18</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i> Firm: <i>Horizon Construction + Exploration</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____"		Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Davke</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
	<i>42/60</i>			<i>42" Gravel + Clay F.II</i>				<i>0</i>		<i>D</i>				
<i>5'</i>				<i>EOB @ 5' EGS</i>				<i>0</i>		<i>M</i>				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-19</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
Firm: <i>Horizon Construction + Exploration</i>		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
WI Unique Well No.	DNR Well ID No.	Well Name		Borehole Diameter inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____ ''		Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Dane</i>		County Code _____	
				Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P-200		
	<i>48/60</i>			<i>48" Clay + Gravel fill</i>				<i>0</i>		<i>0</i>					
<i>5'</i>				<i>EOB @ 5' BGS</i>											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-20</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
Firm: <i>Horizon Construction + Exploration</i>		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
WI Unique Well No.	DNR Well ID No.	Well Name		Borehole Diameter inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____"		Long _____ ' _____"	
Facility ID <i>246090900</i>		County <i>Dane</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	<i>40/60</i>			<i>40" Clay + Gravel Fill</i>				<i>0</i>		<i>0</i>					
<i>5'</i>				<i>EOB @ 5' BGS</i>											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelpment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-21</i>	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
Firm: <i>Horizon Construction + Exploration</i>		Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
WI Unique Well No.	DNR Well ID No.	Well Name		Borehole Diameter inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____"		Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Dane</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	<i>36/60</i>			<i>36" Clay Fill</i>				<i>0</i>		<i>0</i>					
<i>5"</i>				<i>E08@5' BGS</i>				<i>0</i>		<i>M</i>					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Morain Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelpoment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-22</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i> Firm: <i>Horizon Construction + Exploration</i>		Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>	
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____ '' Long _____ ' _____ ''		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Ozaukee</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
	<i>42/60</i>			<i>42" Clay F71</i>				<i>0</i>		<i>D</i>					
<i>5'</i>				<i>EOB @ 5' BGS</i>				<i>0</i>		<i>M</i>					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-23</i>	
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12/21/2022</i>	Date Drilling Completed <i>12/21/2022</i>	Drilling Method <i>Direct Push</i>	
Firm: <i>Horizon Construction + Exploration</i>					
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane _____ N, _____ E		Local Grid Location	
1/4 of _____ 1/4 of Section _____, T _____ N, R _____		Lat _____ ' _____"		Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID <i>246090900</i>		County <i>Ozaukee</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5'	46/60			46" Clay Fill				0						
				E08@ 5' BGS				0		M				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>			License/Permit/Monitoring Number		Boring Number <i>SP-24</i>
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i> Firm: <i>Horizon Construction + Exploration</i>			Date Drilling Started <i>12/21/2022</i> m m d d y y y y	Date Drilling Completed <i>12/21/2022</i> m m d d y y y y	Drilling Method <i>Direct Push</i>
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Local Grid Location Lat _____ ' " <input type="checkbox"/> N <input type="checkbox"/> E Long _____ ' " <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID <i>246090900</i>		County <i>Ozaukee</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
	<i>24/60</i>			<i>24" Clay Fill</i>				<i>0</i>		<i>D</i>				
<i>5'</i>				<i>E0B@ 5' BGS</i>				<i>0</i>		<i>M</i>				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Revelopment  Other

Page 1 of 1

Facility/Project Name <i>Thiensville Highway Department</i>		License/Permit/Monitoring Number		Boring Number <i>SP-25</i>	
Boring Drilled By: Name of crew chief (first/last) and Firm First Name: <i>Adam</i> Last Name: <i>Sweet</i>		Date Drilling Started <i>12/21/2022</i>		Date Drilling Completed <i>12/21/2022</i>	
Firm: <i>Horizon Construction + Exploration</i>		Drilling Method <i>Direct Push</i>			
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane _____ N, _____ E			Local Grid Location Lat _____ " _____ N <input type="checkbox"/> E <input type="checkbox"/> Long _____ " _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W		
Facility ID <i>246090900</i>		County <i>Ozaukee</i>	County Code	Civil Town/City/ or Village <i>Thiensville</i>	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
5'	<i>36/60</i>			<i>18" Clay Gravel Wood Fill</i>			<i>FS + Beat</i>	<i>0</i>		<i>D</i>				
				<i>18" Sand + Gravel</i>		<i>3'</i>		<i>0</i>		<i>M</i>				
10'	<i>44/60</i>			<i>44" Sand + Gravel</i>		<i>coarse sand</i>	<i>FS + Beat</i>	<i>0</i>		<i>W</i>	<i>25'</i>			
				<i>EOB @ 10' BGS</i>				<i>8'</i>	<i>0</i>		<i>W</i>			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *[Signature]* Firm: *Moraine Environmental, Inc.*

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <b>Franklin</b>	WI Unique Well # of Removed Well	Hicap #		Facility Name <b>Thiensville Highway Department</b>			
Latitude / Longitude (see instructions)		Format Code	Method Code	Facility ID (FID or PWS) <b>296090900</b>			
		<input type="checkbox"/> DD	<input type="checkbox"/> GPS008	License/Permit/Monitoring # <b>SD-16</b>			
		<input type="checkbox"/> DDM	<input type="checkbox"/> OTH001	Original Well Owner			
1/4	1/4	Section	Township	Range	<input type="checkbox"/> E		
r Gov't Lot #			N		<input type="checkbox"/> W		
Well Street Address				Present Well Owner			
Well City, Village or Town <b>Village of Thiensville</b>				Mailing Address of Present Owner			
Subdivision Name				City of Present Owner		State	ZIP Code
Lot #							

3. Well Construction Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason for Removal from Service <b>Exploratory Probe</b>	WI Unique Well # of Replacement Well	Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<b>Filled &amp; Sealed Well / Drillhole / Borehole Information</b>		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>	Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:		Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>	<input type="checkbox"/> Dug	Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Unconsolidated Formation	<input type="checkbox"/> Bedrock	If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>5</b>	Casing Diameter (in.)	Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped		
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete		
Yes, to what depth (feet)?	Depth to Water (feet)	<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite Chips		
		For Monitoring Wells and Monitoring Well Boreholes Only:			
		<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite chips</b>	Surface	<b>5</b>		

**Comments**

Supervision of Work			DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By
Street or Route <b>766 Tower Drive</b>	Telephone Number <b>(262) 692-3345</b>	Comments		
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>1/3/2023</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

**1. Well Location Information** **2. Facility / Owner Information**

County: Waushara      WI Unique Well # of Removed Well: \_\_\_\_\_      Hicap #: \_\_\_\_\_

Latitude / Longitude (see instructions): \_\_\_\_\_ N      Format Code:  DD       DDM      Method Code:  GPS008       SCR002       OTH001

Section: \_\_\_\_\_      Township: \_\_\_\_\_      Range:  E       W

Original Well Owner: \_\_\_\_\_

Present Well Owner: \_\_\_\_\_

Mailing Address of Present Owner: \_\_\_\_\_

City of Present Owner: \_\_\_\_\_      State: \_\_\_\_\_      ZIP Code: \_\_\_\_\_

Facility Name: Thiensville Highway Department

Facility ID (FID or PWS): 246090900

License/Permit/Monitoring #: SD-17

Original Well Owner: \_\_\_\_\_

Present Well Owner: \_\_\_\_\_

Mailing Address of Present Owner: \_\_\_\_\_

City of Present Owner: \_\_\_\_\_      State: \_\_\_\_\_      ZIP Code: \_\_\_\_\_

Reason for Removal from Service: Exploration Probe      WI Unique Well # of Replacement Well: \_\_\_\_\_

**Filled & Sealed Well / Drillhole / Borehole Information**

Monitoring Well       Water Well       Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 12/21/2022

If a Well Construction Report is available, please attach: \_\_\_\_\_

Construction Type:  Drilled       Driven (Sandpoint)       Dug       Other (specify): Direct Push

Formation Type:  Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.): 5      Casing Diameter (in.): \_\_\_\_\_

Lower Drillhole Diameter (in.): 2.25      Casing Depth (ft.): \_\_\_\_\_

Was well annular space grouted?  Yes       No       Unknown

Yes, to what depth (feet)? \_\_\_\_\_      Depth to Water (feet): \_\_\_\_\_

**4. Pump, Liner, Screen, Casing & Sealing Material**

Pump and piping removed?  Yes       No       N/A

Liner(s) removed?  Yes       No       N/A

Liner(s) perforated?  Yes       No       N/A

Screen removed?  Yes       No       N/A

Casing left in place?  Yes       No       N/A

Was casing cut off below surface?  Yes       No       N/A

Did sealing material rise to surface?  Yes       No       N/A

Did material settle after 24 hours?  Yes       No       N/A

If yes, was hole retopped?  Yes       No       N/A

If bentonite chips were used, were they hydrated with water from a known safe source?  Yes       No       N/A

Required Method of Placing Sealing Material:  Conductor Pipe-Gravity       Conductor Pipe-Pumped       Screened & Poured (Bentonite Chips)       Other (Explain): Gravity

Sealing Materials:  Neat Cement Grout       Concrete       Sand-Cement (Concrete) Grout       Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:  Bentonite Chips       Bentonite - Cement Grout       Granular Bentonite       Bentonite - Sand Slurry

Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>3/8" Bentonite Chips</u>	<u>Surface</u>	<u>5</u>		

**Comments**

\_\_\_\_\_

**Supervision of Work** **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Joe Pospichal      License #: \_\_\_\_\_      Date of Filling & Sealing or Verification (mm/dd/yyyy): 12/21/2022      Date Received: \_\_\_\_\_      Noted By: \_\_\_\_\_

Street or Route: 766 Tower Drive      Telephone Number: (262) 692-3345      Comments: \_\_\_\_\_

City: Fresnoia      State: WI      ZIP Code: 53021      Signature of Person Doing Work: \_\_\_\_\_      Date Signed: 1/3/2023

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <i>Franklin</i>		WI Unique Well # of Removed Well		Hicap #		Facility Name <i>Thiessville Highway Department</i>	
Latitude / Longitude (see instructions) _____ N _____ W		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <i>246090900</i>	
Section		Township <i>N</i>		Range <input type="checkbox"/> E <input type="checkbox"/> W		License/Permit/Monitoring # <i>SD-18</i>	
Well Street Address		Well City, Village or Town <i>Village of Thiessville</i>		Well ZIP Code		Original Well Owner	
Well City, Village or Town <i>Village of Thiessville</i>		Subdivision Name		Lot #		Present Well Owner	
Reason for Removal from Service <i>Exploratory Probe</i>		WI Unique Well # of Replacement Well		City of Present Owner		State      ZIP Code	

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Original Construction Date (mm/dd/yyyy) <i>12/21/2022</i>		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <i>Gravity</i>	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <i>Direct Push</i>		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	
Total Well Depth From Ground Surface (ft.) <i>5</i>		Casing Diameter (in.)	
Lower Drillhole Diameter (in.) <i>2.25</i>		Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet)	
Yes, to what depth (feet)?		Depth to Water (feet)	

Material Used to Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<i>5</i>		
<i>3/8" Bentonite Chips</i>			

**Comments**

Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing <i>Joe Rospichal</i>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <i>12/21/2022</i>	Date Received	Noted By
Address or Route <i>766 Tower Drive</i>		Telephone Number <i>(262) 692-3345</i>	Comments		
City <i>Fredonia</i>	State <i>WI</i>	ZIP Code <i>53021</i>	Signature of Person Doing Work <i>[Signature]</i>		Date Signed <i>1/3/2023</i>



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <b>Waushara</b>	WI Unique Well # of Removed Well	Hicap #		Facility Name <b>Thiensville Highway Department</b>			
Latitude / Longitude (see instructions)		Format Code	Method Code	Facility ID (FID or PWS) <b>246090900</b>			
		<input type="checkbox"/> DD	<input type="checkbox"/> GPS008	License/Permit/Monitoring # <b>SD-19</b>			
		<input type="checkbox"/> DDM	<input type="checkbox"/> OTH001	Original Well Owner			
Section	Township	Range	<input type="checkbox"/> E <input type="checkbox"/> W	Present Well Owner			
Original Gov't Lot #				Mailing Address of Present Owner			
Well Street Address				City of Present Owner      State      ZIP Code			
Well City, Village or Town <b>Village of Thiensville</b>	Well ZIP Code						
Subdivision Name	Lot #						

3. Reason for Removal from Service		WI Unique Well # of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
<b>Exploratory Probe</b>				Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<b>Filled &amp; Sealed Well / Drillhole / Borehole Information</b>		Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.			Liner(s) perforated?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well				Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole				Casing left in place?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Construction Type:				Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>				Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:				If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

5. Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		Required Method of Placing Sealing Material			
<b>5</b>				<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe-Pumped		
Lower Drillhole Diameter (in.) <b>2.25</b>		Casing Depth (ft.)		<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>		
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				Sealing Materials			
If yes, to what depth (feet)?      Depth to Water (feet)				<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks, Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>		Surface	<b>5</b>		

**Comments**

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By	
Street or Route <b>766 Tower Drive</b>	Telephone Number <b>(262) 692-3345</b>	Comments			
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>1/3/2023</b>	

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <b>Waushara</b>	WI Unique Well # of Removed Well	Hicap #		Facility Name <b>Thiensville Highway Department</b>			
Latitude / Longitude (see instructions)		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) <b>246090900</b>			
Section		Township <b>N</b>	Range <input type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # <b>SD-20</b>			
Well Street Address				Original Well Owner			
Well City, Village or Town <b>Village of Thiensville</b>				Present Well Owner			
Well ZIP Code				Mailing Address of Present Owner			
Subdivision Name				City of Present Owner		State	ZIP Code

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
Reason for Removal from Service <b>Exploratory Probe</b>	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well	Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole	Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.) <b>5</b>	Casing Diameter (in.)	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Yes, to what depth (feet)?		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Material Used to Fill Well / Drillhole <b>3/8" Bentonite Chips</b>		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>			
		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips			
		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<b>5</b>		

**Comments**

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By	
Street or Route <b>766 Tower Drive</b>	Telephone Number <b>(262) 692-3345</b>	Comments			
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>1/3/2023</b>	

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

## 1. Well Location Information

County: Waukeez

WI Unique Well # of Removed Well: \_\_\_\_\_

Hicap #: \_\_\_\_\_

Latitude / Longitude (see instructions): \_\_\_\_\_ N \_\_\_\_\_ W

Format Code:  DD  DDM

Method Code:  GPS008  SCR002  OTH001

Section: \_\_\_\_\_ Township: N Range:  E  W

Original Gov't Lot #: \_\_\_\_\_

Well Street Address: \_\_\_\_\_

Well City, Village or Town: Village of Thiensville

Well ZIP Code: \_\_\_\_\_

Subdivision Name: \_\_\_\_\_ Lot #: \_\_\_\_\_

Reason for Removal from Service: Exploratory Probe

WI Unique Well # of Replacement Well: \_\_\_\_\_

## 2. Facility / Owner Information

Facility Name: Thiensville Highway Department

Facility ID (FID or PWS): 246090900

License/Permit/Monitoring #: SD-21

Original Well Owner: \_\_\_\_\_

Present Well Owner: \_\_\_\_\_

Mailing Address of Present Owner: \_\_\_\_\_

City of Present Owner: \_\_\_\_\_ State: \_\_\_\_\_ ZIP Code: \_\_\_\_\_

## 3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well

Water Well

Borehole / Drillhole

Original Construction Date (mm/dd/yyyy): 12/21/2022

If a Well Construction Report is available, please attach: \_\_\_\_\_

Construction Type:

Drilled       Driven (Sandpoint)       Dug

Other (specify): Direct Push

Formation Type:

Unconsolidated Formation       Bedrock

Total Well Depth From Ground Surface (ft.): 5

Casing Diameter (in.): \_\_\_\_\_

Lower Drillhole Diameter (in.): 2.25

Casing Depth (ft.): \_\_\_\_\_

Was well annular space grouted?  Yes  No  Unknown

If yes, to what depth (feet)? \_\_\_\_\_

Depth to Water (feet): \_\_\_\_\_

## 4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?  Yes  No  N/A

Liner(s) removed?  Yes  No  N/A

Liner(s) perforated?  Yes  No  N/A

Screen removed?  Yes  No  N/A

Casing left in place?  Yes  No  N/A

Was casing cut off below surface?  Yes  No  N/A

Did sealing material rise to surface?  Yes  No  N/A

Did material settle after 24 hours?  Yes  No  N/A

If yes, was hole retopped?  Yes  No  N/A

If bentonite chips were used, were they hydrated with water from a known safe source?  Yes  No  N/A

Required Method of Placing Sealing Material:

Conductor Pipe-Gravity       Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips)       Other (Explain): Gravity

Sealing Materials:

Neat Cement Grout       Concrete

Sand-Cement (Concrete) Grout       Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips       Bentonite - Cement Grout

Granular Bentonite       Bentonite - Sand Slurry

## Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<u>3/8" Bentonite Chips</u>	<u>Surface</u>	<u>5</u>		

## Comments

## Supervision of Work

Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Filling & Sealing: <u>Joe Pospichal</u>	License #: _____	Date of Filling & Sealing or Verification (mm/dd/yyyy): <u>12/21/2022</u>	Date Received: _____	Noted By: _____	
Treat or Route: <u>766 Tower Drive</u>	Telephone Number: <u>(262) 692-3345</u>	Comments: _____			
City: <u>Fresnoia</u>	State: <u>WI</u>	ZIP Code: <u>53021</u>	Signature of Person Doing Work: <u>[Signature]</u>	Date Signed: <u>1/3/2023</u>	

# Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

## 1. Well Location Information      2. Facility / Owner Information

County <b>Waaukee</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name <b>Thiensville Highway Department</b>
Latitude / Longitude (see instructions) _____ N _____ W	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) <b>246090900</b>
Section	Township <b>N</b>	Range <input type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # <b>SD-22</b>
Original Well Owner	Present Well Owner		
Mailing Address of Present Owner			City of Present Owner      State      ZIP Code
Well City, Village or Town <b>Village of Thiensville</b>	Well ZIP Code	City of Present Owner	
Subdivision Name	Lot #	State      ZIP Code	

## 3. Reason for Removal from Service      4. Pump, Line, Screen, Casing & Sealing Material

Reason for Removal from Service <b>Exploratory Probe</b>	WI Unique Well # of Replacement Well	<input type="checkbox"/> Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Filled & Sealed Well / Drillhole / Borehole Information <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>	Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>	If a Well Construction Report is available, please attach.	Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips <b>For Monitoring Wells and Monitoring Well Boreholes Only:</b> <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Total Well Depth From Ground Surface (ft.) <b>5</b>	Casing Diameter (in.)
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	Depth to Water (feet)	

## Material Used to Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>	Surface	<b>5</b>		
<b>Comments</b>				

## Supervision of Work      DNR Use Only

Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By
Treat or Route <b>766 Tower Drive</b>	Telephone Number <b>(262) 692-3345</b>	Comments		
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>1/3/2023</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment of up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment  
 Waste Management       Other: \_\_\_\_\_

1. Well Location Information				2. Facility / Owner Information			
County <b>Waukegan</b>		WI Unique Well # of Removed Well		Hicap #		Facility Name <b>Thiensville Highway Department</b>	
Latitude / Longitude (see instructions)		Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM		Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001		Facility ID (FID or PWS) <b>246090900</b>	
Section		Township <b>N</b>		Range <input type="checkbox"/> E <input type="checkbox"/> W		License/Permit/Monitoring # <b>SD-23</b>	
Well Street Address				Original Well Owner			
Well City, Village or Town <b>Village of Thiensville</b>				Present Well Owner			
Well ZIP Code				Mailing Address of Present Owner			
Subdivision Name				City of Present Owner		State	ZIP Code

3. Filled & Sealed Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
Reason for Removal from Service <b>Exploratory Probe</b>		WI Unique Well # of Replacement Well	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>		If a Well Construction Report is available, please attach.	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.) <b>5</b>		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>	
Lower Drillhole Diameter (in.) <b>2.25</b>		Casing Diameter (in.)	
Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)?		Casing Depth (ft.)	
Depth to Water (feet)		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

Material Used to Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>		Surface	<b>5</b>		

**Comments**

Supervision of Work			DNR Use Only		
Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>		License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By
Street or Route <b>766 Tower Drive</b>		Telephone Number <b>(262) 692-3545</b>		Comments	
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work 	Date Signed <b>1/3/2023</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Verification Only of Fill and Seal**

**Route to DNR Bureau:**

Drinking Water       Watershed/Wastewater       Remediation/Redevelopment

Waste Management       Other: \_\_\_\_\_

**1. Well Location Information**      **2. Facility / Owner Information**

County <b>Waushara</b>	WI Unique Well # of Removed Well	Hicap #	Facility Name <b>Thiersville Highway Department</b>
Latitude / Longitude (see instructions) N _____ W _____	Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM	Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001	Facility ID (FID or PWS) <b>246090900</b>
Section	Township N	Range <input type="checkbox"/> E <input type="checkbox"/> W	License/Permit/Monitoring # <b>SD-24</b>
Original Well Owner	Present Well Owner		
Mailing Address of Present Owner			City of Present Owner
Mailing Address of Present Owner			State
Mailing Address of Present Owner			ZIP Code

**3. Reason for Removal from Service**      **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason for Removal from Service <b>Exploratory Probe</b>	WI Unique Well # of Replacement Well	Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Filled &amp; Sealed Well / Drillhole / Borehole Information</b>	Original Construction Date (mm/dd/yyyy) <b>12/21/2022</b>	Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Monitoring Well	If a Well Construction Report is available, please attach.	Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole	Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<input checked="" type="checkbox"/> Other (specify): <b>Direct Push</b>	Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Total Well Depth From Ground Surface (ft.) <b>5</b>	Casing Diameter (in.)	If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.25</b>	Casing Depth (ft.)	If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	<input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped
	<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Other (Explain): <b>Gravity</b>

Sealing Materials	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete
	<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Material Used to Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
<b>3/8" Bentonite Chips</b>	Surface	<b>5</b>		

**Comments**

**Supervision of Work**      **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing <b>Joe Pospichal</b>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <b>12/21/2022</b>	Date Received	Noted By
Street or Route <b>766 Tower Drive</b>	Telephone Number <b>(262) 692-3545</b>	Comments		
City <b>Fredonia</b>	State <b>WI</b>	ZIP Code <b>53021</b>	Signature of Person Doing Work <i>[Signature]</i>	Date Signed <b>1/3/2023</b>

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Thiensville Highway Dept.</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>PZ-1</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No. DNR Well ID No.	
Facility ID <b>246090900</b>		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>12/21/2022</b> m m d d y y y y	
Type of Well Well Code <b>12, PZ</b>		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 15, T. 09, N. R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: Name (first, last) and Firm <b>Adam Sweet</b>	
Distance from Waste/Source _____ ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number	
Enf. Stds. Apply <input type="checkbox"/>				<b>Horizon Const. &amp; Exploration</b>	

<p>A. Protective pipe, top elevation <b>+2.8</b> ft. MSL</p> <p>B. Well casing, top elevation <b>+2.5</b> ft. MSL</p> <p>C. Land surface elevation <b>0</b> ft. MSL</p> <p>D. Surface seal, bottom _____ ft. MSL or <b>1</b> ft.</p>		<p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: <b>4</b> in. b. Length: <b>5</b> ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/></p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/></p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight . . . Bentonite slurry <input type="checkbox"/> 3.1 d. <b>10</b> % Bentonite . . . . . Bentonite-cement grout <input checked="" type="checkbox"/> 5.0 e. _____ Ft<sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input checked="" type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/></p> <p>7. Fine sand material: Manufacturer, product name &amp; mesh size a. <b>R.W. Sidley #4000</b> b. Volume added <b>15 lbs</b></p> <p>8. Filter pack material: Manufacturer, product name &amp; mesh size a. <b>R.W. Sidley #15</b> b. Volume added <b>50 lbs</b></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/></p> <p>10. Screen material: <b>SC440 PVC</b> a. Screen type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> b. Manufacturer <b>Monoplex</b> c. Slot size: <b>0.010</b> in. d. Slotted length: <b>5</b> ft.</p> <p>11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 1.4 Other <input type="checkbox"/></p>
--	--	--

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature **Dave Lemmon** Firm **Moraine Environmental, Inc.**

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <i>Thiensville Hwy Dept.</i>	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. <input type="checkbox"/> W.	Well Name <i>SD-25</i>
Facility License, Permit or Monitoring No.	Local Grid Origin (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. DNR Well ID No.
Facility ID <i>246090900</i>	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed <i>12/21/2022</i> m m d d y y y y
Type of Well Well Code _____ / _____	Section Location of Waste/Source <i>SE 1/4 of SE 1/4 of Sec. 15, T. 09, N. R. 21</i> <input type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: Name (first, last) and Firm <i>Adam Sweet</i> <i>Horizon Const. &amp; Exploration</i>
Distance from Waste/Source _____ ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	
Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number _____	

A. Protective pipe, top elevation	--- <i>2.5</i> ft. MSL	1. Cap and lock?	<input type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	--- <i>2.2</i> ft. MSL	2. Protective cover pipe:	
C. Land surface elevation	--- <i>0</i> ft. MSL	a. Inside diameter:	--- <i>4</i> in.
D. Surface seal, bottom	--- <i>1</i> ft. MSL or --- <i>1</i> ft.	b. Length:	--- <i>5</i> ft.
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		c. Material:	Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
13. Sieve analysis performed?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	d. Additional protection?	<input type="checkbox"/> Yes <input type="checkbox"/> No
14. Drilling method used:	Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input type="checkbox"/> 41 <i>Direct Push</i> Other <input checked="" type="checkbox"/>	3. Surface seal:	Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99		4. Material between well casing and protective pipe:	Bentonite <input checked="" type="checkbox"/> 30 Other <input type="checkbox"/>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5. Annular space seal:	a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 33 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight . . . . Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite . . . . . Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input checked="" type="checkbox"/> 08
17. Source of water (attach analysis, if required): _____		6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
E. Bentonite seal, top	--- <i>1</i> ft. MSL or --- <i>1</i> ft.	7. Fine sand material: Manufacturer, product name & mesh size	
F. Fine sand, top	--- ft. MSL or --- <i>2.0</i> ft.	a. <i>RW Sidley #4000</i>	
G. Filter pack, top	--- ft. MSL or --- <i>2.5</i> ft.	b. Volume added _____ ft <sup>3</sup>	
H. Screen joint, top	--- ft. MSL or --- <i>3</i> ft.	8. Filter pack material: Manufacturer, product name & mesh size	
I. Well bottom	--- ft. MSL or --- <i>8</i> ft.	a. <i>RW Sidley #15</i>	
J. Filter pack, bottom	--- ft. MSL or --- <i>8</i> ft.	b. Volume added _____ ft <sup>3</sup>	
K. Borehole, bottom	--- ft. MSL or --- <i>10</i> ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>	
L. Borehole, diameter	--- <i>2.25</i> in.	10. Screen material: <i>SCH 40 PVC</i>	
M. O.D. well casing	--- <i>1.25</i> in.	a. Screen type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>	
N. I.D. well casing	--- <i>1.0</i> in.	b. Manufacturer <i>Mono-flex</i>	
		c. Slot size: <i>0.010</i> in.	
		d. Slotted length: <i>5</i> ft.	
		11. Backfill material (below filter pack): None <input checked="" type="checkbox"/> 14 Other <input type="checkbox"/>	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Dave Lennon* Firm *Moraine Environmental, Inc.*

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.



## ATTACHMENT D

### Laboratory Reports

January 06, 2023

Tom Sweet  
Moraine Environmental, Inc.  
766 Tower Drive  
Fredonia, WI 53021

RE: Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

Dear Tom Sweet:

Enclosed are the analytical results for sample(s) received by the laboratory on December 23, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40256436001	SP-16 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256436002	SP-17 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256436003	SP-25 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40256436001	SP-16 (3-4)	EPA 8270E by SIM	TPO	20	PASI-G
		ASTM D2974-87	TMP	1	PASI-G
40256436002	SP-17 (3-4)	EPA 8270E by SIM	TPO	20	PASI-G
		ASTM D2974-87	TMP	1	PASI-G
40256436003	SP-25 (3-4)	EPA 8270E by SIM	TPO	20	PASI-G
		ASTM D2974-87	TMP	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40256436001</b>	<b>SP-16 (3-4)</b>					
EPA 8270E by SIM	Acenaphthene	92.6J	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Acenaphthylene	74.7J	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Anthracene	671	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Benzo(a)anthracene	2050	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Benzo(a)pyrene	1890	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Benzo(b)fluoranthene	2650	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Benzo(g,h,i)perylene	1170	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Benzo(k)fluoranthene	928	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Chrysene	2340	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Dibenz(a,h)anthracene	364J	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Fluoranthene	4790	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Fluorene	68.6J	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	1040	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Phenanthrene	2010	ug/kg	457	01/04/23 15:22	
EPA 8270E by SIM	Pyrene	3180	ug/kg	457	01/04/23 15:22	
ASTM D2974-87	Percent Moisture	8.7	%	0.10	12/27/22 11:27	
<b>40256436002</b>	<b>SP-17 (3-4)</b>					
EPA 8270E by SIM	Acenaphthene	23.0J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Acenaphthylene	45.5J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Anthracene	132	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Benzo(a)anthracene	242	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Benzo(a)pyrene	235	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Benzo(b)fluoranthene	294	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Benzo(g,h,i)perylene	151	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Benzo(k)fluoranthene	124	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Chrysene	277	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Dibenz(a,h)anthracene	37.1J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Fluoranthene	688	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Fluorene	60.5J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	124	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	1-Methylnaphthalene	16.5J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	2-Methylnaphthalene	26.2J	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Naphthalene	94.4	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Phenanthrene	545	ug/kg	73.9	01/04/23 15:39	
EPA 8270E by SIM	Pyrene	466	ug/kg	73.9	01/04/23 15:39	
ASTM D2974-87	Percent Moisture	9.6	%	0.10	12/27/22 11:27	
<b>40256436003</b>	<b>SP-25 (3-4)</b>					
EPA 8270E by SIM	Acenaphthylene	3.0J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Anthracene	2.6J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Benzo(a)anthracene	8.1J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Benzo(a)pyrene	9.8J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Benzo(b)fluoranthene	12.9J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Benzo(g,h,i)perylene	13.3J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Benzo(k)fluoranthene	5.5J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Chrysene	10.2J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Fluoranthene	12.1J	ug/kg	18.5	01/04/23 15:57	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40256436003</b>	<b>SP-25 (3-4)</b>					
EPA 8270E by SIM	Indeno(1,2,3-cd)pyrene	7.3J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	1-Methylnaphthalene	3.4J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	2-Methylnaphthalene	4.5J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Naphthalene	2.4J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Phenanthrene	5.6J	ug/kg	18.5	01/04/23 15:57	
EPA 8270E by SIM	Pyrene	10.2J	ug/kg	18.5	01/04/23 15:57	
ASTM D2974-87	Percent Moisture	9.7	%	0.10	12/27/22 11:28	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

**Sample: SP-16 (3-4)**      **Lab ID: 40256436001**      Collected: 12/21/22 00:00      Received: 12/23/22 07:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH by SIM</b>									
Analytical Method: EPA 8270E by SIM    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<b>92.6J</b>	ug/kg	457	59.2	25	01/04/23 08:03	01/04/23 15:22	83-32-9	
Acenaphthylene	<b>74.7J</b>	ug/kg	457	57.6	25	01/04/23 08:03	01/04/23 15:22	208-96-8	
Anthracene	<b>671</b>	ug/kg	457	56.7	25	01/04/23 08:03	01/04/23 15:22	120-12-7	
Benzo(a)anthracene	<b>2050</b>	ug/kg	457	59.0	25	01/04/23 08:03	01/04/23 15:22	56-55-3	
Benzo(a)pyrene	<b>1890</b>	ug/kg	457	51.9	25	01/04/23 08:03	01/04/23 15:22	50-32-8	
Benzo(b)fluoranthene	<b>2650</b>	ug/kg	457	63.4	25	01/04/23 08:03	01/04/23 15:22	205-99-2	
Benzo(g,h,i)perylene	<b>1170</b>	ug/kg	457	80.1	25	01/04/23 08:03	01/04/23 15:22	191-24-2	
Benzo(k)fluoranthene	<b>928</b>	ug/kg	457	58.4	25	01/04/23 08:03	01/04/23 15:22	207-08-9	
Chrysene	<b>2340</b>	ug/kg	457	86.1	25	01/04/23 08:03	01/04/23 15:22	218-01-9	
Dibenz(a,h)anthracene	<b>364J</b>	ug/kg	457	63.2	25	01/04/23 08:03	01/04/23 15:22	53-70-3	
Fluoranthene	<b>4790</b>	ug/kg	457	54.0	25	01/04/23 08:03	01/04/23 15:22	206-44-0	
Fluorene	<b>68.6J</b>	ug/kg	457	54.7	25	01/04/23 08:03	01/04/23 15:22	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>1040</b>	ug/kg	457	95.1	25	01/04/23 08:03	01/04/23 15:22	193-39-5	
1-Methylnaphthalene	<b>&lt;66.7</b>	ug/kg	457	66.7	25	01/04/23 08:03	01/04/23 15:22	90-12-0	
2-Methylnaphthalene	<b>&lt;66.8</b>	ug/kg	457	66.8	25	01/04/23 08:03	01/04/23 15:22	91-57-6	
Naphthalene	<b>&lt;44.5</b>	ug/kg	457	44.5	25	01/04/23 08:03	01/04/23 15:22	91-20-3	
Phenanthrene	<b>2010</b>	ug/kg	457	52.3	25	01/04/23 08:03	01/04/23 15:22	85-01-8	
Pyrene	<b>3180</b>	ug/kg	457	67.1	25	01/04/23 08:03	01/04/23 15:22	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	59	%	41-98		25	01/04/23 08:03	01/04/23 15:22	321-60-8	
Terphenyl-d14 (S)	58	%	37-106		25	01/04/23 08:03	01/04/23 15:22	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	<b>8.7</b>	%	0.10	0.10	1		12/27/22 11:27		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

**Sample: SP-17 (3-4)**      **Lab ID: 40256436002**      Collected: 12/21/22 00:00      Received: 12/23/22 07:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH by SIM</b>									
Analytical Method: EPA 8270E by SIM    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<b>23.0J</b>	ug/kg	73.9	9.6	4	01/04/23 08:03	01/04/23 15:39	83-32-9	
Acenaphthylene	<b>45.5J</b>	ug/kg	73.9	9.3	4	01/04/23 08:03	01/04/23 15:39	208-96-8	
Anthracene	<b>132</b>	ug/kg	73.9	9.2	4	01/04/23 08:03	01/04/23 15:39	120-12-7	
Benzo(a)anthracene	<b>242</b>	ug/kg	73.9	9.5	4	01/04/23 08:03	01/04/23 15:39	56-55-3	
Benzo(a)pyrene	<b>235</b>	ug/kg	73.9	8.4	4	01/04/23 08:03	01/04/23 15:39	50-32-8	
Benzo(b)fluoranthene	<b>294</b>	ug/kg	73.9	10.3	4	01/04/23 08:03	01/04/23 15:39	205-99-2	
Benzo(g,h,i)perylene	<b>151</b>	ug/kg	73.9	13.0	4	01/04/23 08:03	01/04/23 15:39	191-24-2	
Benzo(k)fluoranthene	<b>124</b>	ug/kg	73.9	9.4	4	01/04/23 08:03	01/04/23 15:39	207-08-9	
Chrysene	<b>277</b>	ug/kg	73.9	13.9	4	01/04/23 08:03	01/04/23 15:39	218-01-9	
Dibenz(a,h)anthracene	<b>37.1J</b>	ug/kg	73.9	10.2	4	01/04/23 08:03	01/04/23 15:39	53-70-3	
Fluoranthene	<b>688</b>	ug/kg	73.9	8.7	4	01/04/23 08:03	01/04/23 15:39	206-44-0	
Fluorene	<b>60.5J</b>	ug/kg	73.9	8.9	4	01/04/23 08:03	01/04/23 15:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<b>124</b>	ug/kg	73.9	15.4	4	01/04/23 08:03	01/04/23 15:39	193-39-5	
1-Methylnaphthalene	<b>16.5J</b>	ug/kg	73.9	10.8	4	01/04/23 08:03	01/04/23 15:39	90-12-0	
2-Methylnaphthalene	<b>26.2J</b>	ug/kg	73.9	10.8	4	01/04/23 08:03	01/04/23 15:39	91-57-6	
Naphthalene	<b>94.4</b>	ug/kg	73.9	7.2	4	01/04/23 08:03	01/04/23 15:39	91-20-3	
Phenanthrene	<b>545</b>	ug/kg	73.9	8.5	4	01/04/23 08:03	01/04/23 15:39	85-01-8	
Pyrene	<b>466</b>	ug/kg	73.9	10.9	4	01/04/23 08:03	01/04/23 15:39	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	74	%	41-98		4	01/04/23 08:03	01/04/23 15:39	321-60-8	
Terphenyl-d14 (S)	70	%	37-106		4	01/04/23 08:03	01/04/23 15:39	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	<b>9.6</b>	%	0.10	0.10	1		12/27/22 11:27		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

**Sample: SP-25 (3-4)**      **Lab ID: 40256436003**      Collected: 12/21/22 00:00      Received: 12/23/22 07:50      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH by SIM</b>									
Analytical Method: EPA 8270E by SIM    Preparation Method: EPA 3546									
Pace Analytical Services - Green Bay									
Acenaphthene	<2.4	ug/kg	18.5	2.4	1	01/04/23 08:03	01/04/23 15:57	83-32-9	
Acenaphthylene	3.0J	ug/kg	18.5	2.3	1	01/04/23 08:03	01/04/23 15:57	208-96-8	
Anthracene	2.6J	ug/kg	18.5	2.3	1	01/04/23 08:03	01/04/23 15:57	120-12-7	
Benzo(a)anthracene	8.1J	ug/kg	18.5	2.4	1	01/04/23 08:03	01/04/23 15:57	56-55-3	
Benzo(a)pyrene	9.8J	ug/kg	18.5	2.1	1	01/04/23 08:03	01/04/23 15:57	50-32-8	
Benzo(b)fluoranthene	12.9J	ug/kg	18.5	2.6	1	01/04/23 08:03	01/04/23 15:57	205-99-2	
Benzo(g,h,i)perylene	13.3J	ug/kg	18.5	3.2	1	01/04/23 08:03	01/04/23 15:57	191-24-2	
Benzo(k)fluoranthene	5.5J	ug/kg	18.5	2.4	1	01/04/23 08:03	01/04/23 15:57	207-08-9	
Chrysene	10.2J	ug/kg	18.5	3.5	1	01/04/23 08:03	01/04/23 15:57	218-01-9	
Dibenz(a,h)anthracene	<2.6	ug/kg	18.5	2.6	1	01/04/23 08:03	01/04/23 15:57	53-70-3	
Fluoranthene	12.1J	ug/kg	18.5	2.2	1	01/04/23 08:03	01/04/23 15:57	206-44-0	
Fluorene	<2.2	ug/kg	18.5	2.2	1	01/04/23 08:03	01/04/23 15:57	86-73-7	
Indeno(1,2,3-cd)pyrene	7.3J	ug/kg	18.5	3.9	1	01/04/23 08:03	01/04/23 15:57	193-39-5	
1-Methylnaphthalene	3.4J	ug/kg	18.5	2.7	1	01/04/23 08:03	01/04/23 15:57	90-12-0	
2-Methylnaphthalene	4.5J	ug/kg	18.5	2.7	1	01/04/23 08:03	01/04/23 15:57	91-57-6	
Naphthalene	2.4J	ug/kg	18.5	1.8	1	01/04/23 08:03	01/04/23 15:57	91-20-3	
Phenanthrene	5.6J	ug/kg	18.5	2.1	1	01/04/23 08:03	01/04/23 15:57	85-01-8	
Pyrene	10.2J	ug/kg	18.5	2.7	1	01/04/23 08:03	01/04/23 15:57	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	79	%	41-98		1	01/04/23 08:03	01/04/23 15:57	321-60-8	
Terphenyl-d14 (S)	75	%	37-106		1	01/04/23 08:03	01/04/23 15:57	1718-51-0	
<b>Percent Moisture</b>									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.7	%	0.10	0.10	1		12/27/22 11:28		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

QC Batch: 435053 Analysis Method: EPA 8270E by SIM  
QC Batch Method: EPA 3546 Analysis Description: 8270E/3546 MSSV PAH by SIM  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256436001, 40256436002, 40256436003

METHOD BLANK: 2503010 Matrix: Solid

Associated Lab Samples: 40256436001, 40256436002, 40256436003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/kg	<2.4	16.7	01/04/23 10:11	
2-Methylnaphthalene	ug/kg	<2.4	16.7	01/04/23 10:11	
Acenaphthene	ug/kg	<2.2	16.7	01/04/23 10:11	
Acenaphthylene	ug/kg	<2.1	16.7	01/04/23 10:11	
Anthracene	ug/kg	<2.1	16.7	01/04/23 10:11	
Benzo(a)anthracene	ug/kg	<2.2	16.7	01/04/23 10:11	
Benzo(a)pyrene	ug/kg	<1.9	16.7	01/04/23 10:11	
Benzo(b)fluoranthene	ug/kg	<2.3	16.7	01/04/23 10:11	
Benzo(g,h,i)perylene	ug/kg	<2.9	16.7	01/04/23 10:11	
Benzo(k)fluoranthene	ug/kg	<2.1	16.7	01/04/23 10:11	
Chrysene	ug/kg	<3.1	16.7	01/04/23 10:11	
Dibenz(a,h)anthracene	ug/kg	<2.3	16.7	01/04/23 10:11	
Fluoranthene	ug/kg	<2.0	16.7	01/04/23 10:11	
Fluorene	ug/kg	<2.0	16.7	01/04/23 10:11	
Indeno(1,2,3-cd)pyrene	ug/kg	<3.5	16.7	01/04/23 10:11	
Naphthalene	ug/kg	<1.6	16.7	01/04/23 10:11	
Phenanthrene	ug/kg	<1.9	16.7	01/04/23 10:11	
Pyrene	ug/kg	<2.5	16.7	01/04/23 10:11	
2-Fluorobiphenyl (S)	%	74	41-98	01/04/23 10:11	
Terphenyl-d14 (S)	%	77	37-106	01/04/23 10:11	

LABORATORY CONTROL SAMPLE: 2503011

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1-Methylnaphthalene	ug/kg	334	260	78	64-110	
2-Methylnaphthalene	ug/kg	334	250	75	60-110	
Acenaphthene	ug/kg	334	265	79	69-120	
Acenaphthylene	ug/kg	334	267	80	63-120	
Anthracene	ug/kg	334	301	90	71-112	
Benzo(a)anthracene	ug/kg	334	275	82	62-120	
Benzo(a)pyrene	ug/kg	334	318	95	71-111	
Benzo(b)fluoranthene	ug/kg	334	268	80	59-112	
Benzo(g,h,i)perylene	ug/kg	334	302	91	64-115	
Benzo(k)fluoranthene	ug/kg	334	340	102	72-117	
Chrysene	ug/kg	334	298	89	75-120	
Dibenz(a,h)anthracene	ug/kg	334	296	89	67-114	
Fluoranthene	ug/kg	334	317	95	70-110	
Fluorene	ug/kg	334	283	85	64-104	
Indeno(1,2,3-cd)pyrene	ug/kg	334	303	91	71-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256436

LABORATORY CONTROL SAMPLE: 2503011

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Naphthalene	ug/kg	334	235	70	62-120	
Phenanthrene	ug/kg	334	279	84	59-106	
Pyrene	ug/kg	334	277	83	69-120	
2-Fluorobiphenyl (S)	%			78	41-98	
Terphenyl-d14 (S)	%			84	37-106	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2503012 2503013

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40256641003 Result	Spike Conc.	Spike Conc.	MS Result						
1-Methylnaphthalene	ug/kg	<2.4	333	333	260	235	78	70	51-110	10	34
2-Methylnaphthalene	ug/kg	<2.4	333	333	251	226	75	68	45-110	10	29
Acenaphthene	ug/kg	<2.2	333	333	254	230	76	69	52-120	10	26
Acenaphthylene	ug/kg	<2.1	333	333	256	229	77	69	46-120	11	22
Anthracene	ug/kg	2.9J	333	333	272	244	81	72	50-112	11	25
Benzo(a)anthracene	ug/kg	37.6	333	333	272	253	70	65	41-120	7	37
Benzo(a)pyrene	ug/kg	41.1	333	333	302	282	78	72	44-114	7	33
Benzo(b)fluoranthene	ug/kg	58.8	333	333	282	266	67	62	41-112	6	43
Benzo(g,h,i)perylene	ug/kg	29.3	333	333	285	264	77	70	40-115	8	36
Benzo(k)fluoranthene	ug/kg	27.5	333	333	318	295	87	80	56-117	8	30
Chrysene	ug/kg	52.3	333	333	296	272	73	66	45-120	8	28
Dibenz(a,h)anthracene	ug/kg	9.3J	333	333	265	242	77	70	44-114	9	33
Fluoranthene	ug/kg	74.8	333	333	338	315	79	72	55-110	7	43
Fluorene	ug/kg	<2.0	333	333	266	239	80	72	47-104	11	27
Indeno(1,2,3-cd)pyrene	ug/kg	24.9	333	333	282	258	77	70	45-114	9	33
Naphthalene	ug/kg	<1.6	333	333	233	212	70	63	47-120	10	26
Phenanthrene	ug/kg	14.0J	333	333	264	242	75	68	38-106	9	24
Pyrene	ug/kg	53.0	333	333	284	267	69	64	51-120	6	41
2-Fluorobiphenyl (S)	%						80	71	41-98		
Terphenyl-d14 (S)	%						76	68	37-106		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

QC Batch: 434645

Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256436001, 40256436002, 40256436003

SAMPLE DUPLICATE: 2501203

Parameter	Units	40256431003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	18.1	18.6	3	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256436

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40256436001	SP-16 (3-4)	EPA 3546	435053	EPA 8270E by SIM	435086
40256436002	SP-17 (3-4)	EPA 3546	435053	EPA 8270E by SIM	435086
40256436003	SP-25 (3-4)	EPA 3546	435053	EPA 8270E by SIM	435086
40256436001	SP-16 (3-4)	ASTM D2974-87	434645		
40256436002	SP-17 (3-4)	ASTM D2974-87	434645		
40256436003	SP-25 (3-4)	ASTM D2974-87	434645		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of 1

MN: 612-607-1700 WI: 920-469-2436



COC No. 41256436

Company Name: Moraine Environmental, Inc.  
 Branch/Location: Fredonia, WI  
 Project Contact: Dave Lennon  
 Phone: (262) 692-3345  
 Project Number: 53232  
 Project Name: Village of Thiensville  
 Project State: Wisconsin  
 Sampled By (Print): Joe Pospichal  
 Sampled By (Sign): *[Signature]*  
 PO #: \_\_\_\_\_ Regulatory Program: \_\_\_\_\_

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	N																		
	A																		
Analyses Requested	Pick Letter	PAH, Dry Wt																	

Quote #: \_\_\_\_\_  
 Mail To Contact: \_\_\_\_\_  
 Mail To Company: Moraine Environmental, Inc.  
 Mail To Address: 766 Tower Drive  
Fredonia, WI 53021  
 Invoice To Contact: same  
 Invoice To Company: as  
 Invoice To Address: above  
 Invoice To Phone: \_\_\_\_\_  
 CLIENT COMMENTS: \_\_\_\_\_  
 LAB COMMENTS (Lab Use Only): \_\_\_\_\_  
 Profile #: \_\_\_\_\_

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	N	PAH, Dry Wt												
		DATE	TIME																
001	SP-16 (3-4)	12/21/22		S			X												
002	SP-17 (3-4)	12/21/22		S			X												
003	SP-25 (3-4)	12/21/22		S			X												

Rush Turnaround Time Requested - Prelims  
 (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results by (complete what you want):

Email #1: \_\_\_\_\_  
 Email #2: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: <i>[Signature]</i>	Date/Time: 12/22/2022 8:00	Received By: _____	Date/Time: _____
Relinquished By: <i>[Signature]</i>	Date/Time: 12/23/22 0750	Received By: <i>[Signature]</i>	Date/Time: 12/23/22 0750
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____
Relinquished By: _____	Date/Time: _____	Received By: _____	Date/Time: _____

PACE Project No. 41256436  
 Receipt Temp = 1.5 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present  
 Intact / Not Intact *[Initials]*

Version 5.0 06/14/06





Sample Condition Upon Receipt Form (SCUR)

Project #: \_\_\_\_\_

Client Name: Moraine ENV

WO#: 40256436

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Walto  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR-118 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr: 1.0 /Corr: 1.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: 12/23/22 Initials: TP  
 Labeled By Initials: MP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: Pace Green Bay, Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>no times</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		<u>TP 12/23/22</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logit

January 25, 2023

Tom Sweet  
Moraine Environmental, Inc.  
766 Tower Drive  
Fredonia, WI 53021

RE: Project: 53232 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256437

Dear Tom Sweet:

Enclosed are the analytical results for sample(s) received by the laboratory on December 23, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 53232 VILLAGE OF THIENSVILLE

Pace Project No.: 40256437

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40256437001	PZ-1 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437002	PZ-1 (9-10)	Solid	12/21/22 00:00	12/23/22 07:50
40256437003	PZ-1 (19-20)	Solid	12/21/22 00:00	12/23/22 07:50
40256437004	PZ-1 (29-30)	Solid	12/21/22 00:00	12/23/22 07:50
40256437005	SP-18 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437006	SP-19 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437007	SP-20 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437008	SP-21 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437009	SP-22 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437010	SP-23 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50
40256437011	SP-24 (3-4)	Solid	12/21/22 00:00	12/23/22 07:50

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of 1

MN: 612-607-1700 WI: 920-469-2436

COC No. 40256437



### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

Company Name: Moraine Environmental, Inc.  
 Branch/Location: Fredonia, WI  
 Project Contact: Dave Lennon  
 Phone: (262) 692-3345  
 Project Number: 53232  
 Project Name: Village of Thiensville  
 Project State: Wisconsin  
 Sampled By (Print): Joe Pospichal  
 Sampled By (Sign): *[Signature]*  
 PO #:

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y/N	N																		
Pick Letter	A																		
Analyses Requested	WI PFAS																		

Quote #:  
 Mail To Contact:  
 Mail To Company: Moraine Environmental, Inc.  
 Mail To Address: 766 Tower Drive  
 Fredonia, WI 53021  
 Invoice To Contact: same  
 Invoice To Company: as  
 Invoice To Address: above  
 Invoice To Phone:  
 CLIENT COMMENTS  
 LAB COMMENTS (Lab Use Only)  
 Profile #

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	PZ-1 (3-4)	12/21/22		S
002	PZ-1 (9-10)	12/21/22		S
003	PZ-1 (19-20)	12/21/22		S
004	PZ-1 (29-30)	12/21/22		S
005	SP-18 (3-4)	12/21/22		S
006	SP-19 (3-4)	12/21/22		S
007	SP-20 (3-4)	12/21/22		S
008	SP-21 (3-4)	12/21/22		S
009	SP-22 (3-4)	12/21/22		S
010	SP-23 (3-4)	12/21/22		S
011	SP-24 (3-4)	12/21/22		S

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed:  
 Transmit Prelim Rush Results by (complete what you want):  
 Email #1:  
 Email #2:  
 Telephone:  
 Fax:  
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *[Signature]* Date/Time: 12/22/2022 8:00  
 Relinquished By: *CS Logistics* Date/Time: 12/23/22 0750  
 Relinquished By: Date/Time:  
 Relinquished By: Date/Time:

Received By: Date/Time:  
 Received By: *[Signature]* Date/Time: 12/23/2022 0750  
 Received By: Date/Time:  
 Received By: Date/Time:

PACE Project No. 40256437  
 Receipt Temp = 1.5 °C  
 Sample Receipt pH OK / Adjusted  
 Cooler Custody Seal Present / Not Present Intact / Not Intact

Version 6.0 06/14/06




Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Moraine Env

WO#: **40256437**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 118 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr: 1.0 /Corr: 1.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: 12/23/22 Initials: JP  
 Labeled By Initials: ME

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>no times</u>
-Includes date/time/ID/Analysis Matrix: <u>S</u>		<u>JP 12/23/22</u>
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir



---

## Report of Analysis

**Pace Analytical Services, LLC**  
1241 Bellevue Street  
Suite 9  
Green Bay, WI 54302  
Attention: Steven Mleckzo

Project Name: 53232 Village of Thiensville

Project Number: 40256437

Lot Number: **XL29012**

Date Completed: 01/25/2023

Revision Date: 01/25/2023

Project Manager: **Jenna S. Holliday**

01/25/2023 10:18 AM

Approved and released by:

Project Manager II: **Edward Barnett**



The electronic signature above is the equivalent of a handwritten signature.  
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

---



# PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

## Case Narrative Pace Analytical Services, LLC Lot Number: XL29012

### Revised report – 01/25/23

This report has been revised to update the sample IDs incorrectly logged upon receipt.

**All other sample results are as reported in the original PDF report. This report supersedes and replaces any prior reports issued under this lot number.**

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: Drinking Water: VOC (excluding BTEX, MTBE, Naphthalene, & 1,2-dichloroethane) EPA 524.2, E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18.

Where applicable, all soil sample results (including LOQ and DL if requested) are corrected for dry weight unless flagged with a "W" qualifier.

If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.

### PFAS analysis by Isotope Dilution

Sample associated with lot XL29012 were collected in client provided HDPE bottles. While this is method compliant, the sample bottles were not provided by the laboratory.

Surrogate recovery for sample XL29012-011 was outside the acceptance limits. This sample did not contain any detects for the target analyte; therefore, the data has been reported.

The matrix spike (MS) for batch 63995 recovered outside of the acceptance limits. The associated laboratory control sample (LCS) passed acceptance criteria. Therefore, the data has been reported.

# PACE ANALYTICAL SERVICES, LLC

---

Sample Summary  
Pace Analytical Services, LLC  
Lot Number: XL29012  
Project Name: 53232 Village of Thiensville  
Project Number: 40256437

---

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	PZ-1 (3-4)	Solid	12/21/2022	12/29/2022
002	PZ-1 (9-10)	Solid	12/21/2022	12/29/2022
003	PZ-1 (19-20)	Solid	12/21/2022	12/29/2022
004	PZ-1 (29-30)	Solid	12/21/2022	12/29/2022
005	SP-18 (3-4)	Solid	12/21/2022	12/29/2022
006	SP-19 (3-4)	Solid	12/21/2022	12/29/2022
007	SP-20 (3-4)	Solid	12/21/2022	12/29/2022
008	SP-21 (3-4)	Solid	12/21/2022	12/29/2022
009	SP-22 (3-4)	Solid	12/21/2022	12/29/2022
010	SP-23 (3-4)	Solid	12/21/2022	12/29/2022
011	SP-24 (3-4)	Solid	12/21/2022	12/29/2022

---

(11 samples)

# PACE ANALYTICAL SERVICES, LLC

## Detection Summary

Pace Analytical Services, LLC

Lot Number: XL29012

Project Name: 53232 Village of Thiensville

Project Number: 40256437

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	PZ-1 (3-4)	Solid	PFHxS	PFAS by ID	0.36	J	ug/kg	6
001	PZ-1 (3-4)	Solid	PFOA	PFAS by ID	0.29	J	ug/kg	6
001	PZ-1 (3-4)	Solid	PFOS	PFAS by ID	14		ug/kg	6
002	PZ-1 (9-10)	Solid	PFOS	PFAS by ID	2.7		ug/kg	8
005	SP-18 (3-4)	Solid	PFDS	PFAS by ID	2.0		ug/kg	14
005	SP-18 (3-4)	Solid	PFHpS	PFAS by ID	0.39	J	ug/kg	14
005	SP-18 (3-4)	Solid	PFNS	PFAS by ID	0.66	J	ug/kg	14
005	SP-18 (3-4)	Solid	PFOSA	PFAS by ID	0.92	J	ug/kg	14
005	SP-18 (3-4)	Solid	PFDOS	PFAS by ID	0.62	J	ug/kg	14
005	SP-18 (3-4)	Solid	PFHxS	PFAS by ID	1.8		ug/kg	14
005	SP-18 (3-4)	Solid	PFHxA	PFAS by ID	0.31	J	ug/kg	14
005	SP-18 (3-4)	Solid	PFOS	PFAS by ID	110		ug/kg	14
006	SP-19 (3-4)	Solid	PFHxS	PFAS by ID	1.5		ug/kg	16
006	SP-19 (3-4)	Solid	PFOS	PFAS by ID	1.8		ug/kg	16
007	SP-20 (3-4)	Solid	PFHxS	PFAS by ID	0.50	J	ug/kg	18
007	SP-20 (3-4)	Solid	PFOS	PFAS by ID	12		ug/kg	18
008	SP-21 (3-4)	Solid	PFHxS	PFAS by ID	0.93	J	ug/kg	20
008	SP-21 (3-4)	Solid	PFHpA	PFAS by ID	0.23	J	ug/kg	20
008	SP-21 (3-4)	Solid	PFOS	PFAS by ID	5.9		ug/kg	20
009	SP-22 (3-4)	Solid	PFOS	PFAS by ID	3.6		ug/kg	22
010	SP-23 (3-4)	Solid	PFHxS	PFAS by ID	0.42	J	ug/kg	24
010	SP-23 (3-4)	Solid	PFOS	PFAS by ID	17		ug/kg	24
011	SP-24 (3-4)	Solid	PFBS	PFAS by ID	0.33	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFDS	PFAS by ID	1.2		ug/kg	26
011	SP-24 (3-4)	Solid	PFHpS	PFAS by ID	1.6		ug/kg	26
011	SP-24 (3-4)	Solid	PFNS	PFAS by ID	0.38	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFOSA	PFAS by ID	0.29	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFPeS	PFAS by ID	0.65	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFHxS	PFAS by ID	11		ug/kg	26
011	SP-24 (3-4)	Solid	PFHpA	PFAS by ID	0.15	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFHxA	PFAS by ID	0.37	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFOA	PFAS by ID	0.81	J	ug/kg	26
011	SP-24 (3-4)	Solid	PFOS	PFAS by ID	210		ug/kg	26

(33 detections)

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-001
Description: PZ-1 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 89.9 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/06/2023 1815	BWS	12/30/2022 1414	63812

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.1	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.1	0.18	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.1	0.29	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.1	0.32	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.1	0.23	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.2	0.60	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.1	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.1	0.37	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.1	0.30	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.1	0.24	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.1	0.36	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.1	0.41	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.1	0.35	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.27	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	0.36	J	1.0	0.18	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.43	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	0.29	J	1.0	0.22	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.20	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	14		1.0	0.37	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		83	25-150
13C2_6:2FTS		88	25-150
13C2_8:2FTS		97	25-150
13C2_PFDa		96	25-150
13C2_PFTeDA		105	25-150
13C3_PFBS		87	25-150
13C3_PFHxS		85	25-150
13C3-HFPO-DA		80	25-150
13C4_PFBA		78	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-001	
Description: PZ-1 (3-4)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 89.9 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		80	25-150
13C5_PFHxA		81	25-150
13C5_PFPeA		81	25-150
13C6_PFDA		91	25-150
13C7_PFUdA		95	25-150
13C8_PFOA		84	25-150
13C8_PFOS		84	25-150
13C8_PFOSA		79	10-150
13C9_PFNA		86	25-150
d-EtFOSA		74	10-150
d5-EtFOSAA		92	25-150
d9-EtFOSE		71	10-150
d-MeFOSA		75	10-150
d3-MeFOSAA		87	25-150
d7-MeFOSE		74	10-150

---

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-002
Description: PZ-1 (9-10)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 83.9 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/06/2023 1828	BWS	12/30/2022 1414	63812

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.28	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.31	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.22	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.0	0.59	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.36	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.40	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.26	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.42	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.14	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.0	0.21	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	2.7		1.0	0.36	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		69	25-150
13C2_6:2FTS		73	25-150
13C2_8:2FTS		73	25-150
13C2_PFDaA		69	25-150
13C2_PFTeDA		74	25-150
13C3_PFBs		69	25-150
13C3_PFHxS		70	25-150
13C3-HFPO-DA		71	25-150
13C4_PFBa		70	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-002	
Description: PZ-1 (9-10)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 83.9 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		69	25-150
13C5_PFHxA		70	25-150
13C5_PFPeA		69	25-150
13C6_PFDA		70	25-150
13C7_PFUdA		74	25-150
13C8_PFOA		73	25-150
13C8_PFOS		68	25-150
13C8_PFOSA		68	10-150
13C9_PFNA		73	25-150
d-EtFOSA		71	10-150
d5-EtFOSAA		71	25-150
d9-EtFOSE		68	10-150
d-MeFOSA		70	10-150
d3-MeFOSAA		70	25-150
d7-MeFOSE		70	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-003
Description: PZ-1 (19-20)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 84.5 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/06/2023 1841	BWS	12/30/2022 1414	63812

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.2	0.17	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.2	0.19	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.2	0.30	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.2	0.33	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.2	0.24	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.3	0.63	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.2	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.2	0.39	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.2	0.31	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.2	0.25	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.2	0.38	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.2	0.43	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.2	0.36	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.1	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.1	0.28	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.1	0.45	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.1	0.23	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.1	0.21	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		1.1	0.39	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		91	25-150
13C2_6:2FTS		86	25-150
13C2_8:2FTS		93	25-150
13C2_PFDa		93	25-150
13C2_PFTeDA		105	25-150
13C3_PFBS		90	25-150
13C3_PFHxS		90	25-150
13C3-HFPO-DA		92	25-150
13C4_PFBA		88	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-003	
Description: PZ-1 (19-20)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 84.5 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		89	25-150
13C5_PFHxA		89	25-150
13C5_PFPeA		91	25-150
13C6_PFDA		93	25-150
13C7_PFUdA		96	25-150
13C8_PFOA		93	25-150
13C8_PFOS		89	25-150
13C8_PFOSA		89	10-150
13C9_PFNA		93	25-150
d-EtFOSA		91	10-150
d5-EtFOSAA		90	25-150
d9-EtFOSE		86	10-150
d-MeFOSA		88	10-150
d3-MeFOSAA		86	25-150
d7-MeFOSE		90	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-004
Description: PZ-1 (29-30)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 83.4 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2151	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.28	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.31	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.22	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.1	0.59	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.36	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND	S	2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.40	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.26	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.42	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		1.0	0.36	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		98	25-150
13C2_6:2FTS		100	25-150
13C2_8:2FTS		104	25-150
13C2_PFDaA		105	25-150
13C2_PFTeDA		108	25-150
13C3_PFBs		108	25-150
13C3_PFHxS		102	25-150
13C3-HFPO-DA		94	25-150
13C4_PFBa		102	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-004	
Description: PZ-1 (29-30)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 83.4 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		100	25-150
13C5_PFHxA		102	25-150
13C5_PFPeA		102	25-150
13C6_PFDA		102	25-150
13C7_PFUdA		103	25-150
13C8_PFOA		101	25-150
13C8_PFOS		107	25-150
13C8_PFOSA		103	10-150
13C9_PFNA		105	25-150
d-EtFOSA		98	10-150
d5-EtFOSAA		99	25-150
d9-EtFOSE		94	10-150
d-MeFOSA		91	10-150
d3-MeFOSAA		94	25-150
d7-MeFOSE		104	10-150

---

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-005
Description: SP-18 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 90.1 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2224	BWS	01/03/2023 1230	63995
2	SOP SPE	PFAS by ID SOP	5	01/20/2023 1412	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.2	0.17	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.2	0.19	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.2	0.30	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.2	0.34	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.2	0.24	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.4	0.64	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.2	0.17	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.2	0.39	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.2	0.32	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.2	0.25	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.2	0.38	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.2	0.43	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.2	0.37	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.1	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	2.0		1.1	0.25	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	0.39	J	1.1	0.19	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	0.66	J	1.1	0.24	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	0.92	J	1.1	0.19	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	0.62	J	1.1	0.28	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	1.8		1.1	0.19	ug/kg	1
Perfluoro-n-butanefluoronic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.1	0.46	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	0.31	J	1.1	0.20	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.1	0.23	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.1	0.21	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	110		5.5	2.0	ug/kg	2

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
13C2_4:2FTS		114	25-150		79	25-150
13C2_6:2FTS		100	25-150		92	25-150
13C2_8:2FTS		119	25-150		86	25-150
13C2_PFDaA		117	25-150		97	25-150
13C2_PFTeDA		119	25-150		98	25-150
13C3_PFBS		106	25-150		94	25-150
13C3_PFHxS		99	25-150		94	25-150
13C3-HFPO-DA		87	25-150		86	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-005
Description: SP-18 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 90.1 12/30/2022 1827

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
13C4_PFBFA		102	25-150		89	25-150
13C4_PFHpA		100	25-150		83	25-150
13C5_PFHxA		96	25-150		90	25-150
13C5_PFPeA		96	25-150		93	25-150
13C6_PFDA		108	25-150		95	25-150
13C7_PFUdA		110	25-150		89	25-150
13C8_PFOA		102	25-150		91	25-150
13C8_PFOS		109	25-150		87	25-150
13C8_PFOSA		92	10-150		81	10-150
13C9_PFNA		103	25-150		83	25-150
d-EtFOSA		85	10-150		75	10-150
d5-EtFOSAA		116	25-150		89	25-150
d9-EtFOSE		79	10-150		73	10-150
d-MeFOSA		83	10-150		77	10-150
d3-MeFOSAA		108	25-150		88	25-150
d7-MeFOSE		89	10-150		80	10-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-006
Description: SP-19 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 82.4 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2235	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.2	0.17	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.2	0.19	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.2	0.30	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.2	0.33	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.2	0.24	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.4	0.63	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.2	0.16	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.2	0.39	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.2	0.32	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.2	0.25	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.2	0.38	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.2	0.43	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.2	0.37	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.1	0.14	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.1	0.24	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.1	0.28	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	1.5		1.1	0.19	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.1	0.45	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.1	0.16	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.1	0.23	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.1	0.17	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.1	0.21	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.1	0.19	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.1	0.20	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	1.8		1.1	0.39	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		98	25-150
13C2_6:2FTS		97	25-150
13C2_8:2FTS		126	25-150
13C2_PFDa		113	25-150
13C2_PFTeDA		115	25-150
13C3_PFBs		95	25-150
13C3_PFHxS		95	25-150
13C3-HFPO-DA		84	25-150
13C4_PFBa		95	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-006
Description: SP-19 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 82.4 12/30/2022 1827

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		97	25-150
13C5_PFHxA		94	25-150
13C5_PFPeA		93	25-150
13C6_PFDA		100	25-150
13C7_PFUdA		107	25-150
13C8_PFOA		89	25-150
13C8_PFOS		104	25-150
13C8_PFOSA		94	10-150
13C9_PFNA		99	25-150
d-EtFOSA		85	10-150
d5-EtFOSAA		114	25-150
d9-EtFOSE		80	10-150
d-MeFOSA		79	10-150
d3-MeFOSAA		101	25-150
d7-MeFOSE		84	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-007
Description: SP-20 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 93.7 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2246	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.28	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.31	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.22	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.1	0.59	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.36	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.40	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.0	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.0	0.23	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.0	0.26	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	0.50	J	1.0	0.18	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.0	0.42	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.0	0.18	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.0	0.15	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.0	0.22	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.0	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.0	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.0	0.19	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	12		1.0	0.36	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		100	25-150
13C2_6:2FTS		95	25-150
13C2_8:2FTS		102	25-150
13C2_PFDaA		111	25-150
13C2_PFTeDA		112	25-150
13C3_PFBs		98	25-150
13C3_PFHxS		101	25-150
13C3-HFPO-DA		90	25-150
13C4_PFBa		98	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-007
Description: SP-20 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 93.7    12/30/2022 1827

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		100	25-150
13C5_PFHxA		93	25-150
13C5_PFPeA		96	25-150
13C6_PFDA		102	25-150
13C7_PFUdA		103	25-150
13C8_PFOA		96	25-150
13C8_PFOS		109	25-150
13C8_PFOSA		95	10-150
13C9_PFNA		103	25-150
d-EtFOSA		91	10-150
d5-EtFOSAA		105	25-150
d9-EtFOSE		86	10-150
d-MeFOSA		89	10-150
d3-MeFOSAA		93	25-150
d7-MeFOSE		91	10-150

---

LOQ = Limit of Quantitation	B = Detected in the method blank	E = Quantitation of compound exceeded the calibration range	DL = Detection Limit	Q = Surrogate failure
ND = Not detected at or above the DL	N = Recovery is out of criteria	P = The RPD between two GC columns exceeds 40%	J = Estimated result < LOQ and ≥ DL	L = LCS/LCSD failure
H = Out of holding time	W = Reported on wet weight basis			S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-008
Description: SP-21 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 71.4 12/30/2022 1827

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2256	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.6	0.20	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.6	0.22	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.6	0.36	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.6	0.40	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.6	0.28	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		5.2	0.75	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.6	0.19	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.6	0.46	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.6	0.38	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.6	0.30	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.6	0.45	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.6	0.51	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.6	0.43	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		1.3	0.17	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		1.3	0.29	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		1.3	0.23	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		1.3	0.29	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		1.3	0.23	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		1.3	0.24	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		1.3	0.34	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	0.93	J	1.3	0.23	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		1.3	0.54	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		1.3	0.20	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		1.3	0.23	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	0.23	J	1.3	0.19	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		1.3	0.24	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		1.3	0.19	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		1.3	0.28	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		1.3	0.21	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		1.3	0.25	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		1.3	0.22	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		1.3	0.24	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	5.9		1.3	0.46	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		108	25-150
13C2_6:2FTS		107	25-150
13C2_8:2FTS		123	25-150
13C2_PFDa		114	25-150
13C2_PFTeDA		124	25-150
13C3_PFBs		113	25-150
13C3_PFHxS		114	25-150
13C3-HFPO-DA		98	25-150
13C4_PFBa		109	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-008
Description: SP-21 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 71.4 12/30/2022 1827

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		114	25-150
13C5_PFHxA		108	25-150
13C5_PFPeA		106	25-150
13C6_PFDA		114	25-150
13C7_PFUdA		116	25-150
13C8_PFOA		107	25-150
13C8_PFOS		121	25-150
13C8_PFOSA		108	10-150
13C9_PFNA		121	25-150
d-EtFOSA		108	10-150
d5-EtFOSAA		112	25-150
d9-EtFOSE		107	10-150
d-MeFOSA		107	10-150
d3-MeFOSAA		107	25-150
d7-MeFOSE		108	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-009
Description: SP-22 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 88.0 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2307	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		2.0	0.16	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		2.0	0.17	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		2.0	0.27	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		2.0	0.30	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		2.0	0.21	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		4.0	0.57	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		2.0	0.15	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		2.0	0.35	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		2.0	0.29	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		2.0	0.23	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		2.0	0.34	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		2.0	0.39	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		2.0	0.33	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		0.99	0.13	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		0.99	0.22	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		0.99	0.17	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		0.99	0.22	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		0.99	0.17	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		0.99	0.18	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		0.99	0.26	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		0.99	0.17	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		0.99	0.41	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		0.99	0.16	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		0.99	0.17	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		0.99	0.14	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		0.99	0.18	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		0.99	0.15	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		0.99	0.21	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		0.99	0.16	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		0.99	0.19	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		0.99	0.17	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		0.99	0.18	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	3.6		0.99	0.35	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		116	25-150
13C2_6:2FTS		107	25-150
13C2_8:2FTS		116	25-150
13C2_PFDaA		118	25-150
13C2_PFTeDA		123	25-150
13C3_PFBS		111	25-150
13C3_PFHxS		108	25-150
13C3-HFPO-DA		95	25-150
13C4_PFBA		108	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-009	
Description: SP-22 (3-4)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 88.0 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		108	25-150
13C5_PFHxA		111	25-150
13C5_PFPeA		109	25-150
13C6_PFDA		111	25-150
13C7_PFUdA		111	25-150
13C8_PFOA		105	25-150
13C8_PFOS		118	25-150
13C8_PFOSA		107	10-150
13C9_PFNA		109	25-150
d-EtFOSA		103	10-150
d5-EtFOSAA		103	25-150
d9-EtFOSE		98	10-150
d-MeFOSA		101	10-150
d3-MeFOSAA		100	25-150
d7-MeFOSE		103	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-010
Description: SP-23 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 91.8 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2318	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		1.9	0.15	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		1.9	0.16	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		1.9	0.26	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		1.9	0.29	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		1.9	0.20	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		3.7	0.54	ug/kg	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		1.9	0.14	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		1.9	0.33	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		1.9	0.27	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		1.9	0.21	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		1.9	0.32	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		1.9	0.37	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		1.9	0.31	ug/kg	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		0.93	0.12	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		0.93	0.21	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		0.93	0.16	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		0.93	0.21	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		0.93	0.16	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		0.93	0.17	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		0.93	0.24	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	0.42	J	0.93	0.16	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		0.93	0.39	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		0.93	0.15	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		0.93	0.16	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		0.93	0.13	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		0.93	0.17	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		0.93	0.14	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		0.93	0.20	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		0.93	0.15	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		0.93	0.18	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		0.93	0.16	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		0.93	0.17	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	17		0.93	0.33	ug/kg	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C2_4:2FTS		126	25-150
13C2_6:2FTS		120	25-150
13C2_8:2FTS		147	25-150
13C2_PFDa		136	25-150
13C2_PFTeDA		140	25-150
13C3_PFBS		125	25-150
13C3_PFHxS		122	25-150
13C3-HFPO-DA		105	25-150
13C4_PFBA		116	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-010	
Description: SP-23 (3-4)	Matrix: Solid	
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville	% Solids: 91.8 12/30/2022 1827
Date Received: 12/29/2022	Project Number: 40256437	

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
13C4_PFHpA		123	25-150
13C5_PFHxA		114	25-150
13C5_PFPeA		115	25-150
13C6_PFDA		126	25-150
13C7_PFUdA		131	25-150
13C8_PFOA		114	25-150
13C8_PFOS		131	25-150
13C8_PFOSA		98	10-150
13C9_PFNA		125	25-150
d-EtFOSA		93	10-150
d5-EtFOSAA		138	25-150
d9-EtFOSE		93	10-150
d-MeFOSA		89	10-150
d3-MeFOSAA		120	25-150
d7-MeFOSE		93	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-011
Description: SP-24 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	% Solids: 95.8 12/30/2022 1827
Project Number: 40256437	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/19/2023 2329	BWS	01/03/2023 1230	63995
2	SOP SPE	PFAS by ID SOP	5	01/20/2023 1423	BWS	01/03/2023 1230	63995

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		1.8	0.14	ug/kg	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		1.8	0.16	ug/kg	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND	Q	1.8	0.25	ug/kg	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		1.8	0.28	ug/kg	1
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		1.8	0.20	ug/kg	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		3.7	0.53	ug/kg	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		1.8	0.14	ug/kg	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		1.8	0.33	ug/kg	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND	Q	1.8	0.27	ug/kg	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		1.8	0.21	ug/kg	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		1.8	0.32	ug/kg	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND	Q	1.8	0.36	ug/kg	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		1.8	0.31	ug/kg	1
Perfluoro-1-butanefluoride (PFBS)	375-73-5	PFAS by ID SOP	0.33	J	0.92	0.12	ug/kg	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	1.2		0.92	0.20	ug/kg	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	1.6		0.92	0.16	ug/kg	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	0.38	J	0.92	0.20	ug/kg	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	0.29	J	0.92	0.16	ug/kg	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	0.65	J	0.92	0.17	ug/kg	1
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		0.92	0.24	ug/kg	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	11		0.92	0.16	ug/kg	1
Perfluoro-n-butanoic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		0.92	0.38	ug/kg	1
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		0.92	0.14	ug/kg	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		0.92	0.16	ug/kg	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	0.15	J	0.92	0.13	ug/kg	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	0.37	J	0.92	0.17	ug/kg	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		0.92	0.14	ug/kg	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	0.81	J	0.92	0.19	ug/kg	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		0.92	0.15	ug/kg	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		0.92	0.17	ug/kg	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		0.92	0.16	ug/kg	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		0.92	0.17	ug/kg	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	210		4.6	1.6	ug/kg	2

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
13C2_4:2FTS		126	25-150		84	25-150
13C2_6:2FTS		126	25-150		96	25-150
13C2_8:2FTS	N	236	25-150		91	25-150
13C2_PFDaA		147	25-150		109	25-150
13C2_PFTeDA		132	25-150		107	25-150
13C3_PFBS		115	25-150		98	25-150
13C3_PFHxS		119	25-150		100	25-150
13C3-HFPO-DA		96	25-150		85	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: Pace Analytical Services, LLC	Laboratory ID: XL29012-011
Description: SP-24 (3-4)	Matrix: Solid
Date Sampled: 12/21/2022	Project Name: 53232 Village of Thiensville
Date Received: 12/29/2022	Project Number: 40256437
	% Solids: 95.8 12/30/2022 1827

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
13C4_PFBFA		109	25-150		94	25-150
13C4_PFHpA		117	25-150		91	25-150
13C5_PFHxA		109	25-150		87	25-150
13C5_PFPeA		105	25-150		93	25-150
13C6_PFDA		135	25-150		106	25-150
13C7_PFUdA		135	25-150		99	25-150
13C8_PFOA		105	25-150		92	25-150
13C8_PFOS		120	25-150		95	25-150
13C8_PFOSA		102	10-150		87	10-150
13C9_PFNA		117	25-150		83	25-150
d-EtFOSA		88	10-150		75	10-150
d5-EtFOSAA	N	178	25-150		97	25-150
d9-EtFOSE		88	10-150		82	10-150
d-MeFOSA		86	10-150		72	10-150
d3-MeFOSAA	N	156	25-150		99	25-150
d7-MeFOSE		94	10-150		71	10-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

## QC Summary

PFAS by LC/MS/MS - MB

Sample ID: XQ63812-001

Matrix: Solid

Batch: 63812

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 12/30/2022 1414

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
9CI-PF3ONS	ND		1	2.0	0.16	ug/kg	01/06/2023 1322
11CI-PF3OUdS	ND		1	2.0	0.17	ug/kg	01/06/2023 1322
8:2 FTS	ND		1	2.0	0.27	ug/kg	01/06/2023 1322
6:2 FTS	ND		1	2.0	0.31	ug/kg	01/06/2023 1322
4:2 FTS	ND		1	2.0	0.22	ug/kg	01/06/2023 1322
GenX	ND		1	4.0	0.58	ug/kg	01/06/2023 1322
ADONA	ND		1	2.0	0.15	ug/kg	01/06/2023 1322
EtFOSA	ND		1	2.0	0.36	ug/kg	01/06/2023 1322
EtFOSAA	ND		1	2.0	0.29	ug/kg	01/06/2023 1322
EtFOSE	ND		1	2.0	0.23	ug/kg	01/06/2023 1322
MeFOSA	ND		1	2.0	0.35	ug/kg	01/06/2023 1322
MeFOSAA	ND		1	2.0	0.40	ug/kg	01/06/2023 1322
MeFOSE	ND		1	2.0	0.33	ug/kg	01/06/2023 1322
PFBS	ND		1	1.0	0.13	ug/kg	01/06/2023 1322
PFDS	ND		1	1.0	0.22	ug/kg	01/06/2023 1322
PFHpS	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFNS	ND		1	1.0	0.22	ug/kg	01/06/2023 1322
PFOSA	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFPeS	ND		1	1.0	0.19	ug/kg	01/06/2023 1322
PFDOS	ND		1	1.0	0.26	ug/kg	01/06/2023 1322
PFHxS	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFBA	ND		1	1.0	0.42	ug/kg	01/06/2023 1322
PFDA	ND		1	1.0	0.16	ug/kg	01/06/2023 1322
PFDoA	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFHpA	ND		1	1.0	0.14	ug/kg	01/06/2023 1322
PFHxA	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFNA	ND		1	1.0	0.15	ug/kg	01/06/2023 1322
PFOA	ND		1	1.0	0.21	ug/kg	01/06/2023 1322
PFPeA	ND		1	1.0	0.16	ug/kg	01/06/2023 1322
PFTeDA	ND		1	1.0	0.19	ug/kg	01/06/2023 1322
PFTTrDA	ND		1	1.0	0.17	ug/kg	01/06/2023 1322
PFUdA	ND		1	1.0	0.18	ug/kg	01/06/2023 1322
PFOS	ND		1	1.0	0.36	ug/kg	01/06/2023 1322
Surrogate	Q	% Rec	Acceptance Limit				
13C2_4:2FTS		88	25-150				
13C2_6:2FTS		89	25-150				
13C2_8:2FTS		92	25-150				
13C2_PFDoA		94	25-150				
13C2_PFTeDA		91	25-150				
13C3_PFBS		92	25-150				
13C3_PFHxS		91	25-150				
13C3-HFPO-DA		91	25-150				

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MB

Sample ID: XQ63812-001

Matrix: Solid

Batch: 63812

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 12/30/2022 1414

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		88	25-150
13C4_PFHpA		91	25-150
13C5_PFHxA		91	25-150
13C5_PFPeA		92	25-150
13C6_PFDA		94	25-150
13C7_PFUdA		91	25-150
13C8_PFOA		94	25-150
13C8_PFOS		89	25-150
13C8_PFOSA		90	10-150
13C9_PFNA		92	25-150
d-EtFOSA		86	10-150
d5-EtFOSAA		91	25-150
d9-EtFOSE		88	10-150
d-MeFOSA		86	10-150
d3-MeFOSAA		90	25-150
d7-MeFOSE		89	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and  $\geq$  DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - LCS

Sample ID: XQ63812-002

Matrix: Solid

Batch: 63812

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 12/30/2022 1414

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	1.9	2.0		1	105	50-150	01/07/2023 0038
11CI-PF3OUdS	1.9	2.0		1	107	50-150	01/07/2023 0038
8:2 FTS	1.9	2.0		1	105	50-150	01/07/2023 0038
6:2 FTS	1.9	2.0		1	108	50-150	01/07/2023 0038
4:2 FTS	1.9	2.0		1	108	50-150	01/07/2023 0038
GenX	4.0	4.3		1	107	50-150	01/07/2023 0038
ADONA	1.9	2.0		1	109	50-150	01/07/2023 0038
EtFOSA	2.0	2.0		1	98	50-150	01/07/2023 0038
EtFOSAA	2.0	2.2		1	109	50-150	01/07/2023 0038
EtFOSE	2.0	2.1		1	104	50-150	01/07/2023 0038
MeFOSA	2.0	1.9		1	97	50-150	01/07/2023 0038
MeFOSAA	2.0	2.3		1	115	50-150	01/07/2023 0038
MeFOSE	2.0	1.9		1	94	50-150	01/07/2023 0038
PFBS	1.8	1.9		1	108	50-150	01/07/2023 0038
PFDS	1.9	2.1		1	107	50-150	01/07/2023 0038
PFHpS	1.9	2.0		1	103	50-150	01/07/2023 0038
PFNS	1.9	2.0		1	106	50-150	01/07/2023 0038
PFOSA	2.0	2.2		1	109	50-150	01/07/2023 0038
PFPeS	1.9	2.0		1	108	50-150	01/07/2023 0038
PFDOS	1.9	1.8		1	95	50-150	01/07/2023 0038
PFHxS	1.8	1.9		1	104	50-150	01/07/2023 0038
PFBA	2.0	2.2		1	109	50-150	01/07/2023 0038
PFDA	2.0	2.2		1	108	50-150	01/07/2023 0038
PFDoA	2.0	2.3		1	115	50-150	01/07/2023 0038
PFHpA	2.0	2.1		1	103	50-150	01/07/2023 0038
PFHxA	2.0	2.1		1	106	50-150	01/07/2023 0038
PFNA	2.0	2.1		1	103	50-150	01/07/2023 0038
PFOA	2.0	2.1		1	106	50-150	01/07/2023 0038
PFPeA	2.0	2.1		1	107	50-150	01/07/2023 0038
PFTeDA	2.0	2.2		1	108	50-150	01/07/2023 0038
PFTTrDA	2.0	2.1		1	106	50-150	01/07/2023 0038
PFUdA	2.0	2.2		1	108	50-150	01/07/2023 0038
PFOS	1.9	1.9		1	105	50-150	01/07/2023 0038
Surrogate	Q	% Rec	Acceptance Limit				
13C2_4:2FTS		89	25-150				
13C2_6:2FTS		87	25-150				
13C2_8:2FTS		91	25-150				
13C2_PFDoA		93	25-150				
13C2_PFTeDA		99	25-150				
13C3_PFBs		92	25-150				
13C3_PFHxS		91	25-150				
13C3-HFPO-DA		93	25-150				

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - LCS

Sample ID: XQ63812-002

Matrix: Solid

Batch: 63812

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 12/30/2022 1414

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		92	25-150
13C4_PFHpA		93	25-150
13C5_PFHxA		93	25-150
13C5_PFPeA		95	25-150
13C6_PFDA		94	25-150
13C7_PFUdA		97	25-150
13C8_PFOA		95	25-150
13C8_PFOS		89	25-150
13C8_PFOSA		92	10-150
13C9_PFNA		95	25-150
d-EtFOSA		88	10-150
d5-EtFOSAA		94	25-150
d9-EtFOSE		88	10-150
d-MeFOSA		88	10-150
d3-MeFOSAA		92	25-150
d7-MeFOSE		94	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and  $\geq$  DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MB

Sample ID: YQ63995-001

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
9CI-PF3ONS	ND		1	2.0	0.16	ug/kg	01/19/2023 2129
11CI-PF3OUdS	ND		1	2.0	0.17	ug/kg	01/19/2023 2129
8:2 FTS	ND		1	2.0	0.27	ug/kg	01/19/2023 2129
6:2 FTS	ND		1	2.0	0.31	ug/kg	01/19/2023 2129
4:2 FTS	ND		1	2.0	0.22	ug/kg	01/19/2023 2129
GenX	ND		1	4.0	0.58	ug/kg	01/19/2023 2129
ADONA	ND		1	2.0	0.15	ug/kg	01/19/2023 2129
EtFOSA	ND		1	2.0	0.36	ug/kg	01/19/2023 2129
EtFOSAA	ND		1	2.0	0.29	ug/kg	01/19/2023 2129
EtFOSE	ND		1	2.0	0.23	ug/kg	01/19/2023 2129
MeFOSA	ND		1	2.0	0.35	ug/kg	01/19/2023 2129
MeFOSAA	ND		1	2.0	0.40	ug/kg	01/19/2023 2129
MeFOSE	ND		1	2.0	0.33	ug/kg	01/19/2023 2129
PFBS	ND		1	1.0	0.13	ug/kg	01/19/2023 2129
PFDS	ND		1	1.0	0.22	ug/kg	01/19/2023 2129
PFHpS	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFNS	ND		1	1.0	0.22	ug/kg	01/19/2023 2129
PFOSA	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFPeS	ND		1	1.0	0.19	ug/kg	01/19/2023 2129
PFDOS	ND		1	1.0	0.26	ug/kg	01/19/2023 2129
PFHxS	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFBA	ND		1	1.0	0.42	ug/kg	01/19/2023 2129
PFDA	ND		1	1.0	0.16	ug/kg	01/19/2023 2129
PFDoA	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFHpA	ND		1	1.0	0.14	ug/kg	01/19/2023 2129
PFHxA	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFNA	ND		1	1.0	0.15	ug/kg	01/19/2023 2129
PFOA	ND		1	1.0	0.21	ug/kg	01/19/2023 2129
PFPeA	ND		1	1.0	0.16	ug/kg	01/19/2023 2129
PFTeDA	ND		1	1.0	0.19	ug/kg	01/19/2023 2129
PFTTrDA	ND		1	1.0	0.17	ug/kg	01/19/2023 2129
PFUdA	ND		1	1.0	0.18	ug/kg	01/19/2023 2129
PFOS	ND		1	1.0	0.36	ug/kg	01/19/2023 2129

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		117	25-150
13C2_6:2FTS		106	25-150
13C2_8:2FTS		105	25-150
13C2_PFDoA		111	25-150
13C2_PFTeDA		117	25-150
13C3_PFBs		114	25-150
13C3_PFHxS		113	25-150
13C3-HFPO-DA		103	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MB

Sample ID: YQ63995-001

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		114	25-150
13C4_PFHpA		110	25-150
13C5_PFHxA		113	25-150
13C5_PFPeA		109	25-150
13C6_PFDA		110	25-150
13C7_PFUdA		107	25-150
13C8_PFOA		110	25-150
13C8_PFOS		115	25-150
13C8_PFOSA		110	10-150
13C9_PFNA		116	25-150
d-EtFOSA		109	10-150
d5-EtFOSAA		111	25-150
d9-EtFOSE		106	10-150
d-MeFOSA		112	10-150
d3-MeFOSAA		107	25-150
d7-MeFOSE		103	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and  $\geq$  DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results



PFAS by LC/MS/MS - LCS

Sample ID: YQ63995-002

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Parameter	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	1.9	1.7		1	89	50-150	01/19/2023 2140
11CI-PF3OUdS	1.9	1.7		1	93	50-150	01/19/2023 2140
8:2 FTS	1.9	2.2		1	117	50-150	01/19/2023 2140
6:2 FTS	1.9	1.9		1	101	50-150	01/19/2023 2140
4:2 FTS	1.9	2.0		1	110	50-150	01/19/2023 2140
GenX	4.0	4.3		1	108	50-150	01/19/2023 2140
ADONA	1.9	1.8		1	95	50-150	01/19/2023 2140
EtFOSA	2.0	2.5		1	124	50-150	01/19/2023 2140
EtFOSAA	2.0	2.1		1	105	50-150	01/19/2023 2140
EtFOSE	2.0	2.6		1	131	50-150	01/19/2023 2140
MeFOSA	2.0	2.4		1	118	50-150	01/19/2023 2140
MeFOSAA	2.0	2.0		1	98	50-150	01/19/2023 2140
MeFOSE	2.0	2.3		1	113	50-150	01/19/2023 2140
PFBS	1.8	1.8		1	100	50-150	01/19/2023 2140
PFDS	1.9	1.9		1	99	50-150	01/19/2023 2140
PFHpS	1.9	1.9		1	101	50-150	01/19/2023 2140
PFNS	1.9	1.8		1	91	50-150	01/19/2023 2140
PFOSA	2.0	2.1		1	107	50-150	01/19/2023 2140
PFPeS	1.9	1.7		1	91	50-150	01/19/2023 2140
PFDOS	1.9	1.7		1	86	50-150	01/19/2023 2140
PFHxS	1.8	1.6		1	90	50-150	01/19/2023 2140
PFBA	2.0	2.0		1	98	50-150	01/19/2023 2140
PFDA	2.0	2.0		1	98	50-150	01/19/2023 2140
PFDoA	2.0	2.1		1	103	50-150	01/19/2023 2140
PFHpA	2.0	2.0		1	99	50-150	01/19/2023 2140
PFHxA	2.0	1.9		1	93	50-150	01/19/2023 2140
PFNA	2.0	2.0		1	100	50-150	01/19/2023 2140
PFOA	2.0	1.9		1	97	50-150	01/19/2023 2140
PFPeA	2.0	2.0		1	100	50-150	01/19/2023 2140
PFTeDA	2.0	1.9		1	97	50-150	01/19/2023 2140
PFTTrDA	2.0	1.6		1	80	50-150	01/19/2023 2140
PFUdA	2.0	1.9		1	96	50-150	01/19/2023 2140
PFOS	1.9	1.8		1	98	50-150	01/19/2023 2140
Surrogate	Q	% Rec	Acceptance Limit				
13C2_4:2FTS		105	25-150				
13C2_6:2FTS		101	25-150				
13C2_8:2FTS		111	25-150				
13C2_PFDoA		109	25-150				
13C2_PFTeDA		112	25-150				
13C3_PFBS		113	25-150				
13C3_PFHxS		116	25-150				
13C3-HFPO-DA		98	25-150				

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - LCS

Sample ID: YQ63995-002

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		110	25-150
13C4_PFHpA		111	25-150
13C5_PFHxA		112	25-150
13C5_PFPeA		109	25-150
13C6_PFDA		108	25-150
13C7_PFUdA		106	25-150
13C8_PFOA		106	25-150
13C8_PFOS		112	25-150
13C8_PFOSA		107	10-150
13C9_PFNA		110	25-150
d-EtFOSA		112	10-150
d5-EtFOSAA		110	25-150
d9-EtFOSE		107	10-150
d-MeFOSA		109	10-150
d3-MeFOSAA		108	25-150
d7-MeFOSE		115	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MS

Sample ID: XL29012-004MS

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	ND	1.9	1.7		1	89	50-150	01/19/2023 2202
11CI-PF3OUdS	ND	1.9	1.6		1	84	50-150	01/19/2023 2202
8:2 FTS	ND	2.0	2.4		1	123	50-150	01/19/2023 2202
6:2 FTS	ND	2.0	2.2		1	112	50-150	01/19/2023 2202
4:2 FTS	ND	1.9	2.3		1	117	50-150	01/19/2023 2202
GenX	ND	4.1	4.5		1	109	50-150	01/19/2023 2202
ADONA	ND	1.9	1.8		1	94	50-150	01/19/2023 2202
EtFOSA	ND	2.1	2.6		1	128	50-150	01/19/2023 2202
EtFOSAA	ND	2.1	2.3		1	111	50-150	01/19/2023 2202
EtFOSE	ND	2.1	3.2	N	1	153	50-150	01/19/2023 2202
MeFOSA	ND	2.1	2.6		1	127	50-150	01/19/2023 2202
MeFOSAA	ND	2.1	2.4		1	117	50-150	01/19/2023 2202
MeFOSE	ND	2.1	2.6		1	127	50-150	01/19/2023 2202
PFBS	ND	1.8	1.7		1	96	50-150	01/19/2023 2202
PFDS	ND	2.0	1.7		1	85	50-150	01/19/2023 2202
PFHpS	ND	2.0	2.2		1	111	50-150	01/19/2023 2202
PFNS	ND	2.0	1.8		1	92	50-150	01/19/2023 2202
PFOSA	ND	2.1	2.2		1	107	50-150	01/19/2023 2202
PFPeS	ND	1.9	1.7		1	89	50-150	01/19/2023 2202
PFDOS	ND	2.0	1.7		1	83	50-150	01/19/2023 2202
PFHxS	ND	1.9	1.8		1	99	50-150	01/19/2023 2202
PFBA	ND	2.1	2.1		1	104	50-150	01/19/2023 2202
PFDA	ND	2.1	2.2		1	106	50-150	01/19/2023 2202
PFDaA	ND	2.1	2.0		1	98	50-150	01/19/2023 2202
PFHpA	ND	2.1	2.2		1	106	50-150	01/19/2023 2202
PFHxA	ND	2.1	1.9		1	94	50-150	01/19/2023 2202
PFNA	ND	2.1	2.2		1	105	50-150	01/19/2023 2202
PFOA	ND	2.1	2.2		1	107	50-150	01/19/2023 2202
PFPeA	ND	2.1	2.2		1	105	50-150	01/19/2023 2202
PFTeDA	ND	2.1	2.1		1	102	50-150	01/19/2023 2202
PFTTrDA	ND	2.1	1.7		1	80	50-150	01/19/2023 2202
PFUdA	ND	2.1	2.0		1	99	50-150	01/19/2023 2202
PFOS	ND	1.9	1.8		1	94	50-150	01/19/2023 2202
Surrogate	Q	% Rec	Acceptance Limit					
13C2_4:2FTS		110	25-150					
13C2_6:2FTS		97	25-150					
13C2_8:2FTS		113	25-150					
13C2_PFDaA		114	25-150					
13C2_PFTeDA		114	25-150					
13C3_PFBS		109	25-150					
13C3_PFHxS		114	25-150					
13C3-HFPO-DA		96	25-150					

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MS

Sample ID: XL29012-004MS

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBa		106	25-150
13C4_PFHpA		107	25-150
13C5_PFHxA		107	25-150
13C5_PFPeA		103	25-150
13C6_PFDA		105	25-150
13C7_PFUdA		100	25-150
13C8_PFOA		102	25-150
13C8_PFOS		120	25-150
13C8_PFOSA		109	10-150
13C9_PFNA		111	25-150
d-EtFOSA		108	10-150
d5-EtFOSAA		107	25-150
d9-EtFOSE		99	10-150
d-MeFOSA		100	10-150
d3-MeFOSAA		100	25-150
d7-MeFOSE		107	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MSD

Sample ID: XL29012-004MD

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Parameter	Sample Amount (ug/kg)	Spike Amount (ug/kg)	Result (ug/kg)	Q	Dil	% Rec	% RPD	%Rec Limit	% RPD Limit	Analysis Date	
9CI-PF3ONS	ND	2.0	1.8		1	89	4.7	50-150	30	01/19/2023 2213	
11CI-PF3OUdS	ND	2.0	1.9		1	92	13	50-150	30	01/19/2023 2213	
8:2 FTS	ND	2.1	2.2		1	108	9.3	50-150	30	01/19/2023 2213	
6:2 FTS	ND	2.0	2.0		1	99	8.7	50-150	30	01/19/2023 2213	
4:2 FTS	ND	2.0	2.4		1	118	5.2	50-150	30	01/19/2023 2213	
GenX	ND	4.3	4.5		1	104	0.38	50-150	30	01/19/2023 2213	
ADONA	ND	2.0	2.0		1	99	9.0	50-150	30	01/19/2023 2213	
EtFOSA	ND	2.2	2.8		1	128	4.6	50-150	30	01/19/2023 2213	
EtFOSAA	ND	2.2	2.6		1	119	11	50-150	30	01/19/2023 2213	
EtFOSE	ND	2.2	3.1		1	142	3.2	50-150	30	01/19/2023 2213	
MeFOSA	ND	2.2	2.4		1	111	8.5	50-150	30	01/19/2023 2213	
MeFOSAA	ND	2.2	2.2		1	103	8.1	50-150	30	01/19/2023 2213	
MeFOSE	ND	2.2	2.9		1	136	12	50-150	30	01/19/2023 2213	
PFBS	ND	1.9	1.7		1	90	1.8	50-150	30	01/19/2023 2213	
PFDS	ND	2.1	1.9		1	90	9.6	50-150	30	01/19/2023 2213	
PFHpS	ND	2.1	2.3		1	111	4.0	50-150	30	01/19/2023 2213	
PFNS	ND	2.1	2.2		1	105	18	50-150	30	01/19/2023 2213	
PFOSA	ND	2.2	2.3		1	105	3.2	50-150	30	01/19/2023 2213	
PFPeS	ND	2.0	2.1		1	105	22	50-150	30	01/19/2023 2213	
PFDOS	ND	2.1	1.9		1	89	11	50-150	30	01/19/2023 2213	
PFHxS	ND	2.0	1.9		1	97	2.8	50-150	30	01/19/2023 2213	
PFBA	ND	2.2	2.2		1	101	1.5	50-150	30	01/19/2023 2213	
PFDA	ND	2.2	2.1		1	98	2.6	50-150	30	01/19/2023 2213	
PFDaA	ND	2.2	2.1		1	99	6.2	50-150	30	01/19/2023 2213	
PFHpA	ND	2.2	2.1		1	97	4.1	50-150	30	01/19/2023 2213	
PFHxA	ND	2.2	2.1		1	99	9.2	50-150	30	01/19/2023 2213	
PFNA	ND	2.2	2.2		1	100	0.0056	50-150	30	01/19/2023 2213	
PFOA	ND	2.2	2.2		1	100	1.4	50-150	30	01/19/2023 2213	
PFPeA	ND	2.2	2.3		1	107	5.9	50-150	30	01/19/2023 2213	
PFTeDA	ND	2.2	2.2		1	102	4.1	50-150	30	01/19/2023 2213	
PFTTrDA	ND	2.2	1.9		1	87	13	50-150	30	01/19/2023 2213	
PFUdA	ND	2.2	2.0		1	94	1.1	50-150	30	01/19/2023 2213	
PFOS	ND	2.0	2.0		1	98	9.0	50-150	30	01/19/2023 2213	
Surrogate	Q	% Rec	Acceptance Limit								
13C2_4:2FTS		105	25-150								
13C2_6:2FTS		100	25-150								
13C2_8:2FTS		108	25-150								
13C2_PFDaA		112	25-150								
13C2_PFTeDA		114	25-150								
13C3_PFBs		111	25-150								
13C3_PFHxS		112	25-150								
13C3-HFPO-DA		96	25-150								

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

PFAS by LC/MS/MS - MSD

Sample ID: XL29012-004MD

Matrix: Solid

Batch: 63995

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/03/2023 1230

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		107	25-150
13C4_PFHpA		107	25-150
13C5_PFHxA		106	25-150
13C5_PFPeA		102	25-150
13C6_PFDA		107	25-150
13C7_PFUdA		109	25-150
13C8_PFOA		106	25-150
13C8_PFOS		113	25-150
13C8_PFOSA		110	10-150
13C9_PFNA		116	25-150
d-EtFOSA		104	10-150
d5-EtFOSAA		107	25-150
d9-EtFOSE		102	10-150
d-MeFOSA		109	10-150
d3-MeFOSAA		104	25-150
d7-MeFOSE		102	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

Note: Calculations are performed before rounding to avoid round-off errors in calculated results

Chain of Custody  
and  
Miscellaneous Documents

Internal Transfer Chain of Custody

Samples Pre-Logged into eCOC.

State Of Origin: WI  Yes  No

Cert. Needed:  Yes  No

Owner Received Date: 12/23/2022 Results Requested By: 1/10/2023



Workorder: 40256437 Workorder Name: 53232 VILLAGE OF THIENSVILLE

even Mieczko  
Pace Analytical Green Bay  
241 Bellevue Street  
Suite 9  
Green Bay, WI 54302  
Phone (920)483-2436

Pace Analytical West Columbia  
106 Vantage Point Drive  
West Columbia, SC 29172  
Phone (803)791-9700

Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Prep	Preserved Containers	FFAS WBS	LAB USE ONLY
PZ-1 (3-4)	PS	12/21/2022 00:00	40256437001	Solid	1		X	
PZ-1 (5-10)	PS	12/21/2022 00:00	40256437002	Solid	1		X	
PZ-1 (19-20)	PS	12/21/2022 00:00	40256437003	Solid	1		X	
PZ-1 (29-30)	PS	12/21/2022 00:00	40256437004	Solid	1		X	
SP-18 (3-4)	PS	12/21/2022 00:00	40256437005	Solid	1		X	
SP-19 (3-4)	PS	12/21/2022 00:00	40256437006	Solid	1		X	
SP-20 (3-4)	PS	12/21/2022 00:00	40256437007	Solid	1		X	
SP-21 (3-4)	PS	12/21/2022 00:00	40256437008	Solid	1		X	
SP-22 (3-4)	PS	12/21/2022 00:00	40256437009	Solid	1		X	
SP-23 (3-4)	PS	12/21/2022 00:00	40256437010	Solid	1		X	
SP-24 (3-4)	PS	12/21/2022 00:00	40256437011	Solid	1		X	



XL29012

JSH

Dry weight in SC

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Y or N	Samples Intact	Y or N
	JSH	12/21/2022 1600						
	JSH	12/21/2022 1650	JSH	12/21/2022 1650				

Cooler Temperature on Receipt 0.4 °C

In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.



# PACE ANALYTICAL SERVICES, LLC

DC#\_Title: ENV-FRM-WCOL-0286 v02\_Samples Receipt Checklist (SRC)  
 Effective Date: 8/2/2022

## Sample Receipt Checklist (SRC)

Client: Pace Cooler Inspected by/date: BRB / 12/29/2022 Lot #: XL29012

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other:	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1. Were custody seals present on the cooler?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: NA Chlorine Strip ID: NA Tested by: NA	
Original temperature upon receipt / Derived (Corrected) temperature upon receipt	%Solid Snap-Cup ID: 22-2027
0.4 / 0.4 °C NA / NA °C NA / NA °C NA / NA °C	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: 8 IR Gun Correction Factor: 0 °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	3. Were all coolers received at or below 6.0°C? If no, was Project Manager notified? PM was Notified by: phone / email / face-to-face (circle one).
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Was collection date & time listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Was adequate sample volume available?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. Were all samples received within ½ the holding time or 48 hours, whichever comes first?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Were all samples containers accounted for? (No missing/excess)
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	14. Were VOA, 8015C and RSK-175 samples free of bubbles >"pea-size" (¼" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	15. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all applicable NH <sub>3</sub> /TKN/cyanide/phenol/625.1/608.3 (< 0.5mg/L) samples free of residual chlorine?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	18. Was the quote number listed on the container label? If yes, Quote #

**Sample Preservation** (Must be completed for any sample(s) incorrectly preserved or with headspace.)

Sample(s) NA were received incorrectly preserved and were adjusted accordingly in sample receiving with NA mL of circle one: H2SO4, HNO3, HCl, NaOH using SR # NA

Time of preservation NA. If more than one preservative is needed, please note in the comments below.

Sample(s) NA were received with bubbles >6 mm in diameter.

Samples(s) NA were received with TRC > 0.5 mg/L (If #19 is no) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>) with Unique ID: NA

Comments:

---



---



---



---

January 16, 2023

Tom Sweet  
Moraine Environmental, Inc.  
766 Tower Drive  
Fredonia, WI 53021

RE: Project: 5323 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256803

Dear Tom Sweet:

Enclosed are the analytical results for sample(s) received by the laboratory on January 06, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

---

### **Pace Analytical Services Green Bay**

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 5323 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256803

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40256803001	SD/B1	Water	01/04/23 00:00	01/06/23 07:45
40256803002	SD/B3	Water	01/04/23 00:00	01/06/23 07:45
40256803003	B4	Water	01/04/23 00:00	01/06/23 07:45
40256803004	SD/B28	Water	01/04/23 00:00	01/06/23 07:45

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40256803001	SD/B1	EPA 6010D	SIS	1	PASI-G
40256803002	SD/B3	EPA 6010D	SIS	1	PASI-G
40256803003	B4	EPA 6010D	SIS	1	PASI-G
40256803004	SD/B28	EPA 8270E by SIM	RJN	20	PASI-G

PASI-G = Pace Analytical Services - Green Bay

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>40256803004</b>	<b>SD/B28</b>					
EPA 8270E by SIM	2-Methylnaphthalene	0.028J	ug/L	0.046	01/11/23 13:39	
EPA 8270E by SIM	Naphthalene	0.029J	ug/L	0.046	01/11/23 13:39	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

---

**Sample: SD/B1**      **Lab ID: 40256803001**      Collected: 01/04/23 00:00      Received: 01/06/23 07:45      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, Dissolved</b>	Analytical Method: EPA 6010D    Preparation Method: EPA 3010A Pace Analytical Services - Green Bay								
Lead, Dissolved	<5.9	ug/L	20.0	5.9	1	01/11/23 10:18	01/12/23 11:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

**Sample: SD/B3**      **Lab ID: 40256803002**      Collected: 01/04/23 00:00      Received: 01/06/23 07:45      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, Dissolved</b>									
Analytical Method: EPA 6010D Pace Analytical Services - Green Bay									
Lead, Dissolved	<6.4	ug/L	20.0	6.4	1		01/12/23 13:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

---

**Sample: B4**                                      **Lab ID: 40256803003**    Collected: 01/04/23 00:00    Received: 01/06/23 07:45    Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010D MET ICP, Dissolved</b>									
Analytical Method: EPA 6010D Pace Analytical Services - Green Bay									
Lead, Dissolved	<6.4	ug/L	20.0	6.4	1		01/12/23 13:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

**Sample: SD/B28**      **Lab ID: 40256803004**      Collected: 01/04/23 00:00      Received: 01/06/23 07:45      Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8270E MSSV PAH</b>									
Analytical Method: EPA 8270E by SIM      Preparation Method: EPA 3510									
Pace Analytical Services - Green Bay									
Acenaphthene	<0.013	ug/L	0.046	0.013	1	01/10/23 09:24	01/11/23 13:39	83-32-9	
Acenaphthylene	<0.012	ug/L	0.046	0.012	1	01/10/23 09:24	01/11/23 13:39	208-96-8	
Anthracene	<0.017	ug/L	0.046	0.017	1	01/10/23 09:24	01/11/23 13:39	120-12-7	
Benzo(a)anthracene	<0.012	ug/L	0.046	0.012	1	01/10/23 09:24	01/11/23 13:39	56-55-3	
Benzo(a)pyrene	<0.012	ug/L	0.046	0.012	1	01/10/23 09:24	01/11/23 13:39	50-32-8	
Benzo(b)fluoranthene	<0.0083	ug/L	0.046	0.0083	1	01/10/23 09:24	01/11/23 13:39	205-99-2	
Benzo(g,h,i)perylene	<0.021	ug/L	0.046	0.021	1	01/10/23 09:24	01/11/23 13:39	191-24-2	
Benzo(k)fluoranthene	<0.020	ug/L	0.046	0.020	1	01/10/23 09:24	01/11/23 13:39	207-08-9	
Chrysene	<0.012	ug/L	0.046	0.012	1	01/10/23 09:24	01/11/23 13:39	218-01-9	
Dibenz(a,h)anthracene	<0.016	ug/L	0.046	0.016	1	01/10/23 09:24	01/11/23 13:39	53-70-3	
Fluoranthene	<0.024	ug/L	0.046	0.024	1	01/10/23 09:24	01/11/23 13:39	206-44-0	
Fluorene	<0.021	ug/L	0.046	0.021	1	01/10/23 09:24	01/11/23 13:39	86-73-7	
Indeno(1,2,3-cd)pyrene	<0.014	ug/L	0.046	0.014	1	01/10/23 09:24	01/11/23 13:39	193-39-5	
1-Methylnaphthalene	<0.016	ug/L	0.046	0.016	1	01/10/23 09:24	01/11/23 13:39	90-12-0	
2-Methylnaphthalene	0.028J	ug/L	0.046	0.013	1	01/10/23 09:24	01/11/23 13:39	91-57-6	
Naphthalene	0.029J	ug/L	0.046	0.018	1	01/10/23 09:24	01/11/23 13:39	91-20-3	
Phenanthrene	<0.023	ug/L	0.046	0.023	1	01/10/23 09:24	01/11/23 13:39	85-01-8	
Pyrene	<0.021	ug/L	0.046	0.021	1	01/10/23 09:24	01/11/23 13:39	129-00-0	
<b>Surrogates</b>									
2-Fluorobiphenyl (S)	84	%	44-120		1	01/10/23 09:24	01/11/23 13:39	321-60-8	
Terphenyl-d14 (S)	100	%	49-120		1	01/10/23 09:24	01/11/23 13:39	1718-51-0	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

QC Batch: 435530

Analysis Method: EPA 6010D

QC Batch Method: EPA 6010D

Analysis Description: ICP Metals, Trace, Dissolved

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256803002, 40256803003

METHOD BLANK: 2505378

Matrix: Water

Associated Lab Samples: 40256803002, 40256803003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead, Dissolved	ug/L	<6.4	20.0	01/12/23 13:00	

LABORATORY CONTROL SAMPLE: 2505379

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	250	263	105	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2505380 2505381

Parameter	Units	2505380		2505381		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40256820002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Lead, Dissolved	ug/L	<6.4	250	250	240	240	96	96	75-125	0	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

QC Batch: 435501

Analysis Method: EPA 6010D

QC Batch Method: EPA 3010A

Analysis Description: 6010D MET Dissolved

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256803001

METHOD BLANK: 2505194

Matrix: Water

Associated Lab Samples: 40256803001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead, Dissolved	ug/L	<5.9	20.0	01/12/23 11:35	

LABORATORY CONTROL SAMPLE: 2505195

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead, Dissolved	ug/L	250	260	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2505196 2505197

Parameter	Units	2505196		2505197		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40256820001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Lead, Dissolved	ug/L	<5.9	250	250	262	263	103	103	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 5323 VILLAGE OF THIENSVILLE  
Pace Project No.: 40256803

QC Batch: 435402 Analysis Method: EPA 8270E by SIM  
QC Batch Method: EPA 3510 Analysis Description: 8270E Water PAH  
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40256803004

METHOD BLANK: 2504786 Matrix: Water  
Associated Lab Samples: 40256803004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1-Methylnaphthalene	ug/L	<0.018	0.050	01/11/23 08:20	
2-Methylnaphthalene	ug/L	<0.014	0.050	01/11/23 08:20	
Acenaphthene	ug/L	<0.014	0.050	01/11/23 08:20	
Acenaphthylene	ug/L	<0.013	0.050	01/11/23 08:20	
Anthracene	ug/L	<0.018	0.050	01/11/23 08:20	
Benzo(a)anthracene	ug/L	<0.014	0.050	01/11/23 08:20	
Benzo(a)pyrene	ug/L	<0.013	0.050	01/11/23 08:20	
Benzo(b)fluoranthene	ug/L	<0.0091	0.050	01/11/23 08:20	
Benzo(g,h,i)perylene	ug/L	<0.023	0.050	01/11/23 08:20	
Benzo(k)fluoranthene	ug/L	<0.022	0.050	01/11/23 08:20	
Chrysene	ug/L	<0.013	0.050	01/11/23 08:20	
Dibenz(a,h)anthracene	ug/L	<0.018	0.050	01/11/23 08:20	
Fluoranthene	ug/L	<0.026	0.050	01/11/23 08:20	
Fluorene	ug/L	<0.024	0.050	01/11/23 08:20	
Indeno(1,2,3-cd)pyrene	ug/L	<0.016	0.050	01/11/23 08:20	
Naphthalene	ug/L	<0.020	0.050	01/11/23 08:20	
Phenanthrene	ug/L	<0.026	0.050	01/11/23 08:20	
Pyrene	ug/L	<0.023	0.050	01/11/23 08:20	
2-Fluorobiphenyl (S)	%	86	44-120	01/11/23 08:20	
Terphenyl-d14 (S)	%	89	49-120	01/11/23 08:20	

LABORATORY CONTROL SAMPLE & LCSD: 2504787

Parameter	Units	Spike Conc.	2504788		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qualifiers
			LCS Result	LCSD Result						
1-Methylnaphthalene	ug/L	2	1.5	1.6	75	78	51-120	4	20	
2-Methylnaphthalene	ug/L	2	1.5	1.5	74	77	50-120	4	20	
Acenaphthene	ug/L	2	1.6	1.7	82	85	65-120	4	20	
Acenaphthylene	ug/L	2	1.7	1.7	85	87	61-120	3	20	
Anthracene	ug/L	2	1.7	1.8	85	89	61-104	4	20	
Benzo(a)anthracene	ug/L	2	1.7	1.7	85	85	51-96	1	20	
Benzo(a)pyrene	ug/L	2	1.6	1.7	80	86	68-120	7	20	
Benzo(b)fluoranthene	ug/L	2	1.7	1.7	83	86	55-97	4	20	
Benzo(g,h,i)perylene	ug/L	2	1.6	1.5	82	76	69-120	8	20	
Benzo(k)fluoranthene	ug/L	2	1.7	1.7	86	87	73-120	2	20	
Chrysene	ug/L	2	1.8	1.9	88	93	72-126	5	20	
Dibenz(a,h)anthracene	ug/L	2	1.8	1.7	88	85	57-115	4	20	
Fluoranthene	ug/L	2	1.7	1.8	87	89	58-111	2	20	
Fluorene	ug/L	2	1.7	1.7	85	87	62-120	2	20	
Indeno(1,2,3-cd)pyrene	ug/L	2	1.7	1.6	83	79	66-120	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

Parameter	Units	2504787		2504788		% Rec	LCS	LCS	% Rec	Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCS Result	LCS % Rec								
Naphthalene	ug/L	2	1.6	1.6	79	82	53-120	4	20				
Phenanthrene	ug/L	2	1.7	1.7	85	87	59-120	2	20				
Pyrene	ug/L	2	1.7	1.7	85	86	59-120	1	20				
2-Fluorobiphenyl (S)	%				80	85	44-120						
Terphenyl-d14 (S)	%				88	94	49-120						

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### BATCH QUALIFIERS

Batch: 435431

[M5] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 5323 VILLAGE OF THIENSVILLE

Pace Project No.: 40256803

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40256803001	SD/B1	EPA 3010A	435501	EPA 6010D	435602
40256803002	SD/B3	EPA 6010D	435530		
40256803003	B4	EPA 6010D	435530		
40256803004	SD/B28	EPA 3510	435402	EPA 8270E by SIM	435431

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.








### Sample Condition Upon Receipt Form (SCUR)

Client Name: Moraine Env.

Project #: \_\_\_\_\_

**WO#: 40256803**



40256803

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Walco  
 Client  Pace Other: \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Thermometer Used SR - 110 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr. 0.5 Corr. 0.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: 1/6/23 Initials: MP  
 Labeled By Initials: RP

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>collect times</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logi

January 25, 2023

Tom Sweet  
Moraine Environmental, Inc.  
766 Tower Drive  
Fredonia, WI 53021

RE: Project: VILLAGE OF THIENSVILLE  
Pace Project No.: 40256804

Dear Tom Sweet:

Enclosed are the analytical results for sample(s) received by the laboratory on January 06, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mleczko  
steve.mleczko@pacelabs.com  
(920)469-2436  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: VILLAGE OF THIENSVILLE  
Pace Project No.: 40256804

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40256804001	SD/B6	Water	01/04/23 00:00	01/06/23 07:45
40256804002	SD-25	Water	01/04/23 00:00	01/06/23 07:45
40256804003	PZ-1	Water	01/04/23 00:00	01/06/23 07:45
40256804004	FIELD BLANK	Water	01/04/23 00:00	01/06/23 07:45

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

UPPER MIDWEST REGION

Page 1 of 1

MN: 612-607-1700 WI: 920-469-2436

COC No. 40286804



Company Name: Moraine Environmental, Inc.  
 Branch/Location: Fredonia, WI  
 Project Contact: Dave Lennon  
 Phone: (262) 692-3345  
 Project Number: 5323  
 Project Name: Village of Thiensville  
 Project State: Wisconsin  
 Sampled By (Print): Joe Pospichal  
 Sampled By (Sign): *[Signature]*  
 PO #: *[Signature]* Regulatory Program.

### CHAIN OF CUSTODY

**\*Preservation Codes**  
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?  
(YES/NO)  
 PRESERVATION  
(CODE)\*

Y / N	N																			
Pick Letter	A																			
Analyses Requested	WI PFAS																			

Quote #:   
 Mail To Contact:   
 Mail To Company: Moraine Environmental, Inc.  
 Mail To Address: 766 Tower Drive  
 Fredonia, WI 53021  
 Invoice To Contact: same  
 Invoice To Company: as  
 Invoice To Address: above  
 Invoice To Phone:   
 CLIENT COMMENTS LAB COMMENTS Profile #  
 (Lab Use Only)

**Data Package Options** (billable)  
 EPA Level III  
 EPA Level IV

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 A = Air W = Water  
 B = Biota DW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRX	Analyses Requested	Y / N	N														
		DATE	TIME																		
001	SD/B6	1/4/23		GW	X																
002	SD-25	1/4/23		GW	X																
003	PZ-1	1/4/23		GW	X																
00A	Field Blank	1/4/23		GW	X																

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed:   
 Transmit Prelim Rush Results by (complete what you want)

Relinquished By: <i>[Signature]</i>	Date/Time: 1/5/2022 8:00	Received By: <i>[Signature]</i>	Date/Time: <i>[Signature]</i>	PACE Project No.  Receipt Temp = 0.5 °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact
Relinquished By: <i>[Signature]</i>	Date/Time: 1/6/23 745	Received By: <i>[Signature]</i>	Date/Time: 1/6/23 745	
Relinquished By:	Date/Time:	Received By:	Date/Time:	
Relinquished By:	Date/Time:	Received By:	Date/Time:	

Samples on HOLD are subject to special pricing and release of liability

Version 6.0 06/14/06



**Sample Condition Upon Receipt Form (SCUR)**

Project #: \_\_\_\_\_

Client Name: Moraine Env.

WO#: **40256804**

Courier:  CS Logistics  Fed Ex  Speedee  UPS  Waltco  
 Client  Pace Other: \_\_\_\_\_



Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Custody Seal on Samples Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used SR - 110 Type of Ice: Wet Blue Dry None  Meltwater Only

Cooler Temperature Uncorr: 0.5 Corr: 0.5

Temp Blank Present:  yes  no Biological Tissue is Frozen:  yes  no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:  
 Date: 1/6/23 Initials: MP  
 Labeled By Initials: MF

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>collect times</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay, Pace IR, Non-Pace</u>		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ If checked, see attached form for additional comments

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

no time on COC + sample 1/6/23 MF

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir





---

## Report of Analysis

**Pace Analytical Services, LLC**  
1241 Bellevue Street  
Suite 9  
Green Bay, WI 54302  
Attention: Steven Mleczo

Project Name: Village of Thiensville

Project Number: 40256804

Lot Number: **YA10007**

Date Completed: 01/25/2023

Project Manager: **Jenna S. Holliday**

01/25/2023 8:25 AM

Approved and released by:  
Project Manager II: **Edward Barnett**



The electronic signature above is the equivalent of a handwritten signature.  
This report shall not be reproduced, except in its entirety, without the written approval of Pace Analytical Services, LLC.

---

# PACE ANALYTICAL SERVICES, LLC

SC DHEC No: 32010001

NELAC No: E87653

NC DENR No: 329

NC Field Parameters No: 5639

## Case Narrative Pace Analytical Services, LLC Lot Number: YA10007

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

All results listed in this report relate only to the samples that are contained within this report. Where sampling is conducted by the client, results relate to the accuracy of the information provided, and as the samples are received.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved The NELAC Institute (TNI) standards, the Pace Analytical Services, LLC ("Pace") Laboratory Quality Manual, standard operating procedures (SOPs), and Pace policies. Any exceptions to the TNI standards, the Laboratory Quality Manual, SOPs or policies are qualified on the results page or discussed below.

Pace is a TNI accredited laboratory; however, the following analyses are currently not listed on our TNI scope of accreditation: Drinking Water: VOC (excluding BTEX, MTBE, Naphthalene, & 1,2-dichloroethane) EPA 524.2, E. coli and Total coliforms SM 9223 B-2004, Solid Chemical Material: TOC Walkley-Black, Biological Tissue: All, Non-Potable Water: SGT-HEM EPA 1664B, Silica EPA 200.7, Boron, Calcium, Silicon, Strontium EPA 200.8, Bicarbonate, Carbonate, and Hydroxide Alkalinity SM 2320 B-2011, SM 9221 C E-2006 & SM 9222D-2006, Strontium SW-846 6010D, VOC SM 6200 B-2011, Fecal Coliform Colilert-18.

If you have any questions regarding this report, please contact the Pace Project Manager listed on the cover page.

### PFAS

Samples YA10007-001, YA10007-003 required centrifugation prior to extraction, due to excessive solids present in the samples. Centrifugation was performed following the PFAS Aqueous Centrifuge Protocol; samples were spiked with Surrogate (SUR; Extracted Internal Standard/EIS) and shaken vigorously before being poured into a conical bottle and centrifuged. The centrifuged aqueous sample was decanted back into the original sample bottle, off of the condensed solids remaining in the centrifuge bottle. Original sample bottle was rinsed as normal and centrifuge bottle was rinsed with 4mL of MeOH. Centrifuge bottle rinsate was added to the elution. Samples concentrated to <5mL and reconstituted to 5mL using MeOH by transfer pipet.

The method blank associated with prep batch 64640 contained 6:2 FTS greater than the method criteria. For the following sample there was an insufficient amount to perform a re-extraction or re-analysis: YA10007-002. The data has been reported.

Surrogate recovery for the following samples was outside the upper control limit: YA10007-001, YA10007-002 and YA10007-003. This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Surrogate recovery for the following sample was outside control limits: YA10007-002. A matrix spike (MS) was performed with concurring results. The original analysis has been reported.

# PACE ANALYTICAL SERVICES, LLC

---

**Sample Summary**  
**Pace Analytical Services, LLC**  
**Lot Number: YA10007**  
**Project Name: Village of Thiensville**  
**Project Number: 40256804**

---

<b>Sample Number</b>	<b>Sample ID</b>	<b>Matrix</b>	<b>Date Sampled</b>	<b>Date Received</b>
001	SD/B6	Aqueous	01/04/2023	01/10/2023
002	SD-25	Aqueous	01/04/2023	01/10/2023
003	PZ-1	Aqueous	01/04/2023	01/10/2023
004	Field Blank	Aqueous	01/04/2023	01/10/2023

---

(4 samples)

# PACE ANALYTICAL SERVICES, LLC

**Detection Summary**  
**Pace Analytical Services, LLC**  
**Lot Number: YA10007**  
**Project Name: Village of Thiensville**  
**Project Number: 40256804**

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	SD/B6	Aqueous	EtFOSAA	PFAS by ID	3.8	J	ng/L	6
001	SD/B6	Aqueous	MeFOSAA	PFAS by ID	1.8	J	ng/L	6
001	SD/B6	Aqueous	PFBS	PFAS by ID	5.8		ng/L	6
001	SD/B6	Aqueous	PFDS	PFAS by ID	1.6	J	ng/L	6
001	SD/B6	Aqueous	PFHpS	PFAS by ID	22		ng/L	6
001	SD/B6	Aqueous	PFNS	PFAS by ID	1.6	J	ng/L	6
001	SD/B6	Aqueous	PFOSA	PFAS by ID	6.1		ng/L	6
001	SD/B6	Aqueous	PFPeS	PFAS by ID	6.8		ng/L	6
001	SD/B6	Aqueous	PFHxS	PFAS by ID	130		ng/L	6
001	SD/B6	Aqueous	PFBA	PFAS by ID	9.1		ng/L	6
001	SD/B6	Aqueous	PFDA	PFAS by ID	0.98	J	ng/L	6
001	SD/B6	Aqueous	PFHpA	PFAS by ID	8.3		ng/L	6
001	SD/B6	Aqueous	PFHxA	PFAS by ID	17		ng/L	6
001	SD/B6	Aqueous	PFNA	PFAS by ID	3.2	J	ng/L	6
001	SD/B6	Aqueous	PFOA	PFAS by ID	37		ng/L	6
001	SD/B6	Aqueous	PFPeA	PFAS by ID	9.2		ng/L	6
001	SD/B6	Aqueous	PFOS	PFAS by ID	3000		ng/L	6
002	SD-25	Aqueous	6:2 FTS	PFAS by ID	5.4	BJQL	ng/L	8
002	SD-25	Aqueous	PFBS	PFAS by ID	34		ng/L	8
002	SD-25	Aqueous	PFHpS	PFAS by ID	13		ng/L	8
002	SD-25	Aqueous	PFNS	PFAS by ID	0.74	J	ng/L	8
002	SD-25	Aqueous	PFPeS	PFAS by ID	66		ng/L	8
002	SD-25	Aqueous	PFHxS	PFAS by ID	800		ng/L	8
002	SD-25	Aqueous	PFBA	PFAS by ID	9.2	B	ng/L	8
002	SD-25	Aqueous	PFHpA	PFAS by ID	8.7		ng/L	8
002	SD-25	Aqueous	PFHxA	PFAS by ID	42		ng/L	8
002	SD-25	Aqueous	PFNA	PFAS by ID	1.1	J	ng/L	8
002	SD-25	Aqueous	PFOA	PFAS by ID	16		ng/L	8
002	SD-25	Aqueous	PFPeA	PFAS by ID	8.6		ng/L	8
002	SD-25	Aqueous	PFOS	PFAS by ID	980		ng/L	8
003	PZ-1	Aqueous	PFBA	PFAS by ID	2.2	J	ng/L	10
003	PZ-1	Aqueous	PFHxA	PFAS by ID	0.75	J	ng/L	10
003	PZ-1	Aqueous	PFOA	PFAS by ID	1.2	J	ng/L	10
003	PZ-1	Aqueous	PFOS	PFAS by ID	5.0		ng/L	10

(34 detections)

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-001</b>
Description: <b>SD/B6</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/16/2023 1357	ALM	01/12/2023 1031	64640
2	SOP SPE	PFAS by ID SOP	10	01/17/2023 1443	BWS	01/12/2023 1031	64640
3	SOP SPE	PFAS by ID SOP	1	01/23/2023 1701	ALM	01/20/2023 0948	65352

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.4	0.45	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.4	0.61	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.4	1.5	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.3	1.8	ng/L	3
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND	Q	7.4	0.81	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.4	1.9	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.4	0.45	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.4	1.3	ng/L	1
<b>N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)</b>	<b>2991-50-6</b>	<b>PFAS by ID SOP</b>	<b>3.8</b>	<b>J</b>	<b>7.4</b>	<b>0.70</b>	<b>ng/L</b>	<b>1</b>
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.4	0.88	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
<b>N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)</b>	<b>2355-31-9</b>	<b>PFAS by ID SOP</b>	<b>1.8</b>	<b>J</b>	<b>7.4</b>	<b>0.86</b>	<b>ng/L</b>	<b>1</b>
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.4	1.2	ng/L	1
<b>Perfluoro-1-butanefluoronic acid (PFBS)</b>	<b>375-73-5</b>	<b>PFAS by ID SOP</b>	<b>5.8</b>		<b>3.7</b>	<b>0.38</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-decanesulfonic acid (PFDS)</b>	<b>335-77-3</b>	<b>PFAS by ID SOP</b>	<b>1.6</b>	<b>J</b>	<b>3.7</b>	<b>0.72</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-heptanesulfonic acid (PFHpS)</b>	<b>375-92-8</b>	<b>PFAS by ID SOP</b>	<b>22</b>		<b>3.7</b>	<b>0.46</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-nonanesulfonic acid (PFNS)</b>	<b>68259-12-1</b>	<b>PFAS by ID SOP</b>	<b>1.6</b>	<b>J</b>	<b>3.7</b>	<b>0.66</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-octanesulfonamide (PFOSA)</b>	<b>754-91-6</b>	<b>PFAS by ID SOP</b>	<b>6.1</b>		<b>3.7</b>	<b>0.57</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-pentanesulfonic acid (PFPeS)</b>	<b>2706-91-4</b>	<b>PFAS by ID SOP</b>	<b>6.8</b>		<b>3.7</b>	<b>0.55</b>	<b>ng/L</b>	<b>1</b>
Perfluorododecanesulfonic acid (PFDS)	79780-39-5	PFAS by ID SOP	ND		7.4	0.97	ng/L	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>130</b>		<b>3.7</b>	<b>0.51</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-butanoic acid (PFBA)</b>	<b>375-22-4</b>	<b>PFAS by ID SOP</b>	<b>9.1</b>		<b>3.6</b>	<b>0.54</b>	<b>ng/L</b>	<b>3</b>
<b>Perfluoro-n-decanoic acid (PFDA)</b>	<b>335-76-2</b>	<b>PFAS by ID SOP</b>	<b>0.98</b>	<b>J</b>	<b>3.7</b>	<b>0.49</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.7	0.44	ng/L	1
<b>Perfluoro-n-heptanoic acid (PFHpa)</b>	<b>375-85-9</b>	<b>PFAS by ID SOP</b>	<b>8.3</b>		<b>3.7</b>	<b>0.41</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>17</b>		<b>3.7</b>	<b>0.64</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>3.2</b>	<b>J</b>	<b>3.7</b>	<b>0.43</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>37</b>		<b>3.7</b>	<b>0.77</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>9.2</b>		<b>3.7</b>	<b>0.50</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.7	0.56	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.7	0.49	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.7	0.58	ng/L	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>3000</b>		<b>37</b>	<b>19</b>	<b>ng/L</b>	<b>2</b>

Surrogate	Q	Run 1		Run 2		Run 3		
		% Recovery	Acceptance Limits	% Recovery	Acceptance Limits	% Recovery	Acceptance Limits	
13C2_4:2FTS	N	241	25-150	114	25-150	N	236	25-150
13C2_6:2FTS	N	178	25-150	92	25-150		139	25-150
13C2_8:2FTS		124	25-150	100	25-150		115	25-150
13C2_PFDa		76	25-150	78	25-150		93	25-150
13C2_PFTeDA		78	25-150	82	25-150		85	25-150
13C3_PFBs		80	25-150	90	25-150		101	25-150
13C3_PFHxS		92	25-150	96	25-150		103	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-001</b>
Description: <b>SD/B6</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Surrogate	Run 1			Run 2			Run 3		
	Q	% Recovery	Acceptance Limits	Q	% Recovery	Acceptance Limits	Q	% Recovery	Acceptance Limits
13C3-HFPO-DA		104	25-150		88	25-150		87	25-150
13C4_PFBFA		55	25-150		96	25-150		61	25-150
13C4_PFHpA		98	25-150		93	25-150		107	25-150
13C5_PFHxA		87	25-150		98	25-150		102	25-150
13C5_PFPeA		75	25-150		95	25-150		89	25-150
13C6_PFDA		94	25-150		85	25-150		112	25-150
13C7_PFUdA		85	25-150		87	25-150		96	25-150
13C8_PFOA		97	25-150		91	25-150		105	25-150
13C8_PFOS		69	25-150		90	25-150		87	25-150
13C8_PFOSA		92	10-150		95	10-150		100	10-150
13C9_PFNA		82	25-150		97	25-150		86	25-150
d-EtFOSA		60	10-150		76	10-150		50	10-150
d5-EtFOSAA		90	25-150		88	25-150		92	25-150
d9-EtFOSE		69	10-150		67	10-150		67	10-150
d-MeFOSA		64	10-150		65	10-150		58	10-150
d3-MeFOSAA		102	25-150		84	25-150		96	25-150
d7-MeFOSE		73	10-150		67	10-150		70	10-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: **Pace Analytical Services, LLC**

Laboratory ID: **YA10007-002**

Description: **SD-25**

Matrix: **Aqueous**

Date Sampled: **01/04/2023**

Project Name: **Village of Thiensville**

Date Received: **01/10/2023**

Project Number: **40256804**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/16/2023 1407	ALM	01/12/2023 1031	64640
2	SOP SPE	PFAS by ID SOP	5	01/17/2023 1454	BWS	01/12/2023 1031	64640

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.4	0.44	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.4	0.61	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.4	1.5	ng/L	1
<b>1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)</b>	<b>27619-97-2</b>	<b>PFAS by ID SOP</b>	<b>5.4</b>	<b>BJQL</b>	<b>7.4</b>	<b>1.8</b>	<b>ng/L</b>	<b>1</b>
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND	Q	7.4	0.80	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.4	1.9	ng/L	1
4,8-dioxo-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.4	0.45	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.4	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.4	0.69	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.4	0.88	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		15	1.2	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.4	0.86	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.4	1.2	ng/L	1
<b>Perfluoro-1-butanefluoronic acid (PFBS)</b>	<b>375-73-5</b>	<b>PFAS by ID SOP</b>	<b>34</b>		<b>3.7</b>	<b>0.38</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.7	0.72	ng/L	1
<b>Perfluoro-1-heptanesulfonic acid (PFHpS)</b>	<b>375-92-8</b>	<b>PFAS by ID SOP</b>	<b>13</b>		<b>3.7</b>	<b>0.46</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-1-nonanesulfonic acid (PFNS)</b>	<b>68259-12-1</b>	<b>PFAS by ID SOP</b>	<b>0.74</b>	<b>J</b>	<b>3.7</b>	<b>0.66</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.7	0.56	ng/L	1
<b>Perfluoro-1-pentanesulfonic acid (PFPeS)</b>	<b>2706-91-4</b>	<b>PFAS by ID SOP</b>	<b>66</b>		<b>3.7</b>	<b>0.55</b>	<b>ng/L</b>	<b>1</b>
Perfluorododecanesulfonic acid (PFDOS)	79780-39-5	PFAS by ID SOP	ND		7.4	0.96	ng/L	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>355-46-4</b>	<b>PFAS by ID SOP</b>	<b>800</b>		<b>18</b>	<b>2.5</b>	<b>ng/L</b>	<b>2</b>
<b>Perfluoro-n-butanoic acid (PFBA)</b>	<b>375-22-4</b>	<b>PFAS by ID SOP</b>	<b>9.2</b>	<b>B</b>	<b>3.7</b>	<b>0.55</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.7	0.48	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.7	0.43	ng/L	1
<b>Perfluoro-n-heptanoic acid (PFHpA)</b>	<b>375-85-9</b>	<b>PFAS by ID SOP</b>	<b>8.7</b>		<b>3.7</b>	<b>0.41</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>42</b>		<b>3.7</b>	<b>0.63</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-nonanoic acid (PFNA)</b>	<b>375-95-1</b>	<b>PFAS by ID SOP</b>	<b>1.1</b>	<b>J</b>	<b>3.7</b>	<b>0.43</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>16</b>		<b>3.7</b>	<b>0.76</b>	<b>ng/L</b>	<b>1</b>
<b>Perfluoro-n-pentanoic acid (PFPeA)</b>	<b>2706-90-3</b>	<b>PFAS by ID SOP</b>	<b>8.6</b>		<b>3.7</b>	<b>0.50</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.7	0.55	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.7	0.49	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.7	0.58	ng/L	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>980</b>		<b>18</b>	<b>9.2</b>	<b>ng/L</b>	<b>2</b>

Surrogate	Q	Run 1		Run 2	
		% Recovery	Acceptance Limits	% Recovery	Acceptance Limits
13C2_4:2FTS	N	254	25-150	148	25-150
13C2_6:2FTS	N	185	25-150	112	25-150
13C2_8:2FTS		104	25-150	115	25-150
13C2_PFDa		87	25-150	95	25-150
13C2_PFTeDA		91	25-150	98	25-150
13C3_PFBS		86	25-150	107	25-150
13C3_PFHxS		100	25-150	105	25-150
13C3-HFPO-DA		103	25-150	102	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-002</b>
Description: <b>SD-25</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Surrogate	Run 1		Acceptance Limits	Run 2		
	Q	% Recovery		Q	% Recovery	
13C4_PFBa		62	25-150		109	25-150
13C4_PFHpA		95	25-150		105	25-150
13C5_PFHxA		99	25-150		108	25-150
13C5_PFPeA		82	25-150		108	25-150
13C6_PFDA		99	25-150		101	25-150
13C7_PFUdA		100	25-150		95	25-150
13C8_PFOA		111	25-150		103	25-150
13C8_PFOS		83	25-150		99	25-150
13C8_PFOSA		103	10-150		102	10-150
13C9_PFNA		99	25-150		102	25-150
d-EtFOSA		77	10-150		83	10-150
d5-EtFOSAA		96	25-150		102	25-150
d9-EtFOSE		92	10-150		95	10-150
d-MeFOSA		75	10-150		89	10-150
d3-MeFOSAA		113	25-150		100	25-150
d7-MeFOSE		93	10-150		89	10-150

---

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

---

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com



# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-003</b>
Description: <b>PZ-1</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/16/2023 1429	ALM	01/12/2023 1031	64640
2	SOP SPE	PFAS by ID SOP	1	01/23/2023 1712	ALM	01/20/2023 0948	65352

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.2	0.43	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.2	0.60	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.2	1.4	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.4	1.9	ng/L	2
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND	Q	7.2	0.79	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.2	1.9	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.2	0.44	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.2	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.2	0.68	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.2	0.86	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		14	1.1	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.2	0.84	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.2	1.2	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		3.6	0.37	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.6	0.70	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		3.6	0.45	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.6	0.64	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.6	0.55	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		3.6	0.54	ng/L	1
Perfluorododecanesulfonic acid (PFDS)	79780-39-5	PFAS by ID SOP	ND		7.2	0.94	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		3.6	0.50	ng/L	1
<b>Perfluoro-n-butanoic acid (PFBA)</b>	<b>375-22-4</b>	<b>PFAS by ID SOP</b>	<b>2.2</b>	<b>J</b>	<b>3.7</b>	<b>0.56</b>	<b>ng/L</b>	<b>2</b>
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.6	0.47	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.6	0.43	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		3.6	0.40	ng/L	1
<b>Perfluoro-n-hexanoic acid (PFHxA)</b>	<b>307-24-4</b>	<b>PFAS by ID SOP</b>	<b>0.75</b>	<b>J</b>	<b>3.6</b>	<b>0.62</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.6	0.42	ng/L	1
<b>Perfluoro-n-octanoic acid (PFOA)</b>	<b>335-67-1</b>	<b>PFAS by ID SOP</b>	<b>1.2</b>	<b>J</b>	<b>3.6</b>	<b>0.75</b>	<b>ng/L</b>	<b>1</b>
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		3.6	0.49	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.6	0.54	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.6	0.48	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.6	0.56	ng/L	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>1763-23-1</b>	<b>PFAS by ID SOP</b>	<b>5.0</b>		<b>3.6</b>	<b>1.8</b>	<b>ng/L</b>	<b>1</b>

Surrogate	Q	Run 1		Run 2	
		% Recovery	Acceptance Limits	% Recovery	Acceptance Limits
13C2_4:2FTS	N	162	25-150	147	25-150
13C2_6:2FTS	N	170	25-150	135	25-150
13C2_8:2FTS		108	25-150	107	25-150
13C2_PFDaA		93	25-150	99	25-150
13C2_PFTeDA		89	25-150	86	25-150
13C3_PFBS		101	25-150	111	25-150
13C3_PFHxS		102	25-150	104	25-150
13C3-HFPO-DA		115	25-150	93	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-003</b>
Description: <b>PZ-1</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Surrogate	Run 1		Acceptance Limits	Run 2	
	Q	% Recovery		Q	% Recovery
13C4_PFBa		102	25-150	110	25-150
13C4_PFHpA		115	25-150	111	25-150
13C5_PFHxA		100	25-150	107	25-150
13C5_PFPeA		97	25-150	109	25-150
13C6_PFDA		113	25-150	109	25-150
13C7_PFUdA		104	25-150	96	25-150
13C8_PFOA		98	25-150	109	25-150
13C8_PFOS		93	25-150	102	25-150
13C8_PFOSA		102	10-150	96	10-150
13C9_PFNA		102	25-150	106	25-150
d-EtFOSA		76	10-150	60	10-150
d5-EtFOSAA		106	25-150	91	25-150
d9-EtFOSE		90	10-150	72	10-150
d-MeFOSA		76	10-150	67	10-150
d3-MeFOSAA		122	25-150	103	25-150
d7-MeFOSE		83	10-150	76	10-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-004</b>
Description: <b>Field Blank</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	SOP SPE	PFAS by ID SOP	1	01/16/2023 1439	ALM	01/12/2023 1031	64640
2	SOP SPE	PFAS by ID SOP	1	01/23/2023 1723	ALM	01/20/2023 0948	65352

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	MDL	Units	Run
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)	756426-58-1	PFAS by ID SOP	ND		7.1	0.43	ng/L	1
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3...)	763051-92-9	PFAS by ID SOP	ND		7.1	0.59	ng/L	1
1H, 1H, 2H, 2H-perfluorodecane sulfonic acid (8:2 FTS)	39108-34-4	PFAS by ID SOP	ND		7.1	1.4	ng/L	1
1H, 1H, 2H, 2H-perfluorooctane sulfonic acid (6:2 FTS)	27619-97-2	PFAS by ID SOP	ND		7.2	1.8	ng/L	2
1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2 FTS)	757124-72-4	PFAS by ID SOP	ND		7.1	0.78	ng/L	1
Hexafluoropropylene oxide dimer acid (GenX)	13252-13-6	PFAS by ID SOP	ND		7.1	1.8	ng/L	1
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	919005-14-4	PFAS by ID SOP	ND		7.1	0.43	ng/L	1
N-ethylperfluoro-1-octanesulfonamide (EtFOSA)	4151-50-2	PFAS by ID SOP	ND		7.1	1.2	ng/L	1
N-ethylperfluoro-1-octanesulfonamidoacetic acid (EtFOSAA)	2991-50-6	PFAS by ID SOP	ND		7.1	0.67	ng/L	1
2-N-ethylperfluoro-1-octanesulfonamido-ethanol (EtFOSE)	1691-99-2	PFAS by ID SOP	ND		7.1	0.85	ng/L	1
N-methylperfluoro-1-octanesulfonamide (MeFOSA)	31506-32-8	PFAS by ID SOP	ND		14	1.1	ng/L	1
N-methylperfluoro-1-octanesulfonamidoacetic acid (MeFOSAA)	2355-31-9	PFAS by ID SOP	ND		7.1	0.83	ng/L	1
2-N-methylperfluoro-1-octanesulfonamido-ethanol (MeFOSE)	24448-09-7	PFAS by ID SOP	ND		7.1	1.1	ng/L	1
Perfluoro-1-butanefluoronic acid (PFBS)	375-73-5	PFAS by ID SOP	ND		3.6	0.37	ng/L	1
Perfluoro-1-decanesulfonic acid (PFDS)	335-77-3	PFAS by ID SOP	ND		3.6	0.69	ng/L	1
Perfluoro-1-heptanesulfonic acid (PFHpS)	375-92-8	PFAS by ID SOP	ND		3.6	0.44	ng/L	1
Perfluoro-1-nonanesulfonic acid (PFNS)	68259-12-1	PFAS by ID SOP	ND		3.6	0.63	ng/L	1
Perfluoro-1-octanesulfonamide (PFOSA)	754-91-6	PFAS by ID SOP	ND		3.6	0.54	ng/L	1
Perfluoro-1-pentanesulfonic acid (PFPeS)	2706-91-4	PFAS by ID SOP	ND		3.6	0.53	ng/L	1
Perfluorododecanesulfonic acid (PFDSO)	79780-39-5	PFAS by ID SOP	ND		7.1	0.93	ng/L	1
Perfluorohexanesulfonic acid (PFHxS)	355-46-4	PFAS by ID SOP	ND		3.6	0.49	ng/L	1
Perfluoro-n-butanefluoronic acid (PFBA)	375-22-4	PFAS by ID SOP	ND		3.6	0.54	ng/L	2
Perfluoro-n-decanoic acid (PFDA)	335-76-2	PFAS by ID SOP	ND		3.6	0.47	ng/L	1
Perfluoro-n-dodecanoic acid (PFDoA)	307-55-1	PFAS by ID SOP	ND		3.6	0.42	ng/L	1
Perfluoro-n-heptanoic acid (PFHpA)	375-85-9	PFAS by ID SOP	ND		3.6	0.40	ng/L	1
Perfluoro-n-hexanoic acid (PFHxA)	307-24-4	PFAS by ID SOP	ND		3.6	0.61	ng/L	1
Perfluoro-n-nonanoic acid (PFNA)	375-95-1	PFAS by ID SOP	ND		3.6	0.41	ng/L	1
Perfluoro-n-octanoic acid (PFOA)	335-67-1	PFAS by ID SOP	ND		3.6	0.74	ng/L	1
Perfluoro-n-pentanoic acid (PFPeA)	2706-90-3	PFAS by ID SOP	ND		3.6	0.48	ng/L	1
Perfluoro-n-tetradecanoic acid (PFTeDA)	376-06-7	PFAS by ID SOP	ND		3.6	0.53	ng/L	1
Perfluoro-n-tridecanoic acid (PFTrDA)	72629-94-8	PFAS by ID SOP	ND		3.6	0.47	ng/L	1
Perfluoro-n-undecanoic acid (PFUDA)	2058-94-8	PFAS by ID SOP	ND		3.6	0.56	ng/L	1
Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS by ID SOP	ND		3.6	1.8	ng/L	1

Surrogate	Run 1		Acceptance Limits	Run 2		
	Q	% Recovery		Q	% Recovery	
13C2_4:2FTS		103	25-150		100	25-150
13C2_6:2FTS		101	25-150		98	25-150
13C2_8:2FTS		85	25-150		96	25-150
13C2_PFDaA		71	25-150		88	25-150
13C2_PFTeDA		72	25-150		87	25-150
13C3_PFBS		82	25-150		102	25-150
13C3_PFHxS		88	25-150		103	25-150
13C3-HFPO-DA		99	25-150		92	25-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

# PFAS by LC/MS/MS

Client: <b>Pace Analytical Services, LLC</b>	Laboratory ID: <b>YA10007-004</b>
Description: <b>Field Blank</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>01/04/2023</b>	Project Name: <b>Village of Thiensville</b>
Date Received: <b>01/10/2023</b>	Project Number: <b>40256804</b>

Surrogate	Run 1		Acceptance Limits	Run 2		
	Q	% Recovery		Q	% Recovery	
13C4_PFBA		91	25-150		109	25-150
13C4_PFHpA		75	25-150		104	25-150
13C5_PFHxA		81	25-150		101	25-150
13C5_PFPeA		80	25-150		106	25-150
13C6_PFDA		81	25-150		104	25-150
13C7_PFUdA		73	25-150		85	25-150
13C8_PFOA		82	25-150		100	25-150
13C8_PFOS		73	25-150		93	25-150
13C8_PFOSA		80	10-150		87	10-150
13C9_PFNA		83	25-150		102	25-150
d-EtFOSA		60	10-150		44	10-150
d5-EtFOSAA		84	25-150		80	25-150
d9-EtFOSE		73	10-150		70	10-150
d-MeFOSA		57	10-150		49	10-150
d3-MeFOSAA		89	25-150		104	25-150
d7-MeFOSE		68	10-150		74	10-150

LOQ = Limit of Quantitation      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      DL = Detection Limit      Q = Surrogate failure  
 ND = Not detected at or above the DL      N = Recovery is out of criteria      P = The RPD between two GC columns exceeds 40%      J = Estimated result < LOQ and ≥ DL      L = LCS/LCSD failure  
 H = Out of holding time      W = Reported on wet weight basis      S = MS/MSD failure

Pace Analytical Services, LLC (formerly Shealy Environmental Services, Inc.)  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.pacelabs.com

## QC Summary

# PFAS by LC/MS/MS - MB

Sample ID: YQ64640-001

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
9CI-PF3ONS	ND		1	8.0	0.48	ng/L	01/16/2023 1325
11CI-PF3OUdS	ND		1	8.0	0.66	ng/L	01/16/2023 1325
8:2 FTS	ND		1	8.0	1.6	ng/L	01/16/2023 1325
<b>6:2 FTS</b>	<b>5.4</b>	<b>J</b>	<b>1</b>	<b>8.0</b>	<b>2.0</b>	<b>ng/L</b>	<b>01/16/2023 1325</b>
4:2 FTS	ND		1	8.0	0.87	ng/L	01/16/2023 1325
GenX	ND		1	8.0	2.1	ng/L	01/16/2023 1325
ADONA	ND		1	8.0	0.48	ng/L	01/16/2023 1325
EtFOSA	ND		1	8.0	1.4	ng/L	01/16/2023 1325
EtFOSAA	ND		1	8.0	0.75	ng/L	01/16/2023 1325
EtFOSE	ND		1	8.0	0.95	ng/L	01/16/2023 1325
MeFOSA	ND		1	16	1.3	ng/L	01/16/2023 1325
MeFOSAA	ND		1	8.0	0.93	ng/L	01/16/2023 1325
MeFOSE	ND		1	8.0	1.3	ng/L	01/16/2023 1325
PFBS	ND		1	4.0	0.41	ng/L	01/16/2023 1325
PFDS	ND		1	4.0	0.78	ng/L	01/16/2023 1325
PFHpS	ND		1	4.0	0.50	ng/L	01/16/2023 1325
PFNS	ND		1	4.0	0.71	ng/L	01/16/2023 1325
PFOSA	ND		1	4.0	0.61	ng/L	01/16/2023 1325
PFPeS	ND		1	4.0	0.59	ng/L	01/16/2023 1325
PFDOS	ND		1	8.0	1.0	ng/L	01/16/2023 1325
PFHxS	ND		1	4.0	0.55	ng/L	01/16/2023 1325
<b>PFBA</b>	<b>2.4</b>	<b>J</b>	<b>1</b>	<b>4.0</b>	<b>0.60</b>	<b>ng/L</b>	<b>01/16/2023 1325</b>
PFDA	ND		1	4.0	0.52	ng/L	01/16/2023 1325
PFDoA	ND		1	4.0	0.47	ng/L	01/16/2023 1325
PFHpA	ND		1	4.0	0.45	ng/L	01/16/2023 1325
PFHxA	ND		1	4.0	0.69	ng/L	01/16/2023 1325
PFNA	ND		1	4.0	0.46	ng/L	01/16/2023 1325
PFOA	ND		1	4.0	0.83	ng/L	01/16/2023 1325
PFPeA	ND		1	4.0	0.54	ng/L	01/16/2023 1325
PFTeDA	ND		1	4.0	0.60	ng/L	01/16/2023 1325
PFTTrDA	ND		1	4.0	0.53	ng/L	01/16/2023 1325
PFUdA	ND		1	4.0	0.63	ng/L	01/16/2023 1325
PFOS	ND		1	4.0	2.0	ng/L	01/16/2023 1325

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		97	25-150
13C2_6:2FTS		120	25-150
13C2_8:2FTS		76	25-150
13C2_PFDoA		88	25-150
13C2_PFTeDA		83	25-150
13C3_PFBs		88	25-150
13C3_PFHxS		81	25-150
13C3-HFPO-DA		95	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

## PFAS by LC/MS/MS - MB

Sample ID: YQ64640-001

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBA		88	25-150
13C4_PFHpA		91	25-150
13C5_PFHxA		99	25-150
13C5_PFPeA		91	25-150
13C6_PFDA		85	25-150
13C7_PFUdA		85	25-150
13C8_PFOA		86	25-150
13C8_PFOS		80	25-150
13C8_PFOSA		90	10-150
13C9_PFNA		89	25-150
d-EtFOSA		56	10-150
d5-EtFOSAA		91	25-150
d9-EtFOSE		74	10-150
d-MeFOSA		56	10-150
d3-MeFOSAA		94	25-150
d7-MeFOSE		77	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - LCS

Sample ID: YQ64640-002

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Parameter	Spike Amount (ng/L)	Result (ng/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	15	18		1	120	50-150	01/16/2023 1335
11CI-PF3OUdS	15	16		1	109	50-150	01/16/2023 1335
8:2 FTS	15	16		1	106	50-150	01/16/2023 1335
6:2 FTS	15	23	N	1	152	50-150	01/16/2023 1335
4:2 FTS	15	18		1	123	50-150	01/16/2023 1335
GenX	32	38		1	119	50-150	01/16/2023 1335
ADONA	15	20		1	135	50-150	01/16/2023 1335
EtFOSA	16	17		1	106	50-150	01/16/2023 1335
EtFOSAA	16	18		1	111	50-150	01/16/2023 1335
EtFOSE	16	18		1	114	50-150	01/16/2023 1335
MeFOSA	16	16		1	100	50-150	01/16/2023 1335
MeFOSAA	16	17		1	108	50-150	01/16/2023 1335
MeFOSE	16	20		1	124	50-150	01/16/2023 1335
PFBS	14	16		1	114	50-150	01/16/2023 1335
PFDS	15	17		1	113	50-150	01/16/2023 1335
PFHpS	15	20		1	135	50-150	01/16/2023 1335
PFNS	15	19		1	121	50-150	01/16/2023 1335
PFOSA	16	19		1	121	50-150	01/16/2023 1335
PFPeS	15	22		1	145	50-150	01/16/2023 1335
PFDOS	15	18		1	115	50-150	01/16/2023 1335
PFHxS	15	18		1	124	50-150	01/16/2023 1335
PFBA	16	21		1	131	50-150	01/16/2023 1335
PFDA	16	18		1	114	50-150	01/16/2023 1335
PFDoA	16	21		1	133	50-150	01/16/2023 1335
PFHpA	16	21		1	130	50-150	01/16/2023 1335
PFHxA	16	19		1	119	50-150	01/16/2023 1335
PFNA	16	19		1	118	50-150	01/16/2023 1335
PFOA	16	19		1	117	50-150	01/16/2023 1335
PFPeA	16	18		1	111	50-150	01/16/2023 1335
PFTeDA	16	19		1	116	50-150	01/16/2023 1335
PFTTrDA	16	18		1	111	50-150	01/16/2023 1335
PFUdA	16	19		1	117	50-150	01/16/2023 1335
PFOS	15	17		1	117	50-150	01/16/2023 1335

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		117	25-150
13C2_6:2FTS		109	25-150
13C2_8:2FTS		95	25-150
13C2_PFDoA		87	25-150
13C2_PFTeDA		80	25-150
13C3_PFBS		88	25-150
13C3_PFHxS		84	25-150
13C3-HFPO-DA		107	25-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**



## PFAS by LC/MS/MS - LCS

Sample ID: YQ64640-002

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBFA		89	25-150
13C4_PFHpA		87	25-150
13C5_PFHxA		93	25-150
13C5_PFPeA		89	25-150
13C6_PFDA		88	25-150
13C7_PFUdA		86	25-150
13C8_PFOA		87	25-150
13C8_PFOS		85	25-150
13C8_PFOSA		91	10-150
13C9_PFNA		90	25-150
d-EtFOSA		66	10-150
d5-EtFOSAA		90	25-150
d9-EtFOSE		82	10-150
d-MeFOSA		71	10-150
d3-MeFOSAA		98	25-150
d7-MeFOSE		76	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - MS

Sample ID: YA10007-002MS

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Parameter	Sample Amount (ng/L)	Spike Amount (ng/L)	Result (ng/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
9CI-PF3ONS	ND	14	18		1	135	50-150	01/16/2023 1418
11CI-PF3OUdS	ND	14	18		1	130	50-150	01/16/2023 1418
8:2 FTS	ND	14	15		1	108	50-150	01/16/2023 1418
6:2 FTS	5.4	14	20		1	110	50-150	01/16/2023 1418
4:2 FTS	ND	14	15		1	111	50-150	01/16/2023 1418
GenX	ND	29	36		1	125	50-150	01/16/2023 1418
ADONA	ND	14	20		1	150	50-150	01/16/2023 1418
EtFOSA	ND	14	17		1	115	50-150	01/16/2023 1418
EtFOSAA	ND	14	16		1	113	50-150	01/16/2023 1418
EtFOSE	ND	14	16		1	111	50-150	01/16/2023 1418
MeFOSA	ND	14	14		1	95	50-150	01/16/2023 1418
MeFOSAA	ND	14	17		1	114	50-150	01/16/2023 1418
MeFOSE	ND	14	15		1	107	50-150	01/16/2023 1418
PFBS	34	13	47		1	103	50-150	01/16/2023 1418
PFDS	ND	14	17		1	123	50-150	01/16/2023 1418
PFHpS	13	14	33		1	146	50-150	01/16/2023 1418
PFNS	0.74	14	19		1	129	50-150	01/16/2023 1418
PFOSA	ND	14	16		1	110	50-150	01/16/2023 1418
PFPeS	66	14	78		1	95	50-150	01/16/2023 1418
PFDOS	ND	14	18		1	128	50-150	01/16/2023 1418
PFHxS	750	13	910	N	1	1180	50-150	01/16/2023 1418
PFBA	9.2	14	26		1	118	50-150	01/16/2023 1418
PFDA	ND	14	17		1	116	50-150	01/16/2023 1418
PFDoA	ND	14	18		1	124	50-150	01/16/2023 1418
PFHpA	8.7	14	26		1	123	50-150	01/16/2023 1418
PFHxA	42	14	61		1	125	50-150	01/16/2023 1418
PFNA	1.1	14	18		1	115	50-150	01/16/2023 1418
PFOA	16	14	37		1	146	50-150	01/16/2023 1418
PFPeA	8.6	14	26		1	123	50-150	01/16/2023 1418
PFTeDA	ND	14	16		1	111	50-150	01/16/2023 1418
PFTTrDA	ND	14	18		1	128	50-150	01/16/2023 1418
PFUdA	ND	14	17		1	120	50-150	01/16/2023 1418
PFOS	990	13	1000	N	1	372	50-150	01/16/2023 1418
Surrogate	Q	% Rec	Acceptance Limit					
13C2_4:2FTS	N	246	25-150					
13C2_6:2FTS	N	185	25-150					
13C2_8:2FTS		114	25-150					
13C2_PFDoA		93	25-150					
13C2_PFTeDA		97	25-150					
13C3_PFBs		85	25-150					
13C3_PFHxS		85	25-150					
13C3-HFPO-DA		101	25-150					

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - MS

Sample ID: YA10007-002MS

Matrix: Aqueous

Batch: 64640

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/12/2023 1031

Surrogate	Q	% Rec	Acceptance Limit
13C4_PFBAs		63	25-150
13C4_PFHpA		98	25-150
13C5_PFHxA		99	25-150
13C5_PFPeA		82	25-150
13C6_PFDA		100	25-150
13C7_PFUdA		91	25-150
13C8_PFOA		102	25-150
13C8_PFOS		83	25-150
13C8_PFOSA		103	10-150
13C9_PFNA		104	25-150
d-EtFOSA		82	10-150
d5-EtFOSAA		101	25-150
d9-EtFOSE		86	10-150
d-MeFOSA		83	10-150
d3-MeFOSAA		110	25-150
d7-MeFOSE		92	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - MB

Sample ID: YQ65352-001

Matrix: Aqueous

Batch: 65352

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/20/2023 0948

Parameter	Result	Q	Dil	LOQ	MDL	Units	Analysis Date
6:2 FTS	ND		1	8.0	2.0	ng/L	01/23/2023 1556
PFBA	ND		1	4.0	0.60	ng/L	01/23/2023 1556

Surrogate	Q	% Rec	Acceptance Limit
13C2_4:2FTS		107	25-150
13C2_6:2FTS		99	25-150
13C2_8:2FTS		107	25-150
13C2_PFDaA		106	25-150
13C2_PFTeDA		107	25-150
13C3_PFBS		108	25-150
13C3_PFHxS		101	25-150
13C3-HFPO-DA		98	25-150
13C4_PFBA		108	25-150
13C4_PFHpA		112	25-150
13C5_PFHxA		110	25-150
13C5_PFPeA		109	25-150
13C6_PFDA		106	25-150
13C7_PFUdA		98	25-150
13C8_PFOA		110	25-150
13C8_PFOS		102	25-150
13C8_PFOSA		98	10-150
13C9_PFNA		109	25-150
d-EtFOSA		80	10-150
d5-EtFOSAA		93	25-150
d9-EtFOSE		97	10-150
d-MeFOSA		75	10-150
d3-MeFOSAA		97	25-150
d7-MeFOSE		95	10-150

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

# PFAS by LC/MS/MS - LCS

Sample ID: YQ65352-002

Matrix: Aqueous

Batch: 65352

Prep Method: SOP SPE

Analytical Method: PFAS by ID SOP

Prep Date: 01/20/2023 0948

Parameter	Spike Amount (ng/L)	Result (ng/L)	Q	Dil	% Rec	%Rec Limit	Analysis Date
6:2 FTS	15	15		1	96	50-150	01/23/2023 1607
PFBA	16	15		1	95	50-150	01/23/2023 1607
Surrogate	Q	% Rec			Acceptance Limit		
13C2_4:2FTS		92			25-150		
13C2_6:2FTS		87			25-150		
13C2_8:2FTS		94			25-150		
13C2_PFDaA		100			25-150		
13C2_PFTeDA		101			25-150		
13C3_PFBs		102			25-150		
13C3_PFHxS		92			25-150		
13C3-HFPO-DA		94			25-150		
13C4_PFBa		100			25-150		
13C4_PFHpA		94			25-150		
13C5_PFHxA		100			25-150		
13C5_PFPeA		99			25-150		
13C6_PFDa		99			25-150		
13C7_PFUdA		94			25-150		
13C8_PFOA		103			25-150		
13C8_PFOS		95			25-150		
13C8_PFOsA		89			10-150		
13C9_PFNA		101			25-150		
d-EtFOSA		74			10-150		
d5-EtFOSAA		93			25-150		
d9-EtFOSE		93			10-150		
d-MeFOSA		72			10-150		
d3-MeFOSAA		87			25-150		
d7-MeFOSE		88			10-150		

LOQ = Limit of Quantitation

ND = Not detected at or above the DL

N = Recovery is out of criteria

DL = Detection Limit

J = Estimated result < LOQ and ≥ DL

P = The RPD between two GC columns exceeds 40%

\* = RSD is out of criteria

+ = RPD is out of criteria

**Note: Calculations are performed before rounding to avoid round-off errors in calculated results**

**Chain of Custody  
and  
Miscellaneous Documents**

Internal Transfer Chain of Custody



Samples Pre-Logged into eCOC.

State Of Origin: WI

Cert. Needed:  Yes  No

Workorder: 402588C4

Owner Received Date: 1/6/2023

Results Requested By: 2/01/2023

Report to: Subcontract To: Paces Analytical West Columbia  
 106 Vantage Point Drive  
 West Columbia, SC 29172  
 Phone (803)791-9700

Requested Analysis

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers	Comments
	SD066	PS	1/4/2023 00:00	40258804001	Water	2	PFAS WI 33
	SD-25	PS	1/4/2023 00:00	40258804002	Water	2	
	PZ-1	PS	1/4/2023 00:00	40258804003	Water	2	
	FIELD BLANK	PS	1/4/2023 00:00	40258804004	Water	2	



YA10007

JSH

LAB USE ONLY

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	or	N	Samples Intact	or	N
	<i>[Signature]</i>	1/4/23 16:00								
	<i>[Signature]</i>	1-0-23 10:00	<i>[Signature]</i>	1-0-23 10:30						

WI PFAS 33 compounds

Received on ice  or N

Custody Seal  or N

\*In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.

# PACE ANALYTICAL SERVICES, LLC

DC# Title: ENV-FRM-WCOL-0286 v02\_Samples Receipt Checklist (SRC)  
 Effective Date: 8/2/2022

## Sample Receipt Checklist (SRC)

Client: PACE Cooler Inspected by/date: BRB / 01/10/2023 Lot #: YA10007

Means of receipt: <input type="checkbox"/> Pace <input type="checkbox"/> Client <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Other: _____	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1. Were custody seals present on the cooler?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	2. If custody seals were present, were they intact and unbroken?
pH Strip ID: NA Chlorine Strip ID: NA Tested by: NA	
Original temperature upon receipt / Derived (Corrected) temperature upon receipt %Solid Snap-Cup ID: NA 2.6 / 2.6 °C NA / NA °C NA / NA °C NA / NA °C	
Method: <input checked="" type="checkbox"/> Temperature Blank <input type="checkbox"/> Against Bottles IR Gun ID: 8 IR Gun Correction Factor: 0 °C	
Method of coolant: <input checked="" type="checkbox"/> Wet Ice <input type="checkbox"/> Ice Packs <input type="checkbox"/> Dry Ice <input type="checkbox"/> None	
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	3. Were all coolers received at or below 6.0°C? If no, was Project Manager notified? PM was Notified by: phone / email / face-to-face (circle one).
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA	4. Is the commercial courier's packing slip attached to this form?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5. Were proper custody procedures (relinquished/received) followed?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6. Were sample IDs listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7. Was collection date & time listed on the COC and all sample containers?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8. Did all container label information (ID, date, time) agree with the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9. Were tests to be performed listed on the COC?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10. Did all samples arrive in the proper containers for each test and/or in good condition (unbroken, lids on, etc.)?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Was adequate sample volume available?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	12. Were all samples received within ½ the holding time or 48 hours, whichever comes first?
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. Were all samples containers accounted for? (No missing/excess)
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	14. Were VOA, 8015C and RSK-175 samples free of bubbles >"pea-size" (¼" or 6mm in diameter) in any of the VOA vials?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	15. Were all DRO/metals/nutrient samples received at a pH of < 2?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	16. Were all cyanide samples received at a pH > 12 and sulfide samples received at a pH > 9?
<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA	17. Were all applicable NH <sub>3</sub> /TKN/cyanide/phenol/625.1/608.3 (< 0.5mg/l) samples free of residual chlorine?
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA	18. Was the quote number listed on the container label? If yes, Quote # _____

Handwritten notes

**Sample Preservation** (Must be completed for any sample(s) incorrectly preserved or with headspace.)  
 Sample(s) NA were received incorrectly preserved and were adjusted accordingly in sample receiving with NA mL of circle one: H2SO4, HNO3, HCl, NaOH using SR # NA. Time of preservation NA. If more than one preservative is needed, please note in the comments below.  
 Sample(s) NA were received with bubbles >6 mm in diameter.  
 Samples(s) NA were received with TRC > 0.5 mg/L (If #19 is NO) and were adjusted accordingly in sample receiving with sodium thiosulfate (Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>) with Unique ID: NA

Comments: Sample collection time not listed on sample containers