

GIS REGISTRY INFORMATION

SITE NAME: National Auto Wrecking Co.
BRRTS #: 02-32-000452 **FID # (if appropriate):** 632079580
COMMERCE # (if appropriate): _____
CLOSURE DATE: 05/11/2004
STREET ADDRESS: 1001 & 1005 2nd Ave S
CITY: Onalaska

SOURCE PROPERTY Locational COORDINATES (meters in WTM91 projection): X= 420990 Y= 378260

CONTAMINATED MEDIA: Groundwater Soil Both

OFF-SOURCE GW CONTAMINATION >ES: Yes No

IF YES, STREET ADDRESS 1: _____

Locational COORDINATES (meters in WTM91 projection): X= _____ Y= _____

OFF-SOURCE SOIL CONTAMINATION >Generic or Site-Specific RCL (SSRCL): Yes No

IF YES, STREET ADDRESS 1: _____

Locational COORDINATES (meters in WTM91 projection): X= _____ Y= _____

CONTAMINATION IN RIGHT OF WAY: Yes No

DOCUMENTS NEEDED:

- Closure Letter, and any conditional closure letter or denial letter issued X
- Copy of most recent deed, including legal description, for all affected properties
- Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties X
- County Parcel ID number, if used for county, for all affected properties X
- Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site. X
- Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or SSRCLs. X
- Tables of Latest Groundwater Analytical Results (no shading or cross-hatching) NA
- Tables of Latest Soil Analytical Results (no shading or cross-hatching) X
- Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy). The isoconcentration map should have flow direction and extent of groundwater contamination defined. If not available, include the latest extent of contaminant plume map. NA
- GW: Table of water level elevations, with sampling dates, and free product noted if present NA
- GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees) NA
- SOIL: Latest horizontal extent of contamination exceeding generic or SSRCLs, with one contour X
- Geologic cross-sections, if required for SI. (8.5x14" if paper copy) X
- RP certified statement that legal descriptions are complete and accurate
- Copies of off-source notification letters (if applicable)
- Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)
- Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure
- Copy of any maintenance plan referenced in the deed restriction.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Scott Humrickhouse, Regional Director

West Central Region Headquarters
1300 W. Clairemont Avenue
PO Box 4001
Eau Claire, Wisconsin 54702-4001
Telephone 715-839-3700
FAX 715-839-6076
TTY Access via relay - 711

May 11, 2004

BRRTs # 02-32-000452

Mr. Dave Evenson (Evenson and Company)
1025 Riders Club Rd.
Onalaska, WI 54650

SUBJECT: Final Case Closure (with GIS Soils Registry) of the National Auto
Wrecking Site, 5001 2nd Ave. SW, Onalaska, WI

Dear Mr. Evenson:

On May 7, 2004 your site, as described above, was reviewed for closure by the Department of Natural Resources. The Department reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. In November 2003, conditional closure was granted to this case. The conditions for final closure were to remove or spread and bury on site (with a four foot cover of clean soil) 370 cubic yards of PAH-contaminated soil located between B-17 and MW-1, as shown on Figure 6 of the Cedar Corp. site investigation map. See attached copy. You were to abandon all the groundwater monitoring wells both on and off site.

On May 11, 2004, the Department received correspondence indicating that you have complied with the above mentioned conditions of closure. All monitoring wells and piezometers on and off-site have been abandoned. You elected to spread the 370 cubic yards of PAH-contaminated soil on the south portion of the site and cover with four feet of clean soil. You have agreed to maintain this cover in perpetuity or until it can be shown through lab analysis that the PAH-contaminated soil levels are in compliance with s. NR 720 Soil Cleanup Standards, Wis. Adm. Code. See attached photos. Based on the correspondence and data provided, it appears that your case meets the screening criteria of s. NR 726.05, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

We have received the following fees from you:

- 1.. \$750 for closure review
2. \$200 for GIS recording of soils

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit <http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>


If your property is listed on the GIS Registry due to groundwater contamination exceeding s. NR 140 standards at the time of closure, and you intend to construct or reconstruct a well,

you will need Department approval. Department approval is required before construction or reconstruction of a well on a property listed on the GIS Registry, in accordance with s. NR 812.09(4)(w). To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line at the web address listed above.

Please be aware that this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to help restore the environment at this site. If you have any questions regarding this letter, please contact me at (715) 839-3738.

Sincerely,

A handwritten signature in black ink, appearing to read "Jack Eslien". The signature is written in a cursive style with a large, stylized initial "J".

Jack Eslien
WDNR Hydrogeologist
Bureau for Remediation & Redevelopment

Enclosures



National Auto site now owned by Dave Evenson
Photo by Eslien, camera pointed N
Excavation of PAH-contaminated soil.
04/28/2004



National Auto site now owned by Dave Evenson
Photo by Eslien, camera pointed NW
Excavation of PAH-contaminated soil.
04/28/2004



National Auto site now owned by Dave Evenson


Photo by Eslien, camera pointed S

Spreading PAH-contaminated soil on the south part of the site. This will be covered by four feet of clean fill as shown on the left side of photo.

04/28/2004

WOODS BROTHERS

CROSS SECTION A-A'




ABBREVIATIONS

F---Fine	M---Medium	C---Coarse
Ws---Weathered	So---Sound	

MATERIAL SYMBOLS

Topsoil	Silt	Sandstone
Sand	Peat	Limestone
Gravel	Clay	Igneous Rock

LEGEND OF BORING



NA = Not Analyzed
 * GRO And DRO Laboratory Results Reported In PPM
 All Other Laboratory Results Reported In PPB

GEOLOGIC LEGEND

- (A) - SILTY, MEDIUM, BROWN SAND (USCS-SM)
- (B) - BLACK SILT (USCS-ML)
- (C) - MEDIUM, BROWN SAND (USCS-SN)

GROUNDWATER ELEVATIONS BASED ON AUGUST 20, 2002 DATA





604 Wilson Avenue
 Menomonie, Wisconsin 54751

715-235-9081
 800-472-7372
 engineers - architects - planners - environmental specialists
 land surveyors - landscape architects - interior designers
 FAX 715-235-2727 www.cedarcorp.com

WISCONSIN DNR
 NATIONAL AUTO WRECKING
 LA CROSSE, WISCONSIN

CROSS SECTION A-A'
 FIGURE 6






18-947-0
1.240 acres
1001 2ND AVE SW

M2
18-945-0
2.250 acres
1005 2ND AVE SW

18-939-0
0.630 acres
3264 GEORGE ST

This map is to be used for reference purposes only. Every effort has been made to make this map as accurate as possible.



LEGEND

LA CROSSE, WIS.-MINN.
USGS TOPOGRAPHIC QUADRANGLE
7.5 MINUTE SERIES, 1993

CONTOUR INTERVAL = 20 FEET

SE 1/4 OF THE SE 1/4, SECTION 8,
TOWNSHIP 16 NORTH, RANGE 7 WEST
LA CROSSE COUNTY, WI




604 Wilson Avenue
Menomonie, WI 54751


715-235-9081
800-472-7372
Fax • 715-235-2727
www.cedarcorp.com

engineers • architects • planners • environmental specialists
land surveyors • landscape architects • interior designers

DRAWN BY USGS	SITE LOCATION MAP NATIONAL AUTO WRECKING SALVAGE YARD 1005 SECOND AVENUE ONALASKA, WI 54650	CHECKED BY SEM
DATE 3/02		JOB NO.
REVISED BY RJY		FIGURE 1
SCALE 1" : 1000'		

Onalaska, Wisconsin, United States 06 May 1992





JOB NO.	W2525-021
BOOK NO.	-
DRAWN BY	TAG
CHECKED BY	RJT
DATE	MAY 2002
REVISIONS	
REFERENCE FILE	W021site.dwg
DRAWING FILE	W021s1te.dwg

628 Wilson Avenue
Madison, Wisconsin 53713
761-332-9981
761-332-9982
761-715-235-2717
www.cedarcorp.com

Cedar
CORPORATION

Soil testing • geotechnical • general • environmental geologists
and engineers • laboratory • geotechnical laboratory • design

WISCONSIN DNR
NATIONAL AUTO WRECKING
LACROSSE, WISCONSIN
SITE FEATURES MAP

SOIL BORING SAMPLE ANALYTICAL RESULTS

WDNR NATIONAL AUTO WRECKERS

ONALASKA, WI

April 16-17, 2002

					Results reported in ug/Kg								
					Benzene	E - Benzene	1,2-DCA	MTBE	Naphthalene	Toluene	1,2,4 TMB	1,3,5 TMB	Xylenes
Wis Adm. Code NR720, Table 1 & 2, Residual Contaminant Levels					5.5	2,900	5	NS	NS	1,500	NS	NS	4,100
Wis Adm. Code NR746.06 Table 1, Residual Petroleum Product					8,500	4,600	600	NS	2,700	38,000	83,000	11,000	42,000
Wis Adm. Code NR746.06 Table 2, Direct Contact					1,100	NS	540	NS	NS	NS	NS	NS	NS
Boring Name	Sample Depth	Sample Date	Laboratory ID	FID/PID (IU)									
B-1	3.5'	04/14/2002	478252	6.5	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-2	3.5'	04/14/2002	478253	0.0	<27	<27	<27	<27	<27	<27	36	35	<38
B-2	7'	04/14/2002	478254	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<40
B-3	3.5'	04/14/2002	478255	0.0	<29	<29	<29	<29	<29	<29	<29	<29	<40
B-4	6'	04/14/2002	478256	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-5	3'	04/14/2002	478257	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-6	3'	04/14/2002	478258	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<41
B-7	5'	04/14/2002	478259	0.0	<29	<29	<29	<29	<29	<29	<29	<29	<41
B-8	5'	04/14/2002	478260	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<42
B-9	5'	04/14/2002	478261	0.0	<32	<32	<32	<32	<32	<32	<32	<32	<44
B-10	6'	04/14/2002	478262	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<42
B-11	6'	04/14/2002	478263	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<42
B-12	6'	04/14/2002	478264	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<42
B-13	3.5'	04/14/2002	478270	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-13	7'	04/14/2002	478265	3,754	<29	<29	<29	<29	91	<29	1,520	468	<41
B-14	4'	04/14/2002	478266	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<42
B-15	5'	04/14/2002	478267	0.0	<31	<31	<31	<31	<31	<31	<31	<31	<43
B-16	7'	04/14/2002	478268	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-17	5'	04/14/2002	478269	392	<28	39	<28	<28	2,160	<28	1,930	773	227
B-17	9'	04/14/2002	478271	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-18	9'	04/14/2002	478272	0.0	<27	<27	<27	<27	<27	<27	<27	<27	<38
B-19	9'	04/14/2002	478273	0.0	<27	<27	<27	<27	<27	<27	<27	<27	<38
B-20	9'	04/14/2002	478274	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-21	9'	04/14/2002	478275	0.0	<29	<29	<29	<29	<29	<29	<29	<29	<40
B-22	9'	04/14/2002	478276	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
B-23	5'	04/14/2002	478277	0.0	<30	<30	<30	<30	<30	<30	<30	<30	<41
B-24	5'	04/14/2002	478278	0.0	<32	<32	<32	<32	<32	<32	<32	<32	<44
B-25	5'	04/14/2002	478279	0.0	174	41	<29	<29	83	220	110	44	475
B-25	7.5'	04/14/2002	478280	3,260	<2,920	15,200	<2,920	<2,920	12,800	7,470	86,300	32,700	106,000
B-26	6'	04/14/2002	478281	0.0	<29	<29	<29	<29	<29	<29	<29	<29	<40

MTBE = Methyl tert butyl ether

TMB = Trimethylbenzene

E-Benzene = Ethylbenzene

1,2-DCA = 1,2 Dichloroethane

Values in Bold Typeface exceed listed table value.

ug/Kg= micrograms per kilogram = ppb = parts per billion

mg/Kg= milligrams per kilogram = ppm = parts per million

IU = Instrument Units

NA = Not Analyzed

NS = No Standard Established

TABLE 2
SOIL SAMPLE ANALYTICAL RESULTS, POLYAROMATIC HYDROCARBONS
WDNR NATIONAL AUTO WRECKERS
ONALASKA, WI

Compound	Units of Measure	Generic RCL's in ug/kg			Location Laboratory ID Sample date Sample Depth	B-1 478252 04/17/2002 3.5'	B-2 478253 04/17/2002 3.5'	B-2 478254 04/17/2002 7'	B-3 478255 04/17/2002 3.5'	B-4 478256 04/17/2002 6'	B-5 478257 04/17/2002 3'	B-6 478258 04/17/2002 3'	B-7 478259 04/17/2002 5'	B-8 478260 04/17/2002 5'	B-9 478261 04/17/2002 5'	B-10 478262 04/17/2002 6'
		Groundwater Pathway	Direct Contact Pathway													
			Non Industrial	Industrial												
PAH's																
ACENAPHTHENE	ug/kg	38,000	900,000	60,000,000		<55	<54	<57	<57	<56	<56	<59	<58	<59	<63	<60
ACENAPHTHYLENE	ug/kg	700	18,000	360,000		<94	<92	<96	<97	<95	<95	<100	<98	<100	<110	<100
ANTHRACENE	ug/kg	3,000,000	5,000,000	300,000,000		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
BENZO (a) ANTHRACENE	ug/kg	17,000	88	3,900		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
BENZO (b) FLUORANTHENE	ug/kg	360,000	88	3,900		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
BENZO (k) FLUORANTHENE	ug/kg	870,000	880	39,000		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
BENZO (a) PYRENE	ug/kg	48,000	8.8	390		<44	<43	<45	<46	<45	<45	<47	<46	<48	<51	<48
BENZO (ghi) PERYLENE	ug/kg	6,800,000	1,800	39,000		<44	<43	<45	<46	<45	<45	<47	<46	<48	<51	48
CHRYSENE	ug/kg	37,000	8,800	390,000		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
DIBENZO (a,h) ANTHRACENE	ug/kg	38,000	8.8	390		<8.3	<8.1	<8.5	<8.6	<8.4	<8.4	<8.9	<8.7	<8.9	<9.5	<9.0
FLUORANTHENE	ug/kg	500,000	600,000	40,000,000		<11	<11	<11	<11	<11	<11	<12	<12	<12	<13	<12
FLUORENE	ug/kg	100,000	600,000	40,000,000		<11	<11	<11	<11	<11	<11	<12	<12	<12	<13	<12
INDENO (1,2,3-cd) PYRENE	ug/kg	680,000	88	3,900		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
1-METHYLNAPHTHALENE	ug/kg	23,000	1,100,000	70,000,000		<33	<33	<34	<34	<34	<34	<36	<35	<36	<38	<36
2-METHYLNAPHTHALENE	ug/kg	20,000	600,000	40,000,000		<28	<27	<28	<29	<28	<28	<30	<29	<30	<32	<30
NAPHTHALENE	ug/kg	400	20,000	110,000		<33	<33	<34	<34	<34	<34	<36	<35	<36	<38	<36
PHENANTHRENE	ug/kg	1,800	18,000	390,000		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0
PYRENE	ug/kg	8,700,000	500,000	30,000,000		<5.5	<5.4	<5.7	<5.7	<5.6	<5.6	<5.9	<5.8	<5.9	<6.3	<6.0

ug/kg = micrograms per Kilogram (ppb - parts per billion)
PAH = Polynuclear Aromatic Hydrocarbons

RCL'S = Suggested Generic Residual Contaminant Levels
RCL'S are from the 1997 DNR Publication RR-519-97

TABLE 2
SOIL SAMPLE ANALYTICAL RESULTS, POLYAROMATIC HYDROCARBONS
WDNR NATIONAL AUTO WRECKERS
ONALASKA, WI

Compound	Units of Measure	Generic RCL's in ug/kg			Location Laboratory ID Sample date Sample Depth	B-11	B-12	B-13	B-13	B-14	B-15	B-16	B-17	B-17	B-18	B-19
		Groundwater Pathway	Direct Contact Pathway			478263	478264	478270	478265	478266	478267	478268	478269	478271	478272	478273
			Non Industrial	Industrial		04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002	04/17/2002
PAH's																
ACENAPHTHENE	ug/kg	38,000	900,000	60,000,000		<60	<60	<55	<59	<60	<62	<56	761	<55	<54	<55
ACENAPHTHYLENE	ug/kg	700	18,000	360,000		<100	<100	<94	<100	,100	<100	<95	<966	<94	<92	<93
ANTHRACENE	ug/kg	3,000,000	5,000,000	300,000,000		<6.0	<6.0	12	70	<6.0	<6.2	<5.6	1,480	<5.5	<5.4	<5.5
BENZO (a) ANTHRACENE	ug/kg	17,000	88	3,900		<6.0	<6.0	121	29	<6.0	<6.2	<5.6	4,320	14	<5.4	<5.5
BENZO (b) FLUORANTHENE	ug/kg	360,000	88	3,900		<6.0	<6.0	63	<5.9	<6.0	<6.2	<5.6	773	11	<5.4	<5.5
BENZO (k) FLUORANTHENE	ug/kg	870,000	880	39,000		<6.0	<6.0	59	<5.9	<6.0	<6.2	<5.6	455	17	<5.4	<5.5
BENZO (a) PYRENE	ug/kg	48,000	8.8	390		<48	<48	79	<47	<48	<49	<45	989	<44	<43	<44
BENZO (ghi) PERYLENE	ug/kg	6,800,000	1,800	39,000		<48	<48	100	<47	<48	<49	<45	886	<44	<43	<44
CHRYSENE	ug/kg	37,000	8,800	390,000		<6.0	<6.0	253	8.3	<6.0	<6.2	<5.6	1,820	11	<5.4	<5.5
DIBENZO (a,h) ANTHRACENE	ug/kg	38,000	8.8	390		<8.9	<9.0	<8.3	<8.8	<9.0	<9.2	<8.4	<85	<8.3	<8.1	<8.2
FLUORANTHENE	ug/kg	500,000	600,000	40,000,000		<12	<12	176	117	<12	<12	<11	5,800	24	<11	<11
FLUORENE	ug/kg	100,000	600,000	40,000,000		<12	<12	<11	110	<12	<12	<11	2,050	<11	<11	<11
INDENO (1,2,3-cd) PYRENE	ug/kg	680,000	88	3,900		<6.0	<6.0	96	<5.9	<6.0	<6.2	<5.6	750	17	<5.4	<5.5
1-METHYLNAPHTHALENE	ug/kg	23,000	1,100,000	70,000,000		<30	<36	<33	2,340	<36	<37	<34	5,800	<33	<32	<33
2-METHYLNAPHTHALENE	ug/kg	20,000	600,000	40,000,000		<36	<30	<28	6,560	<30	<31	<28	10,700	<28	<27	<27
NAPHTHALENE	ug/kg	400	20,000	110,000		<36	<36	<33	55	<36	<37	<34	1,250	<33	<32	<33
PHENANTHRENE	ug/kg	1,800	18,000	390,000		<6.0	<6.0	59	211	<6.0	<6.2	<5.6	6,360	10	<5.4	<5.5
PYRENE	ug/kg	8,700,000	500,000	30,000,000		<6.0	<6.0	121	117	<6.0	<6.2	<5.6	3,860	20	<5.4	<5.5

ug/kg = micrograms per Kilogram (ppb - parts per billion)

RCL'S = Suggested Generic Residual Contaminant Levels

PAH = Polynuclear Aromatic Hydrocarbons

RCL'S are from the 1997 DNR Publication RR-519-97

TABLE 2
SOIL SAMPLE ANALYTICAL RESULTS, POLYAROMATIC HYDROCARBONS
WDR NATIONAL AUTO WRECKERS
ONALASKA, WI

Compound	Units of Measure	Generic RCL's in ug/kg			Location Laboratory ID Sample date Sample Depth	B-20 478274 04/17/2002 9'	B-21 478275 04/17/2002 9'	B-22 478276 04/17/2002 9'	B-23 478277 04/17/2002 5'	B-24 478278 04/17/2002 5'	B-25 478279 04/17/2002 5'	B-25 478280 04/17/2002 7.5'	B26 478281 04/17/2002 6'
		Groundwater Pathway	Direct Contact Pathway										
			Non Industrial	Industrial									
PAH's													
ACENAPHTHENE	ug/kg	38,000	900,000	60,000,000		<56	<57	<55	<59	<64	127	<58	<57
ACENAPHTHYLENE	ug/kg	700	18,000	360,000		<95	<98	<94	<100	<110	<98	<99	<98
ANTHRACENE	ug/kg	3,000,000	5,000,000	300,000,000		<5.6	<5.7	<5.5	<5.9	<6.4	406	50	<5.7
BENZO (a) ANTHRACENE	ug/kg	17,000	88	3,900		<5.6	<5.7	<5.5	<5.9	<6.4	556	58	<5.7
BENZO (b) FLUORANTHENE	ug/kg	360,000	88	3,900		<5.6	<5.7	<5.5	<5.9	<6.4	255	<5.8	<5.7
BENZO (k) FLUORANTHENE	ug/kg	870,000	880	39,000		<5.6	<5.7	<5.5	<5.9	<6.4	185	<5.8	<5.7
BENZO (a) PYRENE	ug/kg	48,000	8.8	390		<44	<46	<44	<47	<51	429	<47	<46
BENZO (ghi) PERYLENE	ug/kg	6,800,000	1,800	39,000		<44	<46	<44	<47	<51	267	<47	<46
CHRYSENE	ug/kg	37,000	8,800	390,000		<5.6	<5.7	<5.5	<5.9	<6.4	429	<5.8	<5.7
DIBENZO (a,h) ANTHRACENE	ug/kg	38,000	8.8	390		<8.3	<8.6	<8.3	<8.9	<9.5	25	<8.8	<8.8
FLUORANTHENE	ug/kg	500,000	600,000	40,000,000		<11	<11	<11	<12	<13	1,390	117	<11
FLUORENE	ug/kg	100,000	600,000	40,000,000		<11	<11	<11	<12	<13	98	210	<11
INDENO (1,2,3-cd) PYRENE	ug/kg	680,000	88	3,900		<5.6	<5.7	<5.5	<5.9	<6.4	301	<5.8	<5.7
1-METHYLNAPHTHALENE	ug/kg	23,000	1,100,000	70,000,000		<33	<34	<33	<36	<38	<35	7,120	<34
2-METHYLNAPHTHALENE	ug/kg	20,000	600,000	40,000,000		<28	<29	<28	<30	<32	151	15,200	<29
NAPHTHALENE	ug/kg	400	20,000	110,000		<33	<34	<33	<36	<38	267	7,120	<34
PHENANTHRENE	ug/kg	1,800	18,000	390,000		<5.6	<5.7	<5.5	<5.9	<6.4	1,390	110	<5.7
PYRENE	ug/kg	8,700,000	500,000	30,000,000		<5.6	<5.7	<5.5	<5.9	<6.4	1,120	120	<5.7

ug/kg = micrograms per Kilogram (ppb - parts per billion)

PAH = Polynuclear Aromatic Hydrocarbons

RCL'S = Suggested Generic Residual Contaminant Levels

RCL'S are from the 1997 DNR Publication RR-519-97

TABLE 3
MONITORING WELL SOIL SAMPLE ANALYTICAL RESULTS
WDNR NATIONAL AUTO WRECKERS
ONALASKA, WI

					Results reported in ug/Kg								
					Benzene	E - Benzene	1,2-DCA	MTBE	Naphthalene	Toluene	1,2,4 TMB	1,3,5 TMB	Xylenes
Wis Adm. Code NR720, Table 1 & 2, Residual Contaminant Levels					5.5	2,900	5	NS	NS	1,500	NS	NS	4,100
Wis Adm. Code NR746.06 Table 1, Residual Petroleum Product					8,500	4,600	600	NS	2,700	38,000	83,000	11,000	42,000
Wis Adm. Code NR746.06 Table 2, Direct Contact					1,100	NS	540	NS	NS	NS	NS	NS	NS
Boring Name	Sample Depth	Sample Date	Laboratory ID	FID/PID (IU)									
MW-1	0-2'	05/13/2002	481683	0.0	<29	<29	<29	<29	<29	88	<29	<29	<41
MW-1	4-6'	05/13/2002	481684	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<40
MW-2	2-4'	05/13/2002	481685	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
MW-2A	0-2'	05/13/2002	481686	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
MW-3	4-6'	05/13/2002	481687	0.0	<26	<26	<26	<26	<26	<26	<26	<26	<37
MW-4	4-6'	05/13/2002	481688	0.0	<28	<28	<28	<28	<28	<28	<28	<28	<39
MW-5	8-10'	05/13/2002	481689	0.0	<26	<26	<26	<26	<26	<26	<26	<26	<37
MW-6	6-8'	05/13/2002	481690	0.0	<26	<26	<26	<26	<26	<26	<26	<26	<37
MW-6A	6-8'	05/13/2002	481691	0.0	<26	<26	<26	<26	<26	<26	<26	<26	<37

MTBE = Methyl tert butyl ether

TMB = Trimethylbenzene

E-Benzene = Ethylbenzene

1,2-DCA = 1,2 Dichloroethane

Values in Bold Typeface exceed listed table value.

ug/Kg= micrograms per kilogram = ppb = parts per billion

mg/Kg= milligrams per kilogram = ppm = parts per million

IU = Instrument Units

NA = Not Analyzed

NS = No Standard Established

TABLE 4
MONITORING WELL SOIL SAMPLE ANALYTICAL RESULTS, POLYAROMATIC HYDROCARBONS
WDNR NATIONAL AUTO WRECKERS
ONALASKA, WI

Compound	Units of Measure	Generic RCL's in ug/kg			Location Laboratory ID Sample date Sample Depth	MW-1	MW-1	MW-2	MW-2A	MW-3	MW-4	MW-5	MW-6	MW-6A
		Groundwater Pathway	Direct Contact Pathway			481683	481684	481685	481686	481687	481688	481689	481690	481691
			Non Industrial	Industrial		05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002
PAH's														
ACENAPHTHENE	ug/kg	38,000	900,000	60,000,000		64	<57	<55	<56	<52	<55	<53	<53	<52
ACENAPHTHYLENE	ug/kg	700	18,000	360,000		<100	<97	<94	<95	<89	<94	<90	<90	<89
ANTHRACENE	ug/kg	3,000,000	5,000,000	300,000,000		236	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
BENZO (a) ANTHRACENE	ug/kg	17,000	88	3,900		495	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
BENZO (b) FLUORANTHENE	ug/kg	360,000	88	3,900		353	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
BENZO (k) FLUORANTHENE	ug/kg	870,000	880	39,000		212	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
BENZO (a) PYRENE	ug/kg	48,000	8.8	390		495	<45	<44	<45	<42	<44	<42	<42	<42
BENZO (ghi) PERYLENE	ug/kg	6,800,000	1,800	39,000		377	<45	<44	<45	<42	<44	<42	<42	<42
CHRYSENE	ug/kg	37,000	8,800	390,000		589	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
DIBENZO (a,h) ANTHRACENE	ug/kg	38,000	8.8	390		74	<8.5	<8.3	<8.4	<7.8	<8.3	<7.9	<7.9	<7.8
FLUORANTHENE	ug/kg	500,000	600,000	40,000,000		1,180	<11	<11	<11	<10	<11	<11	<11	<10
FLUORENE	ug/kg	100,000	600,000	40,000,000		110	<11	<11	<11	<10	<11	<11	<11	<10
INDENO (1,2,3-cd) PYRENE	ug/kg	680,000	88	3,900		377	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
1-METHYLNAPHTHALENE	ug/kg	23,000	1,100,000	70,000,000		<35	<34	<33	<34	<31	<33	<32	<32	<31
2-METHYLNAPHTHALENE	ug/kg	20,000	600,000	40,000,000		200	<28	<28	<28	<26	<28	<26	<26	<26
NAPHTHALENE	ug/kg	400	20,000	110,000		954	<34	<33	<34	<31	<33	<32	<32	<31
PHENANTHRENE	ug/kg	1,800	18,000	390,000		1,180	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
PYRENE	ug/kg	8,700,000	500,000	30,000,000		<5.3	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2


ug/kg = micrograms per Kilogram (ppb - parts per billion)
PAH = Polynuclear Aromatic Hydrocarbons

RCL'S = Suggested Generic Residual Contaminant Levels
RCL'S are from the 1997 DNR Publication RR-519-97

TABLE 5
MONITORING WELL SOIL SAMPLE ANALYTICAL RESULTS, METALS AND PCB'S
WDNR NATIONAL AUTO WRECKERS
ONALASKA, WI

Compound	Units of Measure	NR.720.11	NR.720.11	Location	MW-1	MW-1	MW-2	MW-2A	MW-3	MW-4	MW-5	MW-6	MW-6A
		TABLE 2	TABLE 2	Laboratory ID	481683	481684	481685	481686	481687	481688	481689	481690	481691
		Non Industrial	Industrial	Sample date	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002	05/13/2002
		mg/kg	mg/kg	Sample Depth	0-2'	4-6'	2-4'	0-2'	4-6'	4-6'	8-10'	6-8'	6-8'
METALS													
ARSENIC	mg/kg	0.039	1.6		<4.7	<4.5	<4.4	<5.6	<4.2	<4.4	<4.2	<4.2	<4.2
BARIUM	mg/kg	NR	NR		59	34	24	33	12	11	40	21	60
CADMIUM	mg/kg	8	510		<1.2	<1.1	<1.1	<1.1	<1.0	<1.1	<1.1	<1.1	<1.0
CHROMIUM (TOTAL)	mg/kg	NR	NR		8.8	6.5	8.8	9.9	6.6	5.5	17	4.2	13
LEAD	mg/kg	50	500		90	<5.7	<5.5	<5.6	<5.2	<5.5	<5.3	<5.3	<5.2
MERCURY	mg/kg	NR	NR		0.052	<0.011	<0.011	<0.011	0.017	0.021	<0.011	<0.011	<0.010
SELENIUM	mg/kg	NR	NR		<8.8	<8.5	<8.3	<8.4	<7.8	<8.3	<7.9	<7.9	<7.8
SILVER	mg/kg	NR	NR		<1.2	<1.1	<1.1	<1.1	<1.0	<1.1	<1.1	<1.1	<1.0
PCB'S													
PCB 1016	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1221	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1232	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1242	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1248	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1254	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26
PCB 1260	mg/kg	NR	NR		<0.30	<0.29	<0.28	<0.28	<0.26	<0.28	<0.26	<0.26	<0.26

mg/kg = milligrams per Kilogram (ppm - parts per million)
mg/l = milligrams per liter
NR=Not Regulated



JOB NO.	W2525-021
BOOK NO.	
DRAWN BY	TAG
CHECKED BY	RJY
DATE	MAY 2002
REVISIONS	6
REFERENCE FILE	W021site.dwg
DRAWING FILE	W021site.dwg


604 Wilson Avenue
Menomonee, Wisconsin 54751
715-235-5003
905-432-2372
Fax 715-235-5003
www.cedarcorp.com

Cedar
corporation

engineers • architects • planners • environmental specialists
land surveys • landscape architects • interior designers

WISCONSIN DNR
NATIONAL AUTO WRECKING
LACROSSE, WISCONSIN
SOIL CONTAMINATION

FIGURE
3



LEGEND
 • B-1 = SOIL BORING LOCATION
 ⊙ MW-1 = MONITORING WELL LOCATION

ABBREVIATIONS
 F---Fine M---Medium C---Coarse
 W---Weathered S---Sound

MATERIAL SYMBOLS


Topsoil	Silt	Sandstone
Sand	Peat	Limestone
Gravel	Clay	Igneous Rock

LEGEND OF BORING

GRO - Gasoline Range Organics
 DRO - Diesel Range Organics
 B - Benzene
 E - Ethylbenzene
 MTBC - Methyl-tert-butyl-ether
 T - Toluene
 1,2,4-TMB - Trimethylbenzene
 1,3,5-TMB - Trimethylbenzene
 X - Xylene

*Laboratory Analytical Results
 Ground Water Elevation
 No Ground Water Observed Above This Elevation

NA = Not Analyzed
 * GRO And DRO Laboratory Results Reported in PPM
 All Other Laboratory Results Reported in PPB



GEOLOGIC LEGEND

- Ⓐ - SILTY, MEDIUM, BROWN SAND (USCS-SM)
- Ⓑ - BLACK SILT (USCS-ML)
- Ⓒ - MEDIUM, BROWN SAND (USCS-SN)

↓ GROUNDWATER ELEVATIONS BASED ON AUGUST 20, 2002 DATA

Cedar Corporation
 804 Wilson Avenue
 Menomonie, Wisconsin 54751
 715-233-9081
 800-672-7372
 Fax: 715-233-2727
 www.cedarcorp.com

**WISCONSIN DNR
 NATIONAL AUTO WRECKING
 LA CROSSE, WISCONSIN**


**CROSS SECTION A-A'
 FIGURE 6**

Drawn By	PKF	Plans Checked	RJY
Drawing File	W021site.dwg	Job Number	W2525-021

H:\PROJECTS\W2525021\Drawings\W021site.dwg 10/09/2002 10:59:20 AM CDT



CROSS SECTION B-B'



LEGEND
 • B-1 = SOIL BORING LOCATION
 ⊙ MW-1 = MONITORING WELL LOCATION

ABBREVIATIONS


F---Fine M---Medium C---Coarse
 Ws---Weathered So---Sound

MATERIAL SYMBOLS

LEGEND OF BORING

Abbreviations for Laboratory Results:
 GRO - Gasoline Range Organics
 DRO - Diesel Range Organics
 B - Benzene
 E - Ethylbenzene
 MTBE - Methyl-tert-butyl-ether
 T - Toluene
 1,2,4-TMB - Trimethylbenzene
 1,3,5-TMB - Trimethylbenzene
 X - Xylene

Other Symbols:
 * Laboratory Analytical Results
 Ground Water Elevation
 No Ground Water Observed Above This Elevation
 NA = Not Analyzed
 * GRO And DRO Laboratory Results Reported in PPM
 All Other Laboratory Results Reported in PPB



GEOLOGIC LEGEND

- (A) - SILTY, MEDIUM, BROWN SAND (USCS-SM)
- (B) - BLACK SILT (USCS-ML)
- (C) - MEDIUM, BROWN SAND (USCS-SN)

GROUNDWATER ELEVATIONS BASED ON AUGUST 20, 2002 DATA

Cedar corporation

604 Wilson Avenue
Menomonie, Wisconsin 54751

715-235-9081
800-472-7172
FAX 715-235-2727
www.cedarcorp.com

WISCONSIN DNR
 NATIONAL AUTO WRECKING
 LA CROSSE, WISCONSIN

CROSS SECTION B-B'
FIGURE 7

Drawn By	PKF	Plans Checked	RJY
Drawing File	W021s1te.dwg	Job Number	W2525-021

N:\PROJ\W2525021\fig7\W021s1te.dwg 11/14/2002 12:07:20 PM CST