

From: Brian Youngwirth <byoungwirth@generalengineering.net>
Sent: Wednesday, August 14, 2019 2:09 PM
To: Krueger, Sarah E - DNR
Subject: Susie's Restaurant Vapor and Water Testing Tables and Analytical
Attachments: Groundwater Analytical Table.pdf; Vapor Testing.pdf; Vapor VP6 8.6.19.pdf; COC Vapor VP6 8.6.19.pdf; Vapor 8.7.19.pdf; COC Vapor 8.7.19.pdf; GW MWS 8.6.19.pdf; COC GW MWS 8.6.19.pdf; GW Sump 8.7.19.pdf; COC GW Sump 8.7.19.pdf

Sarah, attached please find tables for all of the vapor testing and water testing performed for the Susie's site. Also attached, please find all of the analytical results with the exception of the ones I previously sent to you. Please let me know if you have any questions about anything.

Thank you,

Brian Youngwirth
Environmental Project Manager | General Engineering Company
916 Silver Lake Drive | PO Box 340 | Portage, WI 53901
P 608-742-2169 | Fax 608-742-2592 | C 608-697-8010
byoungwirth@generalengineering.net
www.generalengineering.net

GENERAL ENGINEERING COMPANY ELECTRONIC FILE NOTICE AND DISCLAIMER

This email and any electronic media transmitted with it are provided solely for the use of the addressee. Data, plans, specifications, reports, documents, and other information recorded on or transmitted as electronic media are subject to undetectable alteration, either intentional or unintentional, due to, among other causes, transmission, conversion, media degradation, software error, or human alteration. Accordingly, all such documents recorded on or transmitted as electronic media are being provided to the addressee for informational purposes only, and not as an end product or as a record document. Any reliance on documents recorded on or transmitted as electronic media is deemed to be unreasonable and unenforceable. The hard copy drawing(s) or other original document(s) produced by GENERAL ENGINEERING COMPANY are the only true contract documents of record. Documents recorded on or transmitted as electronic media may not be used on other projects, other additions to this project, or by third parties without the express written permission of GENERAL ENGINEERING COMPANY. Any unauthorized modification or reuse of the transmitted electronic media shall be at addressee's sole risk, and addressee agrees to defend, indemnify, and hold GENERAL ENGINEERING COMPANY harmless for all claims, injuries, damages, losses, expenses and attorneys' fees arising out of the unauthorized modification or use of such electronic media.

The addressee understands that the use of any project related electronic media constitutes acceptance of the above conditions.

If you have received this email in error please notify the system manager. Finally, the recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email.

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
_____ Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: _____
Sampler: (signature) *Brian Young*
Project (Name / Location): *Susie's Restaurant / Manitowish*
Reports To: *Brian Young* Invoice To: _____
Company: *CFC* Company: _____
Address: *916 Silver Lake Drive* Address: _____
City State Zip: *Portage WI 53901* City State Zip: _____
Phone: *608 697 8010* Phone: _____
FAX: _____ FAX: _____

| Analysis Requested | | | | | | | | | | Other Analysis | | | | |
|----------------------|----------------------|------|-----------------|--------------|----------------|-----|-----------------|--------------------|---------|------------------------|--------------------|----------------|---------------|---------|
| DRO (Mod DRO Sep 96) | GRO (Mod GRO Sep 96) | LEAD | NITRATE/NITRITE | OIL & GREASE | PAH (EPA 8270) | PCB | PVOC (EPA 8021) | PVOC + NAPHTHALENE | SULFATE | TOTAL SUSPENDED SOLIDS | VOC DW (EPA 524.2) | VOC (EPA 8260) | 8-PCRA METALS | PID/FID |

| Lab I.D. | Sample I.D. | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix)* | Preservation | DRO | GRO | LEAD | NITRATE/NITRITE | OIL & GREASE | PAH | PCB | PVOC | PVOC + NAPHTHALENE | SULFATE | TOTAL SUSPENDED SOLIDS | VOC DW | VOC | 8-PCRA METALS | PID/FID | |
|-----------------|-------------|-----------------|----------------|------|------|--------------|-------------------|-----------------------|--------------|-----|-----|------|-----------------|--------------|-----|-----|------|--------------------|---------|------------------------|--------|-----|---------------|---------|--|
| <i>5030596A</i> | <i>VP-1</i> | <i>8/7/19</i> | <i>7:31 AM</i> | | | | <i>1</i> | <i>Air</i> | | | | | | | | | | | | | | | | | |
| <i>B</i> | <i>VP-2</i> | | <i>7:54 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>C</i> | <i>VP-3</i> | | <i>8:45 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>D</i> | <i>VP-4</i> | | <i>9:11 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>E</i> | <i>VP-5</i> | | <i>9:18 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>F</i> | <i>IA-1</i> | <i>8/7-8/19</i> | <i>7:28 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>G</i> | <i>IA-2</i> | | <i>7:16 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>H</i> | <i>IA-3</i> | | <i>4:15 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>I</i> | <i>IA-4</i> | | <i>4:26 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>J</i> | <i>IA-5</i> | | <i>4:29 AM</i> | | | | | | | | | | | | | | | | | | | | | | |
| <i>K</i> | <i>OA-1</i> | | <i>4:45 AM</i> | | | | | | | | | | | | | | | | | | | | | | |

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Quick turn 24 hours VP-2, IA-3, IA-4, IA-5, OA-1

Sample Integrity - To be completed by receiving lab.
Method of Shipment: _____
Temp. of Temp. Blank _____ °C On Ice: _____
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *Brian Young* Time _____ Date _____
Received By: (sign) _____ Time _____ Date _____
Received in Laboratory By: *Mark Berg* Time: *8/8/19* Date: *8:30*

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around _____

Lab I.D. # _____
Account No. : _____ Quote No. : _____
Project #: _____
Sampler: (signature) *B. J.*

Project (Name / Location): *Susie's Restaurant*
Reports To: *Brian Young* Invoice To: _____
Company: *GEC* Company: _____
Address: *916 Silver Lake Dr* Address: *C/O GEC*
City State Zip: *Portage WI 53901* City State Zip: _____
Phone: *608 697 8010* Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

| Lab I.D. | Sample I.D. | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix)* | Preservation | DRO (Mod DRO Sep 95) | GRO (Mod GRO Sep 96) | LEAD | NITRATE/NITRITE | OIL & GREASE | PAH (EPA 8270) | PCB | PVOC (EPA 8021) | PVOC + NAPHTHALENE | SULFATE | TOTAL SUSPENDED SOLIDS | VOC DW (EPA 524.2) | VOC (EPA 8260) | 8-PCRA METALS | PID/ FID | | |
|-----------------|-------------|-----------------|-----------|------|-------------|--------------|-------------------|-----------------------|--------------|----------------------|----------------------|------|-----------------|--------------|----------------|-----|-----------------|--------------------|---------|------------------------|--------------------|----------------|---------------|-------------------|--|--|
| <i>S030588A</i> | <i>VP-6</i> | <i>8/6/19</i> | <i>AM</i> | | <i>></i> | <i>N</i> | <i>1</i> | <i>Air</i> | | | | | | | | | | | | | | | | <i>XG VOC 40x</i> | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Client*
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time: *11:03 am* Date: *8/6/19*
Received By: (sign) *[Signature]* Time: *11:03* Date: *8-6-19*

TABLE 1
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
SUSIE'S RESTAURANT
GEC PROJECT #2-0519-258

| Monitoring Well | NR 140 | | MW-1 | | MW-2 | | BASEMENT SUMP AT GOLDEN FLAME RESTAURANT-2604 CUSTER |
|---|--------|------|-----------|----------|-----------|----------|--|
| | ES | PAL | 7/17/2019 | 8/6/2019 | 7/17/2019 | 8/6/2019 | |
| Sampling Date | ES | PAL | 7/17/2019 | 8/6/2019 | 7/17/2019 | 8/6/2019 | 8/7/2019 |
| <i>VOLATILE ORGANIC COMPOUNDS (VOC) (µg/L)</i> | | | | | | | |
| Benzene | 5 | 0.5 | <0.22 | <0.22 | <0.22 | <0.22 | <0.22 |
| 1,2 Dichloroethane | 5 | 0.5 | <0.25 | <0.25 | <0.25 | <0.25 | <0.25 |
| cis 1,2 Dichloroethene | 70 | 7 | <0.37 | <0.37 | <0.37 | <0.37 | 23.5 |
| trans 1,2 Dichloroethene | 100 | 20 | <0.34 | <0.34 | <0.34 | <0.34 | 3.4 |
| Ethylbenzene | 700 | 140 | <0.26 | <0.26 | <0.26 | <0.26 | <0.26 |
| p-Isopropyltoluene | NE | NE | <0.24 | <0.24 | <0.24 | <0.24 | 0.31J |
| Methyl tert-butyl ether | 60 | 12 | <0.28 | <0.28 | <0.28 | <0.28 | <0.28 |
| Tetrachloroethene | 5 | 0.5 | <0.38 | <0.38 | <0.38 | <0.38 | <0.38 |
| Toluene | 800 | 160 | <0.19 | <0.19 | <0.19 | <0.19 | 1.94 |
| Trichloroethene | 5 | 0.5 | <0.3 | <0.3 | <0.3 | <0.3 | 5.3 |
| 1,2,4-Trimethylbenzene | 480 | 96 | <0.8 | <0.8 | <0.8 | <0.8 | <0.8 |
| 1,3,5-Trimethylbenzene | | | <0.63 | <0.63 | <0.63 | <0.63 | <0.63 |
| Vinyl Chloride | 0.2 | 0.02 | <0.2 | <0.2 | <0.2 | <0.2 | 0.2J |
| Xylenes, o | 2000 | 400 | <0.43 | <0.43 | <0.43 | <0.43 | <0.43 |
| Xylenes, -m, -p | | | <0.29 | <0.29 | <0.29 | <0.29 | <0.29 |

NE = NR 140 ES not established

J = Analyte detected above laboratory limit of detection but below limit of quantitation.

Italics indicated analytical results above NR 140 PAL

Bold indicates analytical results above NR 140 ES

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN YOUNGWIRTH
GENERAL ENGINEERING
916 SILVER LAKE DRIVE
PORTAGE, WI 53901

Report Date 13-Aug-19

Project Name SUSIES RESTAURANT
Project #

Invoice # E36589

Lab Code 5036589A
Sample ID MW-1
Sample Matrix Water
Sample Date 8/6/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|-----------------------------|--------|------|------|------|-----|--------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| VOC's | | | | | | | | | | |
| Benzene | < 0.22 | ug/l | 0.22 | 0.71 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromobenzene | < 0.44 | ug/l | 0.44 | 1.38 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromodichloromethane | < 0.33 | ug/l | 0.33 | 1.06 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromoform | < 0.45 | ug/l | 0.45 | 1.44 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| tert-Butylbenzene | < 0.25 | ug/l | 0.25 | 0.8 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| sec-Butylbenzene | < 0.79 | ug/l | 0.79 | 2.53 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| n-Butylbenzene | < 0.71 | ug/l | 0.71 | 2.25 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Carbon Tetrachloride | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chlorobenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloroethane | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloroform | < 0.26 | ug/l | 0.26 | 0.82 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloromethane | < 0.54 | ug/l | 0.54 | 1.72 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 2-Chlorotoluene | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 4-Chlorotoluene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 2.96 | ug/l | 2.96 | 9.43 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Dibromochloromethane | < 0.22 | ug/l | 0.22 | 0.69 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,4-Dichlorobenzene | < 0.7 | ug/l | 0.7 | 2.22 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3-Dichlorobenzene | < 0.85 | ug/l | 0.85 | 2.7 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dichlorobenzene | < 0.86 | ug/l | 0.86 | 2.74 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Dichlorodifluoromethane | < 0.32 | ug/l | 0.32 | 1.02 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dichloroethane | < 0.25 | ug/l | 0.25 | 0.78 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.36 | ug/l | 0.36 | 1.14 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.42 | ug/l | 0.42 | 1.34 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.37 | ug/l | 0.37 | 1.16 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.34 | ug/l | 0.34 | 1.07 | 1 | 8260B | | 8/10/2019 | CJR | 1 |

Project Name SUSIES RESTAURANT
Project #

Invoice # E36589

Lab Code 5036589A
Sample ID MW-1
Sample Matrix Water
Sample Date 8/6/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|---------------|-------------|------------|------------|------------|---------------|-----------------|-----------------|----------------|-------------|
| 1,2-Dichloropropane | < 0.44 | ug/l | 0.44 | 1.39 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3-Dichloropropane | < 0.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| trans-1,3-Dichloropropene | < 0.32 | ug/l | 0.32 | 1.01 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| cis-1,3-Dichloropropene | < 0.26 | ug/l | 0.26 | 0.81 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Di-isopropyl ether | < 0.21 | ug/l | 0.21 | 0.66 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 0.34 | ug/l | 0.34 | 1.09 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Ethylbenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Hexachlorobutadiene | < 1.34 | ug/l | 1.34 | 4.28 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Isopropylbenzene | < 0.78 | ug/l | 0.78 | 2.47 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| p-Isopropyltoluene | < 0.24 | ug/l | 0.24 | 0.76 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Methylene chloride | < 1.32 | ug/l | 1.32 | 4.21 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.28 | ug/l | 0.28 | 0.89 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Naphthalene | < 2.1 | ug/l | 2.1 | 6.65 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| n-Propylbenzene | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 0.35 | ug/l | 0.35 | 1.13 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Tetrachloroethene | < 0.38 | ug/l | 0.38 | 1.21 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Toluene | < 0.19 | ug/l | 0.19 | 0.6 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 1.15 | ug/l | 1.15 | 3.67 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 1.71 | ug/l | 1.71 | 5.43 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.33 | ug/l | 0.33 | 1.05 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,2-Trichloroethane | < 0.42 | ug/l | 0.42 | 1.32 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Trichlorofluoromethane | < 0.35 | ug/l | 0.35 | 1.1 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.8 | ug/l | 0.8 | 2.55 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.63 | ug/l | 0.63 | 2 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Vinyl Chloride | < 0.2 | ug/l | 0.2 | 0.65 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| m&p-Xylene | < 0.43 | ug/l | 0.43 | 1.38 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| o-Xylene | < 0.29 | ug/l | 0.29 | 0.93 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - Dibromofluoromethane | 104 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - 1,2-Dichloroethane-d4 | 104 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - 4-Bromofluorobenzene | 90 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - Toluene-d8 | 97 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |

Lab Code 5036589B
Sample ID MW-2
Sample Matrix Water
Sample Date 8/6/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|--------|------|------|------|-----|--------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| VOC's | | | | | | | | | | |
| Benzene | < 0.22 | ug/l | 0.22 | 0.71 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromobenzene | < 0.44 | ug/l | 0.44 | 1.38 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromodichloromethane | < 0.33 | ug/l | 0.33 | 1.06 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Bromoform | < 0.45 | ug/l | 0.45 | 1.44 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| tert-Butylbenzene | < 0.25 | ug/l | 0.25 | 0.8 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| sec-Butylbenzene | < 0.79 | ug/l | 0.79 | 2.53 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| n-Butylbenzene | < 0.71 | ug/l | 0.71 | 2.25 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Carbon Tetrachloride | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chlorobenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloroethane | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloroform | < 0.26 | ug/l | 0.26 | 0.82 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Chloromethane | < 0.54 | ug/l | 0.54 | 1.72 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 2-Chlorotoluene | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 4-Chlorotoluene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 2.96 | ug/l | 2.96 | 9.43 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Dibromochloromethane | < 0.22 | ug/l | 0.22 | 0.69 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,4-Dichlorobenzene | < 0.7 | ug/l | 0.7 | 2.22 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3-Dichlorobenzene | < 0.85 | ug/l | 0.85 | 2.7 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dichlorobenzene | < 0.86 | ug/l | 0.86 | 2.74 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Dichlorodifluoromethane | < 0.32 | ug/l | 0.32 | 1.02 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dichloroethane | < 0.25 | ug/l | 0.25 | 0.78 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.36 | ug/l | 0.36 | 1.14 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.42 | ug/l | 0.42 | 1.34 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.37 | ug/l | 0.37 | 1.16 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.34 | ug/l | 0.34 | 1.07 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2-Dichloropropane | < 0.44 | ug/l | 0.44 | 1.39 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3-Dichloropropane | < 0.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| trans-1,3-Dichloropropene | < 0.32 | ug/l | 0.32 | 1.01 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| cis-1,3-Dichloropropene | < 0.26 | ug/l | 0.26 | 0.81 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Di-isopropyl ether | < 0.21 | ug/l | 0.21 | 0.66 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 0.34 | ug/l | 0.34 | 1.09 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Ethylbenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Hexachlorobutadiene | < 1.34 | ug/l | 1.34 | 4.28 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Isopropylbenzene | < 0.78 | ug/l | 0.78 | 2.47 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| p-Isopropyltoluene | < 0.24 | ug/l | 0.24 | 0.76 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Methylene chloride | < 1.32 | ug/l | 1.32 | 4.21 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.28 | ug/l | 0.28 | 0.89 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Naphthalene | < 2.1 | ug/l | 2.1 | 6.65 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| n-Propylbenzene | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 0.35 | ug/l | 0.35 | 1.13 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Tetrachloroethene | < 0.38 | ug/l | 0.38 | 1.21 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Toluene | < 0.19 | ug/l | 0.19 | 0.6 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 1.15 | ug/l | 1.15 | 3.67 | 1 | 8260B | | 8/10/2019 | CJR | 1 |

Lab Code 5036589B
Sample ID MW-2
Sample Matrix Water
Sample Date 8/6/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|-----------------------------|--------|-------|------|------|-----|--------|----------|-----------|---------|------|
| 1,2,3-Trichlorobenzene | < 1.71 | ug/l | 1.71 | 5.43 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.33 | ug/l | 0.33 | 1.05 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,1,2-Trichloroethane | < 0.42 | ug/l | 0.42 | 1.32 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Trichlorofluoromethane | < 0.35 | ug/l | 0.35 | 1.1 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.8 | ug/l | 0.8 | 2.55 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.63 | ug/l | 0.63 | 2 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| Vinyl Chloride | < 0.2 | ug/l | 0.2 | 0.65 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| m&p-Xylene | < 0.43 | ug/l | 0.43 | 1.38 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| o-Xylene | < 0.29 | ug/l | 0.29 | 0.93 | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - Toluene-d8 | 101 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - 1,2-Dichloroethane-d4 | 96 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - 4-Bromofluorobenzene | 88 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |
| SUR - Dibromofluoromethane | 101 | REC % | | | 1 | 8260B | | 8/10/2019 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN YOUNGWIRTH
GENERAL ENGINEERING
916 SILVER LAKE DRIVE
PORTAGE, WI 53901

Report Date 13-Aug-19

Project Name SUSIES RESTAURANT
Project #

Invoice # E36597

Lab Code 5036597A
Sample ID RESTAURANT SUMP
Sample Matrix Water
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|-----------------------------|--------|------|------|------|-----|--------|----------|-----------|---------|------|
| Organic | | | | | | | | | | |
| VOC's | | | | | | | | | | |
| Benzene | < 0.22 | ug/l | 0.22 | 0.71 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Bromobenzene | < 0.44 | ug/l | 0.44 | 1.38 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Bromodichloromethane | < 0.33 | ug/l | 0.33 | 1.06 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Bromoform | < 0.45 | ug/l | 0.45 | 1.44 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| tert-Butylbenzene | < 0.25 | ug/l | 0.25 | 0.8 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| sec-Butylbenzene | < 0.79 | ug/l | 0.79 | 2.53 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| n-Butylbenzene | < 0.71 | ug/l | 0.71 | 2.25 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Carbon Tetrachloride | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Chlorobenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Chloroethane | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Chloroform | < 0.26 | ug/l | 0.26 | 0.82 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Chloromethane | < 0.54 | ug/l | 0.54 | 1.72 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 2-Chlorotoluene | < 0.31 | ug/l | 0.31 | 0.98 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 4-Chlorotoluene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 2.96 | ug/l | 2.96 | 9.43 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Dibromochloromethane | < 0.22 | ug/l | 0.22 | 0.69 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,4-Dichlorobenzene | < 0.7 | ug/l | 0.7 | 2.22 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,3-Dichlorobenzene | < 0.85 | ug/l | 0.85 | 2.7 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2-Dichlorobenzene | < 0.86 | ug/l | 0.86 | 2.74 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Dichlorodifluoromethane | < 0.32 | ug/l | 0.32 | 1.02 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2-Dichloroethane | < 0.25 | ug/l | 0.25 | 0.78 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.36 | ug/l | 0.36 | 1.14 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.42 | ug/l | 0.42 | 1.34 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | 23.5 | ug/l | 0.37 | 1.16 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | 3.4 | ug/l | 0.34 | 1.07 | 1 | 8260B | | 8/13/2019 | CJR | 1 |

Lab Code 5036597A
Sample ID RESTAURANT SUMP
Sample Matrix Water
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------------|----------|-------|------|------|-----|--------|----------|-----------|---------|------|
| 1,2-Dichloropropane | < 0.44 | ug/l | 0.44 | 1.39 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,3-Dichloropropane | < 0.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| trans-1,3-Dichloropropene | < 0.32 | ug/l | 0.32 | 1.01 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| cis-1,3-Dichloropropene | < 0.26 | ug/l | 0.26 | 0.81 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Di-isopropyl ether | < 0.21 | ug/l | 0.21 | 0.66 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 0.34 | ug/l | 0.34 | 1.09 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Ethylbenzene | < 0.26 | ug/l | 0.26 | 0.83 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Hexachlorobutadiene | < 1.34 | ug/l | 1.34 | 4.28 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Isopropylbenzene | < 0.78 | ug/l | 0.78 | 2.47 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| p-Isopropyltoluene | 0.31 "J" | ug/l | 0.24 | 0.76 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Methylene chloride | < 1.32 | ug/l | 1.32 | 4.21 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.28 | ug/l | 0.28 | 0.89 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Naphthalene | < 2.1 | ug/l | 2.1 | 6.65 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| n-Propylbenzene | < 0.61 | ug/l | 0.61 | 1.95 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 0.35 | ug/l | 0.35 | 1.13 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Tetrachloroethene | < 0.38 | ug/l | 0.38 | 1.21 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Toluene | 1.94 | ug/l | 0.19 | 0.6 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 1.15 | ug/l | 1.15 | 3.67 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 1.71 | ug/l | 1.71 | 5.43 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.33 | ug/l | 0.33 | 1.05 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,1,2-Trichloroethane | < 0.42 | ug/l | 0.42 | 1.32 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Trichloroethene (TCE) | 5.3 | ug/l | 0.3 | 0.94 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Trichlorofluoromethane | < 0.35 | ug/l | 0.35 | 1.1 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.8 | ug/l | 0.8 | 2.55 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 0.63 | ug/l | 0.63 | 2 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| Vinyl Chloride | 0.2 "J" | ug/l | 0.2 | 0.65 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| m&p-Xylene | < 0.43 | ug/l | 0.43 | 1.38 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| o-Xylene | < 0.29 | ug/l | 0.29 | 0.93 | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| SUR - Toluene-d8 | 93 | REC % | | | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| SUR - 1,2-Dichloroethane-d4 | 96 | REC % | | | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| SUR - 4-Bromofluorobenzene | 88 | REC % | | | 1 | 8260B | | 8/13/2019 | CJR | 1 |
| SUR - Dibromofluoromethane | 111 | REC % | | | 1 | 8260B | | 8/13/2019 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael J. [unclear]", is written over a horizontal line.

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN YOUNGWIRTH
GENERAL ENGINEERING
916 SILVER LAKE DRIVE
PORTAGE, WI 53901

Report Date 14-Aug-19

Project Name SUSIES RESTAURANT
Project #

Invoice # E36596

Lab Code 5036596A
Sample ID VP-1
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|----------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Tetrachloroethene | 1.15 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | 0.65 "J" | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Trichloroethene (TCE) | 3.6 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Vinyl Chloride | 0.36 "J" | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |

Project Name SUSIES RESTAURANT
Project #

Invoice # E36596

Lab Code 5036596B
Sample ID VP-2
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|--------|-------|------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 2.4 | ug/m3 | 2.4 | 7.63 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 1.87 | ug/m3 | 1.87 | 5.96 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | 17 | ug/m3 | 2.1 | 6.68 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | 2280 | ug/m3 | 3.94 | 12.52 | 20 | TO-15 | | 8/9/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | 212 | ug/m3 | 2.31 | 7.34 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | 141 | ug/m3 | 2.78 | 8.84 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 2.49 | ug/m3 | 2.49 | 7.93 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | 1430 | ug/m3 | 2.37 | 7.54 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | 5.4 | ug/m3 | 1.48 | 4.72 | 10 | TO-15 | | 8/8/2019 | CJR | 1 |

Lab Code 5036596C
Sample ID VP-3
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Tetrachloroethene | 3.9 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |

Lab Code 5036596D
Sample ID VP-4
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Tetrachloroethene | 105 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | 1.25 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Trichloroethene (TCE) | 2.09 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |

Project Name SUSIES RESTAURANT
Project #

Invoice # E36596

Lab Code 5036596E
Sample ID VP-5
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Tetrachloroethene | 24.4 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/9/2019 | CJR | 1 |

Lab Code 5036596F
Sample ID IA-1
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | < 0.278 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

Lab Code 5036596G
Sample ID IA-2
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | < 0.278 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

Project Name SUSIES RESTAURANT
Project #

Invoice # E36596

Lab Code 5036596H
Sample ID IA-3
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|----------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | 1.25 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | 5.5 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | 1.03 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | 1.02 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | 4.0 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | 0.23 "J" | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

Lab Code 5036596I
Sample ID IA-4
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | < 0.278 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

Lab Code 5036596J
Sample ID IA-5
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | < 0.278 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

Project Name SUSIES RESTAURANT
Project #

Invoice # E36596

Lab Code 5036596K
Sample ID OA-1
Sample Matrix Air
Sample Date 8/7/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|----------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | 0.44 "J" | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Tetrachloroethene | < 0.278 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/8/2019 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

**TABLE 2
SUMMARY OF SUB-SLAB/AMBIENT VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258**

| TABLE 1 REGIONAL SCREENING LEVEL SUMMARY | | | | | | | | |
|---|-------------------------------|--------------------------------------|--|----------|--|----------|---|----------|
| Sample No. | Residential Indoor Air VAL | Residential Sub-Slab Vapor VAL | VP-1 RESIDENCE AT 2614 CUSTER (SUB- SLAB BASEMENT-1 HOUR) | | IA-1 RESIDENCE AT 2614 CUSTER (INDOOR AIR BASEMENT-24 HOUR) | | IA-2 RESIDENCE AT 2614 CUSTER (INDOOR AIR 1ST FLOOR LIVING ROOM- 24 HOUR) | |
| | | | 07/18/19 | 08/07/19 | 07/17/19 | 08/07/19 | 07/17/19 | 08/07/19 |
| Sampling Date | ug/m3 | ug/m3 | | | ug/m3 | | | |
| VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3) | | | | | | | | |
| Benzene | 3.6 | 120 | 8.4 | NA | 0.96 | NA | 0.57 | NA |
| Carbon Tetrachloride | 4.7 | 160 | <0.307 | NA | 0.44J | NA | 0.5J | NA |
| Chloroform | 1.2 | 40 | 0.63J | NA | 0.44J | NA | 3.9 | NA |
| Chloromethane | 94 | 3100 | <0.831 | NA | 1.3J | NA | 1.73J | NA |
| Dichlorodifluoromethane | 100 | 3300 | 3.02 | NA | 2.67 | NA | 2.62 | NA |
| 1,1 Dichloroethane | 18 | 600 | <0.187 | <0.187 | <0.187 | <0.187 | <0.187 | <0.187 |
| 1,2-Dichloroethane | 1.1 | 37 | <0.24 | <0.24 | <0.24 | <0.24 | <0.24 | <0.24 |
| 1,1 Dichloroethene | 210 | 7000 | <0.21 | <0.21 | <0.21 | <0.21 | <0.21 | <0.21 |
| 1,2 Dichloroethene Cis | NE | NE | 0.40J | <0.197 | <0.197 | <0.197 | <0.197 | <0.197 |
| 1,2 Dichloroethene Trans | NE | NE | 0.238J | <0.231 | <0.231 | <0.231 | <0.231 | <0.231 |
| Ethylbenzene | 11 | 370 | 8.5 | NA | 1 | NA | 0.78 | NA |
| Methyl-Tert_Butyl-Ether | 110 | 3700 | <0.16 | NA | <0.16 | NA | <0.16 | NA |
| Methylene Chloride | 630 | 21000 | <15 | NA | <15 | NA | <15 | NA |
| Naphthalene | 0.83 | 28 | 2.56 | NA | <0.675 | NA | 0.89J | NA |
| Tetrachloroethylene | 42 | 1400 | 8.5 | 1.15 | <0.278 | <0.278 | <0.278 | <0.278 |
| Toluene | 5200 | 170000 | 38 | NA | 2.22 | NA | 2.56 | NA |
| 1,1,1-Trichloroethane | 5200 | 17000 | 0.65J | 0.65J | <0.249 | <0.249 | <0.249 | <0.249 |
| Trichloroethylene | 2.1 | 70 | 5.5 | 3.6 | <0.237 | <0.237 | 0.37J | <0.237 |
| Trichlorofluoromethane | NE | NE | 1.24 | NA | 1.46 | NA | 2.47 | NA |
| 1,2,4-Trimethylbenzene | 63 | 2100 | 12.5 | NA | 1.52 | NA | 0.83J | NA |
| 1,3,5-Trimethylbenzene | 63 | 2100 | 3.09 | NA | 0.44J | NA | 0.245J | NA |
| Vinyl chloride | 1.7 | 57 | <0.148 | 0.36J | <0.148 | <0.148 | <0.148 | <0.148 |
| m&p-Xylene | 100 | 3300 | 23.8 | NA | 2.21 | NA | 1.78 | NA |
| o-Xylene | 100 | 3300 | 9.9 | NA | 0.43J | NA | 0.52J | NA |

UG/M³ = Micrograms per Cubic Meter of Air

Bold indicates analytical results exceed sub-slab screening level

NE= Not Established

TABLE 2
SUMMARY OF SUB-SLAB/AMBIENT VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258

TABLE 1 REGIONAL SCREENING LEVEL SUMMARY

| Sample No. | Small Commercial Sub-Slab Vapor VRSL | Small Commercial Indoor Air VAL | VP-2 GOLDEN FLAME RESTAURANT AT 2604 CUSTER (SUB-SLAB BASEMENT-1 HOUR) | | IA-3 GOLDEN FLAME RESTAURANT AT 2604 CUSTER (INDOOR AIR BASEMENT 8 HOUR) | | IA-4 GOLDEN FLAME RESTAURANT AT 2604 CUSTER (INDOOR AIR BATHROOM-8 HOUR) | | IA-5 GOLDEN FLAME RESTAURANT AT 2604 CUSTER (INDOOR AIR 1ST FLOOR 8 HOUR) | | OA-1 GOLDEN FLAME RESTAURANT AT 2604 CUSTER (OUTDOOR AIR-8 HOUR W/NW CORNER OF BUILDING) | |
|---|--------------------------------------|---------------------------------|--|-------------|--|--------|--|--------|---|--------|--|--------|
| | | | 07/18/19 | 08/07/19 | 08/07/19 | TBD | 08/07/19 | TBD | 08/07/19 | TBD | 08/07/19 | TBD |
| Sampling Date | ug/m3 | ug/m3 | ug/m3 | | | | | | | | | |
| VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3) | | | | | | | | | | | | |
| Benzene | 530 | 16 | 4J | NA | NA | NA | | NA | | NA | | NA |
| Carbon Tetrachloride | 670 | 20 | <7.675 | NA | NA | NA | | NA | | NA | | NA |
| Chloroform | 180 | 5.3 | <7.5 | NA | NA | NA | | NA | | NA | | NA |
| Chloromethane | 13000 | 390 | <20.775 | NA | NA | NA | | NA | | NA | | NA |
| Dichlorodifluoromethane | 15000 | 440 | <6.575 | NA | NA | NA | | NA | | NA | | NA |
| 1,1 Dichloroethane | 2600 | 77 | <4.675 | <1.87 | <0.187 | <0.187 | | <0.187 | | <0.187 | | <0.187 |
| 1,2-Dichloroethane | 160 | 4.7 | <6 | <2.4 | 1.25 | <0.24 | | <0.24 | | <0.24 | | <0.24 |
| 1,1 Dichloroethene | 29000 | 880 | <5.25 | 17 | <0.21 | <0.21 | | <0.21 | | <0.21 | | <0.21 |
| 1,2 Dichloroethene Cis | NE | NE | 2360 | 2280 | 5.5 | <0.197 | | <0.197 | | <0.197 | | 0.44J |
| 1,2 Dichloroethene Trans | NE | NE | 135 | 212 | 1.03 | <0.231 | | <0.231 | | <0.231 | | <0.231 |
| Ethylbenzene | 1600 | 49 | 7.6J | NA | NA | NA | | NA | | NA | | NA |
| Methyl-Tert Butyl-Ether | 16000 | 470 | <4 | NA | NA | NA | | NA | | NA | | NA |
| Methylene Chloride | 87000 | 2600 | <375 | NA | NA | NA | | NA | | NA | | NA |
| Naphthalene | 120 | 3.6 | <16.875 | NA | NA | NA | | NA | | NA | | NA |
| Tetrachloroethylene | 6000 | 180 | 117 | 141 | 1.02 | <0.278 | | <0.278 | | <0.278 | | <0.278 |
| Toluene | 730000 | 22000 | 24.5 | NA | NA | NA | | NA | | NA | | NA |
| 1,1,1-Trichloroethane | 730000 | 22000 | <6.225 | <2.49 | <0.249 | <0.249 | | <0.249 | | <0.249 | | <0.249 |
| Trichloroethylene | 290 | 8.8 | 1160 | 1430 | 4 | <0.237 | | <0.237 | | <0.237 | | <0.237 |
| Trichlorofluoromethane | NE | NE | <8.425 | NA | NA | NA | | NA | | NA | | NA |
| 1,2,4-Trimethylbenzene | 8700 | 260 | 13.5J | NA | NA | NA | | NA | | NA | | NA |
| 1,3,5-Trimethylbenzene | 8700 | 260 | <5.8 | NA | NA | NA | | NA | | NA | | NA |
| Vinyl chloride | 930 | 28 | 10.2J | 5.4 | 0.23J | <0.148 | | <0.148 | | <0.148 | | <0.148 |
| m&p-Xylene | 15000 | 440 | 19.5J | NA | NA | NA | | NA | | NA | | NA |
| o-Xylene | 15000 | 440 | 8.7J | NA | NA | NA | | NA | | NA | | NA |

UG/M³ Micrograms per Cubic Meter of Air
 Bold indicates analytical results exceed sub-slab screening level
 NE= Not Established

TABLE 2
SUMMARY OF SUB-SLAB VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258

| TABLE 1 REGIONAL SCREENING LEVEL SUMMARY | | | |
|--|---|---|----------|
| Sample No. | Small Commercial Sub-Slab Vapor VRSL | VP-3 DAVID'S HOUSE OF TRAVEL AT 1029 S. 26TH (SUB-SLAB BASEMENT 1 HOUR) | |
| Sampling Date | | 07/18/19 | 08/07/19 |
| | ug/m3 | ug/m3 | |
| <i>VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3)</i> | | | |
| Benzene | 530 | 3.6 | NA |
| Carbon Tetrachloride | 670 | <0.307 | NA |
| Chloroform | 180 | 0.54J | NA |
| Chloromethane | 13000 | <0.831 | NA |
| Dichlorodifluoromethane | 15000 | 6.9 | NA |
| 1,1 Dichloroethane | 2600 | <0.187 | <0.187 |
| 1,2-Dichloroethane | 160 | <0.24 | <0.24 |
| 1,1 Dichloroethene | 29000 | <0.21 | <0.21 |
| 1,2 Dichloroethene Cis | NE | <0.197 | <0.197 |
| 1,2 Dichloroethene Trans | NE | <0.231 | <0.231 |
| Ethylbenzene | 1600 | 7.8 | NA |
| Methyl-Tert_Butyl-Ether | 16000 | <0.16 | NA |
| Methylene Chloride | 87000 | <15 | NA |
| Naphthalene | 120 | 3.9 | NA |
| Tetrachloroethylene | 6000 | 1.97 | 3.9 |
| Toluene | 730000 | 53 | NA |
| 1,1,1-Trichloroethane | 730000 | <0.249 | <0.249 |
| Trichloroethylene | 290 | <0.237 | <0.237 |
| Trichlorofluoromethane | NE | 2.02 | NA |
| 1,2,4-Trimethylbenzene | 8700 | 11.9 | NA |
| 1,3,5-Trimethylbenzene | 8700 | 2.7 | NA |
| Vinyl chloride | 930 | 0.33J | <0.148 |
| m&p-Xylene | 15000 | 26.2 | NA |
| o-Xylene | 15000 | 10.5 | NA |

UG/M³- Micrograms per Cubic Meter of Air

Bold indicates analytical results exceed sub-slab screening level

NE= Not Established

TABLE 2
SUMMARY OF SUB-SLAB VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258

| TABLE 1 REGIONAL SCREENING LEVEL SUMMARY | | | |
|--|---|---|-----------------|
| Sample No. | Small Commercial Sub-Slab Vapor VRSL | VP-4 CUSTER STREET AUTOMOTIVE AT 1015 S. 26TH (SUB-SLAB 1ST FLOOR OF SHOP- 1 HOUR) | |
| Sampling Date | | 07/18/19 | 08/07/19 |
| | ug/m3 | ug/m3 | |
| <i>VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3)</i> | | | |
| Benzene | 530 | 14.5 | NA |
| Carbon Tetrachloride | 670 | <0.307 | NA |
| Chloroform | 180 | 0.34J | NA |
| Chloromethane | 13000 | <0.831 | NA |
| Dichlorodifluoromethane | 15000 | 4900 | NA |
| 1,1 Dichloroethane | 2600 | <0.187 | <0.187 |
| 1,2-Dichloroethane | 160 | <0.24 | <0.24 |
| 1,1 Dichloroethene | 29000 | <0.21 | <0.21 |
| 1,2 Dichloroethene Cis | NE | 3.01 | <0.197 |
| 1,2 Dichloroethene Trans | NE | <0.231 | <0.231 |
| Ethylbenzene | 1600 | 20.3 | NA |
| Methyl-Tert_Butyl-Ether | 16000 | <0.16 | NA |
| Methylene Chloride | 87000 | <15 | NA |
| Naphthalene | 120 | 15.7 | NA |
| Tetrachloroethylene | 6000 | 187 | 105 |
| Toluene | 730000 | 70 | NA |
| 1,1,1-Trichloroethane | 730000 | 1.14 | 1.25 |
| Trichloroethylene | 290 | 3.6 | 2.09 |
| Trichlorofluoromethane | NE | 1.46 | NA |
| 1,2,4-Trimethylbenzene | 8700 | 51 | NA |
| 1,3,5-Trimethylbenzene | 8700 | 12.3 | NA |
| Vinyl chloride | 930 | 0.49 | <0.148 |
| m&p-Xylene | 15000 | 66 | NA |
| o-Xylene | 15000 | 26.7 | NA |

UG/M³- Micrograms per Cubic Meter of Air

Bold indicates analytical results exceed sub-slab screening level

NE= Not Established

TABLE 2
SUMMARY OF SUB-SLAB VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258

| TABLE 1 REGIONAL SCREENING LEVEL SUMMARY | | | |
|--|---|--|-----------------|
| Sample No. | Small Commercial Sub-Slab Vapor VRSL | VP-5 SHOP AT 1025 S. 26TH (SUB-SLAB 1ST FLOOR OF SHOP-1 HOUR) | |
| Sampling Date | | 07/18/19 | 08/07/19 |
| | ug/m3 | | |
| <i>VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3)</i> | | | |
| Benzene | 530 | 13.7 | NA |
| Carbon Tetrachloride | 670 | <0.307 | NA |
| Chloroform | 180 | <0.3 | NA |
| Chloromethane | 13000 | <0.831 | NA |
| Dichlorodifluoromethane | 15000 | 4.5 | NA |
| 1,1 Dichloroethane | 2600 | <0.187 | <0.187 |
| 1,2-Dichloroethane | 160 | <0.24 | <0.24 |
| 1,1 Dichloroethene | 29000 | <0.21 | <0.21 |
| 1,2 Dichloroethene Cis | NE | <0.197 | <0.197 |
| 1,2 Dichloroethene Trans | NE | <0.231 | <0.231 |
| Ethylbenzene | 1600 | 18.9 | NA |
| Methyl-Tert_Butyl-Ether | 16000 | <0.16 | NA |
| Methylene Chloride | 87000 | <15 | NA |
| Naphthalene | 120 | 6.9 | NA |
| Tetrachloroethylene | 6000 | 33 | 24.4 |
| Toluene | 730000 | 71 | NA |
| 1,1,1-Trichloroethane | 730000 | <0.249 | <0.249 |
| Trichloroethylene | 290 | <0.237 | <0.237 |
| Trichlorofluoromethane | NE | 1.4 | NA |
| 1,2,4-Trimethylbenzene | 8700 | 43 | NA |
| 1,3,5-Trimethylbenzene | 8700 | 12 | NA |
| Vinyl chloride | 930 | 0.41J | <0.148 |
| m&p-Xylene | 15000 | 50 | NA |
| o-Xylene | 15000 | 21 | NA |

UG/M³- Micrograms per Cubic Meter of Air

Bold indicates analytical results exceed sub-slab screening level

NE= Not Established

TABLE 2
SUMMARY OF SUB-SLAB VAPOR ANALYTICAL RESULTS
SUSIE'S RESTAURANT
2-0519-258

| TABLE 1 REGIONAL SCREENING LEVEL SUMMARY | | | |
|--|---|--|-----|
| Sample No. | Small Commercial Sub-Slab Vapor VRSL | VP-6 AUTOWERKS AT 1037 S. 26TH (SUB-SLAB 1ST FLOOR OF SHOP-1 HOUR) | |
| Sampling Date | | 08/06/19 | TBD |
| | ug/m3 | ug/m3 | |
| <i>VOLATILE ORGANIC COMPOUNDS (VOC) (ug/m3)</i> | | | |
| 1,1 Dichloroethane | 2600 | <0.187 | |
| 1,2-Dichloroethane | 160 | <0.24 | |
| 1,1 Dichloroethene | 29000 | <0.21 | |
| 1,2 Dichloroethene Cis | NE | <0.197 | |
| 1,2 Dichloroethene Trans | NE | <0.231 | |
| Tetrachloroethylene | 6000 | 9.6 | |
| 1,1,1-Trichloroethane | 730000 | <0.249 | |
| Trichloroethylene | 290 | <0.237 | |
| Vinyl chloride | 930 | <0.148 | |

UG/M³ - Micrograms per Cubic Meter of Air

Bold indicates analytical results exceed sub-slab screening level

NE= Not Established

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN YOUNGWIRTH
GENERAL ENGINEERING
916 SILVER LAKE DRIVE
PORTAGE, WI 53901

Report Date 12-Aug-19

Project Name SUSIES RESTAURANT
Project #

Invoice # E36588

Lab Code 5036588A
Sample ID VP-6
Sample Matrix Air
Sample Date 8/6/2019

| | Result | Unit | LOD | LOQ | Dil | Method | Ext Date | Run Date | Analyst | Code |
|--------------------------|---------|-------|-------|-------|-----|--------|----------|----------|---------|------|
| Organic | | | | | | | | | | |
| Air Samples | | | | | | | | | | |
| 1,2-Dichloroethane | < 0.24 | ug/m3 | 0.24 | 0.763 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| 1,1-Dichloroethane | < 0.187 | ug/m3 | 0.187 | 0.596 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| 1,1-Dichloroethene | < 0.21 | ug/m3 | 0.21 | 0.668 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.197 | ug/m3 | 0.197 | 0.626 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| trans-1,2-Dichloroethene | < 0.231 | ug/m3 | 0.231 | 0.734 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| Tetrachloroethene | 9.6 | ug/m3 | 0.278 | 0.884 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.249 | ug/m3 | 0.249 | 0.793 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| Trichloroethene (TCE) | < 0.237 | ug/m3 | 0.237 | 0.754 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |
| Vinyl Chloride | < 0.148 | ug/m3 | 0.148 | 0.472 | 1 | TO-15 | | 8/7/2019 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature