

put on BRRTS
(99)
9/8/14

Richard, Philip E - DNR

From: Ree, Timothy <tree@craworld.com>
Sent: Thursday, September 18, 2014 9:30 AM
To: Richard, Philip E - DNR
Cc: Frehner, Ron; Storlie, Pete
Subject: Penta Wood - WPDES Compliance Sampling 9/9/2014 ~COR-086165~
Attachments: Lab Report-240-41684-1-086165-01-07-2014-09-17.pdf

Phil,

Please find attached a copy of the laboratory report for the WPDES compliance samples collected at the Penta Wood site on 9/9/2014. The data indicates the system is treating and discharging water in accordance with the permit requirements.

Regards,

Tim Ree
Conestoga-Rovers & Associates (CRA)
1801 Old Highway 8 NW, Suite 114
St Paul, MN 55112

Phone: 651.639.0913
Direct: 651.639-0439 (ext. 338)
Cell: 651.592.7697
Fax: 651.639.0923
Email: tree@CRAworld.com
www.CRAworld.com

Think before you print 
Perform every task the safe way, the right way, every time!

This communication and any accompanying document(s) are confidential and are intended for the sole use of the addressee. If you are not the intended recipient, please notify me at the telephone number shown above or by return e-mail and delete this e-mail and any copies. You are advised that any disclosure, copying, distribution, or the taking of any action in reliance upon the communication without consent is strictly prohibited. Thank you.

CRA and GHD have merged! To learn more, visit www.CRAworld.com/ghd

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Canton
4101 Shuffel Street NW
North Canton, OH 44720
Tel: (330)497-9396

TestAmerica Job ID: 240-41684-1
Client Project/Site: 86165, Penta Woods

For:
Conestoga-Rovers & Associates, Inc.
1801 Old Highway 8 NW
Suite 114
St. Paul, Minnesota 55112

Attn: Mr. Grant Anderson



Authorized for release by:
9/17/2014 4:30:32 PM

Denise Heckler, Project Manager II
(330)966-9477
denise.heckler@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?

 **Ask
The
Expert**

Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Detection Summary	7
Client Sample Results	8
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Chain of Custody	14
Receipt Checklists	17



Definitions/Glossary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Job ID: 240-41684-1

Laboratory: TestAmerica Canton

Narrative

CASE NARRATIVE

Client: Conestoga-Rovers & Associates, Inc.

Project: 86165, Penta Woods

Report Number: 240-41684-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 09/10/2014; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 5.0 C.

CHLORINATED HERBICIDES

Sample W-140909-PS-WE (240-41684-1) was analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 09/13/2014 and analyzed on 09/16/2014.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 117974.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Method Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Method	Method Description	Protocol	Laboratory
8151A	Herbicides (GC)	SW846	TAL PIT

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL PIT = TestAmerica Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058



Sample Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-41684-1	W-140909-PS-WE	Water	09/09/14 09:15	09/10/14 09:30



Detection Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Client Sample ID: W-140909-PS-WE

Lab Sample ID: 240-41684-1

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

TestAmerica Canton

Client Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Client Sample ID: W-140909-PS-WE

Lab Sample ID: 240-41684-1

Date Collected: 09/09/14 09:15

Matrix: Water

Date Received: 09/10/14 09:30

Method: 8151A - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pentachlorophenol	0.095	U	0.095	0.015	ug/L		09/13/14 15:06	09/16/14 12:16	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	53		32 - 140				09/13/14 15:06	09/16/14 12:16	4



Surrogate Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Method: 8151A - Herbicides (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCPA1 (32-140)	DCPA2 (32-140)
240-41684-1	W-140909-PS-WE	53	50
LCS 180-117974/2-A	Lab Control Sample	102	99
LCSD 180-117974/3-A	Lab Control Sample Dup	100	100
MB 180-117974/1-A	Method Blank	72	72

Surrogate Legend

DCPA = 2,4-Dichlorophenylacetic acid



QC Sample Results

Client: Conestoga-Rovers & Associates, Inc.
 Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 180-117974/1-A						Client Sample ID: Method Blank			
Matrix: Water						Prep Type: Total/NA			
Analysis Batch: 118190						Prep Batch: 117974			
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pentachlorophenol	0.50	U	0.50	0.078	ug/L		09/13/14 15:06	09/16/14 11:56	20
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	72		32 - 140				09/13/14 15:06	09/16/14 11:56	20

Lab Sample ID: LCS 180-117974/2-A						Client Sample ID: Lab Control Sample			
Matrix: Water						Prep Type: Total/NA			
Analysis Batch: 118190						Prep Batch: 117974			
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Pentachlorophenol			2.00	2.73		ug/L		136	40 - 140
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
2,4-Dichlorophenylacetic acid	102		32 - 140						

Lab Sample ID: LCSD 180-117974/3-A						Client Sample ID: Lab Control Sample Dup					
Matrix: Water						Prep Type: Total/NA					
Analysis Batch: 118190						Prep Batch: 117974					
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD RPD	Limit
Pentachlorophenol			2.00	2.75		ug/L		138	40 - 140	1	30
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits								
2,4-Dichlorophenylacetic acid	100		32 - 140								

QC Association Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

GC Semi VOA

Prep Batch: 117974

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-41684-1	W-140909-PS-WE	Total/NA	Water	8151A	
LCS 180-117974/2-A	Lab Control Sample	Total/NA	Water	8151A	
LCSD 180-117974/3-A	Lab Control Sample Dup	Total/NA	Water	8151A	
MB 180-117974/1-A	Method Blank	Total/NA	Water	8151A	

Analysis Batch: 118190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-41684-1	W-140909-PS-WE	Total/NA	Water	8151A	117974
LCS 180-117974/2-A	Lab Control Sample	Total/NA	Water	8151A	117974
LCSD 180-117974/3-A	Lab Control Sample Dup	Total/NA	Water	8151A	117974
MB 180-117974/1-A	Method Blank	Total/NA	Water	8151A	117974



Lab Chronicle

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Client Sample ID: W-140909-PS-WE

Lab Sample ID: 240-41684-1

Date Collected: 09/09/14 09:15

Matrix: Water

Date Received: 09/10/14 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	8151A			117974	09/13/14 15:06	CBY	TAL PIT
Total/NA	Analysis	8151A		4	118190	09/16/14 12:16	JMO	TAL PIT

Laboratory References:

TAL PIT = TestAmerica Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058



Certification Summary

Client: Conestoga-Rovers & Associates, Inc.
Project/Site: 86165, Penta Woods

TestAmerica Job ID: 240-41684-1

Laboratory: TestAmerica Canton

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
California	NELAP	9	01144CA	06-30-14 *
California	State Program	9	2927	04-30-15
Connecticut	State Program	1	PH-0590	12-31-14
Florida	NELAP	4	E87225	06-30-15
Georgia	State Program	4	N/A	06-30-15
Illinois	NELAP	5	200004	07-31-15
Kansas	NELAP	7	E-10336	01-31-15
Kentucky (UST)	State Program	4	58	06-30-15
L-A-B	DoD ELAP		L2315	07-18-16
Minnesota	NELAP	5	039-999-348	12-31-14
Nevada	State Program	9	OH-000482008A	07-31-15
New Jersey	NELAP	2	OH001	06-30-15
New York	NELAP	2	10975	03-31-15
Ohio VAP	State Program	5	CL0024	10-31-15
Pennsylvania	NELAP	3	68-00340	08-31-15
Texas	NELAP	6		08-31-15
USDA	Federal		P330-13-00319	11-26-16
Virginia	NELAP	3	460175	09-14-15
Washington	State Program	10	C971	01-12-15
West Virginia DEP	State Program	3	210	12-31-14
Wisconsin	State Program	5	999518190	08-31-14 *

Laboratory: TestAmerica Pittsburgh

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0690	06-27-15
California	State Program	9	2891	03-31-15
Connecticut	State Program	1	PH-0688	09-30-14 *
Florida	NELAP	4	E871008	06-30-15
Illinois	NELAP	5	002602	06-30-15
Kansas	NELAP	7	E-10350	01-31-15
Louisiana	NELAP	6	04041	06-30-15
New Hampshire	NELAP	1	203011	04-04-15
New Jersey	NELAP	2	PA005	06-30-15
New York	NELAP	2	11182	03-31-15
North Carolina (WW/SW)	State Program	4	434	12-31-14
Pennsylvania	NELAP	3	02-00416	04-30-15
South Carolina	State Program	4	89014	04-30-15
Texas	NELAP	6	T104704528	03-31-15
US Fish & Wildlife	Federal		LE94312A-1	11-30-14
USDA	Federal		P330-10-00139	05-23-16
Utah	NELAP	8	STLP	05-31-15
Virginia	NELAP	3	460189	09-14-15
West Virginia DEP	State Program	3	142	01-31-15

* Certification renewal pending - certification considered valid.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

**CHAIN OF CUSTODY
AND
RECEIVING DOCUMENTS**



240-41684 Chain of Custody

TestAmerica Canton Sample Receipt Form/Narrative

Login # : 411084

Canton Facility

Client CAA

Site Name Pensacola

Cooler unpacked by:

Cooler Received on 9/10/14

Opened on 9/10/14

Handloway

FedEx: 1st Grd Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other

TestAmerica Cooler # _____ Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 4 (CF -2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 5 (CF 0 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 8 (CF 0 °C) Observed Cooler Temp. 5.0 °C Corrected Cooler Temp. 5.0 °C

See Multiple Cooler Form

2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 2

-Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were custody seals on the bottle(s)? Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Did all bottles arrive in good condition (Unbroken)? Yes No

7. Could all bottle labels be reconciled with the COC? Yes No

8. Were correct bottle(s) used for the test(s) indicated? Yes No

9. Sufficient quantity received to perform indicated analyses? Yes No

10. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC412469

11. Were VOAs on the COC? Yes No

12. Were air bubbles >6 mm in any VOA vials? Yes No NA

13. Was a trip blank present in the cooler(s)? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

[Signature]

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

Login Sample Receipt Checklist

Client: Conestoga-Rovers & Associates, Inc.

Job Number: 240-41684-1

Login Number: 41684

List Number: 2

Creator: Neri, Tom

List Source: TestAmerica Pittsburgh

List Creation: 09/11/14 05:52 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

