



March 18, 2016

Ms. Haillie Passow  
Wisconsin Department of Natural Resources  
1300 W. Clairemont Avenue  
Eau Claire, WI 54701

COPY

**Re: Dun-Rite Cleaners**  
1008 Union Street  
Stevens Point, Wisconsin  
WDNR BRRTS No. 02-50-000577

**Subject: Vapor Results**

Dear Ms. Passow:

The purpose of this letter is to summarize the results of soil vapor and ambient air samples collected at and near the above-referenced site in February 2016. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on **Figure 1**.

#### **Work Performed**

Vapor samples were collected from various locations inside Dun-Rite, the Guzman office building, and a neighboring residence (1100 Center Point Drive; the Residence). Four sub-slab vapor samples were taken: two from the Dun-Rite building, one from the Wildcard office, and one from the Residence basement. Three ambient air samples were taken: one each from United Way, Wildcard, and Attorney offices within the Guzman building.

A sample was also collected from the soil vapor extraction system blower discharge prior to the carbon canisters. The sample represents the overall quality of vapors extracted by the treatment system under the existing balance of the extraction wells.

An ambient air sample was not collected from the Residence due to equipment malfunction. No outdoor samples were taken.

The samples were submitted to a laboratory and analyzed for VOCs.

#### **Sample Results**

Vapor sample results are summarized on **Table 1**; sample locations are shown on **Figure 2**. Results for the most recent samples are included on the enclosed **laboratory report**.

### Ambient Air

The three indoor ambient air samples in the office building each had detections of PCE and TCE, but all concentrations were below non-residential Action Levels.

Note that the "Attorney" sample was collected from the storage room adjacent to the office because the space was in transition between tenants, and access was not available.

### Sub-Slab

The four sub-slab vapor samples each had detections of PCE and TCE, but only one location had a PCE concentration exceeding the Screening Level. The result from the Wildcard office was 9,940 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ) PCE; the non-residential Screening Level is 5,994  $\mu\text{g}/\text{m}^3$ .

At each sample location, recent sub-slab vapor PCE and TCE concentrations were lower than those measured in 2015. This decrease was especially pronounced at Dun-Rite (SSV101) and Wildcard (SSV406).

Note that a sub-slab sample was not collected from the "Attorney" location because access was not available.

### Blower Discharge

PCE and TCE concentrations from the blower discharge decreased to 641 and 7.9  $\mu\text{g}/\text{m}^3$ , respectively, since the last monitoring event (as shown in Table 1).

### **Going Forward**

A replacement ambient air sample will be collected from the Residence in the near future, concurrent with groundwater sampling in March or April 2016.

Vapor monitoring will continue on a semiannual basis to monitor the efficacy of the soil vapor extraction system at Dun-Rite and to evaluate the status of the subsurface vapors and ambient air. The next full vapor sampling event is scheduled for next September.

If you have any questions or would like to discuss the site, please contact me at 715.824.5969 or [pete.arntsen@sand-creek.com](mailto:pete.arntsen@sand-creek.com).

Sincerely,

**SAND CREEK CONSULTANTS, INC.**



Pete Arntsen, MS, PH  
Project Manager/Senior Hydrologist

Enclosures: Figures 1 and 2  
Table 1  
Laboratory Report


cc/enc: Mr. Ron Hanson/Dun-Rite Cleaners, via email only  
Mr. Richard Lewandowski/Whyte Hirschboeck Dudek S.C., via email only

## **Figures**

Figure 1 General Site Location

Figure 2 Vapor Sample Locations


F:\SCC F\SENTRY INSURANCE DUN RITE\DRAWINGS\MASTER SCC SENTRY INSURANCE DUNRITE CLEANERS.DWG 0 - DEC 21, 2015 - 12:25:59



REFERENCE:  
USGS 7.5 MIN. STEVENS POINT, WISCONSIN  
TOPOGRAPHIC QUADRANGLE.



WISCONSIN  
PORTAGE COUNTY




**SAND CREEK  
CONSULTANTS, INC.**  
Amherst, WI  
Rhineland, WI  
www.sand-creek.com

**GENERAL SITE LOCATION**

DUN-RITE CLEANERS  
1008 UNION STREET  
STEVENS POINT, WISCONSIN

|                     |               |
|---------------------|---------------|
| DATE: DECEMBER 2015 | DRAWN BY: KAP |
| SCALE: 1"=2000'     | APPROVED: PDA |

**FIGURE 1**



**LEGEND**

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W----- WATER LINE
- G----- GAS LINE
- SAN----- SANITARY SEWER
- ST----- STORM SEWER
- T----- UNDERGROUND TELEPHONE
- E----- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙----- STORM SEWER MANHOLE
- ▨----- BUILDING
- ▲----- SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆----- SOIL GAS EXTRACTION LOCATION

**NOTE:**

EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.



Environmental and Geological  
Scientists and Engineers

**VAPOR  
SAMPLE  
LOCATIONS**

DUN-RITE CLEANERS  
1008 UNION STREET  
STEVENS POINT, WISCONSIN

|                     |                  |
|---------------------|------------------|
| DATE: DECEMBER 2015 | DRAWN BY: KAP    |
| SCALE: 1"=40'       | APPROVED BY: PDA |

**FIGURE 2**

**Tables**

Table 1 Vapor Chemistry Results

**Table 1a: Vapor Chemistry Results - Ambient Air  
Dun-Rite Cleaners, Stevens Point, WI**

| <b>Ambient Air Samples (<math>\mu\text{g}/\text{m}^3</math>)</b> |            |           |                          |                        |
|--|------------|-----------|--------------------------|------------------------|
| Sample ID  | Location   | Date      | Tetrachloro-ethene (PCE) | Trichloro-ethene (TCE) |
| <b>Indoor Air Vapor Action Levels<sup>1</sup></b>                |            |           |                          |                        |
| Non-Residential  |            |           | <b>180</b>               | <b>8.8</b>             |
| Residential  |            |           | 42                       | 2.1                    |
| AA201  | Dun-Rite   | 5/29/2014 | <b>1,940</b>             | <b>63</b>              |
|  |            | 9/4/2015  | <b>2,780</b>             | <b>73</b>              |
| AA202  | Dun-Rite   | 5/29/2014 | <b>1,990</b>             | <b>66</b>              |
| AA203  | Outdoor    | 5/29/2014 | 13                       | <0.076                 |
| AA304  | Residence  | 7/18/2014 | 2.5                      | <0.85                  |
|  |            | 3/2/2015  | 35                       | <0.25                  |
|  |            | 9/4/2015  | 22                       | 3.0                    |
|  |            | 11/9/2015 | 2.4                      | <0.41                  |
| AA405  | Outdoor    | 9/19/2014 | <1.2                     | <0.92                  |
|  |            | 2/27/2015 | 21                       | <0.38                  |
|  |            | 9/4/2015  | 2.3                      | <0.40                  |
| AA406  | United Way | 9/19/2014 | 2.1                      | 1.3                    |
|  |            | 2/27/2015 | 74                       | 3.0                    |
|  |            | 9/4/2015  | 4.7                      | 2.0                    |
|  |            | 2/16/2016 | 7.6                      | 5.0                    |
| AA407  | Wildcard   | 9/19/2014 | 4.0                      | <1.2                   |
|  |            | 2/27/2015 | 83                       | 1.5                    |
|  |            | 9/4/2015  | 10                       | 1.1                    |
|  |            | 2/16/2016 | 11                       | 4.4                    |
| AA408  | Attorney   | 9/19/2014 | 9.9                      | 1.5                    |
|  |            | 2/23/2015 | 22                       | 2.1                    |
|  |            | 9/4/2015  | 7                        | 0.8                    |
|  |            | 2/16/2016 | 3.3                      | 3.5                    |

**Table 1b: Vapor Chemistry Results - Sub-Slab Vapor  
Dun-Rite Cleaners, Stevens Point, WI**

| <b>Sub-Slab Vapor Samples (<math>\mu\text{g}/\text{m}^3</math>)</b> |           |           |                         |                       |
|---|-----------|-----------|-------------------------|-----------------------|
| Sample ID   | Location  | Date      | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| <b>Sub-Slab Vapor Screening Levels<sup>2</sup></b>                  |           |           |                         |                       |
| Non-Residential   |           |           | <b>5,994</b>            | <b>293</b>            |
| Residential   |           |           | <b>1,399</b>            | <b>70</b>             |
| SSV101  | Dun-Rite  | 4/8/2014  | <b>2,550,000</b>        | <b>527</b>            |
|   |           | 9/4/2015  | <b>141,000</b>          | <b>1780</b>           |
|   |           | 2/16/2016 | 5,030                   | 28                    |
| SSV202  | Dun-Rite  | 5/29/2014 | 1,700                   | 113                   |
|   |           | 9/4/2015  | <b>2,280</b>            | 145                   |
|   |           | 2/16/2016 | 275                     | 7.1                   |
| SSV203  | Dun-Rite  | 5/29/2014 | <b>27,600</b>           | <20                   |
|   |           | 11/4/2015 | 288                     | 12                    |
| SSV304  | Residence | 7/18/2014 | 13                      | <1.2                  |
|   |           | 3/2/2015  | 11                      | <0.31                 |
|   |           | 9/4/2015  | 137                     | 21                    |
|   |           | 11/9/2015 | 319                     | 14                    |
|   |           | 2/16/2016 | 105                     | 5.7                   |
| SSV405  | Attorney  | 9/19/2014 | <b>7,470</b>            | 139                   |
|   |           | 2/24/2015 | <b>17,800</b>           | 183                   |
| SSV406  | Wildcard  | 9/19/2014 | <b>11,300</b>           | <28                   |
|   |           | 2/27/2015 | <b>7,180</b>            | <24                   |
|   |           | 9/4/2015  | <b>68,200</b>           | 16                    |
|   |           | 2/16/2016 | <b>9,940</b>            | 11                    |



**Table 1c: Vapor Chemistry Results - Blower System Discharge  
Dun-Rite Cleaners, Stevens Point, WI**

| Soil Vapor Extraction System ( $\mu\text{g}/\text{m}^3$ ) |          |           |                          |                        |
|---|----------|-----------|--------------------------|------------------------|
| Sample ID   | Location | Date      | Tetrachloro-ethene (PCE) | Trichloro-ethene (TCE) |
| <b>Blwr A</b>   | SVE      | 3/13/2015 | <b>224,000</b>           | <1700                  |
| <b>Blwr B</b>   | SVE      | 3/14/2015 | <b>134,000</b>           | <410                   |
| <b>Blwr C</b>   | SVE      | 3/17/2015 | <b>43,800</b>            | 77                     |
| <b>Blwr Dschrg 1</b>                                      | SVE      | 9/3/2015  | 2,580                    | <b>113</b>             |
| <b>Blwr Dschrg 2</b>                                      | SVE      | 9/8/2015  | <b>12,900</b>            | <b>265</b>             |
| <b>Blwr Dschrg</b>  | SVE      | 2/16/2016 | 641                      | 7.9                    |
| <b>Can 2-A</b>  | SVE      | 3/13/2015 | <b>11,800</b>            | 17                     |
| <b>Can 1-D</b>  | SVE      | 3/18/2015 | 1,600                    | 0.76 J                 |

Notes:

$\mu\text{g}/\text{m}^3$ : micrograms per cubic meter.

<0.076 = Substance not detected above indicated detection limit.

**Bold** indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

*Italics* indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

Highlighting indicates most recent results.

<sup>1</sup> Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on June 2015 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

<sup>2</sup> Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

## **Laboratory Report**

March 04, 2016

Pete Arntsen  
Sand Creek Consultants  
PO Box 218  
Amherst, WI 54406

RE: Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Dear Pete Arntsen:

Enclosed are the analytical results for sample(s) received by the laboratory on February 22, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout  
carolynne.trout@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

---

### Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414  
525 N 8th Street, Salina, KS 67401  
A2LA Certification #: 2926.01  
Alaska Certification #: UST-078  
Alaska Certification #MN00064  
Alabama Certification #40770  
Arizona Certification #: AZ-0014  
Arkansas Certification #: 88-0680  
California Certification #: 01155CA  
Colorado Certification #Pace  
Connecticut Certification #: PH-0256  
EPA Region 8 Certification #: 8TMS-L  
Florida/NELAP Certification #: E87605  
Guam Certification #:14-008r  
Georgia Certification #: 959  
Georgia EPD #: Pace  
Idaho Certification #: MN00064  
Hawaii Certification #MN00064  
Illinois Certification #: 200011  
Indiana Certification#C-MN-01  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Kentucky Dept of Envi. Protection - DW #90062  
Kentucky Dept of Envi. Protection - WW #90062  
Louisiana DEQ Certification #: 3086  
Louisiana DHH #: LA140001  
Maine Certification #: 2013011  
Maryland Certification #: 322  
Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137  
Mississippi Certification #: Pace  
Montana Certification #: MT0092  
Nevada Certification #: MN\_00064  
Nebraska Certification #: Pace  
New Jersey Certification #: MN-002  
New York Certification #: 11647  
North Carolina Certification #: 530  
North Carolina State Public Health #: 27700  
North Dakota Certification #: R-036  
Ohio EPA #: 4150  
Ohio VAP Certification #: CL101  
Oklahoma Certification #: 9507  
Oregon Certification #: MN200001  
Oregon Certification #: MN300001  
Pennsylvania Certification #: 68-00563  
Puerto Rico Certification  
Saipan (CNMI) #:MP0003  
South Carolina #:74003001  
Texas Certification #: T104704192  
Tennessee Certification #: 02818  
Utah Certification #: MN000642013-4  
Virginia DGS Certification #: 251  
Virginia/MELAP Certification #: Pace  
Washington Certification #: C486  
West Virginia Certification #: 382  
West Virginia DHHR #:9952C  
Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

**SAMPLE SUMMARY**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

| Lab ID      | Sample ID        | Matrix | Date Collected | Date Received  |
|-------------|------------------|--------|----------------|----------------|
| 10339277001 | Residence AA304  | Air    | 02/16/16 17:05 | 02/22/16 09:15 |
| 10339277002 | WildCard AA407   | Air    | 02/16/16 16:15 | 02/22/16 09:15 |
| 10339277003 | United Way AA406 | Air    | 02/16/16 17:20 | 02/22/16 09:15 |
| 10339277004 | Attorney AA408   | Air    | 02/16/16 16:10 | 02/22/16 09:15 |
| 10339277005 | Residence SSV304 | Air    | 02/16/16 12:25 | 02/22/16 09:15 |
| 10339277006 | Wildcard SSV406  | Air    | 02/16/16 11:05 | 02/22/16 09:15 |
| 10339277007 | Dun-Rite SSV101  | Air    | 02/16/16 09:32 | 02/22/16 09:15 |
| 10339277008 | Dun-Rite SSV202  | Air    | 02/16/16 10:27 | 02/22/16 09:15 |
| 10339277009 | Blower Exhaust   | Air    | 02/16/16 09:57 | 02/22/16 09:15 |

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

**SAMPLE ANALYTE COUNT**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

| Lab ID      | Sample ID        | Method | Analysts | Analytes Reported | Laboratory |
|-------------|------------------|--------|----------|-------------------|------------|
| 10339277002 | WildCard AA407   | TO-15  | RTP      | 61                | PASI-M     |
| 10339277003 | United Way AA406 | TO-15  | RTP      | 61                | PASI-M     |
| 10339277004 | Attorney AA408   | TO-15  | RTP      | 61                | PASI-M     |
| 10339277005 | Residence SSV304 | TO-15  | RTP      | 61                | PASI-M     |
| 10339277006 | Wildcard SSV406  | TO-15  | MLS, RTP | 61                | PASI-M     |
| 10339277007 | Dun-Rite SSV101  | TO-15  | MLS, RTP | 61                | PASI-M     |
| 10339277008 | Dun-Rite SSV202  | TO-15  | RTP      | 61                | PASI-M     |
| 10339277009 | Blower Exhaust   | TO-15  | MLS, RTP | 61                | PASI-M     |

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: WildCard AA407 Lab ID: 10339277002 Collected: 02/16/16 16:15 Received: 02/22/16 09:15 Matrix: Air

| Parameters                  | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.    | Qual |
|-----------------------------|---------|--------------------------|------|-------|------|----------|----------------|------------|------|
| <b>TO15 MSV AIR</b>         |         | Analytical Method: TO-15 |      |       |      |          |                |            |      |
| Acetone                     | 30.8    | ug/m3                    | 3.3  | 0.70  | 1.39 |          | 02/28/16 19:27 | 67-64-1    |      |
| Benzene                     | 0.99    | ug/m3                    | 0.90 | 0.23  | 1.39 |          | 02/28/16 19:27 | 71-43-2    |      |
| Benzyl chloride             | <0.73   | ug/m3                    | 1.5  | 0.73  | 1.39 |          | 02/28/16 19:27 | 100-44-7   |      |
| Bromodichloromethane        | <0.097  | ug/m3                    | 1.9  | 0.097 | 1.39 |          | 02/28/16 19:27 | 75-27-4    |      |
| Bromoform                   | <0.15   | ug/m3                    | 2.9  | 0.15  | 1.39 |          | 02/28/16 19:27 | 75-25-2    |      |
| Bromomethane                | <0.87   | ug/m3                    | 1.1  | 0.87  | 1.39 |          | 02/28/16 19:27 | 74-83-9    |      |
| 1,3-Butadiene               | <0.40   | ug/m3                    | 0.63 | 0.40  | 1.39 |          | 02/28/16 19:27 | 106-99-0   |      |
| 2-Butanone (MEK)            | <2.1    | ug/m3                    | 4.2  | 2.1   | 1.39 |          | 02/28/16 19:27 | 78-93-3    |      |
| Carbon disulfide            | 1.6     | ug/m3                    | 0.88 | 0.053 | 1.39 |          | 02/28/16 19:27 | 75-15-0    |      |
| Carbon tetrachloride        | 0.41J   | ug/m3                    | 0.89 | 0.095 | 1.39 |          | 02/28/16 19:27 | 56-23-5    |      |
| Chlorobenzene               | <0.65   | ug/m3                    | 1.3  | 0.65  | 1.39 |          | 02/28/16 19:27 | 108-90-7   |      |
| Chloroethane                | <0.043  | ug/m3                    | 0.75 | 0.043 | 1.39 |          | 02/28/16 19:27 | 75-00-3    |      |
| Chloroform                  | <0.34   | ug/m3                    | 1.4  | 0.34  | 1.39 |          | 02/28/16 19:27 | 67-66-3    |      |
| Chloromethane               | 0.95    | ug/m3                    | 0.58 | 0.029 | 1.39 |          | 02/28/16 19:27 | 74-87-3    |      |
| Cyclohexane                 | 0.93J   | ug/m3                    | 0.97 | 0.072 | 1.39 |          | 02/28/16 19:27 | 110-82-7   |      |
| Dibromochloromethane        | <1.2    | ug/m3                    | 2.4  | 1.2   | 1.39 |          | 02/28/16 19:27 | 124-48-1   |      |
| 1,2-Dibromoethane (EDB)     | <1.1    | ug/m3                    | 2.2  | 1.1   | 1.39 |          | 02/28/16 19:27 | 106-93-4   |      |
| 1,2-Dichlorobenzene         | <0.85   | ug/m3                    | 1.7  | 0.85  | 1.39 |          | 02/28/16 19:27 | 95-50-1    |      |
| 1,3-Dichlorobenzene         | <0.85   | ug/m3                    | 1.7  | 0.85  | 1.39 |          | 02/28/16 19:27 | 541-73-1   |      |
| 1,4-Dichlorobenzene         | 69.5    | ug/m3                    | 1.7  | 0.086 | 1.39 |          | 02/28/16 19:27 | 106-46-7   |      |
| Dichlorodifluoromethane     | 4.1     | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 19:27 | 75-71-8    |      |
| 1,1-Dichloroethane          | <0.57   | ug/m3                    | 1.1  | 0.57  | 1.39 |          | 02/28/16 19:27 | 75-34-3    |      |
| 1,2-Dichloroethane          | <0.064  | ug/m3                    | 0.57 | 0.064 | 1.39 |          | 02/28/16 19:27 | 107-06-2   |      |
| 1,1-Dichloroethene          | <0.071  | ug/m3                    | 1.1  | 0.071 | 1.39 |          | 02/28/16 19:27 | 75-35-4    |      |
| cis-1,2-Dichloroethene      | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 19:27 | 156-59-2   |      |
| trans-1,2-Dichloroethene    | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 19:27 | 156-60-5   |      |
| 1,2-Dichloropropane         | <0.65   | ug/m3                    | 1.3  | 0.65  | 1.39 |          | 02/28/16 19:27 | 78-87-5    |      |
| cis-1,3-Dichloropropene     | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 19:27 | 10061-01-5 |      |
| trans-1,3-Dichloropropene   | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 19:27 | 10061-02-6 |      |
| Dichlorotetrafluoroethane   | <0.99   | ug/m3                    | 2.0  | 0.99  | 1.39 |          | 02/28/16 19:27 | 76-14-2    |      |
| Ethanol                     | 172     | ug/m3                    | 2.7  | 1.3   | 1.39 |          | 02/28/16 19:27 | 64-17-5    |      |
| Ethyl acetate               | 2.5     | ug/m3                    | 1.0  | 0.51  | 1.39 |          | 02/28/16 19:27 | 141-78-6   |      |
| Ethylbenzene                | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.39 |          | 02/28/16 19:27 | 100-41-4   |      |
| 4-Ethyltoluene              | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 19:27 | 622-96-8   |      |
| n-Heptane                   | 3.9     | ug/m3                    | 1.2  | 0.58  | 1.39 |          | 02/28/16 19:27 | 142-82-5   |      |
| Hexachloro-1,3-butadiene    | <7.5    | ug/m3                    | 15.1 | 7.5   | 1.39 |          | 02/28/16 19:27 | 87-68-3    |      |
| n-Hexane                    | <0.076  | ug/m3                    | 1.0  | 0.076 | 1.39 |          | 02/28/16 19:27 | 110-54-3   |      |
| 2-Hexanone                  | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 19:27 | 591-78-6   |      |
| Methylene Chloride          | <2.5    | ug/m3                    | 4.9  | 2.5   | 1.39 |          | 02/28/16 19:27 | 75-09-2    |      |
| 4-Methyl-2-pentanone (MIBK) | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 19:27 | 108-10-1   |      |
| Methyl-tert-butyl ether     | <2.5    | ug/m3                    | 5.1  | 2.5   | 1.39 |          | 02/28/16 19:27 | 1634-04-4  |      |
| Naphthalene                 | <3.7    | ug/m3                    | 7.4  | 3.7   | 1.39 |          | 02/28/16 19:27 | 91-20-3    |      |
| 2-Propanol                  | 14.8    | ug/m3                    | 3.5  | 0.66  | 1.39 |          | 02/28/16 19:27 | 67-63-0    |      |
| Propylene                   | <0.032  | ug/m3                    | 0.49 | 0.032 | 1.39 |          | 02/28/16 19:27 | 115-07-1   |      |
| Styrene                     | 0.68J   | ug/m3                    | 1.2  | 0.60  | 1.39 |          | 02/28/16 19:27 | 100-42-5   |      |
| 1,1,2,2-Tetrachloroethane   | <0.49   | ug/m3                    | 0.97 | 0.49  | 1.39 |          | 02/28/16 19:27 | 79-34-5    |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: WildCard AA407 Lab ID: 10339277002 Collected: 02/16/16 16:15 Received: 02/22/16 09:15 Matrix: Air

| Parameters                            | Results | Units | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|---------------------------------------|---------|-------|------|-------|------|----------|----------------|-------------|------|
| TO15 MSV AIR Analytical Method: TO-15 |         |       |      |       |      |          |                |             |      |
| Tetrachloroethene                     | 10.5    | ug/m3 | 0.96 | 0.48  | 1.39 |          | 02/28/16 19:27 | 127-18-4    |      |
| Tetrahydrofuran                       | <0.042  | ug/m3 | 0.83 | 0.042 | 1.39 |          | 02/28/16 19:27 | 109-99-9    |      |
| Toluene                               | 5.3     | ug/m3 | 1.1  | 0.53  | 1.39 |          | 02/28/16 19:27 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene                | <5.2    | ug/m3 | 10.5 | 5.2   | 1.39 |          | 02/28/16 19:27 | 120-82-1    |      |
| 1,1,1-Trichloroethane                 | <0.77   | ug/m3 | 1.5  | 0.77  | 1.39 |          | 02/28/16 19:27 | 71-55-6     |      |
| 1,1,2-Trichloroethane                 | <0.078  | ug/m3 | 0.76 | 0.078 | 1.39 |          | 02/28/16 19:27 | 79-00-5     |      |
| Trichloroethene                       | 4.4     | ug/m3 | 0.76 | 0.38  | 1.39 |          | 02/28/16 19:27 | 79-01-6     |      |
| Trichlorofluoromethane                | 1.1J    | ug/m3 | 1.6  | 0.95  | 1.39 |          | 02/28/16 19:27 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane        | <1.1    | ug/m3 | 2.2  | 1.1   | 1.39 |          | 02/28/16 19:27 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene                | 2.0     | ug/m3 | 1.4  | 0.072 | 1.39 |          | 02/28/16 19:27 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene                | <0.70   | ug/m3 | 1.4  | 0.70  | 1.39 |          | 02/28/16 19:27 | 108-67-8    |      |
| Vinyl acetate                         | 2.0     | ug/m3 | 1.0  | 0.063 | 1.39 |          | 02/28/16 19:27 | 108-05-4    |      |
| Vinyl chloride                        | <0.038  | ug/m3 | 0.36 | 0.038 | 1.39 |          | 02/28/16 19:27 | 75-01-4     |      |
| m&p-Xylene                            | 2.4J    | ug/m3 | 2.5  | 1.2   | 1.39 |          | 02/28/16 19:27 | 179601-23-1 |      |
| o-Xylene                              | <0.61   | ug/m3 | 1.2  | 0.61  | 1.39 |          | 02/28/16 19:27 | 95-47-6     |      |

Sample: United Way AA406 Lab ID: 10339277003 Collected: 02/16/16 17:20 Received: 02/22/16 09:15 Matrix: Air

| Parameters                            | Results | Units | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.  | Qual |
|---------------------------------------|---------|-------|------|-------|------|----------|----------------|----------|------|
| TO15 MSV AIR Analytical Method: TO-15 |         |       |      |       |      |          |                |          |      |
| Acetone                               | 21.0    | ug/m3 | 3.3  | 0.70  | 1.39 |          | 02/28/16 20:01 | 67-64-1  |      |
| Benzene                               | 1.0     | ug/m3 | 0.90 | 0.23  | 1.39 |          | 02/28/16 20:01 | 71-43-2  |      |
| Benzyl chloride                       | <0.73   | ug/m3 | 1.5  | 0.73  | 1.39 |          | 02/28/16 20:01 | 100-44-7 |      |
| Bromodichloromethane                  | <0.097  | ug/m3 | 1.9  | 0.097 | 1.39 |          | 02/28/16 20:01 | 75-27-4  |      |
| Bromoform                             | <0.15   | ug/m3 | 2.9  | 0.15  | 1.39 |          | 02/28/16 20:01 | 75-25-2  |      |
| Bromomethane                          | <0.87   | ug/m3 | 1.1  | 0.87  | 1.39 |          | 02/28/16 20:01 | 74-83-9  |      |
| 1,3-Butadiene                         | <0.40   | ug/m3 | 0.63 | 0.40  | 1.39 |          | 02/28/16 20:01 | 106-99-0 |      |
| 2-Butanone (MEK)                      | <2.1    | ug/m3 | 4.2  | 2.1   | 1.39 |          | 02/28/16 20:01 | 78-93-3  |      |
| Carbon disulfide                      | 1.5     | ug/m3 | 0.88 | 0.053 | 1.39 |          | 02/28/16 20:01 | 75-15-0  |      |
| Carbon tetrachloride                  | 0.35J   | ug/m3 | 0.89 | 0.095 | 1.39 |          | 02/28/16 20:01 | 56-23-5  |      |
| Chlorobenzene                         | <0.65   | ug/m3 | 1.3  | 0.65  | 1.39 |          | 02/28/16 20:01 | 108-90-7 |      |
| Chloroethane                          | <0.043  | ug/m3 | 0.75 | 0.043 | 1.39 |          | 02/28/16 20:01 | 75-00-3  |      |
| Chloroform                            | <0.34   | ug/m3 | 1.4  | 0.34  | 1.39 |          | 02/28/16 20:01 | 67-66-3  |      |
| Chloromethane                         | 1.0     | ug/m3 | 0.58 | 0.029 | 1.39 |          | 02/28/16 20:01 | 74-87-3  |      |
| Cyclohexane                           | 0.57J   | ug/m3 | 0.97 | 0.072 | 1.39 |          | 02/28/16 20:01 | 110-82-7 |      |
| Dibromochloromethane                  | <1.2    | ug/m3 | 2.4  | 1.2   | 1.39 |          | 02/28/16 20:01 | 124-48-1 |      |
| 1,2-Dibromoethane (EDB)               | <1.1    | ug/m3 | 2.2  | 1.1   | 1.39 |          | 02/28/16 20:01 | 106-93-4 |      |
| 1,2-Dichlorobenzene                   | <0.85   | ug/m3 | 1.7  | 0.85  | 1.39 |          | 02/28/16 20:01 | 95-50-1  |      |
| 1,3-Dichlorobenzene                   | <0.85   | ug/m3 | 1.7  | 0.85  | 1.39 |          | 02/28/16 20:01 | 541-73-1 |      |
| 1,4-Dichlorobenzene                   | 257     | ug/m3 | 1.7  | 0.086 | 1.39 |          | 02/28/16 20:01 | 106-46-7 |      |
| Dichlorodifluoromethane               | 4.1     | ug/m3 | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:01 | 75-71-8  |      |
| 1,1-Dichloroethane                    | <0.57   | ug/m3 | 1.1  | 0.57  | 1.39 |          | 02/28/16 20:01 | 75-34-3  |      |
| 1,2-Dichloroethane                    | <0.064  | ug/m3 | 0.57 | 0.064 | 1.39 |          | 02/28/16 20:01 | 107-06-2 |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

**Sample: United Way AA406**      **Lab ID: 10339277003**      Collected: 02/16/16 17:20      Received: 02/22/16 09:15      Matrix: Air

| Parameters                     | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|--------------------------------|---------|--------------------------|------|-------|------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b>            |         | Analytical Method: TO-15 |      |       |      |          |                |             |      |
| 1,1-Dichloroethene             | <0.071  | ug/m3                    | 1.1  | 0.071 | 1.39 |          | 02/28/16 20:01 | 75-35-4     |      |
| cis-1,2-Dichloroethene         | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 20:01 | 156-59-2    |      |
| trans-1,2-Dichloroethene       | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 20:01 | 156-60-5    |      |
| 1,2-Dichloropropane            | <0.65   | ug/m3                    | 1.3  | 0.65  | 1.39 |          | 02/28/16 20:01 | 78-87-5     |      |
| cis-1,3-Dichloropropene        | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 20:01 | 10061-01-5  |      |
| trans-1,3-Dichloropropene      | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 20:01 | 10061-02-6  |      |
| Dichlorotetrafluoroethane      | <0.99   | ug/m3                    | 2.0  | 0.99  | 1.39 |          | 02/28/16 20:01 | 76-14-2     |      |
| Ethanol                        | 392     | ug/m3                    | 2.7  | 1.3   | 1.39 |          | 02/28/16 20:01 | 64-17-5     |      |
| Ethyl acetate                  | <0.51   | ug/m3                    | 1.0  | 0.51  | 1.39 |          | 02/28/16 20:01 | 141-78-6    |      |
| Ethylbenzene                   | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.39 |          | 02/28/16 20:01 | 100-41-4    |      |
| 4-Ethyltoluene                 | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:01 | 622-96-8    |      |
| n-Heptane                      | 0.81J   | ug/m3                    | 1.2  | 0.58  | 1.39 |          | 02/28/16 20:01 | 142-82-5    |      |
| Hexachloro-1,3-butadiene       | <7.5    | ug/m3                    | 15.1 | 7.5   | 1.39 |          | 02/28/16 20:01 | 87-68-3     |      |
| n-Hexane                       | 3.1     | ug/m3                    | 1.0  | 0.076 | 1.39 |          | 02/28/16 20:01 | 110-54-3    |      |
| 2-Hexanone                     | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 20:01 | 591-78-6    |      |
| Methylene Chloride             | 35.5    | ug/m3                    | 4.9  | 2.5   | 1.39 |          | 02/28/16 20:01 | 75-09-2     |      |
| 4-Methyl-2-pentanone (MIBK)    | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 20:01 | 108-10-1    |      |
| Methyl-tert-butyl ether        | <2.5    | ug/m3                    | 5.1  | 2.5   | 1.39 |          | 02/28/16 20:01 | 1634-04-4   |      |
| Naphthalene                    | <3.7    | ug/m3                    | 7.4  | 3.7   | 1.39 |          | 02/28/16 20:01 | 91-20-3     |      |
| 2-Propanol                     | 4.5     | ug/m3                    | 3.5  | 0.66  | 1.39 |          | 02/28/16 20:01 | 67-63-0     |      |
| Propylene                      | <0.032  | ug/m3                    | 0.49 | 0.032 | 1.39 |          | 02/28/16 20:01 | 115-07-1    |      |
| Styrene                        | 0.64J   | ug/m3                    | 1.2  | 0.60  | 1.39 |          | 02/28/16 20:01 | 100-42-5    |      |
| 1,1,2,2-Tetrachloroethane      | <0.49   | ug/m3                    | 0.97 | 0.49  | 1.39 |          | 02/28/16 20:01 | 79-34-5     |      |
| Tetrachloroethene              | 7.6     | ug/m3                    | 0.96 | 0.48  | 1.39 |          | 02/28/16 20:01 | 127-18-4    |      |
| Tetrahydrofuran                | <0.042  | ug/m3                    | 0.83 | 0.042 | 1.39 |          | 02/28/16 20:01 | 109-99-9    |      |
| Toluene                        | 4.9     | ug/m3                    | 1.1  | 0.53  | 1.39 |          | 02/28/16 20:01 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene         | <5.2    | ug/m3                    | 10.5 | 5.2   | 1.39 |          | 02/28/16 20:01 | 120-82-1    |      |
| 1,1,1-Trichloroethane          | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.39 |          | 02/28/16 20:01 | 71-55-6     |      |
| 1,1,2-Trichloroethane          | <0.078  | ug/m3                    | 0.76 | 0.078 | 1.39 |          | 02/28/16 20:01 | 79-00-5     |      |
| Trichloroethene                | 5.0     | ug/m3                    | 0.76 | 0.38  | 1.39 |          | 02/28/16 20:01 | 79-01-6     |      |
| Trichlorofluoromethane         | 1.2J    | ug/m3                    | 1.6  | 0.95  | 1.39 |          | 02/28/16 20:01 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane | <1.1    | ug/m3                    | 2.2  | 1.1   | 1.39 |          | 02/28/16 20:01 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene         | 2.0     | ug/m3                    | 1.4  | 0.072 | 1.39 |          | 02/28/16 20:01 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene         | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:01 | 108-67-8    |      |
| Vinyl acetate                  | 3.0     | ug/m3                    | 1.0  | 0.063 | 1.39 |          | 02/28/16 20:01 | 108-05-4    |      |
| Vinyl chloride                 | <0.038  | ug/m3                    | 0.36 | 0.038 | 1.39 |          | 02/28/16 20:01 | 75-01-4     |      |
| m&p-Xylene                     | 2.7     | ug/m3                    | 2.5  | 1.2   | 1.39 |          | 02/28/16 20:01 | 179601-23-1 |      |
| o-Xylene                       | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.39 |          | 02/28/16 20:01 | 95-47-6     |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: Attorney AA408 Lab ID: 10339277004 Collected: 02/16/16 16:10 Received: 02/22/16 09:15 Matrix: Air

| Parameters                  | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.    | Qual |
|-----------------------------|---------|--------------------------|------|-------|------|----------|----------------|------------|------|
| <b>TO15 MSV AIR</b>         |         | Analytical Method: TO-15 |      |       |      |          |                |            |      |
| Acetone                     | 15.1    | ug/m3                    | 3.3  | 0.70  | 1.39 |          | 02/28/16 20:32 | 67-64-1    |      |
| Benzene                     | 0.92    | ug/m3                    | 0.90 | 0.23  | 1.39 |          | 02/28/16 20:32 | 71-43-2    |      |
| Benzyl chloride             | <0.73   | ug/m3                    | 1.5  | 0.73  | 1.39 |          | 02/28/16 20:32 | 100-44-7   |      |
| Bromodichloromethane        | <0.097  | ug/m3                    | 1.9  | 0.097 | 1.39 |          | 02/28/16 20:32 | 75-27-4    |      |
| Bromoform                   | <0.15   | ug/m3                    | 2.9  | 0.15  | 1.39 |          | 02/28/16 20:32 | 75-25-2    |      |
| Bromomethane                | <0.87   | ug/m3                    | 1.1  | 0.87  | 1.39 |          | 02/28/16 20:32 | 74-83-9    |      |
| 1,3-Butadiene               | <0.40   | ug/m3                    | 0.63 | 0.40  | 1.39 |          | 02/28/16 20:32 | 106-99-0   |      |
| 2-Butanone (MEK)            | <2.1    | ug/m3                    | 4.2  | 2.1   | 1.39 |          | 02/28/16 20:32 | 78-93-3    |      |
| Carbon disulfide            | 1.5     | ug/m3                    | 0.88 | 0.053 | 1.39 |          | 02/28/16 20:32 | 75-15-0    |      |
| Carbon tetrachloride        | 0.35J   | ug/m3                    | 0.89 | 0.095 | 1.39 |          | 02/28/16 20:32 | 56-23-5    |      |
| Chlorobenzene               | <0.65   | ug/m3                    | 1.3  | 0.65  | 1.39 |          | 02/28/16 20:32 | 108-90-7   |      |
| Chloroethane                | <0.043  | ug/m3                    | 0.75 | 0.043 | 1.39 |          | 02/28/16 20:32 | 75-00-3    |      |
| Chloroform                  | <0.34   | ug/m3                    | 1.4  | 0.34  | 1.39 |          | 02/28/16 20:32 | 67-66-3    |      |
| Chloromethane               | 0.84    | ug/m3                    | 0.58 | 0.029 | 1.39 |          | 02/28/16 20:32 | 74-87-3    |      |
| Cyclohexane                 | <0.072  | ug/m3                    | 0.97 | 0.072 | 1.39 |          | 02/28/16 20:32 | 110-82-7   |      |
| Dibromochloromethane        | <1.2    | ug/m3                    | 2.4  | 1.2   | 1.39 |          | 02/28/16 20:32 | 124-48-1   |      |
| 1,2-Dibromoethane (EDB)     | <1.1    | ug/m3                    | 2.2  | 1.1   | 1.39 |          | 02/28/16 20:32 | 106-93-4   |      |
| 1,2-Dichlorobenzene         | <0.85   | ug/m3                    | 1.7  | 0.85  | 1.39 |          | 02/28/16 20:32 | 95-50-1    |      |
| 1,3-Dichlorobenzene         | <0.85   | ug/m3                    | 1.7  | 0.85  | 1.39 |          | 02/28/16 20:32 | 541-73-1   |      |
| 1,4-Dichlorobenzene         | 35.9    | ug/m3                    | 1.7  | 0.086 | 1.39 |          | 02/28/16 20:32 | 106-46-7   |      |
| Dichlorodifluoromethane     | 3.4     | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:32 | 75-71-8    |      |
| 1,1-Dichloroethane          | <0.57   | ug/m3                    | 1.1  | 0.57  | 1.39 |          | 02/28/16 20:32 | 75-34-3    |      |
| 1,2-Dichloroethane          | <0.064  | ug/m3                    | 0.57 | 0.064 | 1.39 |          | 02/28/16 20:32 | 107-06-2   |      |
| 1,1-Dichloroethene          | <0.071  | ug/m3                    | 1.1  | 0.071 | 1.39 |          | 02/28/16 20:32 | 75-35-4    |      |
| cis-1,2-Dichloroethene      | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 20:32 | 156-59-2   |      |
| trans-1,2-Dichloroethene    | <0.057  | ug/m3                    | 1.1  | 0.057 | 1.39 |          | 02/28/16 20:32 | 156-60-5   |      |
| 1,2-Dichloropropane         | <0.65   | ug/m3                    | 1.3  | 0.65  | 1.39 |          | 02/28/16 20:32 | 78-87-5    |      |
| cis-1,3-Dichloropropene     | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 20:32 | 10061-01-5 |      |
| trans-1,3-Dichloropropene   | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.39 |          | 02/28/16 20:32 | 10061-02-6 |      |
| Dichlorotetrafluoroethane   | <0.99   | ug/m3                    | 2.0  | 0.99  | 1.39 |          | 02/28/16 20:32 | 76-14-2    |      |
| Ethanol                     | 129     | ug/m3                    | 2.7  | 1.3   | 1.39 |          | 02/28/16 20:32 | 64-17-5    |      |
| Ethyl acetate               | 1.7     | ug/m3                    | 1.0  | 0.51  | 1.39 |          | 02/28/16 20:32 | 141-78-6   |      |
| Ethylbenzene                | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.39 |          | 02/28/16 20:32 | 100-41-4   |      |
| 4-Ethyltoluene              | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:32 | 622-96-8   |      |
| n-Heptane                   | 0.84J   | ug/m3                    | 1.2  | 0.58  | 1.39 |          | 02/28/16 20:32 | 142-82-5   |      |
| Hexachloro-1,3-butadiene    | <7.5    | ug/m3                    | 15.1 | 7.5   | 1.39 |          | 02/28/16 20:32 | 87-68-3    |      |
| n-Hexane                    | <0.076  | ug/m3                    | 1.0  | 0.076 | 1.39 |          | 02/28/16 20:32 | 110-54-3   |      |
| 2-Hexanone                  | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 20:32 | 591-78-6   |      |
| Methylene Chloride          | <2.5    | ug/m3                    | 4.9  | 2.5   | 1.39 |          | 02/28/16 20:32 | 75-09-2    |      |
| 4-Methyl-2-pentanone (MIBK) | <2.9    | ug/m3                    | 5.8  | 2.9   | 1.39 |          | 02/28/16 20:32 | 108-10-1   |      |
| Methyl-tert-butyl ether     | <2.5    | ug/m3                    | 5.1  | 2.5   | 1.39 |          | 02/28/16 20:32 | 1634-04-4  |      |
| Naphthalene                 | <3.7    | ug/m3                    | 7.4  | 3.7   | 1.39 |          | 02/28/16 20:32 | 91-20-3    |      |
| 2-Propanol                  | 9.3     | ug/m3                    | 3.5  | 0.66  | 1.39 |          | 02/28/16 20:32 | 67-63-0    |      |
| Propylene                   | <0.032  | ug/m3                    | 0.49 | 0.032 | 1.39 |          | 02/28/16 20:32 | 115-07-1   |      |
| Styrene                     | <0.60   | ug/m3                    | 1.2  | 0.60  | 1.39 |          | 02/28/16 20:32 | 100-42-5   |      |
| 1,1,2,2-Tetrachloroethane   | <0.49   | ug/m3                    | 0.97 | 0.49  | 1.39 |          | 02/28/16 20:32 | 79-34-5    |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

**Sample: Attorney AA408**      **Lab ID: 10339277004**      Collected: 02/16/16 16:10      Received: 02/22/16 09:15      Matrix: Air

| Parameters                                   | Results | Units | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|--|---------|-------|------|-------|------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b> Analytical Method: TO-15 |         |       |      |       |      |          |                |             |      |
| Tetrachloroethene                            | 3.3     | ug/m3 | 0.96 | 0.48  | 1.39 |          | 02/28/16 20:32 | 127-18-4    |      |
| Tetrahydrofuran                              | <0.042  | ug/m3 | 0.83 | 0.042 | 1.39 |          | 02/28/16 20:32 | 109-99-9    |      |
| Toluene                                      | 2.0     | ug/m3 | 1.1  | 0.53  | 1.39 |          | 02/28/16 20:32 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene                       | <5.2    | ug/m3 | 10.5 | 5.2   | 1.39 |          | 02/28/16 20:32 | 120-82-1    |      |
| 1,1,1-Trichloroethane                        | <0.77   | ug/m3 | 1.5  | 0.77  | 1.39 |          | 02/28/16 20:32 | 71-55-6     |      |
| 1,1,2-Trichloroethane                        | <0.078  | ug/m3 | 0.76 | 0.078 | 1.39 |          | 02/28/16 20:32 | 79-00-5     |      |
| Trichloroethene                              | 3.5     | ug/m3 | 0.76 | 0.38  | 1.39 |          | 02/28/16 20:32 | 79-01-6     |      |
| Trichlorofluoromethane                       | 0.95J   | ug/m3 | 1.6  | 0.95  | 1.39 |          | 02/28/16 20:32 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane               | <1.1    | ug/m3 | 2.2  | 1.1   | 1.39 |          | 02/28/16 20:32 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene                       | 1.8     | ug/m3 | 1.4  | 0.072 | 1.39 |          | 02/28/16 20:32 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene                       | <0.70   | ug/m3 | 1.4  | 0.70  | 1.39 |          | 02/28/16 20:32 | 108-67-8    |      |
| Vinyl acetate                                | 1.5     | ug/m3 | 1.0  | 0.063 | 1.39 |          | 02/28/16 20:32 | 108-05-4    |      |
| Vinyl chloride                               | <0.038  | ug/m3 | 0.36 | 0.038 | 1.39 |          | 02/28/16 20:32 | 75-01-4     |      |
| m&p-Xylene                                   | 1.9J    | ug/m3 | 2.5  | 1.2   | 1.39 |          | 02/28/16 20:32 | 179601-23-1 |      |
| o-Xylene                                     | <0.61   | ug/m3 | 1.2  | 0.61  | 1.39 |          | 02/28/16 20:32 | 95-47-6     |      |

**Sample: Residence SSV304**      **Lab ID: 10339277005**      Collected: 02/16/16 12:25      Received: 02/22/16 09:15      Matrix: Air

| Parameters                                   | Results | Units | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.  | Qual |
|--|---------|-------|------|-------|------|----------|----------------|----------|------|
| <b>TO15 MSV AIR</b> Analytical Method: TO-15 |         |       |      |       |      |          |                |          |      |
| Acetone                                      | 24.5    | ug/m3 | 4.0  | 0.85  | 1.68 |          | 02/28/16 21:04 | 67-64-1  |      |
| Benzene                                      | 0.30J   | ug/m3 | 1.1  | 0.27  | 1.68 |          | 02/28/16 21:04 | 71-43-2  |      |
| Benzyl chloride                              | <0.88   | ug/m3 | 1.8  | 0.88  | 1.68 |          | 02/28/16 21:04 | 100-44-7 |      |
| Bromodichloromethane                         | 16.1    | ug/m3 | 2.3  | 0.12  | 1.68 |          | 02/28/16 21:04 | 75-27-4  |      |
| Bromoform                                    | <0.19   | ug/m3 | 3.5  | 0.19  | 1.68 |          | 02/28/16 21:04 | 75-25-2  |      |
| Bromomethane                                 | <1.0    | ug/m3 | 1.3  | 1.0   | 1.68 |          | 02/28/16 21:04 | 74-83-9  |      |
| 1,3-Butadiene                                | <0.48   | ug/m3 | 0.76 | 0.48  | 1.68 |          | 02/28/16 21:04 | 106-99-0 |      |
| 2-Butanone (MEK)                             | 5.4     | ug/m3 | 5.0  | 2.5   | 1.68 |          | 02/28/16 21:04 | 78-93-3  |      |
| Carbon disulfide                             | 13.4    | ug/m3 | 1.1  | 0.064 | 1.68 |          | 02/28/16 21:04 | 75-15-0  |      |
| Carbon tetrachloride                         | 0.21J   | ug/m3 | 1.1  | 0.11  | 1.68 |          | 02/28/16 21:04 | 56-23-5  |      |
| Chlorobenzene                                | <0.79   | ug/m3 | 1.6  | 0.79  | 1.68 |          | 02/28/16 21:04 | 108-90-7 |      |
| Chloroethane                                 | <0.052  | ug/m3 | 0.91 | 0.052 | 1.68 |          | 02/28/16 21:04 | 75-00-3  |      |
| Chloroform                                   | 81.9    | ug/m3 | 1.7  | 0.42  | 1.68 |          | 02/28/16 21:04 | 67-66-3  |      |
| Chloromethane                                | <0.035  | ug/m3 | 0.71 | 0.035 | 1.68 |          | 02/28/16 21:04 | 74-87-3  |      |
| Cyclohexane                                  | <0.087  | ug/m3 | 1.2  | 0.087 | 1.68 |          | 02/28/16 21:04 | 110-82-7 |      |
| Dibromochloromethane                         | <1.5    | ug/m3 | 2.9  | 1.5   | 1.68 |          | 02/28/16 21:04 | 124-48-1 |      |
| 1,2-Dibromoethane (EDB)                      | <1.3    | ug/m3 | 2.6  | 1.3   | 1.68 |          | 02/28/16 21:04 | 106-93-4 |      |
| 1,2-Dichlorobenzene                          | 2.0J    | ug/m3 | 2.0  | 1.0   | 1.68 |          | 02/28/16 21:04 | 95-50-1  |      |
| 1,3-Dichlorobenzene                          | <1.0    | ug/m3 | 2.0  | 1.0   | 1.68 |          | 02/28/16 21:04 | 541-73-1 |      |
| 1,4-Dichlorobenzene                          | 2.3     | ug/m3 | 2.0  | 0.10  | 1.68 |          | 02/28/16 21:04 | 106-46-7 |      |
| Dichlorodifluoromethane                      | 12.0    | ug/m3 | 1.7  | 0.85  | 1.68 |          | 02/28/16 21:04 | 75-71-8  |      |
| 1,1-Dichloroethane                           | <0.69   | ug/m3 | 1.4  | 0.69  | 1.68 |          | 02/28/16 21:04 | 75-34-3  |      |
| 1,2-Dichloroethane                           | <0.077  | ug/m3 | 0.69 | 0.077 | 1.68 |          | 02/28/16 21:04 | 107-06-2 |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: Residence SSV304 Lab ID: 10339277005 Collected: 02/16/16 12:25 Received: 02/22/16 09:15 Matrix: Air

| Parameters                     | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|--------------------------------|---------|--------------------------|------|-------|------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b>            |         | Analytical Method: TO-15 |      |       |      |          |                |             |      |
| 1,1-Dichloroethene             | <0.086  | ug/m3                    | 1.4  | 0.086 | 1.68 |          | 02/28/16 21:04 | 75-35-4     |      |
| cis-1,2-Dichloroethene         | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 21:04 | 156-59-2    |      |
| trans-1,2-Dichloroethene       | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 21:04 | 156-60-5    |      |
| 1,2-Dichloropropane            | <0.79   | ug/m3                    | 1.6  | 0.79  | 1.68 |          | 02/28/16 21:04 | 78-87-5     |      |
| cis-1,3-Dichloropropene        | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 21:04 | 10061-01-5  |      |
| trans-1,3-Dichloropropene      | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 21:04 | 10061-02-6  |      |
| Dichlorotetrafluoroethane      | <1.2    | ug/m3                    | 2.4  | 1.2   | 1.68 |          | 02/28/16 21:04 | 76-14-2     |      |
| Ethanol                        | 20.5    | ug/m3                    | 3.2  | 1.6   | 1.68 |          | 02/28/16 21:04 | 64-17-5     |      |
| Ethyl acetate                  | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.68 |          | 02/28/16 21:04 | 141-78-6    |      |
| Ethylbenzene                   | 0.89J   | ug/m3                    | 1.5  | 0.74  | 1.68 |          | 02/28/16 21:04 | 100-41-4    |      |
| 4-Ethyltoluene                 | <0.84   | ug/m3                    | 1.7  | 0.84  | 1.68 |          | 02/28/16 21:04 | 622-96-8    |      |
| n-Heptane                      | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.68 |          | 02/28/16 21:04 | 142-82-5    |      |
| Hexachloro-1,3-butadiene       | <9.1    | ug/m3                    | 18.2 | 9.1   | 1.68 |          | 02/28/16 21:04 | 87-68-3     |      |
| n-Hexane                       | <0.092  | ug/m3                    | 1.2  | 0.092 | 1.68 |          | 02/28/16 21:04 | 110-54-3    |      |
| 2-Hexanone                     | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 21:04 | 591-78-6    |      |
| Methylene Chloride             | <3.0    | ug/m3                    | 5.9  | 3.0   | 1.68 |          | 02/28/16 21:04 | 75-09-2     |      |
| 4-Methyl-2-pentanone (MIBK)    | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 21:04 | 108-10-1    |      |
| Methyl-tert-butyl ether        | <3.1    | ug/m3                    | 6.2  | 3.1   | 1.68 |          | 02/28/16 21:04 | 1634-04-4   |      |
| Naphthalene                    | 5.3J    | ug/m3                    | 9.0  | 4.5   | 1.68 |          | 02/28/16 21:04 | 91-20-3     |      |
| 2-Propanol                     | 2.9J    | ug/m3                    | 4.2  | 0.80  | 1.68 |          | 02/28/16 21:04 | 67-63-0     |      |
| Propylene                      | <0.039  | ug/m3                    | 0.59 | 0.039 | 1.68 |          | 02/28/16 21:04 | 115-07-1    |      |
| Styrene                        | 2.3     | ug/m3                    | 1.5  | 0.73  | 1.68 |          | 02/28/16 21:04 | 100-42-5    |      |
| 1,1,2,2-Tetrachloroethane      | <0.59   | ug/m3                    | 1.2  | 0.59  | 1.68 |          | 02/28/16 21:04 | 79-34-5     |      |
| Tetrachloroethene              | 105     | ug/m3                    | 1.2  | 0.58  | 1.68 |          | 02/28/16 21:04 | 127-18-4    |      |
| Tetrahydrofuran                | <0.050  | ug/m3                    | 1.0  | 0.050 | 1.68 |          | 02/28/16 21:04 | 109-99-9    |      |
| Toluene                        | 3.4     | ug/m3                    | 1.3  | 0.64  | 1.68 |          | 02/28/16 21:04 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene         | <6.3    | ug/m3                    | 12.7 | 6.3   | 1.68 |          | 02/28/16 21:04 | 120-82-1    |      |
| 1,1,1-Trichloroethane          | <0.93   | ug/m3                    | 1.9  | 0.93  | 1.68 |          | 02/28/16 21:04 | 71-55-6     |      |
| 1,1,2-Trichloroethane          | <0.094  | ug/m3                    | 0.92 | 0.094 | 1.68 |          | 02/28/16 21:04 | 79-00-5     |      |
| Trichloroethene                | 5.7     | ug/m3                    | 0.92 | 0.46  | 1.68 |          | 02/28/16 21:04 | 79-01-6     |      |
| Trichlorofluoromethane         | <1.1    | ug/m3                    | 1.9  | 1.1   | 1.68 |          | 02/28/16 21:04 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane | <1.3    | ug/m3                    | 2.7  | 1.3   | 1.68 |          | 02/28/16 21:04 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene         | 6.2     | ug/m3                    | 1.7  | 0.087 | 1.68 |          | 02/28/16 21:04 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene         | 2.1     | ug/m3                    | 1.7  | 0.84  | 1.68 |          | 02/28/16 21:04 | 108-67-8    |      |
| Vinyl acetate                  | 3.9     | ug/m3                    | 1.2  | 0.076 | 1.68 |          | 02/28/16 21:04 | 108-05-4    |      |
| Vinyl chloride                 | <0.045  | ug/m3                    | 0.44 | 0.045 | 1.68 |          | 02/28/16 21:04 | 75-01-4     |      |
| m&p-Xylene                     | 4.5     | ug/m3                    | 3.0  | 1.5   | 1.68 |          | 02/28/16 21:04 | 179601-23-1 |      |
| o-Xylene                       | 1.5     | ug/m3                    | 1.5  | 0.74  | 1.68 |          | 02/28/16 21:04 | 95-47-6     |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

**Sample: Wildcard SSV406**      **Lab ID: 10339277006**      Collected: 02/16/16 11:05      Received: 02/22/16 09:15      Matrix: Air

| Parameters                  | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.    | Qual |
|-----------------------------|---------|--------------------------|------|-------|------|----------|----------------|------------|------|
| <b>TO15 MSV AIR</b>         |         | Analytical Method: TO-15 |      |       |      |          |                |            |      |
| Acetone                     | 19.3    | ug/m3                    | 4.0  | 0.85  | 1.68 |          | 02/28/16 21:38 | 67-64-1    |      |
| Benzene                     | 0.29J   | ug/m3                    | 1.1  | 0.27  | 1.68 |          | 02/28/16 21:38 | 71-43-2    |      |
| Benzyl chloride             | <0.88   | ug/m3                    | 1.8  | 0.88  | 1.68 |          | 02/28/16 21:38 | 100-44-7   |      |
| Bromodichloromethane        | <0.12   | ug/m3                    | 2.3  | 0.12  | 1.68 |          | 02/28/16 21:38 | 75-27-4    |      |
| Bromoform                   | <0.19   | ug/m3                    | 3.5  | 0.19  | 1.68 |          | 02/28/16 21:38 | 75-25-2    |      |
| Bromomethane                | <1.0    | ug/m3                    | 1.3  | 1.0   | 1.68 |          | 02/28/16 21:38 | 74-83-9    |      |
| 1,3-Butadiene               | <0.48   | ug/m3                    | 0.76 | 0.48  | 1.68 |          | 02/28/16 21:38 | 106-99-0   |      |
| 2-Butanone (MEK)            | 4.6J    | ug/m3                    | 5.0  | 2.5   | 1.68 |          | 02/28/16 21:38 | 78-93-3    |      |
| Carbon disulfide            | 11.0    | ug/m3                    | 1.1  | 0.064 | 1.68 |          | 02/28/16 21:38 | 75-15-0    |      |
| Carbon tetrachloride        | <0.11   | ug/m3                    | 1.1  | 0.11  | 1.68 |          | 02/28/16 21:38 | 56-23-5    |      |
| Chlorobenzene               | <0.79   | ug/m3                    | 1.6  | 0.79  | 1.68 |          | 02/28/16 21:38 | 108-90-7   |      |
| Chloroethane                | <0.052  | ug/m3                    | 0.91 | 0.052 | 1.68 |          | 02/28/16 21:38 | 75-00-3    |      |
| Chloroform                  | <0.42   | ug/m3                    | 1.7  | 0.42  | 1.68 |          | 02/28/16 21:38 | 67-66-3    |      |
| Chloromethane               | 0.50J   | ug/m3                    | 0.71 | 0.035 | 1.68 |          | 02/28/16 21:38 | 74-87-3    |      |
| Cyclohexane                 | <0.087  | ug/m3                    | 1.2  | 0.087 | 1.68 |          | 02/28/16 21:38 | 110-82-7   |      |
| Dibromochloromethane        | <1.5    | ug/m3                    | 2.9  | 1.5   | 1.68 |          | 02/28/16 21:38 | 124-48-1   |      |
| 1,2-Dibromoethane (EDB)     | <1.3    | ug/m3                    | 2.6  | 1.3   | 1.68 |          | 02/28/16 21:38 | 106-93-4   |      |
| 1,2-Dichlorobenzene         | 3.6     | ug/m3                    | 2.0  | 1.0   | 1.68 |          | 02/28/16 21:38 | 95-50-1    |      |
| 1,3-Dichlorobenzene         | <1.0    | ug/m3                    | 2.0  | 1.0   | 1.68 |          | 02/28/16 21:38 | 541-73-1   |      |
| 1,4-Dichlorobenzene         | 2.9     | ug/m3                    | 2.0  | 0.10  | 1.68 |          | 02/28/16 21:38 | 106-46-7   |      |
| Dichlorodifluoromethane     | 2.7     | ug/m3                    | 1.7  | 0.85  | 1.68 |          | 02/28/16 21:38 | 75-71-8    |      |
| 1,1-Dichloroethane          | <0.69   | ug/m3                    | 1.4  | 0.69  | 1.68 |          | 02/28/16 21:38 | 75-34-3    |      |
| 1,2-Dichloroethane          | <0.077  | ug/m3                    | 0.69 | 0.077 | 1.68 |          | 02/28/16 21:38 | 107-06-2   |      |
| 1,1-Dichloroethene          | <0.086  | ug/m3                    | 1.4  | 0.086 | 1.68 |          | 02/28/16 21:38 | 75-35-4    |      |
| cis-1,2-Dichloroethene      | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 21:38 | 156-59-2   |      |
| trans-1,2-Dichloroethene    | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 21:38 | 156-60-5   |      |
| 1,2-Dichloropropane         | <0.79   | ug/m3                    | 1.6  | 0.79  | 1.68 |          | 02/28/16 21:38 | 78-87-5    |      |
| cis-1,3-Dichloropropene     | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 21:38 | 10061-01-5 |      |
| trans-1,3-Dichloropropene   | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 21:38 | 10061-02-6 |      |
| Dichlorotetrafluoroethane   | <1.2    | ug/m3                    | 2.4  | 1.2   | 1.68 |          | 02/28/16 21:38 | 76-14-2    |      |
| Ethanol                     | 28.9    | ug/m3                    | 3.2  | 1.6   | 1.68 |          | 02/28/16 21:38 | 64-17-5    |      |
| Ethyl acetate               | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.68 |          | 02/28/16 21:38 | 141-78-6   |      |
| Ethylbenzene                | 0.83J   | ug/m3                    | 1.5  | 0.74  | 1.68 |          | 02/28/16 21:38 | 100-41-4   |      |
| 4-Ethyltoluene              | <0.84   | ug/m3                    | 1.7  | 0.84  | 1.68 |          | 02/28/16 21:38 | 622-96-8   |      |
| n-Heptane                   | <0.70   | ug/m3                    | 1.4  | 0.70  | 1.68 |          | 02/28/16 21:38 | 142-82-5   |      |
| Hexachloro-1,3-butadiene    | <9.1    | ug/m3                    | 18.2 | 9.1   | 1.68 |          | 02/28/16 21:38 | 87-68-3    |      |
| n-Hexane                    | <0.092  | ug/m3                    | 1.2  | 0.092 | 1.68 |          | 02/28/16 21:38 | 110-54-3   |      |
| 2-Hexanone                  | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 21:38 | 591-78-6   |      |
| Methylene Chloride          | <3.0    | ug/m3                    | 5.9  | 3.0   | 1.68 |          | 02/28/16 21:38 | 75-09-2    |      |
| 4-Methyl-2-pentanone (MIBK) | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 21:38 | 108-10-1   |      |
| Methyl-tert-butyl ether     | <3.1    | ug/m3                    | 6.2  | 3.1   | 1.68 |          | 02/28/16 21:38 | 1634-04-4  |      |
| Naphthalene                 | 7.6J    | ug/m3                    | 9.0  | 4.5   | 1.68 |          | 02/28/16 21:38 | 91-20-3    |      |
| 2-Propanol                  | 2.0J    | ug/m3                    | 4.2  | 0.80  | 1.68 |          | 02/28/16 21:38 | 67-63-0    |      |
| Propylene                   | <0.039  | ug/m3                    | 0.59 | 0.039 | 1.68 |          | 02/28/16 21:38 | 115-07-1   |      |
| Styrene                     | 2.5     | ug/m3                    | 1.5  | 0.73  | 1.68 |          | 02/28/16 21:38 | 100-42-5   |      |
| 1,1,2,2-Tetrachloroethane   | <0.59   | ug/m3                    | 1.2  | 0.59  | 1.68 |          | 02/28/16 21:38 | 79-34-5    |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: **Wildcard SSV406** Lab ID: **10339277006** Collected: 02/16/16 11:05 Received: 02/22/16 09:15 Matrix: Air

| Parameters                                   | Results | Units | LOQ  | LOD   | DF    | Prepared | Analyzed       | CAS No.     | Qual |
|--|---------|-------|------|-------|-------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b> Analytical Method: TO-15 |         |       |      |       |       |          |                |             |      |
| Tetrachloroethene                            | 9940    | ug/m3 | 185  | 92.7  | 268.8 |          | 02/29/16 17:21 | 127-18-4    | A3   |
| Tetrahydrofuran                              | 2.2     | ug/m3 | 1.0  | 0.050 | 1.68  |          | 02/28/16 21:38 | 109-99-9    |      |
| Toluene                                      | 1.6     | ug/m3 | 1.3  | 0.64  | 1.68  |          | 02/28/16 21:38 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene                       | <6.3    | ug/m3 | 12.7 | 6.3   | 1.68  |          | 02/28/16 21:38 | 120-82-1    |      |
| 1,1,1-Trichloroethane                        | <0.93   | ug/m3 | 1.9  | 0.93  | 1.68  |          | 02/28/16 21:38 | 71-55-6     |      |
| 1,1,2-Trichloroethane                        | <0.094  | ug/m3 | 0.92 | 0.094 | 1.68  |          | 02/28/16 21:38 | 79-00-5     |      |
| Trichloroethene                              | 10.7    | ug/m3 | 0.92 | 0.46  | 1.68  |          | 02/28/16 21:38 | 79-01-6     |      |
| Trichlorofluoromethane                       | <1.1    | ug/m3 | 1.9  | 1.1   | 1.68  |          | 02/28/16 21:38 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane               | <1.3    | ug/m3 | 2.7  | 1.3   | 1.68  |          | 02/28/16 21:38 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene                       | 6.5     | ug/m3 | 1.7  | 0.087 | 1.68  |          | 02/28/16 21:38 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene                       | 2.4     | ug/m3 | 1.7  | 0.84  | 1.68  |          | 02/28/16 21:38 | 108-67-8    |      |
| Vinyl acetate                                | 3.9     | ug/m3 | 1.2  | 0.076 | 1.68  |          | 02/28/16 21:38 | 108-05-4    |      |
| Vinyl chloride                               | <0.045  | ug/m3 | 0.44 | 0.045 | 1.68  |          | 02/28/16 21:38 | 75-01-4     |      |
| m&p-Xylene                                   | 4.1     | ug/m3 | 3.0  | 1.5   | 1.68  |          | 02/28/16 21:38 | 179601-23-1 |      |
| o-Xylene                                     | 1.2J    | ug/m3 | 1.5  | 0.74  | 1.68  |          | 02/28/16 21:38 | 95-47-6     |      |

Sample: **Dun-Rite SSV101** Lab ID: **10339277007** Collected: 02/16/16 09:32 Received: 02/22/16 09:15 Matrix: Air

| Parameters                                   | Results | Units | LOQ  | LOD   | DF  | Prepared | Analyzed       | CAS No.  | Qual |
|--|---------|-------|------|-------|-----|----------|----------------|----------|------|
| <b>TO15 MSV AIR</b> Analytical Method: TO-15 |         |       |      |       |     |          |                |          |      |
| Acetone                                      | 15.4    | ug/m3 | 4.3  | 0.91  | 1.8 |          | 02/28/16 22:10 | 67-64-1  |      |
| Benzene                                      | 0.97J   | ug/m3 | 1.2  | 0.29  | 1.8 |          | 02/28/16 22:10 | 71-43-2  |      |
| Benzyl chloride                              | <0.95   | ug/m3 | 1.9  | 0.95  | 1.8 |          | 02/28/16 22:10 | 100-44-7 |      |
| Bromodichloromethane                         | <0.13   | ug/m3 | 2.4  | 0.13  | 1.8 |          | 02/28/16 22:10 | 75-27-4  |      |
| Bromoform                                    | <0.20   | ug/m3 | 3.8  | 0.20  | 1.8 |          | 02/28/16 22:10 | 75-25-2  |      |
| Bromomethane                                 | <1.1    | ug/m3 | 1.4  | 1.1   | 1.8 |          | 02/28/16 22:10 | 74-83-9  |      |
| 1,3-Butadiene                                | <0.52   | ug/m3 | 0.81 | 0.52  | 1.8 |          | 02/28/16 22:10 | 106-99-0 |      |
| 2-Butanone (MEK)                             | 4.3J    | ug/m3 | 5.4  | 2.7   | 1.8 |          | 02/28/16 22:10 | 78-93-3  |      |
| Carbon disulfide                             | 2.7     | ug/m3 | 1.1  | 0.068 | 1.8 |          | 02/28/16 22:10 | 75-15-0  |      |
| Carbon tetrachloride                         | 0.37J   | ug/m3 | 1.2  | 0.12  | 1.8 |          | 02/28/16 22:10 | 56-23-5  |      |
| Chlorobenzene                                | 1.0J    | ug/m3 | 1.7  | 0.84  | 1.8 |          | 02/28/16 22:10 | 108-90-7 |      |
| Chloroethane                                 | <0.056  | ug/m3 | 0.97 | 0.056 | 1.8 |          | 02/28/16 22:10 | 75-00-3  |      |
| Chloroform                                   | <0.45   | ug/m3 | 1.8  | 0.45  | 1.8 |          | 02/28/16 22:10 | 67-66-3  |      |
| Chloromethane                                | <0.038  | ug/m3 | 0.76 | 0.038 | 1.8 |          | 02/28/16 22:10 | 74-87-3  |      |
| Cyclohexane                                  | 1.1J    | ug/m3 | 1.3  | 0.094 | 1.8 |          | 02/28/16 22:10 | 110-82-7 |      |
| Dibromochloromethane                         | <1.6    | ug/m3 | 3.1  | 1.6   | 1.8 |          | 02/28/16 22:10 | 124-48-1 |      |
| 1,2-Dibromoethane (EDB)                      | <1.4    | ug/m3 | 2.8  | 1.4   | 1.8 |          | 02/28/16 22:10 | 106-93-4 |      |
| 1,2-Dichlorobenzene                          | 3.1     | ug/m3 | 2.2  | 1.1   | 1.8 |          | 02/28/16 22:10 | 95-50-1  |      |
| 1,3-Dichlorobenzene                          | <1.1    | ug/m3 | 2.2  | 1.1   | 1.8 |          | 02/28/16 22:10 | 541-73-1 |      |
| 1,4-Dichlorobenzene                          | 2.2     | ug/m3 | 2.2  | 0.11  | 1.8 |          | 02/28/16 22:10 | 106-46-7 |      |
| Dichlorodifluoromethane                      | 43.4    | ug/m3 | 1.8  | 0.91  | 1.8 |          | 02/28/16 22:10 | 75-71-8  |      |
| 1,1-Dichloroethane                           | <0.74   | ug/m3 | 1.5  | 0.74  | 1.8 |          | 02/28/16 22:10 | 75-34-3  |      |
| 1,2-Dichloroethane                           | <0.083  | ug/m3 | 0.74 | 0.083 | 1.8 |          | 02/28/16 22:10 | 107-06-2 |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: Dun-Rite SSV101 Lab ID: 10339277007 Collected: 02/16/16 09:32 Received: 02/22/16 09:15 Matrix: Air

| Parameters                     | Results | Units                    | LOQ  | LOD   | DF  | Prepared | Analyzed       | CAS No.     | Qual |
|--------------------------------|---------|--------------------------|------|-------|-----|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b>            |         | Analytical Method: TO-15 |      |       |     |          |                |             |      |
| 1,1-Dichloroethene             | <0.092  | ug/m3                    | 1.5  | 0.092 | 1.8 |          | 02/28/16 22:10 | 75-35-4     |      |
| cis-1,2-Dichloroethene         | <0.074  | ug/m3                    | 1.5  | 0.074 | 1.8 |          | 02/28/16 22:10 | 156-59-2    |      |
| trans-1,2-Dichloroethene       | <0.074  | ug/m3                    | 1.5  | 0.074 | 1.8 |          | 02/28/16 22:10 | 156-60-5    |      |
| 1,2-Dichloropropane            | <0.85   | ug/m3                    | 1.7  | 0.85  | 1.8 |          | 02/28/16 22:10 | 78-87-5     |      |
| cis-1,3-Dichloropropene        | <0.83   | ug/m3                    | 1.7  | 0.83  | 1.8 |          | 02/28/16 22:10 | 10061-01-5  |      |
| trans-1,3-Dichloropropene      | <0.83   | ug/m3                    | 1.7  | 0.83  | 1.8 |          | 02/28/16 22:10 | 10061-02-6  |      |
| Dichlorotetrafluoroethane      | <1.3    | ug/m3                    | 2.6  | 1.3   | 1.8 |          | 02/28/16 22:10 | 76-14-2     |      |
| Ethanol                        | 29.9    | ug/m3                    | 3.5  | 1.7   | 1.8 |          | 02/28/16 22:10 | 64-17-5     |      |
| Ethyl acetate                  | <0.66   | ug/m3                    | 1.3  | 0.66  | 1.8 |          | 02/28/16 22:10 | 141-78-6    |      |
| Ethylbenzene                   | 1.1J    | ug/m3                    | 1.6  | 0.79  | 1.8 |          | 02/28/16 22:10 | 100-41-4    |      |
| 4-Ethyltoluene                 | <0.90   | ug/m3                    | 1.8  | 0.90  | 1.8 |          | 02/28/16 22:10 | 622-96-8    |      |
| n-Heptane                      | <0.75   | ug/m3                    | 1.5  | 0.75  | 1.8 |          | 02/28/16 22:10 | 142-82-5    |      |
| Hexachloro-1,3-butadiene       | <9.8    | ug/m3                    | 19.5 | 9.8   | 1.8 |          | 02/28/16 22:10 | 87-68-3     |      |
| n-Hexane                       | <0.099  | ug/m3                    | 1.3  | 0.099 | 1.8 |          | 02/28/16 22:10 | 110-54-3    |      |
| 2-Hexanone                     | <3.7    | ug/m3                    | 7.5  | 3.7   | 1.8 |          | 02/28/16 22:10 | 591-78-6    |      |
| Methylene Chloride             | <3.2    | ug/m3                    | 6.4  | 3.2   | 1.8 |          | 02/28/16 22:10 | 75-09-2     |      |
| 4-Methyl-2-pentanone (MIBK)    | <3.7    | ug/m3                    | 7.5  | 3.7   | 1.8 |          | 02/28/16 22:10 | 108-10-1    |      |
| Methyl-tert-butyl ether        | <3.3    | ug/m3                    | 6.6  | 3.3   | 1.8 |          | 02/28/16 22:10 | 1634-04-4   |      |
| Naphthalene                    | 9.1J    | ug/m3                    | 9.6  | 4.8   | 1.8 |          | 02/28/16 22:10 | 91-20-3     |      |
| 2-Propanol                     | 2.6J    | ug/m3                    | 4.5  | 0.86  | 1.8 |          | 02/28/16 22:10 | 67-63-0     |      |
| Propylene                      | <0.041  | ug/m3                    | 0.63 | 0.041 | 1.8 |          | 02/28/16 22:10 | 115-07-1    |      |
| Styrene                        | 2.9     | ug/m3                    | 1.6  | 0.78  | 1.8 |          | 02/28/16 22:10 | 100-42-5    |      |
| 1,1,2,2-Tetrachloroethane      | <0.63   | ug/m3                    | 1.3  | 0.63  | 1.8 |          | 02/28/16 22:10 | 79-34-5     |      |
| Tetrachloroethene              | 5030    | ug/m3                    | 99.2 | 49.7  | 144 |          | 02/29/16 16:25 | 127-18-4    | A3   |
| Tetrahydrofuran                | 2.9     | ug/m3                    | 1.1  | 0.054 | 1.8 |          | 02/28/16 22:10 | 109-99-9    |      |
| Toluene                        | 3.1     | ug/m3                    | 1.4  | 0.69  | 1.8 |          | 02/28/16 22:10 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene         | <6.8    | ug/m3                    | 13.6 | 6.8   | 1.8 |          | 02/28/16 22:10 | 120-82-1    |      |
| 1,1,1-Trichloroethane          | <1.0    | ug/m3                    | 2.0  | 1.0   | 1.8 |          | 02/28/16 22:10 | 71-55-6     |      |
| 1,1,2-Trichloroethane          | <0.10   | ug/m3                    | 0.99 | 0.10  | 1.8 |          | 02/28/16 22:10 | 79-00-5     |      |
| Trichloroethene                | 27.8    | ug/m3                    | 0.99 | 0.49  | 1.8 |          | 02/28/16 22:10 | 79-01-6     |      |
| Trichlorofluoromethane         | <1.2    | ug/m3                    | 2.1  | 1.2   | 1.8 |          | 02/28/16 22:10 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane | <1.4    | ug/m3                    | 2.9  | 1.4   | 1.8 |          | 02/28/16 22:10 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene         | 7.5     | ug/m3                    | 1.8  | 0.094 | 1.8 |          | 02/28/16 22:10 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene         | 2.6     | ug/m3                    | 1.8  | 0.90  | 1.8 |          | 02/28/16 22:10 | 108-67-8    |      |
| Vinyl acetate                  | 2.4     | ug/m3                    | 1.3  | 0.081 | 1.8 |          | 02/28/16 22:10 | 108-05-4    |      |
| Vinyl chloride                 | <0.049  | ug/m3                    | 0.47 | 0.049 | 1.8 |          | 02/28/16 22:10 | 75-01-4     |      |
| m&p-Xylene                     | 5.1     | ug/m3                    | 3.2  | 1.6   | 1.8 |          | 02/28/16 22:10 | 179601-23-1 |      |
| o-Xylene                       | 1.7     | ug/m3                    | 1.6  | 0.79  | 1.8 |          | 02/28/16 22:10 | 95-47-6     |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: **Dun-Rite SSV202** Lab ID: **10339277008** Collected: 02/16/16 10:27 Received: 02/22/16 09:15 Matrix: Air

| Parameters                  | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.    | Qual |
|-----------------------------|---------|--------------------------|------|-------|------|----------|----------------|------------|------|
| <b>TO15 MSV AIR</b>         |         | Analytical Method: TO-15 |      |       |      |          |                |            |      |
| Acetone                     | 21.7    | ug/m3                    | 4.0  | 0.85  | 1.68 |          | 02/28/16 22:41 | 67-64-1    |      |
| Benzene                     | 1.7     | ug/m3                    | 1.1  | 0.27  | 1.68 |          | 02/28/16 22:41 | 71-43-2    |      |
| Benzyl chloride             | <0.88   | ug/m3                    | 1.8  | 0.88  | 1.68 |          | 02/28/16 22:41 | 100-44-7   |      |
| Bromodichloromethane        | 3.1     | ug/m3                    | 2.3  | 0.12  | 1.68 |          | 02/28/16 22:41 | 75-27-4    |      |
| Bromoform                   | <0.19   | ug/m3                    | 3.5  | 0.19  | 1.68 |          | 02/28/16 22:41 | 75-25-2    |      |
| Bromomethane                | <1.0    | ug/m3                    | 1.3  | 1.0   | 1.68 |          | 02/28/16 22:41 | 74-83-9    |      |
| 1,3-Butadiene               | <0.48   | ug/m3                    | 0.76 | 0.48  | 1.68 |          | 02/28/16 22:41 | 106-99-0   |      |
| 2-Butanone (MEK)            | 7.2     | ug/m3                    | 5.0  | 2.5   | 1.68 |          | 02/28/16 22:41 | 78-93-3    |      |
| Carbon disulfide            | 2.1     | ug/m3                    | 1.1  | 0.064 | 1.68 |          | 02/28/16 22:41 | 75-15-0    |      |
| Carbon tetrachloride        | 0.35J   | ug/m3                    | 1.1  | 0.11  | 1.68 |          | 02/28/16 22:41 | 56-23-5    |      |
| Chlorobenzene               | <0.79   | ug/m3                    | 1.6  | 0.79  | 1.68 |          | 02/28/16 22:41 | 108-90-7   |      |
| Chloroethane                | <0.052  | ug/m3                    | 0.91 | 0.052 | 1.68 |          | 02/28/16 22:41 | 75-00-3    |      |
| Chloroform                  | 3.8     | ug/m3                    | 1.7  | 0.42  | 1.68 |          | 02/28/16 22:41 | 67-66-3    |      |
| Chloromethane               | <0.035  | ug/m3                    | 0.71 | 0.035 | 1.68 |          | 02/28/16 22:41 | 74-87-3    |      |
| Cyclohexane                 | <0.087  | ug/m3                    | 1.2  | 0.087 | 1.68 |          | 02/28/16 22:41 | 110-82-7   |      |
| Dibromochloromethane        | <1.5    | ug/m3                    | 2.9  | 1.5   | 1.68 |          | 02/28/16 22:41 | 124-48-1   |      |
| 1,2-Dibromoethane (EDB)     | <1.3    | ug/m3                    | 2.6  | 1.3   | 1.68 |          | 02/28/16 22:41 | 106-93-4   |      |
| 1,2-Dichlorobenzene         | 3.8     | ug/m3                    | 2.0  | 1.0   | 1.68 |          | 02/28/16 22:41 | 95-50-1    |      |
| 1,3-Dichlorobenzene         | <1.0    | ug/m3                    | 2.0  | 1.0   | 1.68 |          | 02/28/16 22:41 | 541-73-1   |      |
| 1,4-Dichlorobenzene         | 1.8J    | ug/m3                    | 2.0  | 0.10  | 1.68 |          | 02/28/16 22:41 | 106-46-7   |      |
| Dichlorodifluoromethane     | 124     | ug/m3                    | 1.7  | 0.85  | 1.68 |          | 02/28/16 22:41 | 75-71-8    |      |
| 1,1-Dichloroethane          | <0.69   | ug/m3                    | 1.4  | 0.69  | 1.68 |          | 02/28/16 22:41 | 75-34-3    |      |
| 1,2-Dichloroethane          | <0.077  | ug/m3                    | 0.69 | 0.077 | 1.68 |          | 02/28/16 22:41 | 107-06-2   |      |
| 1,1-Dichloroethene          | <0.086  | ug/m3                    | 1.4  | 0.086 | 1.68 |          | 02/28/16 22:41 | 75-35-4    |      |
| cis-1,2-Dichloroethene      | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 22:41 | 156-59-2   |      |
| trans-1,2-Dichloroethene    | <0.069  | ug/m3                    | 1.4  | 0.069 | 1.68 |          | 02/28/16 22:41 | 156-60-5   |      |
| 1,2-Dichloropropane         | <0.79   | ug/m3                    | 1.6  | 0.79  | 1.68 |          | 02/28/16 22:41 | 78-87-5    |      |
| cis-1,3-Dichloropropene     | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 22:41 | 10061-01-5 |      |
| trans-1,3-Dichloropropene   | <0.77   | ug/m3                    | 1.5  | 0.77  | 1.68 |          | 02/28/16 22:41 | 10061-02-6 |      |
| Dichlorotetrafluoroethane   | <1.2    | ug/m3                    | 2.4  | 1.2   | 1.68 |          | 02/28/16 22:41 | 76-14-2    |      |
| Ethanol                     | 101     | ug/m3                    | 3.2  | 1.6   | 1.68 |          | 02/28/16 22:41 | 64-17-5    |      |
| Ethyl acetate               | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.68 |          | 02/28/16 22:41 | 141-78-6   |      |
| Ethylbenzene                | 2.4     | ug/m3                    | 1.5  | 0.74  | 1.68 |          | 02/28/16 22:41 | 100-41-4   |      |
| 4-Ethyltoluene              | 1.1J    | ug/m3                    | 1.7  | 0.84  | 1.68 |          | 02/28/16 22:41 | 622-96-8   |      |
| n-Heptane                   | 1.2J    | ug/m3                    | 1.4  | 0.70  | 1.68 |          | 02/28/16 22:41 | 142-82-5   |      |
| Hexachloro-1,3-butadiene    | <9.1    | ug/m3                    | 18.2 | 9.1   | 1.68 |          | 02/28/16 22:41 | 87-68-3    |      |
| n-Hexane                    | 1.9     | ug/m3                    | 1.2  | 0.092 | 1.68 |          | 02/28/16 22:41 | 110-54-3   |      |
| 2-Hexanone                  | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 22:41 | 591-78-6   |      |
| Methylene Chloride          | <3.0    | ug/m3                    | 5.9  | 3.0   | 1.68 |          | 02/28/16 22:41 | 75-09-2    |      |
| 4-Methyl-2-pentanone (MIBK) | <3.5    | ug/m3                    | 7.0  | 3.5   | 1.68 |          | 02/28/16 22:41 | 108-10-1   |      |
| Methyl-tert-butyl ether     | <3.1    | ug/m3                    | 6.2  | 3.1   | 1.68 |          | 02/28/16 22:41 | 1634-04-4  |      |
| Naphthalene                 | 8.3J    | ug/m3                    | 9.0  | 4.5   | 1.68 |          | 02/28/16 22:41 | 91-20-3    |      |
| 2-Propanol                  | 8.5     | ug/m3                    | 4.2  | 0.80  | 1.68 |          | 02/28/16 22:41 | 67-63-0    |      |
| Propylene                   | <0.039  | ug/m3                    | 0.59 | 0.039 | 1.68 |          | 02/28/16 22:41 | 115-07-1   |      |
| Styrene                     | 2.2     | ug/m3                    | 1.5  | 0.73  | 1.68 |          | 02/28/16 22:41 | 100-42-5   |      |
| 1,1,2,2-Tetrachloroethane   | <0.59   | ug/m3                    | 1.2  | 0.59  | 1.68 |          | 02/28/16 22:41 | 79-34-5    |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: **Dun-Rite SSV202** Lab ID: **10339277008** Collected: 02/16/16 10:27 Received: 02/22/16 09:15 Matrix: Air

| Parameters                     | Results          | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|--------------------------------|------------------|--------------------------|------|-------|------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b>            |                  | Analytical Method: TO-15 |      |       |      |          |                |             |      |
| Tetrachloroethene              | <b>275</b>       | ug/m3                    | 1.2  | 0.58  | 1.68 |          | 02/28/16 22:41 | 127-18-4    |      |
| Tetrahydrofuran                | <b>&lt;0.050</b> | ug/m3                    | 1.0  | 0.050 | 1.68 |          | 02/28/16 22:41 | 109-99-9    |      |
| Toluene                        | <b>8.4</b>       | ug/m3                    | 1.3  | 0.64  | 1.68 |          | 02/28/16 22:41 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene         | <b>&lt;6.3</b>   | ug/m3                    | 12.7 | 6.3   | 1.68 |          | 02/28/16 22:41 | 120-82-1    |      |
| 1,1,1-Trichloroethane          | <b>&lt;0.93</b>  | ug/m3                    | 1.9  | 0.93  | 1.68 |          | 02/28/16 22:41 | 71-55-6     |      |
| 1,1,2-Trichloroethane          | <b>&lt;0.094</b> | ug/m3                    | 0.92 | 0.094 | 1.68 |          | 02/28/16 22:41 | 79-00-5     |      |
| Trichloroethene                | <b>7.1</b>       | ug/m3                    | 0.92 | 0.46  | 1.68 |          | 02/28/16 22:41 | 79-01-6     |      |
| Trichlorofluoromethane         | <b>&lt;1.1</b>   | ug/m3                    | 1.9  | 1.1   | 1.68 |          | 02/28/16 22:41 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane | <b>&lt;1.3</b>   | ug/m3                    | 2.7  | 1.3   | 1.68 |          | 02/28/16 22:41 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene         | <b>7.7</b>       | ug/m3                    | 1.7  | 0.087 | 1.68 |          | 02/28/16 22:41 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene         | <b>3.0</b>       | ug/m3                    | 1.7  | 0.84  | 1.68 |          | 02/28/16 22:41 | 108-67-8    |      |
| Vinyl acetate                  | <b>2.2</b>       | ug/m3                    | 1.2  | 0.076 | 1.68 |          | 02/28/16 22:41 | 108-05-4    |      |
| Vinyl chloride                 | <b>&lt;0.045</b> | ug/m3                    | 0.44 | 0.045 | 1.68 |          | 02/28/16 22:41 | 75-01-4     |      |
| m&p-Xylene                     | <b>7.7</b>       | ug/m3                    | 3.0  | 1.5   | 1.68 |          | 02/28/16 22:41 | 179601-23-1 |      |
| o-Xylene                       | <b>3.0</b>       | ug/m3                    | 1.5  | 0.74  | 1.68 |          | 02/28/16 22:41 | 95-47-6     |      |

Sample: **Blower Exhaust** Lab ID: **10339277009** Collected: 02/16/16 09:57 Received: 02/22/16 09:15 Matrix: Air

| Parameters              | Results          | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.  | Qual |
|-------------------------|------------------|--------------------------|------|-------|------|----------|----------------|----------|------|
| <b>TO15 MSV AIR</b>     |                  | Analytical Method: TO-15 |      |       |      |          |                |          |      |
| Acetone                 | <b>18.5</b>      | ug/m3                    | 4.2  | 0.88  | 1.74 |          | 02/28/16 23:13 | 67-64-1  |      |
| Benzene                 | <b>3.6</b>       | ug/m3                    | 1.1  | 0.28  | 1.74 |          | 02/28/16 23:13 | 71-43-2  |      |
| Benzyl chloride         | <b>&lt;0.92</b>  | ug/m3                    | 1.8  | 0.92  | 1.74 |          | 02/28/16 23:13 | 100-44-7 |      |
| Bromodichloromethane    | <b>&lt;0.12</b>  | ug/m3                    | 2.4  | 0.12  | 1.74 |          | 02/28/16 23:13 | 75-27-4  |      |
| Bromoform               | <b>&lt;0.19</b>  | ug/m3                    | 3.7  | 0.19  | 1.74 |          | 02/28/16 23:13 | 75-25-2  |      |
| Bromomethane            | <b>&lt;1.1</b>   | ug/m3                    | 1.4  | 1.1   | 1.74 |          | 02/28/16 23:13 | 74-83-9  |      |
| 1,3-Butadiene           | <b>&lt;0.50</b>  | ug/m3                    | 0.78 | 0.50  | 1.74 |          | 02/28/16 23:13 | 106-99-0 |      |
| 2-Butanone (MEK)        | <b>3.3J</b>      | ug/m3                    | 5.2  | 2.6   | 1.74 |          | 02/28/16 23:13 | 78-93-3  |      |
| Carbon disulfide        | <b>2.4</b>       | ug/m3                    | 1.1  | 0.066 | 1.74 |          | 02/28/16 23:13 | 75-15-0  |      |
| Carbon tetrachloride    | <b>0.34J</b>     | ug/m3                    | 1.1  | 0.12  | 1.74 |          | 02/28/16 23:13 | 56-23-5  |      |
| Chlorobenzene           | <b>&lt;0.81</b>  | ug/m3                    | 1.6  | 0.81  | 1.74 |          | 02/28/16 23:13 | 108-90-7 |      |
| Chloroethane            | <b>&lt;0.054</b> | ug/m3                    | 0.94 | 0.054 | 1.74 |          | 02/28/16 23:13 | 75-00-3  |      |
| Chloroform              | <b>&lt;0.43</b>  | ug/m3                    | 1.7  | 0.43  | 1.74 |          | 02/28/16 23:13 | 67-66-3  |      |
| Chloromethane           | <b>0.63J</b>     | ug/m3                    | 0.73 | 0.037 | 1.74 |          | 02/28/16 23:13 | 74-87-3  |      |
| Cyclohexane             | <b>3.5</b>       | ug/m3                    | 1.2  | 0.090 | 1.74 |          | 02/28/16 23:13 | 110-82-7 |      |
| Dibromochloromethane    | <b>&lt;1.5</b>   | ug/m3                    | 3.0  | 1.5   | 1.74 |          | 02/28/16 23:13 | 124-48-1 |      |
| 1,2-Dibromoethane (EDB) | <b>&lt;1.4</b>   | ug/m3                    | 2.7  | 1.4   | 1.74 |          | 02/28/16 23:13 | 106-93-4 |      |
| 1,2-Dichlorobenzene     | <b>12.8</b>      | ug/m3                    | 2.1  | 1.1   | 1.74 |          | 02/28/16 23:13 | 95-50-1  |      |
| 1,3-Dichlorobenzene     | <b>&lt;1.1</b>   | ug/m3                    | 2.1  | 1.1   | 1.74 |          | 02/28/16 23:13 | 541-73-1 |      |
| 1,4-Dichlorobenzene     | <b>&lt;0.11</b>  | ug/m3                    | 2.1  | 0.11  | 1.74 |          | 02/28/16 23:13 | 106-46-7 |      |
| Dichlorodifluoromethane | <b>20.6</b>      | ug/m3                    | 1.8  | 0.88  | 1.74 |          | 02/28/16 23:13 | 75-71-8  |      |
| 1,1-Dichloroethane      | <b>&lt;0.72</b>  | ug/m3                    | 1.4  | 0.72  | 1.74 |          | 02/28/16 23:13 | 75-34-3  |      |
| 1,2-Dichloroethane      | <b>&lt;0.080</b> | ug/m3                    | 0.71 | 0.080 | 1.74 |          | 02/28/16 23:13 | 107-06-2 |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

Sample: Blower Exhaust Lab ID: 10339277009 Collected: 02/16/16 09:57 Received: 02/22/16 09:15 Matrix: Air

| Parameters                     | Results | Units                    | LOQ  | LOD   | DF   | Prepared | Analyzed       | CAS No.     | Qual |
|--------------------------------|---------|--------------------------|------|-------|------|----------|----------------|-------------|------|
| <b>TO15 MSV AIR</b>            |         | Analytical Method: TO-15 |      |       |      |          |                |             |      |
| 1,1-Dichloroethene             | <0.089  | ug/m3                    | 1.4  | 0.089 | 1.74 |          | 02/28/16 23:13 | 75-35-4     |      |
| cis-1,2-Dichloroethene         | <0.071  | ug/m3                    | 1.4  | 0.071 | 1.74 |          | 02/28/16 23:13 | 156-59-2    |      |
| trans-1,2-Dichloroethene       | <0.071  | ug/m3                    | 1.4  | 0.071 | 1.74 |          | 02/28/16 23:13 | 156-60-5    |      |
| 1,2-Dichloropropane            | <0.82   | ug/m3                    | 1.6  | 0.82  | 1.74 |          | 02/28/16 23:13 | 78-87-5     |      |
| cis-1,3-Dichloropropene        | <0.80   | ug/m3                    | 1.6  | 0.80  | 1.74 |          | 02/28/16 23:13 | 10061-01-5  |      |
| trans-1,3-Dichloropropene      | <0.80   | ug/m3                    | 1.6  | 0.80  | 1.74 |          | 02/28/16 23:13 | 10061-02-6  |      |
| Dichlorotetrafluoroethane      | <1.2    | ug/m3                    | 2.5  | 1.2   | 1.74 |          | 02/28/16 23:13 | 76-14-2     |      |
| Ethanol                        | 35.1    | ug/m3                    | 3.3  | 1.7   | 1.74 |          | 02/28/16 23:13 | 64-17-5     |      |
| Ethyl acetate                  | <0.64   | ug/m3                    | 1.3  | 0.64  | 1.74 |          | 02/28/16 23:13 | 141-78-6    |      |
| Ethylbenzene                   | 4.2     | ug/m3                    | 1.5  | 0.77  | 1.74 |          | 02/28/16 23:13 | 100-41-4    |      |
| 4-Ethyltoluene                 | 3.3     | ug/m3                    | 1.7  | 0.87  | 1.74 |          | 02/28/16 23:13 | 622-96-8    |      |
| n-Heptane                      | 2.7     | ug/m3                    | 1.4  | 0.73  | 1.74 |          | 02/28/16 23:13 | 142-82-5    |      |
| Hexachloro-1,3-butadiene       | <9.4    | ug/m3                    | 18.9 | 9.4   | 1.74 |          | 02/28/16 23:13 | 87-68-3     |      |
| n-Hexane                       | 5.0     | ug/m3                    | 1.3  | 0.096 | 1.74 |          | 02/28/16 23:13 | 110-54-3    |      |
| 2-Hexanone                     | <3.6    | ug/m3                    | 7.2  | 3.6   | 1.74 |          | 02/28/16 23:13 | 591-78-6    |      |
| Methylene Chloride             | 3.8J    | ug/m3                    | 6.1  | 3.1   | 1.74 |          | 02/28/16 23:13 | 75-09-2     |      |
| 4-Methyl-2-pentanone (MIBK)    | <3.6    | ug/m3                    | 7.2  | 3.6   | 1.74 |          | 02/28/16 23:13 | 108-10-1    |      |
| Methyl-tert-butyl ether        | <3.2    | ug/m3                    | 6.4  | 3.2   | 1.74 |          | 02/28/16 23:13 | 1634-04-4   |      |
| Naphthalene                    | <4.6    | ug/m3                    | 9.3  | 4.6   | 1.74 |          | 02/28/16 23:13 | 91-20-3     |      |
| 2-Propanol                     | 6.2     | ug/m3                    | 4.4  | 0.83  | 1.74 |          | 02/28/16 23:13 | 67-63-0     |      |
| Propylene                      | <0.040  | ug/m3                    | 0.61 | 0.040 | 1.74 |          | 02/28/16 23:13 | 115-07-1    |      |
| Styrene                        | <0.75   | ug/m3                    | 1.5  | 0.75  | 1.74 |          | 02/28/16 23:13 | 100-42-5    |      |
| 1,1,2,2-Tetrachloroethane      | <0.61   | ug/m3                    | 1.2  | 0.61  | 1.74 |          | 02/28/16 23:13 | 79-34-5     |      |
| Tetrachloroethene              | 641     | ug/m3                    | 24.0 | 12.0  | 34.8 |          | 02/29/16 15:56 | 127-18-4    |      |
| Tetrahydrofuran                | 3.6     | ug/m3                    | 1.0  | 0.052 | 1.74 |          | 02/28/16 23:13 | 109-99-9    |      |
| Toluene                        | 20.6    | ug/m3                    | 1.3  | 0.67  | 1.74 |          | 02/28/16 23:13 | 108-88-3    |      |
| 1,2,4-Trichlorobenzene         | <6.6    | ug/m3                    | 13.1 | 6.6   | 1.74 |          | 02/28/16 23:13 | 120-82-1    |      |
| 1,1,1-Trichloroethane          | <0.97   | ug/m3                    | 1.9  | 0.97  | 1.74 |          | 02/28/16 23:13 | 71-55-6     |      |
| 1,1,2-Trichloroethane          | <0.097  | ug/m3                    | 0.96 | 0.097 | 1.74 |          | 02/28/16 23:13 | 79-00-5     |      |
| Trichloroethene                | 7.9     | ug/m3                    | 0.96 | 0.48  | 1.74 |          | 02/28/16 23:13 | 79-01-6     |      |
| Trichlorofluoromethane         | <1.2    | ug/m3                    | 2.0  | 1.2   | 1.74 |          | 02/28/16 23:13 | 75-69-4     |      |
| 1,1,2-Trichlorotrifluoroethane | <1.4    | ug/m3                    | 2.8  | 1.4   | 1.74 |          | 02/28/16 23:13 | 76-13-1     |      |
| 1,2,4-Trimethylbenzene         | 12.8    | ug/m3                    | 1.7  | 0.090 | 1.74 |          | 02/28/16 23:13 | 95-63-6     |      |
| 1,3,5-Trimethylbenzene         | 5.3     | ug/m3                    | 1.7  | 0.87  | 1.74 |          | 02/28/16 23:13 | 108-67-8    |      |
| Vinyl acetate                  | 3.1     | ug/m3                    | 1.2  | 0.078 | 1.74 |          | 02/28/16 23:13 | 108-05-4    |      |
| Vinyl chloride                 | <0.047  | ug/m3                    | 0.45 | 0.047 | 1.74 |          | 02/28/16 23:13 | 75-01-4     |      |
| m&p-Xylene                     | 14.3    | ug/m3                    | 3.1  | 1.5   | 1.74 |          | 02/28/16 23:13 | 179601-23-1 |      |
| o-Xylene                       | 5.9     | ug/m3                    | 1.5  | 0.77  | 1.74 |          | 02/28/16 23:13 | 95-47-6     |      |

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

**QUALITY CONTROL DATA**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

QC Batch: AIR/25331 Analysis Method: TO-15  
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level  
Associated Lab Samples: 10339277002, 10339277003, 10339277004, 10339277005, 10339277006, 10339277007, 10339277008, 10339277009

METHOD BLANK: 2200161 Matrix: Air  
Associated Lab Samples: 10339277002, 10339277003, 10339277004, 10339277005, 10339277006, 10339277007, 10339277008, 10339277009

| Parameter                      | Units | Blank Result | Reporting Limit | Analyzed       | Qualifiers |
|--------------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1-Trichloroethane          | ug/m3 | <0.56        | 1.1             | 02/28/16 10:53 |            |
| 1,1,2,2-Tetrachloroethane      | ug/m3 | <0.35        | 0.70            | 02/28/16 10:53 |            |
| 1,1,2-Trichloroethane          | ug/m3 | <0.056       | 0.55            | 02/28/16 10:53 |            |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.78        | 1.6             | 02/28/16 10:53 |            |
| 1,1-Dichloroethane             | ug/m3 | <0.41        | 0.82            | 02/28/16 10:53 |            |
| 1,1-Dichloroethene             | ug/m3 | <0.051       | 0.81            | 02/28/16 10:53 |            |
| 1,2,4-Trichlorobenzene         | ug/m3 | <3.8         | 7.5             | 02/28/16 10:53 |            |
| 1,2,4-Trimethylbenzene         | ug/m3 | <0.052       | 1.0             | 02/28/16 10:53 |            |
| 1,2-Dibromoethane (EDB)        | ug/m3 | <0.78        | 1.6             | 02/28/16 10:53 |            |
| 1,2-Dichlorobenzene            | ug/m3 | <0.61        | 1.2             | 02/28/16 10:53 |            |
| 1,2-Dichloroethane             | ug/m3 | <0.046       | 0.41            | 02/28/16 10:53 |            |
| 1,2-Dichloropropane            | ug/m3 | <0.47        | 0.94            | 02/28/16 10:53 |            |
| 1,3,5-Trimethylbenzene         | ug/m3 | <0.50        | 1.0             | 02/28/16 10:53 |            |
| 1,3-Butadiene                  | ug/m3 | <0.29        | 0.45            | 02/28/16 10:53 |            |
| 1,3-Dichlorobenzene            | ug/m3 | <0.61        | 1.2             | 02/28/16 10:53 |            |
| 1,4-Dichlorobenzene            | ug/m3 | <0.062       | 1.2             | 02/28/16 10:53 |            |
| 2-Butanone (MEK)               | ug/m3 | <1.5         | 3.0             | 02/28/16 10:53 |            |
| 2-Hexanone                     | ug/m3 | <2.1         | 4.2             | 02/28/16 10:53 |            |
| 2-Propanol                     | ug/m3 | <0.48        | 2.5             | 02/28/16 10:53 |            |
| 4-Ethyltoluene                 | ug/m3 | <0.50        | 1.0             | 02/28/16 10:53 |            |
| 4-Methyl-2-pentanone (MIBK)    | ug/m3 | <2.1         | 4.2             | 02/28/16 10:53 |            |
| Acetone                        | ug/m3 | 1.6J         | 2.4             | 02/28/16 10:53 |            |
| Benzene                        | ug/m3 | <0.16        | 0.65            | 02/28/16 10:53 |            |
| Benzyl chloride                | ug/m3 | <0.53        | 1.0             | 02/28/16 10:53 |            |
| Bromodichloromethane           | ug/m3 | <0.070       | 1.4             | 02/28/16 10:53 |            |
| Bromoform                      | ug/m3 | <0.11        | 2.1             | 02/28/16 10:53 |            |
| Bromomethane                   | ug/m3 | <0.62        | 0.79            | 02/28/16 10:53 |            |
| Carbon disulfide               | ug/m3 | <0.038       | 0.63            | 02/28/16 10:53 |            |
| Carbon tetrachloride           | ug/m3 | <0.068       | 0.64            | 02/28/16 10:53 |            |
| Chlorobenzene                  | ug/m3 | <0.47        | 0.94            | 02/28/16 10:53 |            |
| Chloroethane                   | ug/m3 | <0.031       | 0.54            | 02/28/16 10:53 |            |
| Chloroform                     | ug/m3 | <0.25        | 0.99            | 02/28/16 10:53 |            |
| Chloromethane                  | ug/m3 | <0.021       | 0.42            | 02/28/16 10:53 |            |
| cis-1,2-Dichloroethene         | ug/m3 | <0.041       | 0.81            | 02/28/16 10:53 |            |
| cis-1,3-Dichloropropene        | ug/m3 | <0.46        | 0.92            | 02/28/16 10:53 |            |
| Cyclohexane                    | ug/m3 | <0.052       | 0.70            | 02/28/16 10:53 |            |
| Dibromochloromethane           | ug/m3 | <0.87        | 1.7             | 02/28/16 10:53 |            |
| Dichlorodifluoromethane        | ug/m3 | <0.50        | 1.0             | 02/28/16 10:53 |            |
| Dichlorotetrafluoroethane      | ug/m3 | <0.71        | 1.4             | 02/28/16 10:53 |            |
| Ethanol                        | ug/m3 | <0.96        | 1.9             | 02/28/16 10:53 |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

### QUALITY CONTROL DATA

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

METHOD BLANK: 2200161

Matrix: Air

Associated Lab Samples: 10339277002, 10339277003, 10339277004, 10339277005, 10339277006, 10339277007, 10339277008, 10339277009

| Parameter                 | Units | Blank Result | Reporting Limit | Analyzed       | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethyl acetate             | ug/m3 | <0.37        | 0.73            | 02/28/16 10:53 |            |
| Ethylbenzene              | ug/m3 | <0.44        | 0.88            | 02/28/16 10:53 |            |
| Hexachloro-1,3-butadiene  | ug/m3 | <5.4         | 10.8            | 02/28/16 10:53 |            |
| m&p-Xylene                | ug/m3 | 1.1J         | 1.8             | 02/28/16 10:53 |            |
| Methyl-tert-butyl ether   | ug/m3 | <1.8         | 3.7             | 02/28/16 10:53 |            |
| Methylene Chloride        | ug/m3 | <1.8         | 3.5             | 02/28/16 10:53 |            |
| n-Heptane                 | ug/m3 | <0.42        | 0.83            | 02/28/16 10:53 |            |
| n-Hexane                  | ug/m3 | <0.055       | 0.72            | 02/28/16 10:53 |            |
| Naphthalene               | ug/m3 | <2.7         | 5.3             | 02/28/16 10:53 |            |
| o-Xylene                  | ug/m3 | <0.44        | 0.88            | 02/28/16 10:53 |            |
| Propylene                 | ug/m3 | <0.023       | 0.35            | 02/28/16 10:53 |            |
| Styrene                   | ug/m3 | <0.43        | 0.87            | 02/28/16 10:53 |            |
| Tetrachloroethene         | ug/m3 | <0.34        | 0.69            | 02/28/16 10:53 |            |
| Tetrahydrofuran           | ug/m3 | <0.030       | 0.60            | 02/28/16 10:53 |            |
| Toluene                   | ug/m3 | <0.38        | 0.77            | 02/28/16 10:53 |            |
| trans-1,2-Dichloroethene  | ug/m3 | <0.041       | 0.81            | 02/28/16 10:53 |            |
| trans-1,3-Dichloropropene | ug/m3 | <0.46        | 0.92            | 02/28/16 10:53 |            |
| Trichloroethene           | ug/m3 | <0.27        | 0.55            | 02/28/16 10:53 |            |
| Trichlorofluoromethane    | ug/m3 | <0.68        | 1.1             | 02/28/16 10:53 |            |
| Vinyl acetate             | ug/m3 | <0.045       | 0.72            | 02/28/16 10:53 |            |
| Vinyl chloride            | ug/m3 | <0.027       | 0.26            | 02/28/16 10:53 |            |

LABORATORY CONTROL SAMPLE: 2200162

| Parameter                      | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane          | ug/m3 | 55.5        | 55.7       | 100       | 60-143       |            |
| 1,1,2,2-Tetrachloroethane      | ug/m3 | 69.8        | 78.3       | 112       | 49-150       |            |
| 1,1,2-Trichloroethane          | ug/m3 | 55.5        | 58.9       | 106       | 57-149       |            |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | 77.9        | 78.6       | 101       | 66-131       |            |
| 1,1-Dichloroethane             | ug/m3 | 41.2        | 37.1       | 90        | 62-139       |            |
| 1,1-Dichloroethene             | ug/m3 | 40.3        | 42.6       | 106       | 62-135       |            |
| 1,2,4-Trichlorobenzene         | ug/m3 | 75.5        | 80.3       | 106       | 55-146       |            |
| 1,2,4-Trimethylbenzene         | ug/m3 | 50          | 53.5       | 107       | 57-143       |            |
| 1,2-Dibromoethane (EDB)        | ug/m3 | 78.1        | 93.6       | 120       | 63-150       |            |
| 1,2-Dichlorobenzene            | ug/m3 | 61.2        | 71.4       | 117       | 57-141       |            |
| 1,2-Dichloroethane             | ug/m3 | 41.2        | 42.0       | 102       | 61-144       |            |
| 1,2-Dichloropropane            | ug/m3 | 47          | 46.6       | 99        | 63-144       |            |
| 1,3,5-Trimethylbenzene         | ug/m3 | 50          | 56.3       | 113       | 54-147       |            |
| 1,3-Butadiene                  | ug/m3 | 22.5        | 21.5       | 96        | 61-140       |            |
| 1,3-Dichlorobenzene            | ug/m3 | 61.2        | 70.4       | 115       | 51-150       |            |
| 1,4-Dichlorobenzene            | ug/m3 | 61.2        | 68.2       | 111       | 57-143       |            |
| 2-Butanone (MEK)               | ug/m3 | 150         | 146        | 98        | 66-144       |            |
| 2-Hexanone                     | ug/m3 | 208         | 226        | 109       | 63-147       |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

LABORATORY CONTROL SAMPLE: 2200162

| Parameter                   | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 2-Propanol                  | ug/m3 | 125         | 134        | 108       | 54-146       |            |
| 4-Ethyltoluene              | ug/m3 | 50          | 59.3       | 119       | 56-150       |            |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 208         | 232        | 111       | 58-150       |            |
| Acetone                     | ug/m3 | 121         | 130        | 108       | 46-140       |            |
| Benzene                     | ug/m3 | 32.5        | 32.2       | 99        | 62-141       |            |
| Benzyl chloride             | ug/m3 | 52.5        | 56.6       | 108       | 66-138       |            |
| Bromodichloromethane        | ug/m3 | 68.2        | 65.8       | 97        | 58-149       |            |
| Bromoform                   | ug/m3 | 105         | 119        | 113       | 61-150       |            |
| Bromomethane                | ug/m3 | 39.5        | 39.3       | 99        | 58-136       |            |
| Carbon disulfide            | ug/m3 | 31.7        | 31.3       | 99        | 59-135       |            |
| Carbon tetrachloride        | ug/m3 | 64          | 69.3       | 108       | 60-149       |            |
| Chlorobenzene               | ug/m3 | 46.8        | 52.0       | 111       | 60-150       |            |
| Chloroethane                | ug/m3 | 26.8        | 27.6       | 103       | 61-136       |            |
| Chloroform                  | ug/m3 | 49.7        | 48.4       | 98        | 65-138       |            |
| Chloromethane               | ug/m3 | 21          | 19.1       | 91        | 62-133       |            |
| cis-1,2-Dichloroethene      | ug/m3 | 40.3        | 34.2       | 85        | 65-139       |            |
| cis-1,3-Dichloropropene     | ug/m3 | 46.2        | 39.3       | 85        | 61-149       |            |
| Cyclohexane                 | ug/m3 | 35          | 36.0       | 103       | 64-134       |            |
| Dibromochloromethane        | ug/m3 | 86.6        | 104        | 120       | 59-150       |            |
| Dichlorodifluoromethane     | ug/m3 | 50.3        | 47.7       | 95        | 63-134       |            |
| Dichlorotetrafluoroethane   | ug/m3 | 71.1        | 67.2       | 94        | 62-134       |            |
| Ethanol                     | ug/m3 | 95.8        | 108        | 113       | 50-144       |            |
| Ethyl acetate               | ug/m3 | 36.6        | 32.6       | 89        | 55-146       |            |
| Ethylbenzene                | ug/m3 | 44.2        | 49.3       | 112       | 59-149       |            |
| Hexachloro-1,3-butadiene    | ug/m3 | 108         | 113        | 104       | 42-150       |            |
| m&p-Xylene                  | ug/m3 | 88.3        | 94.7       | 107       | 59-146       |            |
| Methyl-tert-butyl ether     | ug/m3 | 183         | 178        | 97        | 64-135       |            |
| Methylene Chloride          | ug/m3 | 177         | 192        | 109       | 64-128       |            |
| n-Heptane                   | ug/m3 | 41.7        | 39.7       | 95        | 64-140       |            |
| n-Hexane                    | ug/m3 | 35.8        | 38.8       | 108       | 50-138       |            |
| Naphthalene                 | ug/m3 | 53.3        | 55.0       | 103       | 46-146       |            |
| o-Xylene                    | ug/m3 | 44.2        | 49.0       | 111       | 54-149       |            |
| Propylene                   | ug/m3 | 17.5        | 16.5       | 94        | 58-135       |            |
| Styrene                     | ug/m3 | 43.3        | 47.3       | 109       | 54-150       |            |
| Tetrachloroethene           | ug/m3 | 69          | 78.5       | 114       | 60-142       |            |
| Tetrahydrofuran             | ug/m3 | 30          | 24.1       | 80        | 56-143       |            |
| Toluene                     | ug/m3 | 38.3        | 40.0       | 104       | 61-138       |            |
| trans-1,2-Dichloroethene    | ug/m3 | 40.3        | 39.1       | 97        | 67-137       |            |
| trans-1,3-Dichloropropene   | ug/m3 | 46.2        | 39.8       | 86        | 59-145       |            |
| Trichloroethene             | ug/m3 | 54.6        | 47.9       | 88        | 60-144       |            |
| Trichlorofluoromethane      | ug/m3 | 57.1        | 57.3       | 100       | 59-134       |            |
| Vinyl acetate               | ug/m3 | 35.8        | 29.3       | 82        | 55-143       |            |
| Vinyl chloride              | ug/m3 | 26          | 24.9       | 96        | 63-135       |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

SAMPLE DUPLICATE: 2200425

| Parameter                      | Units | 10339267001<br>Result | Dup<br>Result | RPD | Max<br>RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane          | ug/m3 | <0.00080<br>mg/m3     | <0.80         |     | 25         |            |
| 1,1,2,2-Tetrachloroethane      | ug/m3 | <0.00050<br>mg/m3     | <0.50         |     | 25         |            |
| 1,1,2-Trichloroethane          | ug/m3 | <0.00081<br>mg/m3     | <0.081        |     | 25         |            |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.0011<br>mg/m3      | <1.1          |     | 25         |            |
| 1,1-Dichloroethane             | ug/m3 | <0.00059<br>mg/m3     | <0.59         |     | 25         |            |
| 1,1-Dichloroethene             | ug/m3 | <0.00073<br>mg/m3     | <0.073        |     | 25         |            |
| 1,2,4-Trichlorobenzene         | ug/m3 | <0.0054<br>mg/m3      | <5.4          |     | 25         |            |
| 1,2,4-Trimethylbenzene         | ug/m3 | 0.0029<br>mg/m3       | 2.8           | 2   | 25         |            |
| 1,2-Dibromoethane (EDB)        | ug/m3 | <0.0011<br>mg/m3      | <1.1          |     | 25         |            |
| 1,2-Dichlorobenzene            | ug/m3 | <0.00088<br>mg/m3     | <0.88         |     | 25         |            |
| 1,2-Dichloroethane             | ug/m3 | <0.00066<br>mg/m3     | <0.066        |     | 25         |            |
| 1,2-Dichloropropane            | ug/m3 | <0.00068<br>mg/m3     | <0.68         |     | 25         |            |
| 1,3,5-Trimethylbenzene         | ug/m3 | 0.0011J<br>mg/m3      | 0.95J         |     | 25         |            |
| 1,3-Butadiene                  | ug/m3 | <0.00041<br>mg/m3     | <0.41         |     | 25         |            |
| 1,3-Dichlorobenzene            | ug/m3 | 0.0012J<br>mg/m3      | 1.1J          |     | 25         |            |
| 1,4-Dichlorobenzene            | ug/m3 | <0.00089<br>mg/m3     | <0.089        |     | 25         |            |
| 2-Butanone (MEK)               | ug/m3 | 0.0028J<br>mg/m3      | 2.6J          |     | 25         |            |
| 2-Hexanone                     | ug/m3 | <0.0030<br>mg/m3      | <3.0          |     | 25         |            |
| 2-Propanol                     | ug/m3 | 0.079 mg/m3           | 70.0          | 12  | 25         |            |
| 4-Ethyltoluene                 | ug/m3 | <0.00072<br>mg/m3     | <0.72         |     | 25         |            |
| 4-Methyl-2-pentanone (MIBK)    | ug/m3 | <0.0030<br>mg/m3      | <3.0          |     | 25         |            |
| Acetone                        | ug/m3 | 0.028 mg/m3           | 32.8          | 14  | 25         |            |
| Benzene                        | ug/m3 | 0.00090J<br>mg/m3     | 0.91J         |     | 25         |            |
| Benzyl chloride                | ug/m3 | <0.00076<br>mg/m3     | <0.76         |     | 25         |            |
| Bromodichloromethane           | ug/m3 | <0.00010<br>mg/m3     | <0.10         |     | 25         |            |
| Bromoform                      | ug/m3 | <0.00016<br>mg/m3     | <0.16         |     | 25         |            |
| Bromomethane                   | ug/m3 | <0.00090<br>mg/m3     | <0.90         |     | 25         |            |
| Carbon disulfide               | ug/m3 | 0.0018<br>mg/m3       | 1.7           | 2   | 25         |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

**QUALITY CONTROL DATA**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

SAMPLE DUPLICATE: 2200425

| Parameter                 | Units | 10339267001<br>Result | Dup<br>Result | RPD | Max<br>RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| Carbon tetrachloride      | ug/m3 | 0.00039J<br>mg/m3     | 0.41J         |     | 25         |            |
| Chlorobenzene             | ug/m3 | <0.00067<br>mg/m3     | <0.67         |     | 25         |            |
| Chloroethane              | ug/m3 | <0.000045<br>mg/m3    | <0.045        |     | 25         |            |
| Chloroform                | ug/m3 | <0.00036<br>mg/m3     | <0.36         |     | 25         |            |
| Chloromethane             | ug/m3 | 0.0011<br>mg/m3       | 1.7           | 42  | 25         | R1         |
| cis-1,2-Dichloroethene    | ug/m3 | <0.000059<br>mg/m3    | <0.059        |     | 25         |            |
| cis-1,3-Dichloropropene   | ug/m3 | <0.00066<br>mg/m3     | <0.66         |     | 25         |            |
| Cyclohexane               | ug/m3 | 0.00093J<br>mg/m3     | 0.97J         |     | 25         |            |
| Dibromochloromethane      | ug/m3 | <0.0012<br>mg/m3      | <1.2          |     | 25         |            |
| Dichlorodifluoromethane   | ug/m3 | 0.0081<br>mg/m3       | 7.4           | 10  | 25         |            |
| Dichlorotetrafluoroethane | ug/m3 | <0.0010<br>mg/m3      | <1.0          |     | 25         |            |
| Ethanol                   | ug/m3 | 0.012 mg/m3           | 11.8          | 1   | 25         |            |
| Ethyl acetate             | ug/m3 | <0.00053<br>mg/m3     | <0.53         |     | 25         |            |
| Ethylbenzene              | ug/m3 | 0.0012J<br>mg/m3      | 1.2J          |     | 25         |            |
| Hexachloro-1,3-butadiene  | ug/m3 | <0.0078<br>mg/m3      | <7.8          |     | 25         |            |
| m&p-Xylene                | ug/m3 | 0.0061<br>mg/m3       | 5.8           | 5   | 25         |            |
| Methyl-tert-butyl ether   | ug/m3 | <0.0026<br>mg/m3      | <2.6          |     | 25         |            |
| Methylene Chloride        | ug/m3 | 0.044 mg/m3           | 87.4          | 67  | 25         | R1         |
| n-Heptane                 | ug/m3 | 0.0017<br>mg/m3       | 1.6           | 5   | 25         |            |
| n-Hexane                  | ug/m3 | 0.0073<br>mg/m3       | 10.6          | 37  | 25         | R1         |
| Naphthalene               | ug/m3 | <0.0038<br>mg/m3      | <3.8          |     | 25         |            |
| o-Xylene                  | ug/m3 | 0.0017<br>mg/m3       | 1.6           | 5   | 25         |            |
| Propylene                 | ug/m3 | <0.000033<br>mg/m3    | <0.033        |     | 25         |            |
| Styrene                   | ug/m3 | <0.00062<br>mg/m3     | <0.62         |     | 25         |            |
| Tetrachloroethene         | ug/m3 | 0.0011<br>mg/m3       | 1.0           | 5   | 25         |            |
| Tetrahydrofuran           | ug/m3 | <0.000043<br>mg/m3    | <0.043        |     | 25         |            |
| Toluene                   | ug/m3 | 0.0080<br>mg/m3       | 8.7           | 8   | 25         |            |
| trans-1,2-Dichloroethene  | ug/m3 | <0.000059<br>mg/m3    | <0.059        |     | 25         |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

**QUALITY CONTROL DATA**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

SAMPLE DUPLICATE: 2200425

| Parameter                 | Units | 10339267001<br>Result | Dup<br>Result | RPD | Max<br>RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| trans-1,3-Dichloropropene | ug/m3 | <0.00066<br>mg/m3     | <0.66         |     | 25         |            |
| Trichloroethene           | ug/m3 | <0.00039<br>mg/m3     | <0.39         |     | 25         |            |
| Trichlorofluoromethane    | ug/m3 | 0.0018<br>mg/m3       | 1.8           | 1   | 25         |            |
| Vinyl acetate             | ug/m3 | 0.0027<br>mg/m3       | 2.7           | 3   | 25         |            |
| Vinyl chloride            | ug/m3 | <0.000039<br>mg/m3    | <0.039        |     | 25         |            |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



## QUALIFIERS

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.  
ND - Not Detected at or above LOD.  
J - Estimated concentration at or above the LOD and below the LOQ.  
LOD - Limit of Detection adjusted for dilution factor and percent moisture.  
LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.  
S - Surrogate  
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.  
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.  
LCS(D) - Laboratory Control Sample (Duplicate)  
MS(D) - Matrix Spike (Duplicate)  
DUP - Sample Duplicate  
RPD - Relative Percent Difference  
NC - Not Calculable.  
SG - Silica Gel - Clean-Up  
U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.  
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.  
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.  
TNI - The NELAC Institute.

### LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

### ANALYTE QUALIFIERS

A3 The sample was analyzed by serial dilution.  
R1 RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: Dun-Rite Cleaners  
Pace Project No.: 10339277

| Lab ID      | Sample ID        | QC Batch Method | QC Batch  | Analytical Method | Analytical Batch |
|-------------|------------------|-----------------|-----------|-------------------|------------------|
| 10339277002 | WildCard AA407   | TO-15           | AIR/25331 |                   |                  |
| 10339277003 | United Way AA406 | TO-15           | AIR/25331 |                   |                  |
| 10339277004 | Attorney AA406   | TO-15           | AIR/25331 |                   |                  |
| 10339277005 | Residence SSV304 | TO-15           | AIR/25331 |                   |                  |
| 10339277006 | Wildcard SSV406  | TO-15           | AIR/25331 |                   |                  |
| 10339277007 | Dun-Rite SSV101  | TO-15           | AIR/25331 |                   |                  |
| 10339277008 | Dun-Rite SSV202  | TO-15           | AIR/25331 |                   |                  |
| 10339277009 | Blower Exhaust   | TO-15           | AIR/25331 |                   |                  |

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10339277

23958

Page: 1 of 1

|  |   |  |
|--|---|--|
| <b>Section A</b><br>Required Client Information: | <b>Section B</b><br>Required Project Information: | <b>Section C</b><br>Invoice Information: |
| Company: Sand Creek Consultants                  | Report To: Pete Arntsen                           | Attention: Pete Arntsen                  |
| Address: 151 Mill St<br>Amherst WI 54406         | Copy To:  | Company Name:                            |
| Email To: Pete.Arntsen@sand-creek.com            | Purchase Order No.:                               | Address:                                 |
| Phone: 715-824-5169 Fax:                         | Project Name: Dun-Rite Cleaners                   | Pace Quote Reference:                    |
| Requested Due Date/TAT:                          | Project Number:                                   | Pace Project Manager/Sales Rep.:         |
|  |   | Pace Profile #:                          |


|   |  |
|---|--|
| Program                                     |  |
| <input type="checkbox"/> UST                | <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act |
| <input type="checkbox"/> Voluntary Clean Up | <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other              |
| Location of Sampling by State               | Reporting Units<br>ug/m <sup>3</sup> mg/m <sup>3</sup><br>PPBV PPMV<br>Other                                 |
| Report Level                                | II. III. IV. Other   |

| ITEM # | Section D Required Client Information<br><b>AIR SAMPLE ID</b><br>Sample IDs MUST BE UNIQUE | Valid Media Codes<br>MEDIA CODE | MEDIA CODE | PID Reading (Client only) | COLLECTED       |       |             |       | Canister Pressure<br>(Initial Field - psig) | Canister Pressure<br>(Final Field - psig) | Summa<br>Can<br>Number | Flow<br>Control Number | Method: |                   |      |                 |              |             |       | Pace Lab ID |       |                 |
|--------|--|---------------------------------|------------|---------------------------|-----------------|-------|-------------|-------|---|---|------------------------|------------------------|---------|-------------------|------|-----------------|--------------|-------------|-------|-------------|-------|-----------------|
|        |  |                                 |            |                           | COMPOSITE START |       | COMPOSITE - |       |   |   |                        |                        | PM10    | 3C-Filter Gas (%) | TO-3 | TO-3M (Methane) | TO-14 (PCBs) | TO-13 (PAH) | TO-14 |             | TO-15 | TO-15 Short Leg |
|        |  |                                 |            |                           | DATE            | TIME  | DATE        | TIME  |   |   |                        |                        |         |                   |      |                 |              |             |       |             |       |                 |
| 1      | Residence AA304  | 6LC                             | 6LC        |                           | 2/14/16         | 9:10  | 2/14/16     | 17:05 | -17" Hg                                     | -23" Hg                                   | 1063                   | 0313                   |         |                   |      |                 |              |             |       |             | 001   |                 |
| 2      | Wildcard AA407   | 6LC                             | 6LC        |                           |                 | 8:20  |             | 16:15 | -27" Hg                                     | -1" Hg                                    | 3165                   | 11072                  |         |                   |      |                 |              |             |       |             | 002   |                 |
| 3      | United Way AA406   | 6LC                             | 6LC        |                           |                 | 8:10  |             | 17:20 | -27" Hg                                     | 0" Hg                                     | 1740                   | 0449                   |         |                   |      |                 |              |             |       |             | 003   |                 |
| 4      | Attorney AA 408  | 6LC                             | 6LC        |                           |                 | 8:15  |             | 16:10 | -27" Hg                                     | 0" Hg                                     | 1639                   | 0263                   |         |                   |      |                 |              |             |       |             | 004   |                 |
| 5      | Residence SSV304   | 1LC                             | 1LC        |                           |                 | 12:05 |             | 12:25 | -27" Hg                                     | -2" Hg                                    | 2508                   | 0993                   |         |                   |      |                 |              |             |       |             | 005   |                 |
| 6      | Wildcard SSV406  | 1LL13                           | 1LL13      |                           |                 | 10:56 |             | 11:05 | -30" Hg                                     | -2" Hg                                    | 2253                   | 0964                   |         |                   |      |                 |              |             |       |             | 006   |                 |
| 7      | Dun-Rite SSV101  | 1LC05                           | 1LC05      |                           |                 | 9:26  |             | 9:32  | -27" Hg                                     | -3" Hg                                    | 2015                   | 0773                   |         |                   |      |                 |              |             |       |             | 007   |                 |
| 8      | Dun-Rite SSV202  | 1LC03                           | 1LC03      |                           |                 | 10:19 |             | 10:27 | -28.5" Hg                                   | -1" Hg                                    | 2232                   | 0975                   |         |                   |      |                 |              |             |       |             | 008   |                 |
| 9      | Blower Exhaust   | 1LC0                            | 1LC0       |                           |                 | 9:50  |             | 9:57  | -28" Hg                                     | -1" Hg                                    | 1296                   | 0947                   |         |                   |      |                 |              |             |       |             | 009   |                 |

Comments:  
Residence SSV304: Sampling PAUSED, due to moisture intrusion, moisture may have entered regulator/canister.  
ORIGINAL  
See Additional notes on separate sheet

| RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE    | TIME  | SAMPLE CONDITIONS |                 |                       |                |     |     |     |     |
|-------------------------------|------|------|---------------------------|---------|-------|-------------------|-----------------|-----------------------|----------------|-----|-----|-----|-----|
|                               |      |      | <i>[Signature]</i>        | 2/20/16 | 10:15 | Temp in °C        | Received on Ice | Custody Sealed Cooler | Samples Intact | Y/N | Y/N | Y/N | Y/N |
|                               |      |      |                           |         | 9:15  |                   |                 |                       |                |     |     |     |     |

|                            |                        |
|----------------------------|------------------------|
| SAMPLER NAME AND SIGNATURE |                        |
| PRINT Name of SAMPLER:     | DATE Signed (MM/DD/YY) |
| SIGNATURE of SAMPLER:      |                        |



Document Name:  
Air Sample Condition Upon Receipt  
Document No.:  
F-MN-A-106-rev.10

Document Revised: 29 June 2015  
Page 1 of 1  
Issuing Authority:  
Pace Minnesota Quality Office

**Air Sample Condition Upon Receipt**

Client Name: Sand Creek Consultants

Project #: **WO#: 10339277**

Courier:  Fed Ex  UPS  Speedee  Client  
 Commercial  Pace  Other:

Tracking Number: 0637 5035 1265; 1254

Custody Seal on Cooler/Box Present?  Yes  No      Seals Intact?  Yes  No

Optional: Proj. Due Date:      Proj. Name:

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other:      Temp Blank rec:  Yes  No

Temp. (T017 and T013 samples only) (°): X      Corrected Temp (°C): +      Thermom. Used:  888A912167504  72337080  
 888A9132521491  80512447

Temp should be above freezing to 6°C      Correction Factor: X      Date & Initials of Person Examining Contents: WJ 2/22/16

Type of ice Received  Blue  Wet  None

Comments:

|  |  |     |
|--|--|-----|
| Chain of Custody Present?                                      | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1.  |
| Chain of Custody Filled Out?                                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2.  |
| Chain of Custody Relinquished?                                 | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 3.  |
| Sampler Name and/or Signature on COC?                          | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4.  |
| Samples Arrived within Hold Time?                              | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 5.  |
| Short Hold Time Analysis (<72 hr)?                             | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 6.  |
| Rush Turn Around Time Requested?                               | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | 7.  |
| Sufficient Volume?   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 8.  |
| Correct Containers Used?                                       | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 9.  |
| -Pace Containers Used?   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |     |
| Containers Intact?   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 10. |
| Media: <u>Air Can</u> Airbag      Filter      TDT      Passive |  | 11. |
| Sample Labels Match COC?                                       | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. |

Samples Received:

| Canisters                |             |                    | Canisters     |        |                    |
|--------------------------|-------------|--------------------|---------------|--------|--------------------|
| Sample Number            | Can ID      | Flow Controller ID | Sample Number | Can ID | Flow Controller ID |
| <u>Residence AA 304</u>  | <u>1063</u> | <u>0313</u>        |               |        |                    |
| <u>Wildland AA 407</u>   | <u>3165</u> | <u>1072</u>        |               |        |                    |
| <u>United Way AA 406</u> | <u>1740</u> | <u>0449</u>        |               |        |                    |
| <u>Attorney AA 405</u>   | <u>1639</u> | <u>0263</u>        |               |        |                    |
| <u>Residence 55V 304</u> | <u>2505</u> | <u>0993</u>        |               |        |                    |
| <u>Wildland 55V 406</u>  | <u>2253</u> | <u>0964</u>        |               |        |                    |
| <u>Den-Rite 55V 101</u>  | <u>2015</u> | <u>0773</u>        |               |        |                    |
| <u>Den-Rite 55V 202</u>  | <u>2232</u> | <u>0475</u>        |               |        |                    |
| <u>Blower Exhaust</u>    | <u>1296</u> | <u>0947</u>        |               |        |                    |

Early Cert.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required?  Yes  No

Person Contacted: PER Amftan

Date/Time: 2/22/16 email phone call 2:05

Comments/Resolution: return vac of Residence AA 304 (001) measured at -22.5 indicating that there was a can fill issue beyond a vacuum gauge issue. Lab track 21245. Send replacement canister. Analy sis cancelled.

Project Manager Review: CPM

Date:

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e. out of hold, incorrect preservative, out of temp, incorrect containers)