



February 6, 2019

Mr. Matthew Vitale
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Groundwater and Vapor Results

Dear Mr. Vitale:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site in November and December 2018. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on **Figure 1**.

Work Performed

Sub-slab and ambient air samples were collected from the Dun-Rite building, Guzman office building and premises, and the residence at 1000 Union Street (the Residence).

Groundwater samples were collected from monitoring wells south of the Dun-Rite building including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on **Tables 1a, 1b, and 1c**; sample locations and PCE results are shown on **Figure 2**. The **laboratory report** is enclosed.

The ambient air sample from the Residence was below Residential Indoor Action Levels for both PCE and TCE.

The sub-slab sample from the Residence was below Residential Sub-Slab Vapor Screening Levels for both PCE and TCE.

One ambient air sample from the Guzman building, AA408 collected on November 2, 2018, had an uncharacteristically high PCE concentration (which exceeded the non-residential Action Level). The TCE concentration was similar to historic results. The location was resampled on December 5, 2018, and the concentrations from the resample were below Action Levels and consistent with historic results. The reason for the initial high PCE concentration is unclear, but the result is considered spurious.

Other than mentioned above, ambient air samples from inside Dun-Rite and the Guzman building, as well as the outdoor sample, were below Non-Residential Action Levels for PCE. The ambient air TCE results were also below Non-Residential Action Levels except for the outdoor sample (AA405).

Two sub-slab samples taken from underneath the Guzman building, Attorney (SSV-405) and Wildcard (SSV-406), were above the Non-Residential Sub-Slab Vapor Screening Level for PCE. The PCE concentration from one sub-slab sample beneath Dun-Rite (SSV101) was above the Residential Screening Level, but the other (SSV203) was not.

Groundwater

Groundwater sample results are summarized on **Table 2**; sample locations are shown on **Figure 3**. The **laboratory report** is enclosed.

Each of the three monitoring wells had concentrations of PCE above the Enforcement Standard (ES). The concentrations ranged from 17.8 µg/l to 462 µg/l.

TCE was detected above the Enforcement Standard at MWG-1 and above the Preventative Action Limit (PAL) at GP-12.

Conclusions

The ambient air VOC results indicate that the residual PCE is not impacting nearby structures above Action Levels.

The sub-slab VOC results indicate that PCE concentrations:

- decreased considerably beneath the Dun-Rite building
- varied at levels below screening levels at the residence
- persist at levels above screening levels beneath the Guzman building.

The blower station VOC results indicate that the sub-slab mitigation system has reduced residual PCE concentrations in the areas exposed to its influence.

The groundwater VOC results indicate that PCE concentrations are generally stable overall, while continuing to vary between the individual wells.

Because the source of PCE was removed, and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.

Recommendations

Although the most recent VOC results from the blower station were below detection limits, the blower system should remain in operation to continue to remove residual PCE. Efforts will be made to increase system operation efficiency by adjusting the air flow from each of the individual vacuum wells, and by adjusting the operating schedule.

To continue to document subsurface concentrations of PCE and TCE, monitoring should continue on the existing semiannual sampling schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in spring 2019. Soil vapor samples will be collected from beneath the residence, Dun-Rite building, and Guzman building, and indoor ambient air samples will be collected from within each of the structures. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the site in general, please contact me at 715.824.5969 or pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Laboratory Reports

cc/enc: Mr. Ron Hanson/Dun-Rite Cleaners, via email only
Mr. Richard Lewandowski/Husch Blackwell LLP, via email only


Figures

Figure 1 General Site Location


Figure 2 Vapor Sample Locations and PCE Results November–December 2018

Figure 3 Groundwater Sample Locations and Results November 2018


F:\SCC F\SENTRY INSURANCE DUN RITE\DRAWINGS\MASTER SCC SENTRY INSURANCE DUNRITE CLEANERS.DWG 0 - DEC 21, 2015 - 12:25:59



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY



**SAND CREEK
CONSULTANTS, INC.**
Amherst, WI
Rhineland, WI
www.sand-creek.com

GENERAL SITE LOCATION

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN


DATE: DECEMBER 2015

DRAWN BY: KAP

SCALE: 1"=2000'

APPROVED: PDA

FIGURE 1




LEGEND

- — — — — PROPERTY BOUNDARY
- — — — — EDGE OF PAVEMENT
- W — WATER LINE
- G — GAS LINE
- SAN — SANITARY SEWER
- ST — STORM SEWER
- T — UNDERGROUND TELEPHONE
- E — E — ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊗ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) NOVEMBER 2018
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) DECEMBER 2018
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) NOVEMBER 2018

NOTE:

EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.



Environmental and Geological Scientists and Engineers

VAPOR SAMPLE LOCATIONS AND PCE RESULTS NOVEMBER-DECEMBER 2018

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE: JANUARY 2019	DRAWN BY: NRB
SCALE: 1"=40'	APPROVED BY: PDA


FIGURE 2



Environmental and Geological
Scientists and Engineers




GROUNDWATER SAMPLE LOCATIONS AND RESULTS NOVEMBER 2018



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN

DATE: JANUARY 2019
SCALE: 1" = 30'
DRAWN BY: KAP
APPROVED: NRB

FIGURE 3



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊕ STORM SEWER MANHOLE
- ▭ BUILDING
- ⊙ MONITORING WELL
- ⊕ 1-INCH DIAMETER MONITORING WELL
- ⊙ GEOPROBE (SGP)
- ◇ SOIL GAS EXTRACTION LOCATION
- 322 GROUNDWATER PCE CONCENTRATIONS (µg/l) NOVEMBER 2018
- 4.7 GROUNDWATER TCE CONCENTRATIONS (µg/l) NOVEMBER 2018
- ← ESTIMATED LOCAL GROUNDWATER FLOW DIRECTION

NOTE:
EXISTING CONDITIONS AND EXISTING MONITORING WELL
LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED
SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED
PORTAGE COUNTY GIS 2010 AIR PHOTO AND GOOGLE
EARTH IMAGE DATED SEPTEMBER 2013.

Tables

- Table 1 Vapor Sample Results**
 - Table 1a Vapor Chemistry Results – Ambient Air**
 - Table 1b Vapor Chemistry Results – Sub-Slab Vapor**
 - Table 1c Vapor Chemistry Results – SVE System Discharge**
- Table 2 Groundwater Chemistry Results (Monitoring Wells)**

**Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, WI**

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
				11/2/2018
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
AA407	Wildcard	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
				11/12/2108
AA408	Attorney	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
				11/2/2018
		12/5/2018	5.6	<0.39

**Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, WI**

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels ²				
Non-Residential			6,000	290
Residential			<i>1,400</i>	<i>70</i>
SSV101	Dun-Rite	4/8/2014	2,550,000	527
		9/4/2015	141,000	1780
		2/16/2016	<i>5,030</i>	28
		10/5/2016	<i>5,480</i>	33
		6/16/2017	<i>1,030</i>	9.0
		11/16/2017	<i>452</i>	3.2
		5/18/2018	<i>2,460</i>	13.6
		11/2/2018	<i>266</i>	<i>1.2</i>
SSV202	Dun-Rite	5/29/2014	<i>1,700</i>	113
		9/4/2015	2,280	145
		2/16/2016	<i>275</i>	7.1
SSV203	Dun-Rite	5/29/2014	27,600	<20
		11/4/2015	<i>288</i>	12
		10/5/2016	<i>5,710</i>	4.2
		6/16/2017	<i>4,190</i>	20
		11/16/2017	6,650	30.9
		5/18/2018	<i>2,390</i>	1.3
		11/9/2018	<i>5.0</i>	<i><0.37</i>
SSV304	Residence	7/18/2014	13	<1.2
		3/2/2015	11	<0.31
		9/4/2015	137	21
		11/9/2015	319	14
		2/16/2016	105	5.7
		10/5/2016	52	2.2
		6/20/2017	133	0.92 J
		11/16/2017	15.6	0.57 J
		5/18/2018	1,380	6.2
				11/2/2018
SSV405	Attorney	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
				11/9/2018
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
				11/12/2018

**Table 1c: Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners, Stevens Point, WI**

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J

Notes:

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

$\mu\text{g}/\text{m}^3$: micrograms per cubic meter.

<0.076 = Substance not detected above indicated detection limit.

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

* = Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample."

R = Result uncharacteristically high, thus location resampled.

Highlighting indicates most recent results.

**Table 2: Groundwater Chemistry Results
Dun-Rite Cleaners, Stevens Point, WI**

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)
<i>PAL</i>		<i>0.5</i>	<i>0.5</i>
ES		5.0	5.0
GP-9 ^A	7/19/2013	295	7.4
	10/2/2013	655	12
	12/13/2013	745	14
	9/23/2014	279	7.4
	11/4/2015	223	6.4
	5/6/2016	322	4.7
GP-10 ^A	12/13/2013	331	1.9
	11/4/2015	77	2.7
	5/6/2016	211	<0.33
	10/5/2016	344	3.2 J
GP-11 ^A	12/13/2013	2570	<18.2
	11/4/2015	173	<1.3
	5/6/2016	61.5	<0.33
	10/5/2016	54.6	0.54 J
	6/14/2017	614	<1.7
	11/16/2017	14.3	0.41 J
	5/18/2018	727	<1.7
	11/2/2018	17.8	<0.26
GP-12 ^A	12/13/2013	254	<1.8
	9/23/2014	487	2.2 J
	11/4/2015	364	1.8 J
	5/6/2016	147	0.95 J
	10/5/2016	780	2.7 J
	6/14/2017	433	1.7 J
	11/16/2017	647	3.7 J
	5/18/2018	176	1.8
	11/2/2018	462	2.2
MWG-1	11/4/2015	141	6.9
	5/6/2016	15.3	1.1
	10/5/2016	138	5.6
	6/14/2017	8.2	1.1
	11/16/2017	127	7.6
	5/18/2018	12.8	1.0
11/2/2018	74.0	6.1	

Notes:

1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit.

5.4 **Bold** indicates exceedance of NR 140 Enforcement Standard.

<0.45 Substance not detected above indicated detection limit.

-- Data unavailable

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

ES - Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code, January 2012.

PAL - Preventive Action Limit listed in Chapter NR 140, Table 1, Wisconsin Administrative Code, January 2012.

^A = Data preceding 2014 generated during investigations conducted by AECOM.

Highlighting indicates most recent results.

Laboratory Reports

November 09, 2018

Nichole Besyk
SAND CREEK CONSULTANTS, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUN RITE
Pace Project No.: 40179060

Dear Nichole Besyk:

Enclosed are the analytical results for sample(s) received by the laboratory on November 06, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUN RITE

Pace Project No.: 40179060

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUN RITE

Pace Project No.: 40179060

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40179060001	GP-11	Water	11/02/18 10:30	11/06/18 09:05
40179060002	GP-12	Water	11/02/18 11:20	11/06/18 09:05
40179060003	MWG-1	Water	11/02/18 11:55	11/06/18 09:05
40179060004	TRIP BLANK	Water	11/02/18 00:00	11/06/18 09:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUN RITE

Pace Project No.: 40179060

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40179060001	GP-11	EPA 8260	MDS	63
40179060002	GP-12	EPA 8260	MDS	63
40179060003	MWG-1	EPA 8260	MDS	63
40179060004	TRIP BLANK	EPA 8260	LAP	63

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUN RITE
Pace Project No.: 40179060

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40179060001	GP-11					
EPA 8260	Tetrachloroethene	17.8	ug/L	1.1	11/07/18 18:35	
40179060002	GP-12					
EPA 8260	Tetrachloroethene	462	ug/L	4.4	11/08/18 12:34	
EPA 8260	Trichloroethene	2.2	ug/L	1.0	11/07/18 18:57	
40179060003	MWG-1					
EPA 8260	Tetrachloroethene	74.0	ug/L	1.1	11/07/18 13:47	
EPA 8260	Trichloroethene	6.1	ug/L	1.0	11/07/18 13:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40179060

Sample: GP-11 Lab ID: 40179060001 Collected: 11/02/18 10:30 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 18:35	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/18 18:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:35	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/07/18 18:35	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 18:35	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/07/18 18:35	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/07/18 18:35	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		11/07/18 18:35	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/07/18 18:35	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/07/18 18:35	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/07/18 18:35	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/07/18 18:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/07/18 18:35	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:35	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:35	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:35	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/07/18 18:35	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/07/18 18:35	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/07/18 18:35	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/07/18 18:35	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/07/18 18:35	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/07/18 18:35	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/07/18 18:35	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/07/18 18:35	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/07/18 18:35	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/07/18 18:35	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/07/18 18:35	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/07/18 18:35	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/07/18 18:35	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		11/07/18 18:35	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:35	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/07/18 18:35	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/07/18 18:35	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/07/18 18:35	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/07/18 18:35	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/07/18 18:35	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/07/18 18:35	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/07/18 18:35	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/07/18 18:35	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		11/07/18 18:35	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		11/07/18 18:35	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/07/18 18:35	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/07/18 18:35	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/07/18 18:35	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		11/07/18 18:35	100-42-5	
Tetrachloroethene	17.8	ug/L	1.1	0.33	1		11/07/18 18:35	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40179060

Sample: GP-11 **Lab ID: 40179060001** Collected: 11/02/18 10:30 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.17	ug/L	5.0	0.17	1		11/07/18 18:35	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/18 18:35	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/07/18 18:35	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/07/18 18:35	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/07/18 18:35	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/07/18 18:35	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/07/18 18:35	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:35	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/07/18 18:35	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/07/18 18:35	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/07/18 18:35	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/07/18 18:35	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		11/07/18 18:35	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/07/18 18:35	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/07/18 18:35	460-00-4	
Dibromofluoromethane (S)	96	%	70-130		1		11/07/18 18:35	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		11/07/18 18:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40179060

Sample: GP-12 Lab ID: 40179060002 Collected: 11/02/18 11:20 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 18:57	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/18 18:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:57	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/07/18 18:57	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 18:57	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/07/18 18:57	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/07/18 18:57	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		11/07/18 18:57	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/07/18 18:57	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/07/18 18:57	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/07/18 18:57	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/07/18 18:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/07/18 18:57	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:57	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:57	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/07/18 18:57	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/07/18 18:57	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/07/18 18:57	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/07/18 18:57	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/07/18 18:57	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/07/18 18:57	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/07/18 18:57	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/07/18 18:57	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/07/18 18:57	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/07/18 18:57	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/07/18 18:57	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/07/18 18:57	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/07/18 18:57	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/07/18 18:57	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		11/07/18 18:57	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:57	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/07/18 18:57	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/07/18 18:57	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/07/18 18:57	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/07/18 18:57	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/07/18 18:57	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/07/18 18:57	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/07/18 18:57	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/07/18 18:57	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		11/07/18 18:57	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		11/07/18 18:57	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/07/18 18:57	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/07/18 18:57	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/07/18 18:57	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		11/07/18 18:57	100-42-5	
Tetrachloroethene	462	ug/L	4.4	1.3	4		11/08/18 12:34	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40179060

Sample: GP-12 **Lab ID: 40179060002** Collected: 11/02/18 11:20 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.17	ug/L	5.0	0.17	1		11/07/18 18:57	108-88-3	
Trichloroethene	2.2	ug/L	1.0	0.26	1		11/07/18 18:57	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/07/18 18:57	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/07/18 18:57	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/07/18 18:57	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/07/18 18:57	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/07/18 18:57	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 18:57	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/07/18 18:57	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/07/18 18:57	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/07/18 18:57	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/07/18 18:57	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		11/07/18 18:57	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/07/18 18:57	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/07/18 18:57	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		11/07/18 18:57	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		11/07/18 18:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40179060

Sample: MWG-1 **Lab ID: 40179060003** Collected: 11/02/18 11:55 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 13:47	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/18 13:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 13:47	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/07/18 13:47	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/07/18 13:47	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/07/18 13:47	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/07/18 13:47	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		11/07/18 13:47	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/07/18 13:47	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/07/18 13:47	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/07/18 13:47	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/07/18 13:47	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/07/18 13:47	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 13:47	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/07/18 13:47	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/07/18 13:47	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/07/18 13:47	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/07/18 13:47	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/07/18 13:47	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/07/18 13:47	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/07/18 13:47	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/07/18 13:47	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/07/18 13:47	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/07/18 13:47	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/07/18 13:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/07/18 13:47	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/07/18 13:47	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/07/18 13:47	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/07/18 13:47	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		11/07/18 13:47	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 13:47	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/07/18 13:47	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/07/18 13:47	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/07/18 13:47	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/07/18 13:47	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/07/18 13:47	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/07/18 13:47	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/07/18 13:47	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/07/18 13:47	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		11/07/18 13:47	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		11/07/18 13:47	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/07/18 13:47	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/07/18 13:47	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/07/18 13:47	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		11/07/18 13:47	100-42-5	
Tetrachloroethene	74.0	ug/L	1.1	0.33	1		11/07/18 13:47	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40179060

Sample: MWG-1 **Lab ID: 40179060003** Collected: 11/02/18 11:55 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.17	ug/L	5.0	0.17	1		11/07/18 13:47	108-88-3	
Trichloroethene	6.1	ug/L	1.0	0.26	1		11/07/18 13:47	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/07/18 13:47	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/07/18 13:47	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/07/18 13:47	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/07/18 13:47	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/07/18 13:47	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/07/18 13:47	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/07/18 13:47	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/07/18 13:47	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/07/18 13:47	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/07/18 13:47	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		11/07/18 13:47	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/07/18 13:47	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		11/07/18 13:47	460-00-4	
Dibromofluoromethane (S)	94	%	70-130		1		11/07/18 13:47	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/07/18 13:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40179060

Sample: TRIP BLANK **Lab ID: 40179060004** Collected: 11/02/18 00:00 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/08/18 11:27	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/08/18 11:27	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/08/18 11:27	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/08/18 11:27	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/08/18 11:27	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/08/18 11:27	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/08/18 11:27	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		11/08/18 11:27	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/08/18 11:27	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/08/18 11:27	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/08/18 11:27	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/08/18 11:27	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/08/18 11:27	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/08/18 11:27	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/08/18 11:27	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/08/18 11:27	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/08/18 11:27	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/08/18 11:27	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/08/18 11:27	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/08/18 11:27	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/08/18 11:27	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/08/18 11:27	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/08/18 11:27	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		11/08/18 11:27	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/08/18 11:27	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/08/18 11:27	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/08/18 11:27	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/08/18 11:27	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/08/18 11:27	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		11/08/18 11:27	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/08/18 11:27	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/08/18 11:27	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/08/18 11:27	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/08/18 11:27	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/08/18 11:27	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/08/18 11:27	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/08/18 11:27	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/08/18 11:27	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		11/08/18 11:27	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		11/08/18 11:27	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		11/08/18 11:27	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/08/18 11:27	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/08/18 11:27	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/08/18 11:27	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		11/08/18 11:27	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/08/18 11:27	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40179060

Sample: TRIP BLANK **Lab ID: 40179060004** Collected: 11/02/18 00:00 Received: 11/06/18 09:05 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.17	ug/L	5.0	0.17	1		11/08/18 11:27	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/08/18 11:27	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/08/18 11:27	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/08/18 11:27	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/08/18 11:27	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/08/18 11:27	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/08/18 11:27	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/08/18 11:27	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/08/18 11:27	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/08/18 11:27	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/08/18 11:27	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/08/18 11:27	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		11/08/18 11:27	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/08/18 11:27	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		11/08/18 11:27	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		11/08/18 11:27	1868-53-7	
Toluene-d8 (S)	93	%	70-130		1		11/08/18 11:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

QC Batch: 305677 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 40179060001, 40179060002, 40179060003

METHOD BLANK: 1786502 Matrix: Water
Associated Lab Samples: 40179060001, 40179060002, 40179060003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	11/07/18 09:43	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	11/07/18 09:43	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	11/07/18 09:43	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	11/07/18 09:43	
1,1-Dichloroethane	ug/L	<0.27	1.0	11/07/18 09:43	
1,1-Dichloroethene	ug/L	<0.24	1.0	11/07/18 09:43	
1,1-Dichloropropene	ug/L	<0.54	1.8	11/07/18 09:43	
1,2,3-Trichlorobenzene	ug/L	<0.63	5.0	11/07/18 09:43	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	11/07/18 09:43	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/07/18 09:43	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/07/18 09:43	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	11/07/18 09:43	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	11/07/18 09:43	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	11/07/18 09:43	
1,2-Dichloroethane	ug/L	<0.28	1.0	11/07/18 09:43	
1,2-Dichloropropane	ug/L	<0.28	1.0	11/07/18 09:43	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/07/18 09:43	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	11/07/18 09:43	
1,3-Dichloropropane	ug/L	<0.83	2.8	11/07/18 09:43	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	11/07/18 09:43	
2,2-Dichloropropane	ug/L	<2.3	7.6	11/07/18 09:43	
2-Chlorotoluene	ug/L	<0.93	5.0	11/07/18 09:43	
4-Chlorotoluene	ug/L	<0.76	2.5	11/07/18 09:43	
Benzene	ug/L	<0.25	1.0	11/07/18 09:43	
Bromobenzene	ug/L	<0.24	1.0	11/07/18 09:43	
Bromochloromethane	ug/L	<0.36	5.0	11/07/18 09:43	
Bromodichloromethane	ug/L	<0.36	1.2	11/07/18 09:43	
Bromoform	ug/L	<4.0	13.2	11/07/18 09:43	
Bromomethane	ug/L	<0.97	5.0	11/07/18 09:43	
Carbon tetrachloride	ug/L	<0.17	1.0	11/07/18 09:43	
Chlorobenzene	ug/L	<0.71	2.4	11/07/18 09:43	
Chloroethane	ug/L	<1.3	5.0	11/07/18 09:43	
Chloroform	ug/L	<1.3	5.0	11/07/18 09:43	
Chloromethane	ug/L	<2.2	7.3	11/07/18 09:43	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	11/07/18 09:43	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	11/07/18 09:43	
Dibromochloromethane	ug/L	<2.6	8.7	11/07/18 09:43	
Dibromomethane	ug/L	<0.94	3.1	11/07/18 09:43	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/07/18 09:43	
Diisopropyl ether	ug/L	<1.9	6.3	11/07/18 09:43	
Ethylbenzene	ug/L	<0.22	1.0	11/07/18 09:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

METHOD BLANK: 1786502 Matrix: Water
Associated Lab Samples: 40179060001, 40179060002, 40179060003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<1.2	5.0	11/07/18 09:43	
Isopropylbenzene (Cumene)	ug/L	<0.39	5.0	11/07/18 09:43	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/07/18 09:43	
Methylene Chloride	ug/L	<0.58	5.0	11/07/18 09:43	
n-Butylbenzene	ug/L	<0.71	2.4	11/07/18 09:43	
n-Propylbenzene	ug/L	<0.81	5.0	11/07/18 09:43	
Naphthalene	ug/L	<1.2	5.0	11/07/18 09:43	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/07/18 09:43	
sec-Butylbenzene	ug/L	<0.85	5.0	11/07/18 09:43	
Styrene	ug/L	<0.47	1.6	11/07/18 09:43	
tert-Butylbenzene	ug/L	<0.30	1.0	11/07/18 09:43	
Tetrachloroethene	ug/L	<0.33	1.1	11/07/18 09:43	
Toluene	ug/L	<0.17	5.0	11/07/18 09:43	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	11/07/18 09:43	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/07/18 09:43	
Trichloroethene	ug/L	<0.26	1.0	11/07/18 09:43	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/07/18 09:43	
Vinyl chloride	ug/L	<0.17	1.0	11/07/18 09:43	
Xylene (Total)	ug/L	<1.5	3.0	11/07/18 09:43	
4-Bromofluorobenzene (S)	%	94	70-130	11/07/18 09:43	
Dibromofluoromethane (S)	%	97	70-130	11/07/18 09:43	
Toluene-d8 (S)	%	101	70-130	11/07/18 09:43	

LABORATORY CONTROL SAMPLE: 1786503

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.7	101	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	47.8	96	67-130	
1,1,2-Trichloroethane	ug/L	50	49.9	100	70-130	
1,1-Dichloroethane	ug/L	50	53.8	108	70-134	
1,1-Dichloroethene	ug/L	50	49.0	98	75-132	
1,2,4-Trichlorobenzene	ug/L	50	48.3	97	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.0	92	60-126	
1,2-Dibromoethane (EDB)	ug/L	50	44.2	88	70-130	
1,2-Dichlorobenzene	ug/L	50	48.5	97	70-130	
1,2-Dichloroethane	ug/L	50	48.5	97	73-134	
1,2-Dichloropropane	ug/L	50	48.9	98	79-128	
1,3-Dichlorobenzene	ug/L	50	48.8	98	70-130	
1,4-Dichlorobenzene	ug/L	50	48.8	98	70-130	
Benzene	ug/L	50	49.6	99	69-137	
Bromodichloromethane	ug/L	50	49.1	98	70-130	
Bromoform	ug/L	50	46.9	94	64-133	
Bromomethane	ug/L	50	30.2	60	29-123	
Carbon tetrachloride	ug/L	50	52.6	105	73-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

LABORATORY CONTROL SAMPLE: 1786503

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	50	49.9	100	70-130	
Chloroethane	ug/L	50	44.8	90	59-133	
Chloroform	ug/L	50	51.4	103	80-129	
Chloromethane	ug/L	50	31.2	62	27-125	
cis-1,2-Dichloroethene	ug/L	50	50.3	101	70-134	
cis-1,3-Dichloropropene	ug/L	50	47.6	95	70-130	
Dibromochloromethane	ug/L	50	47.8	96	70-130	
Dichlorodifluoromethane	ug/L	50	21.6	43	12-127	
Ethylbenzene	ug/L	50	49.9	100	86-127	
Isopropylbenzene (Cumene)	ug/L	50	50.3	101	70-130	
Methyl-tert-butyl ether	ug/L	50	48.3	97	65-136	
Methylene Chloride	ug/L	50	50.4	101	72-133	
Styrene	ug/L	50	50.6	101	70-130	
Tetrachloroethene	ug/L	50	46.9	94	70-130	
Toluene	ug/L	50	49.8	100	84-124	
trans-1,2-Dichloroethene	ug/L	50	53.5	107	70-133	
trans-1,3-Dichloropropene	ug/L	50	44.1	88	67-130	
Trichloroethene	ug/L	50	51.6	103	70-130	
Trichlorofluoromethane	ug/L	50	49.5	99	69-147	
Vinyl chloride	ug/L	50	38.7	77	48-134	
Xylene (Total)	ug/L	150	151	100	70-130	
4-Bromofluorobenzene (S)	%			95	70-130	
Dibromofluoromethane (S)	%			102	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1786504 1786505

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40179071012	Spike Conc.	MSD Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	50.0	51.9	100	104	70-136	4	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	45.6	49.4	91	99	67-133	8	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	50.6	51.4	101	103	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	49.6	52.4	99	105	70-139	6	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	46.6	49.1	93	98	72-137	5	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	48.6	49.8	97	100	68-130	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	44.8	48.6	90	97	60-130	8	21		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	46.3	47.6	93	95	70-130	3	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	49.0	49.8	98	100	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	46.3	49.5	93	99	71-137	7	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	47.3	50.6	95	101	78-130	7	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	47.6	50.3	95	101	70-130	6	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	49.1	51.2	98	102	70-130	4	20		
Benzene	ug/L	<0.25	50	50	48.0	50.3	96	101	66-143	5	20		
Bromodichloromethane	ug/L	<0.36	50	50	49.3	51.5	99	103	70-130	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1786504		1786505		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40179071012 Result	MS Spike Conc.	MSD Spike Conc.									
Bromoform	ug/L	<4.0	50	50	47.1	49.6	94	99	64-134	5	20		
Bromomethane	ug/L	<0.97	50	50	37.5	39.3	75	79	29-136	5	25		
Carbon tetrachloride	ug/L	<0.17	50	50	50.5	53.1	101	106	73-142	5	20		
Chlorobenzene	ug/L	<0.71	50	50	50.6	50.9	101	102	70-130	1	20		
Chloroethane	ug/L	<1.3	50	50	44.0	45.3	88	91	58-138	3	20		
Chloroform	ug/L	<1.3	50	50	49.3	51.9	99	104	80-131	5	20		
Chloromethane	ug/L	<2.2	50	50	31.6	32.6	63	65	24-125	3	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	48.8	50.3	98	101	68-137	3	22		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	46.9	48.8	94	98	70-130	4	20		
Dibromochloromethane	ug/L	<2.6	50	50	48.5	49.6	97	99	70-131	2	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	23.3	23.5	47	47	10-127	1	20		
Ethylbenzene	ug/L	<0.22	50	50	51.2	51.2	102	102	81-136	0	20		
Isopropylbenzene (Cumene)	ug/L	<0.39	50	50	51.2	52.6	102	105	70-132	3	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	45.6	47.9	91	96	58-142	5	23		
Methylene Chloride	ug/L	<0.58	50	50	49.4	51.4	99	103	69-137	4	20		
Styrene	ug/L	<0.47	50	50	51.6	53.2	103	106	70-130	3	20		
Tetrachloroethene	ug/L	<0.33	50	50	48.6	49.1	97	98	70-132	1	20		
Toluene	ug/L	<0.17	50	50	50.0	50.7	100	101	81-130	1	20		
trans-1,2-Dichloroethene	ug/L	<1.1	50	50	47.4	49.2	95	98	70-136	4	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	46.3	47.3	93	95	67-130	2	20		
Trichloroethene	ug/L	<0.26	50	50	51.6	52.4	103	105	70-131	2	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	48.2	49.7	96	99	66-150	3	20		
Vinyl chloride	ug/L	0.19J	50	50	38.7	40.0	77	80	46-134	3	20		
Xylene (Total)	ug/L	<1.5	150	150	152	157	102	104	70-134	3	20		
4-Bromofluorobenzene (S)	%						99	99	70-130				
Dibromofluoromethane (S)	%						99	104	70-130				
Toluene-d8 (S)	%						101	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

QC Batch: 305780 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 40179060004

METHOD BLANK: 1787000 Matrix: Water
Associated Lab Samples: 40179060004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	11/07/18 14:49	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	11/07/18 14:49	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	11/07/18 14:49	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	11/07/18 14:49	
1,1-Dichloroethane	ug/L	<0.27	1.0	11/07/18 14:49	
1,1-Dichloroethene	ug/L	<0.24	1.0	11/07/18 14:49	
1,1-Dichloropropene	ug/L	<0.54	1.8	11/07/18 14:49	
1,2,3-Trichlorobenzene	ug/L	<0.63	5.0	11/07/18 14:49	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	11/07/18 14:49	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/07/18 14:49	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/07/18 14:49	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	11/07/18 14:49	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	11/07/18 14:49	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	11/07/18 14:49	
1,2-Dichloroethane	ug/L	<0.28	1.0	11/07/18 14:49	
1,2-Dichloropropane	ug/L	<0.28	1.0	11/07/18 14:49	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/07/18 14:49	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	11/07/18 14:49	
1,3-Dichloropropane	ug/L	<0.83	2.8	11/07/18 14:49	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	11/07/18 14:49	
2,2-Dichloropropane	ug/L	<2.3	7.6	11/07/18 14:49	
2-Chlorotoluene	ug/L	<0.93	5.0	11/07/18 14:49	
4-Chlorotoluene	ug/L	<0.76	2.5	11/07/18 14:49	
Benzene	ug/L	<0.25	1.0	11/07/18 14:49	
Bromobenzene	ug/L	<0.24	1.0	11/07/18 14:49	
Bromochloromethane	ug/L	<0.36	5.0	11/07/18 14:49	
Bromodichloromethane	ug/L	<0.36	1.2	11/07/18 14:49	
Bromoform	ug/L	<4.0	13.2	11/07/18 14:49	
Bromomethane	ug/L	<0.97	5.0	11/07/18 14:49	
Carbon tetrachloride	ug/L	<0.17	1.0	11/07/18 14:49	
Chlorobenzene	ug/L	<0.71	2.4	11/07/18 14:49	
Chloroethane	ug/L	<1.3	5.0	11/07/18 14:49	
Chloroform	ug/L	<1.3	5.0	11/07/18 14:49	
Chloromethane	ug/L	<2.2	7.3	11/07/18 14:49	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	11/07/18 14:49	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	11/07/18 14:49	
Dibromochloromethane	ug/L	<2.6	8.7	11/07/18 14:49	
Dibromomethane	ug/L	<0.94	3.1	11/07/18 14:49	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/07/18 14:49	
Diisopropyl ether	ug/L	<1.9	6.3	11/07/18 14:49	
Ethylbenzene	ug/L	<0.22	1.0	11/07/18 14:49	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40179060

METHOD BLANK: 1787000

Matrix: Water

Associated Lab Samples: 40179060004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	1.3J	5.0	11/07/18 14:49	
Isopropylbenzene (Cumene)	ug/L	<0.39	5.0	11/07/18 14:49	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/07/18 14:49	
Methylene Chloride	ug/L	<0.58	5.0	11/07/18 14:49	
n-Butylbenzene	ug/L	<0.71	2.4	11/07/18 14:49	
n-Propylbenzene	ug/L	<0.81	5.0	11/07/18 14:49	
Naphthalene	ug/L	<1.2	5.0	11/07/18 14:49	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/07/18 14:49	
sec-Butylbenzene	ug/L	<0.85	5.0	11/07/18 14:49	
Styrene	ug/L	<0.47	1.6	11/07/18 14:49	
tert-Butylbenzene	ug/L	<0.30	1.0	11/07/18 14:49	
Tetrachloroethene	ug/L	<0.33	1.1	11/07/18 14:49	
Toluene	ug/L	<0.17	5.0	11/07/18 14:49	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	11/07/18 14:49	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/07/18 14:49	
Trichloroethene	ug/L	<0.26	1.0	11/07/18 14:49	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/07/18 14:49	
Vinyl chloride	ug/L	<0.17	1.0	11/07/18 14:49	
Xylene (Total)	ug/L	<1.5	3.0	11/07/18 14:49	
4-Bromofluorobenzene (S)	%	92	70-130	11/07/18 14:49	
Dibromofluoromethane (S)	%	103	70-130	11/07/18 14:49	
Toluene-d8 (S)	%	95	70-130	11/07/18 14:49	

LABORATORY CONTROL SAMPLE: 1787001

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.5	105	70-133	
1,1,2,2-Tetrachloroethane	ug/L	50	49.3	99	67-130	
1,1,2-Trichloroethane	ug/L	50	49.9	100	70-130	
1,1-Dichloroethane	ug/L	50	51.2	102	70-134	
1,1-Dichloroethene	ug/L	50	50.5	101	75-132	
1,2,4-Trichlorobenzene	ug/L	50	52.9	106	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	49.4	99	60-126	
1,2-Dibromoethane (EDB)	ug/L	50	50.7	101	70-130	
1,2-Dichlorobenzene	ug/L	50	51.7	103	70-130	
1,2-Dichloroethane	ug/L	50	50.8	102	73-134	
1,2-Dichloropropane	ug/L	50	52.6	105	79-128	
1,3-Dichlorobenzene	ug/L	50	52.4	105	70-130	
1,4-Dichlorobenzene	ug/L	50	51.1	102	70-130	
Benzene	ug/L	50	50.5	101	69-137	
Bromodichloromethane	ug/L	50	50.4	101	70-130	
Bromoform	ug/L	50	44.4	89	64-133	
Bromomethane	ug/L	50	43.2	86	29-123	
Carbon tetrachloride	ug/L	50	53.5	107	73-142	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE

Pace Project No.: 40179060

LABORATORY CONTROL SAMPLE: 1787001

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	50	50.5	101	70-130	
Chloroethane	ug/L	50	48.9	98	59-133	
Chloroform	ug/L	50	51.4	103	80-129	
Chloromethane	ug/L	50	43.0	86	27-125	
cis-1,2-Dichloroethene	ug/L	50	50.4	101	70-134	
cis-1,3-Dichloropropene	ug/L	50	50.0	100	70-130	
Dibromochloromethane	ug/L	50	49.2	98	70-130	
Dichlorodifluoromethane	ug/L	50	43.4	87	12-127	
Ethylbenzene	ug/L	50	53.8	108	86-127	
Isopropylbenzene (Cumene)	ug/L	50	55.0	110	70-130	
Methyl-tert-butyl ether	ug/L	50	47.3	95	65-136	
Methylene Chloride	ug/L	50	48.8	98	72-133	
Styrene	ug/L	50	53.9	108	70-130	
Tetrachloroethene	ug/L	50	49.6	99	70-130	
Toluene	ug/L	50	52.4	105	84-124	
trans-1,2-Dichloroethene	ug/L	50	51.8	104	70-133	
trans-1,3-Dichloropropene	ug/L	50	44.2	88	67-130	
Trichloroethene	ug/L	50	53.2	106	70-130	
Trichlorofluoromethane	ug/L	50	54.6	109	69-147	
Vinyl chloride	ug/L	50	49.1	98	48-134	
Xylene (Total)	ug/L	150	159	106	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Dibromofluoromethane (S)	%			99	70-130	
Toluene-d8 (S)	%			98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: DUN RITE

Pace Project No.: 40179060

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUN RITE
Pace Project No.: 40179060

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40179060001	GP-11	EPA 8260	305677		
40179060002	GP-12	EPA 8260	305677		
40179060003	MWG-1	EPA 8260	305677		
40179060004	TRIP BLANK	EPA 8260	305780		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Preservation Receipt Form

Client Name: Sand Creek Consultants Project # 4079060

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/Time:

Pace Lab #	Glass						Plastic						Vials				Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)		
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3C	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU								WPFU	SP5T
001																	3														2.5 / 5 / 10
002																	3														2.5 / 5 / 10
003																	3														2.5 / 5 / 10
004																	2														2.5 / 5 / 10
005																															2.5 / 5 / 10
006																															2.5 / 5 / 10
007																															2.5 / 5 / 10
008																															2.5 / 5 / 10
009																															2.5 / 5 / 10
010																															2.5 / 5 / 10
011																															2.5 / 5 / 10
012																															2.5 / 5 / 10
013																															2.5 / 5 / 10
014																															2.5 / 5 / 10
015																															2.5 / 5 / 10
016																															2.5 / 5 / 10
017																															2.5 / 5 / 10
018																															2.5 / 5 / 10
019																															2.5 / 5 / 10
020																															2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	DG9A	40 mL amber ascorbic	JGFU	4 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP2N	500 mL plastic HNO3	DG9T	40 mL amber Na Thio	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH, Znact	VG9U	40 mL clear vial unpres	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3U	250 mL plastic unpres	VG9H	40 mL clear vial HCL		
AG5U	100 mL amber glass unpres	BP3C	250 mL plastic NaOH	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres	BP3S	250 mL plastic H2SO4			GN:	

Sample Condition Upon Receipt Form (SCUR)

Client Name: Sand Creek Consultant S

Courier: CS Logistics Fed Ex Speedee UPS **Waltco**
 Client Pace Other: _____

Tracking #: 1885819-1

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - NA Type of Ice: Wet Blue Dry None

Cooler Temperature Uncorr: _____ /Corr: 201

Samples on ice, cooling process has begun

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:
Date: 11/6/18
Initials: h

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no invoice</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. <u>11/6/18</u>
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>1 lab added, received in shipment</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>A10</u>		<u>11/6/18</u>

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
Person Contacted: _____ Date/Time: _____
Comments/ Resolution: _____

Project Manager Review: run for pm Date: 11/6/18

November 20, 2018

Nichole Besyk
Sand Creek Consultants
151 Mill St.
Amherst, WI 54406


RE: Project: Dun-Rite
Pace Project No.: 10455625

Dear Nichole Besyk:

Enclosed are the analytical results for sample(s) received by the laboratory on November 15, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Pete Arntsen, Sand Creek Consultants



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite

Pace Project No.: 10455625

Minnesota Certification IDs

1700 Elm Street SE, Minneapolis, MN 55414-2485

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Massachusetts Certification #: M-MN064

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Minnesota Dept of Ag Certification #: via MN 027-053-137

Minnesota Petrofund Certification #: 1240

Mississippi Certification #: MN00064

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon NwTPH Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DW Certification #: 9952 C

West Virginia DEP Certification #: 382

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite

Pace Project No.: 10455625

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10455625001	SSV101	Air	11/02/18 09:39	11/15/18 11:55
10455625002	SSV203	Air	11/09/18 07:57	11/15/18 11:55
10455625003	SSV304	Air	11/02/18 09:22	11/15/18 11:55
10455625004	SSV405	Air	11/09/18 11:50	11/15/18 11:55
10455625005	SSV406	Air	11/12/18 10:00	11/15/18 11:55
10455625006	AA304	Air	11/02/18 04:15	11/15/18 11:55
10455625007	AA405	Air	11/02/18 04:19	11/15/18 11:55
10455625008	AA406	Air	11/02/18 04:22	11/15/18 11:55
10455625009	AA407	Air	11/12/18 04:55	11/15/18 11:55
10455625010	AA408	Air	11/02/18 04:24	11/15/18 11:55
10455625011	Blower Exhaust	Air	11/02/18 10:18	11/15/18 11:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10455625

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10455625001	SSV101	TO-15	MJL	61	PASI-M
10455625002	SSV203	TO-15	MJL	61	PASI-M
10455625003	SSV304	TO-15	MJL	61	PASI-M
10455625004	SSV405	TO-15	MJL	61	PASI-M
10455625005	SSV406	TO-15	MJL	61	PASI-M
10455625006	AA304	TO-15	MJL	61	PASI-M
10455625007	AA405	TO-15	MJL	61	PASI-M
10455625008	AA406	TO-15	MJL	61	PASI-M
10455625009	AA407	TO-15	MJL	61	PASI-M
10455625010	AA408	TO-15	MJL	61	PASI-M
10455625011	Blower Exhaust	TO-15	MJL	61	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10455625

Sample: SSV101 **Lab ID: 10455625001** Collected: 11/02/18 09:39 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	11.8	ug/m3	3.5	1.7	1.44		11/17/18 19:20	67-64-1	
Benzene	3.1	ug/m3	0.47	0.22	1.44		11/17/18 19:20	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		11/17/18 19:20	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		11/17/18 19:20	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		11/17/18 19:20	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		11/17/18 19:20	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		11/17/18 19:20	106-99-0	
2-Butanone (MEK)	5.3	ug/m3	4.3	0.53	1.44		11/17/18 19:20	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		11/17/18 19:20	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		11/17/18 19:20	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		11/17/18 19:20	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		11/17/18 19:20	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		11/17/18 19:20	67-66-3	
Chloromethane	1.0	ug/m3	0.60	0.22	1.44		11/17/18 19:20	74-87-3	
Cyclohexane	0.79J	ug/m3	2.5	0.51	1.44		11/17/18 19:20	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		11/17/18 19:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		11/17/18 19:20	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		11/17/18 19:20	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		11/17/18 19:20	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		11/17/18 19:20	106-46-7	
Dichlorodifluoromethane	11.0	ug/m3	1.5	0.42	1.44		11/17/18 19:20	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:20	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		11/17/18 19:20	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		11/17/18 19:20	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:20	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		11/17/18 19:20	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		11/17/18 19:20	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		11/17/18 19:20	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		11/17/18 19:20	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		11/17/18 19:20	76-14-2	
Ethanol	58.4	ug/m3	2.8	1.2	1.44		11/17/18 19:20	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		11/17/18 19:20	141-78-6	
Ethylbenzene	1.5	ug/m3	1.3	0.44	1.44		11/17/18 19:20	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		11/17/18 19:20	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		11/17/18 19:20	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		11/17/18 19:20	87-68-3	
n-Hexane	0.78J	ug/m3	1.0	0.45	1.44		11/17/18 19:20	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		11/17/18 19:20	591-78-6	
Methylene Chloride	4.7J	ug/m3	5.1	1.4	1.44		11/17/18 19:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.85J	ug/m3	6.0	0.75	1.44		11/17/18 19:20	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		11/17/18 19:20	1634-04-4	
Naphthalene	<1.9	ug/m3	3.8	1.9	1.44		11/17/18 19:20	91-20-3	
2-Propanol	2.3J	ug/m3	3.6	1.0	1.44		11/17/18 19:20	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		11/17/18 19:20	115-07-1	
Styrene	3.7	ug/m3	1.2	0.50	1.44		11/17/18 19:20	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		11/17/18 19:20	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10455625

Sample: SSV101 Lab ID: 10455625001 Collected: 11/02/18 09:39 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	266	ug/m3	0.99	0.45	1.44		11/17/18 19:20	127-18-4	
Tetrahydrofuran	10.1	ug/m3	0.86	0.38	1.44		11/17/18 19:20	109-99-9	
Toluene	84.5	ug/m3	1.1	0.51	1.44		11/17/18 19:20	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		11/17/18 19:20	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.44		11/17/18 19:20	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		11/17/18 19:20	79-00-5	
Trichloroethene	1.2	ug/m3	0.79	0.37	1.44		11/17/18 19:20	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.6	0.53	1.44		11/17/18 19:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		11/17/18 19:20	76-13-1	
1,2,4-Trimethylbenzene	1.7	ug/m3	1.4	0.65	1.44		11/17/18 19:20	95-63-6	
1,3,5-Trimethylbenzene	0.62J	ug/m3	1.4	0.57	1.44		11/17/18 19:20	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		11/17/18 19:20	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		11/17/18 19:20	75-01-4	
m&p-Xylene	6.6	ug/m3	2.5	1.0	1.44		11/17/18 19:20	179601-23-1	
o-Xylene	2.4	ug/m3	1.3	0.50	1.44		11/17/18 19:20	95-47-6	

Sample: SSV203 Lab ID: 10455625002 Collected: 11/09/18 07:57 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	8.8	ug/m3	3.5	1.7	1.44		11/18/18 13:55	67-64-1	
Benzene	0.37J	ug/m3	0.47	0.22	1.44		11/18/18 13:55	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		11/18/18 13:55	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		11/18/18 13:55	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		11/18/18 13:55	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		11/18/18 13:55	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		11/18/18 13:55	106-99-0	
2-Butanone (MEK)	3.3J	ug/m3	4.3	0.53	1.44		11/18/18 13:55	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		11/18/18 13:55	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		11/18/18 13:55	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		11/18/18 13:55	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		11/18/18 13:55	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		11/18/18 13:55	67-66-3	
Chloromethane	<0.22	ug/m3	0.60	0.22	1.44		11/18/18 13:55	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		11/18/18 13:55	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		11/18/18 13:55	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		11/18/18 13:55	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		11/18/18 13:55	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		11/18/18 13:55	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		11/18/18 13:55	106-46-7	
Dichlorodifluoromethane	22.6	ug/m3	1.5	0.42	1.44		11/18/18 13:55	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		11/18/18 13:55	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		11/18/18 13:55	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV203 Lab ID: 10455625002 Collected: 11/09/18 07:57 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		11/18/18 13:55	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		11/18/18 13:55	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		11/18/18 13:55	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		11/18/18 13:55	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		11/18/18 13:55	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		11/18/18 13:55	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		11/18/18 13:55	76-14-2	
Ethanol	75.2	ug/m3	2.8	1.2	1.44		11/18/18 13:55	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		11/18/18 13:55	141-78-6	
Ethylbenzene	1.0J	ug/m3	1.3	0.44	1.44		11/18/18 13:55	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		11/18/18 13:55	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		11/18/18 13:55	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		11/18/18 13:55	87-68-3	
n-Hexane	<0.45	ug/m3	1.0	0.45	1.44		11/18/18 13:55	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		11/18/18 13:55	591-78-6	
Methylene Chloride	2.2J	ug/m3	5.1	1.4	1.44		11/18/18 13:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.75	ug/m3	6.0	0.75	1.44		11/18/18 13:55	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		11/18/18 13:55	1634-04-4	
Naphthalene	<1.9	ug/m3	3.8	1.9	1.44		11/18/18 13:55	91-20-3	
2-Propanol	1.8J	ug/m3	3.6	1.0	1.44		11/18/18 13:55	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		11/18/18 13:55	115-07-1	
Styrene	3.2	ug/m3	1.2	0.50	1.44		11/18/18 13:55	100-42-5	CH
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		11/18/18 13:55	79-34-5	
Tetrachloroethene	5.0	ug/m3	0.99	0.45	1.44		11/18/18 13:55	127-18-4	
Tetrahydrofuran	7.1	ug/m3	0.86	0.38	1.44		11/18/18 13:55	109-99-9	
Toluene	79.2	ug/m3	1.1	0.51	1.44		11/18/18 13:55	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		11/18/18 13:55	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.44		11/18/18 13:55	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		11/18/18 13:55	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		11/18/18 13:55	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.53	1.44		11/18/18 13:55	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		11/18/18 13:55	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	1.4	0.65	1.44		11/18/18 13:55	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		11/18/18 13:55	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		11/18/18 13:55	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		11/18/18 13:55	75-01-4	
m&p-Xylene	3.4	ug/m3	2.5	1.0	1.44		11/18/18 13:55	179601-23-1	
o-Xylene	1.6	ug/m3	1.3	0.50	1.44		11/18/18 13:55	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: **SSV304** Lab ID: **10455625003** Collected: 11/02/18 09:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	17.6	ug/m3	3.5	1.7	1.44		11/17/18 19:51	67-64-1	
Benzene	0.48	ug/m3	0.47	0.22	1.44		11/17/18 19:51	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		11/17/18 19:51	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		11/17/18 19:51	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		11/17/18 19:51	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		11/17/18 19:51	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		11/17/18 19:51	106-99-0	
2-Butanone (MEK)	10	ug/m3	4.3	0.53	1.44		11/17/18 19:51	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		11/17/18 19:51	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		11/17/18 19:51	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		11/17/18 19:51	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		11/17/18 19:51	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		11/17/18 19:51	67-66-3	
Chloromethane	<0.22	ug/m3	0.60	0.22	1.44		11/17/18 19:51	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		11/17/18 19:51	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		11/17/18 19:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		11/17/18 19:51	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		11/17/18 19:51	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		11/17/18 19:51	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		11/17/18 19:51	106-46-7	
Dichlorodifluoromethane	20.4	ug/m3	1.5	0.42	1.44		11/17/18 19:51	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:51	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		11/17/18 19:51	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		11/17/18 19:51	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:51	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		11/17/18 19:51	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		11/17/18 19:51	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		11/17/18 19:51	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		11/17/18 19:51	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		11/17/18 19:51	76-14-2	
Ethanol	57.6	ug/m3	2.8	1.2	1.44		11/17/18 19:51	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		11/17/18 19:51	141-78-6	
Ethylbenzene	1.3	ug/m3	1.3	0.44	1.44		11/17/18 19:51	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		11/17/18 19:51	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		11/17/18 19:51	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		11/17/18 19:51	87-68-3	
n-Hexane	<0.45	ug/m3	1.0	0.45	1.44		11/17/18 19:51	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		11/17/18 19:51	591-78-6	
Methylene Chloride	2.9J	ug/m3	5.1	1.4	1.44		11/17/18 19:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.75	ug/m3	6.0	0.75	1.44		11/17/18 19:51	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		11/17/18 19:51	1634-04-4	
Naphthalene	<1.9	ug/m3	3.8	1.9	1.44		11/17/18 19:51	91-20-3	
2-Propanol	1.8J	ug/m3	3.6	1.0	1.44		11/17/18 19:51	67-63-0	
Propylene	0.40J	ug/m3	0.50	0.21	1.44		11/17/18 19:51	115-07-1	
Styrene	4.0	ug/m3	1.2	0.50	1.44		11/17/18 19:51	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		11/17/18 19:51	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV304 **Lab ID: 10455625003** Collected: 11/02/18 09:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	14.6	ug/m3	0.99	0.45	1.44		11/17/18 19:51	127-18-4	
Tetrahydrofuran	12.1	ug/m3	0.86	0.38	1.44		11/17/18 19:51	109-99-9	
Toluene	99.4	ug/m3	1.1	0.51	1.44		11/17/18 19:51	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		11/17/18 19:51	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.44		11/17/18 19:51	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		11/17/18 19:51	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		11/17/18 19:51	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.6	0.53	1.44		11/17/18 19:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		11/17/18 19:51	76-13-1	
1,2,4-Trimethylbenzene	1.2J	ug/m3	1.4	0.65	1.44		11/17/18 19:51	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		11/17/18 19:51	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		11/17/18 19:51	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		11/17/18 19:51	75-01-4	
m&p-Xylene	4.4	ug/m3	2.5	1.0	1.44		11/17/18 19:51	179601-23-1	
o-Xylene	1.7	ug/m3	1.3	0.50	1.44		11/17/18 19:51	95-47-6	

Sample: SSV405 **Lab ID: 10455625004** Collected: 11/09/18 11:50 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	12.4	ug/m3	3.6	1.8	1.49		11/18/18 14:39	67-64-1	
Benzene	0.49	ug/m3	0.48	0.23	1.49		11/18/18 14:39	71-43-2	
Benzyl chloride	<1.8	ug/m3	3.9	1.8	1.49		11/18/18 14:39	100-44-7	
Bromodichloromethane	<0.55	ug/m3	2.0	0.55	1.49		11/18/18 14:39	75-27-4	
Bromoform	<2.1	ug/m3	7.8	2.1	1.49		11/18/18 14:39	75-25-2	
Bromomethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.67	0.19	1.49		11/18/18 14:39	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	4.5	0.55	1.49		11/18/18 14:39	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.94	0.33	1.49		11/18/18 14:39	75-15-0	
Carbon tetrachloride	<0.64	ug/m3	1.9	0.64	1.49		11/18/18 14:39	56-23-5	
Chlorobenzene	<0.41	ug/m3	1.4	0.41	1.49		11/18/18 14:39	108-90-7	
Chloroethane	<0.39	ug/m3	0.80	0.39	1.49		11/18/18 14:39	75-00-3	
Chloroform	0.42J	ug/m3	0.74	0.29	1.49		11/18/18 14:39	67-66-3	
Chloromethane	0.66	ug/m3	0.63	0.23	1.49		11/18/18 14:39	74-87-3	
Cyclohexane	<0.53	ug/m3	2.6	0.53	1.49		11/18/18 14:39	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.49		11/18/18 14:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.2	0.55	1.49		11/18/18 14:39	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	1.8	0.74	1.49		11/18/18 14:39	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/m3	1.8	0.87	1.49		11/18/18 14:39	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.6	1.5	1.49		11/18/18 14:39	106-46-7	
Dichlorodifluoromethane	7.7	ug/m3	1.5	0.44	1.49		11/18/18 14:39	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.61	0.22	1.49		11/18/18 14:39	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: **SSV405** Lab ID: **10455625004** Collected: 11/09/18 11:50 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.49		11/18/18 14:39	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.49		11/18/18 14:39	156-59-2	
trans-1,2-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.49		11/18/18 14:39	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.4	0.34	1.49		11/18/18 14:39	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	1.4	0.45	1.49		11/18/18 14:39	10061-01-5	
trans-1,3-Dichloropropene	<0.66	ug/m3	1.4	0.66	1.49		11/18/18 14:39	10061-02-6	
Dichlorotetrafluoroethane	<0.65	ug/m3	2.1	0.65	1.49		11/18/18 14:39	76-14-2	
Ethanol	75.4	ug/m3	2.9	1.2	1.49		11/18/18 14:39	64-17-5	
Ethyl acetate	<0.28	ug/m3	1.1	0.28	1.49		11/18/18 14:39	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.3	0.45	1.49		11/18/18 14:39	100-41-4	
4-Ethyltoluene	<0.85	ug/m3	3.7	0.85	1.49		11/18/18 14:39	622-96-8	
n-Heptane	<0.57	ug/m3	1.2	0.57	1.49		11/18/18 14:39	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		11/18/18 14:39	87-68-3	
n-Hexane	<0.46	ug/m3	1.1	0.46	1.49		11/18/18 14:39	110-54-3	
2-Hexanone	<1.1	ug/m3	6.2	1.1	1.49		11/18/18 14:39	591-78-6	
Methylene Chloride	2.1J	ug/m3	5.3	1.4	1.49		11/18/18 14:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	6.2	0.77	1.49		11/18/18 14:39	108-10-1	
Methyl-tert-butyl ether	<0.99	ug/m3	5.5	0.99	1.49		11/18/18 14:39	1634-04-4	
Naphthalene	<2.0	ug/m3	4.0	2.0	1.49		11/18/18 14:39	91-20-3	
2-Propanol	1.7J	ug/m3	3.7	1.0	1.49		11/18/18 14:39	67-63-0	
Propylene	0.22J	ug/m3	0.52	0.21	1.49		11/18/18 14:39	115-07-1	
Styrene	4.7	ug/m3	1.3	0.51	1.49		11/18/18 14:39	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.0	0.44	1.49		11/18/18 14:39	79-34-5	
Tetrachloroethene	11200	ug/m3	125	57.2	182.1		11/19/18 16:34	127-18-4	
Tetrahydrofuran	7.0	ug/m3	0.89	0.39	1.49		11/18/18 14:39	109-99-9	
Toluene	83.2	ug/m3	1.1	0.52	1.49		11/18/18 14:39	108-88-3	
1,2,4-Trichlorobenzene	<5.5	ug/m3	11.2	5.5	1.49		11/18/18 14:39	120-82-1	
1,1,1-Trichloroethane	1.1J	ug/m3	1.7	0.46	1.49		11/18/18 14:39	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.83	0.37	1.49		11/18/18 14:39	79-00-5	
Trichloroethene	149	ug/m3	0.81	0.38	1.49		11/18/18 14:39	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.7	0.55	1.49		11/18/18 14:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.84	ug/m3	2.3	0.84	1.49		11/18/18 14:39	76-13-1	
1,2,4-Trimethylbenzene	1.5	ug/m3	1.5	0.67	1.49		11/18/18 14:39	95-63-6	
1,3,5-Trimethylbenzene	<0.59	ug/m3	1.5	0.59	1.49		11/18/18 14:39	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.1	0.40	1.49		11/18/18 14:39	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.39	0.19	1.49		11/18/18 14:39	75-01-4	
m&p-Xylene	4.1	ug/m3	2.6	1.0	1.49		11/18/18 14:39	179601-23-1	
o-Xylene	1.8	ug/m3	1.3	0.51	1.49		11/18/18 14:39	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: **SSV406** Lab ID: **10455625005** Collected: 11/12/18 10:00 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	21.6	ug/m3	3.3	1.7	1.39		11/18/18 15:10	67-64-1	
Benzene	0.61	ug/m3	0.45	0.21	1.39		11/18/18 15:10	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.39		11/18/18 15:10	100-44-7	
Bromodichloromethane	<0.51	ug/m3	1.9	0.51	1.39		11/18/18 15:10	75-27-4	
Bromoform	<2.0	ug/m3	7.3	2.0	1.39		11/18/18 15:10	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.39		11/18/18 15:10	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.39		11/18/18 15:10	106-99-0	
2-Butanone (MEK)	18.8	ug/m3	4.2	0.51	1.39		11/18/18 15:10	78-93-3	
Carbon disulfide	<0.30	ug/m3	0.88	0.30	1.39		11/18/18 15:10	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.39		11/18/18 15:10	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.3	0.38	1.39		11/18/18 15:10	108-90-7	
Chloroethane	<0.36	ug/m3	0.75	0.36	1.39		11/18/18 15:10	75-00-3	
Chloroform	<0.27	ug/m3	0.69	0.27	1.39		11/18/18 15:10	67-66-3	
Chloromethane	<0.22	ug/m3	0.58	0.22	1.39		11/18/18 15:10	74-87-3	
Cyclohexane	<0.49	ug/m3	2.4	0.49	1.39		11/18/18 15:10	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.39		11/18/18 15:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.1	0.51	1.39		11/18/18 15:10	106-93-4	
1,2-Dichlorobenzene	<0.69	ug/m3	1.7	0.69	1.39		11/18/18 15:10	95-50-1	
1,3-Dichlorobenzene	<0.81	ug/m3	1.7	0.81	1.39		11/18/18 15:10	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.3	1.4	1.39		11/18/18 15:10	106-46-7	
Dichlorodifluoromethane	29.6	ug/m3	1.4	0.41	1.39		11/18/18 15:10	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.39		11/18/18 15:10	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.57	0.21	1.39		11/18/18 15:10	107-06-2	
1,1-Dichloroethene	<0.38	ug/m3	1.1	0.38	1.39		11/18/18 15:10	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.39		11/18/18 15:10	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.39		11/18/18 15:10	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.39		11/18/18 15:10	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	1.3	0.42	1.39		11/18/18 15:10	10061-01-5	
trans-1,3-Dichloropropene	<0.61	ug/m3	1.3	0.61	1.39		11/18/18 15:10	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.0	0.61	1.39		11/18/18 15:10	76-14-2	
Ethanol	99.2	ug/m3	2.7	1.1	1.39		11/18/18 15:10	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.0	0.26	1.39		11/18/18 15:10	141-78-6	
Ethylbenzene	1.3	ug/m3	1.2	0.42	1.39		11/18/18 15:10	100-41-4	
4-Ethyltoluene	4.3	ug/m3	3.5	0.79	1.39		11/18/18 15:10	622-96-8	
n-Heptane	<0.53	ug/m3	1.2	0.53	1.39		11/18/18 15:10	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.5	2.7	1.39		11/18/18 15:10	87-68-3	
n-Hexane	<0.43	ug/m3	1.0	0.43	1.39		11/18/18 15:10	110-54-3	
2-Hexanone	<1.0	ug/m3	5.8	1.0	1.39		11/18/18 15:10	591-78-6	
Methylene Chloride	2.0J	ug/m3	4.9	1.3	1.39		11/18/18 15:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	5.8	0.72	1.39		11/18/18 15:10	108-10-1	
Methyl-tert-butyl ether	<0.92	ug/m3	5.1	0.92	1.39		11/18/18 15:10	1634-04-4	
Naphthalene	19.8	ug/m3	3.7	1.8	1.39		11/18/18 15:10	91-20-3	
2-Propanol	2.6J	ug/m3	3.5	0.97	1.39		11/18/18 15:10	67-63-0	
Propylene	0.55	ug/m3	0.49	0.20	1.39		11/18/18 15:10	115-07-1	
Styrene	4.8	ug/m3	1.2	0.48	1.39		11/18/18 15:10	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.97	0.41	1.39		11/18/18 15:10	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV406 **Lab ID: 10455625005** Collected: 11/12/18 10:00 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	13600	ug/m3	115	52.4	166.8		11/19/18 17:00	127-18-4	
Tetrahydrofuran	8.3	ug/m3	0.83	0.36	1.39		11/18/18 15:10	109-99-9	
Toluene	101	ug/m3	1.1	0.49	1.39		11/18/18 15:10	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.5	5.2	1.39		11/18/18 15:10	120-82-1	
1,1,1-Trichloroethane	<0.43	ug/m3	1.5	0.43	1.39		11/18/18 15:10	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.77	0.35	1.39		11/18/18 15:10	79-00-5	
Trichloroethene	12.8	ug/m3	0.76	0.36	1.39		11/18/18 15:10	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.51	1.39		11/18/18 15:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.78	ug/m3	2.2	0.78	1.39		11/18/18 15:10	76-13-1	
1,2,4-Trimethylbenzene	20.8	ug/m3	1.4	0.63	1.39		11/18/18 15:10	95-63-6	
1,3,5-Trimethylbenzene	4.0	ug/m3	1.4	0.55	1.39		11/18/18 15:10	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.39		11/18/18 15:10	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.36	0.18	1.39		11/18/18 15:10	75-01-4	
m&p-Xylene	5.0	ug/m3	2.5	0.97	1.39		11/18/18 15:10	179601-23-1	
o-Xylene	2.1	ug/m3	1.2	0.48	1.39		11/18/18 15:10	95-47-6	

Sample: AA304 **Lab ID: 10455625006** Collected: 11/02/18 04:15 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	25.7	ug/m3	4.2	2.1	1.75		11/18/18 15:41	67-64-1	
Benzene	2.1	ug/m3	0.57	0.27	1.75		11/18/18 15:41	71-43-2	
Benzyl chloride	<2.1	ug/m3	4.6	2.1	1.75		11/18/18 15:41	100-44-7	
Bromodichloromethane	<0.64	ug/m3	2.4	0.64	1.75		11/18/18 15:41	75-27-4	
Bromoform	<2.5	ug/m3	9.2	2.5	1.75		11/18/18 15:41	75-25-2	
Bromomethane	<0.40	ug/m3	1.4	0.40	1.75		11/18/18 15:41	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.79	0.22	1.75		11/18/18 15:41	106-99-0	
2-Butanone (MEK)	12.3	ug/m3	5.2	0.65	1.75		11/18/18 15:41	78-93-3	
Carbon disulfide	0.81J	ug/m3	1.1	0.38	1.75		11/18/18 15:41	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.2	0.75	1.75		11/18/18 15:41	56-23-5	
Chlorobenzene	<0.48	ug/m3	1.6	0.48	1.75		11/18/18 15:41	108-90-7	
Chloroethane	<0.46	ug/m3	0.94	0.46	1.75		11/18/18 15:41	75-00-3	
Chloroform	<0.34	ug/m3	0.87	0.34	1.75		11/18/18 15:41	67-66-3	
Chloromethane	0.70J	ug/m3	0.74	0.27	1.75		11/18/18 15:41	74-87-3	
Cyclohexane	<0.62	ug/m3	3.1	0.62	1.75		11/18/18 15:41	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.0	1.3	1.75		11/18/18 15:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.64	ug/m3	1.4	0.64	1.75		11/18/18 15:41	106-93-4	
1,2-Dichlorobenzene	<0.87	ug/m3	2.1	0.87	1.75		11/18/18 15:41	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/m3	2.1	1.0	1.75		11/18/18 15:41	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/m3	5.4	1.8	1.75		11/18/18 15:41	106-46-7	
Dichlorodifluoromethane	2.2	ug/m3	1.8	0.51	1.75		11/18/18 15:41	75-71-8	
1,1-Dichloroethane	<0.39	ug/m3	1.4	0.39	1.75		11/18/18 15:41	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.72	0.26	1.75		11/18/18 15:41	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10455625

Sample: AA304 Lab ID: 10455625006 Collected: 11/02/18 04:15 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
1,1-Dichloroethene	<0.48	ug/m3	1.4	0.48	1.75		11/18/18 15:41	75-35-4	
cis-1,2-Dichloroethene	<0.38	ug/m3	1.4	0.38	1.75		11/18/18 15:41	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/m3	1.4	0.50	1.75		11/18/18 15:41	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.6	0.40	1.75		11/18/18 15:41	78-87-5	
cis-1,3-Dichloropropene	<0.53	ug/m3	1.6	0.53	1.75		11/18/18 15:41	10061-01-5	
trans-1,3-Dichloropropene	<0.77	ug/m3	1.6	0.77	1.75		11/18/18 15:41	10061-02-6	
Dichlorotetrafluoroethane	<0.76	ug/m3	2.5	0.76	1.75		11/18/18 15:41	76-14-2	
Ethanol	36.2	ug/m3	3.4	1.4	1.75		11/18/18 15:41	64-17-5	
Ethyl acetate	<0.33	ug/m3	1.3	0.33	1.75		11/18/18 15:41	141-78-6	
Ethylbenzene	2.1	ug/m3	1.5	0.53	1.75		11/18/18 15:41	100-41-4	
4-Ethyltoluene	1.0J	ug/m3	4.4	1.0	1.75		11/18/18 15:41	622-96-8	
n-Heptane	2.5	ug/m3	1.5	0.66	1.75		11/18/18 15:41	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	9.5	3.4	1.75		11/18/18 15:41	87-68-3	
n-Hexane	3.7	ug/m3	1.3	0.54	1.75		11/18/18 15:41	110-54-3	
2-Hexanone	<1.3	ug/m3	7.3	1.3	1.75		11/18/18 15:41	591-78-6	
Methylene Chloride	3.6J	ug/m3	6.2	1.7	1.75		11/18/18 15:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.91	ug/m3	7.3	0.91	1.75		11/18/18 15:41	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.4	1.2	1.75		11/18/18 15:41	1634-04-4	
Naphthalene	<2.3	ug/m3	4.7	2.3	1.75		11/18/18 15:41	91-20-3	
2-Propanol	5.4	ug/m3	4.4	1.2	1.75		11/18/18 15:41	67-63-0	
Propylene	<0.25	ug/m3	0.61	0.25	1.75		11/18/18 15:41	115-07-1	
Styrene	<0.60	ug/m3	1.5	0.60	1.75		11/18/18 15:41	100-42-5	
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.2	0.51	1.75		11/18/18 15:41	79-34-5	
Tetrachloroethene	1.6	ug/m3	1.2	0.55	1.75		11/18/18 15:41	127-18-4	C8
Tetrahydrofuran	<0.46	ug/m3	1.0	0.46	1.75		11/18/18 15:41	109-99-9	
Toluene	9.3	ug/m3	1.3	0.61	1.75		11/18/18 15:41	108-88-3	
1,2,4-Trichlorobenzene	<6.5	ug/m3	13.2	6.5	1.75		11/18/18 15:41	120-82-1	
1,1,1-Trichloroethane	<0.54	ug/m3	1.9	0.54	1.75		11/18/18 15:41	71-55-6	
1,1,2-Trichloroethane	<0.44	ug/m3	0.97	0.44	1.75		11/18/18 15:41	79-00-5	
Trichloroethene	<0.45	ug/m3	0.96	0.45	1.75		11/18/18 15:41	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	2.0	0.64	1.75		11/18/18 15:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.99	ug/m3	2.7	0.99	1.75		11/18/18 15:41	76-13-1	
1,2,4-Trimethylbenzene	3.2	ug/m3	1.7	0.79	1.75		11/18/18 15:41	95-63-6	
1,3,5-Trimethylbenzene	0.88J	ug/m3	1.7	0.70	1.75		11/18/18 15:41	108-67-8	
Vinyl acetate	<0.47	ug/m3	1.3	0.47	1.75		11/18/18 15:41	108-05-4	
Vinyl chloride	<0.22	ug/m3	0.46	0.22	1.75		11/18/18 15:41	75-01-4	
m&p-Xylene	7.8	ug/m3	3.1	1.2	1.75		11/18/18 15:41	179601-23-1	
o-Xylene	3.1	ug/m3	1.5	0.60	1.75		11/18/18 15:41	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA405 Lab ID: 10455625007 Collected: 11/02/18 04:19 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	38.6	ug/m3	4.4	2.2	1.83		11/18/18 16:42	67-64-1	
Benzene	0.61	ug/m3	0.59	0.28	1.83		11/18/18 16:42	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 16:42	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 16:42	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 16:42	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 16:42	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 16:42	106-99-0	
2-Butanone (MEK)	5.0J	ug/m3	5.5	0.68	1.83		11/18/18 16:42	78-93-3	
Carbon disulfide	<0.40	ug/m3	1.2	0.40	1.83		11/18/18 16:42	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 16:42	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 16:42	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 16:42	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 16:42	67-66-3	
Chloromethane	0.92	ug/m3	0.77	0.29	1.83		11/18/18 16:42	74-87-3	
Cyclohexane	1.3J	ug/m3	3.2	0.65	1.83		11/18/18 16:42	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 16:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 16:42	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 16:42	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 16:42	541-73-1	
1,4-Dichlorobenzene	292	ug/m3	5.6	1.8	1.83		11/18/18 16:42	106-46-7	
Dichlorodifluoromethane	9.5	ug/m3	1.8	0.54	1.83		11/18/18 16:42	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 16:42	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 16:42	107-06-2	
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 16:42	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 16:42	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 16:42	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 16:42	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 16:42	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 16:42	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 16:42	76-14-2	
Ethanol	1030	ug/m3	3.5	1.5	1.83		11/18/18 16:42	64-17-5	E
Ethyl acetate	3.7	ug/m3	1.3	0.35	1.83		11/18/18 16:42	141-78-6	
Ethylbenzene	0.69J	ug/m3	1.6	0.56	1.83		11/18/18 16:42	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 16:42	622-96-8	
n-Heptane	<0.70	ug/m3	1.5	0.70	1.83		11/18/18 16:42	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 16:42	87-68-3	
n-Hexane	1.6	ug/m3	1.3	0.57	1.83		11/18/18 16:42	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 16:42	591-78-6	
Methylene Chloride	11.3	ug/m3	6.5	1.7	1.83		11/18/18 16:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 16:42	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 16:42	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 16:42	91-20-3	
2-Propanol	34.5	ug/m3	4.6	1.3	1.83		11/18/18 16:42	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 16:42	115-07-1	
Styrene	1.4J	ug/m3	1.6	0.63	1.83		11/18/18 16:42	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 16:42	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA405 **Lab ID: 10455625007** Collected: 11/02/18 04:19 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	6.9	ug/m3	1.3	0.57	1.83		11/18/18 16:42	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 16:42	109-99-9	
Toluene	3.4	ug/m3	1.4	0.64	1.83		11/18/18 16:42	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 16:42	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 16:42	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 16:42	79-00-5	
Trichloroethene	2.4	ug/m3	1.0	0.47	1.83		11/18/18 16:42	79-01-6	
Trichlorofluoromethane	1.8J	ug/m3	2.1	0.67	1.83		11/18/18 16:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 16:42	76-13-1	
1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	0.83	1.83		11/18/18 16:42	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 16:42	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 16:42	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 16:42	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.2	1.3	1.83		11/18/18 16:42	179601-23-1	
o-Xylene	0.65J	ug/m3	1.6	0.63	1.83		11/18/18 16:42	95-47-6	

Sample: AA406 **Lab ID: 10455625008** Collected: 11/02/18 04:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	21.7	ug/m3	4.4	2.2	1.83		11/18/18 17:44	67-64-1	
Benzene	0.36J	ug/m3	0.59	0.28	1.83		11/18/18 17:44	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 17:44	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 17:44	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 17:44	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 17:44	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 17:44	106-99-0	
2-Butanone (MEK)	1.5J	ug/m3	5.5	0.68	1.83		11/18/18 17:44	78-93-3	
Carbon disulfide	0.96J	ug/m3	1.2	0.40	1.83		11/18/18 17:44	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 17:44	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 17:44	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 17:44	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 17:44	67-66-3	
Chloromethane	0.70J	ug/m3	0.77	0.29	1.83		11/18/18 17:44	74-87-3	
Cyclohexane	<0.65	ug/m3	3.2	0.65	1.83		11/18/18 17:44	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 17:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 17:44	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 17:44	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 17:44	541-73-1	
1,4-Dichlorobenzene	28.1	ug/m3	5.6	1.8	1.83		11/18/18 17:44	106-46-7	
Dichlorodifluoromethane	3.5	ug/m3	1.8	0.54	1.83		11/18/18 17:44	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 17:44	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 17:44	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA406 Lab ID: 10455625008 Collected: 11/02/18 04:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 17:44	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 17:44	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 17:44	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 17:44	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 17:44	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 17:44	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 17:44	76-14-2	
Ethanol	90.6	ug/m3	3.5	1.5	1.83		11/18/18 17:44	64-17-5	
Ethyl acetate	<0.35	ug/m3	1.3	0.35	1.83		11/18/18 17:44	141-78-6	
Ethylbenzene	<0.56	ug/m3	1.6	0.56	1.83		11/18/18 17:44	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 17:44	622-96-8	
n-Heptane	1.2J	ug/m3	1.5	0.70	1.83		11/18/18 17:44	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 17:44	87-68-3	
n-Hexane	<0.57	ug/m3	1.3	0.57	1.83		11/18/18 17:44	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 17:44	591-78-6	
Methylene Chloride	3.4J	ug/m3	6.5	1.7	1.83		11/18/18 17:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 17:44	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 17:44	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 17:44	91-20-3	
2-Propanol	10.4	ug/m3	4.6	1.3	1.83		11/18/18 17:44	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 17:44	115-07-1	
Styrene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 17:44	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 17:44	79-34-5	
Tetrachloroethene	4.8	ug/m3	1.3	0.57	1.83		11/18/18 17:44	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 17:44	109-99-9	
Toluene	0.79J	ug/m3	1.4	0.64	1.83		11/18/18 17:44	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 17:44	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 17:44	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 17:44	79-00-5	
Trichloroethene	<0.47	ug/m3	1.0	0.47	1.83		11/18/18 17:44	79-01-6	
Trichlorofluoromethane	1.1J	ug/m3	2.1	0.67	1.83		11/18/18 17:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 17:44	76-13-1	
1,2,4-Trimethylbenzene	<0.83	ug/m3	1.8	0.83	1.83		11/18/18 17:44	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 17:44	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 17:44	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 17:44	75-01-4	
m&p-Xylene	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 17:44	179601-23-1	
o-Xylene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 17:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA407 Lab ID: 10455625009 Collected: 11/12/18 04:55 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	12.2	ug/m3	4.4	2.2	1.83		11/18/18 18:15	67-64-1	
Benzene	0.42J	ug/m3	0.59	0.28	1.83		11/18/18 18:15	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 18:15	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 18:15	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 18:15	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 18:15	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 18:15	106-99-0	
2-Butanone (MEK)	1.6J	ug/m3	5.5	0.68	1.83		11/18/18 18:15	78-93-3	
Carbon disulfide	0.57J	ug/m3	1.2	0.40	1.83		11/18/18 18:15	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 18:15	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 18:15	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 18:15	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 18:15	67-66-3	
Chloromethane	0.84	ug/m3	0.77	0.29	1.83		11/18/18 18:15	74-87-3	
Cyclohexane	<0.65	ug/m3	3.2	0.65	1.83		11/18/18 18:15	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 18:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 18:15	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 18:15	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 18:15	541-73-1	
1,4-Dichlorobenzene	13.8	ug/m3	5.6	1.8	1.83		11/18/18 18:15	106-46-7	
Dichlorodifluoromethane	5.0	ug/m3	1.8	0.54	1.83		11/18/18 18:15	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 18:15	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 18:15	107-06-2	
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 18:15	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 18:15	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 18:15	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 18:15	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 18:15	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 18:15	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 18:15	76-14-2	
Ethanol	149	ug/m3	3.5	1.5	1.83		11/18/18 18:15	64-17-5	
Ethyl acetate	<0.35	ug/m3	1.3	0.35	1.83		11/18/18 18:15	141-78-6	
Ethylbenzene	<0.56	ug/m3	1.6	0.56	1.83		11/18/18 18:15	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 18:15	622-96-8	
n-Heptane	<0.70	ug/m3	1.5	0.70	1.83		11/18/18 18:15	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 18:15	87-68-3	
n-Hexane	1.1J	ug/m3	1.3	0.57	1.83		11/18/18 18:15	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 18:15	591-78-6	
Methylene Chloride	15.4	ug/m3	6.5	1.7	1.83		11/18/18 18:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 18:15	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 18:15	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 18:15	91-20-3	
2-Propanol	8.3	ug/m3	4.6	1.3	1.83		11/18/18 18:15	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 18:15	115-07-1	
Styrene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 18:15	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 18:15	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA407 Lab ID: 10455625009 Collected: 11/12/18 04:55 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	3.5	ug/m3	1.3	0.57	1.83		11/18/18 18:15	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 18:15	109-99-9	
Toluene	1.1J	ug/m3	1.4	0.64	1.83		11/18/18 18:15	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 18:15	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 18:15	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 18:15	79-00-5	
Trichloroethene	<0.47	ug/m3	1.0	0.47	1.83		11/18/18 18:15	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	2.1	0.67	1.83		11/18/18 18:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 18:15	76-13-1	
1,2,4-Trimethylbenzene	<0.83	ug/m3	1.8	0.83	1.83		11/18/18 18:15	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 18:15	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 18:15	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 18:15	75-01-4	
m&p-Xylene	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 18:15	179601-23-1	
o-Xylene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 18:15	95-47-6	

Sample: AA408 Lab ID: 10455625010 Collected: 11/02/18 04:24 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	18.4	ug/m3	3.6	1.8	1.49		11/18/18 20:48	67-64-1	
Benzene	1.9	ug/m3	0.48	0.23	1.49		11/18/18 20:48	71-43-2	
Benzyl chloride	<1.8	ug/m3	3.9	1.8	1.49		11/18/18 20:48	100-44-7	
Bromodichloromethane	<0.55	ug/m3	2.0	0.55	1.49		11/18/18 20:48	75-27-4	
Bromoform	<2.1	ug/m3	7.8	2.1	1.49		11/18/18 20:48	75-25-2	
Bromomethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 20:48	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.67	0.19	1.49		11/18/18 20:48	106-99-0	
2-Butanone (MEK)	8.7	ug/m3	4.5	0.55	1.49		11/18/18 20:48	78-93-3	
Carbon disulfide	4.5	ug/m3	0.94	0.33	1.49		11/18/18 20:48	75-15-0	
Carbon tetrachloride	<0.64	ug/m3	1.9	0.64	1.49		11/18/18 20:48	56-23-5	
Chlorobenzene	<0.41	ug/m3	1.4	0.41	1.49		11/18/18 20:48	108-90-7	
Chloroethane	<0.39	ug/m3	0.80	0.39	1.49		11/18/18 20:48	75-00-3	
Chloroform	0.70J	ug/m3	0.74	0.29	1.49		11/18/18 20:48	67-66-3	
Chloromethane	<0.23	ug/m3	0.63	0.23	1.49		11/18/18 20:48	74-87-3	
Cyclohexane	<0.53	ug/m3	2.6	0.53	1.49		11/18/18 20:48	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.49		11/18/18 20:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.2	0.55	1.49		11/18/18 20:48	106-93-4	
1,2-Dichlorobenzene	10.1	ug/m3	1.8	0.74	1.49		11/18/18 20:48	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/m3	1.8	0.87	1.49		11/18/18 20:48	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.6	1.5	1.49		11/18/18 20:48	106-46-7	
Dichlorodifluoromethane	25.6	ug/m3	1.5	0.44	1.49		11/18/18 20:48	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 20:48	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.61	0.22	1.49		11/18/18 20:48	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA408 Lab ID: 10455625010 Collected: 11/02/18 04:24 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.49		11/18/18 20:48	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.49		11/18/18 20:48	156-59-2	
trans-1,2-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.49		11/18/18 20:48	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.4	0.34	1.49		11/18/18 20:48	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	1.4	0.45	1.49		11/18/18 20:48	10061-01-5	
trans-1,3-Dichloropropene	<0.66	ug/m3	1.4	0.66	1.49		11/18/18 20:48	10061-02-6	
Dichlorotetrafluoroethane	<0.65	ug/m3	2.1	0.65	1.49		11/18/18 20:48	76-14-2	
Ethanol	52.1	ug/m3	2.9	1.2	1.49		11/18/18 20:48	64-17-5	
Ethyl acetate	<0.28	ug/m3	1.1	0.28	1.49		11/18/18 20:48	141-78-6	
Ethylbenzene	3.2	ug/m3	1.3	0.45	1.49		11/18/18 20:48	100-41-4	
4-Ethyltoluene	4.7	ug/m3	3.7	0.85	1.49		11/18/18 20:48	622-96-8	
n-Heptane	2.3	ug/m3	1.2	0.57	1.49		11/18/18 20:48	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		11/18/18 20:48	87-68-3	
n-Hexane	2.8	ug/m3	1.1	0.46	1.49		11/18/18 20:48	110-54-3	
2-Hexanone	<1.1	ug/m3	6.2	1.1	1.49		11/18/18 20:48	591-78-6	
Methylene Chloride	6.3	ug/m3	5.3	1.4	1.49		11/18/18 20:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.9	ug/m3	6.2	0.77	1.49		11/18/18 20:48	108-10-1	
Methyl-tert-butyl ether	<0.99	ug/m3	5.5	0.99	1.49		11/18/18 20:48	1634-04-4	
Naphthalene	2.3J	ug/m3	4.0	2.0	1.49		11/18/18 20:48	91-20-3	
2-Propanol	4.5	ug/m3	3.7	1.0	1.49		11/18/18 20:48	67-63-0	
Propylene	<0.21	ug/m3	0.52	0.21	1.49		11/18/18 20:48	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.49		11/18/18 20:48	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.0	0.44	1.49		11/18/18 20:48	79-34-5	
Tetrachloroethene	327	ug/m3	5.1	2.3	7.45		11/19/18 16:07	127-18-4	
Tetrahydrofuran	<0.39	ug/m3	0.89	0.39	1.49		11/18/18 20:48	109-99-9	
Toluene	16.6	ug/m3	1.1	0.52	1.49		11/18/18 20:48	108-88-3	
1,2,4-Trichlorobenzene	<5.5	ug/m3	11.2	5.5	1.49		11/18/18 20:48	120-82-1	
1,1,1-Trichloroethane	<0.46	ug/m3	1.7	0.46	1.49		11/18/18 20:48	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.83	0.37	1.49		11/18/18 20:48	79-00-5	
Trichloroethene	1.2	ug/m3	0.81	0.38	1.49		11/18/18 20:48	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.7	0.55	1.49		11/18/18 20:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.84	ug/m3	2.3	0.84	1.49		11/18/18 20:48	76-13-1	
1,2,4-Trimethylbenzene	14.8	ug/m3	1.5	0.67	1.49		11/18/18 20:48	95-63-6	
1,3,5-Trimethylbenzene	5.0	ug/m3	1.5	0.59	1.49		11/18/18 20:48	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.1	0.40	1.49		11/18/18 20:48	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.39	0.19	1.49		11/18/18 20:48	75-01-4	
m&p-Xylene	11.0	ug/m3	2.6	1.0	1.49		11/18/18 20:48	179601-23-1	
o-Xylene	5.0	ug/m3	1.3	0.51	1.49		11/18/18 20:48	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: Blower Exhaust Lab ID: 10455625011 Collected: 11/02/18 10:18 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	8.4	ug/m3	4.1	2.1	1.71		11/18/18 21:18	67-64-1	
Benzene	<0.26	ug/m3	0.56	0.26	1.71		11/18/18 21:18	71-43-2	
Benzyl chloride	<2.1	ug/m3	4.5	2.1	1.71		11/18/18 21:18	100-44-7	
Bromodichloromethane	<0.63	ug/m3	2.3	0.63	1.71		11/18/18 21:18	75-27-4	
Bromoform	<2.4	ug/m3	9.0	2.4	1.71		11/18/18 21:18	75-25-2	
Bromomethane	<0.39	ug/m3	1.3	0.39	1.71		11/18/18 21:18	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.77	0.22	1.71		11/18/18 21:18	106-99-0	
2-Butanone (MEK)	3.4J	ug/m3	5.1	0.63	1.71		11/18/18 21:18	78-93-3	
Carbon disulfide	<0.37	ug/m3	1.1	0.37	1.71		11/18/18 21:18	75-15-0	
Carbon tetrachloride	<0.73	ug/m3	2.2	0.73	1.71		11/18/18 21:18	56-23-5	
Chlorobenzene	<0.47	ug/m3	1.6	0.47	1.71		11/18/18 21:18	108-90-7	
Chloroethane	<0.44	ug/m3	0.92	0.44	1.71		11/18/18 21:18	75-00-3	
Chloroform	<0.34	ug/m3	0.85	0.34	1.71		11/18/18 21:18	67-66-3	
Chloromethane	0.83	ug/m3	0.72	0.27	1.71		11/18/18 21:18	74-87-3	
Cyclohexane	<0.60	ug/m3	3.0	0.60	1.71		11/18/18 21:18	110-82-7	
Dibromochloromethane	<1.2	ug/m3	3.0	1.2	1.71		11/18/18 21:18	124-48-1	
1,2-Dibromoethane (EDB)	<0.63	ug/m3	1.3	0.63	1.71		11/18/18 21:18	106-93-4	
1,2-Dichlorobenzene	<0.85	ug/m3	2.1	0.85	1.71		11/18/18 21:18	95-50-1	
1,3-Dichlorobenzene	<0.99	ug/m3	2.1	0.99	1.71		11/18/18 21:18	541-73-1	
1,4-Dichlorobenzene	<1.7	ug/m3	5.2	1.7	1.71		11/18/18 21:18	106-46-7	
Dichlorodifluoromethane	2.6	ug/m3	1.7	0.50	1.71		11/18/18 21:18	75-71-8	
1,1-Dichloroethane	<0.38	ug/m3	1.4	0.38	1.71		11/18/18 21:18	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.70	0.26	1.71		11/18/18 21:18	107-06-2	
1,1-Dichloroethene	<0.47	ug/m3	1.4	0.47	1.71		11/18/18 21:18	75-35-4	
cis-1,2-Dichloroethene	<0.37	ug/m3	1.4	0.37	1.71		11/18/18 21:18	156-59-2	
trans-1,2-Dichloroethene	<0.49	ug/m3	1.4	0.49	1.71		11/18/18 21:18	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.6	0.39	1.71		11/18/18 21:18	78-87-5	
cis-1,3-Dichloropropene	<0.52	ug/m3	1.6	0.52	1.71		11/18/18 21:18	10061-01-5	
trans-1,3-Dichloropropene	<0.75	ug/m3	1.6	0.75	1.71		11/18/18 21:18	10061-02-6	
Dichlorotetrafluoroethane	<0.75	ug/m3	2.4	0.75	1.71		11/18/18 21:18	76-14-2	
Ethanol	10.7	ug/m3	3.3	1.4	1.71		11/18/18 21:18	64-17-5	
Ethyl acetate	<0.32	ug/m3	1.3	0.32	1.71		11/18/18 21:18	141-78-6	
Ethylbenzene	<0.52	ug/m3	1.5	0.52	1.71		11/18/18 21:18	100-41-4	
4-Ethyltoluene	<0.97	ug/m3	4.3	0.97	1.71		11/18/18 21:18	622-96-8	
n-Heptane	<0.65	ug/m3	1.4	0.65	1.71		11/18/18 21:18	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	9.3	3.4	1.71		11/18/18 21:18	87-68-3	
n-Hexane	0.80J	ug/m3	1.2	0.53	1.71		11/18/18 21:18	110-54-3	
2-Hexanone	<1.3	ug/m3	7.1	1.3	1.71		11/18/18 21:18	591-78-6	
Methylene Chloride	3.0J	ug/m3	6.0	1.6	1.71		11/18/18 21:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.89	ug/m3	7.1	0.89	1.71		11/18/18 21:18	108-10-1	
Methyl-tert-butyl ether	<1.1	ug/m3	6.3	1.1	1.71		11/18/18 21:18	1634-04-4	
Naphthalene	<2.3	ug/m3	4.5	2.3	1.71		11/18/18 21:18	91-20-3	
2-Propanol	<1.2	ug/m3	4.3	1.2	1.71		11/18/18 21:18	67-63-0	
Propylene	<0.24	ug/m3	0.60	0.24	1.71		11/18/18 21:18	115-07-1	
Styrene	<0.59	ug/m3	1.5	0.59	1.71		11/18/18 21:18	100-42-5	
1,1,2,2-Tetrachloroethane	<0.50	ug/m3	1.2	0.50	1.71		11/18/18 21:18	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10455625

Sample: Blower Exhaust **Lab ID: 10455625011** Collected: 11/02/18 10:18 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Tetrachloroethene	<0.54	ug/m3	1.2	0.54	1.71		11/18/18 21:18	127-18-4	
Tetrahydrofuran	<0.45	ug/m3	1.0	0.45	1.71		11/18/18 21:18	109-99-9	
Toluene	0.77J	ug/m3	1.3	0.60	1.71		11/18/18 21:18	108-88-3	
1,2,4-Trichlorobenzene	<6.4	ug/m3	12.9	6.4	1.71		11/18/18 21:18	120-82-1	
1,1,1-Trichloroethane	<0.53	ug/m3	1.9	0.53	1.71		11/18/18 21:18	71-55-6	
1,1,2-Trichloroethane	<0.43	ug/m3	0.95	0.43	1.71		11/18/18 21:18	79-00-5	
Trichloroethene	<0.44	ug/m3	0.93	0.44	1.71		11/18/18 21:18	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.9	0.63	1.71		11/18/18 21:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.96	ug/m3	2.7	0.96	1.71		11/18/18 21:18	76-13-1	
1,2,4-Trimethylbenzene	<0.77	ug/m3	1.7	0.77	1.71		11/18/18 21:18	95-63-6	
1,3,5-Trimethylbenzene	<0.68	ug/m3	1.7	0.68	1.71		11/18/18 21:18	108-67-8	
Vinyl acetate	<0.46	ug/m3	1.2	0.46	1.71		11/18/18 21:18	108-05-4	
Vinyl chloride	<0.22	ug/m3	0.44	0.22	1.71		11/18/18 21:18	75-01-4	
m&p-Xylene	<1.2	ug/m3	3.0	1.2	1.71		11/18/18 21:18	179601-23-1	
o-Xylene	<0.59	ug/m3	1.5	0.59	1.71		11/18/18 21:18	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

METHOD BLANK: 3127267

Matrix: Air

Associated Lab Samples: 10455625001, 10455625003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/m3	<0.15	0.44	11/17/18 09:07	
Hexachloro-1,3-butadiene	ug/m3	<0.98	2.7	11/17/18 09:07	
m&p-Xylene	ug/m3	<0.35	0.88	11/17/18 09:07	
Methyl-tert-butyl ether	ug/m3	<0.33	1.8	11/17/18 09:07	
Methylene Chloride	ug/m3	<0.47	1.8	11/17/18 09:07	
n-Heptane	ug/m3	<0.19	0.42	11/17/18 09:07	
n-Hexane	ug/m3	<0.16	0.36	11/17/18 09:07	
Naphthalene	ug/m3	<0.66	1.3	11/17/18 09:07	
o-Xylene	ug/m3	<0.17	0.44	11/17/18 09:07	
Propylene	ug/m3	<0.072	0.18	11/17/18 09:07	
Styrene	ug/m3	<0.17	0.43	11/17/18 09:07	
Tetrachloroethene	ug/m3	<0.16	0.34	11/17/18 09:07	
Tetrahydrofuran	ug/m3	<0.13	0.30	11/17/18 09:07	
Toluene	ug/m3	<0.18	0.38	11/17/18 09:07	
trans-1,2-Dichloroethene	ug/m3	<0.14	0.40	11/17/18 09:07	
trans-1,3-Dichloropropene	ug/m3	<0.22	0.46	11/17/18 09:07	
Trichloroethene	ug/m3	<0.13	0.27	11/17/18 09:07	
Trichlorofluoromethane	ug/m3	<0.18	0.57	11/17/18 09:07	
Vinyl acetate	ug/m3	<0.14	0.36	11/17/18 09:07	
Vinyl chloride	ug/m3	<0.063	0.13	11/17/18 09:07	

LABORATORY CONTROL SAMPLE: 3127268

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	60.6	109	70-135	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	77.2	111	70-146	
1,1,2-Trichloroethane	ug/m3	55.5	59.1	107	70-135	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	85.1	109	63-139	
1,1-Dichloroethane	ug/m3	41.1	43.4	106	70-134	
1,1-Dichloroethene	ug/m3	40.3	44.1	110	70-137	
1,2,4-Trichlorobenzene	ug/m3	75.4	93.0	123	60-133	
1,2,4-Trimethylbenzene	ug/m3	50	55.1	110	70-137	
1,2-Dibromoethane (EDB)	ug/m3	78.1	83.1	106	70-140	
1,2-Dichlorobenzene	ug/m3	61.1	68.7	112	70-137	
1,2-Dichloroethane	ug/m3	41.1	44.5	108	70-136	
1,2-Dichloropropane	ug/m3	47	49.5	105	70-136	
1,3,5-Trimethylbenzene	ug/m3	50	52.9	106	70-133	
1,3-Butadiene	ug/m3	22.5	26.2	117	64-141	
1,3-Dichlorobenzene	ug/m3	61.1	67.7	111	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	67.6	111	70-134	
2-Butanone (MEK)	ug/m3	30	33.2	111	65-143	
2-Hexanone	ug/m3	41.6	45.9	110	60-148	
2-Propanol	ug/m3	125	133	106	65-135	
4-Ethyltoluene	ug/m3	50	54.6	109	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

LABORATORY CONTROL SAMPLE: 3127268

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	43.9	105	70-135	
Acetone	ug/m3	121	110	91	59-132	
Benzene	ug/m3	32.5	33.3	102	70-134	
Benzyl chloride	ug/m3	52.6	64.7	123	56-150	
Bromodichloromethane	ug/m3	68.1	75.7	111	70-142	
Bromoform	ug/m3	105	123	118	69-150	
Bromomethane	ug/m3	39.5	41.8	106	61-141	
Carbon disulfide	ug/m3	31.6	34.2	108	66-134	
Carbon tetrachloride	ug/m3	64	71.2	111	60-145	
Chlorobenzene	ug/m3	46.8	47.7	102	70-130	
Chloroethane	ug/m3	26.8	33.1	123	65-143	
Chloroform	ug/m3	49.6	52.5	106	70-132	
Chloromethane	ug/m3	21	21.9	104	58-140	
cis-1,2-Dichloroethene	ug/m3	40.3	44.4	110	70-136	
cis-1,3-Dichloropropene	ug/m3	46.1	49.8	108	70-136	
Cyclohexane	ug/m3	35	36.0	103	70-133	
Dibromochloromethane	ug/m3	86.6	93.7	108	68-149	
Dichlorodifluoromethane	ug/m3	50.3	48.2	96	69-130	
Dichlorotetrafluoroethane	ug/m3	71	75.6	106	68-130	
Ethanol	ug/m3	91.6	101	110	65-146	
Ethyl acetate	ug/m3	36.6	38.0	104	68-136	
Ethylbenzene	ug/m3	44.1	45.6	103	70-133	
Hexachloro-1,3-butadiene	ug/m3	108	130	120	59-140	
m&p-Xylene	ug/m3	88.3	91.7	104	70-133	
Methyl-tert-butyl ether	ug/m3	36.6	37.5	102	70-132	
Methylene Chloride	ug/m3	177	159	90	67-132	
n-Heptane	ug/m3	41.6	41.9	101	64-136	
n-Hexane	ug/m3	35.8	33.6	94	70-130	
Naphthalene	ug/m3	53.3	60.8	114	55-136	
o-Xylene	ug/m3	44.1	45.9	104	70-132	
Propylene	ug/m3	17.5	18.0	103	37-150	
Styrene	ug/m3	43.3	48.2	111	70-139	
Tetrachloroethene	ug/m3	68.9	69.2	100	70-133	
Tetrahydrofuran	ug/m3	30	32.1	107	62-141	
Toluene	ug/m3	38.3	39.4	103	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	42.9	107	70-132	
trans-1,3-Dichloropropene	ug/m3	46.1	52.7	114	70-135	
Trichloroethene	ug/m3	54.6	56.2	103	70-135	
Trichlorofluoromethane	ug/m3	57.1	64.0	112	59-140	
Vinyl acetate	ug/m3	35.8	38.3	107	57-150	
Vinyl chloride	ug/m3	26	28.6	110	70-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127800

Parameter	Units	10454983003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.38		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.36		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.30		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	<0.69		25	
1,1-Dichloroethane	ug/m3	ND	<0.27		25	
1,1-Dichloroethene	ug/m3	ND	<0.33		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<4.5		25	
1,2,4-Trimethylbenzene	ug/m3	ND	<0.55		25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.45		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.61		25	
1,2-Dichloroethane	ug/m3	ND	<0.18		25	
1,2-Dichloropropane	ug/m3	ND	<0.28		25	
1,3,5-Trimethylbenzene	ug/m3	ND	<0.49		25	
1,3-Butadiene	ug/m3	ND	<0.16		25	
1,3-Dichlorobenzene	ug/m3	ND	<0.71		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.2		25	
2-Butanone (MEK)	ug/m3	10.8	10.1	7	25	
2-Hexanone	ug/m3	ND	0.98J		25	
2-Propanol	ug/m3	ND	2.7J		25	
4-Ethyltoluene	ug/m3	ND	<0.70		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	<0.63		25	
Acetone	ug/m3	34.3	33.4	3	25	
Benzene	ug/m3	36.1	34.1	6	25	
Benzyl chloride	ug/m3	ND	<1.5		25	
Bromodichloromethane	ug/m3	ND	<0.45		25	
Bromoform	ug/m3	ND	<1.7		25	
Bromomethane	ug/m3	ND	<0.28		25	
Carbon disulfide	ug/m3	6.2	5.9	5	25	
Carbon tetrachloride	ug/m3	ND	<0.52		25	
Chlorobenzene	ug/m3	ND	<0.34		25	
Chloroethane	ug/m3	ND	<0.32		25	
Chloroform	ug/m3	ND	<0.24		25	
Chloromethane	ug/m3	ND	<0.19		25	
cis-1,2-Dichloroethene	ug/m3	ND	0.71J		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.37		25	
Cyclohexane	ug/m3	ND	<0.43		25	
Dibromochloromethane	ug/m3	ND	<0.88		25	
Dichlorodifluoromethane	ug/m3	ND	<0.36		25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.53		25	
Ethanol	ug/m3	3.9	4.0	1	25	
Ethyl acetate	ug/m3	ND	<0.23		25	
Ethylbenzene	ug/m3	ND	<0.37		25	
Hexachloro-1,3-butadiene	ug/m3	ND	<2.4		25	
m&p-Xylene	ug/m3	ND	<0.85		25	
Methyl-tert-butyl ether	ug/m3	ND	<0.81		25	
Methylene Chloride	ug/m3	ND	2.3J		25	
n-Heptane	ug/m3	ND	<0.46		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127800

Parameter	Units	10454983003 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	ND	0.49J		25	
Naphthalene	ug/m3	ND	<1.6		25	
o-Xylene	ug/m3	ND	<0.42		25	
Propylene	ug/m3	5.6	5.4	4	25	
Styrene	ug/m3	ND	<0.42		25	
Tetrachloroethene	ug/m3	ND	<0.38		25	
Tetrahydrofuran	ug/m3	3.3	1.4	79	25	R1
Toluene	ug/m3	1.1	1.0	4	25	
trans-1,2-Dichloroethene	ug/m3	ND	<0.35		25	
trans-1,3-Dichloropropene	ug/m3	ND	<0.54		25	
Trichloroethene	ug/m3	ND	<0.31		25	
Trichlorofluoromethane	ug/m3	ND	<0.45		25	
Vinyl acetate	ug/m3	ND	<0.33		25	
Vinyl chloride	ug/m3	ND	<0.15		25	

SAMPLE DUPLICATE: 3127801

Parameter	Units	10455546011 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.48		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.45		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.39		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	<0.87		25	
1,1-Dichloroethane	ug/m3	ND	<0.35		25	
1,1-Dichloroethene	ug/m3	ND	<0.42		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<5.8		25	
1,2,4-Trimethylbenzene	ug/m3	3.7	3.6	3	25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.57		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.77		25	
1,2-Dichloroethane	ug/m3	ND	<0.23		25	
1,2-Dichloropropane	ug/m3	ND	<0.36		25	
1,3,5-Trimethylbenzene	ug/m3	ND	1.3J		25	
1,3-Butadiene	ug/m3	ND	<0.20		25	
1,3-Dichlorobenzene	ug/m3	ND	<0.90		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.6		25	
2-Butanone (MEK)	ug/m3	14.9	14.9	0	25	
2-Hexanone	ug/m3	ND	<1.2		25	
2-Propanol	ug/m3	10.3	9.3	10	25	
4-Ethyltoluene	ug/m3	ND	1.5J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	0.88J		25	
Acetone	ug/m3	34.3	30.9	10	25	
Benzene	ug/m3	20.6	19.8	4	25	
Benzyl chloride	ug/m3	ND	<1.9		25	
Bromodichloromethane	ug/m3	ND	<0.57		25	
Bromoform	ug/m3	ND	<2.2		25	
Bromomethane	ug/m3	ND	<0.35		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127801

Parameter	Units	10455546011 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	ND	<0.34		25	
Carbon tetrachloride	ug/m3	ND	<0.66		25	
Chlorobenzene	ug/m3	ND	<0.43		25	
Chloroethane	ug/m3	ND	<0.40		25	
Chloroform	ug/m3	ND	<0.30		25	
Chloromethane	ug/m3	0.75	0.75	0	25	
cis-1,2-Dichloroethene	ug/m3	ND	<0.34		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.47		25	
Cyclohexane	ug/m3	12.9	12.6	2	25	
Dibromochloromethane	ug/m3	ND	<1.1		25	
Dichlorodifluoromethane	ug/m3	2.0	2.0	0	25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.68		25	
Ethanol	ug/m3	39.4	39.5	0	25	
Ethyl acetate	ug/m3	1.8	1.8	3	25	
Ethylbenzene	ug/m3	14.3	13.8	4	25	
Hexachloro-1,3-butadiene	ug/m3	ND	<3.1		25	
m&p-Xylene	ug/m3	37.4	36.4	3	25	
Methyl-tert-butyl ether	ug/m3	ND	<1.0		25	
Methylene Chloride	ug/m3	7.4	5.5	29	25	R1
n-Heptane	ug/m3	24.0	22.4	7	25	
n-Hexane	ug/m3	32.2	31.4	2	25	
Naphthalene	ug/m3	ND	<2.0		25	
o-Xylene	ug/m3	10.8	10.7	1	25	
Propylene	ug/m3	20.8	17.3	18	25	
Styrene	ug/m3	ND	1.4		25	
Tetrachloroethene	ug/m3	ND	<0.49		25	
Tetrahydrofuran	ug/m3	8.8	8.9	1	25	
Toluene	ug/m3	77.2	74.1	4	25	
trans-1,2-Dichloroethene	ug/m3	ND	<0.44		25	
trans-1,3-Dichloropropene	ug/m3	ND	<0.68		25	
Trichloroethene	ug/m3	ND	<0.40		25	
Trichlorofluoromethane	ug/m3	ND	1.2J		25	
Vinyl acetate	ug/m3	ND	<0.42		25	
Vinyl chloride	ug/m3	ND	<0.20		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

QC Batch: 576332 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10455625004, 10455625005, 10455625006, 10455625007, 10455625008, 10455625009, 10455625010, 10455625011

METHOD BLANK: 3127818 Matrix: Air
Associated Lab Samples: 10455625004, 10455625005, 10455625006, 10455625007, 10455625008, 10455625009, 10455625010, 10455625011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.15	0.56	11/18/18 09:36	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	11/18/18 09:36	
1,1,2-Trichloroethane	ug/m3	<0.12	0.28	11/18/18 09:36	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.28	0.78	11/18/18 09:36	
1,1-Dichloroethane	ug/m3	<0.11	0.41	11/18/18 09:36	
1,1-Dichloroethene	ug/m3	<0.14	0.40	11/18/18 09:36	
1,2,4-Trichlorobenzene	ug/m3	<1.9	3.8	11/18/18 09:36	
1,2,4-Trimethylbenzene	ug/m3	<0.23	0.50	11/18/18 09:36	
1,2-Dibromoethane (EDB)	ug/m3	<0.18	0.39	11/18/18 09:36	
1,2-Dichlorobenzene	ug/m3	<0.25	0.61	11/18/18 09:36	
1,2-Dichloroethane	ug/m3	<0.075	0.21	11/18/18 09:36	
1,2-Dichloropropane	ug/m3	<0.12	0.47	11/18/18 09:36	
1,3,5-Trimethylbenzene	ug/m3	<0.20	0.50	11/18/18 09:36	
1,3-Butadiene	ug/m3	<0.064	0.22	11/18/18 09:36	
1,3-Dichlorobenzene	ug/m3	<0.29	0.61	11/18/18 09:36	
1,4-Dichlorobenzene	ug/m3	<0.50	1.5	11/18/18 09:36	
2-Butanone (MEK)	ug/m3	<0.18	1.5	11/18/18 09:36	
2-Hexanone	ug/m3	<0.37	2.1	11/18/18 09:36	
2-Propanol	ug/m3	<0.35	1.2	11/18/18 09:36	
4-Ethyltoluene	ug/m3	<0.28	1.2	11/18/18 09:36	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.26	2.1	11/18/18 09:36	
Acetone	ug/m3	<0.60	1.2	11/18/18 09:36	
Benzene	ug/m3	<0.076	0.16	11/18/18 09:36	
Benzyl chloride	ug/m3	<0.60	1.3	11/18/18 09:36	
Bromodichloromethane	ug/m3	<0.18	0.68	11/18/18 09:36	
Bromoform	ug/m3	<0.71	2.6	11/18/18 09:36	
Bromomethane	ug/m3	<0.11	0.39	11/18/18 09:36	
Carbon disulfide	ug/m3	<0.11	0.32	11/18/18 09:36	
Carbon tetrachloride	ug/m3	<0.21	0.64	11/18/18 09:36	
Chlorobenzene	ug/m3	<0.14	0.47	11/18/18 09:36	
Chloroethane	ug/m3	<0.13	0.27	11/18/18 09:36	
Chloroform	ug/m3	<0.098	0.25	11/18/18 09:36	
Chloromethane	ug/m3	<0.078	0.21	11/18/18 09:36	
cis-1,2-Dichloroethene	ug/m3	<0.11	0.40	11/18/18 09:36	
cis-1,3-Dichloropropene	ug/m3	<0.15	0.46	11/18/18 09:36	
Cyclohexane	ug/m3	<0.18	0.88	11/18/18 09:36	
Dibromochloromethane	ug/m3	<0.36	0.86	11/18/18 09:36	
Dichlorodifluoromethane	ug/m3	<0.15	0.50	11/18/18 09:36	
Dichlorotetrafluoroethane	ug/m3	<0.22	0.71	11/18/18 09:36	
Ethanol	ug/m3	<0.41	0.96	11/18/18 09:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

METHOD BLANK: 3127818

Matrix: Air

Associated Lab Samples: 10455625004, 10455625005, 10455625006, 10455625007, 10455625008, 10455625009, 10455625010, 10455625011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.095	0.37	11/18/18 09:36	
Ethylbenzene	ug/m3	<0.15	0.44	11/18/18 09:36	
Hexachloro-1,3-butadiene	ug/m3	<0.98	2.7	11/18/18 09:36	
m&p-Xylene	ug/m3	<0.35	0.88	11/18/18 09:36	
Methyl-tert-butyl ether	ug/m3	<0.33	1.8	11/18/18 09:36	
Methylene Chloride	ug/m3	<0.47	1.8	11/18/18 09:36	
n-Heptane	ug/m3	<0.19	0.42	11/18/18 09:36	
n-Hexane	ug/m3	<0.16	0.36	11/18/18 09:36	
Naphthalene	ug/m3	<0.66	1.3	11/18/18 09:36	
o-Xylene	ug/m3	<0.17	0.44	11/18/18 09:36	
Propylene	ug/m3	<0.072	0.18	11/18/18 09:36	
Styrene	ug/m3	<0.17	0.43	11/18/18 09:36	
Tetrachloroethene	ug/m3	<0.16	0.34	11/18/18 09:36	
Tetrahydrofuran	ug/m3	<0.13	0.30	11/18/18 09:36	
Toluene	ug/m3	<0.18	0.38	11/18/18 09:36	
trans-1,2-Dichloroethene	ug/m3	<0.14	0.40	11/18/18 09:36	
trans-1,3-Dichloropropene	ug/m3	<0.22	0.46	11/18/18 09:36	
Trichloroethene	ug/m3	<0.13	0.27	11/18/18 09:36	
Trichlorofluoromethane	ug/m3	<0.18	0.57	11/18/18 09:36	
Vinyl acetate	ug/m3	<0.14	0.36	11/18/18 09:36	
Vinyl chloride	ug/m3	<0.063	0.13	11/18/18 09:36	

LABORATORY CONTROL SAMPLE: 3127819

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	65.2	118	70-135	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	80.6	116	70-146	
1,1,2-Trichloroethane	ug/m3	55.5	62.5	113	70-135	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	85.7	110	63-139	
1,1-Dichloroethane	ug/m3	41.1	45.8	111	70-134	
1,1-Dichloroethene	ug/m3	40.3	43.9	109	70-137	
1,2,4-Trichlorobenzene	ug/m3	75.4	98.1	130	60-133	CH
1,2,4-Trimethylbenzene	ug/m3	50	56.8	114	70-137	
1,2-Dibromoethane (EDB)	ug/m3	78.1	88.4	113	70-140	
1,2-Dichlorobenzene	ug/m3	61.1	71.9	118	70-137	
1,2-Dichloroethane	ug/m3	41.1	46.8	114	70-136	
1,2-Dichloropropane	ug/m3	47	53.2	113	70-136	
1,3,5-Trimethylbenzene	ug/m3	50	56.2	113	70-133	
1,3-Butadiene	ug/m3	22.5	23.0	102	64-141	
1,3-Dichlorobenzene	ug/m3	61.1	71.6	117	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	71.1	116	70-134	
2-Butanone (MEK)	ug/m3	30	34.6	115	65-143	
2-Hexanone	ug/m3	41.6	48.2	116	60-148	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

LABORATORY CONTROL SAMPLE: 3127819

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Propanol	ug/m3	125	125	100	65-135	
4-Ethyltoluene	ug/m3	50	57.9	116	70-132	
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	47.1	113	70-135	
Acetone	ug/m3	121	103	86	59-132	
Benzene	ug/m3	32.5	35.2	108	70-134	
Benzyl chloride	ug/m3	52.6	70.5	134	56-150	CH
Bromodichloromethane	ug/m3	68.1	81.2	119	70-142	
Bromoform	ug/m3	105	129	122	69-150	
Bromomethane	ug/m3	39.5	42.3	107	61-141	
Carbon disulfide	ug/m3	31.6	37.1	117	66-134	
Carbon tetrachloride	ug/m3	64	75.3	118	60-145	
Chlorobenzene	ug/m3	46.8	50.4	108	70-130	
Chloroethane	ug/m3	26.8	34.3	128	65-143	
Chloroform	ug/m3	49.6	55.6	112	70-132	
Chloromethane	ug/m3	21	21.4	102	58-140	
cis-1,2-Dichloroethene	ug/m3	40.3	46.4	115	70-136	
cis-1,3-Dichloropropene	ug/m3	46.1	53.4	116	70-136	
Cyclohexane	ug/m3	35	38.5	110	70-133	
Dibromochloromethane	ug/m3	86.6	100	116	68-149	
Dichlorodifluoromethane	ug/m3	50.3	50.3	100	69-130	
Dichlorotetrafluoroethane	ug/m3	71	75.2	106	68-130	
Ethanol	ug/m3	91.6	104	114	65-146	
Ethyl acetate	ug/m3	36.6	40.2	110	68-136	
Ethylbenzene	ug/m3	44.1	48.4	110	70-133	
Hexachloro-1,3-butadiene	ug/m3	108	138	127	59-140	
m&p-Xylene	ug/m3	88.3	96.6	109	70-133	
Methyl-tert-butyl ether	ug/m3	36.6	39.4	108	70-132	
Methylene Chloride	ug/m3	177	166	94	67-132	
n-Heptane	ug/m3	41.6	44.1	106	64-136	
n-Hexane	ug/m3	35.8	35.4	99	70-130	
Naphthalene	ug/m3	53.3	64.2	121	55-136	
o-Xylene	ug/m3	44.1	47.4	107	70-132	
Propylene	ug/m3	17.5	18.4	105	37-150	
Styrene	ug/m3	43.3	49.8	115	70-139	
Tetrachloroethene	ug/m3	68.9	72.8	106	70-133	
Tetrahydrofuran	ug/m3	30	34.0	114	62-141	
Toluene	ug/m3	38.3	41.6	108	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	45.0	112	70-132	
trans-1,3-Dichloropropene	ug/m3	46.1	55.6	121	70-135	
Trichloroethene	ug/m3	54.6	59.9	110	70-135	
Trichlorofluoromethane	ug/m3	57.1	63.6	111	59-140	
Vinyl acetate	ug/m3	35.8	40.7	114	57-150	
Vinyl chloride	ug/m3	26	28.9	111	70-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127857

Parameter	Units	10455625006 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.54	<0.54		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.51	<0.51		25	
1,1,2-Trichloroethane	ug/m3	<0.44	<0.44		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.99	<0.99		25	
1,1-Dichloroethane	ug/m3	<0.39	<0.39		25	
1,1-Dichloroethene	ug/m3	<0.48	<0.48		25	
1,2,4-Trichlorobenzene	ug/m3	<6.5	<6.5		25	
1,2,4-Trimethylbenzene	ug/m3	3.2	2.9	11	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.64	<0.64		25	
1,2-Dichlorobenzene	ug/m3	<0.87	<0.87		25	
1,2-Dichloroethane	ug/m3	<0.26	<0.26		25	
1,2-Dichloropropane	ug/m3	<0.40	<0.40		25	
1,3,5-Trimethylbenzene	ug/m3	0.88J	0.76J		25	
1,3-Butadiene	ug/m3	<0.22	<0.22		25	
1,3-Dichlorobenzene	ug/m3	<1.0	<1.0		25	
1,4-Dichlorobenzene	ug/m3	<1.8	<1.8		25	
2-Butanone (MEK)	ug/m3	12.3	11.3	9	25	
2-Hexanone	ug/m3	<1.3	<1.3		25	
2-Propanol	ug/m3	5.4	5.0	8	25	
4-Ethyltoluene	ug/m3	1.0J	<1.0		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.91	<0.91		25	
Acetone	ug/m3	25.7	24.0	7	25	
Benzene	ug/m3	2.1	2.1	3	25	
Benzyl chloride	ug/m3	<2.1	<2.1		25	
Bromodichloromethane	ug/m3	<0.64	<0.64		25	
Bromoform	ug/m3	<2.5	<2.5		25	
Bromomethane	ug/m3	<0.40	<0.40		25	
Carbon disulfide	ug/m3	0.81J	0.84J		25	
Carbon tetrachloride	ug/m3	<0.75	<0.75		25	
Chlorobenzene	ug/m3	<0.48	<0.48		25	
Chloroethane	ug/m3	<0.46	<0.46		25	
Chloroform	ug/m3	<0.34	<0.34		25	
Chloromethane	ug/m3	0.70J	0.70J		25	
cis-1,2-Dichloroethene	ug/m3	<0.38	<0.38		25	
cis-1,3-Dichloropropene	ug/m3	<0.53	<0.53		25	
Cyclohexane	ug/m3	<0.62	<0.62		25	
Dibromochloromethane	ug/m3	<1.3	<1.3		25	
Dichlorodifluoromethane	ug/m3	2.2	2.3	4	25	
Dichlorotetrafluoroethane	ug/m3	<0.76	<0.76		25	
Ethanol	ug/m3	36.2	36.6	1	25	
Ethyl acetate	ug/m3	<0.33	<0.33		25	
Ethylbenzene	ug/m3	2.1	2.2	4	25	
Hexachloro-1,3-butadiene	ug/m3	<3.4	<3.4		25	
m&p-Xylene	ug/m3	7.8	7.7	2	25	
Methyl-tert-butyl ether	ug/m3	<1.2	<1.2		25	
Methylene Chloride	ug/m3	3.6J	3.2J		25	
n-Heptane	ug/m3	2.5	2.2	11	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127857

Parameter	Units	10455625006 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	3.7	3.6	0	25	
Naphthalene	ug/m3	<2.3	<2.3		25	
o-Xylene	ug/m3	3.1	2.8	8	25	
Propylene	ug/m3	<0.25	<0.25		25	
Styrene	ug/m3	<0.60	<0.60		25	
Tetrachloroethene	ug/m3	1.6	<0.55		25	
Tetrahydrofuran	ug/m3	<0.46	<0.46		25	
Toluene	ug/m3	9.3	9.1	2	25	
trans-1,2-Dichloroethene	ug/m3	<0.50	<0.50		25	
trans-1,3-Dichloropropene	ug/m3	<0.77	<0.77		25	
Trichloroethene	ug/m3	<0.45	<0.45		25	
Trichlorofluoromethane	ug/m3	1.3J	1.2J		25	
Vinyl acetate	ug/m3	<0.47	<0.47		25	
Vinyl chloride	ug/m3	<0.22	<0.22		25	

SAMPLE DUPLICATE: 3127858

Parameter	Units	10455625007 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.57	<0.57		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.53	<0.53		25	
1,1,2-Trichloroethane	ug/m3	<0.46	<0.46		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<1.0	<1.0		25	
1,1-Dichloroethane	ug/m3	<0.41	<0.41		25	
1,1-Dichloroethene	ug/m3	<0.50	<0.50		25	
1,2,4-Trichlorobenzene	ug/m3	<6.8	<6.8		25	
1,2,4-Trimethylbenzene	ug/m3	1.3J	1.3J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.67	<0.67		25	
1,2-Dichlorobenzene	ug/m3	<0.91	<0.91		25	
1,2-Dichloroethane	ug/m3	<0.27	<0.27		25	
1,2-Dichloropropane	ug/m3	<0.42	<0.42		25	
1,3,5-Trimethylbenzene	ug/m3	<0.73	<0.73		25	
1,3-Butadiene	ug/m3	<0.23	<0.23		25	
1,3-Dichlorobenzene	ug/m3	<1.1	<1.1		25	
1,4-Dichlorobenzene	ug/m3	292	286	2	25	
2-Butanone (MEK)	ug/m3	5.0J	5.8		25	
2-Hexanone	ug/m3	<1.4	<1.4		25	
2-Propanol	ug/m3	34.5	35.8	4	25	
4-Ethyltoluene	ug/m3	<1.0	<1.0		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.95	<0.95		25	
Acetone	ug/m3	38.6	40.3	4	25	
Benzene	ug/m3	0.61	0.59	2	25	
Benzyl chloride	ug/m3	<2.2	<2.2		25	
Bromodichloromethane	ug/m3	<0.67	<0.67		25	
Bromoform	ug/m3	<2.6	<2.6		25	
Bromomethane	ug/m3	<0.42	<0.42		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127858

Parameter	Units	10455625007 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	<0.40	<0.40		25	
Carbon tetrachloride	ug/m3	<0.79	<0.79		25	
Chlorobenzene	ug/m3	<0.50	<0.50		25	
Chloroethane	ug/m3	<0.48	<0.48		25	
Chloroform	ug/m3	<0.36	<0.36		25	
Chloromethane	ug/m3	0.92	1.1	16	25	
cis-1,2-Dichloroethene	ug/m3	<0.40	<0.40		25	
cis-1,3-Dichloropropene	ug/m3	<0.56	<0.56		25	
Cyclohexane	ug/m3	1.3J	1.6J		25	
Dibromochloromethane	ug/m3	<1.3	<1.3		25	
Dichlorodifluoromethane	ug/m3	9.5	8.8	7	25	
Dichlorotetrafluoroethane	ug/m3	<0.80	<0.80		25	
Ethanol	ug/m3	1030	1010	2	25	E
Ethyl acetate	ug/m3	3.7	<0.35		25	
Ethylbenzene	ug/m3	0.69J	<0.56		25	
Hexachloro-1,3-butadiene	ug/m3	<3.6	<3.6		25	
m&p-Xylene	ug/m3	1.7J	1.5J		25	
Methyl-tert-butyl ether	ug/m3	<1.2	<1.2		25	
Methylene Chloride	ug/m3	11.3	14.5	25	25	
n-Heptane	ug/m3	<0.70	<0.70		25	
n-Hexane	ug/m3	1.6	2.2	33	25	R1
Naphthalene	ug/m3	<2.4	<2.4		25	
o-Xylene	ug/m3	0.65J	<0.63		25	
Propylene	ug/m3	<0.26	<0.26		25	
Styrene	ug/m3	1.4J	1.4J		25	
Tetrachloroethene	ug/m3	6.9	6.2	11	25	
Tetrahydrofuran	ug/m3	<0.48	<0.48		25	
Toluene	ug/m3	3.4	3.0	13	25	
trans-1,2-Dichloroethene	ug/m3	<0.52	<0.52		25	
trans-1,3-Dichloropropene	ug/m3	<0.81	<0.81		25	
Trichloroethene	ug/m3	2.4	2.1	15	25	
Trichlorofluoromethane	ug/m3	1.8J	1.7J		25	
Vinyl acetate	ug/m3	<0.49	<0.49		25	
Vinyl chloride	ug/m3	<0.23	<0.23		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

QC Batch: 576338 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10455625002

METHOD BLANK: 3127828 Matrix: Air
Associated Lab Samples: 10455625002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.31	1.1	11/18/18 10:31	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	0.70	11/18/18 10:31	
1,1,2-Trichloroethane	ug/m3	<0.25	0.56	11/18/18 10:31	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.56	1.6	11/18/18 10:31	
1,1-Dichloroethane	ug/m3	<0.22	0.82	11/18/18 10:31	
1,1-Dichloroethene	ug/m3	<0.27	0.81	11/18/18 10:31	
1,2,4-Trichlorobenzene	ug/m3	<3.7	7.5	11/18/18 10:31	
1,2,4-Trimethylbenzene	ug/m3	<0.45	1.0	11/18/18 10:31	
1,2-Dibromoethane (EDB)	ug/m3	<0.37	0.78	11/18/18 10:31	
1,2-Dichlorobenzene	ug/m3	<0.50	1.2	11/18/18 10:31	
1,2-Dichloroethane	ug/m3	<0.15	0.41	11/18/18 10:31	
1,2-Dichloropropane	ug/m3	<0.23	0.94	11/18/18 10:31	
1,3,5-Trimethylbenzene	ug/m3	<0.40	1.0	11/18/18 10:31	
1,3-Butadiene	ug/m3	<0.13	0.45	11/18/18 10:31	
1,3-Dichlorobenzene	ug/m3	<0.58	1.2	11/18/18 10:31	
1,4-Dichlorobenzene	ug/m3	<1.0	3.1	11/18/18 10:31	
2-Butanone (MEK)	ug/m3	<0.37	3.0	11/18/18 10:31	
2-Hexanone	ug/m3	<0.74	4.2	11/18/18 10:31	
2-Propanol	ug/m3	<0.70	2.5	11/18/18 10:31	
4-Ethyltoluene	ug/m3	<0.57	2.5	11/18/18 10:31	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.52	4.2	11/18/18 10:31	
Acetone	ug/m3	<1.2	2.4	11/18/18 10:31	
Benzene	ug/m3	<0.15	0.32	11/18/18 10:31	
Benzyl chloride	ug/m3	<1.2	2.6	11/18/18 10:31	
Bromodichloromethane	ug/m3	<0.37	1.4	11/18/18 10:31	
Bromoform	ug/m3	<1.4	5.2	11/18/18 10:31	
Bromomethane	ug/m3	<0.23	0.79	11/18/18 10:31	
Carbon disulfide	ug/m3	<0.22	0.63	11/18/18 10:31	
Carbon tetrachloride	ug/m3	<0.43	1.3	11/18/18 10:31	
Chlorobenzene	ug/m3	<0.28	0.94	11/18/18 10:31	
Chloroethane	ug/m3	<0.26	0.54	11/18/18 10:31	
Chloroform	ug/m3	<0.20	0.50	11/18/18 10:31	
Chloromethane	ug/m3	<0.16	0.42	11/18/18 10:31	
cis-1,2-Dichloroethene	ug/m3	<0.22	0.81	11/18/18 10:31	
cis-1,3-Dichloropropene	ug/m3	<0.30	0.92	11/18/18 10:31	
Cyclohexane	ug/m3	<0.35	1.8	11/18/18 10:31	
Dibromochloromethane	ug/m3	<0.72	1.7	11/18/18 10:31	
Dichlorodifluoromethane	ug/m3	<0.29	1.0	11/18/18 10:31	
Dichlorotetrafluoroethane	ug/m3	<0.44	1.4	11/18/18 10:31	
Ethanol	ug/m3	<0.81	1.9	11/18/18 10:31	
Ethyl acetate	ug/m3	<0.19	0.73	11/18/18 10:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

METHOD BLANK: 3127828

Matrix: Air

Associated Lab Samples: 10455625002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/m3	<0.30	0.88	11/18/18 10:31	
Hexachloro-1,3-butadiene	ug/m3	<2.0	5.4	11/18/18 10:31	
m&p-Xylene	ug/m3	<0.70	1.8	11/18/18 10:31	
Methyl-tert-butyl ether	ug/m3	<0.66	3.7	11/18/18 10:31	
Methylene Chloride	ug/m3	<0.94	3.5	11/18/18 10:31	
n-Heptane	ug/m3	<0.38	0.83	11/18/18 10:31	
n-Hexane	ug/m3	<0.31	0.72	11/18/18 10:31	
Naphthalene	ug/m3	<1.3	2.7	11/18/18 10:31	
o-Xylene	ug/m3	<0.34	0.88	11/18/18 10:31	
Propylene	ug/m3	<0.14	0.35	11/18/18 10:31	
Styrene	ug/m3	<0.34	0.87	11/18/18 10:31	
Tetrachloroethene	ug/m3	<0.31	0.69	11/18/18 10:31	
Tetrahydrofuran	ug/m3	<0.26	0.60	11/18/18 10:31	
Toluene	ug/m3	<0.35	0.77	11/18/18 10:31	
trans-1,2-Dichloroethene	ug/m3	<0.28	0.81	11/18/18 10:31	
trans-1,3-Dichloropropene	ug/m3	<0.44	0.92	11/18/18 10:31	
Trichloroethene	ug/m3	<0.26	0.55	11/18/18 10:31	
Trichlorofluoromethane	ug/m3	<0.37	1.1	11/18/18 10:31	
Vinyl acetate	ug/m3	<0.27	0.72	11/18/18 10:31	
Vinyl chloride	ug/m3	<0.13	0.26	11/18/18 10:31	

LABORATORY CONTROL SAMPLE: 3127829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	66.1	119	70-135	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	86.6	124	70-146	
1,1,2-Trichloroethane	ug/m3	55.5	65.2	118	70-135	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	88.0	113	63-139	
1,1-Dichloroethane	ug/m3	41.1	47.0	114	70-134	
1,1-Dichloroethene	ug/m3	40.3	45.1	112	70-137	
1,2,4-Trichlorobenzene	ug/m3	75.4	83.5	111	60-133	
1,2,4-Trimethylbenzene	ug/m3	50	59.7	119	70-137	
1,2-Dibromoethane (EDB)	ug/m3	78.1	93.3	119	70-140	
1,2-Dichlorobenzene	ug/m3	61.1	70.5	115	70-137	
1,2-Dichloroethane	ug/m3	41.1	46.5	113	70-136	
1,2-Dichloropropane	ug/m3	47	58.8	125	70-136	
1,3,5-Trimethylbenzene	ug/m3	50	60.8	122	70-133	
1,3-Butadiene	ug/m3	22.5	28.2	125	64-141	
1,3-Dichlorobenzene	ug/m3	61.1	72.0	118	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	71.5	117	70-134	
2-Butanone (MEK)	ug/m3	30	36.9	123	65-143	
2-Hexanone	ug/m3	41.6	49.4	119	60-148	
2-Propanol	ug/m3	125	140	112	65-135	
4-Ethyltoluene	ug/m3	50	61.8	124	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

LABORATORY CONTROL SAMPLE: 3127829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	52.6	126	70-135	
Acetone	ug/m3	121	135	112	59-132	
Benzene	ug/m3	32.5	35.2	109	70-134	
Benzyl chloride	ug/m3	52.6	60.6	115	56-150	
Bromodichloromethane	ug/m3	68.1	84.9	125	70-142	
Bromoform	ug/m3	105	121	115	69-150	
Bromomethane	ug/m3	39.5	44.8	113	61-141	
Carbon disulfide	ug/m3	31.6	36.9	117	66-134	
Carbon tetrachloride	ug/m3	64	76.6	120	60-145	
Chlorobenzene	ug/m3	46.8	51.3	110	70-130	
Chloroethane	ug/m3	26.8	33.2	124	65-143	
Chloroform	ug/m3	49.6	54.7	110	70-132	
Chloromethane	ug/m3	21	21.6	103	58-140	
cis-1,2-Dichloroethene	ug/m3	40.3	45.1	112	70-136	
cis-1,3-Dichloropropene	ug/m3	46.1	59.9	130	70-136	
Cyclohexane	ug/m3	35	43.0	123	70-133	
Dibromochloromethane	ug/m3	86.6	114	131	68-149	CH
Dichlorodifluoromethane	ug/m3	50.3	53.2	106	69-130	
Dichlorotetrafluoroethane	ug/m3	71	77.2	109	68-130	
Ethanol	ug/m3	91.6	106	115	65-146	
Ethyl acetate	ug/m3	36.6	42.5	116	68-136	
Ethylbenzene	ug/m3	44.1	51.4	116	70-133	
Hexachloro-1,3-butadiene	ug/m3	108	123	113	59-140	
m&p-Xylene	ug/m3	88.3	102	116	70-133	
Methyl-tert-butyl ether	ug/m3	36.6	41.6	113	70-132	
Methylene Chloride	ug/m3	177	190	107	67-132	
n-Heptane	ug/m3	41.6	49.6	119	64-136	
n-Hexane	ug/m3	35.8	40.0	112	70-130	
Naphthalene	ug/m3	53.3	60.3	113	55-136	
o-Xylene	ug/m3	44.1	51.5	117	70-132	
Propylene	ug/m3	17.5	19.6	112	37-150	
Styrene	ug/m3	43.3	57.1	132	70-139	CH
Tetrachloroethene	ug/m3	68.9	75.5	110	70-133	
Tetrahydrofuran	ug/m3	30	35.9	120	62-141	
Toluene	ug/m3	38.3	42.7	111	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	47.6	118	70-132	
trans-1,3-Dichloropropene	ug/m3	46.1	61.1	132	70-135	CH
Trichloroethene	ug/m3	54.6	60.2	110	70-135	
Trichlorofluoromethane	ug/m3	57.1	63.3	111	59-140	
Vinyl acetate	ug/m3	35.8	44.2	123	57-150	
Vinyl chloride	ug/m3	26	30.6	118	70-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127953

Parameter	Units	10455625002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.44	<0.44		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.42	<0.42		25	
1,1,2-Trichloroethane	ug/m3	<0.36	<0.36		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.81	<0.81		25	
1,1-Dichloroethane	ug/m3	<0.32	<0.32		25	
1,1-Dichloroethene	ug/m3	<0.39	<0.39		25	
1,2,4-Trichlorobenzene	ug/m3	<5.4	<5.4		25	
1,2,4-Trimethylbenzene	ug/m3	1.1J	1.1J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.53	<0.53		25	
1,2-Dichlorobenzene	ug/m3	<0.72	<0.72		25	
1,2-Dichloroethane	ug/m3	<0.22	<0.22		25	
1,2-Dichloropropane	ug/m3	<0.33	<0.33		25	
1,3,5-Trimethylbenzene	ug/m3	<0.57	<0.57		25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.84	<0.84		25	
1,4-Dichlorobenzene	ug/m3	<1.4	<1.4		25	
2-Butanone (MEK)	ug/m3	3.3J	3.4J		25	
2-Hexanone	ug/m3	<1.1	<1.1		25	
2-Propanol	ug/m3	1.8J	1.6J		25	
4-Ethyltoluene	ug/m3	<0.82	<0.82		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.75	<0.75		25	
Acetone	ug/m3	8.8	8.2	7	25	
Benzene	ug/m3	0.37J	0.38J		25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.53	<0.53		25	
Bromoform	ug/m3	<2.0	<2.0		25	
Bromomethane	ug/m3	<0.33	<0.33		25	
Carbon disulfide	ug/m3	<0.32	<0.32		25	
Carbon tetrachloride	ug/m3	<0.62	<0.62		25	
Chlorobenzene	ug/m3	<0.40	<0.40		25	
Chloroethane	ug/m3	<0.37	<0.37		25	
Chloroform	ug/m3	<0.28	<0.28		25	
Chloromethane	ug/m3	<0.22	<0.22		25	
cis-1,2-Dichloroethene	ug/m3	<0.32	<0.32		25	
cis-1,3-Dichloropropene	ug/m3	<0.44	<0.44		25	
Cyclohexane	ug/m3	<0.51	<0.51		25	
Dibromochloromethane	ug/m3	<1.0	<1.0		25	
Dichlorodifluoromethane	ug/m3	22.6	22.4	1	25	
Dichlorotetrafluoroethane	ug/m3	<0.63	<0.63		25	
Ethanol	ug/m3	75.2	70.6	6	25	
Ethyl acetate	ug/m3	<0.27	<0.27		25	
Ethylbenzene	ug/m3	1.0J	0.94J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.8	<2.8		25	
m&p-Xylene	ug/m3	3.4	3.2	3	25	
Methyl-tert-butyl ether	ug/m3	<0.95	<0.95		25	
Methylene Chloride	ug/m3	2.2J	1.9J		25	
n-Heptane	ug/m3	<0.55	<0.55		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127953

Parameter	Units	10455625002 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<0.45	<0.45		25	
Naphthalene	ug/m3	<1.9	<1.9		25	
o-Xylene	ug/m3	1.6	1.5	9	25	
Propylene	ug/m3	<0.21	<0.21		25	
Styrene	ug/m3	3.2	3.0	6	25	CH
Tetrachloroethene	ug/m3	5.0	4.4	12	25	
Tetrahydrofuran	ug/m3	7.1	7.1	1	25	
Toluene	ug/m3	79.2	76.9	3	25	
trans-1,2-Dichloroethene	ug/m3	<0.41	<0.41		25	
trans-1,3-Dichloropropene	ug/m3	<0.63	<0.63		25	
Trichloroethene	ug/m3	<0.37	<0.37		25	
Trichlorofluoromethane	ug/m3	1.4J	1.4J		25	
Vinyl acetate	ug/m3	<0.39	<0.39		25	
Vinyl chloride	ug/m3	<0.18	<0.18		25	

SAMPLE DUPLICATE: 3127954

Parameter	Units	10455897003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.56		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.53		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.45		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	<1.0		25	
1,1-Dichloroethane	ug/m3	ND	<0.40		25	
1,1-Dichloroethene	ug/m3	ND	<0.49		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<6.7		25	
1,2,4-Trimethylbenzene	ug/m3	ND	<0.81		25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.66		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.90		25	
1,2-Dichloroethane	ug/m3	ND	<0.27		25	
1,2-Dichloropropane	ug/m3	ND	<0.41		25	
1,3,5-Trimethylbenzene	ug/m3	ND	<0.72		25	
1,3-Butadiene	ug/m3	ND	<0.23		25	
1,3-Dichlorobenzene	ug/m3	ND	<1.0		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.8		25	
2-Butanone (MEK)	ug/m3	24.3	24.1	1	25	
2-Hexanone	ug/m3	ND	2.3J		25	
2-Propanol	ug/m3	ND	3.7J		25	
4-Ethyltoluene	ug/m3	ND	<1.0		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	1.9J		25	
Acetone	ug/m3	67.1	66.9	0	25	
Benzene	ug/m3	30.0	29.2	3	25	
Benzyl chloride	ug/m3	ND	<2.2		25	
Bromodichloromethane	ug/m3	ND	<0.66		25	
Bromoform	ug/m3	ND	<2.6		25	
Bromomethane	ug/m3	ND	<0.41		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10455625

SAMPLE DUPLICATE: 3127954

Parameter	Units	10455897003 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	2.9	2.9	0	25	
Carbon tetrachloride	ug/m3	3.4	3.6	5	25	
Chlorobenzene	ug/m3	ND	<0.50		25	
Chloroethane	ug/m3	ND	<0.47		25	
Chloroform	ug/m3	7.4	7.0	6	25	
Chloromethane	ug/m3	3.5	3.1	13	25	
cis-1,2-Dichloroethene	ug/m3	ND	<0.39		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.55		25	
Cyclohexane	ug/m3	15.6	15.0	4	25	
Dibromochloromethane	ug/m3	ND	<1.3		25	
Dichlorodifluoromethane	ug/m3	30.4	29.2	4	25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.79		25	
Ethanol	ug/m3	20.2	20.1	1	25	
Ethyl acetate	ug/m3	ND	<0.34		25	
Ethylbenzene	ug/m3	8.4	8.4	1	25	
Hexachloro-1,3-butadiene	ug/m3	ND	<3.5		25	
m&p-Xylene	ug/m3	6.1	6.1	0	25	
Methyl-tert-butyl ether	ug/m3	ND	<1.2		25	
Methylene Chloride	ug/m3	16.1	15.4	4	25	
n-Heptane	ug/m3	26.4	26.2	1	25	
n-Hexane	ug/m3	44.7	43.2	3	25	
Naphthalene	ug/m3	ND	<2.4		25	
o-Xylene	ug/m3	2.5	2.4	2	25	
Propylene	ug/m3	398	389	2	25	E
Styrene	ug/m3	1.6	1.5J		25	
Tetrachloroethene	ug/m3	3.2	3.2	1	25	
Tetrahydrofuran	ug/m3	25.1	24.5	3	25	
Toluene	ug/m3	126	122	3	25	
trans-1,2-Dichloroethene	ug/m3	ND	<0.51		25	
trans-1,3-Dichloropropene	ug/m3	ND	<0.79		25	
Trichloroethene	ug/m3	ND	0.77J		25	
Trichlorofluoromethane	ug/m3	ND	0.95J		25	
Vinyl acetate	ug/m3	ND	<0.49		25	
Vinyl chloride	ug/m3	ND	<0.23		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10455625

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

C8 Result may be biased high due to carryover from previously analyzed sample.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite

Pace Project No.: 10455625

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10455625001	SSV101	TO-15	576215		
10455625002	SSV203	TO-15	576338		
10455625003	SSV304	TO-15	576215		
10455625004	SSV405	TO-15	576332		
10455625005	SSV406	TO-15	576332		
10455625006	AA304	TO-15	576332		
10455625007	AA405	TO-15	576332		
10455625008	AA406	TO-15	576332		
10455625009	AA407	TO-15	576332		
10455625010	AA408	TO-15	576332		
10455625011	Blower Exhaust	TO-15	576332		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant information must be provided.

WO#: 10455625



30091

Page: of

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other
Company: Sand Creek Consultants Address: 151 Mill St Stevens Point WI 54481 Email To: NICHOLE.BESYK@SAND-CREEK.COM Phone: 715-824-5109 Requested Due Date/TAT:	Report To: NICHOLE.BESYK@SAND-CREEK.COM Copy To: PETE.ARNITSEN@SAND-CREEK.COM Purchase Order No.: Project Name: Dunette Project Number:	Attention: Same Company Name: Same Address: Pace Quote Reference: Pace Project Manager/Sales Rep.: Pace Profile #: 25302	

ITEM #	Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Filter Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated		TO-15 Short List (other)
					DATE	TIME	DATE	TIME														
1	SSV101		6LC		11/2/18	8:59	11/2/18	9:39	-28	-3	0568	1689									001	
2	SSV203				11/9/18	7:16	11/9/18	7:57	-29	-3	0436	1608										002
3	SSV304				11/2/18	8:42	11/2/18	9:22	-28	-3	044	1901										003
4	SSV405				11/9	11:10	11/9	11:50	-30	-4	1231	1654										004
5	SSV406				11/12	9:15	11/12	10:00	-30	-2	0524	1657										005
6	AA304				11/2/18	7:53	11/2/18	4:15	-28	-8	3445	1792										006
7	AA405					8:07		4:19	-26	-0	2100	1863										007
8	AA406					8:01		4:22	-26	-7	1527	1873										008
9	AA407				11/12	8:52	11/12	4:55	-30	-12	1203	1797										009
10	AA408				11/2/18	8:11	11/2/18	4:24	-27	-7	2842	1073										010
11	Blower Exhaust					9:41		10:18	-27	-3	0108	1618										011

Comments :

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
<i>[Signature]</i>	11/13	10:00	<i>[Signature]</i> Pace	11/15/18	1155	Temp in °C	Received on ice	Custody Sealed Cooler	Samples Intact
						Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM/DD/YY)

Temp in °C

Received on ice

Custody Sealed Cooler

Samples Intact

ORIGINAL



Document Name:
Air Sample Condition Upon Receipt
Document No.:
F-MN-A-106-rev.16

Document Revised: 11Oct2018
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

Air Sample Condition Upon Receipt

Client Name: Sand Creek Consultants

Project #: **WO# : 10455625**

Courier: Fed Ex UPS Speedee Client
 Commercial Pace Other:

PM: KNH Due Date: 11/26/18
CLIENT: Sand Creek

Tracking Number: 4545 9907 1091/1080/1070

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): - Corrected Temp (°C): - Thermom. Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents: 11/15/18 CS

Type of ice Received Blue Wet None

			Comments:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		10.
Media: <u>Air Can</u> Airbag Filter TDT Passive			11. Individually Certified Cans Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		12.

Samples Received: <u>FFFT</u>					Pressure Gauge # <u>10AIR35</u>				
Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
<u>SSV 101</u>			<u>-2.0</u>	<u>+5</u>	<u>AA 407</u>			<u>-8.0</u>	<u>+5</u>
<u>" 203</u>			<u>-2.0</u>	<u>"</u>	<u>" 408</u>			<u>-3.0</u>	<u>"</u>
<u>" 304</u>			<u>-2.0</u>	<u>"</u>	<u>exhaust</u>			<u>-6.5</u>	<u>"</u>
<u>" 405</u>			<u>-3.0</u>	<u>"</u>					
<u>" 406</u>			<u>-1.0</u>	<u>"</u>					
<u>AA 304</u>			<u>-7.0</u>	<u>"</u>					
<u>" 405</u>			<u>-8.0</u>	<u>"</u>					
<u>" 406</u>			<u>-8.0</u>	<u>"</u>					

CLIENT NOTIFICATION/RESOLUTION
Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____

Project Manager Review: Kirsten Hojberg Date: 11/15/2018

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

December 17, 2018

Nichole Besyk
Sand Creek Consultants
151 Mill St.
Amherst, WI 54406


RE: Project: AA408 Attorney Ambient
Pace Project No.: 10458211

Dear Nichole Besyk:

Enclosed are the analytical results for sample(s) received by the laboratory on December 10, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Pete Arntsen, Sand Creek Consultants



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Minnesota Certification IDs

1700 Elm Street SE, Minneapolis, MN 55414-2485

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Massachusetts Certification #: M-MN064

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Minnesota Dept of Ag Certification #: via MN 027-053-137

Minnesota Petrofund Certification #: 1240

Mississippi Certification #: MN00064

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon NwTPH Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DW Certification #: 9952 C

West Virginia DEP Certification #: 382

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10458211001	AA408 Attorney Ambient	Air	12/05/18 05:10	12/10/18 10:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10458211001	AA408 Attorney Ambient	TO-15	MLS	61	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Sample: AA408 Attorney Ambient Lab ID: 10458211001 Collected: 12/05/18 05:10 Received: 12/10/18 10:15 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Acetone	12.7	ug/m3	3.7	1.8	1.52		12/13/18 17:14	67-64-1	
Benzene	0.31J	ug/m3	0.49	0.23	1.52		12/13/18 17:14	71-43-2	
Benzyl chloride	<1.8	ug/m3	4.0	1.8	1.52		12/13/18 17:14	100-44-7	
Bromodichloromethane	<0.56	ug/m3	2.1	0.56	1.52		12/13/18 17:14	75-27-4	
Bromoform	<2.2	ug/m3	8.0	2.2	1.52		12/13/18 17:14	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.52		12/13/18 17:14	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.68	0.19	1.52		12/13/18 17:14	106-99-0	
2-Butanone (MEK)	1.4J	ug/m3	4.6	0.56	1.52		12/13/18 17:14	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.96	0.33	1.52		12/13/18 17:14	75-15-0	
Carbon tetrachloride	<0.65	ug/m3	1.9	0.65	1.52		12/13/18 17:14	56-23-5	
Chlorobenzene	<0.42	ug/m3	1.4	0.42	1.52		12/13/18 17:14	108-90-7	
Chloroethane	<0.40	ug/m3	0.81	0.40	1.52		12/13/18 17:14	75-00-3	
Chloroform	<0.30	ug/m3	0.75	0.30	1.52		12/13/18 17:14	67-66-3	
Chloromethane	0.78	ug/m3	0.64	0.24	1.52		12/13/18 17:14	74-87-3	
Cyclohexane	<0.54	ug/m3	2.7	0.54	1.52		12/13/18 17:14	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.52		12/13/18 17:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.2	0.56	1.52		12/13/18 17:14	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	1.9	0.76	1.52		12/13/18 17:14	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/m3	1.9	0.88	1.52		12/13/18 17:14	541-73-1	
1,4-Dichlorobenzene	8.4	ug/m3	4.7	1.5	1.52		12/13/18 17:14	106-46-7	
Dichlorodifluoromethane	4.5	ug/m3	1.5	0.45	1.52		12/13/18 17:14	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.3	0.34	1.52		12/13/18 17:14	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	0.62	0.23	1.52		12/13/18 17:14	107-06-2	
1,1-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.52		12/13/18 17:14	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.52		12/13/18 17:14	156-59-2	
trans-1,2-Dichloroethene	<0.43	ug/m3	1.2	0.43	1.52		12/13/18 17:14	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.4	0.35	1.52		12/13/18 17:14	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	1.4	0.46	1.52		12/13/18 17:14	10061-01-5	
trans-1,3-Dichloropropene	<0.67	ug/m3	1.4	0.67	1.52		12/13/18 17:14	10061-02-6	
Dichlorotetrafluoroethane	<0.66	ug/m3	2.2	0.66	1.52		12/13/18 17:14	76-14-2	
Ethanol	76.2	ug/m3	2.9	1.2	1.52		12/13/18 17:14	64-17-5	
Ethyl acetate	0.43J	ug/m3	1.1	0.29	1.52		12/13/18 17:14	141-78-6	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.52		12/13/18 17:14	100-41-4	
4-Ethyltoluene	<0.87	ug/m3	3.8	0.87	1.52		12/13/18 17:14	622-96-8	
n-Heptane	0.59J	ug/m3	1.3	0.58	1.52		12/13/18 17:14	142-82-5	
Hexachloro-1,3-butadiene	<3.0	ug/m3	8.2	3.0	1.52		12/13/18 17:14	87-68-3	
n-Hexane	0.80J	ug/m3	1.1	0.47	1.52		12/13/18 17:14	110-54-3	
2-Hexanone	<1.1	ug/m3	6.3	1.1	1.52		12/13/18 17:14	591-78-6	
Methylene Chloride	3.2J	ug/m3	5.4	1.4	1.52		12/13/18 17:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.79	ug/m3	6.3	0.79	1.52		12/13/18 17:14	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/m3	5.6	1.0	1.52		12/13/18 17:14	1634-04-4	
Naphthalene	<2.0	ug/m3	4.0	2.0	1.52		12/13/18 17:14	91-20-3	
2-Propanol	5.6	ug/m3	3.8	1.1	1.52		12/13/18 17:14	67-63-0	
Propylene	1.2	ug/m3	0.53	0.22	1.52		12/13/18 17:14	115-07-1	
Styrene	0.69J	ug/m3	1.3	0.52	1.52		12/13/18 17:14	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.1	0.44	1.52		12/13/18 17:14	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Sample: AA408 Attorney Ambient **Lab ID: 10458211001** Collected: 12/05/18 05:10 Received: 12/10/18 10:15 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Tetrachloroethene	5.6	ug/m3	1.0	0.48	1.52		12/13/18 17:14	127-18-4	
Tetrahydrofuran	<0.40	ug/m3	0.91	0.40	1.52		12/13/18 17:14	109-99-9	
Toluene	0.80J	ug/m3	1.2	0.53	1.52		12/13/18 17:14	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	11.5	5.7	1.52		12/13/18 17:14	120-82-1	
1,1,1-Trichloroethane	<0.47	ug/m3	1.7	0.47	1.52		12/13/18 17:14	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.84	0.38	1.52		12/13/18 17:14	79-00-5	
Trichloroethene	<0.39	ug/m3	0.83	0.39	1.52		12/13/18 17:14	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.7	0.56	1.52		12/13/18 17:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.86	ug/m3	2.4	0.86	1.52		12/13/18 17:14	76-13-1	
1,2,4-Trimethylbenzene	<0.69	ug/m3	1.5	0.69	1.52		12/13/18 17:14	95-63-6	
1,3,5-Trimethylbenzene	<0.61	ug/m3	1.5	0.61	1.52		12/13/18 17:14	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.1	0.41	1.52		12/13/18 17:14	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.40	0.19	1.52		12/13/18 17:14	75-01-4	
m&p-Xylene	<1.1	ug/m3	2.7	1.1	1.52		12/13/18 17:14	179601-23-1	
o-Xylene	<0.52	ug/m3	1.3	0.52	1.52		12/13/18 17:14	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: AA408 Attorney Ambient
Pace Project No.: 10458211

QC Batch: 580783 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10458211001

METHOD BLANK: 3149355 Matrix: Air
Associated Lab Samples: 10458211001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.15	0.56	12/13/18 15:50	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	12/13/18 15:50	
1,1,2-Trichloroethane	ug/m3	<0.12	0.28	12/13/18 15:50	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.28	0.78	12/13/18 15:50	
1,1-Dichloroethane	ug/m3	<0.11	0.41	12/13/18 15:50	
1,1-Dichloroethene	ug/m3	<0.14	0.40	12/13/18 15:50	
1,2,4-Trichlorobenzene	ug/m3	<1.9	3.8	12/13/18 15:50	
1,2,4-Trimethylbenzene	ug/m3	<0.23	0.50	12/13/18 15:50	
1,2-Dibromoethane (EDB)	ug/m3	<0.18	0.39	12/13/18 15:50	
1,2-Dichlorobenzene	ug/m3	<0.25	0.61	12/13/18 15:50	
1,2-Dichloroethane	ug/m3	<0.075	0.21	12/13/18 15:50	
1,2-Dichloropropane	ug/m3	<0.12	0.47	12/13/18 15:50	
1,3,5-Trimethylbenzene	ug/m3	<0.20	0.50	12/13/18 15:50	
1,3-Butadiene	ug/m3	<0.064	0.22	12/13/18 15:50	
1,3-Dichlorobenzene	ug/m3	<0.29	0.61	12/13/18 15:50	
1,4-Dichlorobenzene	ug/m3	<0.50	1.5	12/13/18 15:50	
2-Butanone (MEK)	ug/m3	<0.18	1.5	12/13/18 15:50	
2-Hexanone	ug/m3	<0.37	2.1	12/13/18 15:50	
2-Propanol	ug/m3	<0.35	1.2	12/13/18 15:50	
4-Ethyltoluene	ug/m3	<0.28	1.2	12/13/18 15:50	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.26	2.1	12/13/18 15:50	
Acetone	ug/m3	<0.60	1.2	12/13/18 15:50	
Benzene	ug/m3	<0.076	0.16	12/13/18 15:50	
Benzyl chloride	ug/m3	<0.60	1.3	12/13/18 15:50	
Bromodichloromethane	ug/m3	<0.18	0.68	12/13/18 15:50	
Bromoform	ug/m3	<0.71	2.6	12/13/18 15:50	
Bromomethane	ug/m3	<0.11	0.39	12/13/18 15:50	
Carbon disulfide	ug/m3	<0.11	0.32	12/13/18 15:50	
Carbon tetrachloride	ug/m3	<0.21	0.64	12/13/18 15:50	
Chlorobenzene	ug/m3	<0.14	0.47	12/13/18 15:50	
Chloroethane	ug/m3	<0.13	0.27	12/13/18 15:50	
Chloroform	ug/m3	<0.098	0.25	12/13/18 15:50	
Chloromethane	ug/m3	<0.078	0.21	12/13/18 15:50	
cis-1,2-Dichloroethene	ug/m3	<0.11	0.40	12/13/18 15:50	
cis-1,3-Dichloropropene	ug/m3	<0.15	0.46	12/13/18 15:50	
Cyclohexane	ug/m3	<0.18	0.88	12/13/18 15:50	
Dibromochloromethane	ug/m3	<0.36	0.86	12/13/18 15:50	
Dichlorodifluoromethane	ug/m3	<0.15	0.50	12/13/18 15:50	
Dichlorotetrafluoroethane	ug/m3	<0.22	0.71	12/13/18 15:50	
Ethanol	ug/m3	<0.41	0.96	12/13/18 15:50	
Ethyl acetate	ug/m3	<0.095	0.37	12/13/18 15:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

METHOD BLANK: 3149355

Matrix: Air

Associated Lab Samples: 10458211001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/m3	<0.15	0.44	12/13/18 15:50	
Hexachloro-1,3-butadiene	ug/m3	<0.98	2.7	12/13/18 15:50	
m&p-Xylene	ug/m3	<0.35	0.88	12/13/18 15:50	
Methyl-tert-butyl ether	ug/m3	<0.33	1.8	12/13/18 15:50	
Methylene Chloride	ug/m3	<0.47	1.8	12/13/18 15:50	
n-Heptane	ug/m3	<0.19	0.42	12/13/18 15:50	
n-Hexane	ug/m3	<0.16	0.36	12/13/18 15:50	
Naphthalene	ug/m3	<0.66	1.3	12/13/18 15:50	
o-Xylene	ug/m3	<0.17	0.44	12/13/18 15:50	
Propylene	ug/m3	<0.072	0.18	12/13/18 15:50	
Styrene	ug/m3	<0.17	0.43	12/13/18 15:50	
Tetrachloroethene	ug/m3	<0.16	0.34	12/13/18 15:50	
Tetrahydrofuran	ug/m3	<0.13	0.30	12/13/18 15:50	
Toluene	ug/m3	<0.18	0.38	12/13/18 15:50	
trans-1,2-Dichloroethene	ug/m3	<0.14	0.40	12/13/18 15:50	
trans-1,3-Dichloropropene	ug/m3	<0.22	0.46	12/13/18 15:50	
Trichloroethene	ug/m3	<0.13	0.27	12/13/18 15:50	
Trichlorofluoromethane	ug/m3	<0.18	0.57	12/13/18 15:50	
Vinyl acetate	ug/m3	<0.14	0.36	12/13/18 15:50	
Vinyl chloride	ug/m3	<0.063	0.13	12/13/18 15:50	

LABORATORY CONTROL SAMPLE: 3149356

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	56.0	101	70-135	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	77.2	111	70-146	
1,1,2-Trichloroethane	ug/m3	55.5	59.8	108	70-135	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	74.5	96	63-139	
1,1-Dichloroethane	ug/m3	41.1	40.8	99	70-134	
1,1-Dichloroethene	ug/m3	40.3	38.0	94	70-137	
1,2,4-Trichlorobenzene	ug/m3	75.4	81.2	108	60-133	
1,2,4-Trimethylbenzene	ug/m3	50	60.5	121	70-137	
1,2-Dibromoethane (EDB)	ug/m3	78.1	83.5	107	70-140	
1,2-Dichlorobenzene	ug/m3	61.1	70.4	115	70-137	
1,2-Dichloroethane	ug/m3	41.1	40.4	98	70-136	
1,2-Dichloropropane	ug/m3	47	49.0	104	70-136	
1,3,5-Trimethylbenzene	ug/m3	50	62.2	124	70-133	
1,3-Butadiene	ug/m3	22.5	21.1	94	64-141	
1,3-Dichlorobenzene	ug/m3	61.1	70.6	115	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	71.0	116	70-134	
2-Butanone (MEK)	ug/m3	30	33.2	111	65-143	
2-Hexanone	ug/m3	41.6	46.5	112	60-148	
2-Propanol	ug/m3	125	122	98	65-135	
4-Ethyltoluene	ug/m3	50	52.4	105	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

LABORATORY CONTROL SAMPLE: 3149356

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	51.4	123	70-135	
Acetone	ug/m3	121	105	87	59-132	
Benzene	ug/m3	32.5	33.5	103	70-134	
Benzyl chloride	ug/m3	52.6	53.4	102	56-150	
Bromodichloromethane	ug/m3	68.1	72.8	107	70-142	
Bromoform	ug/m3	105	131	125	69-150	
Bromomethane	ug/m3	39.5	35.5	90	61-141	
Carbon disulfide	ug/m3	31.6	34.1	108	66-134	
Carbon tetrachloride	ug/m3	64	65.6	103	60-145	
Chlorobenzene	ug/m3	46.8	48.6	104	70-130	
Chloroethane	ug/m3	26.8	26.1	97	65-143	
Chloroform	ug/m3	49.6	48.0	97	70-132	
Chloromethane	ug/m3	21	19.0	90	58-140	
cis-1,2-Dichloroethene	ug/m3	40.3	42.5	105	70-136	
cis-1,3-Dichloropropene	ug/m3	46.1	54.7	119	70-136	
Cyclohexane	ug/m3	35	39.0	112	70-133	
Dibromochloromethane	ug/m3	86.6	99.3	115	68-149	
Dichlorodifluoromethane	ug/m3	50.3	47.6	95	69-130	
Dichlorotetrafluoroethane	ug/m3	71	65.1	92	68-130	
Ethanol	ug/m3	91.6	88.5	97	65-146	
Ethyl acetate	ug/m3	36.6	38.4	105	68-136	
Ethylbenzene	ug/m3	44.1	52.6	119	70-133	
Hexachloro-1,3-butadiene	ug/m3	108	117	108	59-140	
m&p-Xylene	ug/m3	88.3	104	117	70-133	
Methyl-tert-butyl ether	ug/m3	36.6	38.6	105	70-132	
Methylene Chloride	ug/m3	177	164	93	67-132	
n-Heptane	ug/m3	41.6	46.3	111	64-136	
n-Hexane	ug/m3	35.8	37.1	103	70-130	
Naphthalene	ug/m3	53.3	58.0	109	55-136	
o-Xylene	ug/m3	44.1	50.4	114	70-132	
Propylene	ug/m3	17.5	17.6	101	37-150	
Styrene	ug/m3	43.3	45.6	105	70-139	
Tetrachloroethene	ug/m3	68.9	69.3	101	70-133	
Tetrahydrofuran	ug/m3	30	34.1	114	62-141	
Toluene	ug/m3	38.3	44.1	115	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	40.9	102	70-132	
trans-1,3-Dichloropropene	ug/m3	46.1	47.9	104	70-135	
Trichloroethene	ug/m3	54.6	57.7	106	70-135	
Trichlorofluoromethane	ug/m3	57.1	51.2	90	59-140	
Vinyl acetate	ug/m3	35.8	37.5	105	57-150	
Vinyl chloride	ug/m3	26	24.4	94	70-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

SAMPLE DUPLICATE: 3150386

Parameter	Units	10458211001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.47	<0.47		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.44	<0.44		25	
1,1,2-Trichloroethane	ug/m3	<0.38	<0.38		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.86	<0.86		25	
1,1-Dichloroethane	ug/m3	<0.34	<0.34		25	
1,1-Dichloroethene	ug/m3	<0.42	<0.42		25	
1,2,4-Trichlorobenzene	ug/m3	<5.7	<5.7		25	
1,2,4-Trimethylbenzene	ug/m3	<0.69	<0.69		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.56	<0.56		25	
1,2-Dichlorobenzene	ug/m3	<0.76	<0.76		25	
1,2-Dichloroethane	ug/m3	<0.23	<0.23		25	
1,2-Dichloropropane	ug/m3	<0.35	<0.35		25	
1,3,5-Trimethylbenzene	ug/m3	<0.61	<0.61		25	
1,3-Butadiene	ug/m3	<0.19	<0.19		25	
1,3-Dichlorobenzene	ug/m3	<0.88	<0.88		25	
1,4-Dichlorobenzene	ug/m3	8.4	8.2	2	25	
2-Butanone (MEK)	ug/m3	1.4J	1.6J		25	
2-Hexanone	ug/m3	<1.1	<1.1		25	
2-Propanol	ug/m3	5.6	5.5	2	25	
4-Ethyltoluene	ug/m3	<0.87	<0.87		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.79	<0.79		25	
Acetone	ug/m3	12.7	13.1	3	25	
Benzene	ug/m3	0.31J	0.34J		25	
Benzyl chloride	ug/m3	<1.8	<1.8		25	
Bromodichloromethane	ug/m3	<0.56	<0.56		25	
Bromoform	ug/m3	<2.2	<2.2		25	
Bromomethane	ug/m3	<0.35	<0.35		25	
Carbon disulfide	ug/m3	<0.33	<0.33		25	
Carbon tetrachloride	ug/m3	<0.65	<0.65		25	
Chlorobenzene	ug/m3	<0.42	<0.42		25	
Chloroethane	ug/m3	<0.40	<0.40		25	
Chloroform	ug/m3	<0.30	<0.30		25	
Chloromethane	ug/m3	0.78	0.73	7	25	
cis-1,2-Dichloroethene	ug/m3	<0.33	<0.33		25	
cis-1,3-Dichloropropene	ug/m3	<0.46	<0.46		25	
Cyclohexane	ug/m3	<0.54	<0.54		25	
Dibromochloromethane	ug/m3	<1.1	<1.1		25	
Dichlorodifluoromethane	ug/m3	4.5	4.5	2	25	
Dichlorotetrafluoroethane	ug/m3	<0.66	<0.66		25	
Ethanol	ug/m3	76.2	76.5	0	25	
Ethyl acetate	ug/m3	0.43J	0.55J		25	
Ethylbenzene	ug/m3	<0.46	<0.46		25	
Hexachloro-1,3-butadiene	ug/m3	<3.0	<3.0		25	
m&p-Xylene	ug/m3	<1.1	<1.1		25	
Methyl-tert-butyl ether	ug/m3	<1.0	<1.0		25	
Methylene Chloride	ug/m3	3.2J	3.5J		25	
n-Heptane	ug/m3	0.59J	0.63J		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

SAMPLE DUPLICATE: 3150386

Parameter	Units	10458211001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	0.80J	0.68J		25	
Naphthalene	ug/m3	<2.0	<2.0		25	
o-Xylene	ug/m3	<0.52	<0.52		25	
Propylene	ug/m3	1.2	1.2	1	25	
Styrene	ug/m3	0.69J	<0.52		25	
Tetrachloroethene	ug/m3	5.6	5.6	0	25	
Tetrahydrofuran	ug/m3	<0.40	<0.40		25	
Toluene	ug/m3	0.80J	0.80J		25	
trans-1,2-Dichloroethene	ug/m3	<0.43	<0.43		25	
trans-1,3-Dichloropropene	ug/m3	<0.67	<0.67		25	
Trichloroethene	ug/m3	<0.39	<0.39		25	
Trichlorofluoromethane	ug/m3	1.2J	1.4J		25	
Vinyl acetate	ug/m3	<0.41	<0.41		25	
Vinyl chloride	ug/m3	<0.19	<0.19		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10458211001	AA408 Attorney Ambient	TO-15	580783		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant information must be recorded.

WO#: 10458211



35135

Page: of

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:
Company: <i>Sand Creek</i>	Report To:	Attention:
Address: <i>151 Mill St. Amherst, WI</i>	Copy To: <i>Same</i>	Company Name: <i>Same</i>
Email To: <i>pete.arntsen@sandcreek.com</i>	Purchase Order No.:	Address:
Phone: <i>215-824-5169</i>	Project Name:	Pace Quote Reference:
Requested Due Date/TAT: <i>5/16/14</i>	Project Number:	Pace Project Manager/Sales Rep.:
		Pace Profile #: <i>25302</i>

Program

UST Superfund Emissions Clean Air Act

Voluntary Clean Up Dry Clean RCRA Other

Reporting Units
 Location of Sampling by State _____
 ug/m³ _____ mg/m³ _____
 PPBV _____ PPMV _____
 Other _____

Report Level I. _____ II. _____ III. _____ IV. _____ Other _____

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method: PM10 3C - Fixed Gas (%) TO-3 BTEX TO-3M (Met/Name) TO-14 TO-15 Full List TOCs TO-15 Short List BTEX TO-15 Short List Chlorinated	Pace Lab ID
					COMPOSITE START		COMPOSITE - END/GRAB							
					DATE	TIME	DATE	TIME						
1	<i>AA409 Attorney Ambient</i>				<i>12/5</i>	<i>8:05</i>	<i>12/5</i>	<i>5:10</i>	<i>30</i>	<i>-434101799</i>		<i>7</i>	<i>001</i>	
2														
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
		<i>[Signature]</i>	<i>12/6/10</i>	<i>00</i>	<i>ALL-PACE</i>	<i>12-10-18</i>	<i>10:15</i>	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact	Y/N	Y/N	Y/N
											Y/N	Y/N	Y/N	Y/N
											Y/N	Y/N	Y/N	Y/N
											Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: *Pete Arntsen*

SIGNATURE OF SAMPLER: *[Signature]* DATE Signed (MM/DD/YY) *12/6/2018*

ORIGINAL



Document Name:
Air Sample Condition Upon Receipt
Document No.:
F-MN-A-106-rev.16

Document Revised: 11Oct2018
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

Air Sample Condition Upon Receipt

Client Name: Sand Creek Project #: _____

WO#: 10458211
PM: KNH Due Date: 12/17/18
CLIENT: Sand Creek

Courier: Fed Ex UPS Speedee Client
 Commercial Pace Other: _____

Tracking Number: 4545 9907 7940

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No
Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): X Corrected Temp (°C): X Thermom. Used: G87A9170600254
Temp should be above freezing to 6°C Correction Factor: X Date & Initials of Person Examining Contents: 12-10-18 AA
 G87A9155100842

Type of Ice Received Blue Wet None

			Comments:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		4.
Samples Arrived within Hold Time?	<input type="checkbox"/> Yes <input type="checkbox"/> No		5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		10.
Media: <u>Air Can</u> Airbag Filter TDT Passive			11. Individually Certified Cans Y <input checked="" type="checkbox"/> (list which samples)
is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		12.

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
<u>AA408</u>			<u>-3.5</u>	<u>+5</u>					

CLIENT NOTIFICATION/RESOLUTION
Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____
Field Data Required? Yes No

Project Manager Review: Kirsten Hooper Date: 12/10/2018
Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



February 6, 2019

Mr. Robert Good
1000A Union Street
Stevens Point, WI 54481

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 0250000577

Subject: Vapor Samples Results

Dear Mr. Good:

The purpose of this letter is to present the results of vapor samples collected from the residence located at 1000A Union Street on November 2, 2018. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

One sample was collected of the ambient air (i.e., typical room air) present in the basement of the residence. Another sample was collected from the soil vapors beneath the basement floor. Both samples were submitted to a laboratory and analyzed for a suite of VOCs.

Sample Results

Current and historic sampling results are summarized on the enclosed **table**. The **laboratory report** for the most recent samples is also enclosed. None of the analyzed substances exceeded the Wisconsin Department of Natural Resources (WDNR) Action Levels or Screening Levels.

The most recent results show PCE in the basement air at a concentration of 1.6 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$), and TCE below method detection limits ($0.43 \mu\text{g}/\text{m}^3$). The WDNR Residential Indoor Air Vapor Action Levels for PCE and TCE are $42 \mu\text{g}/\text{m}^3$ and $2.1 \mu\text{g}/\text{m}^3$.

PCE was also detected beneath the basement floor at concentrations of $14.6 \mu\text{g}/\text{m}^3$, with TCE below method detection limits ($0.37 \mu\text{g}/\text{m}^3$). The WDNR Screening Levels for PCE and TCE beneath the floor are $1,400 \mu\text{g}/\text{m}^3$ and $70 \mu\text{g}/\text{m}^3$.

In addition to PCE and TCE, the analysis results show detections of other VOCs. These substances are not associated with the Dun-Rite site and are likely due to trace amounts of chemical vapors from products (paints, adhesives, fragrances, etc.) commonly found in homes, or in the outdoor ambient air.

The WDNR screening levels for PCE/TCE are set to evaluate the threat of vapor intrusion and provide threshold concentrations for the substances that are protective of human health over long-term exposure.

Residents who may have questions may contact Ryan Wozniak (608.267.3227) with the Wisconsin Department of Health Services (DHS), who can address any health questions and concerns.

Going Forward

We expect to perform another round of vapor sampling in spring 2019. At that time we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient basement air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Table 1: Residence Vapor Chemistry Results
Laboratory Report

cc/enc: Mr. Ron Hanson/Dun-Rite Cleaners, via email only
Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via email only

Table 1: Residence Vapor Chemistry Data

Ambient Air Samples (µg/m³)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Indoor Air Vapor Action Levels¹																								
Non-Residential		--	16	--	20	5.3	390	--	--	440	--	--	--	--	--	--	--	2,600	3.6	--	180	--	22,000	8.8
Residential		--	3.6	--	4.7	1.2	94	--	--	100	--	--	--	--	--	--	--	630	0.83	--	42	--	5,200	2.1
AA304	7/18/2014	22.8	0.63	6.0	<0.99	<1.4	0.84	<1.1	<1.9	2.8	<1.3	59.4	<1.1	<1.6	2.8	1.2	2.3	<5.5	<4.1	<1.9	2.5	<0.93	3.1	<0.85
	3/2/2015	9.7	0.8	1.8	<0.44	<0.25	0.90	0.78	<0.28	2.4	<0.34	13.3	0.82	<0.24	0.61	1.4	<0.30	0.73	<0.36	0.48	35	<0.19	1.9	<0.25
	9/4/2015	80.1	16.7	<0.33	<0.28	1.3	1.9	44.8	<0.72	2.7	<0.35	61.3	<0.50	8.8	13	21.7	<0.59	18.9	11.3	18.6	22	<0.17	105	3.0
	11/9/2015	10.2	1.5	1.0 J	<0.29	<0.28	0.72	4.2	<0.74	<0.72	<0.37	22.3	0.93 J	0.85 J	1.6	2.0	<0.61	0.95 J	<0.45	9.0	2.4	<0.18	8.8	<0.41
	4/6/2016	14.2	1.2	2.0 J	<0.27	<0.26	0.74	2.4	<0.69	2.1	<0.34	50.4	1.1	0.72 J	0.93 J	1.9	<0.57	2.0 J	<0.42	5.2	<0.39	<0.17	5.5	0.52 J
	10/5/2016	26.7	6.2	5.0	1.1	0.51 J	0.73	7.1	<0.74	2.6	<0.37	66.8	2.3	4.6	5.4	15.2	<0.61	6.3	12.4	3.0 J	0.64 J	<0.18	35.3	<0.41
	6/20/2017	5.8 J	1.0	<0.33	<0.28	<0.27	0.64 J	<0.46	<0.72	1.4 J	<0.35	5.1	<0.50	<0.27	0.70 J	1.0 J	<0.59	<0.78	<0.44	<0.35	<0.40	<0.17	4.9	0.44 J
	11/16/2017	48.8	0.43 J	3.1 J	<0.47	<0.34	0.79	<0.34	1.1 J	2.9	<0.51	105	<0.29	<0.32	<0.31	<0.50	<0.91	3.6 J	<0.89	9.6	<0.43	<0.41	2.2	0.81 J
	5/18/2018	20.8	0.54	1.2 J	<0.47	<0.34	0.81	<0.34	<0.33	2.1	<0.51	40.1	<0.29	<0.32	<0.31	0.96 J	<0.91	109	4.3	<1.9	<0.43	8.4	1.7	<0.40
	11/2/2018	25.7	2.1	12.3	<0.75	<0.34	0.70 J	<0.62	<1.8	2.2	<0.38	36.2	<0.33	1.0 J	2.5	3.7	<1.3	3.6 J	<2.3	5.4	1.6	<0.46	9.3	<0.45

Sub-Slab Vapor Samples (µg/m³)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels²																								
Non-Residential		--	530	--	670	180	13,000	--	--	15,000	--	--	--	--	--	--	--	87,000	120	--	6,000	--	730,000	290
Residential		--	120	--	160	40	3,100	--	--	3,330	--	--	--	--	--	--	--	21,000	28	--	1,400	--	170,000	70
SSV304	7/18/2014	10.7	<0.73	3.4	<1.4	<1.1	<0.94	<1.6	<2.7	<3.9	<1.8	22.6	<1.6	<2.2	<1.9	<1.6	2.5	<7.9	<6.0	<2.8	13	5.5	3.3	<1.2
	3/2/2015	<2.1	<0.21	0.99	<0.56	<0.31	<0.34	<0.22	<0.35	47.8	<0.34	25.9	<0.22	<0.30	<0.28	<0.18	<0.37	1.1	<0.45	<0.16	11	1.0	<0.24	<0.31
	9/4/2015	278	<0.21	27.2	<0.34	31.3	<0.19	<0.55	25.1	5.1	<0.43	44	17.4	27.3	<0.49	<0.62	11	30	40.7	12	137	7.1	55.1	21
	11/9/2015	15.6	<0.17	7.5	<0.27	1.3	<0.15	<0.44	2.1	13.6	<0.33	81.4	<0.48	3.3	<0.39	1.1	1.0 J	0.78 J	1.6 J	1.5 J	319	4	3.7	14
	2/16/2016	24.5	0.30 J	13.4	0.21 J	81.9	<0.035	<0.087	2.3	12	<0.069	20.5	<0.61	<0.84	<0.70	<0.092	<3.5	<3.0	5.3 J	2.9 J	105	<0.050	3.4	5.7
	10/5/2016	127	1.5	<0.42	1.1 J	0.59 J	0.83	1.2 J	7.2	9.0	<0.45	149	2.2	1.7 J	<0.51	72.6	<0.75	298	6.6	11	52	<0.22	9.9	2.2
	6/20/2017	20.0	1.5	13.4	<0.34	<0.33	<0.19	<0.55	4.1 J	8.5	<0.43	51.3	<0.61	<0.33	1.0 J	<0.62	<0.72	<0.95	<0.53	<0.42	133	3.0	1.3 J	0.92 J
	11/16/2017	18.7	0.87	7.6	<0.51	<0.37	<0.22	<0.37	<0.35	14.6	<0.55	158	1.2	<0.34	<0.34	1.6	1.0 J	<2.4	3.9 J	2.9 J	15.6	5.8	3.7	0.57 J
	5/18/2018	13.6	1.6	4.4	<0.44	3.9	0.38 J	<0.32	2.0	16.8	<0.41	246	1.1	1.5	<0.29	<0.46	1.2 J	8.9	<0.83	2.8 J	1,380	3.2	1.7	6.2
	11/2/2018	17.6	0.48	10	<0.62	<0.28	<0.22	<0.51	<1.4	20.4	<0.32	57.6	<0.27	<0.82	<0.55	<0.45	<1.1	2.9 J	<1.9	1.8 J	14.6	12.1	99.4	<0.37

Notes:

µg/m³: micrograms per cubic meter.

Yellow highlighting indicates most recent results.

Purple highlighting indicates substance of concern at Dun-Rite site

<0.076 = Substance not detected above indicated detection limit.

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table**. [<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA304 Lab ID: 10455625006 Collected: 11/02/18 04:15 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.48	ug/m3	1.4	0.48	1.75		11/18/18 15:41	75-35-4	
cis-1,2-Dichloroethene	<0.38	ug/m3	1.4	0.38	1.75		11/18/18 15:41	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/m3	1.4	0.50	1.75		11/18/18 15:41	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.6	0.40	1.75		11/18/18 15:41	78-87-5	
cis-1,3-Dichloropropene	<0.53	ug/m3	1.6	0.53	1.75		11/18/18 15:41	10061-01-5	
trans-1,3-Dichloropropene	<0.77	ug/m3	1.6	0.77	1.75		11/18/18 15:41	10061-02-6	
Dichlorotetrafluoroethane	<0.76	ug/m3	2.5	0.76	1.75		11/18/18 15:41	76-14-2	
Ethanol	36.2	ug/m3	3.4	1.4	1.75		11/18/18 15:41	64-17-5	
Ethyl acetate	<0.33	ug/m3	1.3	0.33	1.75		11/18/18 15:41	141-78-6	
Ethylbenzene	2.1	ug/m3	1.5	0.53	1.75		11/18/18 15:41	100-41-4	
4-Ethyltoluene	1.0J	ug/m3	4.4	1.0	1.75		11/18/18 15:41	622-96-8	
n-Heptane	2.5	ug/m3	1.5	0.66	1.75		11/18/18 15:41	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	9.5	3.4	1.75		11/18/18 15:41	87-68-3	
n-Hexane	3.7	ug/m3	1.3	0.54	1.75		11/18/18 15:41	110-54-3	
2-Hexanone	<1.3	ug/m3	7.3	1.3	1.75		11/18/18 15:41	591-78-6	
Methylene Chloride	3.6J	ug/m3	6.2	1.7	1.75		11/18/18 15:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.91	ug/m3	7.3	0.91	1.75		11/18/18 15:41	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.4	1.2	1.75		11/18/18 15:41	1634-04-4	
Naphthalene	<2.3	ug/m3	4.7	2.3	1.75		11/18/18 15:41	91-20-3	
2-Propanol	5.4	ug/m3	4.4	1.2	1.75		11/18/18 15:41	67-63-0	
Propylene	<0.25	ug/m3	0.61	0.25	1.75		11/18/18 15:41	115-07-1	
Styrene	<0.60	ug/m3	1.5	0.60	1.75		11/18/18 15:41	100-42-5	
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.2	0.51	1.75		11/18/18 15:41	79-34-5	
Tetrachloroethene	1.6	ug/m3	1.2	0.55	1.75		11/18/18 15:41	127-18-4	C8
Tetrahydrofuran	<0.46	ug/m3	1.0	0.46	1.75		11/18/18 15:41	109-99-9	
Toluene	9.3	ug/m3	1.3	0.61	1.75		11/18/18 15:41	108-88-3	
1,2,4-Trichlorobenzene	<6.5	ug/m3	13.2	6.5	1.75		11/18/18 15:41	120-82-1	
1,1,1-Trichloroethane	<0.54	ug/m3	1.9	0.54	1.75		11/18/18 15:41	71-55-6	
1,1,2-Trichloroethane	<0.44	ug/m3	0.97	0.44	1.75		11/18/18 15:41	79-00-5	
Trichloroethene	<0.45	ug/m3	0.96	0.45	1.75		11/18/18 15:41	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	2.0	0.64	1.75		11/18/18 15:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.99	ug/m3	2.7	0.99	1.75		11/18/18 15:41	76-13-1	
1,2,4-Trimethylbenzene	3.2	ug/m3	1.7	0.79	1.75		11/18/18 15:41	95-63-6	
1,3,5-Trimethylbenzene	0.88J	ug/m3	1.7	0.70	1.75		11/18/18 15:41	108-67-8	
Vinyl acetate	<0.47	ug/m3	1.3	0.47	1.75		11/18/18 15:41	108-05-4	
Vinyl chloride	<0.22	ug/m3	0.46	0.22	1.75		11/18/18 15:41	75-01-4	
m&p-Xylene	7.8	ug/m3	3.1	1.2	1.75		11/18/18 15:41	179601-23-1	
o-Xylene	3.1	ug/m3	1.5	0.60	1.75		11/18/18 15:41	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: **SSV304** Lab ID: **10455625003** Collected: 11/02/18 09:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	17.6	ug/m3	3.5	1.7	1.44		11/17/18 19:51	67-64-1	
Benzene	0.48	ug/m3	0.47	0.22	1.44		11/17/18 19:51	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		11/17/18 19:51	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		11/17/18 19:51	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		11/17/18 19:51	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		11/17/18 19:51	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		11/17/18 19:51	106-99-0	
2-Butanone (MEK)	10	ug/m3	4.3	0.53	1.44		11/17/18 19:51	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		11/17/18 19:51	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		11/17/18 19:51	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		11/17/18 19:51	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		11/17/18 19:51	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		11/17/18 19:51	67-66-3	
Chloromethane	<0.22	ug/m3	0.60	0.22	1.44		11/17/18 19:51	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		11/17/18 19:51	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		11/17/18 19:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		11/17/18 19:51	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		11/17/18 19:51	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		11/17/18 19:51	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		11/17/18 19:51	106-46-7	
Dichlorodifluoromethane	20.4	ug/m3	1.5	0.42	1.44		11/17/18 19:51	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:51	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		11/17/18 19:51	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		11/17/18 19:51	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		11/17/18 19:51	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		11/17/18 19:51	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		11/17/18 19:51	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		11/17/18 19:51	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		11/17/18 19:51	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		11/17/18 19:51	76-14-2	
Ethanol	57.6	ug/m3	2.8	1.2	1.44		11/17/18 19:51	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		11/17/18 19:51	141-78-6	
Ethylbenzene	1.3	ug/m3	1.3	0.44	1.44		11/17/18 19:51	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		11/17/18 19:51	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		11/17/18 19:51	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		11/17/18 19:51	87-68-3	
n-Hexane	<0.45	ug/m3	1.0	0.45	1.44		11/17/18 19:51	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		11/17/18 19:51	591-78-6	
Methylene Chloride	2.9J	ug/m3	5.1	1.4	1.44		11/17/18 19:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.75	ug/m3	6.0	0.75	1.44		11/17/18 19:51	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		11/17/18 19:51	1634-04-4	
Naphthalene	<1.9	ug/m3	3.8	1.9	1.44		11/17/18 19:51	91-20-3	
2-Propanol	1.8J	ug/m3	3.6	1.0	1.44		11/17/18 19:51	67-63-0	
Propylene	0.40J	ug/m3	0.50	0.21	1.44		11/17/18 19:51	115-07-1	
Styrene	4.0	ug/m3	1.2	0.50	1.44		11/17/18 19:51	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		11/17/18 19:51	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV304 Lab ID: 10455625003 Collected: 11/02/18 09:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	14.6	ug/m3	0.99	0.45	1.44		11/17/18 19:51	127-18-4	
Tetrahydrofuran	12.1	ug/m3	0.86	0.38	1.44		11/17/18 19:51	109-99-9	
Toluene	99.4	ug/m3	1.1	0.51	1.44		11/17/18 19:51	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		11/17/18 19:51	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.44		11/17/18 19:51	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		11/17/18 19:51	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		11/17/18 19:51	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.6	0.53	1.44		11/17/18 19:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		11/17/18 19:51	76-13-1	
1,2,4-Trimethylbenzene	1.2J	ug/m3	1.4	0.65	1.44		11/17/18 19:51	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		11/17/18 19:51	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		11/17/18 19:51	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		11/17/18 19:51	75-01-4	
m&p-Xylene	4.4	ug/m3	2.5	1.0	1.44		11/17/18 19:51	179601-23-1	
o-Xylene	1.7	ug/m3	1.3	0.50	1.44		11/17/18 19:51	95-47-6	

Sample: SSV405 Lab ID: 10455625004 Collected: 11/09/18 11:50 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	12.4	ug/m3	3.6	1.8	1.49		11/18/18 14:39	67-64-1	
Benzene	0.49	ug/m3	0.48	0.23	1.49		11/18/18 14:39	71-43-2	
Benzyl chloride	<1.8	ug/m3	3.9	1.8	1.49		11/18/18 14:39	100-44-7	
Bromodichloromethane	<0.55	ug/m3	2.0	0.55	1.49		11/18/18 14:39	75-27-4	
Bromoform	<2.1	ug/m3	7.8	2.1	1.49		11/18/18 14:39	75-25-2	
Bromomethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.67	0.19	1.49		11/18/18 14:39	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	4.5	0.55	1.49		11/18/18 14:39	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.94	0.33	1.49		11/18/18 14:39	75-15-0	
Carbon tetrachloride	<0.64	ug/m3	1.9	0.64	1.49		11/18/18 14:39	56-23-5	
Chlorobenzene	<0.41	ug/m3	1.4	0.41	1.49		11/18/18 14:39	108-90-7	
Chloroethane	<0.39	ug/m3	0.80	0.39	1.49		11/18/18 14:39	75-00-3	
Chloroform	0.42J	ug/m3	0.74	0.29	1.49		11/18/18 14:39	67-66-3	
Chloromethane	0.66	ug/m3	0.63	0.23	1.49		11/18/18 14:39	74-87-3	
Cyclohexane	<0.53	ug/m3	2.6	0.53	1.49		11/18/18 14:39	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.49		11/18/18 14:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.2	0.55	1.49		11/18/18 14:39	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	1.8	0.74	1.49		11/18/18 14:39	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/m3	1.8	0.87	1.49		11/18/18 14:39	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.6	1.5	1.49		11/18/18 14:39	106-46-7	
Dichlorodifluoromethane	7.7	ug/m3	1.5	0.44	1.49		11/18/18 14:39	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.61	0.22	1.49		11/18/18 14:39	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



February 6, 2019

Mr. Jim Guzman
Guzman Building, LLC
1700 Rose Court
Plover, WI 54467

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 0250000577

Subject: Vapor Samples Results

Dear Mr. Guzman:

The purpose of this letter is to present the results of vapor samples collected at the Guzman office building, located at 1100 Center Point Drive, Stevens Point, Wisconsin, between November 2 and December 5, 2018. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

Vapor samples were collected from three locations inside the building. The indoor samples included three samples of ambient air (i.e., typical room air) and two samples of sub-slab vapors (i.e., the vapor in the soil beneath the building). An outdoor sample was taken near the northwest corner of the property. The samples were submitted to a laboratory and analyzed for VOCs.

Sample Results

The PCE and TCE results for all samples collected from the office building are presented on the enclosed **table**. Sample locations are shown on the attached **figure**. All results for the most recent samples are included on the enclosed **laboratory report**.

Ambient Air

Results of the ambient air samples include:

- The outdoor sample (AA405) had detections of both PCE and TCE, with the TCE concentration exceeding the Residential Action Level.
- The United Way (AA406) and Wildcard (AA407) samples each had detections of PCE below action levels and no detection of TCE.

- The Attorney (AA408) sample collected on November 2, 2018, had an uncharacteristically high PCE concentration, while the TCE concentration remained low and similar to historic results. The location was resampled on December 5, 2018. The PCE and TCE concentrations from the second sample were below Action Levels and consistent with historic results. The reason for the initial high PCE concentration is unclear. Note that due to access limitations, the Attorney ambient air sample was collected from the storage room adjacent to the office, rather than the office itself.

The WDNR screening levels for PCE/TCE are set to provide threshold concentrations for the substances that are protective of human health over long-term exposure. The potential health risk for the building occupants is low.

Sub-Slab Vapor

As with previous occasions, the two sub-slab vapor samples had detections of PCE above its non-residential Screening Level. Such concentrations are the reason indoor ambient air samples are collected.

The sub-slab and ambient vapor results indicate that movement from the sub-slab environment to indoor spaces is minimal.

Building users who have questions may contact Ryan Wozniak (608.267.3227) with the Wisconsin Department of Health Services (DHS), who can address any health questions and concerns.

Going Forward

We expect to perform another round of vapor sampling in spring 2019. At that time, we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrologist

Enclosures: Table 1: Vapor Sample Results for Guzman Office Building
Sample Location Figure
Laboratory Report

cc/enc: Mr. Ron Hanson/Dun-Rite Cleaners, via email only
Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via email only

Table 1: Vapor Sample Results for Guzman Office Building

1100 Center Point Drive, Stevens Point, WI

Dun-Rite Cleaners, Stevens Point, WI

Vapor Chemistry Results - Ambient Air

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
11/2/2018	4.8	<0.47		
AA407	Wildcard (former)	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
11/12/2108	3.5	<0.47		
AA408	Attorney (former)	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327	1.2
12/5/2018	5.6	<0.39		

Vapor Chemistry Results - Sub-Slab Vapor

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	ethene (PCE)	ethene (TCE)
Sub-Slab Vapor Screening Levels ²				
Non-Residential			6,000	290
Residential			<i>1,400</i>	70
SSV405	Attorney (former)	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
SSV406	Wildcard (former)	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
11/12/2018	13,600	12.8		

Notes:

$\mu\text{g}/\text{m}^3$: micrograms per cubic meter.

<0.076 = Substance not detected above indicated detection limit.

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

* = Sample marked by laboratory qualifier C8: "Result may be biased high


J = Analyte was detected but is below the reporting limit. The concentration is estimated.

Highlighting indicates most recent results.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].


² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).



LEGEND

- — — — — PROPERTY BOUNDARY
- — — — — EDGE OF PAVEMENT
- W — — — — — WATER LINE
- G — — — — — GAS LINE
- SAN — — — — — SANITARY SEWER
- ST — — — — — STORM SEWER
- T — — — — — UNDERGROUND TELEPHONE
- E — — — — — ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) NOVEMBER 2018
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) DECEMBER 2018
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) NOVEMBER 2018

NOTE:
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.



VAPOR SAMPLE LOCATIONS AND PCE RESULTS NOVEMBER-DECEMBER 2018

DUN-RITE CLEANERS
 1008 UNION STREET
 STEVENS POINT, WISCONSIN

DATE: JANUARY 2019	DRAWN BY: NRB
SCALE: 1"=40'	APPROVED BY: PDA
FIGURE	

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV304 Lab ID: 10455625003 Collected: 11/02/18 09:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	14.6	ug/m3	0.99	0.45	1.44		11/17/18 19:51	127-18-4	
Tetrahydrofuran	12.1	ug/m3	0.86	0.38	1.44		11/17/18 19:51	109-99-9	
Toluene	99.4	ug/m3	1.1	0.51	1.44		11/17/18 19:51	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		11/17/18 19:51	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.44		11/17/18 19:51	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		11/17/18 19:51	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		11/17/18 19:51	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.6	0.53	1.44		11/17/18 19:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		11/17/18 19:51	76-13-1	
1,2,4-Trimethylbenzene	1.2J	ug/m3	1.4	0.65	1.44		11/17/18 19:51	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		11/17/18 19:51	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		11/17/18 19:51	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		11/17/18 19:51	75-01-4	
m&p-Xylene	4.4	ug/m3	2.5	1.0	1.44		11/17/18 19:51	179601-23-1	
o-Xylene	1.7	ug/m3	1.3	0.50	1.44		11/17/18 19:51	95-47-6	

Sample: SSV405 Lab ID: 10455625004 Collected: 11/09/18 11:50 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	12.4	ug/m3	3.6	1.8	1.49		11/18/18 14:39	67-64-1	
Benzene	0.49	ug/m3	0.48	0.23	1.49		11/18/18 14:39	71-43-2	
Benzyl chloride	<1.8	ug/m3	3.9	1.8	1.49		11/18/18 14:39	100-44-7	
Bromodichloromethane	<0.55	ug/m3	2.0	0.55	1.49		11/18/18 14:39	75-27-4	
Bromoform	<2.1	ug/m3	7.8	2.1	1.49		11/18/18 14:39	75-25-2	
Bromomethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.67	0.19	1.49		11/18/18 14:39	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	4.5	0.55	1.49		11/18/18 14:39	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.94	0.33	1.49		11/18/18 14:39	75-15-0	
Carbon tetrachloride	<0.64	ug/m3	1.9	0.64	1.49		11/18/18 14:39	56-23-5	
Chlorobenzene	<0.41	ug/m3	1.4	0.41	1.49		11/18/18 14:39	108-90-7	
Chloroethane	<0.39	ug/m3	0.80	0.39	1.49		11/18/18 14:39	75-00-3	
Chloroform	0.42J	ug/m3	0.74	0.29	1.49		11/18/18 14:39	67-66-3	
Chloromethane	0.66	ug/m3	0.63	0.23	1.49		11/18/18 14:39	74-87-3	
Cyclohexane	<0.53	ug/m3	2.6	0.53	1.49		11/18/18 14:39	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.49		11/18/18 14:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.2	0.55	1.49		11/18/18 14:39	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	1.8	0.74	1.49		11/18/18 14:39	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/m3	1.8	0.87	1.49		11/18/18 14:39	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.6	1.5	1.49		11/18/18 14:39	106-46-7	
Dichlorodifluoromethane	7.7	ug/m3	1.5	0.44	1.49		11/18/18 14:39	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 14:39	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.61	0.22	1.49		11/18/18 14:39	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: **SSV405** Lab ID: **10455625004** Collected: 11/09/18 11:50 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.49		11/18/18 14:39	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.49		11/18/18 14:39	156-59-2	
trans-1,2-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.49		11/18/18 14:39	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.4	0.34	1.49		11/18/18 14:39	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	1.4	0.45	1.49		11/18/18 14:39	10061-01-5	
trans-1,3-Dichloropropene	<0.66	ug/m3	1.4	0.66	1.49		11/18/18 14:39	10061-02-6	
Dichlorotetrafluoroethane	<0.65	ug/m3	2.1	0.65	1.49		11/18/18 14:39	76-14-2	
Ethanol	75.4	ug/m3	2.9	1.2	1.49		11/18/18 14:39	64-17-5	
Ethyl acetate	<0.28	ug/m3	1.1	0.28	1.49		11/18/18 14:39	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.3	0.45	1.49		11/18/18 14:39	100-41-4	
4-Ethyltoluene	<0.85	ug/m3	3.7	0.85	1.49		11/18/18 14:39	622-96-8	
n-Heptane	<0.57	ug/m3	1.2	0.57	1.49		11/18/18 14:39	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		11/18/18 14:39	87-68-3	
n-Hexane	<0.46	ug/m3	1.1	0.46	1.49		11/18/18 14:39	110-54-3	
2-Hexanone	<1.1	ug/m3	6.2	1.1	1.49		11/18/18 14:39	591-78-6	
Methylene Chloride	2.1J	ug/m3	5.3	1.4	1.49		11/18/18 14:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	6.2	0.77	1.49		11/18/18 14:39	108-10-1	
Methyl-tert-butyl ether	<0.99	ug/m3	5.5	0.99	1.49		11/18/18 14:39	1634-04-4	
Naphthalene	<2.0	ug/m3	4.0	2.0	1.49		11/18/18 14:39	91-20-3	
2-Propanol	1.7J	ug/m3	3.7	1.0	1.49		11/18/18 14:39	67-63-0	
Propylene	0.22J	ug/m3	0.52	0.21	1.49		11/18/18 14:39	115-07-1	
Styrene	4.7	ug/m3	1.3	0.51	1.49		11/18/18 14:39	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.0	0.44	1.49		11/18/18 14:39	79-34-5	
Tetrachloroethene	11200	ug/m3	125	57.2	182.1		11/19/18 16:34	127-18-4	
Tetrahydrofuran	7.0	ug/m3	0.89	0.39	1.49		11/18/18 14:39	109-99-9	
Toluene	83.2	ug/m3	1.1	0.52	1.49		11/18/18 14:39	108-88-3	
1,2,4-Trichlorobenzene	<5.5	ug/m3	11.2	5.5	1.49		11/18/18 14:39	120-82-1	
1,1,1-Trichloroethane	1.1J	ug/m3	1.7	0.46	1.49		11/18/18 14:39	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.83	0.37	1.49		11/18/18 14:39	79-00-5	
Trichloroethene	149	ug/m3	0.81	0.38	1.49		11/18/18 14:39	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.7	0.55	1.49		11/18/18 14:39	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.84	ug/m3	2.3	0.84	1.49		11/18/18 14:39	76-13-1	
1,2,4-Trimethylbenzene	1.5	ug/m3	1.5	0.67	1.49		11/18/18 14:39	95-63-6	
1,3,5-Trimethylbenzene	<0.59	ug/m3	1.5	0.59	1.49		11/18/18 14:39	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.1	0.40	1.49		11/18/18 14:39	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.39	0.19	1.49		11/18/18 14:39	75-01-4	
m&p-Xylene	4.1	ug/m3	2.6	1.0	1.49		11/18/18 14:39	179601-23-1	
o-Xylene	1.8	ug/m3	1.3	0.51	1.49		11/18/18 14:39	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV406 Lab ID: 10455625005 Collected: 11/12/18 10:00 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	21.6	ug/m3	3.3	1.7	1.39		11/18/18 15:10	67-64-1	
Benzene	0.61	ug/m3	0.45	0.21	1.39		11/18/18 15:10	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.39		11/18/18 15:10	100-44-7	
Bromodichloromethane	<0.51	ug/m3	1.9	0.51	1.39		11/18/18 15:10	75-27-4	
Bromoform	<2.0	ug/m3	7.3	2.0	1.39		11/18/18 15:10	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.39		11/18/18 15:10	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.39		11/18/18 15:10	106-99-0	
2-Butanone (MEK)	18.8	ug/m3	4.2	0.51	1.39		11/18/18 15:10	78-93-3	
Carbon disulfide	<0.30	ug/m3	0.88	0.30	1.39		11/18/18 15:10	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.39		11/18/18 15:10	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.3	0.38	1.39		11/18/18 15:10	108-90-7	
Chloroethane	<0.36	ug/m3	0.75	0.36	1.39		11/18/18 15:10	75-00-3	
Chloroform	<0.27	ug/m3	0.69	0.27	1.39		11/18/18 15:10	67-66-3	
Chloromethane	<0.22	ug/m3	0.58	0.22	1.39		11/18/18 15:10	74-87-3	
Cyclohexane	<0.49	ug/m3	2.4	0.49	1.39		11/18/18 15:10	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.39		11/18/18 15:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.1	0.51	1.39		11/18/18 15:10	106-93-4	
1,2-Dichlorobenzene	<0.69	ug/m3	1.7	0.69	1.39		11/18/18 15:10	95-50-1	
1,3-Dichlorobenzene	<0.81	ug/m3	1.7	0.81	1.39		11/18/18 15:10	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.3	1.4	1.39		11/18/18 15:10	106-46-7	
Dichlorodifluoromethane	29.6	ug/m3	1.4	0.41	1.39		11/18/18 15:10	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.39		11/18/18 15:10	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.57	0.21	1.39		11/18/18 15:10	107-06-2	
1,1-Dichloroethene	<0.38	ug/m3	1.1	0.38	1.39		11/18/18 15:10	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.39		11/18/18 15:10	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.39		11/18/18 15:10	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.39		11/18/18 15:10	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	1.3	0.42	1.39		11/18/18 15:10	10061-01-5	
trans-1,3-Dichloropropene	<0.61	ug/m3	1.3	0.61	1.39		11/18/18 15:10	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.0	0.61	1.39		11/18/18 15:10	76-14-2	
Ethanol	99.2	ug/m3	2.7	1.1	1.39		11/18/18 15:10	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.0	0.26	1.39		11/18/18 15:10	141-78-6	
Ethylbenzene	1.3	ug/m3	1.2	0.42	1.39		11/18/18 15:10	100-41-4	
4-Ethyltoluene	4.3	ug/m3	3.5	0.79	1.39		11/18/18 15:10	622-96-8	
n-Heptane	<0.53	ug/m3	1.2	0.53	1.39		11/18/18 15:10	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.5	2.7	1.39		11/18/18 15:10	87-68-3	
n-Hexane	<0.43	ug/m3	1.0	0.43	1.39		11/18/18 15:10	110-54-3	
2-Hexanone	<1.0	ug/m3	5.8	1.0	1.39		11/18/18 15:10	591-78-6	
Methylene Chloride	2.0J	ug/m3	4.9	1.3	1.39		11/18/18 15:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.83J	ug/m3	5.8	0.72	1.39		11/18/18 15:10	108-10-1	
Methyl-tert-butyl ether	<0.92	ug/m3	5.1	0.92	1.39		11/18/18 15:10	1634-04-4	
Naphthalene	19.8	ug/m3	3.7	1.8	1.39		11/18/18 15:10	91-20-3	
2-Propanol	2.6J	ug/m3	3.5	0.97	1.39		11/18/18 15:10	67-63-0	
Propylene	0.55	ug/m3	0.49	0.20	1.39		11/18/18 15:10	115-07-1	
Styrene	4.8	ug/m3	1.2	0.48	1.39		11/18/18 15:10	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.97	0.41	1.39		11/18/18 15:10	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: SSV406 **Lab ID: 10455625005** Collected: 11/12/18 10:00 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	13600	ug/m3	115	52.4	166.8		11/19/18 17:00	127-18-4	
Tetrahydrofuran	8.3	ug/m3	0.83	0.36	1.39		11/18/18 15:10	109-99-9	
Toluene	101	ug/m3	1.1	0.49	1.39		11/18/18 15:10	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.5	5.2	1.39		11/18/18 15:10	120-82-1	
1,1,1-Trichloroethane	<0.43	ug/m3	1.5	0.43	1.39		11/18/18 15:10	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.77	0.35	1.39		11/18/18 15:10	79-00-5	
Trichloroethene	12.8	ug/m3	0.76	0.36	1.39		11/18/18 15:10	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.51	1.39		11/18/18 15:10	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.78	ug/m3	2.2	0.78	1.39		11/18/18 15:10	76-13-1	
1,2,4-Trimethylbenzene	20.8	ug/m3	1.4	0.63	1.39		11/18/18 15:10	95-63-6	
1,3,5-Trimethylbenzene	4.0	ug/m3	1.4	0.55	1.39		11/18/18 15:10	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.39		11/18/18 15:10	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.36	0.18	1.39		11/18/18 15:10	75-01-4	
m&p-Xylene	5.0	ug/m3	2.5	0.97	1.39		11/18/18 15:10	179601-23-1	
o-Xylene	2.1	ug/m3	1.2	0.48	1.39		11/18/18 15:10	95-47-6	

Sample: AA304 **Lab ID: 10455625006** Collected: 11/02/18 04:15 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	25.7	ug/m3	4.2	2.1	1.75		11/18/18 15:41	67-64-1	
Benzene	2.1	ug/m3	0.57	0.27	1.75		11/18/18 15:41	71-43-2	
Benzyl chloride	<2.1	ug/m3	4.6	2.1	1.75		11/18/18 15:41	100-44-7	
Bromodichloromethane	<0.64	ug/m3	2.4	0.64	1.75		11/18/18 15:41	75-27-4	
Bromoform	<2.5	ug/m3	9.2	2.5	1.75		11/18/18 15:41	75-25-2	
Bromomethane	<0.40	ug/m3	1.4	0.40	1.75		11/18/18 15:41	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.79	0.22	1.75		11/18/18 15:41	106-99-0	
2-Butanone (MEK)	12.3	ug/m3	5.2	0.65	1.75		11/18/18 15:41	78-93-3	
Carbon disulfide	0.81J	ug/m3	1.1	0.38	1.75		11/18/18 15:41	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.2	0.75	1.75		11/18/18 15:41	56-23-5	
Chlorobenzene	<0.48	ug/m3	1.6	0.48	1.75		11/18/18 15:41	108-90-7	
Chloroethane	<0.46	ug/m3	0.94	0.46	1.75		11/18/18 15:41	75-00-3	
Chloroform	<0.34	ug/m3	0.87	0.34	1.75		11/18/18 15:41	67-66-3	
Chloromethane	0.70J	ug/m3	0.74	0.27	1.75		11/18/18 15:41	74-87-3	
Cyclohexane	<0.62	ug/m3	3.1	0.62	1.75		11/18/18 15:41	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.0	1.3	1.75		11/18/18 15:41	124-48-1	
1,2-Dibromoethane (EDB)	<0.64	ug/m3	1.4	0.64	1.75		11/18/18 15:41	106-93-4	
1,2-Dichlorobenzene	<0.87	ug/m3	2.1	0.87	1.75		11/18/18 15:41	95-50-1	
1,3-Dichlorobenzene	<1.0	ug/m3	2.1	1.0	1.75		11/18/18 15:41	541-73-1	
1,4-Dichlorobenzene	<1.8	ug/m3	5.4	1.8	1.75		11/18/18 15:41	106-46-7	
Dichlorodifluoromethane	2.2	ug/m3	1.8	0.51	1.75		11/18/18 15:41	75-71-8	
1,1-Dichloroethane	<0.39	ug/m3	1.4	0.39	1.75		11/18/18 15:41	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	0.72	0.26	1.75		11/18/18 15:41	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA405 Lab ID: 10455625007 Collected: 11/02/18 04:19 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	38.6	ug/m3	4.4	2.2	1.83		11/18/18 16:42	67-64-1	
Benzene	0.61	ug/m3	0.59	0.28	1.83		11/18/18 16:42	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 16:42	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 16:42	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 16:42	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 16:42	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 16:42	106-99-0	
2-Butanone (MEK)	5.0J	ug/m3	5.5	0.68	1.83		11/18/18 16:42	78-93-3	
Carbon disulfide	<0.40	ug/m3	1.2	0.40	1.83		11/18/18 16:42	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 16:42	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 16:42	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 16:42	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 16:42	67-66-3	
Chloromethane	0.92	ug/m3	0.77	0.29	1.83		11/18/18 16:42	74-87-3	
Cyclohexane	1.3J	ug/m3	3.2	0.65	1.83		11/18/18 16:42	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 16:42	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 16:42	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 16:42	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 16:42	541-73-1	
1,4-Dichlorobenzene	292	ug/m3	5.6	1.8	1.83		11/18/18 16:42	106-46-7	
Dichlorodifluoromethane	9.5	ug/m3	1.8	0.54	1.83		11/18/18 16:42	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 16:42	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 16:42	107-06-2	
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 16:42	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 16:42	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 16:42	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 16:42	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 16:42	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 16:42	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 16:42	76-14-2	
Ethanol	1030	ug/m3	3.5	1.5	1.83		11/18/18 16:42	64-17-5	E
Ethyl acetate	3.7	ug/m3	1.3	0.35	1.83		11/18/18 16:42	141-78-6	
Ethylbenzene	0.69J	ug/m3	1.6	0.56	1.83		11/18/18 16:42	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 16:42	622-96-8	
n-Heptane	<0.70	ug/m3	1.5	0.70	1.83		11/18/18 16:42	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 16:42	87-68-3	
n-Hexane	1.6	ug/m3	1.3	0.57	1.83		11/18/18 16:42	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 16:42	591-78-6	
Methylene Chloride	11.3	ug/m3	6.5	1.7	1.83		11/18/18 16:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 16:42	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 16:42	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 16:42	91-20-3	
2-Propanol	34.5	ug/m3	4.6	1.3	1.83		11/18/18 16:42	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 16:42	115-07-1	
Styrene	1.4J	ug/m3	1.6	0.63	1.83		11/18/18 16:42	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 16:42	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA405 Lab ID: 10455625007 Collected: 11/02/18 04:19 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	6.9	ug/m3	1.3	0.57	1.83		11/18/18 16:42	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 16:42	109-99-9	
Toluene	3.4	ug/m3	1.4	0.64	1.83		11/18/18 16:42	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 16:42	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 16:42	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 16:42	79-00-5	
Trichloroethene	2.4	ug/m3	1.0	0.47	1.83		11/18/18 16:42	79-01-6	
Trichlorofluoromethane	1.8J	ug/m3	2.1	0.67	1.83		11/18/18 16:42	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 16:42	76-13-1	
1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	0.83	1.83		11/18/18 16:42	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 16:42	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 16:42	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 16:42	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.2	1.3	1.83		11/18/18 16:42	179601-23-1	
o-Xylene	0.65J	ug/m3	1.6	0.63	1.83		11/18/18 16:42	95-47-6	

Sample: AA406 Lab ID: 10455625008 Collected: 11/02/18 04:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	21.7	ug/m3	4.4	2.2	1.83		11/18/18 17:44	67-64-1	
Benzene	0.36J	ug/m3	0.59	0.28	1.83		11/18/18 17:44	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 17:44	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 17:44	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 17:44	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 17:44	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 17:44	106-99-0	
2-Butanone (MEK)	1.5J	ug/m3	5.5	0.68	1.83		11/18/18 17:44	78-93-3	
Carbon disulfide	0.96J	ug/m3	1.2	0.40	1.83		11/18/18 17:44	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 17:44	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 17:44	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 17:44	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 17:44	67-66-3	
Chloromethane	0.70J	ug/m3	0.77	0.29	1.83		11/18/18 17:44	74-87-3	
Cyclohexane	<0.65	ug/m3	3.2	0.65	1.83		11/18/18 17:44	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 17:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 17:44	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 17:44	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 17:44	541-73-1	
1,4-Dichlorobenzene	28.1	ug/m3	5.6	1.8	1.83		11/18/18 17:44	106-46-7	
Dichlorodifluoromethane	3.5	ug/m3	1.8	0.54	1.83		11/18/18 17:44	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 17:44	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 17:44	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA406 Lab ID: 10455625008 Collected: 11/02/18 04:22 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 17:44	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 17:44	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 17:44	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 17:44	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 17:44	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 17:44	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 17:44	76-14-2	
Ethanol	90.6	ug/m3	3.5	1.5	1.83		11/18/18 17:44	64-17-5	
Ethyl acetate	<0.35	ug/m3	1.3	0.35	1.83		11/18/18 17:44	141-78-6	
Ethylbenzene	<0.56	ug/m3	1.6	0.56	1.83		11/18/18 17:44	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 17:44	622-96-8	
n-Heptane	1.2J	ug/m3	1.5	0.70	1.83		11/18/18 17:44	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 17:44	87-68-3	
n-Hexane	<0.57	ug/m3	1.3	0.57	1.83		11/18/18 17:44	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 17:44	591-78-6	
Methylene Chloride	3.4J	ug/m3	6.5	1.7	1.83		11/18/18 17:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 17:44	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 17:44	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 17:44	91-20-3	
2-Propanol	10.4	ug/m3	4.6	1.3	1.83		11/18/18 17:44	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 17:44	115-07-1	
Styrene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 17:44	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 17:44	79-34-5	
Tetrachloroethene	4.8	ug/m3	1.3	0.57	1.83		11/18/18 17:44	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 17:44	109-99-9	
Toluene	0.79J	ug/m3	1.4	0.64	1.83		11/18/18 17:44	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 17:44	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 17:44	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 17:44	79-00-5	
Trichloroethene	<0.47	ug/m3	1.0	0.47	1.83		11/18/18 17:44	79-01-6	
Trichlorofluoromethane	1.1J	ug/m3	2.1	0.67	1.83		11/18/18 17:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 17:44	76-13-1	
1,2,4-Trimethylbenzene	<0.83	ug/m3	1.8	0.83	1.83		11/18/18 17:44	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 17:44	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 17:44	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 17:44	75-01-4	
m&p-Xylene	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 17:44	179601-23-1	
o-Xylene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 17:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA407 Lab ID: 10455625009 Collected: 11/12/18 04:55 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	12.2	ug/m3	4.4	2.2	1.83		11/18/18 18:15	67-64-1	
Benzene	0.42J	ug/m3	0.59	0.28	1.83		11/18/18 18:15	71-43-2	
Benzyl chloride	<2.2	ug/m3	4.8	2.2	1.83		11/18/18 18:15	100-44-7	
Bromodichloromethane	<0.67	ug/m3	2.5	0.67	1.83		11/18/18 18:15	75-27-4	
Bromoform	<2.6	ug/m3	9.6	2.6	1.83		11/18/18 18:15	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.83		11/18/18 18:15	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.82	0.23	1.83		11/18/18 18:15	106-99-0	
2-Butanone (MEK)	1.6J	ug/m3	5.5	0.68	1.83		11/18/18 18:15	78-93-3	
Carbon disulfide	0.57J	ug/m3	1.2	0.40	1.83		11/18/18 18:15	75-15-0	
Carbon tetrachloride	<0.79	ug/m3	2.3	0.79	1.83		11/18/18 18:15	56-23-5	
Chlorobenzene	<0.50	ug/m3	1.7	0.50	1.83		11/18/18 18:15	108-90-7	
Chloroethane	<0.48	ug/m3	0.98	0.48	1.83		11/18/18 18:15	75-00-3	
Chloroform	<0.36	ug/m3	0.91	0.36	1.83		11/18/18 18:15	67-66-3	
Chloromethane	0.84	ug/m3	0.77	0.29	1.83		11/18/18 18:15	74-87-3	
Cyclohexane	<0.65	ug/m3	3.2	0.65	1.83		11/18/18 18:15	110-82-7	
Dibromochloromethane	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 18:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.67	ug/m3	1.4	0.67	1.83		11/18/18 18:15	106-93-4	
1,2-Dichlorobenzene	<0.91	ug/m3	2.2	0.91	1.83		11/18/18 18:15	95-50-1	
1,3-Dichlorobenzene	<1.1	ug/m3	2.2	1.1	1.83		11/18/18 18:15	541-73-1	
1,4-Dichlorobenzene	13.8	ug/m3	5.6	1.8	1.83		11/18/18 18:15	106-46-7	
Dichlorodifluoromethane	5.0	ug/m3	1.8	0.54	1.83		11/18/18 18:15	75-71-8	
1,1-Dichloroethane	<0.41	ug/m3	1.5	0.41	1.83		11/18/18 18:15	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.75	0.27	1.83		11/18/18 18:15	107-06-2	
1,1-Dichloroethene	<0.50	ug/m3	1.5	0.50	1.83		11/18/18 18:15	75-35-4	
cis-1,2-Dichloroethene	<0.40	ug/m3	1.5	0.40	1.83		11/18/18 18:15	156-59-2	
trans-1,2-Dichloroethene	<0.52	ug/m3	1.5	0.52	1.83		11/18/18 18:15	156-60-5	
1,2-Dichloropropane	<0.42	ug/m3	1.7	0.42	1.83		11/18/18 18:15	78-87-5	
cis-1,3-Dichloropropene	<0.56	ug/m3	1.7	0.56	1.83		11/18/18 18:15	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	1.7	0.81	1.83		11/18/18 18:15	10061-02-6	
Dichlorotetrafluoroethane	<0.80	ug/m3	2.6	0.80	1.83		11/18/18 18:15	76-14-2	
Ethanol	149	ug/m3	3.5	1.5	1.83		11/18/18 18:15	64-17-5	
Ethyl acetate	<0.35	ug/m3	1.3	0.35	1.83		11/18/18 18:15	141-78-6	
Ethylbenzene	<0.56	ug/m3	1.6	0.56	1.83		11/18/18 18:15	100-41-4	
4-Ethyltoluene	<1.0	ug/m3	4.6	1.0	1.83		11/18/18 18:15	622-96-8	
n-Heptane	<0.70	ug/m3	1.5	0.70	1.83		11/18/18 18:15	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	9.9	3.6	1.83		11/18/18 18:15	87-68-3	
n-Hexane	1.1J	ug/m3	1.3	0.57	1.83		11/18/18 18:15	110-54-3	
2-Hexanone	<1.4	ug/m3	7.6	1.4	1.83		11/18/18 18:15	591-78-6	
Methylene Chloride	15.4	ug/m3	6.5	1.7	1.83		11/18/18 18:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.95	ug/m3	7.6	0.95	1.83		11/18/18 18:15	108-10-1	
Methyl-tert-butyl ether	<1.2	ug/m3	6.7	1.2	1.83		11/18/18 18:15	1634-04-4	
Naphthalene	<2.4	ug/m3	4.9	2.4	1.83		11/18/18 18:15	91-20-3	
2-Propanol	8.3	ug/m3	4.6	1.3	1.83		11/18/18 18:15	67-63-0	
Propylene	<0.26	ug/m3	0.64	0.26	1.83		11/18/18 18:15	115-07-1	
Styrene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 18:15	100-42-5	
1,1,2,2-Tetrachloroethane	<0.53	ug/m3	1.3	0.53	1.83		11/18/18 18:15	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA407 Lab ID: 10455625009 Collected: 11/12/18 04:55 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	3.5	ug/m3	1.3	0.57	1.83		11/18/18 18:15	127-18-4	
Tetrahydrofuran	<0.48	ug/m3	1.1	0.48	1.83		11/18/18 18:15	109-99-9	
Toluene	1.1J	ug/m3	1.4	0.64	1.83		11/18/18 18:15	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	13.8	6.8	1.83		11/18/18 18:15	120-82-1	
1,1,1-Trichloroethane	<0.57	ug/m3	2.0	0.57	1.83		11/18/18 18:15	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.83		11/18/18 18:15	79-00-5	
Trichloroethene	<0.47	ug/m3	1.0	0.47	1.83		11/18/18 18:15	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	2.1	0.67	1.83		11/18/18 18:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	<1.0	ug/m3	2.9	1.0	1.83		11/18/18 18:15	76-13-1	
1,2,4-Trimethylbenzene	<0.83	ug/m3	1.8	0.83	1.83		11/18/18 18:15	95-63-6	
1,3,5-Trimethylbenzene	<0.73	ug/m3	1.8	0.73	1.83		11/18/18 18:15	108-67-8	
Vinyl acetate	<0.49	ug/m3	1.3	0.49	1.83		11/18/18 18:15	108-05-4	
Vinyl chloride	<0.23	ug/m3	0.48	0.23	1.83		11/18/18 18:15	75-01-4	
m&p-Xylene	<1.3	ug/m3	3.2	1.3	1.83		11/18/18 18:15	179601-23-1	
o-Xylene	<0.63	ug/m3	1.6	0.63	1.83		11/18/18 18:15	95-47-6	

Sample: AA408 Lab ID: 10455625010 Collected: 11/02/18 04:24 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	18.4	ug/m3	3.6	1.8	1.49		11/18/18 20:48	67-64-1	
Benzene	1.9	ug/m3	0.48	0.23	1.49		11/18/18 20:48	71-43-2	
Benzyl chloride	<1.8	ug/m3	3.9	1.8	1.49		11/18/18 20:48	100-44-7	
Bromodichloromethane	<0.55	ug/m3	2.0	0.55	1.49		11/18/18 20:48	75-27-4	
Bromoform	<2.1	ug/m3	7.8	2.1	1.49		11/18/18 20:48	75-25-2	
Bromomethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 20:48	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.67	0.19	1.49		11/18/18 20:48	106-99-0	
2-Butanone (MEK)	8.7	ug/m3	4.5	0.55	1.49		11/18/18 20:48	78-93-3	
Carbon disulfide	4.5	ug/m3	0.94	0.33	1.49		11/18/18 20:48	75-15-0	
Carbon tetrachloride	<0.64	ug/m3	1.9	0.64	1.49		11/18/18 20:48	56-23-5	
Chlorobenzene	<0.41	ug/m3	1.4	0.41	1.49		11/18/18 20:48	108-90-7	
Chloroethane	<0.39	ug/m3	0.80	0.39	1.49		11/18/18 20:48	75-00-3	
Chloroform	0.70J	ug/m3	0.74	0.29	1.49		11/18/18 20:48	67-66-3	
Chloromethane	<0.23	ug/m3	0.63	0.23	1.49		11/18/18 20:48	74-87-3	
Cyclohexane	<0.53	ug/m3	2.6	0.53	1.49		11/18/18 20:48	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.49		11/18/18 20:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.2	0.55	1.49		11/18/18 20:48	106-93-4	
1,2-Dichlorobenzene	10.1	ug/m3	1.8	0.74	1.49		11/18/18 20:48	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/m3	1.8	0.87	1.49		11/18/18 20:48	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.6	1.5	1.49		11/18/18 20:48	106-46-7	
Dichlorodifluoromethane	25.6	ug/m3	1.5	0.44	1.49		11/18/18 20:48	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.2	0.34	1.49		11/18/18 20:48	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.61	0.22	1.49		11/18/18 20:48	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10455625

Sample: AA408 Lab ID: 10455625010 Collected: 11/02/18 04:24 Received: 11/15/18 11:55 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.49		11/18/18 20:48	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.49		11/18/18 20:48	156-59-2	
trans-1,2-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.49		11/18/18 20:48	156-60-5	
1,2-Dichloropropane	<0.34	ug/m3	1.4	0.34	1.49		11/18/18 20:48	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	1.4	0.45	1.49		11/18/18 20:48	10061-01-5	
trans-1,3-Dichloropropene	<0.66	ug/m3	1.4	0.66	1.49		11/18/18 20:48	10061-02-6	
Dichlorotetrafluoroethane	<0.65	ug/m3	2.1	0.65	1.49		11/18/18 20:48	76-14-2	
Ethanol	52.1	ug/m3	2.9	1.2	1.49		11/18/18 20:48	64-17-5	
Ethyl acetate	<0.28	ug/m3	1.1	0.28	1.49		11/18/18 20:48	141-78-6	
Ethylbenzene	3.2	ug/m3	1.3	0.45	1.49		11/18/18 20:48	100-41-4	
4-Ethyltoluene	4.7	ug/m3	3.7	0.85	1.49		11/18/18 20:48	622-96-8	
n-Heptane	2.3	ug/m3	1.2	0.57	1.49		11/18/18 20:48	142-82-5	
Hexachloro-1,3-butadiene	<2.9	ug/m3	8.1	2.9	1.49		11/18/18 20:48	87-68-3	
n-Hexane	2.8	ug/m3	1.1	0.46	1.49		11/18/18 20:48	110-54-3	
2-Hexanone	<1.1	ug/m3	6.2	1.1	1.49		11/18/18 20:48	591-78-6	
Methylene Chloride	6.3	ug/m3	5.3	1.4	1.49		11/18/18 20:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.9	ug/m3	6.2	0.77	1.49		11/18/18 20:48	108-10-1	
Methyl-tert-butyl ether	<0.99	ug/m3	5.5	0.99	1.49		11/18/18 20:48	1634-04-4	
Naphthalene	2.3J	ug/m3	4.0	2.0	1.49		11/18/18 20:48	91-20-3	
2-Propanol	4.5	ug/m3	3.7	1.0	1.49		11/18/18 20:48	67-63-0	
Propylene	<0.21	ug/m3	0.52	0.21	1.49		11/18/18 20:48	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.49		11/18/18 20:48	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.0	0.44	1.49		11/18/18 20:48	79-34-5	
Tetrachloroethene	327	ug/m3	5.1	2.3	7.45		11/19/18 16:07	127-18-4	
Tetrahydrofuran	<0.39	ug/m3	0.89	0.39	1.49		11/18/18 20:48	109-99-9	
Toluene	16.6	ug/m3	1.1	0.52	1.49		11/18/18 20:48	108-88-3	
1,2,4-Trichlorobenzene	<5.5	ug/m3	11.2	5.5	1.49		11/18/18 20:48	120-82-1	
1,1,1-Trichloroethane	<0.46	ug/m3	1.7	0.46	1.49		11/18/18 20:48	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.83	0.37	1.49		11/18/18 20:48	79-00-5	
Trichloroethene	1.2	ug/m3	0.81	0.38	1.49		11/18/18 20:48	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.7	0.55	1.49		11/18/18 20:48	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.84	ug/m3	2.3	0.84	1.49		11/18/18 20:48	76-13-1	
1,2,4-Trimethylbenzene	14.8	ug/m3	1.5	0.67	1.49		11/18/18 20:48	95-63-6	
1,3,5-Trimethylbenzene	5.0	ug/m3	1.5	0.59	1.49		11/18/18 20:48	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.1	0.40	1.49		11/18/18 20:48	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.39	0.19	1.49		11/18/18 20:48	75-01-4	
m&p-Xylene	11.0	ug/m3	2.6	1.0	1.49		11/18/18 20:48	179601-23-1	
o-Xylene	5.0	ug/m3	1.3	0.51	1.49		11/18/18 20:48	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Sample: AA408 Attorney Ambient Lab ID: 10458211001 Collected: 12/05/18 05:10 Received: 12/10/18 10:15 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	12.7	ug/m3	3.7	1.8	1.52		12/13/18 17:14	67-64-1	
Benzene	0.31J	ug/m3	0.49	0.23	1.52		12/13/18 17:14	71-43-2	
Benzyl chloride	<1.8	ug/m3	4.0	1.8	1.52		12/13/18 17:14	100-44-7	
Bromodichloromethane	<0.56	ug/m3	2.1	0.56	1.52		12/13/18 17:14	75-27-4	
Bromoform	<2.2	ug/m3	8.0	2.2	1.52		12/13/18 17:14	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.52		12/13/18 17:14	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.68	0.19	1.52		12/13/18 17:14	106-99-0	
2-Butanone (MEK)	1.4J	ug/m3	4.6	0.56	1.52		12/13/18 17:14	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.96	0.33	1.52		12/13/18 17:14	75-15-0	
Carbon tetrachloride	<0.65	ug/m3	1.9	0.65	1.52		12/13/18 17:14	56-23-5	
Chlorobenzene	<0.42	ug/m3	1.4	0.42	1.52		12/13/18 17:14	108-90-7	
Chloroethane	<0.40	ug/m3	0.81	0.40	1.52		12/13/18 17:14	75-00-3	
Chloroform	<0.30	ug/m3	0.75	0.30	1.52		12/13/18 17:14	67-66-3	
Chloromethane	0.78	ug/m3	0.64	0.24	1.52		12/13/18 17:14	74-87-3	
Cyclohexane	<0.54	ug/m3	2.7	0.54	1.52		12/13/18 17:14	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.52		12/13/18 17:14	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.2	0.56	1.52		12/13/18 17:14	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	1.9	0.76	1.52		12/13/18 17:14	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/m3	1.9	0.88	1.52		12/13/18 17:14	541-73-1	
1,4-Dichlorobenzene	8.4	ug/m3	4.7	1.5	1.52		12/13/18 17:14	106-46-7	
Dichlorodifluoromethane	4.5	ug/m3	1.5	0.45	1.52		12/13/18 17:14	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.3	0.34	1.52		12/13/18 17:14	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	0.62	0.23	1.52		12/13/18 17:14	107-06-2	
1,1-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.52		12/13/18 17:14	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.52		12/13/18 17:14	156-59-2	
trans-1,2-Dichloroethene	<0.43	ug/m3	1.2	0.43	1.52		12/13/18 17:14	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.4	0.35	1.52		12/13/18 17:14	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	1.4	0.46	1.52		12/13/18 17:14	10061-01-5	
trans-1,3-Dichloropropene	<0.67	ug/m3	1.4	0.67	1.52		12/13/18 17:14	10061-02-6	
Dichlorotetrafluoroethane	<0.66	ug/m3	2.2	0.66	1.52		12/13/18 17:14	76-14-2	
Ethanol	76.2	ug/m3	2.9	1.2	1.52		12/13/18 17:14	64-17-5	
Ethyl acetate	0.43J	ug/m3	1.1	0.29	1.52		12/13/18 17:14	141-78-6	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.52		12/13/18 17:14	100-41-4	
4-Ethyltoluene	<0.87	ug/m3	3.8	0.87	1.52		12/13/18 17:14	622-96-8	
n-Heptane	0.59J	ug/m3	1.3	0.58	1.52		12/13/18 17:14	142-82-5	
Hexachloro-1,3-butadiene	<3.0	ug/m3	8.2	3.0	1.52		12/13/18 17:14	87-68-3	
n-Hexane	0.80J	ug/m3	1.1	0.47	1.52		12/13/18 17:14	110-54-3	
2-Hexanone	<1.1	ug/m3	6.3	1.1	1.52		12/13/18 17:14	591-78-6	
Methylene Chloride	3.2J	ug/m3	5.4	1.4	1.52		12/13/18 17:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.79	ug/m3	6.3	0.79	1.52		12/13/18 17:14	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/m3	5.6	1.0	1.52		12/13/18 17:14	1634-04-4	
Naphthalene	<2.0	ug/m3	4.0	2.0	1.52		12/13/18 17:14	91-20-3	
2-Propanol	5.6	ug/m3	3.8	1.1	1.52		12/13/18 17:14	67-63-0	
Propylene	1.2	ug/m3	0.53	0.22	1.52		12/13/18 17:14	115-07-1	
Styrene	0.69J	ug/m3	1.3	0.52	1.52		12/13/18 17:14	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.1	0.44	1.52		12/13/18 17:14	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: AA408 Attorney Ambient

Pace Project No.: 10458211

Sample: AA408 Attorney Ambient **Lab ID: 10458211001** Collected: 12/05/18 05:10 Received: 12/10/18 10:15 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Tetrachloroethene	5.6	ug/m3	1.0	0.48	1.52		12/13/18 17:14	127-18-4	
Tetrahydrofuran	<0.40	ug/m3	0.91	0.40	1.52		12/13/18 17:14	109-99-9	
Toluene	0.80J	ug/m3	1.2	0.53	1.52		12/13/18 17:14	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	11.5	5.7	1.52		12/13/18 17:14	120-82-1	
1,1,1-Trichloroethane	<0.47	ug/m3	1.7	0.47	1.52		12/13/18 17:14	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.84	0.38	1.52		12/13/18 17:14	79-00-5	
Trichloroethene	<0.39	ug/m3	0.83	0.39	1.52		12/13/18 17:14	79-01-6	
Trichlorofluoromethane	1.2J	ug/m3	1.7	0.56	1.52		12/13/18 17:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.86	ug/m3	2.4	0.86	1.52		12/13/18 17:14	76-13-1	
1,2,4-Trimethylbenzene	<0.69	ug/m3	1.5	0.69	1.52		12/13/18 17:14	95-63-6	
1,3,5-Trimethylbenzene	<0.61	ug/m3	1.5	0.61	1.52		12/13/18 17:14	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.1	0.41	1.52		12/13/18 17:14	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.40	0.19	1.52		12/13/18 17:14	75-01-4	
m&p-Xylene	<1.1	ug/m3	2.7	1.1	1.52		12/13/18 17:14	179601-23-1	
o-Xylene	<0.52	ug/m3	1.3	0.52	1.52		12/13/18 17:14	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.