



August 7, 2019

Mr. Matthew Vitale
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Groundwater and Vapor Results

Dear Mr. Vitale:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site on June 7, 2019. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on Figure 1.

Work Performed

Sub-slab and ambient air samples were collected from the Dun-Rite building, Guzman office building and premises, and the residence at 1000 Union Street (the Residence).

Groundwater samples were collected from monitoring wells south of the Dun-Rite building including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on Tables 1a, 1b, and 1c; sample locations and PCE results are shown on Figure 2. The laboratory report is enclosed.

The ambient air sample from the Residence was below Residential Indoor Action Levels for both PCE and TCE.

The sub-slab sample from the Residence was below Residential Sub-Slab Vapor Screening Levels for both PCE and TCE.

Ambient air samples from inside Dun-Rite and the Guzman building, as well as the outdoor sample, were below Non-Residential Action Levels for PCE and TCE.

One sub-slab sample taken from underneath the Guzman building, Attorney (former) (SSV-405), was above the Non-Residential Sub-Slab Vapor Screening Level for PCE. None of the sub-slab samples showed TCE above its Non-Residential Sub-Slab Vapor Screening Level.

Sub-slab vapor samples collected at the Attorney (former) (SSV-405) and Wildcard (former) (SSV-406) location had the lowest PCE concentration seen since sampling began in 2014.

Groundwater

Groundwater sample results are summarized on Table 2; sample locations are shown on Figure 3. The laboratory report is enclosed.

Each of the three monitoring wells had concentrations of PCE above the Enforcement Standard (ES). The concentrations ranged from 8.2 µg/l to 614 µg/l.

TCE was detected above the Preventative Action Limit (PAL) at each of the three wells; however, the concentration was below the reporting limit at MWG-1, and the limit of detection for the GP-11 sample was greater than the PAL.

Conclusions

The ambient air VOC results indicate that the residual PCE is not impacting indoor air at nearby structures above Action Levels.

The sub-slab VOC results indicate that PCE concentrations:

- decreased considerably beneath the Dun-Rite building
- varied at levels below screening levels at the residence
- persist at levels above screening levels beneath the Guzman building

The blower station VOC results indicate that the sub-slab mitigation system has reduced residual PCE concentrations in the areas exposed to its influence.

The groundwater VOC results indicate that PCE concentrations are generally stable overall, while continuing to vary between the individual wells.

Because the source of PCE was removed, and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.

Recommendations

Decreasing concentrations of PCE in the blower system exhaust indicate the system has successfully removed residual PCE nearly to the extent possible in the areas exposed to its influence. In June 2019 the blower system was adjusted to run for 8 hours per day instead of 12 hours per day. Allowing for longer “rest” periods between operations will decrease energy expenditure while continuing to treat residual PCE near the source area.

To continue to document subsurface concentrations of PCE and TCE, monitoring should continue on the existing semiannual sampling schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in fall 2019. Soil vapor samples will be collected from beneath the residence, Dun-Rite

building, and Guzman building, and indoor ambient air samples will be collected from within each of the structures. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the site in general, please contact me at 715.824.5969 or pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Laboratory Reports

cc/enc: Ms. Peggy Ehlert, via email only
Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
WDNR RR Program Submittal Portal


Figures

Figure 1 General Site Location


Figure 2 Vapor Sample Locations and PCE Results June 2019

Figure 3 Groundwater Sample Locations and Results June 2019


F:\SCC F\SENTRY INSURANCE DUN RITE\DRAWINGS\MASTER SCC SENTRY INSURANCE DUNRITE CLEANERS.DWG 0 - DEC 21, 2015 - 12:25:59



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY



**SAND CREEK
CONSULTANTS, INC.**
Amherst, WI
Rhineland, WI
www.sand-creek.com

GENERAL SITE LOCATION

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN


DATE: DECEMBER 2015

DRAWN BY: KAP

SCALE: 1"=2000'

APPROVED: PDA


FIGURE 1



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W ----- WATER LINE
- G ----- GAS LINE
- SAN ----- SANITARY SEWER
- ST ----- STORM SEWER
- T ----- UNDERGROUND TELEPHONE
- E ----- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) JUNE 7, 2019
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) JUNE 7, 2019

NOTE:
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.




VAPOR SAMPLE LOCATIONS AND PCE RESULTS JUNE 2019

DUN-RITE CLEANERS
 1008 UNION STREET
 STEVENS POINT, WISCONSIN


DATE: JULY 2019	DRAWN BY: NRB
SCALE: 1"=40'	APPROVED BY: PDA
FIGURE 2	



Environmental and Geological
Scientists and Engineers




**GROUNDWATER
SAMPLE
LOCATIONS AND
RESULTS
JUNE 2019**



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN

DATE: JULY 2019
SCALE: 1" = 30'
DRAWN BY: KAP
APPROVED: NRB

FIGURE 3



NOTE:
EXISTING CONDITIONS AND EXISTING MONITORING WELL
LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED
SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED
PORTAGE COUNTY GIS 2010 AIR PHOTO AND GOOGLE
EARTH IMAGE DATED SEPTEMBER 2013.

Tables

- Table 1 Vapor Sample Results**
 - Table 1a Vapor Chemistry Results – Ambient Air**
 - Table 1b Vapor Chemistry Results – Sub-Slab Vapor**
 - Table 1c Vapor Chemistry Results – SVE System Discharge**
- Table 2 Groundwater Chemistry Results (Monitoring Wells)**

**Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, WI**

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
		6/7/2019	<0.45	<0.37
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
		6/7/2019	4.0	1.8
AA407	Wildcard	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
		11/12/2108	3.5	<0.47
				6/7/2019
AA408	Attorney	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327^R	1.2
		12/5/2018	5.6	<0.39
		6/7/2019	21.3	0.54 J

**Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, WI**

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Sub-Slab Vapor Screening Levels²				
Non-Residential			6,000	290
Residential			1,400	70
SSV101	Dun-Rite	4/8/2014	2,550,000	527
		9/4/2015	141,000	1780
		2/16/2016	5,030	28
		10/5/2016	5,480	33
		6/16/2017	1,030	9.0
		11/16/2017	452	3.2
		5/18/2018	2,460	13.6
		11/2/2018	266	1.2
		6/7/2019	3,570	13.6
SSV202	Dun-Rite	5/29/2014	1,700	113
		9/4/2015	2,280	145
		2/16/2016	275	7.1
SSV203	Dun-Rite	5/29/2014	27,600	<20
		11/4/2015	288	12
		10/5/2016	5,710	4.2
		6/16/2017	4,190	20
		11/16/2017	6,650	30.9
		5/18/2018	2,390	1.3
		11/9/2018	5.0	<0.37
				6/7/2019
SSV304	Residence	7/18/2014	13	<1.2
		3/2/2015	11	<0.31
		9/4/2015	137	21
		11/9/2015	319	14
		2/16/2016	105	5.7
		10/5/2016	52	2.2
		6/20/2017	133	0.92 J
		11/16/2017	15.6	0.57 J
		5/18/2018	1,380	6.2
		11/2/2018	14.6	<0.37
				6/7/2019
SSV405	Attorney	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
				6/7/2019
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
				6/7/2019

**Table 1c: Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners, Stevens Point, WI**

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Blower Exhaust	SVE	6/7/2019	328	0.90
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J

Notes:

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

$\mu\text{g}/\text{m}^3$: micrograms per cubic meter.

<0.076 = Substance not detected above indicated detection limit.

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

* = Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample."

R = Result uncharacteristically high, thus location resampled.

Highlighting indicates most recent results.

**Table 2: Groundwater Chemistry Results
Dun-Rite Cleaners, Stevens Point, WI**

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)
PAL		0.5	0.5
ES		5.0	5.0
GP-9 [^]	7/19/2013	295	7.4
	10/2/2013	655	12
	12/13/2013	745	14
	9/23/2014	279	7.4
	11/4/2015	223	6.4
	5/6/2016	322	4.7
GP-10 [^]	12/13/2013	331	1.9
	11/4/2015	77	2.7
	5/6/2016	211	<0.33
	10/5/2016	344	3.2 J
GP-11 [^]	12/13/2013	2570	<18.2
	11/4/2015	173	<1.3
	5/6/2016	61.5	<0.33
	10/5/2016	54.6	0.54 J
	6/14/2017	614	<1.7
	11/16/2017	14.3	0.41 J
	5/18/2018	727	<1.7
	11/2/2018	17.8	<0.26
	6/7/2019	614	<1.3
GP-12 [^]	12/13/2013	254	<1.8
	9/23/2014	487	2.2 J
	11/4/2015	364	1.8 J
	5/6/2016	147	0.95 J
	10/5/2016	780	2.7 J
	6/14/2017	433	1.7 J
	11/16/2017	647	3.7 J
	5/18/2018	176	1.8
	11/2/2018	462	2.2
	6/7/2019	142	2.3
MWG-1	11/4/2015	141	6.9
	5/6/2016	15.3	1.1
	10/5/2016	138	5.6
	6/14/2017	8.2	1.1
	11/16/2017	127	7.6
	5/18/2018	12.8	1.0
	11/2/2018	74.0	6.1
6/7/2019	8.2	0.74 J	

Notes:

- 1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit.
- 5.4 Bold** indicates exceedance of NR 140 Enforcement Standard.
- <0.45 Substance not detected above indicated detection limit.
- Data unavailable

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

ES - Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code, January 2012.

PAL - Preventive Action Limit listed in Chapter NR 140, Table 1, Wisconsin Administrative Code, January 2012.

[^] = Data preceding 2014 generated during investigations conducted by AECOM.

Highlighting indicates most recent results.

Laboratory Reports

June 13, 2019

Nichole Besyk
SAND CREEK CONSULTANTS, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUNRITE
Pace Project No.: 40189193

Dear Nichole Besyk:

Enclosed are the analytical results for sample(s) received by the laboratory on June 11, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUNRITE

Pace Project No.: 40189193

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUNRITE
Pace Project No.: 40189193

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40189193001	GP-11	Water	06/07/19 13:07	06/11/19 09:10
40189193002	GP-12	Water	06/07/19 15:30	06/11/19 09:10
40189193003	MWG-1	Water	06/07/19 15:45	06/11/19 09:10
40189193004	TRIP BLANK	Water	06/07/19 00:00	06/11/19 09:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUNRITE
Pace Project No.: 40189193

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40189193001	GP-11	EPA 8260	HNW	63
40189193002	GP-12	EPA 8260	HNW	63
40189193003	MWG-1	EPA 8260	HNW	63
40189193004	TRIP BLANK	EPA 8260	HNW	63

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUNRITE
Pace Project No.: 40189193

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40189193001	GP-11					
EPA 8260	Tetrachloroethene	614	ug/L	5.4	06/12/19 10:40	
40189193002	GP-12					
EPA 8260	Tetrachloroethene	142	ug/L	1.1	06/12/19 10:17	
EPA 8260	Trichloroethene	2.3	ug/L	1.0	06/12/19 10:17	
40189193003	MWG-1					
EPA 8260	Tetrachloroethene	8.2	ug/L	1.1	06/12/19 14:24	
EPA 8260	Trichloroethene	0.74J	ug/L	1.0	06/12/19 14:24	
40189193004	TRIP BLANK					
EPA 8260	Methylene Chloride	0.80J	ug/L	5.0	06/12/19 09:10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: GP-11 **Lab ID: 40189193001** Collected: 06/07/19 13:07 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<1.3	ug/L	5.0	1.3	5		06/12/19 10:40	630-20-6	
1,1,1-Trichloroethane	<1.2	ug/L	5.0	1.2	5		06/12/19 10:40	71-55-6	
1,1,2,2-Tetrachloroethane	<1.4	ug/L	5.0	1.4	5		06/12/19 10:40	79-34-5	
1,1,2-Trichloroethane	<2.8	ug/L	25.0	2.8	5		06/12/19 10:40	79-00-5	
1,1-Dichloroethane	<1.4	ug/L	5.0	1.4	5		06/12/19 10:40	75-34-3	
1,1-Dichloroethene	<1.2	ug/L	5.0	1.2	5		06/12/19 10:40	75-35-4	
1,1-Dichloropropene	<2.7	ug/L	9.0	2.7	5		06/12/19 10:40	563-58-6	
1,2,3-Trichlorobenzene	<3.1	ug/L	25.0	3.1	5		06/12/19 10:40	87-61-6	
1,2,3-Trichloropropane	<3.0	ug/L	25.0	3.0	5		06/12/19 10:40	96-18-4	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		06/12/19 10:40	120-82-1	
1,2,4-Trimethylbenzene	<4.2	ug/L	14.0	4.2	5		06/12/19 10:40	95-63-6	
1,2-Dibromo-3-chloropropane	<8.8	ug/L	29.4	8.8	5		06/12/19 10:40	96-12-8	
1,2-Dibromoethane (EDB)	<4.1	ug/L	13.8	4.1	5		06/12/19 10:40	106-93-4	
1,2-Dichlorobenzene	<3.5	ug/L	11.8	3.5	5		06/12/19 10:40	95-50-1	
1,2-Dichloroethane	<1.4	ug/L	5.0	1.4	5		06/12/19 10:40	107-06-2	
1,2-Dichloropropane	<1.4	ug/L	5.0	1.4	5		06/12/19 10:40	78-87-5	
1,3,5-Trimethylbenzene	<4.4	ug/L	14.6	4.4	5		06/12/19 10:40	108-67-8	
1,3-Dichlorobenzene	<3.1	ug/L	10.5	3.1	5		06/12/19 10:40	541-73-1	
1,3-Dichloropropane	<4.1	ug/L	13.8	4.1	5		06/12/19 10:40	142-28-9	
1,4-Dichlorobenzene	<4.7	ug/L	15.7	4.7	5		06/12/19 10:40	106-46-7	
2,2-Dichloropropane	<11.3	ug/L	37.8	11.3	5		06/12/19 10:40	594-20-7	
2-Chlorotoluene	<4.6	ug/L	25.0	4.6	5		06/12/19 10:40	95-49-8	
4-Chlorotoluene	<3.8	ug/L	12.6	3.8	5		06/12/19 10:40	106-43-4	
Benzene	<1.2	ug/L	5.0	1.2	5		06/12/19 10:40	71-43-2	
Bromobenzene	<1.2	ug/L	5.0	1.2	5		06/12/19 10:40	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		06/12/19 10:40	74-97-5	
Bromodichloromethane	<1.8	ug/L	6.1	1.8	5		06/12/19 10:40	75-27-4	
Bromoform	<19.9	ug/L	66.2	19.9	5		06/12/19 10:40	75-25-2	
Bromomethane	<4.9	ug/L	25.0	4.9	5		06/12/19 10:40	74-83-9	
Carbon tetrachloride	<0.83	ug/L	5.0	0.83	5		06/12/19 10:40	56-23-5	
Chlorobenzene	<3.6	ug/L	11.8	3.6	5		06/12/19 10:40	108-90-7	
Chloroethane	<6.7	ug/L	25.0	6.7	5		06/12/19 10:40	75-00-3	
Chloroform	<6.4	ug/L	25.0	6.4	5		06/12/19 10:40	67-66-3	
Chloromethane	<10.9	ug/L	36.5	10.9	5		06/12/19 10:40	74-87-3	
Dibromochloromethane	<13.0	ug/L	43.4	13.0	5		06/12/19 10:40	124-48-1	
Dibromomethane	<4.7	ug/L	15.6	4.7	5		06/12/19 10:40	74-95-3	
Dichlorodifluoromethane	<2.5	ug/L	25.0	2.5	5		06/12/19 10:40	75-71-8	
Diisopropyl ether	<9.4	ug/L	31.5	9.4	5		06/12/19 10:40	108-20-3	
Ethylbenzene	<1.1	ug/L	5.0	1.1	5		06/12/19 10:40	100-41-4	
Hexachloro-1,3-butadiene	<5.9	ug/L	25.0	5.9	5		06/12/19 10:40	87-68-3	
Isopropylbenzene (Cumene)	<2.0	ug/L	25.0	2.0	5		06/12/19 10:40	98-82-8	
Methyl-tert-butyl ether	<6.2	ug/L	20.8	6.2	5		06/12/19 10:40	1634-04-4	
Methylene Chloride	<2.9	ug/L	25.0	2.9	5		06/12/19 10:40	75-09-2	
Naphthalene	<5.9	ug/L	25.0	5.9	5		06/12/19 10:40	91-20-3	
Styrene	<2.3	ug/L	7.8	2.3	5		06/12/19 10:40	100-42-5	
Tetrachloroethene	614	ug/L	5.4	1.6	5		06/12/19 10:40	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: GP-11 **Lab ID: 40189193001** Collected: 06/07/19 13:07 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.86	ug/L	25.0	0.86	5		06/12/19 10:40	108-88-3	
Trichloroethene	<1.3	ug/L	5.0	1.3	5		06/12/19 10:40	79-01-6	
Trichlorofluoromethane	<1.1	ug/L	5.0	1.1	5		06/12/19 10:40	75-69-4	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		06/12/19 10:40	75-01-4	
Xylene (Total)	<7.5	ug/L	15.0	7.5	5		06/12/19 10:40	1330-20-7	
cis-1,2-Dichloroethene	<1.4	ug/L	5.0	1.4	5		06/12/19 10:40	156-59-2	
cis-1,3-Dichloropropene	<18.1	ug/L	60.5	18.1	5		06/12/19 10:40	10061-01-5	
n-Butylbenzene	<3.5	ug/L	11.8	3.5	5		06/12/19 10:40	104-51-8	
n-Propylbenzene	<4.1	ug/L	25.0	4.1	5		06/12/19 10:40	103-65-1	
p-Isopropyltoluene	<4.0	ug/L	13.3	4.0	5		06/12/19 10:40	99-87-6	
sec-Butylbenzene	<4.2	ug/L	25.0	4.2	5		06/12/19 10:40	135-98-8	
tert-Butylbenzene	<1.5	ug/L	5.1	1.5	5		06/12/19 10:40	98-06-6	
trans-1,2-Dichloroethene	<5.5	ug/L	18.2	5.5	5		06/12/19 10:40	156-60-5	
trans-1,3-Dichloropropene	<21.9	ug/L	72.8	21.9	5		06/12/19 10:40	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		5		06/12/19 10:40	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		5		06/12/19 10:40	1868-53-7	
Toluene-d8 (S)	99	%	70-130		5		06/12/19 10:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: GP-12 Lab ID: 40189193002 Collected: 06/07/19 15:30 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 10:17	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		06/12/19 10:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 10:17	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		06/12/19 10:17	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 10:17	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		06/12/19 10:17	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		06/12/19 10:17	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		06/12/19 10:17	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		06/12/19 10:17	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/12/19 10:17	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		06/12/19 10:17	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		06/12/19 10:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		06/12/19 10:17	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 10:17	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 10:17	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		06/12/19 10:17	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		06/12/19 10:17	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		06/12/19 10:17	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		06/12/19 10:17	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		06/12/19 10:17	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		06/12/19 10:17	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		06/12/19 10:17	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		06/12/19 10:17	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		06/12/19 10:17	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		06/12/19 10:17	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		06/12/19 10:17	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		06/12/19 10:17	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		06/12/19 10:17	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		06/12/19 10:17	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		06/12/19 10:17	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 10:17	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		06/12/19 10:17	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		06/12/19 10:17	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		06/12/19 10:17	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		06/12/19 10:17	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		06/12/19 10:17	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		06/12/19 10:17	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		06/12/19 10:17	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		06/12/19 10:17	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		06/12/19 10:17	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		06/12/19 10:17	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		06/12/19 10:17	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		06/12/19 10:17	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		06/12/19 10:17	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		06/12/19 10:17	100-42-5	
Tetrachloroethene	142	ug/L	1.1	0.33	1		06/12/19 10:17	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: GP-12 **Lab ID: 40189193002** Collected: 06/07/19 15:30 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.17	ug/L	5.0	0.17	1		06/12/19 10:17	108-88-3	
Trichloroethene	2.3	ug/L	1.0	0.26	1		06/12/19 10:17	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		06/12/19 10:17	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/12/19 10:17	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		06/12/19 10:17	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		06/12/19 10:17	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		06/12/19 10:17	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 10:17	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		06/12/19 10:17	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		06/12/19 10:17	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		06/12/19 10:17	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		06/12/19 10:17	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		06/12/19 10:17	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		06/12/19 10:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/12/19 10:17	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		06/12/19 10:17	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		06/12/19 10:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: MWG-1 Lab ID: 40189193003 Collected: 06/07/19 15:45 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Analytical Method: EPA 8260									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 14:24	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		06/12/19 14:24	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 14:24	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		06/12/19 14:24	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 14:24	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		06/12/19 14:24	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		06/12/19 14:24	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		06/12/19 14:24	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		06/12/19 14:24	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/12/19 14:24	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		06/12/19 14:24	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		06/12/19 14:24	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		06/12/19 14:24	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 14:24	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 14:24	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		06/12/19 14:24	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		06/12/19 14:24	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		06/12/19 14:24	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		06/12/19 14:24	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		06/12/19 14:24	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		06/12/19 14:24	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		06/12/19 14:24	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		06/12/19 14:24	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		06/12/19 14:24	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		06/12/19 14:24	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		06/12/19 14:24	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		06/12/19 14:24	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		06/12/19 14:24	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		06/12/19 14:24	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		06/12/19 14:24	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 14:24	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		06/12/19 14:24	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		06/12/19 14:24	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		06/12/19 14:24	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		06/12/19 14:24	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		06/12/19 14:24	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		06/12/19 14:24	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		06/12/19 14:24	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		06/12/19 14:24	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		06/12/19 14:24	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		06/12/19 14:24	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		06/12/19 14:24	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		06/12/19 14:24	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		06/12/19 14:24	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		06/12/19 14:24	100-42-5	
Tetrachloroethene	8.2	ug/L	1.1	0.33	1		06/12/19 14:24	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: MWG-1 **Lab ID: 40189193003** Collected: 06/07/19 15:45 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Toluene	<0.17	ug/L	5.0	0.17	1		06/12/19 14:24	108-88-3	
Trichloroethene	0.74J	ug/L	1.0	0.26	1		06/12/19 14:24	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		06/12/19 14:24	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/12/19 14:24	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		06/12/19 14:24	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		06/12/19 14:24	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		06/12/19 14:24	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 14:24	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		06/12/19 14:24	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		06/12/19 14:24	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		06/12/19 14:24	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		06/12/19 14:24	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		06/12/19 14:24	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		06/12/19 14:24	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		06/12/19 14:24	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		06/12/19 14:24	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		06/12/19 14:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: TRIP BLANK Lab ID: 40189193004 Collected: 06/07/19 00:00 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 09:10	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		06/12/19 09:10	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 09:10	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		06/12/19 09:10	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		06/12/19 09:10	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		06/12/19 09:10	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		06/12/19 09:10	563-58-6	
1,2,3-Trichlorobenzene	<0.63	ug/L	5.0	0.63	1		06/12/19 09:10	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		06/12/19 09:10	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		06/12/19 09:10	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		06/12/19 09:10	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		06/12/19 09:10	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		06/12/19 09:10	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 09:10	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		06/12/19 09:10	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		06/12/19 09:10	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		06/12/19 09:10	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		06/12/19 09:10	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		06/12/19 09:10	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		06/12/19 09:10	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		06/12/19 09:10	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		06/12/19 09:10	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		06/12/19 09:10	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		06/12/19 09:10	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		06/12/19 09:10	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		06/12/19 09:10	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		06/12/19 09:10	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		06/12/19 09:10	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		06/12/19 09:10	74-83-9	
Carbon tetrachloride	<0.17	ug/L	1.0	0.17	1		06/12/19 09:10	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 09:10	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		06/12/19 09:10	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		06/12/19 09:10	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		06/12/19 09:10	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		06/12/19 09:10	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		06/12/19 09:10	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		06/12/19 09:10	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		06/12/19 09:10	108-20-3	
Ethylbenzene	<0.22	ug/L	1.0	0.22	1		06/12/19 09:10	100-41-4	
Hexachloro-1,3-butadiene	<1.2	ug/L	5.0	1.2	1		06/12/19 09:10	87-68-3	
Isopropylbenzene (Cumene)	<0.39	ug/L	5.0	0.39	1		06/12/19 09:10	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		06/12/19 09:10	1634-04-4	
Methylene Chloride	0.80J	ug/L	5.0	0.58	1		06/12/19 09:10	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		06/12/19 09:10	91-20-3	
Styrene	<0.47	ug/L	1.6	0.47	1		06/12/19 09:10	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		06/12/19 09:10	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUNRITE
Pace Project No.: 40189193

Sample: TRIP BLANK **Lab ID: 40189193004** Collected: 06/07/19 00:00 Received: 06/11/19 09:10 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Toluene	<0.17	ug/L	5.0	0.17	1		06/12/19 09:10	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		06/12/19 09:10	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		06/12/19 09:10	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		06/12/19 09:10	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		06/12/19 09:10	1330-20-7	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		06/12/19 09:10	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		06/12/19 09:10	10061-01-5	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		06/12/19 09:10	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		06/12/19 09:10	103-65-1	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		06/12/19 09:10	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		06/12/19 09:10	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		06/12/19 09:10	98-06-6	
trans-1,2-Dichloroethene	<1.1	ug/L	3.6	1.1	1		06/12/19 09:10	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		06/12/19 09:10	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		06/12/19 09:10	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		06/12/19 09:10	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		06/12/19 09:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUNRITE
Pace Project No.: 40189193

QC Batch: 324104 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 40189193001, 40189193002, 40189193003, 40189193004

METHOD BLANK: 1881926 Matrix: Water
Associated Lab Samples: 40189193001, 40189193002, 40189193003, 40189193004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	06/12/19 07:17	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	06/12/19 07:17	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	06/12/19 07:17	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	06/12/19 07:17	
1,1-Dichloroethane	ug/L	<0.27	1.0	06/12/19 07:17	
1,1-Dichloroethene	ug/L	<0.24	1.0	06/12/19 07:17	
1,1-Dichloropropene	ug/L	<0.54	1.8	06/12/19 07:17	
1,2,3-Trichlorobenzene	ug/L	<0.63	5.0	06/12/19 07:17	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	06/12/19 07:17	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	06/12/19 07:17	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	06/12/19 07:17	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	06/12/19 07:17	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	06/12/19 07:17	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	06/12/19 07:17	
1,2-Dichloroethane	ug/L	<0.28	1.0	06/12/19 07:17	
1,2-Dichloropropane	ug/L	<0.28	1.0	06/12/19 07:17	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	06/12/19 07:17	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	06/12/19 07:17	
1,3-Dichloropropane	ug/L	<0.83	2.8	06/12/19 07:17	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	06/12/19 07:17	
2,2-Dichloropropane	ug/L	<2.3	7.6	06/12/19 07:17	
2-Chlorotoluene	ug/L	<0.93	5.0	06/12/19 07:17	
4-Chlorotoluene	ug/L	<0.76	2.5	06/12/19 07:17	
Benzene	ug/L	<0.25	1.0	06/12/19 07:17	
Bromobenzene	ug/L	<0.24	1.0	06/12/19 07:17	
Bromochloromethane	ug/L	<0.36	5.0	06/12/19 07:17	
Bromodichloromethane	ug/L	<0.36	1.2	06/12/19 07:17	
Bromoform	ug/L	<4.0	13.2	06/12/19 07:17	
Bromomethane	ug/L	<0.97	5.0	06/12/19 07:17	
Carbon tetrachloride	ug/L	<0.17	1.0	06/12/19 07:17	
Chlorobenzene	ug/L	<0.71	2.4	06/12/19 07:17	
Chloroethane	ug/L	<1.3	5.0	06/12/19 07:17	
Chloroform	ug/L	<1.3	5.0	06/12/19 07:17	
Chloromethane	ug/L	<2.2	7.3	06/12/19 07:17	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	06/12/19 07:17	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	06/12/19 07:17	
Dibromochloromethane	ug/L	<2.6	8.7	06/12/19 07:17	
Dibromomethane	ug/L	<0.94	3.1	06/12/19 07:17	
Dichlorodifluoromethane	ug/L	<0.50	5.0	06/12/19 07:17	
Diisopropyl ether	ug/L	<1.9	6.3	06/12/19 07:17	
Ethylbenzene	ug/L	<0.22	1.0	06/12/19 07:17	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUNRITE
Pace Project No.: 40189193

METHOD BLANK: 1881926 Matrix: Water
Associated Lab Samples: 40189193001, 40189193002, 40189193003, 40189193004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<1.2	5.0	06/12/19 07:17	
Isopropylbenzene (Cumene)	ug/L	<0.39	5.0	06/12/19 07:17	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	06/12/19 07:17	
Methylene Chloride	ug/L	<0.58	5.0	06/12/19 07:17	
n-Butylbenzene	ug/L	<0.71	2.4	06/12/19 07:17	
n-Propylbenzene	ug/L	<0.81	5.0	06/12/19 07:17	
Naphthalene	ug/L	<1.2	5.0	06/12/19 07:17	
p-Isopropyltoluene	ug/L	<0.80	2.7	06/12/19 07:17	
sec-Butylbenzene	ug/L	<0.85	5.0	06/12/19 07:17	
Styrene	ug/L	<0.47	1.6	06/12/19 07:17	
tert-Butylbenzene	ug/L	<0.30	1.0	06/12/19 07:17	
Tetrachloroethene	ug/L	<0.33	1.1	06/12/19 07:17	
Toluene	ug/L	<0.17	5.0	06/12/19 07:17	
trans-1,2-Dichloroethene	ug/L	<1.1	3.6	06/12/19 07:17	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	06/12/19 07:17	
Trichloroethene	ug/L	<0.26	1.0	06/12/19 07:17	
Trichlorofluoromethane	ug/L	<0.21	1.0	06/12/19 07:17	
Vinyl chloride	ug/L	<0.17	1.0	06/12/19 07:17	
Xylene (Total)	ug/L	<1.5	3.0	06/12/19 07:17	
4-Bromofluorobenzene (S)	%	96	70-130	06/12/19 07:17	
Dibromofluoromethane (S)	%	107	70-130	06/12/19 07:17	
Toluene-d8 (S)	%	101	70-130	06/12/19 07:17	

LABORATORY CONTROL SAMPLE: 1881927

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.3	99	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	70-130	
1,1,2-Trichloroethane	ug/L	50	48.1	96	70-130	
1,1-Dichloroethane	ug/L	50	52.3	105	73-150	
1,1-Dichloroethene	ug/L	50	50.9	102	73-138	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	36.3	73	64-129	
1,2-Dibromoethane (EDB)	ug/L	50	45.6	91	70-130	
1,2-Dichlorobenzene	ug/L	50	48.1	96	70-130	
1,2-Dichloroethane	ug/L	50	50.6	101	75-140	
1,2-Dichloropropane	ug/L	50	50.7	101	73-135	
1,3-Dichlorobenzene	ug/L	50	48.7	97	70-130	
1,4-Dichlorobenzene	ug/L	50	49.0	98	70-130	
Benzene	ug/L	50	53.1	106	70-130	
Bromodichloromethane	ug/L	50	47.4	95	70-130	
Bromoform	ug/L	50	36.0	72	68-129	
Bromomethane	ug/L	50	39.2	78	18-159	
Carbon tetrachloride	ug/L	50	47.4	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUNRITE
Pace Project No.: 40189193

LABORATORY CONTROL SAMPLE: 1881927

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	50	49.5	99	70-130	
Chloroethane	ug/L	50	47.6	95	53-147	
Chloroform	ug/L	50	50.2	100	74-136	
Chloromethane	ug/L	50	34.0	68	29-115	
cis-1,2-Dichloroethene	ug/L	50	57.6	115	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.6	91	70-130	
Dibromochloromethane	ug/L	50	43.9	88	70-130	
Dichlorodifluoromethane	ug/L	50	23.5	47	10-130	
Ethylbenzene	ug/L	50	51.4	103	80-124	
Isopropylbenzene (Cumene)	ug/L	50	50.8	102	70-130	
Methyl-tert-butyl ether	ug/L	50	43.1	86	54-137	
Methylene Chloride	ug/L	50	51.4	103	73-138	
Styrene	ug/L	50	50.8	102	70-130	
Tetrachloroethene	ug/L	50	48.7	97	70-130	
Toluene	ug/L	50	49.8	100	80-126	
trans-1,2-Dichloroethene	ug/L	50	51.2	102	73-145	
trans-1,3-Dichloropropene	ug/L	50	42.7	85	70-130	
Trichloroethene	ug/L	50	51.2	102	70-130	
Trichlorofluoromethane	ug/L	50	50.8	102	76-147	
Vinyl chloride	ug/L	50	40.6	81	51-120	
Xylene (Total)	ug/L	150	153	102	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Dibromofluoromethane (S)	%			107	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1881999 1882000

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40189195001	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	50.6	51.6	101	103	70-130	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	48.0	48.4	96	97	70-130	1	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	49.1	49.5	98	99	70-137	1	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	52.8	54.1	106	108	73-153	2	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	53.1	53.2	106	106	73-138	0	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	47.8	48.4	95	97	70-130	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	39.3	39.9	79	80	58-129	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	47.4	48.2	95	96	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	49.7	50.1	99	100	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	51.4	52.2	103	104	75-140	2	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	51.7	52.4	103	105	71-138	1	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	50.0	51.0	100	102	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	50.5	50.9	101	102	70-130	1	20		
Benzene	ug/L	<0.25	50	50	54.3	55.1	109	110	70-130	1	20		
Bromodichloromethane	ug/L	<0.36	50	50	48.5	49.4	97	99	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUNRITE
Pace Project No.: 40189193

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1881999		1882000		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40189195001 Result	MS Spike Conc.	MSD Spike Conc.									
Bromoform	ug/L	<4.0	50	50	37.8	38.4	76	77	68-129	2	20		
Bromomethane	ug/L	<0.97	50	50	43.3	44.6	87	89	15-170	3	20		
Carbon tetrachloride	ug/L	<0.17	50	50	49.1	50.0	98	100	70-130	2	20		
Chlorobenzene	ug/L	<0.71	50	50	51.0	51.0	102	102	70-130	0	20		
Chloroethane	ug/L	<1.3	50	50	48.3	49.2	97	98	51-148	2	20		
Chloroform	ug/L	<1.3	50	50	51.3	52.0	103	104	74-136	1	20		
Chloromethane	ug/L	<2.2	50	50	34.8	36.3	69	72	23-115	4	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	58.6	59.9	117	120	70-131	2	20		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	47.1	47.5	94	95	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	45.8	46.6	92	93	70-130	2	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	23.9	24.4	48	49	10-132	2	20		
Ethylbenzene	ug/L	<0.22	50	50	52.9	53.2	106	106	80-125	1	20		
Isopropylbenzene (Cumene)	ug/L	<0.39	50	50	52.4	52.8	105	106	70-130	1	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	44.9	45.4	90	91	51-145	1	20		
Methylene Chloride	ug/L	<0.58	50	50	52.7	53.5	105	107	73-140	2	20		
Styrene	ug/L	<0.47	50	50	52.2	52.9	104	106	70-130	1	20		
Tetrachloroethene	ug/L	<0.33	50	50	49.7	50.1	99	100	70-130	1	20		
Toluene	ug/L	<0.17	50	50	50.8	52.4	102	105	80-131	3	20		
trans-1,2-Dichloroethene	ug/L	<1.1	50	50	52.9	53.1	106	106	73-148	0	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	44.3	45.1	89	90	70-130	2	20		
Trichloroethene	ug/L	<0.26	50	50	51.8	52.6	104	105	70-130	2	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	52.2	52.6	104	105	74-147	1	20		
Vinyl chloride	ug/L	<0.17	50	50	41.4	42.2	83	84	41-129	2	20		
Xylene (Total)	ug/L	<1.5	150	150	157	158	105	105	70-130	1	20		
4-Bromofluorobenzene (S)	%						100	99	70-130				
Dibromofluoromethane (S)	%						107	106	70-130				
Toluene-d8 (S)	%						101	100	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: DUNRITE

Pace Project No.: 40189193

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUNRITE
Pace Project No.: 40189193

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40189193001	GP-11	EPA 8260	324104		
40189193002	GP-12	EPA 8260	324104		
40189193003	MWG-1	EPA 8260	324104		
40189193004	TRIP BLANK	EPA 8260	324104		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Sand Creek Consultants
 Branch/Location: Amherst, WI
 Project Contact: Nichole Besyk
 Phone: 715-824-5169
 Project Number:
 Project Name: DunRite
 Project State: Wisconsin
 Sampled By (Print): Nichole Besyk
 Sampled By (Sign): *Nichole Besyk*
 PO #:
 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

40189193

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N																			
Pick Letter	B																			
Analyses Requested																				

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 MS/MSD
 On your sample (billable)
 NOT needed on your sample

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested
		DATE	TIME				
001	GP-11	6/11/19	13:07	GW		X	VOC
002	GP-12	↓	15:30	↓		X	
003	MWG-1	↓	15:45	↓		X	
004	Trip Blank						

Quote #:
 Mail To Contact: Nichole Besyk
 Mail To Company: Sand Creek Consultants
 Mail To Address: 151 Mill St / PO Box 218 Amherst, WI 54406 NICHOLE.BESYK@SAND-CREEK.COM
 Invoice To Contact: SAME AS ABOVE
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:

Relinquished By: Nichole Besyk Date/Time: 6/11/19 11AM
 Relinquished By: Walter Date/Time: 6/11/19 9:10 am
 Relinquished By:
 Relinquished By:

Received By: Date/Time:
 Received By: Jose V Pace Date/Time: 6/11/2019 9:10 am
 Received By:
 Received By:

PACE Project No. 40189193
 Receipt Temp = 102 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 210
Green Bay, WI 54302

Client Name: Sand Creek

Project # 40189193

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass						Plastic						Vials					Jars			General			VOA Vials (>6mm) *	H2SO4 pH ≤	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤	pH after adjusted	Volume (mL)					
	AG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP2N	BP2Z	BP3U	BP3B	BP3N	BP3S	DG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	WGFU	WPFU								SP5T	ZPLC	GN		
001																																			2.5 / 5 / 10
002																																			2.5 / 5 / 10
003																																			2.5 / 5 / 10
004																																			2.5 / 5 / 10
005																																			2.5 / 5 / 10
006																																			2.5 / 5 / 10
007																																			2.5 / 5 / 10
008																																			2.5 / 5 / 10
009																																			2.5 / 5 / 10
010																																			2.5 / 5 / 10
011																																			2.5 / 5 / 10
012																																			2.5 / 5 / 10
013																																			2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

6/11/2019
JP

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	DG9A 40 mL amber ascorbic	JGFU 4 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP2N 500 mL plastic HNO3	DG9T 40 mL amber Na Thio	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP2Z 500 mL plastic NaOH, Znact	VG9U 40 mL clear vial unpres	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3U 250 mL plastic unpres	VG9H 40 mL clear vial HCL	
AG5U 100 mL amber glass unpres	BP3B 250 mL plastic NaOH	VG9M 40 mL clear vial MeOH	
AG2S 500 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9D 40 mL clear vial DI	SP5T 120 mL plastic Na Thiosulfate
BG3U 250 mL clear glass unpres	BP3S 250 mL plastic H2SO4		ZPLC ziploc bag
			GN:



1241 Bellevue Street, Green Bay, WI 54302

Document Name:
Sample Condition Upon Receipt (SCUR)

Document No.:
F-GB-C-031-Rev.07

Document Revised: 25Apr2018

Issuing Authority:
Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Sand Creek con

WO#: **40189193**



40189193

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 2086379-1

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - N/A Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROT / Corr: _____

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:
Date: 6/11/2019
Initials: JV

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>Ink on labels is fading</u>
-Includes date/time/ID/Analysis Matrix: <u>W</u>		<u>6/11/2019</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: AK for DM

Date: 6/11/19

June 26, 2019

Nichole Besyk
Sand Creek Consultants
151 Mill St.
Amherst, WI 54406


RE: Project: Dun-Rite
Pace Project No.: 10479268

Dear Nichole Besyk:

Enclosed are the analytical results for sample(s) received by the laboratory on June 14, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Pete Arntsen, Sand Creek Consultants



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite

Pace Project No.: 10479268

Minnesota Certification IDs

1700 Elm Street SE, Minneapolis, MN 55414-2485

A2LA Certification #: 2926.01

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

CNMI Saipan Certification #: MP0003

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605

Georgia Certification #: 959

Guam EPA Certification #: MN00064

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: 03086

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064

Maryland Certification #: 322

Massachusetts Certification #: M-MN064

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137

Minnesota Dept of Ag Certification #: via MN 027-053-137

Minnesota Petrofund Certification #: 1240

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081

New Jersey Certification #: MN002

New York Certification #: 11647

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192

Utah Certification #: MN00064

Vermont Certification #: VT-027053137

Virginia Certification #: 460163

Washington Certification #: C486

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
Pace Project No.: 10479268

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10479268001	SSV101	Air	06/07/19 12:17	06/14/19 11:20
10479268002	SSV203	Air	06/07/19 12:34	06/14/19 11:20
10479268003	SSV304	Air	06/07/19 09:38	06/14/19 11:20
10479268004	SSV405	Air	06/07/19 10:47	06/14/19 11:20
10479268005	SSV406	Air	06/07/19 11:07	06/14/19 11:20
10479268006	AA304	Air	06/07/19 15:44	06/14/19 11:20
10479268007	AA405	Air	06/07/19 15:57	06/14/19 11:20
10479268008	AA406	Air	06/07/19 15:50	06/14/19 11:20
10479268009	AA407	Air	06/07/19 15:54	06/14/19 11:20
10479268010	AA408	Air	06/07/19 15:52	06/14/19 11:20
10479268011	Blower Exhaust	Air	06/07/19 12:10	06/14/19 11:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10479268

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10479268001	SSV101	TO-15	MLS	61	PASI-M
10479268002	SSV203	TO-15	MLS	61	PASI-M
10479268003	SSV304	TO-15	MLS	61	PASI-M
10479268004	SSV405	TO-15	MLS	61	PASI-M
10479268005	SSV406	TO-15	MLS	61	PASI-M
10479268006	AA304	TO-15	MLS	61	PASI-M
10479268007	AA405	TO-15	MLS	61	PASI-M
10479268008	AA406	TO-15	CH1, MLS	61	PASI-M
10479268009	AA407	TO-15	CH1, MLS	61	PASI-M
10479268010	AA408	TO-15	AFV	61	PASI-M
10479268011	Blower Exhaust	TO-15	MLS	61	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV101 Lab ID: 10479268001 Collected: 06/07/19 12:17 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Acetone	13.2	ug/m3	3.3	1.6	1.36		06/24/19 12:34	67-64-1	
Benzene	2.8	ug/m3	0.44	0.21	1.36		06/24/19 12:34	71-43-2	
Benzyl chloride	<1.6	ug/m3	3.6	1.6	1.36		06/24/19 12:34	100-44-7	
Bromodichloromethane	<0.50	ug/m3	1.8	0.50	1.36		06/24/19 12:34	75-27-4	
Bromoform	<1.9	ug/m3	7.1	1.9	1.36		06/24/19 12:34	75-25-2	
Bromomethane	<0.31	ug/m3	1.1	0.31	1.36		06/24/19 12:34	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.61	0.17	1.36		06/24/19 12:34	106-99-0	
2-Butanone (MEK)	5.8	ug/m3	4.1	0.50	1.36		06/24/19 12:34	78-93-3	
Carbon disulfide	2.4	ug/m3	0.86	0.30	1.36		06/24/19 12:34	75-15-0	
Carbon tetrachloride	0.61J	ug/m3	1.7	0.58	1.36		06/24/19 12:34	56-23-5	
Chlorobenzene	<0.37	ug/m3	1.3	0.37	1.36		06/24/19 12:34	108-90-7	
Chloroethane	<0.35	ug/m3	0.73	0.35	1.36		06/24/19 12:34	75-00-3	
Chloroform	2.5	ug/m3	0.67	0.27	1.36		06/24/19 12:34	67-66-3	
Chloromethane	<0.21	ug/m3	0.57	0.21	1.36		06/24/19 12:34	74-87-3	
Cyclohexane	<0.48	ug/m3	2.4	0.48	1.36		06/24/19 12:34	110-82-7	
Dibromochloromethane	<0.98	ug/m3	2.4	0.98	1.36		06/24/19 12:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.50	ug/m3	1.1	0.50	1.36		06/24/19 12:34	106-93-4	
1,2-Dichlorobenzene	<0.68	ug/m3	1.7	0.68	1.36		06/24/19 12:34	95-50-1	
1,3-Dichlorobenzene	<0.79	ug/m3	1.7	0.79	1.36		06/24/19 12:34	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.2	1.4	1.36		06/24/19 12:34	106-46-7	
Dichlorodifluoromethane	22.4	ug/m3	1.4	0.40	1.36		06/24/19 12:34	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.36		06/24/19 12:34	75-34-3	
1,2-Dichloroethane	<0.20	ug/m3	0.56	0.20	1.36		06/24/19 12:34	107-06-2	
1,1-Dichloroethene	<0.37	ug/m3	1.1	0.37	1.36		06/24/19 12:34	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.36		06/24/19 12:34	156-59-2	
trans-1,2-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.36		06/24/19 12:34	156-60-5	
1,2-Dichloropropane	<0.31	ug/m3	1.3	0.31	1.36		06/24/19 12:34	78-87-5	
cis-1,3-Dichloropropene	<0.41	ug/m3	1.3	0.41	1.36		06/24/19 12:34	10061-01-5	
trans-1,3-Dichloropropene	<0.60	ug/m3	1.3	0.60	1.36		06/24/19 12:34	10061-02-6	
Dichlorotetrafluoroethane	<0.59	ug/m3	1.9	0.59	1.36		06/24/19 12:34	76-14-2	
Ethanol	116	ug/m3	2.6	1.1	1.36		06/24/19 12:34	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.0	0.26	1.36		06/24/19 12:34	141-78-6	
Ethylbenzene	1.6	ug/m3	1.2	0.41	1.36		06/24/19 12:34	100-41-4	
4-Ethyltoluene	<0.78	ug/m3	3.4	0.78	1.36		06/24/19 12:34	622-96-8	
n-Heptane	<0.52	ug/m3	1.1	0.52	1.36		06/24/19 12:34	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.4	2.7	1.36		06/24/19 12:34	87-68-3	
n-Hexane	<0.42	ug/m3	0.97	0.42	1.36		06/24/19 12:34	110-54-3	
2-Hexanone	<1.0	ug/m3	5.7	1.0	1.36		06/24/19 12:34	591-78-6	
Methylene Chloride	6.8	ug/m3	4.8	1.3	1.36		06/24/19 12:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.70	ug/m3	5.7	0.70	1.36		06/24/19 12:34	108-10-1	
Methyl-tert-butyl ether	<0.90	ug/m3	5.0	0.90	1.36		06/24/19 12:34	1634-04-4	
Naphthalene	2.5J	ug/m3	3.6	1.8	1.36		06/24/19 12:34	91-20-3	
2-Propanol	11.5	ug/m3	3.4	0.95	1.36		06/24/19 12:34	67-63-0	C8
Propylene	0.27J	ug/m3	0.48	0.19	1.36		06/24/19 12:34	115-07-1	
Styrene	5.1	ug/m3	1.2	0.47	1.36		06/24/19 12:34	100-42-5	
1,1,2,2-Tetrachloroethane	<0.40	ug/m3	0.95	0.40	1.36		06/24/19 12:34	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: SSV101 Lab ID: 10479268001 Collected: 06/07/19 12:17 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	3570	ug/m3	225	102	326.4		06/25/19 13:28	127-18-4	
Tetrahydrofuran	3.3	ug/m3	0.82	0.35	1.36		06/24/19 12:34	109-99-9	
Toluene	56.3	ug/m3	1.0	0.48	1.36		06/24/19 12:34	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	10.3	5.1	1.36		06/24/19 12:34	120-82-1	
1,1,1-Trichloroethane	<0.42	ug/m3	1.5	0.42	1.36		06/24/19 12:34	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.75	0.34	1.36		06/24/19 12:34	79-00-5	
Trichloroethene	13.6	ug/m3	0.74	0.35	1.36		06/24/19 12:34	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.50	1.36		06/24/19 12:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.77	ug/m3	2.1	0.77	1.36		06/24/19 12:34	76-13-1	
1,2,4-Trimethylbenzene	2.9	ug/m3	1.4	0.61	1.36		06/24/19 12:34	95-63-6	
1,3,5-Trimethylbenzene	<0.54	ug/m3	1.4	0.54	1.36		06/24/19 12:34	108-67-8	
Vinyl acetate	<0.37	ug/m3	0.97	0.37	1.36		06/24/19 12:34	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.35	0.17	1.36		06/24/19 12:34	75-01-4	
m&p-Xylene	5.4	ug/m3	2.4	0.95	1.36		06/24/19 12:34	179601-23-1	
o-Xylene	2.2	ug/m3	1.2	0.47	1.36		06/24/19 12:34	95-47-6	

Sample: SSV203 Lab ID: 10479268002 Collected: 06/07/19 12:34 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	26.9	ug/m3	3.7	1.8	1.52		06/24/19 13:35	67-64-1	
Benzene	0.80	ug/m3	0.49	0.23	1.52		06/24/19 13:35	71-43-2	
Benzyl chloride	<1.8	ug/m3	4.0	1.8	1.52		06/24/19 13:35	100-44-7	
Bromodichloromethane	<0.56	ug/m3	2.1	0.56	1.52		06/24/19 13:35	75-27-4	
Bromoform	<2.2	ug/m3	8.0	2.2	1.52		06/24/19 13:35	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.52		06/24/19 13:35	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.68	0.19	1.52		06/24/19 13:35	106-99-0	
2-Butanone (MEK)	14.4	ug/m3	4.6	0.56	1.52		06/24/19 13:35	78-93-3	
Carbon disulfide	<0.33	ug/m3	0.96	0.33	1.52		06/24/19 13:35	75-15-0	
Carbon tetrachloride	0.68J	ug/m3	1.9	0.65	1.52		06/24/19 13:35	56-23-5	
Chlorobenzene	<0.42	ug/m3	1.4	0.42	1.52		06/24/19 13:35	108-90-7	
Chloroethane	<0.40	ug/m3	0.81	0.40	1.52		06/24/19 13:35	75-00-3	
Chloroform	<0.30	ug/m3	0.75	0.30	1.52		06/24/19 13:35	67-66-3	
Chloromethane	<0.24	ug/m3	0.64	0.24	1.52		06/24/19 13:35	74-87-3	
Cyclohexane	<0.54	ug/m3	2.7	0.54	1.52		06/24/19 13:35	110-82-7	
Dibromochloromethane	<1.1	ug/m3	2.6	1.1	1.52		06/24/19 13:35	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.2	0.56	1.52		06/24/19 13:35	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	1.9	0.76	1.52		06/24/19 13:35	95-50-1	
1,3-Dichlorobenzene	<0.88	ug/m3	1.9	0.88	1.52		06/24/19 13:35	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	4.7	1.5	1.52		06/24/19 13:35	106-46-7	
Dichlorodifluoromethane	191	ug/m3	1.5	0.45	1.52		06/24/19 13:35	75-71-8	
1,1-Dichloroethane	<0.34	ug/m3	1.3	0.34	1.52		06/24/19 13:35	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	0.62	0.23	1.52		06/24/19 13:35	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV203 Lab ID: 10479268002 Collected: 06/07/19 12:34 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.42	ug/m3	1.2	0.42	1.52		06/24/19 13:35	75-35-4	
cis-1,2-Dichloroethene	<0.33	ug/m3	1.2	0.33	1.52		06/24/19 13:35	156-59-2	
trans-1,2-Dichloroethene	<0.43	ug/m3	1.2	0.43	1.52		06/24/19 13:35	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.4	0.35	1.52		06/24/19 13:35	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	1.4	0.46	1.52		06/24/19 13:35	10061-01-5	
trans-1,3-Dichloropropene	<0.67	ug/m3	1.4	0.67	1.52		06/24/19 13:35	10061-02-6	
Dichlorotetrafluoroethane	<0.66	ug/m3	2.2	0.66	1.52		06/24/19 13:35	76-14-2	
Ethanol	261	ug/m3	2.9	1.2	1.52		06/24/19 13:35	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.1	0.29	1.52		06/24/19 13:35	141-78-6	
Ethylbenzene	2.9	ug/m3	1.3	0.46	1.52		06/24/19 13:35	100-41-4	
4-Ethyltoluene	<0.87	ug/m3	3.8	0.87	1.52		06/24/19 13:35	622-96-8	
n-Heptane	<0.58	ug/m3	1.3	0.58	1.52		06/24/19 13:35	142-82-5	
Hexachloro-1,3-butadiene	<3.0	ug/m3	8.2	3.0	1.52		06/24/19 13:35	87-68-3	
n-Hexane	<0.47	ug/m3	1.1	0.47	1.52		06/24/19 13:35	110-54-3	
2-Hexanone	1.4J	ug/m3	6.3	1.1	1.52		06/24/19 13:35	591-78-6	
Methylene Chloride	5.5	ug/m3	5.4	1.4	1.52		06/24/19 13:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.79	ug/m3	6.3	0.79	1.52		06/24/19 13:35	108-10-1	
Methyl-tert-butyl ether	<1.0	ug/m3	5.6	1.0	1.52		06/24/19 13:35	1634-04-4	
Naphthalene	2.9J	ug/m3	4.0	2.0	1.52		06/24/19 13:35	91-20-3	
2-Propanol	8.5	ug/m3	3.8	1.1	1.52		06/24/19 13:35	67-63-0	
Propylene	<0.22	ug/m3	0.53	0.22	1.52		06/24/19 13:35	115-07-1	
Styrene	8.1	ug/m3	1.3	0.52	1.52		06/24/19 13:35	100-42-5	
1,1,2,2-Tetrachloroethane	<0.44	ug/m3	1.1	0.44	1.52		06/24/19 13:35	79-34-5	
Tetrachloroethene	2180	ug/m3	126	57.3	182.4		06/25/19 14:25	127-18-4	
Tetrahydrofuran	4.4	ug/m3	0.91	0.40	1.52		06/24/19 13:35	109-99-9	
Toluene	117	ug/m3	1.2	0.53	1.52		06/24/19 13:35	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	11.5	5.7	1.52		06/24/19 13:35	120-82-1	
1,1,1-Trichloroethane	<0.47	ug/m3	1.7	0.47	1.52		06/24/19 13:35	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.84	0.38	1.52		06/24/19 13:35	79-00-5	
Trichloroethene	2.0	ug/m3	0.83	0.39	1.52		06/24/19 13:35	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.7	0.56	1.52		06/24/19 13:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.86	ug/m3	2.4	0.86	1.52		06/24/19 13:35	76-13-1	
1,2,4-Trimethylbenzene	3.7	ug/m3	1.5	0.69	1.52		06/24/19 13:35	95-63-6	
1,3,5-Trimethylbenzene	1.0J	ug/m3	1.5	0.61	1.52		06/24/19 13:35	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.1	0.41	1.52		06/24/19 13:35	108-05-4	
Vinyl chloride	<0.19	ug/m3	0.40	0.19	1.52		06/24/19 13:35	75-01-4	
m&p-Xylene	9.8	ug/m3	2.7	1.1	1.52		06/24/19 13:35	179601-23-1	
o-Xylene	4.1	ug/m3	1.3	0.52	1.52		06/24/19 13:35	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV304 Lab ID: 10479268003 Collected: 06/07/19 09:38 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	18.8	ug/m3	3.5	1.7	1.44		06/24/19 14:06	67-64-1	
Benzene	2.2	ug/m3	0.47	0.22	1.44		06/24/19 14:06	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		06/24/19 14:06	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		06/24/19 14:06	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		06/24/19 14:06	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		06/24/19 14:06	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		06/24/19 14:06	106-99-0	
2-Butanone (MEK)	8.1	ug/m3	4.3	0.53	1.44		06/24/19 14:06	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		06/24/19 14:06	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		06/24/19 14:06	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		06/24/19 14:06	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		06/24/19 14:06	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		06/24/19 14:06	67-66-3	
Chloromethane	<0.22	ug/m3	0.60	0.22	1.44		06/24/19 14:06	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		06/24/19 14:06	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		06/24/19 14:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		06/24/19 14:06	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		06/24/19 14:06	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		06/24/19 14:06	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		06/24/19 14:06	106-46-7	
Dichlorodifluoromethane	9.2	ug/m3	1.5	0.42	1.44		06/24/19 14:06	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:06	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		06/24/19 14:06	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		06/24/19 14:06	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:06	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		06/24/19 14:06	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		06/24/19 14:06	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		06/24/19 14:06	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		06/24/19 14:06	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		06/24/19 14:06	76-14-2	
Ethanol	222	ug/m3	2.8	1.2	1.44		06/24/19 14:06	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		06/24/19 14:06	141-78-6	
Ethylbenzene	2.4	ug/m3	1.3	0.44	1.44		06/24/19 14:06	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		06/24/19 14:06	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		06/24/19 14:06	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		06/24/19 14:06	87-68-3	
n-Hexane	<0.45	ug/m3	1.0	0.45	1.44		06/24/19 14:06	110-54-3	
2-Hexanone	1.4J	ug/m3	6.0	1.1	1.44		06/24/19 14:06	591-78-6	
Methylene Chloride	3.4J	ug/m3	5.1	1.4	1.44		06/24/19 14:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.7J	ug/m3	6.0	0.75	1.44		06/24/19 14:06	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		06/24/19 14:06	1634-04-4	
Naphthalene	2.8J	ug/m3	3.8	1.9	1.44		06/24/19 14:06	91-20-3	
2-Propanol	12.9	ug/m3	3.6	1.0	1.44		06/24/19 14:06	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		06/24/19 14:06	115-07-1	
Styrene	5.3	ug/m3	1.2	0.50	1.44		06/24/19 14:06	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		06/24/19 14:06	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV304 Lab ID: 10479268003 Collected: 06/07/19 09:38 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	20.1	ug/m3	0.99	0.45	1.44		06/24/19 14:06	127-18-4	
Tetrahydrofuran	3.9	ug/m3	0.86	0.38	1.44		06/24/19 14:06	109-99-9	
Toluene	73.9	ug/m3	1.1	0.51	1.44		06/24/19 14:06	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		06/24/19 14:06	120-82-1	
1,1,1-Trichloroethane	0.65J	ug/m3	1.6	0.44	1.44		06/24/19 14:06	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		06/24/19 14:06	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		06/24/19 14:06	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.53	1.44		06/24/19 14:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		06/24/19 14:06	76-13-1	
1,2,4-Trimethylbenzene	4.0	ug/m3	1.4	0.65	1.44		06/24/19 14:06	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		06/24/19 14:06	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		06/24/19 14:06	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		06/24/19 14:06	75-01-4	
m&p-Xylene	8.1	ug/m3	2.5	1.0	1.44		06/24/19 14:06	179601-23-1	
o-Xylene	2.9	ug/m3	1.3	0.50	1.44		06/24/19 14:06	95-47-6	

Sample: SSV405 Lab ID: 10479268004 Collected: 06/07/19 10:47 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	<52.3	ug/m3	104	52.3	43.2		06/24/19 21:07	67-64-1	
Benzene	<6.6	ug/m3	14.0	6.6	43.2		06/24/19 21:07	71-43-2	
Benzyl chloride	<51.8	ug/m3	114	51.8	43.2		06/24/19 21:07	100-44-7	
Bromodichloromethane	<15.8	ug/m3	58.8	15.8	43.2		06/24/19 21:07	75-27-4	
Bromoform	<61.3	ug/m3	227	61.3	43.2		06/24/19 21:07	75-25-2	
Bromomethane	<9.8	ug/m3	34.1	9.8	43.2		06/24/19 21:07	74-83-9	
1,3-Butadiene	<5.5	ug/m3	19.4	5.5	43.2		06/24/19 21:07	106-99-0	
2-Butanone (MEK)	<15.9	ug/m3	130	15.9	43.2		06/24/19 21:07	78-93-3	
Carbon disulfide	<9.5	ug/m3	27.3	9.5	43.2		06/24/19 21:07	75-15-0	
Carbon tetrachloride	<18.5	ug/m3	55.3	18.5	43.2		06/24/19 21:07	56-23-5	
Chlorobenzene	<11.9	ug/m3	40.4	11.9	43.2		06/24/19 21:07	108-90-7	
Chloroethane	<11.2	ug/m3	23.2	11.2	43.2		06/24/19 21:07	75-00-3	
Chloroform	<8.5	ug/m3	21.4	8.5	43.2		06/24/19 21:07	67-66-3	
Chloromethane	<6.7	ug/m3	18.1	6.7	43.2		06/24/19 21:07	74-87-3	
Cyclohexane	<15.2	ug/m3	75.6	15.2	43.2		06/24/19 21:07	110-82-7	
Dibromochloromethane	<31.1	ug/m3	74.7	31.1	43.2		06/24/19 21:07	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/m3	33.7	15.8	43.2		06/24/19 21:07	106-93-4	
1,2-Dichlorobenzene	<21.5	ug/m3	52.7	21.5	43.2		06/24/19 21:07	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/m3	52.7	25.1	43.2		06/24/19 21:07	541-73-1	
1,4-Dichlorobenzene	<43.2	ug/m3	132	43.2	43.2		06/24/19 21:07	106-46-7	
Dichlorodifluoromethane	<12.7	ug/m3	43.6	12.7	43.2		06/24/19 21:07	75-71-8	
1,1-Dichloroethane	<9.7	ug/m3	35.6	9.7	43.2		06/24/19 21:07	75-34-3	
1,2-Dichloroethane	<6.5	ug/m3	17.8	6.5	43.2		06/24/19 21:07	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: SSV405 Lab ID: 10479268004 Collected: 06/07/19 10:47 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<11.8	ug/m3	34.8	11.8	43.2		06/24/19 21:07	75-35-4	
cis-1,2-Dichloroethene	<9.5	ug/m3	34.8	9.5	43.2		06/24/19 21:07	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/m3	34.8	12.3	43.2		06/24/19 21:07	156-60-5	
1,2-Dichloropropane	<9.9	ug/m3	40.6	9.9	43.2		06/24/19 21:07	78-87-5	
cis-1,3-Dichloropropene	<13.1	ug/m3	39.9	13.1	43.2		06/24/19 21:07	10061-01-5	
trans-1,3-Dichloropropene	<19.0	ug/m3	39.9	19.0	43.2		06/24/19 21:07	10061-02-6	
Dichlorotetrafluoroethane	<18.9	ug/m3	61.3	18.9	43.2		06/24/19 21:07	76-14-2	
Ethanol	56.7J	ug/m3	82.9	35.1	43.2		06/24/19 21:07	64-17-5	
Ethyl acetate	<8.2	ug/m3	31.7	8.2	43.2		06/24/19 21:07	141-78-6	
Ethylbenzene	<13.2	ug/m3	38.1	13.2	43.2		06/24/19 21:07	100-41-4	
4-Ethyltoluene	<24.6	ug/m3	108	24.6	43.2		06/24/19 21:07	622-96-8	
n-Heptane	<16.4	ug/m3	36.0	16.4	43.2		06/24/19 21:07	142-82-5	
Hexachloro-1,3-butadiene	<85.1	ug/m3	234	85.1	43.2		06/24/19 21:07	87-68-3	
n-Hexane	<13.4	ug/m3	30.9	13.4	43.2		06/24/19 21:07	110-54-3	
2-Hexanone	<32.2	ug/m3	180	32.2	43.2		06/24/19 21:07	591-78-6	
Methylene Chloride	<40.8	ug/m3	152	40.8	43.2		06/24/19 21:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<22.4	ug/m3	180	22.4	43.2		06/24/19 21:07	108-10-1	
Methyl-tert-butyl ether	<28.6	ug/m3	158	28.6	43.2		06/24/19 21:07	1634-04-4	
Naphthalene	<57.0	ug/m3	115	57.0	43.2		06/24/19 21:07	91-20-3	
2-Propanol	<30.1	ug/m3	108	30.1	43.2		06/24/19 21:07	67-63-0	
Propylene	<6.2	ug/m3	15.1	6.2	43.2		06/24/19 21:07	115-07-1	
Styrene	<14.9	ug/m3	37.4	14.9	43.2		06/24/19 21:07	100-42-5	
1,1,2,2-Tetrachloroethane	<12.6	ug/m3	30.2	12.6	43.2		06/24/19 21:07	79-34-5	
Tetrachloroethene	6710	ug/m3	29.8	13.6	43.2		06/24/19 21:07	127-18-4	
Tetrahydrofuran	<11.3	ug/m3	25.9	11.3	43.2		06/24/19 21:07	109-99-9	
Toluene	25.4J	ug/m3	33.1	15.2	43.2		06/24/19 21:07	108-88-3	
1,2,4-Trichlorobenzene	<161	ug/m3	326	161	43.2		06/24/19 21:07	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/m3	48.0	13.3	43.2		06/24/19 21:07	71-55-6	
1,1,2-Trichloroethane	<10.8	ug/m3	24.0	10.8	43.2		06/24/19 21:07	79-00-5	
Trichloroethene	64.4	ug/m3	23.6	11.1	43.2		06/24/19 21:07	79-01-6	
Trichlorofluoromethane	<15.8	ug/m3	49.2	15.8	43.2		06/24/19 21:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<24.4	ug/m3	67.4	24.4	43.2		06/24/19 21:07	76-13-1	
1,2,4-Trimethylbenzene	<19.5	ug/m3	43.2	19.5	43.2		06/24/19 21:07	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/m3	43.2	17.2	43.2		06/24/19 21:07	108-67-8	
Vinyl acetate	<11.7	ug/m3	30.9	11.7	43.2		06/24/19 21:07	108-05-4	
Vinyl chloride	<5.4	ug/m3	11.2	5.4	43.2		06/24/19 21:07	75-01-4	
m&p-Xylene	<30.2	ug/m3	76.5	30.2	43.2		06/24/19 21:07	179601-23-1	
o-Xylene	<14.9	ug/m3	38.1	14.9	43.2		06/24/19 21:07	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV406 Lab ID: 10479268005 Collected: 06/07/19 11:07 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	<52.3	ug/m3	104	52.3	43.2		06/24/19 21:36	67-64-1	
Benzene	<6.6	ug/m3	14.0	6.6	43.2		06/24/19 21:36	71-43-2	
Benzyl chloride	<51.8	ug/m3	114	51.8	43.2		06/24/19 21:36	100-44-7	
Bromodichloromethane	<15.8	ug/m3	58.8	15.8	43.2		06/24/19 21:36	75-27-4	
Bromoform	<61.3	ug/m3	227	61.3	43.2		06/24/19 21:36	75-25-2	
Bromomethane	<9.8	ug/m3	34.1	9.8	43.2		06/24/19 21:36	74-83-9	
1,3-Butadiene	<5.5	ug/m3	19.4	5.5	43.2		06/24/19 21:36	106-99-0	
2-Butanone (MEK)	<15.9	ug/m3	130	15.9	43.2		06/24/19 21:36	78-93-3	
Carbon disulfide	<9.5	ug/m3	27.3	9.5	43.2		06/24/19 21:36	75-15-0	
Carbon tetrachloride	<18.5	ug/m3	55.3	18.5	43.2		06/24/19 21:36	56-23-5	
Chlorobenzene	<11.9	ug/m3	40.4	11.9	43.2		06/24/19 21:36	108-90-7	
Chloroethane	<11.2	ug/m3	23.2	11.2	43.2		06/24/19 21:36	75-00-3	
Chloroform	<8.5	ug/m3	21.4	8.5	43.2		06/24/19 21:36	67-66-3	
Chloromethane	<6.7	ug/m3	18.1	6.7	43.2		06/24/19 21:36	74-87-3	
Cyclohexane	<15.2	ug/m3	75.6	15.2	43.2		06/24/19 21:36	110-82-7	
Dibromochloromethane	<31.1	ug/m3	74.7	31.1	43.2		06/24/19 21:36	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/m3	33.7	15.8	43.2		06/24/19 21:36	106-93-4	
1,2-Dichlorobenzene	<21.5	ug/m3	52.7	21.5	43.2		06/24/19 21:36	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/m3	52.7	25.1	43.2		06/24/19 21:36	541-73-1	
1,4-Dichlorobenzene	<43.2	ug/m3	132	43.2	43.2		06/24/19 21:36	106-46-7	
Dichlorodifluoromethane	14.1J	ug/m3	43.6	12.7	43.2		06/24/19 21:36	75-71-8	
1,1-Dichloroethane	<9.7	ug/m3	35.6	9.7	43.2		06/24/19 21:36	75-34-3	
1,2-Dichloroethane	<6.5	ug/m3	17.8	6.5	43.2		06/24/19 21:36	107-06-2	
1,1-Dichloroethene	<11.8	ug/m3	34.8	11.8	43.2		06/24/19 21:36	75-35-4	
cis-1,2-Dichloroethene	<9.5	ug/m3	34.8	9.5	43.2		06/24/19 21:36	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/m3	34.8	12.3	43.2		06/24/19 21:36	156-60-5	
1,2-Dichloropropane	<9.9	ug/m3	40.6	9.9	43.2		06/24/19 21:36	78-87-5	
cis-1,3-Dichloropropene	<13.1	ug/m3	39.9	13.1	43.2		06/24/19 21:36	10061-01-5	
trans-1,3-Dichloropropene	<19.0	ug/m3	39.9	19.0	43.2		06/24/19 21:36	10061-02-6	
Dichlorotetrafluoroethane	<18.9	ug/m3	61.3	18.9	43.2		06/24/19 21:36	76-14-2	
Ethanol	106	ug/m3	82.9	35.1	43.2		06/24/19 21:36	64-17-5	
Ethyl acetate	<8.2	ug/m3	31.7	8.2	43.2		06/24/19 21:36	141-78-6	
Ethylbenzene	<13.2	ug/m3	38.1	13.2	43.2		06/24/19 21:36	100-41-4	
4-Ethyltoluene	<24.6	ug/m3	108	24.6	43.2		06/24/19 21:36	622-96-8	
n-Heptane	<16.4	ug/m3	36.0	16.4	43.2		06/24/19 21:36	142-82-5	
Hexachloro-1,3-butadiene	<85.1	ug/m3	234	85.1	43.2		06/24/19 21:36	87-68-3	
n-Hexane	<13.4	ug/m3	30.9	13.4	43.2		06/24/19 21:36	110-54-3	
2-Hexanone	<32.2	ug/m3	180	32.2	43.2		06/24/19 21:36	591-78-6	
Methylene Chloride	<40.8	ug/m3	152	40.8	43.2		06/24/19 21:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	<22.4	ug/m3	180	22.4	43.2		06/24/19 21:36	108-10-1	
Methyl-tert-butyl ether	<28.6	ug/m3	158	28.6	43.2		06/24/19 21:36	1634-04-4	
Naphthalene	<57.0	ug/m3	115	57.0	43.2		06/24/19 21:36	91-20-3	
2-Propanol	<30.1	ug/m3	108	30.1	43.2		06/24/19 21:36	67-63-0	
Propylene	<6.2	ug/m3	15.1	6.2	43.2		06/24/19 21:36	115-07-1	
Styrene	<14.9	ug/m3	37.4	14.9	43.2		06/24/19 21:36	100-42-5	
1,1,2,2-Tetrachloroethane	<12.6	ug/m3	30.2	12.6	43.2		06/24/19 21:36	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV406 Lab ID: 10479268005 Collected: 06/07/19 11:07 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	3810	ug/m3	29.8	13.6	43.2		06/24/19 21:36	127-18-4	
Tetrahydrofuran	<11.3	ug/m3	25.9	11.3	43.2		06/24/19 21:36	109-99-9	
Toluene	50.3	ug/m3	33.1	15.2	43.2		06/24/19 21:36	108-88-3	
1,2,4-Trichlorobenzene	<161	ug/m3	326	161	43.2		06/24/19 21:36	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/m3	48.0	13.3	43.2		06/24/19 21:36	71-55-6	
1,1,2-Trichloroethane	<10.8	ug/m3	24.0	10.8	43.2		06/24/19 21:36	79-00-5	
Trichloroethene	<11.1	ug/m3	23.6	11.1	43.2		06/24/19 21:36	79-01-6	
Trichlorofluoromethane	<15.8	ug/m3	49.2	15.8	43.2		06/24/19 21:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	<24.4	ug/m3	67.4	24.4	43.2		06/24/19 21:36	76-13-1	
1,2,4-Trimethylbenzene	<19.5	ug/m3	43.2	19.5	43.2		06/24/19 21:36	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/m3	43.2	17.2	43.2		06/24/19 21:36	108-67-8	
Vinyl acetate	<11.7	ug/m3	30.9	11.7	43.2		06/24/19 21:36	108-05-4	
Vinyl chloride	<5.4	ug/m3	11.2	5.4	43.2		06/24/19 21:36	75-01-4	
m&p-Xylene	<30.2	ug/m3	76.5	30.2	43.2		06/24/19 21:36	179601-23-1	
o-Xylene	<14.9	ug/m3	38.1	14.9	43.2		06/24/19 21:36	95-47-6	

Sample: AA304 Lab ID: 10479268006 Collected: 06/07/19 15:44 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	40.0	ug/m3	3.5	1.7	1.44		06/24/19 14:36	67-64-1	
Benzene	1.5	ug/m3	0.47	0.22	1.44		06/24/19 14:36	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		06/24/19 14:36	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		06/24/19 14:36	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		06/24/19 14:36	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		06/24/19 14:36	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		06/24/19 14:36	106-99-0	
2-Butanone (MEK)	6.0	ug/m3	4.3	0.53	1.44		06/24/19 14:36	78-93-3	
Carbon disulfide	0.58J	ug/m3	0.91	0.32	1.44		06/24/19 14:36	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		06/24/19 14:36	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		06/24/19 14:36	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		06/24/19 14:36	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		06/24/19 14:36	67-66-3	
Chloromethane	0.76	ug/m3	0.60	0.22	1.44		06/24/19 14:36	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		06/24/19 14:36	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		06/24/19 14:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		06/24/19 14:36	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		06/24/19 14:36	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		06/24/19 14:36	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		06/24/19 14:36	106-46-7	
Dichlorodifluoromethane	2.6	ug/m3	1.5	0.42	1.44		06/24/19 14:36	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:36	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		06/24/19 14:36	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA304 Lab ID: 10479268006 Collected: 06/07/19 15:44 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		06/24/19 14:36	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:36	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		06/24/19 14:36	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		06/24/19 14:36	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		06/24/19 14:36	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		06/24/19 14:36	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		06/24/19 14:36	76-14-2	
Ethanol	66.6	ug/m3	2.8	1.2	1.44		06/24/19 14:36	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		06/24/19 14:36	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.3	0.44	1.44		06/24/19 14:36	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		06/24/19 14:36	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		06/24/19 14:36	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		06/24/19 14:36	87-68-3	
n-Hexane	3.2	ug/m3	1.0	0.45	1.44		06/24/19 14:36	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		06/24/19 14:36	591-78-6	
Methylene Chloride	6.8	ug/m3	5.1	1.4	1.44		06/24/19 14:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.0J	ug/m3	6.0	0.75	1.44		06/24/19 14:36	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		06/24/19 14:36	1634-04-4	
Naphthalene	2.8J	ug/m3	3.8	1.9	1.44		06/24/19 14:36	91-20-3	
2-Propanol	5.1	ug/m3	3.6	1.0	1.44		06/24/19 14:36	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		06/24/19 14:36	115-07-1	
Styrene	<0.50	ug/m3	1.2	0.50	1.44		06/24/19 14:36	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		06/24/19 14:36	79-34-5	
Tetrachloroethene	<0.45	ug/m3	0.99	0.45	1.44		06/24/19 14:36	127-18-4	
Tetrahydrofuran	<0.38	ug/m3	0.86	0.38	1.44		06/24/19 14:36	109-99-9	
Toluene	6.9	ug/m3	1.1	0.51	1.44		06/24/19 14:36	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		06/24/19 14:36	120-82-1	
1,1,1-Trichloroethane	3.5	ug/m3	1.6	0.44	1.44		06/24/19 14:36	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		06/24/19 14:36	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		06/24/19 14:36	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.6	0.53	1.44		06/24/19 14:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		06/24/19 14:36	76-13-1	
1,2,4-Trimethylbenzene	2.3	ug/m3	1.4	0.65	1.44		06/24/19 14:36	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		06/24/19 14:36	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		06/24/19 14:36	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		06/24/19 14:36	75-01-4	
m&p-Xylene	4.5	ug/m3	2.5	1.0	1.44		06/24/19 14:36	179601-23-1	
o-Xylene	1.8	ug/m3	1.3	0.50	1.44		06/24/19 14:36	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA405 Lab ID: 10479268007 Collected: 06/07/19 15:57 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	13.9	ug/m3	3.4	1.7	1.41		06/24/19 15:07	67-64-1	
Benzene	0.33J	ug/m3	0.46	0.22	1.41		06/24/19 15:07	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/24/19 15:07	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/24/19 15:07	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/24/19 15:07	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/24/19 15:07	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/24/19 15:07	106-99-0	
2-Butanone (MEK)	<0.52	ug/m3	4.2	0.52	1.41		06/24/19 15:07	78-93-3	
Carbon disulfide	<0.31	ug/m3	0.89	0.31	1.41		06/24/19 15:07	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.41		06/24/19 15:07	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/24/19 15:07	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/24/19 15:07	75-00-3	
Chloroform	<0.28	ug/m3	0.70	0.28	1.41		06/24/19 15:07	67-66-3	
Chloromethane	0.75	ug/m3	0.59	0.22	1.41		06/24/19 15:07	74-87-3	
Cyclohexane	<0.50	ug/m3	2.5	0.50	1.41		06/24/19 15:07	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/24/19 15:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/24/19 15:07	106-93-4	
1,2-Dichlorobenzene	<0.70	ug/m3	1.7	0.70	1.41		06/24/19 15:07	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/24/19 15:07	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.3	1.4	1.41		06/24/19 15:07	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.4	0.41	1.41		06/24/19 15:07	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/24/19 15:07	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/24/19 15:07	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/24/19 15:07	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/24/19 15:07	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/24/19 15:07	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/24/19 15:07	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/24/19 15:07	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/24/19 15:07	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/24/19 15:07	76-14-2	
Ethanol	5.4	ug/m3	2.7	1.1	1.41		06/24/19 15:07	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.0	0.27	1.41		06/24/19 15:07	141-78-6	
Ethylbenzene	<0.43	ug/m3	1.2	0.43	1.41		06/24/19 15:07	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/24/19 15:07	622-96-8	
n-Heptane	<0.54	ug/m3	1.2	0.54	1.41		06/24/19 15:07	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/24/19 15:07	87-68-3	
n-Hexane	<0.44	ug/m3	1.0	0.44	1.41		06/24/19 15:07	110-54-3	
2-Hexanone	<1.1	ug/m3	5.9	1.1	1.41		06/24/19 15:07	591-78-6	
Methylene Chloride	3.6J	ug/m3	5.0	1.3	1.41		06/24/19 15:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.73	ug/m3	5.9	0.73	1.41		06/24/19 15:07	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/24/19 15:07	1634-04-4	
Naphthalene	6.6	ug/m3	3.8	1.9	1.41		06/24/19 15:07	91-20-3	
2-Propanol	2.4J	ug/m3	3.5	0.98	1.41		06/24/19 15:07	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/24/19 15:07	115-07-1	
Styrene	<0.49	ug/m3	1.2	0.49	1.41		06/24/19 15:07	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/24/19 15:07	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA405 Lab ID: 10479268007 Collected: 06/07/19 15:57 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	<0.44	ug/m3	0.97	0.44	1.41		06/24/19 15:07	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/24/19 15:07	109-99-9	
Toluene	2.1	ug/m3	1.1	0.49	1.41		06/24/19 15:07	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/24/19 15:07	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/24/19 15:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/24/19 15:07	79-00-5	
Trichloroethene	<0.36	ug/m3	0.77	0.36	1.41		06/24/19 15:07	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.6	0.52	1.41		06/24/19 15:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2	0.80	1.41		06/24/19 15:07	76-13-1	
1,2,4-Trimethylbenzene	0.95J	ug/m3	1.4	0.64	1.41		06/24/19 15:07	95-63-6	
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4	0.56	1.41		06/24/19 15:07	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.41		06/24/19 15:07	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.41		06/24/19 15:07	75-01-4	
m&p-Xylene	<0.99	ug/m3	2.5	0.99	1.41		06/24/19 15:07	179601-23-1	
o-Xylene	<0.49	ug/m3	1.2	0.49	1.41		06/24/19 15:07	95-47-6	

Sample: AA406 Lab ID: 10479268008 Collected: 06/07/19 15:50 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	84.0	ug/m3	3.4	1.7	1.41		06/24/19 15:37	67-64-1	
Benzene	<0.22	ug/m3	0.46	0.22	1.41		06/24/19 15:37	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/24/19 15:37	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/24/19 15:37	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/24/19 15:37	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/24/19 15:37	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/24/19 15:37	106-99-0	
2-Butanone (MEK)	12.4	ug/m3	4.2	0.52	1.41		06/24/19 15:37	78-93-3	
Carbon disulfide	0.49J	ug/m3	0.89	0.31	1.41		06/24/19 15:37	75-15-0	
Carbon tetrachloride	0.84J	ug/m3	1.8	0.60	1.41		06/24/19 15:37	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/24/19 15:37	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/24/19 15:37	75-00-3	
Chloroform	0.43J	ug/m3	0.70	0.28	1.41		06/24/19 15:37	67-66-3	
Chloromethane	1.9	ug/m3	0.59	0.22	1.41		06/24/19 15:37	74-87-3	
Cyclohexane	1.7J	ug/m3	2.5	0.50	1.41		06/24/19 15:37	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/24/19 15:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/24/19 15:37	106-93-4	
1,2-Dichlorobenzene	1.1J	ug/m3	1.7	0.70	1.41		06/24/19 15:37	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/24/19 15:37	541-73-1	
1,4-Dichlorobenzene	543	ug/m3	86.3	28.2	28.2		06/25/19 15:13	106-46-7	
Dichlorodifluoromethane	15.2	ug/m3	1.4	0.41	1.41		06/24/19 15:37	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/24/19 15:37	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/24/19 15:37	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA406 Lab ID: 10479268008 Collected: 06/07/19 15:50 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/24/19 15:37	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/24/19 15:37	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/24/19 15:37	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/24/19 15:37	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/24/19 15:37	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/24/19 15:37	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/24/19 15:37	76-14-2	
Ethanol	849	ug/m3	54.1	22.9	28.2		06/25/19 15:13	64-17-5	
Ethyl acetate	5.5	ug/m3	1.0	0.27	1.41		06/24/19 15:37	141-78-6	
Ethylbenzene	1.1J	ug/m3	1.2	0.43	1.41		06/24/19 15:37	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/24/19 15:37	622-96-8	
n-Heptane	<0.54	ug/m3	1.2	0.54	1.41		06/24/19 15:37	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/24/19 15:37	87-68-3	
n-Hexane	<0.44	ug/m3	1.0	0.44	1.41		06/24/19 15:37	110-54-3	
2-Hexanone	1.7J	ug/m3	5.9	1.1	1.41		06/24/19 15:37	591-78-6	
Methylene Chloride	3.0J	ug/m3	5.0	1.3	1.41		06/24/19 15:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.87J	ug/m3	5.9	0.73	1.41		06/24/19 15:37	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/24/19 15:37	1634-04-4	
Naphthalene	4.9	ug/m3	3.8	1.9	1.41		06/24/19 15:37	91-20-3	
2-Propanol	33.2	ug/m3	3.5	0.98	1.41		06/24/19 15:37	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/24/19 15:37	115-07-1	
Styrene	3.4	ug/m3	1.2	0.49	1.41		06/24/19 15:37	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/24/19 15:37	79-34-5	
Tetrachloroethene	4.0	ug/m3	0.97	0.44	1.41		06/24/19 15:37	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/24/19 15:37	109-99-9	
Toluene	5.4	ug/m3	1.1	0.49	1.41		06/24/19 15:37	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/24/19 15:37	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/24/19 15:37	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/24/19 15:37	79-00-5	
Trichloroethene	1.8	ug/m3	0.77	0.36	1.41		06/24/19 15:37	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.6	0.52	1.41		06/24/19 15:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2	0.80	1.41		06/24/19 15:37	76-13-1	
1,2,4-Trimethylbenzene	1.8	ug/m3	1.4	0.64	1.41		06/24/19 15:37	95-63-6	
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4	0.56	1.41		06/24/19 15:37	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.41		06/24/19 15:37	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.41		06/24/19 15:37	75-01-4	
m&p-Xylene	2.1J	ug/m3	2.5	0.99	1.41		06/24/19 15:37	179601-23-1	
o-Xylene	1.0J	ug/m3	1.2	0.49	1.41		06/24/19 15:37	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA407 Lab ID: 10479268009 Collected: 06/07/19 15:54 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	52.4	ug/m3	3.3	1.7	1.39		06/24/19 16:07	67-64-1	
Benzene	0.52	ug/m3	0.45	0.21	1.39		06/24/19 16:07	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.39		06/24/19 16:07	100-44-7	
Bromodichloromethane	<0.51	ug/m3	1.9	0.51	1.39		06/24/19 16:07	75-27-4	
Bromoform	<2.0	ug/m3	7.3	2.0	1.39		06/24/19 16:07	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.39		06/24/19 16:07	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.39		06/24/19 16:07	106-99-0	
2-Butanone (MEK)	8.9	ug/m3	4.2	0.51	1.39		06/24/19 16:07	78-93-3	
Carbon disulfide	<0.30	ug/m3	0.88	0.30	1.39		06/24/19 16:07	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.39		06/24/19 16:07	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.3	0.38	1.39		06/24/19 16:07	108-90-7	
Chloroethane	<0.36	ug/m3	0.75	0.36	1.39		06/24/19 16:07	75-00-3	
Chloroform	<0.27	ug/m3	0.69	0.27	1.39		06/24/19 16:07	67-66-3	
Chloromethane	1.0	ug/m3	0.58	0.22	1.39		06/24/19 16:07	74-87-3	
Cyclohexane	1.5J	ug/m3	2.4	0.49	1.39		06/24/19 16:07	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.39		06/24/19 16:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.1	0.51	1.39		06/24/19 16:07	106-93-4	
1,2-Dichlorobenzene	<0.69	ug/m3	1.7	0.69	1.39		06/24/19 16:07	95-50-1	
1,3-Dichlorobenzene	<0.81	ug/m3	1.7	0.81	1.39		06/24/19 16:07	541-73-1	
1,4-Dichlorobenzene	73.8	ug/m3	4.3	1.4	1.39		06/25/19 14:46	106-46-7	
Dichlorodifluoromethane	15.5	ug/m3	1.4	0.41	1.39		06/24/19 16:07	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.39		06/24/19 16:07	75-34-3	
1,2-Dichloroethane	0.73	ug/m3	0.57	0.21	1.39		06/24/19 16:07	107-06-2	
1,1-Dichloroethene	<0.38	ug/m3	1.1	0.38	1.39		06/24/19 16:07	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.39		06/24/19 16:07	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.39		06/24/19 16:07	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.39		06/24/19 16:07	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	1.3	0.42	1.39		06/24/19 16:07	10061-01-5	
trans-1,3-Dichloropropene	<0.61	ug/m3	1.3	0.61	1.39		06/24/19 16:07	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.0	0.61	1.39		06/24/19 16:07	76-14-2	
Ethanol	409	ug/m3	2.7	1.1	1.39		06/24/19 16:07	64-17-5	E
Ethyl acetate	3.9	ug/m3	1.0	0.26	1.39		06/24/19 16:07	141-78-6	
Ethylbenzene	0.46J	ug/m3	1.2	0.42	1.39		06/24/19 16:07	100-41-4	
4-Ethyltoluene	<0.79	ug/m3	3.5	0.79	1.39		06/24/19 16:07	622-96-8	
n-Heptane	<0.53	ug/m3	1.2	0.53	1.39		06/24/19 16:07	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.5	2.7	1.39		06/24/19 16:07	87-68-3	
n-Hexane	0.87J	ug/m3	1.0	0.43	1.39		06/24/19 16:07	110-54-3	
2-Hexanone	1.0J	ug/m3	5.8	1.0	1.39		06/24/19 16:07	591-78-6	
Methylene Chloride	2.5J	ug/m3	4.9	1.3	1.39		06/24/19 16:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.72	ug/m3	5.8	0.72	1.39		06/24/19 16:07	108-10-1	
Methyl-tert-butyl ether	<0.92	ug/m3	5.1	0.92	1.39		06/24/19 16:07	1634-04-4	
Naphthalene	2.9J	ug/m3	3.7	1.8	1.39		06/24/19 16:07	91-20-3	
2-Propanol	18.8	ug/m3	3.5	0.97	1.39		06/24/19 16:07	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.39		06/24/19 16:07	115-07-1	
Styrene	1.2	ug/m3	1.2	0.48	1.39		06/24/19 16:07	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.97	0.41	1.39		06/24/19 16:07	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA407 Lab ID: 10479268009 Collected: 06/07/19 15:54 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	2.5	ug/m3	0.96	0.44	1.39		06/24/19 16:07	127-18-4	
Tetrahydrofuran	<0.36	ug/m3	0.83	0.36	1.39		06/24/19 16:07	109-99-9	
Toluene	2.4	ug/m3	1.1	0.49	1.39		06/24/19 16:07	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.5	5.2	1.39		06/24/19 16:07	120-82-1	
1,1,1-Trichloroethane	<0.43	ug/m3	1.5	0.43	1.39		06/24/19 16:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.77	0.35	1.39		06/24/19 16:07	79-00-5	
Trichloroethene	<0.36	ug/m3	0.76	0.36	1.39		06/24/19 16:07	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.6	0.51	1.39		06/24/19 16:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.78	ug/m3	2.2	0.78	1.39		06/24/19 16:07	76-13-1	
1,2,4-Trimethylbenzene	0.67J	ug/m3	1.4	0.63	1.39		06/24/19 16:07	95-63-6	
1,3,5-Trimethylbenzene	<0.55	ug/m3	1.4	0.55	1.39		06/24/19 16:07	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.39		06/24/19 16:07	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.36	0.18	1.39		06/24/19 16:07	75-01-4	
m&p-Xylene	1.2J	ug/m3	2.5	0.97	1.39		06/24/19 16:07	179601-23-1	
o-Xylene	0.53J	ug/m3	1.2	0.48	1.39		06/24/19 16:07	95-47-6	

Sample: AA408 Lab ID: 10479268010 Collected: 06/07/19 15:52 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	54.1	ug/m3	3.4	1.7	1.41		06/25/19 18:52	67-64-1	
Benzene	0.55	ug/m3	0.46	0.22	1.41		06/25/19 18:52	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/25/19 18:52	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/25/19 18:52	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/25/19 18:52	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/25/19 18:52	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/25/19 18:52	106-99-0	
2-Butanone (MEK)	3.2J	ug/m3	4.2	0.52	1.41		06/25/19 18:52	78-93-3	
Carbon disulfide	<0.31	ug/m3	0.89	0.31	1.41		06/25/19 18:52	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.41		06/25/19 18:52	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/25/19 18:52	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/25/19 18:52	75-00-3	
Chloroform	<0.28	ug/m3	0.70	0.28	1.41		06/25/19 18:52	67-66-3	
Chloromethane	2.0	ug/m3	0.59	0.22	1.41		06/25/19 18:52	74-87-3	
Cyclohexane	<0.50	ug/m3	2.5	0.50	1.41		06/25/19 18:52	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/25/19 18:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/25/19 18:52	106-93-4	
1,2-Dichlorobenzene	<0.70	ug/m3	1.7	0.70	1.41		06/25/19 18:52	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/25/19 18:52	541-73-1	
1,4-Dichlorobenzene	80.3	ug/m3	4.3	1.4	1.41		06/25/19 18:52	106-46-7	
Dichlorodifluoromethane	14.4	ug/m3	1.4	0.41	1.41		06/25/19 18:52	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/25/19 18:52	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/25/19 18:52	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA408 Lab ID: 10479268010 Collected: 06/07/19 15:52 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/25/19 18:52	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/25/19 18:52	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/25/19 18:52	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/25/19 18:52	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/25/19 18:52	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/25/19 18:52	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/25/19 18:52	76-14-2	
Ethanol	443	ug/m3	2.7	1.1	1.41		06/25/19 18:52	64-17-5	E
Ethyl acetate	3.0	ug/m3	1.0	0.27	1.41		06/25/19 18:52	141-78-6	
Ethylbenzene	0.45J	ug/m3	1.2	0.43	1.41		06/25/19 18:52	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/25/19 18:52	622-96-8	
n-Heptane	4.8	ug/m3	1.2	0.54	1.41		06/25/19 18:52	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/25/19 18:52	87-68-3	
n-Hexane	4.0	ug/m3	1.0	0.44	1.41		06/25/19 18:52	110-54-3	
2-Hexanone	<1.1	ug/m3	5.9	1.1	1.41		06/25/19 18:52	591-78-6	
Methylene Chloride	52.9	ug/m3	5.0	1.3	1.41		06/25/19 18:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.73	ug/m3	5.9	0.73	1.41		06/25/19 18:52	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/25/19 18:52	1634-04-4	
Naphthalene	3.9	ug/m3	3.8	1.9	1.41		06/25/19 18:52	91-20-3	
2-Propanol	24.2	ug/m3	3.5	0.98	1.41		06/25/19 18:52	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/25/19 18:52	115-07-1	
Styrene	0.98J	ug/m3	1.2	0.49	1.41		06/25/19 18:52	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/25/19 18:52	79-34-5	
Tetrachloroethene	21.3	ug/m3	0.97	0.44	1.41		06/25/19 18:52	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/25/19 18:52	109-99-9	
Toluene	3.0	ug/m3	1.1	0.49	1.41		06/25/19 18:52	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/25/19 18:52	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/25/19 18:52	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/25/19 18:52	79-00-5	
Trichloroethene	0.54J	ug/m3	0.77	0.36	1.41		06/25/19 18:52	79-01-6	
Trichlorofluoromethane	<0.52	ug/m3	1.6	0.52	1.41		06/25/19 18:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2	0.80	1.41		06/25/19 18:52	76-13-1	
1,2,4-Trimethylbenzene	0.85J	ug/m3	1.4	0.64	1.41		06/25/19 18:52	95-63-6	
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4	0.56	1.41		06/25/19 18:52	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.41		06/25/19 18:52	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.41		06/25/19 18:52	75-01-4	
m&p-Xylene	1.3J	ug/m3	2.5	0.99	1.41		06/25/19 18:52	179601-23-1	
o-Xylene	0.57J	ug/m3	1.2	0.49	1.41		06/25/19 18:52	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: Blower Exhaust Lab ID: 10479268011 Collected: 06/07/19 12:10 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	26.8	ug/m3	3.3	1.7	1.39		06/24/19 16:38	67-64-1	
Benzene	65.7	ug/m3	0.45	0.21	1.39		06/24/19 16:38	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.39		06/24/19 16:38	100-44-7	
Bromodichloromethane	<0.51	ug/m3	1.9	0.51	1.39		06/24/19 16:38	75-27-4	
Bromoform	<2.0	ug/m3	7.3	2.0	1.39		06/24/19 16:38	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.39		06/24/19 16:38	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.39		06/24/19 16:38	106-99-0	
2-Butanone (MEK)	<0.51	ug/m3	4.2	0.51	1.39		06/24/19 16:38	78-93-3	
Carbon disulfide	<0.30	ug/m3	0.88	0.30	1.39		06/24/19 16:38	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.39		06/24/19 16:38	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.3	0.38	1.39		06/24/19 16:38	108-90-7	
Chloroethane	<0.36	ug/m3	0.75	0.36	1.39		06/24/19 16:38	75-00-3	
Chloroform	<0.27	ug/m3	0.69	0.27	1.39		06/24/19 16:38	67-66-3	
Chloromethane	0.78	ug/m3	0.58	0.22	1.39		06/24/19 16:38	74-87-3	
Cyclohexane	85.7	ug/m3	73.0	14.7	41.7		06/25/19 14:53	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.39		06/24/19 16:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.1	0.51	1.39		06/24/19 16:38	106-93-4	
1,2-Dichlorobenzene	19.9	ug/m3	1.7	0.69	1.39		06/24/19 16:38	95-50-1	
1,3-Dichlorobenzene	<0.81	ug/m3	1.7	0.81	1.39		06/24/19 16:38	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.3	1.4	1.39		06/24/19 16:38	106-46-7	
Dichlorodifluoromethane	48.7	ug/m3	1.4	0.41	1.39		06/24/19 16:38	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.39		06/24/19 16:38	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.57	0.21	1.39		06/24/19 16:38	107-06-2	
1,1-Dichloroethene	<0.38	ug/m3	1.1	0.38	1.39		06/24/19 16:38	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.39		06/24/19 16:38	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.39		06/24/19 16:38	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.39		06/24/19 16:38	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	1.3	0.42	1.39		06/24/19 16:38	10061-01-5	
trans-1,3-Dichloropropene	<0.61	ug/m3	1.3	0.61	1.39		06/24/19 16:38	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.0	0.61	1.39		06/24/19 16:38	76-14-2	
Ethanol	133	ug/m3	2.7	1.1	1.39		06/24/19 16:38	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.0	0.26	1.39		06/24/19 16:38	141-78-6	
Ethylbenzene	85.0	ug/m3	1.2	0.42	1.39		06/24/19 16:38	100-41-4	
4-Ethyltoluene	39.7	ug/m3	3.5	0.79	1.39		06/24/19 16:38	622-96-8	
n-Heptane	103	ug/m3	34.7	15.8	41.7		06/25/19 14:53	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.5	2.7	1.39		06/24/19 16:38	87-68-3	
n-Hexane	74.4	ug/m3	29.9	13.0	41.7		06/25/19 14:53	110-54-3	
2-Hexanone	<1.0	ug/m3	5.8	1.0	1.39		06/24/19 16:38	591-78-6	
Methylene Chloride	13.3	ug/m3	4.9	1.3	1.39		06/24/19 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.72	ug/m3	5.8	0.72	1.39		06/24/19 16:38	108-10-1	
Methyl-tert-butyl ether	<0.92	ug/m3	5.1	0.92	1.39		06/24/19 16:38	1634-04-4	
Naphthalene	10.3	ug/m3	3.7	1.8	1.39		06/24/19 16:38	91-20-3	
2-Propanol	4.1	ug/m3	3.5	0.97	1.39		06/24/19 16:38	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.39		06/24/19 16:38	115-07-1	
Styrene	<0.48	ug/m3	1.2	0.48	1.39		06/24/19 16:38	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.97	0.41	1.39		06/24/19 16:38	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: Blower Exhaust Lab ID: 10479268011 Collected: 06/07/19 12:10 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Tetrachloroethene	328	ug/m3	28.7	13.1	41.7		06/25/19 14:53	127-18-4	
Tetrahydrofuran	<0.36	ug/m3	0.83	0.36	1.39		06/24/19 16:38	109-99-9	
Toluene	91.0	ug/m3	31.9	14.6	41.7		06/25/19 14:53	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.5	5.2	1.39		06/24/19 16:38	120-82-1	
1,1,1-Trichloroethane	<0.43	ug/m3	1.5	0.43	1.39		06/24/19 16:38	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.77	0.35	1.39		06/24/19 16:38	79-00-5	
Trichloroethene	0.90	ug/m3	0.76	0.36	1.39		06/24/19 16:38	79-01-6	
Trichlorofluoromethane	1.9	ug/m3	1.6	0.51	1.39		06/24/19 16:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.78	ug/m3	2.2	0.78	1.39		06/24/19 16:38	76-13-1	
1,2,4-Trimethylbenzene	154	ug/m3	1.4	0.63	1.39		06/24/19 16:38	95-63-6	
1,3,5-Trimethylbenzene	44.7	ug/m3	1.4	0.55	1.39		06/24/19 16:38	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.39		06/24/19 16:38	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.36	0.18	1.39		06/24/19 16:38	75-01-4	
m&p-Xylene	241	ug/m3	2.5	0.97	1.39		06/24/19 16:38	179601-23-1	
o-Xylene	70.4	ug/m3	1.2	0.48	1.39		06/24/19 16:38	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

QC Batch: 615001 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10479268001, 10479268002, 10479268003, 10479268004, 10479268005, 10479268006, 10479268007, 10479268008, 10479268009, 10479268011

METHOD BLANK: 3322868 Matrix: Air
Associated Lab Samples: 10479268001, 10479268002, 10479268003, 10479268004, 10479268005, 10479268006, 10479268007, 10479268008, 10479268009, 10479268011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.31	1.1	06/24/19 10:36	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	0.70	06/24/19 10:36	
1,1,2-Trichloroethane	ug/m3	<0.25	0.56	06/24/19 10:36	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.56	1.6	06/24/19 10:36	
1,1-Dichloroethane	ug/m3	<0.22	0.82	06/24/19 10:36	
1,1-Dichloroethene	ug/m3	<0.27	0.81	06/24/19 10:36	
1,2,4-Trichlorobenzene	ug/m3	<3.7	7.5	06/24/19 10:36	
1,2,4-Trimethylbenzene	ug/m3	<0.45	1.0	06/24/19 10:36	
1,2-Dibromoethane (EDB)	ug/m3	<0.37	0.78	06/24/19 10:36	
1,2-Dichlorobenzene	ug/m3	<0.50	1.2	06/24/19 10:36	
1,2-Dichloroethane	ug/m3	<0.15	0.41	06/24/19 10:36	
1,2-Dichloropropane	ug/m3	<0.23	0.94	06/24/19 10:36	
1,3,5-Trimethylbenzene	ug/m3	<0.40	1.0	06/24/19 10:36	
1,3-Butadiene	ug/m3	<0.13	0.45	06/24/19 10:36	
1,3-Dichlorobenzene	ug/m3	<0.58	1.2	06/24/19 10:36	
1,4-Dichlorobenzene	ug/m3	<1.0	3.1	06/24/19 10:36	
2-Butanone (MEK)	ug/m3	<0.37	3.0	06/24/19 10:36	
2-Hexanone	ug/m3	<0.74	4.2	06/24/19 10:36	
2-Propanol	ug/m3	<0.70	2.5	06/24/19 10:36	
4-Ethyltoluene	ug/m3	<0.57	2.5	06/24/19 10:36	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.52	4.2	06/24/19 10:36	
Acetone	ug/m3	<1.2	2.4	06/24/19 10:36	
Benzene	ug/m3	<0.15	0.32	06/24/19 10:36	
Benzyl chloride	ug/m3	<1.2	2.6	06/24/19 10:36	
Bromodichloromethane	ug/m3	<0.37	1.4	06/24/19 10:36	
Bromoform	ug/m3	<1.4	5.2	06/24/19 10:36	
Bromomethane	ug/m3	<0.23	0.79	06/24/19 10:36	
Carbon disulfide	ug/m3	<0.22	0.63	06/24/19 10:36	
Carbon tetrachloride	ug/m3	<0.43	1.3	06/24/19 10:36	
Chlorobenzene	ug/m3	<0.28	0.94	06/24/19 10:36	
Chloroethane	ug/m3	<0.26	0.54	06/24/19 10:36	
Chloroform	ug/m3	<0.20	0.50	06/24/19 10:36	
Chloromethane	ug/m3	<0.16	0.42	06/24/19 10:36	
cis-1,2-Dichloroethene	ug/m3	<0.22	0.81	06/24/19 10:36	
cis-1,3-Dichloropropene	ug/m3	<0.30	0.92	06/24/19 10:36	
Cyclohexane	ug/m3	<0.35	1.8	06/24/19 10:36	
Dibromochloromethane	ug/m3	<0.72	1.7	06/24/19 10:36	
Dichlorodifluoromethane	ug/m3	<0.29	1.0	06/24/19 10:36	
Dichlorotetrafluoroethane	ug/m3	<0.44	1.4	06/24/19 10:36	
Ethanol	ug/m3	<0.81	1.9	06/24/19 10:36	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

METHOD BLANK: 3322868

Matrix: Air

Associated Lab Samples: 10479268001, 10479268002, 10479268003, 10479268004, 10479268005, 10479268006, 10479268007, 10479268008, 10479268009, 10479268011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.19	0.73	06/24/19 10:36	
Ethylbenzene	ug/m3	<0.30	0.88	06/24/19 10:36	
Hexachloro-1,3-butadiene	ug/m3	<2.0	5.4	06/24/19 10:36	
m&p-Xylene	ug/m3	<0.70	1.8	06/24/19 10:36	
Methyl-tert-butyl ether	ug/m3	<0.66	3.7	06/24/19 10:36	
Methylene Chloride	ug/m3	1.7J	3.5	06/24/19 10:36	
n-Heptane	ug/m3	<0.38	0.83	06/24/19 10:36	
n-Hexane	ug/m3	<0.31	0.72	06/24/19 10:36	
Naphthalene	ug/m3	<1.3	2.7	06/24/19 10:36	
o-Xylene	ug/m3	<0.34	0.88	06/24/19 10:36	
Propylene	ug/m3	<0.14	0.35	06/24/19 10:36	
Styrene	ug/m3	<0.34	0.87	06/24/19 10:36	
Tetrachloroethene	ug/m3	<0.31	0.69	06/24/19 10:36	
Tetrahydrofuran	ug/m3	<0.26	0.60	06/24/19 10:36	
Toluene	ug/m3	<0.35	0.77	06/24/19 10:36	
trans-1,2-Dichloroethene	ug/m3	<0.28	0.81	06/24/19 10:36	
trans-1,3-Dichloropropene	ug/m3	<0.44	0.92	06/24/19 10:36	
Trichloroethene	ug/m3	<0.26	0.55	06/24/19 10:36	
Trichlorofluoromethane	ug/m3	<0.37	1.1	06/24/19 10:36	
Vinyl acetate	ug/m3	<0.27	0.72	06/24/19 10:36	
Vinyl chloride	ug/m3	<0.13	0.26	06/24/19 10:36	

LABORATORY CONTROL SAMPLE: 3322869

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	59.2	107	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	78.6	113	70-132	
1,1,2-Trichloroethane	ug/m3	55.5	65.2	118	70-130	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	80.1	103	70-130	
1,1-Dichloroethane	ug/m3	41.1	44.1	107	70-130	
1,1-Dichloroethene	ug/m3	40.3	43.4	108	70-130	
1,2,4-Trichlorobenzene	ug/m3	75.4	72.6	96	56-130	
1,2,4-Trimethylbenzene	ug/m3	50	62.0	124	70-134	
1,2-Dibromoethane (EDB)	ug/m3	78.1	92.6	119	70-130	
1,2-Dichlorobenzene	ug/m3	61.1	70.9	116	70-132	
1,2-Dichloroethane	ug/m3	41.1	44.6	108	70-130	
1,2-Dichloropropane	ug/m3	47	54.2	115	70-130	
1,3,5-Trimethylbenzene	ug/m3	50	58.4	117	70-132	
1,3-Butadiene	ug/m3	22.5	28.1	125	65-130	
1,3-Dichlorobenzene	ug/m3	61.1	71.7	117	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	72.2	118	70-134	
2-Butanone (MEK)	ug/m3	30	30.6	102	70-130	
2-Hexanone	ug/m3	41.6	52.2	125	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

LABORATORY CONTROL SAMPLE: 3322869

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Propanol	ug/m3	125	134	107	68-130	
4-Ethyltoluene	ug/m3	50	59.7	119	70-138	
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	49.9	120	70-131	
Acetone	ug/m3	121	129	107	67-130	
Benzene	ug/m3	32.5	34.3	106	70-130	
Benzyl chloride	ug/m3	52.6	55.2	105	70-130	
Bromodichloromethane	ug/m3	68.1	76.3	112	70-130	
Bromoform	ug/m3	105	121	115	70-132	
Bromomethane	ug/m3	39.5	43.7	111	69-130	
Carbon disulfide	ug/m3	31.6	33.3	105	56-137	
Carbon tetrachloride	ug/m3	64	68.2	107	66-131	
Chlorobenzene	ug/m3	46.8	48.7	104	70-130	
Chloroethane	ug/m3	26.8	33.8	126	70-130	
Chloroform	ug/m3	49.6	53.5	108	70-130	
Chloromethane	ug/m3	21	21.0	100	66-130	
cis-1,2-Dichloroethene	ug/m3	40.3	43.9	109	70-130	
cis-1,3-Dichloropropene	ug/m3	46.1	56.4	122	70-133	
Cyclohexane	ug/m3	35	38.7	111	68-132	
Dibromochloromethane	ug/m3	86.6	97.0	112	70-130	
Dichlorodifluoromethane	ug/m3	50.3	52.6	105	70-130	
Dichlorotetrafluoroethane	ug/m3	71	77.7	109	70-130	
Ethanol	ug/m3	95.8	106	111	68-133	
Ethyl acetate	ug/m3	36.6	41.6	114	69-130	
Ethylbenzene	ug/m3	44.1	51.9	118	67-131	
Hexachloro-1,3-butadiene	ug/m3	108	104	96	66-137	
m&p-Xylene	ug/m3	88.3	106	120	70-132	
Methyl-tert-butyl ether	ug/m3	36.6	39.9	109	70-130	
Methylene Chloride	ug/m3	177	175	99	65-130	
n-Heptane	ug/m3	41.7	46.4	111	65-130	
n-Hexane	ug/m3	35.8	38.9	109	66-130	
Naphthalene	ug/m3	53.3	52.0	98	56-130	
o-Xylene	ug/m3	44.1	52.0	118	70-130	
Propylene	ug/m3	17.5	22.0	126	67-130	
Styrene	ug/m3	43.3	55.7	129	69-136	
Tetrachloroethene	ug/m3	68.9	71.6	104	70-130	
Tetrahydrofuran	ug/m3	30	37.6	126	68-131	
Toluene	ug/m3	38.3	41.7	109	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	44.5	111	70-130	
trans-1,3-Dichloropropene	ug/m3	46.1	55.9	121	70-134	
Trichloroethene	ug/m3	54.6	59.2	108	70-130	
Trichlorofluoromethane	ug/m3	57.1	56.8	99	65-130	
Vinyl acetate	ug/m3	35.8	42.3	118	61-133	
Vinyl chloride	ug/m3	26	29.7	114	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

SAMPLE DUPLICATE: 3324350

Parameter	Units	10479268001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.42	<0.42		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.40	<0.40		25	
1,1,2-Trichloroethane	ug/m3	<0.34	<0.34		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.77	<0.77		25	
1,1-Dichloroethane	ug/m3	<0.31	<0.31		25	
1,1-Dichloroethene	ug/m3	<0.37	<0.37		25	
1,2,4-Trichlorobenzene	ug/m3	<5.1	<5.1		25	
1,2,4-Trimethylbenzene	ug/m3	2.9	2.8	3	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.50	<0.50		25	
1,2-Dichlorobenzene	ug/m3	<0.68	<0.68		25	
1,2-Dichloroethane	ug/m3	<0.20	<0.20		25	
1,2-Dichloropropane	ug/m3	<0.31	<0.31		25	
1,3,5-Trimethylbenzene	ug/m3	<0.54	<0.54		25	
1,3-Butadiene	ug/m3	<0.17	<0.17		25	
1,3-Dichlorobenzene	ug/m3	<0.79	<0.79		25	
1,4-Dichlorobenzene	ug/m3	<1.4	<1.4		25	
2-Butanone (MEK)	ug/m3	5.8	5.6	3	25	
2-Hexanone	ug/m3	<1.0	<1.0		25	
2-Propanol	ug/m3	11.5	6.9	50	25	R1
4-Ethyltoluene	ug/m3	<0.78	<0.78		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.70	<0.70		25	
Acetone	ug/m3	13.2	13.3	1	25	
Benzene	ug/m3	2.8	2.9	5	25	
Benzyl chloride	ug/m3	<1.6	<1.6		25	
Bromodichloromethane	ug/m3	<0.50	<0.50		25	
Bromoform	ug/m3	<1.9	<1.9		25	
Bromomethane	ug/m3	<0.31	<0.31		25	
Carbon disulfide	ug/m3	2.4	2.6	8	25	
Carbon tetrachloride	ug/m3	0.61J	0.69J		25	
Chlorobenzene	ug/m3	<0.37	<0.37		25	
Chloroethane	ug/m3	<0.35	<0.35		25	
Chloroform	ug/m3	2.5	2.6	5	25	
Chloromethane	ug/m3	<0.21	<0.21		25	
cis-1,2-Dichloroethene	ug/m3	<0.30	<0.30		25	
cis-1,3-Dichloropropene	ug/m3	<0.41	<0.41		25	
Cyclohexane	ug/m3	<0.48	<0.48		25	
Dibromochloromethane	ug/m3	<0.98	<0.98		25	
Dichlorodifluoromethane	ug/m3	22.4	25.4	13	25	
Dichlorotetrafluoroethane	ug/m3	<0.59	<0.59		25	
Ethanol	ug/m3	116	130	11	25	
Ethyl acetate	ug/m3	<0.26	<0.26		25	
Ethylbenzene	ug/m3	1.6	1.6	2	25	
Hexachloro-1,3-butadiene	ug/m3	<2.7	<2.7		25	
m&p-Xylene	ug/m3	5.4	5.5	2	25	
Methyl-tert-butyl ether	ug/m3	<0.90	<0.90		25	
Methylene Chloride	ug/m3	6.8	8.0	16	25	
n-Heptane	ug/m3	<0.52	<0.52		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

SAMPLE DUPLICATE: 3324350

Parameter	Units	10479268001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<0.42	<0.42		25	
Naphthalene	ug/m3	2.5J	2.5J		25	
o-Xylene	ug/m3	2.2	2.3	5	25	
Propylene	ug/m3	0.27J	0.40J		25	
Styrene	ug/m3	5.1	4.8	5	25	
Tetrachloroethene	ug/m3	3570	3710	4	25	
Tetrahydrofuran	ug/m3	3.3	3.3	1	25	
Toluene	ug/m3	56.3	63.0	11	25	
trans-1,2-Dichloroethene	ug/m3	<0.39	<0.39		25	
trans-1,3-Dichloropropene	ug/m3	<0.60	<0.60		25	
Trichloroethene	ug/m3	13.6	14.9	9	25	
Trichlorofluoromethane	ug/m3	1.8	1.9	5	25	
Vinyl acetate	ug/m3	<0.37	<0.37		25	
Vinyl chloride	ug/m3	<0.17	<0.17		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

QC Batch: 615366 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Associated Lab Samples: 10479268010

METHOD BLANK: 3324386 Matrix: Air
Associated Lab Samples: 10479268010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.15	0.56	06/25/19 10:33	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.35	06/25/19 10:33	
1,1,2-Trichloroethane	ug/m3	<0.12	0.28	06/25/19 10:33	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.28	0.78	06/25/19 10:33	
1,1-Dichloroethane	ug/m3	<0.11	0.41	06/25/19 10:33	
1,1-Dichloroethene	ug/m3	<0.14	0.40	06/25/19 10:33	
1,2,4-Trichlorobenzene	ug/m3	<1.9	3.8	06/25/19 10:33	
1,2,4-Trimethylbenzene	ug/m3	<0.23	0.50	06/25/19 10:33	
1,2-Dibromoethane (EDB)	ug/m3	<0.18	0.39	06/25/19 10:33	
1,2-Dichlorobenzene	ug/m3	<0.25	0.61	06/25/19 10:33	
1,2-Dichloroethane	ug/m3	<0.075	0.21	06/25/19 10:33	
1,2-Dichloropropane	ug/m3	<0.12	0.47	06/25/19 10:33	
1,3,5-Trimethylbenzene	ug/m3	<0.20	0.50	06/25/19 10:33	
1,3-Butadiene	ug/m3	<0.064	0.22	06/25/19 10:33	
1,3-Dichlorobenzene	ug/m3	<0.29	0.61	06/25/19 10:33	
1,4-Dichlorobenzene	ug/m3	<0.50	1.5	06/25/19 10:33	
2-Butanone (MEK)	ug/m3	<0.18	1.5	06/25/19 10:33	
2-Hexanone	ug/m3	<0.37	2.1	06/25/19 10:33	
2-Propanol	ug/m3	<0.35	1.2	06/25/19 10:33	
4-Ethyltoluene	ug/m3	<0.28	1.2	06/25/19 10:33	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.26	2.1	06/25/19 10:33	
Acetone	ug/m3	<0.60	1.2	06/25/19 10:33	
Benzene	ug/m3	<0.076	0.16	06/25/19 10:33	
Benzyl chloride	ug/m3	<0.60	1.3	06/25/19 10:33	
Bromodichloromethane	ug/m3	<0.18	0.68	06/25/19 10:33	
Bromoform	ug/m3	<0.71	2.6	06/25/19 10:33	
Bromomethane	ug/m3	<0.11	0.39	06/25/19 10:33	
Carbon disulfide	ug/m3	<0.11	0.32	06/25/19 10:33	
Carbon tetrachloride	ug/m3	<0.21	0.64	06/25/19 10:33	
Chlorobenzene	ug/m3	<0.14	0.47	06/25/19 10:33	
Chloroethane	ug/m3	<0.13	0.27	06/25/19 10:33	
Chloroform	ug/m3	<0.098	0.25	06/25/19 10:33	
Chloromethane	ug/m3	<0.078	0.21	06/25/19 10:33	
cis-1,2-Dichloroethene	ug/m3	<0.11	0.40	06/25/19 10:33	
cis-1,3-Dichloropropene	ug/m3	<0.15	0.46	06/25/19 10:33	
Cyclohexane	ug/m3	<0.18	0.88	06/25/19 10:33	
Dibromochloromethane	ug/m3	<0.36	0.86	06/25/19 10:33	
Dichlorodifluoromethane	ug/m3	<0.15	0.50	06/25/19 10:33	
Dichlorotetrafluoroethane	ug/m3	<0.22	0.71	06/25/19 10:33	
Ethanol	ug/m3	<0.41	0.96	06/25/19 10:33	
Ethyl acetate	ug/m3	<0.095	0.37	06/25/19 10:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

METHOD BLANK: 3324386 Matrix: Air
Associated Lab Samples: 10479268010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/m3	<0.15	0.44	06/25/19 10:33	
Hexachloro-1,3-butadiene	ug/m3	<0.98	2.7	06/25/19 10:33	
m&p-Xylene	ug/m3	<0.35	0.88	06/25/19 10:33	
Methyl-tert-butyl ether	ug/m3	<0.33	1.8	06/25/19 10:33	
Methylene Chloride	ug/m3	<0.47	1.8	06/25/19 10:33	
n-Heptane	ug/m3	<0.19	0.42	06/25/19 10:33	
n-Hexane	ug/m3	<0.16	0.36	06/25/19 10:33	
Naphthalene	ug/m3	<0.66	1.3	06/25/19 10:33	
o-Xylene	ug/m3	<0.17	0.44	06/25/19 10:33	
Propylene	ug/m3	<0.072	0.18	06/25/19 10:33	
Styrene	ug/m3	<0.17	0.43	06/25/19 10:33	
Tetrachloroethene	ug/m3	<0.16	0.34	06/25/19 10:33	
Tetrahydrofuran	ug/m3	<0.13	0.30	06/25/19 10:33	
Toluene	ug/m3	<0.18	0.38	06/25/19 10:33	
trans-1,2-Dichloroethene	ug/m3	<0.14	0.40	06/25/19 10:33	
trans-1,3-Dichloropropene	ug/m3	<0.22	0.46	06/25/19 10:33	
Trichloroethene	ug/m3	<0.13	0.27	06/25/19 10:33	
Trichlorofluoromethane	ug/m3	<0.18	0.57	06/25/19 10:33	
Vinyl acetate	ug/m3	<0.14	0.36	06/25/19 10:33	
Vinyl chloride	ug/m3	<0.063	0.13	06/25/19 10:33	

LABORATORY CONTROL SAMPLE: 3324387

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	55.5	54.2	98	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	69.8	73.4	105	70-132	
1,1,2-Trichloroethane	ug/m3	55.5	57.0	103	70-130	
1,1,2-Trichlorotrifluoroethane	ug/m3	77.9	74.8	96	70-130	
1,1-Dichloroethane	ug/m3	41.1	39.9	97	70-130	
1,1-Dichloroethene	ug/m3	40.3	39.7	98	70-130	
1,2,4-Trichlorobenzene	ug/m3	75.4	72.1	96	56-130	
1,2,4-Trimethylbenzene	ug/m3	50	52.7	105	70-134	
1,2-Dibromoethane (EDB)	ug/m3	78.1	78.4	100	70-130	
1,2-Dichlorobenzene	ug/m3	61.1	60.7	99	70-132	
1,2-Dichloroethane	ug/m3	41.1	41.0	100	70-130	
1,2-Dichloropropane	ug/m3	47	46.6	99	70-130	
1,3,5-Trimethylbenzene	ug/m3	50	51.1	102	70-132	
1,3-Butadiene	ug/m3	22.5	26.6	118	65-130	
1,3-Dichlorobenzene	ug/m3	61.1	68.1	111	70-137	
1,4-Dichlorobenzene	ug/m3	61.1	61.8	101	70-134	
2-Butanone (MEK)	ug/m3	30	30.2	101	70-130	
2-Hexanone	ug/m3	41.6	39.8	96	70-135	
2-Propanol	ug/m3	125	127	102	68-130	
4-Ethyltoluene	ug/m3	50	53.2	107	70-138	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

LABORATORY CONTROL SAMPLE: 3324387

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Methyl-2-pentanone (MIBK)	ug/m3	41.6	40.2	97	70-131	
Acetone	ug/m3	121	106	88	67-130	
Benzene	ug/m3	32.5	30.9	95	70-130	
Benzyl chloride	ug/m3	52.6	52.0	99	70-130	
Bromodichloromethane	ug/m3	68.1	69.9	103	70-130	
Bromoform	ug/m3	105	103	98	70-132	
Bromomethane	ug/m3	39.5	38.2	97	69-130	
Carbon disulfide	ug/m3	31.6	31.0	98	56-137	
Carbon tetrachloride	ug/m3	64	66.4	104	66-131	
Chlorobenzene	ug/m3	46.8	45.7	98	70-130	
Chloroethane	ug/m3	26.8	29.2	109	70-130	
Chloroform	ug/m3	49.6	47.2	95	70-130	
Chloromethane	ug/m3	21	23.9	114	66-130	
cis-1,2-Dichloroethene	ug/m3	40.3	39.5	98	70-130	
cis-1,3-Dichloropropene	ug/m3	46.1	47.5	103	70-133	
Cyclohexane	ug/m3	35	33.5	96	68-132	
Dibromochloromethane	ug/m3	86.6	97.5	113	70-130	
Dichlorodifluoromethane	ug/m3	50.3	47.3	94	70-130	
Dichlorotetrafluoroethane	ug/m3	71	76.6	108	70-130	
Ethanol	ug/m3	95.8	97.9	102	68-133	
Ethyl acetate	ug/m3	36.6	35.5	97	69-130	
Ethylbenzene	ug/m3	44.1	43.4	98	67-131	
Hexachloro-1,3-butadiene	ug/m3	108	107	98	66-137	
m&p-Xylene	ug/m3	88.3	88.2	100	70-132	
Methyl-tert-butyl ether	ug/m3	36.6	34.9	95	70-130	
Methylene Chloride	ug/m3	177	159	90	65-130	
n-Heptane	ug/m3	41.7	38.4	92	65-130	
n-Hexane	ug/m3	35.8	33.8	94	66-130	
Naphthalene	ug/m3	53.3	51.2	96	56-130	
o-Xylene	ug/m3	44.1	44.6	101	70-130	
Propylene	ug/m3	17.5	16.1	92	67-130	
Styrene	ug/m3	43.3	47.8	110	69-136	
Tetrachloroethene	ug/m3	68.9	66.4	96	70-130	
Tetrahydrofuran	ug/m3	30	28.7	96	68-131	
Toluene	ug/m3	38.3	38.2	100	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	38.9	97	70-130	
trans-1,3-Dichloropropene	ug/m3	46.1	51.6	112	70-134	
Trichloroethene	ug/m3	54.6	52.5	96	70-130	
Trichlorofluoromethane	ug/m3	57.1	58.7	103	65-130	
Vinyl acetate	ug/m3	35.8	36.2	101	61-133	
Vinyl chloride	ug/m3	26	29.5	114	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

SAMPLE DUPLICATE: 3325794

Parameter	Units	10479268010 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.44	<0.44		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.41	<0.41		25	
1,1,2-Trichloroethane	ug/m3	<0.35	<0.35		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.80	<0.80		25	
1,1-Dichloroethane	ug/m3	<0.32	<0.32		25	
1,1-Dichloroethene	ug/m3	<0.39	<0.39		25	
1,2,4-Trichlorobenzene	ug/m3	<5.2	<5.2		25	
1,2,4-Trimethylbenzene	ug/m3	0.85J	0.81J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.52	<0.52		25	
1,2-Dichlorobenzene	ug/m3	<0.70	<0.70		25	
1,2-Dichloroethane	ug/m3	<0.21	<0.21		25	
1,2-Dichloropropane	ug/m3	<0.32	<0.32		25	
1,3,5-Trimethylbenzene	ug/m3	<0.56	<0.56		25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.82	<0.82		25	
1,4-Dichlorobenzene	ug/m3	80.3	80.1	0	25	
2-Butanone (MEK)	ug/m3	3.2J	3.4J		25	
2-Hexanone	ug/m3	<1.1	<1.1		25	
2-Propanol	ug/m3	24.2	23.7	2	25	
4-Ethyltoluene	ug/m3	<0.80	<0.80		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.73	<0.73		25	
Acetone	ug/m3	54.1	53.4	1	25	
Benzene	ug/m3	0.55	<0.22		25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.52	<0.52		25	
Bromoform	ug/m3	<2.0	<2.0		25	
Bromomethane	ug/m3	<0.32	<0.32		25	
Carbon disulfide	ug/m3	<0.31	<0.31		25	
Carbon tetrachloride	ug/m3	<0.60	<0.60		25	
Chlorobenzene	ug/m3	<0.39	<0.39		25	
Chloroethane	ug/m3	<0.37	<0.37		25	
Chloroform	ug/m3	<0.28	<0.28		25	
Chloromethane	ug/m3	2.0	2.2	8	25	
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
cis-1,3-Dichloropropene	ug/m3	<0.43	<0.43		25	
Cyclohexane	ug/m3	<0.50	<0.50		25	
Dibromochloromethane	ug/m3	<1.0	<1.0		25	
Dichlorodifluoromethane	ug/m3	14.4	14.0	3	25	
Dichlorotetrafluoroethane	ug/m3	<0.62	<0.62		25	
Ethanol	ug/m3	443	451	2	25	E
Ethyl acetate	ug/m3	3.0	3.0	0	25	
Ethylbenzene	ug/m3	0.45J	0.47J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.8	<2.8		25	
m&p-Xylene	ug/m3	1.3J	1.3J		25	
Methyl-tert-butyl ether	ug/m3	<0.93	<0.93		25	
Methylene Chloride	ug/m3	52.9	54.2	2	25	
n-Heptane	ug/m3	4.8	4.8	1	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10479268

SAMPLE DUPLICATE: 3325794

Parameter	Units	10479268010 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	4.0	4.1	3	25	
Naphthalene	ug/m3	3.9	3.9	1	25	
o-Xylene	ug/m3	0.57J	0.55J		25	
Propylene	ug/m3	<0.20	<0.20		25	
Styrene	ug/m3	0.98J	1.0J		25	
Tetrachloroethene	ug/m3	21.3	21.3	0	25	
Tetrahydrofuran	ug/m3	<0.37	<0.37		25	
Toluene	ug/m3	3.0	3.1	3	25	
trans-1,2-Dichloroethene	ug/m3	<0.40	<0.40		25	
trans-1,3-Dichloropropene	ug/m3	<0.62	<0.62		25	
Trichloroethene	ug/m3	0.54J	0.49J		25	
Trichlorofluoromethane	ug/m3	<0.52	1.9		25	
Vinyl acetate	ug/m3	<0.38	<0.38		25	
Vinyl chloride	ug/m3	<0.18	<0.18		25	

SAMPLE DUPLICATE: 3325795

Parameter	Units	10479201001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	ND	<0.55		25	
1,1,2,2-Tetrachloroethane	ug/m3	ND	<0.52		25	
1,1,2-Trichloroethane	ug/m3	ND	<0.45		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	ND	<1.0		25	
1,1-Dichloroethane	ug/m3	ND	<0.40		25	
1,1-Dichloroethene	ug/m3	ND	<0.49		25	
1,2,4-Trichlorobenzene	ug/m3	ND	<6.7		25	
1,2,4-Trimethylbenzene	ug/m3	3.7	3.8	3	25	
1,2-Dibromoethane (EDB)	ug/m3	ND	<0.66		25	
1,2-Dichlorobenzene	ug/m3	ND	<0.89		25	
1,2-Dichloroethane	ug/m3	ND	<0.27		25	
1,2-Dichloropropane	ug/m3	ND	<0.41		25	
1,3,5-Trimethylbenzene	ug/m3	ND	1.7J		25	
1,3-Butadiene	ug/m3	ND	<0.23		25	
1,3-Dichlorobenzene	ug/m3	ND	<1.0		25	
1,4-Dichlorobenzene	ug/m3	ND	<1.8		25	
2-Butanone (MEK)	ug/m3	ND	3.7J		25	
2-Hexanone	ug/m3	ND	<1.3		25	
2-Propanol	ug/m3	ND	<1.2		25	
4-Ethyltoluene	ug/m3	ND	2.1J		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	ND	<0.93		25	
Acetone	ug/m3	18.9	19.9	5	25	
Benzene	ug/m3	7.9	8.2	3	25	
Benzyl chloride	ug/m3	ND	<2.1		25	
Bromodichloromethane	ug/m3	ND	<0.66		25	
Bromoform	ug/m3	ND	<2.5		25	
Bromomethane	ug/m3	ND	<0.41		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10479268

SAMPLE DUPLICATE: 3325795

Parameter	Units	10479201001 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	1.5	1.6	5	25	
Carbon tetrachloride	ug/m3	ND	<0.77		25	
Chlorobenzene	ug/m3	ND	<0.49		25	
Chloroethane	ug/m3	ND	<0.47		25	
Chloroform	ug/m3	1.0	1.1	9	25	
Chloromethane	ug/m3	ND	<0.28		25	
cis-1,2-Dichloroethene	ug/m3	ND	<0.39		25	
cis-1,3-Dichloropropene	ug/m3	ND	<0.54		25	
Cyclohexane	ug/m3	ND	<0.63		25	
Dibromochloromethane	ug/m3	ND	<1.3		25	
Dichlorodifluoromethane	ug/m3	2.2	2.3	2	25	
Dichlorotetrafluoroethane	ug/m3	ND	<0.78		25	
Ethanol	ug/m3	7.3	7.3	1	25	
Ethyl acetate	ug/m3	ND	<0.34		25	
Ethylbenzene	ug/m3	14.8	14.9	0	25	
Hexachloro-1,3-butadiene	ug/m3	ND	<3.5		25	
m&p-Xylene	ug/m3	45.0	45.3	1	25	
Methyl-tert-butyl ether	ug/m3	ND	<1.2		25	
Methylene Chloride	ug/m3	10.2	10.4	2	25	
n-Heptane	ug/m3	15.9	16.1	1	25	
n-Hexane	ug/m3	11.4	11.7	3	25	
Naphthalene	ug/m3	ND	<2.4		25	
o-Xylene	ug/m3	11.6	11.8	2	25	
Propylene	ug/m3	17.5	18.5	5	25	
Styrene	ug/m3	ND	<0.62		25	
Tetrachloroethene	ug/m3	23.6	23.7	0	25	
Tetrahydrofuran	ug/m3	ND	<0.47		25	
Toluene	ug/m3	114	120	5	25	
trans-1,2-Dichloroethene	ug/m3	ND	<0.51		25	
trans-1,3-Dichloropropene	ug/m3	ND	<0.79		25	
Trichloroethene	ug/m3	1.3	1.4	4	25	
Trichlorofluoromethane	ug/m3	ND	<0.66		25	
Vinyl acetate	ug/m3	ND	<0.48		25	
Vinyl chloride	ug/m3	ND	<0.23		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10479268

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

C8 Result may be biased high due to carryover from previously analyzed sample.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite
Pace Project No.: 10479268

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10479268001	SSV101	TO-15	615001		
10479268002	SSV203	TO-15	615001		
10479268003	SSV304	TO-15	615001		
10479268004	SSV405	TO-15	615001		
10479268005	SSV406	TO-15	615001		
10479268006	AA304	TO-15	615001		
10479268007	AA405	TO-15	615001		
10479268008	AA406	TO-15	615001		
10479268009	AA407	TO-15	615001		
10479268010	AA408	TO-15	615366		
10479268011	Blower Exhaust	TO-15	615001		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 10479268

AIR: CHAIN-OF-CUSTODY

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant



10479268



Section A Required Client Information:

Company: Sand Creek Consultants
Address: 151 Mill St.
Amherst, WI 54406
E-mail To: NICHOLE.BESYK@SAND-CREEK.COM
Phone: 715-824-5119 Fax: _____
Requested Due Date/TAT: _____

Section B Required Project Information:

Report To: Same
Copy To: _____
Purchase Order No.: _____
Project Name: _____
Project Number: _____

Section C Invoice Information:

Attention: Same
Company Name: _____
Address: _____
Pace Quote Reference: _____
Pace Project Manager/Sales Rep. _____
Pace Profile #: _____

Page: 1 of 1

27223

Program
 UST Superfund
 Emissions
 Clean Air Act
 Voluntary Clean Up
 Dry Clean
 RCRA
 Other

Location of Sampling by State _____
Reporting Units
ug/m³ _____
ppbV _____
ppmV _____
Other _____

Report Level II. III. IV. Other _____

Method	TO-15 Short List	TO-15	TO-14	TO-13 (PAH)	TO-4 (PCBs)	TO-3M (Methane)	TO-3	3C - Fixed Gas (%)	PMTO	Pace Lab ID
	X	X	X	X	X	X	X	X	X	001
	X	X	X	X	X	X	X	X	X	002
	X	X	X	X	X	X	X	X	X	003
	X	X	X	X	X	X	X	X	X	004
	X	X	X	X	X	X	X	X	X	005
	X	X	X	X	X	X	X	X	X	006
	X	X	X	X	X	X	X	X	X	007
	X	X	X	X	X	X	X	X	X	008
	X	X	X	X	X	X	X	X	X	009
	X	X	X	X	X	X	X	X	X	010
	X	X	X	X	X	X	X	X	X	011

Canister Pressure (Initial Field - psig)	Canister Pressure (Final Field - psig)	Summa Can Number	Flow Control Number
-30	-1	0096	165
-28	-25	2054	218
-29	-3	0795	0085
-28	-25	0309	1013
-29	-25	1222	1053
-28	-4	1235	0380
-29	-2	2375	1085
-29	-2	2675	0414
-29	-1	2800	0219
-29	-2	0084	0877
-29	0	1211	0804

COLLECTED			DATE	TIME
COMPOSITE START	COMPOSITE END	TIME		
06/17/19	06/17/19	12:17		
06/17/19	06/17/19	12:34		
06/17/19	06/17/19	9:38		
06/17/19	06/17/19	10:47		
06/17/19	06/17/19	11:07		
06/17/19	06/17/19	15:49		
06/17/19	06/17/19	15:57		
06/17/19	06/17/19	15:50		
06/17/19	06/17/19	15:54		
06/17/19	06/17/19	15:52		
06/17/19	06/17/19	12:10		

Media Code	PID Reading (Client only)	Valid Media Codes
06LC0	0	Media Code TB 1 Liter Summa Can 6 Liter Summa Can Low Volume Puff High Volume Puff Other
06LC0	0	
06LC0	0	
06LC0	1.6	
06LC0	0.8	
06LC0	0	
06LC0	0	
06LC0	0	
06LC0	0	
06LC0	0	
06LC0	0	

REINQUISHED BY / AFFILIATION	DATE	TIME
Nichole Besyk / Sand Creek	06/17/19	11:20

ITEM	Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Media Code	PID Reading (Client only)	Valid Media Codes
1	SSV101	06LC0	0	Media Code TB 1 Liter Summa Can 6 Liter Summa Can Low Volume Puff High Volume Puff Other
2	SSV203	06LC0	0	
3	SSV304	06LC0	0	
4	SSV405	06LC0	1.6	
5	SSV406	06LC0	0.8	
6	AA-304	06LC0	0	
7	AA-405	06LC0	0	
8	AA-406	06LC0	0	
9	AA-407	06LC0	0	
10	AA-408	06LC0	0	
11	Blower Exhaust	06LC0	0	
12				

Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N

DATE	TIME	ACCEPTED BY / AFFILIATION
06/17/19	11:20	Nichole Besyk / Sand Creek

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER
SIGNATURE of SAMPLER

Comments:
AA-405: Pressure quickly fell to -15 and stayed there for a few hours, ~~fell to~~ but fell to -2 by the end of the day. Spoke to K. Holberg during field work ORIGINAL



Document Name:
Air Sample Condition Upon Receipt
Document No.:
F-MN-A-106-rev.18

Document Revised: 31Jan2019
Page 1 of 1
Issuing Authority:
Pace Analytical, Inc.

Air Sample Condition Upon Receipt

Client Name: Sand Creek

Project #:

WO#: 10479268

PM: KNH

Due Date: 06/21/19

CLIENT: Sand Creek

Courier: Fed Ex UPS USPS Client
 Pace Speedee Commercial See Exception

Tracking Number: 45459912 80171802818039

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): _____ Corrected Temp (°C): _____ Thermometer Used: G87A9170600254 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: _____ Date & Initials of Person Examining Contents: 06/14/19 CS

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT Passive		11. Individually Certified Cans Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized (3C and ASTM 1946 DO NOT PRESSURIZE)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Samples Received:					Pressure Gauge # <input type="checkbox"/> 10AIR34 <input checked="" type="checkbox"/> 10AIR35				
Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
SSV 101	0096	1165	-0.5	+5.0	AA 407	2800	0219	-1.0	+5.0
" 203	2854	1218	-3.5	"	" 408	0084	0877	-1.5	"
" 304	0795	0685	-2.0	"	Blank	1211	0804	-1.0	"
" 405	0309	1613	"	"					
" 406	1222	1653	"	"					
AA 304	1235	0380	-2.5	"					
" 405	2375	1085	-1.5	"					
" 406	2675	0414	"	"					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Kirsten Hofer

Date: 6/14/2019

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



August 7, 2019

Mr. Jim Guzman
Guzman Building, LLC
1700 Rose Court
Plover, WI 54467

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results

Dear Mr. Guzman:

The purpose of this letter is to present the results of vapor samples collected at the Guzman office building, located at 1100 Center Point Drive, Stevens Point, Wisconsin, on June 7, 2019. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

Vapor samples were collected from three locations inside the building. The indoor samples included three samples of ambient air (i.e., typical room air) and two samples of sub-slab vapors (i.e., the vapor in the soil beneath the building). An outdoor sample was taken near the northwest corner of the property. The samples were submitted to a laboratory and analyzed for VOCs.

Sample Results

The PCE and TCE results for all samples collected from the office building are presented on the enclosed table. Sample locations are shown on the enclosed figure. All results for the most recent samples are included on the enclosed laboratory report.

Ambient Air

Results of the ambient air samples include:

- The outdoor sample (AA405) had no detections of either PCE or TCE.
- The United Way (AA406) sample had detections of PCE and TCE below action levels.
- The Wildcard (former) (AA407) and Attorney (former) (AA408) samples each had detections of PCE below action levels and no detection of TCE.

Note that, as in past sampling events, the Attorney ambient air sample was collected from the storage room adjacent to the office, rather than the office itself.

The WDNR screening levels for PCE/TCE are set to provide threshold concentrations for the substances that are protective of human health over long-term exposure. The potential health risk for the building occupants is low.

Sub-Slab Vapor

As with previous occasions, the two sub-slab vapor samples had detections of PCE above its non-residential Screening Level. Such concentrations are the reason indoor ambient air samples are collected.

The sub-slab and ambient vapor results indicate that movement from the sub-slab environment to indoor spaces is minimal.

Building users who have questions may contact Curtis Hedman (608.266.6677) with the Wisconsin Department of Health Services (DHS).

Going Forward

We expect to perform another round of vapor sampling in fall 2019. At that time, we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrologist

Enclosures: Table 1: Vapor Sample Results for Guzman Office Building
Sample Location Figure
Laboratory Report

cc/enc: Ms. Peggy Ehlert, via email only
Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via RR Submittal Portal only

Table 1: Vapor Sample Results for Guzman Office Building

1100 Center Point Drive, Stevens Point, WI

Dun-Rite Cleaners, Stevens Point, WI

Vapor Chemistry Results - Ambient Air

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
6/7/2019	4.0	1.8		
AA407	Wildcard (former)	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
		11/12/2108	3.5	<0.47
6/7/2019	2.5	<0.36		
AA408	Attorney (former)	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327	1.2
12/5/2018	5.6	<0.39		
6/7/2019	21.3	0.54 J		

Vapor Chemistry Results - Sub-Slab Vapor

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	ethene (PCE)	ethene (TCE)
Sub-Slab Vapor Screening Levels²				
Non-Residential			6,000	290
Residential			<i>1,400</i>	<i>70</i>
SSV405	Attorney (former)	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
SSV406	Wildcard (former)	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1

Notes:

$\mu\text{g}/\text{m}^3$: micrograms per cubic meter.

<0.076 = Substance not detected above indicated detection limit.

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

* = Sample marked by laboratory qualifier C8: "Result may be biased


J = Analyte was detected but is below the reporting limit. The concentration is estimated.

Highlighting indicates most recent results.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].


² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) JUNE 7, 2019
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) JUNE 7, 2019

NOTE:
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.



VAPOR SAMPLE LOCATIONS AND PCE RESULTS JUNE 2019

DUN-RITE CLEANERS
 1008 UNION STREET
 STEVENS POINT, WISCONSIN

DATE: JULY 2019	DRAWN BY: NRB
SCALE: 1"=40'	APPROVED BY: PDA
FIGURE 1	

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV304 Lab ID: 10479268003 Collected: 06/07/19 09:38 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Tetrachloroethene	20.1	ug/m3	0.99	0.45	1.44		06/24/19 14:06	127-18-4	
Tetrahydrofuran	3.9	ug/m3	0.86	0.38	1.44		06/24/19 14:06	109-99-9	
Toluene	73.9	ug/m3	1.1	0.51	1.44		06/24/19 14:06	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		06/24/19 14:06	120-82-1	
1,1,1-Trichloroethane	0.65J	ug/m3	1.6	0.44	1.44		06/24/19 14:06	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		06/24/19 14:06	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		06/24/19 14:06	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.53	1.44		06/24/19 14:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		06/24/19 14:06	76-13-1	
1,2,4-Trimethylbenzene	4.0	ug/m3	1.4	0.65	1.44		06/24/19 14:06	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		06/24/19 14:06	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		06/24/19 14:06	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		06/24/19 14:06	75-01-4	
m&p-Xylene	8.1	ug/m3	2.5	1.0	1.44		06/24/19 14:06	179601-23-1	
o-Xylene	2.9	ug/m3	1.3	0.50	1.44		06/24/19 14:06	95-47-6	

Sample: SSV405 Lab ID: 10479268004 Collected: 06/07/19 10:47 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	<52.3	ug/m3	104	52.3	43.2		06/24/19 21:07	67-64-1	
Benzene	<6.6	ug/m3	14.0	6.6	43.2		06/24/19 21:07	71-43-2	
Benzyl chloride	<51.8	ug/m3	114	51.8	43.2		06/24/19 21:07	100-44-7	
Bromodichloromethane	<15.8	ug/m3	58.8	15.8	43.2		06/24/19 21:07	75-27-4	
Bromoform	<61.3	ug/m3	227	61.3	43.2		06/24/19 21:07	75-25-2	
Bromomethane	<9.8	ug/m3	34.1	9.8	43.2		06/24/19 21:07	74-83-9	
1,3-Butadiene	<5.5	ug/m3	19.4	5.5	43.2		06/24/19 21:07	106-99-0	
2-Butanone (MEK)	<15.9	ug/m3	130	15.9	43.2		06/24/19 21:07	78-93-3	
Carbon disulfide	<9.5	ug/m3	27.3	9.5	43.2		06/24/19 21:07	75-15-0	
Carbon tetrachloride	<18.5	ug/m3	55.3	18.5	43.2		06/24/19 21:07	56-23-5	
Chlorobenzene	<11.9	ug/m3	40.4	11.9	43.2		06/24/19 21:07	108-90-7	
Chloroethane	<11.2	ug/m3	23.2	11.2	43.2		06/24/19 21:07	75-00-3	
Chloroform	<8.5	ug/m3	21.4	8.5	43.2		06/24/19 21:07	67-66-3	
Chloromethane	<6.7	ug/m3	18.1	6.7	43.2		06/24/19 21:07	74-87-3	
Cyclohexane	<15.2	ug/m3	75.6	15.2	43.2		06/24/19 21:07	110-82-7	
Dibromochloromethane	<31.1	ug/m3	74.7	31.1	43.2		06/24/19 21:07	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/m3	33.7	15.8	43.2		06/24/19 21:07	106-93-4	
1,2-Dichlorobenzene	<21.5	ug/m3	52.7	21.5	43.2		06/24/19 21:07	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/m3	52.7	25.1	43.2		06/24/19 21:07	541-73-1	
1,4-Dichlorobenzene	<43.2	ug/m3	132	43.2	43.2		06/24/19 21:07	106-46-7	
Dichlorodifluoromethane	<12.7	ug/m3	43.6	12.7	43.2		06/24/19 21:07	75-71-8	
1,1-Dichloroethane	<9.7	ug/m3	35.6	9.7	43.2		06/24/19 21:07	75-34-3	
1,2-Dichloroethane	<6.5	ug/m3	17.8	6.5	43.2		06/24/19 21:07	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV405 Lab ID: 10479268004 Collected: 06/07/19 10:47 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<11.8	ug/m3	34.8	11.8	43.2		06/24/19 21:07	75-35-4	
cis-1,2-Dichloroethene	<9.5	ug/m3	34.8	9.5	43.2		06/24/19 21:07	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/m3	34.8	12.3	43.2		06/24/19 21:07	156-60-5	
1,2-Dichloropropane	<9.9	ug/m3	40.6	9.9	43.2		06/24/19 21:07	78-87-5	
cis-1,3-Dichloropropene	<13.1	ug/m3	39.9	13.1	43.2		06/24/19 21:07	10061-01-5	
trans-1,3-Dichloropropene	<19.0	ug/m3	39.9	19.0	43.2		06/24/19 21:07	10061-02-6	
Dichlorotetrafluoroethane	<18.9	ug/m3	61.3	18.9	43.2		06/24/19 21:07	76-14-2	
Ethanol	56.7J	ug/m3	82.9	35.1	43.2		06/24/19 21:07	64-17-5	
Ethyl acetate	<8.2	ug/m3	31.7	8.2	43.2		06/24/19 21:07	141-78-6	
Ethylbenzene	<13.2	ug/m3	38.1	13.2	43.2		06/24/19 21:07	100-41-4	
4-Ethyltoluene	<24.6	ug/m3	108	24.6	43.2		06/24/19 21:07	622-96-8	
n-Heptane	<16.4	ug/m3	36.0	16.4	43.2		06/24/19 21:07	142-82-5	
Hexachloro-1,3-butadiene	<85.1	ug/m3	234	85.1	43.2		06/24/19 21:07	87-68-3	
n-Hexane	<13.4	ug/m3	30.9	13.4	43.2		06/24/19 21:07	110-54-3	
2-Hexanone	<32.2	ug/m3	180	32.2	43.2		06/24/19 21:07	591-78-6	
Methylene Chloride	<40.8	ug/m3	152	40.8	43.2		06/24/19 21:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<22.4	ug/m3	180	22.4	43.2		06/24/19 21:07	108-10-1	
Methyl-tert-butyl ether	<28.6	ug/m3	158	28.6	43.2		06/24/19 21:07	1634-04-4	
Naphthalene	<57.0	ug/m3	115	57.0	43.2		06/24/19 21:07	91-20-3	
2-Propanol	<30.1	ug/m3	108	30.1	43.2		06/24/19 21:07	67-63-0	
Propylene	<6.2	ug/m3	15.1	6.2	43.2		06/24/19 21:07	115-07-1	
Styrene	<14.9	ug/m3	37.4	14.9	43.2		06/24/19 21:07	100-42-5	
1,1,2,2-Tetrachloroethane	<12.6	ug/m3	30.2	12.6	43.2		06/24/19 21:07	79-34-5	
Tetrachloroethene	6710	ug/m3	29.8	13.6	43.2		06/24/19 21:07	127-18-4	
Tetrahydrofuran	<11.3	ug/m3	25.9	11.3	43.2		06/24/19 21:07	109-99-9	
Toluene	25.4J	ug/m3	33.1	15.2	43.2		06/24/19 21:07	108-88-3	
1,2,4-Trichlorobenzene	<161	ug/m3	326	161	43.2		06/24/19 21:07	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/m3	48.0	13.3	43.2		06/24/19 21:07	71-55-6	
1,1,2-Trichloroethane	<10.8	ug/m3	24.0	10.8	43.2		06/24/19 21:07	79-00-5	
Trichloroethene	64.4	ug/m3	23.6	11.1	43.2		06/24/19 21:07	79-01-6	
Trichlorofluoromethane	<15.8	ug/m3	49.2	15.8	43.2		06/24/19 21:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<24.4	ug/m3	67.4	24.4	43.2		06/24/19 21:07	76-13-1	
1,2,4-Trimethylbenzene	<19.5	ug/m3	43.2	19.5	43.2		06/24/19 21:07	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/m3	43.2	17.2	43.2		06/24/19 21:07	108-67-8	
Vinyl acetate	<11.7	ug/m3	30.9	11.7	43.2		06/24/19 21:07	108-05-4	
Vinyl chloride	<5.4	ug/m3	11.2	5.4	43.2		06/24/19 21:07	75-01-4	
m&p-Xylene	<30.2	ug/m3	76.5	30.2	43.2		06/24/19 21:07	179601-23-1	
o-Xylene	<14.9	ug/m3	38.1	14.9	43.2		06/24/19 21:07	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV406 Lab ID: 10479268005 Collected: 06/07/19 11:07 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	<52.3	ug/m3	104	52.3	43.2		06/24/19 21:36	67-64-1	
Benzene	<6.6	ug/m3	14.0	6.6	43.2		06/24/19 21:36	71-43-2	
Benzyl chloride	<51.8	ug/m3	114	51.8	43.2		06/24/19 21:36	100-44-7	
Bromodichloromethane	<15.8	ug/m3	58.8	15.8	43.2		06/24/19 21:36	75-27-4	
Bromoform	<61.3	ug/m3	227	61.3	43.2		06/24/19 21:36	75-25-2	
Bromomethane	<9.8	ug/m3	34.1	9.8	43.2		06/24/19 21:36	74-83-9	
1,3-Butadiene	<5.5	ug/m3	19.4	5.5	43.2		06/24/19 21:36	106-99-0	
2-Butanone (MEK)	<15.9	ug/m3	130	15.9	43.2		06/24/19 21:36	78-93-3	
Carbon disulfide	<9.5	ug/m3	27.3	9.5	43.2		06/24/19 21:36	75-15-0	
Carbon tetrachloride	<18.5	ug/m3	55.3	18.5	43.2		06/24/19 21:36	56-23-5	
Chlorobenzene	<11.9	ug/m3	40.4	11.9	43.2		06/24/19 21:36	108-90-7	
Chloroethane	<11.2	ug/m3	23.2	11.2	43.2		06/24/19 21:36	75-00-3	
Chloroform	<8.5	ug/m3	21.4	8.5	43.2		06/24/19 21:36	67-66-3	
Chloromethane	<6.7	ug/m3	18.1	6.7	43.2		06/24/19 21:36	74-87-3	
Cyclohexane	<15.2	ug/m3	75.6	15.2	43.2		06/24/19 21:36	110-82-7	
Dibromochloromethane	<31.1	ug/m3	74.7	31.1	43.2		06/24/19 21:36	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/m3	33.7	15.8	43.2		06/24/19 21:36	106-93-4	
1,2-Dichlorobenzene	<21.5	ug/m3	52.7	21.5	43.2		06/24/19 21:36	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/m3	52.7	25.1	43.2		06/24/19 21:36	541-73-1	
1,4-Dichlorobenzene	<43.2	ug/m3	132	43.2	43.2		06/24/19 21:36	106-46-7	
Dichlorodifluoromethane	14.1J	ug/m3	43.6	12.7	43.2		06/24/19 21:36	75-71-8	
1,1-Dichloroethane	<9.7	ug/m3	35.6	9.7	43.2		06/24/19 21:36	75-34-3	
1,2-Dichloroethane	<6.5	ug/m3	17.8	6.5	43.2		06/24/19 21:36	107-06-2	
1,1-Dichloroethene	<11.8	ug/m3	34.8	11.8	43.2		06/24/19 21:36	75-35-4	
cis-1,2-Dichloroethene	<9.5	ug/m3	34.8	9.5	43.2		06/24/19 21:36	156-59-2	
trans-1,2-Dichloroethene	<12.3	ug/m3	34.8	12.3	43.2		06/24/19 21:36	156-60-5	
1,2-Dichloropropane	<9.9	ug/m3	40.6	9.9	43.2		06/24/19 21:36	78-87-5	
cis-1,3-Dichloropropene	<13.1	ug/m3	39.9	13.1	43.2		06/24/19 21:36	10061-01-5	
trans-1,3-Dichloropropene	<19.0	ug/m3	39.9	19.0	43.2		06/24/19 21:36	10061-02-6	
Dichlorotetrafluoroethane	<18.9	ug/m3	61.3	18.9	43.2		06/24/19 21:36	76-14-2	
Ethanol	106	ug/m3	82.9	35.1	43.2		06/24/19 21:36	64-17-5	
Ethyl acetate	<8.2	ug/m3	31.7	8.2	43.2		06/24/19 21:36	141-78-6	
Ethylbenzene	<13.2	ug/m3	38.1	13.2	43.2		06/24/19 21:36	100-41-4	
4-Ethyltoluene	<24.6	ug/m3	108	24.6	43.2		06/24/19 21:36	622-96-8	
n-Heptane	<16.4	ug/m3	36.0	16.4	43.2		06/24/19 21:36	142-82-5	
Hexachloro-1,3-butadiene	<85.1	ug/m3	234	85.1	43.2		06/24/19 21:36	87-68-3	
n-Hexane	<13.4	ug/m3	30.9	13.4	43.2		06/24/19 21:36	110-54-3	
2-Hexanone	<32.2	ug/m3	180	32.2	43.2		06/24/19 21:36	591-78-6	
Methylene Chloride	<40.8	ug/m3	152	40.8	43.2		06/24/19 21:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	<22.4	ug/m3	180	22.4	43.2		06/24/19 21:36	108-10-1	
Methyl-tert-butyl ether	<28.6	ug/m3	158	28.6	43.2		06/24/19 21:36	1634-04-4	
Naphthalene	<57.0	ug/m3	115	57.0	43.2		06/24/19 21:36	91-20-3	
2-Propanol	<30.1	ug/m3	108	30.1	43.2		06/24/19 21:36	67-63-0	
Propylene	<6.2	ug/m3	15.1	6.2	43.2		06/24/19 21:36	115-07-1	
Styrene	<14.9	ug/m3	37.4	14.9	43.2		06/24/19 21:36	100-42-5	
1,1,2,2-Tetrachloroethane	<12.6	ug/m3	30.2	12.6	43.2		06/24/19 21:36	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: SSV406 Lab ID: 10479268005 Collected: 06/07/19 11:07 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	3810	ug/m3	29.8	13.6	43.2		06/24/19 21:36	127-18-4	
Tetrahydrofuran	<11.3	ug/m3	25.9	11.3	43.2		06/24/19 21:36	109-99-9	
Toluene	50.3	ug/m3	33.1	15.2	43.2		06/24/19 21:36	108-88-3	
1,2,4-Trichlorobenzene	<161	ug/m3	326	161	43.2		06/24/19 21:36	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/m3	48.0	13.3	43.2		06/24/19 21:36	71-55-6	
1,1,2-Trichloroethane	<10.8	ug/m3	24.0	10.8	43.2		06/24/19 21:36	79-00-5	
Trichloroethene	<11.1	ug/m3	23.6	11.1	43.2		06/24/19 21:36	79-01-6	
Trichlorofluoromethane	<15.8	ug/m3	49.2	15.8	43.2		06/24/19 21:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	<24.4	ug/m3	67.4	24.4	43.2		06/24/19 21:36	76-13-1	
1,2,4-Trimethylbenzene	<19.5	ug/m3	43.2	19.5	43.2		06/24/19 21:36	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/m3	43.2	17.2	43.2		06/24/19 21:36	108-67-8	
Vinyl acetate	<11.7	ug/m3	30.9	11.7	43.2		06/24/19 21:36	108-05-4	
Vinyl chloride	<5.4	ug/m3	11.2	5.4	43.2		06/24/19 21:36	75-01-4	
m&p-Xylene	<30.2	ug/m3	76.5	30.2	43.2		06/24/19 21:36	179601-23-1	
o-Xylene	<14.9	ug/m3	38.1	14.9	43.2		06/24/19 21:36	95-47-6	

Sample: AA304 Lab ID: 10479268006 Collected: 06/07/19 15:44 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	40.0	ug/m3	3.5	1.7	1.44		06/24/19 14:36	67-64-1	
Benzene	1.5	ug/m3	0.47	0.22	1.44		06/24/19 14:36	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		06/24/19 14:36	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		06/24/19 14:36	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		06/24/19 14:36	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		06/24/19 14:36	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		06/24/19 14:36	106-99-0	
2-Butanone (MEK)	6.0	ug/m3	4.3	0.53	1.44		06/24/19 14:36	78-93-3	
Carbon disulfide	0.58J	ug/m3	0.91	0.32	1.44		06/24/19 14:36	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		06/24/19 14:36	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		06/24/19 14:36	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		06/24/19 14:36	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		06/24/19 14:36	67-66-3	
Chloromethane	0.76	ug/m3	0.60	0.22	1.44		06/24/19 14:36	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		06/24/19 14:36	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		06/24/19 14:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		06/24/19 14:36	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		06/24/19 14:36	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		06/24/19 14:36	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		06/24/19 14:36	106-46-7	
Dichlorodifluoromethane	2.6	ug/m3	1.5	0.42	1.44		06/24/19 14:36	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:36	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		06/24/19 14:36	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA405 Lab ID: 10479268007 Collected: 06/07/19 15:57 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	13.9	ug/m3	3.4	1.7	1.41		06/24/19 15:07	67-64-1	
Benzene	0.33J	ug/m3	0.46	0.22	1.41		06/24/19 15:07	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/24/19 15:07	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/24/19 15:07	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/24/19 15:07	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/24/19 15:07	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/24/19 15:07	106-99-0	
2-Butanone (MEK)	<0.52	ug/m3	4.2	0.52	1.41		06/24/19 15:07	78-93-3	
Carbon disulfide	<0.31	ug/m3	0.89	0.31	1.41		06/24/19 15:07	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.41		06/24/19 15:07	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/24/19 15:07	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/24/19 15:07	75-00-3	
Chloroform	<0.28	ug/m3	0.70	0.28	1.41		06/24/19 15:07	67-66-3	
Chloromethane	0.75	ug/m3	0.59	0.22	1.41		06/24/19 15:07	74-87-3	
Cyclohexane	<0.50	ug/m3	2.5	0.50	1.41		06/24/19 15:07	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/24/19 15:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/24/19 15:07	106-93-4	
1,2-Dichlorobenzene	<0.70	ug/m3	1.7	0.70	1.41		06/24/19 15:07	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/24/19 15:07	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.3	1.4	1.41		06/24/19 15:07	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.4	0.41	1.41		06/24/19 15:07	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/24/19 15:07	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/24/19 15:07	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/24/19 15:07	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/24/19 15:07	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/24/19 15:07	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/24/19 15:07	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/24/19 15:07	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/24/19 15:07	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/24/19 15:07	76-14-2	
Ethanol	5.4	ug/m3	2.7	1.1	1.41		06/24/19 15:07	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.0	0.27	1.41		06/24/19 15:07	141-78-6	
Ethylbenzene	<0.43	ug/m3	1.2	0.43	1.41		06/24/19 15:07	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/24/19 15:07	622-96-8	
n-Heptane	<0.54	ug/m3	1.2	0.54	1.41		06/24/19 15:07	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/24/19 15:07	87-68-3	
n-Hexane	<0.44	ug/m3	1.0	0.44	1.41		06/24/19 15:07	110-54-3	
2-Hexanone	<1.1	ug/m3	5.9	1.1	1.41		06/24/19 15:07	591-78-6	
Methylene Chloride	3.6J	ug/m3	5.0	1.3	1.41		06/24/19 15:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.73	ug/m3	5.9	0.73	1.41		06/24/19 15:07	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/24/19 15:07	1634-04-4	
Naphthalene	6.6	ug/m3	3.8	1.9	1.41		06/24/19 15:07	91-20-3	
2-Propanol	2.4J	ug/m3	3.5	0.98	1.41		06/24/19 15:07	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/24/19 15:07	115-07-1	
Styrene	<0.49	ug/m3	1.2	0.49	1.41		06/24/19 15:07	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/24/19 15:07	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA405 Lab ID: 10479268007 Collected: 06/07/19 15:57 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	<0.44	ug/m3	0.97	0.44	1.41		06/24/19 15:07	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/24/19 15:07	109-99-9	
Toluene	2.1	ug/m3	1.1	0.49	1.41		06/24/19 15:07	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/24/19 15:07	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/24/19 15:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/24/19 15:07	79-00-5	
Trichloroethene	<0.36	ug/m3	0.77	0.36	1.41		06/24/19 15:07	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.6	0.52	1.41		06/24/19 15:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2	0.80	1.41		06/24/19 15:07	76-13-1	
1,2,4-Trimethylbenzene	0.95J	ug/m3	1.4	0.64	1.41		06/24/19 15:07	95-63-6	
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4	0.56	1.41		06/24/19 15:07	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.41		06/24/19 15:07	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.41		06/24/19 15:07	75-01-4	
m&p-Xylene	<0.99	ug/m3	2.5	0.99	1.41		06/24/19 15:07	179601-23-1	
o-Xylene	<0.49	ug/m3	1.2	0.49	1.41		06/24/19 15:07	95-47-6	

Sample: AA406 Lab ID: 10479268008 Collected: 06/07/19 15:50 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	84.0	ug/m3	3.4	1.7	1.41		06/24/19 15:37	67-64-1	
Benzene	<0.22	ug/m3	0.46	0.22	1.41		06/24/19 15:37	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/24/19 15:37	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/24/19 15:37	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/24/19 15:37	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/24/19 15:37	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/24/19 15:37	106-99-0	
2-Butanone (MEK)	12.4	ug/m3	4.2	0.52	1.41		06/24/19 15:37	78-93-3	
Carbon disulfide	0.49J	ug/m3	0.89	0.31	1.41		06/24/19 15:37	75-15-0	
Carbon tetrachloride	0.84J	ug/m3	1.8	0.60	1.41		06/24/19 15:37	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/24/19 15:37	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/24/19 15:37	75-00-3	
Chloroform	0.43J	ug/m3	0.70	0.28	1.41		06/24/19 15:37	67-66-3	
Chloromethane	1.9	ug/m3	0.59	0.22	1.41		06/24/19 15:37	74-87-3	
Cyclohexane	1.7J	ug/m3	2.5	0.50	1.41		06/24/19 15:37	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/24/19 15:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/24/19 15:37	106-93-4	
1,2-Dichlorobenzene	1.1J	ug/m3	1.7	0.70	1.41		06/24/19 15:37	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/24/19 15:37	541-73-1	
1,4-Dichlorobenzene	543	ug/m3	86.3	28.2	28.2		06/25/19 15:13	106-46-7	
Dichlorodifluoromethane	15.2	ug/m3	1.4	0.41	1.41		06/24/19 15:37	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/24/19 15:37	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/24/19 15:37	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA406 Lab ID: 10479268008 Collected: 06/07/19 15:50 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/24/19 15:37	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/24/19 15:37	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/24/19 15:37	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/24/19 15:37	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/24/19 15:37	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/24/19 15:37	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/24/19 15:37	76-14-2	
Ethanol	849	ug/m3	54.1	22.9	28.2		06/25/19 15:13	64-17-5	
Ethyl acetate	5.5	ug/m3	1.0	0.27	1.41		06/24/19 15:37	141-78-6	
Ethylbenzene	1.1J	ug/m3	1.2	0.43	1.41		06/24/19 15:37	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/24/19 15:37	622-96-8	
n-Heptane	<0.54	ug/m3	1.2	0.54	1.41		06/24/19 15:37	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/24/19 15:37	87-68-3	
n-Hexane	<0.44	ug/m3	1.0	0.44	1.41		06/24/19 15:37	110-54-3	
2-Hexanone	1.7J	ug/m3	5.9	1.1	1.41		06/24/19 15:37	591-78-6	
Methylene Chloride	3.0J	ug/m3	5.0	1.3	1.41		06/24/19 15:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	0.87J	ug/m3	5.9	0.73	1.41		06/24/19 15:37	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/24/19 15:37	1634-04-4	
Naphthalene	4.9	ug/m3	3.8	1.9	1.41		06/24/19 15:37	91-20-3	
2-Propanol	33.2	ug/m3	3.5	0.98	1.41		06/24/19 15:37	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/24/19 15:37	115-07-1	
Styrene	3.4	ug/m3	1.2	0.49	1.41		06/24/19 15:37	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/24/19 15:37	79-34-5	
Tetrachloroethene	4.0	ug/m3	0.97	0.44	1.41		06/24/19 15:37	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/24/19 15:37	109-99-9	
Toluene	5.4	ug/m3	1.1	0.49	1.41		06/24/19 15:37	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/24/19 15:37	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/24/19 15:37	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/24/19 15:37	79-00-5	
Trichloroethene	1.8	ug/m3	0.77	0.36	1.41		06/24/19 15:37	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.6	0.52	1.41		06/24/19 15:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2	0.80	1.41		06/24/19 15:37	76-13-1	
1,2,4-Trimethylbenzene	1.8	ug/m3	1.4	0.64	1.41		06/24/19 15:37	95-63-6	
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4	0.56	1.41		06/24/19 15:37	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.41		06/24/19 15:37	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.41		06/24/19 15:37	75-01-4	
m&p-Xylene	2.1J	ug/m3	2.5	0.99	1.41		06/24/19 15:37	179601-23-1	
o-Xylene	1.0J	ug/m3	1.2	0.49	1.41		06/24/19 15:37	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA407 Lab ID: 10479268009 Collected: 06/07/19 15:54 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	52.4	ug/m3	3.3	1.7	1.39		06/24/19 16:07	67-64-1	
Benzene	0.52	ug/m3	0.45	0.21	1.39		06/24/19 16:07	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.39		06/24/19 16:07	100-44-7	
Bromodichloromethane	<0.51	ug/m3	1.9	0.51	1.39		06/24/19 16:07	75-27-4	
Bromoform	<2.0	ug/m3	7.3	2.0	1.39		06/24/19 16:07	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.39		06/24/19 16:07	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.39		06/24/19 16:07	106-99-0	
2-Butanone (MEK)	8.9	ug/m3	4.2	0.51	1.39		06/24/19 16:07	78-93-3	
Carbon disulfide	<0.30	ug/m3	0.88	0.30	1.39		06/24/19 16:07	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.39		06/24/19 16:07	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.3	0.38	1.39		06/24/19 16:07	108-90-7	
Chloroethane	<0.36	ug/m3	0.75	0.36	1.39		06/24/19 16:07	75-00-3	
Chloroform	<0.27	ug/m3	0.69	0.27	1.39		06/24/19 16:07	67-66-3	
Chloromethane	1.0	ug/m3	0.58	0.22	1.39		06/24/19 16:07	74-87-3	
Cyclohexane	1.5J	ug/m3	2.4	0.49	1.39		06/24/19 16:07	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.39		06/24/19 16:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.51	ug/m3	1.1	0.51	1.39		06/24/19 16:07	106-93-4	
1,2-Dichlorobenzene	<0.69	ug/m3	1.7	0.69	1.39		06/24/19 16:07	95-50-1	
1,3-Dichlorobenzene	<0.81	ug/m3	1.7	0.81	1.39		06/24/19 16:07	541-73-1	
1,4-Dichlorobenzene	73.8	ug/m3	4.3	1.4	1.39		06/25/19 14:46	106-46-7	
Dichlorodifluoromethane	15.5	ug/m3	1.4	0.41	1.39		06/24/19 16:07	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.1	0.31	1.39		06/24/19 16:07	75-34-3	
1,2-Dichloroethane	0.73	ug/m3	0.57	0.21	1.39		06/24/19 16:07	107-06-2	
1,1-Dichloroethene	<0.38	ug/m3	1.1	0.38	1.39		06/24/19 16:07	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.1	0.30	1.39		06/24/19 16:07	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.39		06/24/19 16:07	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.39		06/24/19 16:07	78-87-5	
cis-1,3-Dichloropropene	<0.42	ug/m3	1.3	0.42	1.39		06/24/19 16:07	10061-01-5	
trans-1,3-Dichloropropene	<0.61	ug/m3	1.3	0.61	1.39		06/24/19 16:07	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.0	0.61	1.39		06/24/19 16:07	76-14-2	
Ethanol	409	ug/m3	2.7	1.1	1.39		06/24/19 16:07	64-17-5	E
Ethyl acetate	3.9	ug/m3	1.0	0.26	1.39		06/24/19 16:07	141-78-6	
Ethylbenzene	0.46J	ug/m3	1.2	0.42	1.39		06/24/19 16:07	100-41-4	
4-Ethyltoluene	<0.79	ug/m3	3.5	0.79	1.39		06/24/19 16:07	622-96-8	
n-Heptane	<0.53	ug/m3	1.2	0.53	1.39		06/24/19 16:07	142-82-5	
Hexachloro-1,3-butadiene	<2.7	ug/m3	7.5	2.7	1.39		06/24/19 16:07	87-68-3	
n-Hexane	0.87J	ug/m3	1.0	0.43	1.39		06/24/19 16:07	110-54-3	
2-Hexanone	1.0J	ug/m3	5.8	1.0	1.39		06/24/19 16:07	591-78-6	
Methylene Chloride	2.5J	ug/m3	4.9	1.3	1.39		06/24/19 16:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.72	ug/m3	5.8	0.72	1.39		06/24/19 16:07	108-10-1	
Methyl-tert-butyl ether	<0.92	ug/m3	5.1	0.92	1.39		06/24/19 16:07	1634-04-4	
Naphthalene	2.9J	ug/m3	3.7	1.8	1.39		06/24/19 16:07	91-20-3	
2-Propanol	18.8	ug/m3	3.5	0.97	1.39		06/24/19 16:07	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.39		06/24/19 16:07	115-07-1	
Styrene	1.2	ug/m3	1.2	0.48	1.39		06/24/19 16:07	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.97	0.41	1.39		06/24/19 16:07	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA407 Lab ID: 10479268009 Collected: 06/07/19 15:54 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	2.5	ug/m3	0.96	0.44	1.39		06/24/19 16:07	127-18-4	
Tetrahydrofuran	<0.36	ug/m3	0.83	0.36	1.39		06/24/19 16:07	109-99-9	
Toluene	2.4	ug/m3	1.1	0.49	1.39		06/24/19 16:07	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.5	5.2	1.39		06/24/19 16:07	120-82-1	
1,1,1-Trichloroethane	<0.43	ug/m3	1.5	0.43	1.39		06/24/19 16:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.77	0.35	1.39		06/24/19 16:07	79-00-5	
Trichloroethene	<0.36	ug/m3	0.76	0.36	1.39		06/24/19 16:07	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.6	0.51	1.39		06/24/19 16:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.78	ug/m3	2.2	0.78	1.39		06/24/19 16:07	76-13-1	
1,2,4-Trimethylbenzene	0.67J	ug/m3	1.4	0.63	1.39		06/24/19 16:07	95-63-6	
1,3,5-Trimethylbenzene	<0.55	ug/m3	1.4	0.55	1.39		06/24/19 16:07	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.0	0.38	1.39		06/24/19 16:07	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.36	0.18	1.39		06/24/19 16:07	75-01-4	
m&p-Xylene	1.2J	ug/m3	2.5	0.97	1.39		06/24/19 16:07	179601-23-1	
o-Xylene	0.53J	ug/m3	1.2	0.48	1.39		06/24/19 16:07	95-47-6	

Sample: AA408 Lab ID: 10479268010 Collected: 06/07/19 15:52 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	54.1	ug/m3	3.4	1.7	1.41		06/25/19 18:52	67-64-1	
Benzene	0.55	ug/m3	0.46	0.22	1.41		06/25/19 18:52	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.7	1.7	1.41		06/25/19 18:52	100-44-7	
Bromodichloromethane	<0.52	ug/m3	1.9	0.52	1.41		06/25/19 18:52	75-27-4	
Bromoform	<2.0	ug/m3	7.4	2.0	1.41		06/25/19 18:52	75-25-2	
Bromomethane	<0.32	ug/m3	1.1	0.32	1.41		06/25/19 18:52	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.63	0.18	1.41		06/25/19 18:52	106-99-0	
2-Butanone (MEK)	3.2J	ug/m3	4.2	0.52	1.41		06/25/19 18:52	78-93-3	
Carbon disulfide	<0.31	ug/m3	0.89	0.31	1.41		06/25/19 18:52	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.41		06/25/19 18:52	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.3	0.39	1.41		06/25/19 18:52	108-90-7	
Chloroethane	<0.37	ug/m3	0.76	0.37	1.41		06/25/19 18:52	75-00-3	
Chloroform	<0.28	ug/m3	0.70	0.28	1.41		06/25/19 18:52	67-66-3	
Chloromethane	2.0	ug/m3	0.59	0.22	1.41		06/25/19 18:52	74-87-3	
Cyclohexane	<0.50	ug/m3	2.5	0.50	1.41		06/25/19 18:52	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.4	1.0	1.41		06/25/19 18:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.1	0.52	1.41		06/25/19 18:52	106-93-4	
1,2-Dichlorobenzene	<0.70	ug/m3	1.7	0.70	1.41		06/25/19 18:52	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	1.7	0.82	1.41		06/25/19 18:52	541-73-1	
1,4-Dichlorobenzene	80.3	ug/m3	4.3	1.4	1.41		06/25/19 18:52	106-46-7	
Dichlorodifluoromethane	14.4	ug/m3	1.4	0.41	1.41		06/25/19 18:52	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.41		06/25/19 18:52	75-34-3	
1,2-Dichloroethane	<0.21	ug/m3	0.58	0.21	1.41		06/25/19 18:52	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: AA408 Lab ID: 10479268010 Collected: 06/07/19 15:52 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.1	0.39	1.41		06/25/19 18:52	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.1	0.31	1.41		06/25/19 18:52	156-59-2	
trans-1,2-Dichloroethene	<0.40	ug/m3	1.1	0.40	1.41		06/25/19 18:52	156-60-5	
1,2-Dichloropropane	<0.32	ug/m3	1.3	0.32	1.41		06/25/19 18:52	78-87-5	
cis-1,3-Dichloropropene	<0.43	ug/m3	1.3	0.43	1.41		06/25/19 18:52	10061-01-5	
trans-1,3-Dichloropropene	<0.62	ug/m3	1.3	0.62	1.41		06/25/19 18:52	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.0	0.62	1.41		06/25/19 18:52	76-14-2	
Ethanol	443	ug/m3	2.7	1.1	1.41		06/25/19 18:52	64-17-5	E
Ethyl acetate	3.0	ug/m3	1.0	0.27	1.41		06/25/19 18:52	141-78-6	
Ethylbenzene	0.45J	ug/m3	1.2	0.43	1.41		06/25/19 18:52	100-41-4	
4-Ethyltoluene	<0.80	ug/m3	3.5	0.80	1.41		06/25/19 18:52	622-96-8	
n-Heptane	4.8	ug/m3	1.2	0.54	1.41		06/25/19 18:52	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.6	2.8	1.41		06/25/19 18:52	87-68-3	
n-Hexane	4.0	ug/m3	1.0	0.44	1.41		06/25/19 18:52	110-54-3	
2-Hexanone	<1.1	ug/m3	5.9	1.1	1.41		06/25/19 18:52	591-78-6	
Methylene Chloride	52.9	ug/m3	5.0	1.3	1.41		06/25/19 18:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.73	ug/m3	5.9	0.73	1.41		06/25/19 18:52	108-10-1	
Methyl-tert-butyl ether	<0.93	ug/m3	5.2	0.93	1.41		06/25/19 18:52	1634-04-4	
Naphthalene	3.9	ug/m3	3.8	1.9	1.41		06/25/19 18:52	91-20-3	
2-Propanol	24.2	ug/m3	3.5	0.98	1.41		06/25/19 18:52	67-63-0	
Propylene	<0.20	ug/m3	0.49	0.20	1.41		06/25/19 18:52	115-07-1	
Styrene	0.98J	ug/m3	1.2	0.49	1.41		06/25/19 18:52	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	0.98	0.41	1.41		06/25/19 18:52	79-34-5	
Tetrachloroethene	21.3	ug/m3	0.97	0.44	1.41		06/25/19 18:52	127-18-4	
Tetrahydrofuran	<0.37	ug/m3	0.85	0.37	1.41		06/25/19 18:52	109-99-9	
Toluene	3.0	ug/m3	1.1	0.49	1.41		06/25/19 18:52	108-88-3	
1,2,4-Trichlorobenzene	<5.2	ug/m3	10.6	5.2	1.41		06/25/19 18:52	120-82-1	
1,1,1-Trichloroethane	<0.44	ug/m3	1.6	0.44	1.41		06/25/19 18:52	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.78	0.35	1.41		06/25/19 18:52	79-00-5	
Trichloroethene	0.54J	ug/m3	0.77	0.36	1.41		06/25/19 18:52	79-01-6	
Trichlorofluoromethane	<0.52	ug/m3	1.6						
1,1,2-Trichlorotrifluoroethane	<0.80	ug/m3	2.2						
1,2,4-Trimethylbenzene	0.85J	ug/m3	1.4						
1,3,5-Trimethylbenzene	<0.56	ug/m3	1.4						
Vinyl acetate	<0.38	ug/m3	1.0						
Vinyl chloride	<0.18	ug/m3	0.37						
m&p-Xylene	1.3J	ug/m3	2.5						
o-Xylene	0.57J	ug/m3	1.2						

REPORT OF LABOI

This report shall not be n
without the written consent of I



August 7, 2019

Mr. Robert Good
1000A Union Street
Stevens Point, WI 54481

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results

Dear Mr. Good:

The purpose of this letter is to present the results of vapor samples collected from the residence located at 1000A Union Street on June 7, 2019. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

One sample was collected of the ambient air (i.e., typical room air) present in the basement of the residence. Another sample was collected from the soil vapors beneath the basement floor. Both samples were submitted to a laboratory and analyzed for a suite of VOCs.

Sample Results

Current and historic sampling results are summarized on the enclosed table. The laboratory report for the most recent samples is also enclosed. None of the analyzed substances exceeded the Wisconsin Department of Natural Resources (WDNR) Action Levels or Screening Levels.

The most recent results show PCE and TCE were not detected in the basement air.

PCE was detected beneath the basement floor at concentrations of 20.1 $\mu\text{g}/\text{m}^3$ (micrograms per cubic meter), with TCE below method detection limits (0.37 $\mu\text{g}/\text{m}^3$). The WDNR Screening Levels for PCE and TCE beneath the floor are 1,400 $\mu\text{g}/\text{m}^3$ and 70 $\mu\text{g}/\text{m}^3$.

In addition to PCE and TCE, the analysis results show detections of other VOCs. These substances are not associated with the Dun-Rite site and are likely due to trace amounts of chemical vapors from products (paints, adhesives, fragrances, etc.) commonly found in homes, or in the outdoor ambient air.

The WDNR screening levels for PCE/TCE are set to evaluate the threat of vapor intrusion and provide threshold concentrations for the substances that are protective of human health over long-term exposure.

Residents who may have questions may contact Curtis Hedman (608.266.6677) with the Wisconsin Department of Health Services (DHS).

Going Forward

We expect to perform another round of vapor sampling in fall 2019. At that time we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient basement air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sand-creek.com.

Sincerely,

SAND CREEK CONSULTANTS, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Table 1: Residence Vapor Chemistry Results
Laboratory Report

cc/enc: Ms. Peggy Ehlert, via email only
Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via RR Submittal Portal only

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV304 Lab ID: 10479268003 Collected: 06/07/19 09:38 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	18.8	ug/m3	3.5	1.7	1.44		06/24/19 14:06	67-64-1	
Benzene	2.2	ug/m3	0.47	0.22	1.44		06/24/19 14:06	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		06/24/19 14:06	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		06/24/19 14:06	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		06/24/19 14:06	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		06/24/19 14:06	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		06/24/19 14:06	106-99-0	
2-Butanone (MEK)	8.1	ug/m3	4.3	0.53	1.44		06/24/19 14:06	78-93-3	
Carbon disulfide	<0.32	ug/m3	0.91	0.32	1.44		06/24/19 14:06	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		06/24/19 14:06	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		06/24/19 14:06	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		06/24/19 14:06	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		06/24/19 14:06	67-66-3	
Chloromethane	<0.22	ug/m3	0.60	0.22	1.44		06/24/19 14:06	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		06/24/19 14:06	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		06/24/19 14:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		06/24/19 14:06	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		06/24/19 14:06	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		06/24/19 14:06	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		06/24/19 14:06	106-46-7	
Dichlorodifluoromethane	9.2	ug/m3	1.5	0.42	1.44		06/24/19 14:06	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:06	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		06/24/19 14:06	107-06-2	
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		06/24/19 14:06	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:06	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		06/24/19 14:06	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		06/24/19 14:06	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		06/24/19 14:06	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		06/24/19 14:06	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		06/24/19 14:06	76-14-2	
Ethanol	222	ug/m3	2.8	1.2	1.44		06/24/19 14:06	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		06/24/19 14:06	141-78-6	
Ethylbenzene	2.4	ug/m3	1.3	0.44	1.44		06/24/19 14:06	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		06/24/19 14:06	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		06/24/19 14:06	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		06/24/19 14:06	87-68-3	
n-Hexane	<0.45	ug/m3	1.0	0.45	1.44		06/24/19 14:06	110-54-3	
2-Hexanone	1.4J	ug/m3	6.0	1.1	1.44		06/24/19 14:06	591-78-6	
Methylene Chloride	3.4J	ug/m3	5.1	1.4	1.44		06/24/19 14:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.7J	ug/m3	6.0	0.75	1.44		06/24/19 14:06	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		06/24/19 14:06	1634-04-4	
Naphthalene	2.8J	ug/m3	3.8	1.9	1.44		06/24/19 14:06	91-20-3	
2-Propanol	12.9	ug/m3	3.6	1.0	1.44		06/24/19 14:06	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		06/24/19 14:06	115-07-1	
Styrene	5.3	ug/m3	1.2	0.50	1.44		06/24/19 14:06	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		06/24/19 14:06	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV304 Lab ID: 10479268003 Collected: 06/07/19 09:38 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Tetrachloroethene	20.1	ug/m3	0.99	0.45	1.44		06/24/19 14:06	127-18-4	
Tetrahydrofuran	3.9	ug/m3	0.86	0.38	1.44		06/24/19 14:06	109-99-9	
Toluene	73.9	ug/m3	1.1	0.51	1.44		06/24/19 14:06	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		06/24/19 14:06	120-82-1	
1,1,1-Trichloroethane	0.65J	ug/m3	1.6	0.44	1.44		06/24/19 14:06	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		06/24/19 14:06	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		06/24/19 14:06	79-01-6	
Trichlorofluoromethane	1.8	ug/m3	1.6	0.53	1.44		06/24/19 14:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		06/24/19 14:06	76-13-1	
1,2,4-Trimethylbenzene	4.0	ug/m3	1.4	0.65	1.44		06/24/19 14:06	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		06/24/19 14:06	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		06/24/19 14:06	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		06/24/19 14:06	75-01-4	
m&p-Xylene	8.1	ug/m3	2.5	1.0	1.44		06/24/19 14:06	179601-23-1	
o-Xylene	2.9	ug/m3	1.3	0.50	1.44		06/24/19 14:06	95-47-6	

Sample: SSV405 Lab ID: 10479268004 Collected: 06/07/19 10:47 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15									
Acetone	<52.3	ug/m3	104	52.3	43.2		06/24/19 21:07	67-64-1	
Benzene	<6.6	ug/m3	14.0	6.6	43.2		06/24/19 21:07	71-43-2	
Benzyl chloride	<51.8	ug/m3	114	51.8	43.2		06/24/19 21:07	100-44-7	
Bromodichloromethane	<15.8	ug/m3	58.8	15.8	43.2		06/24/19 21:07	75-27-4	
Bromoform	<61.3	ug/m3	227	61.3	43.2		06/24/19 21:07	75-25-2	
Bromomethane	<9.8	ug/m3	34.1	9.8	43.2		06/24/19 21:07	74-83-9	
1,3-Butadiene	<5.5	ug/m3	19.4	5.5	43.2		06/24/19 21:07	106-99-0	
2-Butanone (MEK)	<15.9	ug/m3	130	15.9	43.2		06/24/19 21:07	78-93-3	
Carbon disulfide	<9.5	ug/m3	27.3	9.5	43.2		06/24/19 21:07	75-15-0	
Carbon tetrachloride	<18.5	ug/m3	55.3	18.5	43.2		06/24/19 21:07	56-23-5	
Chlorobenzene	<11.9	ug/m3	40.4	11.9	43.2		06/24/19 21:07	108-90-7	
Chloroethane	<11.2	ug/m3	23.2	11.2	43.2		06/24/19 21:07	75-00-3	
Chloroform	<8.5	ug/m3	21.4	8.5	43.2		06/24/19 21:07	67-66-3	
Chloromethane	<6.7	ug/m3	18.1	6.7	43.2		06/24/19 21:07	74-87-3	
Cyclohexane	<15.2	ug/m3	75.6	15.2	43.2		06/24/19 21:07	110-82-7	
Dibromochloromethane	<31.1	ug/m3	74.7	31.1	43.2		06/24/19 21:07	124-48-1	
1,2-Dibromoethane (EDB)	<15.8	ug/m3	33.7	15.8	43.2		06/24/19 21:07	106-93-4	
1,2-Dichlorobenzene	<21.5	ug/m3	52.7	21.5	43.2		06/24/19 21:07	95-50-1	
1,3-Dichlorobenzene	<25.1	ug/m3	52.7	25.1	43.2		06/24/19 21:07	541-73-1	
1,4-Dichlorobenzene	<43.2	ug/m3	132	43.2	43.2		06/24/19 21:07	106-46-7	
Dichlorodifluoromethane	<12.7	ug/m3	43.6	12.7	43.2		06/24/19 21:07	75-71-8	
1,1-Dichloroethane	<9.7	ug/m3	35.6	9.7	43.2		06/24/19 21:07	75-34-3	
1,2-Dichloroethane	<6.5	ug/m3	17.8	6.5	43.2		06/24/19 21:07	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10479268

Sample: SSV406 Lab ID: 10479268005 Collected: 06/07/19 11:07 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Tetrachloroethene	3810	ug/m3	29.8	13.6	43.2		06/24/19 21:36	127-18-4	
Tetrahydrofuran	<11.3	ug/m3	25.9	11.3	43.2		06/24/19 21:36	109-99-9	
Toluene	50.3	ug/m3	33.1	15.2	43.2		06/24/19 21:36	108-88-3	
1,2,4-Trichlorobenzene	<161	ug/m3	326	161	43.2		06/24/19 21:36	120-82-1	
1,1,1-Trichloroethane	<13.3	ug/m3	48.0	13.3	43.2		06/24/19 21:36	71-55-6	
1,1,2-Trichloroethane	<10.8	ug/m3	24.0	10.8	43.2		06/24/19 21:36	79-00-5	
Trichloroethene	<11.1	ug/m3	23.6	11.1	43.2		06/24/19 21:36	79-01-6	
Trichlorofluoromethane	<15.8	ug/m3	49.2	15.8	43.2		06/24/19 21:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	<24.4	ug/m3	67.4	24.4	43.2		06/24/19 21:36	76-13-1	
1,2,4-Trimethylbenzene	<19.5	ug/m3	43.2	19.5	43.2		06/24/19 21:36	95-63-6	
1,3,5-Trimethylbenzene	<17.2	ug/m3	43.2	17.2	43.2		06/24/19 21:36	108-67-8	
Vinyl acetate	<11.7	ug/m3	30.9	11.7	43.2		06/24/19 21:36	108-05-4	
Vinyl chloride	<5.4	ug/m3	11.2	5.4	43.2		06/24/19 21:36	75-01-4	
m&p-Xylene	<30.2	ug/m3	76.5	30.2	43.2		06/24/19 21:36	179601-23-1	
o-Xylene	<14.9	ug/m3	38.1	14.9	43.2		06/24/19 21:36	95-47-6	

Sample: AA304 Lab ID: 10479268006 Collected: 06/07/19 15:44 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
Acetone	40.0	ug/m3	3.5	1.7	1.44		06/24/19 14:36	67-64-1	
Benzene	1.5	ug/m3	0.47	0.22	1.44		06/24/19 14:36	71-43-2	
Benzyl chloride	<1.7	ug/m3	3.8	1.7	1.44		06/24/19 14:36	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.0	0.53	1.44		06/24/19 14:36	75-27-4	
Bromoform	<2.0	ug/m3	7.6	2.0	1.44		06/24/19 14:36	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.44		06/24/19 14:36	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.65	0.18	1.44		06/24/19 14:36	106-99-0	
2-Butanone (MEK)	6.0	ug/m3	4.3	0.53	1.44		06/24/19 14:36	78-93-3	
Carbon disulfide	0.58J	ug/m3	0.91	0.32	1.44		06/24/19 14:36	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.8	0.62	1.44		06/24/19 14:36	56-23-5	
Chlorobenzene	<0.40	ug/m3	1.3	0.40	1.44		06/24/19 14:36	108-90-7	
Chloroethane	<0.37	ug/m3	0.77	0.37	1.44		06/24/19 14:36	75-00-3	
Chloroform	<0.28	ug/m3	0.71	0.28	1.44		06/24/19 14:36	67-66-3	
Chloromethane	0.76	ug/m3	0.60	0.22	1.44		06/24/19 14:36	74-87-3	
Cyclohexane	<0.51	ug/m3	2.5	0.51	1.44		06/24/19 14:36	110-82-7	
Dibromochloromethane	<1.0	ug/m3	2.5	1.0	1.44		06/24/19 14:36	124-48-1	
1,2-Dibromoethane (EDB)	<0.53	ug/m3	1.1	0.53	1.44		06/24/19 14:36	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	1.8	0.72	1.44		06/24/19 14:36	95-50-1	
1,3-Dichlorobenzene	<0.84	ug/m3	1.8	0.84	1.44		06/24/19 14:36	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.4	1.4	1.44		06/24/19 14:36	106-46-7	
Dichlorodifluoromethane	2.6	ug/m3	1.5	0.42	1.44		06/24/19 14:36	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:36	75-34-3	
1,2-Dichloroethane	<0.22	ug/m3	0.59	0.22	1.44		06/24/19 14:36	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10479268

Sample: AA304 Lab ID: 10479268006 Collected: 06/07/19 15:44 Received: 06/14/19 11:20 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
1,1-Dichloroethene	<0.39	ug/m3	1.2	0.39	1.44		06/24/19 14:36	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.44		06/24/19 14:36	156-59-2	
trans-1,2-Dichloroethene	<0.41	ug/m3	1.2	0.41	1.44		06/24/19 14:36	156-60-5	
1,2-Dichloropropane	<0.33	ug/m3	1.4	0.33	1.44		06/24/19 14:36	78-87-5	
cis-1,3-Dichloropropene	<0.44	ug/m3	1.3	0.44	1.44		06/24/19 14:36	10061-01-5	
trans-1,3-Dichloropropene	<0.63	ug/m3	1.3	0.63	1.44		06/24/19 14:36	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.0	0.63	1.44		06/24/19 14:36	76-14-2	
Ethanol	66.6	ug/m3	2.8	1.2	1.44		06/24/19 14:36	64-17-5	
Ethyl acetate	<0.27	ug/m3	1.1	0.27	1.44		06/24/19 14:36	141-78-6	
Ethylbenzene	1.2J	ug/m3	1.3	0.44	1.44		06/24/19 14:36	100-41-4	
4-Ethyltoluene	<0.82	ug/m3	3.6	0.82	1.44		06/24/19 14:36	622-96-8	
n-Heptane	<0.55	ug/m3	1.2	0.55	1.44		06/24/19 14:36	142-82-5	
Hexachloro-1,3-butadiene	<2.8	ug/m3	7.8	2.8	1.44		06/24/19 14:36	87-68-3	
n-Hexane	3.2	ug/m3	1.0	0.45	1.44		06/24/19 14:36	110-54-3	
2-Hexanone	<1.1	ug/m3	6.0	1.1	1.44		06/24/19 14:36	591-78-6	
Methylene Chloride	6.8	ug/m3	5.1	1.4	1.44		06/24/19 14:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.0J	ug/m3	6.0	0.75	1.44		06/24/19 14:36	108-10-1	
Methyl-tert-butyl ether	<0.95	ug/m3	5.3	0.95	1.44		06/24/19 14:36	1634-04-4	
Naphthalene	2.8J	ug/m3	3.8	1.9	1.44		06/24/19 14:36	91-20-3	
2-Propanol	5.1	ug/m3	3.6	1.0	1.44		06/24/19 14:36	67-63-0	
Propylene	<0.21	ug/m3	0.50	0.21	1.44		06/24/19 14:36	115-07-1	
Styrene	<0.50	ug/m3	1.2	0.50	1.44		06/24/19 14:36	100-42-5	
1,1,2,2-Tetrachloroethane	<0.42	ug/m3	1.0	0.42	1.44		06/24/19 14:36	79-34-5	
Tetrachloroethene	<0.45	ug/m3	0.99	0.45	1.44		06/24/19 14:36	127-18-4	
Tetrahydrofuran	<0.38	ug/m3	0.86	0.38	1.44		06/24/19 14:36	109-99-9	
Toluene	6.9	ug/m3	1.1	0.51	1.44		06/24/19 14:36	108-88-3	
1,2,4-Trichlorobenzene	<5.4	ug/m3	10.9	5.4	1.44		06/24/19 14:36	120-82-1	
1,1,1-Trichloroethane	3.5	ug/m3	1.6	0.44	1.44		06/24/19 14:36	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	0.80	0.36	1.44		06/24/19 14:36	79-00-5	
Trichloroethene	<0.37	ug/m3	0.79	0.37	1.44		06/24/19 14:36	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.6	0.53	1.44		06/24/19 14:36	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.81	ug/m3	2.2	0.81	1.44		06/24/19 14:36	76-13-1	
1,2,4-Trimethylbenzene	2.3	ug/m3	1.4	0.65	1.44		06/24/19 14:36	95-63-6	
1,3,5-Trimethylbenzene	<0.57	ug/m3	1.4	0.57	1.44		06/24/19 14:36	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.0	0.39	1.44		06/24/19 14:36	108-05-4	
Vinyl chloride	<0.18	ug/m3	0.37	0.18	1.44		06/24/19 14:36	75-01-4	
m&p-Xylene	4.5	ug/m3	2.5	1.0	1.44		06/24/19 14:36	179601-23-1	
o-Xylene	1.8	ug/m3	1.3	0.50	1.44		06/24/19 14:36	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.