



December 22, 2020

Mr. Matthew Vitale
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: **Dun-Rite Cleaners**
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Fall 2020 Groundwater and Vapor Results

Dear Mr. Vitale:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site on October 22 and 23, 2020. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on Figure 1.

Work Performed

Sub-slab and ambient air samples were collected on October 22, 2020, from the Dun-Rite building, Guzman office building and premises, and the residential structure at 1000 Union Street (the former Residence). The developer of the adjacent former Lullabye Property purchased the residential structure and is now using it as office space to support their project. Nobody lives in the structure.

Groundwater samples were collected on October 23, 2020, from monitoring wells south of the Dun-Rite building including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on Tables 1a, 1b, and 1c; sample locations and PCE results are shown on Figure 2. The laboratory report is enclosed.

The ambient air sample from the former Residence was below Residential Indoor Action Levels for both PCE and TCE.

The sub-slab sample from the former Residence was below the Residential Sub-Slab Vapor Screening Levels for both PCE and TCE.

Ambient air samples from inside the Guzman building, as well as the outdoor sample, were below Non-Residential Action Levels for PCE and TCE.

The sub-slab sample collected from beneath the southwest office (former Attorney [SSV405]) in the Guzman building was above the Non-Residential Sub-Slab Vapor Screening Level for PCE and above the Residential Vapor Screening Level for TCE. The sub-slab sample taken from beneath the northwest office (former Wildcard [SSV406]) was above the Non-Residential Vapor Screening Level for PCE.

Groundwater

Groundwater sample results are summarized on Table 2; sample locations are shown on Figure 3. The laboratory report is enclosed.

Three of the monitoring wells, GP-11, GP-12, and MWG-1, had concentrations of PCE above its Enforcement Standard (ES). The concentrations ranged from 18.4 micrograms per liter ($\mu\text{g/l}$) to 239 $\mu\text{g/l}$.

TCE was detected above its ES in MWG-1 and above its PAL in GP-12.

These wells are located in the parking lot immediately south of the Dun-Rite building.

Conclusions

The ambient air VOC results indicate that the residual PCE is not impacting indoor air at nearby structures above Action Levels.

The more than six years of sub-slab VOC results indicate that PCE concentrations have:

- decreased considerably beneath the Dun-Rite building
- fluctuate generally below Residential screening levels beneath the former residence
- persist at concentrations above Non-Residential screening levels beneath the Guzman building.

The blower station VOC results indicate that the sub-slab mitigation system has reduced residual PCE concentrations in the areas exposed to its influence.

The groundwater VOC results indicate that PCE concentrations are generally stable overall, while continuing to vary between the individual wells.

Because the source of PCE was removed, and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.

Recommendations

The blower system will continue to run for 8 hours per day.

Subsurface concentrations of PCE and TCE will continue to be monitored semiannually unless changed circumstances warrant a different schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in spring 2021. Soil vapor samples will be collected from beneath the former residence, Dun-Rite building, and Guzman building, and indoor ambient air samples will be collected from within the former residence and Guzman building. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

December 2020

If you have any questions on the work that was performed or the site in general, please contact me at 715.824.5969 or pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Laboratory Reports


cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
WDNR RR Program Submittal Portal

Figures

Figure 1 General Site Location

Figure 2 Vapor Sample Locations and PCE Results October 2020

Figure 3 Groundwater Sample Locations and Results October 2020




REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



A scale bar representing distance in feet. It features a horizontal line with tick marks at 0, 1000, and 2000. The segments between 0-1000 and 1000-2000 are shaded black, while the segment from 0 to 1000 is white.

	GENERAL SITE LOCATION	DATE: NOVEMBER 2020	DRAWN BY: ASR
	DUN-RITE CLEANERS 1008 UNION STREET STEVENS POINT, WISCONSIN	SCALE: 1"=2000'	APPROVED: PDA



VAPOR SAMPLE LOCATIONS AND PCE RESULTS OCTOBER 2020

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN


DATE: DECEMBER 2020	DRAWN BY: ASR
SCALE: 1"=40'	APPROVED BY: PDA

FIGURE 2



N
E
S
W

GROUNDWATER SAMPLE LOCATIONS AND RESULTS OCTOBER 2020



Tables

Table 1 Vapor Sample Results

Table 1a Vapor Chemistry Results – Ambient Air

Table 1b Vapor Chemistry Results – Sub-Slab Vapor

Table 1c Vapor Chemistry Results – SVE System Discharge

Table 2 Groundwater Chemistry Results

Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Indoor Air Vapor Action Levels¹</u>				
		Non-Residential	180	8.8
		Residential	42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
		10/22/2020	<0.46	<0.24
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
		6/7/2019	<0.45	<0.37
		9/23/2019	<0.49	<0.39
		5/14/2020	0.52 J	<0.32
		10/22/2020	<0.49	<0.25
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
		6/7/2019	4.0	1.8
		9/23/2019	4.0	1.5
		5/7/2020	3.6	1.7
		10/22/2020	11.8	5.1

Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Indoor Air Vapor Action Levels¹</u>				
		Non-Residential	180	8.8
		Residential	42	2.1
AA407	Wildcard	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
		11/12/2018	3.5	<0.47
		6/7/2019	2.5	<0.36
		9/23/2019	10.9	1.3
		5/7/2020	6.3	0.94
		10/22/2020	14.5	0.80 J
AA408	Attorney	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327^R	1.2
		12/5/2018	5.6	<0.39
		6/7/2019	21.3	0.54 J
		9/23/2019	8.5	2.2
		5/7/2020	6.0	0.95
		10/22/2020	23.9	0.53 J

Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Sub-Slab Vapor Screening Levels²</u>				
		Non-Residential	6,000	290
		Residential	1,400	70
SSV101	Dun-Rite	4/8/2014	2,550,000	527
		9/4/2015	141,000	1780
		2/16/2016	5,030	28
		10/5/2016	5,480	33
		6/16/2017	1,030	9.0
		11/16/2017	452	3.2
		5/18/2018	2,460	13.6
		11/2/2018	266	1.2
		6/7/2019	3,570	13.6
		9/23/2019	1,430	<10.9
		5/7/2020	253	0.51 J
		10/22/2020	382	0.99
SSV202	Dun-Rite	5/29/2014	1,700	113
		9/4/2015	2,280	145
		2/16/2016	275	7.1
SSV203	Dun-Rite	5/29/2014	27,600	<20
		11/4/2015	288	12
		10/5/2016	5,710	4.2
		6/16/2017	4,190	20
		11/16/2017	6,650	30.9
		5/18/2018	2,390	1.3
		11/9/2018	5.0	<0.37
		6/7/2019	2,180	2.0
		9/23/2019	2,930	<11.3
		5/7/2020	8.6	<0.31
		10/22/2020	106	<0.29
SSV304	Residence	7/18/2014	13	<1.2
		3/2/2015	11	<0.31
		9/4/2015	137	21
		11/9/2015	319	14
		2/16/2016	105	5.7
		10/5/2016	52	2.2
		6/20/2017	133	0.92 J
		11/16/2017	15.6	0.57 J
		5/18/2018	1,380	6.2
		11/2/2018	14.6	<0.37
		6/7/2019	20.1	<0.37
		9/23/2019	3,570	18.5
		5/18/2020	86.6	<0.31
		10/22/2020	40.0	<0.30

Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Sub-Slab Vapor Screening Levels²</u>				
		Non-Residential	6,000	290
		Residential	1,400	70
SSV405	Attorney	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
		9/23/2019	28,800	152
		5/7/2020	15,700	134
		10/22/2020	26,500	118
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1
		9/23/2019	19,300	<6.8
		5/7/2020	4,630	4.7
		10/22/2020	10,900	7.6

Table 1c: Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners, Stevens Point, Wisconsin

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Blower Exhaust	SVE	6/7/2019	328	0.90
Blower Exhaust	SVE	9/23/2019	651	0.55J
Blower Exhaust	SVE	5/7/2020	232	<0.32
Blower Sta.	SVE	10/22/2020	3,060	3.6
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J

Notes:

$\mu\text{g}/\text{m}^3$ micrograms per cubic meter.

<0.076 Substance not detected above indicated detection limit.

6,000 **Bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions

1,400 Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

* Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample."

J Analyte was detected but is below the reporting limit. The concentration is estimated.

R Result uncharacteristically high, thus location resampled.

Highlighting indicates most recent results.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table**. [http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

Table 2: Groundwater Chemistry Results
Dun-Rite Cleaners, Stevens Point, Wisconsin

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)
PAL		0.5	0.5
ES		5.0	5.0
GP-9 ^A	7/19/2013	295	7.4
	10/2/2013	655	12
	12/13/2013	745	14
	9/23/2014	279	7.4
	11/4/2015	223	6.4
	5/6/2016	322	4.7
GP-10 ^A	12/13/2013	331	1.9
	11/4/2015	77	2.7
	5/6/2016	211	<0.33
	10/5/2016	344	3.2 J
GP-11 ^A	12/13/2013	2570	<18.2
	11/4/2015	173	<1.3
	5/6/2016	61.5	<0.33
	10/5/2016	54.6	0.54 J
	6/14/2017	614	<1.7
	11/16/2017	14.3	0.41 J
	5/18/2018	727	<1.7
	11/2/2018	17.8	<0.26
	6/7/2019	614	<1.3
	9/23/2019	112	0.84 J
	5/7/2020	243	<1.3 J
	10/23/2020	18.4	<0.26
GP-12 ^A	12/13/2013	254	<1.8
	9/23/2014	487	2.2 J
	11/4/2015	364	1.8 J
	5/6/2016	147	0.95 J
	10/5/2016	780	2.7 J
	6/14/2017	433	1.7 J
	11/16/2017	647	3.7 J
	5/18/2018	176	1.8
	11/2/2018	462	2.2
	6/7/2019	142	2.3
	9/23/2019	829	2.8
	5/7/2020	105	1.6
10/23/2020		239	3.5

Sample Location	Sample Date	Tetrachloroethene ($\mu\text{g/l}$)	Trichloroethene ($\mu\text{g/l}$)
PAL		0.5	0.5
ES		5.0	5.0
MWG-1	11/4/2015	141	6.9
	5/6/2016	15.3	1.1
	10/5/2016	138	5.6
	6/14/2017	8.2	1.1
	11/16/2017	127	7.6
	5/18/2018	12.8	1.0
	11/2/2018	74.0	6.1
	6/7/2019	8.2	0.74 J
	9/23/2019	81.0	13.0
	5/9/2020	5.4	0.26 J
10/23/2020		85.6	14.0

Notes:

- 1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit.
- 5.4** **Bold** indicates exceedance of NR 140 Enforcement Standard.
- <0.45 Substance not detected above indicated detection limit.
- Data unavailable
- A Data preceding 2014 generated during investigations conducted by AECOM.
- ES Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code, January 2012.
- J Analyte was detected but is below the reporting limit. The concentration is estimated.
- PAL Preventive Action Limit listed in Chapter NR 140, Table 1, Wisconsin Administrative Code, January 2012.
- Highlighting indicates most recent results.

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Groundwater

Laboratory Reports

November 17, 2020

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun-Rite
Pace Project No.: 10537135

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Nichole Besyk, Sand County Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite
Pace Project No.: 10537135

Pace Analytical Services - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414	Mississippi Certification #: MN00064
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab	Missouri Certification #: 10100
A2LA Certification #: 2926.01*	Montana Certification #: CERT0092
Alabama Certification #: 40770	Nebraska Certification #: NE-OS-18-06
Alaska Contaminated Sites Certification #: 17-009*	Nevada Certification #: MN00064
Alaska DW Certification #: MN00064	New Hampshire Certification #: 2081*
Arizona Certification #: AZ0014*	New Jersey Certification #: MN002
Arkansas DW Certification #: MN00064	New York Certification #: 11647*
Arkansas WW Certification #: 88-0680	North Carolina DW Certification #: 27700
California Certification #: 2929	North Carolina WW Certification #: 530
Colorado Certification #: MN00064	North Dakota Certification #: R-036
Connecticut Certification #: PH-0256	Ohio DW Certification #: 41244
EPA Region 8+Wyoming DW Certification #: via MN 027-053-137	Ohio VAP Certification #: CL101
Florida Certification #: E87605*	Oklahoma Certification #: 9507*
Georgia Certification #: 959	Oregon Primary Certification #: MN300001
Hawaii Certification #: MN00064	Oregon Secondary Certification #: MN200001*
Idaho Certification #: MN00064	Pennsylvania Certification #: 68-00563*
Illinois Certification #: 200011	Puerto Rico Certification #: MN00064
Indiana Certification #: C-MN-01	South Carolina Certification #: 74003001
Iowa Certification #: 368	Tennessee Certification #: TN02818
Kansas Certification #: E-10167	Texas Certification #: T104704192*
Kentucky DW Certification #: 90062	Utah Certification #: MN00064*
Kentucky WW Certification #: 90062	Vermont Certification #: VT-027053137
Louisiana DEQ Certification #: AI-03086*	Virginia Certification #: 460163*
Louisiana DW Certification #: MN00064	Washington Certification #: C486*
Maine Certification #: MN00064*	West Virginia DEP Certification #: 382
Maryland Certification #: 322	West Virginia DW Certification #: 9952 C
Massachusetts DWP Certification #: via MN 027-053-137	Wisconsin Certification #: 999407970
Michigan Certification #: 9909	Wyoming UST Certification #: via A2LA 2926.01
Minnesota Certification #: 027-053-137*	USDA Permit #: P330-19-00208
Minnesota Dept of Ag Certification #: via MN 027-053-137	*Please Note: Applicable air certifications are denoted with an asterisk (*).
Minnesota Petrofund Certification #: 1240*	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
 Pace Project No.: 10537135

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10537135001	AA203-Outdoor	Air	10/22/20 16:18	10/28/20 13:00
10537135002	AA304-Residence	Air	10/22/20 16:15	10/28/20 13:00
10537135003	AA406-United Way	Air	10/22/20 16:04	10/28/20 13:00
10537135004	AA407-Wild Card	Air	10/22/20 16:02	10/28/20 13:00
10537135005	AA408-Attorney	Air	10/22/20 16:00	10/28/20 13:00
10537135006	SSV304-Residence	Air	10/22/20 13:07	10/28/20 13:00
10537135007	SSV203-Dun-Rite North Wall	Air	10/22/20 12:43	10/28/20 13:00
10537135008	SSV406-Wild Card	Air	10/22/20 13:41	10/28/20 13:00
10537135009	SSV405-Attorney	Air	10/22/20 13:57	10/28/20 13:00
10537135010	SSV101-Dun-Rite South Wall	Air	10/22/20 12:24	10/28/20 13:00
10537135011	Blower Str.	Air	10/22/20 12:08	10/28/20 13:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10537135

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10537135001	AA203-Outdoor	TO-15	MJL	61	PASI-M
10537135002	AA304-Residence	TO-15	MJL	61	PASI-M
10537135003	AA406-United Way	TO-15	MJL	61	PASI-M
10537135004	AA407-Wild Card	TO-15	MJL	61	PASI-M
10537135005	AA408-Attorney	TO-15	MJL	61	PASI-M
10537135006	SSV304-Residence	TO-15	MJL	61	PASI-M
10537135007	SSV203-Dun-Rite North Wall	TO-15	MJL	61	PASI-M
10537135008	SSV406-Wild Card	TO-15	MJL	61	PASI-M
10537135009	SSV405-Attorney	TO-15	MJL	61	PASI-M
10537135010	SSV101-Dun-Rite South Wall	TO-15	MJL	61	PASI-M
10537135011	Blower Str.	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10537135

Lab Sample ID	Client Sample ID	Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10537135001	AA203-Outdoor							
TO-15	Acetone			5.8J	ug/m3	8.5	11/15/20 14:50	
TO-15	Benzene			0.36J	ug/m3	0.46	11/15/20 14:50	
TO-15	Carbon tetrachloride			0.59J	ug/m3	1.8	11/15/20 14:50	
TO-15	Chloromethane			0.89	ug/m3	0.59	11/15/20 14:50	
TO-15	Dichlorodifluoromethane			3.0	ug/m3	1.4	11/15/20 14:50	
TO-15	Ethanol			14.8	ug/m3	2.7	11/15/20 14:50	
TO-15	2-Propanol			2.8J	ug/m3	3.5	11/15/20 14:50	
TO-15	Toluene			0.31J	ug/m3	1.1	11/15/20 14:50	
TO-15	Trichlorofluoromethane			2.1	ug/m3	1.6	11/15/20 14:50	CH,L1
TO-15	1,1,2-Trichlorotrifluoroethane			0.75J	ug/m3	2.2	11/15/20 14:50	
10537135002	AA304-Residence							
TO-15	Acetone			6.5J	ug/m3	9.0	11/15/20 15:44	
TO-15	Benzene			0.47J	ug/m3	0.48	11/15/20 15:44	
TO-15	Chloromethane			0.91	ug/m3	0.63	11/15/20 15:44	
TO-15	Dichlorodifluoromethane			3.4	ug/m3	1.5	11/15/20 15:44	
TO-15	Ethanol			7.9	ug/m3	2.9	11/15/20 15:44	
TO-15	Toluene			0.35J	ug/m3	1.1	11/15/20 15:44	
TO-15	Trichlorofluoromethane			2.3	ug/m3	1.7	11/15/20 15:44	CH,L1
TO-15	1,1,2-Trichlorotrifluoroethane			0.66J	ug/m3	2.3	11/15/20 15:44	
10537135003	AA406-United Way							
TO-15	Acetone			34.2	ug/m3	9.2	11/15/20 16:39	
TO-15	Benzene			0.46J	ug/m3	0.49	11/15/20 16:39	
TO-15	2-Butanone (MEK)			2.9J	ug/m3	4.6	11/15/20 16:39	
TO-15	Chloromethane			1.6	ug/m3	0.64	11/15/20 16:39	
TO-15	Cyclohexane			0.40J	ug/m3	2.7	11/15/20 16:39	
TO-15	1,4-Dichlorobenzene			243	ug/m3	4.7	11/15/20 16:39	
TO-15	Dichlorodifluoromethane			11.0	ug/m3	1.5	11/15/20 16:39	
TO-15	Ethanol			1820	ug/m3	2.9	11/15/20 16:39	E
TO-15	Ethyl acetate			4.0	ug/m3	1.1	11/15/20 16:39	
TO-15	n-Hexane			0.39J	ug/m3	1.1	11/15/20 16:39	
TO-15	2-Propanol			32.2	ug/m3	3.8	11/15/20 16:39	
TO-15	Styrene			0.97J	ug/m3	1.3	11/15/20 16:39	
TO-15	Tetrachloroethene			11.8	ug/m3	1.0	11/15/20 16:39	
TO-15	Toluene			1.5	ug/m3	1.2	11/15/20 16:39	
TO-15	Trichloroethene			5.1	ug/m3	0.83	11/15/20 16:39	
TO-15	Trichlorofluoromethane			2.4	ug/m3	1.7	11/15/20 16:39	CH,L1
TO-15	1,1,2-Trichlorotrifluoroethane			0.72J	ug/m3	2.4	11/15/20 16:39	
TO-15	1,2,4-Trimethylbenzene			0.71J	ug/m3	1.5	11/15/20 16:39	
10537135004	AA407-Wild Card							
TO-15	Acetone			31.9	ug/m3	9.4	11/15/20 17:06	
TO-15	Benzene			0.49J	ug/m3	0.50	11/15/20 17:06	
TO-15	2-Butanone (MEK)			2.2J	ug/m3	4.6	11/15/20 17:06	
TO-15	Carbon disulfide			2.5	ug/m3	0.98	11/15/20 17:06	
TO-15	Chloromethane			1.2	ug/m3	0.65	11/15/20 17:06	
TO-15	1,4-Dichlorobenzene			32.4	ug/m3	4.7	11/15/20 17:06	
TO-15	Dichlorodifluoromethane			9.7	ug/m3	1.6	11/15/20 17:06	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10537135

Lab Sample ID	Client Sample ID	Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10537135004	AA407-Wild Card							
TO-15	Ethanol			440	ug/m3	3.0	11/15/20 17:06	
TO-15	Ethyl acetate			0.84J	ug/m3	1.1	11/15/20 17:06	
TO-15	n-Heptane			0.51J	ug/m3	1.3	11/15/20 17:06	
TO-15	n-Hexane			0.36J	ug/m3	1.1	11/15/20 17:06	
TO-15	2-Propanol			13.6	ug/m3	3.9	11/15/20 17:06	
TO-15	Tetrachloroethene			14.5	ug/m3	1.1	11/15/20 17:06	
TO-15	Toluene			1.2	ug/m3	1.2	11/15/20 17:06	
TO-15	Trichloroethene			0.80J	ug/m3	0.85	11/15/20 17:06	
TO-15	Trichlorofluoromethane			2.3	ug/m3	1.8	11/15/20 17:06	
TO-15	1,1,2-Trichlorotrifluoroethane			0.70J	ug/m3	2.4	11/15/20 17:06	CH,L1
10537135005	AA408-Attorney							
TO-15	Acetone			6.3J	ug/m3	9.4	11/15/20 17:33	
TO-15	Benzene			0.68	ug/m3	0.50	11/15/20 17:33	
TO-15	Chloroethane			1.5	ug/m3	0.83	11/15/20 17:33	
TO-15	Chloromethane			1.9	ug/m3	0.65	11/15/20 17:33	
TO-15	1,4-Dichlorobenzene			1.0J	ug/m3	4.7	11/15/20 17:33	
TO-15	Dichlorodifluoromethane			10.9	ug/m3	1.6	11/15/20 17:33	
TO-15	Ethanol			28.0	ug/m3	3.0	11/15/20 17:33	
TO-15	2-Propanol			1.5J	ug/m3	3.9	11/15/20 17:33	
TO-15	Tetrachloroethene			23.9	ug/m3	1.1	11/15/20 17:33	
TO-15	Toluene			1.1J	ug/m3	1.2	11/15/20 17:33	
TO-15	Trichloroethene			0.53J	ug/m3	0.85	11/15/20 17:33	
TO-15	Trichlorofluoromethane			2.4	ug/m3	1.8	11/15/20 17:33	
TO-15	1,1,2-Trichlorotrifluoroethane			0.76J	ug/m3	2.4	11/15/20 17:33	CH,L1
10537135006	SSV304-Residence							
TO-15	Acetone			23.0	ug/m3	10.9	11/15/20 18:00	
TO-15	Benzene			0.39J	ug/m3	0.58	11/15/20 18:00	
TO-15	2-Butanone (MEK)			8.2	ug/m3	5.4	11/15/20 18:00	
TO-15	Chloroform			0.29J	ug/m3	0.89	11/15/20 18:00	
TO-15	Dichlorodifluoromethane			253	ug/m3	1.8	11/15/20 18:00	
TO-15	Ethanol			33.1	ug/m3	3.5	11/15/20 18:00	
TO-15	Ethylbenzene			3.4	ug/m3	1.6	11/15/20 18:00	
TO-15	4-Ethyltoluene			1.1J	ug/m3	4.5	11/15/20 18:00	
TO-15	4-Methyl-2-pentanone (MIBK)			1.3J	ug/m3	7.5	11/15/20 18:00	
TO-15	2-Propanol			7.2	ug/m3	4.5	11/15/20 18:00	
TO-15	Propylene			2.3	ug/m3	0.63	11/15/20 18:00	
TO-15	Styrene			4.2	ug/m3	1.6	11/15/20 18:00	
TO-15	Tetrachloroethene			40.0	ug/m3	1.2	11/15/20 18:00	
TO-15	Tetrahydrofuran			0.49J	ug/m3	1.1	11/15/20 18:00	
TO-15	Toluene			102	ug/m3	1.4	11/15/20 18:00	
TO-15	Trichlorofluoromethane			2.0J	ug/m3	2.1	11/15/20 18:00	
TO-15	1,2,4-Trimethylbenzene			2.5	ug/m3	1.8	11/15/20 18:00	
TO-15	1,3,5-Trimethylbenzene			0.78J	ug/m3	1.8	11/15/20 18:00	
TO-15	m&p-Xylene			12.9	ug/m3	3.2	11/15/20 18:00	
TO-15	o-Xylene			4.4	ug/m3	1.6	11/15/20 18:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10537135

Lab Sample ID	Client Sample ID	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10537135007	SSV203-Dun-Rite North Wall						
TO-15	Acetone	39.0	ug/m3	10.5	11/15/20 18:27		
TO-15	Benzene	0.58	ug/m3	0.57	11/15/20 18:27		
TO-15	2-Butanone (MEK)	13.4	ug/m3	5.2	11/15/20 18:27		
TO-15	Carbon disulfide	0.53J	ug/m3	1.1	11/15/20 18:27		
TO-15	Chloroform	2.7	ug/m3	0.86	11/15/20 18:27		
TO-15	Dichlorodifluoromethane	3730	ug/m3	52.7	11/17/20 09:50		
TO-15	Ethanol	45.7	ug/m3	3.3	11/15/20 18:27		
TO-15	Ethylbenzene	4.9	ug/m3	1.5	11/15/20 18:27		
TO-15	4-Ethyltoluene	1.2J	ug/m3	4.4	11/15/20 18:27		
TO-15	n-Hexane	0.71J	ug/m3	1.2	11/15/20 18:27		
TO-15	2-Hexanone	1.7J	ug/m3	7.2	11/15/20 18:27		
TO-15	4-Methyl-2-pentanone (MIBK)	2.0J	ug/m3	7.2	11/15/20 18:27		
TO-15	2-Propanol	10.4	ug/m3	4.4	11/15/20 18:27		
TO-15	Styrene	6.5	ug/m3	1.5	11/15/20 18:27		
TO-15	Tetrachloroethene	106	ug/m3	1.2	11/15/20 18:27		
TO-15	Tetrahydrofuran	1.0J	ug/m3	1.0	11/15/20 18:27		
TO-15	Toluene	161	ug/m3	1.3	11/15/20 18:27		
TO-15	Trichlorofluoromethane	3.1	ug/m3	2.0	11/15/20 18:27	CH,L1	
TO-15	1,1,2-Trichlorotrifluoroethane	0.66J	ug/m3	2.7	11/15/20 18:27		
TO-15	1,2,4-Trimethylbenzene	3.4	ug/m3	1.7	11/15/20 18:27		
TO-15	1,3,5-Trimethylbenzene	0.99J	ug/m3	1.7	11/15/20 18:27		
TO-15	m&p-Xylene	18.9	ug/m3	3.1	11/15/20 18:27		
TO-15	o-Xylene	6.2	ug/m3	1.5	11/15/20 18:27		
10537135008	SSV406-Wild Card						
TO-15	Acetone	18.7	ug/m3	10.3	11/15/20 18:54		
TO-15	Benzene	0.50J	ug/m3	0.56	11/15/20 18:54		
TO-15	2-Butanone (MEK)	6.7	ug/m3	5.1	11/15/20 18:54		
TO-15	Carbon disulfide	0.88J	ug/m3	1.1	11/15/20 18:54		
TO-15	Chloroform	0.33J	ug/m3	0.85	11/15/20 18:54		
TO-15	1,4-Dichlorobenzene	0.93J	ug/m3	5.2	11/15/20 18:54		
TO-15	Dichlorodifluoromethane	34.9	ug/m3	1.7	11/15/20 18:54		
TO-15	Ethanol	26.9	ug/m3	3.3	11/15/20 18:54		
TO-15	Ethylbenzene	4.2	ug/m3	1.5	11/15/20 18:54		
TO-15	4-Ethyltoluene	1.1J	ug/m3	4.3	11/15/20 18:54		
TO-15	4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	7.1	11/15/20 18:54		
TO-15	2-Propanol	7.2	ug/m3	4.3	11/15/20 18:54		
TO-15	Styrene	6.4	ug/m3	1.5	11/15/20 18:54		
TO-15	Tetrachloroethene	10900	ug/m3	70.7	11/17/20 10:40		
TO-15	Tetrahydrofuran	0.71J	ug/m3	1.0	11/15/20 18:54		
TO-15	Toluene	124	ug/m3	1.3	11/15/20 18:54		
TO-15	Trichloroethene	7.6	ug/m3	0.93	11/15/20 18:54		
TO-15	Trichlorofluoromethane	2.9	ug/m3	1.9	11/15/20 18:54	CH,L1	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	11/15/20 18:54		
TO-15	1,2,4-Trimethylbenzene	3.4	ug/m3	1.7	11/15/20 18:54		
TO-15	1,3,5-Trimethylbenzene	0.95J	ug/m3	1.7	11/15/20 18:54		
TO-15	m&p-Xylene	17.0	ug/m3	3.0	11/15/20 18:54		
TO-15	o-Xylene	5.7	ug/m3	1.5	11/15/20 18:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10537135

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10537135009	SSV405-Attorney						
TO-15	Acetone	48.0	ug/m3	10.5	11/15/20 19:21		
TO-15	Benzene	0.55J	ug/m3	0.57	11/15/20 19:21		
TO-15	Bromomethane	1.3J	ug/m3	1.4	11/15/20 19:21		
TO-15	2-Butanone (MEK)	13.2	ug/m3	5.2	11/15/20 19:21		
TO-15	Carbon disulfide	4.0	ug/m3	1.1	11/15/20 19:21		
TO-15	Chloroform	0.54J	ug/m3	0.86	11/15/20 19:21		
TO-15	Chloromethane	3.1	ug/m3	0.73	11/15/20 19:21		
TO-15	1,4-Dichlorobenzene	1.1J	ug/m3	5.3	11/15/20 19:21		
TO-15	Dichlorodifluoromethane	23.6	ug/m3	1.8	11/15/20 19:21		
TO-15	Ethanol	37.6	ug/m3	3.3	11/15/20 19:21		
TO-15	Ethylbenzene	4.1	ug/m3	1.5	11/15/20 19:21		
TO-15	4-Ethyltoluene	1.3J	ug/m3	4.4	11/15/20 19:21		
TO-15	2-Hexanone	1.3J	ug/m3	7.2	11/15/20 19:21		
TO-15	4-Methyl-2-pentanone (MIBK)	2.7J	ug/m3	7.2	11/15/20 19:21		
TO-15	2-Propanol	8.3	ug/m3	4.4	11/15/20 19:21		
TO-15	Styrene	6.6	ug/m3	1.5	11/15/20 19:21		
TO-15	Tetrachloroethene	26500	ug/m3	288	11/17/20 11:05		
TO-15	Tetrahydrofuran	0.59J	ug/m3	1.0	11/15/20 19:21		
TO-15	Toluene	109	ug/m3	1.3	11/15/20 19:21		
TO-15	1,1,1-Trichloroethane	1.4J	ug/m3	1.9	11/15/20 19:21		
TO-15	Trichloroethene	118	ug/m3	0.95	11/15/20 19:21		
TO-15	Trichlorofluoromethane	3.0	ug/m3	2.0	11/15/20 19:21	CH,L1	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	11/15/20 19:21		
TO-15	1,2,4-Trimethylbenzene	3.5	ug/m3	1.7	11/15/20 19:21		
TO-15	1,3,5-Trimethylbenzene	1.1J	ug/m3	1.7	11/15/20 19:21		
TO-15	m&p-Xylene	16.5	ug/m3	3.1	11/15/20 19:21		
TO-15	o-Xylene	5.6	ug/m3	1.5	11/15/20 19:21		
10537135010	SSV101-Dun-Rite South Wall						
TO-15	Acetone	32.7	ug/m3	10.7	11/15/20 19:48		
TO-15	Benzene	0.77	ug/m3	0.58	11/15/20 19:48		
TO-15	2-Butanone (MEK)	7.1	ug/m3	5.3	11/15/20 19:48		
TO-15	Chloroform	0.57J	ug/m3	0.88	11/15/20 19:48		
TO-15	1,2-Dichlorobenzene	3.2	ug/m3	2.2	11/15/20 19:48		
TO-15	Dichlorodifluoromethane	210	ug/m3	1.8	11/15/20 19:48		
TO-15	Ethanol	602	ug/m3	6.8	11/17/20 09:24		
TO-15	Ethylbenzene	2.6	ug/m3	1.6	11/15/20 19:48		
TO-15	4-Ethyltoluene	1.1J	ug/m3	4.4	11/15/20 19:48		
TO-15	n-Hexane	0.49J	ug/m3	1.3	11/15/20 19:48		
TO-15	Methylene Chloride	10.9	ug/m3	6.2	11/15/20 19:48		
TO-15	4-Methyl-2-pentanone (MIBK)	1.2J	ug/m3	7.4	11/15/20 19:48		
TO-15	Naphthalene	7.2	ug/m3	4.7	11/15/20 19:48		
TO-15	2-Propanol	8.3	ug/m3	4.4	11/15/20 19:48		
TO-15	Styrene	2.9	ug/m3	1.5	11/15/20 19:48		
TO-15	Tetrachloroethene	382	ug/m3	2.4	11/17/20 09:24		
TO-15	Tetrahydrofuran	0.65J	ug/m3	1.1	11/15/20 19:48		
TO-15	Toluene	72.4	ug/m3	1.4	11/15/20 19:48		
TO-15	Trichloroethene	0.99	ug/m3	0.97	11/15/20 19:48		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10537135

Lab Sample ID	Client Sample ID						
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers	
10537135010	SSV101-Dun-Rite South Wall						
TO-15	Trichlorofluoromethane	2.5	ug/m3	2.0	11/15/20 19:48	CH,L1	
TO-15	1,1,2-Trichlorotrifluoroethane	0.74J	ug/m3	2.8	11/15/20 19:48		
TO-15	1,2,4-Trimethylbenzene	4.3	ug/m3	1.8	11/15/20 19:48		
TO-15	1,3,5-Trimethylbenzene	1.7J	ug/m3	1.8	11/15/20 19:48		
TO-15	m&p-Xylene	9.5	ug/m3	3.1	11/15/20 19:48		
TO-15	o-Xylene	3.4	ug/m3	1.6	11/15/20 19:48		
10537135011	Blower Str.						
TO-15	Acetone	39.6	ug/m3	10.3	11/15/20 20:15		
TO-15	Benzene	0.41J	ug/m3	0.56	11/15/20 20:15		
TO-15	2-Butanone (MEK)	5.8	ug/m3	5.1	11/15/20 20:15		
TO-15	Carbon disulfide	0.46J	ug/m3	1.1	11/15/20 20:15		
TO-15	Chloroform	1.8	ug/m3	0.85	11/15/20 20:15		
TO-15	1,2-Dichlorobenzene	8.1	ug/m3	2.1	11/15/20 20:15		
TO-15	Dichlorodifluoromethane	1230	ug/m3	51.8	11/17/20 10:15		
TO-15	Ethanol	83.9	ug/m3	3.3	11/15/20 20:15		
TO-15	Ethylbenzene	0.47J	ug/m3	1.5	11/15/20 20:15		
TO-15	4-Ethyltoluene	1.2J	ug/m3	4.3	11/15/20 20:15		
TO-15	n-Hexane	0.51J	ug/m3	1.2	11/15/20 20:15		
TO-15	Methylene Chloride	5.4J	ug/m3	6.0	11/15/20 20:15		
TO-15	4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	7.1	11/15/20 20:15		
TO-15	Naphthalene	3.5J	ug/m3	4.5	11/15/20 20:15		
TO-15	2-Propanol	15.0	ug/m3	4.3	11/15/20 20:15		
TO-15	Tetrachloroethene	3060	ug/m3	35.3	11/17/20 10:15		
TO-15	Tetrahydrofuran	1.4	ug/m3	1.0	11/15/20 20:15		
TO-15	Toluene	2.2	ug/m3	1.3	11/15/20 20:15		
TO-15	1,1,1-Trichloroethane	0.34J	ug/m3	1.9	11/15/20 20:15		
TO-15	Trichloroethene	3.6	ug/m3	0.93	11/15/20 20:15		
TO-15	Trichlorofluoromethane	2.4	ug/m3	1.9	11/15/20 20:15		
TO-15	1,1,2-Trichlorotrifluoroethane	0.68J	ug/m3	2.7	11/15/20 20:15		
TO-15	1,2,4-Trimethylbenzene	4.7	ug/m3	1.7	11/15/20 20:15		
TO-15	1,3,5-Trimethylbenzene	2.1	ug/m3	1.7	11/15/20 20:15		
TO-15	m&p-Xylene	1.0J	ug/m3	3.0	11/15/20 20:15		
TO-15	o-Xylene	0.96J	ug/m3	1.5	11/15/20 20:15		CH,L1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10537135

Method: TO-15

Description: TO15 MSV AIR

Client: Sand County Environmental, Inc.

Date: November 17, 2020

General Information:

11 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 711060

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- AA203-Outdoor (Lab ID: 10537135001)
 - Trichlorofluoromethane
- AA304-Residence (Lab ID: 10537135002)
 - Trichlorofluoromethane
- AA406-United Way (Lab ID: 10537135003)
 - Trichlorofluoromethane
- AA407-Wild Card (Lab ID: 10537135004)
 - Trichlorofluoromethane
- AA408-Attorney (Lab ID: 10537135005)
 - Trichlorofluoromethane
- Blower Str. (Lab ID: 10537135011)
 - Trichlorofluoromethane
- DUP (Lab ID: 3797745)
 - Trichlorofluoromethane
- DUP (Lab ID: 3797746)
 - Trichlorofluoromethane
- LCS (Lab ID: 3797707)
 - Bromoform
 - Bromomethane
 - Carbon tetrachloride
 - Trichlorofluoromethane
- SSV101-Dun-Rite South Wall (Lab ID: 10537135010)
 - Trichlorofluoromethane
- SSV203-Dun-Rite North Wall (Lab ID: 10537135007)
 - Trichlorofluoromethane
- SSV304-Residence (Lab ID: 10537135006)
 - Trichlorofluoromethane
- SSV405-Attorney (Lab ID: 10537135009)
 - Trichlorofluoromethane
- SSV406-Wild Card (Lab ID: 10537135008)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10537135

Method: TO-15

Description: TO15 MSV AIR

Client: Sand County Environmental, Inc.

Date: November 17, 2020

QC Batch: 711060

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
• Trichlorofluoromethane

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 711060

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
• LCS (Lab ID: 3797707)
• Trichlorofluoromethane

L3: Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples.

- LCS (Lab ID: 3797707)
 - Bromoform
 - Bromomethane
 - Carbon tetrachloride

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 711060

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- AA406-United Way (Lab ID: 10537135003)
 - Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA203-Outdoor Lab ID: 10537135001 Collected: 10/22/20 16:18 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	5.8J	ug/m3	8.5	2.9	1.41		11/15/20 14:50	67-64-1	
Benzene	0.36J	ug/m3	0.46	0.12	1.41		11/15/20 14:50	71-43-2	
Benzyl chloride	<0.63	ug/m3	3.7	0.63	1.41		11/15/20 14:50	100-44-7	
Bromodichloromethane	<0.42	ug/m3	1.9	0.42	1.41		11/15/20 14:50	75-27-4	
Bromoform	<2.6	ug/m3	7.4	2.6	1.41		11/15/20 14:50	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.41		11/15/20 14:50	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.63	0.16	1.41		11/15/20 14:50	106-99-0	
2-Butanone (MEK)	<0.95	ug/m3	4.2	0.95	1.41		11/15/20 14:50	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.89	0.34	1.41		11/15/20 14:50	75-15-0	
Carbon tetrachloride	0.59J	ug/m3	1.8	0.49	1.41		11/15/20 14:50	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.3	0.30	1.41		11/15/20 14:50	108-90-7	
Chloroethane	<0.15	ug/m3	0.76	0.15	1.41		11/15/20 14:50	75-00-3	
Chloroform	<0.21	ug/m3	0.70	0.21	1.41		11/15/20 14:50	67-66-3	
Chloromethane	0.89	ug/m3	0.59	0.17	1.41		11/15/20 14:50	74-87-3	
Cyclohexane	<0.27	ug/m3	2.5	0.27	1.41		11/15/20 14:50	110-82-7	
Dibromochloromethane	<0.56	ug/m3	2.4	0.56	1.41		11/15/20 14:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/m3	1.1	0.31	1.41		11/15/20 14:50	106-93-4	
1,2-Dichlorobenzene	<0.47	ug/m3	1.7	0.47	1.41		11/15/20 14:50	95-50-1	
1,3-Dichlorobenzene	<0.54	ug/m3	1.7	0.54	1.41		11/15/20 14:50	541-73-1	
1,4-Dichlorobenzene	<0.74	ug/m3	4.3	0.74	1.41		11/15/20 14:50	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.4	0.28	1.41		11/15/20 14:50	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.41		11/15/20 14:50	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.58	0.27	1.41		11/15/20 14:50	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.41		11/15/20 14:50	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.1	0.21	1.41		11/15/20 14:50	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/m3	1.1	0.20	1.41		11/15/20 14:50	156-60-5	
1,2-Dichloropropane	<0.22	ug/m3	1.3	0.22	1.41		11/15/20 14:50	78-87-5	
cis-1,3-Dichloropropene	<0.26	ug/m3	1.3	0.26	1.41		11/15/20 14:50	10061-01-5	
trans-1,3-Dichloropropene	<0.22	ug/m3	1.3	0.22	1.41		11/15/20 14:50	10061-02-6	
Dichlorotetrafluoroethane	<0.57	ug/m3	2.0	0.57	1.41		11/15/20 14:50	76-14-2	
Ethanol	14.8	ug/m3	2.7	1.3	1.41		11/15/20 14:50	64-17-5	
Ethyl acetate	<0.30	ug/m3	1.0	0.30	1.41		11/15/20 14:50	141-78-6	
Ethylbenzene	<0.28	ug/m3	1.2	0.28	1.41		11/15/20 14:50	100-41-4	
4-Ethyltoluene	<0.49	ug/m3	3.5	0.49	1.41		11/15/20 14:50	622-96-8	
n-Heptane	<0.33	ug/m3	1.2	0.33	1.41		11/15/20 14:50	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	7.6	3.4	1.41		11/15/20 14:50	87-68-3	
n-Hexane	<0.30	ug/m3	1.0	0.30	1.41		11/15/20 14:50	110-54-3	
2-Hexanone	<0.70	ug/m3	5.9	0.70	1.41		11/15/20 14:50	591-78-6	
Methylene Chloride	<2.2	ug/m3	5.0	2.2	1.41		11/15/20 14:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.31	ug/m3	5.9	0.31	1.41		11/15/20 14:50	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.2	0.18	1.41		11/15/20 14:50	1634-04-4	
Naphthalene	<1.7	ug/m3	3.8	1.7	1.41		11/15/20 14:50	91-20-3	
2-Propanol	2.8J	ug/m3	3.5	1.1	1.41		11/15/20 14:50	67-63-0	
Propylene	<0.18	ug/m3	0.49	0.18	1.41		11/15/20 14:50	115-07-1	
Styrene	<0.46	ug/m3	1.2	0.46	1.41		11/15/20 14:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA203-Outdoor	Lab ID: 10537135001	Collected: 10/22/20 16:18	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.22	ug/m3	0.98	0.22	1.41		11/15/20 14:50	79-34-5	
Tetrachloroethylene	<0.46	ug/m3	0.97	0.46	1.41		11/15/20 14:50	127-18-4	
Tetrahydrofuran	<0.19	ug/m3	0.85	0.19	1.41		11/15/20 14:50	109-99-9	
Toluene	0.31J	ug/m3	1.1	0.28	1.41		11/15/20 14:50	108-88-3	
1,2,4-Trichlorobenzene	<4.7	ug/m3	10.6	4.7	1.41		11/15/20 14:50	120-82-1	
1,1,1-Trichloroethane	<0.23	ug/m3	1.6	0.23	1.41		11/15/20 14:50	71-55-6	
1,1,2-Trichloroethane	<0.24	ug/m3	0.78	0.24	1.41		11/15/20 14:50	79-00-5	
Trichloroethylene	<0.24	ug/m3	0.77	0.24	1.41		11/15/20 14:50	79-01-6	
Trichlorofluoromethane	2.1	ug/m3	1.6	0.54	1.41		11/15/20 14:50	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.75J	ug/m3	2.2	0.47	1.41		11/15/20 14:50	76-13-1	
1,2,4-Trimethylbenzene	<0.49	ug/m3	1.4	0.49	1.41		11/15/20 14:50	95-63-6	
1,3,5-Trimethylbenzene	<0.38	ug/m3	1.4	0.38	1.41		11/15/20 14:50	108-67-8	
Vinyl acetate	<0.19	ug/m3	1.0	0.19	1.41		11/15/20 14:50	108-05-4	
Vinyl chloride	<0.080	ug/m3	0.37	0.080	1.41		11/15/20 14:50	75-01-4	
m&p-Xylene	<0.58	ug/m3	2.5	0.58	1.41		11/15/20 14:50	179601-23-1	
o-Xylene	<0.33	ug/m3	1.2	0.33	1.41		11/15/20 14:50	95-47-6	

Sample: AA304-Residence	Lab ID: 10537135002	Collected: 10/22/20 16:15	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	6.5J	ug/m3	9.0	3.1	1.49		11/15/20 15:44	67-64-1	
Benzene	0.47J	ug/m3	0.48	0.13	1.49		11/15/20 15:44	71-43-2	
Benzyl chloride	<0.67	ug/m3	3.9	0.67	1.49		11/15/20 15:44	100-44-7	
Bromodichloromethane	<0.44	ug/m3	2.0	0.44	1.49		11/15/20 15:44	75-27-4	
Bromoform	<2.7	ug/m3	7.8	2.7	1.49		11/15/20 15:44	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.49		11/15/20 15:44	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/15/20 15:44	106-99-0	
2-Butanone (MEK)	<1.0	ug/m3	4.5	1.0	1.49		11/15/20 15:44	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/15/20 15:44	75-15-0	
Carbon tetrachloride	<0.51	ug/m3	1.9	0.51	1.49		11/15/20 15:44	56-23-5	
Chlorobenzene	<0.32	ug/m3	1.4	0.32	1.49		11/15/20 15:44	108-90-7	
Chloroethane	<0.15	ug/m3	0.80	0.15	1.49		11/15/20 15:44	75-00-3	
Chloroform	<0.22	ug/m3	0.74	0.22	1.49		11/15/20 15:44	67-66-3	
Chloromethane	0.91	ug/m3	0.63	0.18	1.49		11/15/20 15:44	74-87-3	
Cyclohexane	<0.28	ug/m3	2.6	0.28	1.49		11/15/20 15:44	110-82-7	
Dibromochloromethane	<0.59	ug/m3	2.6	0.59	1.49		11/15/20 15:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.33	ug/m3	1.2	0.33	1.49		11/15/20 15:44	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/m3	1.8	0.50	1.49		11/15/20 15:44	95-50-1	
1,3-Dichlorobenzene	<0.58	ug/m3	1.8	0.58	1.49		11/15/20 15:44	541-73-1	
1,4-Dichlorobenzene	<0.79	ug/m3	4.6	0.79	1.49		11/15/20 15:44	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA304-Residence	Lab ID: 10537135002	Collected: 10/22/20 16:15	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.4	ug/m3	1.5	0.30	1.49		11/15/20 15:44	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		11/15/20 15:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.61	0.29	1.49		11/15/20 15:44	107-06-2	
1,1-Dichloroethene	<0.27	ug/m3	1.2	0.27	1.49		11/15/20 15:44	75-35-4	
cis-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.49		11/15/20 15:44	156-59-2	
trans-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		11/15/20 15:44	156-60-5	
1,2-Dichloropropane	<0.23	ug/m3	1.4	0.23	1.49		11/15/20 15:44	78-87-5	
cis-1,3-Dichloropropene	<0.27	ug/m3	1.4	0.27	1.49		11/15/20 15:44	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.49		11/15/20 15:44	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.1	0.61	1.49		11/15/20 15:44	76-14-2	
Ethanol	7.9	ug/m3	2.9	1.4	1.49		11/15/20 15:44	64-17-5	
Ethyl acetate	<0.31	ug/m3	1.1	0.31	1.49		11/15/20 15:44	141-78-6	
Ethylbenzene	<0.30	ug/m3	1.3	0.30	1.49		11/15/20 15:44	100-41-4	
4-Ethyltoluene	<0.52	ug/m3	3.7	0.52	1.49		11/15/20 15:44	622-96-8	
n-Heptane	<0.35	ug/m3	1.2	0.35	1.49		11/15/20 15:44	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	8.1	3.6	1.49		11/15/20 15:44	87-68-3	
n-Hexane	<0.32	ug/m3	1.1	0.32	1.49		11/15/20 15:44	110-54-3	
2-Hexanone	<0.74	ug/m3	6.2	0.74	1.49		11/15/20 15:44	591-78-6	
Methylene Chloride	<2.3	ug/m3	5.3	2.3	1.49		11/15/20 15:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.32	ug/m3	6.2	0.32	1.49		11/15/20 15:44	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		11/15/20 15:44	1634-04-4	
Naphthalene	<1.8	ug/m3	4.0	1.8	1.49		11/15/20 15:44	91-20-3	
2-Propanol	<1.2	ug/m3	3.7	1.2	1.49		11/15/20 15:44	67-63-0	
Propylene	<0.19	ug/m3	0.52	0.19	1.49		11/15/20 15:44	115-07-1	
Styrene	<0.49	ug/m3	1.3	0.49	1.49		11/15/20 15:44	100-42-5	
1,1,2,2-Tetrachloroethane	<0.23	ug/m3	1.0	0.23	1.49		11/15/20 15:44	79-34-5	
Tetrachloroethene	<0.49	ug/m3	1.0	0.49	1.49		11/15/20 15:44	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.89	0.21	1.49		11/15/20 15:44	109-99-9	
Toluene	0.35J	ug/m3	1.1	0.29	1.49		11/15/20 15:44	108-88-3	
1,2,4-Trichlorobenzene	<4.9	ug/m3	11.2	4.9	1.49		11/15/20 15:44	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.7	0.25	1.49		11/15/20 15:44	71-55-6	
1,1,2-Trichloroethane	<0.25	ug/m3	0.83	0.25	1.49		11/15/20 15:44	79-00-5	
Trichloroethene	<0.25	ug/m3	0.81	0.25	1.49		11/15/20 15:44	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.57	1.49		11/15/20 15:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.66J	ug/m3	2.3	0.50	1.49		11/15/20 15:44	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/15/20 15:44	95-63-6	
1,3,5-Trimethylbenzene	<0.40	ug/m3	1.5	0.40	1.49		11/15/20 15:44	108-67-8	
Vinyl acetate	<0.20	ug/m3	1.1	0.20	1.49		11/15/20 15:44	108-05-4	
Vinyl chloride	<0.085	ug/m3	0.39	0.085	1.49		11/15/20 15:44	75-01-4	
m&p-Xylene	<0.62	ug/m3	2.6	0.62	1.49		11/15/20 15:44	179601-23-1	
o-Xylene	<0.35	ug/m3	1.3	0.35	1.49		11/15/20 15:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA406-United Way Lab ID: 10537135003 Collected: 10/22/20 16:04 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	34.2	ug/m3	9.2	3.1	1.52		11/15/20 16:39	67-64-1	
Benzene	0.46J	ug/m3	0.49	0.13	1.52		11/15/20 16:39	71-43-2	
Benzyl chloride	<0.68	ug/m3	4.0	0.68	1.52		11/15/20 16:39	100-44-7	
Bromodichloromethane	<0.45	ug/m3	2.1	0.45	1.52		11/15/20 16:39	75-27-4	
Bromoform	<2.8	ug/m3	8.0	2.8	1.52		11/15/20 16:39	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.52		11/15/20 16:39	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.68	0.18	1.52		11/15/20 16:39	106-99-0	
2-Butanone (MEK)	2.9J	ug/m3	4.6	1.0	1.52		11/15/20 16:39	78-93-3	
Carbon disulfide	<0.36	ug/m3	0.96	0.36	1.52		11/15/20 16:39	75-15-0	
Carbon tetrachloride	<0.52	ug/m3	1.9	0.52	1.52		11/15/20 16:39	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.4	0.33	1.52		11/15/20 16:39	108-90-7	
Chloroethane	<0.16	ug/m3	0.81	0.16	1.52		11/15/20 16:39	75-00-3	
Chloroform	<0.23	ug/m3	0.75	0.23	1.52		11/15/20 16:39	67-66-3	
Chloromethane	1.6	ug/m3	0.64	0.18	1.52		11/15/20 16:39	74-87-3	
Cyclohexane	0.40J	ug/m3	2.7	0.29	1.52		11/15/20 16:39	110-82-7	
Dibromochloromethane	<0.60	ug/m3	2.6	0.60	1.52		11/15/20 16:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.52		11/15/20 16:39	106-93-4	
1,2-Dichlorobenzene	<0.51	ug/m3	1.9	0.51	1.52		11/15/20 16:39	95-50-1	
1,3-Dichlorobenzene	<0.59	ug/m3	1.9	0.59	1.52		11/15/20 16:39	541-73-1	
1,4-Dichlorobenzene	243	ug/m3	4.7	0.80	1.52		11/15/20 16:39	106-46-7	
Dichlorodifluoromethane	11.0	ug/m3	1.5	0.30	1.52		11/15/20 16:39	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.52		11/15/20 16:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.62	0.29	1.52		11/15/20 16:39	107-06-2	
1,1-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.52		11/15/20 16:39	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.52		11/15/20 16:39	156-59-2	
trans-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.52		11/15/20 16:39	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.4	0.24	1.52		11/15/20 16:39	78-87-5	
cis-1,3-Dichloropropene	<0.28	ug/m3	1.4	0.28	1.52		11/15/20 16:39	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.52		11/15/20 16:39	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.2	0.62	1.52		11/15/20 16:39	76-14-2	
Ethanol	1820	ug/m3	2.9	1.4	1.52		11/15/20 16:39	64-17-5	E
Ethyl acetate	4.0	ug/m3	1.1	0.32	1.52		11/15/20 16:39	141-78-6	
Ethylbenzene	<0.30	ug/m3	1.3	0.30	1.52		11/15/20 16:39	100-41-4	
4-Ethyltoluene	<0.53	ug/m3	3.8	0.53	1.52		11/15/20 16:39	622-96-8	
n-Heptane	<0.35	ug/m3	1.3	0.35	1.52		11/15/20 16:39	142-82-5	
Hexachloro-1,3-butadiene	<3.7	ug/m3	8.2	3.7	1.52		11/15/20 16:39	87-68-3	
n-Hexane	0.39J	ug/m3	1.1	0.32	1.52		11/15/20 16:39	110-54-3	
2-Hexanone	<0.75	ug/m3	6.3	0.75	1.52		11/15/20 16:39	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.4	2.4	1.52		11/15/20 16:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.33	ug/m3	6.3	0.33	1.52		11/15/20 16:39	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.6	0.20	1.52		11/15/20 16:39	1634-04-4	
Naphthalene	<1.9	ug/m3	4.0	1.9	1.52		11/15/20 16:39	91-20-3	
2-Propanol	32.2	ug/m3	3.8	1.2	1.52		11/15/20 16:39	67-63-0	
Propylene	<0.20	ug/m3	0.53	0.20	1.52		11/15/20 16:39	115-07-1	
Styrene	0.97J	ug/m3	1.3	0.50	1.52		11/15/20 16:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA406-United Way Lab ID: **10537135003** Collected: 10/22/20 16:04 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.23	ug/m3	1.1	0.23	1.52		11/15/20 16:39	79-34-5	
Tetrachloroethene	11.8	ug/m3	1.0	0.50	1.52		11/15/20 16:39	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.91	0.21	1.52		11/15/20 16:39	109-99-9	
Toluene	1.5	ug/m3	1.2	0.30	1.52		11/15/20 16:39	108-88-3	
1,2,4-Trichlorobenzene	<5.0	ug/m3	11.5	5.0	1.52		11/15/20 16:39	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.7	0.25	1.52		11/15/20 16:39	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.84	0.26	1.52		11/15/20 16:39	79-00-5	
Trichloroethene	5.1	ug/m3	0.83	0.26	1.52		11/15/20 16:39	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.7	0.58	1.52		11/15/20 16:39	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.72J	ug/m3	2.4	0.51	1.52		11/15/20 16:39	76-13-1	
1,2,4-Trimethylbenzene	0.71J	ug/m3	1.5	0.53	1.52		11/15/20 16:39	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.52		11/15/20 16:39	108-67-8	
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.52		11/15/20 16:39	108-05-4	
Vinyl chloride	<0.086	ug/m3	0.40	0.086	1.52		11/15/20 16:39	75-01-4	
m&p-Xylene	<0.63	ug/m3	2.7	0.63	1.52		11/15/20 16:39	179601-23-1	
o-Xylene	<0.36	ug/m3	1.3	0.36	1.52		11/15/20 16:39	95-47-6	

Sample: AA407-Wild Card Lab ID: **10537135004** Collected: 10/22/20 16:02 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	31.9	ug/m3	9.4	3.2	1.55		11/15/20 17:06	67-64-1	
Benzene	0.49J	ug/m3	0.50	0.13	1.55		11/15/20 17:06	71-43-2	
Benzyl chloride	<0.69	ug/m3	4.1	0.69	1.55		11/15/20 17:06	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.1	0.46	1.55		11/15/20 17:06	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		11/15/20 17:06	75-25-2	
Bromomethane	<0.36	ug/m3	1.2	0.36	1.55		11/15/20 17:06	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.70	0.18	1.55		11/15/20 17:06	106-99-0	
2-Butanone (MEK)	2.2J	ug/m3	4.6	1.0	1.55		11/15/20 17:06	78-93-3	
Carbon disulfide	2.5	ug/m3	0.98	0.37	1.55		11/15/20 17:06	75-15-0	
Carbon tetrachloride	<0.53	ug/m3	2.0	0.53	1.55		11/15/20 17:06	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.5	0.33	1.55		11/15/20 17:06	108-90-7	
Chloroethane	<0.16	ug/m3	0.83	0.16	1.55		11/15/20 17:06	75-00-3	
Chloroform	<0.23	ug/m3	0.77	0.23	1.55		11/15/20 17:06	67-66-3	
Chloromethane	1.2	ug/m3	0.65	0.18	1.55		11/15/20 17:06	74-87-3	
Cyclohexane	<0.29	ug/m3	2.7	0.29	1.55		11/15/20 17:06	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		11/15/20 17:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.55		11/15/20 17:06	106-93-4	
1,2-Dichlorobenzene	<0.52	ug/m3	1.9	0.52	1.55		11/15/20 17:06	95-50-1	
1,3-Dichlorobenzene	<0.60	ug/m3	1.9	0.60	1.55		11/15/20 17:06	541-73-1	
1,4-Dichlorobenzene	32.4	ug/m3	4.7	0.82	1.55		11/15/20 17:06	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA407-Wild Card	Lab ID: 10537135004	Collected: 10/22/20 16:02	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	9.7	ug/m3	1.6	0.31	1.55		11/15/20 17:06	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.55		11/15/20 17:06	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.64	0.30	1.55		11/15/20 17:06	107-06-2	
1,1-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.55		11/15/20 17:06	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.55		11/15/20 17:06	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		11/15/20 17:06	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.5	0.24	1.55		11/15/20 17:06	78-87-5	
cis-1,3-Dichloropropene	<0.29	ug/m3	1.4	0.29	1.55		11/15/20 17:06	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.55		11/15/20 17:06	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.2	0.63	1.55		11/15/20 17:06	76-14-2	
Ethanol	440	ug/m3	3.0	1.5	1.55		11/15/20 17:06	64-17-5	
Ethyl acetate	0.84J	ug/m3	1.1	0.33	1.55		11/15/20 17:06	141-78-6	
Ethylbenzene	<0.31	ug/m3	1.4	0.31	1.55		11/15/20 17:06	100-41-4	
4-Ethyltoluene	<0.54	ug/m3	3.9	0.54	1.55		11/15/20 17:06	622-96-8	
n-Heptane	0.51J	ug/m3	1.3	0.36	1.55		11/15/20 17:06	142-82-5	
Hexachloro-1,3-butadiene	<3.8	ug/m3	8.4	3.8	1.55		11/15/20 17:06	87-68-3	
n-Hexane	0.36J	ug/m3	1.1	0.33	1.55		11/15/20 17:06	110-54-3	
2-Hexanone	<0.77	ug/m3	6.4	0.77	1.55		11/15/20 17:06	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.5	2.4	1.55		11/15/20 17:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.34	ug/m3	6.4	0.34	1.55		11/15/20 17:06	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.7	0.20	1.55		11/15/20 17:06	1634-04-4	
Naphthalene	<1.9	ug/m3	4.1	1.9	1.55		11/15/20 17:06	91-20-3	
2-Propanol	13.6	ug/m3	3.9	1.2	1.55		11/15/20 17:06	67-63-0	
Propylene	<0.20	ug/m3	0.54	0.20	1.55		11/15/20 17:06	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.55		11/15/20 17:06	100-42-5	
1,1,2,2-Tetrachloroethane	<0.24	ug/m3	1.1	0.24	1.55		11/15/20 17:06	79-34-5	
Tetrachloroethene	14.5	ug/m3	1.1	0.51	1.55		11/15/20 17:06	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.93	0.21	1.55		11/15/20 17:06	109-99-9	
Toluene	1.2	ug/m3	1.2	0.30	1.55		11/15/20 17:06	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		11/15/20 17:06	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.7	0.26	1.55		11/15/20 17:06	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.86	0.26	1.55		11/15/20 17:06	79-00-5	
Trichloroethene	0.80J	ug/m3	0.85	0.26	1.55		11/15/20 17:06	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.8	0.60	1.55		11/15/20 17:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.70J	ug/m3	2.4	0.52	1.55		11/15/20 17:06	76-13-1	
1,2,4-Trimethylbenzene	<0.54	ug/m3	1.5	0.54	1.55		11/15/20 17:06	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.55		11/15/20 17:06	108-67-8	
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.55		11/15/20 17:06	108-05-4	
Vinyl chloride	<0.088	ug/m3	0.40	0.088	1.55		11/15/20 17:06	75-01-4	
m&p-Xylene	<0.64	ug/m3	2.7	0.64	1.55		11/15/20 17:06	179601-23-1	
o-Xylene	<0.36	ug/m3	1.4	0.36	1.55		11/15/20 17:06	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA408-Attorney Lab ID: 10537135005 Collected: 10/22/20 16:00 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	6.3J	ug/m3	9.4	3.2	1.55		11/15/20 17:33	67-64-1	
Benzene	0.68	ug/m3	0.50	0.13	1.55		11/15/20 17:33	71-43-2	
Benzyl chloride	<0.69	ug/m3	4.1	0.69	1.55		11/15/20 17:33	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.1	0.46	1.55		11/15/20 17:33	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		11/15/20 17:33	75-25-2	
Bromomethane	<0.36	ug/m3	1.2	0.36	1.55		11/15/20 17:33	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.70	0.18	1.55		11/15/20 17:33	106-99-0	
2-Butanone (MEK)	<1.0	ug/m3	4.6	1.0	1.55		11/15/20 17:33	78-93-3	
Carbon disulfide	<0.37	ug/m3	0.98	0.37	1.55		11/15/20 17:33	75-15-0	
Carbon tetrachloride	<0.53	ug/m3	2.0	0.53	1.55		11/15/20 17:33	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.5	0.33	1.55		11/15/20 17:33	108-90-7	
Chloroethane	1.5	ug/m3	0.83	0.16	1.55		11/15/20 17:33	75-00-3	
Chloroform	<0.23	ug/m3	0.77	0.23	1.55		11/15/20 17:33	67-66-3	
Chloromethane	1.9	ug/m3	0.65	0.18	1.55		11/15/20 17:33	74-87-3	
Cyclohexane	<0.29	ug/m3	2.7	0.29	1.55		11/15/20 17:33	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		11/15/20 17:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.55		11/15/20 17:33	106-93-4	
1,2-Dichlorobenzene	<0.52	ug/m3	1.9	0.52	1.55		11/15/20 17:33	95-50-1	
1,3-Dichlorobenzene	<0.60	ug/m3	1.9	0.60	1.55		11/15/20 17:33	541-73-1	
1,4-Dichlorobenzene	1.0J	ug/m3	4.7	0.82	1.55		11/15/20 17:33	106-46-7	
Dichlorodifluoromethane	10.9	ug/m3	1.6	0.31	1.55		11/15/20 17:33	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.55		11/15/20 17:33	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.64	0.30	1.55		11/15/20 17:33	107-06-2	
1,1-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.55		11/15/20 17:33	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.55		11/15/20 17:33	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		11/15/20 17:33	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.5	0.24	1.55		11/15/20 17:33	78-87-5	
cis-1,3-Dichloropropene	<0.29	ug/m3	1.4	0.29	1.55		11/15/20 17:33	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.55		11/15/20 17:33	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.2	0.63	1.55		11/15/20 17:33	76-14-2	
Ethanol	28.0	ug/m3	3.0	1.5	1.55		11/15/20 17:33	64-17-5	
Ethyl acetate	<0.33	ug/m3	1.1	0.33	1.55		11/15/20 17:33	141-78-6	
Ethylbenzene	<0.31	ug/m3	1.4	0.31	1.55		11/15/20 17:33	100-41-4	
4-Ethyltoluene	<0.54	ug/m3	3.9	0.54	1.55		11/15/20 17:33	622-96-8	
n-Heptane	<0.36	ug/m3	1.3	0.36	1.55		11/15/20 17:33	142-82-5	
Hexachloro-1,3-butadiene	<3.8	ug/m3	8.4	3.8	1.55		11/15/20 17:33	87-68-3	
n-Hexane	<0.33	ug/m3	1.1	0.33	1.55		11/15/20 17:33	110-54-3	
2-Hexanone	<0.77	ug/m3	6.4	0.77	1.55		11/15/20 17:33	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.5	2.4	1.55		11/15/20 17:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.34	ug/m3	6.4	0.34	1.55		11/15/20 17:33	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.7	0.20	1.55		11/15/20 17:33	1634-04-4	
Naphthalene	<1.9	ug/m3	4.1	1.9	1.55		11/15/20 17:33	91-20-3	
2-Propanol	1.5J	ug/m3	3.9	1.2	1.55		11/15/20 17:33	67-63-0	
Propylene	<0.20	ug/m3	0.54	0.20	1.55		11/15/20 17:33	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.55		11/15/20 17:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA408-Attorney	Lab ID: 10537135005	Collected: 10/22/20 16:00	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.24	ug/m3	1.1	0.24	1.55		11/15/20 17:33	79-34-5	
Tetrachloroethylene	23.9	ug/m3	1.1	0.51	1.55		11/15/20 17:33	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.93	0.21	1.55		11/15/20 17:33	109-99-9	
Toluene	1.1J	ug/m3	1.2	0.30	1.55		11/15/20 17:33	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		11/15/20 17:33	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.7	0.26	1.55		11/15/20 17:33	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.86	0.26	1.55		11/15/20 17:33	79-00-5	
Trichloroethylene	0.53J	ug/m3	0.85	0.26	1.55		11/15/20 17:33	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.8	0.60	1.55		11/15/20 17:33	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.76J	ug/m3	2.4	0.52	1.55		11/15/20 17:33	76-13-1	
1,2,4-Trimethylbenzene	<0.54	ug/m3	1.5	0.54	1.55		11/15/20 17:33	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.55		11/15/20 17:33	108-67-8	
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.55		11/15/20 17:33	108-05-4	
Vinyl chloride	<0.088	ug/m3	0.40	0.088	1.55		11/15/20 17:33	75-01-4	
m&p-Xylene	<0.64	ug/m3	2.7	0.64	1.55		11/15/20 17:33	179601-23-1	
o-Xylene	<0.36	ug/m3	1.4	0.36	1.55		11/15/20 17:33	95-47-6	

Sample: SSV304-Residence	Lab ID: 10537135006	Collected: 10/22/20 13:07	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	23.0	ug/m3	10.9	3.7	1.8		11/15/20 18:00	67-64-1	
Benzene	0.39J	ug/m3	0.58	0.15	1.8		11/15/20 18:00	71-43-2	
Benzyl chloride	<0.81	ug/m3	4.7	0.81	1.8		11/15/20 18:00	100-44-7	
Bromodichloromethane	<0.54	ug/m3	2.4	0.54	1.8		11/15/20 18:00	75-27-4	
Bromoform	<3.3	ug/m3	9.4	3.3	1.8		11/15/20 18:00	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.8		11/15/20 18:00	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.8		11/15/20 18:00	106-99-0	
2-Butanone (MEK)	8.2	ug/m3	5.4	1.2	1.8		11/15/20 18:00	78-93-3	
Carbon disulfide	<0.43	ug/m3	1.1	0.43	1.8		11/15/20 18:00	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	2.3	0.62	1.8		11/15/20 18:00	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.7	0.39	1.8		11/15/20 18:00	108-90-7	
Chloroethane	<0.19	ug/m3	0.96	0.19	1.8		11/15/20 18:00	75-00-3	
Chloroform	0.29J	ug/m3	0.89	0.27	1.8		11/15/20 18:00	67-66-3	
Chloromethane	<0.21	ug/m3	0.76	0.21	1.8		11/15/20 18:00	74-87-3	
Cyclohexane	<0.34	ug/m3	3.2	0.34	1.8		11/15/20 18:00	110-82-7	
Dibromochloromethane	<0.72	ug/m3	3.1	0.72	1.8		11/15/20 18:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.40	ug/m3	1.4	0.40	1.8		11/15/20 18:00	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	2.2	0.60	1.8		11/15/20 18:00	95-50-1	
1,3-Dichlorobenzene	<0.69	ug/m3	2.2	0.69	1.8		11/15/20 18:00	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/m3	5.5	0.95	1.8		11/15/20 18:00	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV304-Residence	Lab ID: 10537135006	Collected: 10/22/20 13:07	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	253	ug/m3	1.8	0.36	1.8		11/15/20 18:00	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.5	0.31	1.8		11/15/20 18:00	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	0.74	0.35	1.8		11/15/20 18:00	107-06-2	
1,1-Dichloroethene	<0.33	ug/m3	1.5	0.33	1.8		11/15/20 18:00	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.5	0.27	1.8		11/15/20 18:00	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.8		11/15/20 18:00	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.7	0.28	1.8		11/15/20 18:00	78-87-5	
cis-1,3-Dichloropropene	<0.33	ug/m3	1.7	0.33	1.8		11/15/20 18:00	10061-01-5	
trans-1,3-Dichloropropene	<0.28	ug/m3	1.7	0.28	1.8		11/15/20 18:00	10061-02-6	
Dichlorotetrafluoroethane	<0.73	ug/m3	2.6	0.73	1.8		11/15/20 18:00	76-14-2	
Ethanol	33.1	ug/m3	3.5	1.7	1.8		11/15/20 18:00	64-17-5	
Ethyl acetate	<0.38	ug/m3	1.3	0.38	1.8		11/15/20 18:00	141-78-6	
Ethylbenzene	3.4	ug/m3	1.6	0.36	1.8		11/15/20 18:00	100-41-4	
4-Ethyltoluene	1.1J	ug/m3	4.5	0.63	1.8		11/15/20 18:00	622-96-8	
n-Heptane	<0.42	ug/m3	1.5	0.42	1.8		11/15/20 18:00	142-82-5	
Hexachloro-1,3-butadiene	<4.4	ug/m3	9.8	4.4	1.8		11/15/20 18:00	87-68-3	
n-Hexane	<0.38	ug/m3	1.3	0.38	1.8		11/15/20 18:00	110-54-3	
2-Hexanone	<0.89	ug/m3	7.5	0.89	1.8		11/15/20 18:00	591-78-6	
Methylene Chloride	<2.8	ug/m3	6.4	2.8	1.8		11/15/20 18:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.5	0.39	1.8		11/15/20 18:00	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.8		11/15/20 18:00	1634-04-4	
Naphthalene	<2.2	ug/m3	4.8	2.2	1.8		11/15/20 18:00	91-20-3	
2-Propanol	7.2	ug/m3	4.5	1.4	1.8		11/15/20 18:00	67-63-0	
Propylene	2.3	ug/m3	0.63	0.23	1.8		11/15/20 18:00	115-07-1	
Styrene	4.2	ug/m3	1.6	0.59	1.8		11/15/20 18:00	100-42-5	
1,1,2,2-Tetrachloroethane	<0.28	ug/m3	1.3	0.28	1.8		11/15/20 18:00	79-34-5	
Tetrachloroethene	40.0	ug/m3	1.2	0.59	1.8		11/15/20 18:00	127-18-4	
Tetrahydrofuran	0.49J	ug/m3	1.1	0.25	1.8		11/15/20 18:00	109-99-9	
Toluene	102	ug/m3	1.4	0.35	1.8		11/15/20 18:00	108-88-3	
1,2,4-Trichlorobenzene	<6.0	ug/m3	13.6	6.0	1.8		11/15/20 18:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/m3	2.0	0.30	1.8		11/15/20 18:00	71-55-6	
1,1,2-Trichloroethane	<0.30	ug/m3	1.0	0.30	1.8		11/15/20 18:00	79-00-5	
Trichloroethene	<0.30	ug/m3	0.98	0.30	1.8		11/15/20 18:00	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.1	0.69	1.8		11/15/20 18:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.60	ug/m3	2.8	0.60	1.8		11/15/20 18:00	76-13-1	
1,2,4-Trimethylbenzene	2.5	ug/m3	1.8	0.63	1.8		11/15/20 18:00	95-63-6	
1,3,5-Trimethylbenzene	0.78J	ug/m3	1.8	0.48	1.8		11/15/20 18:00	108-67-8	
Vinyl acetate	<0.24	ug/m3	1.3	0.24	1.8		11/15/20 18:00	108-05-4	
Vinyl chloride	<0.10	ug/m3	0.47	0.10	1.8		11/15/20 18:00	75-01-4	
m&p-Xylene	12.9	ug/m3	3.2	0.75	1.8		11/15/20 18:00	179601-23-1	
o-Xylene	4.4	ug/m3	1.6	0.42	1.8		11/15/20 18:00	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV203-Dun-Rite North Wall Lab ID: 10537135007 Collected: 10/22/20 12:43 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	39.0	ug/m3	10.5	3.6	1.74			11/15/20 18:27	67-64-1
Benzene	0.58	ug/m3	0.57	0.15	1.74			11/15/20 18:27	71-43-2
Benzyl chloride	<0.78	ug/m3	4.6	0.78	1.74			11/15/20 18:27	100-44-7
Bromodichloromethane	<0.52	ug/m3	2.4	0.52	1.74			11/15/20 18:27	75-27-4
Bromoform	<3.1	ug/m3	9.1	3.1	1.74			11/15/20 18:27	75-25-2
Bromomethane	<0.41	ug/m3	1.4	0.41	1.74			11/15/20 18:27	74-83-9
1,3-Butadiene	<0.20	ug/m3	0.78	0.20	1.74			11/15/20 18:27	106-99-0
2-Butanone (MEK)	13.4	ug/m3	5.2	1.2	1.74			11/15/20 18:27	78-93-3
Carbon disulfide	0.53J	ug/m3	1.1	0.41	1.74			11/15/20 18:27	75-15-0
Carbon tetrachloride	<0.60	ug/m3	2.2	0.60	1.74			11/15/20 18:27	56-23-5
Chlorobenzene	<0.38	ug/m3	1.6	0.38	1.74			11/15/20 18:27	108-90-7
Chloroethane	<0.18	ug/m3	0.93	0.18	1.74			11/15/20 18:27	75-00-3
Chloroform	2.7	ug/m3	0.86	0.26	1.74			11/15/20 18:27	67-66-3
Chloromethane	<0.21	ug/m3	0.73	0.21	1.74			11/15/20 18:27	74-87-3
Cyclohexane	<0.33	ug/m3	3.0	0.33	1.74			11/15/20 18:27	110-82-7
Dibromochloromethane	<0.69	ug/m3	3.0	0.69	1.74			11/15/20 18:27	124-48-1
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.4	0.38	1.74			11/15/20 18:27	106-93-4
1,2-Dichlorobenzene	<0.58	ug/m3	2.1	0.58	1.74			11/15/20 18:27	95-50-1
1,3-Dichlorobenzene	<0.67	ug/m3	2.1	0.67	1.74			11/15/20 18:27	541-73-1
1,4-Dichlorobenzene	<0.92	ug/m3	5.3	0.92	1.74			11/15/20 18:27	106-46-7
Dichlorodifluoromethane	3730	ug/m3	52.7	10.3	52.2			11/17/20 09:50	75-71-8
1,1-Dichloroethane	<0.30	ug/m3	1.4	0.30	1.74			11/15/20 18:27	75-34-3
1,2-Dichloroethane	<0.33	ug/m3	0.72	0.33	1.74			11/15/20 18:27	107-06-2
1,1-Dichloroethene	<0.32	ug/m3	1.4	0.32	1.74			11/15/20 18:27	75-35-4
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.74			11/15/20 18:27	156-59-2
trans-1,2-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.74			11/15/20 18:27	156-60-5
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.74			11/15/20 18:27	78-87-5
cis-1,3-Dichloropropene	<0.32	ug/m3	1.6	0.32	1.74			11/15/20 18:27	10061-01-5
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.74			11/15/20 18:27	10061-02-6
Dichlorotetrafluoroethane	<0.71	ug/m3	2.5	0.71	1.74			11/15/20 18:27	76-14-2
Ethanol	45.7	ug/m3	3.3	1.6	1.74			11/15/20 18:27	64-17-5
Ethyl acetate	<0.37	ug/m3	1.3	0.37	1.74			11/15/20 18:27	141-78-6
Ethylbenzene	4.9	ug/m3	1.5	0.34	1.74			11/15/20 18:27	100-41-4
4-Ethyltoluene	1.2J	ug/m3	4.4	0.61	1.74			11/15/20 18:27	622-96-8
n-Heptane	<0.41	ug/m3	1.4	0.41	1.74			11/15/20 18:27	142-82-5
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.4	4.2	1.74			11/15/20 18:27	87-68-3
n-Hexane	0.71J	ug/m3	1.2	0.37	1.74			11/15/20 18:27	110-54-3
2-Hexanone	1.7J	ug/m3	7.2	0.86	1.74			11/15/20 18:27	591-78-6
Methylene Chloride	<2.7	ug/m3	6.1	2.7	1.74			11/15/20 18:27	75-09-2
4-Methyl-2-pentanone (MIBK)	2.0J	ug/m3	7.2	0.38	1.74			11/15/20 18:27	108-10-1
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.74			11/15/20 18:27	1634-04-4
Naphthalene	<2.2	ug/m3	4.6	2.2	1.74			11/15/20 18:27	91-20-3
2-Propanol	10.4	ug/m3	4.4	1.4	1.74			11/15/20 18:27	67-63-0
Propylene	<0.22	ug/m3	0.61	0.22	1.74			11/15/20 18:27	115-07-1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV203-Dun-Rite North Wall **Lab ID: 10537135007** Collected: 10/22/20 12:43 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Styrene	6.5	ug/m3	1.5	0.57	1.74			11/15/20 18:27	100-42-5
1,1,2,2-Tetrachloroethane	<0.27	ug/m3	1.2	0.27	1.74			11/15/20 18:27	79-34-5
Tetrachloroethylene	106	ug/m3	1.2	0.57	1.74			11/15/20 18:27	127-18-4
Tetrahydrofuran	1.0J	ug/m3	1.0	0.24	1.74			11/15/20 18:27	109-99-9
Toluene	161	ug/m3	1.3	0.34	1.74			11/15/20 18:27	108-88-3
1,2,4-Trichlorobenzene	<5.8	ug/m3	13.1	5.8	1.74			11/15/20 18:27	120-82-1
1,1,1-Trichloroethane	<0.29	ug/m3	1.9	0.29	1.74			11/15/20 18:27	71-55-6
1,1,2-Trichloroethane	<0.29	ug/m3	0.97	0.29	1.74			11/15/20 18:27	79-00-5
Trichloroethylene	<0.29	ug/m3	0.95	0.29	1.74			11/15/20 18:27	79-01-6
Trichlorofluoromethane	3.1	ug/m3	2.0	0.67	1.74			11/15/20 18:27	75-69-4
1,1,2-Trichlorotrifluoroethane	0.66J	ug/m3	2.7	0.58	1.74			11/15/20 18:27	76-13-1
1,2,4-Trimethylbenzene	3.4	ug/m3	1.7	0.61	1.74			11/15/20 18:27	95-63-6
1,3,5-Trimethylbenzene	0.99J	ug/m3	1.7	0.46	1.74			11/15/20 18:27	108-67-8
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.74			11/15/20 18:27	108-05-4
Vinyl chloride	<0.099	ug/m3	0.45	0.099	1.74			11/15/20 18:27	75-01-4
m&p-Xylene	18.9	ug/m3	3.1	0.72	1.74			11/15/20 18:27	179601-23-1
o-Xylene	6.2	ug/m3	1.5	0.41	1.74			11/15/20 18:27	95-47-6

Sample: SSV406-Wild Card **Lab ID: 10537135008** Collected: 10/22/20 13:41 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Acetone	18.7	ug/m3	10.3	3.5	1.71			11/15/20 18:54	67-64-1
Benzene	0.50J	ug/m3	0.56	0.15	1.71			11/15/20 18:54	71-43-2
Benzyl chloride	<0.77	ug/m3	4.5	0.77	1.71			11/15/20 18:54	100-44-7
Bromodichloromethane	<0.51	ug/m3	2.3	0.51	1.71			11/15/20 18:54	75-27-4
Bromoform	<3.1	ug/m3	9.0	3.1	1.71			11/15/20 18:54	75-25-2
Bromomethane	<0.40	ug/m3	1.3	0.40	1.71			11/15/20 18:54	74-83-9
1,3-Butadiene	<0.20	ug/m3	0.77	0.20	1.71			11/15/20 18:54	106-99-0
2-Butanone (MEK)	6.7	ug/m3	5.1	1.1	1.71			11/15/20 18:54	78-93-3
Carbon disulfide	0.88J	ug/m3	1.1	0.41	1.71			11/15/20 18:54	75-15-0
Carbon tetrachloride	<0.59	ug/m3	2.2	0.59	1.71			11/15/20 18:54	56-23-5
Chlorobenzene	<0.37	ug/m3	1.6	0.37	1.71			11/15/20 18:54	108-90-7
Chloroethane	<0.18	ug/m3	0.92	0.18	1.71			11/15/20 18:54	75-00-3
Chloroform	0.33J	ug/m3	0.85	0.26	1.71			11/15/20 18:54	67-66-3
Chloromethane	<0.20	ug/m3	0.72	0.20	1.71			11/15/20 18:54	74-87-3
Cyclohexane	<0.32	ug/m3	3.0	0.32	1.71			11/15/20 18:54	110-82-7
Dibromochloromethane	<0.68	ug/m3	3.0	0.68	1.71			11/15/20 18:54	124-48-1
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.3	0.38	1.71			11/15/20 18:54	106-93-4
1,2-Dichlorobenzene	<0.57	ug/m3	2.1	0.57	1.71			11/15/20 18:54	95-50-1
1,3-Dichlorobenzene	<0.66	ug/m3	2.1	0.66	1.71			11/15/20 18:54	541-73-1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV406-Wild Card	Lab ID: 10537135008	Collected: 10/22/20 13:41	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,4-Dichlorobenzene	0.93J	ug/m3	5.2	0.90	1.71		11/15/20 18:54	106-46-7	
Dichlorodifluoromethane	34.9	ug/m3	1.7	0.34	1.71		11/15/20 18:54	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.71		11/15/20 18:54	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	0.70	0.33	1.71		11/15/20 18:54	107-06-2	
1,1-Dichloroethene	<0.31	ug/m3	1.4	0.31	1.71		11/15/20 18:54	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.71		11/15/20 18:54	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.71		11/15/20 18:54	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 18:54	78-87-5	
cis-1,3-Dichloropropene	<0.31	ug/m3	1.6	0.31	1.71		11/15/20 18:54	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 18:54	10061-02-6	
Dichlorotetrafluoroethane	<0.70	ug/m3	2.4	0.70	1.71		11/15/20 18:54	76-14-2	
Ethanol	26.9	ug/m3	3.3	1.6	1.71		11/15/20 18:54	64-17-5	
Ethyl acetate	<0.36	ug/m3	1.3	0.36	1.71		11/15/20 18:54	141-78-6	
Ethylbenzene	4.2	ug/m3	1.5	0.34	1.71		11/15/20 18:54	100-41-4	
4-Ethyltoluene	1.1J	ug/m3	4.3	0.60	1.71		11/15/20 18:54	622-96-8	
n-Heptane	<0.40	ug/m3	1.4	0.40	1.71		11/15/20 18:54	142-82-5	
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.3	4.2	1.71		11/15/20 18:54	87-68-3	
n-Hexane	<0.36	ug/m3	1.2	0.36	1.71		11/15/20 18:54	110-54-3	
2-Hexanone	<0.85	ug/m3	7.1	0.85	1.71		11/15/20 18:54	591-78-6	
Methylene Chloride	<2.7	ug/m3	6.0	2.7	1.71		11/15/20 18:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	7.1	0.37	1.71		11/15/20 18:54	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.3	0.22	1.71		11/15/20 18:54	1634-04-4	
Naphthalene	<2.1	ug/m3	4.5	2.1	1.71		11/15/20 18:54	91-20-3	
2-Propanol	7.2	ug/m3	4.3	1.3	1.71		11/15/20 18:54	67-63-0	
Propylene	<0.22	ug/m3	0.60	0.22	1.71		11/15/20 18:54	115-07-1	
Styrene	6.4	ug/m3	1.5	0.56	1.71		11/15/20 18:54	100-42-5	
1,1,2,2-Tetrachloroethane	<0.26	ug/m3	1.2	0.26	1.71		11/15/20 18:54	79-34-5	
Tetrachloroethene	10900	ug/m3	70.7	33.8	102.6		11/17/20 10:40	127-18-4	
Tetrahydrofuran	0.71J	ug/m3	1.0	0.24	1.71		11/15/20 18:54	109-99-9	
Toluene	124	ug/m3	1.3	0.34	1.71		11/15/20 18:54	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	12.9	5.7	1.71		11/15/20 18:54	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.9	0.28	1.71		11/15/20 18:54	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.95	0.29	1.71		11/15/20 18:54	79-00-5	
Trichloroethene	7.6	ug/m3	0.93	0.29	1.71		11/15/20 18:54	79-01-6	
Trichlorofluoromethane	2.9	ug/m3	1.9	0.66	1.71		11/15/20 18:54	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	0.57	1.71		11/15/20 18:54	76-13-1	
1,2,4-Trimethylbenzene	3.4	ug/m3	1.7	0.60	1.71		11/15/20 18:54	95-63-6	
1,3,5-Trimethylbenzene	0.95J	ug/m3	1.7	0.46	1.71		11/15/20 18:54	108-67-8	
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.71		11/15/20 18:54	108-05-4	
Vinyl chloride	<0.097	ug/m3	0.44	0.097	1.71		11/15/20 18:54	75-01-4	
m&p-Xylene	17.0	ug/m3	3.0	0.71	1.71		11/15/20 18:54	179601-23-1	
o-Xylene	5.7	ug/m3	1.5	0.40	1.71		11/15/20 18:54	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV405-Attorney	Lab ID: 10537135009	Collected: 10/22/20 13:57	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	48.0	ug/m3	10.5	3.6	1.74		11/15/20 19:21	67-64-1	
Benzene	0.55J	ug/m3	0.57	0.15	1.74		11/15/20 19:21	71-43-2	
Benzyl chloride	<0.78	ug/m3	4.6	0.78	1.74		11/15/20 19:21	100-44-7	
Bromodichloromethane	<0.52	ug/m3	2.4	0.52	1.74		11/15/20 19:21	75-27-4	
Bromoform	<3.1	ug/m3	9.1	3.1	1.74		11/15/20 19:21	75-25-2	
Bromomethane	1.3J	ug/m3	1.4	0.41	1.74		11/15/20 19:21	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.78	0.20	1.74		11/15/20 19:21	106-99-0	
2-Butanone (MEK)	13.2	ug/m3	5.2	1.2	1.74		11/15/20 19:21	78-93-3	
Carbon disulfide	4.0	ug/m3	1.1	0.41	1.74		11/15/20 19:21	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	2.2	0.60	1.74		11/15/20 19:21	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.6	0.38	1.74		11/15/20 19:21	108-90-7	
Chloroethane	<0.18	ug/m3	0.93	0.18	1.74		11/15/20 19:21	75-00-3	
Chloroform	0.54J	ug/m3	0.86	0.26	1.74		11/15/20 19:21	67-66-3	
Chloromethane	3.1	ug/m3	0.73	0.21	1.74		11/15/20 19:21	74-87-3	
Cyclohexane	<0.33	ug/m3	3.0	0.33	1.74		11/15/20 19:21	110-82-7	
Dibromochloromethane	<0.69	ug/m3	3.0	0.69	1.74		11/15/20 19:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.4	0.38	1.74		11/15/20 19:21	106-93-4	
1,2-Dichlorobenzene	<0.58	ug/m3	2.1	0.58	1.74		11/15/20 19:21	95-50-1	
1,3-Dichlorobenzene	<0.67	ug/m3	2.1	0.67	1.74		11/15/20 19:21	541-73-1	
1,4-Dichlorobenzene	1.1J	ug/m3	5.3	0.92	1.74		11/15/20 19:21	106-46-7	
Dichlorodifluoromethane	23.6	ug/m3	1.8	0.34	1.74		11/15/20 19:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.4	0.30	1.74		11/15/20 19:21	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	0.72	0.33	1.74		11/15/20 19:21	107-06-2	
1,1-Dichloroethene	<0.32	ug/m3	1.4	0.32	1.74		11/15/20 19:21	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.74		11/15/20 19:21	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.74		11/15/20 19:21	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.74		11/15/20 19:21	78-87-5	
cis-1,3-Dichloropropene	<0.32	ug/m3	1.6	0.32	1.74		11/15/20 19:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.74		11/15/20 19:21	10061-02-6	
Dichlorotetrafluoroethane	<0.71	ug/m3	2.5	0.71	1.74		11/15/20 19:21	76-14-2	
Ethanol	37.6	ug/m3	3.3	1.6	1.74		11/15/20 19:21	64-17-5	
Ethyl acetate	<0.37	ug/m3	1.3	0.37	1.74		11/15/20 19:21	141-78-6	
Ethylbenzene	4.1	ug/m3	1.5	0.34	1.74		11/15/20 19:21	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.61	1.74		11/15/20 19:21	622-96-8	
n-Heptane	<0.41	ug/m3	1.4	0.41	1.74		11/15/20 19:21	142-82-5	
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.4	4.2	1.74		11/15/20 19:21	87-68-3	
n-Hexane	<0.37	ug/m3	1.2	0.37	1.74		11/15/20 19:21	110-54-3	
2-Hexanone	1.3J	ug/m3	7.2	0.86	1.74		11/15/20 19:21	591-78-6	
Methylene Chloride	<2.7	ug/m3	6.1	2.7	1.74		11/15/20 19:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.7J	ug/m3	7.2	0.38	1.74		11/15/20 19:21	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.74		11/15/20 19:21	1634-04-4	
Naphthalene	<2.2	ug/m3	4.6	2.2	1.74		11/15/20 19:21	91-20-3	
2-Propanol	8.3	ug/m3	4.4	1.4	1.74		11/15/20 19:21	67-63-0	
Propylene	<0.22	ug/m3	0.61	0.22	1.74		11/15/20 19:21	115-07-1	
Styrene	6.6	ug/m3	1.5	0.57	1.74		11/15/20 19:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV405-Attorney	Lab ID: 10537135009	Collected: 10/22/20 13:57	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.27	ug/m3	1.2	0.27	1.74		11/15/20 19:21	79-34-5	
Tetrachloroethylene	26500	ug/m3	288	137	417.6		11/17/20 11:05	127-18-4	
Tetrahydrofuran	0.59J	ug/m3	1.0	0.24	1.74		11/15/20 19:21	109-99-9	
Toluene	109	ug/m3	1.3	0.34	1.74		11/15/20 19:21	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	13.1	5.8	1.74		11/15/20 19:21	120-82-1	
1,1,1-Trichloroethane	1.4J	ug/m3	1.9	0.29	1.74		11/15/20 19:21	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.97	0.29	1.74		11/15/20 19:21	79-00-5	
Trichloroethylene	118	ug/m3	0.95	0.29	1.74		11/15/20 19:21	79-01-6	
Trichlorofluoromethane	3.0	ug/m3	2.0	0.67	1.74		11/15/20 19:21	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	0.58	1.74		11/15/20 19:21	76-13-1	
1,2,4-Trimethylbenzene	3.5	ug/m3	1.7	0.61	1.74		11/15/20 19:21	95-63-6	
1,3,5-Trimethylbenzene	1.1J	ug/m3	1.7	0.46	1.74		11/15/20 19:21	108-67-8	
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.74		11/15/20 19:21	108-05-4	
Vinyl chloride	<0.099	ug/m3	0.45	0.099	1.74		11/15/20 19:21	75-01-4	
m&p-Xylene	16.5	ug/m3	3.1	0.72	1.74		11/15/20 19:21	179601-23-1	
o-Xylene	5.6	ug/m3	1.5	0.41	1.74		11/15/20 19:21	95-47-6	
<hr/>									
Sample: SSV101-Dun-Rite South Wall	Lab ID: 10537135010	Collected: 10/22/20 12:24	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	32.7	ug/m3	10.7	3.6	1.77		11/15/20 19:48	67-64-1	
Benzene	0.77	ug/m3	0.58	0.15	1.77		11/15/20 19:48	71-43-2	
Benzyl chloride	<0.79	ug/m3	4.7	0.79	1.77		11/15/20 19:48	100-44-7	
Bromodichloromethane	<0.53	ug/m3	2.4	0.53	1.77		11/15/20 19:48	75-27-4	
Bromoform	<3.2	ug/m3	9.3	3.2	1.77		11/15/20 19:48	75-25-2	
Bromomethane	<0.41	ug/m3	1.4	0.41	1.77		11/15/20 19:48	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.80	0.21	1.77		11/15/20 19:48	106-99-0	
2-Butanone (MEK)	7.1	ug/m3	5.3	1.2	1.77		11/15/20 19:48	78-93-3	
Carbon disulfide	<0.42	ug/m3	1.1	0.42	1.77		11/15/20 19:48	75-15-0	
Carbon tetrachloride	<0.61	ug/m3	2.3	0.61	1.77		11/15/20 19:48	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.7	0.38	1.77		11/15/20 19:48	108-90-7	
Chloroethane	<0.18	ug/m3	0.95	0.18	1.77		11/15/20 19:48	75-00-3	
Chloroform	0.57J	ug/m3	0.88	0.27	1.77		11/15/20 19:48	67-66-3	
Chloromethane	<0.21	ug/m3	0.74	0.21	1.77		11/15/20 19:48	74-87-3	
Cyclohexane	<0.33	ug/m3	3.1	0.33	1.77		11/15/20 19:48	110-82-7	
Dibromochloromethane	<0.70	ug/m3	3.1	0.70	1.77		11/15/20 19:48	124-48-1	
1,2-Dibromoethane (EDB)	<0.39	ug/m3	1.4	0.39	1.77		11/15/20 19:48	106-93-4	
1,2-Dichlorobenzene	3.2	ug/m3	2.2	0.59	1.77		11/15/20 19:48	95-50-1	
1,3-Dichlorobenzene	<0.68	ug/m3	2.2	0.68	1.77		11/15/20 19:48	541-73-1	
1,4-Dichlorobenzene	<0.93	ug/m3	5.4	0.93	1.77		11/15/20 19:48	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV101-Dun-Rite South Wall Lab ID: 10537135010 Collected: 10/22/20 12:24 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	210	ug/m3	1.8	0.35	1.77				
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.77				
1,2-Dichloroethane	<0.34	ug/m3	0.73	0.34	1.77				
1,1-Dichloroethene	<0.33	ug/m3	1.4	0.33	1.77				
cis-1,2-Dichloroethene	<0.27	ug/m3	1.4	0.27	1.77				
trans-1,2-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.77				
1,2-Dichloropropane	<0.27	ug/m3	1.7	0.27	1.77				
cis-1,3-Dichloropropene	<0.33	ug/m3	1.6	0.33	1.77				
trans-1,3-Dichloropropene	<0.28	ug/m3	1.6	0.28	1.77				
Dichlorotetrafluoroethane	<0.72	ug/m3	2.5	0.72	1.77				
Ethanol	602	ug/m3	6.8	3.3	3.54				
Ethyl acetate	<0.37	ug/m3	1.3	0.37	1.77				
Ethylbenzene	2.6	ug/m3	1.6	0.35	1.77				
4-Ethyltoluene	1.1J	ug/m3	4.4	0.62	1.77				
n-Heptane	<0.41	ug/m3	1.5	0.41	1.77				
Hexachloro-1,3-butadiene	<4.3	ug/m3	9.6	4.3	1.77				
n-Hexane	0.49J	ug/m3	1.3	0.38	1.77				
2-Hexanone	<0.88	ug/m3	7.4	0.88	1.77				
Methylene Chloride	10.9	ug/m3	6.2	2.8	1.77				
4-Methyl-2-pentanone (MIBK)	1.2J	ug/m3	7.4	0.38	1.77				
Methyl-tert-butyl ether	<0.23	ug/m3	6.5	0.23	1.77				
Naphthalene	7.2	ug/m3	4.7	2.2	1.77				
2-Propanol	8.3	ug/m3	4.4	1.4	1.77				
Propylene	<0.23	ug/m3	0.62	0.23	1.77				
Styrene	2.9	ug/m3	1.5	0.58	1.77				
1,1,2,2-Tetrachloroethane	<0.27	ug/m3	1.2	0.27	1.77				
Tetrachloroethene	382	ug/m3	2.4	1.2	3.54				
Tetrahydrofuran	0.65J	ug/m3	1.1	0.24	1.77				
Toluene	72.4	ug/m3	1.4	0.35	1.77				
1,2,4-Trichlorobenzene	<5.9	ug/m3	13.3	5.9	1.77				
1,1,1-Trichloroethane	<0.29	ug/m3	2.0	0.29	1.77				
1,1,2-Trichloroethane	<0.30	ug/m3	0.98	0.30	1.77				
Trichloroethene	0.99	ug/m3	0.97	0.30	1.77				
Trichlorodifluoromethane	2.5	ug/m3	2.0	0.68	1.77				
1,1,2-Trichlorotrifluoroethane	0.74J	ug/m3	2.8	0.59	1.77				
1,2,4-Trimethylbenzene	4.3	ug/m3	1.8	0.62	1.77				
1,3,5-Trimethylbenzene	1.7J	ug/m3	1.8	0.47	1.77				
Vinyl acetate	<0.24	ug/m3	1.3	0.24	1.77				
Vinyl chloride	<0.10	ug/m3	0.46	0.10	1.77				
m&p-Xylene	9.5	ug/m3	3.1	0.73	1.77				
o-Xylene	3.4	ug/m3	1.6	0.41	1.77				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: Blower Str.	Lab ID: 10537135011	Collected: 10/22/20 12:08	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	39.6	ug/m3	10.3	3.5	1.71		11/15/20 20:15	67-64-1	
Benzene	0.41J	ug/m3	0.56	0.15	1.71		11/15/20 20:15	71-43-2	
Benzyl chloride	<0.77	ug/m3	4.5	0.77	1.71		11/15/20 20:15	100-44-7	
Bromodichloromethane	<0.51	ug/m3	2.3	0.51	1.71		11/15/20 20:15	75-27-4	
Bromoform	<3.1	ug/m3	9.0	3.1	1.71		11/15/20 20:15	75-25-2	
Bromomethane	<0.40	ug/m3	1.3	0.40	1.71		11/15/20 20:15	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.77	0.20	1.71		11/15/20 20:15	106-99-0	
2-Butanone (MEK)	5.8	ug/m3	5.1	1.1	1.71		11/15/20 20:15	78-93-3	
Carbon disulfide	0.46J	ug/m3	1.1	0.41	1.71		11/15/20 20:15	75-15-0	
Carbon tetrachloride	<0.59	ug/m3	2.2	0.59	1.71		11/15/20 20:15	56-23-5	
Chlorobenzene	<0.37	ug/m3	1.6	0.37	1.71		11/15/20 20:15	108-90-7	
Chloroethane	<0.18	ug/m3	0.92	0.18	1.71		11/15/20 20:15	75-00-3	
Chloroform	1.8	ug/m3	0.85	0.26	1.71		11/15/20 20:15	67-66-3	
Chloromethane	<0.20	ug/m3	0.72	0.20	1.71		11/15/20 20:15	74-87-3	
Cyclohexane	<0.32	ug/m3	3.0	0.32	1.71		11/15/20 20:15	110-82-7	
Dibromochloromethane	<0.68	ug/m3	3.0	0.68	1.71		11/15/20 20:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.3	0.38	1.71		11/15/20 20:15	106-93-4	
1,2-Dichlorobenzene	8.1	ug/m3	2.1	0.57	1.71		11/15/20 20:15	95-50-1	
1,3-Dichlorobenzene	<0.66	ug/m3	2.1	0.66	1.71		11/15/20 20:15	541-73-1	
1,4-Dichlorobenzene	<0.90	ug/m3	5.2	0.90	1.71		11/15/20 20:15	106-46-7	
Dichlorodifluoromethane	1230	ug/m3	51.8	10.2	51.3		11/17/20 10:15	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.71		11/15/20 20:15	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	0.70	0.33	1.71		11/15/20 20:15	107-06-2	
1,1-Dichloroethene	<0.31	ug/m3	1.4	0.31	1.71		11/15/20 20:15	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.71		11/15/20 20:15	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.71		11/15/20 20:15	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 20:15	78-87-5	
cis-1,3-Dichloropropene	<0.31	ug/m3	1.6	0.31	1.71		11/15/20 20:15	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 20:15	10061-02-6	
Dichlorotetrafluoroethane	<0.70	ug/m3	2.4	0.70	1.71		11/15/20 20:15	76-14-2	
Ethanol	83.9	ug/m3	3.3	1.6	1.71		11/15/20 20:15	64-17-5	
Ethyl acetate	<0.36	ug/m3	1.3	0.36	1.71		11/15/20 20:15	141-78-6	
Ethylbenzene	0.47J	ug/m3	1.5	0.34	1.71		11/15/20 20:15	100-41-4	
4-Ethyltoluene	1.2J	ug/m3	4.3	0.60	1.71		11/15/20 20:15	622-96-8	
n-Heptane	<0.40	ug/m3	1.4	0.40	1.71		11/15/20 20:15	142-82-5	
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.3	4.2	1.71		11/15/20 20:15	87-68-3	
n-Hexane	0.51J	ug/m3	1.2	0.36	1.71		11/15/20 20:15	110-54-3	
2-Hexanone	<0.85	ug/m3	7.1	0.85	1.71		11/15/20 20:15	591-78-6	
Methylene Chloride	5.4J	ug/m3	6.0	2.7	1.71		11/15/20 20:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	7.1	0.37	1.71		11/15/20 20:15	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.3	0.22	1.71		11/15/20 20:15	1634-04-4	
Naphthalene	3.5J	ug/m3	4.5	2.1	1.71		11/15/20 20:15	91-20-3	
2-Propanol	15.0	ug/m3	4.3	1.3	1.71		11/15/20 20:15	67-63-0	
Propylene	<0.22	ug/m3	0.60	0.22	1.71		11/15/20 20:15	115-07-1	
Styrene	<0.56	ug/m3	1.5	0.56	1.71		11/15/20 20:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: Blower Str.	Lab ID: 10537135011	Collected: 10/22/20 12:08	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.26	ug/m3	1.2	0.26	1.71		11/15/20 20:15	79-34-5	
Tetrachloroethylene	3060	ug/m3	35.3	16.9	51.3		11/17/20 10:15	127-18-4	
Tetrahydrofuran	1.4	ug/m3	1.0	0.24	1.71		11/15/20 20:15	109-99-9	
Toluene	2.2	ug/m3	1.3	0.34	1.71		11/15/20 20:15	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	12.9	5.7	1.71		11/15/20 20:15	120-82-1	
1,1,1-Trichloroethane	0.34J	ug/m3	1.9	0.28	1.71		11/15/20 20:15	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.95	0.29	1.71		11/15/20 20:15	79-00-5	
Trichloroethylene	3.6	ug/m3	0.93	0.29	1.71		11/15/20 20:15	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.9	0.66	1.71		11/15/20 20:15	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.68J	ug/m3	2.7	0.57	1.71		11/15/20 20:15	76-13-1	
1,2,4-Trimethylbenzene	4.7	ug/m3	1.7	0.60	1.71		11/15/20 20:15	95-63-6	
1,3,5-Trimethylbenzene	2.1	ug/m3	1.7	0.46	1.71		11/15/20 20:15	108-67-8	
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.71		11/15/20 20:15	108-05-4	
Vinyl chloride	<0.097	ug/m3	0.44	0.097	1.71		11/15/20 20:15	75-01-4	
m&p-Xylene	1.0J	ug/m3	3.0	0.71	1.71		11/15/20 20:15	179601-23-1	
o-Xylene	0.96J	ug/m3	1.5	0.40	1.71		11/15/20 20:15	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

QC Batch:	711060	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR Low Level
		Laboratory:	Pace Analytical Services - Minneapolis
Associated Lab Samples:	10537135001, 10537135002, 10537135003, 10537135004, 10537135005, 10537135006, 10537135007, 10537135008, 10537135009, 10537135010, 10537135011		

METHOD BLANK: 3797706 Matrix: Air
Associated Lab Samples: 10537135001, 10537135002, 10537135003, 10537135004, 10537135005, 10537135006, 10537135007,
10537135008, 10537135009, 10537135010, 10537135011

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
1,1,1-Trichloroethane	ug/m3	<0.17	1.1	11/15/20 08:33	
1,1,2,2-Tetrachloroethane	ug/m3	<0.15	0.70	11/15/20 08:33	
1,1,2-Trichloroethane	ug/m3	<0.17	0.56	11/15/20 08:33	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.34	1.6	11/15/20 08:33	
1,1-Dichloroethane	ug/m3	<0.17	0.82	11/15/20 08:33	
1,1-Dichloroethene	ug/m3	<0.18	0.81	11/15/20 08:33	
1,2,4-Trichlorobenzene	ug/m3	<3.3	7.5	11/15/20 08:33	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	11/15/20 08:33	
1,2-Dibromoethane (EDB)	ug/m3	<0.22	0.78	11/15/20 08:33	
1,2-Dichlorobenzene	ug/m3	<0.34	1.2	11/15/20 08:33	
1,2-Dichloroethane	ug/m3	<0.19	0.41	11/15/20 08:33	
1,2-Dichloropropane	ug/m3	<0.16	0.94	11/15/20 08:33	
1,3,5-Trimethylbenzene	ug/m3	<0.27	1.0	11/15/20 08:33	
1,3-Butadiene	ug/m3	<0.12	0.45	11/15/20 08:33	
1,3-Dichlorobenzene	ug/m3	<0.39	1.2	11/15/20 08:33	
1,4-Dichlorobenzene	ug/m3	<0.53	3.1	11/15/20 08:33	
2-Butanone (MEK)	ug/m3	<0.67	3.0	11/15/20 08:33	
2-Hexanone	ug/m3	<0.50	4.2	11/15/20 08:33	
2-Propanol	ug/m3	<0.79	2.5	11/15/20 08:33	
4-Ethyltoluene	ug/m3	<0.35	2.5	11/15/20 08:33	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.22	4.2	11/15/20 08:33	
Acetone	ug/m3	<2.0	6.0	11/15/20 08:33	
Benzene	ug/m3	<0.086	0.32	11/15/20 08:33	
Benzyl chloride	ug/m3	<0.45	2.6	11/15/20 08:33	
Bromodichloromethane	ug/m3	<0.30	1.4	11/15/20 08:33	
Bromoform	ug/m3	<1.8	5.2	11/15/20 08:33	
Bromomethane	ug/m3	<0.23	0.79	11/15/20 08:33	
Carbon disulfide	ug/m3	<0.24	0.63	11/15/20 08:33	
Carbon tetrachloride	ug/m3	<0.34	1.3	11/15/20 08:33	
Chlorobenzene	ug/m3	<0.22	0.94	11/15/20 08:33	
Chloroethane	ug/m3	<0.10	0.54	11/15/20 08:33	
Chloroform	ug/m3	<0.15	0.50	11/15/20 08:33	
Chloromethane	ug/m3	<0.12	0.42	11/15/20 08:33	
cis-1,2-Dichloroethene	ug/m3	<0.15	0.81	11/15/20 08:33	
cis-1,3-Dichloropropene	ug/m3	<0.18	0.92	11/15/20 08:33	
Cyclohexane	ug/m3	<0.19	1.8	11/15/20 08:33	
Dibromochloromethane	ug/m3	<0.40	1.7	11/15/20 08:33	
Dichlorodifluoromethane	ug/m3	<0.20	1.0	11/15/20 08:33	
Dichlorotetrafluoroethane	ug/m3	<0.41	1.4	11/15/20 08:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

METHOD BLANK: 3797706 Matrix: Air
Associated Lab Samples: 10537135001, 10537135002, 10537135003, 10537135004, 10537135005, 10537135006, 10537135007,
10537135008, 10537135009, 10537135010, 10537135011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.94	1.9	11/15/20 08:33	
Ethyl acetate	ug/m3	<0.21	0.73	11/15/20 08:33	
Ethylbenzene	ug/m3	<0.20	0.88	11/15/20 08:33	
Hexachloro-1,3-butadiene	ug/m3	<2.4	5.4	11/15/20 08:33	
m&p-Xylene	ug/m3	<0.41	1.8	11/15/20 08:33	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	11/15/20 08:33	
Methylene Chloride	ug/m3	<1.6	3.5	11/15/20 08:33	
n-Heptane	ug/m3	<0.23	0.83	11/15/20 08:33	
n-Hexane	ug/m3	<0.21	0.72	11/15/20 08:33	
Naphthalene	ug/m3	<1.2	2.7	11/15/20 08:33	
o-Xylene	ug/m3	<0.23	0.88	11/15/20 08:33	
Propylene	ug/m3	<0.13	0.35	11/15/20 08:33	
Styrene	ug/m3	<0.33	0.87	11/15/20 08:33	
Tetrachloroethene	ug/m3	<0.33	0.69	11/15/20 08:33	
Tetrahydrofuran	ug/m3	<0.14	0.60	11/15/20 08:33	
Toluene	ug/m3	<0.20	0.77	11/15/20 08:33	
trans-1,2-Dichloroethene	ug/m3	<0.14	0.81	11/15/20 08:33	
trans-1,3-Dichloropropene	ug/m3	<0.16	0.92	11/15/20 08:33	
Trichloroethene	ug/m3	<0.17	0.55	11/15/20 08:33	
Trichlorofluoromethane	ug/m3	<0.38	1.1	11/15/20 08:33	
Vinyl acetate	ug/m3	<0.14	0.72	11/15/20 08:33	
Vinyl chloride	ug/m3	<0.057	0.26	11/15/20 08:33	

LABORATORY CONTROL SAMPLE: 3797707

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	57	68.3	120	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	71.9	60.6	84	70-132	
1,1,2-Trichloroethane	ug/m3	57.3	57.1	100	70-133	
1,1,2-Trichlorotrifluoroethane	ug/m3	80.3	96.9	121	70-130	
1,1-Dichloroethane	ug/m3	42.7	42.9	101	70-130	
1,1-Dichloroethene	ug/m3	41.4	52.4	126	69-137	
1,2,4-Trichlorobenzene	ug/m3	156	171	110	70-130	
1,2,4-Trimethylbenzene	ug/m3	51.5	49.3	96	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.3	83.0	103	70-138	
1,2-Dichlorobenzene	ug/m3	63.1	61.5	97	70-136	
1,2-Dichloroethane	ug/m3	42.4	47.4	112	70-130	
1,2-Dichloropropane	ug/m3	48.6	45.4	93	70-132	
1,3,5-Trimethylbenzene	ug/m3	51.6	47.6	92	70-136	
1,3-Butadiene	ug/m3	23.3	29.2	125	67-139	
1,3-Dichlorobenzene	ug/m3	63.4	64.8	102	70-138	
1,4-Dichlorobenzene	ug/m3	63.4	68.5	108	70-145	
2-Butanone (MEK)	ug/m3	31.4	24.2	77	61-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

LABORATORY CONTROL SAMPLE: 3797707

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	42.8	40.7	95	70-138	
2-Propanol	ug/m3	119	127	106	70-136	
4-Ethyltoluene	ug/m3	52.4	51.2	98	70-142	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	41.0	94	70-134	
Acetone	ug/m3	126	133	105	59-137	
Benzene	ug/m3	33.5	31.5	94	70-133	
Benzyl chloride	ug/m3	55.1	59.4	108	70-139	
Bromodichloromethane	ug/m3	71.5	83.1	116	70-130	
Bromoform	ug/m3	110	156	142	60-140 CH,L3	
Bromomethane	ug/m3	41.3	54.4	132	70-131 CH,L3	
Carbon disulfide	ug/m3	33.3	34.8	104	70-130	
Carbon tetrachloride	ug/m3	66.2	105	159	70-133 CH,L3	
Chlorobenzene	ug/m3	48.3	44.6	92	70-131	
Chloroethane	ug/m3	28.1	36.5	130	70-141	
Chloroform	ug/m3	51.1	56.3	110	70-130	
Chloromethane	ug/m3	21.9	26.4	120	64-137	
cis-1,2-Dichloroethene	ug/m3	41.6	41.9	101	70-132	
cis-1,3-Dichloropropene	ug/m3	47.7	49.8	105	70-138	
Cyclohexane	ug/m3	36.7	36.1	98	70-133	
Dibromochloromethane	ug/m3	90.7	113	125	70-139	
Dichlorodifluoromethane	ug/m3	51.6	59.9	116	70-130	
Dichlorotetrafluoroethane	ug/m3	72.7	93.0	128	65-133	
Ethanol	ug/m3	103	112	109	65-135	
Ethyl acetate	ug/m3	38.6	36.5	95	70-135	
Ethylbenzene	ug/m3	45.6	43.7	96	70-142	
Hexachloro-1,3-butadiene	ug/m3	112	143	128	70-134	
m&p-Xylene	ug/m3	91.2	89.4	98	70-141	
Methyl-tert-butyl ether	ug/m3	38.4	40.9	107	70-131	
Methylene Chloride	ug/m3	182	185	102	69-130	
n-Heptane	ug/m3	43.6	40.5	93	70-130	
n-Hexane	ug/m3	37.6	35.7	95	70-131	
Naphthalene	ug/m3	57.7	62.9	109	63-130	
o-Xylene	ug/m3	45.5	43.8	96	70-135	
Propylene	ug/m3	18.2	16.0	88	63-139	
Styrene	ug/m3	44.9	46.1	103	70-143	
Tetrachloroethene	ug/m3	71	71.6	101	70-136	
Tetrahydrofuran	ug/m3	31.5	29.3	93	70-137	
Toluene	ug/m3	39.5	38.2	97	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	42.6	101	70-132	
trans-1,3-Dichloropropene	ug/m3	47.7	49.7	104	70-139	
Trichloroethene	ug/m3	56.3	61.0	108	70-132	
Trichlorofluoromethane	ug/m3	59.7	85.6	144	65-136 CH,L1	
Vinyl acetate	ug/m3	34.5	35.3	102	66-140	
Vinyl chloride	ug/m3	26.7	33.1	124	68-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

SAMPLE DUPLICATE: 3797745

Parameter	Units	10537135001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.23	<0.23		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.22	<0.22		25	
1,1,2-Trichloroethane	ug/m3	<0.24	<0.24		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.75J	0.62J		25	
1,1-Dichloroethane	ug/m3	<0.24	<0.24		25	
1,1-Dichloroethene	ug/m3	<0.26	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	<4.7	<4.7		25	
1,2,4-Trimethylbenzene	ug/m3	<0.49	<0.49		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.31	<0.31		25	
1,2-Dichlorobenzene	ug/m3	<0.47	<0.47		25	
1,2-Dichloroethane	ug/m3	<0.27	<0.27		25	
1,2-Dichloropropane	ug/m3	<0.22	<0.22		25	
1,3,5-Trimethylbenzene	ug/m3	<0.38	<0.38		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<0.54	<0.54		25	
1,4-Dichlorobenzene	ug/m3	<0.74	<0.74		25	
2-Butanone (MEK)	ug/m3	<0.95	<0.95		25	
2-Hexanone	ug/m3	<0.70	<0.70		25	
2-Propanol	ug/m3	2.8J	2.9J		25	
4-Ethyltoluene	ug/m3	<0.49	<0.49		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.31	<0.31		25	
Acetone	ug/m3	5.8J	5.4J		25	
Benzene	ug/m3	0.36J	0.33J		25	
Benzyl chloride	ug/m3	<0.63	<0.63		25	
Bromodichloromethane	ug/m3	<0.42	<0.42		25	
Bromoform	ug/m3	<2.6	<2.6		25	
Bromomethane	ug/m3	<0.33	<0.33		25	
Carbon disulfide	ug/m3	<0.34	<0.34		25	
Carbon tetrachloride	ug/m3	0.59J	<0.49		25	
Chlorobenzene	ug/m3	<0.30	<0.30		25	
Chloroethane	ug/m3	<0.15	<0.15		25	
Chloroform	ug/m3	<0.21	<0.21		25	
Chloromethane	ug/m3	0.89	0.77	15	25	
cis-1,2-Dichloroethene	ug/m3	<0.21	<0.21		25	
cis-1,3-Dichloropropene	ug/m3	<0.26	<0.26		25	
Cyclohexane	ug/m3	<0.27	<0.27		25	
Dibromochloromethane	ug/m3	<0.56	<0.56		25	
Dichlorodifluoromethane	ug/m3	3.0	3.3	10	25	
Dichlorotetrafluoroethane	ug/m3	<0.57	<0.57		25	
Ethanol	ug/m3	14.8	14.5	2	25	
Ethyl acetate	ug/m3	<0.30	<0.30		25	
Ethylbenzene	ug/m3	<0.28	<0.28		25	
Hexachloro-1,3-butadiene	ug/m3	<3.4	<3.4		25	
m&p-Xylene	ug/m3	<0.58	<0.58		25	
Methyl-tert-butyl ether	ug/m3	<0.18	<0.18		25	
Methylene Chloride	ug/m3	<2.2	<2.2		25	
n-Heptane	ug/m3	<0.33	<0.33		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

SAMPLE DUPLICATE: 3797745

Parameter	Units	10537135001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<0.30	<0.30		25	
Naphthalene	ug/m3	<1.7	<1.7		25	
o-Xylene	ug/m3	<0.33	<0.33		25	
Propylene	ug/m3	<0.18	<0.18		25	
Styrene	ug/m3	<0.46	<0.46		25	
Tetrachloroethene	ug/m3	<0.46	<0.46		25	
Tetrahydrofuran	ug/m3	<0.19	<0.19		25	
Toluene	ug/m3	0.31J	0.28J		25	
trans-1,2-Dichloroethene	ug/m3	<0.20	<0.20		25	
trans-1,3-Dichloropropene	ug/m3	<0.22	<0.22		25	
Trichloroethene	ug/m3	<0.24	<0.24		25	
Trichlorofluoromethane	ug/m3	2.1	2.1	0	25	CH,L1
Vinyl acetate	ug/m3	<0.19	<0.19		25	
Vinyl chloride	ug/m3	<0.080	<0.080		25	

SAMPLE DUPLICATE: 3797746

Parameter	Units	10537135002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.25	<0.25		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.23	<0.23		25	
1,1,2-Trichloroethane	ug/m3	<0.25	<0.25		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.66J	0.73J		25	
1,1-Dichloroethane	ug/m3	<0.25	<0.25		25	
1,1-Dichloroethene	ug/m3	<0.27	<0.27		25	
1,2,4-Trichlorobenzene	ug/m3	<4.9	<4.9		25	
1,2,4-Trimethylbenzene	ug/m3	<0.52	<0.52		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.33	<0.33		25	
1,2-Dichlorobenzene	ug/m3	<0.50	<0.50		25	
1,2-Dichloroethane	ug/m3	<0.29	<0.29		25	
1,2-Dichloropropane	ug/m3	<0.23	<0.23		25	
1,3,5-Trimethylbenzene	ug/m3	<0.40	<0.40		25	
1,3-Butadiene	ug/m3	<0.17	<0.17		25	
1,3-Dichlorobenzene	ug/m3	<0.58	<0.58		25	
1,4-Dichlorobenzene	ug/m3	<0.79	<0.79		25	
2-Butanone (MEK)	ug/m3	<1.0	<1.0		25	
2-Hexanone	ug/m3	<0.74	<0.74		25	
2-Propanol	ug/m3	<1.2	<1.2		25	
4-Ethyltoluene	ug/m3	<0.52	<0.52		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.32	<0.32		25	
Acetone	ug/m3	6.5J	6.8J		25	
Benzene	ug/m3	0.47J	0.45J		25	
Benzyl chloride	ug/m3	<0.67	<0.67		25	
Bromodichloromethane	ug/m3	<0.44	<0.44		25	
Bromoform	ug/m3	<2.7	<2.7		25	
Bromomethane	ug/m3	<0.35	<0.35		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10537135

SAMPLE DUPLICATE: 3797746

Parameter	Units	10537135002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m ³	<0.35	<0.35		25	
Carbon tetrachloride	ug/m ³	<0.51	<0.51		25	
Chlorobenzene	ug/m ³	<0.32	<0.32		25	
Chloroethane	ug/m ³	<0.15	<0.15		25	
Chloroform	ug/m ³	<0.22	<0.22		25	
Chloromethane	ug/m ³	0.91	0.87	5	25	
cis-1,2-Dichloroethene	ug/m ³	<0.22	<0.22		25	
cis-1,3-Dichloropropene	ug/m ³	<0.27	<0.27		25	
Cyclohexane	ug/m ³	<0.28	<0.28		25	
Dibromochloromethane	ug/m ³	<0.59	<0.59		25	
Dichlorodifluoromethane	ug/m ³	3.4	3.4	1	25	
Dichlorotetrafluoroethane	ug/m ³	<0.61	<0.61		25	
Ethanol	ug/m ³	7.9	7.8	1	25	
Ethyl acetate	ug/m ³	<0.31	<0.31		25	
Ethylbenzene	ug/m ³	<0.30	<0.30		25	
Hexachloro-1,3-butadiene	ug/m ³	<3.6	<3.6		25	
m&p-Xylene	ug/m ³	<0.62	<0.62		25	
Methyl-tert-butyl ether	ug/m ³	<0.19	<0.19		25	
Methylene Chloride	ug/m ³	<2.3	<2.3		25	
n-Heptane	ug/m ³	<0.35	<0.35		25	
n-Hexane	ug/m ³	<0.32	<0.32		25	
Naphthalene	ug/m ³	<1.8	<1.8		25	
o-Xylene	ug/m ³	<0.35	<0.35		25	
Propylene	ug/m ³	<0.19	<0.19		25	
Styrene	ug/m ³	<0.49	<0.49		25	
Tetrachloroethene	ug/m ³	<0.49	<0.49		25	
Tetrahydrofuran	ug/m ³	<0.21	<0.21		25	
Toluene	ug/m ³	0.35J	0.35J		25	
trans-1,2-Dichloroethene	ug/m ³	<0.21	<0.21		25	
trans-1,3-Dichloropropene	ug/m ³	<0.24	<0.24		25	
Trichloroethene	ug/m ³	<0.25	<0.25		25	
Trichlorofluoromethane	ug/m ³	2.3	2.3	1	25	CH,L1
Vinyl acetate	ug/m ³	<0.20	<0.20		25	
Vinyl chloride	ug/m ³	<0.085	<0.085		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10537135

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| CH | The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high. |
| E | Analyte concentration exceeded the calibration range. The reported result is estimated. |
| L1 | Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high. |
| L3 | Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite
Pace Project No.: 10537135

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10537135001	AA203-Outdoor	TO-15	711060		
10537135002	AA304-Residence	TO-15	711060		
10537135003	AA406-United Way	TO-15	711060		
10537135004	AA407-Wild Card	TO-15	711060		
10537135005	AA408-Attorney	TO-15	711060		
10537135006	SSV304-Residence	TO-15	711060		
10537135007	SSV203-Dun-Rite North Wall	TO-15	711060		
10537135008	SSV406-Wild Card	TO-15	711060		
10537135009	SSV405-Attorney	TO-15	711060		
10537135010	SSV101-Dun-Rite South Wall	TO-15	711060		
10537135011	Blower Str.	TO-15	711060		


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information: Company: Sand County Env. Address: 151 Mill St. Amherst WI Email To: jete.armstrong@sandcountyenv.com Phone: 715-824-5169 Fax: Requested Due Date/TAT:		Section B Required Project Information: Report To: Sand Copy To: Purchase Order No: Project Name: Project Number:		Section C Invoice Information: Attention: Sand Company Name: Sand County Environmental Address: Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: 25302		40772 Page: 1 of 1			
'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE									
ITEM #	Valid Media Codes MEDIA CODE Teflon Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE PID Reading (Client only)	COLLECTED		Canister Pressure (Initial Field - in Hg) Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Program	
			COMPOSITE START COMPOSITE - ENDGRAB					DATE TIME DATE TIME	
1	AA203 - Outdoor	6LC 0.2	10/22 8:28	10/22 4:18	-29 -3	3577	0047	X	w1
2	AA304 - Residence	6LC 0.4	" 8:25	" 4:15	-28 -2	2035	2742	X	w2
3	AA406 - United Way	6LC 0.0	" 8:19	" 4:04	-30 -3	2298	2613	X	w3
4	AA407 - Wild Land	" 0.0	" 8:15	" 4:02	-28 -3	0636	1442	X	w4
5	AA408 - Attorney	" 0.0	" 8:17	" 4:08	-29 -4	2356	1073	X	w5
6	SSV304 - Residence	1LC 0.6	" 1:01	" 1:07	-27 -2	3064	2395	X	w6
7	SSV203 - Dun-Rite North Wall	" 0.9	" 12:37	" 12:43	-28 -1	3188	2465	X	w7
8	SSV406 - Wild Land	" 0.0	" 1:34	" 1:41	-29 -1	2946	2384	X	w8
9	SSV405 - Attorney	" 0.0	" 1:50	" 1:57	-28 -2	2225	2598	X	w9
10	SSV101 - Dun-Rite South Wall	" 0.9	" 12:18	" 12:24	-29 -2	2617	2434	X	w10
11	Blower Sta.	" 1:9	" 12:05	" 12:08	-29 -2	1331	2237	X	w11
12									
RELINQUISHED BY / AFFILIATION DATE TIME ACCEPTED BY / AFFILIATION DATE TIME SAMPLE CONDITIONS WO# : 10537135  10537135									
REINQUISITION BY / AFFILIATION DATE TIME ACCEPTED BY / AFFILIATION DATE TIME SAMPLE CONDITIONS PRINT Name of SAMPLER: <i>CM-J</i> DATE 10-28-20 1300 SIGNATURE of SAMPLER: <i>CM-J</i> DATE Signed (MM / DD / YY)									
Temp in °C Received on Ice Custody Sealed Cooler Samples Intact Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N									



Document Name:
Sample Condition Upon Receipt (SCUR) - Air
Document No.:
ENV-FRM-MIN4-0113 Rev.00

Document Revised: 24Mar2020
Page 1 of 1
Pace Analytical Services -
Minneapolis

Air Sample Condition
Upon Receipt Client Name:
SAND CREEK CONSULTANTS Project #:

Courier: Fed Ex UPS USPS Client
 Pace SpeeDee Commercial See Exception

Tracking Number: **123 2546 8663, 8674**

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): **X** Corrected Temp (°C): **X**

Thermometer Used: G87A9170600254
 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: **X** Date & Initials of Person Examining Contents: **10.28.20 CMY**

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: Air Can Airbag Filter TDT Passive	11. Individually Certified Cans Y <input checked="" type="checkbox"/> (N list which samples)	
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
AA203	3577	0047	-1.5	+5	SSV406	2946	2384	-0.5	+10
AA304	2035	2742	-3	+5	SSV405	2225	2598	-1	+10
AA406	2298	2613	-3.5	+5	SSV101	2617	2434	-1.5	+10
AA407	0636	1442	-4	+5	BLOWER	1331	2237	-0.5	+10
AA408	2356	1073	-4	+5					
SSV304	3064	2375	-2	+10					
SSV209	—	—	—	—	10.28.20 CMY				
SSV203	3188	2465	-1	+10					

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: *Kirsten Hergen*

Date: 10/29/2020

Page 38 of 38

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

November 05, 2020

Pete Arntsen
SAND COUNTY ENVIRONMENTAL, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUN-RITE
Pace Project No.: 40217304

Dear Pete Arntsen:

Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUN-RITE
Pace Project No.: 40217304

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUN-RITE
Pace Project No.: 40217304

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40217304001	MWG-1	Water	10/23/20 13:08	10/28/20 09:25
40217304002	GP-12	Water	10/23/20 13:19	10/28/20 09:25
40217304003	GP-11	Water	10/23/20 12:51	10/28/20 09:25
40217304004	DUP	Water	10/23/20 13:19	10/28/20 09:25
40217304005	TRIP BLANK	Water	10/23/20 00:00	10/28/20 09:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUN-RITE
Pace Project No.: 40217304

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40217304001	MWG-1	EPA 8260	HNW	47
40217304002	GP-12	EPA 8260	HNW	47
40217304003	GP-11	EPA 8260	HNW	47
40217304004	DUP	EPA 8260	HNW	47
40217304005	TRIP BLANK	EPA 8260	HNW	47

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUN-RITE
Pace Project No.: 40217304

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40217304001	MWG-1					
EPA 8260	Tetrachloroethene	85.6	ug/L	1.1	11/05/20 00:57	
EPA 8260	Trichloroethene	14.0	ug/L	1.0	11/05/20 00:57	
40217304002	GP-12					
EPA 8260	Tetrachloroethene	239	ug/L	1.1	11/05/20 01:39	
EPA 8260	Trichloroethene	3.5	ug/L	1.0	11/05/20 01:39	
40217304003	GP-11					
EPA 8260	Tetrachloroethene	18.4	ug/L	1.1	11/05/20 07:33	
40217304004	DUP					
EPA 8260	Tetrachloroethene	217	ug/L	5.4	11/05/20 07:54	
EPA 8260	Trichloroethene	3.5J	ug/L	5.0	11/05/20 07:54	
40217304005	TRIP BLANK					
EPA 8260	Methylene Chloride	0.58J	ug/L	5.0	11/04/20 20:39	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: MWG-1	Lab ID: 40217304001	Collected: 10/23/20 13:08	Received: 10/28/20 09:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Acetone	<2.7	ug/L	20.0	2.7	1			11/05/20 00:57	67-64-1
Benzene	<0.25	ug/L	1.0	0.25	1			11/05/20 00:57	71-43-2
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1			11/05/20 00:57	75-27-4
Bromoform	<4.0	ug/L	13.2	4.0	1			11/05/20 00:57	75-25-2
Bromomethane	<0.97	ug/L	5.0	0.97	1			11/05/20 00:57	74-83-9
2-Butanone (MEK)	<2.9	ug/L	20.0	2.9	1			11/05/20 00:57	78-93-3
Carbon disulfide	<0.45	ug/L	1.5	0.45	1			11/05/20 00:57	75-15-0
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1			11/05/20 00:57	56-23-5
Chlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 00:57	108-90-7
Chloroethane	<1.3	ug/L	5.0	1.3	1			11/05/20 00:57	75-00-3
Chloroform	<1.3	ug/L	5.0	1.3	1			11/05/20 00:57	67-66-3
Chloromethane	<2.2	ug/L	7.3	2.2	1			11/05/20 00:57	74-87-3
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1			11/05/20 00:57	96-12-8
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1			11/05/20 00:57	124-48-1
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1			11/05/20 00:57	106-93-4
Dibromomethane	<0.94	ug/L	3.1	0.94	1			11/05/20 00:57	74-95-3
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 00:57	95-50-1
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1			11/05/20 00:57	541-73-1
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1			11/05/20 00:57	106-46-7
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1			11/05/20 00:57	75-71-8
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1			11/05/20 00:57	75-34-3
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1			11/05/20 00:57	107-06-2
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1			11/05/20 00:57	75-35-4
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1			11/05/20 10:03	156-59-2
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1			11/05/20 00:57	156-60-5
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1			11/05/20 00:57	78-87-5
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1			11/05/20 00:57	10061-01-5
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1			11/05/20 00:57	10061-02-6
Ethylbenzene	<0.32	ug/L	1.1	0.32	1			11/05/20 00:57	100-41-4
Methylene Chloride	<0.58	ug/L	5.0	0.58	1			11/05/20 00:57	75-09-2
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1			11/05/20 00:57	1634-04-4
Naphthalene	<1.2	ug/L	5.0	1.2	1			11/05/20 00:57	91-20-3
Styrene	<3.0	ug/L	10.0	3.0	1			11/05/20 00:57	100-42-5
Tetrachloroethene	85.6	ug/L	1.1	0.33	1			11/05/20 00:57	127-18-4
Tetrahydrofuran	<2.3	ug/L	20.0	2.3	1			11/05/20 00:57	109-99-9
Toluene	<0.27	ug/L	1.0	0.27	1			11/05/20 00:57	108-88-3
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1			11/05/20 00:57	71-55-6
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1			11/05/20 00:57	79-00-5
Trichloroethene	14.0	ug/L	1.0	0.26	1			11/05/20 00:57	79-01-6
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1			11/05/20 00:57	75-69-4
Vinyl chloride	<0.17	ug/L	1.0	0.17	1			11/05/20 00:57	75-01-4
Xylene (Total)	<1.5	ug/L	3.0	1.5	1			11/05/20 00:57	1330-20-7
m&p-Xylene	<0.47	ug/L	2.0	0.47	1			11/05/20 00:57	179601-23-1
o-Xylene	<0.26	ug/L	1.0	0.26	1			11/05/20 00:57	95-47-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: MWG-1 Lab ID: 40217304001 Collected: 10/23/20 13:08 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/05/20 00:57	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		11/05/20 00:57	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		11/05/20 00:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: GP-12 Lab ID: 40217304002 Collected: 10/23/20 13:19 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Acetone	<2.7	ug/L	20.0	2.7	1		11/05/20 01:39	67-64-1	
Benzene	<0.25	ug/L	1.0	0.25	1		11/05/20 01:39	71-43-2	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/05/20 01:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/05/20 01:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/05/20 01:39	74-83-9	
2-Butanone (MEK)	<2.9	ug/L	20.0	2.9	1		11/05/20 01:39	78-93-3	
Carbon disulfide	<0.45	ug/L	1.5	0.45	1		11/05/20 01:39	75-15-0	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/05/20 01:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/05/20 01:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/05/20 01:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/05/20 01:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/05/20 01:39	74-87-3	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/05/20 01:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/05/20 01:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/05/20 01:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/05/20 01:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/05/20 01:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/05/20 01:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/05/20 01:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/05/20 01:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/05/20 01:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/05/20 01:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/05/20 01:39	75-35-4	
cis-1,2-Dichloroethene	<0.68	ug/L	2.5	0.68	2.5		11/05/20 10:24	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/05/20 01:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/05/20 01:39	78-87-5	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/05/20 01:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/05/20 01:39	10061-02-6	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/05/20 01:39	100-41-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/05/20 01:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/05/20 01:39	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/05/20 01:39	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/05/20 01:39	100-42-5	
Tetrachloroethene	239	ug/L	1.1	0.33	1		11/05/20 01:39	127-18-4	
Tetrahydrofuran	<2.3	ug/L	20.0	2.3	1		11/05/20 01:39	109-99-9	
Toluene	<0.27	ug/L	1.0	0.27	1		11/05/20 01:39	108-88-3	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/05/20 01:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/05/20 01:39	79-00-5	
Trichloroethene	3.5	ug/L	1.0	0.26	1		11/05/20 01:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/05/20 01:39	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/05/20 01:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/05/20 01:39	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/05/20 01:39	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/05/20 01:39	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
 Pace Project No.: 40217304

Sample: GP-12 Lab ID: 40217304002 Collected: 10/23/20 13:19 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		11/05/20 01:39	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		11/05/20 01:39	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		11/05/20 01:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: GP-11	Lab ID: 40217304003	Collected: 10/23/20 12:51	Received: 10/28/20 09:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Acetone	<2.7	ug/L	20.0	2.7	1			11/05/20 07:33	67-64-1
Benzene	<0.25	ug/L	1.0	0.25	1			11/05/20 07:33	71-43-2
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1			11/05/20 07:33	75-27-4
Bromoform	<4.0	ug/L	13.2	4.0	1			11/05/20 07:33	75-25-2
Bromomethane	<0.97	ug/L	5.0	0.97	1			11/05/20 07:33	74-83-9
2-Butanone (MEK)	<2.9	ug/L	20.0	2.9	1			11/05/20 07:33	78-93-3
Carbon disulfide	<0.45	ug/L	1.5	0.45	1			11/05/20 07:33	75-15-0
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1			11/05/20 07:33	56-23-5
Chlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 07:33	108-90-7
Chloroethane	<1.3	ug/L	5.0	1.3	1			11/05/20 07:33	75-00-3
Chloroform	<1.3	ug/L	5.0	1.3	1			11/05/20 07:33	67-66-3
Chloromethane	<2.2	ug/L	7.3	2.2	1			11/05/20 07:33	74-87-3
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1			11/05/20 07:33	96-12-8
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1			11/05/20 07:33	124-48-1
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1			11/05/20 07:33	106-93-4
Dibromomethane	<0.94	ug/L	3.1	0.94	1			11/05/20 07:33	74-95-3
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 07:33	95-50-1
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1			11/05/20 07:33	541-73-1
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1			11/05/20 07:33	106-46-7
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1			11/05/20 07:33	75-71-8
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1			11/05/20 07:33	75-34-3
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1			11/05/20 07:33	107-06-2
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1			11/05/20 07:33	75-35-4
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1			11/05/20 07:33	156-59-2
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1			11/05/20 07:33	156-60-5
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1			11/05/20 07:33	78-87-5
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1			11/05/20 07:33	10061-01-5
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1			11/05/20 07:33	10061-02-6
Ethylbenzene	<0.32	ug/L	1.1	0.32	1			11/05/20 07:33	100-41-4
Methylene Chloride	<0.58	ug/L	5.0	0.58	1			11/05/20 07:33	75-09-2
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1			11/05/20 07:33	1634-04-4
Naphthalene	<1.2	ug/L	5.0	1.2	1			11/05/20 07:33	91-20-3
Styrene	<3.0	ug/L	10.0	3.0	1			11/05/20 07:33	100-42-5
Tetrachloroethene	18.4	ug/L	1.1	0.33	1			11/05/20 07:33	127-18-4
Tetrahydrofuran	<2.3	ug/L	20.0	2.3	1			11/05/20 07:33	109-99-9
Toluene	<0.27	ug/L	1.0	0.27	1			11/05/20 07:33	108-88-3
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1			11/05/20 07:33	71-55-6
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1			11/05/20 07:33	79-00-5
Trichloroethene	<0.26	ug/L	1.0	0.26	1			11/05/20 07:33	79-01-6
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1			11/05/20 07:33	75-69-4
Vinyl chloride	<0.17	ug/L	1.0	0.17	1			11/05/20 07:33	75-01-4
Xylene (Total)	<1.5	ug/L	3.0	1.5	1			11/05/20 07:33	1330-20-7
m&p-Xylene	<0.47	ug/L	2.0	0.47	1			11/05/20 07:33	179601-23-1
o-Xylene	<0.26	ug/L	1.0	0.26	1			11/05/20 07:33	95-47-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: GP-11 Lab ID: 40217304003 Collected: 10/23/20 12:51 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/05/20 07:33	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		11/05/20 07:33	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		11/05/20 07:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: DUP	Lab ID: 40217304004	Collected: 10/23/20 13:19	Received: 10/28/20 09:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Acetone	<2.7	ug/L	20.0	2.7	1			11/05/20 01:18	67-64-1
Benzene	<0.25	ug/L	1.0	0.25	1			11/05/20 01:18	71-43-2
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1			11/05/20 01:18	75-27-4
Bromoform	<4.0	ug/L	13.2	4.0	1			11/05/20 01:18	75-25-2
Bromomethane	<0.97	ug/L	5.0	0.97	1			11/05/20 01:18	74-83-9
2-Butanone (MEK)	<2.9	ug/L	20.0	2.9	1			11/05/20 01:18	78-93-3
Carbon disulfide	<0.45	ug/L	1.5	0.45	1			11/05/20 01:18	75-15-0
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1			11/05/20 01:18	56-23-5
Chlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 01:18	108-90-7
Chloroethane	<1.3	ug/L	5.0	1.3	1			11/05/20 01:18	75-00-3
Chloroform	<1.3	ug/L	5.0	1.3	1			11/05/20 01:18	67-66-3
Chloromethane	<2.2	ug/L	7.3	2.2	1			11/05/20 01:18	74-87-3
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1			11/05/20 01:18	96-12-8
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1			11/05/20 01:18	124-48-1
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1			11/05/20 01:18	106-93-4
Dibromomethane	<0.94	ug/L	3.1	0.94	1			11/05/20 01:18	74-95-3
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1			11/05/20 01:18	95-50-1
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1			11/05/20 01:18	541-73-1
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1			11/05/20 01:18	106-46-7
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1			11/05/20 01:18	75-71-8
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1			11/05/20 01:18	75-34-3
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1			11/05/20 01:18	107-06-2
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1			11/05/20 01:18	75-35-4
cis-1,2-Dichloroethene	<1.4	ug/L	5.0	1.4	5			11/05/20 07:54	156-59-2
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1			11/05/20 01:18	156-60-5
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1			11/05/20 01:18	78-87-5
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1			11/05/20 01:18	10061-01-5
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1			11/05/20 01:18	10061-02-6
Ethylbenzene	<0.32	ug/L	1.1	0.32	1			11/05/20 01:18	100-41-4
Methylene Chloride	<0.58	ug/L	5.0	0.58	1			11/05/20 01:18	75-09-2
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1			11/05/20 01:18	1634-04-4
Naphthalene	<1.2	ug/L	5.0	1.2	1			11/05/20 01:18	91-20-3
Styrene	<3.0	ug/L	10.0	3.0	1			11/05/20 01:18	100-42-5
Tetrachloroethene	217	ug/L	5.4	1.6	5			11/05/20 07:54	127-18-4
Tetrahydrofuran	<2.3	ug/L	20.0	2.3	1			11/05/20 01:18	109-99-9
Toluene	<0.27	ug/L	1.0	0.27	1			11/05/20 01:18	108-88-3
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1			11/05/20 01:18	71-55-6
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1			11/05/20 01:18	79-00-5
Trichloroethene	3.5J	ug/L	5.0	1.3	5			11/05/20 07:54	79-01-6
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1			11/05/20 01:18	75-69-4
Vinyl chloride	<0.17	ug/L	1.0	0.17	1			11/05/20 01:18	75-01-4
Xylene (Total)	<1.5	ug/L	3.0	1.5	1			11/05/20 01:18	1330-20-7
m&p-Xylene	<0.47	ug/L	2.0	0.47	1			11/05/20 01:18	179601-23-1
o-Xylene	<0.26	ug/L	1.0	0.26	1			11/05/20 01:18	95-47-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: DUP Lab ID: 40217304004 Collected: 10/23/20 13:19 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	85	%	70-130		1		11/05/20 01:18	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/05/20 01:18	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		11/05/20 01:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: TRIP BLANK Lab ID: 40217304005 Collected: 10/23/20 00:00 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Acetone	<2.7	ug/L	20.0	2.7	1		11/04/20 20:39	67-64-1	
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 20:39	71-43-2	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 20:39	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 20:39	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 20:39	74-83-9	
2-Butanone (MEK)	<2.9	ug/L	20.0	2.9	1		11/04/20 20:39	78-93-3	
Carbon disulfide	<0.45	ug/L	1.5	0.45	1		11/04/20 20:39	75-15-0	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 20:39	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:39	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 20:39	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 20:39	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 20:39	74-87-3	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 20:39	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 20:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 20:39	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 20:39	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:39	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 20:39	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 20:39	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 20:39	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:39	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:39	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:39	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/04/20 20:39	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/04/20 20:39	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:39	78-87-5	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 20:39	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 20:39	10061-02-6	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 20:39	100-41-4	
Methylene Chloride	0.58J	ug/L	5.0	0.58	1		11/04/20 20:39	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 20:39	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 20:39	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 20:39	100-42-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 20:39	127-18-4	
Tetrahydrofuran	<2.3	ug/L	20.0	2.3	1		11/04/20 20:39	109-99-9	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 20:39	108-88-3	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 20:39	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 20:39	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:39	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 20:39	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 20:39	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 20:39	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 20:39	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:39	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40217304

Sample: TRIP BLANK Lab ID: 40217304005 Collected: 10/23/20 00:00 Received: 10/28/20 09:25 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260 Pace Analytical Services - Green Bay								
Surrogates									
4-Bromofluorobenzene (S)	86	%	70-130		1		11/04/20 20:39	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		11/04/20 20:39	1868-53-7	
Toluene-d8 (S)	91	%	70-130		1		11/04/20 20:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE

Pace Project No.: 40217304

QC Batch: 369759 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217304001, 40217304002, 40217304003, 40217304004, 40217304005

METHOD BLANK: 2137312

Matrix: Water

Associated Lab Samples: 40217304001, 40217304002, 40217304003, 40217304004, 40217304005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	<0.24	1.0	11/04/20 16:43	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	11/04/20 16:43	
1,1-Dichloroethane	ug/L	<0.27	1.0	11/04/20 16:43	
1,1-Dichloroethene	ug/L	<0.24	1.0	11/04/20 16:43	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	11/04/20 16:43	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	11/04/20 16:43	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	11/04/20 16:43	
1,2-Dichloroethane	ug/L	<0.28	1.0	11/04/20 16:43	
1,2-Dichloropropane	ug/L	<0.28	1.0	11/04/20 16:43	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	11/04/20 16:43	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	11/04/20 16:43	
2-Butanone (MEK)	ug/L	<2.9	20.0	11/04/20 16:43	
Acetone	ug/L	<2.7	20.0	11/04/20 16:43	
Benzene	ug/L	<0.25	1.0	11/04/20 16:43	
Bromodichloromethane	ug/L	<0.36	1.2	11/04/20 16:43	
Bromoform	ug/L	<4.0	13.2	11/04/20 16:43	
Bromomethane	ug/L	<0.97	5.0	11/04/20 16:43	
Carbon disulfide	ug/L	<0.45	1.5	11/04/20 16:43	
Carbon tetrachloride	ug/L	<1.1	3.6	11/04/20 16:43	
Chlorobenzene	ug/L	<0.71	2.4	11/04/20 16:43	
Chloroethane	ug/L	<1.3	5.0	11/04/20 16:43	
Chloroform	ug/L	<1.3	5.0	11/04/20 16:43	
Chloromethane	ug/L	<2.2	7.3	11/04/20 16:43	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	11/04/20 16:43	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	11/04/20 16:43	
Dibromochloromethane	ug/L	<2.6	8.7	11/04/20 16:43	
Dibromomethane	ug/L	<0.94	3.1	11/04/20 16:43	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/04/20 16:43	
Ethylbenzene	ug/L	<0.32	1.1	11/04/20 16:43	
m&p-Xylene	ug/L	<0.47	2.0	11/04/20 16:43	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/04/20 16:43	
Methylene Chloride	ug/L	<0.58	5.0	11/04/20 16:43	
Naphthalene	ug/L	<1.2	5.0	11/04/20 16:43	
o-Xylene	ug/L	<0.26	1.0	11/04/20 16:43	
Styrene	ug/L	<3.0	10.0	11/04/20 16:43	
Tetrachloroethene	ug/L	<0.33	1.1	11/04/20 16:43	
Tetrahydrofuran	ug/L	<2.3	20.0	11/04/20 16:43	
Toluene	ug/L	<0.27	1.0	11/04/20 16:43	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	11/04/20 16:43	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/04/20 16:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40217304

METHOD BLANK: 2137312 Matrix: Water
Associated Lab Samples: 40217304001, 40217304002, 40217304003, 40217304004, 40217304005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Trichloroethene	ug/L	<0.26	1.0	11/04/20 16:43	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/04/20 16:43	
Vinyl chloride	ug/L	<0.17	1.0	11/04/20 16:43	
Xylene (Total)	ug/L	<1.5	3.0	11/04/20 16:43	
4-Bromofluorobenzene (S)	%	88	70-130	11/04/20 16:43	
Dibromofluoromethane (S)	%	99	70-130	11/04/20 16:43	
Toluene-d8 (S)	%	91	70-130	11/04/20 16:43	

LABORATORY CONTROL SAMPLE: 2137313

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.3	109	70-130	
1,1,2-Trichloroethane	ug/L	50	51.3	103	70-130	
1,1-Dichloroethane	ug/L	50	52.6	105	69-163	
1,1-Dichloroethene	ug/L	50	48.8	98	77-123	
1,2-Dibromo-3-chloropropane	ug/L	50	40.0	80	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	55.9	112	70-130	
1,2-Dichlorobenzene	ug/L	50	56.2	112	70-130	
1,2-Dichloroethane	ug/L	50	55.8	112	78-142	
1,2-Dichloropropane	ug/L	50	57.4	115	86-134	
1,3-Dichlorobenzene	ug/L	50	54.3	109	70-130	
1,4-Dichlorobenzene	ug/L	50	53.2	106	70-130	
Benzene	ug/L	50	49.6	99	70-130	
Bromodichloromethane	ug/L	50	52.7	105	70-130	
Bromoform	ug/L	50	50.2	100	70-130	
Bromomethane	ug/L	50	44.4	89	39-129	
Carbon disulfide	ug/L	50	45.0	90	67-138	
Carbon tetrachloride	ug/L	50	55.3	111	70-132	
Chlorobenzene	ug/L	50	53.7	107	70-130	
Chloroethane	ug/L	50	49.1	98	66-140	
Chloroform	ug/L	50	50.8	102	75-132	
Chloromethane	ug/L	50	47.5	95	32-143	
cis-1,2-Dichloroethene	ug/L	50	50.0	100	70-130	
cis-1,3-Dichloropropene	ug/L	50	56.1	112	70-130	
Dibromochloromethane	ug/L	50	49.1	98	70-130	
Dichlorodifluoromethane	ug/L	50	36.9	74	10-141	
Ethylbenzene	ug/L	50	52.4	105	80-120	
m&p-Xylene	ug/L	100	109	109	70-130	
Methyl-tert-butyl ether	ug/L	50	45.0	90	61-129	
Methylene Chloride	ug/L	50	45.4	91	70-130	
o-Xylene	ug/L	50	53.3	107	70-130	
Styrene	ug/L	50	49.6	99	70-130	
Tetrachloroethene	ug/L	50	56.6	113	70-130	
Toluene	ug/L	50	49.4	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40217304

LABORATORY CONTROL SAMPLE: 2137313

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,2-Dichloroethene	ug/L	50	49.9	100	70-130	
trans-1,3-Dichloropropene	ug/L	50	42.6	85	69-130	
Trichloroethene	ug/L	50	56.0	112	70-130	
Trichlorofluoromethane	ug/L	50	51.5	103	75-145	
Vinyl chloride	ug/L	50	48.2	96	51-140	
Xylene (Total)	ug/L	150	162	108	70-130	
4-Bromofluorobenzene (S)	%			95	70-130	
Dibromofluoromethane (S)	%			101	70-130	
Toluene-d8 (S)	%			90	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2137820 2137821

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40217270001	Result	Spike Conc.	MSD Spike Conc.						
1,1,1-Trichloroethane	ug/L	<0.24	50	50	53.2	52.0	106	104	70-130	2	20
1,1,2-Trichloroethane	ug/L	<0.55	50	50	50.8	51.0	102	102	70-137	0	20
1,1-Dichloroethane	ug/L	<0.27	50	50	51.6	50.1	103	100	69-163	3	20
1,1-Dichloroethene	ug/L	<0.24	50	50	47.1	46.6	94	93	77-129	1	20
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	42.1	42.7	84	85	60-130	2	20
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	56.1	54.7	112	109	70-130	2	20
1,2-Dichlorobenzene	ug/L	<0.71	50	50	56.4	56.4	113	113	70-130	0	20
1,2-Dichloroethane	ug/L	<0.28	50	50	55.6	53.0	111	106	78-145	5	20
1,2-Dichloropropane	ug/L	<0.28	50	50	55.7	55.5	111	111	86-135	1	20
1,3-Dichlorobenzene	ug/L	<0.63	50	50	55.6	55.5	111	111	70-130	0	20
1,4-Dichlorobenzene	ug/L	<0.94	50	50	54.7	54.2	109	108	70-130	1	20
Benzene	ug/L	<0.25	50	50	48.6	47.2	97	94	70-136	3	20
Bromodichloromethane	ug/L	<0.36	50	50	51.9	50.2	104	100	70-130	3	20
Bromoform	ug/L	<4.0	50	50	50.1	49.2	100	98	69-130	2	20
Bromomethane	ug/L	<0.97	50	50	43.7	44.2	87	88	39-138	1	20
Carbon disulfide	ug/L	<0.45	50	50	44.8	43.6	90	87	63-141	3	20
Carbon tetrachloride	ug/L	<1.1	50	50	54.5	53.0	109	106	70-142	3	20
Chlorobenzene	ug/L	<0.71	50	50	54.6	52.5	109	105	70-130	4	20
Chloroethane	ug/L	<1.3	50	50	47.5	47.3	95	95	61-149	0	20
Chloroform	ug/L	<1.3	50	50	49.9	48.5	100	97	75-133	3	20
Chloromethane	ug/L	<2.2	50	50	47.0	46.2	94	92	32-143	2	20
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	49.3	47.6	99	95	70-130	4	20
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	55.5	54.2	111	108	70-130	3	20
Dibromochloromethane	ug/L	<2.6	50	50	50.4	48.7	101	97	70-130	3	20
Dichlorodifluoromethane	ug/L	<0.50	50	50	35.3	34.8	71	70	10-141	2	20
Ethylbenzene	ug/L	<0.32	50	50	52.8	50.9	106	102	80-120	4	20
m&p-Xylene	ug/L	<0.47	100	100	110	106	110	106	70-130	3	20
Methyl-tert-butyl ether	ug/L	<1.2	50	50	44.6	43.8	89	88	61-136	2	20
Methylene Chloride	ug/L	<0.58	50	50	44.7	44.0	89	88	68-137	1	20
o-Xylene	ug/L	<0.26	50	50	53.6	51.8	107	104	70-130	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40217304

		MATRIX SPIKE & MATRIX SPIKE DUPLICATE:				2137820				2137821			
Parameter	Units	MS		MSD		MS Result	% Rec	MSD % Rec	% Rec	Max		RPD	RPD
		40217270001	Spike Conc.	Spike Conc.	MSD Result					RPD	RPD		
Styrene	ug/L	<3.0	50	50	49.6	48.0	99	96	70-130	3	20		
Tetrachloroethene	ug/L	<0.33	50	50	56.9	55.2	114	110	70-130	3	20		
Toluene	ug/L	<0.27	50	50	49.1	47.2	98	94	80-120	4	20		
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	49.6	48.3	99	97	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	42.5	41.4	85	83	69-130	3	20		
Trichloroethene	ug/L	<0.26	50	50	54.0	53.1	108	106	70-130	2	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	50.3	49.3	101	99	74-157	2	20		
Vinyl chloride	ug/L	<0.17	50	50	47.1	47.1	94	94	51-140	0	20		
Xylene (Total)	ug/L	<1.5	150	150	163	158	109	105	70-130	3	20		
4-Bromofluorobenzene (S)	%						97	94	70-130				
Dibromofluoromethane (S)	%						102	100	70-130				
Toluene-d8 (S)	%						92	90	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

QUALIFIERS

Project: DUN-RITE
Pace Project No.: 40217304

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUN-RITE
Pace Project No.: 40217304

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40217304001	MWG-1	EPA 8260	369759		
40217304002	GP-12	EPA 8260	369759		
40217304003	GP-11	EPA 8260	369759		
40217304004	DUP	EPA 8260	369759		
40217304005	TRIP BLANK	EPA 8260	369759		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: Sand County Env - Dun-Rite
 Branch/Location: Amherst
 Project Contact: Pete Arntsen
 Phone: 715-824-5160
 Project Number: _____
 Project Name: Dun-Rite
 Project State: WI
 Sampled By (Print): Pete Arntsen
 Sampled By (Sign): *Pete Arntsen*
 PO #: _____ Regulatory Program: _____

Data Package Options

(billable)

 EPA Level III EPA Level IV**MS/MSD** On your sample (billable) NOT needed on your sample**Matrix Codes**

A = Air	W = Water
B = Biota	DW = Drinking Water
C = Charcoal	GW = Ground Water
O = Oil	SW = Surface Water
S = Soil	WW = Waste Water
Sl = Sludge	WP = Wipe

PACE LAB #

CLIENT FIELD ID

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	MWG-1	10/23	1:06	SW
002	GTP-12	11	1:19	GW
003	GTP-11	11	12:51	GW
004	Dun	11	1:19	11
005	Trip Blank ①			

**UPPER MIDWEST REGION**

MN: 612-607-1700 WI: 920-469-2436

Page 1 of

40217304

Page 22 of 26

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfite Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)PRESERVATION
(CODE)*

Y/N

Pick
Letter

X

B

Analyses Requested

VOC

Quote #:			
Mail To Contact:	<i>Same</i>		
Mail To Company:	<i>Same</i>		
Mail To Address:			
Invoice To Contact:	<i>Same</i>		
Invoice To Company:			
Invoice To Address:			
Invoice To Phone:			
CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #	

① In shipment lab added to coc

10/26/20 8:26

Rush Turnaround Time Requested - Prelims
 (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:

Email #2:

Telephone:

Fax:

Samples on HOLD are subject to
special pricing and release of liability

Relinquished By: <i>Walter</i>	Date/Time: 10/27/09 09:00	Received By: <i>Susan Mylne</i>	Date/Time: 10/28/09 09:25
Relinquished By: <i>Walter</i>	Date/Time: 10/26/20 09:25	Received By: <i>Susan Mylne</i>	Date/Time: 10/28/20 09:25
Relinquished By: <i>Walter</i>	Date/Time: 10/26/20 09:25	Received By: <i>Susan Mylne</i>	Date/Time: 10/28/20 09:25

PACE Project No.

40217304

Receipt Temp = ROI °C

Sample Receipt pH

OK / Adjusted

Cooler Custody Seal

Present Not Present

Intact / Not Intact

Version 6.0 06/14/06

ORIGINAL

Client Name: Sand County Env

Sample Preservation Receipt Form

Project # U0217304

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed:

Date/
Time:

Pace Lab #	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN	VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	Glass	Plastic	Vials	Jars	General																												
001																													2.5 / 5 / 10				
002																													2.5 / 5 / 10				
003																													2.5 / 5 / 10				
004																													2.5 / 5 / 10				
005																													2.5 / 5 / 10				
006	/																												2.5 / 5 / 10				
007																													2.5 / 5 / 10				
008																													2.5 / 5 / 10				
009																													2.5 / 5 / 10				
010																													2.5 / 5 / 10				
011																													2.5 / 5 / 10				
012																													2.5 / 5 / 10				
013																													2.5 / 5 / 10				
014																													2.5 / 5 / 10				
015																													2.5 / 5 / 10				
016																													2.5 / 5 / 10				
017																													2.5 / 5 / 10				
018																													2.5 / 5 / 10				
019																													2.5 / 5 / 10				
020																													2.5 / 5 / 10				

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other:

Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass
BG1U	1 liter clear glass
AG1H	1 liter amber glass HCL
AG4S	125 mL amber glass H2SO4
AG4U	120 mL amber glass unpres
AG5U	100 mL amber glass unpres
AG2S	500 mL amber glass H2SO4
BG3U	250 mL clear glass unpres

BP1U	1 liter plastic unpres
BP3U	250 mL plastic unpres
BP3B	250 mL plastic NaOH
BP3N	250 mL plastic HNO3
BP3S	250 mL plastic H2SO4

VG9A	40 mL clear ascorbic
DG9T	40 mL amber Na Thio
VG9U	40 mL clear vial unpres
VG9H	40 mL clear vial HCL
VG9M	40 mL clear vial MeOH
VG9D	40 mL clear vial DI

JGFU	4 oz amber jar unpres
JG9U	9 oz amber jar unpres
WGFU	4 oz clear jar unpres
WPFU	4 oz plastic jar unpres
SP5T	120 mL plastic Na Thiosulfate
ZPLC	ziploc bag
GN	

Sample Condition Upon Receipt Form (SCUR)

Client Name:

Sand County Env.

Project #:

WO# : 40217304Courier: CS Logistics Fed Ex Speedee UPS Waltco Client Pace Other:2626274

Tracking #:

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used SR - N/A Type of Ice: Wet Blue Dry NoneCooler Temperature Uncorr: RT /Corr:Temp Blank Present: yes noBiological Tissue is Frozen: yes no Samples on ice, cooling process has begun

Person examining contents:

10/28/20Date: 10/28/20 /Initials: SLLabeled By Initials: SL

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. <u>4CC</u>	<u>10/28/20</u>
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	<u>Pg#</u>	<u>10/28/20</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
-Includes date/time/ID/Analysis Matrix:	<u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>In shipment Lab added 10/28/20</u>	
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>to coc</u>	<u>10/28/20</u>
Pace Trip Blank Lot # (if purchased):			

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted:

Date/Time:

Comments/ Resolution:

Client used pencil to fill out coc.10/28/20 SL



December 22, 2020

Ms. Joy Hannemann
Merge, LLC
c/o Spaces
811 East Washington Ave., Suite 500
Madison, WI 53703

Re: **Dun-Rite Cleaners**
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results

Dear Ms. Hannemann:

The purpose of this letter is to present the results of vapor samples collected from the residential structure located at 1000A Union Street on October 22, 2020. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

One sample was collected of the ambient air (i.e., typical room air) present in the basement of the structure. Another sample was collected from the soil vapors beneath the basement floor. Samples were submitted to a laboratory and analyzed for a suite of VOCs.

Sample Results

Current and historic sampling results are summarized on the enclosed table. The laboratory report for the most recent samples is also enclosed.

None of the analyzed substances exceeded the Wisconsin Department of Natural Resources (WDNR) Action Levels or Screening Levels.

Neither PCE nor TCE was detected in the ambient air sample.

PCE was detected at 40.0 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) in the sub-slab sample; and TCE was not detected.

In addition to PCE and TCE, the analysis results show detections of other VOCs. These substances are not associated with the Dun-Rite site and are likely due to trace amounts of chemical vapors from typical consumer products (paints, adhesives, fragrances, etc.) commonly found in homes, or in the outdoor ambient air.

Going Forward

We expect to perform another round of vapor sampling in spring 2021. At that time, we will contact you requesting permission to collect samples of the sub-slab vapors and ambient basement air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Table 1: Residence Vapor Chemistry Data
 Laboratory Report

cc/enc: Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via RR Submittal Portal only

Table: Residence Vapor Chemistry Data

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Indoor Air Vapor Action Levels ¹																								
Non-Residential	--	16	--	20	5.3	390	--	--	440	--	--	--	--	--	--	--	2,600	3.6	--	180	--	22,000	8.8	
Residential	--	3.6	--	4.7	1.2	94	--	--	100	--	--	--	--	--	--	--	630	0.83	--	42	--	5,200	2.1	
AA304	7/18/2014	22.8	0.63	6.0	<0.99	<1.4	0.84	<1.1	<1.9	2.8	<1.3	59.4	<1.1	<1.6	2.8	1.2	2.3	<5.5	<4.1	<1.9	2.5	<0.93	3.1	<0.85
	3/2/2015	9.7	0.8	1.8	<0.44	<0.25	0.90	0.78	<0.28	2.4	<0.34	13.3	0.82	<0.24	0.61	1.4	<0.30	0.73	<0.36	0.48	35	<0.19	1.9	<0.25
	9/4/2015	80.1	16.7	1.8	<0.28	1.3	1.9	44.8	<0.72	2.7	<0.35	61.3	<0.50	8.8	13	21.7	<0.59	18.9	11.3	18.6	22	<0.17	105	3.0
	11/9/2015	10.2	1.5	1.0 J	<0.29	<0.28	0.72	4.2	<0.74	<0.72	<0.37	22.3	0.93 J	0.85 J	1.6	2.0	<0.61	0.95 J	<0.45	9.0	2.4	<0.18	8.8	<0.41
	4/6/2016	14.2	1.2	2.0 J	<0.27	<0.26	0.74	2.4	<0.69	2.1	<0.34	50.4	1.1	0.72 J	0.93 J	1.9	<0.57	2.0 J	<0.42	5.2	<0.39	<0.17	5.5	0.52 J
	10/5/2016	26.7	6.2	5.0	1.1	0.51 J	0.73	7.1	<0.74	2.6	<0.37	66.8	2.3	4.6	5.4	15.2	<0.61	6.3	12.4	3.0 J	0.64 J	<0.18	35.3	<0.41
	6/20/2017	5.8 J	1.0	<0.33	<0.28	<0.27	0.64 J	<0.46	<0.72	1.4 J	<0.35	5.1	<0.50	<0.27	0.70 J	1.0 J	<0.59	<0.78	<0.44	<0.35	<0.40	<0.17	4.9	0.44 J
	11/16/2017	48.8	0.43 J	3.1 J	<0.47	<0.34	0.79	<0.34	1.1 J	2.9	<0.51	105	<0.29	<0.32	<0.31	<0.50	<0.91	3.6 J	<0.89	9.6	<0.43	<0.41	2.2	0.81 J
	5/18/2018	20.8	0.54	1.2 J	<0.47	<0.34	0.81	<0.34	<0.33	2.1	<0.51	40.1	<0.29	<0.32	<0.31	0.96 J	<0.91	109	4.3	<1.9	<0.43	8.4	1.7	<0.40
	11/2/2018	25.7	2.1	12.3	<0.75	<0.34	0.70 J	<0.62	<1.8	2.2	<0.38	36.2	<0.33	1.0 J	2.5	3.7	<1.3	3.6 J	<2.3	5.4	1.6	<0.46	9.3	<0.45
	6/7/2019	40.0	1.5	6.0	<0.62	<0.28	0.76	<0.51	<1.4	2.6	<0.32	66.6	<0.27	<0.82	<0.55	3.2	<1.1	6.8	2.8 J	5.1	<0.45	<0.38	6.9	<0.37
	9/23/2019	16.1	0.47 J	2.0 J	<0.66	<0.30	1.3	4.9	2.6 J	2.9	<0.34	18.3	<0.29	1.8 J	1.2 J	1.6	<1.2	5.7	3.0 J	<1.1	<0.49	<0.40	2.4	<0.39
	5/14/2020	10.2	0.25 J	3.0 J	0.89 J	<0.19	0.95	<0.21	<1.1	2.7	<0.17	25.7	<0.27	<0.62	<0.40 J	<0.48 J	<0.50	3.0 J	<1.9	4.2	0.52 J	<0.29	0.82 J	<0.32
	10/22/2020	6.5 J	0.47 J	<1.0	<0.51	<0.22	0.91	<0.28	<0.79	3.4	<0.22	7.9	<0.31	<0.52	<0.35	<0.32	<0.74	<2.3	<1.8	<1.2	<0.49	<0.21	0.35 J	<0.25

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels ²																								
Non-Residential	--	530	--	670	180	13,000	--	--	15,000	--	--	--	--	--	--	--	87,000	120	--	6,000	--	730,000	290	
Residential	--	120	--	160	40	3,100	--	--	3,330	--	--	--	--	--	--	--	21,000	28	--	1,400	--	170,000	70	
SSV304	7/18/2014	10.7	<0.73	3.4	<1.4	<1.1	<0.94	<1.6	<2.7	<3.9	<1.8	22.6	<1.6	<2.2	<1.9	<1.6	2.5	<7.9	<6.0	<2.8	13	5.5	3.3	<1.2
	3/2/2015	<2.1	<0.21	0.99	<0.56	<0.31	<0.34	<0.22	<0.35	47.8	<0.34	25.9	<0.22	<0.30	<0.28	<0.18	<0.37	1.1	<0.45	<0.16	11	1.0	<0.24	<0.31
	9/4/2015	278	<0.21	27.2	<0.34	31.3	<0.19	<0.55	25.1	5.1	<0.43	44.0	17.4	27.3	<0.49	<0.62	11	30	40.7	12	137	7.1	55.1	21
	11/9/2015	15.6	<0.17	7.5	<0.27	1.3	<0.15	<0.44	2.1	13.6	<0.33	81.4	<0.48	3.3	<0.39	1.1	1.0 J	0.78 J	1.6 J	1.5 J	319	4	3.7	14
	2/16/2016	24.5	0.30 J	13.4	0.21 J	81.9	<0.035	<0.087	2.3	12	<0.069	20.5	<0.61	<0.84	<0.70	<0.092	<3.5	<3.0	5.3 J	2.9 J	105	<0.050	3.4	5.7
	10/5/2016	127	1.5	<0.42	1.1 J	0.59 J	0.83	1.2 J	7.2	9.0	<0.45	149	2.2	1.7 J	<0.51	72.6	<0.75	298	6.6	11	52	<0.22	9.9	2.2
</																								

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA203-Outdoor Lab ID: 10537135001 Collected: 10/22/20 16:18 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	5.8J	ug/m3	8.5	2.9	1.41		11/15/20 14:50	67-64-1	
Benzene	0.36J	ug/m3	0.46	0.12	1.41		11/15/20 14:50	71-43-2	
Benzyl chloride	<0.63	ug/m3	3.7	0.63	1.41		11/15/20 14:50	100-44-7	
Bromodichloromethane	<0.42	ug/m3	1.9	0.42	1.41		11/15/20 14:50	75-27-4	
Bromoform	<2.6	ug/m3	7.4	2.6	1.41		11/15/20 14:50	75-25-2	
Bromomethane	<0.33	ug/m3	1.1	0.33	1.41		11/15/20 14:50	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.63	0.16	1.41		11/15/20 14:50	106-99-0	
2-Butanone (MEK)	<0.95	ug/m3	4.2	0.95	1.41		11/15/20 14:50	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.89	0.34	1.41		11/15/20 14:50	75-15-0	
Carbon tetrachloride	0.59J	ug/m3	1.8	0.49	1.41		11/15/20 14:50	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.3	0.30	1.41		11/15/20 14:50	108-90-7	
Chloroethane	<0.15	ug/m3	0.76	0.15	1.41		11/15/20 14:50	75-00-3	
Chloroform	<0.21	ug/m3	0.70	0.21	1.41		11/15/20 14:50	67-66-3	
Chloromethane	0.89	ug/m3	0.59	0.17	1.41		11/15/20 14:50	74-87-3	
Cyclohexane	<0.27	ug/m3	2.5	0.27	1.41		11/15/20 14:50	110-82-7	
Dibromochloromethane	<0.56	ug/m3	2.4	0.56	1.41		11/15/20 14:50	124-48-1	
1,2-Dibromoethane (EDB)	<0.31	ug/m3	1.1	0.31	1.41		11/15/20 14:50	106-93-4	
1,2-Dichlorobenzene	<0.47	ug/m3	1.7	0.47	1.41		11/15/20 14:50	95-50-1	
1,3-Dichlorobenzene	<0.54	ug/m3	1.7	0.54	1.41		11/15/20 14:50	541-73-1	
1,4-Dichlorobenzene	<0.74	ug/m3	4.3	0.74	1.41		11/15/20 14:50	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.4	0.28	1.41		11/15/20 14:50	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.41		11/15/20 14:50	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	0.58	0.27	1.41		11/15/20 14:50	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.41		11/15/20 14:50	75-35-4	
cis-1,2-Dichloroethene	<0.21	ug/m3	1.1	0.21	1.41		11/15/20 14:50	156-59-2	
trans-1,2-Dichloroethene	<0.20	ug/m3	1.1	0.20	1.41		11/15/20 14:50	156-60-5	
1,2-Dichloropropane	<0.22	ug/m3	1.3	0.22	1.41		11/15/20 14:50	78-87-5	
cis-1,3-Dichloropropene	<0.26	ug/m3	1.3	0.26	1.41		11/15/20 14:50	10061-01-5	
trans-1,3-Dichloropropene	<0.22	ug/m3	1.3	0.22	1.41		11/15/20 14:50	10061-02-6	
Dichlorotetrafluoroethane	<0.57	ug/m3	2.0	0.57	1.41		11/15/20 14:50	76-14-2	
Ethanol	14.8	ug/m3	2.7	1.3	1.41		11/15/20 14:50	64-17-5	
Ethyl acetate	<0.30	ug/m3	1.0	0.30	1.41		11/15/20 14:50	141-78-6	
Ethylbenzene	<0.28	ug/m3	1.2	0.28	1.41		11/15/20 14:50	100-41-4	
4-Ethyltoluene	<0.49	ug/m3	3.5	0.49	1.41		11/15/20 14:50	622-96-8	
n-Heptane	<0.33	ug/m3	1.2	0.33	1.41		11/15/20 14:50	142-82-5	
Hexachloro-1,3-butadiene	<3.4	ug/m3	7.6	3.4	1.41		11/15/20 14:50	87-68-3	
n-Hexane	<0.30	ug/m3	1.0	0.30	1.41		11/15/20 14:50	110-54-3	
2-Hexanone	<0.70	ug/m3	5.9	0.70	1.41		11/15/20 14:50	591-78-6	
Methylene Chloride	<2.2	ug/m3	5.0	2.2	1.41		11/15/20 14:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.31	ug/m3	5.9	0.31	1.41		11/15/20 14:50	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.2	0.18	1.41		11/15/20 14:50	1634-04-4	
Naphthalene	<1.7	ug/m3	3.8	1.7	1.41		11/15/20 14:50	91-20-3	
2-Propanol	2.8J	ug/m3	3.5	1.1	1.41		11/15/20 14:50	67-63-0	
Propylene	<0.18	ug/m3	0.49	0.18	1.41		11/15/20 14:50	115-07-1	
Styrene	<0.46	ug/m3	1.2	0.46	1.41		11/15/20 14:50	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA203-Outdoor	Lab ID: 10537135001	Collected: 10/22/20 16:18	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.22	ug/m3	0.98	0.22	1.41		11/15/20 14:50	79-34-5	
Tetrachloroethylene	<0.46	ug/m3	0.97	0.46	1.41		11/15/20 14:50	127-18-4	
Tetrahydrofuran	<0.19	ug/m3	0.85	0.19	1.41		11/15/20 14:50	109-99-9	
Toluene	0.31J	ug/m3	1.1	0.28	1.41		11/15/20 14:50	108-88-3	
1,2,4-Trichlorobenzene	<4.7	ug/m3	10.6	4.7	1.41		11/15/20 14:50	120-82-1	
1,1,1-Trichloroethane	<0.23	ug/m3	1.6	0.23	1.41		11/15/20 14:50	71-55-6	
1,1,2-Trichloroethane	<0.24	ug/m3	0.78	0.24	1.41		11/15/20 14:50	79-00-5	
Trichloroethylene	<0.24	ug/m3	0.77	0.24	1.41		11/15/20 14:50	79-01-6	
Trichlorofluoromethane	2.1	ug/m3	1.6	0.54	1.41		11/15/20 14:50	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.75J	ug/m3	2.2	0.47	1.41		11/15/20 14:50	76-13-1	
1,2,4-Trimethylbenzene	<0.49	ug/m3	1.4	0.49	1.41		11/15/20 14:50	95-63-6	
1,3,5-Trimethylbenzene	<0.38	ug/m3	1.4	0.38	1.41		11/15/20 14:50	108-67-8	
Vinyl acetate	<0.19	ug/m3	1.0	0.19	1.41		11/15/20 14:50	108-05-4	
Vinyl chloride	<0.080	ug/m3	0.37	0.080	1.41		11/15/20 14:50	75-01-4	
m&p-Xylene	<0.58	ug/m3	2.5	0.58	1.41		11/15/20 14:50	179601-23-1	
o-Xylene	<0.33	ug/m3	1.2	0.33	1.41		11/15/20 14:50	95-47-6	
<hr/>									
Sample: AA304-Residence	Lab ID: 10537135002	Collected: 10/22/20 16:15	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	6.5J	ug/m3	9.0	3.1	1.49		11/15/20 15:44	67-64-1	
Benzene	0.47J	ug/m3	0.48	0.13	1.49		11/15/20 15:44	71-43-2	
Benzyl chloride	<0.67	ug/m3	3.9	0.67	1.49		11/15/20 15:44	100-44-7	
Bromodichloromethane	<0.44	ug/m3	2.0	0.44	1.49		11/15/20 15:44	75-27-4	
Bromoform	<2.7	ug/m3	7.8	2.7	1.49		11/15/20 15:44	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.49		11/15/20 15:44	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/15/20 15:44	106-99-0	
2-Butanone (MEK)	<1.0	ug/m3	4.5	1.0	1.49		11/15/20 15:44	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/15/20 15:44	75-15-0	
Carbon tetrachloride	<0.51	ug/m3	1.9	0.51	1.49		11/15/20 15:44	56-23-5	
Chlorobenzene	<0.32	ug/m3	1.4	0.32	1.49		11/15/20 15:44	108-90-7	
Chloroethane	<0.15	ug/m3	0.80	0.15	1.49		11/15/20 15:44	75-00-3	
Chloroform	<0.22	ug/m3	0.74	0.22	1.49		11/15/20 15:44	67-66-3	
Chloromethane	0.91	ug/m3	0.63	0.18	1.49		11/15/20 15:44	74-87-3	
Cyclohexane	<0.28	ug/m3	2.6	0.28	1.49		11/15/20 15:44	110-82-7	
Dibromochloromethane	<0.59	ug/m3	2.6	0.59	1.49		11/15/20 15:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.33	ug/m3	1.2	0.33	1.49		11/15/20 15:44	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/m3	1.8	0.50	1.49		11/15/20 15:44	95-50-1	
1,3-Dichlorobenzene	<0.58	ug/m3	1.8	0.58	1.49		11/15/20 15:44	541-73-1	
1,4-Dichlorobenzene	<0.79	ug/m3	4.6	0.79	1.49		11/15/20 15:44	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA304-Residence	Lab ID: 10537135002	Collected: 10/22/20 16:15	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	3.4	ug/m3	1.5	0.30	1.49		11/15/20 15:44	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		11/15/20 15:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.61	0.29	1.49		11/15/20 15:44	107-06-2	
1,1-Dichloroethene	<0.27	ug/m3	1.2	0.27	1.49		11/15/20 15:44	75-35-4	
cis-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.49		11/15/20 15:44	156-59-2	
trans-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		11/15/20 15:44	156-60-5	
1,2-Dichloropropane	<0.23	ug/m3	1.4	0.23	1.49		11/15/20 15:44	78-87-5	
cis-1,3-Dichloropropene	<0.27	ug/m3	1.4	0.27	1.49		11/15/20 15:44	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.49		11/15/20 15:44	10061-02-6	
Dichlorotetrafluoroethane	<0.61	ug/m3	2.1	0.61	1.49		11/15/20 15:44	76-14-2	
Ethanol	7.9	ug/m3	2.9	1.4	1.49		11/15/20 15:44	64-17-5	
Ethyl acetate	<0.31	ug/m3	1.1	0.31	1.49		11/15/20 15:44	141-78-6	
Ethylbenzene	<0.30	ug/m3	1.3	0.30	1.49		11/15/20 15:44	100-41-4	
4-Ethyltoluene	<0.52	ug/m3	3.7	0.52	1.49		11/15/20 15:44	622-96-8	
n-Heptane	<0.35	ug/m3	1.2	0.35	1.49		11/15/20 15:44	142-82-5	
Hexachloro-1,3-butadiene	<3.6	ug/m3	8.1	3.6	1.49		11/15/20 15:44	87-68-3	
n-Hexane	<0.32	ug/m3	1.1	0.32	1.49		11/15/20 15:44	110-54-3	
2-Hexanone	<0.74	ug/m3	6.2	0.74	1.49		11/15/20 15:44	591-78-6	
Methylene Chloride	<2.3	ug/m3	5.3	2.3	1.49		11/15/20 15:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.32	ug/m3	6.2	0.32	1.49		11/15/20 15:44	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		11/15/20 15:44	1634-04-4	
Naphthalene	<1.8	ug/m3	4.0	1.8	1.49		11/15/20 15:44	91-20-3	
2-Propanol	<1.2	ug/m3	3.7	1.2	1.49		11/15/20 15:44	67-63-0	
Propylene	<0.19	ug/m3	0.52	0.19	1.49		11/15/20 15:44	115-07-1	
Styrene	<0.49	ug/m3	1.3	0.49	1.49		11/15/20 15:44	100-42-5	
1,1,2,2-Tetrachloroethane	<0.23	ug/m3	1.0	0.23	1.49		11/15/20 15:44	79-34-5	
Tetrachloroethene	<0.49	ug/m3	1.0	0.49	1.49		11/15/20 15:44	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.89	0.21	1.49		11/15/20 15:44	109-99-9	
Toluene	0.35J	ug/m3	1.1	0.29	1.49		11/15/20 15:44	108-88-3	
1,2,4-Trichlorobenzene	<4.9	ug/m3	11.2	4.9	1.49		11/15/20 15:44	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.7	0.25	1.49		11/15/20 15:44	71-55-6	
1,1,2-Trichloroethane	<0.25	ug/m3	0.83	0.25	1.49		11/15/20 15:44	79-00-5	
Trichloroethene	<0.25	ug/m3	0.81	0.25	1.49		11/15/20 15:44	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.57	1.49		11/15/20 15:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.66J	ug/m3	2.3	0.50	1.49		11/15/20 15:44	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/15/20 15:44	95-63-6	
1,3,5-Trimethylbenzene	<0.40	ug/m3	1.5	0.40	1.49		11/15/20 15:44	108-67-8	
Vinyl acetate	<0.20	ug/m3	1.1	0.20	1.49		11/15/20 15:44	108-05-4	
Vinyl chloride	<0.085	ug/m3	0.39	0.085	1.49		11/15/20 15:44	75-01-4	
m&p-Xylene	<0.62	ug/m3	2.6	0.62	1.49		11/15/20 15:44	179601-23-1	
o-Xylene	<0.35	ug/m3	1.3	0.35	1.49		11/15/20 15:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	23.0	ug/m3	10.9	3.7	1.8		11/15/20 18:00	67-64-1	
Benzene	0.39J	ug/m3	0.58	0.15	1.8		11/15/20 18:00	71-43-2	
Benzyl chloride	<0.81	ug/m3	4.7	0.81	1.8		11/15/20 18:00	100-44-7	
Bromodichloromethane	<0.54	ug/m3	2.4	0.54	1.8		11/15/20 18:00	75-27-4	
Bromoform	<3.3	ug/m3	9.4	3.3	1.8		11/15/20 18:00	75-25-2	
Bromomethane	<0.42	ug/m3	1.4	0.42	1.8		11/15/20 18:00	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.8		11/15/20 18:00	106-99-0	
2-Butanone (MEK)	8.2	ug/m3	5.4	1.2	1.8		11/15/20 18:00	78-93-3	
Carbon disulfide	<0.43	ug/m3	1.1	0.43	1.8		11/15/20 18:00	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	2.3	0.62	1.8		11/15/20 18:00	56-23-5	
Chlorobenzene	<0.39	ug/m3	1.7	0.39	1.8		11/15/20 18:00	108-90-7	
Chloroethane	<0.19	ug/m3	0.96	0.19	1.8		11/15/20 18:00	75-00-3	
Chloroform	0.29J	ug/m3	0.89	0.27	1.8		11/15/20 18:00	67-66-3	
Chloromethane	<0.21	ug/m3	0.76	0.21	1.8		11/15/20 18:00	74-87-3	
Cyclohexane	<0.34	ug/m3	3.2	0.34	1.8		11/15/20 18:00	110-82-7	
Dibromochloromethane	<0.72	ug/m3	3.1	0.72	1.8		11/15/20 18:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.40	ug/m3	1.4	0.40	1.8		11/15/20 18:00	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	2.2	0.60	1.8		11/15/20 18:00	95-50-1	
1,3-Dichlorobenzene	<0.69	ug/m3	2.2	0.69	1.8		11/15/20 18:00	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/m3	5.5	0.95	1.8		11/15/20 18:00	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV304-Residence	Lab ID: 10537135006	Collected: 10/22/20 13:07	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	253	ug/m3	1.8	0.36	1.8		11/15/20 18:00	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.5	0.31	1.8		11/15/20 18:00	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	0.74	0.35	1.8		11/15/20 18:00	107-06-2	
1,1-Dichloroethene	<0.33	ug/m3	1.5	0.33	1.8		11/15/20 18:00	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.5	0.27	1.8		11/15/20 18:00	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.8		11/15/20 18:00	156-60-5	
1,2-Dichloropropane	<0.28	ug/m3	1.7	0.28	1.8		11/15/20 18:00	78-87-5	
cis-1,3-Dichloropropene	<0.33	ug/m3	1.7	0.33	1.8		11/15/20 18:00	10061-01-5	
trans-1,3-Dichloropropene	<0.28	ug/m3	1.7	0.28	1.8		11/15/20 18:00	10061-02-6	
Dichlorotetrafluoroethane	<0.73	ug/m3	2.6	0.73	1.8		11/15/20 18:00	76-14-2	
Ethanol	33.1	ug/m3	3.5	1.7	1.8		11/15/20 18:00	64-17-5	
Ethyl acetate	<0.38	ug/m3	1.3	0.38	1.8		11/15/20 18:00	141-78-6	
Ethylbenzene	3.4	ug/m3	1.6	0.36	1.8		11/15/20 18:00	100-41-4	
4-Ethyltoluene	1.1J	ug/m3	4.5	0.63	1.8		11/15/20 18:00	622-96-8	
n-Heptane	<0.42	ug/m3	1.5	0.42	1.8		11/15/20 18:00	142-82-5	
Hexachloro-1,3-butadiene	<4.4	ug/m3	9.8	4.4	1.8		11/15/20 18:00	87-68-3	
n-Hexane	<0.38	ug/m3	1.3	0.38	1.8		11/15/20 18:00	110-54-3	
2-Hexanone	<0.89	ug/m3	7.5	0.89	1.8		11/15/20 18:00	591-78-6	
Methylene Chloride	<2.8	ug/m3	6.4	2.8	1.8		11/15/20 18:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.5	0.39	1.8		11/15/20 18:00	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.8		11/15/20 18:00	1634-04-4	
Naphthalene	<2.2	ug/m3	4.8	2.2	1.8		11/15/20 18:00	91-20-3	
2-Propanol	7.2	ug/m3	4.5	1.4	1.8		11/15/20 18:00	67-63-0	
Propylene	2.3	ug/m3	0.63	0.23	1.8		11/15/20 18:00	115-07-1	
Styrene	4.2	ug/m3	1.6	0.59	1.8		11/15/20 18:00	100-42-5	
1,1,2,2-Tetrachloroethane	<0.28	ug/m3	1.3	0.28	1.8		11/15/20 18:00	79-34-5	
Tetrachloroethene	40.0	ug/m3	1.2	0.59	1.8		11/15/20 18:00	127-18-4	
Tetrahydrofuran	0.49J	ug/m3	1.1	0.25	1.8		11/15/20 18:00	109-99-9	
Toluene	102	ug/m3	1.4	0.35	1.8		11/15/20 18:00	108-88-3	
1,2,4-Trichlorobenzene	<6.0	ug/m3	13.6	6.0	1.8		11/15/20 18:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/m3	2.0	0.30	1.8		11/15/20 18:00	71-55-6	
1,1,2-Trichloroethane	<0.30	ug/m3	1.0	0.30	1.8		11/15/20 18:00	79-00-5	
Trichloroethene	<0.30	ug/m3	0.98	0.30	1.8		11/15/20 18:00	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.1	0.69	1.8		11/15/20 18:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.60	ug/m3	2.8	0.60	1.8		11/15/20 18:00	76-13-1	
1,2,4-Trimethylbenzene	2.5	ug/m3	1.8	0.63	1.8		11/15/20 18:00	95-63-6	
1,3,5-Trimethylbenzene	0.78J	ug/m3	1.8	0.48	1.8		11/15/20 18:00	108-67-8	
Vinyl acetate	<0.24	ug/m3	1.3	0.24	1.8		11/15/20 18:00	108-05-4	
Vinyl chloride	<0.10	ug/m3	0.47	0.10	1.8		11/15/20 18:00	75-01-4	
m&p-Xylene	12.9	ug/m3	3.2	0.75	1.8		11/15/20 18:00	179601-23-1	
o-Xylene	4.4	ug/m3	1.6	0.42	1.8		11/15/20 18:00	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



December 22, 2020

Mr. Jim Guzman
Guzman Building, LLC
1700 Rose Court
Plover, WI 54467

Re: **Dun-Rite Cleaners**
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results

Dear Mr. Guzman:

The purpose of this letter is to present the results of vapor samples collected at the Guzman office building, located at 1100 Center Point Drive, Stevens Point, Wisconsin, on October 22, 2020. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

Vapor samples were collected from three locations inside the building. The indoor samples included three samples of ambient air (i.e., typical room air) collected from the northwest lower office (former Wildcard (AA407)), the southwest lower office (former Attorney (AA408), and the main floor lobby (from the space beneath foot-ramp to the upper level (AA406), because the typical United Way room was inaccessible). The two sub-slab samples were collected from the beneath the two lower offices (SSV405 from the southwest, SSV406 from the northwest). The samples were submitted to a laboratory and analyzed for VOCs.

Sample Results

The PCE and TCE results for all samples collected from the office building are presented on the enclosed table. Sample locations are shown on the enclosed figure. All results for the most recent samples are included on the enclosed laboratory report.

Ambient Air

The PCE and TCE concentrations from all ambient air samples were below their respective action levels.

The WDNR screening levels for PCE/TCE are set to provide threshold concentrations for the substances that are protective of human health over long-term exposure. The potential health risk for the building occupants is low.

Sub-Slab Vapor

As with previous occasions, the two sub-slab vapor samples had detections of PCE above its non-residential Screening Levels. Such concentrations are the reason indoor ambient air samples are collected.

The sub-slab and ambient vapor results together indicate that movement from the sub-slab environment to indoor spaces is minimal.

Building users who have questions may contact Curtis Hedman (608.266.6677) with the Wisconsin Department of Health Services (DHS).

Going Forward

We expect to perform another round of vapor sampling in spring 2021. At that time, we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrologist

Enclosures: Table 1: Vapor Sample Results for Guzman Office Building
 Figure 1: Vapor Sample Locations and PCE Results October 2020
 Laboratory Report

cc/enc: Mr. Matthew Vitale/Wisconsin Department of Natural Resource, via RR Submittal Portal only

Table 1: Vapor Sample Results for Guzman Office Building

1100 Center Point Drive, Stevens Point, Wisconsin

Dun-Rite Cleaners, Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Indoor Air Vapor Action Levels¹</u>				
	Non-Residential		180	8.8
	Residential		42	2.1
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
		6/7/2019	4.0	1.8
		9/23/2019	4.0	1.5
		5/7/2020	3.6	1.7
		10/22/2020	11.8	5.1
AA407	Wildcard (former)	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
		11/12/2108	3.5	<0.47
		6/7/2019	2.5	<0.36
		9/23/2019	10.9	1.3
		5/7/2020	6.3	0.94
		10/22/2020	14.5	0.80 J

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Indoor Air Vapor Action Levels¹</u>				
		Non-Residential	180	8.8
		Residential	42	2.1
AA408	Attorney (former)	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327	1.2
		12/5/2018	5.6	<0.39
		6/7/2019	21.3	0.54 J
		9/23/2019	8.5	2.2
		5/7/2020	6.0	0.95
		10/22/2020	23.9	0.53 J

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
<u>Sub-Slab Vapor Screening Levels²</u>				
		Non-Residential	6,000	290
		Residential	1,400	70
SSV405	Attorney (former)	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
		9/23/2019	28,800	152
		5/7/2020	15,700	134
		10/22/2020	26,500	118

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Sub-Slab Vapor Screening Levels²				
	Non-Residential		6,000	290
	Residential		<i>1,400</i>	<i>50</i>
SSV406	Wildcard (former)	9/19/2014 2/27/2015 9/4/2015 2/16/2016 10/5/2016 6/16/2017 11/16/2017 5/18/2018 11/12/2018 6/7/2019 9/23/2019 5/7/2020 10/22/2020	11,300 7,180 68,200 9,940 37,400 15,500 11,500 12,500 13,600 <i>3,810</i> 19,300 <i>4,630</i> 10,900	<28 <24 16 11 15 9.1 9.6 11.2 12.8 <11.1 <6.8 4.7 7.6

Notes:

$\mu\text{g}/\text{m}^3$ micrograms per cubic meter.

<0.076 Substance not detected above indicated detection limit.

6,000 **Bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions

1,400 Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

*


Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample."

J Analyte was detected but is below the reporting limit. The concentration is estimated.

Highlighting indicates most recent results.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table**.
[\[http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf\]](http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf).

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).



VAPOR SAMPLE LOCATIONS AND PCE RESULTS OCTOBER 2020

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE: DECEMBER 2020	DRAWN BY: ASR
SCALE: 1"=40'	APPROVED BY: PDA

FIGURE 1

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA406-United Way	Lab ID: 10537135003	Collected: 10/22/20 16:04	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	34.2	ug/m3	9.2	3.1	1.52		11/15/20 16:39	67-64-1	
Benzene	0.46J	ug/m3	0.49	0.13	1.52		11/15/20 16:39	71-43-2	
Benzyl chloride	<0.68	ug/m3	4.0	0.68	1.52		11/15/20 16:39	100-44-7	
Bromodichloromethane	<0.45	ug/m3	2.1	0.45	1.52		11/15/20 16:39	75-27-4	
Bromoform	<2.8	ug/m3	8.0	2.8	1.52		11/15/20 16:39	75-25-2	
Bromomethane	<0.35	ug/m3	1.2	0.35	1.52		11/15/20 16:39	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.68	0.18	1.52		11/15/20 16:39	106-99-0	
2-Butanone (MEK)	2.9J	ug/m3	4.6	1.0	1.52		11/15/20 16:39	78-93-3	
Carbon disulfide	<0.36	ug/m3	0.96	0.36	1.52		11/15/20 16:39	75-15-0	
Carbon tetrachloride	<0.52	ug/m3	1.9	0.52	1.52		11/15/20 16:39	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.4	0.33	1.52		11/15/20 16:39	108-90-7	
Chloroethane	<0.16	ug/m3	0.81	0.16	1.52		11/15/20 16:39	75-00-3	
Chloroform	<0.23	ug/m3	0.75	0.23	1.52		11/15/20 16:39	67-66-3	
Chloromethane	1.6	ug/m3	0.64	0.18	1.52		11/15/20 16:39	74-87-3	
Cyclohexane	0.40J	ug/m3	2.7	0.29	1.52		11/15/20 16:39	110-82-7	
Dibromochloromethane	<0.60	ug/m3	2.6	0.60	1.52		11/15/20 16:39	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.52		11/15/20 16:39	106-93-4	
1,2-Dichlorobenzene	<0.51	ug/m3	1.9	0.51	1.52		11/15/20 16:39	95-50-1	
1,3-Dichlorobenzene	<0.59	ug/m3	1.9	0.59	1.52		11/15/20 16:39	541-73-1	
1,4-Dichlorobenzene	243	ug/m3	4.7	0.80	1.52		11/15/20 16:39	106-46-7	
Dichlorodifluoromethane	11.0	ug/m3	1.5	0.30	1.52		11/15/20 16:39	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.52		11/15/20 16:39	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	0.62	0.29	1.52		11/15/20 16:39	107-06-2	
1,1-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.52		11/15/20 16:39	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.52		11/15/20 16:39	156-59-2	
trans-1,2-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.52		11/15/20 16:39	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.4	0.24	1.52		11/15/20 16:39	78-87-5	
cis-1,3-Dichloropropene	<0.28	ug/m3	1.4	0.28	1.52		11/15/20 16:39	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.52		11/15/20 16:39	10061-02-6	
Dichlorotetrafluoroethane	<0.62	ug/m3	2.2	0.62	1.52		11/15/20 16:39	76-14-2	
Ethanol	1820	ug/m3	2.9	1.4	1.52		11/15/20 16:39	64-17-5	E
Ethyl acetate	4.0	ug/m3	1.1	0.32	1.52		11/15/20 16:39	141-78-6	
Ethylbenzene	<0.30	ug/m3	1.3	0.30	1.52		11/15/20 16:39	100-41-4	
4-Ethyltoluene	<0.53	ug/m3	3.8	0.53	1.52		11/15/20 16:39	622-96-8	
n-Heptane	<0.35	ug/m3	1.3	0.35	1.52		11/15/20 16:39	142-82-5	
Hexachloro-1,3-butadiene	<3.7	ug/m3	8.2	3.7	1.52		11/15/20 16:39	87-68-3	
n-Hexane	0.39J	ug/m3	1.1	0.32	1.52		11/15/20 16:39	110-54-3	
2-Hexanone	<0.75	ug/m3	6.3	0.75	1.52		11/15/20 16:39	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.4	2.4	1.52		11/15/20 16:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.33	ug/m3	6.3	0.33	1.52		11/15/20 16:39	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.6	0.20	1.52		11/15/20 16:39	1634-04-4	
Naphthalene	<1.9	ug/m3	4.0	1.9	1.52		11/15/20 16:39	91-20-3	
2-Propanol	32.2	ug/m3	3.8	1.2	1.52		11/15/20 16:39	67-63-0	
Propylene	<0.20	ug/m3	0.53	0.20	1.52		11/15/20 16:39	115-07-1	
Styrene	0.97J	ug/m3	1.3	0.50	1.52		11/15/20 16:39	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA406-United Way	Lab ID: 10537135003	Collected: 10/22/20 16:04	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.23	ug/m3	1.1	0.23	1.52		11/15/20 16:39	79-34-5	
Tetrachloroethylene	11.8	ug/m3	1.0	0.50	1.52		11/15/20 16:39	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.91	0.21	1.52		11/15/20 16:39	109-99-9	
Toluene	1.5	ug/m3	1.2	0.30	1.52		11/15/20 16:39	108-88-3	
1,2,4-Trichlorobenzene	<5.0	ug/m3	11.5	5.0	1.52		11/15/20 16:39	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.7	0.25	1.52		11/15/20 16:39	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.84	0.26	1.52		11/15/20 16:39	79-00-5	
Trichloroethylene	5.1	ug/m3	0.83	0.26	1.52		11/15/20 16:39	79-01-6	
Trichlorofluoromethane	2.4	ug/m3	1.7	0.58	1.52		11/15/20 16:39	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.72J	ug/m3	2.4	0.51	1.52		11/15/20 16:39	76-13-1	
1,2,4-Trimethylbenzene	0.71J	ug/m3	1.5	0.53	1.52		11/15/20 16:39	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.52		11/15/20 16:39	108-67-8	
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.52		11/15/20 16:39	108-05-4	
Vinyl chloride	<0.086	ug/m3	0.40	0.086	1.52		11/15/20 16:39	75-01-4	
m&p-Xylene	<0.63	ug/m3	2.7	0.63	1.52		11/15/20 16:39	179601-23-1	
o-Xylene	<0.36	ug/m3	1.3	0.36	1.52		11/15/20 16:39	95-47-6	
<hr/>									
Sample: AA407-Wild Card	Lab ID: 10537135004	Collected: 10/22/20 16:02	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	31.9	ug/m3	9.4	3.2	1.55		11/15/20 17:06	67-64-1	
Benzene	0.49J	ug/m3	0.50	0.13	1.55		11/15/20 17:06	71-43-2	
Benzyl chloride	<0.69	ug/m3	4.1	0.69	1.55		11/15/20 17:06	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.1	0.46	1.55		11/15/20 17:06	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		11/15/20 17:06	75-25-2	
Bromomethane	<0.36	ug/m3	1.2	0.36	1.55		11/15/20 17:06	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.70	0.18	1.55		11/15/20 17:06	106-99-0	
2-Butanone (MEK)	2.2J	ug/m3	4.6	1.0	1.55		11/15/20 17:06	78-93-3	
Carbon disulfide	2.5	ug/m3	0.98	0.37	1.55		11/15/20 17:06	75-15-0	
Carbon tetrachloride	<0.53	ug/m3	2.0	0.53	1.55		11/15/20 17:06	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.5	0.33	1.55		11/15/20 17:06	108-90-7	
Chloroethane	<0.16	ug/m3	0.83	0.16	1.55		11/15/20 17:06	75-00-3	
Chloroform	<0.23	ug/m3	0.77	0.23	1.55		11/15/20 17:06	67-66-3	
Chloromethane	1.2	ug/m3	0.65	0.18	1.55		11/15/20 17:06	74-87-3	
Cyclohexane	<0.29	ug/m3	2.7	0.29	1.55		11/15/20 17:06	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		11/15/20 17:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.55		11/15/20 17:06	106-93-4	
1,2-Dichlorobenzene	<0.52	ug/m3	1.9	0.52	1.55		11/15/20 17:06	95-50-1	
1,3-Dichlorobenzene	<0.60	ug/m3	1.9	0.60	1.55		11/15/20 17:06	541-73-1	
1,4-Dichlorobenzene	32.4	ug/m3	4.7	0.82	1.55		11/15/20 17:06	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA407-Wild Card	Lab ID: 10537135004	Collected: 10/22/20 16:02	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Dichlorodifluoromethane	9.7	ug/m3	1.6	0.31	1.55		11/15/20 17:06	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.55		11/15/20 17:06	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.64	0.30	1.55		11/15/20 17:06	107-06-2	
1,1-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.55		11/15/20 17:06	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.55		11/15/20 17:06	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		11/15/20 17:06	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.5	0.24	1.55		11/15/20 17:06	78-87-5	
cis-1,3-Dichloropropene	<0.29	ug/m3	1.4	0.29	1.55		11/15/20 17:06	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.55		11/15/20 17:06	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.2	0.63	1.55		11/15/20 17:06	76-14-2	
Ethanol	440	ug/m3	3.0	1.5	1.55		11/15/20 17:06	64-17-5	
Ethyl acetate	0.84J	ug/m3	1.1	0.33	1.55		11/15/20 17:06	141-78-6	
Ethylbenzene	<0.31	ug/m3	1.4	0.31	1.55		11/15/20 17:06	100-41-4	
4-Ethyltoluene	<0.54	ug/m3	3.9	0.54	1.55		11/15/20 17:06	622-96-8	
n-Heptane	0.51J	ug/m3	1.3	0.36	1.55		11/15/20 17:06	142-82-5	
Hexachloro-1,3-butadiene	<3.8	ug/m3	8.4	3.8	1.55		11/15/20 17:06	87-68-3	
n-Hexane	0.36J	ug/m3	1.1	0.33	1.55		11/15/20 17:06	110-54-3	
2-Hexanone	<0.77	ug/m3	6.4	0.77	1.55		11/15/20 17:06	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.5	2.4	1.55		11/15/20 17:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.34	ug/m3	6.4	0.34	1.55		11/15/20 17:06	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.7	0.20	1.55		11/15/20 17:06	1634-04-4	
Naphthalene	<1.9	ug/m3	4.1	1.9	1.55		11/15/20 17:06	91-20-3	
2-Propanol	13.6	ug/m3	3.9	1.2	1.55		11/15/20 17:06	67-63-0	
Propylene	<0.20	ug/m3	0.54	0.20	1.55		11/15/20 17:06	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.55		11/15/20 17:06	100-42-5	
1,1,2,2-Tetrachloroethane	<0.24	ug/m3	1.1	0.24	1.55		11/15/20 17:06	79-34-5	
Tetrachloroethene	14.5	ug/m3	1.1	0.51	1.55		11/15/20 17:06	127-18-4	
Tetrahydrofuran	<0.21	ug/m3	0.93	0.21	1.55		11/15/20 17:06	109-99-9	
Toluene	1.2	ug/m3	1.2	0.30	1.55		11/15/20 17:06	108-88-3	
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55		11/15/20 17:06	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.7	0.26	1.55		11/15/20 17:06	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.86	0.26	1.55		11/15/20 17:06	79-00-5	
Trichloroethene	0.80J	ug/m3	0.85	0.26	1.55		11/15/20 17:06	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.8	0.60	1.55		11/15/20 17:06	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.70J	ug/m3	2.4	0.52	1.55		11/15/20 17:06	76-13-1	
1,2,4-Trimethylbenzene	<0.54	ug/m3	1.5	0.54	1.55		11/15/20 17:06	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.55		11/15/20 17:06	108-67-8	
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.55		11/15/20 17:06	108-05-4	
Vinyl chloride	<0.088	ug/m3	0.40	0.088	1.55		11/15/20 17:06	75-01-4	
m&p-Xylene	<0.64	ug/m3	2.7	0.64	1.55		11/15/20 17:06	179601-23-1	
o-Xylene	<0.36	ug/m3	1.4	0.36	1.55		11/15/20 17:06	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA408-Attorney Lab ID: 10537135005 Collected: 10/22/20 16:00 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	6.3J	ug/m3	9.4	3.2	1.55		11/15/20 17:33	67-64-1	
Benzene	0.68	ug/m3	0.50	0.13	1.55		11/15/20 17:33	71-43-2	
Benzyl chloride	<0.69	ug/m3	4.1	0.69	1.55		11/15/20 17:33	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.1	0.46	1.55		11/15/20 17:33	75-27-4	
Bromoform	<2.8	ug/m3	8.1	2.8	1.55		11/15/20 17:33	75-25-2	
Bromomethane	<0.36	ug/m3	1.2	0.36	1.55		11/15/20 17:33	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.70	0.18	1.55		11/15/20 17:33	106-99-0	
2-Butanone (MEK)	<1.0	ug/m3	4.6	1.0	1.55		11/15/20 17:33	78-93-3	
Carbon disulfide	<0.37	ug/m3	0.98	0.37	1.55		11/15/20 17:33	75-15-0	
Carbon tetrachloride	<0.53	ug/m3	2.0	0.53	1.55		11/15/20 17:33	56-23-5	
Chlorobenzene	<0.33	ug/m3	1.5	0.33	1.55		11/15/20 17:33	108-90-7	
Chloroethane	1.5	ug/m3	0.83	0.16	1.55		11/15/20 17:33	75-00-3	
Chloroform	<0.23	ug/m3	0.77	0.23	1.55		11/15/20 17:33	67-66-3	
Chloromethane	1.9	ug/m3	0.65	0.18	1.55		11/15/20 17:33	74-87-3	
Cyclohexane	<0.29	ug/m3	2.7	0.29	1.55		11/15/20 17:33	110-82-7	
Dibromochloromethane	<0.62	ug/m3	2.7	0.62	1.55		11/15/20 17:33	124-48-1	
1,2-Dibromoethane (EDB)	<0.34	ug/m3	1.2	0.34	1.55		11/15/20 17:33	106-93-4	
1,2-Dichlorobenzene	<0.52	ug/m3	1.9	0.52	1.55		11/15/20 17:33	95-50-1	
1,3-Dichlorobenzene	<0.60	ug/m3	1.9	0.60	1.55		11/15/20 17:33	541-73-1	
1,4-Dichlorobenzene	1.0J	ug/m3	4.7	0.82	1.55		11/15/20 17:33	106-46-7	
Dichlorodifluoromethane	10.9	ug/m3	1.6	0.31	1.55		11/15/20 17:33	75-71-8	
1,1-Dichloroethane	<0.26	ug/m3	1.3	0.26	1.55		11/15/20 17:33	75-34-3	
1,2-Dichloroethane	<0.30	ug/m3	0.64	0.30	1.55		11/15/20 17:33	107-06-2	
1,1-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.55		11/15/20 17:33	75-35-4	
cis-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.55		11/15/20 17:33	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		11/15/20 17:33	156-60-5	
1,2-Dichloropropane	<0.24	ug/m3	1.5	0.24	1.55		11/15/20 17:33	78-87-5	
cis-1,3-Dichloropropene	<0.29	ug/m3	1.4	0.29	1.55		11/15/20 17:33	10061-01-5	
trans-1,3-Dichloropropene	<0.24	ug/m3	1.4	0.24	1.55		11/15/20 17:33	10061-02-6	
Dichlorotetrafluoroethane	<0.63	ug/m3	2.2	0.63	1.55		11/15/20 17:33	76-14-2	
Ethanol	28.0	ug/m3	3.0	1.5	1.55		11/15/20 17:33	64-17-5	
Ethyl acetate	<0.33	ug/m3	1.1	0.33	1.55		11/15/20 17:33	141-78-6	
Ethylbenzene	<0.31	ug/m3	1.4	0.31	1.55		11/15/20 17:33	100-41-4	
4-Ethyltoluene	<0.54	ug/m3	3.9	0.54	1.55		11/15/20 17:33	622-96-8	
n-Heptane	<0.36	ug/m3	1.3	0.36	1.55		11/15/20 17:33	142-82-5	
Hexachloro-1,3-butadiene	<3.8	ug/m3	8.4	3.8	1.55		11/15/20 17:33	87-68-3	
n-Hexane	<0.33	ug/m3	1.1	0.33	1.55		11/15/20 17:33	110-54-3	
2-Hexanone	<0.77	ug/m3	6.4	0.77	1.55		11/15/20 17:33	591-78-6	
Methylene Chloride	<2.4	ug/m3	5.5	2.4	1.55		11/15/20 17:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.34	ug/m3	6.4	0.34	1.55		11/15/20 17:33	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.7	0.20	1.55		11/15/20 17:33	1634-04-4	
Naphthalene	<1.9	ug/m3	4.1	1.9	1.55		11/15/20 17:33	91-20-3	
2-Propanol	1.5J	ug/m3	3.9	1.2	1.55		11/15/20 17:33	67-63-0	
Propylene	<0.20	ug/m3	0.54	0.20	1.55		11/15/20 17:33	115-07-1	
Styrene	<0.51	ug/m3	1.3	0.51	1.55		11/15/20 17:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: AA408-Attorney Lab ID: 10537135005 Collected: 10/22/20 16:00 Received: 10/28/20 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15 Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.24	ug/m3	1.1	0.24	1.55			11/15/20 17:33	79-34-5
Tetrachloroethene	23.9	ug/m3	1.1	0.51	1.55			11/15/20 17:33	127-18-4
Tetrahydrofuran	<0.21	ug/m3	0.93	0.21	1.55			11/15/20 17:33	109-99-9
Toluene	1.1J	ug/m3	1.2	0.30	1.55			11/15/20 17:33	108-88-3
1,2,4-Trichlorobenzene	<5.1	ug/m3	11.7	5.1	1.55			11/15/20 17:33	120-82-1
1,1,1-Trichloroethane	<0.26	ug/m3	1.7	0.26	1.55			11/15/20 17:33	71-55-6
1,1,2-Trichloroethane	<0.26	ug/m3	0.86	0.26	1.55			11/15/20 17:33	79-00-5
Trichloroethene	0.53J	ug/m3	0.85	0.26	1.55			11/15/20 17:33	79-01-6
Trichlorofluoromethane	2.4	ug/m3	1.8	0.60	1.55			11/15/20 17:33	75-69-4
1,1,2-Trichlorotrifluoroethane	0.76J	ug/m3	2.4	0.52	1.55			11/15/20 17:33	76-13-1
1,2,4-Trimethylbenzene	<0.54	ug/m3	1.5	0.54	1.55			11/15/20 17:33	95-63-6
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.55			11/15/20 17:33	108-67-8
Vinyl acetate	<0.21	ug/m3	1.1	0.21	1.55			11/15/20 17:33	108-05-4
Vinyl chloride	<0.088	ug/m3	0.40	0.088	1.55			11/15/20 17:33	75-01-4
m&p-Xylene	<0.64	ug/m3	2.7	0.64	1.55			11/15/20 17:33	179601-23-1
o-Xylene	<0.36	ug/m3	1.4	0.36	1.55			11/15/20 17:33	95-47-6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV406-Wild Card	Lab ID: 10537135008	Collected: 10/22/20 13:41	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
		Pace Analytical Services - Minneapolis							
Acetone	18.7	ug/m3	10.3	3.5	1.71		11/15/20 18:54	67-64-1	
Benzene	0.50J	ug/m3	0.56	0.15	1.71		11/15/20 18:54	71-43-2	
Benzyl chloride	<0.77	ug/m3	4.5	0.77	1.71		11/15/20 18:54	100-44-7	
Bromodichloromethane	<0.51	ug/m3	2.3	0.51	1.71		11/15/20 18:54	75-27-4	
Bromoform	<3.1	ug/m3	9.0	3.1	1.71		11/15/20 18:54	75-25-2	
Bromomethane	<0.40	ug/m3	1.3	0.40	1.71		11/15/20 18:54	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.77	0.20	1.71		11/15/20 18:54	106-99-0	
2-Butanone (MEK)	6.7	ug/m3	5.1	1.1	1.71		11/15/20 18:54	78-93-3	
Carbon disulfide	0.88J	ug/m3	1.1	0.41	1.71		11/15/20 18:54	75-15-0	
Carbon tetrachloride	<0.59	ug/m3	2.2	0.59	1.71		11/15/20 18:54	56-23-5	
Chlorobenzene	<0.37	ug/m3	1.6	0.37	1.71		11/15/20 18:54	108-90-7	
Chloroethane	<0.18	ug/m3	0.92	0.18	1.71		11/15/20 18:54	75-00-3	
Chloroform	0.33J	ug/m3	0.85	0.26	1.71		11/15/20 18:54	67-66-3	
Chloromethane	<0.20	ug/m3	0.72	0.20	1.71		11/15/20 18:54	74-87-3	
Cyclohexane	<0.32	ug/m3	3.0	0.32	1.71		11/15/20 18:54	110-82-7	
Dibromochloromethane	<0.68	ug/m3	3.0	0.68	1.71		11/15/20 18:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.3	0.38	1.71		11/15/20 18:54	106-93-4	
1,2-Dichlorobenzene	<0.57	ug/m3	2.1	0.57	1.71		11/15/20 18:54	95-50-1	
1,3-Dichlorobenzene	<0.66	ug/m3	2.1	0.66	1.71		11/15/20 18:54	541-73-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV406-Wild Card	Lab ID: 10537135008	Collected: 10/22/20 13:41	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,4-Dichlorobenzene	0.93J	ug/m3	5.2	0.90	1.71		11/15/20 18:54	106-46-7	
Dichlorodifluoromethane	34.9	ug/m3	1.7	0.34	1.71		11/15/20 18:54	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.71		11/15/20 18:54	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	0.70	0.33	1.71		11/15/20 18:54	107-06-2	
1,1-Dichloroethene	<0.31	ug/m3	1.4	0.31	1.71		11/15/20 18:54	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.71		11/15/20 18:54	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.71		11/15/20 18:54	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 18:54	78-87-5	
cis-1,3-Dichloropropene	<0.31	ug/m3	1.6	0.31	1.71		11/15/20 18:54	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.71		11/15/20 18:54	10061-02-6	
Dichlorotetrafluoroethane	<0.70	ug/m3	2.4	0.70	1.71		11/15/20 18:54	76-14-2	
Ethanol	26.9	ug/m3	3.3	1.6	1.71		11/15/20 18:54	64-17-5	
Ethyl acetate	<0.36	ug/m3	1.3	0.36	1.71		11/15/20 18:54	141-78-6	
Ethylbenzene	4.2	ug/m3	1.5	0.34	1.71		11/15/20 18:54	100-41-4	
4-Ethyltoluene	1.1J	ug/m3	4.3	0.60	1.71		11/15/20 18:54	622-96-8	
n-Heptane	<0.40	ug/m3	1.4	0.40	1.71		11/15/20 18:54	142-82-5	
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.3	4.2	1.71		11/15/20 18:54	87-68-3	
n-Hexane	<0.36	ug/m3	1.2	0.36	1.71		11/15/20 18:54	110-54-3	
2-Hexanone	<0.85	ug/m3	7.1	0.85	1.71		11/15/20 18:54	591-78-6	
Methylene Chloride	<2.7	ug/m3	6.0	2.7	1.71		11/15/20 18:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.1J	ug/m3	7.1	0.37	1.71		11/15/20 18:54	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.3	0.22	1.71		11/15/20 18:54	1634-04-4	
Naphthalene	<2.1	ug/m3	4.5	2.1	1.71		11/15/20 18:54	91-20-3	
2-Propanol	7.2	ug/m3	4.3	1.3	1.71		11/15/20 18:54	67-63-0	
Propylene	<0.22	ug/m3	0.60	0.22	1.71		11/15/20 18:54	115-07-1	
Styrene	6.4	ug/m3	1.5	0.56	1.71		11/15/20 18:54	100-42-5	
1,1,2,2-Tetrachloroethane	<0.26	ug/m3	1.2	0.26	1.71		11/15/20 18:54	79-34-5	
Tetrachloroethene	10900	ug/m3	70.7	33.8	102.6		11/17/20 10:40	127-18-4	
Tetrahydrofuran	0.71J	ug/m3	1.0	0.24	1.71		11/15/20 18:54	109-99-9	
Toluene	124	ug/m3	1.3	0.34	1.71		11/15/20 18:54	108-88-3	
1,2,4-Trichlorobenzene	<5.7	ug/m3	12.9	5.7	1.71		11/15/20 18:54	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.9	0.28	1.71		11/15/20 18:54	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.95	0.29	1.71		11/15/20 18:54	79-00-5	
Trichloroethene	7.6	ug/m3	0.93	0.29	1.71		11/15/20 18:54	79-01-6	
Trichlorofluoromethane	2.9	ug/m3	1.9	0.66	1.71		11/15/20 18:54	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	0.57	1.71		11/15/20 18:54	76-13-1	
1,2,4-Trimethylbenzene	3.4	ug/m3	1.7	0.60	1.71		11/15/20 18:54	95-63-6	
1,3,5-Trimethylbenzene	0.95J	ug/m3	1.7	0.46	1.71		11/15/20 18:54	108-67-8	
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.71		11/15/20 18:54	108-05-4	
Vinyl chloride	<0.097	ug/m3	0.44	0.097	1.71		11/15/20 18:54	75-01-4	
m&p-Xylene	17.0	ug/m3	3.0	0.71	1.71		11/15/20 18:54	179601-23-1	
o-Xylene	5.7	ug/m3	1.5	0.40	1.71		11/15/20 18:54	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV405-Attorney	Lab ID: 10537135009	Collected: 10/22/20 13:57	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
Acetone	48.0	ug/m3	10.5	3.6	1.74		11/15/20 19:21	67-64-1	
Benzene	0.55J	ug/m3	0.57	0.15	1.74		11/15/20 19:21	71-43-2	
Benzyl chloride	<0.78	ug/m3	4.6	0.78	1.74		11/15/20 19:21	100-44-7	
Bromodichloromethane	<0.52	ug/m3	2.4	0.52	1.74		11/15/20 19:21	75-27-4	
Bromoform	<3.1	ug/m3	9.1	3.1	1.74		11/15/20 19:21	75-25-2	
Bromomethane	1.3J	ug/m3	1.4	0.41	1.74		11/15/20 19:21	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.78	0.20	1.74		11/15/20 19:21	106-99-0	
2-Butanone (MEK)	13.2	ug/m3	5.2	1.2	1.74		11/15/20 19:21	78-93-3	
Carbon disulfide	4.0	ug/m3	1.1	0.41	1.74		11/15/20 19:21	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	2.2	0.60	1.74		11/15/20 19:21	56-23-5	
Chlorobenzene	<0.38	ug/m3	1.6	0.38	1.74		11/15/20 19:21	108-90-7	
Chloroethane	<0.18	ug/m3	0.93	0.18	1.74		11/15/20 19:21	75-00-3	
Chloroform	0.54J	ug/m3	0.86	0.26	1.74		11/15/20 19:21	67-66-3	
Chloromethane	3.1	ug/m3	0.73	0.21	1.74		11/15/20 19:21	74-87-3	
Cyclohexane	<0.33	ug/m3	3.0	0.33	1.74		11/15/20 19:21	110-82-7	
Dibromochloromethane	<0.69	ug/m3	3.0	0.69	1.74		11/15/20 19:21	124-48-1	
1,2-Dibromoethane (EDB)	<0.38	ug/m3	1.4	0.38	1.74		11/15/20 19:21	106-93-4	
1,2-Dichlorobenzene	<0.58	ug/m3	2.1	0.58	1.74		11/15/20 19:21	95-50-1	
1,3-Dichlorobenzene	<0.67	ug/m3	2.1	0.67	1.74		11/15/20 19:21	541-73-1	
1,4-Dichlorobenzene	1.1J	ug/m3	5.3	0.92	1.74		11/15/20 19:21	106-46-7	
Dichlorodifluoromethane	23.6	ug/m3	1.8	0.34	1.74		11/15/20 19:21	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.4	0.30	1.74		11/15/20 19:21	75-34-3	
1,2-Dichloroethane	<0.33	ug/m3	0.72	0.33	1.74		11/15/20 19:21	107-06-2	
1,1-Dichloroethene	<0.32	ug/m3	1.4	0.32	1.74		11/15/20 19:21	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.4	0.26	1.74		11/15/20 19:21	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.74		11/15/20 19:21	156-60-5	
1,2-Dichloropropane	<0.27	ug/m3	1.6	0.27	1.74		11/15/20 19:21	78-87-5	
cis-1,3-Dichloropropene	<0.32	ug/m3	1.6	0.32	1.74		11/15/20 19:21	10061-01-5	
trans-1,3-Dichloropropene	<0.27	ug/m3	1.6	0.27	1.74		11/15/20 19:21	10061-02-6	
Dichlorotetrafluoroethane	<0.71	ug/m3	2.5	0.71	1.74		11/15/20 19:21	76-14-2	
Ethanol	37.6	ug/m3	3.3	1.6	1.74		11/15/20 19:21	64-17-5	
Ethyl acetate	<0.37	ug/m3	1.3	0.37	1.74		11/15/20 19:21	141-78-6	
Ethylbenzene	4.1	ug/m3	1.5	0.34	1.74		11/15/20 19:21	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.61	1.74		11/15/20 19:21	622-96-8	
n-Heptane	<0.41	ug/m3	1.4	0.41	1.74		11/15/20 19:21	142-82-5	
Hexachloro-1,3-butadiene	<4.2	ug/m3	9.4	4.2	1.74		11/15/20 19:21	87-68-3	
n-Hexane	<0.37	ug/m3	1.2	0.37	1.74		11/15/20 19:21	110-54-3	
2-Hexanone	1.3J	ug/m3	7.2	0.86	1.74		11/15/20 19:21	591-78-6	
Methylene Chloride	<2.7	ug/m3	6.1	2.7	1.74		11/15/20 19:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	2.7J	ug/m3	7.2	0.38	1.74		11/15/20 19:21	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.74		11/15/20 19:21	1634-04-4	
Naphthalene	<2.2	ug/m3	4.6	2.2	1.74		11/15/20 19:21	91-20-3	
2-Propanol	8.3	ug/m3	4.4	1.4	1.74		11/15/20 19:21	67-63-0	
Propylene	<0.22	ug/m3	0.61	0.22	1.74		11/15/20 19:21	115-07-1	
Styrene	6.6	ug/m3	1.5	0.57	1.74		11/15/20 19:21	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10537135

Sample: SSV405-Attorney	Lab ID: 10537135009	Collected: 10/22/20 13:57	Received: 10/28/20 13:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
	Pace Analytical Services - Minneapolis								
1,1,2,2-Tetrachloroethane	<0.27	ug/m3	1.2	0.27	1.74		11/15/20 19:21	79-34-5	
Tetrachloroethylene	26500	ug/m3	288	137	417.6		11/17/20 11:05	127-18-4	
Tetrahydrofuran	0.59J	ug/m3	1.0	0.24	1.74		11/15/20 19:21	109-99-9	
Toluene	109	ug/m3	1.3	0.34	1.74		11/15/20 19:21	108-88-3	
1,2,4-Trichlorobenzene	<5.8	ug/m3	13.1	5.8	1.74		11/15/20 19:21	120-82-1	
1,1,1-Trichloroethane	1.4J	ug/m3	1.9	0.29	1.74		11/15/20 19:21	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.97	0.29	1.74		11/15/20 19:21	79-00-5	
Trichloroethylene	118	ug/m3	0.95	0.29	1.74		11/15/20 19:21	79-01-6	
Trichlorofluoromethane	3.0	ug/m3	2.0	0.67	1.74		11/15/20 19:21	75-69-4	CH,L1
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.7	0.58	1.74		11/15/20 19:21	76-13-1	
1,2,4-Trimethylbenzene	3.5	ug/m3	1.7	0.61	1.74		11/15/20 19:21	95-63-6	
1,3,5-Trimethylbenzene	1.1J	ug/m3	1.7	0.46	1.74		11/15/20 19:21	108-67-8	
Vinyl acetate	<0.23	ug/m3	1.2	0.23	1.74		11/15/20 19:21	108-05-4	
Vinyl chloride	<0.099	ug/m3	0.45	0.099	1.74		11/15/20 19:21	75-01-4	
m&p-Xylene	16.5	ug/m3	3.1	0.72	1.74		11/15/20 19:21	179601-23-1	
o-Xylene	5.6	ug/m3	1.5	0.41	1.74		11/15/20 19:21	95-47-6	

5

-

1

A

E

E

E

E

1

2

C

C

C

C

C

D

1

1

1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.