



July 2, 2021

Ms. Duabchi Vang, Project Manager
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Spring 2021 Groundwater and Vapor Results

Dear Ms. Vang:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site on April 17 and 22, 2021. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on Figure 1.

Work Performed

Sub-slab and ambient air samples were collected on April 22, 2021, from the Dun-Rite building, Guzman office building and premises, and the residential structure at 1000 Union Street (the former Residence). The developer of the adjacent former Lullabye property purchased the residential structure and is now using it as office space to support their project. Nobody lives in the structure.

Groundwater samples were collected on April 17, 2021, from monitoring wells south of the Dun-Rite building including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on Tables 1a, 1b, and 1c; sample locations and PCE results are shown on Figure 2. The laboratory report is enclosed.

Neither PCE nor TCE were detected in the ambient air sample from the former Residence.

The sub-slab sample from the former Residence was below the Residential Sub-Slab Vapor Screening Levels for PCE, and no TCE was detected.

Ambient air samples from inside the Guzman building were below Non-Residential Action Levels for PCE and TCE. The ambient air sample collected from the lobby of the building indicated TCE above its Residential Action Level. Neither PCE nor TCE were detected in the ambient air sample from the outdoor location.

The sub-slab sample collected from beneath the southwest office (former Attorney [SSV405]) in the Guzman building was above the Non-Residential Sub-Slab Vapor Screening Level for PCE and TCE. The sub-slab sample taken from beneath the northwest office (former Wildcard [SSV406]) was above the Non-Residential Vapor Screening Level for PCE.

Groundwater

Groundwater sample results are summarized on Table 2; sample locations are shown on Figure 3. The laboratory reports are enclosed.

Three of the monitoring wells, GP-11, GP-12, and MWG-1, had concentrations of PCE above its Enforcement Standard (ES). The concentrations ranged from 18.1 micrograms per liter ($\mu\text{g/l}$) to 603 $\mu\text{g/l}$. TCE was detected in GP-12 only; the concentration was lower than the Preventative Action Limit (PAL). These wells are located in the parking lot immediately south of the Dun-Rite building.

Conclusions

The ambient air VOC results indicate that the residual PCE is not impacting indoor air at nearby structures above Action Levels.

The more than 6 years of sub-slab VOC results indicate that PCE concentrations have:

- decreased considerably beneath the Dun-Rite building.
- fluctuate generally below Residential screening levels beneath the former residence.
- persist at concentrations above Non-Residential screening levels beneath the Guzman building.

The blower station VOC results indicate that the sub-slab mitigation system has reduced residual PCE concentrations in the areas exposed to its influence.

The groundwater VOC results from GP-12 and GP-11 indicate that PCE concentrations are generally stable overall, while continuing to vary between the individual wells. The April 2021 PCE concentration at MWG-1 was higher than historical results.

Because the source of PCE was removed, and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.

Recommendations

The blower system will continue to run for 8 hours per day.

Subsurface concentrations of PCE and TCE will continue to be monitored semiannually unless changed circumstances warrant a different schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in fall 2021. Soil vapor samples will be collected from beneath the former

residence, Dun-Rite building, and Guzman building, and indoor ambient air samples will be collected from within the former residence and Guzman building. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the site in general, please contact me at 715.445.1497 or pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.




Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Laboratory Reports

cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
Ms. Duabchi Vang/Wisconsin Department of Natural Resource, via RR Submittal Portal only

Figures


- Figure 1 General Site Location**
- Figure 2 Vapor Sample Locations and PCE Results April 2021**
- Figure 3 Groundwater Sample Locations and Results April 2021**



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY




GENERAL SITE LOCATION

DUN-RITE CLEANERS
1088 UNION STREET
STEVENS POINT, WISCONSIN

DATE: NOVEMBER 2020 DRAWN BY: ASR

SCALE: 1"=2000' APPROVED: PDA


FIGURE 1



LEGEND

- — — — — PROPERTY BOUNDARY
- — — — — EDGE OF PAVEMENT
- W — WATER LINE
- G — GAS LINE
- SAN — SANITARY SEWER
- ST — STORM SEWER
- T — UNDERGROUND TELEPHONE
- E — E — ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) APRIL 22, 2021
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) APRIL 22, 2021
- 213 BLOWER OUTLET PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) APRIL 22, 2021

NOTE:
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO.



VAPOR SAMPLE LOCATIONS AND PCE RESULTS APRIL 2021

DUN-RITE CLEANERS
 1008 UNION STREET
 STEVENS POINT, WISCONSIN

DATE:	MAY 2021	DRAWN BY:	NRG
SCALE:	1"=40'	APPROVED BY:	PDA
FIGURE 2			



**GROUNDWATER
SAMPLE
LOCATIONS AND
RESULTS
APRIL 2021**



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN


DATE: MAY 2021

SCALE: 1" = 30'

DRAWN BY: NG

APPROVED: PA

FIGURE 3



NOTE:
EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO AND GOOGLE EARTH IMAGE DATED SEPTEMBER 2013.

Tables

Table 1	Vapor Sample Results
	Table 1a Vapor Chemistry Results – Ambient Air
	Table 1b Vapor Chemistry Results – Sub-Slab Vapor
	Table 1c Vapor Chemistry Results – SVE System Discharge
Table 2	Groundwater Chemistry Results

**Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
		10/22/2020	<0.46	<0.24
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
		6/7/2019	<0.45	<0.37
		9/23/2019	<0.49	<0.39
		5/14/2020	0.52 J	<0.32
		10/22/2020	<0.49	<0.25
4/22/2021	<0.41	<0.28		
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
4/22/2021	<0.44	<0.29		
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
		6/7/2019	4.0	1.8
		9/23/2019	4.0	1.5
		5/7/2020	3.6	1.7
		Lobby	10/22/2020	11.8
	Lobby	4/22/2021	7.5	2.6

**Table 1a: Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Indoor Air Vapor Action Levels¹				
Non-Residential			180	8.8
Residential			42	2.1
AA407	Wildcard	9/19/2014	4.0	<1.2
		2/27/2015	83	1.5
		9/4/2015	10	1.1
		2/16/2016	11	4.4
		10/5/2016	12	3.0
		6/16/2017	3.0	0.45 J
		11/16/2017	7.6	5.0
		5/18/2018	6.8	1.3
		11/12/2108	3.5	<0.47
		6/7/2019	2.5	<0.36
		9/23/2019	10.9	1.3
		5/7/2020	6.3	0.94
		10/22/2020	14.5	0.80 J
	4/22/2021	12.2	1.9	
AA408	Attorney	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327^R	1.2
		12/5/2018	5.6	<0.39
		6/7/2019	21.3	0.54 J
		9/23/2019	8.5	2.2
		5/7/2020	6.0	0.95
10/22/2020	23.9	0.53 J		
	4/22/2021	13.3	1.8	

**Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Sub-Slab Vapor Screening Levels²				
Non-Residential			6,000	290
Residential			1,400	70
SSV101	Dun-Rite	4/8/2014	2,550,000	527
		9/4/2015	141,000	1780
		2/16/2016	5,030	28
		10/5/2016	5,480	33
		6/16/2017	1,030	9.0
		11/16/2017	452	3.2
		5/18/2018	2,460	13.6
		11/2/2018	266	1.2
		6/7/2019	3,570	13.6
		9/23/2019	1,430	<10.9
		5/7/2020	253	0.51 J
10/22/2020	382	0.99		
		4/22/2021	326	0.68 J
SSV202	Dun-Rite	5/29/2014	1,700	113
		9/4/2015	2,280	145
		2/16/2016	275	7.1
SSV203	Dun-Rite	5/29/2014	27,600	<20
		11/4/2015	288	12
		10/5/2016	5,710	4.2
		6/16/2017	4,190	20
		11/16/2017	6,650	30.9
		5/18/2018	2,390	1.3
		11/9/2018	5.0	<0.37
		6/7/2019	2,180	2.0
		9/23/2019	2,930	<11.3
		5/7/2020	8.6	<0.31
		10/22/2020	106	<0.29
		4/22/2021	27.4	<0.28
SSV304	Residence	7/18/2014	13	<1.2
		3/2/2015	11	<0.31
		9/4/2015	137	21
		11/9/2015	319	14
		2/16/2016	105	5.7
		10/5/2016	52	2.2
		6/20/2017	133	0.92 J
		11/16/2017	15.6	0.57 J
		5/18/2018	1,380	6.2
		11/2/2018	14.6	<0.37
		6/7/2019	20.1	<0.37
		9/23/2019	3,570	18.5
		5/18/2020	86.6	<0.31
		10/22/2020	40.0	<0.30
		4/22/2021	15.2	<0.27

**Table 1b: Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloro-ethene (PCE)	Trichloro-ethene (TCE)
Sub-Slab Vapor Screening Levels²				
Non-Residential			6,000	290
Residential			<i>1,400</i>	<i>70</i>
SSV405	Attorney	9/19/2014	7,470	<i>139</i>
		2/24/2015	17,800	<i>183</i>
		10/5/2016	22,300	<i>175</i>
		6/16/2017	17,400	<i>111</i>
		11/16/2017	17,100	<i>130</i>
		5/18/2018	29,800	<i>168</i>
		11/9/2018	11,200	<i>149</i>
		6/7/2019	6,710	<i>64.4</i>
		9/23/2019	28,800	<i>152</i>
		5/7/2020	15,700	<i>134</i>
		10/22/2020	26,500	<i>118</i>
		4/22/2021	38,600	356 J
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1
		9/23/2019	19,300	<6.8
		5/7/2020	<i>4,630</i>	4.7
		10/22/2020	10,900	7.6
		4/22/2021	12,700	10

**Table 1c: Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Blower Exhaust	SVE	6/7/2019	328	0.90
Blower Exhaust	SVE	9/23/2019	651	0.55J
Blower Exhaust	SVE	5/7/2020	232	<0.32
Blower Sta.	SVE	10/22/2020	3,060	3.6
Blower Sta.	SVE	4/22/2021	214	<0.25
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J

Notes:

$\mu\text{g}/\text{m}^3$ micrograms per cubic meter.

<0.076 Substance not detected above indicated detection limit.

6,000 **Bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions

1,400 Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

* Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample."

J Analyte was detected but is below the reporting limit. The concentration is estimated.

R Result uncharacteristically high, thus location resampled.

Highlighting indicates most recent results.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table.**

[<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Vapor

**Table 2: Groundwater Chemistry Results
Dun-Rite Cleaners, Stevens Point, Wisconsin**

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)
PAL		0.5	0.5
ES		5.0	5.0
GP-9 ^A	7/19/2013	295	7.4
	10/2/2013	655	12
	12/13/2013	745	14
	9/23/2014	279	7.4
	11/4/2015	223	6.4
	5/6/2016	322	4.7
GP-10 ^A	12/13/2013	331	1.9
	11/4/2015	77	2.7
	5/6/2016	211	<0.33
	10/5/2016	344	3.2 J
GP-11 ^A	12/13/2013	2570	<18.2
	11/4/2015	173	<1.3
	5/6/2016	61.5	<0.33
	10/5/2016	54.6	0.54 J
	6/14/2017	614	<1.7
	11/16/2017	14.3	0.41 J
	5/18/2018	727	<1.7
	11/2/2018	17.8	<0.26
	6/7/2019	614	<1.3
	9/23/2019	112	0.84 J
	5/7/2020	243	<1.3 J
	10/23/2020	18.4	<0.26
	4/17/2021	8.1	<0.32
GP-12 ^A	12/13/2013	254	<1.8
	9/23/2014	487	2.2 J
	11/4/2015	364	1.8 J
	5/6/2016	147	0.95 J
	10/5/2016	780	2.7 J
	6/14/2017	433	1.7 J
	11/16/2017	647	3.7 J
	5/18/2018	176	1.8
	11/2/2018	462	2.2
	6/7/2019	142	2.3
	9/23/2019	829	2.8
	5/7/2020	105	1.6
	10/23/2020	239	3.5
4/17/2021	119	0.39 J	

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)
PAL		0.5	0.5
ES		5.0	5.0
MWG-1	11/4/2015	141	6.9
	5/6/2016	15.3	1.1
	10/5/2016	138	5.6
	6/14/2017	8.2	1.1
	11/16/2017	127	7.6
	5/18/2018	12.8	1.0
	11/2/2018	74.0	6.1
	6/7/2019	8.2	0.74 J
	9/23/2019	81.0	13.0
	5/9/2020	5.4	0.26 J
	10/23/2020	85.6	14.0
	4/17/2021	603	<0.32

Notes:

- 1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit.
- 5.4 **Bold** indicates exceedance of NR 140 Enforcement Standard.
- <0.45 Substance not detected above indicated detection limit.
- Data unavailable
- A Data preceding 2014 generated during investigations conducted by AECOM.
- ES Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code, January 2012.
- J Analyte was detected but is below the reporting limit. The concentration is estimated.
- PAL Preventive Action Limit listed in Chapter NR 140, Table 1, Wisconsin Administrative Code, January 2012.
- Highlighting indicates most recent results.

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Vapor

Laboratory Reports

May 11, 2021

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun-Rite
Pace Project No.: 10557643

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on April 28, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Nichole Besyk, Sand County Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite

Pace Project No.: 10557643

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
Pace Project No.: 10557643

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10557643001	AA405-Outside	Air	04/22/21 16:03	04/28/21 14:10
10557643002	AA304-Residence	Air	04/22/21 16:06	04/28/21 14:10
10557643003	AA406-Lobby	Air	04/22/21 16:14	04/28/21 14:10
10557643004	AA407-WildCard	Air	04/22/21 16:12	04/28/21 14:10
10557643005	AA408-Attorney	Air	04/22/21 16:13	04/28/21 14:10
10557643006	SSV304-Residence	Air	04/22/21 11:00	04/28/21 14:10
10557643007	SSV203-Office	Air	04/22/21 09:46	04/28/21 14:10
10557643008	SSV101-South	Air	04/22/21 11:10	04/28/21 14:10
10557643009	Blower Sta	Air	04/22/21 10:07	04/28/21 14:10
10557643010	SSV406-WildCard	Air	04/22/21 12:21	04/28/21 14:10
10557643011	SSV405-Attorney	Air	04/22/21 12:25	04/28/21 14:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10557643

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10557643001	AA405-Outside	TO-15	CH1	61	PASI-M
10557643002	AA304-Residence	TO-15	CH1	61	PASI-M
10557643003	AA406-Lobby	TO-15	CH1	61	PASI-M
10557643004	AA407-WildCard	TO-15	CH1	61	PASI-M
10557643005	AA408-Attorney	TO-15	CH1	61	PASI-M
10557643006	SSV304-Residence	TO-15	CH1	61	PASI-M
10557643007	SSV203-Office	TO-15	CH1	61	PASI-M
10557643008	SSV101-South	TO-15	CH1	61	PASI-M
10557643009	Blower Sta	TO-15	CH1	61	PASI-M
10557643010	SSV406-WildCard	TO-15	CH1	61	PASI-M
10557643011	SSV405-Attorney	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10557643

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10557643001	AA405-Outside					
TO-15	Dichlorodifluoromethane	1.8	ug/m3	1.5	05/07/21 15:03	
TO-15	Chloromethane	0.57J	ug/m3	0.63	05/07/21 15:03	
TO-15	Trichlorofluoromethane	1.2J	ug/m3	1.7	05/07/21 15:03	
TO-15	1,1,2-Trichlorotrifluoroethane	0.48J	ug/m3	2.3	05/07/21 15:03	
TO-15	Benzene	0.30J	ug/m3	0.48	05/07/21 15:03	
TO-15	Tetrahydrofuran	1.5	ug/m3	0.89	05/07/21 15:03	
TO-15	Acetone	6.2J	ug/m3	9.0	05/07/21 15:03	
TO-15	Ethanol	3.1	ug/m3	2.9	05/07/21 15:03	SS
10557643002	AA304-Residence					
TO-15	Dichlorodifluoromethane	2.6	ug/m3	1.4	05/07/21 15:57	
TO-15	Chloromethane	0.90	ug/m3	0.59	05/07/21 15:57	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.6	05/07/21 15:57	
TO-15	1,1,2-Trichlorotrifluoroethane	0.49J	ug/m3	2.2	05/07/21 15:57	
TO-15	Benzene	0.47	ug/m3	0.46	05/07/21 15:57	
TO-15	Toluene	0.58J	ug/m3	1.1	05/07/21 15:57	
TO-15	Tetrahydrofuran	1.3	ug/m3	0.85	05/07/21 15:57	
TO-15	Acetone	11.3	ug/m3	8.5	05/07/21 15:57	
TO-15	Ethanol	8.7	ug/m3	2.7	05/07/21 15:57	SS
TO-15	2-Propanol	0.84J	ug/m3	3.5	05/07/21 15:57	
10557643003	AA406-Lobby					
TO-15	Acetone	24.9	ug/m3	9.0	05/07/21 16:51	
TO-15	1,4-Dichlorobenzene	144	ug/m3	4.6	05/07/21 16:51	
TO-15	Dichlorodifluoromethane	7.0	ug/m3	1.5	05/07/21 16:51	
TO-15	Ethanol	1490	ug/m3	2.9	05/07/21 16:51	E,SS
TO-15	Ethyl acetate	1.8	ug/m3	1.1	05/07/21 16:51	
TO-15	4-Ethyltoluene	3.7	ug/m3	3.7	05/07/21 16:51	
TO-15	Methylene Chloride	14.0	ug/m3	5.3	05/07/21 16:51	
TO-15	2-Propanol	49.2	ug/m3	3.7	05/07/21 16:51	
TO-15	Styrene	1.4	ug/m3	1.3	05/07/21 16:51	
TO-15	Tetrachloroethene	7.5	ug/m3	1.0	05/07/21 16:51	
TO-15	Tetrahydrofuran	1.7	ug/m3	0.89	05/07/21 16:51	
TO-15	Toluene	2.1	ug/m3	1.1	05/07/21 16:51	
TO-15	Trichloroethene	2.6	ug/m3	0.81	05/07/21 16:51	
TO-15	Trichlorofluoromethane	1.5J	ug/m3	1.7	05/07/21 16:51	
TO-15	1,1,2-Trichlorotrifluoroethane	0.52J	ug/m3	2.3	05/07/21 16:51	
TO-15	1,2,4-Trimethylbenzene	11.8	ug/m3	1.5	05/07/21 16:51	
TO-15	1,3,5-Trimethylbenzene	4.1	ug/m3	1.5	05/07/21 16:51	
TO-15	m&p-Xylene	1.5J	ug/m3	2.6	05/07/21 16:51	
TO-15	o-Xylene	0.96J	ug/m3	1.3	05/07/21 16:51	
10557643004	AA407-WildCard					
TO-15	Acetone	19.7	ug/m3	8.7	05/07/21 17:17	
TO-15	Benzene	0.48	ug/m3	0.47	05/07/21 17:17	
TO-15	2-Butanone (MEK)	3.5J	ug/m3	4.3	05/07/21 17:17	
TO-15	Chloromethane	1.2	ug/m3	0.60	05/07/21 17:17	
TO-15	1,4-Dichlorobenzene	18.0	ug/m3	4.4	05/07/21 17:17	
TO-15	Dichlorodifluoromethane	6.9	ug/m3	1.5	05/07/21 17:17	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10557643

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10557643004	AA407-WildCard					
TO-15	Ethanol	186	ug/m3	2.8	05/07/21 17:17	E,SS
TO-15	n-Heptane	0.70J	ug/m3	1.2	05/07/21 17:17	
TO-15	Methylene Chloride	4.8J	ug/m3	5.1	05/07/21 17:17	
TO-15	2-Propanol	12.1	ug/m3	3.6	05/07/21 17:17	
TO-15	Tetrachloroethene	12.2	ug/m3	0.99	05/07/21 17:17	
TO-15	Tetrahydrofuran	2.0	ug/m3	0.86	05/07/21 17:17	
TO-15	Toluene	0.89J	ug/m3	1.1	05/07/21 17:17	
TO-15	Trichloroethene	1.9	ug/m3	0.79	05/07/21 17:17	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.6	05/07/21 17:17	
TO-15	1,1,2-Trichlorotrifluoroethane	0.48J	ug/m3	2.2	05/07/21 17:17	
TO-15	1,2,4-Trimethylbenzene	1.8	ug/m3	1.4	05/07/21 17:17	
TO-15	1,3,5-Trimethylbenzene	1.1J	ug/m3	1.4	05/07/21 17:17	
10557643005	AA408-Attorney					
TO-15	Acetone	19.5	ug/m3	9.0	05/07/21 17:44	
TO-15	Benzene	0.48J	ug/m3	0.48	05/07/21 17:44	
TO-15	2-Butanone (MEK)	3.6J	ug/m3	4.5	05/07/21 17:44	
TO-15	Chloromethane	0.98	ug/m3	0.63	05/07/21 17:44	
TO-15	1,4-Dichlorobenzene	16.0	ug/m3	4.6	05/07/21 17:44	
TO-15	Dichlorodifluoromethane	5.7	ug/m3	1.5	05/07/21 17:44	
TO-15	Ethanol	171	ug/m3	2.9	05/07/21 17:44	SS
TO-15	n-Heptane	0.69J	ug/m3	1.2	05/07/21 17:44	
TO-15	Methylene Chloride	4.8J	ug/m3	5.3	05/07/21 17:44	
TO-15	2-Propanol	10.6	ug/m3	3.7	05/07/21 17:44	
TO-15	Tetrachloroethene	13.3	ug/m3	1.0	05/07/21 17:44	
TO-15	Tetrahydrofuran	1.8	ug/m3	0.89	05/07/21 17:44	
TO-15	Toluene	1.0J	ug/m3	1.1	05/07/21 17:44	
TO-15	Trichloroethene	1.8	ug/m3	0.81	05/07/21 17:44	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.7	05/07/21 17:44	
TO-15	1,1,2-Trichlorotrifluoroethane	0.58J	ug/m3	2.3	05/07/21 17:44	
TO-15	1,2,4-Trimethylbenzene	1.7	ug/m3	1.5	05/07/21 17:44	
TO-15	1,3,5-Trimethylbenzene	1.1J	ug/m3	1.5	05/07/21 17:44	
10557643006	SSV304-Residence					
TO-15	Acetone	16.5	ug/m3	8.2	05/07/21 20:51	
TO-15	Benzene	0.23J	ug/m3	0.44	05/07/21 20:51	
TO-15	2-Butanone (MEK)	6.3	ug/m3	4.1	05/07/21 20:51	
TO-15	Chloromethane	0.52J	ug/m3	0.57	05/07/21 20:51	
TO-15	Dichlorodifluoromethane	13.4	ug/m3	1.4	05/07/21 20:51	
TO-15	Ethanol	15.7	ug/m3	2.6	05/07/21 20:51	SS
TO-15	Ethylbenzene	1.4	ug/m3	1.2	05/07/21 20:51	
TO-15	4-Ethyltoluene	1.6J	ug/m3	3.4	05/07/21 20:51	
TO-15	2-Hexanone	1.8J	ug/m3	5.7	05/07/21 20:51	
TO-15	2-Propanol	3.5	ug/m3	3.4	05/07/21 20:51	
TO-15	Styrene	2.4	ug/m3	1.2	05/07/21 20:51	
TO-15	Tetrachloroethene	15.2	ug/m3	0.94	05/07/21 20:51	
TO-15	Toluene	31.4	ug/m3	1.0	05/07/21 20:51	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.6	05/07/21 20:51	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite

Pace Project No.: 10557643

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10557643006	SSV304-Residence					
TO-15	1,1,2-Trichlorotrifluoroethane	0.67J	ug/m3	2.1	05/07/21 20:51	
TO-15	1,2,4-Trimethylbenzene	2.3	ug/m3	1.4	05/07/21 20:51	
TO-15	1,3,5-Trimethylbenzene	1.3J	ug/m3	1.4	05/07/21 20:51	
TO-15	m&p-Xylene	5.3	ug/m3	2.4	05/07/21 20:51	
TO-15	o-Xylene	2.4	ug/m3	1.2	05/07/21 20:51	
10557643007	SSV203-Office					
TO-15	Acetone	7.6J	ug/m3	8.5	05/07/21 21:17	
TO-15	Benzene	0.64	ug/m3	0.46	05/07/21 21:17	
TO-15	2-Butanone (MEK)	3.1J	ug/m3	4.2	05/07/21 21:17	
TO-15	1,2-Dichlorobenzene	1.7J	ug/m3	4.3	05/07/21 21:17	
TO-15	1,4-Dichlorobenzene	1.5J	ug/m3	4.3	05/07/21 21:17	
TO-15	Dichlorodifluoromethane	25.4	ug/m3	1.4	05/07/21 21:17	
TO-15	Ethanol	15.5	ug/m3	2.7	05/07/21 21:17	SS
TO-15	Ethylbenzene	2.8	ug/m3	1.2	05/07/21 21:17	
TO-15	4-Ethyltoluene	1.9J	ug/m3	3.5	05/07/21 21:17	
TO-15	n-Heptane	0.89J	ug/m3	1.2	05/07/21 21:17	
TO-15	Methylene Chloride	3.0J	ug/m3	5.0	05/07/21 21:17	
TO-15	2-Propanol	4.2	ug/m3	3.5	05/07/21 21:17	
TO-15	Styrene	3.7	ug/m3	1.2	05/07/21 21:17	
TO-15	Tetrachloroethene	27.4	ug/m3	0.97	05/07/21 21:17	
TO-15	Toluene	72.5	ug/m3	1.1	05/07/21 21:17	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.6	05/07/21 21:17	
TO-15	1,1,2-Trichlorotrifluoroethane	0.53J	ug/m3	2.2	05/07/21 21:17	
TO-15	1,2,4-Trimethylbenzene	3.4	ug/m3	1.4	05/07/21 21:17	
TO-15	1,3,5-Trimethylbenzene	1.6	ug/m3	1.4	05/07/21 21:17	
TO-15	m&p-Xylene	11.0	ug/m3	2.5	05/07/21 21:17	
TO-15	o-Xylene	4.1	ug/m3	1.2	05/07/21 21:17	
10557643008	SSV101-South					
TO-15	Acetone	30.7	ug/m3	8.4	05/07/21 21:44	
TO-15	Benzene	1.3	ug/m3	0.45	05/07/21 21:44	
TO-15	2-Butanone (MEK)	8.2	ug/m3	4.2	05/07/21 21:44	
TO-15	1,3-Dichlorobenzene	2.4J	ug/m3	4.3	05/07/21 21:44	
TO-15	1,4-Dichlorobenzene	1.6J	ug/m3	4.3	05/07/21 21:44	
TO-15	Dichlorodifluoromethane	30.5	ug/m3	1.4	05/07/21 21:44	
TO-15	Ethanol	20.9	ug/m3	2.7	05/07/21 21:44	SS
TO-15	Ethylbenzene	2.6	ug/m3	1.2	05/07/21 21:44	
TO-15	4-Ethyltoluene	2.0J	ug/m3	3.5	05/07/21 21:44	
TO-15	n-Heptane	1.5	ug/m3	1.2	05/07/21 21:44	
TO-15	2-Hexanone	2.0J	ug/m3	5.8	05/07/21 21:44	
TO-15	Methylene Chloride	1.3J	ug/m3	4.9	05/07/21 21:44	
TO-15	2-Propanol	27.5	ug/m3	3.5	05/07/21 21:44	
TO-15	Styrene	4.5	ug/m3	1.2	05/07/21 21:44	
TO-15	Tetrachloroethene	326	ug/m3	0.96	05/07/21 21:44	
TO-15	Toluene	71.2	ug/m3	1.1	05/07/21 21:44	
TO-15	Trichloroethene	0.68J	ug/m3	0.76	05/07/21 21:44	
TO-15	Trichlorofluoromethane	1.7	ug/m3	1.6	05/07/21 21:44	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite

Pace Project No.: 10557643

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10557643008	SSV101-South					
TO-15	1,1,2-Trichlorotrifluoroethane	1.0J	ug/m3	2.2	05/07/21 21:44	
TO-15	1,2,4-Trimethylbenzene	4.0	ug/m3	1.4	05/07/21 21:44	
TO-15	1,3,5-Trimethylbenzene	1.7	ug/m3	1.4	05/07/21 21:44	
TO-15	m&p-Xylene	11.0	ug/m3	2.5	05/07/21 21:44	
TO-15	o-Xylene	4.3	ug/m3	1.2	05/07/21 21:44	
10557643009	Blower Sta					
TO-15	Acetone	7.3J	ug/m3	7.9	05/07/21 22:11	
TO-15	Benzene	0.50	ug/m3	0.42	05/07/21 22:11	
TO-15	Chloromethane	0.29J	ug/m3	0.55	05/07/21 22:11	
TO-15	1,2-Dichlorobenzene	5.1	ug/m3	4.0	05/07/21 22:11	
TO-15	Dichlorodifluoromethane	16.8	ug/m3	1.3	05/07/21 22:11	
TO-15	Ethanol	5.2	ug/m3	2.5	05/07/21 22:11	SS
TO-15	Methylene Chloride	3.8J	ug/m3	4.6	05/07/21 22:11	
TO-15	2-Propanol	1.4J	ug/m3	3.2	05/07/21 22:11	
TO-15	Tetrachloroethene	214	ug/m3	0.90	05/07/21 22:11	
TO-15	Toluene	1.3	ug/m3	1.0	05/07/21 22:11	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.5	05/07/21 22:11	
TO-15	1,1,2-Trichlorotrifluoroethane	0.57J	ug/m3	2.0	05/07/21 22:11	
TO-15	1,2,4-Trimethylbenzene	2.8	ug/m3	1.3	05/07/21 22:11	
TO-15	1,3,5-Trimethylbenzene	1.8	ug/m3	1.3	05/07/21 22:11	
TO-15	o-Xylene	0.75J	ug/m3	1.1	05/07/21 22:11	
10557643010	SSV406-WildCard					
TO-15	Acetone	6.6J	ug/m3	8.1	05/07/21 22:37	
TO-15	Benzene	0.43J	ug/m3	0.44	05/07/21 22:37	
TO-15	2-Butanone (MEK)	3.4J	ug/m3	4.0	05/07/21 22:37	
TO-15	1,2-Dichlorobenzene	1.4J	ug/m3	4.1	05/07/21 22:37	
TO-15	1,4-Dichlorobenzene	1.6J	ug/m3	4.1	05/07/21 22:37	
TO-15	Dichlorodifluoromethane	11.1	ug/m3	1.4	05/07/21 22:37	
TO-15	Ethanol	6.5	ug/m3	2.6	05/07/21 22:37	SS
TO-15	Ethylbenzene	1.7	ug/m3	1.2	05/07/21 22:37	
TO-15	4-Ethyltoluene	1.8J	ug/m3	3.4	05/07/21 22:37	
TO-15	2-Propanol	1.9J	ug/m3	3.4	05/07/21 22:37	
TO-15	Styrene	3.4	ug/m3	1.2	05/07/21 22:37	
TO-15	Tetrachloroethene	12700	ug/m3	222	05/08/21 13:03	
TO-15	Toluene	41.6	ug/m3	1.0	05/07/21 22:37	
TO-15	Trichloroethene	10	ug/m3	0.73	05/07/21 22:37	
TO-15	Trichlorofluoromethane	1.3J	ug/m3	1.5	05/07/21 22:37	
TO-15	1,1,2-Trichlorotrifluoroethane	0.63J	ug/m3	2.1	05/07/21 22:37	
TO-15	1,2,4-Trimethylbenzene	3.4	ug/m3	1.3	05/07/21 22:37	
TO-15	1,3,5-Trimethylbenzene	1.5	ug/m3	1.3	05/07/21 22:37	
TO-15	m&p-Xylene	7.0	ug/m3	2.4	05/07/21 22:37	
TO-15	o-Xylene	3.1	ug/m3	1.2	05/07/21 22:37	
10557643011	SSV405-Attorney					
TO-15	Benzene	235J	ug/m3	240	05/09/21 23:38	
TO-15	Cyclohexane	5480	ug/m3	1290	05/09/21 23:38	
TO-15	Ethylbenzene	1340	ug/m3	651	05/09/21 23:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10557643

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10557643011	SSV405-Attorney					
TO-15	n-Heptane	759	ug/m3	614	05/09/21 23:38	
TO-15	n-Hexane	412J	ug/m3	528	05/09/21 23:38	
TO-15	Tetrachloroethene	38600	ug/m3	508	05/09/21 23:38	
TO-15	Toluene	184J	ug/m3	565	05/09/21 23:38	
TO-15	Trichloroethene	356J	ug/m3	403	05/09/21 23:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10557643

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: May 11, 2021

General Information:

11 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 740475

SS: This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

- AA304-Residence (Lab ID: 10557643002)
 - Ethanol
- AA405-Outside (Lab ID: 10557643001)
 - Ethanol
- AA406-Lobby (Lab ID: 10557643003)
 - Ethanol
- AA407-WildCard (Lab ID: 10557643004)
 - Ethanol
- AA408-Attorney (Lab ID: 10557643005)
 - Ethanol
- Blower Sta (Lab ID: 10557643009)
 - Ethanol
- DUP (Lab ID: 3950150)
 - Ethanol
- DUP (Lab ID: 3950151)
 - Ethanol
- LCS (Lab ID: 3949056)
 - Ethanol
- SSV101-South (Lab ID: 10557643008)
 - Ethanol
- SSV203-Office (Lab ID: 10557643007)
 - Ethanol
- SSV304-Residence (Lab ID: 10557643006)
 - Ethanol
- SSV406-WildCard (Lab ID: 10557643010)
 - Ethanol

QC Batch: 740676

SS: This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

- DUP (Lab ID: 3950977)
 - Ethanol
- LCS (Lab ID: 3950414)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10557643

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: May 11, 2021

QC Batch: 740676

SS: This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value.

- Ethanol

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 740676

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- DUP (Lab ID: 3950977)
 - Ethanol
- LCS (Lab ID: 3950414)
 - Carbon tetrachloride
 - Ethanol
 - Vinyl acetate

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 740676

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- LCS (Lab ID: 3950414)
 - Ethanol

L3: Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples.

- LCS (Lab ID: 3950414)
 - Carbon tetrachloride
 - Vinyl acetate

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 740475

R1: RPD value was outside control limits.

- DUP (Lab ID: 3950151)
 - Chloromethane
 - Dichlorodifluoromethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10557643

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: May 11, 2021

QC Batch: 740676

R1: RPD value was outside control limits.

- DUP (Lab ID: 3950977)
- Ethanol

Additional Comments:

Analyte Comments:

QC Batch: 740475

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- AA406-Lobby (Lab ID: 10557643003)
 - Ethanol
- AA407-WildCard (Lab ID: 10557643004)
 - Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA405-Outside Lab ID: 10557643001 Collected: 04/22/21 16:03 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	1.8	ug/m3	1.5	0.28	1.49		05/07/21 15:03	75-71-8	
Chloromethane	0.57J	ug/m3	0.63	0.13	1.49		05/07/21 15:03	74-87-3	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		05/07/21 15:03	76-14-2	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		05/07/21 15:03	75-01-4	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		05/07/21 15:03	74-83-9	
Chloroethane	<0.33	ug/m3	0.80	0.33	1.49		05/07/21 15:03	75-00-3	
Trichlorofluoromethane	1.2J	ug/m3	1.7	0.35	1.49		05/07/21 15:03	75-69-4	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		05/07/21 15:03	75-35-4	
1,1,2-Trichlorotrifluoroethane	0.48J	ug/m3	2.3	0.43	1.49		05/07/21 15:03	76-13-1	
Methylene Chloride	<0.88	ug/m3	5.3	0.88	1.49		05/07/21 15:03	75-09-2	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 15:03	75-34-3	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 15:03	156-59-2	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		05/07/21 15:03	67-66-3	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		05/07/21 15:03	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		05/07/21 15:03	79-00-5	
1,2-Dichloroethane	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 15:03	107-06-2	
Benzene	0.30J	ug/m3	0.48	0.17	1.49		05/07/21 15:03	71-43-2	
Carbon tetrachloride	<0.42	ug/m3	1.9	0.42	1.49		05/07/21 15:03	56-23-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		05/07/21 15:03	78-87-5	
Trichloroethene	<0.29	ug/m3	0.81	0.29	1.49		05/07/21 15:03	79-01-6	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		05/07/21 15:03	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		05/07/21 15:03	10061-02-6	
Toluene	<0.36	ug/m3	1.1	0.36	1.49		05/07/21 15:03	108-88-3	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		05/07/21 15:03	106-93-4	
Tetrachloroethene	<0.44	ug/m3	1.0	0.44	1.49		05/07/21 15:03	127-18-4	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		05/07/21 15:03	108-90-7	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.49		05/07/21 15:03	100-41-4	
m&p-Xylene	<0.96	ug/m3	2.6	0.96	1.49		05/07/21 15:03	179601-23-1	
o-Xylene	<0.40	ug/m3	1.3	0.40	1.49		05/07/21 15:03	95-47-6	
Styrene	<0.57	ug/m3	1.3	0.57	1.49		05/07/21 15:03	100-42-5	
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		05/07/21 15:03	79-34-5	
1,3,5-Trimethylbenzene	<0.43	ug/m3	1.5	0.43	1.49		05/07/21 15:03	108-67-8	
1,2,4-Trimethylbenzene	<0.53	ug/m3	1.5	0.53	1.49		05/07/21 15:03	95-63-6	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		05/07/21 15:03	541-73-1	
1,4-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		05/07/21 15:03	106-46-7	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		05/07/21 15:03	95-50-1	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		05/07/21 15:03	120-82-1	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		05/07/21 15:03	87-68-3	
Tetrahydrofuran	1.5	ug/m3	0.89	0.27	1.49		05/07/21 15:03	109-99-9	
Acetone	6.2J	ug/m3	9.0	2.7	1.49		05/07/21 15:03	67-64-1	
2-Butanone (MEK)	<0.69	ug/m3	4.5	0.69	1.49		05/07/21 15:03	78-93-3	
n-Hexane	<0.28	ug/m3	1.1	0.28	1.49		05/07/21 15:03	110-54-3	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		05/07/21 15:03	1634-04-4	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		05/07/21 15:03	124-48-1	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		05/07/21 15:03	106-99-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA405-Outside Lab ID: 10557643001 Collected: 04/22/21 16:03 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		05/07/21 15:03	75-15-0	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		05/07/21 15:03	108-05-4	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		05/07/21 15:03	110-82-7	
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.49		05/07/21 15:03	141-78-6	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		05/07/21 15:03	108-10-1	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		05/07/21 15:03	591-78-6	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		05/07/21 15:03	75-25-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 15:03	156-60-5	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		05/07/21 15:03	75-27-4	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		05/07/21 15:03	142-82-5	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		05/07/21 15:03	115-07-1	
4-Ethyltoluene	<0.70	ug/m3	3.7	0.70	1.49		05/07/21 15:03	622-96-8	
Naphthalene	<3.2	ug/m3	4.0	3.2	1.49		05/07/21 15:03	91-20-3	
Ethanol	3.1	ug/m3	2.9	0.88	1.49		05/07/21 15:03	64-17-5	SS
2-Propanol	<0.76	ug/m3	3.7	0.76	1.49		05/07/21 15:03	67-63-0	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		05/07/21 15:03	100-44-7	

Sample: AA304-Residence Lab ID: 10557643002 Collected: 04/22/21 16:06 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	2.6	ug/m3	1.4	0.27	1.41		05/07/21 15:57	75-71-8	
Chloromethane	0.90	ug/m3	0.59	0.12	1.41		05/07/21 15:57	74-87-3	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.41		05/07/21 15:57	76-14-2	
Vinyl chloride	<0.12	ug/m3	0.37	0.12	1.41		05/07/21 15:57	75-01-4	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.41		05/07/21 15:57	74-83-9	
Chloroethane	<0.32	ug/m3	0.76	0.32	1.41		05/07/21 15:57	75-00-3	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.33	1.41		05/07/21 15:57	75-69-4	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.41		05/07/21 15:57	75-35-4	
1,1,2-Trichlorotrifluoroethane	0.49J	ug/m3	2.2	0.41	1.41		05/07/21 15:57	76-13-1	
Methylene Chloride	<0.84	ug/m3	5.0	0.84	1.41		05/07/21 15:57	75-09-2	
1,1-Dichloroethane	<0.23	ug/m3	1.2	0.23	1.41		05/07/21 15:57	75-34-3	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.41		05/07/21 15:57	156-59-2	
Chloroform	<0.26	ug/m3	0.70	0.26	1.41		05/07/21 15:57	67-66-3	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.41		05/07/21 15:57	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.78	0.28	1.41		05/07/21 15:57	79-00-5	
1,2-Dichloroethane	<0.27	ug/m3	1.2	0.27	1.41		05/07/21 15:57	107-06-2	
Benzene	0.47	ug/m3	0.46	0.16	1.41		05/07/21 15:57	71-43-2	
Carbon tetrachloride	<0.39	ug/m3	1.8	0.39	1.41		05/07/21 15:57	56-23-5	
1,2-Dichloropropane	<0.38	ug/m3	1.3	0.38	1.41		05/07/21 15:57	78-87-5	
Trichloroethene	<0.28	ug/m3	0.77	0.28	1.41		05/07/21 15:57	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA304-Residence Lab ID: 10557643002 Collected: 04/22/21 16:06 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,3-Dichloropropene	<0.36	ug/m3	3.3	0.36	1.41		05/07/21 15:57	10061-01-5	
trans-1,3-Dichloropropene	<0.77	ug/m3	3.3	0.77	1.41		05/07/21 15:57	10061-02-6	
Toluene	0.58J	ug/m3	1.1	0.34	1.41		05/07/21 15:57	108-88-3	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.41		05/07/21 15:57	106-93-4	
Tetrachloroethene	<0.41	ug/m3	0.97	0.41	1.41		05/07/21 15:57	127-18-4	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.41		05/07/21 15:57	108-90-7	
Ethylbenzene	<0.44	ug/m3	1.2	0.44	1.41		05/07/21 15:57	100-41-4	
m&p-Xylene	<0.91	ug/m3	2.5	0.91	1.41		05/07/21 15:57	179601-23-1	
o-Xylene	<0.38	ug/m3	1.2	0.38	1.41		05/07/21 15:57	95-47-6	
Styrene	<0.54	ug/m3	1.2	0.54	1.41		05/07/21 15:57	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.0	0.52	1.41		05/07/21 15:57	79-34-5	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.4	0.41	1.41		05/07/21 15:57	108-67-8	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.41		05/07/21 15:57	95-63-6	
1,3-Dichlorobenzene	<0.72	ug/m3	4.3	0.72	1.41		05/07/21 15:57	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.3	1.2	1.41		05/07/21 15:57	106-46-7	
1,2-Dichlorobenzene	<0.57	ug/m3	4.3	0.57	1.41		05/07/21 15:57	95-50-1	
1,2,4-Trichlorobenzene	<6.9	ug/m3	10.6	6.9	1.41		05/07/21 15:57	120-82-1	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.6	1.7	1.41		05/07/21 15:57	87-68-3	
Tetrahydrofuran	1.3	ug/m3	0.85	0.25	1.41		05/07/21 15:57	109-99-9	
Acetone	11.3	ug/m3	8.5	2.6	1.41		05/07/21 15:57	67-64-1	
2-Butanone (MEK)	<0.66	ug/m3	4.2	0.66	1.41		05/07/21 15:57	78-93-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.41		05/07/21 15:57	110-54-3	
Methyl-tert-butyl ether	<0.18	ug/m3	5.2	0.18	1.41		05/07/21 15:57	1634-04-4	
Dibromochloromethane	<0.73	ug/m3	2.4	0.73	1.41		05/07/21 15:57	124-48-1	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.41		05/07/21 15:57	106-99-0	
Carbon disulfide	<0.18	ug/m3	0.89	0.18	1.41		05/07/21 15:57	75-15-0	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.41		05/07/21 15:57	108-05-4	
Cyclohexane	<0.31	ug/m3	2.5	0.31	1.41		05/07/21 15:57	110-82-7	
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.41		05/07/21 15:57	141-78-6	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.9	0.45	1.41		05/07/21 15:57	108-10-1	
2-Hexanone	<0.62	ug/m3	5.9	0.62	1.41		05/07/21 15:57	591-78-6	
Bromoform	<2.3	ug/m3	7.4	2.3	1.41		05/07/21 15:57	75-25-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.1	0.24	1.41		05/07/21 15:57	156-60-5	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.41		05/07/21 15:57	75-27-4	
n-Heptane	<0.26	ug/m3	1.2	0.26	1.41		05/07/21 15:57	142-82-5	
Propylene	<0.18	ug/m3	1.2	0.18	1.41		05/07/21 15:57	115-07-1	
4-Ethyltoluene	<0.67	ug/m3	3.5	0.67	1.41		05/07/21 15:57	622-96-8	
Naphthalene	<3.1	ug/m3	3.8	3.1	1.41		05/07/21 15:57	91-20-3	
Ethanol	8.7	ug/m3	2.7	0.83	1.41		05/07/21 15:57	64-17-5	SS
2-Propanol	0.84J	ug/m3	3.5	0.72	1.41		05/07/21 15:57	67-63-0	
Benzyl chloride	<1.3	ug/m3	3.7	1.3	1.41		05/07/21 15:57	100-44-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA406-Lobby Lab ID: 10557643003 Collected: 04/22/21 16:14 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	24.9	ug/m3	9.0	2.7	1.49		05/07/21 16:51	67-64-1	
Benzene	<0.17	ug/m3	0.48	0.17	1.49		05/07/21 16:51	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		05/07/21 16:51	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		05/07/21 16:51	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		05/07/21 16:51	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		05/07/21 16:51	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		05/07/21 16:51	106-99-0	
2-Butanone (MEK)	<0.69	ug/m3	4.5	0.69	1.49		05/07/21 16:51	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		05/07/21 16:51	75-15-0	
Carbon tetrachloride	<0.42	ug/m3	1.9	0.42	1.49		05/07/21 16:51	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		05/07/21 16:51	108-90-7	
Chloroethane	<0.33	ug/m3	0.80	0.33	1.49		05/07/21 16:51	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		05/07/21 16:51	67-66-3	
Chloromethane	<0.13	ug/m3	0.63	0.13	1.49		05/07/21 16:51	74-87-3	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		05/07/21 16:51	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		05/07/21 16:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		05/07/21 16:51	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		05/07/21 16:51	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		05/07/21 16:51	541-73-1	
1,4-Dichlorobenzene	144	ug/m3	4.6	1.3	1.49		05/07/21 16:51	106-46-7	
Dichlorodifluoromethane	7.0	ug/m3	1.5	0.28	1.49		05/07/21 16:51	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 16:51	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 16:51	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		05/07/21 16:51	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 16:51	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 16:51	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		05/07/21 16:51	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		05/07/21 16:51	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		05/07/21 16:51	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		05/07/21 16:51	76-14-2	
Ethanol	1490	ug/m3	2.9	0.88	1.49		05/07/21 16:51	64-17-5	E,SS
Ethyl acetate	1.8	ug/m3	1.1	0.20	1.49		05/07/21 16:51	141-78-6	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.49		05/07/21 16:51	100-41-4	
4-Ethyltoluene	3.7	ug/m3	3.7	0.70	1.49		05/07/21 16:51	622-96-8	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		05/07/21 16:51	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		05/07/21 16:51	87-68-3	
n-Hexane	<0.28	ug/m3	1.1	0.28	1.49		05/07/21 16:51	110-54-3	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		05/07/21 16:51	591-78-6	
Methylene Chloride	14.0	ug/m3	5.3	0.88	1.49		05/07/21 16:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		05/07/21 16:51	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		05/07/21 16:51	1634-04-4	
Naphthalene	<3.2	ug/m3	4.0	3.2	1.49		05/07/21 16:51	91-20-3	
2-Propanol	49.2	ug/m3	3.7	0.76	1.49		05/07/21 16:51	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		05/07/21 16:51	115-07-1	
Styrene	1.4	ug/m3	1.3	0.57	1.49		05/07/21 16:51	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA406-Lobby Lab ID: 10557643003 Collected: 04/22/21 16:14 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		05/07/21 16:51	79-34-5	
Tetrachloroethene	7.5	ug/m3	1.0	0.44	1.49		05/07/21 16:51	127-18-4	
Tetrahydrofuran	1.7	ug/m3	0.89	0.27	1.49		05/07/21 16:51	109-99-9	
Toluene	2.1	ug/m3	1.1	0.36	1.49		05/07/21 16:51	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		05/07/21 16:51	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		05/07/21 16:51	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		05/07/21 16:51	79-00-5	
Trichloroethene	2.6	ug/m3	0.81	0.29	1.49		05/07/21 16:51	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.7	0.35	1.49		05/07/21 16:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.52J	ug/m3	2.3	0.43	1.49		05/07/21 16:51	76-13-1	
1,2,4-Trimethylbenzene	11.8	ug/m3	1.5	0.53	1.49		05/07/21 16:51	95-63-6	
1,3,5-Trimethylbenzene	4.1	ug/m3	1.5	0.43	1.49		05/07/21 16:51	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		05/07/21 16:51	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		05/07/21 16:51	75-01-4	
m&p-Xylene	1.5J	ug/m3	2.6	0.96	1.49		05/07/21 16:51	179601-23-1	
o-Xylene	0.96J	ug/m3	1.3	0.40	1.49		05/07/21 16:51	95-47-6	

Sample: AA407-WildCard Lab ID: 10557643004 Collected: 04/22/21 16:12 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	19.7	ug/m3	8.7	2.6	1.44		05/07/21 17:17	67-64-1	
Benzene	0.48	ug/m3	0.47	0.16	1.44		05/07/21 17:17	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.44		05/07/21 17:17	100-44-7	
Bromodichloromethane	<0.34	ug/m3	2.0	0.34	1.44		05/07/21 17:17	75-27-4	
Bromoform	<2.3	ug/m3	7.6	2.3	1.44		05/07/21 17:17	75-25-2	
Bromomethane	<0.22	ug/m3	1.1	0.22	1.44		05/07/21 17:17	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.65	0.17	1.44		05/07/21 17:17	106-99-0	
2-Butanone (MEK)	3.5J	ug/m3	4.3	0.67	1.44		05/07/21 17:17	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.91	0.19	1.44		05/07/21 17:17	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	1.8	0.40	1.44		05/07/21 17:17	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.44		05/07/21 17:17	108-90-7	
Chloroethane	<0.32	ug/m3	0.77	0.32	1.44		05/07/21 17:17	75-00-3	
Chloroform	<0.26	ug/m3	0.71	0.26	1.44		05/07/21 17:17	67-66-3	
Chloromethane	1.2	ug/m3	0.60	0.12	1.44		05/07/21 17:17	74-87-3	
Cyclohexane	<0.32	ug/m3	2.5	0.32	1.44		05/07/21 17:17	110-82-7	
Dibromochloromethane	<0.74	ug/m3	2.5	0.74	1.44		05/07/21 17:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.1	0.43	1.44		05/07/21 17:17	106-93-4	
1,2-Dichlorobenzene	<0.58	ug/m3	4.4	0.58	1.44		05/07/21 17:17	95-50-1	
1,3-Dichlorobenzene	<0.73	ug/m3	4.4	0.73	1.44		05/07/21 17:17	541-73-1	
1,4-Dichlorobenzene	18.0	ug/m3	4.4	1.3	1.44		05/07/21 17:17	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA407-WildCard Lab ID: 10557643004 Collected: 04/22/21 16:12 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	6.9	ug/m3	1.5	0.27	1.44		05/07/21 17:17	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.44		05/07/21 17:17	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.44		05/07/21 17:17	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.44		05/07/21 17:17	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.44		05/07/21 17:17	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		05/07/21 17:17	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.44		05/07/21 17:17	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.3	0.37	1.44		05/07/21 17:17	10061-01-5	
trans-1,3-Dichloropropene	<0.78	ug/m3	3.3	0.78	1.44		05/07/21 17:17	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.0	0.29	1.44		05/07/21 17:17	76-14-2	
Ethanol	186	ug/m3	2.8	0.85	1.44		05/07/21 17:17	64-17-5	E,SS
Ethyl acetate	<0.19	ug/m3	1.1	0.19	1.44		05/07/21 17:17	141-78-6	
Ethylbenzene	<0.44	ug/m3	1.3	0.44	1.44		05/07/21 17:17	100-41-4	
4-Ethyltoluene	<0.68	ug/m3	3.6	0.68	1.44		05/07/21 17:17	622-96-8	
n-Heptane	0.70J	ug/m3	1.2	0.26	1.44		05/07/21 17:17	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.8	1.8	1.44		05/07/21 17:17	87-68-3	
n-Hexane	<0.28	ug/m3	1.0	0.28	1.44		05/07/21 17:17	110-54-3	
2-Hexanone	<0.64	ug/m3	6.0	0.64	1.44		05/07/21 17:17	591-78-6	
Methylene Chloride	4.8J	ug/m3	5.1	0.85	1.44		05/07/21 17:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.46	ug/m3	6.0	0.46	1.44		05/07/21 17:17	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.44		05/07/21 17:17	1634-04-4	
Naphthalene	<3.1	ug/m3	3.8	3.1	1.44		05/07/21 17:17	91-20-3	
2-Propanol	12.1	ug/m3	3.6	0.73	1.44		05/07/21 17:17	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.44		05/07/21 17:17	115-07-1	
Styrene	<0.55	ug/m3	1.2	0.55	1.44		05/07/21 17:17	100-42-5	
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.44		05/07/21 17:17	79-34-5	
Tetrachloroethene	12.2	ug/m3	0.99	0.42	1.44		05/07/21 17:17	127-18-4	
Tetrahydrofuran	2.0	ug/m3	0.86	0.26	1.44		05/07/21 17:17	109-99-9	
Toluene	0.89J	ug/m3	1.1	0.35	1.44		05/07/21 17:17	108-88-3	
1,2,4-Trichlorobenzene	<7.0	ug/m3	10.9	7.0	1.44		05/07/21 17:17	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.44		05/07/21 17:17	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.80	0.28	1.44		05/07/21 17:17	79-00-5	
Trichloroethene	1.9	ug/m3	0.79	0.28	1.44		05/07/21 17:17	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.34	1.44		05/07/21 17:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.48J	ug/m3	2.2	0.42	1.44		05/07/21 17:17	76-13-1	
1,2,4-Trimethylbenzene	1.8	ug/m3	1.4	0.51	1.44		05/07/21 17:17	95-63-6	
1,3,5-Trimethylbenzene	1.1J	ug/m3	1.4	0.42	1.44		05/07/21 17:17	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.44		05/07/21 17:17	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.37	0.12	1.44		05/07/21 17:17	75-01-4	
m&p-Xylene	<0.92	ug/m3	2.5	0.92	1.44		05/07/21 17:17	179601-23-1	
o-Xylene	<0.39	ug/m3	1.3	0.39	1.44		05/07/21 17:17	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA408-Attorney Lab ID: 10557643005 Collected: 04/22/21 16:13 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	19.5	ug/m3	9.0	2.7	1.49		05/07/21 17:44	67-64-1	
Benzene	0.48J	ug/m3	0.48	0.17	1.49		05/07/21 17:44	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		05/07/21 17:44	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		05/07/21 17:44	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		05/07/21 17:44	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		05/07/21 17:44	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		05/07/21 17:44	106-99-0	
2-Butanone (MEK)	3.6J	ug/m3	4.5	0.69	1.49		05/07/21 17:44	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		05/07/21 17:44	75-15-0	
Carbon tetrachloride	<0.42	ug/m3	1.9	0.42	1.49		05/07/21 17:44	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		05/07/21 17:44	108-90-7	
Chloroethane	<0.33	ug/m3	0.80	0.33	1.49		05/07/21 17:44	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		05/07/21 17:44	67-66-3	
Chloromethane	0.98	ug/m3	0.63	0.13	1.49		05/07/21 17:44	74-87-3	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		05/07/21 17:44	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		05/07/21 17:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		05/07/21 17:44	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		05/07/21 17:44	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		05/07/21 17:44	541-73-1	
1,4-Dichlorobenzene	16.0	ug/m3	4.6	1.3	1.49		05/07/21 17:44	106-46-7	
Dichlorodifluoromethane	5.7	ug/m3	1.5	0.28	1.49		05/07/21 17:44	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 17:44	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 17:44	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		05/07/21 17:44	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		05/07/21 17:44	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 17:44	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		05/07/21 17:44	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		05/07/21 17:44	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		05/07/21 17:44	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		05/07/21 17:44	76-14-2	
Ethanol	171	ug/m3	2.9	0.88	1.49		05/07/21 17:44	64-17-5	SS
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.49		05/07/21 17:44	141-78-6	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.49		05/07/21 17:44	100-41-4	
4-Ethyltoluene	<0.70	ug/m3	3.7	0.70	1.49		05/07/21 17:44	622-96-8	
n-Heptane	0.69J	ug/m3	1.2	0.27	1.49		05/07/21 17:44	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		05/07/21 17:44	87-68-3	
n-Hexane	<0.28	ug/m3	1.1	0.28	1.49		05/07/21 17:44	110-54-3	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		05/07/21 17:44	591-78-6	
Methylene Chloride	4.8J	ug/m3	5.3	0.88	1.49		05/07/21 17:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		05/07/21 17:44	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		05/07/21 17:44	1634-04-4	
Naphthalene	<3.2	ug/m3	4.0	3.2	1.49		05/07/21 17:44	91-20-3	
2-Propanol	10.6	ug/m3	3.7	0.76	1.49		05/07/21 17:44	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		05/07/21 17:44	115-07-1	
Styrene	<0.57	ug/m3	1.3	0.57	1.49		05/07/21 17:44	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10557643

Sample: AA408-Attorney Lab ID: 10557643005 Collected: 04/22/21 16:13 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		05/07/21 17:44	79-34-5	
Tetrachloroethene	13.3	ug/m3	1.0	0.44	1.49		05/07/21 17:44	127-18-4	
Tetrahydrofuran	1.8	ug/m3	0.89	0.27	1.49		05/07/21 17:44	109-99-9	
Toluene	1.0J	ug/m3	1.1	0.36	1.49		05/07/21 17:44	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		05/07/21 17:44	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		05/07/21 17:44	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		05/07/21 17:44	79-00-5	
Trichloroethene	1.8	ug/m3	0.81	0.29	1.49		05/07/21 17:44	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.7	0.35	1.49		05/07/21 17:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.58J	ug/m3	2.3	0.43	1.49		05/07/21 17:44	76-13-1	
1,2,4-Trimethylbenzene	1.7	ug/m3	1.5	0.53	1.49		05/07/21 17:44	95-63-6	
1,3,5-Trimethylbenzene	1.1J	ug/m3	1.5	0.43	1.49		05/07/21 17:44	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		05/07/21 17:44	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		05/07/21 17:44	75-01-4	
m&p-Xylene	<0.96	ug/m3	2.6	0.96	1.49		05/07/21 17:44	179601-23-1	
o-Xylene	<0.40	ug/m3	1.3	0.40	1.49		05/07/21 17:44	95-47-6	

Sample: SSV304-Residence Lab ID: 10557643006 Collected: 04/22/21 11:00 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	16.5	ug/m3	8.2	2.5	1.36		05/07/21 20:51	67-64-1	
Benzene	0.23J	ug/m3	0.44	0.16	1.36		05/07/21 20:51	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.6	1.2	1.36		05/07/21 20:51	100-44-7	
Bromodichloromethane	<0.32	ug/m3	1.8	0.32	1.36		05/07/21 20:51	75-27-4	
Bromoform	<2.2	ug/m3	7.1	2.2	1.36		05/07/21 20:51	75-25-2	
Bromomethane	<0.20	ug/m3	1.1	0.20	1.36		05/07/21 20:51	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.61	0.16	1.36		05/07/21 20:51	106-99-0	
2-Butanone (MEK)	6.3	ug/m3	4.1	0.63	1.36		05/07/21 20:51	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.86	0.18	1.36		05/07/21 20:51	75-15-0	
Carbon tetrachloride	<0.38	ug/m3	1.7	0.38	1.36		05/07/21 20:51	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.3	0.21	1.36		05/07/21 20:51	108-90-7	
Chloroethane	<0.30	ug/m3	0.73	0.30	1.36		05/07/21 20:51	75-00-3	
Chloroform	<0.25	ug/m3	0.67	0.25	1.36		05/07/21 20:51	67-66-3	
Chloromethane	0.52J	ug/m3	0.57	0.12	1.36		05/07/21 20:51	74-87-3	
Cyclohexane	<0.30	ug/m3	2.4	0.30	1.36		05/07/21 20:51	110-82-7	
Dibromochloromethane	<0.70	ug/m3	2.4	0.70	1.36		05/07/21 20:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.41	ug/m3	1.1	0.41	1.36		05/07/21 20:51	106-93-4	
1,2-Dichlorobenzene	<0.55	ug/m3	4.2	0.55	1.36		05/07/21 20:51	95-50-1	
1,3-Dichlorobenzene	<0.69	ug/m3	4.2	0.69	1.36		05/07/21 20:51	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.2	1.2	1.36		05/07/21 20:51	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: SSV304-Residence Lab ID: 10557643006 Collected: 04/22/21 11:00 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	13.4	ug/m3	1.4	0.26	1.36		05/07/21 20:51	75-71-8	
1,1-Dichloroethane	<0.22	ug/m3	1.1	0.22	1.36		05/07/21 20:51	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	1.1	0.26	1.36		05/07/21 20:51	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.36		05/07/21 20:51	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.36		05/07/21 20:51	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.36		05/07/21 20:51	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.3	0.37	1.36		05/07/21 20:51	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	3.1	0.35	1.36		05/07/21 20:51	10061-01-5	
trans-1,3-Dichloropropene	<0.74	ug/m3	3.1	0.74	1.36		05/07/21 20:51	10061-02-6	
Dichlorotetrafluoroethane	<0.27	ug/m3	1.9	0.27	1.36		05/07/21 20:51	76-14-2	
Ethanol	15.7	ug/m3	2.6	0.81	1.36		05/07/21 20:51	64-17-5	SS
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.36		05/07/21 20:51	141-78-6	
Ethylbenzene	1.4	ug/m3	1.2	0.42	1.36		05/07/21 20:51	100-41-4	
4-Ethyltoluene	1.6J	ug/m3	3.4	0.64	1.36		05/07/21 20:51	622-96-8	
n-Heptane	<0.25	ug/m3	1.1	0.25	1.36		05/07/21 20:51	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.4	1.7	1.36		05/07/21 20:51	87-68-3	
n-Hexane	<0.26	ug/m3	0.97	0.26	1.36		05/07/21 20:51	110-54-3	
2-Hexanone	1.8J	ug/m3	5.7	0.60	1.36		05/07/21 20:51	591-78-6	
Methylene Chloride	<0.81	ug/m3	4.8	0.81	1.36		05/07/21 20:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.44	ug/m3	5.7	0.44	1.36		05/07/21 20:51	108-10-1	
Methyl-tert-butyl ether	<0.17	ug/m3	5.0	0.17	1.36		05/07/21 20:51	1634-04-4	
Naphthalene	<3.0	ug/m3	3.6	3.0	1.36		05/07/21 20:51	91-20-3	
2-Propanol	3.5	ug/m3	3.4	0.69	1.36		05/07/21 20:51	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.36		05/07/21 20:51	115-07-1	
Styrene	2.4	ug/m3	1.2	0.52	1.36		05/07/21 20:51	100-42-5	
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.9	0.51	1.36		05/07/21 20:51	79-34-5	
Tetrachloroethene	15.2	ug/m3	0.94	0.40	1.36		05/07/21 20:51	127-18-4	
Tetrahydrofuran	<0.24	ug/m3	0.82	0.24	1.36		05/07/21 20:51	109-99-9	
Toluene	31.4	ug/m3	1.0	0.33	1.36		05/07/21 20:51	108-88-3	
1,2,4-Trichlorobenzene	<6.6	ug/m3	10.3	6.6	1.36		05/07/21 20:51	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.5	0.25	1.36		05/07/21 20:51	71-55-6	
1,1,2-Trichloroethane	<0.27	ug/m3	0.75	0.27	1.36		05/07/21 20:51	79-00-5	
Trichloroethene	<0.27	ug/m3	0.74	0.27	1.36		05/07/21 20:51	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.32	1.36		05/07/21 20:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.67J	ug/m3	2.1	0.39	1.36		05/07/21 20:51	76-13-1	
1,2,4-Trimethylbenzene	2.3	ug/m3	1.4	0.48	1.36		05/07/21 20:51	95-63-6	
1,3,5-Trimethylbenzene	1.3J	ug/m3	1.4	0.39	1.36		05/07/21 20:51	108-67-8	
Vinyl acetate	<0.28	ug/m3	0.97	0.28	1.36		05/07/21 20:51	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.35	0.12	1.36		05/07/21 20:51	75-01-4	
m&p-Xylene	5.3	ug/m3	2.4	0.87	1.36		05/07/21 20:51	179601-23-1	
o-Xylene	2.4	ug/m3	1.2	0.37	1.36		05/07/21 20:51	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: SSV203-Office Lab ID: 10557643007 Collected: 04/22/21 09:46 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	7.6J	ug/m3	8.5	2.6	1.41		05/07/21 21:17	67-64-1	
Benzene	0.64	ug/m3	0.46	0.16	1.41		05/07/21 21:17	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.7	1.3	1.41		05/07/21 21:17	100-44-7	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.41		05/07/21 21:17	75-27-4	
Bromoform	<2.3	ug/m3	7.4	2.3	1.41		05/07/21 21:17	75-25-2	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.41		05/07/21 21:17	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.41		05/07/21 21:17	106-99-0	
2-Butanone (MEK)	3.1J	ug/m3	4.2	0.66	1.41		05/07/21 21:17	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.89	0.18	1.41		05/07/21 21:17	75-15-0	
Carbon tetrachloride	<0.39	ug/m3	1.8	0.39	1.41		05/07/21 21:17	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.41		05/07/21 21:17	108-90-7	
Chloroethane	<0.32	ug/m3	0.76	0.32	1.41		05/07/21 21:17	75-00-3	
Chloroform	<0.26	ug/m3	0.70	0.26	1.41		05/07/21 21:17	67-66-3	
Chloromethane	<0.12	ug/m3	0.59	0.12	1.41		05/07/21 21:17	74-87-3	
Cyclohexane	<0.31	ug/m3	2.5	0.31	1.41		05/07/21 21:17	110-82-7	
Dibromochloromethane	<0.73	ug/m3	2.4	0.73	1.41		05/07/21 21:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.41		05/07/21 21:17	106-93-4	
1,2-Dichlorobenzene	1.7J	ug/m3	4.3	0.57	1.41		05/07/21 21:17	95-50-1	
1,3-Dichlorobenzene	<0.72	ug/m3	4.3	0.72	1.41		05/07/21 21:17	541-73-1	
1,4-Dichlorobenzene	1.5J	ug/m3	4.3	1.2	1.41		05/07/21 21:17	106-46-7	
Dichlorodifluoromethane	25.4	ug/m3	1.4	0.27	1.41		05/07/21 21:17	75-71-8	
1,1-Dichloroethane	<0.23	ug/m3	1.2	0.23	1.41		05/07/21 21:17	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	1.2	0.27	1.41		05/07/21 21:17	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.41		05/07/21 21:17	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.41		05/07/21 21:17	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.1	0.24	1.41		05/07/21 21:17	156-60-5	
1,2-Dichloropropane	<0.38	ug/m3	1.3	0.38	1.41		05/07/21 21:17	78-87-5	
cis-1,3-Dichloropropene	<0.36	ug/m3	3.3	0.36	1.41		05/07/21 21:17	10061-01-5	
trans-1,3-Dichloropropene	<0.77	ug/m3	3.3	0.77	1.41		05/07/21 21:17	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.41		05/07/21 21:17	76-14-2	
Ethanol	15.5	ug/m3	2.7	0.83	1.41		05/07/21 21:17	64-17-5	SS
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.41		05/07/21 21:17	141-78-6	
Ethylbenzene	2.8	ug/m3	1.2	0.44	1.41		05/07/21 21:17	100-41-4	
4-Ethyltoluene	1.9J	ug/m3	3.5	0.67	1.41		05/07/21 21:17	622-96-8	
n-Heptane	0.89J	ug/m3	1.2	0.26	1.41		05/07/21 21:17	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.6	1.7	1.41		05/07/21 21:17	87-68-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.41		05/07/21 21:17	110-54-3	
2-Hexanone	<0.62	ug/m3	5.9	0.62	1.41		05/07/21 21:17	591-78-6	
Methylene Chloride	3.0J	ug/m3	5.0	0.84	1.41		05/07/21 21:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.9	0.45	1.41		05/07/21 21:17	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.2	0.18	1.41		05/07/21 21:17	1634-04-4	
Naphthalene	<3.1	ug/m3	3.8	3.1	1.41		05/07/21 21:17	91-20-3	
2-Propanol	4.2	ug/m3	3.5	0.72	1.41		05/07/21 21:17	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.41		05/07/21 21:17	115-07-1	
Styrene	3.7	ug/m3	1.2	0.54	1.41		05/07/21 21:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: SSV203-Office Lab ID: 10557643007 Collected: 04/22/21 09:46 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.0	0.52	1.41		05/07/21 21:17	79-34-5	
Tetrachloroethene	27.4	ug/m3	0.97	0.41	1.41		05/07/21 21:17	127-18-4	
Tetrahydrofuran	<0.25	ug/m3	0.85	0.25	1.41		05/07/21 21:17	109-99-9	
Toluene	72.5	ug/m3	1.1	0.34	1.41		05/07/21 21:17	108-88-3	
1,2,4-Trichlorobenzene	<6.9	ug/m3	10.6	6.9	1.41		05/07/21 21:17	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.41		05/07/21 21:17	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.78	0.28	1.41		05/07/21 21:17	79-00-5	
Trichloroethene	<0.28	ug/m3	0.77	0.28	1.41		05/07/21 21:17	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.33	1.41		05/07/21 21:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.53J	ug/m3	2.2	0.41	1.41		05/07/21 21:17	76-13-1	
1,2,4-Trimethylbenzene	3.4	ug/m3	1.4	0.50	1.41		05/07/21 21:17	95-63-6	
1,3,5-Trimethylbenzene	1.6	ug/m3	1.4	0.41	1.41		05/07/21 21:17	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.41		05/07/21 21:17	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.37	0.12	1.41		05/07/21 21:17	75-01-4	
m&p-Xylene	11.0	ug/m3	2.5	0.91	1.41		05/07/21 21:17	179601-23-1	
o-Xylene	4.1	ug/m3	1.2	0.38	1.41		05/07/21 21:17	95-47-6	

Sample: SSV101-South Lab ID: 10557643008 Collected: 04/22/21 11:10 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	30.7	ug/m3	8.4	2.5	1.39		05/07/21 21:44	67-64-1	
Benzene	1.3	ug/m3	0.45	0.16	1.39		05/07/21 21:44	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.7	1.2	1.39		05/07/21 21:44	100-44-7	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.39		05/07/21 21:44	75-27-4	
Bromoform	<2.3	ug/m3	7.3	2.3	1.39		05/07/21 21:44	75-25-2	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.39		05/07/21 21:44	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.39		05/07/21 21:44	106-99-0	
2-Butanone (MEK)	8.2	ug/m3	4.2	0.65	1.39		05/07/21 21:44	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.88	0.18	1.39		05/07/21 21:44	75-15-0	
Carbon tetrachloride	<0.39	ug/m3	1.8	0.39	1.39		05/07/21 21:44	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.39		05/07/21 21:44	108-90-7	
Chloroethane	<0.31	ug/m3	0.75	0.31	1.39		05/07/21 21:44	75-00-3	
Chloroform	<0.25	ug/m3	0.69	0.25	1.39		05/07/21 21:44	67-66-3	
Chloromethane	<0.12	ug/m3	0.58	0.12	1.39		05/07/21 21:44	74-87-3	
Cyclohexane	<0.31	ug/m3	2.4	0.31	1.39		05/07/21 21:44	110-82-7	
Dibromochloromethane	<0.72	ug/m3	2.4	0.72	1.39		05/07/21 21:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.39		05/07/21 21:44	106-93-4	
1,2-Dichlorobenzene	<0.56	ug/m3	4.3	0.56	1.39		05/07/21 21:44	95-50-1	
1,3-Dichlorobenzene	2.4J	ug/m3	4.3	0.71	1.39		05/07/21 21:44	541-73-1	
1,4-Dichlorobenzene	1.6J	ug/m3	4.3	1.2	1.39		05/07/21 21:44	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: SSV101-South Lab ID: 10557643008 Collected: 04/22/21 11:10 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	30.5	ug/m3	1.4	0.26	1.39		05/07/21 21:44	75-71-8	
1,1-Dichloroethane	<0.23	ug/m3	1.1	0.23	1.39		05/07/21 21:44	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	1.1	0.27	1.39		05/07/21 21:44	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.39		05/07/21 21:44	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.39		05/07/21 21:44	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.39		05/07/21 21:44	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.3	0.37	1.39		05/07/21 21:44	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	3.2	0.35	1.39		05/07/21 21:44	10061-01-5	
trans-1,3-Dichloropropene	<0.76	ug/m3	3.2	0.76	1.39		05/07/21 21:44	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.39		05/07/21 21:44	76-14-2	
Ethanol	20.9	ug/m3	2.7	0.82	1.39		05/07/21 21:44	64-17-5	SS
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.39		05/07/21 21:44	141-78-6	
Ethylbenzene	2.6	ug/m3	1.2	0.43	1.39		05/07/21 21:44	100-41-4	
4-Ethyltoluene	2.0J	ug/m3	3.5	0.66	1.39		05/07/21 21:44	622-96-8	
n-Heptane	1.5	ug/m3	1.2	0.25	1.39		05/07/21 21:44	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.5	1.7	1.39		05/07/21 21:44	87-68-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.39		05/07/21 21:44	110-54-3	
2-Hexanone	2.0J	ug/m3	5.8	0.61	1.39		05/07/21 21:44	591-78-6	
Methylene Chloride	1.3J	ug/m3	4.9	0.82	1.39		05/07/21 21:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.8	0.45	1.39		05/07/21 21:44	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.1	0.18	1.39		05/07/21 21:44	1634-04-4	
Naphthalene	<3.0	ug/m3	3.7	3.0	1.39		05/07/21 21:44	91-20-3	
2-Propanol	27.5	ug/m3	3.5	0.71	1.39		05/07/21 21:44	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.39		05/07/21 21:44	115-07-1	
Styrene	4.5	ug/m3	1.2	0.54	1.39		05/07/21 21:44	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	1.9	0.52	1.39		05/07/21 21:44	79-34-5	
Tetrachloroethene	326	ug/m3	0.96	0.41	1.39		05/07/21 21:44	127-18-4	
Tetrahydrofuran	<0.25	ug/m3	0.83	0.25	1.39		05/07/21 21:44	109-99-9	
Toluene	71.2	ug/m3	1.1	0.34	1.39		05/07/21 21:44	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	10.5	6.8	1.39		05/07/21 21:44	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.5	0.26	1.39		05/07/21 21:44	71-55-6	
1,1,2-Trichloroethane	<0.27	ug/m3	0.77	0.27	1.39		05/07/21 21:44	79-00-5	
Trichloroethene	0.68J	ug/m3	0.76	0.27	1.39		05/07/21 21:44	79-01-6	
Trichlorofluoromethane	1.7	ug/m3	1.6	0.32	1.39		05/07/21 21:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.0J	ug/m3	2.2	0.40	1.39		05/07/21 21:44	76-13-1	
1,2,4-Trimethylbenzene	4.0	ug/m3	1.4	0.49	1.39		05/07/21 21:44	95-63-6	
1,3,5-Trimethylbenzene	1.7	ug/m3	1.4	0.40	1.39		05/07/21 21:44	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.39		05/07/21 21:44	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.36	0.12	1.39		05/07/21 21:44	75-01-4	
m&p-Xylene	11.0	ug/m3	2.5	0.89	1.39		05/07/21 21:44	179601-23-1	
o-Xylene	4.3	ug/m3	1.2	0.38	1.39		05/07/21 21:44	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: Blower Sta **Lab ID: 10557643009** Collected: 04/22/21 10:07 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	7.3J	ug/m3	7.9	2.4	1.3		05/07/21 22:11	67-64-1	
Benzene	0.50	ug/m3	0.42	0.15	1.3		05/07/21 22:11	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.4	1.2	1.3		05/07/21 22:11	100-44-7	
Bromodichloromethane	<0.31	ug/m3	1.8	0.31	1.3		05/07/21 22:11	75-27-4	
Bromoform	<2.1	ug/m3	6.8	2.1	1.3		05/07/21 22:11	75-25-2	
Bromomethane	<0.20	ug/m3	1.0	0.20	1.3		05/07/21 22:11	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.58	0.16	1.3		05/07/21 22:11	106-99-0	
2-Butanone (MEK)	<0.60	ug/m3	3.9	0.60	1.3		05/07/21 22:11	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.82	0.17	1.3		05/07/21 22:11	75-15-0	
Carbon tetrachloride	<0.36	ug/m3	1.7	0.36	1.3		05/07/21 22:11	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.2	0.20	1.3		05/07/21 22:11	108-90-7	
Chloroethane	<0.29	ug/m3	0.70	0.29	1.3		05/07/21 22:11	75-00-3	
Chloroform	<0.24	ug/m3	0.64	0.24	1.3		05/07/21 22:11	67-66-3	
Chloromethane	0.29J	ug/m3	0.55	0.11	1.3		05/07/21 22:11	74-87-3	
Cyclohexane	<0.29	ug/m3	2.3	0.29	1.3		05/07/21 22:11	110-82-7	
Dibromochloromethane	<0.67	ug/m3	2.2	0.67	1.3		05/07/21 22:11	124-48-1	
1,2-Dibromoethane (EDB)	<0.39	ug/m3	1.0	0.39	1.3		05/07/21 22:11	106-93-4	
1,2-Dichlorobenzene	5.1	ug/m3	4.0	0.53	1.3		05/07/21 22:11	95-50-1	
1,3-Dichlorobenzene	<0.66	ug/m3	4.0	0.66	1.3		05/07/21 22:11	541-73-1	
1,4-Dichlorobenzene	<1.1	ug/m3	4.0	1.1	1.3		05/07/21 22:11	106-46-7	
Dichlorodifluoromethane	16.8	ug/m3	1.3	0.24	1.3		05/07/21 22:11	75-71-8	
1,1-Dichloroethane	<0.21	ug/m3	1.1	0.21	1.3		05/07/21 22:11	75-34-3	
1,2-Dichloroethane	<0.25	ug/m3	1.1	0.25	1.3		05/07/21 22:11	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.0	0.18	1.3		05/07/21 22:11	75-35-4	
cis-1,2-Dichloroethene	<0.25	ug/m3	1.0	0.25	1.3		05/07/21 22:11	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.0	0.22	1.3		05/07/21 22:11	156-60-5	
1,2-Dichloropropane	<0.35	ug/m3	1.2	0.35	1.3		05/07/21 22:11	78-87-5	
cis-1,3-Dichloropropene	<0.33	ug/m3	3.0	0.33	1.3		05/07/21 22:11	10061-01-5	
trans-1,3-Dichloropropene	<0.71	ug/m3	3.0	0.71	1.3		05/07/21 22:11	10061-02-6	
Dichlorotetrafluoroethane	<0.26	ug/m3	1.8	0.26	1.3		05/07/21 22:11	76-14-2	
Ethanol	5.2	ug/m3	2.5	0.77	1.3		05/07/21 22:11	64-17-5	SS
Ethyl acetate	<0.17	ug/m3	0.95	0.17	1.3		05/07/21 22:11	141-78-6	
Ethylbenzene	<0.40	ug/m3	1.1	0.40	1.3		05/07/21 22:11	100-41-4	
4-Ethyltoluene	<0.61	ug/m3	3.2	0.61	1.3		05/07/21 22:11	622-96-8	
n-Heptane	<0.24	ug/m3	1.1	0.24	1.3		05/07/21 22:11	142-82-5	
Hexachloro-1,3-butadiene	<1.6	ug/m3	7.0	1.6	1.3		05/07/21 22:11	87-68-3	
n-Hexane	<0.25	ug/m3	0.93	0.25	1.3		05/07/21 22:11	110-54-3	
2-Hexanone	<0.57	ug/m3	5.4	0.57	1.3		05/07/21 22:11	591-78-6	
Methylene Chloride	3.8J	ug/m3	4.6	0.77	1.3		05/07/21 22:11	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.42	ug/m3	5.4	0.42	1.3		05/07/21 22:11	108-10-1	
Methyl-tert-butyl ether	<0.16	ug/m3	4.8	0.16	1.3		05/07/21 22:11	1634-04-4	
Naphthalene	<2.8	ug/m3	3.5	2.8	1.3		05/07/21 22:11	91-20-3	
2-Propanol	1.4J	ug/m3	3.2	0.66	1.3		05/07/21 22:11	67-63-0	
Propylene	<0.17	ug/m3	1.1	0.17	1.3		05/07/21 22:11	115-07-1	
Styrene	<0.50	ug/m3	1.1	0.50	1.3		05/07/21 22:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: Blower Sta Lab ID: 10557643009 Collected: 04/22/21 10:07 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.48	ug/m3	1.8	0.48	1.3		05/07/21 22:11	79-34-5	
Tetrachloroethene	214	ug/m3	0.90	0.38	1.3		05/07/21 22:11	127-18-4	
Tetrahydrofuran	<0.23	ug/m3	0.78	0.23	1.3		05/07/21 22:11	109-99-9	
Toluene	1.3	ug/m3	1.0	0.32	1.3		05/07/21 22:11	108-88-3	
1,2,4-Trichlorobenzene	<6.3	ug/m3	9.8	6.3	1.3		05/07/21 22:11	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/m3	1.4	0.24	1.3		05/07/21 22:11	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.72	0.26	1.3		05/07/21 22:11	79-00-5	
Trichloroethene	<0.25	ug/m3	0.71	0.25	1.3		05/07/21 22:11	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.5	0.30	1.3		05/07/21 22:11	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.57J	ug/m3	2.0	0.38	1.3		05/07/21 22:11	76-13-1	
1,2,4-Trimethylbenzene	2.8	ug/m3	1.3	0.46	1.3		05/07/21 22:11	95-63-6	
1,3,5-Trimethylbenzene	1.8	ug/m3	1.3	0.38	1.3		05/07/21 22:11	108-67-8	
Vinyl acetate	<0.27	ug/m3	0.93	0.27	1.3		05/07/21 22:11	108-05-4	
Vinyl chloride	<0.11	ug/m3	0.34	0.11	1.3		05/07/21 22:11	75-01-4	
m&p-Xylene	<0.83	ug/m3	2.3	0.83	1.3		05/07/21 22:11	179601-23-1	
o-Xylene	0.75J	ug/m3	1.1	0.35	1.3		05/07/21 22:11	95-47-6	

Sample: SSV406-WildCard Lab ID: 10557643010 Collected: 04/22/21 12:21 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	6.6J	ug/m3	8.1	2.4	1.34		05/07/21 22:37	67-64-1	
Benzene	0.43J	ug/m3	0.44	0.15	1.34		05/07/21 22:37	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.5	1.2	1.34		05/07/21 22:37	100-44-7	
Bromodichloromethane	<0.32	ug/m3	1.8	0.32	1.34		05/07/21 22:37	75-27-4	
Bromoform	<2.2	ug/m3	7.0	2.2	1.34		05/07/21 22:37	75-25-2	
Bromomethane	<0.20	ug/m3	1.1	0.20	1.34		05/07/21 22:37	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.60	0.16	1.34		05/07/21 22:37	106-99-0	
2-Butanone (MEK)	3.4J	ug/m3	4.0	0.62	1.34		05/07/21 22:37	78-93-3	
Carbon disulfide	<0.17	ug/m3	0.85	0.17	1.34		05/07/21 22:37	75-15-0	
Carbon tetrachloride	<0.38	ug/m3	1.7	0.38	1.34		05/07/21 22:37	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.3	0.21	1.34		05/07/21 22:37	108-90-7	
Chloroethane	<0.30	ug/m3	0.72	0.30	1.34		05/07/21 22:37	75-00-3	
Chloroform	<0.25	ug/m3	0.66	0.25	1.34		05/07/21 22:37	67-66-3	
Chloromethane	<0.11	ug/m3	0.56	0.11	1.34		05/07/21 22:37	74-87-3	
Cyclohexane	<0.30	ug/m3	2.3	0.30	1.34		05/07/21 22:37	110-82-7	
Dibromochloromethane	<0.69	ug/m3	2.3	0.69	1.34		05/07/21 22:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.40	ug/m3	1.0	0.40	1.34		05/07/21 22:37	106-93-4	
1,2-Dichlorobenzene	1.4J	ug/m3	4.1	0.54	1.34		05/07/21 22:37	95-50-1	
1,3-Dichlorobenzene	<0.68	ug/m3	4.1	0.68	1.34		05/07/21 22:37	541-73-1	
1,4-Dichlorobenzene	1.6J	ug/m3	4.1	1.2	1.34		05/07/21 22:37	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10557643

Sample: **SSV406-WildCard** Lab ID: **10557643010** Collected: 04/22/21 12:21 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	11.1	ug/m3	1.4	0.25	1.34		05/07/21 22:37	75-71-8	
1,1-Dichloroethane	<0.22	ug/m3	1.1	0.22	1.34		05/07/21 22:37	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	1.1	0.26	1.34		05/07/21 22:37	107-06-2	
1,1-Dichloroethene	<0.18	ug/m3	1.1	0.18	1.34		05/07/21 22:37	75-35-4	
cis-1,2-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.34		05/07/21 22:37	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.34		05/07/21 22:37	156-60-5	
1,2-Dichloropropane	<0.36	ug/m3	1.3	0.36	1.34		05/07/21 22:37	78-87-5	
cis-1,3-Dichloropropene	<0.34	ug/m3	3.1	0.34	1.34		05/07/21 22:37	10061-01-5	
trans-1,3-Dichloropropene	<0.73	ug/m3	3.1	0.73	1.34		05/07/21 22:37	10061-02-6	
Dichlorotetrafluoroethane	<0.27	ug/m3	1.9	0.27	1.34		05/07/21 22:37	76-14-2	
Ethanol	6.5	ug/m3	2.6	0.79	1.34		05/07/21 22:37	64-17-5	SS
Ethyl acetate	<0.18	ug/m3	0.98	0.18	1.34		05/07/21 22:37	141-78-6	
Ethylbenzene	1.7	ug/m3	1.2	0.41	1.34		05/07/21 22:37	100-41-4	
4-Ethyltoluene	1.8J	ug/m3	3.4	0.63	1.34		05/07/21 22:37	622-96-8	
n-Heptane	<0.24	ug/m3	1.1	0.24	1.34		05/07/21 22:37	142-82-5	
Hexachloro-1,3-butadiene	<1.6	ug/m3	7.3	1.6	1.34		05/07/21 22:37	87-68-3	
n-Hexane	<0.26	ug/m3	0.96	0.26	1.34		05/07/21 22:37	110-54-3	
2-Hexanone	<0.59	ug/m3	5.6	0.59	1.34		05/07/21 22:37	591-78-6	
Methylene Chloride	<0.79	ug/m3	4.7	0.79	1.34		05/07/21 22:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.43	ug/m3	5.6	0.43	1.34		05/07/21 22:37	108-10-1	
Methyl-tert-butyl ether	<0.17	ug/m3	4.9	0.17	1.34		05/07/21 22:37	1634-04-4	
Naphthalene	<2.9	ug/m3	3.6	2.9	1.34		05/07/21 22:37	91-20-3	
2-Propanol	1.9J	ug/m3	3.4	0.68	1.34		05/07/21 22:37	67-63-0	
Propylene	<0.17	ug/m3	1.2	0.17	1.34		05/07/21 22:37	115-07-1	
Styrene	3.4	ug/m3	1.2	0.52	1.34		05/07/21 22:37	100-42-5	
1,1,2,2-Tetrachloroethane	<0.50	ug/m3	1.9	0.50	1.34		05/07/21 22:37	79-34-5	
Tetrachloroethene	12700	ug/m3	222	93.9	321.6		05/08/21 13:03	127-18-4	
Tetrahydrofuran	<0.24	ug/m3	0.80	0.24	1.34		05/07/21 22:37	109-99-9	
Toluene	41.6	ug/m3	1.0	0.33	1.34		05/07/21 22:37	108-88-3	
1,2,4-Trichlorobenzene	<6.5	ug/m3	10.1	6.5	1.34		05/07/21 22:37	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.5	0.25	1.34		05/07/21 22:37	71-55-6	
1,1,2-Trichloroethane	<0.26	ug/m3	0.74	0.26	1.34		05/07/21 22:37	79-00-5	
Trichloroethene	10	ug/m3	0.73	0.26	1.34		05/07/21 22:37	79-01-6	
Trichlorofluoromethane	1.3J	ug/m3	1.5	0.31	1.34		05/07/21 22:37	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.63J	ug/m3	2.1	0.39	1.34		05/07/21 22:37	76-13-1	
1,2,4-Trimethylbenzene	3.4	ug/m3	1.3	0.47	1.34		05/07/21 22:37	95-63-6	
1,3,5-Trimethylbenzene	1.5	ug/m3	1.3	0.39	1.34		05/07/21 22:37	108-67-8	
Vinyl acetate	<0.28	ug/m3	0.96	0.28	1.34		05/07/21 22:37	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.35	0.12	1.34		05/07/21 22:37	75-01-4	
m&p-Xylene	7.0	ug/m3	2.4	0.86	1.34		05/07/21 22:37	179601-23-1	
o-Xylene	3.1	ug/m3	1.2	0.36	1.34		05/07/21 22:37	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: **SSV405-Attorney** Lab ID: **10557643011** Collected: 04/22/21 12:25 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<1330	ug/m3	4450	1330	737.3		05/09/21 23:38	67-64-1	
Benzene	235J	ug/m3	240	84.0	737.3		05/09/21 23:38	71-43-2	
Benzyl chloride	<656	ug/m3	1940	656	737.3		05/09/21 23:38	100-44-7	
Bromodichloromethane	<175	ug/m3	1000	175	737.3		05/09/21 23:38	75-27-4	
Bromoform	<1190	ug/m3	3870	1190	737.3		05/09/21 23:38	75-25-2	
Bromomethane	<111	ug/m3	582	111	737.3		05/09/21 23:38	74-83-9	
1,3-Butadiene	<88.5	ug/m3	332	88.5	737.3		05/09/21 23:38	106-99-0	
2-Butanone (MEK)	<343	ug/m3	2210	343	737.3		05/09/21 23:38	78-93-3	
Carbon disulfide	<95.1	ug/m3	467	95.1	737.3		05/09/21 23:38	75-15-0	
Carbon tetrachloride	<206	ug/m3	944	206	737.3		05/09/21 23:38	56-23-5	
Chlorobenzene	<114	ug/m3	690	114	737.3		05/09/21 23:38	108-90-7	
Chloroethane	<165	ug/m3	395	165	737.3		05/09/21 23:38	75-00-3	
Chloroform	<135	ug/m3	366	135	737.3		05/09/21 23:38	67-66-3	
Chloromethane	<62.7	ug/m3	310	62.7	737.3		05/09/21 23:38	74-87-3	
Cyclohexane	5480	ug/m3	1290	163	737.3		05/09/21 23:38	110-82-7	
Dibromochloromethane	<380	ug/m3	1280	380	737.3		05/09/21 23:38	124-48-1	
1,2-Dibromoethane (EDB)	<221	ug/m3	576	221	737.3		05/09/21 23:38	106-93-4	
1,2-Dichlorobenzene	<299	ug/m3	2260	299	737.3		05/09/21 23:38	95-50-1	
1,3-Dichlorobenzene	<375	ug/m3	2260	375	737.3		05/09/21 23:38	541-73-1	
1,4-Dichlorobenzene	<647	ug/m3	2260	647	737.3		05/09/21 23:38	106-46-7	
Dichlorodifluoromethane	<139	ug/m3	745	139	737.3		05/09/21 23:38	75-71-8	
1,1-Dichloroethane	<122	ug/m3	607	122	737.3		05/09/21 23:38	75-34-3	
1,2-Dichloroethane	<143	ug/m3	607	143	737.3		05/09/21 23:38	107-06-2	
1,1-Dichloroethene	<102	ug/m3	594	102	737.3		05/09/21 23:38	75-35-4	
cis-1,2-Dichloroethene	<144	ug/m3	594	144	737.3		05/09/21 23:38	156-59-2	
trans-1,2-Dichloroethene	<124	ug/m3	594	124	737.3		05/09/21 23:38	156-60-5	
1,2-Dichloropropane	<198	ug/m3	692	198	737.3		05/09/21 23:38	78-87-5	
cis-1,3-Dichloropropene	<188	ug/m3	1700	188	737.3		05/09/21 23:38	10061-01-5	
trans-1,3-Dichloropropene	<401	ug/m3	1700	401	737.3		05/09/21 23:38	10061-02-6	
Dichlorotetrafluoroethane	<149	ug/m3	1050	149	737.3		05/09/21 23:38	76-14-2	
Ethanol	<436	ug/m3	1420	436	737.3		05/09/21 23:38	64-17-5	
Ethyl acetate	<96.6	ug/m3	540	96.6	737.3		05/09/21 23:38	141-78-6	
Ethylbenzene	1340	ug/m3	651	228	737.3		05/09/21 23:38	100-41-4	
4-Ethyltoluene	<348	ug/m3	1840	348	737.3		05/09/21 23:38	622-96-8	
n-Heptane	759	ug/m3	614	133	737.3		05/09/21 23:38	142-82-5	
Hexachloro-1,3-butadiene	<907	ug/m3	4000	907	737.3		05/09/21 23:38	87-68-3	
n-Hexane	412J	ug/m3	528	141	737.3		05/09/21 23:38	110-54-3	
2-Hexanone	<326	ug/m3	3070	326	737.3		05/09/21 23:38	591-78-6	
Methylene Chloride	<437	ug/m3	2600	437	737.3		05/09/21 23:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	<237	ug/m3	3070	237	737.3		05/09/21 23:38	108-10-1	
Methyl-tert-butyl ether	<92.9	ug/m3	2700	92.9	737.3		05/09/21 23:38	1634-04-4	
Naphthalene	<1600	ug/m3	1960	1600	737.3		05/09/21 23:38	91-20-3	
2-Propanol	<375	ug/m3	1840	375	737.3		05/09/21 23:38	67-63-0	
Propylene	<95.8	ug/m3	645	95.8	737.3		05/09/21 23:38	115-07-1	
Styrene	<284	ug/m3	638	284	737.3		05/09/21 23:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: **SSV405-Attorney** Lab ID: **10557643011** Collected: 04/22/21 12:25 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<274	ug/m3	1030	274	737.3		05/09/21 23:38	79-34-5	
Tetrachloroethene	38600	ug/m3	508	215	737.3		05/09/21 23:38	127-18-4	
Tetrahydrofuran	<133	ug/m3	442	133	737.3		05/09/21 23:38	109-99-9	
Toluene	184J	ug/m3	565	180	737.3		05/09/21 23:38	108-88-3	
1,2,4-Trichlorobenzene	<3600	ug/m3	5560	3600	737.3		05/09/21 23:38	120-82-1	
1,1,1-Trichloroethane	<137	ug/m3	818	137	737.3		05/09/21 23:38	71-55-6	
1,1,2-Trichloroethane	<145	ug/m3	409	145	737.3		05/09/21 23:38	79-00-5	
Trichloroethene	356J	ug/m3	403	145	737.3		05/09/21 23:38	79-01-6	
Trichlorofluoromethane	<172	ug/m3	840	172	737.3		05/09/21 23:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	<213	ug/m3	1150	213	737.3		05/09/21 23:38	76-13-1	
1,2,4-Trimethylbenzene	<261	ug/m3	737	261	737.3		05/09/21 23:38	95-63-6	
1,3,5-Trimethylbenzene	<214	ug/m3	737	214	737.3		05/09/21 23:38	108-67-8	
Vinyl acetate	<153	ug/m3	528	153	737.3		05/09/21 23:38	108-05-4	
Vinyl chloride	<64.0	ug/m3	192	64.0	737.3		05/09/21 23:38	75-01-4	
m&p-Xylene	<473	ug/m3	1300	473	737.3		05/09/21 23:38	179601-23-1	
o-Xylene	<200	ug/m3	651	200	737.3		05/09/21 23:38	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

QC Batch: 740475 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10557643001, 10557643002, 10557643003, 10557643004, 10557643005, 10557643006, 10557643007, 10557643008, 10557643009, 10557643010

METHOD BLANK: 3949055 Matrix: Air
Associated Lab Samples: 10557643001, 10557643002, 10557643003, 10557643004, 10557643005, 10557643006, 10557643007, 10557643008, 10557643009, 10557643010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.093	0.56	05/07/21 09:20	
1,1,2,2-Tetrachloroethane	ug/m3	<0.19	0.70	05/07/21 09:20	
1,1,2-Trichloroethane	ug/m3	<0.098	0.28	05/07/21 09:20	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.14	0.78	05/07/21 09:20	
1,1-Dichloroethane	ug/m3	<0.082	0.41	05/07/21 09:20	
1,1-Dichloroethene	ug/m3	<0.069	0.40	05/07/21 09:20	
1,2,4-Trichlorobenzene	ug/m3	<2.4	3.8	05/07/21 09:20	
1,2,4-Trimethylbenzene	ug/m3	<0.18	0.50	05/07/21 09:20	
1,2-Dibromoethane (EDB)	ug/m3	<0.15	0.39	05/07/21 09:20	
1,2-Dichlorobenzene	ug/m3	<0.20	1.5	05/07/21 09:20	
1,2-Dichloroethane	ug/m3	<0.097	0.41	05/07/21 09:20	
1,2-Dichloropropane	ug/m3	<0.13	0.47	05/07/21 09:20	
1,3,5-Trimethylbenzene	ug/m3	<0.14	0.50	05/07/21 09:20	
1,3-Butadiene	ug/m3	<0.060	0.22	05/07/21 09:20	
1,3-Dichlorobenzene	ug/m3	<0.25	1.5	05/07/21 09:20	
1,4-Dichlorobenzene	ug/m3	<0.44	1.5	05/07/21 09:20	
2-Butanone (MEK)	ug/m3	<0.23	1.5	05/07/21 09:20	
2-Hexanone	ug/m3	<0.22	2.1	05/07/21 09:20	
2-Propanol	ug/m3	<0.25	1.2	05/07/21 09:20	
4-Ethyltoluene	ug/m3	<0.24	1.2	05/07/21 09:20	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.16	2.1	05/07/21 09:20	
Acetone	ug/m3	<0.90	3.0	05/07/21 09:20	
Benzene	ug/m3	<0.057	0.16	05/07/21 09:20	
Benzyl chloride	ug/m3	<0.44	1.3	05/07/21 09:20	
Bromodichloromethane	ug/m3	<0.12	0.68	05/07/21 09:20	
Bromoform	ug/m3	<0.81	2.6	05/07/21 09:20	
Bromomethane	ug/m3	<0.075	0.39	05/07/21 09:20	
Carbon disulfide	ug/m3	<0.064	0.32	05/07/21 09:20	
Carbon tetrachloride	ug/m3	<0.14	0.64	05/07/21 09:20	
Chlorobenzene	ug/m3	<0.078	0.47	05/07/21 09:20	
Chloroethane	ug/m3	<0.11	0.27	05/07/21 09:20	
Chloroform	ug/m3	<0.092	0.25	05/07/21 09:20	
Chloromethane	ug/m3	<0.043	0.21	05/07/21 09:20	
cis-1,2-Dichloroethene	ug/m3	<0.098	0.40	05/07/21 09:20	
cis-1,3-Dichloropropene	ug/m3	<0.13	1.2	05/07/21 09:20	
Cyclohexane	ug/m3	<0.11	0.88	05/07/21 09:20	
Dibromochloromethane	ug/m3	<0.26	0.86	05/07/21 09:20	
Dichlorodifluoromethane	ug/m3	<0.094	0.50	05/07/21 09:20	
Dichlorotetrafluoroethane	ug/m3	<0.10	0.71	05/07/21 09:20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

METHOD BLANK: 3949055 Matrix: Air
Associated Lab Samples: 10557643001, 10557643002, 10557643003, 10557643004, 10557643005, 10557643006, 10557643007, 10557643008, 10557643009, 10557643010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.30	0.96	05/07/21 09:20	
Ethyl acetate	ug/m3	<0.066	0.37	05/07/21 09:20	
Ethylbenzene	ug/m3	<0.15	0.44	05/07/21 09:20	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	05/07/21 09:20	
m&p-Xylene	ug/m3	<0.32	0.88	05/07/21 09:20	
Methyl-tert-butyl ether	ug/m3	<0.063	1.8	05/07/21 09:20	
Methylene Chloride	ug/m3	<0.30	1.8	05/07/21 09:20	
n-Heptane	ug/m3	<0.090	0.42	05/07/21 09:20	
n-Hexane	ug/m3	<0.096	0.36	05/07/21 09:20	
Naphthalene	ug/m3	<1.1	1.3	05/07/21 09:20	
o-Xylene	ug/m3	<0.14	0.44	05/07/21 09:20	
Propylene	ug/m3	<0.065	0.44	05/07/21 09:20	
Styrene	ug/m3	<0.19	0.43	05/07/21 09:20	
Tetrachloroethene	ug/m3	<0.15	0.34	05/07/21 09:20	
Tetrahydrofuran	ug/m3	<0.090	0.30	05/07/21 09:20	
Toluene	ug/m3	<0.12	0.38	05/07/21 09:20	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	05/07/21 09:20	
trans-1,3-Dichloropropene	ug/m3	<0.27	1.2	05/07/21 09:20	
Trichloroethene	ug/m3	<0.098	0.27	05/07/21 09:20	
Trichlorofluoromethane	ug/m3	<0.12	0.57	05/07/21 09:20	
Vinyl acetate	ug/m3	<0.10	0.36	05/07/21 09:20	
Vinyl chloride	ug/m3	<0.043	0.13	05/07/21 09:20	

LABORATORY CONTROL SAMPLE: 3949056

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	62.9	106	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	93.8	124	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	67.2	113	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	87.9	105	70-130	
1,1-Dichloroethane	ug/m3	43.9	47.9	109	70-133	
1,1-Dichloroethene	ug/m3	43.5	46.7	107	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	179	101	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	57.8	107	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	97.6	118	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	68.9	104	70-146	
1,2-Dichloroethane	ug/m3	44.4	48.0	108	70-132	
1,2-Dichloropropane	ug/m3	50.6	58.3	115	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	57.4	107	70-143	
1,3-Butadiene	ug/m3	24.2	26.5	110	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	64.2	97	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	69.5	105	70-140	
2-Butanone (MEK)	ug/m3	32.3	33.6	104	50-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

LABORATORY CONTROL SAMPLE: 3949056

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	44.8	48.0	107	70-148	
2-Propanol	ug/m3	149	160	107	67-135	
4-Ethyltoluene	ug/m3	53.7	55.0	102	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	46.9	104	70-139	
Acetone	ug/m3	128	126	99	64-130	
Benzene	ug/m3	34.8	37.6	108	70-131	
Benzyl chloride	ug/m3	57.6	61.1	106	70-130	
Bromodichloromethane	ug/m3	73.1	78.3	107	70-133	
Bromoform	ug/m3	114	120	105	70-137	
Bromomethane	ug/m3	42.5	45.2	106	64-134	
Carbon disulfide	ug/m3	34.4	37.3	108	70-131	
Carbon tetrachloride	ug/m3	69.4	74.0	107	70-131	
Chlorobenzene	ug/m3	50.2	54.2	108	70-130	
Chloroethane	ug/m3	28.8	30.5	106	69-141	
Chloroform	ug/m3	52.4	55.5	106	70-130	
Chloromethane	ug/m3	22.6	23.8	106	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	48.3	111	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	60.2	122	70-144	
Cyclohexane	ug/m3	37.4	46.8	125	70-137	
Dibromochloromethane	ug/m3	93.2	105	113	70-132	
Dichlorodifluoromethane	ug/m3	54.6	56.0	102	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	72.9	102	70-130	
Ethanol	ug/m3	124	126	102	63-133	SS
Ethyl acetate	ug/m3	38.9	45.3	116	70-136	
Ethylbenzene	ug/m3	47.8	58.2	122	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	138	104	70-135	
m&p-Xylene	ug/m3	95.4	120	126	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	43.9	111	70-143	
Methylene Chloride	ug/m3	190	199	105	70-130	
n-Heptane	ug/m3	44.6	51.8	116	70-137	
n-Hexane	ug/m3	38	42.8	112	70-135	
Naphthalene	ug/m3	65.2	67.2	103	67-132	
o-Xylene	ug/m3	47.6	49.0	103	70-141	
Propylene	ug/m3	18.9	21.8	116	70-130	
Styrene	ug/m3	47	50.8	108	70-142	
Tetrachloroethene	ug/m3	73.4	82.2	112	70-130	
Tetrahydrofuran	ug/m3	32.1	35.2	110	70-136	
Toluene	ug/m3	41.6	48.7	117	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	47.1	108	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	49.9	99	70-145	
Trichloroethene	ug/m3	58.4	63.3	108	70-130	
Trichlorofluoromethane	ug/m3	62	63.7	103	69-135	
Vinyl acetate	ug/m3	46.4	54.0	116	70-146	
Vinyl chloride	ug/m3	28	30.3	108	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

SAMPLE DUPLICATE: 3950150

Parameter	Units	10557643001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.28	<0.28		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.55	<0.55		25	
1,1,2-Trichloroethane	ug/m3	<0.29	<0.29		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.48J	0.57J		25	
1,1-Dichloroethane	ug/m3	<0.25	<0.25		25	
1,1-Dichloroethene	ug/m3	<0.21	<0.21		25	
1,2,4-Trichlorobenzene	ug/m3	<7.3	<7.3		25	
1,2,4-Trimethylbenzene	ug/m3	<0.53	<0.53		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.45	<0.45		25	
1,2-Dichlorobenzene	ug/m3	<0.60	<0.60		25	
1,2-Dichloroethane	ug/m3	<0.29	<0.29		25	
1,2-Dichloropropane	ug/m3	<0.40	<0.40		25	
1,3,5-Trimethylbenzene	ug/m3	<0.43	<0.43		25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.76	<0.76		25	
1,4-Dichlorobenzene	ug/m3	<1.3	<1.3		25	
2-Butanone (MEK)	ug/m3	<0.69	<0.69		25	
2-Hexanone	ug/m3	<0.66	<0.66		25	
2-Propanol	ug/m3	<0.76	<0.76		25	
4-Ethyltoluene	ug/m3	<0.70	<0.70		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.48	<0.48		25	
Acetone	ug/m3	6.2J	6.5J		25	
Benzene	ug/m3	0.30J	0.31J		25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.35	<0.35		25	
Bromoform	ug/m3	<2.4	<2.4		25	
Bromomethane	ug/m3	<0.22	<0.22		25	
Carbon disulfide	ug/m3	<0.19	<0.19		25	
Carbon tetrachloride	ug/m3	<0.42	<0.42		25	
Chlorobenzene	ug/m3	<0.23	<0.23		25	
Chloroethane	ug/m3	<0.33	<0.33		25	
Chloroform	ug/m3	<0.27	<0.27		25	
Chloromethane	ug/m3	0.57J	0.51J		25	
cis-1,2-Dichloroethene	ug/m3	<0.29	<0.29		25	
cis-1,3-Dichloropropene	ug/m3	<0.38	<0.38		25	
Cyclohexane	ug/m3	<0.33	<0.33		25	
Dibromochloromethane	ug/m3	<0.77	<0.77		25	
Dichlorodifluoromethane	ug/m3	1.8	1.6	13	25	
Dichlorotetrafluoroethane	ug/m3	<0.30	<0.30		25	
Ethanol	ug/m3	3.1	2.7J		25	SS
Ethyl acetate	ug/m3	<0.20	<0.20		25	
Ethylbenzene	ug/m3	<0.46	<0.46		25	
Hexachloro-1,3-butadiene	ug/m3	<1.8	<1.8		25	
m&p-Xylene	ug/m3	<0.96	<0.96		25	
Methyl-tert-butyl ether	ug/m3	<0.19	<0.19		25	
Methylene Chloride	ug/m3	<0.88	<0.88		25	
n-Heptane	ug/m3	<0.27	<0.27		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

SAMPLE DUPLICATE: 3950150

Parameter	Units	10557643001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<0.28	<0.28		25	
Naphthalene	ug/m3	<3.2	<3.2		25	
o-Xylene	ug/m3	<0.40	<0.40		25	
Propylene	ug/m3	<0.19	<0.19		25	
Styrene	ug/m3	<0.57	<0.57		25	
Tetrachloroethene	ug/m3	<0.44	<0.44		25	
Tetrahydrofuran	ug/m3	1.5	1.5	2	25	
Toluene	ug/m3	<0.36	<0.36		25	
trans-1,2-Dichloroethene	ug/m3	<0.25	<0.25		25	
trans-1,3-Dichloropropene	ug/m3	<0.81	<0.81		25	
Trichloroethene	ug/m3	<0.29	<0.29		25	
Trichlorofluoromethane	ug/m3	1.2J	1.3J		25	
Vinyl acetate	ug/m3	<0.31	<0.31		25	
Vinyl chloride	ug/m3	<0.13	<0.13		25	

SAMPLE DUPLICATE: 3950151

Parameter	Units	10557643002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.26	<0.26		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.52	<0.52		25	
1,1,2-Trichloroethane	ug/m3	<0.28	<0.28		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.49J	0.48J		25	
1,1-Dichloroethane	ug/m3	<0.23	<0.23		25	
1,1-Dichloroethene	ug/m3	<0.19	<0.19		25	
1,2,4-Trichlorobenzene	ug/m3	<6.9	<6.9		25	
1,2,4-Trimethylbenzene	ug/m3	<0.50	<0.50		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.42	<0.42		25	
1,2-Dichlorobenzene	ug/m3	<0.57	<0.57		25	
1,2-Dichloroethane	ug/m3	<0.27	<0.27		25	
1,2-Dichloropropane	ug/m3	<0.38	<0.38		25	
1,3,5-Trimethylbenzene	ug/m3	<0.41	<0.41		25	
1,3-Butadiene	ug/m3	<0.17	<0.17		25	
1,3-Dichlorobenzene	ug/m3	<0.72	<0.72		25	
1,4-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
2-Butanone (MEK)	ug/m3	<0.66	<0.66		25	
2-Hexanone	ug/m3	<0.62	<0.62		25	
2-Propanol	ug/m3	0.84J	<0.72		25	
4-Ethyltoluene	ug/m3	<0.67	<0.67		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.45	<0.45		25	
Acetone	ug/m3	11.3	10.3	10	25	
Benzene	ug/m3	0.47	0.47	0	25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.33	<0.33		25	
Bromoform	ug/m3	<2.3	<2.3		25	
Bromomethane	ug/m3	<0.21	<0.21		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

SAMPLE DUPLICATE: 3950151

Parameter	Units	10557643002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	<0.18	<0.18		25	
Carbon tetrachloride	ug/m3	<0.39	<0.39		25	
Chlorobenzene	ug/m3	<0.22	<0.22		25	
Chloroethane	ug/m3	<0.32	<0.32		25	
Chloroform	ug/m3	<0.26	<0.26		25	
Chloromethane	ug/m3	0.90	0.63	35	25	R1
cis-1,2-Dichloroethene	ug/m3	<0.27	<0.27		25	
cis-1,3-Dichloropropene	ug/m3	<0.36	<0.36		25	
Cyclohexane	ug/m3	<0.31	<0.31		25	
Dibromochloromethane	ug/m3	<0.73	<0.73		25	
Dichlorodifluoromethane	ug/m3	2.6	1.9	30	25	R1
Dichlorotetrafluoroethane	ug/m3	<0.28	<0.28		25	
Ethanol	ug/m3	8.7	7.6	13	25	SS
Ethyl acetate	ug/m3	<0.18	<0.18		25	
Ethylbenzene	ug/m3	<0.44	<0.44		25	
Hexachloro-1,3-butadiene	ug/m3	<1.7	<1.7		25	
m&p-Xylene	ug/m3	<0.91	<0.91		25	
Methyl-tert-butyl ether	ug/m3	<0.18	<0.18		25	
Methylene Chloride	ug/m3	<0.84	<0.84		25	
n-Heptane	ug/m3	<0.26	<0.26		25	
n-Hexane	ug/m3	<0.27	<0.27		25	
Naphthalene	ug/m3	<3.1	<3.1		25	
o-Xylene	ug/m3	<0.38	<0.38		25	
Propylene	ug/m3	<0.18	<0.18		25	
Styrene	ug/m3	<0.54	<0.54		25	
Tetrachloroethene	ug/m3	<0.41	<0.41		25	
Tetrahydrofuran	ug/m3	1.3	1.3	2	25	
Toluene	ug/m3	0.58J	0.54J		25	
trans-1,2-Dichloroethene	ug/m3	<0.24	<0.24		25	
trans-1,3-Dichloropropene	ug/m3	<0.77	<0.77		25	
Trichloroethene	ug/m3	<0.28	<0.28		25	
Trichlorofluoromethane	ug/m3	1.4J	1.4J		25	
Vinyl acetate	ug/m3	<0.29	<0.29		25	
Vinyl chloride	ug/m3	<0.12	<0.12		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

QC Batch: 740676 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10557643011

METHOD BLANK: 3950413 Matrix: Air
Associated Lab Samples: 10557643011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.19	1.1	05/09/21 11:04	
1,1,2,2-Tetrachloroethane	ug/m3	<0.37	1.4	05/09/21 11:04	
1,1,2-Trichloroethane	ug/m3	<0.20	0.56	05/09/21 11:04	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.29	1.6	05/09/21 11:04	
1,1-Dichloroethane	ug/m3	<0.16	0.82	05/09/21 11:04	
1,1-Dichloroethene	ug/m3	<0.14	0.81	05/09/21 11:04	
1,2,4-Trichlorobenzene	ug/m3	<4.9	7.5	05/09/21 11:04	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	05/09/21 11:04	
1,2-Dibromoethane (EDB)	ug/m3	<0.30	0.78	05/09/21 11:04	
1,2-Dichlorobenzene	ug/m3	<0.40	3.1	05/09/21 11:04	
1,2-Dichloroethane	ug/m3	<0.19	0.82	05/09/21 11:04	
1,2-Dichloropropane	ug/m3	<0.27	0.94	05/09/21 11:04	
1,3,5-Trimethylbenzene	ug/m3	<0.29	1.0	05/09/21 11:04	
1,3-Butadiene	ug/m3	<0.12	0.45	05/09/21 11:04	
1,3-Dichlorobenzene	ug/m3	<0.51	3.1	05/09/21 11:04	
1,4-Dichlorobenzene	ug/m3	<0.88	3.1	05/09/21 11:04	
2-Butanone (MEK)	ug/m3	<0.46	3.0	05/09/21 11:04	
2-Hexanone	ug/m3	<0.44	4.2	05/09/21 11:04	
2-Propanol	ug/m3	<0.51	2.5	05/09/21 11:04	
4-Ethyltoluene	ug/m3	<0.47	2.5	05/09/21 11:04	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.32	4.2	05/09/21 11:04	
Acetone	ug/m3	<1.8	6.0	05/09/21 11:04	
Benzene	ug/m3	<0.11	0.32	05/09/21 11:04	
Benzyl chloride	ug/m3	<0.89	2.6	05/09/21 11:04	
Bromodichloromethane	ug/m3	<0.24	1.4	05/09/21 11:04	
Bromoform	ug/m3	<1.6	5.2	05/09/21 11:04	
Bromomethane	ug/m3	<0.15	0.79	05/09/21 11:04	
Carbon disulfide	ug/m3	<0.13	0.63	05/09/21 11:04	
Carbon tetrachloride	ug/m3	<0.28	1.3	05/09/21 11:04	
Chlorobenzene	ug/m3	<0.16	0.94	05/09/21 11:04	
Chloroethane	ug/m3	<0.22	0.54	05/09/21 11:04	
Chloroform	ug/m3	<0.18	0.50	05/09/21 11:04	
Chloromethane	ug/m3	<0.085	0.42	05/09/21 11:04	
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	05/09/21 11:04	
cis-1,3-Dichloropropene	ug/m3	<0.26	2.3	05/09/21 11:04	
Cyclohexane	ug/m3	<0.22	1.8	05/09/21 11:04	
Dibromochloromethane	ug/m3	<0.52	1.7	05/09/21 11:04	
Dichlorodifluoromethane	ug/m3	<0.19	1.0	05/09/21 11:04	
Dichlorotetrafluoroethane	ug/m3	<0.20	1.4	05/09/21 11:04	
Ethanol	ug/m3	<0.59	1.9	05/09/21 11:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

METHOD BLANK: 3950413

Matrix: Air

Associated Lab Samples: 10557643011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.13	0.73	05/09/21 11:04	
Ethylbenzene	ug/m3	<0.31	0.88	05/09/21 11:04	
Hexachloro-1,3-butadiene	ug/m3	<1.2	5.4	05/09/21 11:04	
m&p-Xylene	ug/m3	<0.64	1.8	05/09/21 11:04	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	05/09/21 11:04	
Methylene Chloride	ug/m3	<0.59	3.5	05/09/21 11:04	
n-Heptane	ug/m3	<0.18	0.83	05/09/21 11:04	
n-Hexane	ug/m3	<0.19	0.72	05/09/21 11:04	
Naphthalene	ug/m3	<2.2	2.7	05/09/21 11:04	
o-Xylene	ug/m3	<0.27	0.88	05/09/21 11:04	
Propylene	ug/m3	<0.13	0.88	05/09/21 11:04	
Styrene	ug/m3	<0.38	0.87	05/09/21 11:04	
Tetrachloroethene	ug/m3	<0.29	0.69	05/09/21 11:04	
Tetrahydrofuran	ug/m3	<0.18	0.60	05/09/21 11:04	
Toluene	ug/m3	<0.24	0.77	05/09/21 11:04	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	05/09/21 11:04	
trans-1,3-Dichloropropene	ug/m3	<0.54	2.3	05/09/21 11:04	
Trichloroethene	ug/m3	<0.20	0.55	05/09/21 11:04	
Trichlorofluoromethane	ug/m3	<0.23	1.1	05/09/21 11:04	
Vinyl acetate	ug/m3	<0.21	0.72	05/09/21 11:04	
Vinyl chloride	ug/m3	<0.087	0.26	05/09/21 11:04	

LABORATORY CONTROL SAMPLE: 3950414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	64.4	109	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	89.0	118	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	67.9	114	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	89.4	107	70-130	
1,1-Dichloroethane	ug/m3	43.9	49.1	112	70-133	
1,1-Dichloroethene	ug/m3	43.5	47.7	110	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	188	106	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	55.3	102	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	99.4	121	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	68.1	103	70-146	
1,2-Dichloroethane	ug/m3	44.4	48.7	110	70-132	
1,2-Dichloropropane	ug/m3	50.6	58.4	115	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	55.2	103	70-143	
1,3-Butadiene	ug/m3	24.2	28.1	116	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	63.5	96	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	70.0	106	70-140	
2-Butanone (MEK)	ug/m3	32.3	33.6	104	50-139	
2-Hexanone	ug/m3	44.8	46.2	103	70-148	
2-Propanol	ug/m3	149	178	120	67-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

LABORATORY CONTROL SAMPLE: 3950414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	53.7	53.6	100	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	47.4	106	70-139	
Acetone	ug/m3	128	130	102	64-130	
Benzene	ug/m3	34.8	37.7	108	70-131	
Benzyl chloride	ug/m3	57.6	56.7	98	70-130	
Bromodichloromethane	ug/m3	73.1	86.0	118	70-133	
Bromoform	ug/m3	114	122	107	70-137	
Bromomethane	ug/m3	42.5	47.1	111	64-134	
Carbon disulfide	ug/m3	34.4	38.9	113	70-131	
Carbon tetrachloride	ug/m3	69.4	99.6	144	70-131	CH,L3
Chlorobenzene	ug/m3	50.2	55.5	111	70-130	
Chloroethane	ug/m3	28.8	31.3	108	69-141	
Chloroform	ug/m3	52.4	56.2	107	70-130	
Chloromethane	ug/m3	22.6	25.0	111	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	48.1	111	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	64.0	130	70-144	
Cyclohexane	ug/m3	37.4	47.0	126	70-137	
Dibromochloromethane	ug/m3	93.2	117	125	70-132	
Dichlorodifluoromethane	ug/m3	54.6	57.8	106	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	75.2	106	70-130	
Ethanol	ug/m3	124	169	137	63-133	CH,L1,SS
Ethyl acetate	ug/m3	38.9	47.4	122	70-136	
Ethylbenzene	ug/m3	47.8	58.5	122	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	131	99	70-135	
m&p-Xylene	ug/m3	95.4	121	127	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	44.6	113	70-143	
Methylene Chloride	ug/m3	190	208	109	70-130	
n-Heptane	ug/m3	44.6	52.7	118	70-137	
n-Hexane	ug/m3	38	44.1	116	70-135	
Naphthalene	ug/m3	65.2	69.7	107	67-132	
o-Xylene	ug/m3	47.6	49.8	105	70-141	
Propylene	ug/m3	18.9	23.3	123	70-130	
Styrene	ug/m3	47	48.2	103	70-142	
Tetrachloroethene	ug/m3	73.4	79.9	109	70-130	
Tetrahydrofuran	ug/m3	32.1	36.3	113	70-136	
Toluene	ug/m3	41.6	49.7	120	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	48.8	112	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	56.0	111	70-145	
Trichloroethene	ug/m3	58.4	63.7	109	70-130	
Trichlorofluoromethane	ug/m3	62	65.0	105	69-135	
Vinyl acetate	ug/m3	46.4	69.1	149	70-146	CH,L3
Vinyl chloride	ug/m3	28	31.4	112	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

SAMPLE DUPLICATE: 3950977

Parameter	Units	30417389002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	1.9 U	<0.32		25	
1,1,2,2-Tetrachloroethane	ug/m3	2.4 U	<0.64		25	
1,1,2-Trichloroethane	ug/m3	0.95 U	<0.34		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.86J	0.81J		25	
1,1-Dichloroethane	ug/m3	1.4 U	<0.28		25	
1,1-Dichloroethene	ug/m3	1.4 U	<0.24		25	
1,2,4-Trichlorobenzene	ug/m3	12.9 U	<8.3		25	
1,2,4-Trimethylbenzene	ug/m3	26.4	25.9	2	25	
1,2-Dibromoethane (EDB)	ug/m3	1.3 U	<0.51		25	
1,2-Dichlorobenzene	ug/m3	5.2 U	<0.69		25	
1,2-Dichloroethane	ug/m3	1.4 U	<0.33		25	
1,2-Dichloropropane	ug/m3	1.6 U	<0.46		25	
1,3,5-Trimethylbenzene	ug/m3	12.1	12.0	1	25	
1,3-Butadiene	ug/m3	0.77 U	<0.21		25	
1,3-Dichlorobenzene	ug/m3	5.2 U	<0.87		25	
1,4-Dichlorobenzene	ug/m3	5.2 U	<1.5		25	
2-Butanone (MEK)	ug/m3	7.5	7.2	4	25	
2-Hexanone	ug/m3	2.0J	2.0J		25	
2-Propanol	ug/m3	4.6	3.9J		25	
4-Ethyltoluene	ug/m3	4.8	4.9	1	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	1.2J	1.2J		25	
Acetone	ug/m3	24.2	23.1	4	25	
Benzene	ug/m3	0.56 U	<0.19		25	
Benzyl chloride	ug/m3	4.5 U	<1.5		25	
Bromodichloromethane	ug/m3	2.3 U	<0.41		25	
Bromoform	ug/m3	9.0 U	<2.8		25	
Bromomethane	ug/m3	1.3 U	<0.26		25	
Carbon disulfide	ug/m3	1.1 U	<0.22		25	
Carbon tetrachloride	ug/m3	2.2 U	<0.48		25	
Chlorobenzene	ug/m3	1.6 U	<0.27		25	
Chloroethane	ug/m3	0.92 U	<0.38		25	
Chloroform	ug/m3	0.85 U	<0.31		25	
Chloromethane	ug/m3	0.59J	0.53J		25	
cis-1,2-Dichloroethene	ug/m3	1.4 U	<0.33		25	
cis-1,3-Dichloropropene	ug/m3	4.0 U	<0.44		25	
Cyclohexane	ug/m3	3.0 U	<0.38		25	
Dibromochloromethane	ug/m3	3.0 U	<0.88		25	
Dichlorodifluoromethane	ug/m3	3.0	3.0	2	25	
Dichlorotetrafluoroethane	ug/m3	2.4 U	<0.35		25	
Ethanol	ug/m3	111	85.0	26	25	CH,L1,R1,SS
Ethyl acetate	ug/m3	1.3 U	<0.22		25	
Ethylbenzene	ug/m3	1.4J	1.2J		25	
Hexachloro-1,3-butadiene	ug/m3	9.3 U	<2.1		25	
m&p-Xylene	ug/m3	6.9	7.0	1	25	
Methyl-tert-butyl ether	ug/m3	6.3 U	<0.22		25	
Methylene Chloride	ug/m3	6.0 U	<1.0		25	
n-Heptane	ug/m3	1.4 U	<0.31		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10557643

SAMPLE DUPLICATE: 3950977

Parameter	Units	30417389002 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	0.71J	0.78J		25	
Naphthalene	ug/m3	4.5 U	<3.7		25	
o-Xylene	ug/m3	3.8	3.7	2	25	
Propylene	ug/m3	1.1J	1.1J		25	
Styrene	ug/m3	1.1J	<0.66		25	
Tetrachloroethene	ug/m3	10.0	9.6	4	25	
Tetrahydrofuran	ug/m3	1.0 U	<0.31		25	
Toluene	ug/m3	10.3	10.2	0	25	
trans-1,2-Dichloroethene	ug/m3	1.4 U	<0.29		25	
trans-1,3-Dichloropropene	ug/m3	4.0 U	<0.93		25	
Trichloroethene	ug/m3	9.6	9.6	0	25	
Trichlorofluoromethane	ug/m3	1.7J	1.7J		25	
Vinyl acetate	ug/m3	1.2 U	<0.36		25	
Vinyl chloride	ug/m3	0.44 U	<0.15		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10557643

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|--|
| CH | The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high. |
| E | Analyte concentration exceeded the calibration range. The reported result is estimated. |
| L1 | Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high. |
| L3 | Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. |
| R1 | RPD value was outside control limits. |
| SS | This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite
Pace Project No.: 10557643

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10557643001	AA405-Outside	TO-15	740475		
10557643002	AA304-Residence	TO-15	740475		
10557643003	AA406-Lobby	TO-15	740475		
10557643004	AA407-WildCard	TO-15	740475		
10557643005	AA408-Attorney	TO-15	740475		
10557643006	SSV304-Residence	TO-15	740475		
10557643007	SSV203-Office	TO-15	740475		
10557643008	SSV101-South	TO-15	740475		
10557643009	Blower Sta	TO-15	740475		
10557643010	SSV406-WildCard	TO-15	740475		
10557643011	SSV405-Attorney	TO-15	740676		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



WO#: 10557643



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

48860

Page: 1 of 1

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Program
Company: Sand County Env. Address: 10151 Mill St Amherst WI Email To: Pete Arntsen @ sandcountyenv.com Phone: 715-524-5169 Requested Due Date/TAT:	Report To: Sam Copy To: Sam Purchase Order No.: Project Name: Dan-Rite Project Number:	Attention: Sam Company Name: Address: Pace Quote Reference: Pace Project Manager/Sales Rep.: Pace Profile #: 25302	<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Location of Sampling by State: WI Reporting Units: ug/m ³ mg/m ³ PPBV PPMV Other Report Level: II, III, IV, Other

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID					
					COMPOSITE START		COMPOSITE - END/GRAB						PM10	3c - Fixed Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated		TO-15 Short List (Other)				
					DATE	TIME	DATE	TIME																		
1	AA405 - Outside		6000		4/22	9:30	4/22	4:03	-20	-2	2164	1252									X		001			
2	AA304 - Residence		00			8:09		4:06	-30	-3	2728	0075												002		
3	AA406 - Lobby		00			8:24		4:14	-30	-3	2813	0244													003	
4	AA407 - WildCard		0.0			8:20		4:12	-29	-2	0571	1014													004	
5	AA409 - Attorney		0.0			8:15		4:13	-30	-3	3324	1937														005
6											0693	1														
7	SSV304 - Residence		0.0			10:13		11:00	-29	-2	0693	1623														006
8	SSV203 - Office		0.0			9:01		9:46	-29	-3	3677	2733														007
9	SSV101 - South		00			10:26		11:10	-29	-2	0365	1854														008
10	Blower Sta.		0.0			8:50		10:07	-30+	-10	0645	3125														009
11	SSV406 - WildCard		1.5			11:32		12:21	-29	-2	0033	1489														010
12	SSV405 - Attorney		5.6			11:45		12:26	-29	-2	3979	0619														011

Comments: Flow controller 3125 (Blower Sta) did not work well. The initial reading was beyond -30, it was slow to decrease, and it did not go lower than -10.

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
Pete Arntsen / Sand County Env	4/22		Fred Ex	4-28-21	14:10	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact	Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE: Pete Arntsen
 SIGNATURE of SAMPLER: [Signature]
 DATE Signed (MM/DD/YY): 04/24/2021

Page 43 of 44



Document Name:
Sample Condition Upon Receipt (SCUR) - Air
 Document No.:
ENV-FRM-MIN4-0113 Rev.00

Document Revised: 24Mar2020
 Page 1 of 1
 Pace Analytical Services -

Air Sample Condition Upon Receipt

Client Name: Sand Creek Cons.

Project #:

WO#: 10557643

PM: KNH

Due Date: 05/05/21

CLIENT: Sand Creek

Courier: Fed Ex UPS USPS Client
 Pace Speedee Commercial See Exception

Tracking Number: 1723 2551173 7, 1748, 1759

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): _____ Corrected Temp (°C): _____ Thermometer Used: G87A9170600254 G87A9155100842

Temp should be above freezing to 6°C Correction Factor: _____ Date & Initials of Person Examining Contents: 4-28-21 KNH

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <input checked="" type="checkbox"/> Air Can <input type="checkbox"/> Airbag <input type="checkbox"/> Filter <input type="checkbox"/> TDT <input type="checkbox"/> Passive		11. Individually Certified Cans Y <input checked="" type="checkbox"/> N (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No	12. <u>AA304 PC is 752, not 75</u>
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge # 10AIR26 10AIR34 10AIR35 4097

Canisters

Canisters

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
AA 405	2164	1252	-3	+5	Blower	645	3125	+0.5	+5
" 304	2728	752	-1.5	↓	SSV406	33	1187	0	
" 406	2813	244	-3		" 405	3979	619	-2	
" 407	571	1014	-2						
" 408	3324	1837	-3						
SSV304	693	1623	-0.5						
" 203	3677	2733	-1.5						
" 101	365	1854	-1						

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Kirsten Hopfer

Date: 4/30/2021

April 26, 2021

Pete Arntsen
SAND COUNTY ENVIRONMENTAL, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUN-RITE
Pace Project No.: 40225490

Dear Pete Arntsen:

Enclosed are the analytical results for sample(s) received by the laboratory on April 21, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUN-RITE

Pace Project No.: 40225490

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUN-RITE
Pace Project No.: 40225490

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40225490001	GP-12	Water	04/17/21 12:05	04/21/21 09:15
40225490002	GP-11	Water	04/17/21 11:40	04/21/21 09:15
40225490003	MWG-1	Water	04/17/21 11:55	04/21/21 09:15
40225490004	DUP	Water	04/17/21 00:00	04/21/21 09:15
40225490005	TB	Water	04/17/21 00:00	04/21/21 09:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUN-RITE
Pace Project No.: 40225490

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40225490001	GP-12	EPA 8260	HNW	63
40225490002	GP-11	EPA 8260	HNW	63
40225490003	MWG-1	EPA 8260	HNW, LAP	63
40225490004	DUP	EPA 8260	HNW	63
40225490005	TB	EPA 8260	HNW	63

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUN-RITE

Pace Project No.: 40225490

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40225490001	GP-12					
EPA 8260	Tetrachloroethene	119	ug/L	1.0	04/23/21 13:15	
EPA 8260	Trichloroethene	0.39J	ug/L	1.0	04/23/21 13:15	
40225490002	GP-11					
EPA 8260	Tetrachloroethene	8.1	ug/L	1.0	04/23/21 13:34	
40225490003	MWG-1					
EPA 8260	Tetrachloroethene	603	ug/L	10.0	04/26/21 11:35	
40225490004	DUP					
EPA 8260	Tetrachloroethene	138	ug/L	1.0	04/23/21 14:14	
EPA 8260	Trichloroethene	0.42J	ug/L	1.0	04/23/21 14:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: GP-12 **Lab ID: 40225490001** Collected: 04/17/21 12:05 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/23/21 13:15	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/23/21 13:15	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/23/21 13:15	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:15	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/23/21 13:15	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/23/21 13:15	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:15	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/23/21 13:15	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/23/21 13:15	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/23/21 13:15	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/23/21 13:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/23/21 13:15	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:15	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/23/21 13:15	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/23/21 13:15	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:15	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:15	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:15	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/23/21 13:15	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/23/21 13:15	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:15	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:15	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		04/23/21 13:15	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/23/21 13:15	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:15	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/23/21 13:15	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/23/21 13:15	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/23/21 13:15	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:15	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/23/21 13:15	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/23/21 13:15	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/23/21 13:15	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/23/21 13:15	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/23/21 13:15	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/23/21 13:15	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:15	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:15	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/23/21 13:15	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/23/21 13:15	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:15	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/23/21 13:15	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/23/21 13:15	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40225490

Sample: GP-12 **Lab ID: 40225490001** Collected: 04/17/21 12:05 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	119	ug/L	1.0	0.41	1		04/23/21 13:15	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/23/21 13:15	108-88-3	
Trichloroethene	0.39J	ug/L	1.0	0.32	1		04/23/21 13:15	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:15	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/23/21 13:15	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/23/21 13:15	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/23/21 13:15	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:15	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:15	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:15	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:15	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/23/21 13:15	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/23/21 13:15	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/23/21 13:15	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/23/21 13:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	105	%	70-130		1		04/23/21 13:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		1		04/23/21 13:15	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		04/23/21 13:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: GP-11 **Lab ID: 40225490002** Collected: 04/17/21 11:40 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/23/21 13:34	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/23/21 13:34	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/23/21 13:34	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:34	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/23/21 13:34	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/23/21 13:34	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:34	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/23/21 13:34	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/23/21 13:34	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/23/21 13:34	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/23/21 13:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/23/21 13:34	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:34	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/23/21 13:34	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/23/21 13:34	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:34	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:34	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:34	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/23/21 13:34	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/23/21 13:34	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:34	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:34	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		04/23/21 13:34	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/23/21 13:34	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:34	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/23/21 13:34	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/23/21 13:34	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/23/21 13:34	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:34	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/23/21 13:34	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/23/21 13:34	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/23/21 13:34	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/23/21 13:34	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/23/21 13:34	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/23/21 13:34	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:34	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:34	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/23/21 13:34	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/23/21 13:34	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:34	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/23/21 13:34	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/23/21 13:34	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: GP-11 **Lab ID: 40225490002** Collected: 04/17/21 11:40 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	8.1	ug/L	1.0	0.41	1		04/23/21 13:34	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/23/21 13:34	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/23/21 13:34	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:34	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/23/21 13:34	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/23/21 13:34	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/23/21 13:34	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:34	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:34	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:34	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:34	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/23/21 13:34	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/23/21 13:34	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/23/21 13:34	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/23/21 13:34	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		04/23/21 13:34	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/23/21 13:34	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		04/23/21 13:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: MWG-1 **Lab ID: 40225490003** Collected: 04/17/21 11:55 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/23/21 13:54	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/23/21 13:54	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/23/21 13:54	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:54	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/23/21 13:54	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/23/21 13:54	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:54	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/23/21 13:54	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/23/21 13:54	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/23/21 13:54	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/23/21 13:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/23/21 13:54	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:54	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/23/21 13:54	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/23/21 13:54	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:54	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:54	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/23/21 13:54	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/23/21 13:54	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/23/21 13:54	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:54	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 13:54	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		04/23/21 13:54	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:54	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/23/21 13:54	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:54	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/23/21 13:54	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/23/21 13:54	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/23/21 13:54	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:54	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/23/21 13:54	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/23/21 13:54	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/23/21 13:54	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/23/21 13:54	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/23/21 13:54	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/23/21 13:54	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:54	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 13:54	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/23/21 13:54	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/23/21 13:54	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 13:54	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/23/21 13:54	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/23/21 13:54	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:54	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40225490

Sample: MWG-1 **Lab ID: 40225490003** Collected: 04/17/21 11:55 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	603	ug/L	10.0	4.1	10		04/26/21 11:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/23/21 13:54	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/23/21 13:54	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 13:54	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/23/21 13:54	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/23/21 13:54	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/23/21 13:54	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/23/21 13:54	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 13:54	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 13:54	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/23/21 13:54	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/23/21 13:54	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/23/21 13:54	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/23/21 13:54	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/23/21 13:54	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	108	%	70-130		1		04/23/21 13:54	460-00-4	
1,2-Dichlorobenzene-d4 (S)	109	%	70-130		1		04/23/21 13:54	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		04/23/21 13:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: DUP **Lab ID: 40225490004** Collected: 04/17/21 00:00 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/23/21 14:14	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 14:14	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/23/21 14:14	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/23/21 14:14	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 14:14	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/23/21 14:14	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/23/21 14:14	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/23/21 14:14	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/23/21 14:14	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/23/21 14:14	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/23/21 14:14	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/23/21 14:14	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/23/21 14:14	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 14:14	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/23/21 14:14	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/23/21 14:14	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 14:14	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 14:14	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/23/21 14:14	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/23/21 14:14	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/23/21 14:14	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 14:14	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 14:14	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		04/23/21 14:14	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 14:14	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/23/21 14:14	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 14:14	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/23/21 14:14	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/23/21 14:14	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/23/21 14:14	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 14:14	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/23/21 14:14	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/23/21 14:14	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/23/21 14:14	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/23/21 14:14	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/23/21 14:14	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/23/21 14:14	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 14:14	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 14:14	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/23/21 14:14	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/23/21 14:14	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 14:14	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/23/21 14:14	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/23/21 14:14	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		04/23/21 14:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40225490

Sample: DUP **Lab ID: 40225490004** Collected: 04/17/21 00:00 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	138	ug/L	1.0	0.41	1		04/23/21 14:14	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/23/21 14:14	108-88-3	
Trichloroethene	0.42J	ug/L	1.0	0.32	1		04/23/21 14:14	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 14:14	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/23/21 14:14	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/23/21 14:14	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/23/21 14:14	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/23/21 14:14	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 14:14	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 14:14	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/23/21 14:14	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/23/21 14:14	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/23/21 14:14	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/23/21 14:14	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/23/21 14:14	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/23/21 14:14	460-00-4	
1,2-Dichlorobenzene-d4 (S)	107	%	70-130		1		04/23/21 14:14	2199-69-1	
Toluene-d8 (S)	99	%	70-130		1		04/23/21 14:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40225490

Sample: TB **Lab ID: 40225490005** Collected: 04/17/21 00:00 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		04/23/21 08:33	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 08:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		04/23/21 08:33	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		04/23/21 08:33	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		04/23/21 08:33	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		04/23/21 08:33	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		04/23/21 08:33	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		04/23/21 08:33	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		04/23/21 08:33	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/23/21 08:33	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		04/23/21 08:33	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		04/23/21 08:33	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		04/23/21 08:33	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 08:33	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		04/23/21 08:33	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		04/23/21 08:33	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 08:33	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 08:33	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		04/23/21 08:33	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		04/23/21 08:33	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		04/23/21 08:33	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 08:33	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		04/23/21 08:33	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		04/23/21 08:33	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		04/23/21 08:33	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/23/21 08:33	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 08:33	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		04/23/21 08:33	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		04/23/21 08:33	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		04/23/21 08:33	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 08:33	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		04/23/21 08:33	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		04/23/21 08:33	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		04/23/21 08:33	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		04/23/21 08:33	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		04/23/21 08:33	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		04/23/21 08:33	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 08:33	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		04/23/21 08:33	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		04/23/21 08:33	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		04/23/21 08:33	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		04/23/21 08:33	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		04/23/21 08:33	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		04/23/21 08:33	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		04/23/21 08:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40225490

Sample: TB **Lab ID: 40225490005** Collected: 04/17/21 00:00 Received: 04/21/21 09:15 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		04/23/21 08:33	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		04/23/21 08:33	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		04/23/21 08:33	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		04/23/21 08:33	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/23/21 08:33	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		04/23/21 08:33	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		04/23/21 08:33	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		04/23/21 08:33	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		04/23/21 08:33	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		04/23/21 08:33	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		04/23/21 08:33	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		04/23/21 08:33	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		04/23/21 08:33	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		04/23/21 08:33	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		04/23/21 08:33	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		04/23/21 08:33	460-00-4	
1,2-Dichlorobenzene-d4 (S)	105	%	70-130		1		04/23/21 08:33	2199-69-1	
Toluene-d8 (S)	100	%	70-130		1		04/23/21 08:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40225490

QC Batch: 383152 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40225490001, 40225490002, 40225490003, 40225490004, 40225490005

METHOD BLANK: 2210080 Matrix: Water

Associated Lab Samples: 40225490001, 40225490002, 40225490003, 40225490004, 40225490005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	04/23/21 06:15	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	04/23/21 06:15	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	04/23/21 06:15	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	04/23/21 06:15	
1,1-Dichloroethane	ug/L	<0.30	1.0	04/23/21 06:15	
1,1-Dichloroethene	ug/L	<0.58	1.0	04/23/21 06:15	
1,1-Dichloropropene	ug/L	<0.41	1.0	04/23/21 06:15	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	04/23/21 06:15	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	04/23/21 06:15	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/23/21 06:15	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	04/23/21 06:15	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	04/23/21 06:15	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	04/23/21 06:15	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	04/23/21 06:15	
1,2-Dichloroethane	ug/L	<0.29	1.0	04/23/21 06:15	
1,2-Dichloropropane	ug/L	<0.45	1.0	04/23/21 06:15	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	04/23/21 06:15	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	04/23/21 06:15	
1,3-Dichloropropane	ug/L	<0.30	1.0	04/23/21 06:15	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	04/23/21 06:15	
2,2-Dichloropropane	ug/L	<4.2	5.0	04/23/21 06:15	
2-Chlorotoluene	ug/L	<0.89	5.0	04/23/21 06:15	
4-Chlorotoluene	ug/L	<0.89	5.0	04/23/21 06:15	
Benzene	ug/L	<0.30	1.0	04/23/21 06:15	
Bromobenzene	ug/L	<0.36	1.0	04/23/21 06:15	
Bromochloromethane	ug/L	<0.36	5.0	04/23/21 06:15	
Bromodichloromethane	ug/L	<0.42	1.0	04/23/21 06:15	
Bromoform	ug/L	<3.8	5.0	04/23/21 06:15	
Bromomethane	ug/L	<1.2	5.0	04/23/21 06:15	
Carbon tetrachloride	ug/L	<0.37	1.0	04/23/21 06:15	
Chlorobenzene	ug/L	<0.86	1.0	04/23/21 06:15	
Chloroethane	ug/L	<1.4	5.0	04/23/21 06:15	
Chloroform	ug/L	<1.2	5.0	04/23/21 06:15	
Chloromethane	ug/L	<1.6	5.0	04/23/21 06:15	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	04/23/21 06:15	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	04/23/21 06:15	
Dibromochloromethane	ug/L	<2.6	5.0	04/23/21 06:15	
Dibromomethane	ug/L	<0.99	5.0	04/23/21 06:15	
Dichlorodifluoromethane	ug/L	<0.46	5.0	04/23/21 06:15	
Diisopropyl ether	ug/L	<1.1	5.0	04/23/21 06:15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40225490

METHOD BLANK: 2210080 Matrix: Water
Associated Lab Samples: 40225490001, 40225490002, 40225490003, 40225490004, 40225490005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	04/23/21 06:15	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	04/23/21 06:15	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	04/23/21 06:15	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	04/23/21 06:15	
Methylene Chloride	ug/L	<0.32	5.0	04/23/21 06:15	
n-Butylbenzene	ug/L	<0.86	1.0	04/23/21 06:15	
n-Propylbenzene	ug/L	<0.35	1.0	04/23/21 06:15	
Naphthalene	ug/L	<1.1	5.0	04/23/21 06:15	
p-Isopropyltoluene	ug/L	<1.0	5.0	04/23/21 06:15	
sec-Butylbenzene	ug/L	<0.42	1.0	04/23/21 06:15	
Styrene	ug/L	<0.36	1.0	04/23/21 06:15	
tert-Butylbenzene	ug/L	<0.59	1.0	04/23/21 06:15	
Tetrachloroethene	ug/L	<0.41	1.0	04/23/21 06:15	
Toluene	ug/L	<0.29	1.0	04/23/21 06:15	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	04/23/21 06:15	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	04/23/21 06:15	
Trichloroethene	ug/L	<0.32	1.0	04/23/21 06:15	
Trichlorofluoromethane	ug/L	<0.42	1.0	04/23/21 06:15	
Vinyl chloride	ug/L	<0.17	1.0	04/23/21 06:15	
Xylene (Total)	ug/L	<1.0	3.0	04/23/21 06:15	
1,2-Dichlorobenzene-d4 (S)	%	109	70-130	04/23/21 06:15	
4-Bromofluorobenzene (S)	%	106	70-130	04/23/21 06:15	
Toluene-d8 (S)	%	100	70-130	04/23/21 06:15	

LABORATORY CONTROL SAMPLE: 2210081

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.9	100	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	46.5	93	66-130	
1,1,2-Trichloroethane	ug/L	50	45.1	90	70-130	
1,1-Dichloroethane	ug/L	50	49.1	98	68-132	
1,1-Dichloroethene	ug/L	50	50.9	102	85-126	
1,2,4-Trichlorobenzene	ug/L	50	48.6	97	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	40.9	82	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	49.4	99	70-130	
1,2-Dichlorobenzene	ug/L	50	47.1	94	70-130	
1,2-Dichloroethane	ug/L	50	49.0	98	70-130	
1,2-Dichloropropane	ug/L	50	46.5	93	78-125	
1,3-Dichlorobenzene	ug/L	50	49.5	99	70-130	
1,4-Dichlorobenzene	ug/L	50	50.3	101	70-130	
Benzene	ug/L	50	49.3	99	70-132	
Bromodichloromethane	ug/L	50	47.6	95	70-130	
Bromoform	ug/L	50	40.2	80	65-130	
Bromomethane	ug/L	50	52.8	106	44-128	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40225490

LABORATORY CONTROL SAMPLE: 2210081

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/L	50	47.0	94	70-130	
Chlorobenzene	ug/L	50	49.5	99	70-130	
Chloroethane	ug/L	50	52.9	106	73-137	
Chloroform	ug/L	50	49.1	98	80-122	
Chloromethane	ug/L	50	43.7	87	27-148	
cis-1,2-Dichloroethene	ug/L	50	49.0	98	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.0	92	70-130	
Dibromochloromethane	ug/L	50	47.8	96	70-130	
Dichlorodifluoromethane	ug/L	50	33.1	66	22-151	
Ethylbenzene	ug/L	50	49.9	100	80-123	
Isopropylbenzene (Cumene)	ug/L	50	52.8	106	70-130	
Methyl-tert-butyl ether	ug/L	50	42.9	86	66-130	
Methylene Chloride	ug/L	50	45.0	90	70-130	
Styrene	ug/L	50	50.2	100	70-130	
Tetrachloroethene	ug/L	50	48.1	96	70-130	
Toluene	ug/L	50	47.9	96	80-121	
trans-1,2-Dichloroethene	ug/L	50	49.9	100	70-130	
trans-1,3-Dichloropropene	ug/L	50	41.3	83	58-125	
Trichloroethene	ug/L	50	50.2	100	70-130	
Trichlorofluoromethane	ug/L	50	56.1	112	84-148	
Vinyl chloride	ug/L	50	52.0	104	63-142	
Xylene (Total)	ug/L	150	144	96	70-130	
1,2-Dichlorobenzene-d4 (S)	%			107	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2210119 2210120

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40225497002	Spike Conc.	MS Spike Conc.	MSD Spike Conc.							
1,1,1-Trichloroethane	ug/L	<0.30	50	50	50.7	48.0	101	96	70-130	6	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	44.7	48.7	89	97	66-130	9	20	
1,1,2-Trichloroethane	ug/L	<0.34	50	50	45.5	45.5	91	91	70-130	0	20	
1,1-Dichloroethane	ug/L	<0.30	50	50	50.7	47.5	101	95	68-132	7	20	
1,1-Dichloroethene	ug/L	<0.58	50	50	52.1	49.1	104	98	76-132	6	20	
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	50.4	50.6	101	101	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	40.3	43.7	81	87	51-126	8	20	
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	48.6	47.6	97	95	70-130	2	20	
1,2-Dichlorobenzene	ug/L	<0.33	50	50	48.2	47.3	96	95	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.29	50	50	47.1	48.3	94	97	70-130	3	20	
1,2-Dichloropropane	ug/L	<0.45	50	50	47.6	46.3	95	93	77-125	3	20	
1,3-Dichlorobenzene	ug/L	<0.35	50	50	53.6	51.1	107	102	70-130	5	20	
1,4-Dichlorobenzene	ug/L	<0.89	50	50	52.1	52.4	104	105	70-130	1	20	
Benzene	ug/L	<0.30	50	50	50.0	48.2	100	96	70-132	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40225490

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2210119		2210120		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40225497002 Result	MS Spike Conc.	MSD Spike Conc.									
Bromodichloromethane	ug/L	<0.42	50	50	48.1	46.7	96	93	70-130	3	20		
Bromoform	ug/L	<3.8	50	50	41.6	42.4	83	85	65-130	2	20		
Bromomethane	ug/L	<1.2	50	50	53.6	55.3	107	111	44-128	3	21		
Carbon tetrachloride	ug/L	<0.37	50	50	49.1	47.9	98	96	70-132	3	20		
Chlorobenzene	ug/L	<0.86	50	50	51.2	49.3	102	99	70-130	4	20		
Chloroethane	ug/L	<1.4	50	50	52.1	50.2	104	100	70-137	4	20		
Chloroform	ug/L	<1.2	50	50	50.0	48.4	100	97	80-122	3	20		
Chloromethane	ug/L	<1.6	50	50	43.2	41.4	86	83	17-149	4	20		
cis-1,2-Dichloroethene	ug/L	<0.47	50	50	49.6	48.6	99	97	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	47.3	45.4	95	91	70-130	4	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.9	47.7	96	95	70-130	0	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	32.2	30.9	64	62	22-158	4	20		
Ethylbenzene	ug/L	<0.33	50	50	50.6	49.3	101	99	80-123	3	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	54.4	53.1	109	106	70-130	2	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	41.9	41.1	84	82	66-130	2	20		
Methylene Chloride	ug/L	<0.32	50	50	48.3	44.9	97	90	70-130	7	20		
Styrene	ug/L	<0.36	50	50	52.3	50.4	105	101	70-130	4	20		
Tetrachloroethene	ug/L	<0.41	50	50	50.4	49.3	101	99	70-130	2	20		
Toluene	ug/L	<0.29	50	50	48.8	47.4	98	95	80-121	3	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	51.4	48.3	103	97	70-134	6	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	42.1	41.1	84	82	58-130	2	20		
Trichloroethene	ug/L	<0.32	50	50	51.6	50.8	103	102	70-130	1	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	57.4	53.7	115	107	82-151	7	20		
Vinyl chloride	ug/L	<0.17	50	50	50.1	47.3	100	95	61-143	6	20		
Xylene (Total)	ug/L	<1.0	150	150	149	145	99	97	70-130	3	20		
1,2-Dichlorobenzene-d4 (S)	%						105	106	70-130				
4-Bromofluorobenzene (S)	%						107	108	70-130				
Toluene-d8 (S)	%						98	99	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: DUN-RITE

Pace Project No.: 40225490

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUN-RITE
Pace Project No.: 40225490

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40225490001	GP-12	EPA 8260	383152		
40225490002	GP-11	EPA 8260	383152		
40225490003	MWG-1	EPA 8260	383152		
40225490004	DUP	EPA 8260	383152		
40225490005	TB	EPA 8260	383152		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

40225490



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

(Please Print Clearly)

Company Name: Sand County EMS
 Branch/Location: Ashcroft
 Project Contact: Pete Arntsen
 Phone: 715-824-5969
 Project Number:
 Project Name: Den-Rite
 Project State: WI
 Sampled By (Print): Pete Arntsen
 Sampled By (Sign): [Signature]
 PO #: Regulatory Program:

FILTERED? (YES/NO)
 PRESERVATION (CODE)*

Y / I / N	Y	I	N	Y	I	N	Y	I	N	Y	I	N	Y	I	N	Y	I	N	Y	I	N	
Pick Letter			B																			
Analyses Requested			NO																			

Data Package Options
 (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y	I	N
		DATE	TIME				
001	GP-12	4/17	12:05	GW	X		
002	GP-11	1	11:40	1	X		
003	MWG-1	1	11:55	1	X		
004	① DUP						
005	② TB						

Quote #:
Mail To Contact: Pete Arntsen
Mail To Company: Sand County EMS
Mail To Address: PO Box 113 Ashcroft WI
Invoice To Contact: [Signature]
Invoice To Company:
Invoice To Address:
Invoice To Phone:
CLIENT COMMENTS:
LAB COMMENTS (Lab Use Only):
 ① ② received in shipment, lab accident to Co. 4/21/14
Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Relinquished By: [Signature] Date/Time: 4/20/21 0900
 Received By: [Signature] Date/Time:

Relinquished By: [Signature] Date/Time: 4/21/21 0915
 Received By: [Signature] Date/Time: 4/21/21 0915

Relinquished By: Date/Time:
 Received By: Date/Time:

Relinquished By: Date/Time:
 Received By: Date/Time:

Relinquished By: Date/Time:
 Received By: Date/Time:

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 40225490
 Receipt Temp = .5 °C
 Sample Receipt pH
 OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / No

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Sand County Env.

Project # 40225490

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)	
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T
001																3															2.5 / 5 / 10
002																3															2.5 / 5 / 10
003																3															2.5 / 5 / 10
004																3															2.5 / 5 / 10
005																2															2.5 / 5 / 10
006																															2.5 / 5 / 10
007																															2.5 / 5 / 10
008																															2.5 / 5 / 10
009																															2.5 / 5 / 10
010																															2.5 / 5 / 10
011																															2.5 / 5 / 10
012																															2.5 / 5 / 10
013																															2.5 / 5 / 10
014																															2.5 / 5 / 10
015																															2.5 / 5 / 10
016																															2.5 / 5 / 10
017																															2.5 / 5 / 10
018																															2.5 / 5 / 10
019																															2.5 / 5 / 10
020																															2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			



Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Sand County Env.

WO# : 40225490

Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____



Tracking #: 2816647-1

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 90 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 1 /ICorr: 5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents: Date: <u>4/21/21</u> /Initials: <u>SRK</u> Labeled By Initials: <u>SRK</u>

Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>pg #</u> <u>4/21/21 SRK</u>
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt <input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>	
Trip Blank Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>①, ② received in shipment, lab added to COC. 4/21/21 SRK</u>
Pace Trip Blank Lot # (if purchased): <u>463</u>	

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____



July 2, 2021

Ms. Joy Hannemann
Merge, LLC
c/o Spaces
811 East Washington Avenue, Suite 500
Madison, WI 53703

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results

Dear Ms. Hannemann:

The purpose of this letter is to present the results of vapor samples collected from the residential structure located at 1000A Union Street on April 22, 2021. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

One sample was collected of the ambient air (i.e., typical room air) present in the basement of the structure. Another sample was collected from the soil vapors beneath the basement floor. Samples were submitted to a laboratory and analyzed for a suite of VOCs.

Sample Results

Current and historic sampling results are summarized on the enclosed **Table 1**. The laboratory report for the most recent samples is also enclosed.

None of the analyzed substances exceeded the Wisconsin Department of Natural Resources (WDNR) Action Levels or Screening Levels.

Neither PCE nor TCE was detected in the ambient air sample.

PCE was detected at 31.4 micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) in the sub-slab sample; and TCE was not detected.

In addition to PCE and TCE, the analysis results show detections of other VOCs. These substances are not associated with the Dun-Rite site and are likely due to trace amounts of chemical vapors from typical consumer products (paints, adhesives, fragrances, etc.) commonly found in homes, or in the outdoor ambient air.

Going Forward

We expect to perform another round of vapor sampling in fall 2021. At that time, we will contact you requesting permission to collect samples of the sub-slab vapors and ambient basement air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Table 1
Laboratory Report

cc/enc: Ms. Duabchi Vang/Wisconsin Department of Natural Resource, via RR Submittal Portal only

**Table 1
Residence Vapor Chemistry Data**

Table: Residence Vapor Chemistry Data

Ambient Air Samples (µg/m³)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Indoor Air Vapor Action Levels¹																								
Non-Residential		--	16	--	20	5.3	390	--	--	440	--	--	--	--	--	--	--	2,600	3.6	--	180	--	22,000	8.8
Residential		--	3.6	--	4.7	1.2	94	--	--	100	--	--	--	--	--	--	--	630	0.83	--	42	--	5,200	2.1
AA304	7/18/2014	22.8	0.63	6.0	<0.99	<1.4	0.84	<1.1	<1.9	2.8	<1.3	59.4	<1.1	<1.6	2.8	1.2	2.3	<5.5	<4.1	<1.9	2.5	<0.93	3.1	<0.85
	3/2/2015	9.7	0.8	1.8	<0.44	<0.25	0.90	0.78	<0.28	2.4	<0.34	13.3	0.82	<0.24	0.61	1.4	<0.30	0.73	<0.36	0.48	35	<0.19	1.9	<0.25
	9/4/2015	80.1	16.7	1.8	<0.28	1.3	1.9	44.8	<0.72	2.7	<0.35	61.3	<0.50	8.8	13	21.7	<0.59	18.9	11.3	18.6	22	<0.17	105	3.0
	11/9/2015	10.2	1.5	1.0 J	<0.29	<0.28	0.72	4.2	<0.74	<0.72	<0.37	22.3	0.93 J	0.85 J	1.6	2.0	<0.61	0.95 J	<0.45	9.0	2.4	<0.18	8.8	<0.41
	4/6/2016	14.2	1.2	2.0 J	<0.27	<0.26	0.74	2.4	<0.69	2.1	<0.34	50.4	1.1	0.72 J	0.93 J	1.9	<0.57	2.0 J	<0.42	5.2	<0.39	<0.17	5.5	0.52 J
	10/5/2016	26.7	6.2	5.0	1.1	0.51 J	0.73	7.1	<0.74	2.6	<0.37	66.8	2.3	4.6	5.4	15.2	<0.61	6.3	12.4	3.0 J	0.64 J	<0.18	35.3	<0.41
	6/20/2017	5.8 J	1.0	<0.33	<0.28	<0.27	0.64 J	<0.46	<0.72	1.4 J	<0.35	5.1	<0.50	<0.27	0.70 J	1.0 J	<0.59	<0.78	<0.44	<0.35	<0.40	<0.17	4.9	0.44 J
	11/16/2017	48.8	0.43 J	3.1 J	<0.47	<0.34	0.79	<0.34	1.1 J	2.9	<0.51	105	<0.29	<0.32	<0.31	<0.50	<0.91	3.6 J	<0.89	9.6	<0.43	<0.41	2.2	0.81 J
	5/18/2018	20.8	0.54	1.2 J	<0.47	<0.34	0.81	<0.34	<0.33	2.1	<0.51	40.1	<0.29	<0.32	<0.31	0.96 J	<0.91	109	4.3	<1.9	<0.43	8.4	1.7	<0.40
	11/2/2018	25.7	2.1	12.3	<0.75	<0.34	0.70 J	<0.62	<1.8	2.2	<0.38	36.2	<0.33	1.0 J	2.5	3.7	<1.3	3.6 J	<2.3	5.4	1.6	<0.46	9.3	<0.45
	6/7/2019	40.0	1.5	6.0	<0.62	<0.28	0.76	<0.51	<1.4	2.6	<0.32	66.6	<0.27	<0.82	<0.55	3.2	<1.1	6.8	2.8 J	5.1	<0.45	<0.38	6.9	<0.37
	9/23/2019	16.1	0.47 J	2.0 J	<0.66	<0.30	1.3	4.9	2.6 J	2.9	<0.34	18.3	<0.29	1.8 J	1.2 J	1.6	<1.2	5.7	3.0 J	<1.1	<0.49	<0.40	2.4	<0.39
	5/14/2020	10.2	0.25 J	3.0 J	0.89 J	<0.19	0.95	<0.21	<1.1	2.7	<0.17	25.7	<0.27	<0.62	<0.40 J	<0.48 J	<0.50	3.0 J	<1.9	4.2	0.52 J	<0.29	0.82 J	<0.32
	10/22/2020	6.5 J	0.47 J	<1.0	<0.51	<0.22	0.91	<0.28	<0.79	3.4	<0.22	7.9	<0.31	<0.52	<0.35	<0.32	<0.74	<2.3	<1.8	<1.2	<0.49	<0.21	0.35 J	<0.25
	4/22/2021	11.3	0.5	<0.66	<0.39	<0.26	0.90	<0.31	<1.2	2.6	<0.27	8.7	<0.18	<0.67	<0.26	<0.27	<0.62	<0.84	<3.1	0.84 J	<0.41	1.3	0.58 J	<0.28

Sub-Slab Vapor Samples (µg/m³)

Sample ID	Date	Acetone	Benzene	2-Butanone	Carbon Tetrachloride	Chloroform	Chloromethane	Cyclohexane	1,4-Dichlorobenzene	Dichlorodifluoromethane	cis-1,2-Dichloroethene	Ethanol	Ethyl acetate	4-Ethyltoluene	N-Heptane	N-Hexane	2-Hexanone	Methylene Chloride	Naphthalene	2-Propanol	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels²																								
Non-Residential		--	530	--	670	180	13,000	--	--	15,000	--	--	--	--	--	--	--	87,000	120	--	6,000	--	730,000	290
Residential		--	120	--	160	40	3,100	--	--	3,330	--	--	--	--	--	--	--	21,000	28	--	1,400	--	170,000	70
SSV304	7/18/2014	10.7	<0.73	3.4	<1.4	<1.1	<0.94	<1.6	<2.7	<3.9	<1.8	22.6	<1.6	<2.2	<1.9	<1.6	2.5	<7.9	<6.0	<2.8	13	5.5	3.3	<1.2
	3/2/2015	<2.1	<0.21	0.99	<0.56	<0.31	<0.34	<0.22	<0.35	47.8	<0.34	25.9	<0.22	<0.30	<0.28	<0.18	<0.37	1.1	<0.45	<0.16	11	1.0	<0.24	<0.31
	9/4/2015	278	<0.21	27.2	<0.34	31.3	<0.19	<0.55	25.1	5.1	<0.43	44.0	17.4	27.3	<0.49	<0.62	11	30	40.7	12	137	7.1	55.1	21
	11/9/2015	15.6	<0.17	7.5	<0.27	1.3	<0.15	<0.44	2.1	13.6	<0.33	81.4	<0.48	3.3	<0.39	1.1	1.0 J	0.78 J	1.6 J	1.5 J	319	4	3.7	14
	2/16/2016	24.5	0.30 J	13.4	0.21 J	81.9	<0.035	<0.087	2.3	12	<0.069	20.5	<0.61	<0.84	<0.70	<0.092	<3.5	<3.0	5.3 J	2.9 J	105	<0.050	3.4	5.7
	10/5/2016	127	1.5	<0.42	1.1 J	0.59 J	0.83	1.2 J	7.2	9.0	<0.45	149	2.2	1.7 J	<0.51	72.6	<0.75	298	6.6	11	52	<0.22	9.9	2.2
	6/20/2017	20.0	1.5	13.4	<0.34	<0.33	<0.19	<0.55	4.1 J	8.5	<0.43	51.3	<0.61	<0.33	1.0 J	<0.62	<0.72	<0.95	<0.53	<0.42	133	3.0	1.3 J	0.92 J
	11/16/2017	18.7	0.87	7.6	<0.51	<0.37	<0.22	<0.37	<0.35	14.6	<0.55	158	1.2	<0.34	<0.34	1.6	1.0 J	<2.4	3.9 J	2.9 J	15.6	5.8	3.7	0.57 J
	5/18/2018	13.6	1.6	4.4	<0.44	3.9	0.38 J	<0.32	2.0	16.8	<0.41	246	1.1	1.5	<0.29	<0.46	1.2 J	8.9	<0.83	2.8 J	1,380	3.2	1.7	6.2
	11/2/2018	17.6	0.48	10.0	<0.62	<0.28	<0.22	<0.51	<1.4	20.4	<0.32	57.6	<0.27	<0.82	<0.55	<0.45	<1.1	2.9 J	<1.9	1.8 J	14.6	12.1	99.4	<0.37
	6/7/2019	18.8	2.2	8.1	<0.62	<0.28	<0.22	<0.51	<1.4	9.2	<0.32	222	<0.27	<0.82	<0.55	<0.45	1.4 J	3.4 J	2.8 J	12.9	20.1	3.9	73.9	<0.37
	9/23/2019	13.6	1.9	3.9 J	<0.60	<0.28	<0.22	<0.50	<1.4	14.7	<0.31	12.1	<0.27	1.6 J	<0.54	1.9	<1.1	13.7	<1.8	3.4 J	3,570	2.1	95.0	18.5
	5/18/2020	6.4 J	0.86	3.0 J	0.88 J	<0.19	<0.093	<0.21	1.3 J	2.7	<0.16	41.9	<0.26	<0.60	0.49 J	0.37 J	0.57 J	2.4 J	<1.8	4.3	86.8	<0.26	86.4	<0.31
	10/22/2020	23.0	0.39 J	8.2	<0.62	0.29 J	<0.21	<0.34	<0.95	253	<0.27	33.1	<0.38	1.1 J	<0.42	<0.38	<0.89	<2.8	<2.2	7.2	40.0	0.49 J	102	<0.30
	4/22/2021	16.5	0.23 J	6.3	<0.38	<0.25	0.52 J	<0.30	<1.2	13.4	<0.27	15.7	<0.18	1.6 J	<0.25	<0.26	1.8 J	<0.81	<3.0	3.5	15.2	<0.24	31.4	<0.27

Notes:

µg/m³: micrograms per cubic meter.

Yellow highlighting indicates most recent results.

Purple highlighting indicates substance of concern at Dun-Rite site

<0.076 = Substance not detected above indicated detection limit

Bold indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions.

Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions.

J = Analyte was detected but is below the reporting limit. The concentration is estimated.

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table**. [<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>].

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3).

Laboratory Report

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA405-Outside Lab ID: 10557643001 Collected: 04/22/21 16:03 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		05/07/21 15:03	75-15-0	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		05/07/21 15:03	108-05-4	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		05/07/21 15:03	110-82-7	
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.49		05/07/21 15:03	141-78-6	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		05/07/21 15:03	108-10-1	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		05/07/21 15:03	591-78-6	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		05/07/21 15:03	75-25-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		05/07/21 15:03	156-60-5	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		05/07/21 15:03	75-27-4	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		05/07/21 15:03	142-82-5	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		05/07/21 15:03	115-07-1	
4-Ethyltoluene	<0.70	ug/m3	3.7	0.70	1.49		05/07/21 15:03	622-96-8	
Naphthalene	<3.2	ug/m3	4.0	3.2	1.49		05/07/21 15:03	91-20-3	
Ethanol	3.1	ug/m3	2.9	0.88	1.49		05/07/21 15:03	64-17-5	SS
2-Propanol	<0.76	ug/m3	3.7	0.76	1.49		05/07/21 15:03	67-63-0	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		05/07/21 15:03	100-44-7	

Sample: AA304-Residence Lab ID: 10557643002 Collected: 04/22/21 16:06 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	2.6	ug/m3	1.4	0.27	1.41		05/07/21 15:57	75-71-8	
Chloromethane	0.90	ug/m3	0.59	0.12	1.41		05/07/21 15:57	74-87-3	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.41		05/07/21 15:57	76-14-2	
Vinyl chloride	<0.12	ug/m3	0.37	0.12	1.41		05/07/21 15:57	75-01-4	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.41		05/07/21 15:57	74-83-9	
Chloroethane	<0.32	ug/m3	0.76	0.32	1.41		05/07/21 15:57	75-00-3	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.33	1.41		05/07/21 15:57	75-69-4	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.41		05/07/21 15:57	75-35-4	
1,1,2-Trichlorotrifluoroethane	0.49J	ug/m3	2.2	0.41	1.41		05/07/21 15:57	76-13-1	
Methylene Chloride	<0.84	ug/m3	5.0	0.84	1.41		05/07/21 15:57	75-09-2	
1,1-Dichloroethane	<0.23	ug/m3	1.2	0.23	1.41		05/07/21 15:57	75-34-3	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.41		05/07/21 15:57	156-59-2	
Chloroform	<0.26	ug/m3	0.70	0.26	1.41		05/07/21 15:57	67-66-3	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.41		05/07/21 15:57	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.78	0.28	1.41		05/07/21 15:57	79-00-5	
1,2-Dichloroethane	<0.27	ug/m3	1.2	0.27	1.41		05/07/21 15:57	107-06-2	
Benzene	0.47	ug/m3	0.46	0.16	1.41		05/07/21 15:57	71-43-2	
Carbon tetrachloride	<0.39	ug/m3	1.8	0.39	1.41		05/07/21 15:57	56-23-5	
1,2-Dichloropropane	<0.38	ug/m3	1.3	0.38	1.41		05/07/21 15:57	78-87-5	
Trichloroethene	<0.28	ug/m3	0.77	0.28	1.41		05/07/21 15:57	79-01-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA304-Residence Lab ID: 10557643002 Collected: 04/22/21 16:06 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,3-Dichloropropene	<0.36	ug/m3	3.3	0.36	1.41		05/07/21 15:57	10061-01-5	
trans-1,3-Dichloropropene	<0.77	ug/m3	3.3	0.77	1.41		05/07/21 15:57	10061-02-6	
Toluene	0.58J	ug/m3	1.1	0.34	1.41		05/07/21 15:57	108-88-3	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.41		05/07/21 15:57	106-93-4	
Tetrachloroethene	<0.41	ug/m3	0.97	0.41	1.41		05/07/21 15:57	127-18-4	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.41		05/07/21 15:57	108-90-7	
Ethylbenzene	<0.44	ug/m3	1.2	0.44	1.41		05/07/21 15:57	100-41-4	
m&p-Xylene	<0.91	ug/m3	2.5	0.91	1.41		05/07/21 15:57	179601-23-1	
o-Xylene	<0.38	ug/m3	1.2	0.38	1.41		05/07/21 15:57	95-47-6	
Styrene	<0.54	ug/m3	1.2	0.54	1.41		05/07/21 15:57	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.0	0.52	1.41		05/07/21 15:57	79-34-5	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.4	0.41	1.41		05/07/21 15:57	108-67-8	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.41		05/07/21 15:57	95-63-6	
1,3-Dichlorobenzene	<0.72	ug/m3	4.3	0.72	1.41		05/07/21 15:57	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.3	1.2	1.41		05/07/21 15:57	106-46-7	
1,2-Dichlorobenzene	<0.57	ug/m3	4.3	0.57	1.41		05/07/21 15:57	95-50-1	
1,2,4-Trichlorobenzene	<6.9	ug/m3	10.6	6.9	1.41		05/07/21 15:57	120-82-1	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.6	1.7	1.41		05/07/21 15:57	87-68-3	
Tetrahydrofuran	1.3	ug/m3	0.85	0.25	1.41		05/07/21 15:57	109-99-9	
Acetone	11.3	ug/m3	8.5	2.6	1.41		05/07/21 15:57	67-64-1	
2-Butanone (MEK)	<0.66	ug/m3	4.2	0.66	1.41		05/07/21 15:57	78-93-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.41		05/07/21 15:57	110-54-3	
Methyl-tert-butyl ether	<0.18	ug/m3	5.2	0.18	1.41		05/07/21 15:57	1634-04-4	
Dibromochloromethane	<0.73	ug/m3	2.4	0.73	1.41		05/07/21 15:57	124-48-1	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.41		05/07/21 15:57	106-99-0	
Carbon disulfide	<0.18	ug/m3	0.89	0.18	1.41		05/07/21 15:57	75-15-0	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.41		05/07/21 15:57	108-05-4	
Cyclohexane	<0.31	ug/m3	2.5	0.31	1.41		05/07/21 15:57	110-82-7	
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.41		05/07/21 15:57	141-78-6	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.9	0.45	1.41		05/07/21 15:57	108-10-1	
2-Hexanone	<0.62	ug/m3	5.9	0.62	1.41		05/07/21 15:57	591-78-6	
Bromoform	<2.3	ug/m3	7.4	2.3	1.41		05/07/21 15:57	75-25-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.1	0.24	1.41		05/07/21 15:57	156-60-5	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.41		05/07/21 15:57	75-27-4	
n-Heptane	<0.26	ug/m3	1.2	0.26	1.41		05/07/21 15:57	142-82-5	
Propylene	<0.18	ug/m3	1.2	0.18	1.41		05/07/21 15:57	115-07-1	
4-Ethyltoluene	<0.67	ug/m3	3.5	0.67	1.41		05/07/21 15:57	622-96-8	
Naphthalene	<3.1	ug/m3	3.8	3.1	1.41		05/07/21 15:57	91-20-3	
Ethanol	8.7	ug/m3	2.7	0.83	1.41		05/07/21 15:57	64-17-5	SS
2-Propanol	0.84J	ug/m3	3.5	0.72	1.41		05/07/21 15:57	67-63-0	
Benzyl chloride	<1.3	ug/m3	3.7	1.3	1.41		05/07/21 15:57	100-44-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10557643

Sample: AA408-Attorney Lab ID: 10557643005 Collected: 04/22/21 16:13 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		05/07/21 17:44	79-34-5	
Tetrachloroethene	13.3	ug/m3	1.0	0.44	1.49		05/07/21 17:44	127-18-4	
Tetrahydrofuran	1.8	ug/m3	0.89	0.27	1.49		05/07/21 17:44	109-99-9	
Toluene	1.0J	ug/m3	1.1	0.36	1.49		05/07/21 17:44	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		05/07/21 17:44	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		05/07/21 17:44	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		05/07/21 17:44	79-00-5	
Trichloroethene	1.8	ug/m3	0.81	0.29	1.49		05/07/21 17:44	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.7	0.35	1.49		05/07/21 17:44	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.58J	ug/m3	2.3	0.43	1.49		05/07/21 17:44	76-13-1	
1,2,4-Trimethylbenzene	1.7	ug/m3	1.5	0.53	1.49		05/07/21 17:44	95-63-6	
1,3,5-Trimethylbenzene	1.1J	ug/m3	1.5	0.43	1.49		05/07/21 17:44	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		05/07/21 17:44	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.39	0.13	1.49		05/07/21 17:44	75-01-4	
m&p-Xylene	<0.96	ug/m3	2.6	0.96	1.49		05/07/21 17:44	179601-23-1	
o-Xylene	<0.40	ug/m3	1.3	0.40	1.49		05/07/21 17:44	95-47-6	

Sample: SSV304-Residence Lab ID: 10557643006 Collected: 04/22/21 11:00 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	16.5	ug/m3	8.2	2.5	1.36		05/07/21 20:51	67-64-1	
Benzene	0.23J	ug/m3	0.44	0.16	1.36		05/07/21 20:51	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.6	1.2	1.36		05/07/21 20:51	100-44-7	
Bromodichloromethane	<0.32	ug/m3	1.8	0.32	1.36		05/07/21 20:51	75-27-4	
Bromoform	<2.2	ug/m3	7.1	2.2	1.36		05/07/21 20:51	75-25-2	
Bromomethane	<0.20	ug/m3	1.1	0.20	1.36		05/07/21 20:51	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.61	0.16	1.36		05/07/21 20:51	106-99-0	
2-Butanone (MEK)	6.3	ug/m3	4.1	0.63	1.36		05/07/21 20:51	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.86	0.18	1.36		05/07/21 20:51	75-15-0	
Carbon tetrachloride	<0.38	ug/m3	1.7	0.38	1.36		05/07/21 20:51	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.3	0.21	1.36		05/07/21 20:51	108-90-7	
Chloroethane	<0.30	ug/m3	0.73	0.30	1.36		05/07/21 20:51	75-00-3	
Chloroform	<0.25	ug/m3	0.67	0.25	1.36		05/07/21 20:51	67-66-3	
Chloromethane	0.52J	ug/m3	0.57	0.12	1.36		05/07/21 20:51	74-87-3	
Cyclohexane	<0.30	ug/m3	2.4	0.30	1.36		05/07/21 20:51	110-82-7	
Dibromochloromethane	<0.70	ug/m3	2.4	0.70	1.36		05/07/21 20:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.41	ug/m3	1.1	0.41	1.36		05/07/21 20:51	106-93-4	
1,2-Dichlorobenzene	<0.55	ug/m3	4.2	0.55	1.36		05/07/21 20:51	95-50-1	
1,3-Dichlorobenzene	<0.69	ug/m3	4.2	0.69	1.36		05/07/21 20:51	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.2	1.2	1.36		05/07/21 20:51	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10557643

Sample: **SSV304-Residence** Lab ID: **10557643006** Collected: 04/22/21 11:00 Received: 04/28/21 14:10 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	13.4	ug/m3	1.4	0.26	1.36		05/07/21 20:51	75-71-8	
1,1-Dichloroethane	<0.22	ug/m3	1.1	0.22	1.36		05/07/21 20:51	75-34-3	
1,2-Dichloroethane	<0.26	ug/m3	1.1	0.26	1.36		05/07/21 20:51	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.36		05/07/21 20:51	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.36		05/07/21 20:51	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.36		05/07/21 20:51	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.3	0.37	1.36		05/07/21 20:51	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	3.1	0.35	1.36		05/07/21 20:51	10061-01-5	
trans-1,3-Dichloropropene	<0.74	ug/m3	3.1	0.74	1.36		05/07/21 20:51	10061-02-6	
Dichlorotetrafluoroethane	<0.27	ug/m3	1.9	0.27	1.36		05/07/21 20:51	76-14-2	
Ethanol	15.7	ug/m3	2.6	0.81	1.36		05/07/21 20:51	64-17-5	SS
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.36		05/07/21 20:51	141-78-6	
Ethylbenzene	1.4	ug/m3	1.2	0.42	1.36		05/07/21 20:51	100-41-4	
4-Ethyltoluene	1.6J	ug/m3	3.4	0.64	1.36		05/07/21 20:51	622-96-8	
n-Heptane	<0.25	ug/m3	1.1	0.25	1.36		05/07/21 20:51	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.4	1.7	1.36		05/07/21 20:51	87-68-3	
n-Hexane	<0.26	ug/m3	0.97	0.26	1.36		05/07/21 20:51	110-54-3	
2-Hexanone	1.8J	ug/m3	5.7	0.60	1.36		05/07/21 20:51	591-78-6	
Methylene Chloride	<0.81	ug/m3	4.8	0.81	1.36		05/07/21 20:51	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.44	ug/m3	5.7	0.44	1.36		05/07/21 20:51	108-10-1	
Methyl-tert-butyl ether	<0.17	ug/m3	5.0	0.17	1.36		05/07/21 20:51	1634-04-4	
Naphthalene	<3.0	ug/m3	3.6	3.0	1.36		05/07/21 20:51	91-20-3	
2-Propanol	3.5	ug/m3	3.4	0.69	1.36		05/07/21 20:51	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.36		05/07/21 20:51	115-07-1	
Styrene	2.4	ug/m3	1.2	0.52	1.36		05/07/21 20:51	100-42-5	
1,1,2,2-Tetrachloroethane	<0.51	ug/m3	1.9	0.51	1.36		05/07/21 20:51	79-34-5	
Tetrachloroethene	15.2	ug/m3	0.94	0.40	1.36		05/07/21 20:51	127-18-4	
Tetrahydrofuran	<0.24	ug/m3	0.82	0.24	1.36		05/07/21 20:51	109-99-9	
Toluene	31.4	ug/m3	1.0	0.33	1.36		05/07/21 20:51	108-88-3	
1,2,4-Trichlorobenzene	<6.6	ug/m3	10.3	6.6	1.36		05/07/21 20:51	120-82-1	
1,1,1-Trichloroethane	<0.25	ug/m3	1.5	0.25	1.36		05/07/21 20:51	71-55-6	
1,1,2-Trichloroethane	<0.27	ug/m3	0.75	0.27	1.36		05/07/21 20:51	79-00-5	
Trichloroethene	<0.27	ug/m3	0.74	0.27	1.36		05/07/21 20:51	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.6	0.32	1.36		05/07/21 20:51	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.67J	ug/m3	2.1	0.39	1.36		05/07/21 20:51	76-13-1	
1,2,4-Trimethylbenzene	2.3	ug/m3	1.4	0.48	1.36		05/07/21 20:51	95-63-6	
1,3,5-Trimethylbenzene	1.3J	ug/m3	1.4	0.39	1.36		05/07/21 20:51	108-67-8	
Vinyl acetate	<0.28	ug/m3	0.97	0.28	1.36		05/07/21 20:51	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.35	0.12	1.36		05/07/21 20:51	75-01-4	
m&p-Xylene	5.3	ug/m3	2.4	0.87	1.36		05/07/21 20:51	179601-23-1	
o-Xylene	2.4	ug/m3	1.2	0.37	1.36		05/07/21 20:51	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.