



January 13, 2022

Ms. Duabchi Vang, Project Manager
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Fall 2021 Groundwater and Vapor Results

Dear Ms. Vang:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site on September 29 and October 4, 2021. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on **Figure 1**.

Work Performed

Sub-slab and ambient air samples were collected on September 29, 2021, from the Dun-Rite building and the Guzman office building and premises. The residential structure was razed and the property leveled a few days before the sampling event, thus no sample was collected.

Groundwater samples were collected on October 4, 2021, from monitoring wells south of the Dun-Rite building including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on **Tables 1a, 1b, and 1c**; sample locations and PCE results are shown on **Figure 2**. The **laboratory report** is enclosed.

Ambient air samples from inside the Guzman building were below Non-Residential Action Levels for PCE and TCE. The ambient air sample collected from the lobby of the building indicated TCE above its Residential Action Level. Neither PCE nor TCE were detected in the ambient air sample from the outdoor location.

The sub-slab sample collected from beneath the southwest office (former Attorney [SSV405]) in the Guzman building was above the Non-Residential Sub-Slab Vapor Screening Level for PCE, and above the Residential Sub-Slab Vapor Screening Level for TCE. The sub-slab sample taken from beneath the northwest office (former Wildcard [SSV406]) was above the Non-Residential Sub-Slab Vapor Screening Level for PCE.

Groundwater

Groundwater sample results are summarized on **Table 2**; sample locations are shown on **Figure 3**. The **laboratory reports** are enclosed.

Two of the monitoring wells, GP-12 and MWG-1, had concentrations of PCE above its Enforcement Standard (ES). One of the monitoring wells, GP-11, had a concentration of PCE above its Preventative Action Limit (PAL). The concentrations ranged from 3.4 micrograms per liter ($\mu\text{g/l}$) to 2,920 $\mu\text{g/l}$.

Two of the monitoring wells, GP-12 and MWG-1, had concentrations of TCE above its ES. TCE was not detected in GP-11. The concentrations in GP-12 and MWG-1 were 5.1 $\mu\text{g/l}$ and 6.0 $\mu\text{g/l}$, respectively.

These wells are located in the parking lot immediately south of the Dun-Rite building.

Conclusions

The ambient air VOC results indicate that the residual PCE is not impacting indoor air at nearby structures above Action Levels.

The more than 6 years of sub-slab VOC results indicate that PCE concentrations have:

- decreased considerably beneath the Dun-Rite building
- fluctuate generally below Residential screening levels beneath the former residence
- persist at concentrations above Non-Residential screening levels beneath the Guzman building

The blower station VOC results indicate that the sub-slab mitigation system has reduced residual PCE concentrations in the areas exposed to its influence.

The groundwater VOC results indicated a significant increase in PCE and TCE concentrations at GP-12 and MWG-1. Both wells saw PCE concentrations at historically high levels. The TCE concentration in MWG-1 was consistent with past fall sampling events, while the TCE concentration in GP-12 was historically high at that sampling point. GP-11 saw a continued decrease in PCE concentration, while TCE remained undetected.

Because the source of PCE was removed, and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.

Recommendations

The blower system will continue to run for 8 hours per day.

Subsurface concentrations of PCE and TCE will continue to be monitored semiannually unless changed circumstances warrant a different schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in spring 2022. Soil vapor samples will be collected from beneath the Dun-Rite

building and Guzman building, and indoor ambient air samples will be collected from within the Guzman building. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the site in general, please contact me at 715.445.1497 or pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG


Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Laboratory Reports

cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
Wisconsin Department of Natural Resource RR Submittal Portal

Figures


- Figure 1** **General Site Location**
- Figure 2** **Vapor Sample Locations and PCE Results September 2021**
- Figure 3** **Groundwater Sample Locations and Results October 2021**



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY




GENERAL SITE LOCATION

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE: NOVEMBER 2020 DRAWN BY: ASR

SCALE: 1"=2000' APPROVED: PDA

FIGURE 1



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊕ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) SEPTEMBER 29, 2021
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) SEPTEMBER 29, 2021
- 213 BLOWER OUTLET PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) SEPTEMBER 29, 2021

NOTES
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO




VAPOR SAMPLE LOCATIONS AND PCE RESULTS SEPTEMBER 2021

DUN-RITE CLEANERS
 1008 UNION STREET
 STEVENS POINT, WISCONSIN

| | |
|---------------------|------------------|
| DATE: NOVEMBER 2021 | DRAWN BY: ASR |
| SCALE: 1"=40' | APPROVED BY: PDA |
| FIGURE 2 | |



GROUNDWATER SAMPLE LOCATIONS AND RESULTS OCTOBER 2021



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN


DATE: JANUARY 2022

SCALE: 1" = 30'

DRAWN BY: ASR

APPROVED: PA

FIGURE 3



NOTES

EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO AND GOOGLE EARTH IMAGE DATED SEPTEMBER 2013

Tables

| | |
|----------------|--|
| Table 1 | Vapor Sample Results |
| | Table 1a Vapor Chemistry Results – Ambient Air |
| | Table 1b Vapor Chemistry Results – Sub-Slab Vapor |
| | Table 1c Vapor Chemistry Results – SVE System Discharge |
| Table 2 | Groundwater Chemistry Results |

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Ambient Air Samples ($\mu\text{g}/\text{m}^3$) | | | | |
|---|-----------------|------------|----------------------------|--------------------------|
| Sample ID | Location | Date | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| Indoor Air Vapor Action Levels¹ | | | | |
| | Non-Residential | | 180 | 8.8 |
| | Residential | | 42 | 2.1 |
| AA201 | Dun-Rite | 5/29/2014 | 1,940 | 63 |
| | | 9/4/2015 | 2,780 | 73 |
| AA202 | Dun-Rite | 5/29/2014 | 1,990 | 66 |
| AA203 | Outdoor | 5/29/2014 | 13 | <0.076 |
| | | 10/22/2020 | <0.46 | <0.24 |
| AA304 | Residence | 7/18/2014 | 2.5 | <0.85 |
| | | 3/2/2015 | 35 | <0.25 |
| | | 9/4/2015 | 22 | 3.0 |
| | | 11/9/2015 | 2.4 | <0.41 |
| | | 4/6/2016 | <0.39 | 0.52 J |
| | | 10/5/2016 | 0.64 J | <0.41 |
| | | 6/20/2017 | <0.40 | 0.44 J |
| | | 11/16/2017 | <0.43 | 0.81 J |
| | | 5/18/2018 | <0.43 | <0.40 |
| | | 11/2/2018 | 1.6 | <0.45 |
| | | 6/7/2019 | <0.45 | <0.37 |
| | | 9/23/2019 | <0.49 | <0.39 |
| | | 5/14/2020 | 0.52 J | <0.32 |
| | | 10/22/2020 | <0.49 | <0.25 |
| 4/22/2021 | <0.41 | <0.28 | | |
| | | 9/29/2021 | Structure Razed | |
| AA405 | Outdoor | 9/19/2014 | <1.2 | <0.92 |
| | | 2/27/2015 | 21 | <0.38 |
| | | 9/4/2015 | 2.3 | <0.40 |
| | | 10/5/2016 | 2.6 | <0.41 |
| | | 6/16/2017 | <0.41 | <0.41 |
| | | 11/16/2017 | 0.99 J | 8.9* |
| | | 5/18/2018 | <0.44 | <0.42 |
| | | 11/2/2018 | 6.9 | 2.4 |
| | | 6/7/2019 | <0.44 | <0.36 |
| | | 9/23/2019 | 1.1 | <0.38 |
| | | 5/7/2020 | <0.43 | <0.36 |
| | | 4/22/2021 | <0.44 | <0.29 |
| | | 9/29/2021 | <0.48 | <0.32 |

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Ambient Air Samples ($\mu\text{g}/\text{m}^3$) | | | | |
|---|-----------------|------------|----------------------------|--------------------------|
| Sample ID | Location | Date | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| Indoor Air Vapor Action Levels¹ | | | | |
| | Non-Residential | | 180 | 8.8 |
| | Residential | | 42 | 2.1 |
| AA406 | United Way | 9/19/2014 | 2.1 | 1.3 |
| | | 2/27/2015 | 74 | 3.0 |
| | | 9/4/2015 | 4.7 | 2.0 |
| | | 2/16/2016 | 7.6 | 5.0 |
| | | 10/5/2016 | 44 | 5.8 |
| | | 6/16/2017 | 4.0 | 1.5 |
| | | 11/16/2017 | 8.2 | 6.2 |
| | | 5/18/2018 | 5.1 | 2.1 |
| | | 11/2/2018 | 4.8 | <0.47 |
| | | 6/7/2019 | 4.0 | 1.8 |
| | | 9/23/2019 | 4.0 | 1.5 |
| | | 5/7/2020 | 3.6 | 1.7 |
| | | Lobby | 10/22/2020 | 11.8 |
| | Lobby | 4/22/2021 | 7.5 | 2.6 |
| Lobby | 9/29/2021 | 6.1 | 4.8 | |
| AA407 | Wildcard | 9/19/2014 | 4.0 | <1.2 |
| | | 2/27/2015 | 83 | 1.5 |
| | | 9/4/2015 | 10 | 1.1 |
| | | 2/16/2016 | 11 | 4.4 |
| | | 10/5/2016 | 12 | 3.0 |
| | | 6/16/2017 | 3.0 | 0.45 J |
| | | 11/16/2017 | 7.6 | 5.0 |
| | | 5/18/2018 | 6.8 | 1.3 |
| | | 11/12/2108 | 3.5 | <0.47 |
| | | 6/7/2019 | 2.5 | <0.36 |
| | | 9/23/2019 | 10.9 | 1.3 |
| | | 5/7/2020 | 6.3 | 0.94 |
| | | 10/22/2020 | 14.5 | 0.80 J |
| | | 4/22/2021 | 12.2 | 1.9 |
| | 9/29/2021 | 3.7 | 0.56 J | |
| AA408 | Attorney | 9/19/2014 | 9.9 | 1.5 |
| | | 2/23/2015 | 22 | 2.1 |
| | | 9/4/2015 | 7.0 | 0.8 |
| | | 2/16/2016 | 3.3 | 3.5 |
| | | 10/5/2016 | 12 | 2.9 |
| | | 6/16/2017 | 2.9 | <0.38 |
| | | 11/16/2017 | 22.4 | 118* |
| | | 5/18/2018 | 12.2 | 3.4 |
| | | 11/2/2018 | 327^R | 1.2 |
| | | 12/5/2018 | 5.6 | <0.39 |
| | | 6/7/2019 | 21.3 | 0.54 J |
| | | 9/23/2019 | 8.5 | 2.2 |
| | | 5/7/2020 | 6.0 | 0.95 |
| | | 10/22/2020 | 23.9 | 0.53 J |
| | | 4/22/2021 | 13.3 | 1.8 |
| | 9/29/2021 | 3.8 | 0.42 J | |

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$) | | | | |
|---|-----------------|------------|-------------------------|-----------------------|
| Sample ID | Location | Date | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| Sub-Slab Vapor Screening Levels² | | | | |
| | Non-Residential | | 6,000 | 290 |
| | Residential | | 1,400 | 70 |
| SSV101 | Dun-Rite | 4/8/2014 | 2,550,000 | 527 |
| | | 9/4/2015 | 141,000 | 1780 |
| | | 2/16/2016 | 5,030 | 28 |
| | | 10/5/2016 | 5,480 | 33 |
| | | 6/16/2017 | 1,030 | 9.0 |
| | | 11/16/2017 | 452 | 3.2 |
| | | 5/18/2018 | 2,460 | 13.6 |
| | | 11/2/2018 | 266 | 1.2 |
| | | 6/7/2019 | 3,570 | 13.6 |
| | | 9/23/2019 | 1,430 | <10.9 |
| | | 5/7/2020 | 253 | 0.51 J |
| | | 10/22/2020 | 382 | 0.99 |
| | | 4/22/2021 | 326 | 0.68 J |
| | | 9/29/2021 | 3,790 | 7.0 |
| SSV202 | Dun-Rite | 5/29/2014 | 1,700 | 113 |
| | | 9/4/2015 | 2,280 | 145 |
| | | 2/16/2016 | 275 | 7.1 |
| SSV203 | Dun-Rite | 5/29/2014 | 27,600 | <20 |
| | | 11/4/2015 | 288 | 12 |
| | | 10/5/2016 | 5,710 | 4.2 |
| | | 6/16/2017 | 4,190 | 20 |
| | | 11/16/2017 | 6,650 | 30.9 |
| | | 5/18/2018 | 2,390 | 1.3 |
| | | 11/9/2018 | 5.0 | <0.37 |
| | | 6/7/2019 | 2,180 | 2.0 |
| | | 9/23/2019 | 2,930 | <11.3 |
| | | 5/7/2020 | 8.6 | <0.31 |
| | | 10/22/2020 | 106 | <0.29 |
| | | 4/22/2021 | 27.4 | <0.28 |
| | | | | 9/29/2021 |
| SSV304 | Residence | 7/18/2014 | 13 | <1.2 |
| | | 3/2/2015 | 11 | <0.31 |
| | | 9/4/2015 | 137 | 21 |
| | | 11/9/2015 | 319 | 14 |
| | | 2/16/2016 | 105 | 5.7 |
| | | 10/5/2016 | 52 | 2.2 |
| | | 6/20/2017 | 133 | 0.92 J |
| | | 11/16/2017 | 15.6 | 0.57 J |
| | | 5/18/2018 | 1,380 | 6.2 |
| | | 11/2/2018 | 14.6 | <0.37 |
| | | 6/7/2019 | 20.1 | <0.37 |
| | | 9/23/2019 | 3,570 | 18.5 |
| | | 5/18/2020 | 86.6 | <0.31 |
| | | 10/22/2020 | 40.0 | <0.30 |
| | | 4/22/2021 | 15.2 | <0.27 |
| | | | | 9/29/2021 |

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$) | | | | |
|---|---------------|-----------------|----------------------------|--------------------------|
| Sample ID | Location | Date | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| <u>Sub-Slab Vapor Screening Levels²</u> | | | | |
| | | Non-Residential | 6,000 | 290 |
| | | Residential | 1,400 | 70 |
| SSV405 | Attorney | 9/19/2014 | 7,470 | 139 |
| | | 2/24/2015 | 17,800 | 183 |
| | | 10/5/2016 | 22,300 | 175 |
| | | 6/16/2017 | 17,400 | 111 |
| | | 11/16/2017 | 17,100 | 130 |
| | | 5/18/2018 | 29,800 | 168 |
| | | 11/9/2018 | 11,200 | 149 |
| | | 6/7/2019 | 6,710 | 64.4 |
| | | 9/23/2019 | 28,800 | 152 |
| | | 5/7/2020 | 15,700 | 134 |
| | | 10/22/2020 | 26,500 | 118 |
| | | 4/22/2021 | 38,600 | 356 J |
| | | 9/29/2021 | 6,790 | 91.2 |
| | | SSV406 | Wildcard | 9/19/2014 |
| 2/27/2015 | 7,180 | | | <24 |
| 9/4/2015 | 68,200 | | | 16 |
| 2/16/2016 | 9,940 | | | 11 |
| 10/5/2016 | 37,400 | | | 15 |
| 6/16/2017 | 15,500 | | | 9.1 |
| 11/16/2017 | 11,500 | | | 9.6 |
| 5/18/2018 | 12,500 | | | 11.2 |
| 11/12/2018 | 13,600 | | | 12.8 |
| 6/7/2019 | 3,810 | | | <11.1 |
| 9/23/2019 | 19,300 | | | <6.8 |
| 5/7/2020 | 4,630 | | | 4.7 |
| 10/22/2020 | 10,900 | | | 7.6 |
| 4/22/2021 | 12,700 | | | 10 |
| 9/29/2021 | 11,900 | 19.7 | | |

Table 1c
Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$) | | | | |
|---|----------|------------|-------------------------|-----------------------|
| Sample ID | Location | Date | Tetrachloroethene (PCE) | Trichloroethene (TCE) |
| Blwr A | SVE | 3/13/2015 | 224,000 | <1,700 |
| Blwr B | SVE | 3/14/2015 | 134,000 | <410 |
| Blwr C | SVE | 3/17/2015 | 43,800 | 77 |
| Blwr Dschrg 1 | SVE | 9/3/2015 | 2,580 | 113 |
| Blwr Dschrg 2 | SVE | 9/8/2015 | 12,900 | 265 |
| Blwr Dschrg | SVE | 2/16/2016 | 641 | 7.9 |
| Blwr Dschrg | SVE | 10/5/2016 | 1,570 | 5.6 |
| Blwr Dschrg | SVE | 6/16/2017 | 59 | 26 |
| Blower Exhaust | SVE | 11/16/2017 | 2,690 | 10.9 |
| Blower | SVE | 5/18/2018 | 1,490 | 1.7 |
| Blower | SVE | 11/2/2018 | <0.54 | <0.44 |
| Blower Exhaust | SVE | 6/7/2019 | 328 | 0.90 |
| Blower Exhaust | SVE | 9/23/2019 | 651 | 0.55J |
| Blower Exhaust | SVE | 5/7/2020 | 232 | <0.32 |
| Blower Sta. | SVE | 10/22/2020 | 3,060 | 3.6 |
| Blower Sta. | SVE | 4/22/2021 | 214 | <0.25 |
| Blower Exhaust | SVE | 9/29/2021 | 326 | 0.63 J |
| Can 2-A | SVE | 3/13/2015 | 11,800 | 17 |
| Can 1-D | SVE | 3/18/2015 | 1,600 | 0.76 J |

Notes

- $\mu\text{g}/\text{m}^3$ micrograms per cubic meter
- <0.076 substance not detected above indicated detection limit
- 6,000** Screening Level for Non-Residential Conditions
- 1,400** Screening Level for Residential Conditions
- * Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample"
- J Analyte was detected but is below the reporting limit; the concentration is estimated
- R Result uncharacteristically high, thus location resampled
- Highlighting indicates most recent results

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for**

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3)

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Vapor

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Sample Location | Sample Date | Tetrachloroethene (µg/l) | Trichloroethene (µg/l) |
|------------------------|--------------------|---------------------------------|-------------------------------|
| <i>PAL</i> | | 0.5 | 0.5 |
| ES | | 5.0 | 5.0 |
| GP-9 ^A | 7/19/2013 | 295 | 7.4 |
| | 10/2/2013 | 655 | 12 |
| | 12/13/2013 | 745 | 14 |
| | 9/23/2014 | 279 | 7.4 |
| | 11/4/2015 | 223 | 6.4 |
| | 5/6/2016 | 322 | 4.7 |
| GP-10 ^A | 12/13/2013 | 331 | 1.9 |
| | 11/4/2015 | 77 | 2.7 |
| | 5/6/2016 | 211 | <0.33 |
| | 10/5/2016 | 344 | 3.2 J |
| GP-11 ^A | 12/13/2013 | 2,570 | <18.2 |
| | 11/4/2015 | 173 | <1.3 |
| | 5/6/2016 | 61.5 | <0.33 |
| | 10/5/2016 | 54.6 | 0.54 J |
| | 6/14/2017 | 614 | <1.7 |
| | 11/16/2017 | 14.3 | 0.41 J |
| | 5/18/2018 | 727 | <1.7 |
| | 11/2/2018 | 17.8 | <0.26 |
| | 6/7/2019 | 614 | <1.3 |
| | 9/23/2019 | 112 | 0.84 J |
| | 5/7/2020 | 243 | <1.3 J |
| | 10/23/2020 | 18.4 | <0.26 |
| | 4/17/2021 | 8.1 | <0.32 |
| 10/4/2021 | 3.4 | <0.32 | |
| GP-12 ^A | 12/13/2013 | 254 | <1.8 |
| | 9/23/2014 | 487 | 2.2 J |
| | 11/4/2015 | 364 | 1.8 J |
| | 5/6/2016 | 147 | 0.95 J |
| | 10/5/2016 | 780 | 2.7 J |
| | 6/14/2017 | 433 | 1.7 J |
| | 11/16/2017 | 647 | 3.7 J |
| | 5/18/2018 | 176 | 1.8 |
| | 11/2/2018 | 462 | 2.2 |
| | 6/7/2019 | 142 | 2.3 |
| | 9/23/2019 | 829 | 2.8 |
| | 5/7/2020 | 105 | 1.6 |
| | 10/23/2020 | 239 | 3.5 |
| | 4/17/2021 | 119 | 0.39 J |
| 10/4/2021 | 1,860 | 5.1 | |

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

| Sample Location | Sample Date | Tetrachloroethene (µg/l) | Trichloroethene (µg/l) |
|-----------------|-------------|--------------------------|------------------------|
| <i>PAL</i> | | <i>0.5</i> | <i>0.5</i> |
| ES | | 5.0 | 5.0 |
| MWG-1 | 11/4/2015 | 141 | 6.9 |
| | 5/6/2016 | 15.3 | <i>1.1</i> |
| | 10/5/2016 | 138 | 5.6 |
| | 6/14/2017 | 8.2 | <i>1.1</i> |
| | 11/16/2017 | 127 | 7.6 |
| | 5/18/2018 | 12.8 | <i>1.0</i> |
| | 11/2/2018 | 74.0 | 6.1 |
| | 6/7/2019 | 8.2 | <i>0.74 J</i> |
| | 9/23/2019 | 81.0 | 13.0 |
| | 5/9/2020 | <i>5.4</i> | <i>0.26 J</i> |
| | 10/23/2020 | 85.6 | 14.0 |
| | 4/17/2021 | 603 | <i><0.32</i> |
| | 10/4/2021 | 2,920 | 6.0 |

Notes

- 1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit
- 5.4 **Bold** indicates exceedance of NR 140 Enforcement Standard
- <0.45 Substance not detected above indicated detection limit
- data unavailable
- A Data preceding 2014 generated during investigations conducted by AECOM
- ES Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code, January 2012
- J Analyte was detected but is below the reporting limit; the concentration is estimated
- PAL 2012
- Highlighting indicates most recent results

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Groundwater

Laboratory Reports

October 12, 2021

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun-Rite
Pace Project No.: 10581504

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on October 04, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures

cc: Nichole Besyk, Sand County Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite
Pace Project No.: 10581504

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009*
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014*
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605*
Georgia Certification #: 959
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086*
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064*
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137*
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240*
Mississippi Certification #: MN00064

Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081*
New Jersey Certification #: MN002
New York Certification #: 11647*
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Ohio VAP Certification (1800) #: CL110*
Oklahoma Certification #: 9507*
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001*
Pennsylvania Certification #: 68-00563*
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192*
Utah Certification #: MN00064*
Vermont Certification #: VT-027053137
Virginia Certification #: 460163*
Washington Certification #: C486*
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208
Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
Pace Project No.: 10581504

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|----------------|--------|----------------|----------------|
| 10581504001 | SSV101 | Air | 09/29/21 10:41 | 10/04/21 11:00 |
| 10581504002 | SSV203 | Air | 09/29/21 10:53 | 10/04/21 11:00 |
| 10581504003 | SSV405 | Air | 09/29/21 08:47 | 10/04/21 11:00 |
| 10581504004 | SSV406 | Air | 09/29/21 09:48 | 10/04/21 11:00 |
| 10581504005 | AA405 | Air | 09/29/21 14:28 | 10/04/21 11:00 |
| 10581504006 | AA406 | Air | 09/29/21 16:00 | 10/04/21 11:00 |
| 10581504007 | AA407 | Air | 09/29/21 15:51 | 10/04/21 11:00 |
| 10581504008 | AA408 | Air | 09/29/21 15:53 | 10/04/21 11:00 |
| 10581504009 | Blower Exhaust | Air | 09/29/21 11:15 | 10/04/21 11:00 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10581504

| Lab ID | Sample ID | Method | Analysts | Analytes Reported | Laboratory |
|-------------|----------------|--------|----------|-------------------|------------|
| 10581504001 | SSV101 | TO-15 | MJL | 61 | PASI-M |
| 10581504002 | SSV203 | TO-15 | MJL | 61 | PASI-M |
| 10581504003 | SSV405 | TO-15 | MJL | 61 | PASI-M |
| 10581504004 | SSV406 | TO-15 | MJL | 61 | PASI-M |
| 10581504005 | AA405 | TO-15 | MJL | 61 | PASI-M |
| 10581504006 | AA406 | TO-15 | MJL | 61 | PASI-M |
| 10581504007 | AA407 | TO-15 | MJL | 61 | PASI-M |
| 10581504008 | AA408 | TO-15 | MJL | 61 | PASI-M |
| 10581504009 | Blower Exhaust | TO-15 | MJL | 61 | PASI-M |

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10581504

| Lab Sample ID | Client Sample ID | Result | Units | Report Limit | Analyzed | Qualifiers |
|--------------------|-----------------------------|-------------|--------------|--------------|----------------|------------|
| Method | Parameters | | | | | |
| 10581504001 | SSV101 | | | | | |
| TO-15 | Acetone | 18.1 | ug/m3 | 10.1 | 10/08/21 19:22 | |
| TO-15 | Benzene | 0.86 | ug/m3 | 0.55 | 10/08/21 19:22 | |
| TO-15 | 2-Butanone (MEK) | 11.1 | ug/m3 | 5.0 | 10/08/21 19:22 | |
| TO-15 | Carbon disulfide | 0.45J | ug/m3 | 1.1 | 10/08/21 19:22 | |
| TO-15 | 1,2-Dichlorobenzene | 0.84J | ug/m3 | 5.1 | 10/08/21 19:22 | |
| TO-15 | Dichlorodifluoromethane | 122 | ug/m3 | 1.7 | 10/08/21 19:22 | |
| TO-15 | Ethanol | 24.3 | ug/m3 | 3.2 | 10/08/21 19:22 | |
| TO-15 | Ethylbenzene | 3.4 | ug/m3 | 1.5 | 10/08/21 19:22 | |
| TO-15 | 4-Ethyltoluene | 1.4J | ug/m3 | 4.2 | 10/08/21 19:22 | |
| TO-15 | n-Hexane | 0.77J | ug/m3 | 1.2 | 10/08/21 19:22 | |
| TO-15 | 2-Hexanone | 1.4J | ug/m3 | 7.0 | 10/08/21 19:22 | |
| TO-15 | Methylene Chloride | 4.9J | ug/m3 | 5.9 | 10/08/21 19:22 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 1.2J | ug/m3 | 7.0 | 10/08/21 19:22 | |
| TO-15 | Naphthalene | 4.0J | ug/m3 | 4.5 | 10/08/21 19:22 | |
| TO-15 | 2-Propanol | 8.2 | ug/m3 | 4.2 | 10/08/21 19:22 | |
| TO-15 | Propylene | 1.3J | ug/m3 | 1.5 | 10/08/21 19:22 | |
| TO-15 | Styrene | 12.1 | ug/m3 | 1.5 | 10/08/21 19:22 | |
| TO-15 | Tetrachloroethene | 3790 | ug/m3 | 58.3 | 10/12/21 11:01 | |
| TO-15 | Tetrahydrofuran | 1.0 | ug/m3 | 1.0 | 10/08/21 19:22 | |
| TO-15 | Toluene | 119 | ug/m3 | 1.3 | 10/08/21 19:22 | |
| TO-15 | Trichloroethene | 7.0 | ug/m3 | 0.92 | 10/08/21 19:22 | |
| TO-15 | Trichlorofluoromethane | 1.5J | ug/m3 | 1.9 | 10/08/21 19:22 | |
| TO-15 | 1,2,4-Trimethylbenzene | 3.8 | ug/m3 | 1.7 | 10/08/21 19:22 | |
| TO-15 | 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.7 | 10/08/21 19:22 | |
| TO-15 | m&p-Xylene | 12.7 | ug/m3 | 3.0 | 10/08/21 19:22 | |
| TO-15 | o-Xylene | 5.6 | ug/m3 | 1.5 | 10/08/21 19:22 | |
| 10581504002 | SSV203 | | | | | |
| TO-15 | Acetone | 22.5 | ug/m3 | 10.5 | 10/08/21 18:13 | |
| TO-15 | Benzene | 0.40J | ug/m3 | 0.57 | 10/08/21 18:13 | |
| TO-15 | 2-Butanone (MEK) | 16.8 | ug/m3 | 5.2 | 10/08/21 18:13 | |
| TO-15 | Carbon disulfide | 1.1 | ug/m3 | 1.1 | 10/08/21 18:13 | |
| TO-15 | Dichlorodifluoromethane | 51.5 | ug/m3 | 1.8 | 10/08/21 18:13 | |
| TO-15 | Ethanol | 34.5 | ug/m3 | 3.3 | 10/08/21 18:13 | |
| TO-15 | Ethylbenzene | 4.2 | ug/m3 | 1.5 | 10/08/21 18:13 | |
| TO-15 | 4-Ethyltoluene | 1.3J | ug/m3 | 4.4 | 10/08/21 18:13 | |
| TO-15 | n-Hexane | 0.93J | ug/m3 | 1.2 | 10/08/21 18:13 | |
| TO-15 | 2-Hexanone | 1.5J | ug/m3 | 7.2 | 10/08/21 18:13 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 2.0J | ug/m3 | 7.2 | 10/08/21 18:13 | |
| TO-15 | 2-Propanol | 11.0 | ug/m3 | 4.4 | 10/08/21 18:13 | |
| TO-15 | Propylene | 0.81J | ug/m3 | 1.5 | 10/08/21 18:13 | |
| TO-15 | Styrene | 12.7 | ug/m3 | 1.5 | 10/08/21 18:13 | |
| TO-15 | Tetrachloroethene | 14.0 | ug/m3 | 1.2 | 10/08/21 18:13 | |
| TO-15 | Tetrahydrofuran | 1.5 | ug/m3 | 1.0 | 10/08/21 18:13 | |
| TO-15 | Toluene | 167 | ug/m3 | 1.3 | 10/08/21 18:13 | |
| TO-15 | Trichlorofluoromethane | 1.2J | ug/m3 | 2.0 | 10/08/21 18:13 | |
| TO-15 | 1,2,4-Trimethylbenzene | 3.9 | ug/m3 | 1.7 | 10/08/21 18:13 | |
| TO-15 | 1,3,5-Trimethylbenzene | 1.3J | ug/m3 | 1.7 | 10/08/21 18:13 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10581504

| Lab Sample ID | Client Sample ID | Result | Units | Report Limit | Analyzed | Qualifiers |
|--------------------|--------------------------------|--------------|--------------|--------------|----------------|------------|
| Method | Parameters | | | | | |
| 10581504002 | SSV203 | | | | | |
| TO-15 | m&p-Xylene | 15.0 | ug/m3 | 3.1 | 10/08/21 18:13 | |
| TO-15 | o-Xylene | 6.5 | ug/m3 | 1.5 | 10/08/21 18:13 | |
| 10581504003 | SSV405 | | | | | |
| TO-15 | Acetone | 24.3 | ug/m3 | 10.5 | 10/08/21 20:32 | |
| TO-15 | Benzene | 0.47J | ug/m3 | 0.57 | 10/08/21 20:32 | |
| TO-15 | 2-Butanone (MEK) | 15.8 | ug/m3 | 5.2 | 10/08/21 20:32 | |
| TO-15 | Carbon disulfide | 6.7 | ug/m3 | 1.1 | 10/08/21 20:32 | |
| TO-15 | Chloroform | 0.41J | ug/m3 | 0.86 | 10/08/21 20:32 | |
| TO-15 | Dichlorodifluoromethane | 10.6 | ug/m3 | 1.8 | 10/08/21 20:32 | |
| TO-15 | Ethanol | 42.4 | ug/m3 | 3.3 | 10/08/21 20:32 | |
| TO-15 | Ethylbenzene | 3.4 | ug/m3 | 1.5 | 10/08/21 20:32 | |
| TO-15 | n-Hexane | 1.2J | ug/m3 | 1.2 | 10/08/21 20:32 | |
| TO-15 | 2-Hexanone | 1.6J | ug/m3 | 7.2 | 10/08/21 20:32 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 1.5J | ug/m3 | 7.2 | 10/08/21 20:32 | |
| TO-15 | 2-Propanol | 11.4 | ug/m3 | 4.4 | 10/08/21 20:32 | |
| TO-15 | Styrene | 7.5 | ug/m3 | 1.5 | 10/08/21 20:32 | |
| TO-15 | Tetrachloroethene | 6790 | ug/m3 | 144 | 10/12/21 12:01 | |
| TO-15 | Tetrahydrofuran | 1.9 | ug/m3 | 1.0 | 10/08/21 20:32 | |
| TO-15 | Toluene | 145 | ug/m3 | 1.3 | 10/08/21 20:32 | |
| TO-15 | 1,1,1-Trichloroethane | 0.49J | ug/m3 | 1.9 | 10/08/21 20:32 | |
| TO-15 | Trichloroethene | 91.2 | ug/m3 | 0.95 | 10/08/21 20:32 | |
| TO-15 | Trichlorofluoromethane | 1.5J | ug/m3 | 2.0 | 10/08/21 20:32 | |
| TO-15 | 1,1,2-Trichlorotrifluoroethane | 0.63J | ug/m3 | 2.7 | 10/08/21 20:32 | |
| TO-15 | 1,2,4-Trimethylbenzene | 1.8 | ug/m3 | 1.7 | 10/08/21 20:32 | |
| TO-15 | 1,3,5-Trimethylbenzene | 0.63J | ug/m3 | 1.7 | 10/08/21 20:32 | |
| TO-15 | m&p-Xylene | 11.9 | ug/m3 | 3.1 | 10/08/21 20:32 | |
| TO-15 | o-Xylene | 4.5 | ug/m3 | 1.5 | 10/08/21 20:32 | |
| 10581504004 | SSV406 | | | | | |
| TO-15 | Acetone | 15.3 | ug/m3 | 10.1 | 10/08/21 21:07 | |
| TO-15 | Benzene | 1.8 | ug/m3 | 0.55 | 10/08/21 21:07 | |
| TO-15 | 2-Butanone (MEK) | 12.3 | ug/m3 | 5.0 | 10/08/21 21:07 | |
| TO-15 | Carbon disulfide | 16.2 | ug/m3 | 1.1 | 10/08/21 21:07 | |
| TO-15 | 1,2-Dichlorobenzene | 0.75J | ug/m3 | 5.1 | 10/08/21 21:07 | |
| TO-15 | Dichlorodifluoromethane | 44.9 | ug/m3 | 1.7 | 10/08/21 21:07 | |
| TO-15 | Ethanol | 33.4 | ug/m3 | 3.2 | 10/08/21 21:07 | |
| TO-15 | Ethylbenzene | 3.8 | ug/m3 | 1.5 | 10/08/21 21:07 | |
| TO-15 | 4-Ethyltoluene | 1.1J | ug/m3 | 4.2 | 10/08/21 21:07 | |
| TO-15 | n-Hexane | 1.0J | ug/m3 | 1.2 | 10/08/21 21:07 | |
| TO-15 | 2-Hexanone | 1.4J | ug/m3 | 7.0 | 10/08/21 21:07 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 1.5J | ug/m3 | 7.0 | 10/08/21 21:07 | |
| TO-15 | Naphthalene | 4.0J | ug/m3 | 4.5 | 10/08/21 21:07 | |
| TO-15 | 2-Propanol | 10.9 | ug/m3 | 4.2 | 10/08/21 21:07 | |
| TO-15 | Propylene | 0.56J | ug/m3 | 1.5 | 10/08/21 21:07 | |
| TO-15 | Styrene | 11.2 | ug/m3 | 1.5 | 10/08/21 21:07 | |
| TO-15 | Tetrachloroethene | 11900 | ug/m3 | 556 | 10/12/21 06:15 | |
| TO-15 | Tetrahydrofuran | 1.0 | ug/m3 | 1.0 | 10/08/21 21:07 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10581504

| Lab Sample ID | Client Sample ID | Result | Units | Report Limit | Analyzed | Qualifiers |
|--------------------|--------------------------------|--------|-------|--------------|----------------|------------|
| Method | Parameters | | | | | |
| 10581504004 | SSV406 | | | | | |
| TO-15 | Toluene | 139 | ug/m3 | 1.3 | 10/08/21 21:07 | |
| TO-15 | 1,1,1-Trichloroethane | 0.40J | ug/m3 | 1.9 | 10/08/21 21:07 | |
| TO-15 | Trichloroethene | 19.7 | ug/m3 | 0.92 | 10/08/21 21:07 | |
| TO-15 | Trichlorofluoromethane | 2.2 | ug/m3 | 1.9 | 10/08/21 21:07 | |
| TO-15 | 1,1,2-Trichlorotrifluoroethane | 0.79J | ug/m3 | 2.6 | 10/08/21 21:07 | |
| TO-15 | 1,2,4-Trimethylbenzene | 4.0 | ug/m3 | 1.7 | 10/08/21 21:07 | |
| TO-15 | 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.7 | 10/08/21 21:07 | |
| TO-15 | m&p-Xylene | 14.0 | ug/m3 | 3.0 | 10/08/21 21:07 | |
| TO-15 | o-Xylene | 6.1 | ug/m3 | 1.5 | 10/08/21 21:07 | |
| 10581504005 | AA405 | | | | | |
| TO-15 | Acetone | 11.9 | ug/m3 | 9.9 | 10/09/21 02:50 | |
| TO-15 | 2-Butanone (MEK) | 5.0 | ug/m3 | 4.9 | 10/09/21 02:50 | |
| TO-15 | Chloromethane | 0.63J | ug/m3 | 0.69 | 10/09/21 02:50 | |
| TO-15 | Dichlorodifluoromethane | 2.3 | ug/m3 | 1.7 | 10/09/21 02:50 | |
| TO-15 | Ethanol | 13.6 | ug/m3 | 3.1 | 10/09/21 02:50 | |
| TO-15 | Ethyl acetate | 2.5 | ug/m3 | 1.2 | 10/09/21 02:50 | |
| TO-15 | n-Heptane | 0.41J | ug/m3 | 1.4 | 10/09/21 02:50 | |
| TO-15 | n-Hexane | 0.77J | ug/m3 | 1.2 | 10/09/21 02:50 | |
| TO-15 | 2-Propanol | 5.4 | ug/m3 | 4.1 | 10/09/21 02:50 | |
| TO-15 | Tetrahydrofuran | 4.4 | ug/m3 | 0.98 | 10/09/21 02:50 | |
| TO-15 | Toluene | 3.4 | ug/m3 | 1.3 | 10/09/21 02:50 | |
| TO-15 | Trichlorofluoromethane | 1.2J | ug/m3 | 1.9 | 10/09/21 02:50 | |
| 10581504006 | AA406 | | | | | |
| TO-15 | Acetone | 39.0 | ug/m3 | 9.4 | 10/09/21 03:24 | |
| TO-15 | Benzene | 0.41J | ug/m3 | 0.50 | 10/09/21 03:24 | |
| TO-15 | 2-Butanone (MEK) | 5.8 | ug/m3 | 4.6 | 10/09/21 03:24 | |
| TO-15 | Carbon disulfide | 0.30J | ug/m3 | 0.98 | 10/09/21 03:24 | |
| TO-15 | Carbon tetrachloride | 0.46J | ug/m3 | 2.0 | 10/09/21 03:24 | |
| TO-15 | Chloroform | 0.30J | ug/m3 | 0.77 | 10/09/21 03:24 | |
| TO-15 | Chloromethane | 1.7 | ug/m3 | 0.65 | 10/09/21 03:24 | |
| TO-15 | Cyclohexane | 0.93J | ug/m3 | 2.7 | 10/09/21 03:24 | |
| TO-15 | 1,4-Dichlorobenzene | 353 | ug/m3 | 23.7 | 10/12/21 10:31 | |
| TO-15 | Dichlorodifluoromethane | 14.4 | ug/m3 | 1.6 | 10/09/21 03:24 | |
| TO-15 | 1,2-Dichloroethane | 0.32J | ug/m3 | 1.3 | 10/09/21 03:24 | |
| TO-15 | Ethanol | 1500 | ug/m3 | 14.9 | 10/12/21 10:31 | E |
| TO-15 | Ethyl acetate | 3.1 | ug/m3 | 1.1 | 10/09/21 03:24 | |
| TO-15 | 4-Ethyltoluene | 1.2J | ug/m3 | 3.9 | 10/09/21 03:24 | |
| TO-15 | n-Heptane | 2.2 | ug/m3 | 1.3 | 10/09/21 03:24 | |
| TO-15 | n-Hexane | 0.83J | ug/m3 | 1.1 | 10/09/21 03:24 | |
| TO-15 | 2-Hexanone | 0.89J | ug/m3 | 6.4 | 10/09/21 03:24 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 0.67J | ug/m3 | 6.4 | 10/09/21 03:24 | |
| TO-15 | 2-Propanol | 22.9 | ug/m3 | 3.9 | 10/09/21 03:24 | |
| TO-15 | Styrene | 0.92J | ug/m3 | 1.3 | 10/09/21 03:24 | |
| TO-15 | Tetrachloroethene | 6.1 | ug/m3 | 1.1 | 10/09/21 03:24 | |
| TO-15 | Toluene | 3.0 | ug/m3 | 1.2 | 10/09/21 03:24 | |
| TO-15 | Trichloroethene | 4.8 | ug/m3 | 0.85 | 10/09/21 03:24 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite

Pace Project No.: 10581504

| Lab Sample ID | Client Sample ID | Result | Units | Report Limit | Analyzed | Qualifiers |
|--------------------|--------------------------------|--------------|--------------|--------------|----------------|------------|
| Method | Parameters | | | | | |
| 10581504006 | AA406 | | | | | |
| TO-15 | Trichlorofluoromethane | 1.4J | ug/m3 | 1.8 | 10/09/21 03:24 | |
| TO-15 | 1,1,2-Trichlorotrifluoroethane | 0.46J | ug/m3 | 2.4 | 10/09/21 03:24 | |
| TO-15 | 1,2,4-Trimethylbenzene | 5.1 | ug/m3 | 1.5 | 10/09/21 03:24 | |
| TO-15 | 1,3,5-Trimethylbenzene | 2.0 | ug/m3 | 1.5 | 10/09/21 03:24 | |
| TO-15 | m&p-Xylene | 1.3J | ug/m3 | 2.7 | 10/09/21 03:24 | |
| TO-15 | o-Xylene | 0.74J | ug/m3 | 1.4 | 10/09/21 03:24 | |
| 10581504007 | AA407 | | | | | |
| TO-15 | Acetone | 32.0 | ug/m3 | 9.0 | 10/09/21 01:40 | |
| TO-15 | Benzene | 0.34J | ug/m3 | 0.48 | 10/09/21 01:40 | |
| TO-15 | 2-Butanone (MEK) | 6.7 | ug/m3 | 4.5 | 10/09/21 01:40 | |
| TO-15 | Chloromethane | 2.2 | ug/m3 | 0.63 | 10/09/21 01:40 | |
| TO-15 | 1,4-Dichlorobenzene | 34.4 | ug/m3 | 4.6 | 10/09/21 01:40 | |
| TO-15 | Dichlorodifluoromethane | 13.8 | ug/m3 | 1.5 | 10/09/21 01:40 | |
| TO-15 | 1,2-Dichloroethane | 0.41J | ug/m3 | 1.2 | 10/09/21 01:40 | |
| TO-15 | Ethanol | 422 | ug/m3 | 2.9 | 10/09/21 01:40 | |
| TO-15 | Ethyl acetate | 2.6 | ug/m3 | 1.1 | 10/09/21 01:40 | |
| TO-15 | 4-Ethyltoluene | 1.4J | ug/m3 | 3.7 | 10/09/21 01:40 | |
| TO-15 | n-Hexane | 0.79J | ug/m3 | 1.1 | 10/09/21 01:40 | |
| TO-15 | 2-Hexanone | 0.80J | ug/m3 | 6.2 | 10/09/21 01:40 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 0.60J | ug/m3 | 6.2 | 10/09/21 01:40 | |
| TO-15 | 2-Propanol | 13.4 | ug/m3 | 3.7 | 10/09/21 01:40 | |
| TO-15 | Tetrachloroethene | 3.7 | ug/m3 | 1.0 | 10/09/21 01:40 | |
| TO-15 | Toluene | 2.5 | ug/m3 | 1.1 | 10/09/21 01:40 | |
| TO-15 | Trichloroethene | 0.56J | ug/m3 | 0.81 | 10/09/21 01:40 | |
| TO-15 | Trichlorofluoromethane | 1.4J | ug/m3 | 1.7 | 10/09/21 01:40 | |
| TO-15 | 1,1,2-Trichlorotrifluoroethane | 0.62J | ug/m3 | 2.3 | 10/09/21 01:40 | |
| TO-15 | 1,2,4-Trimethylbenzene | 4.6 | ug/m3 | 1.5 | 10/09/21 01:40 | |
| TO-15 | 1,3,5-Trimethylbenzene | 1.6 | ug/m3 | 1.5 | 10/09/21 01:40 | |
| TO-15 | m&p-Xylene | 1.2J | ug/m3 | 2.6 | 10/09/21 01:40 | |
| TO-15 | o-Xylene | 0.66J | ug/m3 | 1.3 | 10/09/21 01:40 | |
| 10581504008 | AA408 | | | | | |
| TO-15 | Acetone | 27.6 | ug/m3 | 9.4 | 10/09/21 02:15 | |
| TO-15 | Benzene | 0.26J | ug/m3 | 0.50 | 10/09/21 02:15 | |
| TO-15 | 2-Butanone (MEK) | 5.3 | ug/m3 | 4.6 | 10/09/21 02:15 | |
| TO-15 | Carbon disulfide | 0.25J | ug/m3 | 0.98 | 10/09/21 02:15 | |
| TO-15 | Carbon tetrachloride | 0.45J | ug/m3 | 2.0 | 10/09/21 02:15 | |
| TO-15 | Cyclohexane | 0.47J | ug/m3 | 2.7 | 10/09/21 02:15 | |
| TO-15 | 1,4-Dichlorobenzene | 25.3 | ug/m3 | 4.7 | 10/09/21 02:15 | |
| TO-15 | Dichlorodifluoromethane | 12.2 | ug/m3 | 1.6 | 10/09/21 02:15 | |
| TO-15 | Ethanol | 299 | ug/m3 | 3.0 | 10/09/21 02:15 | |
| TO-15 | Ethyl acetate | 1.8 | ug/m3 | 1.1 | 10/09/21 02:15 | |
| TO-15 | 4-Ethyltoluene | 1.4J | ug/m3 | 3.9 | 10/09/21 02:15 | |
| TO-15 | n-Hexane | 0.65J | ug/m3 | 1.1 | 10/09/21 02:15 | |
| TO-15 | 2-Hexanone | 0.70J | ug/m3 | 6.4 | 10/09/21 02:15 | |
| TO-15 | 2-Propanol | 11.1 | ug/m3 | 3.9 | 10/09/21 02:15 | |
| TO-15 | Tetrachloroethene | 3.8 | ug/m3 | 1.1 | 10/09/21 02:15 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10581504

| Lab Sample ID | Client Sample ID | Result | Units | Report Limit | Analyzed | Qualifiers |
|--------------------|--------------------------------|--------|-------|--------------|----------------|------------|
| Method | Parameters | | | | | |
| 10581504008 | AA408 | | | | | |
| TO-15 | Toluene | 2.1 | ug/m3 | 1.2 | 10/09/21 02:15 | |
| TO-15 | Trichloroethene | 0.42J | ug/m3 | 0.85 | 10/09/21 02:15 | |
| TO-15 | Trichlorofluoromethane | 1.4J | ug/m3 | 1.8 | 10/09/21 02:15 | |
| TO-15 | 1,2,4-Trimethylbenzene | 4.0 | ug/m3 | 1.5 | 10/09/21 02:15 | |
| TO-15 | 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.5 | 10/09/21 02:15 | |
| TO-15 | o-Xylene | 0.57J | ug/m3 | 1.4 | 10/09/21 02:15 | |
| 10581504009 | Blower Exhaust | | | | | |
| TO-15 | Acetone | 11.8 | ug/m3 | 10.1 | 10/08/21 21:41 | |
| TO-15 | Benzene | 4.4 | ug/m3 | 0.55 | 10/08/21 21:41 | |
| TO-15 | 2-Butanone (MEK) | 5.5 | ug/m3 | 5.0 | 10/08/21 21:41 | |
| TO-15 | Carbon disulfide | 13.5 | ug/m3 | 1.1 | 10/08/21 21:41 | |
| TO-15 | Chlorobenzene | 0.50J | ug/m3 | 1.6 | 10/08/21 21:41 | |
| TO-15 | Chloromethane | 0.73 | ug/m3 | 0.71 | 10/08/21 21:41 | |
| TO-15 | 1,2-Dichlorobenzene | 6.9 | ug/m3 | 5.1 | 10/08/21 21:41 | |
| TO-15 | Dichlorodifluoromethane | 40.8 | ug/m3 | 1.7 | 10/08/21 21:41 | |
| TO-15 | Ethanol | 13.8 | ug/m3 | 3.2 | 10/08/21 21:41 | |
| TO-15 | Ethyl acetate | 0.59J | ug/m3 | 1.2 | 10/08/21 21:41 | |
| TO-15 | Ethylbenzene | 0.77J | ug/m3 | 1.5 | 10/08/21 21:41 | |
| TO-15 | 4-Ethyltoluene | 1.8J | ug/m3 | 4.2 | 10/08/21 21:41 | |
| TO-15 | n-Hexane | 0.69J | ug/m3 | 1.2 | 10/08/21 21:41 | |
| TO-15 | 2-Hexanone | 0.83J | ug/m3 | 7.0 | 10/08/21 21:41 | |
| TO-15 | Methylene Chloride | 11.0 | ug/m3 | 5.9 | 10/08/21 21:41 | |
| TO-15 | 4-Methyl-2-pentanone (MIBK) | 0.77J | ug/m3 | 7.0 | 10/08/21 21:41 | |
| TO-15 | 2-Propanol | 4.2J | ug/m3 | 4.2 | 10/08/21 21:41 | |
| TO-15 | Styrene | 1.0J | ug/m3 | 1.5 | 10/08/21 21:41 | |
| TO-15 | Tetrachloroethene | 326 | ug/m3 | 1.2 | 10/08/21 21:41 | |
| TO-15 | Tetrahydrofuran | 0.51J | ug/m3 | 1.0 | 10/08/21 21:41 | |
| TO-15 | Toluene | 2.3 | ug/m3 | 1.3 | 10/08/21 21:41 | |
| TO-15 | Trichloroethene | 0.63J | ug/m3 | 0.92 | 10/08/21 21:41 | |
| TO-15 | Trichlorofluoromethane | 1.4J | ug/m3 | 1.9 | 10/08/21 21:41 | |
| TO-15 | 1,1,2-Trichlorotrifluoroethane | 0.59J | ug/m3 | 2.6 | 10/08/21 21:41 | |
| TO-15 | 1,2,4-Trimethylbenzene | 7.2 | ug/m3 | 1.7 | 10/08/21 21:41 | |
| TO-15 | 1,3,5-Trimethylbenzene | 3.5 | ug/m3 | 1.7 | 10/08/21 21:41 | |
| TO-15 | m&p-Xylene | 3.0J | ug/m3 | 3.0 | 10/08/21 21:41 | |
| TO-15 | o-Xylene | 1.6 | ug/m3 | 1.5 | 10/08/21 21:41 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10581504

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: October 12, 2021

General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

Analyte Comments:

QC Batch: 775665

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- AA406 (Lab ID: 10581504006)
- Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: SSV101 **Lab ID: 10581504001** Collected: 09/29/21 10:41 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 18.1 | ug/m3 | 10.1 | 3.0 | 1.68 | | 10/08/21 19:22 | 67-64-1 | |
| Benzene | 0.86 | ug/m3 | 0.55 | 0.19 | 1.68 | | 10/08/21 19:22 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.4 | 1.5 | 1.68 | | 10/08/21 19:22 | 100-44-7 | |
| Bromodichloromethane | <0.40 | ug/m3 | 2.3 | 0.40 | 1.68 | | 10/08/21 19:22 | 75-27-4 | |
| Bromoform | <2.7 | ug/m3 | 8.8 | 2.7 | 1.68 | | 10/08/21 19:22 | 75-25-2 | |
| Bromomethane | <0.25 | ug/m3 | 1.3 | 0.25 | 1.68 | | 10/08/21 19:22 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.76 | 0.20 | 1.68 | | 10/08/21 19:22 | 106-99-0 | |
| 2-Butanone (MEK) | 11.1 | ug/m3 | 5.0 | 0.78 | 1.68 | | 10/08/21 19:22 | 78-93-3 | |
| Carbon disulfide | 0.45J | ug/m3 | 1.1 | 0.22 | 1.68 | | 10/08/21 19:22 | 75-15-0 | |
| Carbon tetrachloride | <0.47 | ug/m3 | 2.2 | 0.47 | 1.68 | | 10/08/21 19:22 | 56-23-5 | |
| Chlorobenzene | <0.26 | ug/m3 | 1.6 | 0.26 | 1.68 | | 10/08/21 19:22 | 108-90-7 | |
| Chloroethane | <0.38 | ug/m3 | 0.90 | 0.38 | 1.68 | | 10/08/21 19:22 | 75-00-3 | |
| Chloroform | <0.31 | ug/m3 | 0.83 | 0.31 | 1.68 | | 10/08/21 19:22 | 67-66-3 | |
| Chloromethane | <0.14 | ug/m3 | 0.71 | 0.14 | 1.68 | | 10/08/21 19:22 | 74-87-3 | |
| Cyclohexane | <0.37 | ug/m3 | 2.9 | 0.37 | 1.68 | | 10/08/21 19:22 | 110-82-7 | |
| Dibromochloromethane | <0.87 | ug/m3 | 2.9 | 0.87 | 1.68 | | 10/08/21 19:22 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.50 | ug/m3 | 1.3 | 0.50 | 1.68 | | 10/08/21 19:22 | 106-93-4 | |
| 1,2-Dichlorobenzene | 0.84J | ug/m3 | 5.1 | 0.68 | 1.68 | | 10/08/21 19:22 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.86 | ug/m3 | 5.1 | 0.86 | 1.68 | | 10/08/21 19:22 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 5.1 | 1.5 | 1.68 | | 10/08/21 19:22 | 106-46-7 | |
| Dichlorodifluoromethane | 122 | ug/m3 | 1.7 | 0.32 | 1.68 | | 10/08/21 19:22 | 75-71-8 | |
| 1,1-Dichloroethane | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 19:22 | 75-34-3 | |
| 1,2-Dichloroethane | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 19:22 | 107-06-2 | |
| 1,1-Dichloroethene | <0.23 | ug/m3 | 1.4 | 0.23 | 1.68 | | 10/08/21 19:22 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 19:22 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 19:22 | 156-60-5 | |
| 1,2-Dichloropropane | <0.45 | ug/m3 | 1.6 | 0.45 | 1.68 | | 10/08/21 19:22 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.43 | ug/m3 | 3.9 | 0.43 | 1.68 | | 10/08/21 19:22 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.91 | ug/m3 | 3.9 | 0.91 | 1.68 | | 10/08/21 19:22 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.34 | ug/m3 | 2.4 | 0.34 | 1.68 | | 10/08/21 19:22 | 76-14-2 | |
| Ethanol | 24.3 | ug/m3 | 3.2 | 0.99 | 1.68 | | 10/08/21 19:22 | 64-17-5 | |
| Ethyl acetate | <0.22 | ug/m3 | 1.2 | 0.22 | 1.68 | | 10/08/21 19:22 | 141-78-6 | |
| Ethylbenzene | 3.4 | ug/m3 | 1.5 | 0.52 | 1.68 | | 10/08/21 19:22 | 100-41-4 | |
| 4-Ethyltoluene | 1.4J | ug/m3 | 4.2 | 0.79 | 1.68 | | 10/08/21 19:22 | 622-96-8 | |
| n-Heptane | <0.30 | ug/m3 | 1.4 | 0.30 | 1.68 | | 10/08/21 19:22 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.1 | ug/m3 | 9.1 | 2.1 | 1.68 | | 10/08/21 19:22 | 87-68-3 | |
| n-Hexane | 0.77J | ug/m3 | 1.2 | 0.32 | 1.68 | | 10/08/21 19:22 | 110-54-3 | |
| 2-Hexanone | 1.4J | ug/m3 | 7.0 | 0.74 | 1.68 | | 10/08/21 19:22 | 591-78-6 | |
| Methylene Chloride | 4.9J | ug/m3 | 5.9 | 1.0 | 1.68 | | 10/08/21 19:22 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 1.2J | ug/m3 | 7.0 | 0.54 | 1.68 | | 10/08/21 19:22 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.21 | ug/m3 | 6.1 | 0.21 | 1.68 | | 10/08/21 19:22 | 1634-04-4 | |
| Naphthalene | 4.0J | ug/m3 | 4.5 | 3.6 | 1.68 | | 10/08/21 19:22 | 91-20-3 | |
| 2-Propanol | 8.2 | ug/m3 | 4.2 | 0.86 | 1.68 | | 10/08/21 19:22 | 67-63-0 | |
| Propylene | 1.3J | ug/m3 | 1.5 | 0.22 | 1.68 | | 10/08/21 19:22 | 115-07-1 | |
| Styrene | 12.1 | ug/m3 | 1.5 | 0.65 | 1.68 | | 10/08/21 19:22 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: **SSV101** Lab ID: **10581504001** Collected: 09/29/21 10:41 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|-------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <0.62 | ug/m3 | 2.4 | 0.62 | 1.68 | | 10/08/21 19:22 | 79-34-5 | |
| Tetrachloroethene | 3790 | ug/m3 | 58.3 | 24.7 | 84.67 | | 10/12/21 11:01 | 127-18-4 | |
| Tetrahydrofuran | 1.0 | ug/m3 | 1.0 | 0.30 | 1.68 | | 10/08/21 19:22 | 109-99-9 | |
| Toluene | 119 | ug/m3 | 1.3 | 0.41 | 1.68 | | 10/08/21 19:22 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.2 | ug/m3 | 12.7 | 8.2 | 1.68 | | 10/08/21 19:22 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.31 | ug/m3 | 1.9 | 0.31 | 1.68 | | 10/08/21 19:22 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.33 | ug/m3 | 0.93 | 0.33 | 1.68 | | 10/08/21 19:22 | 79-00-5 | |
| Trichloroethene | 7.0 | ug/m3 | 0.92 | 0.33 | 1.68 | | 10/08/21 19:22 | 79-01-6 | |
| Trichlorofluoromethane | 1.5J | ug/m3 | 1.9 | 0.39 | 1.68 | | 10/08/21 19:22 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.49 | ug/m3 | 2.6 | 0.49 | 1.68 | | 10/08/21 19:22 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 3.8 | ug/m3 | 1.7 | 0.59 | 1.68 | | 10/08/21 19:22 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.7 | 0.49 | 1.68 | | 10/08/21 19:22 | 108-67-8 | |
| Vinyl acetate | <0.35 | ug/m3 | 1.2 | 0.35 | 1.68 | | 10/08/21 19:22 | 108-05-4 | |
| Vinyl chloride | <0.15 | ug/m3 | 0.44 | 0.15 | 1.68 | | 10/08/21 19:22 | 75-01-4 | |
| m&p-Xylene | 12.7 | ug/m3 | 3.0 | 1.1 | 1.68 | | 10/08/21 19:22 | 179601-23-1 | |
| o-Xylene | 5.6 | ug/m3 | 1.5 | 0.46 | 1.68 | | 10/08/21 19:22 | 95-47-6 | |

Sample: **SSV203** Lab ID: **10581504002** Collected: 09/29/21 10:53 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 22.5 | ug/m3 | 10.5 | 3.1 | 1.74 | | 10/08/21 18:13 | 67-64-1 | |
| Benzene | 0.40J | ug/m3 | 0.57 | 0.20 | 1.74 | | 10/08/21 18:13 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.6 | 1.5 | 1.74 | | 10/08/21 18:13 | 100-44-7 | |
| Bromodichloromethane | <0.41 | ug/m3 | 2.4 | 0.41 | 1.74 | | 10/08/21 18:13 | 75-27-4 | |
| Bromoform | <2.8 | ug/m3 | 9.1 | 2.8 | 1.74 | | 10/08/21 18:13 | 75-25-2 | |
| Bromomethane | <0.26 | ug/m3 | 1.4 | 0.26 | 1.74 | | 10/08/21 18:13 | 74-83-9 | |
| 1,3-Butadiene | <0.21 | ug/m3 | 0.78 | 0.21 | 1.74 | | 10/08/21 18:13 | 106-99-0 | |
| 2-Butanone (MEK) | 16.8 | ug/m3 | 5.2 | 0.81 | 1.74 | | 10/08/21 18:13 | 78-93-3 | |
| Carbon disulfide | 1.1 | ug/m3 | 1.1 | 0.22 | 1.74 | | 10/08/21 18:13 | 75-15-0 | |
| Carbon tetrachloride | <0.49 | ug/m3 | 2.2 | 0.49 | 1.74 | | 10/08/21 18:13 | 56-23-5 | |
| Chlorobenzene | <0.27 | ug/m3 | 1.6 | 0.27 | 1.74 | | 10/08/21 18:13 | 108-90-7 | |
| Chloroethane | <0.39 | ug/m3 | 0.93 | 0.39 | 1.74 | | 10/08/21 18:13 | 75-00-3 | |
| Chloroform | <0.32 | ug/m3 | 0.86 | 0.32 | 1.74 | | 10/08/21 18:13 | 67-66-3 | |
| Chloromethane | <0.15 | ug/m3 | 0.73 | 0.15 | 1.74 | | 10/08/21 18:13 | 74-87-3 | |
| Cyclohexane | <0.38 | ug/m3 | 3.0 | 0.38 | 1.74 | | 10/08/21 18:13 | 110-82-7 | |
| Dibromochloromethane | <0.90 | ug/m3 | 3.0 | 0.90 | 1.74 | | 10/08/21 18:13 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.52 | ug/m3 | 1.4 | 0.52 | 1.74 | | 10/08/21 18:13 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.70 | ug/m3 | 5.3 | 0.70 | 1.74 | | 10/08/21 18:13 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.89 | ug/m3 | 5.3 | 0.89 | 1.74 | | 10/08/21 18:13 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 5.3 | 1.5 | 1.74 | | 10/08/21 18:13 | 106-46-7 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: **SSV203** Lab ID: **10581504002** Collected: 09/29/21 10:53 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|-----------------|--------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Dichlorodifluoromethane | 51.5 | ug/m3 | 1.8 | 0.33 | 1.74 | | 10/08/21 18:13 | 75-71-8 | |
| 1,1-Dichloroethane | <0.29 | ug/m3 | 1.4 | 0.29 | 1.74 | | 10/08/21 18:13 | 75-34-3 | |
| 1,2-Dichloroethane | <0.34 | ug/m3 | 1.4 | 0.34 | 1.74 | | 10/08/21 18:13 | 107-06-2 | |
| 1,1-Dichloroethene | <0.24 | ug/m3 | 1.4 | 0.24 | 1.74 | | 10/08/21 18:13 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.34 | ug/m3 | 1.4 | 0.34 | 1.74 | | 10/08/21 18:13 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.29 | ug/m3 | 1.4 | 0.29 | 1.74 | | 10/08/21 18:13 | 156-60-5 | |
| 1,2-Dichloropropane | <0.47 | ug/m3 | 1.6 | 0.47 | 1.74 | | 10/08/21 18:13 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.44 | ug/m3 | 4.0 | 0.44 | 1.74 | | 10/08/21 18:13 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.95 | ug/m3 | 4.0 | 0.95 | 1.74 | | 10/08/21 18:13 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.35 | ug/m3 | 2.5 | 0.35 | 1.74 | | 10/08/21 18:13 | 76-14-2 | |
| Ethanol | 34.5 | ug/m3 | 3.3 | 1.0 | 1.74 | | 10/08/21 18:13 | 64-17-5 | |
| Ethyl acetate | <0.23 | ug/m3 | 1.3 | 0.23 | 1.74 | | 10/08/21 18:13 | 141-78-6 | |
| Ethylbenzene | 4.2 | ug/m3 | 1.5 | 0.54 | 1.74 | | 10/08/21 18:13 | 100-41-4 | |
| 4-Ethyltoluene | 1.3J | ug/m3 | 4.4 | 0.82 | 1.74 | | 10/08/21 18:13 | 622-96-8 | |
| n-Heptane | <0.31 | ug/m3 | 1.4 | 0.31 | 1.74 | | 10/08/21 18:13 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.1 | ug/m3 | 9.4 | 2.1 | 1.74 | | 10/08/21 18:13 | 87-68-3 | |
| n-Hexane | 0.93J | ug/m3 | 1.2 | 0.33 | 1.74 | | 10/08/21 18:13 | 110-54-3 | |
| 2-Hexanone | 1.5J | ug/m3 | 7.2 | 0.77 | 1.74 | | 10/08/21 18:13 | 591-78-6 | |
| Methylene Chloride | <1.0 | ug/m3 | 6.1 | 1.0 | 1.74 | | 10/08/21 18:13 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 2.0J | ug/m3 | 7.2 | 0.56 | 1.74 | | 10/08/21 18:13 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.22 | ug/m3 | 6.4 | 0.22 | 1.74 | | 10/08/21 18:13 | 1634-04-4 | |
| Naphthalene | <3.8 | ug/m3 | 4.6 | 3.8 | 1.74 | | 10/08/21 18:13 | 91-20-3 | |
| 2-Propanol | 11.0 | ug/m3 | 4.4 | 0.89 | 1.74 | | 10/08/21 18:13 | 67-63-0 | |
| Propylene | 0.81J | ug/m3 | 1.5 | 0.23 | 1.74 | | 10/08/21 18:13 | 115-07-1 | |
| Styrene | 12.7 | ug/m3 | 1.5 | 0.67 | 1.74 | | 10/08/21 18:13 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.65 | ug/m3 | 2.4 | 0.65 | 1.74 | | 10/08/21 18:13 | 79-34-5 | |
| Tetrachloroethene | 14.0 | ug/m3 | 1.2 | 0.51 | 1.74 | | 10/08/21 18:13 | 127-18-4 | |
| Tetrahydrofuran | 1.5 | ug/m3 | 1.0 | 0.31 | 1.74 | | 10/08/21 18:13 | 109-99-9 | |
| Toluene | 167 | ug/m3 | 1.3 | 0.42 | 1.74 | | 10/08/21 18:13 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.5 | ug/m3 | 13.1 | 8.5 | 1.74 | | 10/08/21 18:13 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.32 | ug/m3 | 1.9 | 0.32 | 1.74 | | 10/08/21 18:13 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.34 | ug/m3 | 0.97 | 0.34 | 1.74 | | 10/08/21 18:13 | 79-00-5 | |
| Trichloroethene | <0.34 | ug/m3 | 0.95 | 0.34 | 1.74 | | 10/08/21 18:13 | 79-01-6 | |
| Trichlorofluoromethane | 1.2J | ug/m3 | 2.0 | 0.41 | 1.74 | | 10/08/21 18:13 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.50 | ug/m3 | 2.7 | 0.50 | 1.74 | | 10/08/21 18:13 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 3.9 | ug/m3 | 1.7 | 0.62 | 1.74 | | 10/08/21 18:13 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.3J | ug/m3 | 1.7 | 0.50 | 1.74 | | 10/08/21 18:13 | 108-67-8 | |
| Vinyl acetate | <0.36 | ug/m3 | 1.2 | 0.36 | 1.74 | | 10/08/21 18:13 | 108-05-4 | |
| Vinyl chloride | <0.15 | ug/m3 | 0.45 | 0.15 | 1.74 | | 10/08/21 18:13 | 75-01-4 | |
| m&p-Xylene | 15.0 | ug/m3 | 3.1 | 1.1 | 1.74 | | 10/08/21 18:13 | 179601-23-1 | |
| o-Xylene | 6.5 | ug/m3 | 1.5 | 0.47 | 1.74 | | 10/08/21 18:13 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: **SSV405** Lab ID: **10581504003** Collected: 09/29/21 08:47 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 24.3 | ug/m3 | 10.5 | 3.1 | 1.74 | | 10/08/21 20:32 | 67-64-1 | |
| Benzene | 0.47J | ug/m3 | 0.57 | 0.20 | 1.74 | | 10/08/21 20:32 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.6 | 1.5 | 1.74 | | 10/08/21 20:32 | 100-44-7 | |
| Bromodichloromethane | <0.41 | ug/m3 | 2.4 | 0.41 | 1.74 | | 10/08/21 20:32 | 75-27-4 | |
| Bromoform | <2.8 | ug/m3 | 9.1 | 2.8 | 1.74 | | 10/08/21 20:32 | 75-25-2 | |
| Bromomethane | <0.26 | ug/m3 | 1.4 | 0.26 | 1.74 | | 10/08/21 20:32 | 74-83-9 | |
| 1,3-Butadiene | <0.21 | ug/m3 | 0.78 | 0.21 | 1.74 | | 10/08/21 20:32 | 106-99-0 | |
| 2-Butanone (MEK) | 15.8 | ug/m3 | 5.2 | 0.81 | 1.74 | | 10/08/21 20:32 | 78-93-3 | |
| Carbon disulfide | 6.7 | ug/m3 | 1.1 | 0.22 | 1.74 | | 10/08/21 20:32 | 75-15-0 | |
| Carbon tetrachloride | <0.49 | ug/m3 | 2.2 | 0.49 | 1.74 | | 10/08/21 20:32 | 56-23-5 | |
| Chlorobenzene | <0.27 | ug/m3 | 1.6 | 0.27 | 1.74 | | 10/08/21 20:32 | 108-90-7 | |
| Chloroethane | <0.39 | ug/m3 | 0.93 | 0.39 | 1.74 | | 10/08/21 20:32 | 75-00-3 | |
| Chloroform | 0.41J | ug/m3 | 0.86 | 0.32 | 1.74 | | 10/08/21 20:32 | 67-66-3 | |
| Chloromethane | <0.15 | ug/m3 | 0.73 | 0.15 | 1.74 | | 10/08/21 20:32 | 74-87-3 | |
| Cyclohexane | <0.38 | ug/m3 | 3.0 | 0.38 | 1.74 | | 10/08/21 20:32 | 110-82-7 | |
| Dibromochloromethane | <0.90 | ug/m3 | 3.0 | 0.90 | 1.74 | | 10/08/21 20:32 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.52 | ug/m3 | 1.4 | 0.52 | 1.74 | | 10/08/21 20:32 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.70 | ug/m3 | 5.3 | 0.70 | 1.74 | | 10/08/21 20:32 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.89 | ug/m3 | 5.3 | 0.89 | 1.74 | | 10/08/21 20:32 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 5.3 | 1.5 | 1.74 | | 10/08/21 20:32 | 106-46-7 | |
| Dichlorodifluoromethane | 10.6 | ug/m3 | 1.8 | 0.33 | 1.74 | | 10/08/21 20:32 | 75-71-8 | |
| 1,1-Dichloroethane | <0.29 | ug/m3 | 1.4 | 0.29 | 1.74 | | 10/08/21 20:32 | 75-34-3 | |
| 1,2-Dichloroethane | <0.34 | ug/m3 | 1.4 | 0.34 | 1.74 | | 10/08/21 20:32 | 107-06-2 | |
| 1,1-Dichloroethene | <0.24 | ug/m3 | 1.4 | 0.24 | 1.74 | | 10/08/21 20:32 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.34 | ug/m3 | 1.4 | 0.34 | 1.74 | | 10/08/21 20:32 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.29 | ug/m3 | 1.4 | 0.29 | 1.74 | | 10/08/21 20:32 | 156-60-5 | |
| 1,2-Dichloropropane | <0.47 | ug/m3 | 1.6 | 0.47 | 1.74 | | 10/08/21 20:32 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.44 | ug/m3 | 4.0 | 0.44 | 1.74 | | 10/08/21 20:32 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.95 | ug/m3 | 4.0 | 0.95 | 1.74 | | 10/08/21 20:32 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.35 | ug/m3 | 2.5 | 0.35 | 1.74 | | 10/08/21 20:32 | 76-14-2 | |
| Ethanol | 42.4 | ug/m3 | 3.3 | 1.0 | 1.74 | | 10/08/21 20:32 | 64-17-5 | |
| Ethyl acetate | <0.23 | ug/m3 | 1.3 | 0.23 | 1.74 | | 10/08/21 20:32 | 141-78-6 | |
| Ethylbenzene | 3.4 | ug/m3 | 1.5 | 0.54 | 1.74 | | 10/08/21 20:32 | 100-41-4 | |
| 4-Ethyltoluene | <0.82 | ug/m3 | 4.4 | 0.82 | 1.74 | | 10/08/21 20:32 | 622-96-8 | |
| n-Heptane | <0.31 | ug/m3 | 1.4 | 0.31 | 1.74 | | 10/08/21 20:32 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.1 | ug/m3 | 9.4 | 2.1 | 1.74 | | 10/08/21 20:32 | 87-68-3 | |
| n-Hexane | 1.2J | ug/m3 | 1.2 | 0.33 | 1.74 | | 10/08/21 20:32 | 110-54-3 | |
| 2-Hexanone | 1.6J | ug/m3 | 7.2 | 0.77 | 1.74 | | 10/08/21 20:32 | 591-78-6 | |
| Methylene Chloride | <1.0 | ug/m3 | 6.1 | 1.0 | 1.74 | | 10/08/21 20:32 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 1.5J | ug/m3 | 7.2 | 0.56 | 1.74 | | 10/08/21 20:32 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.22 | ug/m3 | 6.4 | 0.22 | 1.74 | | 10/08/21 20:32 | 1634-04-4 | |
| Naphthalene | <3.8 | ug/m3 | 4.6 | 3.8 | 1.74 | | 10/08/21 20:32 | 91-20-3 | |
| 2-Propanol | 11.4 | ug/m3 | 4.4 | 0.89 | 1.74 | | 10/08/21 20:32 | 67-63-0 | |
| Propylene | <0.23 | ug/m3 | 1.5 | 0.23 | 1.74 | | 10/08/21 20:32 | 115-07-1 | |
| Styrene | 7.5 | ug/m3 | 1.5 | 0.67 | 1.74 | | 10/08/21 20:32 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: **SSV405** Lab ID: **10581504003** Collected: 09/29/21 08:47 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|-------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <0.65 | ug/m3 | 2.4 | 0.65 | 1.74 | | 10/08/21 20:32 | 79-34-5 | |
| Tetrachloroethene | 6790 | ug/m3 | 144 | 61.0 | 208.8 | | 10/12/21 12:01 | 127-18-4 | |
| Tetrahydrofuran | 1.9 | ug/m3 | 1.0 | 0.31 | 1.74 | | 10/08/21 20:32 | 109-99-9 | |
| Toluene | 145 | ug/m3 | 1.3 | 0.42 | 1.74 | | 10/08/21 20:32 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.5 | ug/m3 | 13.1 | 8.5 | 1.74 | | 10/08/21 20:32 | 120-82-1 | |
| 1,1,1-Trichloroethane | 0.49J | ug/m3 | 1.9 | 0.32 | 1.74 | | 10/08/21 20:32 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.34 | ug/m3 | 0.97 | 0.34 | 1.74 | | 10/08/21 20:32 | 79-00-5 | |
| Trichloroethene | 91.2 | ug/m3 | 0.95 | 0.34 | 1.74 | | 10/08/21 20:32 | 79-01-6 | |
| Trichlorofluoromethane | 1.5J | ug/m3 | 2.0 | 0.41 | 1.74 | | 10/08/21 20:32 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | 0.63J | ug/m3 | 2.7 | 0.50 | 1.74 | | 10/08/21 20:32 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 1.8 | ug/m3 | 1.7 | 0.62 | 1.74 | | 10/08/21 20:32 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 0.63J | ug/m3 | 1.7 | 0.50 | 1.74 | | 10/08/21 20:32 | 108-67-8 | |
| Vinyl acetate | <0.36 | ug/m3 | 1.2 | 0.36 | 1.74 | | 10/08/21 20:32 | 108-05-4 | |
| Vinyl chloride | <0.15 | ug/m3 | 0.45 | 0.15 | 1.74 | | 10/08/21 20:32 | 75-01-4 | |
| m&p-Xylene | 11.9 | ug/m3 | 3.1 | 1.1 | 1.74 | | 10/08/21 20:32 | 179601-23-1 | |
| o-Xylene | 4.5 | ug/m3 | 1.5 | 0.47 | 1.74 | | 10/08/21 20:32 | 95-47-6 | |

Sample: **SSV406** Lab ID: **10581504004** Collected: 09/29/21 09:48 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 15.3 | ug/m3 | 10.1 | 3.0 | 1.68 | | 10/08/21 21:07 | 67-64-1 | |
| Benzene | 1.8 | ug/m3 | 0.55 | 0.19 | 1.68 | | 10/08/21 21:07 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.4 | 1.5 | 1.68 | | 10/08/21 21:07 | 100-44-7 | |
| Bromodichloromethane | <0.40 | ug/m3 | 2.3 | 0.40 | 1.68 | | 10/08/21 21:07 | 75-27-4 | |
| Bromoform | <2.7 | ug/m3 | 8.8 | 2.7 | 1.68 | | 10/08/21 21:07 | 75-25-2 | |
| Bromomethane | <0.25 | ug/m3 | 1.3 | 0.25 | 1.68 | | 10/08/21 21:07 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.76 | 0.20 | 1.68 | | 10/08/21 21:07 | 106-99-0 | |
| 2-Butanone (MEK) | 12.3 | ug/m3 | 5.0 | 0.78 | 1.68 | | 10/08/21 21:07 | 78-93-3 | |
| Carbon disulfide | 16.2 | ug/m3 | 1.1 | 0.22 | 1.68 | | 10/08/21 21:07 | 75-15-0 | |
| Carbon tetrachloride | <0.47 | ug/m3 | 2.2 | 0.47 | 1.68 | | 10/08/21 21:07 | 56-23-5 | |
| Chlorobenzene | <0.26 | ug/m3 | 1.6 | 0.26 | 1.68 | | 10/08/21 21:07 | 108-90-7 | |
| Chloroethane | <0.38 | ug/m3 | 0.90 | 0.38 | 1.68 | | 10/08/21 21:07 | 75-00-3 | |
| Chloroform | <0.31 | ug/m3 | 0.83 | 0.31 | 1.68 | | 10/08/21 21:07 | 67-66-3 | |
| Chloromethane | <0.14 | ug/m3 | 0.71 | 0.14 | 1.68 | | 10/08/21 21:07 | 74-87-3 | |
| Cyclohexane | <0.37 | ug/m3 | 2.9 | 0.37 | 1.68 | | 10/08/21 21:07 | 110-82-7 | |
| Dibromochloromethane | <0.87 | ug/m3 | 2.9 | 0.87 | 1.68 | | 10/08/21 21:07 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.50 | ug/m3 | 1.3 | 0.50 | 1.68 | | 10/08/21 21:07 | 106-93-4 | |
| 1,2-Dichlorobenzene | 0.75J | ug/m3 | 5.1 | 0.68 | 1.68 | | 10/08/21 21:07 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.86 | ug/m3 | 5.1 | 0.86 | 1.68 | | 10/08/21 21:07 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 5.1 | 1.5 | 1.68 | | 10/08/21 21:07 | 106-46-7 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: **SSV406** Lab ID: **10581504004** Collected: 09/29/21 09:48 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|--------------|--------------|------|------|-------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Dichlorodifluoromethane | 44.9 | ug/m3 | 1.7 | 0.32 | 1.68 | | 10/08/21 21:07 | 75-71-8 | |
| 1,1-Dichloroethane | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 21:07 | 75-34-3 | |
| 1,2-Dichloroethane | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 21:07 | 107-06-2 | |
| 1,1-Dichloroethene | <0.23 | ug/m3 | 1.4 | 0.23 | 1.68 | | 10/08/21 21:07 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 21:07 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 21:07 | 156-60-5 | |
| 1,2-Dichloropropane | <0.45 | ug/m3 | 1.6 | 0.45 | 1.68 | | 10/08/21 21:07 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.43 | ug/m3 | 3.9 | 0.43 | 1.68 | | 10/08/21 21:07 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.91 | ug/m3 | 3.9 | 0.91 | 1.68 | | 10/08/21 21:07 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.34 | ug/m3 | 2.4 | 0.34 | 1.68 | | 10/08/21 21:07 | 76-14-2 | |
| Ethanol | 33.4 | ug/m3 | 3.2 | 0.99 | 1.68 | | 10/08/21 21:07 | 64-17-5 | |
| Ethyl acetate | <0.22 | ug/m3 | 1.2 | 0.22 | 1.68 | | 10/08/21 21:07 | 141-78-6 | |
| Ethylbenzene | 3.8 | ug/m3 | 1.5 | 0.52 | 1.68 | | 10/08/21 21:07 | 100-41-4 | |
| 4-Ethyltoluene | 1.1J | ug/m3 | 4.2 | 0.79 | 1.68 | | 10/08/21 21:07 | 622-96-8 | |
| n-Heptane | <0.30 | ug/m3 | 1.4 | 0.30 | 1.68 | | 10/08/21 21:07 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.1 | ug/m3 | 9.1 | 2.1 | 1.68 | | 10/08/21 21:07 | 87-68-3 | |
| n-Hexane | 1.0J | ug/m3 | 1.2 | 0.32 | 1.68 | | 10/08/21 21:07 | 110-54-3 | |
| 2-Hexanone | 1.4J | ug/m3 | 7.0 | 0.74 | 1.68 | | 10/08/21 21:07 | 591-78-6 | |
| Methylene Chloride | <1.0 | ug/m3 | 5.9 | 1.0 | 1.68 | | 10/08/21 21:07 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 1.5J | ug/m3 | 7.0 | 0.54 | 1.68 | | 10/08/21 21:07 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.21 | ug/m3 | 6.1 | 0.21 | 1.68 | | 10/08/21 21:07 | 1634-04-4 | |
| Naphthalene | 4.0J | ug/m3 | 4.5 | 3.6 | 1.68 | | 10/08/21 21:07 | 91-20-3 | |
| 2-Propanol | 10.9 | ug/m3 | 4.2 | 0.86 | 1.68 | | 10/08/21 21:07 | 67-63-0 | |
| Propylene | 0.56J | ug/m3 | 1.5 | 0.22 | 1.68 | | 10/08/21 21:07 | 115-07-1 | |
| Styrene | 11.2 | ug/m3 | 1.5 | 0.65 | 1.68 | | 10/08/21 21:07 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.62 | ug/m3 | 2.4 | 0.62 | 1.68 | | 10/08/21 21:07 | 79-34-5 | |
| Tetrachloroethene | 11900 | ug/m3 | 556 | 235 | 806.4 | | 10/12/21 06:15 | 127-18-4 | |
| Tetrahydrofuran | 1.0 | ug/m3 | 1.0 | 0.30 | 1.68 | | 10/08/21 21:07 | 109-99-9 | |
| Toluene | 139 | ug/m3 | 1.3 | 0.41 | 1.68 | | 10/08/21 21:07 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.2 | ug/m3 | 12.7 | 8.2 | 1.68 | | 10/08/21 21:07 | 120-82-1 | |
| 1,1,1-Trichloroethane | 0.40J | ug/m3 | 1.9 | 0.31 | 1.68 | | 10/08/21 21:07 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.33 | ug/m3 | 0.93 | 0.33 | 1.68 | | 10/08/21 21:07 | 79-00-5 | |
| Trichloroethene | 19.7 | ug/m3 | 0.92 | 0.33 | 1.68 | | 10/08/21 21:07 | 79-01-6 | |
| Trichlorofluoromethane | 2.2 | ug/m3 | 1.9 | 0.39 | 1.68 | | 10/08/21 21:07 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | 0.79J | ug/m3 | 2.6 | 0.49 | 1.68 | | 10/08/21 21:07 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 4.0 | ug/m3 | 1.7 | 0.59 | 1.68 | | 10/08/21 21:07 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.7 | 0.49 | 1.68 | | 10/08/21 21:07 | 108-67-8 | |
| Vinyl acetate | <0.35 | ug/m3 | 1.2 | 0.35 | 1.68 | | 10/08/21 21:07 | 108-05-4 | |
| Vinyl chloride | <0.15 | ug/m3 | 0.44 | 0.15 | 1.68 | | 10/08/21 21:07 | 75-01-4 | |
| m&p-Xylene | 14.0 | ug/m3 | 3.0 | 1.1 | 1.68 | | 10/08/21 21:07 | 179601-23-1 | |
| o-Xylene | 6.1 | ug/m3 | 1.5 | 0.46 | 1.68 | | 10/08/21 21:07 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA405 Lab ID: 10581504005 Collected: 09/29/21 14:28 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 11.9 | ug/m3 | 9.9 | 3.0 | 1.64 | | 10/09/21 02:50 | 67-64-1 | |
| Benzene | <0.19 | ug/m3 | 0.53 | 0.19 | 1.64 | | 10/09/21 02:50 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.3 | 1.5 | 1.64 | | 10/09/21 02:50 | 100-44-7 | |
| Bromodichloromethane | <0.39 | ug/m3 | 2.2 | 0.39 | 1.64 | | 10/09/21 02:50 | 75-27-4 | |
| Bromoform | <2.7 | ug/m3 | 8.6 | 2.7 | 1.64 | | 10/09/21 02:50 | 75-25-2 | |
| Bromomethane | <0.25 | ug/m3 | 1.3 | 0.25 | 1.64 | | 10/09/21 02:50 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.74 | 0.20 | 1.64 | | 10/09/21 02:50 | 106-99-0 | |
| 2-Butanone (MEK) | 5.0 | ug/m3 | 4.9 | 0.76 | 1.64 | | 10/09/21 02:50 | 78-93-3 | |
| Carbon disulfide | <0.21 | ug/m3 | 1.0 | 0.21 | 1.64 | | 10/09/21 02:50 | 75-15-0 | |
| Carbon tetrachloride | <0.46 | ug/m3 | 2.1 | 0.46 | 1.64 | | 10/09/21 02:50 | 56-23-5 | |
| Chlorobenzene | <0.25 | ug/m3 | 1.5 | 0.25 | 1.64 | | 10/09/21 02:50 | 108-90-7 | |
| Chloroethane | <0.37 | ug/m3 | 0.88 | 0.37 | 1.64 | | 10/09/21 02:50 | 75-00-3 | |
| Chloroform | <0.30 | ug/m3 | 0.81 | 0.30 | 1.64 | | 10/09/21 02:50 | 67-66-3 | |
| Chloromethane | 0.63J | ug/m3 | 0.69 | 0.14 | 1.64 | | 10/09/21 02:50 | 74-87-3 | |
| Cyclohexane | <0.36 | ug/m3 | 2.9 | 0.36 | 1.64 | | 10/09/21 02:50 | 110-82-7 | |
| Dibromochloromethane | <0.84 | ug/m3 | 2.8 | 0.84 | 1.64 | | 10/09/21 02:50 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.49 | ug/m3 | 1.3 | 0.49 | 1.64 | | 10/09/21 02:50 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.66 | ug/m3 | 5.0 | 0.66 | 1.64 | | 10/09/21 02:50 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.83 | ug/m3 | 5.0 | 0.83 | 1.64 | | 10/09/21 02:50 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.4 | ug/m3 | 5.0 | 1.4 | 1.64 | | 10/09/21 02:50 | 106-46-7 | |
| Dichlorodifluoromethane | 2.3 | ug/m3 | 1.7 | 0.31 | 1.64 | | 10/09/21 02:50 | 75-71-8 | |
| 1,1-Dichloroethane | <0.27 | ug/m3 | 1.3 | 0.27 | 1.64 | | 10/09/21 02:50 | 75-34-3 | |
| 1,2-Dichloroethane | <0.32 | ug/m3 | 1.3 | 0.32 | 1.64 | | 10/09/21 02:50 | 107-06-2 | |
| 1,1-Dichloroethene | <0.23 | ug/m3 | 1.3 | 0.23 | 1.64 | | 10/09/21 02:50 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.32 | ug/m3 | 1.3 | 0.32 | 1.64 | | 10/09/21 02:50 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.28 | ug/m3 | 1.3 | 0.28 | 1.64 | | 10/09/21 02:50 | 156-60-5 | |
| 1,2-Dichloropropane | <0.44 | ug/m3 | 1.5 | 0.44 | 1.64 | | 10/09/21 02:50 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.42 | ug/m3 | 3.8 | 0.42 | 1.64 | | 10/09/21 02:50 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.89 | ug/m3 | 3.8 | 0.89 | 1.64 | | 10/09/21 02:50 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.33 | ug/m3 | 2.3 | 0.33 | 1.64 | | 10/09/21 02:50 | 76-14-2 | |
| Ethanol | 13.6 | ug/m3 | 3.1 | 0.97 | 1.64 | | 10/09/21 02:50 | 64-17-5 | |
| Ethyl acetate | 2.5 | ug/m3 | 1.2 | 0.21 | 1.64 | | 10/09/21 02:50 | 141-78-6 | |
| Ethylbenzene | <0.51 | ug/m3 | 1.4 | 0.51 | 1.64 | | 10/09/21 02:50 | 100-41-4 | |
| 4-Ethyltoluene | <0.77 | ug/m3 | 4.1 | 0.77 | 1.64 | | 10/09/21 02:50 | 622-96-8 | |
| n-Heptane | 0.41J | ug/m3 | 1.4 | 0.30 | 1.64 | | 10/09/21 02:50 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.0 | ug/m3 | 8.9 | 2.0 | 1.64 | | 10/09/21 02:50 | 87-68-3 | |
| n-Hexane | 0.77J | ug/m3 | 1.2 | 0.31 | 1.64 | | 10/09/21 02:50 | 110-54-3 | |
| 2-Hexanone | <0.72 | ug/m3 | 6.8 | 0.72 | 1.64 | | 10/09/21 02:50 | 591-78-6 | |
| Methylene Chloride | <0.97 | ug/m3 | 5.8 | 0.97 | 1.64 | | 10/09/21 02:50 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | <0.53 | ug/m3 | 6.8 | 0.53 | 1.64 | | 10/09/21 02:50 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.21 | ug/m3 | 6.0 | 0.21 | 1.64 | | 10/09/21 02:50 | 1634-04-4 | |
| Naphthalene | <3.6 | ug/m3 | 4.4 | 3.6 | 1.64 | | 10/09/21 02:50 | 91-20-3 | |
| 2-Propanol | 5.4 | ug/m3 | 4.1 | 0.83 | 1.64 | | 10/09/21 02:50 | 67-63-0 | |
| Propylene | <0.21 | ug/m3 | 1.4 | 0.21 | 1.64 | | 10/09/21 02:50 | 115-07-1 | |
| Styrene | <0.63 | ug/m3 | 1.4 | 0.63 | 1.64 | | 10/09/21 02:50 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA405 Lab ID: 10581504005 Collected: 09/29/21 14:28 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <0.61 | ug/m3 | 2.3 | 0.61 | 1.64 | | 10/09/21 02:50 | 79-34-5 | |
| Tetrachloroethene | <0.48 | ug/m3 | 1.1 | 0.48 | 1.64 | | 10/09/21 02:50 | 127-18-4 | |
| Tetrahydrofuran | 4.4 | ug/m3 | 0.98 | 0.30 | 1.64 | | 10/09/21 02:50 | 109-99-9 | |
| Toluene | 3.4 | ug/m3 | 1.3 | 0.40 | 1.64 | | 10/09/21 02:50 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.0 | ug/m3 | 12.4 | 8.0 | 1.64 | | 10/09/21 02:50 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.31 | ug/m3 | 1.8 | 0.31 | 1.64 | | 10/09/21 02:50 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.32 | ug/m3 | 0.91 | 0.32 | 1.64 | | 10/09/21 02:50 | 79-00-5 | |
| Trichloroethene | <0.32 | ug/m3 | 0.90 | 0.32 | 1.64 | | 10/09/21 02:50 | 79-01-6 | |
| Trichlorofluoromethane | 1.2J | ug/m3 | 1.9 | 0.38 | 1.64 | | 10/09/21 02:50 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.47 | ug/m3 | 2.6 | 0.47 | 1.64 | | 10/09/21 02:50 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | <0.58 | ug/m3 | 1.6 | 0.58 | 1.64 | | 10/09/21 02:50 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | <0.48 | ug/m3 | 1.6 | 0.48 | 1.64 | | 10/09/21 02:50 | 108-67-8 | |
| Vinyl acetate | <0.34 | ug/m3 | 1.2 | 0.34 | 1.64 | | 10/09/21 02:50 | 108-05-4 | |
| Vinyl chloride | <0.14 | ug/m3 | 0.43 | 0.14 | 1.64 | | 10/09/21 02:50 | 75-01-4 | |
| m&p-Xylene | <1.1 | ug/m3 | 2.9 | 1.1 | 1.64 | | 10/09/21 02:50 | 179601-23-1 | |
| o-Xylene | <0.44 | ug/m3 | 1.4 | 0.44 | 1.64 | | 10/09/21 02:50 | 95-47-6 | |

Sample: AA406 Lab ID: 10581504006 Collected: 09/29/21 16:00 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 39.0 | ug/m3 | 9.4 | 2.8 | 1.55 | | 10/09/21 03:24 | 67-64-1 | |
| Benzene | 0.41J | ug/m3 | 0.50 | 0.18 | 1.55 | | 10/09/21 03:24 | 71-43-2 | |
| Benzyl chloride | <1.4 | ug/m3 | 4.1 | 1.4 | 1.55 | | 10/09/21 03:24 | 100-44-7 | |
| Bromodichloromethane | <0.37 | ug/m3 | 2.1 | 0.37 | 1.55 | | 10/09/21 03:24 | 75-27-4 | |
| Bromoform | <2.5 | ug/m3 | 8.1 | 2.5 | 1.55 | | 10/09/21 03:24 | 75-25-2 | |
| Bromomethane | <0.23 | ug/m3 | 1.2 | 0.23 | 1.55 | | 10/09/21 03:24 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.70 | 0.19 | 1.55 | | 10/09/21 03:24 | 106-99-0 | |
| 2-Butanone (MEK) | 5.8 | ug/m3 | 4.6 | 0.72 | 1.55 | | 10/09/21 03:24 | 78-93-3 | |
| Carbon disulfide | 0.30J | ug/m3 | 0.98 | 0.20 | 1.55 | | 10/09/21 03:24 | 75-15-0 | |
| Carbon tetrachloride | 0.46J | ug/m3 | 2.0 | 0.43 | 1.55 | | 10/09/21 03:24 | 56-23-5 | |
| Chlorobenzene | <0.24 | ug/m3 | 1.5 | 0.24 | 1.55 | | 10/09/21 03:24 | 108-90-7 | |
| Chloroethane | <0.35 | ug/m3 | 0.83 | 0.35 | 1.55 | | 10/09/21 03:24 | 75-00-3 | |
| Chloroform | 0.30J | ug/m3 | 0.77 | 0.28 | 1.55 | | 10/09/21 03:24 | 67-66-3 | |
| Chloromethane | 1.7 | ug/m3 | 0.65 | 0.13 | 1.55 | | 10/09/21 03:24 | 74-87-3 | |
| Cyclohexane | 0.93J | ug/m3 | 2.7 | 0.34 | 1.55 | | 10/09/21 03:24 | 110-82-7 | |
| Dibromochloromethane | <0.80 | ug/m3 | 2.7 | 0.80 | 1.55 | | 10/09/21 03:24 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.46 | ug/m3 | 1.2 | 0.46 | 1.55 | | 10/09/21 03:24 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.63 | ug/m3 | 4.7 | 0.63 | 1.55 | | 10/09/21 03:24 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.79 | ug/m3 | 4.7 | 0.79 | 1.55 | | 10/09/21 03:24 | 541-73-1 | |
| 1,4-Dichlorobenzene | 353 | ug/m3 | 23.7 | 6.8 | 7.75 | | 10/12/21 10:31 | 106-46-7 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA406 Lab ID: 10581504006 Collected: 09/29/21 16:00 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Dichlorodifluoromethane | 14.4 | ug/m3 | 1.6 | 0.29 | 1.55 | | 10/09/21 03:24 | 75-71-8 | |
| 1,1-Dichloroethane | <0.26 | ug/m3 | 1.3 | 0.26 | 1.55 | | 10/09/21 03:24 | 75-34-3 | |
| 1,2-Dichloroethane | 0.32J | ug/m3 | 1.3 | 0.30 | 1.55 | | 10/09/21 03:24 | 107-06-2 | |
| 1,1-Dichloroethene | <0.21 | ug/m3 | 1.2 | 0.21 | 1.55 | | 10/09/21 03:24 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.30 | ug/m3 | 1.2 | 0.30 | 1.55 | | 10/09/21 03:24 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.26 | ug/m3 | 1.2 | 0.26 | 1.55 | | 10/09/21 03:24 | 156-60-5 | |
| 1,2-Dichloropropane | <0.42 | ug/m3 | 1.5 | 0.42 | 1.55 | | 10/09/21 03:24 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.40 | ug/m3 | 3.6 | 0.40 | 1.55 | | 10/09/21 03:24 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.84 | ug/m3 | 3.6 | 0.84 | 1.55 | | 10/09/21 03:24 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.31 | ug/m3 | 2.2 | 0.31 | 1.55 | | 10/09/21 03:24 | 76-14-2 | |
| Ethanol | 1500 | ug/m3 | 14.9 | 4.6 | 7.75 | | 10/12/21 10:31 | 64-17-5 | E |
| Ethyl acetate | 3.1 | ug/m3 | 1.1 | 0.20 | 1.55 | | 10/09/21 03:24 | 141-78-6 | |
| Ethylbenzene | <0.48 | ug/m3 | 1.4 | 0.48 | 1.55 | | 10/09/21 03:24 | 100-41-4 | |
| 4-Ethyltoluene | 1.2J | ug/m3 | 3.9 | 0.73 | 1.55 | | 10/09/21 03:24 | 622-96-8 | |
| n-Heptane | 2.2 | ug/m3 | 1.3 | 0.28 | 1.55 | | 10/09/21 03:24 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <1.9 | ug/m3 | 8.4 | 1.9 | 1.55 | | 10/09/21 03:24 | 87-68-3 | |
| n-Hexane | 0.83J | ug/m3 | 1.1 | 0.30 | 1.55 | | 10/09/21 03:24 | 110-54-3 | |
| 2-Hexanone | 0.89J | ug/m3 | 6.4 | 0.69 | 1.55 | | 10/09/21 03:24 | 591-78-6 | |
| Methylene Chloride | <0.92 | ug/m3 | 5.5 | 0.92 | 1.55 | | 10/09/21 03:24 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 0.67J | ug/m3 | 6.4 | 0.50 | 1.55 | | 10/09/21 03:24 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.20 | ug/m3 | 5.7 | 0.20 | 1.55 | | 10/09/21 03:24 | 1634-04-4 | |
| Naphthalene | <3.4 | ug/m3 | 4.1 | 3.4 | 1.55 | | 10/09/21 03:24 | 91-20-3 | |
| 2-Propanol | 22.9 | ug/m3 | 3.9 | 0.79 | 1.55 | | 10/09/21 03:24 | 67-63-0 | |
| Propylene | <0.20 | ug/m3 | 1.4 | 0.20 | 1.55 | | 10/09/21 03:24 | 115-07-1 | |
| Styrene | 0.92J | ug/m3 | 1.3 | 0.60 | 1.55 | | 10/09/21 03:24 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.58 | ug/m3 | 2.2 | 0.58 | 1.55 | | 10/09/21 03:24 | 79-34-5 | |
| Tetrachloroethene | 6.1 | ug/m3 | 1.1 | 0.45 | 1.55 | | 10/09/21 03:24 | 127-18-4 | |
| Tetrahydrofuran | <0.28 | ug/m3 | 0.93 | 0.28 | 1.55 | | 10/09/21 03:24 | 109-99-9 | |
| Toluene | 3.0 | ug/m3 | 1.2 | 0.38 | 1.55 | | 10/09/21 03:24 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <7.6 | ug/m3 | 11.7 | 7.6 | 1.55 | | 10/09/21 03:24 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.29 | ug/m3 | 1.7 | 0.29 | 1.55 | | 10/09/21 03:24 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.31 | ug/m3 | 0.86 | 0.31 | 1.55 | | 10/09/21 03:24 | 79-00-5 | |
| Trichloroethene | 4.8 | ug/m3 | 0.85 | 0.30 | 1.55 | | 10/09/21 03:24 | 79-01-6 | |
| Trichlorofluoromethane | 1.4J | ug/m3 | 1.8 | 0.36 | 1.55 | | 10/09/21 03:24 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | 0.46J | ug/m3 | 2.4 | 0.45 | 1.55 | | 10/09/21 03:24 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 5.1 | ug/m3 | 1.5 | 0.55 | 1.55 | | 10/09/21 03:24 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 2.0 | ug/m3 | 1.5 | 0.45 | 1.55 | | 10/09/21 03:24 | 108-67-8 | |
| Vinyl acetate | <0.32 | ug/m3 | 1.1 | 0.32 | 1.55 | | 10/09/21 03:24 | 108-05-4 | |
| Vinyl chloride | <0.13 | ug/m3 | 0.40 | 0.13 | 1.55 | | 10/09/21 03:24 | 75-01-4 | |
| m&p-Xylene | 1.3J | ug/m3 | 2.7 | 1.0 | 1.55 | | 10/09/21 03:24 | 179601-23-1 | |
| o-Xylene | 0.74J | ug/m3 | 1.4 | 0.42 | 1.55 | | 10/09/21 03:24 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA407 Lab ID: 10581504007 Collected: 09/29/21 15:51 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 32.0 | ug/m3 | 9.0 | 2.7 | 1.49 | | 10/09/21 01:40 | 67-64-1 | |
| Benzene | 0.34J | ug/m3 | 0.48 | 0.17 | 1.49 | | 10/09/21 01:40 | 71-43-2 | |
| Benzyl chloride | <1.3 | ug/m3 | 3.9 | 1.3 | 1.49 | | 10/09/21 01:40 | 100-44-7 | |
| Bromodichloromethane | <0.35 | ug/m3 | 2.0 | 0.35 | 1.49 | | 10/09/21 01:40 | 75-27-4 | |
| Bromoform | <2.4 | ug/m3 | 7.8 | 2.4 | 1.49 | | 10/09/21 01:40 | 75-25-2 | |
| Bromomethane | <0.22 | ug/m3 | 1.2 | 0.22 | 1.49 | | 10/09/21 01:40 | 74-83-9 | |
| 1,3-Butadiene | <0.18 | ug/m3 | 0.67 | 0.18 | 1.49 | | 10/09/21 01:40 | 106-99-0 | |
| 2-Butanone (MEK) | 6.7 | ug/m3 | 4.5 | 0.69 | 1.49 | | 10/09/21 01:40 | 78-93-3 | |
| Carbon disulfide | <0.19 | ug/m3 | 0.94 | 0.19 | 1.49 | | 10/09/21 01:40 | 75-15-0 | |
| Carbon tetrachloride | <0.42 | ug/m3 | 1.9 | 0.42 | 1.49 | | 10/09/21 01:40 | 56-23-5 | |
| Chlorobenzene | <0.23 | ug/m3 | 1.4 | 0.23 | 1.49 | | 10/09/21 01:40 | 108-90-7 | |
| Chloroethane | <0.33 | ug/m3 | 0.80 | 0.33 | 1.49 | | 10/09/21 01:40 | 75-00-3 | |
| Chloroform | <0.27 | ug/m3 | 0.74 | 0.27 | 1.49 | | 10/09/21 01:40 | 67-66-3 | |
| Chloromethane | 2.2 | ug/m3 | 0.63 | 0.13 | 1.49 | | 10/09/21 01:40 | 74-87-3 | |
| Cyclohexane | <0.33 | ug/m3 | 2.6 | 0.33 | 1.49 | | 10/09/21 01:40 | 110-82-7 | |
| Dibromochloromethane | <0.77 | ug/m3 | 2.6 | 0.77 | 1.49 | | 10/09/21 01:40 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.45 | ug/m3 | 1.2 | 0.45 | 1.49 | | 10/09/21 01:40 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.60 | ug/m3 | 4.6 | 0.60 | 1.49 | | 10/09/21 01:40 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.76 | ug/m3 | 4.6 | 0.76 | 1.49 | | 10/09/21 01:40 | 541-73-1 | |
| 1,4-Dichlorobenzene | 34.4 | ug/m3 | 4.6 | 1.3 | 1.49 | | 10/09/21 01:40 | 106-46-7 | |
| Dichlorodifluoromethane | 13.8 | ug/m3 | 1.5 | 0.28 | 1.49 | | 10/09/21 01:40 | 75-71-8 | |
| 1,1-Dichloroethane | <0.25 | ug/m3 | 1.2 | 0.25 | 1.49 | | 10/09/21 01:40 | 75-34-3 | |
| 1,2-Dichloroethane | 0.41J | ug/m3 | 1.2 | 0.29 | 1.49 | | 10/09/21 01:40 | 107-06-2 | |
| 1,1-Dichloroethene | <0.21 | ug/m3 | 1.2 | 0.21 | 1.49 | | 10/09/21 01:40 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.29 | ug/m3 | 1.2 | 0.29 | 1.49 | | 10/09/21 01:40 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.25 | ug/m3 | 1.2 | 0.25 | 1.49 | | 10/09/21 01:40 | 156-60-5 | |
| 1,2-Dichloropropane | <0.40 | ug/m3 | 1.4 | 0.40 | 1.49 | | 10/09/21 01:40 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.38 | ug/m3 | 3.4 | 0.38 | 1.49 | | 10/09/21 01:40 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.81 | ug/m3 | 3.4 | 0.81 | 1.49 | | 10/09/21 01:40 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.30 | ug/m3 | 2.1 | 0.30 | 1.49 | | 10/09/21 01:40 | 76-14-2 | |
| Ethanol | 422 | ug/m3 | 2.9 | 0.88 | 1.49 | | 10/09/21 01:40 | 64-17-5 | |
| Ethyl acetate | 2.6 | ug/m3 | 1.1 | 0.20 | 1.49 | | 10/09/21 01:40 | 141-78-6 | |
| Ethylbenzene | <0.46 | ug/m3 | 1.3 | 0.46 | 1.49 | | 10/09/21 01:40 | 100-41-4 | |
| 4-Ethyltoluene | 1.4J | ug/m3 | 3.7 | 0.70 | 1.49 | | 10/09/21 01:40 | 622-96-8 | |
| n-Heptane | <0.27 | ug/m3 | 1.2 | 0.27 | 1.49 | | 10/09/21 01:40 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <1.8 | ug/m3 | 8.1 | 1.8 | 1.49 | | 10/09/21 01:40 | 87-68-3 | |
| n-Hexane | 0.79J | ug/m3 | 1.1 | 0.28 | 1.49 | | 10/09/21 01:40 | 110-54-3 | |
| 2-Hexanone | 0.80J | ug/m3 | 6.2 | 0.66 | 1.49 | | 10/09/21 01:40 | 591-78-6 | |
| Methylene Chloride | <0.88 | ug/m3 | 5.3 | 0.88 | 1.49 | | 10/09/21 01:40 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 0.60J | ug/m3 | 6.2 | 0.48 | 1.49 | | 10/09/21 01:40 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.19 | ug/m3 | 5.5 | 0.19 | 1.49 | | 10/09/21 01:40 | 1634-04-4 | |
| Naphthalene | <3.2 | ug/m3 | 4.0 | 3.2 | 1.49 | | 10/09/21 01:40 | 91-20-3 | |
| 2-Propanol | 13.4 | ug/m3 | 3.7 | 0.76 | 1.49 | | 10/09/21 01:40 | 67-63-0 | |
| Propylene | <0.19 | ug/m3 | 1.3 | 0.19 | 1.49 | | 10/09/21 01:40 | 115-07-1 | |
| Styrene | <0.57 | ug/m3 | 1.3 | 0.57 | 1.49 | | 10/09/21 01:40 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA407 Lab ID: 10581504007 Collected: 09/29/21 15:51 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <0.55 | ug/m3 | 2.1 | 0.55 | 1.49 | | 10/09/21 01:40 | 79-34-5 | |
| Tetrachloroethene | 3.7 | ug/m3 | 1.0 | 0.44 | 1.49 | | 10/09/21 01:40 | 127-18-4 | |
| Tetrahydrofuran | <0.27 | ug/m3 | 0.89 | 0.27 | 1.49 | | 10/09/21 01:40 | 109-99-9 | |
| Toluene | 2.5 | ug/m3 | 1.1 | 0.36 | 1.49 | | 10/09/21 01:40 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <7.3 | ug/m3 | 11.2 | 7.3 | 1.49 | | 10/09/21 01:40 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.28 | ug/m3 | 1.7 | 0.28 | 1.49 | | 10/09/21 01:40 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.29 | ug/m3 | 0.83 | 0.29 | 1.49 | | 10/09/21 01:40 | 79-00-5 | |
| Trichloroethene | 0.56J | ug/m3 | 0.81 | 0.29 | 1.49 | | 10/09/21 01:40 | 79-01-6 | |
| Trichlorofluoromethane | 1.4J | ug/m3 | 1.7 | 0.35 | 1.49 | | 10/09/21 01:40 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | 0.62J | ug/m3 | 2.3 | 0.43 | 1.49 | | 10/09/21 01:40 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 4.6 | ug/m3 | 1.5 | 0.53 | 1.49 | | 10/09/21 01:40 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.6 | ug/m3 | 1.5 | 0.43 | 1.49 | | 10/09/21 01:40 | 108-67-8 | |
| Vinyl acetate | <0.31 | ug/m3 | 1.1 | 0.31 | 1.49 | | 10/09/21 01:40 | 108-05-4 | |
| Vinyl chloride | <0.13 | ug/m3 | 0.39 | 0.13 | 1.49 | | 10/09/21 01:40 | 75-01-4 | |
| m&p-Xylene | 1.2J | ug/m3 | 2.6 | 0.96 | 1.49 | | 10/09/21 01:40 | 179601-23-1 | |
| o-Xylene | 0.66J | ug/m3 | 1.3 | 0.40 | 1.49 | | 10/09/21 01:40 | 95-47-6 | |

Sample: AA408 Lab ID: 10581504008 Collected: 09/29/21 15:53 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|----------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 27.6 | ug/m3 | 9.4 | 2.8 | 1.55 | | 10/09/21 02:15 | 67-64-1 | |
| Benzene | 0.26J | ug/m3 | 0.50 | 0.18 | 1.55 | | 10/09/21 02:15 | 71-43-2 | |
| Benzyl chloride | <1.4 | ug/m3 | 4.1 | 1.4 | 1.55 | | 10/09/21 02:15 | 100-44-7 | |
| Bromodichloromethane | <0.37 | ug/m3 | 2.1 | 0.37 | 1.55 | | 10/09/21 02:15 | 75-27-4 | |
| Bromoform | <2.5 | ug/m3 | 8.1 | 2.5 | 1.55 | | 10/09/21 02:15 | 75-25-2 | |
| Bromomethane | <0.23 | ug/m3 | 1.2 | 0.23 | 1.55 | | 10/09/21 02:15 | 74-83-9 | |
| 1,3-Butadiene | <0.19 | ug/m3 | 0.70 | 0.19 | 1.55 | | 10/09/21 02:15 | 106-99-0 | |
| 2-Butanone (MEK) | 5.3 | ug/m3 | 4.6 | 0.72 | 1.55 | | 10/09/21 02:15 | 78-93-3 | |
| Carbon disulfide | 0.25J | ug/m3 | 0.98 | 0.20 | 1.55 | | 10/09/21 02:15 | 75-15-0 | |
| Carbon tetrachloride | 0.45J | ug/m3 | 2.0 | 0.43 | 1.55 | | 10/09/21 02:15 | 56-23-5 | |
| Chlorobenzene | <0.24 | ug/m3 | 1.5 | 0.24 | 1.55 | | 10/09/21 02:15 | 108-90-7 | |
| Chloroethane | <0.35 | ug/m3 | 0.83 | 0.35 | 1.55 | | 10/09/21 02:15 | 75-00-3 | |
| Chloroform | <0.28 | ug/m3 | 0.77 | 0.28 | 1.55 | | 10/09/21 02:15 | 67-66-3 | |
| Chloromethane | <0.13 | ug/m3 | 0.65 | 0.13 | 1.55 | | 10/09/21 02:15 | 74-87-3 | |
| Cyclohexane | 0.47J | ug/m3 | 2.7 | 0.34 | 1.55 | | 10/09/21 02:15 | 110-82-7 | |
| Dibromochloromethane | <0.80 | ug/m3 | 2.7 | 0.80 | 1.55 | | 10/09/21 02:15 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.46 | ug/m3 | 1.2 | 0.46 | 1.55 | | 10/09/21 02:15 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.63 | ug/m3 | 4.7 | 0.63 | 1.55 | | 10/09/21 02:15 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.79 | ug/m3 | 4.7 | 0.79 | 1.55 | | 10/09/21 02:15 | 541-73-1 | |
| 1,4-Dichlorobenzene | 25.3 | ug/m3 | 4.7 | 1.4 | 1.55 | | 10/09/21 02:15 | 106-46-7 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: AA408 Lab ID: 10581504008 Collected: 09/29/21 15:53 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Dichlorodifluoromethane | 12.2 | ug/m3 | 1.6 | 0.29 | 1.55 | | 10/09/21 02:15 | 75-71-8 | |
| 1,1-Dichloroethane | <0.26 | ug/m3 | 1.3 | 0.26 | 1.55 | | 10/09/21 02:15 | 75-34-3 | |
| 1,2-Dichloroethane | <0.30 | ug/m3 | 1.3 | 0.30 | 1.55 | | 10/09/21 02:15 | 107-06-2 | |
| 1,1-Dichloroethene | <0.21 | ug/m3 | 1.2 | 0.21 | 1.55 | | 10/09/21 02:15 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.30 | ug/m3 | 1.2 | 0.30 | 1.55 | | 10/09/21 02:15 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.26 | ug/m3 | 1.2 | 0.26 | 1.55 | | 10/09/21 02:15 | 156-60-5 | |
| 1,2-Dichloropropane | <0.42 | ug/m3 | 1.5 | 0.42 | 1.55 | | 10/09/21 02:15 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.40 | ug/m3 | 3.6 | 0.40 | 1.55 | | 10/09/21 02:15 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.84 | ug/m3 | 3.6 | 0.84 | 1.55 | | 10/09/21 02:15 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.31 | ug/m3 | 2.2 | 0.31 | 1.55 | | 10/09/21 02:15 | 76-14-2 | |
| Ethanol | 299 | ug/m3 | 3.0 | 0.92 | 1.55 | | 10/09/21 02:15 | 64-17-5 | |
| Ethyl acetate | 1.8 | ug/m3 | 1.1 | 0.20 | 1.55 | | 10/09/21 02:15 | 141-78-6 | |
| Ethylbenzene | <0.48 | ug/m3 | 1.4 | 0.48 | 1.55 | | 10/09/21 02:15 | 100-41-4 | |
| 4-Ethyltoluene | 1.4J | ug/m3 | 3.9 | 0.73 | 1.55 | | 10/09/21 02:15 | 622-96-8 | |
| n-Heptane | <0.28 | ug/m3 | 1.3 | 0.28 | 1.55 | | 10/09/21 02:15 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <1.9 | ug/m3 | 8.4 | 1.9 | 1.55 | | 10/09/21 02:15 | 87-68-3 | |
| n-Hexane | 0.65J | ug/m3 | 1.1 | 0.30 | 1.55 | | 10/09/21 02:15 | 110-54-3 | |
| 2-Hexanone | 0.70J | ug/m3 | 6.4 | 0.69 | 1.55 | | 10/09/21 02:15 | 591-78-6 | |
| Methylene Chloride | <0.92 | ug/m3 | 5.5 | 0.92 | 1.55 | | 10/09/21 02:15 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | <0.50 | ug/m3 | 6.4 | 0.50 | 1.55 | | 10/09/21 02:15 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.20 | ug/m3 | 5.7 | 0.20 | 1.55 | | 10/09/21 02:15 | 1634-04-4 | |
| Naphthalene | <3.4 | ug/m3 | 4.1 | 3.4 | 1.55 | | 10/09/21 02:15 | 91-20-3 | |
| 2-Propanol | 11.1 | ug/m3 | 3.9 | 0.79 | 1.55 | | 10/09/21 02:15 | 67-63-0 | |
| Propylene | <0.20 | ug/m3 | 1.4 | 0.20 | 1.55 | | 10/09/21 02:15 | 115-07-1 | |
| Styrene | <0.60 | ug/m3 | 1.3 | 0.60 | 1.55 | | 10/09/21 02:15 | 100-42-5 | |
| 1,1,2,2-Tetrachloroethane | <0.58 | ug/m3 | 2.2 | 0.58 | 1.55 | | 10/09/21 02:15 | 79-34-5 | |
| Tetrachloroethene | 3.8 | ug/m3 | 1.1 | 0.45 | 1.55 | | 10/09/21 02:15 | 127-18-4 | |
| Tetrahydrofuran | <0.28 | ug/m3 | 0.93 | 0.28 | 1.55 | | 10/09/21 02:15 | 109-99-9 | |
| Toluene | 2.1 | ug/m3 | 1.2 | 0.38 | 1.55 | | 10/09/21 02:15 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <7.6 | ug/m3 | 11.7 | 7.6 | 1.55 | | 10/09/21 02:15 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.29 | ug/m3 | 1.7 | 0.29 | 1.55 | | 10/09/21 02:15 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.31 | ug/m3 | 0.86 | 0.31 | 1.55 | | 10/09/21 02:15 | 79-00-5 | |
| Trichloroethene | 0.42J | ug/m3 | 0.85 | 0.30 | 1.55 | | 10/09/21 02:15 | 79-01-6 | |
| Trichlorofluoromethane | 1.4J | ug/m3 | 1.8 | 0.36 | 1.55 | | 10/09/21 02:15 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | <0.45 | ug/m3 | 2.4 | 0.45 | 1.55 | | 10/09/21 02:15 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 4.0 | ug/m3 | 1.5 | 0.55 | 1.55 | | 10/09/21 02:15 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 1.4J | ug/m3 | 1.5 | 0.45 | 1.55 | | 10/09/21 02:15 | 108-67-8 | |
| Vinyl acetate | <0.32 | ug/m3 | 1.1 | 0.32 | 1.55 | | 10/09/21 02:15 | 108-05-4 | |
| Vinyl chloride | <0.13 | ug/m3 | 0.40 | 0.13 | 1.55 | | 10/09/21 02:15 | 75-01-4 | |
| m&p-Xylene | <1.0 | ug/m3 | 2.7 | 1.0 | 1.55 | | 10/09/21 02:15 | 179601-23-1 | |
| o-Xylene | 0.57J | ug/m3 | 1.4 | 0.42 | 1.55 | | 10/09/21 02:15 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: Blower Exhaust **Lab ID: 10581504009** Collected: 09/29/21 11:15 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|---------|-------|------|------|------|----------|----------------|------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| Acetone | 11.8 | ug/m3 | 10.1 | 3.0 | 1.68 | | 10/08/21 21:41 | 67-64-1 | |
| Benzene | 4.4 | ug/m3 | 0.55 | 0.19 | 1.68 | | 10/08/21 21:41 | 71-43-2 | |
| Benzyl chloride | <1.5 | ug/m3 | 4.4 | 1.5 | 1.68 | | 10/08/21 21:41 | 100-44-7 | |
| Bromodichloromethane | <0.40 | ug/m3 | 2.3 | 0.40 | 1.68 | | 10/08/21 21:41 | 75-27-4 | |
| Bromoform | <2.7 | ug/m3 | 8.8 | 2.7 | 1.68 | | 10/08/21 21:41 | 75-25-2 | |
| Bromomethane | <0.25 | ug/m3 | 1.3 | 0.25 | 1.68 | | 10/08/21 21:41 | 74-83-9 | |
| 1,3-Butadiene | <0.20 | ug/m3 | 0.76 | 0.20 | 1.68 | | 10/08/21 21:41 | 106-99-0 | |
| 2-Butanone (MEK) | 5.5 | ug/m3 | 5.0 | 0.78 | 1.68 | | 10/08/21 21:41 | 78-93-3 | |
| Carbon disulfide | 13.5 | ug/m3 | 1.1 | 0.22 | 1.68 | | 10/08/21 21:41 | 75-15-0 | |
| Carbon tetrachloride | <0.47 | ug/m3 | 2.2 | 0.47 | 1.68 | | 10/08/21 21:41 | 56-23-5 | |
| Chlorobenzene | 0.50J | ug/m3 | 1.6 | 0.26 | 1.68 | | 10/08/21 21:41 | 108-90-7 | |
| Chloroethane | <0.38 | ug/m3 | 0.90 | 0.38 | 1.68 | | 10/08/21 21:41 | 75-00-3 | |
| Chloroform | <0.31 | ug/m3 | 0.83 | 0.31 | 1.68 | | 10/08/21 21:41 | 67-66-3 | |
| Chloromethane | 0.73 | ug/m3 | 0.71 | 0.14 | 1.68 | | 10/08/21 21:41 | 74-87-3 | |
| Cyclohexane | <0.37 | ug/m3 | 2.9 | 0.37 | 1.68 | | 10/08/21 21:41 | 110-82-7 | |
| Dibromochloromethane | <0.87 | ug/m3 | 2.9 | 0.87 | 1.68 | | 10/08/21 21:41 | 124-48-1 | |
| 1,2-Dibromoethane (EDB) | <0.50 | ug/m3 | 1.3 | 0.50 | 1.68 | | 10/08/21 21:41 | 106-93-4 | |
| 1,2-Dichlorobenzene | 6.9 | ug/m3 | 5.1 | 0.68 | 1.68 | | 10/08/21 21:41 | 95-50-1 | |
| 1,3-Dichlorobenzene | <0.86 | ug/m3 | 5.1 | 0.86 | 1.68 | | 10/08/21 21:41 | 541-73-1 | |
| 1,4-Dichlorobenzene | <1.5 | ug/m3 | 5.1 | 1.5 | 1.68 | | 10/08/21 21:41 | 106-46-7 | |
| Dichlorodifluoromethane | 40.8 | ug/m3 | 1.7 | 0.32 | 1.68 | | 10/08/21 21:41 | 75-71-8 | |
| 1,1-Dichloroethane | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 21:41 | 75-34-3 | |
| 1,2-Dichloroethane | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 21:41 | 107-06-2 | |
| 1,1-Dichloroethene | <0.23 | ug/m3 | 1.4 | 0.23 | 1.68 | | 10/08/21 21:41 | 75-35-4 | |
| cis-1,2-Dichloroethene | <0.33 | ug/m3 | 1.4 | 0.33 | 1.68 | | 10/08/21 21:41 | 156-59-2 | |
| trans-1,2-Dichloroethene | <0.28 | ug/m3 | 1.4 | 0.28 | 1.68 | | 10/08/21 21:41 | 156-60-5 | |
| 1,2-Dichloropropane | <0.45 | ug/m3 | 1.6 | 0.45 | 1.68 | | 10/08/21 21:41 | 78-87-5 | |
| cis-1,3-Dichloropropene | <0.43 | ug/m3 | 3.9 | 0.43 | 1.68 | | 10/08/21 21:41 | 10061-01-5 | |
| trans-1,3-Dichloropropene | <0.91 | ug/m3 | 3.9 | 0.91 | 1.68 | | 10/08/21 21:41 | 10061-02-6 | |
| Dichlorotetrafluoroethane | <0.34 | ug/m3 | 2.4 | 0.34 | 1.68 | | 10/08/21 21:41 | 76-14-2 | |
| Ethanol | 13.8 | ug/m3 | 3.2 | 0.99 | 1.68 | | 10/08/21 21:41 | 64-17-5 | |
| Ethyl acetate | 0.59J | ug/m3 | 1.2 | 0.22 | 1.68 | | 10/08/21 21:41 | 141-78-6 | |
| Ethylbenzene | 0.77J | ug/m3 | 1.5 | 0.52 | 1.68 | | 10/08/21 21:41 | 100-41-4 | |
| 4-Ethyltoluene | 1.8J | ug/m3 | 4.2 | 0.79 | 1.68 | | 10/08/21 21:41 | 622-96-8 | |
| n-Heptane | <0.30 | ug/m3 | 1.4 | 0.30 | 1.68 | | 10/08/21 21:41 | 142-82-5 | |
| Hexachloro-1,3-butadiene | <2.1 | ug/m3 | 9.1 | 2.1 | 1.68 | | 10/08/21 21:41 | 87-68-3 | |
| n-Hexane | 0.69J | ug/m3 | 1.2 | 0.32 | 1.68 | | 10/08/21 21:41 | 110-54-3 | |
| 2-Hexanone | 0.83J | ug/m3 | 7.0 | 0.74 | 1.68 | | 10/08/21 21:41 | 591-78-6 | |
| Methylene Chloride | 11.0 | ug/m3 | 5.9 | 1.0 | 1.68 | | 10/08/21 21:41 | 75-09-2 | |
| 4-Methyl-2-pentanone (MIBK) | 0.77J | ug/m3 | 7.0 | 0.54 | 1.68 | | 10/08/21 21:41 | 108-10-1 | |
| Methyl-tert-butyl ether | <0.21 | ug/m3 | 6.1 | 0.21 | 1.68 | | 10/08/21 21:41 | 1634-04-4 | |
| Naphthalene | <3.6 | ug/m3 | 4.5 | 3.6 | 1.68 | | 10/08/21 21:41 | 91-20-3 | |
| 2-Propanol | 4.2J | ug/m3 | 4.2 | 0.86 | 1.68 | | 10/08/21 21:41 | 67-63-0 | |
| Propylene | <0.22 | ug/m3 | 1.5 | 0.22 | 1.68 | | 10/08/21 21:41 | 115-07-1 | |
| Styrene | 1.0J | ug/m3 | 1.5 | 0.65 | 1.68 | | 10/08/21 21:41 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10581504

Sample: Blower Exhaust **Lab ID: 10581504009** Collected: 09/29/21 11:15 Received: 10/04/21 11:00 Matrix: Air

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--|--------------|--------------|------|------|------|----------|----------------|-------------|------|
| TO15 MSV AIR | | | | | | | | | |
| Analytical Method: TO-15 | | | | | | | | | |
| Pace Analytical Services - Minneapolis | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | <0.62 | ug/m3 | 2.4 | 0.62 | 1.68 | | 10/08/21 21:41 | 79-34-5 | |
| Tetrachloroethene | 326 | ug/m3 | 1.2 | 0.49 | 1.68 | | 10/08/21 21:41 | 127-18-4 | |
| Tetrahydrofuran | 0.51J | ug/m3 | 1.0 | 0.30 | 1.68 | | 10/08/21 21:41 | 109-99-9 | |
| Toluene | 2.3 | ug/m3 | 1.3 | 0.41 | 1.68 | | 10/08/21 21:41 | 108-88-3 | |
| 1,2,4-Trichlorobenzene | <8.2 | ug/m3 | 12.7 | 8.2 | 1.68 | | 10/08/21 21:41 | 120-82-1 | |
| 1,1,1-Trichloroethane | <0.31 | ug/m3 | 1.9 | 0.31 | 1.68 | | 10/08/21 21:41 | 71-55-6 | |
| 1,1,2-Trichloroethane | <0.33 | ug/m3 | 0.93 | 0.33 | 1.68 | | 10/08/21 21:41 | 79-00-5 | |
| Trichloroethene | 0.63J | ug/m3 | 0.92 | 0.33 | 1.68 | | 10/08/21 21:41 | 79-01-6 | |
| Trichlorofluoromethane | 1.4J | ug/m3 | 1.9 | 0.39 | 1.68 | | 10/08/21 21:41 | 75-69-4 | |
| 1,1,2-Trichlorotrifluoroethane | 0.59J | ug/m3 | 2.6 | 0.49 | 1.68 | | 10/08/21 21:41 | 76-13-1 | |
| 1,2,4-Trimethylbenzene | 7.2 | ug/m3 | 1.7 | 0.59 | 1.68 | | 10/08/21 21:41 | 95-63-6 | |
| 1,3,5-Trimethylbenzene | 3.5 | ug/m3 | 1.7 | 0.49 | 1.68 | | 10/08/21 21:41 | 108-67-8 | |
| Vinyl acetate | <0.35 | ug/m3 | 1.2 | 0.35 | 1.68 | | 10/08/21 21:41 | 108-05-4 | |
| Vinyl chloride | <0.15 | ug/m3 | 0.44 | 0.15 | 1.68 | | 10/08/21 21:41 | 75-01-4 | |
| m&p-Xylene | 3.0J | ug/m3 | 3.0 | 1.1 | 1.68 | | 10/08/21 21:41 | 179601-23-1 | |
| o-Xylene | 1.6 | ug/m3 | 1.5 | 0.46 | 1.68 | | 10/08/21 21:41 | 95-47-6 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10581504

QC Batch: 775665

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10581504001, 10581504002, 10581504003, 10581504004, 10581504005, 10581504006, 10581504007, 10581504008, 10581504009

METHOD BLANK: 4131498

Matrix: Air

Associated Lab Samples: 10581504001, 10581504002, 10581504003, 10581504004, 10581504005, 10581504006, 10581504007, 10581504008, 10581504009

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|--------------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.093 | 0.56 | 10/08/21 17:38 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.19 | 0.70 | 10/08/21 17:38 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.098 | 0.28 | 10/08/21 17:38 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.14 | 0.78 | 10/08/21 17:38 | |
| 1,1-Dichloroethane | ug/m3 | <0.082 | 0.41 | 10/08/21 17:38 | |
| 1,1-Dichloroethene | ug/m3 | <0.069 | 0.40 | 10/08/21 17:38 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <2.4 | 3.8 | 10/08/21 17:38 | |
| 1,2,4-Trimethylbenzene | ug/m3 | <0.18 | 0.50 | 10/08/21 17:38 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.15 | 0.39 | 10/08/21 17:38 | |
| 1,2-Dichlorobenzene | ug/m3 | <0.20 | 1.5 | 10/08/21 17:38 | |
| 1,2-Dichloroethane | ug/m3 | <0.097 | 0.41 | 10/08/21 17:38 | |
| 1,2-Dichloropropane | ug/m3 | <0.13 | 0.47 | 10/08/21 17:38 | |
| 1,3,5-Trimethylbenzene | ug/m3 | <0.14 | 0.50 | 10/08/21 17:38 | |
| 1,3-Butadiene | ug/m3 | <0.060 | 0.22 | 10/08/21 17:38 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.25 | 1.5 | 10/08/21 17:38 | |
| 1,4-Dichlorobenzene | ug/m3 | <0.44 | 1.5 | 10/08/21 17:38 | |
| 2-Butanone (MEK) | ug/m3 | <0.23 | 1.5 | 10/08/21 17:38 | |
| 2-Hexanone | ug/m3 | <0.22 | 2.1 | 10/08/21 17:38 | |
| 2-Propanol | ug/m3 | <0.25 | 1.2 | 10/08/21 17:38 | |
| 4-Ethyltoluene | ug/m3 | <0.24 | 1.2 | 10/08/21 17:38 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | <0.16 | 2.1 | 10/08/21 17:38 | |
| Acetone | ug/m3 | <0.90 | 3.0 | 10/08/21 17:38 | |
| Benzene | ug/m3 | <0.057 | 0.16 | 10/08/21 17:38 | |
| Benzyl chloride | ug/m3 | <0.44 | 1.3 | 10/08/21 17:38 | |
| Bromodichloromethane | ug/m3 | <0.12 | 0.68 | 10/08/21 17:38 | |
| Bromoform | ug/m3 | <0.81 | 2.6 | 10/08/21 17:38 | |
| Bromomethane | ug/m3 | <0.075 | 0.39 | 10/08/21 17:38 | |
| Carbon disulfide | ug/m3 | <0.064 | 0.32 | 10/08/21 17:38 | |
| Carbon tetrachloride | ug/m3 | <0.14 | 0.64 | 10/08/21 17:38 | |
| Chlorobenzene | ug/m3 | <0.078 | 0.47 | 10/08/21 17:38 | |
| Chloroethane | ug/m3 | <0.11 | 0.27 | 10/08/21 17:38 | |
| Chloroform | ug/m3 | <0.092 | 0.25 | 10/08/21 17:38 | |
| Chloromethane | ug/m3 | <0.043 | 0.21 | 10/08/21 17:38 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.098 | 0.40 | 10/08/21 17:38 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.13 | 1.2 | 10/08/21 17:38 | |
| Cyclohexane | ug/m3 | <0.11 | 0.88 | 10/08/21 17:38 | |
| Dibromochloromethane | ug/m3 | <0.26 | 0.86 | 10/08/21 17:38 | |
| Dichlorodifluoromethane | ug/m3 | <0.094 | 0.50 | 10/08/21 17:38 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.10 | 0.71 | 10/08/21 17:38 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10581504

METHOD BLANK: 4131498

Matrix: Air

Associated Lab Samples: 10581504001, 10581504002, 10581504003, 10581504004, 10581504005, 10581504006, 10581504007, 10581504008, 10581504009

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|---------------------------|-------|--------------|-----------------|----------------|------------|
| Ethanol | ug/m3 | <0.30 | 0.96 | 10/08/21 17:38 | |
| Ethyl acetate | ug/m3 | <0.066 | 0.37 | 10/08/21 17:38 | |
| Ethylbenzene | ug/m3 | <0.15 | 0.44 | 10/08/21 17:38 | |
| Hexachloro-1,3-butadiene | ug/m3 | <0.62 | 2.7 | 10/08/21 17:38 | |
| m&p-Xylene | ug/m3 | <0.32 | 0.88 | 10/08/21 17:38 | |
| Methyl-tert-butyl ether | ug/m3 | <0.063 | 1.8 | 10/08/21 17:38 | |
| Methylene Chloride | ug/m3 | <0.30 | 1.8 | 10/08/21 17:38 | |
| n-Heptane | ug/m3 | <0.090 | 0.42 | 10/08/21 17:38 | |
| n-Hexane | ug/m3 | <0.096 | 0.36 | 10/08/21 17:38 | |
| Naphthalene | ug/m3 | <1.1 | 1.3 | 10/08/21 17:38 | |
| o-Xylene | ug/m3 | <0.14 | 0.44 | 10/08/21 17:38 | |
| Propylene | ug/m3 | <0.065 | 0.44 | 10/08/21 17:38 | |
| Styrene | ug/m3 | <0.19 | 0.43 | 10/08/21 17:38 | |
| Tetrachloroethene | ug/m3 | <0.15 | 0.34 | 10/08/21 17:38 | |
| Tetrahydrofuran | ug/m3 | <0.090 | 0.30 | 10/08/21 17:38 | |
| Toluene | ug/m3 | <0.12 | 0.38 | 10/08/21 17:38 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.084 | 0.40 | 10/08/21 17:38 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.27 | 1.2 | 10/08/21 17:38 | |
| Trichloroethene | ug/m3 | <0.098 | 0.27 | 10/08/21 17:38 | |
| Trichlorofluoromethane | ug/m3 | <0.12 | 0.57 | 10/08/21 17:38 | |
| Vinyl acetate | ug/m3 | <0.10 | 0.36 | 10/08/21 17:38 | |
| Vinyl chloride | ug/m3 | <0.043 | 0.13 | 10/08/21 17:38 | |

LABORATORY CONTROL SAMPLE: 4131499

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|--------------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | 55.2 | 54.4 | 99 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | 72.5 | 74.7 | 103 | 70-132 | |
| 1,1,2-Trichloroethane | ug/m3 | 56.3 | 58.4 | 104 | 70-134 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | 77.9 | 76.9 | 99 | 70-130 | |
| 1,1-Dichloroethane | ug/m3 | 42.1 | 41.2 | 98 | 70-133 | |
| 1,1-Dichloroethene | ug/m3 | 41.5 | 40.8 | 98 | 70-130 | |
| 1,2,4-Trichlorobenzene | ug/m3 | 82 | 84.6 | 103 | 69-132 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 51.9 | 50.9 | 98 | 70-142 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | 80.4 | 86.5 | 108 | 70-138 | |
| 1,2-Dichlorobenzene | ug/m3 | 66 | 62.9 | 95 | 70-146 | |
| 1,2-Dichloroethane | ug/m3 | 42.1 | 42.2 | 100 | 70-132 | |
| 1,2-Dichloropropane | ug/m3 | 47.1 | 47.7 | 101 | 70-134 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 51.4 | 59.6 | 116 | 70-143 | |
| 1,3-Butadiene | ug/m3 | 23 | 19.8 | 86 | 70-136 | |
| 1,3-Dichlorobenzene | ug/m3 | 63 | 64.6 | 102 | 70-145 | |
| 1,4-Dichlorobenzene | ug/m3 | 65.5 | 65.5 | 100 | 70-140 | |
| 2-Butanone (MEK) | ug/m3 | 32.4 | 31.0 | 96 | 50-139 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10581504

LABORATORY CONTROL SAMPLE: 4131499

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 2-Hexanone | ug/m3 | 41.4 | 41.7 | 101 | 70-148 | |
| 2-Propanol | ug/m3 | 27.4 | 25.9 | 95 | 67-135 | |
| 4-Ethyltoluene | ug/m3 | 51.7 | 62.0 | 120 | 70-145 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 42.4 | 47.4 | 112 | 70-139 | |
| Acetone | ug/m3 | 24.6 | 21.4 | 87 | 64-130 | |
| Benzene | ug/m3 | 32.9 | 35.0 | 106 | 70-131 | |
| Benzyl chloride | ug/m3 | 57.3 | 51.6 | 90 | 70-130 | |
| Bromodichloromethane | ug/m3 | 69.7 | 70.6 | 101 | 70-133 | |
| Bromoform | ug/m3 | 110 | 113 | 103 | 70-137 | |
| Bromomethane | ug/m3 | 39.9 | 37.7 | 95 | 64-134 | |
| Carbon disulfide | ug/m3 | 33.4 | 30.9 | 93 | 70-131 | |
| Carbon tetrachloride | ug/m3 | 65 | 64.6 | 99 | 70-131 | |
| Chlorobenzene | ug/m3 | 48.3 | 48.2 | 100 | 70-130 | |
| Chloroethane | ug/m3 | 26.9 | 27.4 | 102 | 69-141 | |
| Chloroform | ug/m3 | 48.5 | 47.2 | 97 | 70-130 | |
| Chloromethane | ug/m3 | 21.1 | 17.6 | 84 | 70-130 | |
| cis-1,2-Dichloroethene | ug/m3 | 41 | 45.2 | 110 | 70-137 | |
| cis-1,3-Dichloropropene | ug/m3 | 46.9 | 56.6 | 121 | 70-144 | |
| Cyclohexane | ug/m3 | 35.2 | 36.1 | 102 | 70-137 | |
| Dibromochloromethane | ug/m3 | 87.3 | 96.8 | 111 | 70-132 | |
| Dichlorodifluoromethane | ug/m3 | 51.3 | 48.2 | 94 | 70-130 | |
| Dichlorotetrafluoroethane | ug/m3 | 65.1 | 59.4 | 91 | 70-130 | |
| Ethanol | ug/m3 | 19.2 | 19.8 | 103 | 63-133 | |
| Ethyl acetate | ug/m3 | 35.9 | 37.6 | 105 | 70-136 | |
| Ethylbenzene | ug/m3 | 45.6 | 49.6 | 109 | 70-142 | |
| Hexachloro-1,3-butadiene | ug/m3 | 117 | 119 | 102 | 70-135 | |
| m&p-Xylene | ug/m3 | 45.9 | 49.1 | 107 | 70-141 | |
| Methyl-tert-butyl ether | ug/m3 | 36.9 | 39.3 | 107 | 70-143 | |
| Methylene Chloride | ug/m3 | 37.8 | 37.4 | 99 | 70-130 | |
| n-Heptane | ug/m3 | 41.7 | 41.1 | 99 | 70-137 | |
| n-Hexane | ug/m3 | 35.1 | 35.7 | 102 | 70-135 | |
| Naphthalene | ug/m3 | 58.1 | 61.0 | 105 | 67-132 | |
| o-Xylene | ug/m3 | 46 | 48.5 | 105 | 70-141 | |
| Propylene | ug/m3 | 17.9 | 15.7 | 88 | 70-130 | |
| Styrene | ug/m3 | 45.3 | 52.4 | 116 | 70-142 | |
| Tetrachloroethene | ug/m3 | 69.9 | 70.7 | 101 | 70-130 | |
| Tetrahydrofuran | ug/m3 | 30.1 | 32.7 | 109 | 70-136 | |
| Toluene | ug/m3 | 39.4 | 35.6 | 90 | 70-138 | |
| trans-1,2-Dichloroethene | ug/m3 | 40.8 | 44.3 | 109 | 70-130 | |
| trans-1,3-Dichloropropene | ug/m3 | 48.2 | 47.2 | 98 | 70-145 | |
| Trichloroethene | ug/m3 | 55.7 | 57.9 | 104 | 70-130 | |
| Trichlorofluoromethane | ug/m3 | 56.5 | 51.9 | 92 | 69-135 | |
| Vinyl acetate | ug/m3 | 38.1 | 50.4 | 132 | 70-146 | |
| Vinyl chloride | ug/m3 | 26.6 | 24.1 | 91 | 70-137 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10581504

SAMPLE DUPLICATE: 4132757

| Parameter | Units | 10581504002 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.32 | <0.32 | | | 25 |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.65 | <0.65 | | | 25 |
| 1,1,2-Trichloroethane | ug/m3 | <0.34 | <0.34 | | | 25 |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.50 | 1.6J | | | 25 |
| 1,1-Dichloroethane | ug/m3 | <0.29 | <0.29 | | | 25 |
| 1,1-Dichloroethene | ug/m3 | <0.24 | <0.24 | | | 25 |
| 1,2,4-Trichlorobenzene | ug/m3 | <8.5 | <8.5 | | | 25 |
| 1,2,4-Trimethylbenzene | ug/m3 | 3.9 | 3.7 | 5 | | 25 |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.52 | <0.52 | | | 25 |
| 1,2-Dichlorobenzene | ug/m3 | <0.70 | 0.84J | | | 25 |
| 1,2-Dichloroethane | ug/m3 | <0.34 | <0.34 | | | 25 |
| 1,2-Dichloropropane | ug/m3 | <0.47 | <0.47 | | | 25 |
| 1,3,5-Trimethylbenzene | ug/m3 | 1.3J | 1.3J | | | 25 |
| 1,3-Butadiene | ug/m3 | <0.21 | <0.21 | | | 25 |
| 1,3-Dichlorobenzene | ug/m3 | <0.89 | <0.89 | | | 25 |
| 1,4-Dichlorobenzene | ug/m3 | <1.5 | <1.5 | | | 25 |
| 2-Butanone (MEK) | ug/m3 | 16.8 | 15.9 | 6 | | 25 |
| 2-Hexanone | ug/m3 | 1.5J | 1.5J | | | 25 |
| 2-Propanol | ug/m3 | 11.0 | 11.3 | 2 | | 25 |
| 4-Ethyltoluene | ug/m3 | 1.3J | 1.2J | | | 25 |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 2.0J | 1.9J | | | 25 |
| Acetone | ug/m3 | 22.5 | 21.9 | 2 | | 25 |
| Benzene | ug/m3 | 0.40J | 0.31J | | | 25 |
| Benzyl chloride | ug/m3 | <1.5 | <1.5 | | | 25 |
| Bromodichloromethane | ug/m3 | <0.41 | <0.41 | | | 25 |
| Bromoform | ug/m3 | <2.8 | <2.8 | | | 25 |
| Bromomethane | ug/m3 | <0.26 | <0.26 | | | 25 |
| Carbon disulfide | ug/m3 | 1.1 | 1.2 | 2 | | 25 |
| Carbon tetrachloride | ug/m3 | <0.49 | <0.49 | | | 25 |
| Chlorobenzene | ug/m3 | <0.27 | <0.27 | | | 25 |
| Chloroethane | ug/m3 | <0.39 | <0.39 | | | 25 |
| Chloroform | ug/m3 | <0.32 | <0.32 | | | 25 |
| Chloromethane | ug/m3 | <0.15 | <0.15 | | | 25 |
| cis-1,2-Dichloroethene | ug/m3 | <0.34 | <0.34 | | | 25 |
| cis-1,3-Dichloropropene | ug/m3 | <0.44 | <0.44 | | | 25 |
| Cyclohexane | ug/m3 | <0.38 | <0.38 | | | 25 |
| Dibromochloromethane | ug/m3 | <0.90 | <0.90 | | | 25 |
| Dichlorodifluoromethane | ug/m3 | 51.5 | 49.3 | 4 | | 25 |
| Dichlorotetrafluoroethane | ug/m3 | <0.35 | <0.35 | | | 25 |
| Ethanol | ug/m3 | 34.5 | 35.3 | 2 | | 25 |
| Ethyl acetate | ug/m3 | <0.23 | <0.23 | | | 25 |
| Ethylbenzene | ug/m3 | 4.2 | 4.0 | 3 | | 25 |
| Hexachloro-1,3-butadiene | ug/m3 | <2.1 | <2.1 | | | 25 |
| m&p-Xylene | ug/m3 | 15.0 | 14.6 | 3 | | 25 |
| Methyl-tert-butyl ether | ug/m3 | <0.22 | <0.22 | | | 25 |
| Methylene Chloride | ug/m3 | <1.0 | <1.0 | | | 25 |
| n-Heptane | ug/m3 | <0.31 | <0.31 | | | 25 |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10581504

SAMPLE DUPLICATE: 4132757

| Parameter | Units | 10581504002 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| n-Hexane | ug/m3 | 0.93J | 1.0J | | 25 | |
| Naphthalene | ug/m3 | <3.8 | 4.2J | | 25 | |
| o-Xylene | ug/m3 | 6.5 | 6.3 | 4 | 25 | |
| Propylene | ug/m3 | 0.81J | 0.83J | | 25 | |
| Styrene | ug/m3 | 12.7 | 12.5 | 2 | 25 | |
| Tetrachloroethene | ug/m3 | 14.0 | 13.7 | 2 | 25 | |
| Tetrahydrofuran | ug/m3 | 1.5 | 1.5 | 1 | 25 | |
| Toluene | ug/m3 | 167 | 161 | 4 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.29 | <0.29 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.95 | <0.95 | | 25 | |
| Trichloroethene | ug/m3 | <0.34 | <0.34 | | 25 | |
| Trichlorofluoromethane | ug/m3 | 1.2J | 1.1J | | 25 | |
| Vinyl acetate | ug/m3 | <0.36 | <0.36 | | 25 | |
| Vinyl chloride | ug/m3 | <0.15 | <0.15 | | 25 | |

SAMPLE DUPLICATE: 4133184

| Parameter | Units | 10581504001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|--------------------------------|-------|-----------------------|---------------|-----|------------|------------|
| 1,1,1-Trichloroethane | ug/m3 | <0.31 | <0.31 | | 25 | |
| 1,1,2,2-Tetrachloroethane | ug/m3 | <0.62 | <0.62 | | 25 | |
| 1,1,2-Trichloroethane | ug/m3 | <0.33 | <0.33 | | 25 | |
| 1,1,2-Trichlorotrifluoroethane | ug/m3 | <0.49 | <0.49 | | 25 | |
| 1,1-Dichloroethane | ug/m3 | <0.28 | <0.28 | | 25 | |
| 1,1-Dichloroethene | ug/m3 | <0.23 | <0.23 | | 25 | |
| 1,2,4-Trichlorobenzene | ug/m3 | <8.2 | <8.2 | | 25 | |
| 1,2,4-Trimethylbenzene | ug/m3 | 3.8 | 3.7 | 4 | 25 | |
| 1,2-Dibromoethane (EDB) | ug/m3 | <0.50 | <0.50 | | 25 | |
| 1,2-Dichlorobenzene | ug/m3 | 0.84J | 0.83J | | 25 | |
| 1,2-Dichloroethane | ug/m3 | <0.33 | <0.33 | | 25 | |
| 1,2-Dichloropropane | ug/m3 | <0.45 | <0.45 | | 25 | |
| 1,3,5-Trimethylbenzene | ug/m3 | 1.4J | 1.4J | | 25 | |
| 1,3-Butadiene | ug/m3 | <0.20 | <0.20 | | 25 | |
| 1,3-Dichlorobenzene | ug/m3 | <0.86 | <0.86 | | 25 | |
| 1,4-Dichlorobenzene | ug/m3 | <1.5 | <1.5 | | 25 | |
| 2-Butanone (MEK) | ug/m3 | 11.1 | 11.1 | 0 | 25 | |
| 2-Hexanone | ug/m3 | 1.4J | 1.4J | | 25 | |
| 2-Propanol | ug/m3 | 8.2 | 8.3 | 1 | 25 | |
| 4-Ethyltoluene | ug/m3 | 1.4J | 1.5J | | 25 | |
| 4-Methyl-2-pentanone (MIBK) | ug/m3 | 1.2J | 1.2J | | 25 | |
| Acetone | ug/m3 | 18.1 | 17.6 | 3 | 25 | |
| Benzene | ug/m3 | 0.86 | 0.92 | 6 | 25 | |
| Benzyl chloride | ug/m3 | <1.5 | <1.5 | | 25 | |
| Bromodichloromethane | ug/m3 | <0.40 | <0.40 | | 25 | |
| Bromoform | ug/m3 | <2.7 | <2.7 | | 25 | |
| Bromomethane | ug/m3 | <0.25 | <0.25 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10581504

SAMPLE DUPLICATE: 4133184

| Parameter | Units | 10581504001 Result | Dup Result | RPD | Max RPD | Qualifiers |
|---------------------------|-------|-----------------------|---------------|-----|------------|------------|
| Carbon disulfide | ug/m3 | 0.45J | 0.45J | | 25 | |
| Carbon tetrachloride | ug/m3 | <0.47 | <0.47 | | 25 | |
| Chlorobenzene | ug/m3 | <0.26 | <0.26 | | 25 | |
| Chloroethane | ug/m3 | <0.38 | <0.38 | | 25 | |
| Chloroform | ug/m3 | <0.31 | <0.31 | | 25 | |
| Chloromethane | ug/m3 | <0.14 | <0.14 | | 25 | |
| cis-1,2-Dichloroethene | ug/m3 | <0.33 | <0.33 | | 25 | |
| cis-1,3-Dichloropropene | ug/m3 | <0.43 | <0.43 | | 25 | |
| Cyclohexane | ug/m3 | <0.37 | <0.37 | | 25 | |
| Dibromochloromethane | ug/m3 | <0.87 | <0.87 | | 25 | |
| Dichlorodifluoromethane | ug/m3 | 122 | 120 | 2 | 25 | |
| Dichlorotetrafluoroethane | ug/m3 | <0.34 | <0.34 | | 25 | |
| Ethanol | ug/m3 | 24.3 | 23.8 | 2 | 25 | |
| Ethyl acetate | ug/m3 | <0.22 | <0.22 | | 25 | |
| Ethylbenzene | ug/m3 | 3.4 | 3.4 | 1 | 25 | |
| Hexachloro-1,3-butadiene | ug/m3 | <2.1 | <2.1 | | 25 | |
| m&p-Xylene | ug/m3 | 12.7 | 12.5 | 1 | 25 | |
| Methyl-tert-butyl ether | ug/m3 | <0.21 | <0.21 | | 25 | |
| Methylene Chloride | ug/m3 | 4.9J | 4.6J | | 25 | |
| n-Heptane | ug/m3 | <0.30 | <0.30 | | 25 | |
| n-Hexane | ug/m3 | 0.77J | 0.74J | | 25 | |
| Naphthalene | ug/m3 | 4.0J | 3.9J | | 25 | |
| o-Xylene | ug/m3 | 5.6 | 5.6 | 1 | 25 | |
| Propylene | ug/m3 | 1.3J | <0.22 | | 25 | |
| Styrene | ug/m3 | 12.1 | 12.0 | 1 | 25 | |
| Tetrachloroethene | ug/m3 | 3790 | 3760 | 1 | 25 | |
| Tetrahydrofuran | ug/m3 | 1.0 | 0.95J | | 25 | |
| Toluene | ug/m3 | 119 | 118 | 1 | 25 | |
| trans-1,2-Dichloroethene | ug/m3 | <0.28 | <0.28 | | 25 | |
| trans-1,3-Dichloropropene | ug/m3 | <0.91 | <0.91 | | 25 | |
| Trichloroethene | ug/m3 | 7.0 | 7.0 | 0 | 25 | |
| Trichlorofluoromethane | ug/m3 | 1.5J | 1.6J | | 25 | |
| Vinyl acetate | ug/m3 | <0.35 | <0.35 | | 25 | |
| Vinyl chloride | ug/m3 | <0.15 | <0.15 | | 25 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10581504

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite
Pace Project No.: 10581504

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|----------------|-----------------|----------|-------------------|------------------|
| 10581504001 | SSV101 | TO-15 | 775665 | | |
| 10581504002 | SSV203 | TO-15 | 775665 | | |
| 10581504003 | SSV405 | TO-15 | 775665 | | |
| 10581504004 | SSV406 | TO-15 | 775665 | | |
| 10581504005 | AA405 | TO-15 | 775665 | | |
| 10581504006 | AA406 | TO-15 | 775665 | | |
| 10581504007 | AA407 | TO-15 | 775665 | | |
| 10581504008 | AA408 | TO-15 | 775665 | | |
| 10581504009 | Blower Exhaust | TO-15 | 775665 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



WO#: 10581504



AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

51954

Page: 1 of 1

| | | | |
|--|---|---|---|
| Section A Required Client Information: Company: Sand County Environmental Address: 151 Mill St. Email To: Pete.Arntsen@sandcountyenv.com Phone: 715-824-5161 Fax: Requested Due Date/TAT: | Section B Required Project Information: Report To: Pete Arntsen Copy To: Lars Smith Purchase Order No.: Project Name: Don-Rite Project Number: | Section C Invoice Information: Attention: Pete Arntsen Company Name: Sand County Environmental Address: Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: 25302 | Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Location of Sampling by State: WI Reporting Units ug/m ³ mg/m ³ PPBV PPMV Other Report Level II, III, IV, Other |
|--|---|---|---|

| ITEM # | 'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE | Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10 | MEDIA CODE | PID Reading (Client only) | COLLECTED | | | | Canister Pressure (Initial Field - in Hg) | Canister Pressure (Final Field - in Hg) | Summa Can Number | Flow Control Number | Method: PM10 3c - Fixed Gas (%) TO-3 BTEX TO-3M (Methane) TO-14 TO-15 Full List VOCs TO-15 Short List BTEX TO-15 Short List Chlorinated TO-15 Short List (Other) | Pace Lab ID |
|--------|--|---|------------|---------------------------|-----------------|-------|----------------------|------|--|--|------------------------|---------------------------|---|-------------|
| | | | | | COMPOSITE START | | COMPOSITE - END/GRAB | | | | | | | |
| | | | | | DATE | TIME | DATE | TIME | | | | | | |
| 1 | SSV101 | 1LC | 9/29/21 | 10:31 | 9/29/21 | 10:41 | -30 | -1 | 2501 | 1167 | X | 001 | | |
| 2 | SSV 203 | 1LC | | 10:44 | | 10:53 | -30 | -1 | 2596 | 1124 | X | 002 | | |
| 3 | SSV 405 | 1LC | | 8:38 | | 8:47 | -28 | -1 | 0773 | 1157 | X | 003 | | |
| 4 | SSV 406 | 1LC | | 9:40 | | 9:48 | -30 | -1 | 0746 | 0637 | X | 004 | | |
| 5 | AA405 | 6LC | | 7:52 | | 14:28 | -25 | -5 | 4007 | 2057 | X | 005 | | |
| 6 | AA 406 | 6LC | | 8:00 | | 16:00 | -25 | -2 | 2021 | 1918 | X | 006 | | |
| 7 | AA 407 | 6LC | | 8:07 | | 15:51 | -26 | -2 | 2679 | 2277 | X | 007 | | |
| 8 | AA 408 | 6LC | | 8:09 | | 15:53 | -23 | -4 | 2676 | 1991 | X | 008 | | |
| 9 | Blower Exhaust | 1LC | | 11:07 | | 11:15 | -28 | -1 | 0827 | 2820 | X | 009 | | |

| Comments : | RELINQUISHED BY / AFFILIATION | DATE | TIME | ACCEPTED BY / AFFILIATION | DATE | TIME | SAMPLE CONDITIONS |
|------------|-------------------------------|---------|-------|---------------------------|-------|-------|---|
| | Lars Smith | 9/30/21 | 11:00 | [Signature] | 10/21 | 11:00 | AIB (N) Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N |

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Lars Smith

SIGNATURE of SAMPLER: [Signature] DATE Signed (MM/DD/YY) 9/30/21

Temp in °C

Received on Ice

Custody Sealed Cooler

Samples Intact

ORIGINAL



Document Name: Sample Condition Upon Receipt (SCUR) - Air

Document Revised: 24Mar2020 Page 1 of 1

Document No.: ENV-FRM-MIN4-0113 Rev.00

Pace Analytical Services - Minneapolis

Air Sample Condition Upon Receipt

Client Name: Sand County Enviro

Project #:

WO#: 10581504

PM: KNH Due Date: 10/11/21 CLIENT: Sand Creek

Courier: [X] Fed Ex [] UPS [] USPS [] Client [] Pace [] Speedee [] Commercial See Exception

Tracking Number: 4753 8445 9449+8938 []

Custody Seal on Cooler/Box Present? [] Yes [X] No Seals Intact? [] Yes [X] No

Packing Material: [] Bubble Wrap [] Bubble Bags [X] Foam [] None [] Tin Can [] Other: Temp Blank rec: [] Yes [X] No

Temp. (TO17 and TO13 samples only) (°C): X Corrected Temp (°C): X Thermometer Used: [] G87A9170600254 [] G87A9155100842

Temp should be above freezing to 6°C Correction Factor: X Date & Initials of Person Examining Contents: 10/11/21

Type of ice Received [] Blue [] Wet [X] None

Comments:

Table with 13 rows of checklist items regarding Chain of Custody, container use, and sample handling. Includes checkboxes for Yes/No and a list of media types (Air Can, Airbag, Filter, TDT, Passive).

Gauge # [] 10AIR26 [X] 10AIR34 [] 10AIR35 [] 4097

Table with 10 columns: Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure. Contains data for various samples including SSU 101, SSU 203, SSU 405, SSU 406, AA405, AA406, AA407, AA 409.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? [] Yes [] No

Person Contacted: Date/Time:

Comments/Resolution:

Project Manager Review: Ashley Williams

Date: 10/4/21

October 14, 2021

Pete Arntsen
SAND COUNTY ENVIRONMENTAL, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUN-RITE
Pace Project No.: 40234679

Dear Pete Arntsen:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUN-RITE

Pace Project No.: 40234679

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUN-RITE

Pace Project No.: 40234679

| Lab ID | Sample ID | Matrix | Date Collected | Date Received |
|-------------|------------|--------|----------------|----------------|
| 40234679001 | GP-11 | Water | 10/04/21 13:45 | 10/07/21 08:50 |
| 40234679002 | GP-12 | Water | 10/04/21 14:20 | 10/07/21 08:50 |
| 40234679003 | MWG-1 | Water | 10/04/21 15:05 | 10/07/21 08:50 |
| 40234679004 | DUP | Water | 10/04/21 14:20 | 10/07/21 08:50 |
| 40234679005 | TRIP BLANK | Water | 10/04/21 00:00 | 10/07/21 08:50 |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUN-RITE

Pace Project No.: 40234679

| Lab ID | Sample ID | Method | Analysts | Analytes Reported |
|-------------|------------|----------|----------|-------------------|
| 40234679001 | GP-11 | EPA 8260 | LAP | 63 |
| 40234679002 | GP-12 | EPA 8260 | LAP | 63 |
| 40234679003 | MWG-1 | EPA 8260 | LAP | 63 |
| 40234679004 | DUP | EPA 8260 | LAP | 63 |
| 40234679005 | TRIP BLANK | EPA 8260 | LAP | 63 |

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUN-RITE

Pace Project No.: 40234679

| Lab Sample ID Method | Client Sample ID Parameters | Result | Units | Report Limit | Analyzed | Qualifiers |
|-------------------------|--------------------------------|--------|-------|--------------|----------------|------------|
| 40234679001 | GP-11 | | | | | |
| EPA 8260 | Tetrachloroethene | 3.4 | ug/L | 1.0 | 10/13/21 10:14 | |
| 40234679002 | GP-12 | | | | | |
| EPA 8260 | Tetrachloroethene | 1860 | ug/L | 10.0 | 10/13/21 09:55 | |
| EPA 8260 | Trichloroethene | 5.1 | ug/L | 1.0 | 10/13/21 00:47 | |
| 40234679003 | MWG-1 | | | | | |
| EPA 8260 | Tetrachloroethene | 2920 | ug/L | 25.0 | 10/13/21 09:15 | |
| EPA 8260 | Trichloroethene | 6.0 | ug/L | 1.0 | 10/13/21 00:07 | |
| 40234679004 | DUP | | | | | |
| EPA 8260 | Tetrachloroethene | 2090 | ug/L | 10.0 | 10/13/21 09:35 | |
| EPA 8260 | Trichloroethene | 5.5 | ug/L | 1.0 | 10/13/21 00:27 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40234679

Sample: GP-11 **Lab ID: 40234679001** Collected: 10/04/21 13:45 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|---------|-------|-----|------|----|----------|----------------|-----------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 10:14 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 10:14 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.38 | ug/L | 1.0 | 0.38 | 1 | | 10/13/21 10:14 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.34 | ug/L | 5.0 | 0.34 | 1 | | 10/13/21 10:14 | 79-00-5 | |
| 1,1-Dichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 10:14 | 75-34-3 | |
| 1,1-Dichloroethene | <0.58 | ug/L | 1.0 | 0.58 | 1 | | 10/13/21 10:14 | 75-35-4 | |
| 1,1-Dichloropropene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/13/21 10:14 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 10:14 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.56 | ug/L | 5.0 | 0.56 | 1 | | 10/13/21 10:14 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/13/21 10:14 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 10:14 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <2.4 | ug/L | 5.0 | 2.4 | 1 | | 10/13/21 10:14 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/13/21 10:14 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 10:14 | 95-50-1 | |
| 1,2-Dichloroethane | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 10:14 | 107-06-2 | |
| 1,2-Dichloropropane | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 10:14 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 10:14 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 10:14 | 541-73-1 | |
| 1,3-Dichloropropane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 10:14 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.89 | ug/L | 1.0 | 0.89 | 1 | | 10/13/21 10:14 | 106-46-7 | |
| 2,2-Dichloropropane | <4.2 | ug/L | 5.0 | 4.2 | 1 | | 10/13/21 10:14 | 594-20-7 | |
| 2-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 10:14 | 95-49-8 | |
| 4-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 10:14 | 106-43-4 | |
| Benzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 10:14 | 71-43-2 | |
| Bromobenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 10:14 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/13/21 10:14 | 74-97-5 | |
| Bromodichloromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 10:14 | 75-27-4 | |
| Bromoform | <3.8 | ug/L | 5.0 | 3.8 | 1 | | 10/13/21 10:14 | 75-25-2 | |
| Bromomethane | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 10:14 | 74-83-9 | |
| Carbon tetrachloride | <0.37 | ug/L | 1.0 | 0.37 | 1 | | 10/13/21 10:14 | 56-23-5 | |
| Chlorobenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 10:14 | 108-90-7 | |
| Chloroethane | <1.4 | ug/L | 5.0 | 1.4 | 1 | | 10/13/21 10:14 | 75-00-3 | |
| Chloroform | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 10:14 | 67-66-3 | |
| Chloromethane | <1.6 | ug/L | 5.0 | 1.6 | 1 | | 10/13/21 10:14 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 5.0 | 2.6 | 1 | | 10/13/21 10:14 | 124-48-1 | |
| Dibromomethane | <0.99 | ug/L | 5.0 | 0.99 | 1 | | 10/13/21 10:14 | 74-95-3 | |
| Dichlorodifluoromethane | <0.46 | ug/L | 5.0 | 0.46 | 1 | | 10/13/21 10:14 | 75-71-8 | |
| Diisopropyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 10:14 | 108-20-3 | |
| Ethylbenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 10:14 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <2.7 | ug/L | 5.0 | 2.7 | 1 | | 10/13/21 10:14 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 10:14 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 10:14 | 1634-04-4 | |
| Methylene Chloride | <0.32 | ug/L | 5.0 | 0.32 | 1 | | 10/13/21 10:14 | 75-09-2 | |
| Naphthalene | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 10:14 | 91-20-3 | |
| Styrene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 10:14 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: GP-11 **Lab ID: 40234679001** Collected: 10/04/21 13:45 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|-----------------|-------|--------|------|----|----------|----------------|------------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| Tetrachloroethene | 3.4 | ug/L | 1.0 | 0.41 | 1 | | 10/13/21 10:14 | 127-18-4 | |
| Toluene | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 10:14 | 108-88-3 | |
| Trichloroethene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 10/13/21 10:14 | 79-01-6 | |
| Trichlorofluoromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 10:14 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/13/21 10:14 | 75-01-4 | |
| Xylene (Total) | <1.0 | ug/L | 3.0 | 1.0 | 1 | | 10/13/21 10:14 | 1330-20-7 | |
| cis-1,2-Dichloroethene | <0.47 | ug/L | 1.0 | 0.47 | 1 | | 10/13/21 10:14 | 156-59-2 | |
| cis-1,3-Dichloropropene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 10:14 | 10061-01-5 | |
| n-Butylbenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 10:14 | 104-51-8 | |
| n-Propylbenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 10:14 | 103-65-1 | |
| p-Isopropyltoluene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 10:14 | 99-87-6 | |
| sec-Butylbenzene | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 10:14 | 135-98-8 | |
| tert-Butylbenzene | <0.59 | ug/L | 1.0 | 0.59 | 1 | | 10/13/21 10:14 | 98-06-6 | |
| trans-1,2-Dichloroethene | <0.53 | ug/L | 1.0 | 0.53 | 1 | | 10/13/21 10:14 | 156-60-5 | |
| trans-1,3-Dichloropropene | <3.5 | ug/L | 5.0 | 3.5 | 1 | | 10/13/21 10:14 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 101 | % | 70-130 | | 1 | | 10/13/21 10:14 | 460-00-4 | |
| 1,2-Dichlorobenzene-d4 (S) | 103 | % | 70-130 | | 1 | | 10/13/21 10:14 | 2199-69-1 | |
| Toluene-d8 (S) | 100 | % | 70-130 | | 1 | | 10/13/21 10:14 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40234679

Sample: GP-12 **Lab ID: 40234679002** Collected: 10/04/21 14:20 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|---------|-------|-----|------|----|----------|----------------|-----------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:47 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:47 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.38 | ug/L | 1.0 | 0.38 | 1 | | 10/13/21 00:47 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.34 | ug/L | 5.0 | 0.34 | 1 | | 10/13/21 00:47 | 79-00-5 | |
| 1,1-Dichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:47 | 75-34-3 | |
| 1,1-Dichloroethene | <0.58 | ug/L | 1.0 | 0.58 | 1 | | 10/13/21 00:47 | 75-35-4 | |
| 1,1-Dichloropropene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/13/21 00:47 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:47 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.56 | ug/L | 5.0 | 0.56 | 1 | | 10/13/21 00:47 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/13/21 00:47 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:47 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <2.4 | ug/L | 5.0 | 2.4 | 1 | | 10/13/21 00:47 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/13/21 00:47 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:47 | 95-50-1 | |
| 1,2-Dichloroethane | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:47 | 107-06-2 | |
| 1,2-Dichloropropane | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:47 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:47 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:47 | 541-73-1 | |
| 1,3-Dichloropropane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:47 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.89 | ug/L | 1.0 | 0.89 | 1 | | 10/13/21 00:47 | 106-46-7 | |
| 2,2-Dichloropropane | <4.2 | ug/L | 5.0 | 4.2 | 1 | | 10/13/21 00:47 | 594-20-7 | |
| 2-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:47 | 95-49-8 | |
| 4-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:47 | 106-43-4 | |
| Benzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:47 | 71-43-2 | |
| Bromobenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:47 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/13/21 00:47 | 74-97-5 | |
| Bromodichloromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:47 | 75-27-4 | |
| Bromoform | <3.8 | ug/L | 5.0 | 3.8 | 1 | | 10/13/21 00:47 | 75-25-2 | |
| Bromomethane | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:47 | 74-83-9 | |
| Carbon tetrachloride | <0.37 | ug/L | 1.0 | 0.37 | 1 | | 10/13/21 00:47 | 56-23-5 | |
| Chlorobenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:47 | 108-90-7 | |
| Chloroethane | <1.4 | ug/L | 5.0 | 1.4 | 1 | | 10/13/21 00:47 | 75-00-3 | |
| Chloroform | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:47 | 67-66-3 | |
| Chloromethane | <1.6 | ug/L | 5.0 | 1.6 | 1 | | 10/13/21 00:47 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 5.0 | 2.6 | 1 | | 10/13/21 00:47 | 124-48-1 | |
| Dibromomethane | <0.99 | ug/L | 5.0 | 0.99 | 1 | | 10/13/21 00:47 | 74-95-3 | |
| Dichlorodifluoromethane | <0.46 | ug/L | 5.0 | 0.46 | 1 | | 10/13/21 00:47 | 75-71-8 | |
| Diisopropyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:47 | 108-20-3 | |
| Ethylbenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:47 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <2.7 | ug/L | 5.0 | 2.7 | 1 | | 10/13/21 00:47 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:47 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:47 | 1634-04-4 | |
| Methylene Chloride | <0.32 | ug/L | 5.0 | 0.32 | 1 | | 10/13/21 00:47 | 75-09-2 | |
| Naphthalene | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:47 | 91-20-3 | |
| Styrene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:47 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40234679

Sample: GP-12 **Lab ID: 40234679002** Collected: 10/04/21 14:20 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|-------------|-------------|--------|------|----|----------|----------------|------------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| Tetrachloroethene | 1860 | ug/L | 10.0 | 4.1 | 10 | | 10/13/21 09:55 | 127-18-4 | |
| Toluene | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:47 | 108-88-3 | |
| Trichloroethene | 5.1 | ug/L | 1.0 | 0.32 | 1 | | 10/13/21 00:47 | 79-01-6 | |
| Trichlorofluoromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:47 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/13/21 00:47 | 75-01-4 | |
| Xylene (Total) | <1.0 | ug/L | 3.0 | 1.0 | 1 | | 10/13/21 00:47 | 1330-20-7 | |
| cis-1,2-Dichloroethene | <0.47 | ug/L | 1.0 | 0.47 | 1 | | 10/13/21 00:47 | 156-59-2 | |
| cis-1,3-Dichloropropene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:47 | 10061-01-5 | |
| n-Butylbenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:47 | 104-51-8 | |
| n-Propylbenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:47 | 103-65-1 | |
| p-Isopropyltoluene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:47 | 99-87-6 | |
| sec-Butylbenzene | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:47 | 135-98-8 | |
| tert-Butylbenzene | <0.59 | ug/L | 1.0 | 0.59 | 1 | | 10/13/21 00:47 | 98-06-6 | |
| trans-1,2-Dichloroethene | <0.53 | ug/L | 1.0 | 0.53 | 1 | | 10/13/21 00:47 | 156-60-5 | |
| trans-1,3-Dichloropropene | <3.5 | ug/L | 5.0 | 3.5 | 1 | | 10/13/21 00:47 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 101 | % | 70-130 | | 1 | | 10/13/21 00:47 | 460-00-4 | |
| 1,2-Dichlorobenzene-d4 (S) | 106 | % | 70-130 | | 1 | | 10/13/21 00:47 | 2199-69-1 | |
| Toluene-d8 (S) | 97 | % | 70-130 | | 1 | | 10/13/21 00:47 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: MWG-1 **Lab ID: 40234679003** Collected: 10/04/21 15:05 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|---------|-------|-----|------|----|----------|----------------|-----------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:07 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:07 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.38 | ug/L | 1.0 | 0.38 | 1 | | 10/13/21 00:07 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.34 | ug/L | 5.0 | 0.34 | 1 | | 10/13/21 00:07 | 79-00-5 | |
| 1,1-Dichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:07 | 75-34-3 | |
| 1,1-Dichloroethene | <0.58 | ug/L | 1.0 | 0.58 | 1 | | 10/13/21 00:07 | 75-35-4 | |
| 1,1-Dichloropropene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/13/21 00:07 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:07 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.56 | ug/L | 5.0 | 0.56 | 1 | | 10/13/21 00:07 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/13/21 00:07 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:07 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <2.4 | ug/L | 5.0 | 2.4 | 1 | | 10/13/21 00:07 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/13/21 00:07 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:07 | 95-50-1 | |
| 1,2-Dichloroethane | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:07 | 107-06-2 | |
| 1,2-Dichloropropane | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:07 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:07 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:07 | 541-73-1 | |
| 1,3-Dichloropropane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:07 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.89 | ug/L | 1.0 | 0.89 | 1 | | 10/13/21 00:07 | 106-46-7 | |
| 2,2-Dichloropropane | <4.2 | ug/L | 5.0 | 4.2 | 1 | | 10/13/21 00:07 | 594-20-7 | |
| 2-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:07 | 95-49-8 | |
| 4-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:07 | 106-43-4 | |
| Benzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:07 | 71-43-2 | |
| Bromobenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:07 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/13/21 00:07 | 74-97-5 | |
| Bromodichloromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:07 | 75-27-4 | |
| Bromoform | <3.8 | ug/L | 5.0 | 3.8 | 1 | | 10/13/21 00:07 | 75-25-2 | |
| Bromomethane | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:07 | 74-83-9 | |
| Carbon tetrachloride | <0.37 | ug/L | 1.0 | 0.37 | 1 | | 10/13/21 00:07 | 56-23-5 | |
| Chlorobenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:07 | 108-90-7 | |
| Chloroethane | <1.4 | ug/L | 5.0 | 1.4 | 1 | | 10/13/21 00:07 | 75-00-3 | |
| Chloroform | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:07 | 67-66-3 | |
| Chloromethane | <1.6 | ug/L | 5.0 | 1.6 | 1 | | 10/13/21 00:07 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 5.0 | 2.6 | 1 | | 10/13/21 00:07 | 124-48-1 | |
| Dibromomethane | <0.99 | ug/L | 5.0 | 0.99 | 1 | | 10/13/21 00:07 | 74-95-3 | |
| Dichlorodifluoromethane | <0.46 | ug/L | 5.0 | 0.46 | 1 | | 10/13/21 00:07 | 75-71-8 | |
| Diisopropyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:07 | 108-20-3 | |
| Ethylbenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:07 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <2.7 | ug/L | 5.0 | 2.7 | 1 | | 10/13/21 00:07 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:07 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:07 | 1634-04-4 | |
| Methylene Chloride | <0.32 | ug/L | 5.0 | 0.32 | 1 | | 10/13/21 00:07 | 75-09-2 | |
| Naphthalene | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:07 | 91-20-3 | |
| Styrene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:07 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: MWG-1 **Lab ID: 40234679003** Collected: 10/04/21 15:05 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|-------------|-------------|--------|------|----|----------|----------------|------------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| Tetrachloroethene | 2920 | ug/L | 25.0 | 10.2 | 25 | | 10/13/21 09:15 | 127-18-4 | |
| Toluene | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:07 | 108-88-3 | |
| Trichloroethene | 6.0 | ug/L | 1.0 | 0.32 | 1 | | 10/13/21 00:07 | 79-01-6 | |
| Trichlorofluoromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:07 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/13/21 00:07 | 75-01-4 | |
| Xylene (Total) | <1.0 | ug/L | 3.0 | 1.0 | 1 | | 10/13/21 00:07 | 1330-20-7 | |
| cis-1,2-Dichloroethene | <0.47 | ug/L | 1.0 | 0.47 | 1 | | 10/13/21 00:07 | 156-59-2 | |
| cis-1,3-Dichloropropene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:07 | 10061-01-5 | |
| n-Butylbenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:07 | 104-51-8 | |
| n-Propylbenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:07 | 103-65-1 | |
| p-Isopropyltoluene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:07 | 99-87-6 | |
| sec-Butylbenzene | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:07 | 135-98-8 | |
| tert-Butylbenzene | <0.59 | ug/L | 1.0 | 0.59 | 1 | | 10/13/21 00:07 | 98-06-6 | |
| trans-1,2-Dichloroethene | <0.53 | ug/L | 1.0 | 0.53 | 1 | | 10/13/21 00:07 | 156-60-5 | |
| trans-1,3-Dichloropropene | <3.5 | ug/L | 5.0 | 3.5 | 1 | | 10/13/21 00:07 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 101 | % | 70-130 | | 1 | | 10/13/21 00:07 | 460-00-4 | |
| 1,2-Dichlorobenzene-d4 (S) | 105 | % | 70-130 | | 1 | | 10/13/21 00:07 | 2199-69-1 | |
| Toluene-d8 (S) | 96 | % | 70-130 | | 1 | | 10/13/21 00:07 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE

Pace Project No.: 40234679

Sample: DUP **Lab ID: 40234679004** Collected: 10/04/21 14:20 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|---------|-------|-----|------|----|----------|----------------|-----------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:27 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:27 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.38 | ug/L | 1.0 | 0.38 | 1 | | 10/13/21 00:27 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.34 | ug/L | 5.0 | 0.34 | 1 | | 10/13/21 00:27 | 79-00-5 | |
| 1,1-Dichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:27 | 75-34-3 | |
| 1,1-Dichloroethene | <0.58 | ug/L | 1.0 | 0.58 | 1 | | 10/13/21 00:27 | 75-35-4 | |
| 1,1-Dichloropropene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/13/21 00:27 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:27 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.56 | ug/L | 5.0 | 0.56 | 1 | | 10/13/21 00:27 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/13/21 00:27 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:27 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <2.4 | ug/L | 5.0 | 2.4 | 1 | | 10/13/21 00:27 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/13/21 00:27 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:27 | 95-50-1 | |
| 1,2-Dichloroethane | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:27 | 107-06-2 | |
| 1,2-Dichloropropane | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/13/21 00:27 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:27 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:27 | 541-73-1 | |
| 1,3-Dichloropropane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:27 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.89 | ug/L | 1.0 | 0.89 | 1 | | 10/13/21 00:27 | 106-46-7 | |
| 2,2-Dichloropropane | <4.2 | ug/L | 5.0 | 4.2 | 1 | | 10/13/21 00:27 | 594-20-7 | |
| 2-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:27 | 95-49-8 | |
| 4-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/13/21 00:27 | 106-43-4 | |
| Benzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/13/21 00:27 | 71-43-2 | |
| Bromobenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:27 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/13/21 00:27 | 74-97-5 | |
| Bromodichloromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:27 | 75-27-4 | |
| Bromoform | <3.8 | ug/L | 5.0 | 3.8 | 1 | | 10/13/21 00:27 | 75-25-2 | |
| Bromomethane | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:27 | 74-83-9 | |
| Carbon tetrachloride | <0.37 | ug/L | 1.0 | 0.37 | 1 | | 10/13/21 00:27 | 56-23-5 | |
| Chlorobenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:27 | 108-90-7 | |
| Chloroethane | <1.4 | ug/L | 5.0 | 1.4 | 1 | | 10/13/21 00:27 | 75-00-3 | |
| Chloroform | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/13/21 00:27 | 67-66-3 | |
| Chloromethane | <1.6 | ug/L | 5.0 | 1.6 | 1 | | 10/13/21 00:27 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 5.0 | 2.6 | 1 | | 10/13/21 00:27 | 124-48-1 | |
| Dibromomethane | <0.99 | ug/L | 5.0 | 0.99 | 1 | | 10/13/21 00:27 | 74-95-3 | |
| Dichlorodifluoromethane | <0.46 | ug/L | 5.0 | 0.46 | 1 | | 10/13/21 00:27 | 75-71-8 | |
| Diisopropyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:27 | 108-20-3 | |
| Ethylbenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/13/21 00:27 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <2.7 | ug/L | 5.0 | 2.7 | 1 | | 10/13/21 00:27 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:27 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:27 | 1634-04-4 | |
| Methylene Chloride | <0.32 | ug/L | 5.0 | 0.32 | 1 | | 10/13/21 00:27 | 75-09-2 | |
| Naphthalene | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/13/21 00:27 | 91-20-3 | |
| Styrene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:27 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: DUP **Lab ID: 40234679004** Collected: 10/04/21 14:20 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|-------------|-------------|--------|------|----|----------|----------------|------------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| Tetrachloroethene | 2090 | ug/L | 10.0 | 4.1 | 10 | | 10/13/21 09:35 | 127-18-4 | |
| Toluene | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/13/21 00:27 | 108-88-3 | |
| Trichloroethene | 5.5 | ug/L | 1.0 | 0.32 | 1 | | 10/13/21 00:27 | 79-01-6 | |
| Trichlorofluoromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:27 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/13/21 00:27 | 75-01-4 | |
| Xylene (Total) | <1.0 | ug/L | 3.0 | 1.0 | 1 | | 10/13/21 00:27 | 1330-20-7 | |
| cis-1,2-Dichloroethene | <0.47 | ug/L | 1.0 | 0.47 | 1 | | 10/13/21 00:27 | 156-59-2 | |
| cis-1,3-Dichloropropene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/13/21 00:27 | 10061-01-5 | |
| n-Butylbenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/13/21 00:27 | 104-51-8 | |
| n-Propylbenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/13/21 00:27 | 103-65-1 | |
| p-Isopropyltoluene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/13/21 00:27 | 99-87-6 | |
| sec-Butylbenzene | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/13/21 00:27 | 135-98-8 | |
| tert-Butylbenzene | <0.59 | ug/L | 1.0 | 0.59 | 1 | | 10/13/21 00:27 | 98-06-6 | |
| trans-1,2-Dichloroethene | <0.53 | ug/L | 1.0 | 0.53 | 1 | | 10/13/21 00:27 | 156-60-5 | |
| trans-1,3-Dichloropropene | <3.5 | ug/L | 5.0 | 3.5 | 1 | | 10/13/21 00:27 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 101 | % | 70-130 | | 1 | | 10/13/21 00:27 | 460-00-4 | |
| 1,2-Dichlorobenzene-d4 (S) | 105 | % | 70-130 | | 1 | | 10/13/21 00:27 | 2199-69-1 | |
| Toluene-d8 (S) | 98 | % | 70-130 | | 1 | | 10/13/21 00:27 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: TRIP BLANK **Lab ID: 40234679005** Collected: 10/04/21 00:00 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|---------|-------|-----|------|----|----------|----------------|-----------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/12/21 18:52 | 630-20-6 | |
| 1,1,1-Trichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/12/21 18:52 | 71-55-6 | |
| 1,1,2,2-Tetrachloroethane | <0.38 | ug/L | 1.0 | 0.38 | 1 | | 10/12/21 18:52 | 79-34-5 | |
| 1,1,2-Trichloroethane | <0.34 | ug/L | 5.0 | 0.34 | 1 | | 10/12/21 18:52 | 79-00-5 | |
| 1,1-Dichloroethane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/12/21 18:52 | 75-34-3 | |
| 1,1-Dichloroethene | <0.58 | ug/L | 1.0 | 0.58 | 1 | | 10/12/21 18:52 | 75-35-4 | |
| 1,1-Dichloropropene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/12/21 18:52 | 563-58-6 | |
| 1,2,3-Trichlorobenzene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/12/21 18:52 | 87-61-6 | |
| 1,2,3-Trichloropropane | <0.56 | ug/L | 5.0 | 0.56 | 1 | | 10/12/21 18:52 | 96-18-4 | |
| 1,2,4-Trichlorobenzene | <0.95 | ug/L | 5.0 | 0.95 | 1 | | 10/12/21 18:52 | 120-82-1 | |
| 1,2,4-Trimethylbenzene | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/12/21 18:52 | 95-63-6 | |
| 1,2-Dibromo-3-chloropropane | <2.4 | ug/L | 5.0 | 2.4 | 1 | | 10/12/21 18:52 | 96-12-8 | |
| 1,2-Dibromoethane (EDB) | <0.31 | ug/L | 1.0 | 0.31 | 1 | | 10/12/21 18:52 | 106-93-4 | |
| 1,2-Dichlorobenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/12/21 18:52 | 95-50-1 | |
| 1,2-Dichloroethane | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/12/21 18:52 | 107-06-2 | |
| 1,2-Dichloropropane | <0.45 | ug/L | 1.0 | 0.45 | 1 | | 10/12/21 18:52 | 78-87-5 | |
| 1,3,5-Trimethylbenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/12/21 18:52 | 108-67-8 | |
| 1,3-Dichlorobenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/12/21 18:52 | 541-73-1 | |
| 1,3-Dichloropropane | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/12/21 18:52 | 142-28-9 | |
| 1,4-Dichlorobenzene | <0.89 | ug/L | 1.0 | 0.89 | 1 | | 10/12/21 18:52 | 106-46-7 | |
| 2,2-Dichloropropane | <4.2 | ug/L | 5.0 | 4.2 | 1 | | 10/12/21 18:52 | 594-20-7 | |
| 2-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/12/21 18:52 | 95-49-8 | |
| 4-Chlorotoluene | <0.89 | ug/L | 5.0 | 0.89 | 1 | | 10/12/21 18:52 | 106-43-4 | |
| Benzene | <0.30 | ug/L | 1.0 | 0.30 | 1 | | 10/12/21 18:52 | 71-43-2 | |
| Bromobenzene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/12/21 18:52 | 108-86-1 | |
| Bromochloromethane | <0.36 | ug/L | 5.0 | 0.36 | 1 | | 10/12/21 18:52 | 74-97-5 | |
| Bromodichloromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/12/21 18:52 | 75-27-4 | |
| Bromoform | <3.8 | ug/L | 5.0 | 3.8 | 1 | | 10/12/21 18:52 | 75-25-2 | |
| Bromomethane | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/12/21 18:52 | 74-83-9 | |
| Carbon tetrachloride | <0.37 | ug/L | 1.0 | 0.37 | 1 | | 10/12/21 18:52 | 56-23-5 | |
| Chlorobenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/12/21 18:52 | 108-90-7 | |
| Chloroethane | <1.4 | ug/L | 5.0 | 1.4 | 1 | | 10/12/21 18:52 | 75-00-3 | |
| Chloroform | <1.2 | ug/L | 5.0 | 1.2 | 1 | | 10/12/21 18:52 | 67-66-3 | |
| Chloromethane | <1.6 | ug/L | 5.0 | 1.6 | 1 | | 10/12/21 18:52 | 74-87-3 | |
| Dibromochloromethane | <2.6 | ug/L | 5.0 | 2.6 | 1 | | 10/12/21 18:52 | 124-48-1 | |
| Dibromomethane | <0.99 | ug/L | 5.0 | 0.99 | 1 | | 10/12/21 18:52 | 74-95-3 | |
| Dichlorodifluoromethane | <0.46 | ug/L | 5.0 | 0.46 | 1 | | 10/12/21 18:52 | 75-71-8 | |
| Diisopropyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/12/21 18:52 | 108-20-3 | |
| Ethylbenzene | <0.33 | ug/L | 1.0 | 0.33 | 1 | | 10/12/21 18:52 | 100-41-4 | |
| Hexachloro-1,3-butadiene | <2.7 | ug/L | 5.0 | 2.7 | 1 | | 10/12/21 18:52 | 87-68-3 | |
| Isopropylbenzene (Cumene) | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/12/21 18:52 | 98-82-8 | |
| Methyl-tert-butyl ether | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/12/21 18:52 | 1634-04-4 | |
| Methylene Chloride | <0.32 | ug/L | 5.0 | 0.32 | 1 | | 10/12/21 18:52 | 75-09-2 | |
| Naphthalene | <1.1 | ug/L | 5.0 | 1.1 | 1 | | 10/12/21 18:52 | 91-20-3 | |
| Styrene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/12/21 18:52 | 100-42-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN-RITE
Pace Project No.: 40234679

Sample: TRIP BLANK **Lab ID: 40234679005** Collected: 10/04/21 00:00 Received: 10/07/21 08:50 Matrix: Water

| Parameters | Results | Units | LOQ | LOD | DF | Prepared | Analyzed | CAS No. | Qual |
|--------------------------------------|-----------------|-------------|--------|------|----|----------|----------------|------------|------|
| 8260 MSV | | | | | | | | | |
| Analytical Method: EPA 8260 | | | | | | | | | |
| Pace Analytical Services - Green Bay | | | | | | | | | |
| Tetrachloroethene | <0.41 | ug/L | 1.0 | 0.41 | 1 | | 10/12/21 18:52 | 127-18-4 | |
| Toluene | <0.29 | ug/L | 1.0 | 0.29 | 1 | | 10/12/21 18:52 | 108-88-3 | |
| Trichloroethene | <0.32 | ug/L | 1.0 | 0.32 | 1 | | 10/12/21 18:52 | 79-01-6 | |
| Trichlorofluoromethane | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/12/21 18:52 | 75-69-4 | |
| Vinyl chloride | <0.17 | ug/L | 1.0 | 0.17 | 1 | | 10/12/21 18:52 | 75-01-4 | |
| Xylene (Total) | <1.0 | ug/L | 3.0 | 1.0 | 1 | | 10/12/21 18:52 | 1330-20-7 | |
| cis-1,2-Dichloroethene | <0.47 | ug/L | 1.0 | 0.47 | 1 | | 10/12/21 18:52 | 156-59-2 | |
| cis-1,3-Dichloropropene | <0.36 | ug/L | 1.0 | 0.36 | 1 | | 10/12/21 18:52 | 10061-01-5 | |
| n-Butylbenzene | <0.86 | ug/L | 1.0 | 0.86 | 1 | | 10/12/21 18:52 | 104-51-8 | |
| n-Propylbenzene | <0.35 | ug/L | 1.0 | 0.35 | 1 | | 10/12/21 18:52 | 103-65-1 | |
| p-Isopropyltoluene | <1.0 | ug/L | 5.0 | 1.0 | 1 | | 10/12/21 18:52 | 99-87-6 | |
| sec-Butylbenzene | <0.42 | ug/L | 1.0 | 0.42 | 1 | | 10/12/21 18:52 | 135-98-8 | |
| tert-Butylbenzene | <0.59 | ug/L | 1.0 | 0.59 | 1 | | 10/12/21 18:52 | 98-06-6 | |
| trans-1,2-Dichloroethene | <0.53 | ug/L | 1.0 | 0.53 | 1 | | 10/12/21 18:52 | 156-60-5 | |
| trans-1,3-Dichloropropene | <3.5 | ug/L | 5.0 | 3.5 | 1 | | 10/12/21 18:52 | 10061-02-6 | |
| Surrogates | | | | | | | | | |
| 4-Bromofluorobenzene (S) | 102 | % | 70-130 | | 1 | | 10/12/21 18:52 | 460-00-4 | |
| 1,2-Dichlorobenzene-d4 (S) | 105 | % | 70-130 | | 1 | | 10/12/21 18:52 | 2199-69-1 | |
| Toluene-d8 (S) | 99 | % | 70-130 | | 1 | | 10/12/21 18:52 | 2037-26-5 | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40234679

QC Batch: 397921 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40234679001, 40234679002, 40234679003, 40234679004, 40234679005

METHOD BLANK: 2297053 Matrix: Water

Associated Lab Samples: 40234679001, 40234679002, 40234679003, 40234679004, 40234679005

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|-----------------------------|-------|--------------|-----------------|----------------|------------|
| 1,1,1,2-Tetrachloroethane | ug/L | <0.36 | 1.0 | 10/12/21 17:13 | |
| 1,1,1-Trichloroethane | ug/L | <0.30 | 1.0 | 10/12/21 17:13 | |
| 1,1,2,2-Tetrachloroethane | ug/L | <0.38 | 1.0 | 10/12/21 17:13 | |
| 1,1,2-Trichloroethane | ug/L | <0.34 | 5.0 | 10/12/21 17:13 | |
| 1,1-Dichloroethane | ug/L | <0.30 | 1.0 | 10/12/21 17:13 | |
| 1,1-Dichloroethene | ug/L | <0.58 | 1.0 | 10/12/21 17:13 | |
| 1,1-Dichloropropene | ug/L | <0.41 | 1.0 | 10/12/21 17:13 | |
| 1,2,3-Trichlorobenzene | ug/L | <1.0 | 5.0 | 10/12/21 17:13 | |
| 1,2,3-Trichloropropane | ug/L | <0.56 | 5.0 | 10/12/21 17:13 | |
| 1,2,4-Trichlorobenzene | ug/L | <0.95 | 5.0 | 10/12/21 17:13 | |
| 1,2,4-Trimethylbenzene | ug/L | <0.45 | 1.0 | 10/12/21 17:13 | |
| 1,2-Dibromo-3-chloropropane | ug/L | <2.4 | 5.0 | 10/12/21 17:13 | |
| 1,2-Dibromoethane (EDB) | ug/L | <0.31 | 1.0 | 10/12/21 17:13 | |
| 1,2-Dichlorobenzene | ug/L | <0.33 | 1.0 | 10/12/21 17:13 | |
| 1,2-Dichloroethane | ug/L | <0.29 | 1.0 | 10/12/21 17:13 | |
| 1,2-Dichloropropane | ug/L | <0.45 | 1.0 | 10/12/21 17:13 | |
| 1,3,5-Trimethylbenzene | ug/L | <0.36 | 1.0 | 10/12/21 17:13 | |
| 1,3-Dichlorobenzene | ug/L | <0.35 | 1.0 | 10/12/21 17:13 | |
| 1,3-Dichloropropane | ug/L | <0.30 | 1.0 | 10/12/21 17:13 | |
| 1,4-Dichlorobenzene | ug/L | <0.89 | 1.0 | 10/12/21 17:13 | |
| 2,2-Dichloropropane | ug/L | <4.2 | 5.0 | 10/12/21 17:13 | |
| 2-Chlorotoluene | ug/L | <0.89 | 5.0 | 10/12/21 17:13 | |
| 4-Chlorotoluene | ug/L | <0.89 | 5.0 | 10/12/21 17:13 | |
| Benzene | ug/L | <0.30 | 1.0 | 10/12/21 17:13 | |
| Bromobenzene | ug/L | <0.36 | 1.0 | 10/12/21 17:13 | |
| Bromochloromethane | ug/L | <0.36 | 5.0 | 10/12/21 17:13 | |
| Bromodichloromethane | ug/L | <0.42 | 1.0 | 10/12/21 17:13 | |
| Bromoform | ug/L | <3.8 | 5.0 | 10/12/21 17:13 | |
| Bromomethane | ug/L | <1.2 | 5.0 | 10/12/21 17:13 | |
| Carbon tetrachloride | ug/L | <0.37 | 1.0 | 10/12/21 17:13 | |
| Chlorobenzene | ug/L | <0.86 | 1.0 | 10/12/21 17:13 | |
| Chloroethane | ug/L | <1.4 | 5.0 | 10/12/21 17:13 | |
| Chloroform | ug/L | <1.2 | 5.0 | 10/12/21 17:13 | |
| Chloromethane | ug/L | <1.6 | 5.0 | 10/12/21 17:13 | |
| cis-1,2-Dichloroethene | ug/L | <0.47 | 1.0 | 10/12/21 17:13 | |
| cis-1,3-Dichloropropene | ug/L | <0.36 | 1.0 | 10/12/21 17:13 | |
| Dibromochloromethane | ug/L | <2.6 | 5.0 | 10/12/21 17:13 | |
| Dibromomethane | ug/L | <0.99 | 5.0 | 10/12/21 17:13 | |
| Dichlorodifluoromethane | ug/L | <0.46 | 5.0 | 10/12/21 17:13 | |
| Diisopropyl ether | ug/L | <1.1 | 5.0 | 10/12/21 17:13 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40234679

METHOD BLANK: 2297053

Matrix: Water

Associated Lab Samples: 40234679001, 40234679002, 40234679003, 40234679004, 40234679005

| Parameter | Units | Blank Result | Reporting Limit | Analyzed | Qualifiers |
|----------------------------|-------|--------------|-----------------|----------------|------------|
| Ethylbenzene | ug/L | <0.33 | 1.0 | 10/12/21 17:13 | |
| Hexachloro-1,3-butadiene | ug/L | <2.7 | 5.0 | 10/12/21 17:13 | |
| Isopropylbenzene (Cumene) | ug/L | <1.0 | 5.0 | 10/12/21 17:13 | |
| Methyl-tert-butyl ether | ug/L | <1.1 | 5.0 | 10/12/21 17:13 | |
| Methylene Chloride | ug/L | <0.32 | 5.0 | 10/12/21 17:13 | |
| n-Butylbenzene | ug/L | <0.86 | 1.0 | 10/12/21 17:13 | |
| n-Propylbenzene | ug/L | <0.35 | 1.0 | 10/12/21 17:13 | |
| Naphthalene | ug/L | <1.1 | 5.0 | 10/12/21 17:13 | |
| p-Isopropyltoluene | ug/L | <1.0 | 5.0 | 10/12/21 17:13 | |
| sec-Butylbenzene | ug/L | <0.42 | 1.0 | 10/12/21 17:13 | |
| Styrene | ug/L | <0.36 | 1.0 | 10/12/21 17:13 | |
| tert-Butylbenzene | ug/L | <0.59 | 1.0 | 10/12/21 17:13 | |
| Tetrachloroethene | ug/L | <0.41 | 1.0 | 10/12/21 17:13 | |
| Toluene | ug/L | <0.29 | 1.0 | 10/12/21 17:13 | |
| trans-1,2-Dichloroethene | ug/L | <0.53 | 1.0 | 10/12/21 17:13 | |
| trans-1,3-Dichloropropene | ug/L | <3.5 | 5.0 | 10/12/21 17:13 | |
| Trichloroethene | ug/L | <0.32 | 1.0 | 10/12/21 17:13 | |
| Trichlorofluoromethane | ug/L | <0.42 | 1.0 | 10/12/21 17:13 | |
| Vinyl chloride | ug/L | <0.17 | 1.0 | 10/12/21 17:13 | |
| Xylene (Total) | ug/L | <1.0 | 3.0 | 10/12/21 17:13 | |
| 1,2-Dichlorobenzene-d4 (S) | % | 105 | 70-130 | 10/12/21 17:13 | |
| 4-Bromofluorobenzene (S) | % | 101 | 70-130 | 10/12/21 17:13 | |
| Toluene-d8 (S) | % | 100 | 70-130 | 10/12/21 17:13 | |

LABORATORY CONTROL SAMPLE: 2297054

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|-----------------------------|-------|-------------|------------|-----------|--------------|------------|
| 1,1,1-Trichloroethane | ug/L | 50 | 53.0 | 106 | 70-130 | |
| 1,1,2,2-Tetrachloroethane | ug/L | 50 | 49.2 | 98 | 66-130 | |
| 1,1,2-Trichloroethane | ug/L | 50 | 52.8 | 106 | 70-130 | |
| 1,1-Dichloroethane | ug/L | 50 | 52.9 | 106 | 68-132 | |
| 1,1-Dichloroethene | ug/L | 50 | 50.5 | 101 | 85-126 | |
| 1,2,4-Trichlorobenzene | ug/L | 50 | 44.4 | 89 | 70-130 | |
| 1,2-Dibromo-3-chloropropane | ug/L | 50 | 43.2 | 86 | 51-126 | |
| 1,2-Dibromoethane (EDB) | ug/L | 50 | 49.2 | 98 | 70-130 | |
| 1,2-Dichlorobenzene | ug/L | 50 | 50.1 | 100 | 70-130 | |
| 1,2-Dichloroethane | ug/L | 50 | 49.9 | 100 | 70-130 | |
| 1,2-Dichloropropane | ug/L | 50 | 50.7 | 101 | 78-125 | |
| 1,3-Dichlorobenzene | ug/L | 50 | 48.1 | 96 | 70-130 | |
| 1,4-Dichlorobenzene | ug/L | 50 | 49.6 | 99 | 70-130 | |
| Benzene | ug/L | 50 | 52.2 | 104 | 70-132 | |
| Bromodichloromethane | ug/L | 50 | 50.1 | 100 | 70-130 | |
| Bromoform | ug/L | 50 | 48.8 | 98 | 65-130 | |
| Bromomethane | ug/L | 50 | 36.0 | 72 | 44-128 | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40234679

LABORATORY CONTROL SAMPLE: 2297054

| Parameter | Units | Spike Conc. | LCS Result | LCS % Rec | % Rec Limits | Qualifiers |
|----------------------------|-------|-------------|------------|-----------|--------------|------------|
| Carbon tetrachloride | ug/L | 50 | 56.2 | 112 | 70-130 | |
| Chlorobenzene | ug/L | 50 | 51.3 | 103 | 70-130 | |
| Chloroethane | ug/L | 50 | 51.2 | 102 | 73-137 | |
| Chloroform | ug/L | 50 | 52.6 | 105 | 80-122 | |
| Chloromethane | ug/L | 50 | 41.2 | 82 | 27-148 | |
| cis-1,2-Dichloroethene | ug/L | 50 | 49.4 | 99 | 70-130 | |
| cis-1,3-Dichloropropene | ug/L | 50 | 48.7 | 97 | 70-130 | |
| Dibromochloromethane | ug/L | 50 | 49.3 | 99 | 70-130 | |
| Dichlorodifluoromethane | ug/L | 50 | 30.1 | 60 | 22-151 | |
| Ethylbenzene | ug/L | 50 | 53.5 | 107 | 80-123 | |
| Isopropylbenzene (Cumene) | ug/L | 50 | 55.7 | 111 | 70-130 | |
| Methyl-tert-butyl ether | ug/L | 50 | 47.3 | 95 | 66-130 | |
| Methylene Chloride | ug/L | 50 | 49.6 | 99 | 70-130 | |
| Styrene | ug/L | 50 | 55.7 | 111 | 70-130 | |
| Tetrachloroethene | ug/L | 50 | 49.2 | 98 | 70-130 | |
| Toluene | ug/L | 50 | 51.7 | 103 | 80-121 | |
| trans-1,2-Dichloroethene | ug/L | 50 | 51.6 | 103 | 70-130 | |
| trans-1,3-Dichloropropene | ug/L | 50 | 48.6 | 97 | 58-125 | |
| Trichloroethene | ug/L | 50 | 51.2 | 102 | 70-130 | |
| Trichlorofluoromethane | ug/L | 50 | 47.4 | 95 | 84-148 | |
| Vinyl chloride | ug/L | 50 | 48.1 | 96 | 63-142 | |
| Xylene (Total) | ug/L | 150 | 160 | 107 | 70-130 | |
| 1,2-Dichlorobenzene-d4 (S) | % | | | 99 | 70-130 | |
| 4-Bromofluorobenzene (S) | % | | | 102 | 70-130 | |
| Toluene-d8 (S) | % | | | 101 | 70-130 | |

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2298102 2298103

| Parameter | Units | MS | | MSD | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | RPD | Max RPD | Qual |
|-----------------------------|-------|--------------------|-------------|-------------|--------|-----------|------------|----------|-----------|--------------|-----|---------|------|
| | | 40234619001 Result | Spike Conc. | Spike Conc. | Result | | | | | | | | |
| 1,1,1-Trichloroethane | ug/L | <0.30 | 50 | 50 | 56.8 | 57.6 | 114 | 115 | 70-130 | 1 | 20 | | |
| 1,1,2,2-Tetrachloroethane | ug/L | <0.38 | 50 | 50 | 54.5 | 55.3 | 109 | 111 | 66-130 | 1 | 20 | | |
| 1,1,2-Trichloroethane | ug/L | <0.34 | 50 | 50 | 56.7 | 56.9 | 113 | 114 | 70-130 | 0 | 20 | | |
| 1,1-Dichloroethane | ug/L | <0.30 | 50 | 50 | 56.9 | 57.8 | 114 | 116 | 68-132 | 2 | 20 | | |
| 1,1-Dichloroethene | ug/L | <0.58 | 50 | 50 | 54.9 | 55.1 | 110 | 110 | 76-132 | 0 | 20 | | |
| 1,2,4-Trichlorobenzene | ug/L | <0.95 | 50 | 50 | 45.7 | 47.9 | 91 | 96 | 70-130 | 5 | 20 | | |
| 1,2-Dibromo-3-chloropropane | ug/L | <2.4 | 50 | 50 | 49.3 | 49.2 | 99 | 98 | 51-126 | 0 | 20 | | |
| 1,2-Dibromoethane (EDB) | ug/L | <0.31 | 50 | 50 | 54.7 | 55.1 | 109 | 110 | 70-130 | 1 | 20 | | |
| 1,2-Dichlorobenzene | ug/L | <0.33 | 50 | 50 | 53.6 | 54.6 | 107 | 109 | 70-130 | 2 | 20 | | |
| 1,2-Dichloroethane | ug/L | <0.29 | 50 | 50 | 53.8 | 55.3 | 108 | 111 | 70-130 | 3 | 20 | | |
| 1,2-Dichloropropane | ug/L | <0.45 | 50 | 50 | 56.3 | 57.1 | 113 | 114 | 77-125 | 1 | 20 | | |
| 1,3-Dichlorobenzene | ug/L | <0.35 | 50 | 50 | 50.9 | 52.3 | 102 | 105 | 70-130 | 3 | 20 | | |
| 1,4-Dichlorobenzene | ug/L | <0.89 | 50 | 50 | 52.5 | 54.1 | 105 | 108 | 70-130 | 3 | 20 | | |
| Benzene | ug/L | <0.30 | 50 | 50 | 56.6 | 57.4 | 113 | 115 | 70-132 | 1 | 20 | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN-RITE
Pace Project No.: 40234679

| Parameter | Units | MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2298102 | | 2298103 | | MS Result | MSD Result | MS % Rec | MSD % Rec | % Rec Limits | Max RPD | Qual |
|------------------------------|-------|--|----------------------|-----------------------|--------------|--------------|---------------|-------------|--------------|-----------------|------------|------|
| | | 40234619001 Result | MS Spike Conc. | MSD Spike Conc. | MS Result | | | | | | | |
| Bromodichloromethane | ug/L | <0.42 | 50 | 50 | 53.3 | 54.0 | 107 | 108 | 70-130 | 1 | 20 | |
| Bromoform | ug/L | <3.8 | 50 | 50 | 54.1 | 54.2 | 108 | 108 | 65-130 | 0 | 20 | |
| Bromomethane | ug/L | <1.2 | 50 | 50 | 46.0 | 48.1 | 92 | 96 | 44-128 | 5 | 21 | |
| Carbon tetrachloride | ug/L | <0.37 | 50 | 50 | 59.3 | 60.7 | 119 | 121 | 70-132 | 2 | 20 | |
| Chlorobenzene | ug/L | <0.86 | 50 | 50 | 55.5 | 55.8 | 111 | 112 | 70-130 | 1 | 20 | |
| Chloroethane | ug/L | <1.4 | 50 | 50 | 57.0 | 57.6 | 114 | 115 | 70-137 | 1 | 20 | |
| Chloroform | ug/L | <1.2 | 50 | 50 | 56.3 | 57.4 | 113 | 115 | 80-122 | 2 | 20 | |
| Chloromethane | ug/L | <1.6 | 50 | 50 | 50.8 | 51.6 | 102 | 103 | 17-149 | 2 | 20 | |
| cis-1,2-Dichloroethene | ug/L | <0.47 | 50 | 50 | 52.7 | 53.6 | 105 | 107 | 70-130 | 2 | 20 | |
| cis-1,3-Dichloropropene | ug/L | <0.36 | 50 | 50 | 51.8 | 53.2 | 104 | 106 | 70-130 | 3 | 20 | |
| Dibromochloromethane | ug/L | <2.6 | 50 | 50 | 54.4 | 54.8 | 109 | 110 | 70-130 | 1 | 20 | |
| Dichlorodifluoromethane | ug/L | <0.46 | 50 | 50 | 36.6 | 37.8 | 73 | 76 | 22-158 | 3 | 20 | |
| Ethylbenzene | ug/L | <0.33 | 50 | 50 | 58.1 | 59.0 | 116 | 118 | 80-123 | 2 | 20 | |
| Isopropylbenzene (Cumene) | ug/L | <1.0 | 50 | 50 | 59.1 | 59.9 | 118 | 120 | 70-130 | 1 | 20 | |
| Methyl-tert-butyl ether | ug/L | <1.1 | 50 | 50 | 53.5 | 54.1 | 107 | 108 | 66-130 | 1 | 20 | |
| Methylene Chloride | ug/L | <0.32 | 50 | 50 | 53.5 | 53.9 | 107 | 108 | 70-130 | 1 | 20 | |
| Styrene | ug/L | <0.36 | 50 | 50 | 60.2 | 60.3 | 120 | 121 | 70-130 | 0 | 20 | |
| Tetrachloroethene | ug/L | <0.41 | 50 | 50 | 51.4 | 51.9 | 103 | 104 | 70-130 | 1 | 20 | |
| Toluene | ug/L | <0.29 | 50 | 50 | 56.0 | 56.7 | 112 | 113 | 80-121 | 1 | 20 | |
| trans-1,2-Dichloroethene | ug/L | <0.53 | 50 | 50 | 54.7 | 56.0 | 109 | 112 | 70-134 | 2 | 20 | |
| trans-1,3-Dichloropropene | ug/L | <3.5 | 50 | 50 | 52.6 | 53.8 | 105 | 108 | 58-130 | 2 | 20 | |
| Trichloroethene | ug/L | <0.32 | 50 | 50 | 55.1 | 56.2 | 110 | 112 | 70-130 | 2 | 20 | |
| Trichlorofluoromethane | ug/L | <0.42 | 50 | 50 | 54.9 | 52.4 | 110 | 105 | 82-151 | 5 | 20 | |
| Vinyl chloride | ug/L | <0.17 | 50 | 50 | 56.0 | 56.8 | 112 | 114 | 61-143 | 1 | 20 | |
| Xylene (Total) | ug/L | <1.0 | 150 | 150 | 170 | 172 | 114 | 115 | 70-130 | 1 | 20 | |
| 1,2-Dichlorobenzene-d4 (S) | % | | | | | | 100 | 99 | 70-130 | | | |
| 4-Bromofluorobenzene (S) | % | | | | | | 102 | 104 | 70-130 | | | |
| Toluene-d8 (S) | % | | | | | | 101 | 101 | 70-130 | | | |

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: DUN-RITE

Pace Project No.: 40234679

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUN-RITE

Pace Project No.: 40234679

| Lab ID | Sample ID | QC Batch Method | QC Batch | Analytical Method | Analytical Batch |
|-------------|------------|-----------------|----------|-------------------|------------------|
| 40234679001 | GP-11 | EPA 8260 | 397921 | | |
| 40234679002 | GP-12 | EPA 8260 | 397921 | | |
| 40234679003 | MWG-1 | EPA 8260 | 397921 | | |
| 40234679004 | DUP | EPA 8260 | 397921 | | |
| 40234679005 | TRIP BLANK | EPA 8260 | 397921 | | |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: ~~Don-Rite~~ Sand County Environmental
 Branch/Location: Amherst, WI
 Project Contact: Pete Arntsen
 Phone: 715-824-5169
 Project Number:
 Project Name: Don-Rite
 Project State: WI
 Sampled By (Print): L. Smith
 Sampled By (Sign): [Signature]
 PO #:
 Regulatory Program:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 1

40234679

CHAIN OF CUSTODY

*Preservation Codes
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

| Y/N | Pick Letter | Analyses Requested | | | | | | | | | | | | | | | | | | |
|-----|-------------|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| N | B | NOC | | | | | | | | | | | | | | | | | | |

Quote #:
 Mail To Contact: Pete Arntsen
 Mail To Company: Sand County Environmental
 Mail To Address: pete.arntsen@sandcountyeenvi.com
 Invoice To Contact: Same as above
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

Data Package Options (billable)
 EPA Level III
 EPA Level IV
 MS/MSD
 On your sample (billable)
 NOT needed on your sample
 Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

| PACE LAB # | CLIENT FIELD ID | COLLECTION | | MATRIX | Y/N | Pick Letter | Analyses Requested |
|------------|-----------------|------------|-------|--------|-----|-------------|--------------------|
| | | DATE | TIME | | | | |
| 001 | GP-11 | 10/4/21 | 13:45 | GW | X | | |
| 002 | GP-12 | 10/4/21 | 14:20 | | X | | |
| 003 | mwb-1 | 10/4/21 | 15:05 | | X | | |
| 004 | OUP | 10/4/21 | 14:20 | | X | | |
| 005 | trip blank | | | | | | |

| | | | |
|--|--|--|--|
| Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed: | Relinquished By: [Signature] Date/Time: 10/6/21 9:00 | Received By: Date/Time: | PACE Project No. 40234679 Receipt Temp = 5 °C Sample Receipt pH OK / Adjusted Cooler Custody Seal Present / Not Present Intact / Not Intact |
| Transmit Prelim Rush Results by (complete what you want): | Relinquished By: Walco Date/Time: 10/7/21 0850 | Received By: Will Corriveau Pace Date/Time: 10/7/21 0850 | |
| Email #1: | Relinquished By: Date/Time: | Received By: Date/Time: | |
| Email #2: | Relinquished By: Date/Time: | Received By: Date/Time: | |
| Telephone: | Relinquished By: Date/Time: | Received By: Date/Time: | |
| Fax: | Relinquished By: Date/Time: | Received By: Date/Time: | |
| Samples on HOLD are subject to special pricing and release of liability | Relinquished By: Date/Time: | Received By: Date/Time: | |

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Sand County Env.

Project # 40234679

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:


Lab Std #ID of preservation (if pH adjusted):

| Pace Lab # | Glass | | | | | | | Plastic | | | | | Vials | | | | Jars | | | | General | | | VOA Vials (>6mm) * | H2SO4 pH ≤2 | NaOH+Zn Act pH ≥9 | NaOH pH ≥12 | HNO3 pH ≤2 | pH after adjusted | Volume (mL) | | | |
|------------|-------|------|------|------|------|------|------|---------|------|------|------|------|-------|------|------|------|------|------|------|------|---------|------|------|--------------------|-------------|-------------------|-------------|------------|-------------------|-------------|------|------|--------------|
| | AG1U | BG1U | AG1H | AG4S | AG4U | AG5U | AG2S | BG3U | BP1U | BP3U | BP3B | BP3N | BP3S | VG9A | DG9T | VG9U | VG9H | VG9M | VG9D | JGFU | JG9U | WGFU | WPFU | | | | | | | | SP5T | ZPLC | GN |
| 001 | | | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 002 | | | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 003 | | | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 004 | | | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 005 | | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 007 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 011 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 012 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 013 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 014 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 016 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 017 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 018 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 019 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |
| 020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2.5 / 5 / 10 |

WC
10/7/21

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

| | | | |
|--------------------------------|-----------------------------|------------------------------|------------------------------------|
| AG1U 1 liter amber glass | BP1U 1 liter plastic unpres | VG9A 40 mL clear ascorbic | JGFU 4 oz amber jar unpres |
| BG1U 1 liter clear glass | BP3U 250 mL plastic unpres | DG9T 40 mL amber Na Thio | JG9U 9 oz amber jar unpres |
| AG1H 1 liter amber glass HCL | BP3B 250 mL plastic NaOH | VG9U 40 mL clear vial unpres | WGFU 4 oz clear jar unpres |
| AG4S 125 mL amber glass H2SO4 | BP3N 250 mL plastic HNO3 | VG9H 40 mL clear vial HCL | WPFU 4 oz plastic jar unpres |
| AG4U 120 mL amber glass unpres | BP3S 250 mL plastic H2SO4 | VG9M 40 mL clear vial MeOH | SP5T 120 mL plastic Na Thiosulfate |
| AG5U 100 mL amber glass unpres | | VG9D 40 mL clear vial DI | ZPLC ziploc bag |
| AG2S 500 mL amber glass H2SO4 | | | GN |
| BG3U 250 mL clear glass unpres | | | |

| | | |
|---|---|--|
|  1241 Bellevue Street, Green Bay, WI 54302 | Document Name: Sample Condition Upon Receipt (SCUR) | Document Revised: 26Mar2020 |
| | Document No.: ENV-FRM-GBAY-0014-Rev.00 | Author: Pace Green Bay Quality Office |

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Sand City Env.
 Courier: CS Logistics Fed Ex Speedee UPS Walco
 Client Pace Other: _____

WO# : 40234679



40234679

Tracking #: 2989591-2
 Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
 Custody Seal on Samples Present: yes no Seals intact: yes no
 Packing Material: Bubble Wrap Bubble Bags None Other
 Thermometer Used SR - III Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
 Cooler Temperature Uncorr: 5 /Corr: 5

Temp Blank Present: yes no Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Person examining contents:
 Date: 10/7/21 /Initials: WC
 Labeled By Initials: SRK

| | | |
|---|--|---|
| Chain of Custody Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 1. |
| Chain of Custody Filled Out: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 2. <u>missing project #</u> <u>WC 10/7/21</u> |
| Chain of Custody Relinquished: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 3. |
| Sampler Name & Signature on COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 4. |
| Samples Arrived within Hold Time: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 5. |
| - VOA Samples frozen upon receipt | <input type="checkbox"/> Yes <input type="checkbox"/> No | Date/Time: |
| Short Hold Time Analysis (<72hr): | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 6. |
| Rush Turn Around Time Requested: | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 7. |
| Sufficient Volume: | | 8. |
| For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | |
| Correct Containers Used: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 9. |
| -Pace Containers Used: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| -Pace IR Containers Used: | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Containers Intact: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | 10. |
| Filtered volume received for Dissolved tests | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | 11. |
| Sample Labels match COC: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 12. |
| -Includes date/time/ID/Analysis Matrix: <u>GW</u> | | |
| Trip Blank Present: | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | 13. |
| Trip Blank Custody Seals Present | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Pace Trip Blank Lot # (if purchased): <u>471</u> | <u>10/7/21</u> <u>SRK</u> | |

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir