



August 9, 2022

Mr. Matt Thompson, Project Manager
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Spring 2022 Groundwater and Vapor Results

Dear Mr. Thompson:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site during spring 2022. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on **Figure 1**.

Work Performed

Sub-slab and ambient air samples were collected on May 12, 2022, from the Dun-Rite building and the former Guzman office building, currently owned by Merge Urban Development. The residential structure that was sampled previously was razed and the property leveled in fall 2021, thus samples are no longer collected from that property.

Groundwater samples were collected on May 18, 2022, from monitoring wells south of the Dun-Rite building, including GP-11, GP-12, and MWG-1.

A 55-gallon drum of purge water was picked up by Covanta and subsequently disposed. Documentation of the disposal is enclosed as **Attachment A**.

Results

Vapor

Vapor sample results are summarized on **Tables 1a, 1b, and 1c**; sample locations and PCE and TCE results are shown on **Figure 2**. The **laboratory report** is enclosed.

Ambient air samples from inside the former Guzman building were below Residential Action Levels for PCE and TCE (Action Levels are 42 $\mu\text{g}/\text{m}^3$ and 2.1 $\mu\text{g}/\text{m}^3$, respectively). The Outdoor ambient air sample

was collected from outside the north side of the Dun-Rite building and had a PCE concentration slightly above the method detection limit of $0.47 \mu\text{g}/\text{m}^3$.

The sub-slab sample collected from SSV405, located beneath the southwest office (former Attorney) in the former Guzman building, had a PCE concentration of $11,200 \mu\text{g}/\text{m}^3$, which is above its Non-Residential Sub-Slab Vapor Screening Level of $6,000 \mu\text{g}/\text{m}^3$. The SSV405 TCE concentration was $172 \mu\text{g}/\text{m}^3$, which is above its Residential Sub-Slab Vapor Screening Level of $70 \mu\text{g}/\text{m}^3$. The sub-slab sample collected from SSV406, located beneath the northwest office (former Wildcard), had a PCE concentration of $3,200 \mu\text{g}/\text{m}^3$, which is above its Residential Sub-Slab Vapor Screening Level of $1,400 \mu\text{g}/\text{m}^3$. The SSV406 TCE concentration was $3.8 \mu\text{g}/\text{m}^3$.

The two samples collected from beneath the Dun-Rite building each had PCE and TCE concentrations below their respective Residential Sub-Slab Vapor Screening Levels. The PCE concentrations for SSV101 and SSV203 were $314 \mu\text{g}/\text{m}^3$ and $16.5 \mu\text{g}/\text{m}^3$, respectively; the TCE concentrations were near or below method detection limits.

The Blower Exhaust sample had a PCE concentration of $361 \mu\text{g}/\text{m}^3$ and a TCE concentration below the method detection limit.

Groundwater Quality

Groundwater sample results are summarized on **Table 2**; sample locations are shown on **Figure 3**. Historic PCE results are displayed graphically on **Chart 1**. The **laboratory report** is enclosed.

Two of the monitoring wells, GP-12 and MWG-1, had concentrations of PCE ($890 \mu\text{g}/\text{l}$ and $3,490 \mu\text{g}/\text{l}$, respectively) above its Enforcement Standard (ES) of $5.0 \mu\text{g}/\text{l}$. The TCE concentrations ($3.4 \mu\text{g}/\text{l}$ and $4.0 \mu\text{g}/\text{l}$, respectively) were above PAL ($0.5 \mu\text{g}/\text{l}$). The PCE and TCE concentrations at GP-11 were $3.3 \mu\text{g}/\text{l}$ and $<0.32 \mu\text{g}/\text{l}$, respectively.

Groundwater Flow

Groundwater elevation data are included on **Table 2**. The elevations are generally within 0.1 feet of each other, which is a reflection of the close proximity of the wells, the sandy aquifer, and the flat hydraulic gradient created by the nearby impoundment of the Wisconsin River. GP-10 typically has the highest elevation, with MWG-1 generally somewhat lower. GP-11 and GP-12 often have similar, lower elevations. These data suggest a groundwater flow direction to the southeast.

Evaluation

The relatively low PCE/TCE concentrations detected in the sub-slab samples collected beneath the Dun-Rite building over the past 2 years reflect the mitigating effects of the soil vapor extraction system (SVES). This interpretation is supported by the low PCE/TCE concentrations detected in groundwater samples collected from GP-11.

The persistence of relatively high sub-slab vapor concentrations beneath the former Guzman building suggests a residual source of PCE/TCE located beyond the effective area of influence of the SVES. The relatively high PCE/TCE concentrations in groundwater samples from MWG-1 and GP-12 also suggest impacts from a residual source.

The alternating high-low concentrations observed at GP-11 and GP-12 over much of the sampling history suggest that the residual source is rather small. The southeasterly inferred groundwater flow direction suggest that the residual source is west of the Dun-Rite building.

During the most recent two groundwater sampling events (October 2021 and May 2022), PCE concentrations in GP-12 and MWG-1 were notably higher than historic concentrations. The increase may be related to changes in groundwater recharge or flow patterns caused by the construction activities at the former Lullabye property, much of which occurred in 2021 and 2022.

Because the source of PCE was removed (i.e., PCE hasn't been used at the site since before 2015), and because residual PCE is decreasing, it is anticipated that PCE concentrations in the soil, soil vapor, ambient air, and groundwater will decrease over time due to active remediation and natural attenuation.


Recommendations

The blower system in the Dun-Rite building, which is now unoccupied, should continue to run for 8 hours per day.

Subsurface concentrations of PCE and TCE will continue to be monitored semiannually, unless changed circumstances warrant a different schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in fall 2022. Soil vapor samples will be collected from beneath the Dun-Rite building and former Guzman building, and indoor ambient air samples will be collected from within the former Guzman building. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the Site in general, please contact me at 715.824.5969 or pete.arntsen@sandcountyenv.com.

Sincerely,
SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist

Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Chart 1
Attachment A
Laboratory Reports

cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
Wisconsin Department of Natural Resource RR Submittal Portal

Figures


- Figure 1 General Site Location**
- Figure 2 Vapor Sample Locations and PCE Results May 2022**
- Figure 3 Groundwater Sample Locations and Results May 2022**



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY




GENERAL SITE LOCATION

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE: NOVEMBER 2020 DRAWN BY: ASR

SCALE: 1"=2000' APPROVED: PDA

FIGURE 1





**AS-BUILT
SVE SYSTEM LAYOUT**
N.T.S.

LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊕ STORM SEWER MANHOLE
- ▨ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) MAY 12, 2022
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) MAY 12, 2022
- 213 BLOWER OUTLET PCE CONCENTRATIONS ($\mu\text{g}/\text{m}^3$) MAY 12, 2022
- J ANALYTE WAS DETECTED BUT IS BELOW THE REPORTING LIMIT. THE CONCENTRATION IS ESTIMATED.

NOTES

EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO




**VAPOR SAMPLE LOCATIONS
AND PCE RESULTS
MAY 2022**

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE:	JUNE 2022	DRAWN BY:	NRG
SCALE:	1"=40'	APPROVED BY:	PDA
FIGURE 2			




**GROUNDWATER
SAMPLE
LOCATIONS AND
RESULTS
MAY 2022**



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN

DATE:	JUNE 2022
SCALE:	1" = 30'
DRAWN BY:	NRG
APPROVED :	PA

FIGURE 4



Tables

Table 1	Vapor Sample Results
	Table 1a Vapor Chemistry Results – Ambient Air
	Table 1b Vapor Chemistry Results – Sub-Slab Vapor
	Table 1c Vapor Chemistry Results – SVE System Discharge
Table 2	Groundwater Chemistry Results

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Indoor Air Vapor Action Levels¹				
	Non-Residential		180	8.8
	Residential		42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
		10/22/2020	<0.46	<0.24
		5/12/2022	0.86 J	<0.32
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
		6/7/2019	<0.45	<0.37
		9/23/2019	<0.49	<0.39
		5/14/2020	0.52 J	<0.32
		10/22/2020	<0.49	<0.25
4/22/2021	<0.41	<0.28		
		9/29/2021	Structure Razed	
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
4/22/2021	<0.44	<0.29		
		9/29/2021	<0.48	<0.32

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)					
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	
Indoor Air Vapor Action Levels¹					
Non-Residential			180	8.8	
Residential			42	2.1	
AA406	United Way	9/19/2014	2.1	1.3	
		2/27/2015	74	3.0	
		9/4/2015	4.7	2.0	
		2/16/2016	7.6	5.0	
		10/5/2016	44	5.8	
		6/16/2017	4.0	1.5	
		11/16/2017	8.2	6.2	
		5/18/2018	5.1	2.1	
		11/2/2018	4.8	<0.47	
		6/7/2019	4.0	1.8	
		9/23/2019	4.0	1.5	
		5/7/2020	3.6	1.7	
		Lobby	10/22/2020	11.8	5.1
		Lobby	4/22/2021	7.5	2.6
		Lobby	9/29/2021	6.1	4.8
		Lobby	5/12/2022	3.3	1.9
AA407	Wildcard	9/19/2014	4.0	<1.2	
		2/27/2015	83	1.5	
		9/4/2015	10	1.1	
		2/16/2016	11	4.4	
		10/5/2016	12	3.0	
		6/16/2017	3.0	0.45 J	
		11/16/2017	7.6	5.0	
		5/18/2018	6.8	1.3	
		11/12/2108	3.5	<0.47	
		6/7/2019	2.5	<0.36	
		9/23/2019	10.9	1.3	
		5/7/2020	6.3	0.94	
		10/22/2020	14.5	0.80 J	
		4/22/2021	12.2	1.9	
		9/29/2021	3.7	0.56 J	
		5/12/2022	3.0	0.77 J	
AA408	Attorney	9/19/2014	9.9	1.5	
		2/23/2015	22	2.1	
		9/4/2015	7.0	0.8	
		2/16/2016	3.3	3.5	
		10/5/2016	12	2.9	
		6/16/2017	2.9	<0.38	
		11/16/2017	22.4	118*	
		5/18/2018	12.2	3.4	
		11/2/2018	327^R	1.2	
		12/5/2018	5.6	<0.39	
		6/7/2019	21.3	0.54 J	
		9/23/2019	8.5	2.2	
		5/7/2020	6.0	0.95	
		10/22/2020	23.9	0.53 J	
		4/22/2021	13.3	1.8	
9/29/2021	3.8	0.42 J			
		5/12/2022	8.4	1.1	

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)					
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	
Sub-Slab Vapor Screening Levels²					
		Non-Residential	6,000	290	
		Residential	1,400	70	
SSV101	Dun-Rite	4/8/2014	2,550,000	527	
		9/4/2015	141,000	1780	
		2/16/2016	5,030	28	
		10/5/2016	5,480	33	
		6/16/2017	1,030	9.0	
		11/16/2017	452	3.2	
		5/18/2018	2,460	13.6	
		11/2/2018	266	1.2	
		6/7/2019	3,570	13.6	
		9/23/2019	1,430	<10.9	
		5/7/2020	253	0.51 J	
		10/22/2020	382	0.99	
		4/22/2021	326	0.68 J	
		9/29/2021	3,790	7.0	
		5/12/2022	314	0.66 J	
SSV202	Dun-Rite	5/29/2014	1,700	113	
		9/4/2015	2,280	145	
		2/16/2016	275	7.1	
SSV203	Dun-Rite	5/29/2014	27,600	<20	
		11/4/2015	288	12	
		10/5/2016	5,710	4.2	
		6/16/2017	4,190	20	
		11/16/2017	6,650	30.9	
		5/18/2018	2,390	1.3	
		11/9/2018	5.0	<0.37	
		6/7/2019	2,180	2.0	
		9/23/2019	2,930	<11.3	
		5/7/2020	8.6	<0.31	
		10/22/2020	106	<0.29	
		4/22/2021	27.4	<0.28	
		9/29/2021	14.0	<0.34	
				5/12/2022	16.5
SSV304	Residence	7/18/2014	13	<1.2	
		3/2/2015	11	<0.31	
		9/4/2015	137	21	
		11/9/2015	319	14	
		2/16/2016	105	5.7	
		10/5/2016	52	2.2	
		6/20/2017	133	0.92 J	
		11/16/2017	15.6	0.57 J	
		5/18/2018	1,380	6.2	
		11/2/2018	14.6	<0.37	
		6/7/2019	20.1	<0.37	
		9/23/2019	3,570	18.5	
		5/18/2020	86.6	<0.31	
		10/22/2020	40.0	<0.30	
		4/22/2021	15.2	<0.27	
		9/29/2021	Structure Razed		

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels²				
	Non-Residential		6,000	290
	Residential		1,400	70
SSV405	Attorney	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
		9/23/2019	28,800	152
		5/7/2020	15,700	134
		10/22/2020	26,500	118
		4/22/2021	38,600	356 J
		9/29/2021	6,790	91.2
		5/12/2022	11,200	172
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1
		9/23/2019	19,300	<6.8
		5/7/2020	4,630	4.7
		10/22/2020	10,900	7.6
		4/22/2021	12,700	10
9/29/2021	11,900	19.7		
5/12/2022	3,200	3.8		

Table 1c
Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Blower Exhaust	SVE	6/7/2019	328	0.90
Blower Exhaust	SVE	9/23/2019	651	0.55J
Blower Exhaust	SVE	5/7/2020	232	<0.32
Blower Sta.	SVE	10/22/2020	3,060	3.6
Blower Sta.	SVE	4/22/2021	214	<0.25
Blower Exhaust	SVE	9/29/2021	326	0.63 J
Blower Exhaust	SVE	5/12/2022	361	<0.30
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J

Notes

- $\mu\text{g}/\text{m}^3$ micrograms per cubic meter
- <0.076 substance not detected above indicated detection limit
- 6,000** **Bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions
- 1,400 Vapor Screening Level for Residential Conditions
- * Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample"
- J Analyte was detected but is below the reporting limit; the concentration is estimated
- R Result uncharacteristically high, thus location resampled
- Highlighting indicates most recent results

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for**

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3)

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Groundwater

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)	Depth to Water (feet)	Water Elevation (feet MSL)
PAL		0.5	0.5		
ES		5.0	5.0		
GP-9 ^A	7/19/2013	295	7.4	--	--
	10/2/2013	655	12	--	--
	12/13/2013	745	14	--	--
	9/23/2014	279	7.4	--	--
	11/4/2015	223	6.4	7.00	1,078.08
	5/6/2016	322	4.7	6.48	1,078.60
GP-10 ^A	12/13/2013	331	1.9	--	--
	11/4/2015	77	2.7	6.63	1,079.26
	5/6/2016	211	<0.33	6.24	1,079.65
	10/5/2016	344	3.2 J	6.57	1,079.32
	5/7/2020	--	--	6.20	1,079.69
	4/17/2021	--	--	7.35	1,078.54
	5/18/2022	--	--	6.95	1,078.94
GP-11 ^A	12/13/2013	2,570	<18.2	--	--
	11/4/2015	173	<1.3	6.59	1,079.22
	5/6/2016	61.5	<0.33	6.22	1,079.59
	10/5/2016	54.6	0.54 J	6.55	1,079.26
	6/14/2017	614	<1.7	4.75	1,081.06
	11/16/2017	14.3	0.41 J	6.99	1,078.82
	5/18/2018	727	<1.7	8.92	1,076.89
	11/2/2018	17.8	<0.26	6.30	1,079.51
	6/7/2019	614	<1.3	5.91	1,079.90
	9/23/2019	112	0.84 J	6.22	1,079.59
	5/7/2020	243	<1.3 J	6.22	1,079.59
	10/23/2020	18.4	<0.26	7.19	1,078.62
	4/17/2021	8.1	<0.32	7.32	1,078.49
	10/4/2021	3.4	<0.32	6.86	1,078.95
	5/18/2022	3.3	<0.32	6.93	1,078.88
GP-12 ^A	12/13/2013	254	<1.8	--	--
	9/23/2014	487	2.2 J	--	--
	11/4/2015	364	1.8 J	6.5	1,079.20
	5/6/2016	147	0.95 J	6.14	1,079.56
	10/5/2016	780	2.7 J	6.47	1,079.23
	6/14/2017	433	1.7 J	4.61	1,081.09
	11/16/2017	647	3.7 J	6.88	1,078.82
	5/18/2018	176	1.8	8.79	1,076.91
	11/2/2018	462	2.2	6.19	1,079.51
	6/7/2019	142	2.3	5.8	1,079.90
	9/23/2019	829	2.8	6.05	1,079.65
	5/7/2020	105	1.6	6.08	1,079.62
	10/23/2020	239	3.5	7.1	1,078.60
	4/17/2021	119	0.39 J	7.21	1,078.49
	10/4/2021	1,860	5.1	6.76	1,078.94
	5/18/2022	890	3.4	6.84	1,078.86

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)	Depth to Water (feet)	Water Elevation (feet MSL)
PAL		0.5	0.5		
ES		5.0	5.0		
MWG-1	11/4/2015	141	6.9	6.49	1,079.23
	5/6/2016	15.3	1.1	6.15	1,079.57
	10/5/2016	138	5.6	6.45	1,079.27
	6/14/2017	8.2	1.1	4.80	1,080.92
	11/16/2017	127	7.6	6.88	1,078.84
	5/18/2018	12.8	1.0	8.78	1,076.94
	11/2/2018	74.0	6.1	6.19	1,079.53
	6/7/2019	8.2	0.74 J	5.78	1,079.94
	9/23/2019	81.0	13.0	6.04	1,079.68
	5/9/2020	5.4	0.26 J	--	--
	10/23/2020	85.6	14.0	7.08	1,078.64
	4/17/2021	603	<0.32	7.19	1,078.53
	10/4/2021	2,920	5.5	6.75	1,078.97
	5/18/2022	3,490	4.0	6.88	1,078.84


Notes

- 1.2 entive Action Limit
- 5.4 orcement Standard
- <0.45 ited detection limit
- Data unavailable/not collected
- A ducted by AECOM
- J ration is estimated
- feet MSL ove mean sea level
- PAL dministrative Code
- ES dministrative Code

O:\1-Projects\Sentry Ins Dun Rite\Data\[MASTER SCC DunRite Chem Data.xlsx]Groundwater

Chart 1
PCE Concentrations Over Time

Chart 1
PCE Concentrations Over Time
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin



Attachment A

Invoice

Covanta Environmental Solutions - Fox Valley
210 Tower Road
Winneconne WI 54986
United States

Dun-Rite
Disposal of purge water
ok to pay
pda
06/06/2022

Date 5/31/2022
Invoice # CI191961
Terms Net 30
SSM Biggar, Jacob A
Memo

Bill To
PETE ARNTSEN
SAND CREEK CONSULTANTS, INC.
151 MILL ST., PO BOX 218
AMHERST, WI 54406

Generator	Date	Doc #	Description	PO #	Qty	Unit	Price	Amount
INV247023								
Hanson Cleaners 1008 Union St., Stevens Point, WI	5/18/2022		Box Truck - Flat Rate		1	Each	\$450.00	\$450.00
Hanson Cleaners 1008 Union St., Stevens Point, WI	5/18/2022		Fuel Surcharge		92.25	Each	\$1.00	\$92.25
Hanson Cleaners 1008 Union St., Stevens Point, WI	5/18/2022		Steel Drums-DOT approved		2	D-55	\$80.00	\$160.00
Hanson Cleaners 1008 Union St., Stevens Point, WI	5/18/2022		Transfer of waste to TSDF		1	Each	\$250.00	\$250.00
Hanson Cleaners 1008 Union St., Stevens Point, WI	5/18/2022	119517	39144-0001, PCE Impacted Purge Water, 1, D-55	1	1	D-55	\$350.00	\$350.00
	5/18/2022		EIS- Energy, Insurance and Security		1	Each	\$176.66	\$176.66

Total: \$1,478.91

Contact Covanta Environmental Solutions at 800-842-9792 within 10 days of the invoice date for any and all billing discrepancies.

Covanta Environmental Solutions, LLC A nationwide network of Treatment, Recycling, Logistics and Energy-from-Waste resources to help clients reach their sustainability goals and protect tomorrow

Remittance Address
Covanta Environmental Solutions, LLC
29023 Network Place
Chicago, IL 60673-1290

Use following for ACH: JPMORGAN CHASE BANK N.A.
Bank/ABA/Routing # : 071000013, Bank Acct. # : 878356844
Chicago IL
Use following for WIRE:
Bank/ABA/Routing# : 021000021, Bank Acct# : 878356844
New York, NY

Courier Address: JPMorgan Chase
Attn: Covanta Environmental Solutions LLC
29023 131 S. Dearborn, 6th Floor
Chicago, IL 60603

50805

50287179

BILL OF LADING

1. Shipper ID Number
0

2. Page 1 of 1

3. Emergency Response Phone
(800) 814-1204

4. Tracking Number

CES 119517

5. Shipper's Name and Mailing Address

Hanson Cleaners
1008 Union St.
Stevens Point Wisconsin 54481
Shipper's Phone:

Shipper's Site Address (if different than mailing address)

Hanson Cleaners
1008 Union St.
Stevens Point Wisconsin 54481

6. Transporter 1 Company Name

Covanta Environmental Solutions Carriers II, LLC

U.S. EPA ID Number
WVRO001163399

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Consignee Name and Site Address

Drury & Laboratory Hospital, Inc.
391 Broad St.
Plainfield NJ 07030 (800) 685-9824
Facility's Phone:

U.S. EPA ID Number
WVRO001163399

HM

9. Shipping Name and Description

10. Containers

No. Type

11. Total Quantity

12. Unit Wt/Vol.

X UN3082, Environmentally hazardous substance, liquid, n.o.s., (Tetrachloroethylene), 9, III, FRG# 171

001

DF

55

Q

PLACARD?

YES NO

PLACARD?

YES NO

PLACARD?

YES NO

PLACARD?

YES NO

13. Special Handling Instructions and Additional Information

1 39144-0001 PLE impacted Purge Water CWF; IWA POF;

Trailer # _____

Emergency Response Guide On-board

Site arrival time 8:20 AM

Site departure time 5:35 AM

www.covanta.com

14. SHIPPER'S CERTIFICATION: I certify the materials are accurately described.

Shipper's/Officer's Printed/Typed Name

Signature

Month Day Year

16. International Shipments

Import to U.S.

Export from U.S.

Port of entry/exit:

Date leaving U.S.:

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

17b. Alternate Consignee (or Shipper)

Bill of Lading Reference Number:

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Consignee (or Shipper)

Month Day Year

18. Designated Receiving Facility Owner or Operator: Certification of receipt of materials covered by the bill of lading except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

Laboratory Reports

June 10, 2022

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun Rite
Pace Project No.: 10609105

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on May 19, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun Rite

Pace Project No.: 10609105

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

A2LA Certification #: 2926.01*

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification (A2LA) #: R-036

North Dakota Certification (MN) #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #: 74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun Rite
Pace Project No.: 10609105

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10609105001	AA203 Outside Dun Rite	Air	05/12/22 16:36	05/19/22 10:48
10609105002	AA407 Lobby	Air	05/12/22 16:28	05/19/22 10:48
10609105003	AA407 Wild Card	Air	05/12/22 16:25	05/19/22 10:48
10609105004	AA408 Attorney	Air	05/12/22 16:15	05/19/22 10:48
10609105005	SSV101 Dun Rite South	Air	05/12/22 12:38	05/19/22 10:48
10609105006	SSV203 Dun Rite Office	Air	05/12/22 12:54	05/19/22 10:48
10609105007	SSV405 Attorney	Air	05/12/22 14:05	05/19/22 10:48
10609105008	SSV406 Wild Card	Air	05/12/22 14:03	05/19/22 10:48
10609105009	Blower Eff.	Air	05/12/22 13:40	05/19/22 10:48

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: Dun Rite
Pace Project No.: 10609105

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10609105001	AA203 Outside Dun Rite	TO-15	GT	61	PASI-M
10609105002	AA407 Lobby	TO-15	GT	61	PASI-M
10609105003	AA407 Wild Card	TO-15	GT	61	PASI-M
10609105004	AA408 Attorney	TO-15	GT	61	PASI-M
10609105005	SSV101 Dun Rite South	TO-15	GT	61	PASI-M
10609105006	SSV203 Dun Rite Office	TO-15	GT	61	PASI-M
10609105007	SSV405 Attorney	TO-15	GT	61	PASI-M
10609105008	SSV406 Wild Card	TO-15	GT	61	PASI-M
10609105009	Blower Eff.	TO-15	GT	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun Rite
Pace Project No.: 10609105

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10609105001	AA203 Outside Dun Rite					
TO-15	Acetone	20.4	ug/m3	9.7	06/08/22 19:00	
TO-15	2-Butanone (MEK)	4.1J	ug/m3	4.8	06/08/22 19:00	
TO-15	Carbon disulfide	0.92J	ug/m3	1.0	06/08/22 19:00	
TO-15	Chloromethane	1.1	ug/m3	0.68	06/08/22 19:00	
TO-15	Dichlorodifluoromethane	2.6	ug/m3	1.6	06/08/22 19:00	
TO-15	Ethanol	8.3	ug/m3	3.1	06/08/22 19:00	
TO-15	n-Heptane	2.3	ug/m3	1.3	06/08/22 19:00	
TO-15	2-Propanol	2.2J	ug/m3	4.0	06/08/22 19:00	
TO-15	Tetrachloroethene	0.86J	ug/m3	1.1	06/08/22 19:00	
TO-15	Toluene	2.4	ug/m3	1.2	06/08/22 19:00	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	1.8	06/08/22 19:00	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.5	06/08/22 19:00	
10609105002	AA407 Lobby					
TO-15	Acetone	62.9	ug/m3	8.8	06/08/22 20:07	
TO-15	2-Butanone (MEK)	8.5	ug/m3	4.4	06/08/22 20:07	
TO-15	Chloromethane	2.2	ug/m3	0.61	06/08/22 20:07	
TO-15	1,4-Dichlorobenzene	256	ug/m3	44.7	06/09/22 12:26	
TO-15	Dichlorodifluoromethane	14.0	ug/m3	1.5	06/08/22 20:07	
TO-15	Ethanol	1390	ug/m3	28.0	06/09/22 12:26	
TO-15	Naphthalene	4.0	ug/m3	3.9	06/08/22 20:07	
TO-15	2-Propanol	32.5	ug/m3	3.6	06/08/22 20:07	
TO-15	Styrene	1.3	ug/m3	1.3	06/08/22 20:07	
TO-15	Tetrachloroethene	3.3	ug/m3	1.0	06/08/22 20:07	
TO-15	Toluene	2.8	ug/m3	1.1	06/08/22 20:07	
TO-15	Trichloroethene	1.9	ug/m3	0.80	06/08/22 20:07	
TO-15	Trichlorofluoromethane	1.7	ug/m3	1.7	06/08/22 20:07	
TO-15	1,2,4-Trimethylbenzene	1.3J	ug/m3	1.5	06/08/22 20:07	
TO-15	m&p-Xylene	1.9J	ug/m3	2.6	06/08/22 20:07	
TO-15	o-Xylene	0.52J	ug/m3	1.3	06/08/22 20:07	
10609105003	AA407 Wild Card					
TO-15	Acetone	83.8	ug/m3	9.0	06/08/22 21:15	
TO-15	2-Butanone (MEK)	8.3	ug/m3	4.5	06/08/22 21:15	
TO-15	Chloromethane	2.8	ug/m3	0.63	06/08/22 21:15	
TO-15	1,4-Dichlorobenzene	109	ug/m3	4.6	06/08/22 21:15	
TO-15	Dichlorodifluoromethane	18.1	ug/m3	1.5	06/08/22 21:15	
TO-15	Ethanol	908	ug/m3	2.9	06/08/22 21:15	E
TO-15	Naphthalene	3.3J	ug/m3	4.0	06/08/22 21:15	
TO-15	2-Propanol	29.6	ug/m3	3.7	06/08/22 21:15	
TO-15	Tetrachloroethene	3.0	ug/m3	1.0	06/08/22 21:15	
TO-15	Toluene	2.8	ug/m3	1.1	06/08/22 21:15	
TO-15	Trichloroethene	0.77J	ug/m3	0.81	06/08/22 21:15	
TO-15	Trichlorofluoromethane	2.1	ug/m3	1.7	06/08/22 21:15	
TO-15	1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.3	06/08/22 21:15	
TO-15	1,2,4-Trimethylbenzene	1.2J	ug/m3	1.5	06/08/22 21:15	
TO-15	m&p-Xylene	2.2J	ug/m3	2.6	06/08/22 21:15	
TO-15	o-Xylene	0.57J	ug/m3	1.3	06/08/22 21:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun Rite
Pace Project No.: 10609105

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10609105004	AA408 Attorney					
TO-15	Acetone	74.6	ug/m3	8.8	06/08/22 21:49	
TO-15	2-Butanone (MEK)	9.7	ug/m3	4.4	06/08/22 21:49	
TO-15	Carbon disulfide	0.22J	ug/m3	0.92	06/08/22 21:49	
TO-15	Chloromethane	2.7	ug/m3	0.61	06/08/22 21:49	
TO-15	1,4-Dichlorobenzene	87.1	ug/m3	4.5	06/08/22 21:49	
TO-15	Dichlorodifluoromethane	18.3	ug/m3	1.5	06/08/22 21:49	
TO-15	Ethanol	749	ug/m3	2.8	06/08/22 21:49	E
TO-15	Naphthalene	3.3J	ug/m3	3.9	06/08/22 21:49	
TO-15	2-Propanol	24.9	ug/m3	3.6	06/08/22 21:49	
TO-15	Styrene	1.1J	ug/m3	1.3	06/08/22 21:49	
TO-15	Tetrachloroethene	8.4	ug/m3	1.0	06/08/22 21:49	
TO-15	Toluene	2.0	ug/m3	1.1	06/08/22 21:49	
TO-15	Trichloroethene	1.1	ug/m3	0.80	06/08/22 21:49	
TO-15	Trichlorofluoromethane	2.0	ug/m3	1.7	06/08/22 21:49	
TO-15	1,1,2-Trichlorotrifluoroethane	0.52J	ug/m3	2.3	06/08/22 21:49	
TO-15	1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	06/08/22 21:49	
TO-15	m&p-Xylene	1.9J	ug/m3	2.6	06/08/22 21:49	
10609105005	SSV101 Dun Rite South					
TO-15	Acetone	14.5	ug/m3	8.7	06/08/22 22:23	
TO-15	2-Butanone (MEK)	6.4	ug/m3	4.3	06/08/22 22:23	
TO-15	1,4-Dichlorobenzene	3.8J	ug/m3	4.4	06/08/22 22:23	
TO-15	Dichlorodifluoromethane	480	ug/m3	7.3	06/09/22 14:06	
TO-15	Ethanol	21.4	ug/m3	2.8	06/08/22 22:23	
TO-15	Ethylbenzene	2.3	ug/m3	1.3	06/08/22 22:23	
TO-15	4-Ethyltoluene	1.6J	ug/m3	3.6	06/08/22 22:23	
TO-15	Naphthalene	3.4J	ug/m3	3.8	06/08/22 22:23	
TO-15	2-Propanol	5.5	ug/m3	3.6	06/08/22 22:23	
TO-15	Styrene	8.3	ug/m3	1.2	06/08/22 22:23	
TO-15	Tetrachloroethene	314	ug/m3	5.0	06/09/22 14:06	
TO-15	Toluene	78.8	ug/m3	1.1	06/08/22 22:23	
TO-15	Trichloroethene	0.66J	ug/m3	0.79	06/08/22 22:23	
TO-15	Trichlorofluoromethane	2.2	ug/m3	1.6	06/08/22 22:23	
TO-15	1,1,2-Trichlorotrifluoroethane	0.61J	ug/m3	2.2	06/08/22 22:23	
TO-15	1,2,4-Trimethylbenzene	3.0	ug/m3	1.4	06/08/22 22:23	
TO-15	m&p-Xylene	7.4	ug/m3	2.5	06/08/22 22:23	
TO-15	o-Xylene	3.7	ug/m3	1.3	06/08/22 22:23	
10609105006	SSV203 Dun Rite Office					
TO-15	Acetone	7.6J	ug/m3	8.4	06/08/22 22:56	
TO-15	Carbon tetrachloride	0.40J	ug/m3	1.8	06/08/22 22:56	
TO-15	Chloroform	1.3	ug/m3	0.69	06/08/22 22:56	
TO-15	1,4-Dichlorobenzene	3.0J	ug/m3	4.3	06/08/22 22:56	
TO-15	Dichlorodifluoromethane	465	ug/m3	1.4	06/08/22 22:56	E
TO-15	Ethanol	18.1	ug/m3	2.7	06/08/22 22:56	
TO-15	Ethylbenzene	2.3	ug/m3	1.2	06/08/22 22:56	
TO-15	4-Ethyltoluene	1.6J	ug/m3	3.5	06/08/22 22:56	
TO-15	Naphthalene	3.4J	ug/m3	3.7	06/08/22 22:56	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun Rite
Pace Project No.: 10609105

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10609105006	SSV203 Dun Rite Office					
TO-15	2-Propanol	5.1	ug/m3	3.5	06/08/22 22:56	
TO-15	Styrene	8.4	ug/m3	1.2	06/08/22 22:56	
TO-15	Tetrachloroethene	16.5	ug/m3	0.96	06/09/22 11:53	
TO-15	Toluene	72.4	ug/m3	1.1	06/08/22 22:56	
TO-15	Trichlorofluoromethane	2.3	ug/m3	1.6	06/08/22 22:56	
TO-15	1,1,2-Trichlorotrifluoroethane	0.50J	ug/m3	2.2	06/08/22 22:56	
TO-15	1,2,4-Trimethylbenzene	3.1	ug/m3	1.4	06/08/22 22:56	
TO-15	m&p-Xylene	7.2	ug/m3	2.5	06/08/22 22:56	
TO-15	o-Xylene	3.7	ug/m3	1.2	06/08/22 22:56	
10609105007	SSV405 Attorney					
TO-15	Acetone	5.9J	ug/m3	8.4	06/08/22 23:30	
TO-15	1,4-Dichlorobenzene	3.3J	ug/m3	4.3	06/08/22 23:30	
TO-15	Ethanol	16.0	ug/m3	2.7	06/08/22 23:30	
TO-15	Ethylbenzene	1.9	ug/m3	1.2	06/08/22 23:30	
TO-15	4-Ethyltoluene	1.7J	ug/m3	3.5	06/08/22 23:30	
TO-15	Naphthalene	3.7	ug/m3	3.7	06/08/22 23:30	
TO-15	2-Propanol	7.0	ug/m3	3.5	06/08/22 23:30	
TO-15	Styrene	7.8	ug/m3	1.2	06/08/22 23:30	
TO-15	Tetrachloroethene	11200	ug/m3	460	06/09/22 16:43	
TO-15	Toluene	49.7	ug/m3	1.1	06/08/22 23:30	
TO-15	1,1,1-Trichloroethane	0.67J	ug/m3	1.5	06/08/22 23:30	
TO-15	Trichloroethene	172	ug/m3	0.76	06/08/22 23:30	
TO-15	Trichlorofluoromethane	1.6J	ug/m3	1.6	06/08/22 23:30	
TO-15	1,2,4-Trimethylbenzene	3.3	ug/m3	1.4	06/08/22 23:30	
TO-15	m&p-Xylene	5.7	ug/m3	2.5	06/08/22 23:30	
TO-15	o-Xylene	3.0	ug/m3	1.2	06/08/22 23:30	
10609105008	SSV406 Wild Card					
TO-15	Acetone	8.4J	ug/m3	9.0	06/09/22 00:04	
TO-15	Ethanol	24.2	ug/m3	2.9	06/09/22 00:04	
TO-15	Ethylbenzene	2.0	ug/m3	1.3	06/09/22 00:04	
TO-15	4-Ethyltoluene	1.7J	ug/m3	3.7	06/09/22 00:04	
TO-15	Naphthalene	3.5J	ug/m3	4.0	06/09/22 00:04	
TO-15	2-Propanol	7.2	ug/m3	3.7	06/09/22 00:04	
TO-15	Styrene	7.3	ug/m3	1.3	06/09/22 00:04	
TO-15	Tetrachloroethene	3200	ug/m3	61.6	06/09/22 16:11	
TO-15	Toluene	67.5	ug/m3	1.1	06/09/22 00:04	
TO-15	Trichloroethene	3.8	ug/m3	0.81	06/09/22 00:04	
TO-15	Trichlorofluoromethane	1.5J	ug/m3	1.7	06/09/22 00:04	
TO-15	1,1,2-Trichlorotrifluoroethane	0.47J	ug/m3	2.3	06/09/22 00:04	
TO-15	1,2,4-Trimethylbenzene	2.7	ug/m3	1.5	06/09/22 00:04	
TO-15	m&p-Xylene	6.4	ug/m3	2.6	06/09/22 00:04	
TO-15	o-Xylene	3.2	ug/m3	1.3	06/09/22 00:04	
10609105009	Blower Eff.					
TO-15	Acetone	18.1	ug/m3	9.2	06/09/22 00:38	
TO-15	Benzene	0.24J	ug/m3	0.49	06/09/22 00:38	
TO-15	2-Butanone (MEK)	4.2J	ug/m3	4.6	06/09/22 00:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun Rite

Pace Project No.: 10609105

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
10609105009	Blower Eff.					
TO-15	1,2-Dichlorobenzene	7.6	ug/m3	4.7	06/09/22 00:38	
TO-15	Dichlorodifluoromethane	221	ug/m3	1.5	06/09/22 00:38	
TO-15	Ethanol	90.3	ug/m3	2.9	06/09/22 00:38	
TO-15	4-Ethyltoluene	1.9J	ug/m3	3.8	06/09/22 00:38	
TO-15	Methylene Chloride	16.2	ug/m3	5.4	06/09/22 00:38	
TO-15	2-Propanol	1.5J	ug/m3	3.8	06/09/22 00:38	
TO-15	Tetrachloroethene	361	ug/m3	5.2	06/09/22 14:38	
TO-15	Tetrahydrofuran	2.9	ug/m3	0.91	06/09/22 00:38	
TO-15	Toluene	1.2	ug/m3	1.2	06/09/22 00:38	
TO-15	Trichlorofluoromethane	2.3	ug/m3	1.7	06/09/22 00:38	
TO-15	1,1,2-Trichlorotrifluoroethane	0.77J	ug/m3	2.4	06/09/22 00:38	
TO-15	1,2,4-Trimethylbenzene	4.1	ug/m3	1.5	06/09/22 00:38	
TO-15	1,3,5-Trimethylbenzene	2.5	ug/m3	1.5	06/09/22 00:38	
TO-15	m&p-Xylene	1.9J	ug/m3	2.7	06/09/22 00:38	
TO-15	o-Xylene	0.89J	ug/m3	1.3	06/09/22 00:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun Rite
Pace Project No.: 10609105

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: June 10, 2022

General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 820340

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- LCS (Lab ID: 4346812)
- Ethyl acetate

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 820340

R1: RPD value was outside control limits.

- DUP (Lab ID: 4348059)
- Toluene

Additional Comments:

Analyte Comments:

QC Batch: 820340

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- AA407 Wild Card (Lab ID: 10609105003)
- Ethanol

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun Rite
Pace Project No.: 10609105

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: June 10, 2022

Analyte Comments:

QC Batch: 820340

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- AA408 Attorney (Lab ID: 10609105004)
 - Ethanol
- SSV203 Dun Rite Office (Lab ID: 10609105006)
 - Dichlorodifluoromethane

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: AA203 Outside Dun Rite **Lab ID:** 10609105001 Collected: 05/12/22 16:36 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	20.4	ug/m3	9.7	2.9	1.61		06/08/22 19:00	67-64-1	
Benzene	<0.18	ug/m3	0.52	0.18	1.61		06/08/22 19:00	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.2	1.4	1.61		06/08/22 19:00	100-44-7	
Bromodichloromethane	<0.38	ug/m3	2.2	0.38	1.61		06/08/22 19:00	75-27-4	
Bromoform	<2.6	ug/m3	8.5	2.6	1.61		06/08/22 19:00	75-25-2	
Bromomethane	<0.24	ug/m3	1.3	0.24	1.61		06/08/22 19:00	74-83-9	
1,3-Butadiene	<0.19	ug/m3	0.72	0.19	1.61		06/08/22 19:00	106-99-0	
2-Butanone (MEK)	4.1J	ug/m3	4.8	0.75	1.61		06/08/22 19:00	78-93-3	
Carbon disulfide	0.92J	ug/m3	1.0	0.21	1.61		06/08/22 19:00	75-15-0	
Carbon tetrachloride	<0.45	ug/m3	2.1	0.45	1.61		06/08/22 19:00	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.5	0.25	1.61		06/08/22 19:00	108-90-7	
Chloroethane	<0.36	ug/m3	2.2	0.36	1.61		06/08/22 19:00	75-00-3	
Chloroform	<0.29	ug/m3	0.80	0.29	1.61		06/08/22 19:00	67-66-3	
Chloromethane	1.1	ug/m3	0.68	0.14	1.61		06/08/22 19:00	74-87-3	
Cyclohexane	<0.36	ug/m3	2.8	0.36	1.61		06/08/22 19:00	110-82-7	
Dibromochloromethane	<0.83	ug/m3	2.8	0.83	1.61		06/08/22 19:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.48	ug/m3	1.3	0.48	1.61		06/08/22 19:00	106-93-4	
1,2-Dichlorobenzene	<0.65	ug/m3	4.9	0.65	1.61		06/08/22 19:00	95-50-1	
1,3-Dichlorobenzene	<0.82	ug/m3	4.9	0.82	1.61		06/08/22 19:00	541-73-1	
1,4-Dichlorobenzene	<1.4	ug/m3	4.9	1.4	1.61		06/08/22 19:00	106-46-7	
Dichlorodifluoromethane	2.6	ug/m3	1.6	0.30	1.61		06/08/22 19:00	75-71-8	
1,1-Dichloroethane	<0.27	ug/m3	1.3	0.27	1.61		06/08/22 19:00	75-34-3	
1,2-Dichloroethane	<0.31	ug/m3	1.3	0.31	1.61		06/08/22 19:00	107-06-2	
1,1-Dichloroethene	<0.22	ug/m3	1.3	0.22	1.61		06/08/22 19:00	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.3	0.31	1.61		06/08/22 19:00	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.61		06/08/22 19:00	156-60-5	
1,2-Dichloropropane	<0.43	ug/m3	1.5	0.43	1.61		06/08/22 19:00	78-87-5	
cis-1,3-Dichloropropene	<0.41	ug/m3	3.7	0.41	1.61		06/08/22 19:00	10061-01-5	
trans-1,3-Dichloropropene	<0.88	ug/m3	3.7	0.88	1.61		06/08/22 19:00	10061-02-6	
Dichlorotetrafluoroethane	<0.33	ug/m3	2.3	0.33	1.61		06/08/22 19:00	76-14-2	
Ethanol	8.3	ug/m3	3.1	0.95	1.61		06/08/22 19:00	64-17-5	
Ethyl acetate	<0.21	ug/m3	1.2	0.21	1.61		06/08/22 19:00	141-78-6	
Ethylbenzene	<0.50	ug/m3	1.4	0.50	1.61		06/08/22 19:00	100-41-4	
4-Ethyltoluene	<0.76	ug/m3	4.0	0.76	1.61		06/08/22 19:00	622-96-8	
n-Heptane	2.3	ug/m3	1.3	0.29	1.61		06/08/22 19:00	142-82-5	
Hexachloro-1,3-butadiene	<2.0	ug/m3	8.7	2.0	1.61		06/08/22 19:00	87-68-3	
n-Hexane	<0.31	ug/m3	1.2	0.31	1.61		06/08/22 19:00	110-54-3	
2-Hexanone	<0.71	ug/m3	6.7	0.71	1.61		06/08/22 19:00	591-78-6	
Methylene Chloride	<0.95	ug/m3	5.7	0.95	1.61		06/08/22 19:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.52	ug/m3	6.7	0.52	1.61		06/08/22 19:00	108-10-1	
Methyl-tert-butyl ether	<0.20	ug/m3	5.9	0.20	1.61		06/08/22 19:00	1634-04-4	
Naphthalene	<3.5	ug/m3	4.3	3.5	1.61		06/08/22 19:00	91-20-3	
2-Propanol	2.2J	ug/m3	4.0	0.82	1.61		06/08/22 19:00	67-63-0	
Propylene	<0.21	ug/m3	1.4	0.21	1.61		06/08/22 19:00	115-07-1	
Styrene	<0.62	ug/m3	1.4	0.62	1.61		06/08/22 19:00	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: AA203 Outside Dun Rite Lab ID: 10609105001 Collected: 05/12/22 16:36 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.60	ug/m3	2.3	0.60	1.61		06/08/22 19:00	79-34-5	
Tetrachloroethene	0.86J	ug/m3	1.1	0.47	1.61		06/08/22 19:00	127-18-4	
Tetrahydrofuran	<0.29	ug/m3	0.97	0.29	1.61		06/08/22 19:00	109-99-9	
Toluene	2.4	ug/m3	1.2	0.39	1.61		06/08/22 19:00	108-88-3	
1,2,4-Trichlorobenzene	<7.9	ug/m3	12.1	7.9	1.61		06/08/22 19:00	120-82-1	
1,1,1-Trichloroethane	<0.30	ug/m3	1.8	0.30	1.61		06/08/22 19:00	71-55-6	
1,1,2-Trichloroethane	<0.32	ug/m3	0.89	0.32	1.61		06/08/22 19:00	79-00-5	
Trichloroethene	<0.32	ug/m3	0.88	0.32	1.61		06/08/22 19:00	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	1.8	0.38	1.61		06/08/22 19:00	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.5	0.47	1.61		06/08/22 19:00	76-13-1	
1,2,4-Trimethylbenzene	<0.57	ug/m3	1.6	0.57	1.61		06/08/22 19:00	95-63-6	
1,3,5-Trimethylbenzene	<0.47	ug/m3	1.6	0.47	1.61		06/08/22 19:00	108-67-8	
Vinyl acetate	<0.33	ug/m3	1.2	0.33	1.61		06/08/22 19:00	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.84	0.14	1.61		06/08/22 19:00	75-01-4	
m&p-Xylene	<1.0	ug/m3	2.8	1.0	1.61		06/08/22 19:00	179601-23-1	
o-Xylene	<0.44	ug/m3	1.4	0.44	1.61		06/08/22 19:00	95-47-6	

Sample: AA407 Lobby Lab ID: 10609105002 Collected: 05/12/22 16:28 Received: 05/19/22 10:48 Matrix: Air

406

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	62.9	ug/m3	8.8	2.6	1.46		06/08/22 20:07	67-64-1	
Benzene	<0.17	ug/m3	0.47	0.17	1.46		06/08/22 20:07	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		06/08/22 20:07	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.46		06/08/22 20:07	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		06/08/22 20:07	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		06/08/22 20:07	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		06/08/22 20:07	106-99-0	
2-Butanone (MEK)	8.5	ug/m3	4.4	0.68	1.46		06/08/22 20:07	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.92	0.19	1.46		06/08/22 20:07	75-15-0	
Carbon tetrachloride	<0.41	ug/m3	1.9	0.41	1.46		06/08/22 20:07	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		06/08/22 20:07	108-90-7	
Chloroethane	<0.33	ug/m3	2.0	0.33	1.46		06/08/22 20:07	75-00-3	
Chloroform	<0.27	ug/m3	0.72	0.27	1.46		06/08/22 20:07	67-66-3	
Chloromethane	2.2	ug/m3	0.61	0.12	1.46		06/08/22 20:07	74-87-3	
Cyclohexane	<0.32	ug/m3	2.6	0.32	1.46		06/08/22 20:07	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		06/08/22 20:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		06/08/22 20:07	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		06/08/22 20:07	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		06/08/22 20:07	541-73-1	
1,4-Dichlorobenzene	256	ug/m3	44.7	12.8	14.6		06/09/22 12:26	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite

Pace Project No.: 10609105

Sample: AA407 Lobby Lab ID: 10609105002 Collected: 05/12/22 16:28 Received: 05/19/22 10:48 Matrix: Air

406

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	14.0	ug/m3	1.5	0.27	1.46		06/08/22 20:07	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		06/08/22 20:07	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.46		06/08/22 20:07	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		06/08/22 20:07	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		06/08/22 20:07	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		06/08/22 20:07	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		06/08/22 20:07	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		06/08/22 20:07	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		06/08/22 20:07	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		06/08/22 20:07	76-14-2	
Ethanol	1390	ug/m3	28.0	8.6	14.6		06/09/22 12:26	64-17-5	
Ethyl acetate	<0.19	ug/m3	1.1	0.19	1.46		06/08/22 20:07	141-78-6	
Ethylbenzene	<0.45	ug/m3	1.3	0.45	1.46		06/08/22 20:07	100-41-4	
4-Ethyltoluene	<0.69	ug/m3	3.6	0.69	1.46		06/08/22 20:07	622-96-8	
n-Heptane	<0.26	ug/m3	1.2	0.26	1.46		06/08/22 20:07	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		06/08/22 20:07	87-68-3	
n-Hexane	<0.28	ug/m3	1.0	0.28	1.46		06/08/22 20:07	110-54-3	
2-Hexanone	<0.65	ug/m3	6.1	0.65	1.46		06/08/22 20:07	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		06/08/22 20:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.47	ug/m3	6.1	0.47	1.46		06/08/22 20:07	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		06/08/22 20:07	1634-04-4	
Naphthalene	4.0	ug/m3	3.9	3.2	1.46		06/08/22 20:07	91-20-3	
2-Propanol	32.5	ug/m3	3.6	0.74	1.46		06/08/22 20:07	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		06/08/22 20:07	115-07-1	
Styrene	1.3	ug/m3	1.3	0.56	1.46		06/08/22 20:07	100-42-5	
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		06/08/22 20:07	79-34-5	
Tetrachloroethene	3.3	ug/m3	1.0	0.43	1.46		06/08/22 20:07	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		06/08/22 20:07	109-99-9	
Toluene	2.8	ug/m3	1.1	0.36	1.46		06/08/22 20:07	108-88-3	
1,2,4-Trichlorobenzene	<7.1	ug/m3	11.0	7.1	1.46		06/08/22 20:07	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		06/08/22 20:07	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		06/08/22 20:07	79-00-5	
Trichloroethene	1.9	ug/m3	0.80	0.29	1.46		06/08/22 20:07	79-01-6	
Trichlorofluoromethane	1.7	ug/m3	1.7	0.34	1.46		06/08/22 20:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.42	ug/m3	2.3	0.42	1.46		06/08/22 20:07	76-13-1	
1,2,4-Trimethylbenzene	1.3J	ug/m3	1.5	0.52	1.46		06/08/22 20:07	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/m3	1.5	0.42	1.46		06/08/22 20:07	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		06/08/22 20:07	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.76	0.13	1.46		06/08/22 20:07	75-01-4	
m&p-Xylene	1.9J	ug/m3	2.6	0.94	1.46		06/08/22 20:07	179601-23-1	
o-Xylene	0.52J	ug/m3	1.3	0.40	1.46		06/08/22 20:07	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: AA407 Wild Card Lab ID: 10609105003 Collected: 05/12/22 16:25 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	83.8	ug/m3	9.0	2.7	1.49		06/08/22 21:15	67-64-1	
Benzene	<0.17	ug/m3	0.48	0.17	1.49		06/08/22 21:15	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		06/08/22 21:15	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		06/08/22 21:15	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		06/08/22 21:15	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		06/08/22 21:15	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		06/08/22 21:15	106-99-0	
2-Butanone (MEK)	8.3	ug/m3	4.5	0.69	1.49		06/08/22 21:15	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		06/08/22 21:15	75-15-0	
Carbon tetrachloride	<0.42	ug/m3	1.9	0.42	1.49		06/08/22 21:15	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		06/08/22 21:15	108-90-7	
Chloroethane	<0.33	ug/m3	2.0	0.33	1.49		06/08/22 21:15	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		06/08/22 21:15	67-66-3	
Chloromethane	2.8	ug/m3	0.63	0.13	1.49		06/08/22 21:15	74-87-3	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		06/08/22 21:15	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		06/08/22 21:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		06/08/22 21:15	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		06/08/22 21:15	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		06/08/22 21:15	541-73-1	
1,4-Dichlorobenzene	109	ug/m3	4.6	1.3	1.49		06/08/22 21:15	106-46-7	
Dichlorodifluoromethane	18.1	ug/m3	1.5	0.28	1.49		06/08/22 21:15	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		06/08/22 21:15	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	1.2	0.29	1.49		06/08/22 21:15	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		06/08/22 21:15	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		06/08/22 21:15	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		06/08/22 21:15	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		06/08/22 21:15	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		06/08/22 21:15	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		06/08/22 21:15	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		06/08/22 21:15	76-14-2	
Ethanol	908	ug/m3	2.9	0.88	1.49		06/08/22 21:15	64-17-5	E
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.49		06/08/22 21:15	141-78-6	
Ethylbenzene	<0.46	ug/m3	1.3	0.46	1.49		06/08/22 21:15	100-41-4	
4-Ethyltoluene	<0.70	ug/m3	3.7	0.70	1.49		06/08/22 21:15	622-96-8	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		06/08/22 21:15	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		06/08/22 21:15	87-68-3	
n-Hexane	<0.28	ug/m3	1.1	0.28	1.49		06/08/22 21:15	110-54-3	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		06/08/22 21:15	591-78-6	
Methylene Chloride	<0.88	ug/m3	5.3	0.88	1.49		06/08/22 21:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		06/08/22 21:15	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		06/08/22 21:15	1634-04-4	
Naphthalene	3.3J	ug/m3	4.0	3.2	1.49		06/08/22 21:15	91-20-3	
2-Propanol	29.6	ug/m3	3.7	0.76	1.49		06/08/22 21:15	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		06/08/22 21:15	115-07-1	
Styrene	<0.57	ug/m3	1.3	0.57	1.49		06/08/22 21:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: AA407 Wild Card Lab ID: 10609105003 Collected: 05/12/22 16:25 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		06/08/22 21:15	79-34-5	
Tetrachloroethene	3.0	ug/m3	1.0	0.44	1.49		06/08/22 21:15	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.89	0.27	1.49		06/08/22 21:15	109-99-9	
Toluene	2.8	ug/m3	1.1	0.36	1.49		06/08/22 21:15	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		06/08/22 21:15	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		06/08/22 21:15	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		06/08/22 21:15	79-00-5	
Trichloroethene	0.77J	ug/m3	0.81	0.29	1.49		06/08/22 21:15	79-01-6	
Trichlorofluoromethane	2.1	ug/m3	1.7	0.35	1.49		06/08/22 21:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.45J	ug/m3	2.3	0.43	1.49		06/08/22 21:15	76-13-1	
1,2,4-Trimethylbenzene	1.2J	ug/m3	1.5	0.53	1.49		06/08/22 21:15	95-63-6	
1,3,5-Trimethylbenzene	<0.43	ug/m3	1.5	0.43	1.49		06/08/22 21:15	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		06/08/22 21:15	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.77	0.13	1.49		06/08/22 21:15	75-01-4	
m&p-Xylene	2.2J	ug/m3	2.6	0.96	1.49		06/08/22 21:15	179601-23-1	
o-Xylene	0.57J	ug/m3	1.3	0.40	1.49		06/08/22 21:15	95-47-6	

Sample: AA408 Attorney Lab ID: 10609105004 Collected: 05/12/22 16:15 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	74.6	ug/m3	8.8	2.6	1.46		06/08/22 21:49	67-64-1	
Benzene	<0.17	ug/m3	0.47	0.17	1.46		06/08/22 21:49	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		06/08/22 21:49	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.46		06/08/22 21:49	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		06/08/22 21:49	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		06/08/22 21:49	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		06/08/22 21:49	106-99-0	
2-Butanone (MEK)	9.7	ug/m3	4.4	0.68	1.46		06/08/22 21:49	78-93-3	
Carbon disulfide	0.22J	ug/m3	0.92	0.19	1.46		06/08/22 21:49	75-15-0	
Carbon tetrachloride	<0.41	ug/m3	1.9	0.41	1.46		06/08/22 21:49	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		06/08/22 21:49	108-90-7	
Chloroethane	<0.33	ug/m3	2.0	0.33	1.46		06/08/22 21:49	75-00-3	
Chloroform	<0.27	ug/m3	0.72	0.27	1.46		06/08/22 21:49	67-66-3	
Chloromethane	2.7	ug/m3	0.61	0.12	1.46		06/08/22 21:49	74-87-3	
Cyclohexane	<0.32	ug/m3	2.6	0.32	1.46		06/08/22 21:49	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		06/08/22 21:49	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		06/08/22 21:49	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		06/08/22 21:49	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		06/08/22 21:49	541-73-1	
1,4-Dichlorobenzene	87.1	ug/m3	4.5	1.3	1.46		06/08/22 21:49	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: AA408 Attorney Lab ID: 10609105004 Collected: 05/12/22 16:15 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	18.3	ug/m3	1.5	0.27	1.46		06/08/22 21:49	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		06/08/22 21:49	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.46		06/08/22 21:49	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		06/08/22 21:49	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		06/08/22 21:49	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		06/08/22 21:49	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		06/08/22 21:49	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		06/08/22 21:49	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		06/08/22 21:49	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		06/08/22 21:49	76-14-2	
Ethanol	749	ug/m3	2.8	0.86	1.46		06/08/22 21:49	64-17-5	E
Ethyl acetate	<0.19	ug/m3	1.1	0.19	1.46		06/08/22 21:49	141-78-6	
Ethylbenzene	<0.45	ug/m3	1.3	0.45	1.46		06/08/22 21:49	100-41-4	
4-Ethyltoluene	<0.69	ug/m3	3.6	0.69	1.46		06/08/22 21:49	622-96-8	
n-Heptane	<0.26	ug/m3	1.2	0.26	1.46		06/08/22 21:49	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		06/08/22 21:49	87-68-3	
n-Hexane	<0.28	ug/m3	1.0	0.28	1.46		06/08/22 21:49	110-54-3	
2-Hexanone	<0.65	ug/m3	6.1	0.65	1.46		06/08/22 21:49	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		06/08/22 21:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.47	ug/m3	6.1	0.47	1.46		06/08/22 21:49	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		06/08/22 21:49	1634-04-4	
Naphthalene	3.3J	ug/m3	3.9	3.2	1.46		06/08/22 21:49	91-20-3	
2-Propanol	24.9	ug/m3	3.6	0.74	1.46		06/08/22 21:49	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		06/08/22 21:49	115-07-1	
Styrene	1.1J	ug/m3	1.3	0.56	1.46		06/08/22 21:49	100-42-5	
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		06/08/22 21:49	79-34-5	
Tetrachloroethene	8.4	ug/m3	1.0	0.43	1.46		06/08/22 21:49	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		06/08/22 21:49	109-99-9	
Toluene	2.0	ug/m3	1.1	0.36	1.46		06/08/22 21:49	108-88-3	
1,2,4-Trichlorobenzene	<7.1	ug/m3	11.0	7.1	1.46		06/08/22 21:49	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		06/08/22 21:49	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		06/08/22 21:49	79-00-5	
Trichloroethene	1.1	ug/m3	0.80	0.29	1.46		06/08/22 21:49	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.7	0.34	1.46		06/08/22 21:49	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.52J	ug/m3	2.3	0.42	1.46		06/08/22 21:49	76-13-1	
1,2,4-Trimethylbenzene	1.1J	ug/m3	1.5	0.52	1.46		06/08/22 21:49	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/m3	1.5	0.42	1.46		06/08/22 21:49	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		06/08/22 21:49	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.76	0.13	1.46		06/08/22 21:49	75-01-4	
m&p-Xylene	1.9J	ug/m3	2.6	0.94	1.46		06/08/22 21:49	179601-23-1	
o-Xylene	<0.40	ug/m3	1.3	0.40	1.46		06/08/22 21:49	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite

Pace Project No.: 10609105

Sample: SSV101 Dun Rite South Lab ID: 10609105005 Collected: 05/12/22 12:38 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	14.5	ug/m3	8.7	2.6	1.44		06/08/22 22:23	67-64-1	
Benzene	<0.16	ug/m3	0.47	0.16	1.44		06/08/22 22:23	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.44		06/08/22 22:23	100-44-7	
Bromodichloromethane	<0.34	ug/m3	2.0	0.34	1.44		06/08/22 22:23	75-27-4	
Bromoform	<2.3	ug/m3	7.6	2.3	1.44		06/08/22 22:23	75-25-2	
Bromomethane	<0.22	ug/m3	1.1	0.22	1.44		06/08/22 22:23	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.65	0.17	1.44		06/08/22 22:23	106-99-0	
2-Butanone (MEK)	6.4	ug/m3	4.3	0.67	1.44		06/08/22 22:23	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.91	0.19	1.44		06/08/22 22:23	75-15-0	
Carbon tetrachloride	<0.40	ug/m3	1.8	0.40	1.44		06/08/22 22:23	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.44		06/08/22 22:23	108-90-7	
Chloroethane	<0.32	ug/m3	1.9	0.32	1.44		06/08/22 22:23	75-00-3	
Chloroform	<0.26	ug/m3	0.71	0.26	1.44		06/08/22 22:23	67-66-3	
Chloromethane	<0.12	ug/m3	0.60	0.12	1.44		06/08/22 22:23	74-87-3	
Cyclohexane	<0.32	ug/m3	2.5	0.32	1.44		06/08/22 22:23	110-82-7	
Dibromochloromethane	<0.74	ug/m3	2.5	0.74	1.44		06/08/22 22:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.43	ug/m3	1.1	0.43	1.44		06/08/22 22:23	106-93-4	
1,2-Dichlorobenzene	<0.58	ug/m3	4.4	0.58	1.44		06/08/22 22:23	95-50-1	
1,3-Dichlorobenzene	<0.73	ug/m3	4.4	0.73	1.44		06/08/22 22:23	541-73-1	
1,4-Dichlorobenzene	3.8J	ug/m3	4.4	1.3	1.44		06/08/22 22:23	106-46-7	
Dichlorodifluoromethane	480	ug/m3	7.3	1.4	7.2		06/09/22 14:06	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.44		06/08/22 22:23	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.44		06/08/22 22:23	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.44		06/08/22 22:23	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.44		06/08/22 22:23	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		06/08/22 22:23	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.44		06/08/22 22:23	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.3	0.37	1.44		06/08/22 22:23	10061-01-5	
trans-1,3-Dichloropropene	<0.78	ug/m3	3.3	0.78	1.44		06/08/22 22:23	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.0	0.29	1.44		06/08/22 22:23	76-14-2	
Ethanol	21.4	ug/m3	2.8	0.85	1.44		06/08/22 22:23	64-17-5	
Ethyl acetate	<0.19	ug/m3	1.1	0.19	1.44		06/08/22 22:23	141-78-6	
Ethylbenzene	2.3	ug/m3	1.3	0.44	1.44		06/08/22 22:23	100-41-4	
4-Ethyltoluene	1.6J	ug/m3	3.6	0.68	1.44		06/08/22 22:23	622-96-8	
n-Heptane	<0.26	ug/m3	1.2	0.26	1.44		06/08/22 22:23	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.8	1.8	1.44		06/08/22 22:23	87-68-3	
n-Hexane	<0.28	ug/m3	1.0	0.28	1.44		06/08/22 22:23	110-54-3	
2-Hexanone	<0.64	ug/m3	6.0	0.64	1.44		06/08/22 22:23	591-78-6	
Methylene Chloride	<0.85	ug/m3	5.1	0.85	1.44		06/08/22 22:23	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.46	ug/m3	6.0	0.46	1.44		06/08/22 22:23	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.44		06/08/22 22:23	1634-04-4	
Naphthalene	3.4J	ug/m3	3.8	3.1	1.44		06/08/22 22:23	91-20-3	
2-Propanol	5.5	ug/m3	3.6	0.73	1.44		06/08/22 22:23	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.44		06/08/22 22:23	115-07-1	
Styrene	8.3	ug/m3	1.2	0.55	1.44		06/08/22 22:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: SSV101 Dun Rite South Lab ID: 10609105005 Collected: 05/12/22 12:38 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.44		06/08/22 22:23	79-34-5	
Tetrachloroethene	314	ug/m3	5.0	2.1	7.2		06/09/22 14:06	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.86	0.26	1.44		06/08/22 22:23	109-99-9	
Toluene	78.8	ug/m3	1.1	0.35	1.44		06/08/22 22:23	108-88-3	
1,2,4-Trichlorobenzene	<7.0	ug/m3	10.9	7.0	1.44		06/08/22 22:23	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.44		06/08/22 22:23	71-55-6	
1,1,2-Trichloroethane	<0.28	ug/m3	0.80	0.28	1.44		06/08/22 22:23	79-00-5	
Trichloroethene	0.66J	ug/m3	0.79	0.28	1.44		06/08/22 22:23	79-01-6	
Trichlorofluoromethane	2.2	ug/m3	1.6	0.34	1.44		06/08/22 22:23	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.61J	ug/m3	2.2	0.42	1.44		06/08/22 22:23	76-13-1	
1,2,4-Trimethylbenzene	3.0	ug/m3	1.4	0.51	1.44		06/08/22 22:23	95-63-6	
1,3,5-Trimethylbenzene	<0.42	ug/m3	1.4	0.42	1.44		06/08/22 22:23	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.44		06/08/22 22:23	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.75	0.12	1.44		06/08/22 22:23	75-01-4	
m&p-Xylene	7.4	ug/m3	2.5	0.92	1.44		06/08/22 22:23	179601-23-1	
o-Xylene	3.7	ug/m3	1.3	0.39	1.44		06/08/22 22:23	95-47-6	

Sample: SSV203 Dun Rite Office Lab ID: 10609105006 Collected: 05/12/22 12:54 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	7.6J	ug/m3	8.4	2.5	1.39		06/08/22 22:56	67-64-1	
Benzene	<0.16	ug/m3	0.45	0.16	1.39		06/08/22 22:56	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.7	1.2	1.39		06/08/22 22:56	100-44-7	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.39		06/08/22 22:56	75-27-4	
Bromoform	<2.3	ug/m3	7.3	2.3	1.39		06/08/22 22:56	75-25-2	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.39		06/08/22 22:56	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.39		06/08/22 22:56	106-99-0	
2-Butanone (MEK)	<0.65	ug/m3	4.2	0.65	1.39		06/08/22 22:56	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.88	0.18	1.39		06/08/22 22:56	75-15-0	
Carbon tetrachloride	0.40J	ug/m3	1.8	0.39	1.39		06/08/22 22:56	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.39		06/08/22 22:56	108-90-7	
Chloroethane	<0.31	ug/m3	1.9	0.31	1.39		06/08/22 22:56	75-00-3	
Chloroform	1.3	ug/m3	0.69	0.25	1.39		06/08/22 22:56	67-66-3	
Chloromethane	<0.12	ug/m3	0.58	0.12	1.39		06/08/22 22:56	74-87-3	
Cyclohexane	<0.31	ug/m3	2.4	0.31	1.39		06/08/22 22:56	110-82-7	
Dibromochloromethane	<0.72	ug/m3	2.4	0.72	1.39		06/08/22 22:56	124-48-1	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.39		06/08/22 22:56	106-93-4	
1,2-Dichlorobenzene	<0.56	ug/m3	4.3	0.56	1.39		06/08/22 22:56	95-50-1	
1,3-Dichlorobenzene	<0.71	ug/m3	4.3	0.71	1.39		06/08/22 22:56	541-73-1	
1,4-Dichlorobenzene	3.0J	ug/m3	4.3	1.2	1.39		06/08/22 22:56	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite

Pace Project No.: 10609105

Sample: SSV203 Dun Rite Office Lab ID: 10609105006 Collected: 05/12/22 12:54 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	465	ug/m3	1.4	0.26	1.39		06/08/22 22:56	75-71-8	E
1,1-Dichloroethane	<0.23	ug/m3	1.1	0.23	1.39		06/08/22 22:56	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	1.1	0.27	1.39		06/08/22 22:56	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.39		06/08/22 22:56	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.39		06/08/22 22:56	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.39		06/08/22 22:56	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.3	0.37	1.39		06/08/22 22:56	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	3.2	0.35	1.39		06/08/22 22:56	10061-01-5	
trans-1,3-Dichloropropene	<0.76	ug/m3	3.2	0.76	1.39		06/08/22 22:56	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.39		06/08/22 22:56	76-14-2	
Ethanol	18.1	ug/m3	2.7	0.82	1.39		06/08/22 22:56	64-17-5	
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.39		06/08/22 22:56	141-78-6	
Ethylbenzene	2.3	ug/m3	1.2	0.43	1.39		06/08/22 22:56	100-41-4	
4-Ethyltoluene	1.6J	ug/m3	3.5	0.66	1.39		06/08/22 22:56	622-96-8	
n-Heptane	<0.25	ug/m3	1.2	0.25	1.39		06/08/22 22:56	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.5	1.7	1.39		06/08/22 22:56	87-68-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.39		06/08/22 22:56	110-54-3	
2-Hexanone	<0.61	ug/m3	5.8	0.61	1.39		06/08/22 22:56	591-78-6	
Methylene Chloride	<0.82	ug/m3	4.9	0.82	1.39		06/08/22 22:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.8	0.45	1.39		06/08/22 22:56	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.1	0.18	1.39		06/08/22 22:56	1634-04-4	
Naphthalene	3.4J	ug/m3	3.7	3.0	1.39		06/08/22 22:56	91-20-3	
2-Propanol	5.1	ug/m3	3.5	0.71	1.39		06/08/22 22:56	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.39		06/08/22 22:56	115-07-1	
Styrene	8.4	ug/m3	1.2	0.54	1.39		06/08/22 22:56	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	1.9	0.52	1.39		06/08/22 22:56	79-34-5	
Tetrachloroethene	16.5	ug/m3	0.96	0.41	1.39		06/09/22 11:53	127-18-4	
Tetrahydrofuran	<0.25	ug/m3	0.83	0.25	1.39		06/08/22 22:56	109-99-9	
Toluene	72.4	ug/m3	1.1	0.34	1.39		06/08/22 22:56	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	10.5	6.8	1.39		06/08/22 22:56	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.5	0.26	1.39		06/08/22 22:56	71-55-6	
1,1,2-Trichloroethane	<0.27	ug/m3	0.77	0.27	1.39		06/08/22 22:56	79-00-5	
Trichloroethene	<0.27	ug/m3	0.76	0.27	1.39		06/08/22 22:56	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.6	0.32	1.39		06/08/22 22:56	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.50J	ug/m3	2.2	0.40	1.39		06/08/22 22:56	76-13-1	
1,2,4-Trimethylbenzene	3.1	ug/m3	1.4	0.49	1.39		06/08/22 22:56	95-63-6	
1,3,5-Trimethylbenzene	<0.40	ug/m3	1.4	0.40	1.39		06/08/22 22:56	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.39		06/08/22 22:56	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.72	0.12	1.39		06/08/22 22:56	75-01-4	
m&p-Xylene	7.2	ug/m3	2.5	0.89	1.39		06/08/22 22:56	179601-23-1	
o-Xylene	3.7	ug/m3	1.2	0.38	1.39		06/08/22 22:56	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: SSV405 Attorney **Lab ID: 10609105007** Collected: 05/12/22 14:05 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	5.9J	ug/m3	8.4	2.5	1.39		06/08/22 23:30	67-64-1	
Benzene	<0.16	ug/m3	0.45	0.16	1.39		06/08/22 23:30	71-43-2	
Benzyl chloride	<1.2	ug/m3	3.7	1.2	1.39		06/08/22 23:30	100-44-7	
Bromodichloromethane	<0.33	ug/m3	1.9	0.33	1.39		06/08/22 23:30	75-27-4	
Bromoform	<2.3	ug/m3	7.3	2.3	1.39		06/08/22 23:30	75-25-2	
Bromomethane	<0.21	ug/m3	1.1	0.21	1.39		06/08/22 23:30	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.63	0.17	1.39		06/08/22 23:30	106-99-0	
2-Butanone (MEK)	<0.65	ug/m3	4.2	0.65	1.39		06/08/22 23:30	78-93-3	
Carbon disulfide	<0.18	ug/m3	0.88	0.18	1.39		06/08/22 23:30	75-15-0	
Carbon tetrachloride	<0.39	ug/m3	1.8	0.39	1.39		06/08/22 23:30	56-23-5	
Chlorobenzene	<0.22	ug/m3	1.3	0.22	1.39		06/08/22 23:30	108-90-7	
Chloroethane	<0.31	ug/m3	1.9	0.31	1.39		06/08/22 23:30	75-00-3	
Chloroform	<0.25	ug/m3	0.69	0.25	1.39		06/08/22 23:30	67-66-3	
Chloromethane	<0.12	ug/m3	0.58	0.12	1.39		06/08/22 23:30	74-87-3	
Cyclohexane	<0.31	ug/m3	2.4	0.31	1.39		06/08/22 23:30	110-82-7	
Dibromochloromethane	<0.72	ug/m3	2.4	0.72	1.39		06/08/22 23:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.42	ug/m3	1.1	0.42	1.39		06/08/22 23:30	106-93-4	
1,2-Dichlorobenzene	<0.56	ug/m3	4.3	0.56	1.39		06/08/22 23:30	95-50-1	
1,3-Dichlorobenzene	<0.71	ug/m3	4.3	0.71	1.39		06/08/22 23:30	541-73-1	
1,4-Dichlorobenzene	3.3J	ug/m3	4.3	1.2	1.39		06/08/22 23:30	106-46-7	
Dichlorodifluoromethane	<0.26	ug/m3	1.4	0.26	1.39		06/08/22 23:30	75-71-8	
1,1-Dichloroethane	<0.23	ug/m3	1.1	0.23	1.39		06/08/22 23:30	75-34-3	
1,2-Dichloroethane	<0.27	ug/m3	1.1	0.27	1.39		06/08/22 23:30	107-06-2	
1,1-Dichloroethene	<0.19	ug/m3	1.1	0.19	1.39		06/08/22 23:30	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.39		06/08/22 23:30	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.39		06/08/22 23:30	156-60-5	
1,2-Dichloropropane	<0.37	ug/m3	1.3	0.37	1.39		06/08/22 23:30	78-87-5	
cis-1,3-Dichloropropene	<0.35	ug/m3	3.2	0.35	1.39		06/08/22 23:30	10061-01-5	
trans-1,3-Dichloropropene	<0.76	ug/m3	3.2	0.76	1.39		06/08/22 23:30	10061-02-6	
Dichlorotetrafluoroethane	<0.28	ug/m3	2.0	0.28	1.39		06/08/22 23:30	76-14-2	
Ethanol	16.0	ug/m3	2.7	0.82	1.39		06/08/22 23:30	64-17-5	
Ethyl acetate	<0.18	ug/m3	1.0	0.18	1.39		06/08/22 23:30	141-78-6	
Ethylbenzene	1.9	ug/m3	1.2	0.43	1.39		06/08/22 23:30	100-41-4	
4-Ethyltoluene	1.7J	ug/m3	3.5	0.66	1.39		06/08/22 23:30	622-96-8	
n-Heptane	<0.25	ug/m3	1.2	0.25	1.39		06/08/22 23:30	142-82-5	
Hexachloro-1,3-butadiene	<1.7	ug/m3	7.5	1.7	1.39		06/08/22 23:30	87-68-3	
n-Hexane	<0.27	ug/m3	1.0	0.27	1.39		06/08/22 23:30	110-54-3	
2-Hexanone	<0.61	ug/m3	5.8	0.61	1.39		06/08/22 23:30	591-78-6	
Methylene Chloride	<0.82	ug/m3	4.9	0.82	1.39		06/08/22 23:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.45	ug/m3	5.8	0.45	1.39		06/08/22 23:30	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.1	0.18	1.39		06/08/22 23:30	1634-04-4	
Naphthalene	3.7	ug/m3	3.7	3.0	1.39		06/08/22 23:30	91-20-3	
2-Propanol	7.0	ug/m3	3.5	0.71	1.39		06/08/22 23:30	67-63-0	
Propylene	<0.18	ug/m3	1.2	0.18	1.39		06/08/22 23:30	115-07-1	
Styrene	7.8	ug/m3	1.2	0.54	1.39		06/08/22 23:30	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite

Pace Project No.: 10609105

Sample: **SSV405 Attorney** Lab ID: **10609105007** Collected: 05/12/22 14:05 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	1.9	0.52	1.39		06/08/22 23:30	79-34-5	
Tetrachloroethene	11200	ug/m3	460	195	667.2		06/09/22 16:43	127-18-4	
Tetrahydrofuran	<0.25	ug/m3	0.83	0.25	1.39		06/08/22 23:30	109-99-9	
Toluene	49.7	ug/m3	1.1	0.34	1.39		06/08/22 23:30	108-88-3	
1,2,4-Trichlorobenzene	<6.8	ug/m3	10.5	6.8	1.39		06/08/22 23:30	120-82-1	
1,1,1-Trichloroethane	0.67J	ug/m3	1.5	0.26	1.39		06/08/22 23:30	71-55-6	
1,1,2-Trichloroethane	<0.27	ug/m3	0.77	0.27	1.39		06/08/22 23:30	79-00-5	
Trichloroethene	172	ug/m3	0.76	0.27	1.39		06/08/22 23:30	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	1.6	0.32	1.39		06/08/22 23:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.40	ug/m3	2.2	0.40	1.39		06/08/22 23:30	76-13-1	
1,2,4-Trimethylbenzene	3.3	ug/m3	1.4	0.49	1.39		06/08/22 23:30	95-63-6	
1,3,5-Trimethylbenzene	<0.40	ug/m3	1.4	0.40	1.39		06/08/22 23:30	108-67-8	
Vinyl acetate	<0.29	ug/m3	1.0	0.29	1.39		06/08/22 23:30	108-05-4	
Vinyl chloride	<0.12	ug/m3	0.72	0.12	1.39		06/08/22 23:30	75-01-4	
m&p-Xylene	5.7	ug/m3	2.5	0.89	1.39		06/08/22 23:30	179601-23-1	
o-Xylene	3.0	ug/m3	1.2	0.38	1.39		06/08/22 23:30	95-47-6	

Sample: **SSV406 Wild Card** Lab ID: **10609105008** Collected: 05/12/22 14:03 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	8.4J	ug/m3	9.0	2.7	1.49		06/09/22 00:04	67-64-1	
Benzene	<0.17	ug/m3	0.48	0.17	1.49		06/09/22 00:04	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.9	1.3	1.49		06/09/22 00:04	100-44-7	
Bromodichloromethane	<0.35	ug/m3	2.0	0.35	1.49		06/09/22 00:04	75-27-4	
Bromoform	<2.4	ug/m3	7.8	2.4	1.49		06/09/22 00:04	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.49		06/09/22 00:04	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.67	0.18	1.49		06/09/22 00:04	106-99-0	
2-Butanone (MEK)	<0.69	ug/m3	4.5	0.69	1.49		06/09/22 00:04	78-93-3	
Carbon disulfide	<0.19	ug/m3	0.94	0.19	1.49		06/09/22 00:04	75-15-0	
Carbon tetrachloride	<0.42	ug/m3	1.9	0.42	1.49		06/09/22 00:04	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.49		06/09/22 00:04	108-90-7	
Chloroethane	<0.33	ug/m3	2.0	0.33	1.49		06/09/22 00:04	75-00-3	
Chloroform	<0.27	ug/m3	0.74	0.27	1.49		06/09/22 00:04	67-66-3	
Chloromethane	<0.13	ug/m3	0.63	0.13	1.49		06/09/22 00:04	74-87-3	
Cyclohexane	<0.33	ug/m3	2.6	0.33	1.49		06/09/22 00:04	110-82-7	
Dibromochloromethane	<0.77	ug/m3	2.6	0.77	1.49		06/09/22 00:04	124-48-1	
1,2-Dibromoethane (EDB)	<0.45	ug/m3	1.2	0.45	1.49		06/09/22 00:04	106-93-4	
1,2-Dichlorobenzene	<0.60	ug/m3	4.6	0.60	1.49		06/09/22 00:04	95-50-1	
1,3-Dichlorobenzene	<0.76	ug/m3	4.6	0.76	1.49		06/09/22 00:04	541-73-1	
1,4-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		06/09/22 00:04	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite

Pace Project No.: 10609105

Sample: **SSV406 Wild Card** Lab ID: **10609105008** Collected: 05/12/22 14:03 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	<0.28	ug/m3	1.5	0.28	1.49		06/09/22 00:04	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.2	0.25	1.49		06/09/22 00:04	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	1.2	0.29	1.49		06/09/22 00:04	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.49		06/09/22 00:04	75-35-4	
cis-1,2-Dichloroethene	<0.29	ug/m3	1.2	0.29	1.49		06/09/22 00:04	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.49		06/09/22 00:04	156-60-5	
1,2-Dichloropropane	<0.40	ug/m3	1.4	0.40	1.49		06/09/22 00:04	78-87-5	
cis-1,3-Dichloropropene	<0.38	ug/m3	3.4	0.38	1.49		06/09/22 00:04	10061-01-5	
trans-1,3-Dichloropropene	<0.81	ug/m3	3.4	0.81	1.49		06/09/22 00:04	10061-02-6	
Dichlorotetrafluoroethane	<0.30	ug/m3	2.1	0.30	1.49		06/09/22 00:04	76-14-2	
Ethanol	24.2	ug/m3	2.9	0.88	1.49		06/09/22 00:04	64-17-5	
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.49		06/09/22 00:04	141-78-6	
Ethylbenzene	2.0	ug/m3	1.3	0.46	1.49		06/09/22 00:04	100-41-4	
4-Ethyltoluene	1.7J	ug/m3	3.7	0.70	1.49		06/09/22 00:04	622-96-8	
n-Heptane	<0.27	ug/m3	1.2	0.27	1.49		06/09/22 00:04	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	8.1	1.8	1.49		06/09/22 00:04	87-68-3	
n-Hexane	<0.28	ug/m3	1.1	0.28	1.49		06/09/22 00:04	110-54-3	
2-Hexanone	<0.66	ug/m3	6.2	0.66	1.49		06/09/22 00:04	591-78-6	
Methylene Chloride	<0.88	ug/m3	5.3	0.88	1.49		06/09/22 00:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.48	ug/m3	6.2	0.48	1.49		06/09/22 00:04	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.5	0.19	1.49		06/09/22 00:04	1634-04-4	
Naphthalene	3.5J	ug/m3	4.0	3.2	1.49		06/09/22 00:04	91-20-3	
2-Propanol	7.2	ug/m3	3.7	0.76	1.49		06/09/22 00:04	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.49		06/09/22 00:04	115-07-1	
Styrene	7.3	ug/m3	1.3	0.57	1.49		06/09/22 00:04	100-42-5	
1,1,2,2-Tetrachloroethane	<0.55	ug/m3	2.1	0.55	1.49		06/09/22 00:04	79-34-5	
Tetrachloroethene	3200	ug/m3	61.6	26.1	89.4		06/09/22 16:11	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.89	0.27	1.49		06/09/22 00:04	109-99-9	
Toluene	67.5	ug/m3	1.1	0.36	1.49		06/09/22 00:04	108-88-3	
1,2,4-Trichlorobenzene	<7.3	ug/m3	11.2	7.3	1.49		06/09/22 00:04	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.49		06/09/22 00:04	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.83	0.29	1.49		06/09/22 00:04	79-00-5	
Trichloroethene	3.8	ug/m3	0.81	0.29	1.49		06/09/22 00:04	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	1.7	0.35	1.49		06/09/22 00:04	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.47J	ug/m3	2.3	0.43	1.49		06/09/22 00:04	76-13-1	
1,2,4-Trimethylbenzene	2.7	ug/m3	1.5	0.53	1.49		06/09/22 00:04	95-63-6	
1,3,5-Trimethylbenzene	<0.43	ug/m3	1.5	0.43	1.49		06/09/22 00:04	108-67-8	
Vinyl acetate	<0.31	ug/m3	1.1	0.31	1.49		06/09/22 00:04	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.77	0.13	1.49		06/09/22 00:04	75-01-4	
m&p-Xylene	6.4	ug/m3	2.6	0.96	1.49		06/09/22 00:04	179601-23-1	
o-Xylene	3.2	ug/m3	1.3	0.40	1.49		06/09/22 00:04	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: Blower Eff. **Lab ID: 10609105009** Collected: 05/12/22 13:40 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	18.1	ug/m3	9.2	2.8	1.52		06/09/22 00:38	67-64-1	
Benzene	0.24J	ug/m3	0.49	0.17	1.52		06/09/22 00:38	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.0	1.4	1.52		06/09/22 00:38	100-44-7	
Bromodichloromethane	<0.36	ug/m3	2.1	0.36	1.52		06/09/22 00:38	75-27-4	
Bromoform	<2.5	ug/m3	8.0	2.5	1.52		06/09/22 00:38	75-25-2	
Bromomethane	<0.23	ug/m3	1.2	0.23	1.52		06/09/22 00:38	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.68	0.18	1.52		06/09/22 00:38	106-99-0	
2-Butanone (MEK)	4.2J	ug/m3	4.6	0.71	1.52		06/09/22 00:38	78-93-3	
Carbon disulfide	<0.20	ug/m3	0.96	0.20	1.52		06/09/22 00:38	75-15-0	
Carbon tetrachloride	<0.43	ug/m3	1.9	0.43	1.52		06/09/22 00:38	56-23-5	
Chlorobenzene	<0.24	ug/m3	1.4	0.24	1.52		06/09/22 00:38	108-90-7	
Chloroethane	<0.34	ug/m3	2.0	0.34	1.52		06/09/22 00:38	75-00-3	
Chloroform	<0.28	ug/m3	0.75	0.28	1.52		06/09/22 00:38	67-66-3	
Chloromethane	<0.13	ug/m3	0.64	0.13	1.52		06/09/22 00:38	74-87-3	
Cyclohexane	<0.34	ug/m3	2.7	0.34	1.52		06/09/22 00:38	110-82-7	
Dibromochloromethane	<0.78	ug/m3	2.6	0.78	1.52		06/09/22 00:38	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	1.2	0.46	1.52		06/09/22 00:38	106-93-4	
1,2-Dichlorobenzene	7.6	ug/m3	4.7	0.62	1.52		06/09/22 00:38	95-50-1	
1,3-Dichlorobenzene	<0.77	ug/m3	4.7	0.77	1.52		06/09/22 00:38	541-73-1	
1,4-Dichlorobenzene	<1.3	ug/m3	4.7	1.3	1.52		06/09/22 00:38	106-46-7	
Dichlorodifluoromethane	221	ug/m3	1.5	0.29	1.52		06/09/22 00:38	75-71-8	
1,1-Dichloroethane	<0.25	ug/m3	1.3	0.25	1.52		06/09/22 00:38	75-34-3	
1,2-Dichloroethane	<0.29	ug/m3	1.3	0.29	1.52		06/09/22 00:38	107-06-2	
1,1-Dichloroethene	<0.21	ug/m3	1.2	0.21	1.52		06/09/22 00:38	75-35-4	
cis-1,2-Dichloroethene	<0.30	ug/m3	1.2	0.30	1.52		06/09/22 00:38	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.52		06/09/22 00:38	156-60-5	
1,2-Dichloropropane	<0.41	ug/m3	1.4	0.41	1.52		06/09/22 00:38	78-87-5	
cis-1,3-Dichloropropene	<0.39	ug/m3	3.5	0.39	1.52		06/09/22 00:38	10061-01-5	
trans-1,3-Dichloropropene	<0.83	ug/m3	3.5	0.83	1.52		06/09/22 00:38	10061-02-6	
Dichlorotetrafluoroethane	<0.31	ug/m3	2.2	0.31	1.52		06/09/22 00:38	76-14-2	
Ethanol	90.3	ug/m3	2.9	0.90	1.52		06/09/22 00:38	64-17-5	
Ethyl acetate	<0.20	ug/m3	1.1	0.20	1.52		06/09/22 00:38	141-78-6	
Ethylbenzene	<0.47	ug/m3	1.3	0.47	1.52		06/09/22 00:38	100-41-4	
4-Ethyltoluene	1.9J	ug/m3	3.8	0.72	1.52		06/09/22 00:38	622-96-8	
n-Heptane	<0.28	ug/m3	1.3	0.28	1.52		06/09/22 00:38	142-82-5	
Hexachloro-1,3-butadiene	<1.9	ug/m3	8.2	1.9	1.52		06/09/22 00:38	87-68-3	
n-Hexane	<0.29	ug/m3	1.1	0.29	1.52		06/09/22 00:38	110-54-3	
2-Hexanone	<0.67	ug/m3	6.3	0.67	1.52		06/09/22 00:38	591-78-6	
Methylene Chloride	16.2	ug/m3	5.4	0.90	1.52		06/09/22 00:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.49	ug/m3	6.3	0.49	1.52		06/09/22 00:38	108-10-1	
Methyl-tert-butyl ether	<0.19	ug/m3	5.6	0.19	1.52		06/09/22 00:38	1634-04-4	
Naphthalene	<3.3	ug/m3	4.0	3.3	1.52		06/09/22 00:38	91-20-3	
2-Propanol	1.5J	ug/m3	3.8	0.77	1.52		06/09/22 00:38	67-63-0	
Propylene	<0.20	ug/m3	1.3	0.20	1.52		06/09/22 00:38	115-07-1	
Styrene	<0.59	ug/m3	1.3	0.59	1.52		06/09/22 00:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun Rite
Pace Project No.: 10609105

Sample: Blower Eff. **Lab ID: 10609105009** Collected: 05/12/22 13:40 Received: 05/19/22 10:48 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.57	ug/m3	2.1	0.57	1.52		06/09/22 00:38	79-34-5	
Tetrachloroethene	361	ug/m3	5.2	2.2	7.6		06/09/22 14:38	127-18-4	
Tetrahydrofuran	2.9	ug/m3	0.91	0.27	1.52		06/09/22 00:38	109-99-9	
Toluene	1.2	ug/m3	1.2	0.37	1.52		06/09/22 00:38	108-88-3	
1,2,4-Trichlorobenzene	<7.4	ug/m3	11.5	7.4	1.52		06/09/22 00:38	120-82-1	
1,1,1-Trichloroethane	<0.28	ug/m3	1.7	0.28	1.52		06/09/22 00:38	71-55-6	
1,1,2-Trichloroethane	<0.30	ug/m3	0.84	0.30	1.52		06/09/22 00:38	79-00-5	
Trichloroethene	<0.30	ug/m3	0.83	0.30	1.52		06/09/22 00:38	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.35	1.52		06/09/22 00:38	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.77J	ug/m3	2.4	0.44	1.52		06/09/22 00:38	76-13-1	
1,2,4-Trimethylbenzene	4.1	ug/m3	1.5	0.54	1.52		06/09/22 00:38	95-63-6	
1,3,5-Trimethylbenzene	2.5	ug/m3	1.5	0.44	1.52		06/09/22 00:38	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.1	0.32	1.52		06/09/22 00:38	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.79	0.13	1.52		06/09/22 00:38	75-01-4	
m&p-Xylene	1.9J	ug/m3	2.7	0.98	1.52		06/09/22 00:38	179601-23-1	
o-Xylene	0.89J	ug/m3	1.3	0.41	1.52		06/09/22 00:38	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

QC Batch: 820340 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10609105001, 10609105002, 10609105003, 10609105004, 10609105005, 10609105006, 10609105007, 10609105008, 10609105009

METHOD BLANK: 4346811 Matrix: Air
Associated Lab Samples: 10609105001, 10609105002, 10609105003, 10609105004, 10609105005, 10609105006, 10609105007, 10609105008, 10609105009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.093	0.56	06/08/22 11:49	
1,1,2,2-Tetrachloroethane	ug/m3	<0.19	0.70	06/08/22 11:49	
1,1,2-Trichloroethane	ug/m3	<0.098	0.28	06/08/22 11:49	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.14	0.78	06/08/22 11:49	
1,1-Dichloroethane	ug/m3	<0.082	0.41	06/08/22 11:49	
1,1-Dichloroethene	ug/m3	<0.069	0.40	06/08/22 11:49	
1,2,4-Trichlorobenzene	ug/m3	<2.4	3.8	06/08/22 11:49	
1,2,4-Trimethylbenzene	ug/m3	<0.18	0.50	06/08/22 11:49	
1,2-Dibromoethane (EDB)	ug/m3	<0.15	0.39	06/08/22 11:49	
1,2-Dichlorobenzene	ug/m3	<0.20	1.5	06/08/22 11:49	
1,2-Dichloroethane	ug/m3	<0.097	0.41	06/08/22 11:49	
1,2-Dichloropropane	ug/m3	<0.13	0.47	06/08/22 11:49	
1,3,5-Trimethylbenzene	ug/m3	<0.14	0.50	06/08/22 11:49	
1,3-Butadiene	ug/m3	<0.060	0.22	06/08/22 11:49	
1,3-Dichlorobenzene	ug/m3	<0.25	1.5	06/08/22 11:49	
1,4-Dichlorobenzene	ug/m3	<0.44	1.5	06/08/22 11:49	
2-Butanone (MEK)	ug/m3	<0.23	1.5	06/08/22 11:49	
2-Hexanone	ug/m3	<0.22	2.1	06/08/22 11:49	
2-Propanol	ug/m3	<0.25	1.2	06/08/22 11:49	
4-Ethyltoluene	ug/m3	<0.24	1.2	06/08/22 11:49	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.16	2.1	06/08/22 11:49	
Acetone	ug/m3	<0.90	3.0	06/08/22 11:49	
Benzene	ug/m3	<0.057	0.16	06/08/22 11:49	
Benzyl chloride	ug/m3	<0.44	1.3	06/08/22 11:49	
Bromodichloromethane	ug/m3	<0.12	0.68	06/08/22 11:49	
Bromoform	ug/m3	<0.81	2.6	06/08/22 11:49	
Bromomethane	ug/m3	<0.075	0.39	06/08/22 11:49	
Carbon disulfide	ug/m3	<0.064	0.32	06/08/22 11:49	
Carbon tetrachloride	ug/m3	<0.14	0.64	06/08/22 11:49	
Chlorobenzene	ug/m3	<0.078	0.47	06/08/22 11:49	
Chloroethane	ug/m3	<0.11	0.67	06/08/22 11:49	
Chloroform	ug/m3	<0.092	0.25	06/08/22 11:49	
Chloromethane	ug/m3	<0.043	0.21	06/08/22 11:49	
cis-1,2-Dichloroethene	ug/m3	<0.098	0.40	06/08/22 11:49	
cis-1,3-Dichloropropene	ug/m3	<0.13	1.2	06/08/22 11:49	
Cyclohexane	ug/m3	<0.11	0.88	06/08/22 11:49	
Dibromochloromethane	ug/m3	<0.26	0.86	06/08/22 11:49	
Dichlorodifluoromethane	ug/m3	<0.094	0.50	06/08/22 11:49	
Dichlorotetrafluoroethane	ug/m3	<0.10	0.71	06/08/22 11:49	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

METHOD BLANK: 4346811

Matrix: Air

Associated Lab Samples: 10609105001, 10609105002, 10609105003, 10609105004, 10609105005, 10609105006, 10609105007, 10609105008, 10609105009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.30	0.96	06/08/22 11:49	
Ethyl acetate	ug/m3	<0.066	0.37	06/08/22 11:49	
Ethylbenzene	ug/m3	<0.15	0.44	06/08/22 11:49	
Hexachloro-1,3-butadiene	ug/m3	<0.62	2.7	06/08/22 11:49	
m&p-Xylene	ug/m3	<0.32	0.88	06/08/22 11:49	
Methyl-tert-butyl ether	ug/m3	<0.063	1.8	06/08/22 11:49	
Methylene Chloride	ug/m3	<0.30	1.8	06/08/22 11:49	
n-Heptane	ug/m3	<0.090	0.42	06/08/22 11:49	
n-Hexane	ug/m3	<0.096	0.36	06/08/22 11:49	
Naphthalene	ug/m3	<1.1	1.3	06/08/22 11:49	
o-Xylene	ug/m3	<0.14	0.44	06/08/22 11:49	
Propylene	ug/m3	<0.065	0.44	06/08/22 11:49	
Styrene	ug/m3	<0.19	0.43	06/08/22 11:49	
Tetrachloroethene	ug/m3	<0.15	0.34	06/08/22 11:49	
Tetrahydrofuran	ug/m3	<0.090	0.30	06/08/22 11:49	
Toluene	ug/m3	<0.12	0.38	06/08/22 11:49	
trans-1,2-Dichloroethene	ug/m3	<0.084	0.40	06/08/22 11:49	
trans-1,3-Dichloropropene	ug/m3	<0.27	1.2	06/08/22 11:49	
Trichloroethene	ug/m3	<0.098	0.27	06/08/22 11:49	
Trichlorofluoromethane	ug/m3	<0.12	0.57	06/08/22 11:49	
Vinyl acetate	ug/m3	<0.10	0.36	06/08/22 11:49	
Vinyl chloride	ug/m3	<0.043	0.26	06/08/22 11:49	

LABORATORY CONTROL SAMPLE: 4346812

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	67.1	113	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	84.6	112	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	70.1	118	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	84.0	100	70-130	
1,1-Dichloroethane	ug/m3	43.9	47.3	108	70-130	
1,1-Dichloroethene	ug/m3	43.5	46.8	107	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	177	100	70-130	
1,2,4-Trimethylbenzene	ug/m3	54	57.6	107	70-137	
1,2-Dibromoethane (EDB)	ug/m3	82.5	93.8	114	70-137	
1,2-Dichlorobenzene	ug/m3	66.2	67.9	103	70-131	
1,2-Dichloroethane	ug/m3	44.4	48.4	109	70-134	
1,2-Dichloropropane	ug/m3	50.6	60.3	119	70-130	
1,3,5-Trimethylbenzene	ug/m3	53.7	57.9	108	70-131	
1,3-Butadiene	ug/m3	24.2	28.4	118	70-139	
1,3-Dichlorobenzene	ug/m3	66.3	66.9	101	70-134	
1,4-Dichlorobenzene	ug/m3	66.3	66.5	100	70-131	
2-Butanone (MEK)	ug/m3	32.3	37.3	116	70-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

LABORATORY CONTROL SAMPLE: 4346812

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	44.8	51.1	114	70-136	
2-Propanol	ug/m3	149	156	105	65-133	
4-Ethyltoluene	ug/m3	53.7	57.0	106	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	52.9	118	70-130	
Acetone	ug/m3	128	124	97	60-134	
Benzene	ug/m3	34.8	41.0	118	70-130	
Benzyl chloride	ug/m3	57.6	59.5	103	70-130	
Bromodichloromethane	ug/m3	73.1	88.6	121	70-130	
Bromoform	ug/m3	114	117	103	70-138	
Bromomethane	ug/m3	42.5	42.0	99	68-131	
Carbon disulfide	ug/m3	34.4	37.8	110	70-130	
Carbon tetrachloride	ug/m3	69.4	80.4	116	70-132	
Chlorobenzene	ug/m3	50.2	55.1	110	70-130	
Chloroethane	ug/m3	28.8	34.4	119	70-134	
Chloroform	ug/m3	52.4	61.3	117	70-130	
Chloromethane	ug/m3	22.6	25.9	115	68-131	
cis-1,2-Dichloroethene	ug/m3	43.4	52.9	122	70-136	
cis-1,3-Dichloropropene	ug/m3	49.4	57.9	117	70-130	
Cyclohexane	ug/m3	37.4	48.2	129	70-131	
Dibromochloromethane	ug/m3	93.2	109	117	70-134	
Dichlorodifluoromethane	ug/m3	54.6	58.1	106	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	79.3	111	70-130	
Ethanol	ug/m3	124	138	112	55-145	
Ethyl acetate	ug/m3	38.9	50.8	131	70-135	CH
Ethylbenzene	ug/m3	47.8	54.7	114	70-133	
Hexachloro-1,3-butadiene	ug/m3	133	144	109	70-132	
m&p-Xylene	ug/m3	95.4	105	110	70-134	
Methyl-tert-butyl ether	ug/m3	39.6	42.8	108	70-131	
Methylene Chloride	ug/m3	190	193	102	65-132	
n-Heptane	ug/m3	44.6	57.9	130	70-130	
n-Hexane	ug/m3	38	48.8	128	70-132	
Naphthalene	ug/m3	65.2	69.8	107	70-130	
o-Xylene	ug/m3	47.6	52.4	110	70-134	
Propylene	ug/m3	18.9	24.4	129	69-133	
Styrene	ug/m3	47	53.7	114	70-135	
Tetrachloroethene	ug/m3	73.4	76.8	105	70-134	
Tetrahydrofuran	ug/m3	32.1	38.1	119	70-140	
Toluene	ug/m3	41.6	47.0	113	70-136	
trans-1,2-Dichloroethene	ug/m3	43.6	47.3	109	70-134	
trans-1,3-Dichloropropene	ug/m3	50.5	57.3	113	70-131	
Trichloroethene	ug/m3	58.4	72.2	123	70-134	
Trichlorofluoromethane	ug/m3	62	63.7	103	63-130	
Vinyl acetate	ug/m3	46.4	54.4	117	70-139	
Vinyl chloride	ug/m3	28	32.1	115	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

SAMPLE DUPLICATE: 4348059

Parameter	Units	10609105001 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.30	<0.30			25
1,1,2,2-Tetrachloroethane	ug/m3	<0.60	<0.60			25
1,1,2-Trichloroethane	ug/m3	<0.32	<0.32			25
1,1,2-Trichlorotrifluoroethane	ug/m3	0.62J	0.79J			25
1,1-Dichloroethane	ug/m3	<0.27	<0.27			25
1,1-Dichloroethene	ug/m3	<0.22	<0.22			25
1,2,4-Trichlorobenzene	ug/m3	<7.9	<7.9			25
1,2,4-Trimethylbenzene	ug/m3	<0.57	<0.57			25
1,2-Dibromoethane (EDB)	ug/m3	<0.48	<0.48			25
1,2-Dichlorobenzene	ug/m3	<0.65	<0.65			25
1,2-Dichloroethane	ug/m3	<0.31	<0.31			25
1,2-Dichloropropane	ug/m3	<0.43	<0.43			25
1,3,5-Trimethylbenzene	ug/m3	<0.47	<0.47			25
1,3-Butadiene	ug/m3	<0.19	<0.19			25
1,3-Dichlorobenzene	ug/m3	<0.82	<0.82			25
1,4-Dichlorobenzene	ug/m3	<1.4	<1.4			25
2-Butanone (MEK)	ug/m3	4.1J	3.4J			25
2-Hexanone	ug/m3	<0.71	<0.71			25
2-Propanol	ug/m3	2.2J	2.1J			25
4-Ethyltoluene	ug/m3	<0.76	<0.76			25
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.52	<0.52			25
Acetone	ug/m3	20.4	20.0	2		25
Benzene	ug/m3	<0.18	<0.18			25
Benzyl chloride	ug/m3	<1.4	<1.4			25
Bromodichloromethane	ug/m3	<0.38	<0.38			25
Bromoform	ug/m3	<2.6	<2.6			25
Bromomethane	ug/m3	<0.24	<0.24			25
Carbon disulfide	ug/m3	0.92J	1.2			25
Carbon tetrachloride	ug/m3	<0.45	<0.45			25
Chlorobenzene	ug/m3	<0.25	<0.25			25
Chloroethane	ug/m3	<0.36	<0.36			25
Chloroform	ug/m3	<0.29	<0.29			25
Chloromethane	ug/m3	1.1	1.1	6		25
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31			25
cis-1,3-Dichloropropene	ug/m3	<0.41	<0.41			25
Cyclohexane	ug/m3	<0.36	<0.36			25
Dibromochloromethane	ug/m3	<0.83	<0.83			25
Dichlorodifluoromethane	ug/m3	2.6	2.6	3		25
Dichlorotetrafluoroethane	ug/m3	<0.33	<0.33			25
Ethanol	ug/m3	8.3	7.8	7		25
Ethyl acetate	ug/m3	<0.21	<0.21			25
Ethylbenzene	ug/m3	<0.50	<0.50			25
Hexachloro-1,3-butadiene	ug/m3	<2.0	<2.0			25
m&p-Xylene	ug/m3	<1.0	<1.0			25
Methyl-tert-butyl ether	ug/m3	<0.20	<0.20			25
Methylene Chloride	ug/m3	<0.95	<0.95			25
n-Heptane	ug/m3	2.3	2.3	3		25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

SAMPLE DUPLICATE: 4348059

Parameter	Units	10609105001 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<0.31	<0.31		25	
Naphthalene	ug/m3	<3.5	<3.5		25	
o-Xylene	ug/m3	<0.44	<0.44		25	
Propylene	ug/m3	<0.21	<0.21		25	
Styrene	ug/m3	<0.62	<0.62		25	
Tetrachloroethene	ug/m3	0.86J	0.78J		25	
Tetrahydrofuran	ug/m3	<0.29	<0.29		25	
Toluene	ug/m3	2.4	3.1	26	25	R1
trans-1,2-Dichloroethene	ug/m3	<0.27	<0.27		25	
trans-1,3-Dichloropropene	ug/m3	<0.88	<0.88		25	
Trichloroethene	ug/m3	<0.32	<0.32		25	
Trichlorofluoromethane	ug/m3	1.7J	1.7J		25	
Vinyl acetate	ug/m3	<0.33	<0.33		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

SAMPLE DUPLICATE: 4348060

Parameter	Units	10609105002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.27	<0.27		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.54	<0.54		25	
1,1,2-Trichloroethane	ug/m3	<0.29	<0.29		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.42	0.54J		25	
1,1-Dichloroethane	ug/m3	<0.24	<0.24		25	
1,1-Dichloroethene	ug/m3	<0.20	<0.20		25	
1,2,4-Trichlorobenzene	ug/m3	<7.1	<7.1		25	
1,2,4-Trimethylbenzene	ug/m3	1.3J	1.3J		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<0.59	<0.59		25	
1,2-Dichloroethane	ug/m3	<0.28	<0.28		25	
1,2-Dichloropropane	ug/m3	<0.39	<0.39		25	
1,3,5-Trimethylbenzene	ug/m3	<0.42	<0.42		25	
1,3-Butadiene	ug/m3	<0.18	<0.18		25	
1,3-Dichlorobenzene	ug/m3	<0.74	<0.74		25	
1,4-Dichlorobenzene	ug/m3	256	259	1	25	
2-Butanone (MEK)	ug/m3	8.5	9.5	11	25	
2-Hexanone	ug/m3	<0.65	2.2J		25	
2-Propanol	ug/m3	32.5	33.7	4	25	
4-Ethyltoluene	ug/m3	<0.69	<0.69		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.47	<0.47		25	
Acetone	ug/m3	62.9	57.4	9	25	
Benzene	ug/m3	<0.17	<0.17		25	
Benzyl chloride	ug/m3	<1.3	<1.3		25	
Bromodichloromethane	ug/m3	<0.35	<0.35		25	
Bromoform	ug/m3	<2.4	<2.4		25	
Bromomethane	ug/m3	<0.22	<0.22		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun Rite
Pace Project No.: 10609105

SAMPLE DUPLICATE: 4348060

Parameter	Units	10609105002 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	<0.19	0.21J		25	
Carbon tetrachloride	ug/m3	<0.41	<0.41		25	
Chlorobenzene	ug/m3	<0.23	<0.23		25	
Chloroethane	ug/m3	<0.33	<0.33		25	
Chloroform	ug/m3	<0.27	<0.27		25	
Chloromethane	ug/m3	2.2	2.6	16	25	
cis-1,2-Dichloroethene	ug/m3	<0.28	<0.28		25	
cis-1,3-Dichloropropene	ug/m3	<0.37	<0.37		25	
Cyclohexane	ug/m3	<0.32	<0.32		25	
Dibromochloromethane	ug/m3	<0.75	<0.75		25	
Dichlorodifluoromethane	ug/m3	14.0	16.1	14	25	
Dichlorotetrafluoroethane	ug/m3	<0.29	<0.29		25	
Ethanol	ug/m3	1390	1370	2	25	
Ethyl acetate	ug/m3	<0.19	<0.19		25	
Ethylbenzene	ug/m3	<0.45	<0.45		25	
Hexachloro-1,3-butadiene	ug/m3	<1.8	<1.8		25	
m&p-Xylene	ug/m3	1.9J	1.9J		25	
Methyl-tert-butyl ether	ug/m3	<0.18	<0.18		25	
Methylene Chloride	ug/m3	<0.87	<0.87		25	
n-Heptane	ug/m3	<0.26	<0.26		25	
n-Hexane	ug/m3	<0.28	<0.28		25	
Naphthalene	ug/m3	4.0	4.1	1	25	
o-Xylene	ug/m3	0.52J	0.57J		25	
Propylene	ug/m3	<0.19	<0.19		25	
Styrene	ug/m3	1.3	1.3	1	25	
Tetrachloroethene	ug/m3	3.3	3.3	2	25	
Tetrahydrofuran	ug/m3	<0.26	<0.26		25	
Toluene	ug/m3	2.8	2.8	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.25	<0.25		25	
trans-1,3-Dichloropropene	ug/m3	<0.79	<0.79		25	
Trichloroethene	ug/m3	1.9	2.0	6	25	
Trichlorofluoromethane	ug/m3	1.7	1.8	2	25	
Vinyl acetate	ug/m3	<0.30	<0.30		25	
Vinyl chloride	ug/m3	<0.13	<0.13		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun Rite
Pace Project No.: 10609105

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|---|
| CH | The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high. |
| E | Analyte concentration exceeded the calibration range. The reported result is estimated. |
| R1 | RPD value was outside control limits. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun Rite
Pace Project No.: 10609105

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10609105001	AA203 Outside Dun Rite	TO-15	820340		
10609105002	406 AA407 Lobby	TO-15	820340		
10609105003	AA407 Wild Card	TO-15	820340		
10609105004	AA408 Attorney	TO-15	820340		
10609105005	SSV101 Dun Rite South	TO-15	820340		
10609105006	SSV203 Dun Rite Office	TO-15	820340		
10609105007	SSV405 Attorney	TO-15	820340		
10609105008	SSV406 Wild Card	TO-15	820340		
10609105009	Blower Eff.	TO-15	820340		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

54816

Page: of

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Program
Company: Sand County Env.	Report To: Pete Arntsen	Attention: Pete Arntsen	<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act
Address: 151 Mill St Amherst, WI	Copy To:	Company Name: Sand County Env.	<input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other
Email To: pete.arntsen@sandcountyenv.com	Project Name: Dan Rite	Address: 151 Mill St.	Reporting Units ug/m ³ mg/m ³ PPBV PPMV Other
Phone: 715-824-5169 Fax:	Project Number:	Pace Quote Reference:	Location of Sampling by State
Requested Due Date/TAT:		Pace Project Manager/Sales Rep.	Report Level I. II. III. IV. Other
		Pace Profile #: 25302	

ITEM #	Section D Required Client Information		MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID	
	AIR SAMPLE ID				COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Fixed Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated		
	Sample IDs MUST BE UNIQUE				DATE	TIME	DATE	TIME														
1	AA203	Outside Dan Rite	SLC-6		5/12	8:59	5/12	4:36	-30	-4	0410	0884									001	
2	AA407	Lobby		0.3	5/12	8:46	5/12	4:28	-30	-3	1218	0089										002
3	AA407	Wild Card		0.5	5/12	8:52	5/12	4:25	-29	-2	1674	1366										003
4	AA408	Attorney		0.5	5/12	8:57	5/12	4:15	-26	0	3402	1447										004
5							5/12															
6	SSV101	Dan Rite South	6LC04	0.4	5/12	11:59	12:39	12:39	-30	-2	2296	3165										005
7	SSV203	Dan Rite Office		0.4		12:11	12:54	12:54	-27	-2	2660	2628										006
8	SSV405	Attorney		3.3		1:23	2:15	2:09	-30	-2	3445	3134										007
9	SSV406	Wild Card		1.5		1:16	2:03	2:03	-27	-2	2090	2684										008
10							5/12															
11		Blower Env.		0.4		1:06	1:40	1:40	-26	-2	0264	2783										009

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
				M. K. Pace	5/12/22	10:48	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
PRINT Name of SAMPLER: Pete Arntsen	SIGNATURE of SAMPLER: <i>Pete Arntsen</i>				
DATE Signed (MM / DD / YY)					

WO#: 10609105



10609105

406



Document Name:
Sample Condition Upon Receipt (SCUR) - Air

Document No.:
ENV-FRM-MIN4-0113 Rev.01

Document Revised: 13Oct2021
 Page 1 of 1

Pace Analytical Services - Minneapolis

Air Sample Condition Upon Receipt

Client Name: Sand County Project #

WO# : 10609105
 PM: KNH Due Date: 05/26/22
 CLIENT: Sand Creek

Courier: FedEx UPS USPS Client
 Pace Speedee Commercial

Tracking Number: _____ See Exception

Custody Seal on Cooler/Box Present? Yes No

Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags Foam
 None Tin Can Other: _____

OSR 22 MS
 Date & Initials of Person Examining Contents: 5/19/22 MS

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		2.
Chain of Custody Relinquished?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		9.
(Tedlar bags not acceptable container for TO-15 or APH)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		10.
(visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Media: <u>Air Can</u> Airbag				11. Individually Certified Cans? Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		13.

Gauge #: 10AIR26 10AIR34 10AIR35 10AIR17 10AIR47 10AIR48

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
AA 203	410	884	-5	5					
Lobby	1218	89	-2.5						
Wild Card	1674	1366	-3						
Attorney	3402	1447	-2.5						
Dun Rite South	2296	3165	-82						
Dun Rite Office	2660	2628	-1						
Attorney	3445	3134	-1						
Wild Card	2090	2689	-3						
Blower	264	2783	-3.5						

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Kirsten Hogberg Date: 5/20/2022

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).



Document Name: Sample Condition Upon Receipt (SCUR) Exception Form	Document Revised: 04Jun2020 Page 1 of 1
Document No.: ENV-FRM-MIN4-0142 Rev.01	Pace Analytical Services - Minneapolis

SCUR Exceptions:**Workorder #:** 10609105

Out of Temp Sample IDs	Container Type	# of Containers	PM Notified? <input type="checkbox"/> Yes <input type="checkbox"/> No
			If yes, indicate who was contacted/date/time. If no, indicate reason why.

Multiple Cooler Project? Yes No
If you answered yes, fill out information to the left.

No Temp Blank		
Read Temp	Corrected Temp	Average Temp

Tracking Number/Temperature
9753 8451 1174
1152
1163

Issue Type:	Container Type	# of Containers
Sample ID		

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition? <input type="checkbox"/> Yes <input type="checkbox"/> No	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

Comments:
