



January 26, 2023

Mr. Matt Thompson, Project Manager
Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
1300 West Clairemont Avenue
Eau Claire, WI 54701-6127

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Fall 2022 Groundwater and Vapor Results

Dear Mr. Thompson:

The purpose of this letter is to summarize the results of groundwater, soil vapor, and ambient air samples collected at and near the above-referenced site during October 2022. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site (the Site/Dun-Rite). The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

The site location is indicated on **Figure 1**.

Work Performed

Sub-slab and ambient air samples were collected on October 21, 2022, from the Dun-Rite building, the former Guzman office building, currently owned by Merge Urban Development, and the blower station. When collecting the blower station sample, it was noted that the timer had malfunctioned, and thus the system had not operated recently. The residential structure that was sampled previously was razed and the property leveled in fall 2021, thus samples are no longer collected from that property.

Groundwater samples were collected on October 21, 2022, from monitoring wells south of the Dun-Rite building, including GP-11, GP-12, and MWG-1.

Results

Vapor

Vapor sample results are summarized on **Tables 1a, 1b, and 1c**; sample locations and PCE and TCE results are shown on **Figure 2**. The **laboratory report** is enclosed.

Ambient air samples from inside the former Guzman building were below Residential Action Levels for PCE and TCE (Action Levels are $42 \mu\text{g}/\text{m}^3$ and $2.1 \mu\text{g}/\text{m}^3$, respectively). The Outdoor ambient air sample was collected from outside the north side of the former Guzman building and had no PCE or TCE detected.

The sub-slab sample collected from SSV405, located beneath the southwest office (former Attorney) in the former Guzman building, had a PCE concentration of 40,300 $\mu\text{g}/\text{m}^3$; the sub-slab sample collected from SSV406, located beneath the northwest office (former Wildcard), had a PCE concentration of 12,100 $\mu\text{g}/\text{l}$. Both PCE concentrations exceed the Non-Residential Sub-Slab Vapor Screening Level of 6,000 $\mu\text{g}/\text{m}^3$ for the substance. TCE was not detected in either sample, though the detection limits were elevated due to required sample dilutions.

The two samples collected from beneath the Dun-Rite building each had PCE and TCE concentrations below their respective Residential Sub-Slab Vapor Screening Levels. The PCE concentrations for SSV101 and SSV203 were 1,150 $\mu\text{g}/\text{m}^3$ and 294 $\mu\text{g}/\text{m}^3$, respectively; the TCE concentrations were near or below method detection limits.

The Blower Exhaust sample had a PCE concentration of 24,500 $\mu\text{g}/\text{m}^3$ and a TCE concentration below the method detection limit.

Groundwater Quality

Groundwater sample results are summarized on **Table 2**; sample locations are shown on **Figure 3**. Historic PCE results are displayed graphically on **Chart 1**. The **laboratory report** is enclosed.

All three wells that were sampled had concentrations of PCE above its Enforcement Standard (ES) of 5.0 $\mu\text{g}/\text{l}$. The concentrations for GP-11, GP-12, and MWG-1 were 407, $\mu\text{g}/\text{l}$ 447 $\mu\text{g}/\text{l}$, and 674 $\mu\text{g}/\text{l}$, respectively. The TCE concentrations (3.9 $\mu\text{g}/\text{l}$, 4.3 $\mu\text{g}/\text{l}$, and 1.9 $\mu\text{g}/\text{l}$, respectively) were above the Preventive Action Limit (0.5 $\mu\text{g}/\text{l}$).

Groundwater Flow

Groundwater elevation data are included on **Table 2**. The elevations are generally within 0.1 feet of each other, which is a reflection of the close proximity of the wells, the sandy aquifer, and the flat hydraulic gradient created by the nearby impoundment of the Wisconsin River. GP-10 typically has the highest elevation, with MWG-1 generally somewhat lower. GP-11 and GP-12 often have similar, lower elevations. These data suggest a groundwater flow direction to the southeast. The most recent results are similar, but suggestive of a more easterly groundwater flow direction.

Evaluation

The sub-slab vapor samples and the blower exhaust sample collected from the Dun-Rite building were all moderately higher (1,150 $\mu\text{g}/\text{m}^3$, 294 $\mu\text{g}/\text{m}^3$, and 24,500 $\mu\text{g}/\text{m}^3$) than samples from the previous sampling event. The higher concentrations are attributed to the blower system being off for an extended duration due to a timer malfunction. The lower vapor concentrations detected during regular timed operation of the blower suggests that the soil vapor extraction system remains effective within its area of influence.

The low groundwater elevations observed during the October sampling event may have been another factor that contributed to the higher sub-slab vapor concentrations. The elevation was over 2 feet lower than during the previous spring sampling event. The lowered water level may have exposed PCE-impacted soils that are normally submerged below the water table.

It is unclear how the low water level may have affected the apparent groundwater flow direction or the dissolved PCE concentrations. The groundwater flow direction inferred from the groundwater elevation data is towards the east, whereas flow is typically inferred as south-southeasterly. This could explain the PCE concentration observed at GP-11 (407 µg/l), which is much higher than previous recent sample results. The increased concentration observed at GP-11 is opposite the trend in concentrations at GP-12 and MWG-1, which were much lower than the previous few rounds (**Chart 1**).

Recommendations

The blower system in the Dun-Rite building, which is now unoccupied, should continue to run for 8 hours per day.

Subsurface concentrations of PCE and TCE will continue to be monitored semiannually, unless changed circumstances warrant a different schedule. Therefore, soil vapor, ambient air, and groundwater samples will be collected in spring 2023. Soil vapor samples will be collected from beneath the Dun-Rite building and former Guzman building, and indoor ambient air samples will be collected from within the former Guzman building. Groundwater samples will be collected from GP-11, GP-12, and MWG-1.

If you have any questions on the work that was performed or the Site in general, please contact me at 715.824.5969 or pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG
Project Manager/Senior Hydrogeologist


Enclosures: Figures 1 through 3
Tables 1a, 1b, 1c, and 2
Chart 1
Laboratory Reports

Via email only

cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
Mr. Patrick Arendt/Noonan Arendt LLP, via email only
Wisconsin Department of Natural Resource RR Submittal Portal

Figures


- Figure 1** **General Site Location**
- Figure 2** **Vapor Sample Locations and PCE Results October 2022**
- Figure 3** **Groundwater Sample Locations and Results October 2022**



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY




GENERAL SITE LOCATION

DUN-RITE CLEANERS
1088 UNION STREET
STEVENS POINT, WISCONSIN

DATE: NOVEMBER 2020 DRAWN BY: ASR

SCALE: 1"=2000' APPROVED: PDA

FIGURE 1



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊕ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- 213 BLOWER OUTLET PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- J ANALYTE WAS DETECTED BUT IS BLEOW THE REPORTING LIMIT. THE CONCENTRATION IS ESTIMATED.
- <0.37 ANALYTE WAS NOT DETECTED

NOTES

EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO




VAPOR SAMPLE LOCATIONS AND PCE RESULTS OCTOBER 2022

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE:	DECEMBER 2022	DRAWN BY:	ASR
SCALE:	1"=40'	APPROVED BY:	PDA
FIGURE 2			



GROUNDWATER SAMPLE LOCATIONS AND RESULTS OCTOBER 2022



DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT
WISCONSIN


DATE: DECEMBER 2022

SCALE: 1" = 30'

DRAWN BY: ASR



APPROVED: PA

FIGURE 3



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊙ STORM SEWER MANHOLE
- ▭ BUILDING
- ⊕ MONITORING WELL
- ⊕ 1-INCH DIAMETER MONITORING WELL
- ⊕ GEOPROBE (SGP)
- ◆ SOIL GAS EXTRACTION LOCATION
- 112 GROUNDWATER PCE CONCENTRATIONS (μG/L) OCTOBER 21, 2022
- 2.8 GROUNDWATER TCE CONCENTRATIONS (μG/L) OCTOBER 21, 2022
- 1078.86 GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- ← ESTIMATED GROUNDWATER FLOW DIRECTION



1078.86

MWG-1
674
1.9
1,076.76

GP-10
1,076.76

GP-11
407
3.9

1,076.66

GP-12
447
4.3

1,076.71

NOTES
EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO AND GOOGLE EARTH IMAGE DATED SEPTEMBER 2013

Tables

Table 1	Vapor Sample Results
	Table 1a Vapor Chemistry Results – Ambient Air
	Table 1b Vapor Chemistry Results – Sub-Slab Vapor
	Table 1c Vapor Chemistry Results – SVE System Discharge
Table 2	Groundwater Chemistry Results

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Indoor Air Vapor Action Levels¹				
	Non-Residential		180	8.8
	Residential		42	2.1
AA201	Dun-Rite	5/29/2014	1,940	63
		9/4/2015	2,780	73
AA202	Dun-Rite	5/29/2014	1,990	66
AA203	Outdoor	5/29/2014	13	<0.076
		10/22/2020	<0.46	<0.24
		5/12/2022	0.86 J	<0.32
AA304	Residence	7/18/2014	2.5	<0.85
		3/2/2015	35	<0.25
		9/4/2015	22	3.0
		11/9/2015	2.4	<0.41
		4/6/2016	<0.39	0.52 J
		10/5/2016	0.64 J	<0.41
		6/20/2017	<0.40	0.44 J
		11/16/2017	<0.43	0.81 J
		5/18/2018	<0.43	<0.40
		11/2/2018	1.6	<0.45
		6/7/2019	<0.45	<0.37
		9/23/2019	<0.49	<0.39
		5/14/2020	0.52 J	<0.32
		10/22/2020	<0.49	<0.25
		4/22/2021	<0.41	<0.28
		9/29/2021	Structure Razed	
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
		4/22/2021	<0.44	<0.29
		9/29/2021	<0.48	<0.32
		10/21/2022	<0.37	<0.36

Table 1a
Vapor Chemistry Results - Ambient Air
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)					
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)	
Indoor Air Vapor Action Levels¹					
		Non-Residential	180	8.8	
		Residential	42	2.1	
AA406	United Way	9/19/2014	2.1	1.3	
		2/27/2015	74	3.0	
		9/4/2015	4.7	2.0	
		2/16/2016	7.6	5.0	
		10/5/2016	44	5.8	
		6/16/2017	4.0	1.5	
		11/16/2017	8.2	6.2	
		5/18/2018	5.1	2.1	
		11/2/2018	4.8	<0.47	
		6/7/2019	4.0	1.8	
		9/23/2019	4.0	1.5	
		5/7/2020	3.6	1.7	
		Lobby	10/22/2020	11.8	5.1
		Lobby	4/22/2021	7.5	2.6
		Lobby	9/29/2021	6.1	4.8
	Lobby	5/12/2022	3.3	1.9	
	Lobby	10/21/2022	4.2	2.0	
AA407	Wildcard	9/19/2014	4.0	<1.2	
		2/27/2015	83	1.5	
		9/4/2015	10	1.1	
		2/16/2016	11	4.4	
		10/5/2016	12	3.0	
		6/16/2017	3.0	0.45 J	
		11/16/2017	7.6	5.0	
		5/18/2018	6.8	1.3	
		11/12/2108	3.5	<0.47	
		6/7/2019	2.5	<0.36	
		9/23/2019	10.9	1.3	
		5/7/2020	6.3	0.94	
		10/22/2020	14.5	0.80 J	
		4/22/2021	12.2	1.9	
		9/29/2021	3.7	0.56 J	
	5/12/2022	3.0	0.77 J		
		10/21/2022	6.7	1.7	
AA408	Attorney	9/19/2014	9.9	1.5	
		2/23/2015	22	2.1	
		9/4/2015	7.0	0.8	
		2/16/2016	3.3	3.5	
		10/5/2016	12	2.9	
		6/16/2017	2.9	<0.38	
		11/16/2017	22.4	118*	
		5/18/2018	12.2	3.4	
		11/2/2018	327^R	1.2	
		12/5/2018	5.6	<0.39	
		6/7/2019	21.3	0.54 J	
		9/23/2019	8.5	2.2	
		5/7/2020	6.0	0.95	
		10/22/2020	23.9	0.53 J	
		4/22/2021	13.3	1.8	
	9/29/2021	3.8	0.42 J		
5/12/2022	8.4	1.1			
		10/21/2022	9.1	1.7	

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
<u>Sub-Slab Vapor Screening Levels²</u>				
		Non-Residential	6,000	290
		Residential	1,400	70
SSV101	Dun-Rite	4/8/2014	2,550,000	527
		9/4/2015	141,000	1780
		2/16/2016	5,030	28
		10/5/2016	5,480	33
		6/16/2017	1,030	9.0
		11/16/2017	452	3.2
		5/18/2018	2,460	13.6
		11/2/2018	266	1.2
		6/7/2019	3,570	13.6
		9/23/2019	1,430	<10.9
		5/7/2020	253	0.51 J
		10/22/2020	382	0.99
		4/22/2021	326	0.68 J
		9/29/2021	3,790	7.0
5/12/2022	314	0.66 J		
		10/21/2022	1,150	0.65 J
SSV202	Dun-Rite	5/29/2014	1,700	113
		9/4/2015	2,280	145
		2/16/2016	275	7.1
SSV203	Dun-Rite	5/29/2014	27,600	<20
		11/4/2015	288	12
		10/5/2016	5,710	4.2
		6/16/2017	4,190	20
		11/16/2017	6,650	30.9
		5/18/2018	2,390	1.3
		11/9/2018	5.0	<0.37
		6/7/2019	2,180	2.0
		9/23/2019	2,930	<11.3
		5/7/2020	8.6	<0.31
		10/22/2020	106	<0.29
		4/22/2021	27.4	<0.28
		9/29/2021	14.0	<0.34
		5/12/2022	16.5	<0.27
		10/21/2022	294	<0.43
SSV304	Residence	7/18/2014	13	<1.2
		3/2/2015	11	<0.31
		9/4/2015	137	21
		11/9/2015	319	14
		2/16/2016	105	5.7
		10/5/2016	52	2.2
		6/20/2017	133	0.92 J
		11/16/2017	15.6	0.57 J
		5/18/2018	1,380	6.2
		11/2/2018	14.6	<0.37
		6/7/2019	20.1	<0.37
		9/23/2019	3,570	18.5
		5/18/2020	86.6	<0.31
		10/22/2020	40.0	<0.30
		4/22/2021	15.2	<0.27
		9/29/2021		Structure Razed

Table 1b
Vapor Chemistry Results - Sub-Slab Vapor
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
<u>Sub-Slab Vapor Screening Levels²</u>				
	Non-Residential		6,000	290
	Residential		1,400	70
SSV405	Attorney	9/19/2014	7,470	139
		2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
		9/23/2019	28,800	152
		5/7/2020	15,700	134
		10/22/2020	26,500	118
		4/22/2021	38,600	356 J
		9/29/2021	6,790	91.2
		5/12/2022	11,200	172
	10/21/2022	40,300	<399	
SSV406	Wildcard	9/19/2014	11,300	<28
		2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1
		9/23/2019	19,300	<6.8
		5/7/2020	4,630	4.7
		10/22/2020	10,900	7.6
		4/22/2021	12,700	10
9/29/2021	11,900	19.7		
5/12/2022	3,200	3.8		
	10/21/2022	12,100	<49.9	

Table 1c
Vapor Chemistry Results - SVE System Discharge
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Soil Vapor Extraction System ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Blwr A	SVE	3/13/2015	224,000	<1,700
Blwr B	SVE	3/14/2015	134,000	<410
Blwr C	SVE	3/17/2015	43,800	77
Can 2-A	SVE	3/13/2015	11,800	17
Can 1-D	SVE	3/18/2015	1,600	0.76 J
Blwr Dschrg 1	SVE	9/3/2015	2,580	113
Blwr Dschrg 2	SVE	9/8/2015	12,900	265
Blwr Dschrg	SVE	2/16/2016	641	7.9
Blwr Dschrg	SVE	10/5/2016	1,570	5.6
Blwr Dschrg	SVE	6/16/2017	59	26
Blower Exhaust	SVE	11/16/2017	2,690	10.9
Blower	SVE	5/18/2018	1,490	1.7
Blower	SVE	11/2/2018	<0.54	<0.44
Blower Exhaust	SVE	6/7/2019	328	0.90
Blower Exhaust	SVE	9/23/2019	651	0.55J
Blower Exhaust	SVE	5/7/2020	232	<0.32
Blower Sta.	SVE	10/22/2020	3,060	3.6
Blower Sta.	SVE	4/22/2021	214	<0.25
Blower Exhaust	SVE	9/29/2021	326	0.63 J
Blower Exhaust	SVE	5/12/2022	361	<0.30
Blower Exhaust	SVE	10/21/2022	24,500	<51.6

Notes

- $\mu\text{g}/\text{m}^3$ micrograms per cubic meter
- <0.076 Substance not detected above indicated detection limit
- 6,000** **Bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions
- 1,400* Italics indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions
- * Sample marked by laboratory qualifier C8: "Result may be biased high due to carryover from previously analyzed sample"
- J Analyte was detected but is below the reporting limit; the concentration is estimated
- R Result uncharacteristically high, thus location resampled
- Highlighting indicates most recent results

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various**

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3)

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin

Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)	Depth to Water (feet)	Water Elevation (feet MSL)
PAL		0.5	0.5		
ES		5.0	5.0		
GP-9 ^A	7/19/2013	295	7.4	--	--
	10/2/2013	655	12	--	--
	12/13/2013	745	14	--	--
	9/23/2014	279	7.4	--	--
	11/4/2015	223	6.4	7.00	1,078.08
	5/6/2016	322	4.7	6.48	1,078.60
GP-10 ^A	12/13/2013	331	1.9	--	--
	11/4/2015	77	2.7	6.63	1,079.26
	5/6/2016	211	<0.33	6.24	1,079.65
	10/5/2016	344	3.2 J	6.57	1,079.32
	5/7/2020	--	--	6.20	1,079.69
	4/17/2021	--	--	7.35	1,078.54
	5/18/2022	--	--	6.95	1,078.94
	10/21/2022	--	--	9.13	1,076.76
GP-11 ^A	12/13/2013	2,570	<18.2	--	--
	11/4/2015	173	<1.3	6.59	1,079.22
	5/6/2016	61.5	<0.33	6.22	1,079.59
	10/5/2016	54.6	0.54 J	6.55	1,079.26
	6/14/2017	614	<1.7	4.75	1,081.06
	11/16/2017	14.3	0.41 J	6.99	1,078.82
	5/18/2018	727	<1.7	8.92	1,076.89
	11/2/2018	17.8	<0.26	6.30	1,079.51
	6/7/2019	614	<1.3	5.91	1,079.90
	9/23/2019	112	0.84 J	6.22	1,079.59
	5/7/2020	243	<1.3 J	6.22	1,079.59
	10/23/2020	18.4	<0.26	7.19	1,078.62
	4/17/2021	8.1	<0.32	7.32	1,078.49
	10/4/2021	3.4	<0.32	6.86	1,078.95
	5/18/2022	3.3	<0.32	6.93	1,078.88
10/21/2022	407	3.9 J	9.15	1,076.66	
GP-12 ^A	12/13/2013	254	<1.8	--	--
	9/23/2014	487	2.2 J	--	--
	11/4/2015	364	1.8 J	6.5	1,079.20
	5/6/2016	147	0.95 J	6.14	1,079.56
	10/5/2016	780	2.7 J	6.47	1,079.23
	6/14/2017	433	1.7 J	4.61	1,081.09
	11/16/2017	647	3.7 J	6.88	1,078.82
	5/18/2018	176	1.8	8.79	1,076.91
	11/2/2018	462	2.2	6.19	1,079.51
	6/7/2019	142	2.3	5.8	1,079.90
	9/23/2019	829	2.8	6.05	1,079.65
	5/7/2020	105	1.6	6.08	1,079.62
	10/23/2020	239	3.5	7.1	1,078.60
	4/17/2021	119	0.39 J	7.21	1,078.49
	10/4/2021	1,860	5.1	6.76	1,078.94
	5/18/2022	890	3.4	6.84	1,078.86
10/21/2022	447	4.3 J	8.99	1,076.71	

Table 2
Groundwater Chemistry Results
Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin


Sample Location	Sample Date	Tetrachloroethene (µg/l)	Trichloroethene (µg/l)	Depth to Water (feet)	Water Elevation (feet MSL)
PAL		0.5	0.5		
ES		5.0	5.0		
MWG-1	11/4/2015	141	6.9	6.49	1,079.23
	5/6/2016	15.3	1.1	6.15	1,079.57
	10/5/2016	138	5.6	6.45	1,079.27
	6/14/2017	8.2	1.1	4.80	1,080.92
	11/16/2017	127	7.6	6.88	1,078.84
	5/18/2018	12.8	1.0	8.78	1,076.94
	11/2/2018	74.0	6.1	6.19	1,079.53
	6/7/2019	8.2	0.74 J	5.78	1,079.94
	9/23/2019	81.0	13.0	6.04	1,079.68
	5/9/2020	5.4	0.26 J	--	--
	10/23/2020	85.6	14.0	7.08	1,078.64
	4/17/2021	603	<0.32	7.19	1,078.53
	10/4/2021	2,920	5.5	6.75	1,078.97
	5/18/2022	3,490	4.0	6.88	1,078.84
	10/21/2022	674	1.9 J	8.96	1,076.76

Notes

- µg/l Micrograms per liter. Equivalent to parts per billion
- feet MSL Feet above mean sea level
- PAL Preventive Action Limit listed in Chapter NR 140, Table 1, Wisconsin Administrative Code
- ES Enforcement Standard listed in Chapter NR 140, Wisconsin Administrative Code
- 1.2 *Italics* indicate exceedance of NR 140 Preventive Action Limit
- 5.4 **Bold** indicates exceedance of NR 140 Enforcement Standard
- <0.45 Substance not detected above indicated detection limit
- Data unavailable/not collected
- ^A Data preceding 2014 generated during investigations conducted by AECOM
- ^J Analyte was detected but is below the reporting limit; the concentration is estimated
- Highlighting indicates most recent results

Chart 1
PCE Concentrations Over Time

Chart 1
 Dissolved PCE Concentrations Over Time
 Dun-Rite Cleaners
 1008 Union Street
 Stevens Point, Wisconsin



O:\1-Projects\Sentry Ins Dun Rite\Data\MASTER SCC DunRite Chem Data.xlsx

Laboratory Reports

November 01, 2022

Pete Arntsen
SAND COUNTY ENVIRONMENTAL, INC.
151 Mill Street
Amherst, WI 54406

RE: Project: DUN RITE
Pace Project No.: 40253695

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on October 26, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: DUN RITE

Pace Project No.: 40253695

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-21-8

Virginia VELAP Certification ID: 11873

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-21-00008

Federal Fish & Wildlife Permit #: 51774A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: DUN RITE

Pace Project No.: 40253695

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40253695001	GP-11	Water	10/21/22 11:20	10/26/22 08:45
40253695002	GP-12	Water	10/21/22 11:30	10/26/22 08:45
40253695003	MWG-1	Water	10/21/22 11:50	10/26/22 08:45
40253695004	QA	Water	10/21/22 00:00	10/26/22 08:45
40253695005	TRIP BLANK	Water	10/21/22 00:00	10/26/22 08:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: DUN RITE

Pace Project No.: 40253695

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40253695001	GP-11	EPA 8260	JAV	63
40253695002	GP-12	EPA 8260	JAV	63
40253695003	MWG-1	EPA 8260	JAV	63
40253695004	QA	EPA 8260	JAV	63
40253695005	TRIP BLANK	EPA 8260	JAV	63

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: DUN RITE

Pace Project No.: 40253695

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40253695001	GP-11					
EPA 8260	Tetrachloroethene	407	ug/L	5.0	10/31/22 23:38	
EPA 8260	Trichloroethene	3.9J	ug/L	5.0	10/31/22 23:38	
40253695002	GP-12					
EPA 8260	Tetrachloroethene	447	ug/L	10.0	10/31/22 23:18	
EPA 8260	Trichloroethene	4.3J	ug/L	10.0	10/31/22 23:18	
40253695003	MWG-1					
EPA 8260	Tetrachloroethene	674	ug/L	5.0	11/01/22 09:15	
EPA 8260	Trichloroethene	1.9J	ug/L	5.0	11/01/22 09:15	
40253695004	QA					
EPA 8260	Tetrachloroethene	673	ug/L	10.0	11/01/22 09:35	
EPA 8260	Trichloroethene	2.1	ug/L	1.0	10/31/22 21:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40253695

Sample: GP-11 **Lab ID: 40253695001** Collected: 10/21/22 11:20 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	630-20-6	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	71-55-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		10/31/22 23:38	79-34-5	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		10/31/22 23:38	79-00-5	
1,1-Dichloroethane	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	75-34-3	
1,1-Dichloroethene	<2.9	ug/L	5.0	2.9	5		10/31/22 23:38	75-35-4	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		10/31/22 23:38	563-58-6	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		10/31/22 23:38	87-61-6	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		10/31/22 23:38	96-18-4	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		10/31/22 23:38	120-82-1	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		10/31/22 23:38	95-63-6	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		10/31/22 23:38	96-12-8	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		10/31/22 23:38	95-50-1	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	107-06-2	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		10/31/22 23:38	78-87-5	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	108-67-8	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	541-73-1	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	142-28-9	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		10/31/22 23:38	106-46-7	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		10/31/22 23:38	594-20-7	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		10/31/22 23:38	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		10/31/22 23:38	106-43-4	
Benzene	<1.5	ug/L	5.0	1.5	5		10/31/22 23:38	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		10/31/22 23:38	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		10/31/22 23:38	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		10/31/22 23:38	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		10/31/22 23:38	74-83-9	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		10/31/22 23:38	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		10/31/22 23:38	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		10/31/22 23:38	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		10/31/22 23:38	74-87-3	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		10/31/22 23:38	124-48-1	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		10/31/22 23:38	74-95-3	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		10/31/22 23:38	75-71-8	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		10/31/22 23:38	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		10/31/22 23:38	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		10/31/22 23:38	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		10/31/22 23:38	98-82-8	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		10/31/22 23:38	1634-04-4	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		10/31/22 23:38	75-09-2	
Naphthalene	<5.6	ug/L	25.0	5.6	5		10/31/22 23:38	91-20-3	
Styrene	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: GP-11 **Lab ID:** 40253695001 Collected: 10/21/22 11:20 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	407	ug/L	5.0	2.0	5		10/31/22 23:38	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		10/31/22 23:38	108-88-3	
Trichloroethene	3.9J	ug/L	5.0	1.6	5		10/31/22 23:38	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		10/31/22 23:38	75-69-4	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		10/31/22 23:38	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		10/31/22 23:38	1330-20-7	
cis-1,2-Dichloroethene	<2.4	ug/L	5.0	2.4	5		10/31/22 23:38	156-59-2	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		10/31/22 23:38	10061-01-5	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		10/31/22 23:38	104-51-8	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		10/31/22 23:38	103-65-1	
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		10/31/22 23:38	99-87-6	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		10/31/22 23:38	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		10/31/22 23:38	98-06-6	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		10/31/22 23:38	156-60-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		10/31/22 23:38	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	111	%	70-130		5		10/31/22 23:38	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		5		10/31/22 23:38	2199-69-1	
Toluene-d8 (S)	107	%	70-130		5		10/31/22 23:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: GP-12 **Lab ID: 40253695002** Collected: 10/21/22 11:30 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<3.6	ug/L	10.0	3.6	10		10/31/22 23:18	630-20-6	
1,1,1-Trichloroethane	<3.0	ug/L	10.0	3.0	10		10/31/22 23:18	71-55-6	
1,1,2,2-Tetrachloroethane	<3.8	ug/L	10.0	3.8	10		10/31/22 23:18	79-34-5	
1,1,2-Trichloroethane	<3.4	ug/L	50.0	3.4	10		10/31/22 23:18	79-00-5	
1,1-Dichloroethane	<3.0	ug/L	10.0	3.0	10		10/31/22 23:18	75-34-3	
1,1-Dichloroethene	<5.8	ug/L	10.0	5.8	10		10/31/22 23:18	75-35-4	
1,1-Dichloropropene	<4.1	ug/L	10.0	4.1	10		10/31/22 23:18	563-58-6	
1,2,3-Trichlorobenzene	<10.2	ug/L	50.0	10.2	10		10/31/22 23:18	87-61-6	
1,2,3-Trichloropropane	<5.6	ug/L	50.0	5.6	10		10/31/22 23:18	96-18-4	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		10/31/22 23:18	120-82-1	
1,2,4-Trimethylbenzene	<4.5	ug/L	10.0	4.5	10		10/31/22 23:18	95-63-6	
1,2-Dibromo-3-chloropropane	<23.7	ug/L	50.0	23.7	10		10/31/22 23:18	96-12-8	
1,2-Dibromoethane (EDB)	<3.1	ug/L	10.0	3.1	10		10/31/22 23:18	106-93-4	
1,2-Dichlorobenzene	<3.3	ug/L	10.0	3.3	10		10/31/22 23:18	95-50-1	
1,2-Dichloroethane	<2.9	ug/L	10.0	2.9	10		10/31/22 23:18	107-06-2	
1,2-Dichloropropane	<4.5	ug/L	10.0	4.5	10		10/31/22 23:18	78-87-5	
1,3,5-Trimethylbenzene	<3.6	ug/L	10.0	3.6	10		10/31/22 23:18	108-67-8	
1,3-Dichlorobenzene	<3.5	ug/L	10.0	3.5	10		10/31/22 23:18	541-73-1	
1,3-Dichloropropane	<3.0	ug/L	10.0	3.0	10		10/31/22 23:18	142-28-9	
1,4-Dichlorobenzene	<8.9	ug/L	10.0	8.9	10		10/31/22 23:18	106-46-7	
2,2-Dichloropropane	<41.8	ug/L	50.0	41.8	10		10/31/22 23:18	594-20-7	
2-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/31/22 23:18	95-49-8	
4-Chlorotoluene	<8.9	ug/L	50.0	8.9	10		10/31/22 23:18	106-43-4	
Benzene	<3.0	ug/L	10.0	3.0	10		10/31/22 23:18	71-43-2	
Bromobenzene	<3.6	ug/L	10.0	3.6	10		10/31/22 23:18	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		10/31/22 23:18	74-97-5	
Bromodichloromethane	<4.2	ug/L	10.0	4.2	10		10/31/22 23:18	75-27-4	
Bromoform	<38.0	ug/L	50.0	38.0	10		10/31/22 23:18	75-25-2	
Bromomethane	<11.9	ug/L	50.0	11.9	10		10/31/22 23:18	74-83-9	
Carbon tetrachloride	<3.7	ug/L	10.0	3.7	10		10/31/22 23:18	56-23-5	
Chlorobenzene	<8.6	ug/L	10.0	8.6	10		10/31/22 23:18	108-90-7	
Chloroethane	<13.8	ug/L	50.0	13.8	10		10/31/22 23:18	75-00-3	
Chloroform	<11.8	ug/L	50.0	11.8	10		10/31/22 23:18	67-66-3	
Chloromethane	<16.4	ug/L	50.0	16.4	10		10/31/22 23:18	74-87-3	
Dibromochloromethane	<26.4	ug/L	50.0	26.4	10		10/31/22 23:18	124-48-1	
Dibromomethane	<9.9	ug/L	50.0	9.9	10		10/31/22 23:18	74-95-3	
Dichlorodifluoromethane	<4.6	ug/L	50.0	4.6	10		10/31/22 23:18	75-71-8	
Diisopropyl ether	<11.0	ug/L	50.0	11.0	10		10/31/22 23:18	108-20-3	
Ethylbenzene	<3.3	ug/L	10.0	3.3	10		10/31/22 23:18	100-41-4	
Hexachloro-1,3-butadiene	<27.4	ug/L	50.0	27.4	10		10/31/22 23:18	87-68-3	
Isopropylbenzene (Cumene)	<10.0	ug/L	50.0	10.0	10		10/31/22 23:18	98-82-8	
Methyl-tert-butyl ether	<11.3	ug/L	50.0	11.3	10		10/31/22 23:18	1634-04-4	
Methylene Chloride	<3.2	ug/L	50.0	3.2	10		10/31/22 23:18	75-09-2	
Naphthalene	<11.3	ug/L	50.0	11.3	10		10/31/22 23:18	91-20-3	
Styrene	<3.6	ug/L	10.0	3.6	10		10/31/22 23:18	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: GP-12 **Lab ID: 40253695002** Collected: 10/21/22 11:30 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	447	ug/L	10.0	4.1	10		10/31/22 23:18	127-18-4	
Toluene	<2.9	ug/L	10.0	2.9	10		10/31/22 23:18	108-88-3	
Trichloroethene	4.3J	ug/L	10.0	3.2	10		10/31/22 23:18	79-01-6	
Trichlorofluoromethane	<4.2	ug/L	10.0	4.2	10		10/31/22 23:18	75-69-4	
Vinyl chloride	<1.7	ug/L	10.0	1.7	10		10/31/22 23:18	75-01-4	
Xylene (Total)	<10.5	ug/L	30.0	10.5	10		10/31/22 23:18	1330-20-7	
cis-1,2-Dichloroethene	<4.7	ug/L	10.0	4.7	10		10/31/22 23:18	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	10.0	3.6	10		10/31/22 23:18	10061-01-5	
n-Butylbenzene	<8.6	ug/L	10.0	8.6	10		10/31/22 23:18	104-51-8	
n-Propylbenzene	<3.5	ug/L	10.0	3.5	10		10/31/22 23:18	103-65-1	
p-Isopropyltoluene	<10.4	ug/L	50.0	10.4	10		10/31/22 23:18	99-87-6	
sec-Butylbenzene	<4.2	ug/L	10.0	4.2	10		10/31/22 23:18	135-98-8	
tert-Butylbenzene	<5.9	ug/L	10.0	5.9	10		10/31/22 23:18	98-06-6	
trans-1,2-Dichloroethene	<5.3	ug/L	10.0	5.3	10		10/31/22 23:18	156-60-5	
trans-1,3-Dichloropropene	<34.6	ug/L	50.0	34.6	10		10/31/22 23:18	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		10		10/31/22 23:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		10		10/31/22 23:18	2199-69-1	
Toluene-d8 (S)	106	%	70-130		10		10/31/22 23:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40253695

Sample: MWG-1 **Lab ID: 40253695003** Collected: 10/21/22 11:50 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	630-20-6	
1,1,1-Trichloroethane	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	71-55-6	
1,1,2,2-Tetrachloroethane	<1.9	ug/L	5.0	1.9	5		11/01/22 09:15	79-34-5	
1,1,2-Trichloroethane	<1.7	ug/L	25.0	1.7	5		11/01/22 09:15	79-00-5	
1,1-Dichloroethane	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	75-34-3	
1,1-Dichloroethene	<2.9	ug/L	5.0	2.9	5		11/01/22 09:15	75-35-4	
1,1-Dichloropropene	<2.1	ug/L	5.0	2.1	5		11/01/22 09:15	563-58-6	
1,2,3-Trichlorobenzene	<5.1	ug/L	25.0	5.1	5		11/01/22 09:15	87-61-6	
1,2,3-Trichloropropane	<2.8	ug/L	25.0	2.8	5		11/01/22 09:15	96-18-4	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		11/01/22 09:15	120-82-1	
1,2,4-Trimethylbenzene	<2.2	ug/L	5.0	2.2	5		11/01/22 09:15	95-63-6	
1,2-Dibromo-3-chloropropane	<11.8	ug/L	25.0	11.8	5		11/01/22 09:15	96-12-8	
1,2-Dibromoethane (EDB)	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/L	5.0	1.6	5		11/01/22 09:15	95-50-1	
1,2-Dichloroethane	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	107-06-2	
1,2-Dichloropropane	<2.2	ug/L	5.0	2.2	5		11/01/22 09:15	78-87-5	
1,3,5-Trimethylbenzene	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	108-67-8	
1,3-Dichlorobenzene	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	541-73-1	
1,3-Dichloropropane	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	142-28-9	
1,4-Dichlorobenzene	<4.5	ug/L	5.0	4.5	5		11/01/22 09:15	106-46-7	
2,2-Dichloropropane	<20.9	ug/L	25.0	20.9	5		11/01/22 09:15	594-20-7	
2-Chlorotoluene	<4.4	ug/L	25.0	4.4	5		11/01/22 09:15	95-49-8	
4-Chlorotoluene	<4.5	ug/L	25.0	4.5	5		11/01/22 09:15	106-43-4	
Benzene	<1.5	ug/L	5.0	1.5	5		11/01/22 09:15	71-43-2	
Bromobenzene	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		11/01/22 09:15	74-97-5	
Bromodichloromethane	<2.1	ug/L	5.0	2.1	5		11/01/22 09:15	75-27-4	
Bromoform	<19.0	ug/L	25.0	19.0	5		11/01/22 09:15	75-25-2	
Bromomethane	<6.0	ug/L	25.0	6.0	5		11/01/22 09:15	74-83-9	
Carbon tetrachloride	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	56-23-5	
Chlorobenzene	<4.3	ug/L	5.0	4.3	5		11/01/22 09:15	108-90-7	
Chloroethane	<6.9	ug/L	25.0	6.9	5		11/01/22 09:15	75-00-3	
Chloroform	<5.9	ug/L	25.0	5.9	5		11/01/22 09:15	67-66-3	
Chloromethane	<8.2	ug/L	25.0	8.2	5		11/01/22 09:15	74-87-3	
Dibromochloromethane	<13.2	ug/L	25.0	13.2	5		11/01/22 09:15	124-48-1	
Dibromomethane	<5.0	ug/L	25.0	5.0	5		11/01/22 09:15	74-95-3	
Dichlorodifluoromethane	<2.3	ug/L	25.0	2.3	5		11/01/22 09:15	75-71-8	
Diisopropyl ether	<5.5	ug/L	25.0	5.5	5		11/01/22 09:15	108-20-3	
Ethylbenzene	<1.6	ug/L	5.0	1.6	5		11/01/22 09:15	100-41-4	
Hexachloro-1,3-butadiene	<13.7	ug/L	25.0	13.7	5		11/01/22 09:15	87-68-3	
Isopropylbenzene (Cumene)	<5.0	ug/L	25.0	5.0	5		11/01/22 09:15	98-82-8	
Methyl-tert-butyl ether	<5.6	ug/L	25.0	5.6	5		11/01/22 09:15	1634-04-4	
Methylene Chloride	<1.6	ug/L	25.0	1.6	5		11/01/22 09:15	75-09-2	
Naphthalene	<5.6	ug/L	25.0	5.6	5		11/01/22 09:15	91-20-3	
Styrene	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: MWG-1 **Lab ID: 40253695003** Collected: 10/21/22 11:50 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	674	ug/L	5.0	2.0	5		11/01/22 09:15	127-18-4	
Toluene	<1.4	ug/L	5.0	1.4	5		11/01/22 09:15	108-88-3	
Trichloroethene	1.9J	ug/L	5.0	1.6	5		11/01/22 09:15	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	5.0	2.1	5		11/01/22 09:15	75-69-4	
Vinyl chloride	<0.87	ug/L	5.0	0.87	5		11/01/22 09:15	75-01-4	
Xylene (Total)	<5.2	ug/L	15.0	5.2	5		11/01/22 09:15	1330-20-7	
cis-1,2-Dichloroethene	<2.4	ug/L	5.0	2.4	5		11/01/22 09:15	156-59-2	
cis-1,3-Dichloropropene	<1.8	ug/L	5.0	1.8	5		11/01/22 09:15	10061-01-5	
n-Butylbenzene	<4.3	ug/L	5.0	4.3	5		11/01/22 09:15	104-51-8	
n-Propylbenzene	<1.7	ug/L	5.0	1.7	5		11/01/22 09:15	103-65-1	
p-Isopropyltoluene	<5.2	ug/L	25.0	5.2	5		11/01/22 09:15	99-87-6	
sec-Butylbenzene	<2.1	ug/L	5.0	2.1	5		11/01/22 09:15	135-98-8	
tert-Butylbenzene	<2.9	ug/L	5.0	2.9	5		11/01/22 09:15	98-06-6	
trans-1,2-Dichloroethene	<2.6	ug/L	5.0	2.6	5		11/01/22 09:15	156-60-5	
trans-1,3-Dichloropropene	<17.3	ug/L	25.0	17.3	5		11/01/22 09:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	110	%	70-130		5		11/01/22 09:15	460-00-4	
1,2-Dichlorobenzene-d4 (S)	104	%	70-130		5		11/01/22 09:15	2199-69-1	
Toluene-d8 (S)	106	%	70-130		5		11/01/22 09:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: QA **Lab ID: 40253695004** Collected: 10/21/22 00:00 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/31/22 21:59	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/31/22 21:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/31/22 21:59	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/31/22 21:59	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/31/22 21:59	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/31/22 21:59	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/31/22 21:59	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/31/22 21:59	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/31/22 21:59	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/31/22 21:59	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/31/22 21:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/31/22 21:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/31/22 21:59	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/31/22 21:59	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/31/22 21:59	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/31/22 21:59	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/31/22 21:59	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/31/22 21:59	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/31/22 21:59	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/31/22 21:59	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/31/22 21:59	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/31/22 21:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/31/22 21:59	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		10/31/22 21:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/31/22 21:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/31/22 21:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/31/22 21:59	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/31/22 21:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/31/22 21:59	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/31/22 21:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/31/22 21:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/31/22 21:59	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/31/22 21:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/31/22 21:59	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/31/22 21:59	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/31/22 21:59	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/31/22 21:59	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/31/22 21:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/31/22 21:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/31/22 21:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/31/22 21:59	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/31/22 21:59	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/31/22 21:59	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/31/22 21:59	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		10/31/22 21:59	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: QA **Lab ID: 40253695004** Collected: 10/21/22 00:00 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	673	ug/L	10.0	4.1	10		11/01/22 09:35	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/31/22 21:59	108-88-3	
Trichloroethene	2.1	ug/L	1.0	0.32	1		10/31/22 21:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/31/22 21:59	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/31/22 21:59	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/31/22 21:59	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/31/22 21:59	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/31/22 21:59	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/31/22 21:59	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/31/22 21:59	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/31/22 21:59	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/31/22 21:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/31/22 21:59	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/31/22 21:59	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/31/22 21:59	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	109	%	70-130		1		10/31/22 21:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	103	%	70-130		1		10/31/22 21:59	2199-69-1	
Toluene-d8 (S)	105	%	70-130		1		10/31/22 21:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE

Pace Project No.: 40253695

Sample: TRIP BLANK **Lab ID: 40253695005** Collected: 10/21/22 00:00 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.36	ug/L	1.0	0.36	1		10/31/22 17:59	630-20-6	
1,1,1-Trichloroethane	<0.30	ug/L	1.0	0.30	1		10/31/22 17:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.38	ug/L	1.0	0.38	1		10/31/22 17:59	79-34-5	
1,1,2-Trichloroethane	<0.34	ug/L	5.0	0.34	1		10/31/22 17:59	79-00-5	
1,1-Dichloroethane	<0.30	ug/L	1.0	0.30	1		10/31/22 17:59	75-34-3	
1,1-Dichloroethene	<0.58	ug/L	1.0	0.58	1		10/31/22 17:59	75-35-4	
1,1-Dichloropropene	<0.41	ug/L	1.0	0.41	1		10/31/22 17:59	563-58-6	
1,2,3-Trichlorobenzene	<1.0	ug/L	5.0	1.0	1		10/31/22 17:59	87-61-6	
1,2,3-Trichloropropane	<0.56	ug/L	5.0	0.56	1		10/31/22 17:59	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		10/31/22 17:59	120-82-1	
1,2,4-Trimethylbenzene	<0.45	ug/L	1.0	0.45	1		10/31/22 17:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.4	ug/L	5.0	2.4	1		10/31/22 17:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.31	ug/L	1.0	0.31	1		10/31/22 17:59	106-93-4	
1,2-Dichlorobenzene	<0.33	ug/L	1.0	0.33	1		10/31/22 17:59	95-50-1	
1,2-Dichloroethane	<0.29	ug/L	1.0	0.29	1		10/31/22 17:59	107-06-2	
1,2-Dichloropropane	<0.45	ug/L	1.0	0.45	1		10/31/22 17:59	78-87-5	
1,3,5-Trimethylbenzene	<0.36	ug/L	1.0	0.36	1		10/31/22 17:59	108-67-8	
1,3-Dichlorobenzene	<0.35	ug/L	1.0	0.35	1		10/31/22 17:59	541-73-1	
1,3-Dichloropropane	<0.30	ug/L	1.0	0.30	1		10/31/22 17:59	142-28-9	
1,4-Dichlorobenzene	<0.89	ug/L	1.0	0.89	1		10/31/22 17:59	106-46-7	
2,2-Dichloropropane	<4.2	ug/L	5.0	4.2	1		10/31/22 17:59	594-20-7	
2-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/31/22 17:59	95-49-8	
4-Chlorotoluene	<0.89	ug/L	5.0	0.89	1		10/31/22 17:59	106-43-4	
Benzene	<0.30	ug/L	1.0	0.30	1		10/31/22 17:59	71-43-2	
Bromobenzene	<0.36	ug/L	1.0	0.36	1		10/31/22 17:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		10/31/22 17:59	74-97-5	
Bromodichloromethane	<0.42	ug/L	1.0	0.42	1		10/31/22 17:59	75-27-4	
Bromoform	<3.8	ug/L	5.0	3.8	1		10/31/22 17:59	75-25-2	
Bromomethane	<1.2	ug/L	5.0	1.2	1		10/31/22 17:59	74-83-9	
Carbon tetrachloride	<0.37	ug/L	1.0	0.37	1		10/31/22 17:59	56-23-5	
Chlorobenzene	<0.86	ug/L	1.0	0.86	1		10/31/22 17:59	108-90-7	
Chloroethane	<1.4	ug/L	5.0	1.4	1		10/31/22 17:59	75-00-3	
Chloroform	<1.2	ug/L	5.0	1.2	1		10/31/22 17:59	67-66-3	
Chloromethane	<1.6	ug/L	5.0	1.6	1		10/31/22 17:59	74-87-3	
Dibromochloromethane	<2.6	ug/L	5.0	2.6	1		10/31/22 17:59	124-48-1	
Dibromomethane	<0.99	ug/L	5.0	0.99	1		10/31/22 17:59	74-95-3	
Dichlorodifluoromethane	<0.46	ug/L	5.0	0.46	1		10/31/22 17:59	75-71-8	
Diisopropyl ether	<1.1	ug/L	5.0	1.1	1		10/31/22 17:59	108-20-3	
Ethylbenzene	<0.33	ug/L	1.0	0.33	1		10/31/22 17:59	100-41-4	
Hexachloro-1,3-butadiene	<2.7	ug/L	5.0	2.7	1		10/31/22 17:59	87-68-3	
Isopropylbenzene (Cumene)	<1.0	ug/L	5.0	1.0	1		10/31/22 17:59	98-82-8	
Methyl-tert-butyl ether	<1.1	ug/L	5.0	1.1	1		10/31/22 17:59	1634-04-4	
Methylene Chloride	<0.32	ug/L	5.0	0.32	1		10/31/22 17:59	75-09-2	
Naphthalene	<1.1	ug/L	5.0	1.1	1		10/31/22 17:59	91-20-3	
Styrene	<0.36	ug/L	1.0	0.36	1		10/31/22 17:59	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: DUN RITE
Pace Project No.: 40253695

Sample: TRIP BLANK **Lab ID: 40253695005** Collected: 10/21/22 00:00 Received: 10/26/22 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.41	ug/L	1.0	0.41	1		10/31/22 17:59	127-18-4	
Toluene	<0.29	ug/L	1.0	0.29	1		10/31/22 17:59	108-88-3	
Trichloroethene	<0.32	ug/L	1.0	0.32	1		10/31/22 17:59	79-01-6	
Trichlorofluoromethane	<0.42	ug/L	1.0	0.42	1		10/31/22 17:59	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		10/31/22 17:59	75-01-4	
Xylene (Total)	<1.0	ug/L	3.0	1.0	1		10/31/22 17:59	1330-20-7	
cis-1,2-Dichloroethene	<0.47	ug/L	1.0	0.47	1		10/31/22 17:59	156-59-2	
cis-1,3-Dichloropropene	<0.36	ug/L	1.0	0.36	1		10/31/22 17:59	10061-01-5	
n-Butylbenzene	<0.86	ug/L	1.0	0.86	1		10/31/22 17:59	104-51-8	
n-Propylbenzene	<0.35	ug/L	1.0	0.35	1		10/31/22 17:59	103-65-1	
p-Isopropyltoluene	<1.0	ug/L	5.0	1.0	1		10/31/22 17:59	99-87-6	
sec-Butylbenzene	<0.42	ug/L	1.0	0.42	1		10/31/22 17:59	135-98-8	
tert-Butylbenzene	<0.59	ug/L	1.0	0.59	1		10/31/22 17:59	98-06-6	
trans-1,2-Dichloroethene	<0.53	ug/L	1.0	0.53	1		10/31/22 17:59	156-60-5	
trans-1,3-Dichloropropene	<3.5	ug/L	5.0	3.5	1		10/31/22 17:59	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	108	%	70-130		1		10/31/22 17:59	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		1		10/31/22 17:59	2199-69-1	
Toluene-d8 (S)	106	%	70-130		1		10/31/22 17:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40253695

QC Batch: 429785 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40253695001, 40253695002, 40253695003, 40253695004, 40253695005

METHOD BLANK: 2475287 Matrix: Water
Associated Lab Samples: 40253695001, 40253695002, 40253695003, 40253695004, 40253695005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.36	1.0	10/31/22 15:39	
1,1,1-Trichloroethane	ug/L	<0.30	1.0	10/31/22 15:39	
1,1,2,2-Tetrachloroethane	ug/L	<0.38	1.0	10/31/22 15:39	
1,1,2-Trichloroethane	ug/L	<0.34	5.0	10/31/22 15:39	
1,1-Dichloroethane	ug/L	<0.30	1.0	10/31/22 15:39	
1,1-Dichloroethene	ug/L	<0.58	1.0	10/31/22 15:39	
1,1-Dichloropropene	ug/L	<0.41	1.0	10/31/22 15:39	
1,2,3-Trichlorobenzene	ug/L	<1.0	5.0	10/31/22 15:39	
1,2,3-Trichloropropane	ug/L	<0.56	5.0	10/31/22 15:39	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	10/31/22 15:39	
1,2,4-Trimethylbenzene	ug/L	<0.45	1.0	10/31/22 15:39	
1,2-Dibromo-3-chloropropane	ug/L	<2.4	5.0	10/31/22 15:39	
1,2-Dibromoethane (EDB)	ug/L	<0.31	1.0	10/31/22 15:39	
1,2-Dichlorobenzene	ug/L	<0.33	1.0	10/31/22 15:39	
1,2-Dichloroethane	ug/L	<0.29	1.0	10/31/22 15:39	
1,2-Dichloropropane	ug/L	<0.45	1.0	10/31/22 15:39	
1,3,5-Trimethylbenzene	ug/L	<0.36	1.0	10/31/22 15:39	
1,3-Dichlorobenzene	ug/L	<0.35	1.0	10/31/22 15:39	
1,3-Dichloropropane	ug/L	<0.30	1.0	10/31/22 15:39	
1,4-Dichlorobenzene	ug/L	<0.89	1.0	10/31/22 15:39	
2,2-Dichloropropane	ug/L	<4.2	5.0	10/31/22 15:39	
2-Chlorotoluene	ug/L	<0.89	5.0	10/31/22 15:39	
4-Chlorotoluene	ug/L	<0.89	5.0	10/31/22 15:39	
Benzene	ug/L	<0.30	1.0	10/31/22 15:39	
Bromobenzene	ug/L	<0.36	1.0	10/31/22 15:39	
Bromochloromethane	ug/L	<0.36	5.0	10/31/22 15:39	
Bromodichloromethane	ug/L	<0.42	1.0	10/31/22 15:39	
Bromoform	ug/L	<3.8	5.0	10/31/22 15:39	
Bromomethane	ug/L	<1.2	5.0	10/31/22 15:39	
Carbon tetrachloride	ug/L	<0.37	1.0	10/31/22 15:39	
Chlorobenzene	ug/L	<0.86	1.0	10/31/22 15:39	
Chloroethane	ug/L	<1.4	5.0	10/31/22 15:39	
Chloroform	ug/L	<1.2	5.0	10/31/22 15:39	
Chloromethane	ug/L	<1.6	5.0	10/31/22 15:39	
cis-1,2-Dichloroethene	ug/L	<0.47	1.0	10/31/22 15:39	
cis-1,3-Dichloropropene	ug/L	<0.36	1.0	10/31/22 15:39	
Dibromochloromethane	ug/L	<2.6	5.0	10/31/22 15:39	
Dibromomethane	ug/L	<0.99	5.0	10/31/22 15:39	
Dichlorodifluoromethane	ug/L	<0.46	5.0	10/31/22 15:39	
Diisopropyl ether	ug/L	<1.1	5.0	10/31/22 15:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40253695

METHOD BLANK: 2475287 Matrix: Water
Associated Lab Samples: 40253695001, 40253695002, 40253695003, 40253695004, 40253695005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.33	1.0	10/31/22 15:39	
Hexachloro-1,3-butadiene	ug/L	<2.7	5.0	10/31/22 15:39	
Isopropylbenzene (Cumene)	ug/L	<1.0	5.0	10/31/22 15:39	
Methyl-tert-butyl ether	ug/L	<1.1	5.0	10/31/22 15:39	
Methylene Chloride	ug/L	<0.32	5.0	10/31/22 15:39	
n-Butylbenzene	ug/L	<0.86	1.0	10/31/22 15:39	
n-Propylbenzene	ug/L	<0.35	1.0	10/31/22 15:39	
Naphthalene	ug/L	<1.1	5.0	10/31/22 15:39	
p-Isopropyltoluene	ug/L	<1.0	5.0	10/31/22 15:39	
sec-Butylbenzene	ug/L	<0.42	1.0	10/31/22 15:39	
Styrene	ug/L	<0.36	1.0	10/31/22 15:39	
tert-Butylbenzene	ug/L	<0.59	1.0	10/31/22 15:39	
Tetrachloroethene	ug/L	<0.41	1.0	10/31/22 15:39	
Toluene	ug/L	<0.29	1.0	10/31/22 15:39	
trans-1,2-Dichloroethene	ug/L	<0.53	1.0	10/31/22 15:39	
trans-1,3-Dichloropropene	ug/L	<3.5	5.0	10/31/22 15:39	
Trichloroethene	ug/L	<0.32	1.0	10/31/22 15:39	
Trichlorofluoromethane	ug/L	<0.42	1.0	10/31/22 15:39	
Vinyl chloride	ug/L	<0.17	1.0	10/31/22 15:39	
Xylene (Total)	ug/L	<1.0	3.0	10/31/22 15:39	
1,2-Dichlorobenzene-d4 (S)	%	104	70-130	10/31/22 15:39	
4-Bromofluorobenzene (S)	%	107	70-130	10/31/22 15:39	
Toluene-d8 (S)	%	104	70-130	10/31/22 15:39	

LABORATORY CONTROL SAMPLE: 2475288

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.6	99	70-134	
1,1,2,2-Tetrachloroethane	ug/L	50	56.3	113	69-130	
1,1,2-Trichloroethane	ug/L	50	55.9	112	70-130	
1,1-Dichloroethane	ug/L	50	55.3	111	70-130	
1,1-Dichloroethene	ug/L	50	57.3	115	74-131	
1,2,4-Trichlorobenzene	ug/L	50	46.5	93	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	45.3	91	64-137	
1,2-Dibromoethane (EDB)	ug/L	50	51.8	104	70-130	
1,2-Dichlorobenzene	ug/L	50	52.1	104	70-130	
1,2-Dichloroethane	ug/L	50	51.3	103	70-137	
1,2-Dichloropropane	ug/L	50	56.6	113	80-121	
1,3-Dichlorobenzene	ug/L	50	51.2	102	70-130	
1,4-Dichlorobenzene	ug/L	50	49.5	99	70-130	
Benzene	ug/L	50	55.3	111	70-130	
Bromodichloromethane	ug/L	50	51.3	103	70-130	
Bromoform	ug/L	50	44.3	89	70-130	
Bromomethane	ug/L	50	41.9	84	21-147	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40253695

LABORATORY CONTROL SAMPLE: 2475288

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/L	50	49.3	99	80-146	
Chlorobenzene	ug/L	50	53.6	107	70-130	
Chloroethane	ug/L	50	50.8	102	52-165	
Chloroform	ug/L	50	52.4	105	80-123	
Chloromethane	ug/L	50	39.9	80	51-122	
cis-1,2-Dichloroethene	ug/L	50	50.7	101	70-130	
cis-1,3-Dichloropropene	ug/L	50	52.2	104	70-130	
Dibromochloromethane	ug/L	50	48.3	97	70-130	
Dichlorodifluoromethane	ug/L	50	20.7	41	25-121	
Ethylbenzene	ug/L	50	56.1	112	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.6	109	70-130	
Methyl-tert-butyl ether	ug/L	50	52.3	105	70-130	
Methylene Chloride	ug/L	50	57.8	116	70-130	
Styrene	ug/L	50	53.2	106	70-130	
Tetrachloroethene	ug/L	50	49.5	99	70-130	
Toluene	ug/L	50	54.6	109	80-120	
trans-1,2-Dichloroethene	ug/L	50	56.3	113	70-130	
trans-1,3-Dichloropropene	ug/L	50	52.2	104	70-130	
Trichloroethene	ug/L	50	51.9	104	70-130	
Trichlorofluoromethane	ug/L	50	51.1	102	65-160	
Vinyl chloride	ug/L	50	44.9	90	63-134	
Xylene (Total)	ug/L	150	163	109	70-130	
1,2-Dichlorobenzene-d4 (S)	%			101	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	
Toluene-d8 (S)	%			105	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2477849 2477850

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40253677002	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/L	<0.30	50	50	48.9	48.4	98	97	70-134	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.38	50	50	57.9	58.4	116	117	61-135	1	20		
1,1,2-Trichloroethane	ug/L	<0.34	50	50	54.4	55.0	109	110	70-130	1	20		
1,1-Dichloroethane	ug/L	<0.30	50	50	57.5	53.3	115	107	70-130	8	20		
1,1-Dichloroethene	ug/L	<0.58	50	50	54.8	55.7	110	111	71-130	2	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	47.1	47.3	94	95	68-131	1	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.4	50	50	48.1	50.4	96	101	51-141	5	20		
1,2-Dibromoethane (EDB)	ug/L	<0.31	50	50	51.0	51.0	102	102	70-130	0	20		
1,2-Dichlorobenzene	ug/L	<0.33	50	50	51.3	51.2	103	102	70-130	0	20		
1,2-Dichloroethane	ug/L	<0.29	50	50	50.9	51.4	102	103	70-137	1	20		
1,2-Dichloropropane	ug/L	<0.45	50	50	56.5	55.7	113	111	80-121	1	20		
1,3-Dichlorobenzene	ug/L	<0.35	50	50	50.5	50.0	101	100	70-130	1	20		
1,4-Dichlorobenzene	ug/L	<0.89	50	50	49.3	48.8	99	98	70-130	1	20		
Benzene	ug/L	0.51J	50	50	54.6	54.0	108	107	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: DUN RITE
Pace Project No.: 40253695

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2477849		2477850		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40253677002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Bromodichloromethane	ug/L	<0.42	50	50	51.1	51.1	102	102	70-130	0	20		
Bromoform	ug/L	<3.8	50	50	44.5	45.6	89	91	70-133	2	20		
Bromomethane	ug/L	<1.2	50	50	42.4	44.1	85	88	21-149	4	22		
Carbon tetrachloride	ug/L	<0.37	50	50	48.7	48.7	97	97	80-146	0	20		
Chlorobenzene	ug/L	<0.86	50	50	52.1	52.1	104	104	70-130	0	20		
Chloroethane	ug/L	<1.4	50	50	48.5	49.7	97	99	52-165	2	20		
Chloroform	ug/L	<1.2	50	50	51.2	50.7	102	101	80-123	1	20		
Chloromethane	ug/L	<1.6	50	50	38.1	38.0	76	76	42-125	0	20		
cis-1,2-Dichloroethene	ug/L	46.0	50	50	95.8	95.0	100	98	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	<0.36	50	50	51.2	51.0	102	102	70-130	0	20		
Dibromochloromethane	ug/L	<2.6	50	50	47.3	47.9	95	96	70-130	1	20		
Dichlorodifluoromethane	ug/L	<0.46	50	50	19.3	19.1	39	38	25-121	1	20		
Ethylbenzene	ug/L	<0.33	50	50	54.1	54.0	108	108	80-121	0	20		
Isopropylbenzene (Cumene)	ug/L	<1.0	50	50	53.0	53.1	106	106	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.1	50	50	51.7	54.3	103	109	70-130	5	20		
Methylene Chloride	ug/L	<0.32	50	50	55.0	56.5	110	113	70-130	3	20		
Styrene	ug/L	<0.36	50	50	51.0	51.6	102	103	70-132	1	20		
Tetrachloroethene	ug/L	<0.41	50	50	47.1	47.0	94	94	70-130	0	20		
Toluene	ug/L	<0.29	50	50	52.7	53.0	105	106	80-120	1	20		
trans-1,2-Dichloroethene	ug/L	<0.53	50	50	54.3	56.0	109	112	70-130	3	20		
trans-1,3-Dichloropropene	ug/L	<3.5	50	50	51.3	52.0	103	104	70-130	1	20		
Trichloroethene	ug/L	0.54J	50	50	52.2	52.0	103	103	70-130	0	20		
Trichlorofluoromethane	ug/L	<0.42	50	50	48.6	48.4	97	97	65-160	1	20		
Vinyl chloride	ug/L	<0.17	50	50	41.8	42.3	84	85	60-137	1	20		
Xylene (Total)	ug/L	<1.0	150	150	157	157	105	105	70-130	0	20		
1,2-Dichlorobenzene-d4 (S)	%						102	102	70-130				
4-Bromofluorobenzene (S)	%						107	106	70-130				
Toluene-d8 (S)	%						105	104	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: DUN RITE

Pace Project No.: 40253695

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: DUN RITE
Pace Project No.: 40253695

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40253695001	GP-11	EPA 8260	429785		
40253695002	GP-12	EPA 8260	429785		
40253695003	MWG-1	EPA 8260	429785		
40253695004	QA	EPA 8260	429785		
40253695005	TRIP BLANK	EPA 8260	429785		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

40253695

ALL SHADED AREAS are for LAB USE ONLY

Company: Sand County Env
 Address: 151 Mill St, Amherst
 Report To: Pete Arntzen
 Copy To:

Billing Information: Same
 Email To: pete.arntzen@sandcountyenl.com
 Site Collection Info/Address:

Customer Project Name/Number: Dan Rife Dun Rife
 Phone: 715-824-5969
 Email:
 Collected By (print): Pete Arntzen
 Collected By (signature): [Signature]
 Sample Disposal:
 Dispose as appropriate Return
 Archive:
 Hold:

State: WI County/City: Portage Co Time Zone Collected: PT MT CT ET
 Compliance Monitoring? Yes No
 DW PWS ID #: [Blank]
 DW Location Code:
 Turnaround Date Required: Normal
 Immediately Packed on Ice: Yes No
 Field Filtered (if applicable): Yes No
 Analysis:
 Rush: Same Day Next Day
 2 Day 3 Day 4 Day 5 Day
 (Expedite Charges Apply)

Container Preservative Type **
 ** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses		Lab Profile/Line:
		Lab Sample Receipt Checklist:
		Custody Seals Present/Intact Y N NA
		Custody Signatures Present Y N NA
		Collector Signature Present Y N NA
		Bottles Intact Y N NA
		Correct Bottles Y N NA
		Sufficient Volume Y N NA
		Samples Received on Ice Y N NA
		VOA - Headspace Acceptable Y N NA
		USDA Regulated Soils Y N NA
		Samples in Holding Time Y N NA
		Residual Chlorine Present Y N NA
		Cl Strips:
		Sample pH Acceptable Y N NA
		pH Strips:
		Sulfide Present Y N NA
		Lead Acetate Strips:
		LAB USE ONLY:
		Lab Sample # / Comments:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
GP-11	GW	Grab	10/21	11:20				3
GP-12				11:30				
MWG-1				11:50				
QA								
Trip blank								

vec

Customer Remarks / Special Conditions / Possible Hazards:

Type of Ice Used: Wet Blue Dry None
 Packing Material Used: bubble wrap and bags
 Radchem sample(s) screened (<500 cpm): Y N NA

SHORT HOLDS PRESENT (<72 hours): Y N N/A
 Lab Tracking #: 2784559
 Samples received via: Waltco
 FEDEX UPS Client Courier Pace Courier

Lab Sample Temperature Info:
 Temp Blank Received: Y N NA
 Therm ID#: [Blank]
 Cooler 1 Temp Upon Receipt: [Blank] of
 Cooler 1 Therm Corr Factor: [Blank] of
 Cooler 1 Corrected Temp: [Blank]
 Comments: [Blank]

Relinquished by/Company: (Signature) [Signature]
 Date/Time: 10/25/22 4:30
 Relinquished by/Company: (Signature) Waltco
 Date/Time: 10/26/2022 08:49
 Relinquished by/Company: (Signature)

Received by/Company: (Signature) [Blank]
 Date/Time:
 Received by/Company: (Signature) Matt Vambalick Pace
 Date/Time: 10/26/2022 08:48
 Received by/Company: (Signature)

Date/Time:
 MTJL LAB USE ONLY
 Table #:
 Acctnum:
 Template:
 Prelogin:
 PM:
 PB:

Trip Blank Received: Y N NA
 HCL MeOH TSP Other
 Non Conformance(s): YES / NO
 Page: 1 / Page 22 of 24
 of: 1

Effective Date: 8/16/2022

Client Name: Sand County Env.

Sample Preservation Receipt Form
Project # 740253095

All containers needing preservation have been checked and noted below:

Yes No N/A

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Initial when completed: MJS Date/Time:

Pace Lab #	Glass						Plastic						Vials					Jars				General		VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	BP2Z	VG9C	DG9T	VG9U	VG9H	VG9M	VG9D	JG9U	JG9U	WGFU	WPFU								SP5T	ZPLC	GN 1
001																																	2.5 / 5
002																																	2.5 / 5
003																																	2.5 / 5
004																																	2.5 / 5
005																																	2.5 / 5
006																																	2.5 / 5
007																																	2.5 / 5
008																																	2.5 / 5
009																																	2.5 / 5
010																																	2.5 / 5
011																																	2.5 / 5
012																																	2.5 / 5
013																																	2.5 / 5
014																																	2.5 / 5
015																																	2.5 / 5
016																																	2.5 / 5
017																																	2.5 / 5
018																																	2.5 / 5
019																																	2.5 / 5
020																																	2.5 / 5

Exceptions to preservation check: (VOA) Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm): Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9C	40 mL clear ascorbic w/ HCl	JG9U	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG5U	100 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG2S	500 mL amber glass H2SO4	BP2Z	500 mL plastic NaOH + Zn	VG9D	40 mL clear vial DI	ZPLC	ziploc bag
BG3U	250 mL clear glass unpres					GN 1	
						GN 2	

Page 1 of 2

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Sand County Env.

WO# : 40253695

Courier: CS Logistics Fed Ex Speedee UPS Waltco



Client Pace Other: _____

Tracking #: 3372321-1

Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no

Custody Seal on Samples Present: yes no **Seals intact:** yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 119 **Type of Ice:** Wet Blue Dry None Meltwater Only

Cooler Temperature Uncorr: 1 / Corr: 0.5

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
 Date: 10/26/2022 Initials: MVJ
 Labeled By Initials: MP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- DI VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:	For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Correct Type: <u>Pace Green Bay</u> , Pace IR, Non-Pace		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>492</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: Added Trip blanks to COC as they were included in cooler. MVJ 10/26/2022

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log in

November 03, 2022

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun-Rite
Pace Project No.: 10631647

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite

Pace Project No.: 10631647

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification (A2LA) #: R-036

North Dakota Certification (MN) #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
Pace Project No.: 10631647

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10631647001	AA405 - Outside	Air	10/21/22 04:15	10/28/22 13:00
10631647002	AA406 - Hallway	Air	10/21/22 04:05	10/28/22 13:00
10631647003	AA407 - North Office	Air	10/21/22 04:12	10/28/22 13:00
10631647004	AA408 - South Office	Air	10/21/22 04:06	10/28/22 13:00
10631647005	SSV-203 - Office	Air	10/21/22 09:15	10/28/22 13:00
10631647006	SSV-101 - South Wall	Air	10/21/22 08:46	10/28/22 13:00
10631647007	Blow Sta.	Air	10/21/22 09:28	10/28/22 13:00
10631647008	SSV-406 - North Office	Air	10/21/22 10:04	10/28/22 13:00
10631647009	SSV-405 - South Office	Air	10/21/22 10:23	10/28/22 13:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite

Pace Project No.: 10631647

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10631647001	AA405 - Outside	TO-15	MJL	61	PASI-M
10631647002	AA406 - Hallway	TO-15	MJL	61	PASI-M
10631647003	AA407 - North Office	TO-15	MJL	61	PASI-M
10631647004	AA408 - South Office	TO-15	MJL	61	PASI-M
10631647005	SSV-203 - Office	TO-15	MJL	61	PASI-M
10631647006	SSV-101 - South Wall	TO-15	MJL	61	PASI-M
10631647007	Blow Sta.	TO-15	MJL	61	PASI-M
10631647008	SSV-406 - North Office	TO-15	MJL	61	PASI-M
10631647009	SSV-405 - South Office	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647001	AA405 - Outside					
TO-15	Acetone	11.2	ug/m3	9.0	11/01/22 15:32	
TO-15	Benzene	0.47J	ug/m3	0.48	11/01/22 15:32	
TO-15	2-Butanone (MEK)	0.71J	ug/m3	4.5	11/01/22 15:32	
TO-15	Chloromethane	0.80	ug/m3	0.63	11/01/22 15:32	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.5	11/01/22 15:32	
TO-15	Ethanol	20.7	ug/m3	2.9	11/01/22 15:32	
TO-15	Methylene Chloride	0.29J	ug/m3	5.3	11/01/22 15:32	
TO-15	Toluene	0.42J	ug/m3	1.1	11/01/22 15:32	
TO-15	Trichlorofluoromethane	2.0	ug/m3	1.7	11/01/22 15:32	
TO-15	1,1,2-Trichlorotrifluoroethane	0.81J	ug/m3	2.3	11/01/22 15:32	
TO-15	m&p-Xylene	1.8J	ug/m3	2.6	11/01/22 15:32	
10631647002	AA406 - Hallway					
TO-15	Acetone	34.7	ug/m3	9.0	11/01/22 15:59	
TO-15	Benzene	0.69	ug/m3	0.48	11/01/22 15:59	
TO-15	2-Butanone (MEK)	2.3J	ug/m3	4.5	11/01/22 15:59	
TO-15	Chloromethane	1.6	ug/m3	0.63	11/01/22 15:59	
TO-15	1,4-Dichlorobenzene	103	ug/m3	45.6	11/02/22 09:57	
TO-15	Dichlorodifluoromethane	10.9	ug/m3	1.5	11/01/22 15:59	
TO-15	Ethanol	1260	ug/m3	28.6	11/02/22 09:57	
TO-15	Ethyl acetate	1.9	ug/m3	1.1	11/01/22 15:59	
TO-15	Ethylbenzene	0.73J	ug/m3	1.3	11/01/22 15:59	
TO-15	n-Heptane	0.95J	ug/m3	1.2	11/01/22 15:59	
TO-15	n-Hexane	0.55J	ug/m3	1.1	11/01/22 15:59	
TO-15	Methylene Chloride	0.42J	ug/m3	5.3	11/01/22 15:59	
TO-15	Naphthalene	3.6J	ug/m3	4.0	11/01/22 15:59	
TO-15	2-Propanol	9.1	ug/m3	3.7	11/01/22 15:59	
TO-15	Styrene	1.4	ug/m3	1.3	11/01/22 15:59	
TO-15	Tetrachloroethene	4.2	ug/m3	1.0	11/01/22 15:59	
TO-15	Toluene	1.5	ug/m3	1.1	11/01/22 15:59	
TO-15	Trichloroethene	2.0	ug/m3	0.81	11/01/22 15:59	
TO-15	Trichlorofluoromethane	2.3	ug/m3	1.7	11/01/22 15:59	
TO-15	1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.3	11/01/22 15:59	
TO-15	m&p-Xylene	2.1J	ug/m3	2.6	11/01/22 15:59	
TO-15	o-Xylene	0.72J	ug/m3	1.3	11/01/22 15:59	
10631647003	AA407 - North Office					
TO-15	Acetone	29.8	ug/m3	8.7	11/01/22 16:26	
TO-15	Benzene	0.63	ug/m3	0.47	11/01/22 16:26	
TO-15	2-Butanone (MEK)	3.1J	ug/m3	4.3	11/01/22 16:26	
TO-15	Chloromethane	1.0	ug/m3	0.60	11/01/22 16:26	
TO-15	1,4-Dichlorobenzene	125	ug/m3	4.4	11/01/22 16:26	
TO-15	Dichlorodifluoromethane	11.3	ug/m3	1.5	11/01/22 16:26	
TO-15	Ethanol	289	ug/m3	2.8	11/01/22 16:26	
TO-15	Ethylbenzene	0.71J	ug/m3	1.3	11/01/22 16:26	
TO-15	n-Heptane	1.1J	ug/m3	1.2	11/01/22 16:26	
TO-15	n-Hexane	0.72J	ug/m3	1.0	11/01/22 16:26	
TO-15	Naphthalene	3.3J	ug/m3	3.8	11/01/22 16:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647003	AA407 - North Office					
TO-15	2-Propanol	6.4	ug/m3	3.6	11/01/22 16:26	
TO-15	Tetrachloroethene	6.7	ug/m3	0.99	11/01/22 16:26	
TO-15	Toluene	1.2	ug/m3	1.1	11/01/22 16:26	
TO-15	Trichloroethene	1.7	ug/m3	0.79	11/01/22 16:26	
TO-15	Trichlorofluoromethane	3.1	ug/m3	1.6	11/01/22 16:26	
TO-15	1,1,2-Trichlorotrifluoroethane	1.5J	ug/m3	2.2	11/01/22 16:26	
TO-15	m&p-Xylene	2.0J	ug/m3	2.5	11/01/22 16:26	
TO-15	o-Xylene	0.69J	ug/m3	1.3	11/01/22 16:26	
10631647004	AA408 - South Office					
TO-15	Acetone	40.0	ug/m3	8.7	11/01/22 17:20	
TO-15	Benzene	0.81	ug/m3	0.47	11/01/22 17:20	
TO-15	2-Butanone (MEK)	26.8	ug/m3	4.3	11/01/22 17:20	
TO-15	Chloromethane	1.0	ug/m3	0.60	11/01/22 17:20	
TO-15	1,4-Dichlorobenzene	76.6	ug/m3	4.4	11/01/22 17:20	
TO-15	Dichlorodifluoromethane	11.4	ug/m3	1.5	11/01/22 17:20	
TO-15	Ethanol	175	ug/m3	2.8	11/01/22 17:20	
TO-15	Ethylbenzene	0.83J	ug/m3	1.3	11/01/22 17:20	
TO-15	n-Hexane	3.9	ug/m3	1.0	11/01/22 17:20	
TO-15	Methylene Chloride	0.48J	ug/m3	5.1	11/01/22 17:20	
TO-15	Naphthalene	3.6J	ug/m3	3.8	11/01/22 17:20	
TO-15	2-Propanol	17.0	ug/m3	3.6	11/01/22 17:20	
TO-15	Tetrachloroethene	9.1	ug/m3	0.99	11/01/22 17:20	
TO-15	Toluene	2.7	ug/m3	1.1	11/01/22 17:20	
TO-15	Trichloroethene	1.7	ug/m3	0.79	11/01/22 17:20	
TO-15	Trichlorofluoromethane	2.5	ug/m3	1.6	11/01/22 17:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.85J	ug/m3	2.2	11/01/22 17:20	
TO-15	m&p-Xylene	2.4J	ug/m3	2.5	11/01/22 17:20	
TO-15	o-Xylene	0.82J	ug/m3	1.3	11/01/22 17:20	
10631647005	SSV-203 - Office					
TO-15	Acetone	25.5	ug/m3	10.9	11/01/22 19:07	
TO-15	Benzene	0.38J	ug/m3	0.58	11/01/22 19:07	
TO-15	2-Butanone (MEK)	8.5	ug/m3	5.4	11/01/22 19:07	
TO-15	1,4-Dichlorobenzene	1.7J	ug/m3	5.5	11/01/22 19:07	
TO-15	Dichlorodifluoromethane	25.3	ug/m3	1.8	11/01/22 19:07	
TO-15	Ethanol	32.8	ug/m3	3.5	11/01/22 19:07	
TO-15	Ethylbenzene	2.1	ug/m3	1.6	11/01/22 19:07	
TO-15	4-Ethyltoluene	1.8J	ug/m3	4.5	11/01/22 19:07	
TO-15	Methylene Chloride	1.5J	ug/m3	6.4	11/01/22 19:07	
TO-15	2-Propanol	7.8	ug/m3	4.5	11/01/22 19:07	
TO-15	Styrene	6.6	ug/m3	1.6	11/01/22 19:07	
TO-15	Tetrachloroethene	294	ug/m3	1.2	11/01/22 19:07	
TO-15	Tetrahydrofuran	1.5	ug/m3	1.1	11/01/22 19:07	
TO-15	Toluene	116	ug/m3	1.4	11/01/22 19:07	
TO-15	Trichlorofluoromethane	3.0	ug/m3	2.1	11/01/22 19:07	
TO-15	1,1,2-Trichlorotrifluoroethane	1.1J	ug/m3	2.8	11/01/22 19:07	
TO-15	1,2,4-Trimethylbenzene	1.4J	ug/m3	1.8	11/01/22 19:07	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647005	SSV-203 - Office					
TO-15	1,3,5-Trimethylbenzene	1.8J	ug/m3	1.8	11/01/22 19:07	
TO-15	m&p-Xylene	6.2	ug/m3	3.2	11/01/22 19:07	
TO-15	o-Xylene	2.8	ug/m3	1.6	11/01/22 19:07	
10631647006	SSV-101 - South Wall					
TO-15	Acetone	27.4	ug/m3	10.9	11/01/22 19:34	
TO-15	Benzene	0.30J	ug/m3	0.58	11/01/22 19:34	
TO-15	2-Butanone (MEK)	8.2	ug/m3	5.4	11/01/22 19:34	
TO-15	Carbon disulfide	0.44J	ug/m3	1.1	11/01/22 19:34	
TO-15	Chloromethane	0.66J	ug/m3	0.76	11/01/22 19:34	
TO-15	1,4-Dichlorobenzene	1.6J	ug/m3	5.5	11/01/22 19:34	
TO-15	Dichlorodifluoromethane	36.4	ug/m3	1.8	11/01/22 19:34	
TO-15	Ethanol	29.7	ug/m3	3.5	11/01/22 19:34	
TO-15	Ethylbenzene	2.1	ug/m3	1.6	11/01/22 19:34	
TO-15	4-Ethyltoluene	1.8J	ug/m3	4.5	11/01/22 19:34	
TO-15	n-Hexane	1.1J	ug/m3	1.3	11/01/22 19:34	
TO-15	Methylene Chloride	7.3	ug/m3	6.4	11/01/22 19:34	
TO-15	2-Propanol	6.3	ug/m3	4.5	11/01/22 19:34	
TO-15	Styrene	6.4	ug/m3	1.6	11/01/22 19:34	
TO-15	Tetrachloroethene	1150	ug/m3	24.8	11/02/22 10:24	
TO-15	Tetrahydrofuran	1.3	ug/m3	1.1	11/01/22 19:34	
TO-15	Toluene	98.2	ug/m3	1.4	11/01/22 19:34	
TO-15	Trichloroethene	0.65J	ug/m3	0.98	11/01/22 19:34	
TO-15	Trichlorofluoromethane	3.4	ug/m3	2.1	11/01/22 19:34	
TO-15	1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	11/01/22 19:34	
TO-15	1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	11/01/22 19:34	
TO-15	m&p-Xylene	6.0	ug/m3	3.2	11/01/22 19:34	
TO-15	o-Xylene	2.7	ug/m3	1.6	11/01/22 19:34	
10631647007	Blow Sta.					
TO-15	Tetrachloroethene	24500	ug/m3	149	11/02/22 16:41	
TO-15	Toluene	161J	ug/m3	165	11/02/22 16:41	
TO-15	m&p-Xylene	258J	ug/m3	382	11/02/22 16:41	
10631647008	SSV-406 - North Office					
TO-15	Tetrachloroethene	12100	ug/m3	144	11/02/22 17:35	
TO-15	Toluene	161	ug/m3	160	11/02/22 17:35	
10631647009	SSV-405 - South Office					
TO-15	Tetrachloroethene	40300	ug/m3	1150	11/02/22 16:14	
TO-15	Toluene	1010J	ug/m3	1280	11/02/22 16:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10631647

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: November 03, 2022

General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA405 - Outside Lab ID: 10631647001 Collected: 10/21/22 04:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	11.2	ug/m3	9.0	3.3	1.49		11/01/22 15:32	67-64-1	
Benzene	0.47J	ug/m3	0.48	0.16	1.49		11/01/22 15:32	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.9	1.1	1.49		11/01/22 15:32	100-44-7	
Bromodichloromethane	<0.48	ug/m3	2.0	0.48	1.49		11/01/22 15:32	75-27-4	
Bromoform	<1.2	ug/m3	7.8	1.2	1.49		11/01/22 15:32	75-25-2	
Bromomethane	<0.44	ug/m3	1.2	0.44	1.49		11/01/22 15:32	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/01/22 15:32	106-99-0	
2-Butanone (MEK)	0.71J	ug/m3	4.5	0.56	1.49		11/01/22 15:32	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/01/22 15:32	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.9	0.62	1.49		11/01/22 15:32	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.4	0.21	1.49		11/01/22 15:32	108-90-7	
Chloroethane	<0.31	ug/m3	0.80	0.31	1.49		11/01/22 15:32	75-00-3	
Chloroform	<0.20	ug/m3	0.74	0.20	1.49		11/01/22 15:32	67-66-3	
Chloromethane	0.80	ug/m3	0.63	0.13	1.49		11/01/22 15:32	74-87-3	
Cyclohexane	<0.20	ug/m3	2.6	0.20	1.49		11/01/22 15:32	110-82-7	
Dibromochloromethane	<0.54	ug/m3	2.6	0.54	1.49		11/01/22 15:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	2.3	0.46	1.49		11/01/22 15:32	106-93-4	
1,2-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		11/01/22 15:32	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:32	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:32	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.5	0.76	1.49		11/01/22 15:32	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.2	0.16	1.49		11/01/22 15:32	75-34-3	
1,2-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:32	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.49		11/01/22 15:32	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.49		11/01/22 15:32	156-59-2	
trans-1,2-Dichloroethene	<0.47	ug/m3	1.2	0.47	1.49		11/01/22 15:32	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.4	0.30	1.49		11/01/22 15:32	78-87-5	
cis-1,3-Dichloropropene	<0.97	ug/m3	3.4	0.97	1.49		11/01/22 15:32	10061-01-5	
trans-1,3-Dichloropropene	<1.2	ug/m3	3.4	1.2	1.49		11/01/22 15:32	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		11/01/22 15:32	76-14-2	
Ethanol	20.7	ug/m3	2.9	1.3	1.49		11/01/22 15:32	64-17-5	
Ethyl acetate	<0.24	ug/m3	1.1	0.24	1.49		11/01/22 15:32	141-78-6	
Ethylbenzene	<0.27	ug/m3	1.3	0.27	1.49		11/01/22 15:32	100-41-4	
4-Ethyltoluene	<0.61	ug/m3	3.7	0.61	1.49		11/01/22 15:32	622-96-8	
n-Heptane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:32	142-82-5	
Hexachloro-1,3-butadiene	<2.6	ug/m3	8.1	2.6	1.49		11/01/22 15:32	87-68-3	
n-Hexane	<0.35	ug/m3	1.1	0.35	1.49		11/01/22 15:32	110-54-3	
2-Hexanone	<1.0	ug/m3	6.2	1.0	1.49		11/01/22 15:32	591-78-6	
Methylene Chloride	0.29J	ug/m3	5.3	0.19	1.49		11/01/22 15:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.80	ug/m3	6.2	0.80	1.49		11/01/22 15:32	108-10-1	
Methyl-tert-butyl ether	<0.37	ug/m3	5.5	0.37	1.49		11/01/22 15:32	1634-04-4	
Naphthalene	<3.1	ug/m3	4.0	3.1	1.49		11/01/22 15:32	91-20-3	
2-Propanol	<1.4	ug/m3	3.7	1.4	1.49		11/01/22 15:32	67-63-0	
Propylene	<0.53	ug/m3	1.3	0.53	1.49		11/01/22 15:32	115-07-1	
Styrene	<0.62	ug/m3	1.3	0.62	1.49		11/01/22 15:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **AA405 - Outside** Lab ID: **10631647001** Collected: 10/21/22 04:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	2.1	0.43	1.49		11/01/22 15:32	79-34-5	
Tetrachloroethene	<0.37	ug/m3	1.0	0.37	1.49		11/01/22 15:32	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.89	0.28	1.49		11/01/22 15:32	109-99-9	
Toluene	0.42J	ug/m3	1.1	0.24	1.49		11/01/22 15:32	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	11.2	8.5	1.49		11/01/22 15:32	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.7	0.27	1.49		11/01/22 15:32	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.83	0.38	1.49		11/01/22 15:32	79-00-5	
Trichloroethene	<0.36	ug/m3	0.81	0.36	1.49		11/01/22 15:32	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.7	0.30	1.49		11/01/22 15:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.81J	ug/m3	2.3	0.34	1.49		11/01/22 15:32	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/01/22 15:32	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.49		11/01/22 15:32	108-67-8	
Vinyl acetate	<0.26	ug/m3	1.1	0.26	1.49		11/01/22 15:32	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.39	0.14	1.49		11/01/22 15:32	75-01-4	
m&p-Xylene	1.8J	ug/m3	2.6	0.73	1.49		11/01/22 15:32	179601-23-1	
o-Xylene	<0.27	ug/m3	1.3	0.27	1.49		11/01/22 15:32	95-47-6	

Sample: **AA406 - Hallway** Lab ID: **10631647002** Collected: 10/21/22 04:05 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	34.7	ug/m3	9.0	3.3	1.49		11/01/22 15:59	67-64-1	
Benzene	0.69	ug/m3	0.48	0.16	1.49		11/01/22 15:59	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.9	1.1	1.49		11/01/22 15:59	100-44-7	
Bromodichloromethane	<0.48	ug/m3	2.0	0.48	1.49		11/01/22 15:59	75-27-4	
Bromoform	<1.2	ug/m3	7.8	1.2	1.49		11/01/22 15:59	75-25-2	
Bromomethane	<0.44	ug/m3	1.2	0.44	1.49		11/01/22 15:59	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/01/22 15:59	106-99-0	
2-Butanone (MEK)	2.3J	ug/m3	4.5	0.56	1.49		11/01/22 15:59	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/01/22 15:59	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.9	0.62	1.49		11/01/22 15:59	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.4	0.21	1.49		11/01/22 15:59	108-90-7	
Chloroethane	<0.31	ug/m3	0.80	0.31	1.49		11/01/22 15:59	75-00-3	
Chloroform	<0.20	ug/m3	0.74	0.20	1.49		11/01/22 15:59	67-66-3	
Chloromethane	1.6	ug/m3	0.63	0.13	1.49		11/01/22 15:59	74-87-3	
Cyclohexane	<0.20	ug/m3	2.6	0.20	1.49		11/01/22 15:59	110-82-7	
Dibromochloromethane	<0.54	ug/m3	2.6	0.54	1.49		11/01/22 15:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	2.3	0.46	1.49		11/01/22 15:59	106-93-4	
1,2-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		11/01/22 15:59	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:59	541-73-1	
1,4-Dichlorobenzene	103	ug/m3	45.6	12.1	14.9		11/02/22 09:57	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **AA406 - Hallway** Lab ID: **10631647002** Collected: 10/21/22 04:05 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	10.9	ug/m3	1.5	0.76	1.49		11/01/22 15:59	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.2	0.16	1.49		11/01/22 15:59	75-34-3	
1,2-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:59	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.49		11/01/22 15:59	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.49		11/01/22 15:59	156-59-2	
trans-1,2-Dichloroethene	<0.47	ug/m3	1.2	0.47	1.49		11/01/22 15:59	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.4	0.30	1.49		11/01/22 15:59	78-87-5	
cis-1,3-Dichloropropene	<0.97	ug/m3	3.4	0.97	1.49		11/01/22 15:59	10061-01-5	
trans-1,3-Dichloropropene	<1.2	ug/m3	3.4	1.2	1.49		11/01/22 15:59	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		11/01/22 15:59	76-14-2	
Ethanol	1260	ug/m3	28.6	13.4	14.9		11/02/22 09:57	64-17-5	
Ethyl acetate	1.9	ug/m3	1.1	0.24	1.49		11/01/22 15:59	141-78-6	
Ethylbenzene	0.73J	ug/m3	1.3	0.27	1.49		11/01/22 15:59	100-41-4	
4-Ethyltoluene	<0.61	ug/m3	3.7	0.61	1.49		11/01/22 15:59	622-96-8	
n-Heptane	0.95J	ug/m3	1.2	0.19	1.49		11/01/22 15:59	142-82-5	
Hexachloro-1,3-butadiene	<2.6	ug/m3	8.1	2.6	1.49		11/01/22 15:59	87-68-3	
n-Hexane	0.55J	ug/m3	1.1	0.35	1.49		11/01/22 15:59	110-54-3	
2-Hexanone	<1.0	ug/m3	6.2	1.0	1.49		11/01/22 15:59	591-78-6	
Methylene Chloride	0.42J	ug/m3	5.3	0.19	1.49		11/01/22 15:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.80	ug/m3	6.2	0.80	1.49		11/01/22 15:59	108-10-1	
Methyl-tert-butyl ether	<0.37	ug/m3	5.5	0.37	1.49		11/01/22 15:59	1634-04-4	
Naphthalene	3.6J	ug/m3	4.0	3.1	1.49		11/01/22 15:59	91-20-3	
2-Propanol	9.1	ug/m3	3.7	1.4	1.49		11/01/22 15:59	67-63-0	
Propylene	<0.53	ug/m3	1.3	0.53	1.49		11/01/22 15:59	115-07-1	
Styrene	1.4	ug/m3	1.3	0.62	1.49		11/01/22 15:59	100-42-5	
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	2.1	0.43	1.49		11/01/22 15:59	79-34-5	
Tetrachloroethene	4.2	ug/m3	1.0	0.37	1.49		11/01/22 15:59	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.89	0.28	1.49		11/01/22 15:59	109-99-9	
Toluene	1.5	ug/m3	1.1	0.24	1.49		11/01/22 15:59	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	11.2	8.5	1.49		11/01/22 15:59	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.7	0.27	1.49		11/01/22 15:59	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.83	0.38	1.49		11/01/22 15:59	79-00-5	
Trichloroethene	2.0	ug/m3	0.81	0.36	1.49		11/01/22 15:59	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.30	1.49		11/01/22 15:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.3	0.34	1.49		11/01/22 15:59	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/01/22 15:59	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.49		11/01/22 15:59	108-67-8	
Vinyl acetate	<0.26	ug/m3	1.1	0.26	1.49		11/01/22 15:59	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.39	0.14	1.49		11/01/22 15:59	75-01-4	
m&p-Xylene	2.1J	ug/m3	2.6	0.73	1.49		11/01/22 15:59	179601-23-1	
o-Xylene	0.72J	ug/m3	1.3	0.27	1.49		11/01/22 15:59	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA407 - North Office Lab ID: 10631647003 Collected: 10/21/22 04:12 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	29.8	ug/m3	8.7	3.2	1.44		11/01/22 16:26	67-64-1	
Benzene	0.63	ug/m3	0.47	0.16	1.44		11/01/22 16:26	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.8	1.1	1.44		11/01/22 16:26	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.0	0.46	1.44		11/01/22 16:26	75-27-4	
Bromoform	<1.1	ug/m3	7.6	1.1	1.44		11/01/22 16:26	75-25-2	
Bromomethane	<0.43	ug/m3	1.1	0.43	1.44		11/01/22 16:26	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.65	0.16	1.44		11/01/22 16:26	106-99-0	
2-Butanone (MEK)	3.1J	ug/m3	4.3	0.54	1.44		11/01/22 16:26	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.91	0.34	1.44		11/01/22 16:26	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.44		11/01/22 16:26	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.3	0.20	1.44		11/01/22 16:26	108-90-7	
Chloroethane	<0.30	ug/m3	0.77	0.30	1.44		11/01/22 16:26	75-00-3	
Chloroform	<0.19	ug/m3	0.71	0.19	1.44		11/01/22 16:26	67-66-3	
Chloromethane	1.0	ug/m3	0.60	0.13	1.44		11/01/22 16:26	74-87-3	
Cyclohexane	<0.19	ug/m3	2.5	0.19	1.44		11/01/22 16:26	110-82-7	
Dibromochloromethane	<0.52	ug/m3	2.5	0.52	1.44		11/01/22 16:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	2.2	0.44	1.44		11/01/22 16:26	106-93-4	
1,2-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 16:26	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 16:26	541-73-1	
1,4-Dichlorobenzene	125	ug/m3	4.4	1.2	1.44		11/01/22 16:26	106-46-7	
Dichlorodifluoromethane	11.3	ug/m3	1.5	0.74	1.44		11/01/22 16:26	75-71-8	
1,1-Dichloroethane	<0.15	ug/m3	1.2	0.15	1.44		11/01/22 16:26	75-34-3	
1,2-Dichloroethane	<0.18	ug/m3	1.2	0.18	1.44		11/01/22 16:26	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		11/01/22 16:26	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.2	0.31	1.44		11/01/22 16:26	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/m3	1.2	0.46	1.44		11/01/22 16:26	156-60-5	
1,2-Dichloropropane	<0.29	ug/m3	1.4	0.29	1.44		11/01/22 16:26	78-87-5	
cis-1,3-Dichloropropene	<0.94	ug/m3	3.3	0.94	1.44		11/01/22 16:26	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	3.3	1.1	1.44		11/01/22 16:26	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.0	0.35	1.44		11/01/22 16:26	76-14-2	
Ethanol	289	ug/m3	2.8	1.3	1.44		11/01/22 16:26	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.1	0.23	1.44		11/01/22 16:26	141-78-6	
Ethylbenzene	0.71J	ug/m3	1.3	0.26	1.44		11/01/22 16:26	100-41-4	
4-Ethyltoluene	<0.59	ug/m3	3.6	0.59	1.44		11/01/22 16:26	622-96-8	
n-Heptane	1.1J	ug/m3	1.2	0.19	1.44		11/01/22 16:26	142-82-5	
Hexachloro-1,3-butadiene	<2.5	ug/m3	7.8	2.5	1.44		11/01/22 16:26	87-68-3	
n-Hexane	0.72J	ug/m3	1.0	0.33	1.44		11/01/22 16:26	110-54-3	
2-Hexanone	<0.99	ug/m3	6.0	0.99	1.44		11/01/22 16:26	591-78-6	
Methylene Chloride	<0.18	ug/m3	5.1	0.18	1.44		11/01/22 16:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.77	ug/m3	6.0	0.77	1.44		11/01/22 16:26	108-10-1	
Methyl-tert-butyl ether	<0.36	ug/m3	5.3	0.36	1.44		11/01/22 16:26	1634-04-4	
Naphthalene	3.3J	ug/m3	3.8	3.0	1.44		11/01/22 16:26	91-20-3	
2-Propanol	6.4	ug/m3	3.6	1.4	1.44		11/01/22 16:26	67-63-0	
Propylene	<0.51	ug/m3	1.3	0.51	1.44		11/01/22 16:26	115-07-1	
Styrene	<0.60	ug/m3	1.2	0.60	1.44		11/01/22 16:26	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA407 - North Office Lab ID: 10631647003 Collected: 10/21/22 04:12 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	2.0	0.41	1.44		11/01/22 16:26	79-34-5	
Tetrachloroethene	6.7	ug/m3	0.99	0.36	1.44		11/01/22 16:26	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.86	0.27	1.44		11/01/22 16:26	109-99-9	
Toluene	1.2	ug/m3	1.1	0.23	1.44		11/01/22 16:26	108-88-3	
1,2,4-Trichlorobenzene	<8.3	ug/m3	10.9	8.3	1.44		11/01/22 16:26	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.44		11/01/22 16:26	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.80	0.37	1.44		11/01/22 16:26	79-00-5	
Trichloroethene	1.7	ug/m3	0.79	0.34	1.44		11/01/22 16:26	79-01-6	
Trichlorofluoromethane	3.1	ug/m3	1.6	0.29	1.44		11/01/22 16:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.5J	ug/m3	2.2	0.33	1.44		11/01/22 16:26	76-13-1	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.44		11/01/22 16:26	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.4	0.39	1.44		11/01/22 16:26	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.44		11/01/22 16:26	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.37	0.14	1.44		11/01/22 16:26	75-01-4	
m&p-Xylene	2.0J	ug/m3	2.5	0.71	1.44		11/01/22 16:26	179601-23-1	
o-Xylene	0.69J	ug/m3	1.3	0.26	1.44		11/01/22 16:26	95-47-6	

Sample: AA408 - South Office Lab ID: 10631647004 Collected: 10/21/22 04:06 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	40.0	ug/m3	8.7	3.2	1.44		11/01/22 17:20	67-64-1	
Benzene	0.81	ug/m3	0.47	0.16	1.44		11/01/22 17:20	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.8	1.1	1.44		11/01/22 17:20	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.0	0.46	1.44		11/01/22 17:20	75-27-4	
Bromoform	<1.1	ug/m3	7.6	1.1	1.44		11/01/22 17:20	75-25-2	
Bromomethane	<0.43	ug/m3	1.1	0.43	1.44		11/01/22 17:20	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.65	0.16	1.44		11/01/22 17:20	106-99-0	
2-Butanone (MEK)	26.8	ug/m3	4.3	0.54	1.44		11/01/22 17:20	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.91	0.34	1.44		11/01/22 17:20	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.44		11/01/22 17:20	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.3	0.20	1.44		11/01/22 17:20	108-90-7	
Chloroethane	<0.30	ug/m3	0.77	0.30	1.44		11/01/22 17:20	75-00-3	
Chloroform	<0.19	ug/m3	0.71	0.19	1.44		11/01/22 17:20	67-66-3	
Chloromethane	1.0	ug/m3	0.60	0.13	1.44		11/01/22 17:20	74-87-3	
Cyclohexane	<0.19	ug/m3	2.5	0.19	1.44		11/01/22 17:20	110-82-7	
Dibromochloromethane	<0.52	ug/m3	2.5	0.52	1.44		11/01/22 17:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	2.2	0.44	1.44		11/01/22 17:20	106-93-4	
1,2-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 17:20	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 17:20	541-73-1	
1,4-Dichlorobenzene	76.6	ug/m3	4.4	1.2	1.44		11/01/22 17:20	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA408 - South Office Lab ID: 10631647004 Collected: 10/21/22 04:06 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	11.4	ug/m3	1.5	0.74	1.44		11/01/22 17:20	75-71-8	
1,1-Dichloroethane	<0.15	ug/m3	1.2	0.15	1.44		11/01/22 17:20	75-34-3	
1,2-Dichloroethane	<0.18	ug/m3	1.2	0.18	1.44		11/01/22 17:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		11/01/22 17:20	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.2	0.31	1.44		11/01/22 17:20	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/m3	1.2	0.46	1.44		11/01/22 17:20	156-60-5	
1,2-Dichloropropane	<0.29	ug/m3	1.4	0.29	1.44		11/01/22 17:20	78-87-5	
cis-1,3-Dichloropropene	<0.94	ug/m3	3.3	0.94	1.44		11/01/22 17:20	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	3.3	1.1	1.44		11/01/22 17:20	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.0	0.35	1.44		11/01/22 17:20	76-14-2	
Ethanol	175	ug/m3	2.8	1.3	1.44		11/01/22 17:20	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.1	0.23	1.44		11/01/22 17:20	141-78-6	
Ethylbenzene	0.83J	ug/m3	1.3	0.26	1.44		11/01/22 17:20	100-41-4	
4-Ethyltoluene	<0.59	ug/m3	3.6	0.59	1.44		11/01/22 17:20	622-96-8	
n-Heptane	<0.19	ug/m3	1.2	0.19	1.44		11/01/22 17:20	142-82-5	
Hexachloro-1,3-butadiene	<2.5	ug/m3	7.8	2.5	1.44		11/01/22 17:20	87-68-3	
n-Hexane	3.9	ug/m3	1.0	0.33	1.44		11/01/22 17:20	110-54-3	
2-Hexanone	<0.99	ug/m3	6.0	0.99	1.44		11/01/22 17:20	591-78-6	
Methylene Chloride	0.48J	ug/m3	5.1	0.18	1.44		11/01/22 17:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.77	ug/m3	6.0	0.77	1.44		11/01/22 17:20	108-10-1	
Methyl-tert-butyl ether	<0.36	ug/m3	5.3	0.36	1.44		11/01/22 17:20	1634-04-4	
Naphthalene	3.6J	ug/m3	3.8	3.0	1.44		11/01/22 17:20	91-20-3	
2-Propanol	17.0	ug/m3	3.6	1.4	1.44		11/01/22 17:20	67-63-0	
Propylene	<0.51	ug/m3	1.3	0.51	1.44		11/01/22 17:20	115-07-1	
Styrene	<0.60	ug/m3	1.2	0.60	1.44		11/01/22 17:20	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	2.0	0.41	1.44		11/01/22 17:20	79-34-5	
Tetrachloroethene	9.1	ug/m3	0.99	0.36	1.44		11/01/22 17:20	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.86	0.27	1.44		11/01/22 17:20	109-99-9	
Toluene	2.7	ug/m3	1.1	0.23	1.44		11/01/22 17:20	108-88-3	
1,2,4-Trichlorobenzene	<8.3	ug/m3	10.9	8.3	1.44		11/01/22 17:20	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.44		11/01/22 17:20	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.80	0.37	1.44		11/01/22 17:20	79-00-5	
Trichloroethene	1.7	ug/m3	0.79	0.34	1.44		11/01/22 17:20	79-01-6	
Trichlorofluoromethane	2.5	ug/m3	1.6	0.29	1.44		11/01/22 17:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.85J	ug/m3	2.2	0.33	1.44		11/01/22 17:20	76-13-1	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.44		11/01/22 17:20	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.4	0.39	1.44		11/01/22 17:20	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.44		11/01/22 17:20	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.37	0.14	1.44		11/01/22 17:20	75-01-4	
m&p-Xylene	2.4J	ug/m3	2.5	0.71	1.44		11/01/22 17:20	179601-23-1	
o-Xylene	0.82J	ug/m3	1.3	0.26	1.44		11/01/22 17:20	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: SSV-203 - Office Lab ID: 10631647005 Collected: 10/21/22 09:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	25.5	ug/m3	10.9	4.0	1.8		11/01/22 19:07	67-64-1	
Benzene	0.38J	ug/m3	0.58	0.20	1.8		11/01/22 19:07	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.7	1.4	1.8		11/01/22 19:07	100-44-7	
Bromodichloromethane	<0.58	ug/m3	2.4	0.58	1.8		11/01/22 19:07	75-27-4	
Bromoform	<1.4	ug/m3	9.4	1.4	1.8		11/01/22 19:07	75-25-2	
Bromomethane	<0.53	ug/m3	1.4	0.53	1.8		11/01/22 19:07	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.81	0.20	1.8		11/01/22 19:07	106-99-0	
2-Butanone (MEK)	8.5	ug/m3	5.4	0.68	1.8		11/01/22 19:07	78-93-3	
Carbon disulfide	<0.42	ug/m3	1.1	0.42	1.8		11/01/22 19:07	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.3	0.75	1.8		11/01/22 19:07	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.7	0.25	1.8		11/01/22 19:07	108-90-7	
Chloroethane	<0.37	ug/m3	0.96	0.37	1.8		11/01/22 19:07	75-00-3	
Chloroform	<0.24	ug/m3	0.89	0.24	1.8		11/01/22 19:07	67-66-3	
Chloromethane	<0.16	ug/m3	0.76	0.16	1.8		11/01/22 19:07	74-87-3	
Cyclohexane	<0.24	ug/m3	3.2	0.24	1.8		11/01/22 19:07	110-82-7	
Dibromochloromethane	<0.65	ug/m3	3.1	0.65	1.8		11/01/22 19:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	2.8	0.56	1.8		11/01/22 19:07	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.8		11/01/22 19:07	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/m3	5.5	1.5	1.8		11/01/22 19:07	541-73-1	
1,4-Dichlorobenzene	1.7J	ug/m3	5.5	1.5	1.8		11/01/22 19:07	106-46-7	
Dichlorodifluoromethane	25.3	ug/m3	1.8	0.92	1.8		11/01/22 19:07	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.5	0.19	1.8		11/01/22 19:07	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:07	107-06-2	
1,1-Dichloroethene	<0.30	ug/m3	1.5	0.30	1.8		11/01/22 19:07	75-35-4	
cis-1,2-Dichloroethene	<0.39	ug/m3	1.5	0.39	1.8		11/01/22 19:07	156-59-2	
trans-1,2-Dichloroethene	<0.57	ug/m3	1.5	0.57	1.8		11/01/22 19:07	156-60-5	
1,2-Dichloropropane	<0.36	ug/m3	1.7	0.36	1.8		11/01/22 19:07	78-87-5	
cis-1,3-Dichloropropene	<1.2	ug/m3	4.2	1.2	1.8		11/01/22 19:07	10061-01-5	
trans-1,3-Dichloropropene	<1.4	ug/m3	4.2	1.4	1.8		11/01/22 19:07	10061-02-6	
Dichlorotetrafluoroethane	<0.44	ug/m3	2.6	0.44	1.8		11/01/22 19:07	76-14-2	
Ethanol	32.8	ug/m3	3.5	1.6	1.8		11/01/22 19:07	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.3	0.29	1.8		11/01/22 19:07	141-78-6	
Ethylbenzene	2.1	ug/m3	1.6	0.32	1.8		11/01/22 19:07	100-41-4	
4-Ethyltoluene	1.8J	ug/m3	4.5	0.73	1.8		11/01/22 19:07	622-96-8	
n-Heptane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:07	142-82-5	
Hexachloro-1,3-butadiene	<3.2	ug/m3	9.8	3.2	1.8		11/01/22 19:07	87-68-3	
n-Hexane	<0.42	ug/m3	1.3	0.42	1.8		11/01/22 19:07	110-54-3	
2-Hexanone	<1.2	ug/m3	7.5	1.2	1.8		11/01/22 19:07	591-78-6	
Methylene Chloride	1.5J	ug/m3	6.4	0.22	1.8		11/01/22 19:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.97	ug/m3	7.5	0.97	1.8		11/01/22 19:07	108-10-1	
Methyl-tert-butyl ether	<0.45	ug/m3	6.6	0.45	1.8		11/01/22 19:07	1634-04-4	
Naphthalene	<3.8	ug/m3	4.8	3.8	1.8		11/01/22 19:07	91-20-3	
2-Propanol	7.8	ug/m3	4.5	1.7	1.8		11/01/22 19:07	67-63-0	
Propylene	<0.64	ug/m3	1.6	0.64	1.8		11/01/22 19:07	115-07-1	
Styrene	6.6	ug/m3	1.6	0.75	1.8		11/01/22 19:07	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: SSV-203 - Office Lab ID: 10631647005 Collected: 10/21/22 09:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.5	0.52	1.8		11/01/22 19:07	79-34-5	
Tetrachloroethene	294	ug/m3	1.2	0.45	1.8		11/01/22 19:07	127-18-4	
Tetrahydrofuran	1.5	ug/m3	1.1	0.33	1.8		11/01/22 19:07	109-99-9	
Toluene	116	ug/m3	1.4	0.29	1.8		11/01/22 19:07	108-88-3	
1,2,4-Trichlorobenzene	<10.3	ug/m3	13.6	10.3	1.8		11/01/22 19:07	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.8		11/01/22 19:07	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.8		11/01/22 19:07	79-00-5	
Trichloroethene	<0.43	ug/m3	0.98	0.43	1.8		11/01/22 19:07	79-01-6	
Trichlorofluoromethane	3.0	ug/m3	2.1	0.36	1.8		11/01/22 19:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.1J	ug/m3	2.8	0.41	1.8		11/01/22 19:07	76-13-1	
1,2,4-Trimethylbenzene	1.4J	ug/m3	1.8	0.63	1.8		11/01/22 19:07	95-63-6	
1,3,5-Trimethylbenzene	1.8J	ug/m3	1.8	0.49	1.8		11/01/22 19:07	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.3	0.32	1.8		11/01/22 19:07	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.47	0.17	1.8		11/01/22 19:07	75-01-4	
m&p-Xylene	6.2	ug/m3	3.2	0.89	1.8		11/01/22 19:07	179601-23-1	
o-Xylene	2.8	ug/m3	1.6	0.32	1.8		11/01/22 19:07	95-47-6	

Sample: SSV-101 - South Wall Lab ID: 10631647006 Collected: 10/21/22 08:46 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	27.4	ug/m3	10.9	4.0	1.8		11/01/22 19:34	67-64-1	
Benzene	0.30J	ug/m3	0.58	0.20	1.8		11/01/22 19:34	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.7	1.4	1.8		11/01/22 19:34	100-44-7	
Bromodichloromethane	<0.58	ug/m3	2.4	0.58	1.8		11/01/22 19:34	75-27-4	
Bromoform	<1.4	ug/m3	9.4	1.4	1.8		11/01/22 19:34	75-25-2	
Bromomethane	<0.53	ug/m3	1.4	0.53	1.8		11/01/22 19:34	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.81	0.20	1.8		11/01/22 19:34	106-99-0	
2-Butanone (MEK)	8.2	ug/m3	5.4	0.68	1.8		11/01/22 19:34	78-93-3	
Carbon disulfide	0.44J	ug/m3	1.1	0.42	1.8		11/01/22 19:34	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.3	0.75	1.8		11/01/22 19:34	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.7	0.25	1.8		11/01/22 19:34	108-90-7	
Chloroethane	<0.37	ug/m3	0.96	0.37	1.8		11/01/22 19:34	75-00-3	
Chloroform	<0.24	ug/m3	0.89	0.24	1.8		11/01/22 19:34	67-66-3	
Chloromethane	0.66J	ug/m3	0.76	0.16	1.8		11/01/22 19:34	74-87-3	
Cyclohexane	<0.24	ug/m3	3.2	0.24	1.8		11/01/22 19:34	110-82-7	
Dibromochloromethane	<0.65	ug/m3	3.1	0.65	1.8		11/01/22 19:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	2.8	0.56	1.8		11/01/22 19:34	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.8		11/01/22 19:34	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/m3	5.5	1.5	1.8		11/01/22 19:34	541-73-1	
1,4-Dichlorobenzene	1.6J	ug/m3	5.5	1.5	1.8		11/01/22 19:34	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: **SSV-101 - South Wall** Lab ID: **10631647006** Collected: 10/21/22 08:46 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	36.4	ug/m3	1.8	0.92	1.8		11/01/22 19:34	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.5	0.19	1.8		11/01/22 19:34	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:34	107-06-2	
1,1-Dichloroethene	<0.30	ug/m3	1.5	0.30	1.8		11/01/22 19:34	75-35-4	
cis-1,2-Dichloroethene	<0.39	ug/m3	1.5	0.39	1.8		11/01/22 19:34	156-59-2	
trans-1,2-Dichloroethene	<0.57	ug/m3	1.5	0.57	1.8		11/01/22 19:34	156-60-5	
1,2-Dichloropropane	<0.36	ug/m3	1.7	0.36	1.8		11/01/22 19:34	78-87-5	
cis-1,3-Dichloropropene	<1.2	ug/m3	4.2	1.2	1.8		11/01/22 19:34	10061-01-5	
trans-1,3-Dichloropropene	<1.4	ug/m3	4.2	1.4	1.8		11/01/22 19:34	10061-02-6	
Dichlorotetrafluoroethane	<0.44	ug/m3	2.6	0.44	1.8		11/01/22 19:34	76-14-2	
Ethanol	29.7	ug/m3	3.5	1.6	1.8		11/01/22 19:34	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.3	0.29	1.8		11/01/22 19:34	141-78-6	
Ethylbenzene	2.1	ug/m3	1.6	0.32	1.8		11/01/22 19:34	100-41-4	
4-Ethyltoluene	1.8J	ug/m3	4.5	0.73	1.8		11/01/22 19:34	622-96-8	
n-Heptane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:34	142-82-5	
Hexachloro-1,3-butadiene	<3.2	ug/m3	9.8	3.2	1.8		11/01/22 19:34	87-68-3	
n-Hexane	1.1J	ug/m3	1.3	0.42	1.8		11/01/22 19:34	110-54-3	
2-Hexanone	<1.2	ug/m3	7.5	1.2	1.8		11/01/22 19:34	591-78-6	
Methylene Chloride	7.3	ug/m3	6.4	0.22	1.8		11/01/22 19:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.97	ug/m3	7.5	0.97	1.8		11/01/22 19:34	108-10-1	
Methyl-tert-butyl ether	<0.45	ug/m3	6.6	0.45	1.8		11/01/22 19:34	1634-04-4	
Naphthalene	<3.8	ug/m3	4.8	3.8	1.8		11/01/22 19:34	91-20-3	
2-Propanol	6.3	ug/m3	4.5	1.7	1.8		11/01/22 19:34	67-63-0	
Propylene	<0.64	ug/m3	1.6	0.64	1.8		11/01/22 19:34	115-07-1	
Styrene	6.4	ug/m3	1.6	0.75	1.8		11/01/22 19:34	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.5	0.52	1.8		11/01/22 19:34	79-34-5	
Tetrachloroethene	1150	ug/m3	24.8	8.9	36		11/02/22 10:24	127-18-4	
Tetrahydrofuran	1.3	ug/m3	1.1	0.33	1.8		11/01/22 19:34	109-99-9	
Toluene	98.2	ug/m3	1.4	0.29	1.8		11/01/22 19:34	108-88-3	
1,2,4-Trichlorobenzene	<10.3	ug/m3	13.6	10.3	1.8		11/01/22 19:34	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.8		11/01/22 19:34	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.8		11/01/22 19:34	79-00-5	
Trichloroethene	0.65J	ug/m3	0.98	0.43	1.8		11/01/22 19:34	79-01-6	
Trichlorofluoromethane	3.4	ug/m3	2.1	0.36	1.8		11/01/22 19:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.41	ug/m3	2.8	0.41	1.8		11/01/22 19:34	76-13-1	
1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	0.63	1.8		11/01/22 19:34	95-63-6	
1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	0.49	1.8		11/01/22 19:34	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.3	0.32	1.8		11/01/22 19:34	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.47	0.17	1.8		11/01/22 19:34	75-01-4	
m&p-Xylene	6.0	ug/m3	3.2	0.89	1.8		11/01/22 19:34	179601-23-1	
o-Xylene	2.7	ug/m3	1.6	0.32	1.8		11/01/22 19:34	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: Blow Sta. **Lab ID: 10631647007** Collected: 10/21/22 09:28 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<482	ug/m3	1300	482	216		11/02/22 16:41	67-64-1	
Benzene	<23.8	ug/m3	70.2	23.8	216		11/02/22 16:41	71-43-2	
Benzyl chloride	<166	ug/m3	568	166	216		11/02/22 16:41	100-44-7	
Bromodichloromethane	<69.1	ug/m3	294	69.1	216		11/02/22 16:41	75-27-4	
Bromoform	<168	ug/m3	1130	168	216		11/02/22 16:41	75-25-2	
Bromomethane	<63.9	ug/m3	170	63.9	216		11/02/22 16:41	74-83-9	
1,3-Butadiene	<24.0	ug/m3	97.2	24.0	216		11/02/22 16:41	106-99-0	
2-Butanone (MEK)	<81.0	ug/m3	648	81.0	216		11/02/22 16:41	78-93-3	
Carbon disulfide	<50.5	ug/m3	137	50.5	216		11/02/22 16:41	75-15-0	
Carbon tetrachloride	<90.5	ug/m3	276	90.5	216		11/02/22 16:41	56-23-5	
Chlorobenzene	<30.0	ug/m3	202	30.0	216		11/02/22 16:41	108-90-7	
Chloroethane	<44.3	ug/m3	116	44.3	216		11/02/22 16:41	75-00-3	
Chloroform	<28.9	ug/m3	107	28.9	216		11/02/22 16:41	67-66-3	
Chloromethane	<19.1	ug/m3	90.7	19.1	216		11/02/22 16:41	74-87-3	
Cyclohexane	<28.9	ug/m3	378	28.9	216		11/02/22 16:41	110-82-7	
Dibromochloromethane	<77.8	ug/m3	374	77.8	216		11/02/22 16:41	124-48-1	
1,2-Dibromoethane (EDB)	<66.7	ug/m3	337	66.7	216		11/02/22 16:41	106-93-4	
1,2-Dichlorobenzene	<186	ug/m3	661	186	216		11/02/22 16:41	95-50-1	
1,3-Dichlorobenzene	<178	ug/m3	661	178	216		11/02/22 16:41	541-73-1	
1,4-Dichlorobenzene	<175	ug/m3	661	175	216		11/02/22 16:41	106-46-7	
Dichlorodifluoromethane	<111	ug/m3	218	111	216		11/02/22 16:41	75-71-8	
1,1-Dichloroethane	<23.1	ug/m3	178	23.1	216		11/02/22 16:41	75-34-3	
1,2-Dichloroethane	<27.4	ug/m3	178	27.4	216		11/02/22 16:41	107-06-2	
1,1-Dichloroethene	<35.4	ug/m3	174	35.4	216		11/02/22 16:41	75-35-4	
cis-1,2-Dichloroethene	<46.2	ug/m3	174	46.2	216		11/02/22 16:41	156-59-2	
trans-1,2-Dichloroethene	<68.5	ug/m3	174	68.5	216		11/02/22 16:41	156-60-5	
1,2-Dichloropropane	<43.4	ug/m3	203	43.4	216		11/02/22 16:41	78-87-5	
cis-1,3-Dichloropropene	<141	ug/m3	499	141	216		11/02/22 16:41	10061-01-5	
trans-1,3-Dichloropropene	<168	ug/m3	499	168	216		11/02/22 16:41	10061-02-6	
Dichlorotetrafluoroethane	<52.5	ug/m3	307	52.5	216		11/02/22 16:41	76-14-2	
Ethanol	<195	ug/m3	415	195	216		11/02/22 16:41	64-17-5	
Ethyl acetate	<34.6	ug/m3	158	34.6	216		11/02/22 16:41	141-78-6	
Ethylbenzene	<38.7	ug/m3	191	38.7	216		11/02/22 16:41	100-41-4	
4-Ethyltoluene	<87.9	ug/m3	540	87.9	216		11/02/22 16:41	622-96-8	
n-Heptane	<27.9	ug/m3	180	27.9	216		11/02/22 16:41	142-82-5	
Hexachloro-1,3-butadiene	<380	ug/m3	1170	380	216		11/02/22 16:41	87-68-3	
n-Hexane	<50.1	ug/m3	155	50.1	216		11/02/22 16:41	110-54-3	
2-Hexanone	<149	ug/m3	899	149	216		11/02/22 16:41	591-78-6	
Methylene Chloride	<27.0	ug/m3	762	27.0	216		11/02/22 16:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<116	ug/m3	899	116	216		11/02/22 16:41	108-10-1	
Methyl-tert-butyl ether	<54.0	ug/m3	791	54.0	216		11/02/22 16:41	1634-04-4	
Naphthalene	<451	ug/m3	575	451	216		11/02/22 16:41	91-20-3	
2-Propanol	<207	ug/m3	540	207	216		11/02/22 16:41	67-63-0	
Propylene	<77.1	ug/m3	189	77.1	216		11/02/22 16:41	115-07-1	
Styrene	<89.6	ug/m3	187	89.6	216		11/02/22 16:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **Blow Sta.** Lab ID: **10631647007** Collected: 10/21/22 09:28 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<62.0	ug/m3	302	62.0	216		11/02/22 16:41	79-34-5	
Tetrachloroethene	24500	ug/m3	149	53.6	216		11/02/22 16:41	127-18-4	
Tetrahydrofuran	<40.2	ug/m3	130	40.2	216		11/02/22 16:41	109-99-9	
Toluene	161J	ug/m3	165	35.0	216		11/02/22 16:41	108-88-3	
1,2,4-Trichlorobenzene	<1240	ug/m3	1630	1240	216		11/02/22 16:41	120-82-1	
1,1,1-Trichloroethane	<39.1	ug/m3	240	39.1	216		11/02/22 16:41	71-55-6	
1,1,2-Trichloroethane	<55.7	ug/m3	120	55.7	216		11/02/22 16:41	79-00-5	
Trichloroethene	<51.6	ug/m3	118	51.6	216		11/02/22 16:41	79-01-6	
Trichlorofluoromethane	<43.6	ug/m3	246	43.6	216		11/02/22 16:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	<49.2	ug/m3	337	49.2	216		11/02/22 16:41	76-13-1	
1,2,4-Trimethylbenzene	<75.6	ug/m3	216	75.6	216		11/02/22 16:41	95-63-6	
1,3,5-Trimethylbenzene	<59.2	ug/m3	216	59.2	216		11/02/22 16:41	108-67-8	
Vinyl acetate	<38.0	ug/m3	155	38.0	216		11/02/22 16:41	108-05-4	
Vinyl chloride	<20.7	ug/m3	56.2	20.7	216		11/02/22 16:41	75-01-4	
m&p-Xylene	258J	ug/m3	382	106	216		11/02/22 16:41	179601-23-1	
o-Xylene	<38.4	ug/m3	191	38.4	216		11/02/22 16:41	95-47-6	

Sample: **SSV-406 - North Office** Lab ID: **10631647008** Collected: 10/21/22 10:04 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<466	ug/m3	1260	466	208.8		11/02/22 17:35	67-64-1	
Benzene	<23.0	ug/m3	67.9	23.0	208.8		11/02/22 17:35	71-43-2	
Benzyl chloride	<160	ug/m3	549	160	208.8		11/02/22 17:35	100-44-7	
Bromodichloromethane	<66.8	ug/m3	284	66.8	208.8		11/02/22 17:35	75-27-4	
Bromoform	<162	ug/m3	1100	162	208.8		11/02/22 17:35	75-25-2	
Bromomethane	<61.8	ug/m3	165	61.8	208.8		11/02/22 17:35	74-83-9	
1,3-Butadiene	<23.2	ug/m3	94.0	23.2	208.8		11/02/22 17:35	106-99-0	
2-Butanone (MEK)	<78.3	ug/m3	626	78.3	208.8		11/02/22 17:35	78-93-3	
Carbon disulfide	<48.9	ug/m3	132	48.9	208.8		11/02/22 17:35	75-15-0	
Carbon tetrachloride	<87.5	ug/m3	267	87.5	208.8		11/02/22 17:35	56-23-5	
Chlorobenzene	<29.0	ug/m3	195	29.0	208.8		11/02/22 17:35	108-90-7	
Chloroethane	<42.8	ug/m3	112	42.8	208.8		11/02/22 17:35	75-00-3	
Chloroform	<28.0	ug/m3	104	28.0	208.8		11/02/22 17:35	67-66-3	
Chloromethane	<18.4	ug/m3	87.7	18.4	208.8		11/02/22 17:35	74-87-3	
Cyclohexane	<28.0	ug/m3	365	28.0	208.8		11/02/22 17:35	110-82-7	
Dibromochloromethane	<75.2	ug/m3	361	75.2	208.8		11/02/22 17:35	124-48-1	
1,2-Dibromoethane (EDB)	<64.5	ug/m3	326	64.5	208.8		11/02/22 17:35	106-93-4	
1,2-Dichlorobenzene	<180	ug/m3	639	180	208.8		11/02/22 17:35	95-50-1	
1,3-Dichlorobenzene	<172	ug/m3	639	172	208.8		11/02/22 17:35	541-73-1	
1,4-Dichlorobenzene	<169	ug/m3	639	169	208.8		11/02/22 17:35	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **SSV-406 - North Office** Lab ID: **10631647008** Collected: 10/21/22 10:04 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	<107	ug/m3	211	107	208.8		11/02/22 17:35	75-71-8	
1,1-Dichloroethane	<22.3	ug/m3	172	22.3	208.8		11/02/22 17:35	75-34-3	
1,2-Dichloroethane	<26.5	ug/m3	172	26.5	208.8		11/02/22 17:35	107-06-2	
1,1-Dichloroethene	<34.2	ug/m3	168	34.2	208.8		11/02/22 17:35	75-35-4	
cis-1,2-Dichloroethene	<44.7	ug/m3	168	44.7	208.8		11/02/22 17:35	156-59-2	
trans-1,2-Dichloroethene	<66.2	ug/m3	168	66.2	208.8		11/02/22 17:35	156-60-5	
1,2-Dichloropropane	<42.0	ug/m3	196	42.0	208.8		11/02/22 17:35	78-87-5	
cis-1,3-Dichloropropene	<136	ug/m3	482	136	208.8		11/02/22 17:35	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/m3	482	162	208.8		11/02/22 17:35	10061-02-6	
Dichlorotetrafluoroethane	<50.7	ug/m3	296	50.7	208.8		11/02/22 17:35	76-14-2	
Ethanol	<188	ug/m3	401	188	208.8		11/02/22 17:35	64-17-5	
Ethyl acetate	<33.4	ug/m3	153	33.4	208.8		11/02/22 17:35	141-78-6	
Ethylbenzene	<37.4	ug/m3	184	37.4	208.8		11/02/22 17:35	100-41-4	
4-Ethyltoluene	<85.0	ug/m3	522	85.0	208.8		11/02/22 17:35	622-96-8	
n-Heptane	<26.9	ug/m3	174	26.9	208.8		11/02/22 17:35	142-82-5	
Hexachloro-1,3-butadiene	<367	ug/m3	1130	367	208.8		11/02/22 17:35	87-68-3	
n-Hexane	<48.4	ug/m3	150	48.4	208.8		11/02/22 17:35	110-54-3	
2-Hexanone	<144	ug/m3	869	144	208.8		11/02/22 17:35	591-78-6	
Methylene Chloride	<26.1	ug/m3	737	26.1	208.8		11/02/22 17:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	<112	ug/m3	869	112	208.8		11/02/22 17:35	108-10-1	
Methyl-tert-butyl ether	<52.2	ug/m3	764	52.2	208.8		11/02/22 17:35	1634-04-4	
Naphthalene	<436	ug/m3	555	436	208.8		11/02/22 17:35	91-20-3	
2-Propanol	<200	ug/m3	522	200	208.8		11/02/22 17:35	67-63-0	
Propylene	<74.5	ug/m3	183	74.5	208.8		11/02/22 17:35	115-07-1	
Styrene	<86.7	ug/m3	181	86.7	208.8		11/02/22 17:35	100-42-5	
1,1,2,2-Tetrachloroethane	<59.9	ug/m3	292	59.9	208.8		11/02/22 17:35	79-34-5	
Tetrachloroethene	12100	ug/m3	144	51.8	208.8		11/02/22 17:35	127-18-4	
Tetrahydrofuran	<38.8	ug/m3	125	38.8	208.8		11/02/22 17:35	109-99-9	
Toluene	161	ug/m3	160	33.8	208.8		11/02/22 17:35	108-88-3	
1,2,4-Trichlorobenzene	<1200	ug/m3	1570	1200	208.8		11/02/22 17:35	120-82-1	
1,1,1-Trichloroethane	<37.8	ug/m3	232	37.8	208.8		11/02/22 17:35	71-55-6	
1,1,2-Trichloroethane	<53.9	ug/m3	116	53.9	208.8		11/02/22 17:35	79-00-5	
Trichloroethene	<49.9	ug/m3	114	49.9	208.8		11/02/22 17:35	79-01-6	
Trichlorofluoromethane	<42.2	ug/m3	238	42.2	208.8		11/02/22 17:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	<47.6	ug/m3	326	47.6	208.8		11/02/22 17:35	76-13-1	
1,2,4-Trimethylbenzene	<73.1	ug/m3	209	73.1	208.8		11/02/22 17:35	95-63-6	
1,3,5-Trimethylbenzene	<57.2	ug/m3	209	57.2	208.8		11/02/22 17:35	108-67-8	
Vinyl acetate	<36.7	ug/m3	150	36.7	208.8		11/02/22 17:35	108-05-4	
Vinyl chloride	<20.0	ug/m3	54.3	20.0	208.8		11/02/22 17:35	75-01-4	
m&p-Xylene	<103	ug/m3	370	103	208.8		11/02/22 17:35	179601-23-1	
o-Xylene	<37.2	ug/m3	184	37.2	208.8		11/02/22 17:35	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: SSV-405 - South Office **Lab ID: 10631647009** Collected: 10/21/22 10:23 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<3720	ug/m3	10100	3720	1670		11/02/22 16:14	67-64-1	
Benzene	<184	ug/m3	543	184	1670		11/02/22 16:14	71-43-2	
Benzyl chloride	<1280	ug/m3	4390	1280	1670		11/02/22 16:14	100-44-7	
Bromodichloromethane	<535	ug/m3	2270	535	1670		11/02/22 16:14	75-27-4	
Bromoform	<1300	ug/m3	8770	1300	1670		11/02/22 16:14	75-25-2	
Bromomethane	<494	ug/m3	1320	494	1670		11/02/22 16:14	74-83-9	
1,3-Butadiene	<185	ug/m3	752	185	1670		11/02/22 16:14	106-99-0	
2-Butanone (MEK)	<626	ug/m3	5010	626	1670		11/02/22 16:14	78-93-3	
Carbon disulfide	<391	ug/m3	1060	391	1670		11/02/22 16:14	75-15-0	
Carbon tetrachloride	<700	ug/m3	2140	700	1670		11/02/22 16:14	56-23-5	
Chlorobenzene	<232	ug/m3	1560	232	1670		11/02/22 16:14	108-90-7	
Chloroethane	<342	ug/m3	895	342	1670		11/02/22 16:14	75-00-3	
Chloroform	<224	ug/m3	829	224	1670		11/02/22 16:14	67-66-3	
Chloromethane	<147	ug/m3	702	147	1670		11/02/22 16:14	74-87-3	
Cyclohexane	<224	ug/m3	2920	224	1670		11/02/22 16:14	110-82-7	
Dibromochloromethane	<601	ug/m3	2890	601	1670		11/02/22 16:14	124-48-1	
1,2-Dibromoethane (EDB)	<516	ug/m3	2610	516	1670		11/02/22 16:14	106-93-4	
1,2-Dichlorobenzene	<1440	ug/m3	5110	1440	1670		11/02/22 16:14	95-50-1	
1,3-Dichlorobenzene	<1380	ug/m3	5110	1380	1670		11/02/22 16:14	541-73-1	
1,4-Dichlorobenzene	<1350	ug/m3	5110	1350	1670		11/02/22 16:14	106-46-7	
Dichlorodifluoromethane	<857	ug/m3	1690	857	1670		11/02/22 16:14	75-71-8	
1,1-Dichloroethane	<179	ug/m3	1370	179	1670		11/02/22 16:14	75-34-3	
1,2-Dichloroethane	<212	ug/m3	1370	212	1670		11/02/22 16:14	107-06-2	
1,1-Dichloroethene	<274	ug/m3	1350	274	1670		11/02/22 16:14	75-35-4	
cis-1,2-Dichloroethene	<357	ug/m3	1350	357	1670		11/02/22 16:14	156-59-2	
trans-1,2-Dichloroethene	<530	ug/m3	1350	530	1670		11/02/22 16:14	156-60-5	
1,2-Dichloropropane	<336	ug/m3	1570	336	1670		11/02/22 16:14	78-87-5	
cis-1,3-Dichloropropene	<1090	ug/m3	3860	1090	1670		11/02/22 16:14	10061-01-5	
trans-1,3-Dichloropropene	<1300	ug/m3	3860	1300	1670		11/02/22 16:14	10061-02-6	
Dichlorotetrafluoroethane	<406	ug/m3	2370	406	1670		11/02/22 16:14	76-14-2	
Ethanol	<1510	ug/m3	3210	1510	1670		11/02/22 16:14	64-17-5	
Ethyl acetate	<267	ug/m3	1220	267	1670		11/02/22 16:14	141-78-6	
Ethylbenzene	<299	ug/m3	1470	299	1670		11/02/22 16:14	100-41-4	
4-Ethyltoluene	<680	ug/m3	4180	680	1670		11/02/22 16:14	622-96-8	
n-Heptane	<215	ug/m3	1390	215	1670		11/02/22 16:14	142-82-5	
Hexachloro-1,3-butadiene	<2940	ug/m3	9050	2940	1670		11/02/22 16:14	87-68-3	
n-Hexane	<388	ug/m3	1200	388	1670		11/02/22 16:14	110-54-3	
2-Hexanone	<1150	ug/m3	6950	1150	1670		11/02/22 16:14	591-78-6	
Methylene Chloride	<209	ug/m3	5900	209	1670		11/02/22 16:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	<899	ug/m3	6950	899	1670		11/02/22 16:14	108-10-1	
Methyl-tert-butyl ether	<418	ug/m3	6110	418	1670		11/02/22 16:14	1634-04-4	
Naphthalene	<3490	ug/m3	4440	3490	1670		11/02/22 16:14	91-20-3	
2-Propanol	<1600	ug/m3	4180	1600	1670		11/02/22 16:14	67-63-0	
Propylene	<596	ug/m3	1460	596	1670		11/02/22 16:14	115-07-1	
Styrene	<693	ug/m3	1450	693	1670		11/02/22 16:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: SSV-405 - South Office **Lab ID: 10631647009** Collected: 10/21/22 10:23 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<479	ug/m3	2340	479	1670		11/02/22 16:14	79-34-5	
Tetrachloroethene	40300	ug/m3	1150	414	1670		11/02/22 16:14	127-18-4	
Tetrahydrofuran	<311	ug/m3	1000	311	1670		11/02/22 16:14	109-99-9	
Toluene	1010J	ug/m3	1280	271	1670		11/02/22 16:14	108-88-3	
1,2,4-Trichlorobenzene	<9570	ug/m3	12600	9570	1670		11/02/22 16:14	120-82-1	
1,1,1-Trichloroethane	<302	ug/m3	1850	302	1670		11/02/22 16:14	71-55-6	
1,1,2-Trichloroethane	<431	ug/m3	927	431	1670		11/02/22 16:14	79-00-5	
Trichloroethene	<399	ug/m3	912	399	1670		11/02/22 16:14	79-01-6	
Trichlorofluoromethane	<337	ug/m3	1900	337	1670		11/02/22 16:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	<381	ug/m3	2610	381	1670		11/02/22 16:14	76-13-1	
1,2,4-Trimethylbenzene	<585	ug/m3	1670	585	1670		11/02/22 16:14	95-63-6	
1,3,5-Trimethylbenzene	<458	ug/m3	1670	458	1670		11/02/22 16:14	108-67-8	
Vinyl acetate	<294	ug/m3	1200	294	1670		11/02/22 16:14	108-05-4	
Vinyl chloride	<160	ug/m3	434	160	1670		11/02/22 16:14	75-01-4	
m&p-Xylene	<822	ug/m3	2960	822	1670		11/02/22 16:14	179601-23-1	
o-Xylene	<297	ug/m3	1470	297	1670		11/02/22 16:14	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

QC Batch: 850685 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

METHOD BLANK: 4498895 Matrix: Air
Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.18	1.1	11/01/22 09:32	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	1.4	11/01/22 09:32	
1,1,2-Trichloroethane	ug/m3	<0.26	0.56	11/01/22 09:32	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.23	1.6	11/01/22 09:32	
1,1-Dichloroethane	ug/m3	<0.11	0.82	11/01/22 09:32	
1,1-Dichloroethene	ug/m3	<0.16	0.81	11/01/22 09:32	
1,2,4-Trichlorobenzene	ug/m3	<5.7	7.5	11/01/22 09:32	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	11/01/22 09:32	
1,2-Dibromoethane (EDB)	ug/m3	<0.31	1.6	11/01/22 09:32	
1,2-Dichlorobenzene	ug/m3	<0.86	3.1	11/01/22 09:32	
1,2-Dichloroethane	ug/m3	<0.13	0.82	11/01/22 09:32	
1,2-Dichloropropane	ug/m3	<0.20	0.94	11/01/22 09:32	
1,3,5-Trimethylbenzene	ug/m3	<0.27	1.0	11/01/22 09:32	
1,3-Butadiene	ug/m3	<0.11	0.45	11/01/22 09:32	
1,3-Dichlorobenzene	ug/m3	<0.82	3.1	11/01/22 09:32	
1,4-Dichlorobenzene	ug/m3	<0.81	3.1	11/01/22 09:32	
2-Butanone (MEK)	ug/m3	<0.38	3.0	11/01/22 09:32	
2-Hexanone	ug/m3	<0.69	4.2	11/01/22 09:32	
2-Propanol	ug/m3	<0.96	2.5	11/01/22 09:32	
4-Ethyltoluene	ug/m3	<0.41	2.5	11/01/22 09:32	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.54	4.2	11/01/22 09:32	
Acetone	ug/m3	<2.2	6.0	11/01/22 09:32	
Benzene	ug/m3	<0.11	0.32	11/01/22 09:32	
Benzyl chloride	ug/m3	<0.77	2.6	11/01/22 09:32	
Bromodichloromethane	ug/m3	<0.32	1.4	11/01/22 09:32	
Bromoform	ug/m3	<0.78	5.2	11/01/22 09:32	
Bromomethane	ug/m3	<0.30	0.79	11/01/22 09:32	
Carbon disulfide	ug/m3	<0.23	0.63	11/01/22 09:32	
Carbon tetrachloride	ug/m3	<0.42	1.3	11/01/22 09:32	
Chlorobenzene	ug/m3	<0.14	0.94	11/01/22 09:32	
Chloroethane	ug/m3	<0.20	0.54	11/01/22 09:32	
Chloroform	ug/m3	<0.13	0.50	11/01/22 09:32	
Chloromethane	ug/m3	<0.088	0.42	11/01/22 09:32	
cis-1,2-Dichloroethene	ug/m3	<0.21	0.81	11/01/22 09:32	
cis-1,3-Dichloropropene	ug/m3	<0.65	2.3	11/01/22 09:32	
Cyclohexane	ug/m3	<0.13	1.8	11/01/22 09:32	
Dibromochloromethane	ug/m3	<0.36	1.7	11/01/22 09:32	
Dichlorodifluoromethane	ug/m3	<0.51	1.0	11/01/22 09:32	
Dichlorotetrafluoroethane	ug/m3	<0.24	1.4	11/01/22 09:32	
Ethanol	ug/m3	<0.90	1.9	11/01/22 09:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

METHOD BLANK: 4498895 Matrix: Air
Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.16	0.73	11/01/22 09:32	
Ethylbenzene	ug/m3	<0.18	0.88	11/01/22 09:32	
Hexachloro-1,3-butadiene	ug/m3	<1.8	5.4	11/01/22 09:32	
m&p-Xylene	ug/m3	<0.49	1.8	11/01/22 09:32	
Methyl-tert-butyl ether	ug/m3	<0.25	3.7	11/01/22 09:32	
Methylene Chloride	ug/m3	<0.12	3.5	11/01/22 09:32	
n-Heptane	ug/m3	<0.13	0.83	11/01/22 09:32	
n-Hexane	ug/m3	<0.23	0.72	11/01/22 09:32	
Naphthalene	ug/m3	<2.1	2.7	11/01/22 09:32	
o-Xylene	ug/m3	<0.18	0.88	11/01/22 09:32	
Propylene	ug/m3	<0.36	0.88	11/01/22 09:32	
Styrene	ug/m3	<0.42	0.87	11/01/22 09:32	
Tetrachloroethene	ug/m3	<0.25	0.69	11/01/22 09:32	
Tetrahydrofuran	ug/m3	<0.19	0.60	11/01/22 09:32	
Toluene	ug/m3	<0.16	0.77	11/01/22 09:32	
trans-1,2-Dichloroethene	ug/m3	<0.32	0.81	11/01/22 09:32	
trans-1,3-Dichloropropene	ug/m3	<0.78	2.3	11/01/22 09:32	
Trichloroethene	ug/m3	<0.24	0.55	11/01/22 09:32	
Trichlorofluoromethane	ug/m3	<0.20	1.1	11/01/22 09:32	
Vinyl acetate	ug/m3	<0.18	0.72	11/01/22 09:32	
Vinyl chloride	ug/m3	<0.096	0.26	11/01/22 09:32	

LABORATORY CONTROL SAMPLE: 4498896

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	58	56.2	97	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.8	63.9	88	70-132	
1,1,2-Trichloroethane	ug/m3	58.3	53.6	92	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	81.2	78.9	97	70-130	
1,1-Dichloroethane	ug/m3	42.5	39.5	93	70-130	
1,1-Dichloroethene	ug/m3	41.9	40.8	97	70-130	
1,2,4-Trichlorobenzene	ug/m3	175	168	96	70-130	
1,2,4-Trimethylbenzene	ug/m3	52.5	51.4	98	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.5	70.9	88	70-137	
1,2-Dichlorobenzene	ug/m3	63.9	62.8	98	70-131	
1,2-Dichloroethane	ug/m3	42.4	43.8	103	70-134	
1,2-Dichloropropane	ug/m3	49.3	46.6	94	70-130	
1,3,5-Trimethylbenzene	ug/m3	52.4	47.3	90	70-131	
1,3-Butadiene	ug/m3	23.9	23.8	99	70-139	
1,3-Dichlorobenzene	ug/m3	64.2	63.0	98	70-134	
1,4-Dichlorobenzene	ug/m3	64.3	61.3	95	70-131	
2-Butanone (MEK)	ug/m3	31.3	29.2	94	70-133	
2-Hexanone	ug/m3	43.4	39.3	91	70-136	
2-Propanol	ug/m3	137	125	91	65-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

LABORATORY CONTROL SAMPLE: 4498896

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.3	46.7	89	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	40.8	94	70-130	
Acetone	ug/m3	127	115	90	60-134	
Benzene	ug/m3	33.8	31.6	93	70-130	
Benzyl chloride	ug/m3	55.6	51.3	92	70-130	
Bromodichloromethane	ug/m3	71.5	74.9	105	70-130	
Bromoform	ug/m3	110	103	94	70-138	
Bromomethane	ug/m3	41.4	31.6	76	68-131	
Carbon disulfide	ug/m3	33	30.7	93	70-130	
Carbon tetrachloride	ug/m3	66.7	70.0	105	70-132	
Chlorobenzene	ug/m3	49	49.2	100	70-130	
Chloroethane	ug/m3	28.1	29.8	106	70-134	
Chloroform	ug/m3	52.1	49.8	96	70-130	
Chloromethane	ug/m3	22	19.2	87	68-131	
cis-1,2-Dichloroethene	ug/m3	42.1	45.8	109	70-136	
cis-1,3-Dichloropropene	ug/m3	48.2	44.9	93	70-130	
Cyclohexane	ug/m3	36.4	33.7	92	70-131	
Dibromochloromethane	ug/m3	90.6	87.5	97	70-134	
Dichlorodifluoromethane	ug/m3	52.5	45.3	86	70-130	
Dichlorotetrafluoroethane	ug/m3	74.4	65.9	89	70-130	
Ethanol	ug/m3	113	95.9	85	55-145	
Ethyl acetate	ug/m3	38.4	34.9	91	70-135	
Ethylbenzene	ug/m3	46.2	41.4	90	70-133	
Hexachloro-1,3-butadiene	ug/m3	130	132	101	70-132	
m&p-Xylene	ug/m3	92.4	82.2	89	70-134	
Methyl-tert-butyl ether	ug/m3	38.3	39.9	104	70-131	
Methylene Chloride	ug/m3	36.8	34.7	94	65-132	
n-Heptane	ug/m3	43.5	37.9	87	70-130	
n-Hexane	ug/m3	37.7	34.7	92	70-132	
Naphthalene	ug/m3	63.9	59.8	94	70-130	
o-Xylene	ug/m3	46	42.2	92	70-134	
Propylene	ug/m3	18.6	14.8	80	69-133	
Styrene	ug/m3	45.3	41.0	91	70-135	
Tetrachloroethene	ug/m3	72	72.4	100	70-134	
Tetrahydrofuran	ug/m3	31.3	27.6	88	70-140	
Toluene	ug/m3	40.2	42.5	106	70-136	
trans-1,2-Dichloroethene	ug/m3	42.3	42.1	100	70-134	
trans-1,3-Dichloropropene	ug/m3	48.4	41.2	85	70-131	
Trichloroethene	ug/m3	57.2	60.1	105	70-134	
Trichlorofluoromethane	ug/m3	60.3	56.4	93	63-130	
Vinyl acetate	ug/m3	38.7	36.0	93	70-139	
Vinyl chloride	ug/m3	27.2	26.5	97	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499703

Parameter	Units	10631647003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.26	<0.26		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.41	<0.41		25	
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	1.5J	1.7J		25	
1,1-Dichloroethane	ug/m3	<0.15	<0.15		25	
1,1-Dichloroethene	ug/m3	<0.24	<0.24		25	
1,2,4-Trichlorobenzene	ug/m3	<8.3	<8.3		25	
1,2,4-Trimethylbenzene	ug/m3	<0.50	<0.50		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,2-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,2-Dichloropropane	ug/m3	<0.29	<0.29		25	
1,3,5-Trimethylbenzene	ug/m3	<0.39	<0.39		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,4-Dichlorobenzene	ug/m3	125	128	2	25	
2-Butanone (MEK)	ug/m3	3.1J	2.8J		25	
2-Hexanone	ug/m3	<0.99	<0.99		25	
2-Propanol	ug/m3	6.4	7.2	13	25	
4-Ethyltoluene	ug/m3	<0.59	<0.59		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.77	<0.77		25	
Acetone	ug/m3	29.8	30.9	4	25	
Benzene	ug/m3	0.63	0.77	20	25	
Benzyl chloride	ug/m3	<1.1	<1.1		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<1.1	<1.1		25	
Bromomethane	ug/m3	<0.43	<0.43		25	
Carbon disulfide	ug/m3	<0.34	<0.34		25	
Carbon tetrachloride	ug/m3	<0.60	<0.60		25	
Chlorobenzene	ug/m3	<0.20	<0.20		25	
Chloroethane	ug/m3	<0.30	<0.30		25	
Chloroform	ug/m3	<0.19	<0.19		25	
Chloromethane	ug/m3	1.0	1.1	7	25	
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
cis-1,3-Dichloropropene	ug/m3	<0.94	<0.94		25	
Cyclohexane	ug/m3	<0.19	<0.19		25	
Dibromochloromethane	ug/m3	<0.52	<0.52		25	
Dichlorodifluoromethane	ug/m3	11.3	11.6	3	25	
Dichlorotetrafluoroethane	ug/m3	<0.35	<0.35		25	
Ethanol	ug/m3	289	303	5	25	
Ethyl acetate	ug/m3	<0.23	<0.23		25	
Ethylbenzene	ug/m3	0.71J	0.73J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.5	<2.5		25	
m&p-Xylene	ug/m3	2.0J	2.1J		25	
Methyl-tert-butyl ether	ug/m3	<0.36	<0.36		25	
Methylene Chloride	ug/m3	<0.18	<0.18		25	
n-Heptane	ug/m3	1.1J	1.0J		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499703

Parameter	Units	10631647003 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	0.72J	0.73J		25	
Naphthalene	ug/m3	3.3J	3.4J		25	
o-Xylene	ug/m3	0.69J	0.71J		25	
Propylene	ug/m3	<0.51	<0.51		25	
Styrene	ug/m3	<0.60	<0.60		25	
Tetrachloroethene	ug/m3	6.7	7.0	5	25	
Tetrahydrofuran	ug/m3	<0.27	<0.27		25	
Toluene	ug/m3	1.2	1.4	8	25	
trans-1,2-Dichloroethene	ug/m3	<0.46	<0.46		25	
trans-1,3-Dichloropropene	ug/m3	<1.1	<1.1		25	
Trichloroethene	ug/m3	1.7	1.8	5	25	
Trichlorofluoromethane	ug/m3	3.1	3.0	4	25	
Vinyl acetate	ug/m3	<0.25	<0.25		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

SAMPLE DUPLICATE: 4499704

Parameter	Units	10631647004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.26	<0.26		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.41	<0.41		25	
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.85J	0.93J		25	
1,1-Dichloroethane	ug/m3	<0.15	<0.15		25	
1,1-Dichloroethene	ug/m3	<0.24	<0.24		25	
1,2,4-Trichlorobenzene	ug/m3	<8.3	<8.3		25	
1,2,4-Trimethylbenzene	ug/m3	<0.50	<0.50		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,2-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,2-Dichloropropane	ug/m3	<0.29	<0.29		25	
1,3,5-Trimethylbenzene	ug/m3	<0.39	<0.39		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,4-Dichlorobenzene	ug/m3	76.6	77.6	1	25	
2-Butanone (MEK)	ug/m3	26.8	27.6	3	25	
2-Hexanone	ug/m3	<0.99	<0.99		25	
2-Propanol	ug/m3	17.0	16.7	2	25	
4-Ethyltoluene	ug/m3	<0.59	<0.59		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.77	<0.77		25	
Acetone	ug/m3	40.0	35.8	11	25	
Benzene	ug/m3	0.81	0.80	2	25	
Benzyl chloride	ug/m3	<1.1	<1.1		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<1.1	<1.1		25	
Bromomethane	ug/m3	<0.43	<0.43		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499704

Parameter	Units	10631647004 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	<0.34	<0.34		25	
Carbon tetrachloride	ug/m3	<0.60	<0.60		25	
Chlorobenzene	ug/m3	<0.20	<0.20		25	
Chloroethane	ug/m3	<0.30	<0.30		25	
Chloroform	ug/m3	<0.19	<0.19		25	
Chloromethane	ug/m3	1.0	1.1	5	25	
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
cis-1,3-Dichloropropene	ug/m3	<0.94	<0.94		25	
Cyclohexane	ug/m3	<0.19	0.88J		25	
Dibromochloromethane	ug/m3	<0.52	<0.52		25	
Dichlorodifluoromethane	ug/m3	11.4	12.3	7	25	
Dichlorotetrafluoroethane	ug/m3	<0.35	<0.35		25	
Ethanol	ug/m3	175	174	1	25	
Ethyl acetate	ug/m3	<0.23	<0.23		25	
Ethylbenzene	ug/m3	0.83J	0.84J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.5	<2.5		25	
m&p-Xylene	ug/m3	2.4J	2.4J		25	
Methyl-tert-butyl ether	ug/m3	<0.36	<0.36		25	
Methylene Chloride	ug/m3	0.48J	0.51J		25	
n-Heptane	ug/m3	<0.19	1.4		25	
n-Hexane	ug/m3	3.9	3.8	2	25	
Naphthalene	ug/m3	3.6J	3.6J		25	
o-Xylene	ug/m3	0.82J	0.84J		25	
Propylene	ug/m3	<0.51	<0.51		25	
Styrene	ug/m3	<0.60	<0.60		25	
Tetrachloroethene	ug/m3	9.1	9.4	3	25	
Tetrahydrofuran	ug/m3	<0.27	<0.27		25	
Toluene	ug/m3	2.7	2.7	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.46	<0.46		25	
trans-1,3-Dichloropropene	ug/m3	<1.1	<1.1		25	
Trichloroethene	ug/m3	1.7	1.8	7	25	
Trichlorofluoromethane	ug/m3	2.5	2.7	11	25	
Vinyl acetate	ug/m3	<0.25	<0.25		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

QC Batch: 850965 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10631647007, 10631647008, 10631647009

METHOD BLANK: 4500143 Matrix: Air

Associated Lab Samples: 10631647007, 10631647008, 10631647009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.18	1.1	11/02/22 09:31	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	1.4	11/02/22 09:31	
1,1,2-Trichloroethane	ug/m3	<0.26	0.56	11/02/22 09:31	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.23	1.6	11/02/22 09:31	
1,1-Dichloroethane	ug/m3	<0.11	0.82	11/02/22 09:31	
1,1-Dichloroethene	ug/m3	<0.16	0.81	11/02/22 09:31	
1,2,4-Trichlorobenzene	ug/m3	<5.7	7.5	11/02/22 09:31	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	11/02/22 09:31	
1,2-Dibromoethane (EDB)	ug/m3	<0.31	1.6	11/02/22 09:31	MN
1,2-Dichlorobenzene	ug/m3	<0.86	3.1	11/02/22 09:31	
1,2-Dichloroethane	ug/m3	<0.13	0.82	11/02/22 09:31	
1,2-Dichloropropane	ug/m3	<0.20	0.94	11/02/22 09:31	
1,3,5-Trimethylbenzene	ug/m3	<0.27	1.0	11/02/22 09:31	
1,3-Butadiene	ug/m3	<0.11	0.45	11/02/22 09:31	
1,3-Dichlorobenzene	ug/m3	<0.82	3.1	11/02/22 09:31	
1,4-Dichlorobenzene	ug/m3	<0.81	3.1	11/02/22 09:31	
2-Butanone (MEK)	ug/m3	<0.38	3.0	11/02/22 09:31	
2-Hexanone	ug/m3	<0.69	4.2	11/02/22 09:31	
2-Propanol	ug/m3	<0.96	2.5	11/02/22 09:31	
4-Ethyltoluene	ug/m3	<0.41	2.5	11/02/22 09:31	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.54	4.2	11/02/22 09:31	
Acetone	ug/m3	<2.2	6.0	11/02/22 09:31	
Benzene	ug/m3	<0.11	0.32	11/02/22 09:31	
Benzyl chloride	ug/m3	<0.77	2.6	11/02/22 09:31	
Bromodichloromethane	ug/m3	<0.32	1.4	11/02/22 09:31	
Bromoform	ug/m3	<0.78	5.2	11/02/22 09:31	
Bromomethane	ug/m3	<0.30	0.79	11/02/22 09:31	
Carbon disulfide	ug/m3	<0.23	0.63	11/02/22 09:31	
Carbon tetrachloride	ug/m3	<0.42	1.3	11/02/22 09:31	
Chlorobenzene	ug/m3	<0.14	0.94	11/02/22 09:31	
Chloroethane	ug/m3	<0.20	0.54	11/02/22 09:31	
Chloroform	ug/m3	<0.13	0.50	11/02/22 09:31	
Chloromethane	ug/m3	<0.088	0.42	11/02/22 09:31	
cis-1,2-Dichloroethene	ug/m3	<0.21	0.81	11/02/22 09:31	
cis-1,3-Dichloropropene	ug/m3	<0.65	2.3	11/02/22 09:31	
Cyclohexane	ug/m3	<0.13	1.8	11/02/22 09:31	
Dibromochloromethane	ug/m3	<0.36	1.7	11/02/22 09:31	
Dichlorodifluoromethane	ug/m3	<0.51	1.0	11/02/22 09:31	
Dichlorotetrafluoroethane	ug/m3	<0.24	1.4	11/02/22 09:31	
Ethanol	ug/m3	<0.90	1.9	11/02/22 09:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

METHOD BLANK: 4500143 Matrix: Air
Associated Lab Samples: 10631647007, 10631647008, 10631647009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.16	0.73	11/02/22 09:31	
Ethylbenzene	ug/m3	<0.18	0.88	11/02/22 09:31	
Hexachloro-1,3-butadiene	ug/m3	<1.8	5.4	11/02/22 09:31	
m&p-Xylene	ug/m3	<0.49	1.8	11/02/22 09:31	
Methyl-tert-butyl ether	ug/m3	<0.25	3.7	11/02/22 09:31	
Methylene Chloride	ug/m3	<0.12	3.5	11/02/22 09:31	
n-Heptane	ug/m3	<0.13	0.83	11/02/22 09:31	
n-Hexane	ug/m3	<0.23	0.72	11/02/22 09:31	
Naphthalene	ug/m3	<2.1	2.7	11/02/22 09:31	
o-Xylene	ug/m3	<0.18	0.88	11/02/22 09:31	
Propylene	ug/m3	<0.36	0.88	11/02/22 09:31	
Styrene	ug/m3	<0.42	0.87	11/02/22 09:31	
Tetrachloroethene	ug/m3	<0.25	0.69	11/02/22 09:31	
Tetrahydrofuran	ug/m3	<0.19	0.60	11/02/22 09:31	
Toluene	ug/m3	<0.16	0.77	11/02/22 09:31	
trans-1,2-Dichloroethene	ug/m3	<0.32	0.81	11/02/22 09:31	
trans-1,3-Dichloropropene	ug/m3	<0.78	2.3	11/02/22 09:31	
Trichloroethene	ug/m3	<0.24	0.55	11/02/22 09:31	
Trichlorofluoromethane	ug/m3	<0.20	1.1	11/02/22 09:31	
Vinyl acetate	ug/m3	<0.18	0.72	11/02/22 09:31	
Vinyl chloride	ug/m3	<0.096	0.26	11/02/22 09:31	

LABORATORY CONTROL SAMPLE: 4500144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	58	54.8	94	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.8	65.7	90	70-132	
1,1,2-Trichloroethane	ug/m3	58.3	54.4	93	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	81.2	86.4	106	70-130	
1,1-Dichloroethane	ug/m3	42.5	39.9	94	70-130	
1,1-Dichloroethene	ug/m3	41.9	43.5	104	70-130	
1,2,4-Trichlorobenzene	ug/m3	175	160	91	70-130	
1,2,4-Trimethylbenzene	ug/m3	52.5	51.7	99	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.5	70.8	88	70-137	
1,2-Dichlorobenzene	ug/m3	63.9	62.2	97	70-131	
1,2-Dichloroethane	ug/m3	42.4	43.2	102	70-134	
1,2-Dichloropropane	ug/m3	49.3	47.2	96	70-130	
1,3,5-Trimethylbenzene	ug/m3	52.4	48.4	92	70-131	
1,3-Butadiene	ug/m3	23.9	24.4	102	70-139	
1,3-Dichlorobenzene	ug/m3	64.2	62.1	97	70-134	
1,4-Dichlorobenzene	ug/m3	64.3	61.7	96	70-131	
2-Butanone (MEK)	ug/m3	31.3	29.4	94	70-133	
2-Hexanone	ug/m3	43.4	40.7	94	70-136	
2-Propanol	ug/m3	137	135	99	65-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

LABORATORY CONTROL SAMPLE: 4500144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.3	47.2	90	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	43.0	99	70-130	
Acetone	ug/m3	127	126	99	60-134	
Benzene	ug/m3	33.8	31.3	93	70-130	
Benzyl chloride	ug/m3	55.6	52.3	94	70-130	
Bromodichloromethane	ug/m3	71.5	74.4	104	70-130	
Bromoform	ug/m3	110	105	95	70-138	
Bromomethane	ug/m3	41.4	35.9	87	68-131	
Carbon disulfide	ug/m3	33	33.0	100	70-130	
Carbon tetrachloride	ug/m3	66.7	69.6	104	70-132	
Chlorobenzene	ug/m3	49	49.4	101	70-130	
Chloroethane	ug/m3	28.1	33.3	118	70-134	
Chloroform	ug/m3	52.1	48.7	93	70-130	
Chloromethane	ug/m3	22	19.4	88	68-131	
cis-1,2-Dichloroethene	ug/m3	42.1	45.5	108	70-136	
cis-1,3-Dichloropropene	ug/m3	48.2	45.2	94	70-130	
Cyclohexane	ug/m3	36.4	33.7	93	70-131	
Dibromochloromethane	ug/m3	90.6	86.8	96	70-134	
Dichlorodifluoromethane	ug/m3	52.5	47.3	90	70-130	
Dichlorotetrafluoroethane	ug/m3	74.4	67.7	91	70-130	
Ethanol	ug/m3	113	100	89	55-145	
Ethyl acetate	ug/m3	38.4	34.7	90	70-135	
Ethylbenzene	ug/m3	46.2	42.1	91	70-133	
Hexachloro-1,3-butadiene	ug/m3	130	120	93	70-132	
m&p-Xylene	ug/m3	92.4	83.1	90	70-134	
Methyl-tert-butyl ether	ug/m3	38.3	35.1	92	70-131	
Methylene Chloride	ug/m3	36.8	36.9	100	65-132	
n-Heptane	ug/m3	43.5	38.8	89	70-130	
n-Hexane	ug/m3	37.7	35.6	94	70-132	
Naphthalene	ug/m3	63.9	56.8	89	70-130	
o-Xylene	ug/m3	46	43.1	94	70-134	
Propylene	ug/m3	18.6	16.8	90	69-133	
Styrene	ug/m3	45.3	41.2	91	70-135	
Tetrachloroethene	ug/m3	72	70.1	97	70-134	
Tetrahydrofuran	ug/m3	31.3	27.6	88	70-140	
Toluene	ug/m3	40.2	42.2	105	70-136	
trans-1,2-Dichloroethene	ug/m3	42.3	41.4	98	70-134	
trans-1,3-Dichloropropene	ug/m3	48.4	39.6	82	70-131	
Trichloroethene	ug/m3	57.2	58.0	101	70-134	
Trichlorofluoromethane	ug/m3	60.3	66.0	109	63-130	
Vinyl acetate	ug/m3	38.7	33.2	86	70-139	
Vinyl chloride	ug/m3	27.2	27.4	101	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10631647

SAMPLE DUPLICATE: 4501085

Parameter	Units	10631647007 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<39.1	<39.1		25	
1,1,2,2-Tetrachloroethane	ug/m3	<62.0	<62.0		25	
1,1,2-Trichloroethane	ug/m3	<55.7	<55.7		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<49.2	<49.2		25	
1,1-Dichloroethane	ug/m3	<23.1	<23.1		25	
1,1-Dichloroethene	ug/m3	<35.4	<35.4		25	
1,2,4-Trichlorobenzene	ug/m3	<1240	<1240		25	
1,2,4-Trimethylbenzene	ug/m3	<75.6	<75.6		25	
1,2-Dibromoethane (EDB)	ug/m3	<66.7	<66.7		25	
1,2-Dichlorobenzene	ug/m3	<186	<186		25	
1,2-Dichloroethane	ug/m3	<27.4	<27.4		25	
1,2-Dichloropropane	ug/m3	<43.4	<43.4		25	
1,3,5-Trimethylbenzene	ug/m3	<59.2	<59.2		25	
1,3-Butadiene	ug/m3	<24.0	<24.0		25	
1,3-Dichlorobenzene	ug/m3	<178	<178		25	
1,4-Dichlorobenzene	ug/m3	<175	<175		25	
2-Butanone (MEK)	ug/m3	<81.0	<81.0		25	
2-Hexanone	ug/m3	<149	<149		25	
2-Propanol	ug/m3	<207	<207		25	
4-Ethyltoluene	ug/m3	<87.9	<87.9		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<116	<116		25	
Acetone	ug/m3	<482	<482		25	
Benzene	ug/m3	<23.8	<23.8		25	
Benzyl chloride	ug/m3	<166	<166		25	
Bromodichloromethane	ug/m3	<69.1	<69.1		25	
Bromoform	ug/m3	<168	<168		25	
Bromomethane	ug/m3	<63.9	<63.9		25	
Carbon disulfide	ug/m3	<50.5	<50.5		25	
Carbon tetrachloride	ug/m3	<90.5	<90.5		25	
Chlorobenzene	ug/m3	<30.0	<30.0		25	
Chloroethane	ug/m3	<44.3	<44.3		25	
Chloroform	ug/m3	<28.9	<28.9		25	
Chloromethane	ug/m3	<19.1	<19.1		25	
cis-1,2-Dichloroethene	ug/m3	<46.2	<46.2		25	
cis-1,3-Dichloropropene	ug/m3	<141	<141		25	
Cyclohexane	ug/m3	<28.9	<28.9		25	
Dibromochloromethane	ug/m3	<77.8	<77.8		25	
Dichlorodifluoromethane	ug/m3	<111	<111		25	
Dichlorotetrafluoroethane	ug/m3	<52.5	<52.5		25	
Ethanol	ug/m3	<195	<195		25	
Ethyl acetate	ug/m3	<34.6	<34.6		25	
Ethylbenzene	ug/m3	<38.7	<38.7		25	
Hexachloro-1,3-butadiene	ug/m3	<380	<380		25	
m&p-Xylene	ug/m3	258J	<106		25	
Methyl-tert-butyl ether	ug/m3	<54.0	<54.0		25	
Methylene Chloride	ug/m3	<27.0	<27.0		25	
n-Heptane	ug/m3	<27.9	<27.9		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10631647

SAMPLE DUPLICATE: 4501085

Parameter	Units	10631647007 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<50.1	<50.1		25	
Naphthalene	ug/m3	<451	<451		25	
o-Xylene	ug/m3	<38.4	<38.4		25	
Propylene	ug/m3	<77.1	<77.1		25	
Styrene	ug/m3	<89.6	<89.6		25	
Tetrachloroethene	ug/m3	24500	25700	5	25	
Tetrahydrofuran	ug/m3	<40.2	<40.2		25	
Toluene	ug/m3	161J	118J		25	
trans-1,2-Dichloroethene	ug/m3	<68.5	<68.5		25	
trans-1,3-Dichloropropene	ug/m3	<168	<168		25	
Trichloroethene	ug/m3	<51.6	<51.6		25	
Trichlorofluoromethane	ug/m3	<43.6	<43.6		25	
Vinyl acetate	ug/m3	<38.0	<38.0		25	
Vinyl chloride	ug/m3	<20.7	<20.7		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite

Pace Project No.: 10631647

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

MN The reporting limit has been raised in accordance with Minnesota Statutes 4740.2100 Subpart 8. C, D. Reporting Limit Evaluation Rule.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite

Pace Project No.: 10631647

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10631647001	AA405 - Outside	TO-15	850685		
10631647002	AA406 - Hallway	TO-15	850685		
10631647003	AA407 - North Office	TO-15	850685		
10631647004	AA408 - South Office	TO-15	850685		
10631647005	SSV-203 - Office	TO-15	850685		
10631647006	SSV-101 - South Wall	TO-15	850685		
10631647007	Blow Sta.	TO-15	850965		
10631647008	SSV-406 - North Office	TO-15	850965		
10631647009	SSV-405 - South Office	TO-15	850965		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY

The Chain-of-Custody is a LEGAL DOCUMENT. All refer

WO#: 10631647



53197

Page: 1 of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Program	
Company: Sand County Env.		Report To: Pete Arntsen		Attention:		<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Address: 151 Mill St. Anheersy WI 54406		Copy To: Same		Company Name: Same		Location of Sampling by State _____ Reporting Units ug/m ³ _____ mg/m ³ _____ PPBV _____ PPMV _____ Other _____	
Email To: Pete.Arntsen@sandcountyenv.com		Purchase Order No.:		Address:		Report Level II. ___ III. ___ IV. ___ Other ___	
Phone: 715 924 5169 Fax:		Project Name: Dan-Rite		Pace Quote Reference:		Pace Project Manager/Sales Rep. _____ Pace Profile #: 25302	
Requested Due Date/TAT:		Project Number:		Pace Profile #:			

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:	Pace Lab ID
					COMPOSITE START		COMPOSITE - END/GRAB							
					DATE	TIME	DATE	TIME						
1	AA405 - Outside	6L	00	10/21	8:13	10/21	4:15	-28	-3	2748	2645	X	001	
2	AA406 - Hallway	6L	0		8:14		4:05	-27	-1	2756	0047	X	002	
3	AA407 - North Office	6L	0		8:10		4:12	-27	-2	3359	2063	X	003	
4	AA408 - South Office	6L	0		8:12		4:06	-28	-2	1236	3384	X	004	
5														
6	SSV-203 - Office	1L	0		9:00		9:15	-30	-3	3231	3118	X	005	
7	SSV-101 - South wall	1L	0.2		8:40		8:46	-28	-2	1312	2948	X	006	
8	Blow sta.	1L	3.1		9:20		9:28	-30	-2	2637	3173	X	007	
9	SSV-406 - North office	1L	4.0		9:55		10:04	-28	-1	2639	2864	X	008	
10	SSV-405 - South office	1L	12.2		10:14		10:23	-27	-1	2266	2695	X	009	
11														
12														

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
	<i>[Signature]</i> / SCL	10/24	2:00	<i>[Signature]</i> / PAC	10.28.22	1300	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples intact	Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Pete Arntsen

SIGNATURE of SAMPLER: *[Signature]* DATE Signed (MM/DD/YY) 10/24/2022

ORIGINAL



DC#_Title: ENV-FRM-MIN4-0113 v01_Sample Condition Upon Receipt (SCUR) - Air

Effective Date: 02/25/2022

WO#: 10631647
PM: KNH Due Date: 11/04/22
CLIENT: Sand Creek

Air Sample Condition Upon Receipt

Client Name: SAND COUNTY ENV.

Project #:

Courier: [X] FedEx [] UPS [] USPS [] Client
[] Pace [] SpeeDee [] Commercial

Tracking Number: 6101 8739 2284, 2295 [] See Exception

Custody Seal on Cooler/Box Present? [] Yes [X] No

Seals Intact? [] Yes [X] No
Packing Material: [] Bubble Wrap [X] Foam
[] None [] Tin Can [] Other:

Date & Initials of Person Examining Contents: 10.26.22 CW

Table with 13 rows of sample condition checks. Columns include 'Chain of Custody Present?', 'Chain of Custody Filled Out?', 'Chain of Custody Relinquished?', 'Sampler Name and/or Signature on COC?', 'Samples Arrived within Hold Time?', 'Short Hold Time Analysis (<72 hr)?', 'Rush Turn Around Time Requested?', 'Sufficient Volume?', 'Correct Containers Used?', '(Tedar bags not acceptable container for TO-15 or APH) -Pace Containers Used?', 'Containers Intact? (visual inspection/no leaks when pressurized)', 'Media: Air Can | Airbag', 'Is sufficient information available to reconcile samples to the COC?', 'Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946III)'. Includes 'Comments:' column.

Gauge #: [] 10AIR26 [] 10AIR34 [] 10AIR35 [] 10AIR17 [] 10AIR47 [X] 10AIR48

Table with 10 columns: Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure, Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure. Contains handwritten data for various locations like OUTSIDE, HALLWAY, N. OFFICE, S. OFFICE, OFFICE, S. WALL, BLOW STA., SSV. N. OFFICE, SSV. S. OFFICE.

CLIENT NOTIFICATION/RESOLUTION
Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____
Field Data Required? [] Yes [] No

Project Manager Review: Kirsten Hogberg Date: 10/31/2022

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).



January 27, 2023

Ms. Joy Hannemann
Merge, LLC
ATTN: North Side Yard
25 West Main Street, Suite 500
Madison, WI 53703

Re: Dun-Rite Cleaners
1008 Union Street
Stevens Point, Wisconsin
WDNR BRRTS No. 02-50-000577

Subject: Vapor Samples Results for Merge (former Guzman) Office Building – Fall 2022

Dear Ms. Hannemann:

The purpose of this letter is to present the results of vapor samples collected at the Merge office building (former Guzman Building), located at 1100 Center Point Drive, Stevens Point, Wisconsin, on October 21, 2022. The samples were collected as part of environmental investigations associated with the Dun-Rite Cleaners site. The investigation is focused on chlorinated volatile organic compounds (VOCs), specifically tetrachloroethene (PCE) and trichloroethene (TCE).

Work Performed

Vapor samples were collected from three locations inside the building. The indoor samples included three samples of ambient air (i.e., typical room air) collected from the northwest lower office (former Wildcard [AA407]), the southwest lower office (former Attorney [AA408]), and the main floor lobby (from the space beneath the foot-ramp to the upper level [AA406]). The two sub-slab samples were collected from beneath the two lower offices (SSV405 from the southwest and SSV406 from the northwest). The samples were submitted to a laboratory and analyzed for VOCs.

Sample Results

The PCE and TCE results for all samples collected from the office building are presented on the enclosed **Table 1**. The site location is indicated on **Figure 1**. Sample locations are shown on the enclosed **Figure 2**. All results for the most recent samples are included on the enclosed **Laboratory Report**.

Ambient Air

The PCE and TCE concentrations from all ambient air samples were below their respective Indoor Air Action Levels.

The Wisconsin Department of Natural Resources screening levels for PCE and TCE are set to provide threshold concentrations for the substances that are protective of human health over long-term exposure. The potential health risk for the building occupants are low.

Sub-Slab Vapor

As with previous occasions, the two sub-slab vapor samples had detections of PCE above the Non-Residential Screening Level. Such concentrations are the reason indoor ambient air samples are collected.

The sub-slab and ambient vapor results together indicate that movement from the sub-slab environment to indoor spaces is minimal.

Going Forward

We expect to perform another round of vapor sampling in spring 2023. At that time, we will again contact you requesting permission to collect samples of the sub-slab vapors and ambient air.

If you have any questions or would like to discuss the results, please contact me via phone at 715.824.5969 or by email at pete.arntsen@sandcountyenv.com.

Sincerely,

SAND COUNTY ENVIRONMENTAL, INC.



Pete Arntsen, MS, PH, PG

Project Manager/Senior Hydrologist


Enclosures: Figures 1 and 2
Table 1
Laboratory Reports

Via email only

cc/enc: Mr. Richard Lewandowski/Husch Blackwell LLP, via email only
Mr. Patrick Arendt/Noonan Arendt LLP, via email only
Mr. Matt Thompson/WDNR, via email only RR Submittal Portal

Figures


- Figure 1** **General Site Location**
- Figure 2** **Vapor Sample Locations and PCE Results October 2022**



REFERENCE:
USGS 7.5 MIN. STEVENS POINT, WISCONSIN
TOPOGRAPHIC QUADRANGLE.



WISCONSIN
PORTAGE COUNTY




GENERAL SITE LOCATION

DUN-RITE CLEANERS
1008 UNION STREET
STEVENS POINT, WISCONSIN

DATE: NOVEMBER 2020 DRAWN BY: ASR

SCALE: 1"=2000' APPROVED: PDA


FIGURE 1



LEGEND

- PROPERTY BOUNDARY
- EDGE OF PAVEMENT
- W --- WATER LINE
- G --- GAS LINE
- SAN --- SANITARY SEWER
- ST --- STORM SEWER
- T --- UNDERGROUND TELEPHONE
- E --- ELECTRIC (PRIVATE)
- CATCH BASIN
- ⊕ STORM SEWER MANHOLE
- ▭ BUILDING
- ▲ SUB-SLAB VAPOR (SSV) AND/OR AMBIENT AIR (AA) SAMPLE
- ◆ SOIL GAS EXTRACTION LOCATION
- 322 AMBIENT AIR PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- 4.7 SUB-SLAB VAPOR PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- 213 BLOWER OUTLET PCE CONCENTRATIONS ($\mu\text{G}/\text{M}^3$) OCTOBER 21, 2022
- J ANALYTE WAS DETECTED BUT IS BLEOW THE REPORTING LIMIT. THE CONCENTRATION IS ESTIMATED.
- <0.37 ANALYTE WAS NOT DETECTED

NOTES
 EXISTING CONDITIONS AND EXISTING MONITORING WELL LOCATIONS TAKEN FROM SITE PLAN BY AECOM DATED SEPTEMBER 2013, JANUARY 2014 AND DIGITIZED PORTAGE COUNTY GIS 2010 AIR PHOTO



	VAPOR SAMPLE LOCATIONS AND PCE RESULTS OCTOBER 2022			DUN-RITE CLEANERS 1008 UNION STREET STEVENS POINT, WISCONSIN	
	DATE: DECEMBER 2022		DRAWN BY: ASR		
	SCALE: 1"=40'		APPROVED BY: PDA		FIGURE 2

Table 1
Vapor Sample Results for Merge Office Building

Table 1
Vapor Sample Results for Merge Office Building
1100 Center Point Drive, Stevens Point, Wisconsin
Dun-Rite Cleaners, Stevens Point, Wisconsin

Ambient Air Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Indoor Air Vapor Action Levels¹				
	Non-Residential		180	8.8
	Residential		42	2.1
AA405	Outdoor	9/19/2014	<1.2	<0.92
		2/27/2015	21	<0.38
		9/4/2015	2.3	<0.40
		10/5/2016	2.6	<0.41
		6/16/2017	<0.41	<0.41
		11/16/2017	0.99 J	8.9*
		5/18/2018	<0.44	<0.42
		11/2/2018	6.9	2.4
		6/7/2019	<0.44	<0.36
		9/23/2019	1.1	<0.38
		5/7/2020	<0.43	<0.36
		4/22/2021	<0.44	<0.29
		9/29/2021	<0.48	<0.32
		9/29/2021	<0.48	<0.32
		10/21/2022	<0.37	<0.36
AA406	United Way	9/19/2014	2.1	1.3
		2/27/2015	74	3.0
		9/4/2015	4.7	2.0
		2/16/2016	7.6	5.0
		10/5/2016	44	5.8
		6/16/2017	4.0	1.5
		11/16/2017	8.2	6.2
		5/18/2018	5.1	2.1
		11/2/2018	4.8	<0.47
		6/7/2019	4.0	1.8
		9/23/2019	4.0	1.5
		5/7/2020	3.6	1.7
		Lobby 10/22/2020	11.8	5.1
		Lobby 4/22/2021	7.5	2.6
		Lobby 9/29/2021	6.1	4.8
		Lobby 5/12/2022	3.3	1.9
		Lobby 10/21/2022	4.2	2.0
		AA407	NW Office (former Wildcard)	9/19/2014
2/27/2015	83			1.5
9/4/2015	10			1.1
2/16/2016	11			4.4
10/5/2016	12			3.0
6/16/2017	3.0			0.45 J
11/16/2017	7.6			5.0
5/18/2018	6.8			1.3
11/12/2018	3.5			<0.47
6/7/2019	2.5			<0.36
9/23/2019	10.9			1.3
5/7/2020	6.3			0.94
10/22/2020	14.5			0.80 J
4/22/2021	12.2			1.9
9/29/2021	3.7			0.56 J
5/12/2022	3.0	0.77 J		
10/21/2022	6.7	1.7		
AA408	SW Office (former Attorney)	9/19/2014	9.9	1.5
		2/23/2015	22	2.1
		9/4/2015	7.0	0.8
		2/16/2016	3.3	3.5
		10/5/2016	12	2.9
		6/16/2017	2.9	<0.38
		11/16/2017	22.4	118*
		5/18/2018	12.2	3.4
		11/2/2018	327	1.2
		12/5/2018	5.6	<0.39
		6/7/2019	21.3	0.54 J
		9/23/2019	8.5	2.2
		5/7/2020	6.0	0.95
		10/22/2020	23.9	0.53 J
		4/22/2021	13.3	1.8
9/29/2021	3.8	0.42 J		
5/12/2022	8.4	1.1		
10/21/2022	9.1	1.7		

Table 1
Vapor Sample Results for Merge Office Building
1100 Center Point Drive, Stevens Point, Wisconsin
Dun-Rite Cleaners, Stevens Point, Wisconsin

Sub-Slab Vapor Samples ($\mu\text{g}/\text{m}^3$)				
Sample ID	Location	Date	Tetrachloroethene (PCE)	Trichloroethene (TCE)
Sub-Slab Vapor Screening Levels²				
	Non-Residential		6,000	290
	Residential		<i>1,400</i>	70
SSV405	SW Office	9/19/2014	7,470	139
	(former Attorney)	2/24/2015	17,800	183
		10/5/2016	22,300	175
		6/16/2017	17,400	111
		11/16/2017	17,100	130
		5/18/2018	29,800	168
		11/9/2018	11,200	149
		6/7/2019	6,710	64.4
		9/23/2019	28,800	152
		5/7/2020	15,700	134
		10/22/2020	26,500	118
		4/22/2021	38,600	356 J
		9/29/2021	6,790	91.2
		5/12/2022	11,200	172
	10/21/2022	40,300	<399	
SSV406	NW Office	9/19/2014	11,300	<28
	(former Wildcard)	2/27/2015	7,180	<24
		9/4/2015	68,200	16
		2/16/2016	9,940	11
		10/5/2016	37,400	15
		6/16/2017	15,500	9.1
		11/16/2017	11,500	9.6
		5/18/2018	12,500	11.2
		11/12/2018	13,600	12.8
		6/7/2019	3,810	<11.1
		9/23/2019	19,300	<6.8
		5/7/2020	4,630	4.7
		10/22/2020	10,900	7.6
		4/22/2021	12,700	10
	9/29/2021	11,900	19.7	
	5/12/2022	3,200	3.8	
	10/21/2022	12,100	<49.9	

Notes:

- $\mu\text{g}/\text{m}^3$ micrograms per cubic meter
- <0.076 substance not detected above indicated detection limit
- 6,000** **bold** indicates concentration exceeds Vapor Action Level or Vapor Screening Level for Non-Residential Conditions
- 1,400* *italics* indicate concentration exceeds Vapor Action Level or Vapor Screening Level for Residential Conditions
- * sample marked by laboratory qualifier C8; "result may be biased high due to carryover from previously analyzed sample"
- J analyte was detected but is below the reporting limit; the concentration is estimated
- highlighting indicates most recent results

¹ Vapor Action Levels obtained from the **Indoor Air Vapor Action Levels for Various VOCs Quick Look-up Table Based on November 2017 Regional Screening Level Summary Table** [<http://dnr.wi.gov/topic/Brownfields/documents/vapor/vapor-quick.pdf>]

² Screening level for Residential/Small Commercial Buildings (dilution factor of 33.3)

O:\1-Projects\Sentry Ins Dun Rite\Data\MASTER SCC DunRite Chem Data.xlsx\Guz Rslt

Laboratory Report

November 03, 2022

Pete Arntsen
Sand County Environmental
PO Box 218
Amherst, WI 54406

RE: Project: Dun-Rite
Pace Project No.: 10631647

Dear Pete Arntsen:


Enclosed are the analytical results for sample(s) received by the laboratory on October 28, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg
kirsten.hogberg@pacelabs.com
(612)607-1700
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Dun-Rite

Pace Project No.: 10631647

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01*

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081*

New Jersey Certification #: MN002

New York Certification #: 11647*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification (A2LA) #: R-036

North Dakota Certification (MN) #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110*

Oklahoma Certification #: 9507*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001*

Pennsylvania Certification #: 68-00563*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192*

Utah Certification #: MN00064*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163*

Washington Certification #: C486*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

Please Note: Applicable air certifications are denoted with an asterisk ().

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Dun-Rite
Pace Project No.: 10631647

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10631647001	AA405 - Outside	Air	10/21/22 04:15	10/28/22 13:00
10631647002	AA406 - Hallway	Air	10/21/22 04:05	10/28/22 13:00
10631647003	AA407 - North Office	Air	10/21/22 04:12	10/28/22 13:00
10631647004	AA408 - South Office	Air	10/21/22 04:06	10/28/22 13:00
10631647005	SSV-203 - Office	Air	10/21/22 09:15	10/28/22 13:00
10631647006	SSV-101 - South Wall	Air	10/21/22 08:46	10/28/22 13:00
10631647007	Blow Sta.	Air	10/21/22 09:28	10/28/22 13:00
10631647008	SSV-406 - North Office	Air	10/21/22 10:04	10/28/22 13:00
10631647009	SSV-405 - South Office	Air	10/21/22 10:23	10/28/22 13:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Dun-Rite
Pace Project No.: 10631647

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10631647001	AA405 - Outside	TO-15	MJL	61	PASI-M
10631647002	AA406 - Hallway	TO-15	MJL	61	PASI-M
10631647003	AA407 - North Office	TO-15	MJL	61	PASI-M
10631647004	AA408 - South Office	TO-15	MJL	61	PASI-M
10631647005	SSV-203 - Office	TO-15	MJL	61	PASI-M
10631647006	SSV-101 - South Wall	TO-15	MJL	61	PASI-M
10631647007	Blow Sta.	TO-15	MJL	61	PASI-M
10631647008	SSV-406 - North Office	TO-15	MJL	61	PASI-M
10631647009	SSV-405 - South Office	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647001	AA405 - Outside					
TO-15	Acetone	11.2	ug/m3	9.0	11/01/22 15:32	
TO-15	Benzene	0.47J	ug/m3	0.48	11/01/22 15:32	
TO-15	2-Butanone (MEK)	0.71J	ug/m3	4.5	11/01/22 15:32	
TO-15	Chloromethane	0.80	ug/m3	0.63	11/01/22 15:32	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.5	11/01/22 15:32	
TO-15	Ethanol	20.7	ug/m3	2.9	11/01/22 15:32	
TO-15	Methylene Chloride	0.29J	ug/m3	5.3	11/01/22 15:32	
TO-15	Toluene	0.42J	ug/m3	1.1	11/01/22 15:32	
TO-15	Trichlorofluoromethane	2.0	ug/m3	1.7	11/01/22 15:32	
TO-15	1,1,2-Trichlorotrifluoroethane	0.81J	ug/m3	2.3	11/01/22 15:32	
TO-15	m&p-Xylene	1.8J	ug/m3	2.6	11/01/22 15:32	
10631647002	AA406 - Hallway					
TO-15	Acetone	34.7	ug/m3	9.0	11/01/22 15:59	
TO-15	Benzene	0.69	ug/m3	0.48	11/01/22 15:59	
TO-15	2-Butanone (MEK)	2.3J	ug/m3	4.5	11/01/22 15:59	
TO-15	Chloromethane	1.6	ug/m3	0.63	11/01/22 15:59	
TO-15	1,4-Dichlorobenzene	103	ug/m3	45.6	11/02/22 09:57	
TO-15	Dichlorodifluoromethane	10.9	ug/m3	1.5	11/01/22 15:59	
TO-15	Ethanol	1260	ug/m3	28.6	11/02/22 09:57	
TO-15	Ethyl acetate	1.9	ug/m3	1.1	11/01/22 15:59	
TO-15	Ethylbenzene	0.73J	ug/m3	1.3	11/01/22 15:59	
TO-15	n-Heptane	0.95J	ug/m3	1.2	11/01/22 15:59	
TO-15	n-Hexane	0.55J	ug/m3	1.1	11/01/22 15:59	
TO-15	Methylene Chloride	0.42J	ug/m3	5.3	11/01/22 15:59	
TO-15	Naphthalene	3.6J	ug/m3	4.0	11/01/22 15:59	
TO-15	2-Propanol	9.1	ug/m3	3.7	11/01/22 15:59	
TO-15	Styrene	1.4	ug/m3	1.3	11/01/22 15:59	
TO-15	Tetrachloroethene	4.2	ug/m3	1.0	11/01/22 15:59	
TO-15	Toluene	1.5	ug/m3	1.1	11/01/22 15:59	
TO-15	Trichloroethene	2.0	ug/m3	0.81	11/01/22 15:59	
TO-15	Trichlorofluoromethane	2.3	ug/m3	1.7	11/01/22 15:59	
TO-15	1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.3	11/01/22 15:59	
TO-15	m&p-Xylene	2.1J	ug/m3	2.6	11/01/22 15:59	
TO-15	o-Xylene	0.72J	ug/m3	1.3	11/01/22 15:59	
10631647003	AA407 - North Office					
TO-15	Acetone	29.8	ug/m3	8.7	11/01/22 16:26	
TO-15	Benzene	0.63	ug/m3	0.47	11/01/22 16:26	
TO-15	2-Butanone (MEK)	3.1J	ug/m3	4.3	11/01/22 16:26	
TO-15	Chloromethane	1.0	ug/m3	0.60	11/01/22 16:26	
TO-15	1,4-Dichlorobenzene	125	ug/m3	4.4	11/01/22 16:26	
TO-15	Dichlorodifluoromethane	11.3	ug/m3	1.5	11/01/22 16:26	
TO-15	Ethanol	289	ug/m3	2.8	11/01/22 16:26	
TO-15	Ethylbenzene	0.71J	ug/m3	1.3	11/01/22 16:26	
TO-15	n-Heptane	1.1J	ug/m3	1.2	11/01/22 16:26	
TO-15	n-Hexane	0.72J	ug/m3	1.0	11/01/22 16:26	
TO-15	Naphthalene	3.3J	ug/m3	3.8	11/01/22 16:26	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647003	AA407 - North Office					
TO-15	2-Propanol	6.4	ug/m3	3.6	11/01/22 16:26	
TO-15	Tetrachloroethene	6.7	ug/m3	0.99	11/01/22 16:26	
TO-15	Toluene	1.2	ug/m3	1.1	11/01/22 16:26	
TO-15	Trichloroethene	1.7	ug/m3	0.79	11/01/22 16:26	
TO-15	Trichlorofluoromethane	3.1	ug/m3	1.6	11/01/22 16:26	
TO-15	1,1,2-Trichlorotrifluoroethane	1.5J	ug/m3	2.2	11/01/22 16:26	
TO-15	m&p-Xylene	2.0J	ug/m3	2.5	11/01/22 16:26	
TO-15	o-Xylene	0.69J	ug/m3	1.3	11/01/22 16:26	
10631647004	AA408 - South Office					
TO-15	Acetone	40.0	ug/m3	8.7	11/01/22 17:20	
TO-15	Benzene	0.81	ug/m3	0.47	11/01/22 17:20	
TO-15	2-Butanone (MEK)	26.8	ug/m3	4.3	11/01/22 17:20	
TO-15	Chloromethane	1.0	ug/m3	0.60	11/01/22 17:20	
TO-15	1,4-Dichlorobenzene	76.6	ug/m3	4.4	11/01/22 17:20	
TO-15	Dichlorodifluoromethane	11.4	ug/m3	1.5	11/01/22 17:20	
TO-15	Ethanol	175	ug/m3	2.8	11/01/22 17:20	
TO-15	Ethylbenzene	0.83J	ug/m3	1.3	11/01/22 17:20	
TO-15	n-Hexane	3.9	ug/m3	1.0	11/01/22 17:20	
TO-15	Methylene Chloride	0.48J	ug/m3	5.1	11/01/22 17:20	
TO-15	Naphthalene	3.6J	ug/m3	3.8	11/01/22 17:20	
TO-15	2-Propanol	17.0	ug/m3	3.6	11/01/22 17:20	
TO-15	Tetrachloroethene	9.1	ug/m3	0.99	11/01/22 17:20	
TO-15	Toluene	2.7	ug/m3	1.1	11/01/22 17:20	
TO-15	Trichloroethene	1.7	ug/m3	0.79	11/01/22 17:20	
TO-15	Trichlorofluoromethane	2.5	ug/m3	1.6	11/01/22 17:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.85J	ug/m3	2.2	11/01/22 17:20	
TO-15	m&p-Xylene	2.4J	ug/m3	2.5	11/01/22 17:20	
TO-15	o-Xylene	0.82J	ug/m3	1.3	11/01/22 17:20	
10631647005	SSV-203 - Office					
TO-15	Acetone	25.5	ug/m3	10.9	11/01/22 19:07	
TO-15	Benzene	0.38J	ug/m3	0.58	11/01/22 19:07	
TO-15	2-Butanone (MEK)	8.5	ug/m3	5.4	11/01/22 19:07	
TO-15	1,4-Dichlorobenzene	1.7J	ug/m3	5.5	11/01/22 19:07	
TO-15	Dichlorodifluoromethane	25.3	ug/m3	1.8	11/01/22 19:07	
TO-15	Ethanol	32.8	ug/m3	3.5	11/01/22 19:07	
TO-15	Ethylbenzene	2.1	ug/m3	1.6	11/01/22 19:07	
TO-15	4-Ethyltoluene	1.8J	ug/m3	4.5	11/01/22 19:07	
TO-15	Methylene Chloride	1.5J	ug/m3	6.4	11/01/22 19:07	
TO-15	2-Propanol	7.8	ug/m3	4.5	11/01/22 19:07	
TO-15	Styrene	6.6	ug/m3	1.6	11/01/22 19:07	
TO-15	Tetrachloroethene	294	ug/m3	1.2	11/01/22 19:07	
TO-15	Tetrahydrofuran	1.5	ug/m3	1.1	11/01/22 19:07	
TO-15	Toluene	116	ug/m3	1.4	11/01/22 19:07	
TO-15	Trichlorofluoromethane	3.0	ug/m3	2.1	11/01/22 19:07	
TO-15	1,1,2-Trichlorotrifluoroethane	1.1J	ug/m3	2.8	11/01/22 19:07	
TO-15	1,2,4-Trimethylbenzene	1.4J	ug/m3	1.8	11/01/22 19:07	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: Dun-Rite
Pace Project No.: 10631647

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
10631647005	SSV-203 - Office					
TO-15	1,3,5-Trimethylbenzene	1.8J	ug/m3	1.8	11/01/22 19:07	
TO-15	m&p-Xylene	6.2	ug/m3	3.2	11/01/22 19:07	
TO-15	o-Xylene	2.8	ug/m3	1.6	11/01/22 19:07	
10631647006	SSV-101 - South Wall					
TO-15	Acetone	27.4	ug/m3	10.9	11/01/22 19:34	
TO-15	Benzene	0.30J	ug/m3	0.58	11/01/22 19:34	
TO-15	2-Butanone (MEK)	8.2	ug/m3	5.4	11/01/22 19:34	
TO-15	Carbon disulfide	0.44J	ug/m3	1.1	11/01/22 19:34	
TO-15	Chloromethane	0.66J	ug/m3	0.76	11/01/22 19:34	
TO-15	1,4-Dichlorobenzene	1.6J	ug/m3	5.5	11/01/22 19:34	
TO-15	Dichlorodifluoromethane	36.4	ug/m3	1.8	11/01/22 19:34	
TO-15	Ethanol	29.7	ug/m3	3.5	11/01/22 19:34	
TO-15	Ethylbenzene	2.1	ug/m3	1.6	11/01/22 19:34	
TO-15	4-Ethyltoluene	1.8J	ug/m3	4.5	11/01/22 19:34	
TO-15	n-Hexane	1.1J	ug/m3	1.3	11/01/22 19:34	
TO-15	Methylene Chloride	7.3	ug/m3	6.4	11/01/22 19:34	
TO-15	2-Propanol	6.3	ug/m3	4.5	11/01/22 19:34	
TO-15	Styrene	6.4	ug/m3	1.6	11/01/22 19:34	
TO-15	Tetrachloroethene	1150	ug/m3	24.8	11/02/22 10:24	
TO-15	Tetrahydrofuran	1.3	ug/m3	1.1	11/01/22 19:34	
TO-15	Toluene	98.2	ug/m3	1.4	11/01/22 19:34	
TO-15	Trichloroethene	0.65J	ug/m3	0.98	11/01/22 19:34	
TO-15	Trichlorofluoromethane	3.4	ug/m3	2.1	11/01/22 19:34	
TO-15	1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	11/01/22 19:34	
TO-15	1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	11/01/22 19:34	
TO-15	m&p-Xylene	6.0	ug/m3	3.2	11/01/22 19:34	
TO-15	o-Xylene	2.7	ug/m3	1.6	11/01/22 19:34	
10631647007	Blow Sta.					
TO-15	Tetrachloroethene	24500	ug/m3	149	11/02/22 16:41	
TO-15	Toluene	161J	ug/m3	165	11/02/22 16:41	
TO-15	m&p-Xylene	258J	ug/m3	382	11/02/22 16:41	
10631647008	SSV-406 - North Office					
TO-15	Tetrachloroethene	12100	ug/m3	144	11/02/22 17:35	
TO-15	Toluene	161	ug/m3	160	11/02/22 17:35	
10631647009	SSV-405 - South Office					
TO-15	Tetrachloroethene	40300	ug/m3	1150	11/02/22 16:14	
TO-15	Toluene	1010J	ug/m3	1280	11/02/22 16:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Dun-Rite
Pace Project No.: 10631647

Method: TO-15
Description: TO15 MSV AIR
Client: Sand County Environmental, Inc.
Date: November 03, 2022

General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA405 - Outside Lab ID: 10631647001 Collected: 10/21/22 04:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	11.2	ug/m3	9.0	3.3	1.49		11/01/22 15:32	67-64-1	
Benzene	0.47J	ug/m3	0.48	0.16	1.49		11/01/22 15:32	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.9	1.1	1.49		11/01/22 15:32	100-44-7	
Bromodichloromethane	<0.48	ug/m3	2.0	0.48	1.49		11/01/22 15:32	75-27-4	
Bromoform	<1.2	ug/m3	7.8	1.2	1.49		11/01/22 15:32	75-25-2	
Bromomethane	<0.44	ug/m3	1.2	0.44	1.49		11/01/22 15:32	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/01/22 15:32	106-99-0	
2-Butanone (MEK)	0.71J	ug/m3	4.5	0.56	1.49		11/01/22 15:32	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/01/22 15:32	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.9	0.62	1.49		11/01/22 15:32	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.4	0.21	1.49		11/01/22 15:32	108-90-7	
Chloroethane	<0.31	ug/m3	0.80	0.31	1.49		11/01/22 15:32	75-00-3	
Chloroform	<0.20	ug/m3	0.74	0.20	1.49		11/01/22 15:32	67-66-3	
Chloromethane	0.80	ug/m3	0.63	0.13	1.49		11/01/22 15:32	74-87-3	
Cyclohexane	<0.20	ug/m3	2.6	0.20	1.49		11/01/22 15:32	110-82-7	
Dibromochloromethane	<0.54	ug/m3	2.6	0.54	1.49		11/01/22 15:32	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	2.3	0.46	1.49		11/01/22 15:32	106-93-4	
1,2-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		11/01/22 15:32	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:32	541-73-1	
1,4-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:32	106-46-7	
Dichlorodifluoromethane	3.0	ug/m3	1.5	0.76	1.49		11/01/22 15:32	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.2	0.16	1.49		11/01/22 15:32	75-34-3	
1,2-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:32	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.49		11/01/22 15:32	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.49		11/01/22 15:32	156-59-2	
trans-1,2-Dichloroethene	<0.47	ug/m3	1.2	0.47	1.49		11/01/22 15:32	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.4	0.30	1.49		11/01/22 15:32	78-87-5	
cis-1,3-Dichloropropene	<0.97	ug/m3	3.4	0.97	1.49		11/01/22 15:32	10061-01-5	
trans-1,3-Dichloropropene	<1.2	ug/m3	3.4	1.2	1.49		11/01/22 15:32	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		11/01/22 15:32	76-14-2	
Ethanol	20.7	ug/m3	2.9	1.3	1.49		11/01/22 15:32	64-17-5	
Ethyl acetate	<0.24	ug/m3	1.1	0.24	1.49		11/01/22 15:32	141-78-6	
Ethylbenzene	<0.27	ug/m3	1.3	0.27	1.49		11/01/22 15:32	100-41-4	
4-Ethyltoluene	<0.61	ug/m3	3.7	0.61	1.49		11/01/22 15:32	622-96-8	
n-Heptane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:32	142-82-5	
Hexachloro-1,3-butadiene	<2.6	ug/m3	8.1	2.6	1.49		11/01/22 15:32	87-68-3	
n-Hexane	<0.35	ug/m3	1.1	0.35	1.49		11/01/22 15:32	110-54-3	
2-Hexanone	<1.0	ug/m3	6.2	1.0	1.49		11/01/22 15:32	591-78-6	
Methylene Chloride	0.29J	ug/m3	5.3	0.19	1.49		11/01/22 15:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.80	ug/m3	6.2	0.80	1.49		11/01/22 15:32	108-10-1	
Methyl-tert-butyl ether	<0.37	ug/m3	5.5	0.37	1.49		11/01/22 15:32	1634-04-4	
Naphthalene	<3.1	ug/m3	4.0	3.1	1.49		11/01/22 15:32	91-20-3	
2-Propanol	<1.4	ug/m3	3.7	1.4	1.49		11/01/22 15:32	67-63-0	
Propylene	<0.53	ug/m3	1.3	0.53	1.49		11/01/22 15:32	115-07-1	
Styrene	<0.62	ug/m3	1.3	0.62	1.49		11/01/22 15:32	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA405 - Outside Lab ID: 10631647001 Collected: 10/21/22 04:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	2.1	0.43	1.49		11/01/22 15:32	79-34-5	
Tetrachloroethene	<0.37	ug/m3	1.0	0.37	1.49		11/01/22 15:32	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.89	0.28	1.49		11/01/22 15:32	109-99-9	
Toluene	0.42J	ug/m3	1.1	0.24	1.49		11/01/22 15:32	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	11.2	8.5	1.49		11/01/22 15:32	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.7	0.27	1.49		11/01/22 15:32	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.83	0.38	1.49		11/01/22 15:32	79-00-5	
Trichloroethene	<0.36	ug/m3	0.81	0.36	1.49		11/01/22 15:32	79-01-6	
Trichlorofluoromethane	2.0	ug/m3	1.7	0.30	1.49		11/01/22 15:32	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.81J	ug/m3	2.3	0.34	1.49		11/01/22 15:32	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/01/22 15:32	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.49		11/01/22 15:32	108-67-8	
Vinyl acetate	<0.26	ug/m3	1.1	0.26	1.49		11/01/22 15:32	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.39	0.14	1.49		11/01/22 15:32	75-01-4	
m&p-Xylene	1.8J	ug/m3	2.6	0.73	1.49		11/01/22 15:32	179601-23-1	
o-Xylene	<0.27	ug/m3	1.3	0.27	1.49		11/01/22 15:32	95-47-6	

Sample: AA406 - Hallway Lab ID: 10631647002 Collected: 10/21/22 04:05 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	34.7	ug/m3	9.0	3.3	1.49		11/01/22 15:59	67-64-1	
Benzene	0.69	ug/m3	0.48	0.16	1.49		11/01/22 15:59	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.9	1.1	1.49		11/01/22 15:59	100-44-7	
Bromodichloromethane	<0.48	ug/m3	2.0	0.48	1.49		11/01/22 15:59	75-27-4	
Bromoform	<1.2	ug/m3	7.8	1.2	1.49		11/01/22 15:59	75-25-2	
Bromomethane	<0.44	ug/m3	1.2	0.44	1.49		11/01/22 15:59	74-83-9	
1,3-Butadiene	<0.17	ug/m3	0.67	0.17	1.49		11/01/22 15:59	106-99-0	
2-Butanone (MEK)	2.3J	ug/m3	4.5	0.56	1.49		11/01/22 15:59	78-93-3	
Carbon disulfide	<0.35	ug/m3	0.94	0.35	1.49		11/01/22 15:59	75-15-0	
Carbon tetrachloride	<0.62	ug/m3	1.9	0.62	1.49		11/01/22 15:59	56-23-5	
Chlorobenzene	<0.21	ug/m3	1.4	0.21	1.49		11/01/22 15:59	108-90-7	
Chloroethane	<0.31	ug/m3	0.80	0.31	1.49		11/01/22 15:59	75-00-3	
Chloroform	<0.20	ug/m3	0.74	0.20	1.49		11/01/22 15:59	67-66-3	
Chloromethane	1.6	ug/m3	0.63	0.13	1.49		11/01/22 15:59	74-87-3	
Cyclohexane	<0.20	ug/m3	2.6	0.20	1.49		11/01/22 15:59	110-82-7	
Dibromochloromethane	<0.54	ug/m3	2.6	0.54	1.49		11/01/22 15:59	124-48-1	
1,2-Dibromoethane (EDB)	<0.46	ug/m3	2.3	0.46	1.49		11/01/22 15:59	106-93-4	
1,2-Dichlorobenzene	<1.3	ug/m3	4.6	1.3	1.49		11/01/22 15:59	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.6	1.2	1.49		11/01/22 15:59	541-73-1	
1,4-Dichlorobenzene	103	ug/m3	45.6	12.1	14.9		11/02/22 09:57	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: AA406 - Hallway Lab ID: 10631647002 Collected: 10/21/22 04:05 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	10.9	ug/m3	1.5	0.76	1.49		11/01/22 15:59	75-71-8	
1,1-Dichloroethane	<0.16	ug/m3	1.2	0.16	1.49		11/01/22 15:59	75-34-3	
1,2-Dichloroethane	<0.19	ug/m3	1.2	0.19	1.49		11/01/22 15:59	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.49		11/01/22 15:59	75-35-4	
cis-1,2-Dichloroethene	<0.32	ug/m3	1.2	0.32	1.49		11/01/22 15:59	156-59-2	
trans-1,2-Dichloroethene	<0.47	ug/m3	1.2	0.47	1.49		11/01/22 15:59	156-60-5	
1,2-Dichloropropane	<0.30	ug/m3	1.4	0.30	1.49		11/01/22 15:59	78-87-5	
cis-1,3-Dichloropropene	<0.97	ug/m3	3.4	0.97	1.49		11/01/22 15:59	10061-01-5	
trans-1,3-Dichloropropene	<1.2	ug/m3	3.4	1.2	1.49		11/01/22 15:59	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.1	0.36	1.49		11/01/22 15:59	76-14-2	
Ethanol	1260	ug/m3	28.6	13.4	14.9		11/02/22 09:57	64-17-5	
Ethyl acetate	1.9	ug/m3	1.1	0.24	1.49		11/01/22 15:59	141-78-6	
Ethylbenzene	0.73J	ug/m3	1.3	0.27	1.49		11/01/22 15:59	100-41-4	
4-Ethyltoluene	<0.61	ug/m3	3.7	0.61	1.49		11/01/22 15:59	622-96-8	
n-Heptane	0.95J	ug/m3	1.2	0.19	1.49		11/01/22 15:59	142-82-5	
Hexachloro-1,3-butadiene	<2.6	ug/m3	8.1	2.6	1.49		11/01/22 15:59	87-68-3	
n-Hexane	0.55J	ug/m3	1.1	0.35	1.49		11/01/22 15:59	110-54-3	
2-Hexanone	<1.0	ug/m3	6.2	1.0	1.49		11/01/22 15:59	591-78-6	
Methylene Chloride	0.42J	ug/m3	5.3	0.19	1.49		11/01/22 15:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.80	ug/m3	6.2	0.80	1.49		11/01/22 15:59	108-10-1	
Methyl-tert-butyl ether	<0.37	ug/m3	5.5	0.37	1.49		11/01/22 15:59	1634-04-4	
Naphthalene	3.6J	ug/m3	4.0	3.1	1.49		11/01/22 15:59	91-20-3	
2-Propanol	9.1	ug/m3	3.7	1.4	1.49		11/01/22 15:59	67-63-0	
Propylene	<0.53	ug/m3	1.3	0.53	1.49		11/01/22 15:59	115-07-1	
Styrene	1.4	ug/m3	1.3	0.62	1.49		11/01/22 15:59	100-42-5	
1,1,2,2-Tetrachloroethane	<0.43	ug/m3	2.1	0.43	1.49		11/01/22 15:59	79-34-5	
Tetrachloroethene	4.2	ug/m3	1.0	0.37	1.49		11/01/22 15:59	127-18-4	
Tetrahydrofuran	<0.28	ug/m3	0.89	0.28	1.49		11/01/22 15:59	109-99-9	
Toluene	1.5	ug/m3	1.1	0.24	1.49		11/01/22 15:59	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	11.2	8.5	1.49		11/01/22 15:59	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.7	0.27	1.49		11/01/22 15:59	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	0.83	0.38	1.49		11/01/22 15:59	79-00-5	
Trichloroethene	2.0	ug/m3	0.81	0.36	1.49		11/01/22 15:59	79-01-6	
Trichlorofluoromethane	2.3	ug/m3	1.7	0.30	1.49		11/01/22 15:59	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.86J	ug/m3	2.3	0.34	1.49		11/01/22 15:59	76-13-1	
1,2,4-Trimethylbenzene	<0.52	ug/m3	1.5	0.52	1.49		11/01/22 15:59	95-63-6	
1,3,5-Trimethylbenzene	<0.41	ug/m3	1.5	0.41	1.49		11/01/22 15:59	108-67-8	
Vinyl acetate	<0.26	ug/m3	1.1	0.26	1.49		11/01/22 15:59	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.39	0.14	1.49		11/01/22 15:59	75-01-4	
m&p-Xylene	2.1J	ug/m3	2.6	0.73	1.49		11/01/22 15:59	179601-23-1	
o-Xylene	0.72J	ug/m3	1.3	0.27	1.49		11/01/22 15:59	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **AA407 - North Office** Lab ID: **10631647003** Collected: 10/21/22 04:12 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	29.8	ug/m3	8.7	3.2	1.44		11/01/22 16:26	67-64-1	
Benzene	0.63	ug/m3	0.47	0.16	1.44		11/01/22 16:26	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.8	1.1	1.44		11/01/22 16:26	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.0	0.46	1.44		11/01/22 16:26	75-27-4	
Bromoform	<1.1	ug/m3	7.6	1.1	1.44		11/01/22 16:26	75-25-2	
Bromomethane	<0.43	ug/m3	1.1	0.43	1.44		11/01/22 16:26	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.65	0.16	1.44		11/01/22 16:26	106-99-0	
2-Butanone (MEK)	3.1J	ug/m3	4.3	0.54	1.44		11/01/22 16:26	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.91	0.34	1.44		11/01/22 16:26	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.44		11/01/22 16:26	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.3	0.20	1.44		11/01/22 16:26	108-90-7	
Chloroethane	<0.30	ug/m3	0.77	0.30	1.44		11/01/22 16:26	75-00-3	
Chloroform	<0.19	ug/m3	0.71	0.19	1.44		11/01/22 16:26	67-66-3	
Chloromethane	1.0	ug/m3	0.60	0.13	1.44		11/01/22 16:26	74-87-3	
Cyclohexane	<0.19	ug/m3	2.5	0.19	1.44		11/01/22 16:26	110-82-7	
Dibromochloromethane	<0.52	ug/m3	2.5	0.52	1.44		11/01/22 16:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	2.2	0.44	1.44		11/01/22 16:26	106-93-4	
1,2-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 16:26	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 16:26	541-73-1	
1,4-Dichlorobenzene	125	ug/m3	4.4	1.2	1.44		11/01/22 16:26	106-46-7	
Dichlorodifluoromethane	11.3	ug/m3	1.5	0.74	1.44		11/01/22 16:26	75-71-8	
1,1-Dichloroethane	<0.15	ug/m3	1.2	0.15	1.44		11/01/22 16:26	75-34-3	
1,2-Dichloroethane	<0.18	ug/m3	1.2	0.18	1.44		11/01/22 16:26	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		11/01/22 16:26	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.2	0.31	1.44		11/01/22 16:26	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/m3	1.2	0.46	1.44		11/01/22 16:26	156-60-5	
1,2-Dichloropropane	<0.29	ug/m3	1.4	0.29	1.44		11/01/22 16:26	78-87-5	
cis-1,3-Dichloropropene	<0.94	ug/m3	3.3	0.94	1.44		11/01/22 16:26	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	3.3	1.1	1.44		11/01/22 16:26	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.0	0.35	1.44		11/01/22 16:26	76-14-2	
Ethanol	289	ug/m3	2.8	1.3	1.44		11/01/22 16:26	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.1	0.23	1.44		11/01/22 16:26	141-78-6	
Ethylbenzene	0.71J	ug/m3	1.3	0.26	1.44		11/01/22 16:26	100-41-4	
4-Ethyltoluene	<0.59	ug/m3	3.6	0.59	1.44		11/01/22 16:26	622-96-8	
n-Heptane	1.1J	ug/m3	1.2	0.19	1.44		11/01/22 16:26	142-82-5	
Hexachloro-1,3-butadiene	<2.5	ug/m3	7.8	2.5	1.44		11/01/22 16:26	87-68-3	
n-Hexane	0.72J	ug/m3	1.0	0.33	1.44		11/01/22 16:26	110-54-3	
2-Hexanone	<0.99	ug/m3	6.0	0.99	1.44		11/01/22 16:26	591-78-6	
Methylene Chloride	<0.18	ug/m3	5.1	0.18	1.44		11/01/22 16:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.77	ug/m3	6.0	0.77	1.44		11/01/22 16:26	108-10-1	
Methyl-tert-butyl ether	<0.36	ug/m3	5.3	0.36	1.44		11/01/22 16:26	1634-04-4	
Naphthalene	3.3J	ug/m3	3.8	3.0	1.44		11/01/22 16:26	91-20-3	
2-Propanol	6.4	ug/m3	3.6	1.4	1.44		11/01/22 16:26	67-63-0	
Propylene	<0.51	ug/m3	1.3	0.51	1.44		11/01/22 16:26	115-07-1	
Styrene	<0.60	ug/m3	1.2	0.60	1.44		11/01/22 16:26	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: AA407 - North Office Lab ID: 10631647003 Collected: 10/21/22 04:12 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	2.0	0.41	1.44		11/01/22 16:26	79-34-5	
Tetrachloroethene	6.7	ug/m3	0.99	0.36	1.44		11/01/22 16:26	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.86	0.27	1.44		11/01/22 16:26	109-99-9	
Toluene	1.2	ug/m3	1.1	0.23	1.44		11/01/22 16:26	108-88-3	
1,2,4-Trichlorobenzene	<8.3	ug/m3	10.9	8.3	1.44		11/01/22 16:26	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.44		11/01/22 16:26	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.80	0.37	1.44		11/01/22 16:26	79-00-5	
Trichloroethene	1.7	ug/m3	0.79	0.34	1.44		11/01/22 16:26	79-01-6	
Trichlorofluoromethane	3.1	ug/m3	1.6	0.29	1.44		11/01/22 16:26	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.5J	ug/m3	2.2	0.33	1.44		11/01/22 16:26	76-13-1	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.44		11/01/22 16:26	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.4	0.39	1.44		11/01/22 16:26	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.44		11/01/22 16:26	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.37	0.14	1.44		11/01/22 16:26	75-01-4	
m&p-Xylene	2.0J	ug/m3	2.5	0.71	1.44		11/01/22 16:26	179601-23-1	
o-Xylene	0.69J	ug/m3	1.3	0.26	1.44		11/01/22 16:26	95-47-6	

Sample: AA408 - South Office Lab ID: 10631647004 Collected: 10/21/22 04:06 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	40.0	ug/m3	8.7	3.2	1.44		11/01/22 17:20	67-64-1	
Benzene	0.81	ug/m3	0.47	0.16	1.44		11/01/22 17:20	71-43-2	
Benzyl chloride	<1.1	ug/m3	3.8	1.1	1.44		11/01/22 17:20	100-44-7	
Bromodichloromethane	<0.46	ug/m3	2.0	0.46	1.44		11/01/22 17:20	75-27-4	
Bromoform	<1.1	ug/m3	7.6	1.1	1.44		11/01/22 17:20	75-25-2	
Bromomethane	<0.43	ug/m3	1.1	0.43	1.44		11/01/22 17:20	74-83-9	
1,3-Butadiene	<0.16	ug/m3	0.65	0.16	1.44		11/01/22 17:20	106-99-0	
2-Butanone (MEK)	26.8	ug/m3	4.3	0.54	1.44		11/01/22 17:20	78-93-3	
Carbon disulfide	<0.34	ug/m3	0.91	0.34	1.44		11/01/22 17:20	75-15-0	
Carbon tetrachloride	<0.60	ug/m3	1.8	0.60	1.44		11/01/22 17:20	56-23-5	
Chlorobenzene	<0.20	ug/m3	1.3	0.20	1.44		11/01/22 17:20	108-90-7	
Chloroethane	<0.30	ug/m3	0.77	0.30	1.44		11/01/22 17:20	75-00-3	
Chloroform	<0.19	ug/m3	0.71	0.19	1.44		11/01/22 17:20	67-66-3	
Chloromethane	1.0	ug/m3	0.60	0.13	1.44		11/01/22 17:20	74-87-3	
Cyclohexane	<0.19	ug/m3	2.5	0.19	1.44		11/01/22 17:20	110-82-7	
Dibromochloromethane	<0.52	ug/m3	2.5	0.52	1.44		11/01/22 17:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	2.2	0.44	1.44		11/01/22 17:20	106-93-4	
1,2-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 17:20	95-50-1	
1,3-Dichlorobenzene	<1.2	ug/m3	4.4	1.2	1.44		11/01/22 17:20	541-73-1	
1,4-Dichlorobenzene	76.6	ug/m3	4.4	1.2	1.44		11/01/22 17:20	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: AA408 - South Office Lab ID: 10631647004 Collected: 10/21/22 04:06 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	11.4	ug/m3	1.5	0.74	1.44		11/01/22 17:20	75-71-8	
1,1-Dichloroethane	<0.15	ug/m3	1.2	0.15	1.44		11/01/22 17:20	75-34-3	
1,2-Dichloroethane	<0.18	ug/m3	1.2	0.18	1.44		11/01/22 17:20	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		11/01/22 17:20	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/m3	1.2	0.31	1.44		11/01/22 17:20	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/m3	1.2	0.46	1.44		11/01/22 17:20	156-60-5	
1,2-Dichloropropane	<0.29	ug/m3	1.4	0.29	1.44		11/01/22 17:20	78-87-5	
cis-1,3-Dichloropropene	<0.94	ug/m3	3.3	0.94	1.44		11/01/22 17:20	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	3.3	1.1	1.44		11/01/22 17:20	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.0	0.35	1.44		11/01/22 17:20	76-14-2	
Ethanol	175	ug/m3	2.8	1.3	1.44		11/01/22 17:20	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.1	0.23	1.44		11/01/22 17:20	141-78-6	
Ethylbenzene	0.83J	ug/m3	1.3	0.26	1.44		11/01/22 17:20	100-41-4	
4-Ethyltoluene	<0.59	ug/m3	3.6	0.59	1.44		11/01/22 17:20	622-96-8	
n-Heptane	<0.19	ug/m3	1.2	0.19	1.44		11/01/22 17:20	142-82-5	
Hexachloro-1,3-butadiene	<2.5	ug/m3	7.8	2.5	1.44		11/01/22 17:20	87-68-3	
n-Hexane	3.9	ug/m3	1.0	0.33	1.44		11/01/22 17:20	110-54-3	
2-Hexanone	<0.99	ug/m3	6.0	0.99	1.44		11/01/22 17:20	591-78-6	
Methylene Chloride	0.48J	ug/m3	5.1	0.18	1.44		11/01/22 17:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.77	ug/m3	6.0	0.77	1.44		11/01/22 17:20	108-10-1	
Methyl-tert-butyl ether	<0.36	ug/m3	5.3	0.36	1.44		11/01/22 17:20	1634-04-4	
Naphthalene	3.6J	ug/m3	3.8	3.0	1.44		11/01/22 17:20	91-20-3	
2-Propanol	17.0	ug/m3	3.6	1.4	1.44		11/01/22 17:20	67-63-0	
Propylene	<0.51	ug/m3	1.3	0.51	1.44		11/01/22 17:20	115-07-1	
Styrene	<0.60	ug/m3	1.2	0.60	1.44		11/01/22 17:20	100-42-5	
1,1,2,2-Tetrachloroethane	<0.41	ug/m3	2.0	0.41	1.44		11/01/22 17:20	79-34-5	
Tetrachloroethene	9.1	ug/m3	0.99	0.36	1.44		11/01/22 17:20	127-18-4	
Tetrahydrofuran	<0.27	ug/m3	0.86	0.27	1.44		11/01/22 17:20	109-99-9	
Toluene	2.7	ug/m3	1.1	0.23	1.44		11/01/22 17:20	108-88-3	
1,2,4-Trichlorobenzene	<8.3	ug/m3	10.9	8.3	1.44		11/01/22 17:20	120-82-1	
1,1,1-Trichloroethane	<0.26	ug/m3	1.6	0.26	1.44		11/01/22 17:20	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	0.80	0.37	1.44		11/01/22 17:20	79-00-5	
Trichloroethene	1.7	ug/m3	0.79	0.34	1.44		11/01/22 17:20	79-01-6	
Trichlorofluoromethane	2.5	ug/m3	1.6	0.29	1.44		11/01/22 17:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.85J	ug/m3	2.2	0.33	1.44		11/01/22 17:20	76-13-1	
1,2,4-Trimethylbenzene	<0.50	ug/m3	1.4	0.50	1.44		11/01/22 17:20	95-63-6	
1,3,5-Trimethylbenzene	<0.39	ug/m3	1.4	0.39	1.44		11/01/22 17:20	108-67-8	
Vinyl acetate	<0.25	ug/m3	1.0	0.25	1.44		11/01/22 17:20	108-05-4	
Vinyl chloride	<0.14	ug/m3	0.37	0.14	1.44		11/01/22 17:20	75-01-4	
m&p-Xylene	2.4J	ug/m3	2.5	0.71	1.44		11/01/22 17:20	179601-23-1	
o-Xylene	0.82J	ug/m3	1.3	0.26	1.44		11/01/22 17:20	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **SSV-203 - Office** Lab ID: **10631647005** Collected: 10/21/22 09:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	25.5	ug/m3	10.9	4.0	1.8		11/01/22 19:07	67-64-1	
Benzene	0.38J	ug/m3	0.58	0.20	1.8		11/01/22 19:07	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.7	1.4	1.8		11/01/22 19:07	100-44-7	
Bromodichloromethane	<0.58	ug/m3	2.4	0.58	1.8		11/01/22 19:07	75-27-4	
Bromoform	<1.4	ug/m3	9.4	1.4	1.8		11/01/22 19:07	75-25-2	
Bromomethane	<0.53	ug/m3	1.4	0.53	1.8		11/01/22 19:07	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.81	0.20	1.8		11/01/22 19:07	106-99-0	
2-Butanone (MEK)	8.5	ug/m3	5.4	0.68	1.8		11/01/22 19:07	78-93-3	
Carbon disulfide	<0.42	ug/m3	1.1	0.42	1.8		11/01/22 19:07	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.3	0.75	1.8		11/01/22 19:07	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.7	0.25	1.8		11/01/22 19:07	108-90-7	
Chloroethane	<0.37	ug/m3	0.96	0.37	1.8		11/01/22 19:07	75-00-3	
Chloroform	<0.24	ug/m3	0.89	0.24	1.8		11/01/22 19:07	67-66-3	
Chloromethane	<0.16	ug/m3	0.76	0.16	1.8		11/01/22 19:07	74-87-3	
Cyclohexane	<0.24	ug/m3	3.2	0.24	1.8		11/01/22 19:07	110-82-7	
Dibromochloromethane	<0.65	ug/m3	3.1	0.65	1.8		11/01/22 19:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	2.8	0.56	1.8		11/01/22 19:07	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.8		11/01/22 19:07	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/m3	5.5	1.5	1.8		11/01/22 19:07	541-73-1	
1,4-Dichlorobenzene	1.7J	ug/m3	5.5	1.5	1.8		11/01/22 19:07	106-46-7	
Dichlorodifluoromethane	25.3	ug/m3	1.8	0.92	1.8		11/01/22 19:07	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.5	0.19	1.8		11/01/22 19:07	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:07	107-06-2	
1,1-Dichloroethene	<0.30	ug/m3	1.5	0.30	1.8		11/01/22 19:07	75-35-4	
cis-1,2-Dichloroethene	<0.39	ug/m3	1.5	0.39	1.8		11/01/22 19:07	156-59-2	
trans-1,2-Dichloroethene	<0.57	ug/m3	1.5	0.57	1.8		11/01/22 19:07	156-60-5	
1,2-Dichloropropane	<0.36	ug/m3	1.7	0.36	1.8		11/01/22 19:07	78-87-5	
cis-1,3-Dichloropropene	<1.2	ug/m3	4.2	1.2	1.8		11/01/22 19:07	10061-01-5	
trans-1,3-Dichloropropene	<1.4	ug/m3	4.2	1.4	1.8		11/01/22 19:07	10061-02-6	
Dichlorotetrafluoroethane	<0.44	ug/m3	2.6	0.44	1.8		11/01/22 19:07	76-14-2	
Ethanol	32.8	ug/m3	3.5	1.6	1.8		11/01/22 19:07	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.3	0.29	1.8		11/01/22 19:07	141-78-6	
Ethylbenzene	2.1	ug/m3	1.6	0.32	1.8		11/01/22 19:07	100-41-4	
4-Ethyltoluene	1.8J	ug/m3	4.5	0.73	1.8		11/01/22 19:07	622-96-8	
n-Heptane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:07	142-82-5	
Hexachloro-1,3-butadiene	<3.2	ug/m3	9.8	3.2	1.8		11/01/22 19:07	87-68-3	
n-Hexane	<0.42	ug/m3	1.3	0.42	1.8		11/01/22 19:07	110-54-3	
2-Hexanone	<1.2	ug/m3	7.5	1.2	1.8		11/01/22 19:07	591-78-6	
Methylene Chloride	1.5J	ug/m3	6.4	0.22	1.8		11/01/22 19:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.97	ug/m3	7.5	0.97	1.8		11/01/22 19:07	108-10-1	
Methyl-tert-butyl ether	<0.45	ug/m3	6.6	0.45	1.8		11/01/22 19:07	1634-04-4	
Naphthalene	<3.8	ug/m3	4.8	3.8	1.8		11/01/22 19:07	91-20-3	
2-Propanol	7.8	ug/m3	4.5	1.7	1.8		11/01/22 19:07	67-63-0	
Propylene	<0.64	ug/m3	1.6	0.64	1.8		11/01/22 19:07	115-07-1	
Styrene	6.6	ug/m3	1.6	0.75	1.8		11/01/22 19:07	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **SSV-203 - Office** Lab ID: **10631647005** Collected: 10/21/22 09:15 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.5	0.52	1.8		11/01/22 19:07	79-34-5	
Tetrachloroethene	294	ug/m3	1.2	0.45	1.8		11/01/22 19:07	127-18-4	
Tetrahydrofuran	1.5	ug/m3	1.1	0.33	1.8		11/01/22 19:07	109-99-9	
Toluene	116	ug/m3	1.4	0.29	1.8		11/01/22 19:07	108-88-3	
1,2,4-Trichlorobenzene	<10.3	ug/m3	13.6	10.3	1.8		11/01/22 19:07	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.8		11/01/22 19:07	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.8		11/01/22 19:07	79-00-5	
Trichloroethene	<0.43	ug/m3	0.98	0.43	1.8		11/01/22 19:07	79-01-6	
Trichlorofluoromethane	3.0	ug/m3	2.1	0.36	1.8		11/01/22 19:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	1.1J	ug/m3	2.8	0.41	1.8		11/01/22 19:07	76-13-1	
1,2,4-Trimethylbenzene	1.4J	ug/m3	1.8	0.63	1.8		11/01/22 19:07	95-63-6	
1,3,5-Trimethylbenzene	1.8J	ug/m3	1.8	0.49	1.8		11/01/22 19:07	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.3	0.32	1.8		11/01/22 19:07	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.47	0.17	1.8		11/01/22 19:07	75-01-4	
m&p-Xylene	6.2	ug/m3	3.2	0.89	1.8		11/01/22 19:07	179601-23-1	
o-Xylene	2.8	ug/m3	1.6	0.32	1.8		11/01/22 19:07	95-47-6	

Sample: **SSV-101 - South Wall** Lab ID: **10631647006** Collected: 10/21/22 08:46 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	27.4	ug/m3	10.9	4.0	1.8		11/01/22 19:34	67-64-1	
Benzene	0.30J	ug/m3	0.58	0.20	1.8		11/01/22 19:34	71-43-2	
Benzyl chloride	<1.4	ug/m3	4.7	1.4	1.8		11/01/22 19:34	100-44-7	
Bromodichloromethane	<0.58	ug/m3	2.4	0.58	1.8		11/01/22 19:34	75-27-4	
Bromoform	<1.4	ug/m3	9.4	1.4	1.8		11/01/22 19:34	75-25-2	
Bromomethane	<0.53	ug/m3	1.4	0.53	1.8		11/01/22 19:34	74-83-9	
1,3-Butadiene	<0.20	ug/m3	0.81	0.20	1.8		11/01/22 19:34	106-99-0	
2-Butanone (MEK)	8.2	ug/m3	5.4	0.68	1.8		11/01/22 19:34	78-93-3	
Carbon disulfide	0.44J	ug/m3	1.1	0.42	1.8		11/01/22 19:34	75-15-0	
Carbon tetrachloride	<0.75	ug/m3	2.3	0.75	1.8		11/01/22 19:34	56-23-5	
Chlorobenzene	<0.25	ug/m3	1.7	0.25	1.8		11/01/22 19:34	108-90-7	
Chloroethane	<0.37	ug/m3	0.96	0.37	1.8		11/01/22 19:34	75-00-3	
Chloroform	<0.24	ug/m3	0.89	0.24	1.8		11/01/22 19:34	67-66-3	
Chloromethane	0.66J	ug/m3	0.76	0.16	1.8		11/01/22 19:34	74-87-3	
Cyclohexane	<0.24	ug/m3	3.2	0.24	1.8		11/01/22 19:34	110-82-7	
Dibromochloromethane	<0.65	ug/m3	3.1	0.65	1.8		11/01/22 19:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	2.8	0.56	1.8		11/01/22 19:34	106-93-4	
1,2-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.8		11/01/22 19:34	95-50-1	
1,3-Dichlorobenzene	<1.5	ug/m3	5.5	1.5	1.8		11/01/22 19:34	541-73-1	
1,4-Dichlorobenzene	1.6J	ug/m3	5.5	1.5	1.8		11/01/22 19:34	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: **SSV-101 - South Wall** Lab ID: **10631647006** Collected: 10/21/22 08:46 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	36.4	ug/m3	1.8	0.92	1.8		11/01/22 19:34	75-71-8	
1,1-Dichloroethane	<0.19	ug/m3	1.5	0.19	1.8		11/01/22 19:34	75-34-3	
1,2-Dichloroethane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:34	107-06-2	
1,1-Dichloroethene	<0.30	ug/m3	1.5	0.30	1.8		11/01/22 19:34	75-35-4	
cis-1,2-Dichloroethene	<0.39	ug/m3	1.5	0.39	1.8		11/01/22 19:34	156-59-2	
trans-1,2-Dichloroethene	<0.57	ug/m3	1.5	0.57	1.8		11/01/22 19:34	156-60-5	
1,2-Dichloropropane	<0.36	ug/m3	1.7	0.36	1.8		11/01/22 19:34	78-87-5	
cis-1,3-Dichloropropene	<1.2	ug/m3	4.2	1.2	1.8		11/01/22 19:34	10061-01-5	
trans-1,3-Dichloropropene	<1.4	ug/m3	4.2	1.4	1.8		11/01/22 19:34	10061-02-6	
Dichlorotetrafluoroethane	<0.44	ug/m3	2.6	0.44	1.8		11/01/22 19:34	76-14-2	
Ethanol	29.7	ug/m3	3.5	1.6	1.8		11/01/22 19:34	64-17-5	
Ethyl acetate	<0.29	ug/m3	1.3	0.29	1.8		11/01/22 19:34	141-78-6	
Ethylbenzene	2.1	ug/m3	1.6	0.32	1.8		11/01/22 19:34	100-41-4	
4-Ethyltoluene	1.8J	ug/m3	4.5	0.73	1.8		11/01/22 19:34	622-96-8	
n-Heptane	<0.23	ug/m3	1.5	0.23	1.8		11/01/22 19:34	142-82-5	
Hexachloro-1,3-butadiene	<3.2	ug/m3	9.8	3.2	1.8		11/01/22 19:34	87-68-3	
n-Hexane	1.1J	ug/m3	1.3	0.42	1.8		11/01/22 19:34	110-54-3	
2-Hexanone	<1.2	ug/m3	7.5	1.2	1.8		11/01/22 19:34	591-78-6	
Methylene Chloride	7.3	ug/m3	6.4	0.22	1.8		11/01/22 19:34	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.97	ug/m3	7.5	0.97	1.8		11/01/22 19:34	108-10-1	
Methyl-tert-butyl ether	<0.45	ug/m3	6.6	0.45	1.8		11/01/22 19:34	1634-04-4	
Naphthalene	<3.8	ug/m3	4.8	3.8	1.8		11/01/22 19:34	91-20-3	
2-Propanol	6.3	ug/m3	4.5	1.7	1.8		11/01/22 19:34	67-63-0	
Propylene	<0.64	ug/m3	1.6	0.64	1.8		11/01/22 19:34	115-07-1	
Styrene	6.4	ug/m3	1.6	0.75	1.8		11/01/22 19:34	100-42-5	
1,1,2,2-Tetrachloroethane	<0.52	ug/m3	2.5	0.52	1.8		11/01/22 19:34	79-34-5	
Tetrachloroethene	1150	ug/m3	24.8	8.9	36		11/02/22 10:24	127-18-4	
Tetrahydrofuran	1.3	ug/m3	1.1	0.33	1.8		11/01/22 19:34	109-99-9	
Toluene	98.2	ug/m3	1.4	0.29	1.8		11/01/22 19:34	108-88-3	
1,2,4-Trichlorobenzene	<10.3	ug/m3	13.6	10.3	1.8		11/01/22 19:34	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.8		11/01/22 19:34	71-55-6	
1,1,2-Trichloroethane	<0.46	ug/m3	1.0	0.46	1.8		11/01/22 19:34	79-00-5	
Trichloroethene	0.65J	ug/m3	0.98	0.43	1.8		11/01/22 19:34	79-01-6	
Trichlorofluoromethane	3.4	ug/m3	2.1	0.36	1.8		11/01/22 19:34	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.41	ug/m3	2.8	0.41	1.8		11/01/22 19:34	76-13-1	
1,2,4-Trimethylbenzene	1.3J	ug/m3	1.8	0.63	1.8		11/01/22 19:34	95-63-6	
1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	0.49	1.8		11/01/22 19:34	108-67-8	
Vinyl acetate	<0.32	ug/m3	1.3	0.32	1.8		11/01/22 19:34	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.47	0.17	1.8		11/01/22 19:34	75-01-4	
m&p-Xylene	6.0	ug/m3	3.2	0.89	1.8		11/01/22 19:34	179601-23-1	
o-Xylene	2.7	ug/m3	1.6	0.32	1.8		11/01/22 19:34	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **Blow Sta.** Lab ID: **10631647007** Collected: 10/21/22 09:28 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<482	ug/m3	1300	482	216		11/02/22 16:41	67-64-1	
Benzene	<23.8	ug/m3	70.2	23.8	216		11/02/22 16:41	71-43-2	
Benzyl chloride	<166	ug/m3	568	166	216		11/02/22 16:41	100-44-7	
Bromodichloromethane	<69.1	ug/m3	294	69.1	216		11/02/22 16:41	75-27-4	
Bromoform	<168	ug/m3	1130	168	216		11/02/22 16:41	75-25-2	
Bromomethane	<63.9	ug/m3	170	63.9	216		11/02/22 16:41	74-83-9	
1,3-Butadiene	<24.0	ug/m3	97.2	24.0	216		11/02/22 16:41	106-99-0	
2-Butanone (MEK)	<81.0	ug/m3	648	81.0	216		11/02/22 16:41	78-93-3	
Carbon disulfide	<50.5	ug/m3	137	50.5	216		11/02/22 16:41	75-15-0	
Carbon tetrachloride	<90.5	ug/m3	276	90.5	216		11/02/22 16:41	56-23-5	
Chlorobenzene	<30.0	ug/m3	202	30.0	216		11/02/22 16:41	108-90-7	
Chloroethane	<44.3	ug/m3	116	44.3	216		11/02/22 16:41	75-00-3	
Chloroform	<28.9	ug/m3	107	28.9	216		11/02/22 16:41	67-66-3	
Chloromethane	<19.1	ug/m3	90.7	19.1	216		11/02/22 16:41	74-87-3	
Cyclohexane	<28.9	ug/m3	378	28.9	216		11/02/22 16:41	110-82-7	
Dibromochloromethane	<77.8	ug/m3	374	77.8	216		11/02/22 16:41	124-48-1	
1,2-Dibromoethane (EDB)	<66.7	ug/m3	337	66.7	216		11/02/22 16:41	106-93-4	
1,2-Dichlorobenzene	<186	ug/m3	661	186	216		11/02/22 16:41	95-50-1	
1,3-Dichlorobenzene	<178	ug/m3	661	178	216		11/02/22 16:41	541-73-1	
1,4-Dichlorobenzene	<175	ug/m3	661	175	216		11/02/22 16:41	106-46-7	
Dichlorodifluoromethane	<111	ug/m3	218	111	216		11/02/22 16:41	75-71-8	
1,1-Dichloroethane	<23.1	ug/m3	178	23.1	216		11/02/22 16:41	75-34-3	
1,2-Dichloroethane	<27.4	ug/m3	178	27.4	216		11/02/22 16:41	107-06-2	
1,1-Dichloroethene	<35.4	ug/m3	174	35.4	216		11/02/22 16:41	75-35-4	
cis-1,2-Dichloroethene	<46.2	ug/m3	174	46.2	216		11/02/22 16:41	156-59-2	
trans-1,2-Dichloroethene	<68.5	ug/m3	174	68.5	216		11/02/22 16:41	156-60-5	
1,2-Dichloropropane	<43.4	ug/m3	203	43.4	216		11/02/22 16:41	78-87-5	
cis-1,3-Dichloropropene	<141	ug/m3	499	141	216		11/02/22 16:41	10061-01-5	
trans-1,3-Dichloropropene	<168	ug/m3	499	168	216		11/02/22 16:41	10061-02-6	
Dichlorotetrafluoroethane	<52.5	ug/m3	307	52.5	216		11/02/22 16:41	76-14-2	
Ethanol	<195	ug/m3	415	195	216		11/02/22 16:41	64-17-5	
Ethyl acetate	<34.6	ug/m3	158	34.6	216		11/02/22 16:41	141-78-6	
Ethylbenzene	<38.7	ug/m3	191	38.7	216		11/02/22 16:41	100-41-4	
4-Ethyltoluene	<87.9	ug/m3	540	87.9	216		11/02/22 16:41	622-96-8	
n-Heptane	<27.9	ug/m3	180	27.9	216		11/02/22 16:41	142-82-5	
Hexachloro-1,3-butadiene	<380	ug/m3	1170	380	216		11/02/22 16:41	87-68-3	
n-Hexane	<50.1	ug/m3	155	50.1	216		11/02/22 16:41	110-54-3	
2-Hexanone	<149	ug/m3	899	149	216		11/02/22 16:41	591-78-6	
Methylene Chloride	<27.0	ug/m3	762	27.0	216		11/02/22 16:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	<116	ug/m3	899	116	216		11/02/22 16:41	108-10-1	
Methyl-tert-butyl ether	<54.0	ug/m3	791	54.0	216		11/02/22 16:41	1634-04-4	
Naphthalene	<451	ug/m3	575	451	216		11/02/22 16:41	91-20-3	
2-Propanol	<207	ug/m3	540	207	216		11/02/22 16:41	67-63-0	
Propylene	<77.1	ug/m3	189	77.1	216		11/02/22 16:41	115-07-1	
Styrene	<89.6	ug/m3	187	89.6	216		11/02/22 16:41	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **Blow Sta.** Lab ID: **10631647007** Collected: 10/21/22 09:28 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<62.0	ug/m3	302	62.0	216		11/02/22 16:41	79-34-5	
Tetrachloroethene	24500	ug/m3	149	53.6	216		11/02/22 16:41	127-18-4	
Tetrahydrofuran	<40.2	ug/m3	130	40.2	216		11/02/22 16:41	109-99-9	
Toluene	161J	ug/m3	165	35.0	216		11/02/22 16:41	108-88-3	
1,2,4-Trichlorobenzene	<1240	ug/m3	1630	1240	216		11/02/22 16:41	120-82-1	
1,1,1-Trichloroethane	<39.1	ug/m3	240	39.1	216		11/02/22 16:41	71-55-6	
1,1,2-Trichloroethane	<55.7	ug/m3	120	55.7	216		11/02/22 16:41	79-00-5	
Trichloroethene	<51.6	ug/m3	118	51.6	216		11/02/22 16:41	79-01-6	
Trichlorofluoromethane	<43.6	ug/m3	246	43.6	216		11/02/22 16:41	75-69-4	
1,1,2-Trichlorotrifluoroethane	<49.2	ug/m3	337	49.2	216		11/02/22 16:41	76-13-1	
1,2,4-Trimethylbenzene	<75.6	ug/m3	216	75.6	216		11/02/22 16:41	95-63-6	
1,3,5-Trimethylbenzene	<59.2	ug/m3	216	59.2	216		11/02/22 16:41	108-67-8	
Vinyl acetate	<38.0	ug/m3	155	38.0	216		11/02/22 16:41	108-05-4	
Vinyl chloride	<20.7	ug/m3	56.2	20.7	216		11/02/22 16:41	75-01-4	
m&p-Xylene	258J	ug/m3	382	106	216		11/02/22 16:41	179601-23-1	
o-Xylene	<38.4	ug/m3	191	38.4	216		11/02/22 16:41	95-47-6	

Sample: **SSV-406 - North Office** Lab ID: **10631647008** Collected: 10/21/22 10:04 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<466	ug/m3	1260	466	208.8		11/02/22 17:35	67-64-1	
Benzene	<23.0	ug/m3	67.9	23.0	208.8		11/02/22 17:35	71-43-2	
Benzyl chloride	<160	ug/m3	549	160	208.8		11/02/22 17:35	100-44-7	
Bromodichloromethane	<66.8	ug/m3	284	66.8	208.8		11/02/22 17:35	75-27-4	
Bromoform	<162	ug/m3	1100	162	208.8		11/02/22 17:35	75-25-2	
Bromomethane	<61.8	ug/m3	165	61.8	208.8		11/02/22 17:35	74-83-9	
1,3-Butadiene	<23.2	ug/m3	94.0	23.2	208.8		11/02/22 17:35	106-99-0	
2-Butanone (MEK)	<78.3	ug/m3	626	78.3	208.8		11/02/22 17:35	78-93-3	
Carbon disulfide	<48.9	ug/m3	132	48.9	208.8		11/02/22 17:35	75-15-0	
Carbon tetrachloride	<87.5	ug/m3	267	87.5	208.8		11/02/22 17:35	56-23-5	
Chlorobenzene	<29.0	ug/m3	195	29.0	208.8		11/02/22 17:35	108-90-7	
Chloroethane	<42.8	ug/m3	112	42.8	208.8		11/02/22 17:35	75-00-3	
Chloroform	<28.0	ug/m3	104	28.0	208.8		11/02/22 17:35	67-66-3	
Chloromethane	<18.4	ug/m3	87.7	18.4	208.8		11/02/22 17:35	74-87-3	
Cyclohexane	<28.0	ug/m3	365	28.0	208.8		11/02/22 17:35	110-82-7	
Dibromochloromethane	<75.2	ug/m3	361	75.2	208.8		11/02/22 17:35	124-48-1	
1,2-Dibromoethane (EDB)	<64.5	ug/m3	326	64.5	208.8		11/02/22 17:35	106-93-4	
1,2-Dichlorobenzene	<180	ug/m3	639	180	208.8		11/02/22 17:35	95-50-1	
1,3-Dichlorobenzene	<172	ug/m3	639	172	208.8		11/02/22 17:35	541-73-1	
1,4-Dichlorobenzene	<169	ug/m3	639	169	208.8		11/02/22 17:35	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: **SSV-406 - North Office** Lab ID: **10631647008** Collected: 10/21/22 10:04 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	<107	ug/m3	211	107	208.8		11/02/22 17:35	75-71-8	
1,1-Dichloroethane	<22.3	ug/m3	172	22.3	208.8		11/02/22 17:35	75-34-3	
1,2-Dichloroethane	<26.5	ug/m3	172	26.5	208.8		11/02/22 17:35	107-06-2	
1,1-Dichloroethene	<34.2	ug/m3	168	34.2	208.8		11/02/22 17:35	75-35-4	
cis-1,2-Dichloroethene	<44.7	ug/m3	168	44.7	208.8		11/02/22 17:35	156-59-2	
trans-1,2-Dichloroethene	<66.2	ug/m3	168	66.2	208.8		11/02/22 17:35	156-60-5	
1,2-Dichloropropane	<42.0	ug/m3	196	42.0	208.8		11/02/22 17:35	78-87-5	
cis-1,3-Dichloropropene	<136	ug/m3	482	136	208.8		11/02/22 17:35	10061-01-5	
trans-1,3-Dichloropropene	<162	ug/m3	482	162	208.8		11/02/22 17:35	10061-02-6	
Dichlorotetrafluoroethane	<50.7	ug/m3	296	50.7	208.8		11/02/22 17:35	76-14-2	
Ethanol	<188	ug/m3	401	188	208.8		11/02/22 17:35	64-17-5	
Ethyl acetate	<33.4	ug/m3	153	33.4	208.8		11/02/22 17:35	141-78-6	
Ethylbenzene	<37.4	ug/m3	184	37.4	208.8		11/02/22 17:35	100-41-4	
4-Ethyltoluene	<85.0	ug/m3	522	85.0	208.8		11/02/22 17:35	622-96-8	
n-Heptane	<26.9	ug/m3	174	26.9	208.8		11/02/22 17:35	142-82-5	
Hexachloro-1,3-butadiene	<367	ug/m3	1130	367	208.8		11/02/22 17:35	87-68-3	
n-Hexane	<48.4	ug/m3	150	48.4	208.8		11/02/22 17:35	110-54-3	
2-Hexanone	<144	ug/m3	869	144	208.8		11/02/22 17:35	591-78-6	
Methylene Chloride	<26.1	ug/m3	737	26.1	208.8		11/02/22 17:35	75-09-2	
4-Methyl-2-pentanone (MIBK)	<112	ug/m3	869	112	208.8		11/02/22 17:35	108-10-1	
Methyl-tert-butyl ether	<52.2	ug/m3	764	52.2	208.8		11/02/22 17:35	1634-04-4	
Naphthalene	<436	ug/m3	555	436	208.8		11/02/22 17:35	91-20-3	
2-Propanol	<200	ug/m3	522	200	208.8		11/02/22 17:35	67-63-0	
Propylene	<74.5	ug/m3	183	74.5	208.8		11/02/22 17:35	115-07-1	
Styrene	<86.7	ug/m3	181	86.7	208.8		11/02/22 17:35	100-42-5	
1,1,2,2-Tetrachloroethane	<59.9	ug/m3	292	59.9	208.8		11/02/22 17:35	79-34-5	
Tetrachloroethene	12100	ug/m3	144	51.8	208.8		11/02/22 17:35	127-18-4	
Tetrahydrofuran	<38.8	ug/m3	125	38.8	208.8		11/02/22 17:35	109-99-9	
Toluene	161	ug/m3	160	33.8	208.8		11/02/22 17:35	108-88-3	
1,2,4-Trichlorobenzene	<1200	ug/m3	1570	1200	208.8		11/02/22 17:35	120-82-1	
1,1,1-Trichloroethane	<37.8	ug/m3	232	37.8	208.8		11/02/22 17:35	71-55-6	
1,1,2-Trichloroethane	<53.9	ug/m3	116	53.9	208.8		11/02/22 17:35	79-00-5	
Trichloroethene	<49.9	ug/m3	114	49.9	208.8		11/02/22 17:35	79-01-6	
Trichlorofluoromethane	<42.2	ug/m3	238	42.2	208.8		11/02/22 17:35	75-69-4	
1,1,2-Trichlorotrifluoroethane	<47.6	ug/m3	326	47.6	208.8		11/02/22 17:35	76-13-1	
1,2,4-Trimethylbenzene	<73.1	ug/m3	209	73.1	208.8		11/02/22 17:35	95-63-6	
1,3,5-Trimethylbenzene	<57.2	ug/m3	209	57.2	208.8		11/02/22 17:35	108-67-8	
Vinyl acetate	<36.7	ug/m3	150	36.7	208.8		11/02/22 17:35	108-05-4	
Vinyl chloride	<20.0	ug/m3	54.3	20.0	208.8		11/02/22 17:35	75-01-4	
m&p-Xylene	<103	ug/m3	370	103	208.8		11/02/22 17:35	179601-23-1	
o-Xylene	<37.2	ug/m3	184	37.2	208.8		11/02/22 17:35	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite
Pace Project No.: 10631647

Sample: **SSV-405 - South Office** Lab ID: **10631647009** Collected: 10/21/22 10:23 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	<3720	ug/m3	10100	3720	1670		11/02/22 16:14	67-64-1	
Benzene	<184	ug/m3	543	184	1670		11/02/22 16:14	71-43-2	
Benzyl chloride	<1280	ug/m3	4390	1280	1670		11/02/22 16:14	100-44-7	
Bromodichloromethane	<535	ug/m3	2270	535	1670		11/02/22 16:14	75-27-4	
Bromoform	<1300	ug/m3	8770	1300	1670		11/02/22 16:14	75-25-2	
Bromomethane	<494	ug/m3	1320	494	1670		11/02/22 16:14	74-83-9	
1,3-Butadiene	<185	ug/m3	752	185	1670		11/02/22 16:14	106-99-0	
2-Butanone (MEK)	<626	ug/m3	5010	626	1670		11/02/22 16:14	78-93-3	
Carbon disulfide	<391	ug/m3	1060	391	1670		11/02/22 16:14	75-15-0	
Carbon tetrachloride	<700	ug/m3	2140	700	1670		11/02/22 16:14	56-23-5	
Chlorobenzene	<232	ug/m3	1560	232	1670		11/02/22 16:14	108-90-7	
Chloroethane	<342	ug/m3	895	342	1670		11/02/22 16:14	75-00-3	
Chloroform	<224	ug/m3	829	224	1670		11/02/22 16:14	67-66-3	
Chloromethane	<147	ug/m3	702	147	1670		11/02/22 16:14	74-87-3	
Cyclohexane	<224	ug/m3	2920	224	1670		11/02/22 16:14	110-82-7	
Dibromochloromethane	<601	ug/m3	2890	601	1670		11/02/22 16:14	124-48-1	
1,2-Dibromoethane (EDB)	<516	ug/m3	2610	516	1670		11/02/22 16:14	106-93-4	
1,2-Dichlorobenzene	<1440	ug/m3	5110	1440	1670		11/02/22 16:14	95-50-1	
1,3-Dichlorobenzene	<1380	ug/m3	5110	1380	1670		11/02/22 16:14	541-73-1	
1,4-Dichlorobenzene	<1350	ug/m3	5110	1350	1670		11/02/22 16:14	106-46-7	
Dichlorodifluoromethane	<857	ug/m3	1690	857	1670		11/02/22 16:14	75-71-8	
1,1-Dichloroethane	<179	ug/m3	1370	179	1670		11/02/22 16:14	75-34-3	
1,2-Dichloroethane	<212	ug/m3	1370	212	1670		11/02/22 16:14	107-06-2	
1,1-Dichloroethene	<274	ug/m3	1350	274	1670		11/02/22 16:14	75-35-4	
cis-1,2-Dichloroethene	<357	ug/m3	1350	357	1670		11/02/22 16:14	156-59-2	
trans-1,2-Dichloroethene	<530	ug/m3	1350	530	1670		11/02/22 16:14	156-60-5	
1,2-Dichloropropane	<336	ug/m3	1570	336	1670		11/02/22 16:14	78-87-5	
cis-1,3-Dichloropropene	<1090	ug/m3	3860	1090	1670		11/02/22 16:14	10061-01-5	
trans-1,3-Dichloropropene	<1300	ug/m3	3860	1300	1670		11/02/22 16:14	10061-02-6	
Dichlorotetrafluoroethane	<406	ug/m3	2370	406	1670		11/02/22 16:14	76-14-2	
Ethanol	<1510	ug/m3	3210	1510	1670		11/02/22 16:14	64-17-5	
Ethyl acetate	<267	ug/m3	1220	267	1670		11/02/22 16:14	141-78-6	
Ethylbenzene	<299	ug/m3	1470	299	1670		11/02/22 16:14	100-41-4	
4-Ethyltoluene	<680	ug/m3	4180	680	1670		11/02/22 16:14	622-96-8	
n-Heptane	<215	ug/m3	1390	215	1670		11/02/22 16:14	142-82-5	
Hexachloro-1,3-butadiene	<2940	ug/m3	9050	2940	1670		11/02/22 16:14	87-68-3	
n-Hexane	<388	ug/m3	1200	388	1670		11/02/22 16:14	110-54-3	
2-Hexanone	<1150	ug/m3	6950	1150	1670		11/02/22 16:14	591-78-6	
Methylene Chloride	<209	ug/m3	5900	209	1670		11/02/22 16:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	<899	ug/m3	6950	899	1670		11/02/22 16:14	108-10-1	
Methyl-tert-butyl ether	<418	ug/m3	6110	418	1670		11/02/22 16:14	1634-04-4	
Naphthalene	<3490	ug/m3	4440	3490	1670		11/02/22 16:14	91-20-3	
2-Propanol	<1600	ug/m3	4180	1600	1670		11/02/22 16:14	67-63-0	
Propylene	<596	ug/m3	1460	596	1670		11/02/22 16:14	115-07-1	
Styrene	<693	ug/m3	1450	693	1670		11/02/22 16:14	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Dun-Rite

Pace Project No.: 10631647

Sample: SSV-405 - South Office **Lab ID: 10631647009** Collected: 10/21/22 10:23 Received: 10/28/22 13:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<479	ug/m3	2340	479	1670		11/02/22 16:14	79-34-5	
Tetrachloroethene	40300	ug/m3	1150	414	1670		11/02/22 16:14	127-18-4	
Tetrahydrofuran	<311	ug/m3	1000	311	1670		11/02/22 16:14	109-99-9	
Toluene	1010J	ug/m3	1280	271	1670		11/02/22 16:14	108-88-3	
1,2,4-Trichlorobenzene	<9570	ug/m3	12600	9570	1670		11/02/22 16:14	120-82-1	
1,1,1-Trichloroethane	<302	ug/m3	1850	302	1670		11/02/22 16:14	71-55-6	
1,1,2-Trichloroethane	<431	ug/m3	927	431	1670		11/02/22 16:14	79-00-5	
Trichloroethene	<399	ug/m3	912	399	1670		11/02/22 16:14	79-01-6	
Trichlorofluoromethane	<337	ug/m3	1900	337	1670		11/02/22 16:14	75-69-4	
1,1,2-Trichlorotrifluoroethane	<381	ug/m3	2610	381	1670		11/02/22 16:14	76-13-1	
1,2,4-Trimethylbenzene	<585	ug/m3	1670	585	1670		11/02/22 16:14	95-63-6	
1,3,5-Trimethylbenzene	<458	ug/m3	1670	458	1670		11/02/22 16:14	108-67-8	
Vinyl acetate	<294	ug/m3	1200	294	1670		11/02/22 16:14	108-05-4	
Vinyl chloride	<160	ug/m3	434	160	1670		11/02/22 16:14	75-01-4	
m&p-Xylene	<822	ug/m3	2960	822	1670		11/02/22 16:14	179601-23-1	
o-Xylene	<297	ug/m3	1470	297	1670		11/02/22 16:14	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

QC Batch: 850685 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

METHOD BLANK: 4498895 Matrix: Air
Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.18	1.1	11/01/22 09:32	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	1.4	11/01/22 09:32	
1,1,2-Trichloroethane	ug/m3	<0.26	0.56	11/01/22 09:32	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.23	1.6	11/01/22 09:32	
1,1-Dichloroethane	ug/m3	<0.11	0.82	11/01/22 09:32	
1,1-Dichloroethene	ug/m3	<0.16	0.81	11/01/22 09:32	
1,2,4-Trichlorobenzene	ug/m3	<5.7	7.5	11/01/22 09:32	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	11/01/22 09:32	
1,2-Dibromoethane (EDB)	ug/m3	<0.31	1.6	11/01/22 09:32	
1,2-Dichlorobenzene	ug/m3	<0.86	3.1	11/01/22 09:32	
1,2-Dichloroethane	ug/m3	<0.13	0.82	11/01/22 09:32	
1,2-Dichloropropane	ug/m3	<0.20	0.94	11/01/22 09:32	
1,3,5-Trimethylbenzene	ug/m3	<0.27	1.0	11/01/22 09:32	
1,3-Butadiene	ug/m3	<0.11	0.45	11/01/22 09:32	
1,3-Dichlorobenzene	ug/m3	<0.82	3.1	11/01/22 09:32	
1,4-Dichlorobenzene	ug/m3	<0.81	3.1	11/01/22 09:32	
2-Butanone (MEK)	ug/m3	<0.38	3.0	11/01/22 09:32	
2-Hexanone	ug/m3	<0.69	4.2	11/01/22 09:32	
2-Propanol	ug/m3	<0.96	2.5	11/01/22 09:32	
4-Ethyltoluene	ug/m3	<0.41	2.5	11/01/22 09:32	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.54	4.2	11/01/22 09:32	
Acetone	ug/m3	<2.2	6.0	11/01/22 09:32	
Benzene	ug/m3	<0.11	0.32	11/01/22 09:32	
Benzyl chloride	ug/m3	<0.77	2.6	11/01/22 09:32	
Bromodichloromethane	ug/m3	<0.32	1.4	11/01/22 09:32	
Bromoform	ug/m3	<0.78	5.2	11/01/22 09:32	
Bromomethane	ug/m3	<0.30	0.79	11/01/22 09:32	
Carbon disulfide	ug/m3	<0.23	0.63	11/01/22 09:32	
Carbon tetrachloride	ug/m3	<0.42	1.3	11/01/22 09:32	
Chlorobenzene	ug/m3	<0.14	0.94	11/01/22 09:32	
Chloroethane	ug/m3	<0.20	0.54	11/01/22 09:32	
Chloroform	ug/m3	<0.13	0.50	11/01/22 09:32	
Chloromethane	ug/m3	<0.088	0.42	11/01/22 09:32	
cis-1,2-Dichloroethene	ug/m3	<0.21	0.81	11/01/22 09:32	
cis-1,3-Dichloropropene	ug/m3	<0.65	2.3	11/01/22 09:32	
Cyclohexane	ug/m3	<0.13	1.8	11/01/22 09:32	
Dibromochloromethane	ug/m3	<0.36	1.7	11/01/22 09:32	
Dichlorodifluoromethane	ug/m3	<0.51	1.0	11/01/22 09:32	
Dichlorotetrafluoroethane	ug/m3	<0.24	1.4	11/01/22 09:32	
Ethanol	ug/m3	<0.90	1.9	11/01/22 09:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

METHOD BLANK: 4498895 Matrix: Air
Associated Lab Samples: 10631647001, 10631647002, 10631647003, 10631647004, 10631647005, 10631647006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.16	0.73	11/01/22 09:32	
Ethylbenzene	ug/m3	<0.18	0.88	11/01/22 09:32	
Hexachloro-1,3-butadiene	ug/m3	<1.8	5.4	11/01/22 09:32	
m&p-Xylene	ug/m3	<0.49	1.8	11/01/22 09:32	
Methyl-tert-butyl ether	ug/m3	<0.25	3.7	11/01/22 09:32	
Methylene Chloride	ug/m3	<0.12	3.5	11/01/22 09:32	
n-Heptane	ug/m3	<0.13	0.83	11/01/22 09:32	
n-Hexane	ug/m3	<0.23	0.72	11/01/22 09:32	
Naphthalene	ug/m3	<2.1	2.7	11/01/22 09:32	
o-Xylene	ug/m3	<0.18	0.88	11/01/22 09:32	
Propylene	ug/m3	<0.36	0.88	11/01/22 09:32	
Styrene	ug/m3	<0.42	0.87	11/01/22 09:32	
Tetrachloroethene	ug/m3	<0.25	0.69	11/01/22 09:32	
Tetrahydrofuran	ug/m3	<0.19	0.60	11/01/22 09:32	
Toluene	ug/m3	<0.16	0.77	11/01/22 09:32	
trans-1,2-Dichloroethene	ug/m3	<0.32	0.81	11/01/22 09:32	
trans-1,3-Dichloropropene	ug/m3	<0.78	2.3	11/01/22 09:32	
Trichloroethene	ug/m3	<0.24	0.55	11/01/22 09:32	
Trichlorofluoromethane	ug/m3	<0.20	1.1	11/01/22 09:32	
Vinyl acetate	ug/m3	<0.18	0.72	11/01/22 09:32	
Vinyl chloride	ug/m3	<0.096	0.26	11/01/22 09:32	

LABORATORY CONTROL SAMPLE: 4498896

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	58	56.2	97	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.8	63.9	88	70-132	
1,1,2-Trichloroethane	ug/m3	58.3	53.6	92	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	81.2	78.9	97	70-130	
1,1-Dichloroethane	ug/m3	42.5	39.5	93	70-130	
1,1-Dichloroethene	ug/m3	41.9	40.8	97	70-130	
1,2,4-Trichlorobenzene	ug/m3	175	168	96	70-130	
1,2,4-Trimethylbenzene	ug/m3	52.5	51.4	98	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.5	70.9	88	70-137	
1,2-Dichlorobenzene	ug/m3	63.9	62.8	98	70-131	
1,2-Dichloroethane	ug/m3	42.4	43.8	103	70-134	
1,2-Dichloropropane	ug/m3	49.3	46.6	94	70-130	
1,3,5-Trimethylbenzene	ug/m3	52.4	47.3	90	70-131	
1,3-Butadiene	ug/m3	23.9	23.8	99	70-139	
1,3-Dichlorobenzene	ug/m3	64.2	63.0	98	70-134	
1,4-Dichlorobenzene	ug/m3	64.3	61.3	95	70-131	
2-Butanone (MEK)	ug/m3	31.3	29.2	94	70-133	
2-Hexanone	ug/m3	43.4	39.3	91	70-136	
2-Propanol	ug/m3	137	125	91	65-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

LABORATORY CONTROL SAMPLE: 4498896

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.3	46.7	89	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	40.8	94	70-130	
Acetone	ug/m3	127	115	90	60-134	
Benzene	ug/m3	33.8	31.6	93	70-130	
Benzyl chloride	ug/m3	55.6	51.3	92	70-130	
Bromodichloromethane	ug/m3	71.5	74.9	105	70-130	
Bromoform	ug/m3	110	103	94	70-138	
Bromomethane	ug/m3	41.4	31.6	76	68-131	
Carbon disulfide	ug/m3	33	30.7	93	70-130	
Carbon tetrachloride	ug/m3	66.7	70.0	105	70-132	
Chlorobenzene	ug/m3	49	49.2	100	70-130	
Chloroethane	ug/m3	28.1	29.8	106	70-134	
Chloroform	ug/m3	52.1	49.8	96	70-130	
Chloromethane	ug/m3	22	19.2	87	68-131	
cis-1,2-Dichloroethene	ug/m3	42.1	45.8	109	70-136	
cis-1,3-Dichloropropene	ug/m3	48.2	44.9	93	70-130	
Cyclohexane	ug/m3	36.4	33.7	92	70-131	
Dibromochloromethane	ug/m3	90.6	87.5	97	70-134	
Dichlorodifluoromethane	ug/m3	52.5	45.3	86	70-130	
Dichlorotetrafluoroethane	ug/m3	74.4	65.9	89	70-130	
Ethanol	ug/m3	113	95.9	85	55-145	
Ethyl acetate	ug/m3	38.4	34.9	91	70-135	
Ethylbenzene	ug/m3	46.2	41.4	90	70-133	
Hexachloro-1,3-butadiene	ug/m3	130	132	101	70-132	
m&p-Xylene	ug/m3	92.4	82.2	89	70-134	
Methyl-tert-butyl ether	ug/m3	38.3	39.9	104	70-131	
Methylene Chloride	ug/m3	36.8	34.7	94	65-132	
n-Heptane	ug/m3	43.5	37.9	87	70-130	
n-Hexane	ug/m3	37.7	34.7	92	70-132	
Naphthalene	ug/m3	63.9	59.8	94	70-130	
o-Xylene	ug/m3	46	42.2	92	70-134	
Propylene	ug/m3	18.6	14.8	80	69-133	
Styrene	ug/m3	45.3	41.0	91	70-135	
Tetrachloroethene	ug/m3	72	72.4	100	70-134	
Tetrahydrofuran	ug/m3	31.3	27.6	88	70-140	
Toluene	ug/m3	40.2	42.5	106	70-136	
trans-1,2-Dichloroethene	ug/m3	42.3	42.1	100	70-134	
trans-1,3-Dichloropropene	ug/m3	48.4	41.2	85	70-131	
Trichloroethene	ug/m3	57.2	60.1	105	70-134	
Trichlorofluoromethane	ug/m3	60.3	56.4	93	63-130	
Vinyl acetate	ug/m3	38.7	36.0	93	70-139	
Vinyl chloride	ug/m3	27.2	26.5	97	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499703

Parameter	Units	10631647003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.26	<0.26			25
1,1,2,2-Tetrachloroethane	ug/m3	<0.41	<0.41			25
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37			25
1,1,2-Trichlorotrifluoroethane	ug/m3	1.5J	1.7J			25
1,1-Dichloroethane	ug/m3	<0.15	<0.15			25
1,1-Dichloroethene	ug/m3	<0.24	<0.24			25
1,2,4-Trichlorobenzene	ug/m3	<8.3	<8.3			25
1,2,4-Trimethylbenzene	ug/m3	<0.50	<0.50			25
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44			25
1,2-Dichlorobenzene	ug/m3	<1.2	<1.2			25
1,2-Dichloroethane	ug/m3	<0.18	<0.18			25
1,2-Dichloropropane	ug/m3	<0.29	<0.29			25
1,3,5-Trimethylbenzene	ug/m3	<0.39	<0.39			25
1,3-Butadiene	ug/m3	<0.16	<0.16			25
1,3-Dichlorobenzene	ug/m3	<1.2	<1.2			25
1,4-Dichlorobenzene	ug/m3	125	128	2		25
2-Butanone (MEK)	ug/m3	3.1J	2.8J			25
2-Hexanone	ug/m3	<0.99	<0.99			25
2-Propanol	ug/m3	6.4	7.2	13		25
4-Ethyltoluene	ug/m3	<0.59	<0.59			25
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.77	<0.77			25
Acetone	ug/m3	29.8	30.9	4		25
Benzene	ug/m3	0.63	0.77	20		25
Benzyl chloride	ug/m3	<1.1	<1.1			25
Bromodichloromethane	ug/m3	<0.46	<0.46			25
Bromoform	ug/m3	<1.1	<1.1			25
Bromomethane	ug/m3	<0.43	<0.43			25
Carbon disulfide	ug/m3	<0.34	<0.34			25
Carbon tetrachloride	ug/m3	<0.60	<0.60			25
Chlorobenzene	ug/m3	<0.20	<0.20			25
Chloroethane	ug/m3	<0.30	<0.30			25
Chloroform	ug/m3	<0.19	<0.19			25
Chloromethane	ug/m3	1.0	1.1	7		25
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31			25
cis-1,3-Dichloropropene	ug/m3	<0.94	<0.94			25
Cyclohexane	ug/m3	<0.19	<0.19			25
Dibromochloromethane	ug/m3	<0.52	<0.52			25
Dichlorodifluoromethane	ug/m3	11.3	11.6	3		25
Dichlorotetrafluoroethane	ug/m3	<0.35	<0.35			25
Ethanol	ug/m3	289	303	5		25
Ethyl acetate	ug/m3	<0.23	<0.23			25
Ethylbenzene	ug/m3	0.71J	0.73J			25
Hexachloro-1,3-butadiene	ug/m3	<2.5	<2.5			25
m&p-Xylene	ug/m3	2.0J	2.1J			25
Methyl-tert-butyl ether	ug/m3	<0.36	<0.36			25
Methylene Chloride	ug/m3	<0.18	<0.18			25
n-Heptane	ug/m3	1.1J	1.0J			25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499703

Parameter	Units	10631647003 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	0.72J	0.73J		25	
Naphthalene	ug/m3	3.3J	3.4J		25	
o-Xylene	ug/m3	0.69J	0.71J		25	
Propylene	ug/m3	<0.51	<0.51		25	
Styrene	ug/m3	<0.60	<0.60		25	
Tetrachloroethene	ug/m3	6.7	7.0	5	25	
Tetrahydrofuran	ug/m3	<0.27	<0.27		25	
Toluene	ug/m3	1.2	1.4	8	25	
trans-1,2-Dichloroethene	ug/m3	<0.46	<0.46		25	
trans-1,3-Dichloropropene	ug/m3	<1.1	<1.1		25	
Trichloroethene	ug/m3	1.7	1.8	5	25	
Trichlorofluoromethane	ug/m3	3.1	3.0	4	25	
Vinyl acetate	ug/m3	<0.25	<0.25		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

SAMPLE DUPLICATE: 4499704

Parameter	Units	10631647004 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.26	<0.26		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.41	<0.41		25	
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	0.85J	0.93J		25	
1,1-Dichloroethane	ug/m3	<0.15	<0.15		25	
1,1-Dichloroethene	ug/m3	<0.24	<0.24		25	
1,2,4-Trichlorobenzene	ug/m3	<8.3	<8.3		25	
1,2,4-Trimethylbenzene	ug/m3	<0.50	<0.50		25	
1,2-Dibromoethane (EDB)	ug/m3	<0.44	<0.44		25	
1,2-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,2-Dichloroethane	ug/m3	<0.18	<0.18		25	
1,2-Dichloropropane	ug/m3	<0.29	<0.29		25	
1,3,5-Trimethylbenzene	ug/m3	<0.39	<0.39		25	
1,3-Butadiene	ug/m3	<0.16	<0.16		25	
1,3-Dichlorobenzene	ug/m3	<1.2	<1.2		25	
1,4-Dichlorobenzene	ug/m3	76.6	77.6	1	25	
2-Butanone (MEK)	ug/m3	26.8	27.6	3	25	
2-Hexanone	ug/m3	<0.99	<0.99		25	
2-Propanol	ug/m3	17.0	16.7	2	25	
4-Ethyltoluene	ug/m3	<0.59	<0.59		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.77	<0.77		25	
Acetone	ug/m3	40.0	35.8	11	25	
Benzene	ug/m3	0.81	0.80	2	25	
Benzyl chloride	ug/m3	<1.1	<1.1		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<1.1	<1.1		25	
Bromomethane	ug/m3	<0.43	<0.43		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10631647

SAMPLE DUPLICATE: 4499704

Parameter	Units	10631647004 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	<0.34	<0.34		25	
Carbon tetrachloride	ug/m3	<0.60	<0.60		25	
Chlorobenzene	ug/m3	<0.20	<0.20		25	
Chloroethane	ug/m3	<0.30	<0.30		25	
Chloroform	ug/m3	<0.19	<0.19		25	
Chloromethane	ug/m3	1.0	1.1	5	25	
cis-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
cis-1,3-Dichloropropene	ug/m3	<0.94	<0.94		25	
Cyclohexane	ug/m3	<0.19	0.88J		25	
Dibromochloromethane	ug/m3	<0.52	<0.52		25	
Dichlorodifluoromethane	ug/m3	11.4	12.3	7	25	
Dichlorotetrafluoroethane	ug/m3	<0.35	<0.35		25	
Ethanol	ug/m3	175	174	1	25	
Ethyl acetate	ug/m3	<0.23	<0.23		25	
Ethylbenzene	ug/m3	0.83J	0.84J		25	
Hexachloro-1,3-butadiene	ug/m3	<2.5	<2.5		25	
m&p-Xylene	ug/m3	2.4J	2.4J		25	
Methyl-tert-butyl ether	ug/m3	<0.36	<0.36		25	
Methylene Chloride	ug/m3	0.48J	0.51J		25	
n-Heptane	ug/m3	<0.19	1.4		25	
n-Hexane	ug/m3	3.9	3.8	2	25	
Naphthalene	ug/m3	3.6J	3.6J		25	
o-Xylene	ug/m3	0.82J	0.84J		25	
Propylene	ug/m3	<0.51	<0.51		25	
Styrene	ug/m3	<0.60	<0.60		25	
Tetrachloroethene	ug/m3	9.1	9.4	3	25	
Tetrahydrofuran	ug/m3	<0.27	<0.27		25	
Toluene	ug/m3	2.7	2.7	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.46	<0.46		25	
trans-1,3-Dichloropropene	ug/m3	<1.1	<1.1		25	
Trichloroethene	ug/m3	1.7	1.8	7	25	
Trichlorofluoromethane	ug/m3	2.5	2.7	11	25	
Vinyl acetate	ug/m3	<0.25	<0.25		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

QC Batch: 850965 Analysis Method: TO-15
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10631647007, 10631647008, 10631647009

METHOD BLANK: 4500143 Matrix: Air

Associated Lab Samples: 10631647007, 10631647008, 10631647009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.18	1.1	11/02/22 09:31	
1,1,2,2-Tetrachloroethane	ug/m3	<0.29	1.4	11/02/22 09:31	
1,1,2-Trichloroethane	ug/m3	<0.26	0.56	11/02/22 09:31	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.23	1.6	11/02/22 09:31	
1,1-Dichloroethane	ug/m3	<0.11	0.82	11/02/22 09:31	
1,1-Dichloroethene	ug/m3	<0.16	0.81	11/02/22 09:31	
1,2,4-Trichlorobenzene	ug/m3	<5.7	7.5	11/02/22 09:31	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	11/02/22 09:31	
1,2-Dibromoethane (EDB)	ug/m3	<0.31	1.6	11/02/22 09:31	MN
1,2-Dichlorobenzene	ug/m3	<0.86	3.1	11/02/22 09:31	
1,2-Dichloroethane	ug/m3	<0.13	0.82	11/02/22 09:31	
1,2-Dichloropropane	ug/m3	<0.20	0.94	11/02/22 09:31	
1,3,5-Trimethylbenzene	ug/m3	<0.27	1.0	11/02/22 09:31	
1,3-Butadiene	ug/m3	<0.11	0.45	11/02/22 09:31	
1,3-Dichlorobenzene	ug/m3	<0.82	3.1	11/02/22 09:31	
1,4-Dichlorobenzene	ug/m3	<0.81	3.1	11/02/22 09:31	
2-Butanone (MEK)	ug/m3	<0.38	3.0	11/02/22 09:31	
2-Hexanone	ug/m3	<0.69	4.2	11/02/22 09:31	
2-Propanol	ug/m3	<0.96	2.5	11/02/22 09:31	
4-Ethyltoluene	ug/m3	<0.41	2.5	11/02/22 09:31	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.54	4.2	11/02/22 09:31	
Acetone	ug/m3	<2.2	6.0	11/02/22 09:31	
Benzene	ug/m3	<0.11	0.32	11/02/22 09:31	
Benzyl chloride	ug/m3	<0.77	2.6	11/02/22 09:31	
Bromodichloromethane	ug/m3	<0.32	1.4	11/02/22 09:31	
Bromoform	ug/m3	<0.78	5.2	11/02/22 09:31	
Bromomethane	ug/m3	<0.30	0.79	11/02/22 09:31	
Carbon disulfide	ug/m3	<0.23	0.63	11/02/22 09:31	
Carbon tetrachloride	ug/m3	<0.42	1.3	11/02/22 09:31	
Chlorobenzene	ug/m3	<0.14	0.94	11/02/22 09:31	
Chloroethane	ug/m3	<0.20	0.54	11/02/22 09:31	
Chloroform	ug/m3	<0.13	0.50	11/02/22 09:31	
Chloromethane	ug/m3	<0.088	0.42	11/02/22 09:31	
cis-1,2-Dichloroethene	ug/m3	<0.21	0.81	11/02/22 09:31	
cis-1,3-Dichloropropene	ug/m3	<0.65	2.3	11/02/22 09:31	
Cyclohexane	ug/m3	<0.13	1.8	11/02/22 09:31	
Dibromochloromethane	ug/m3	<0.36	1.7	11/02/22 09:31	
Dichlorodifluoromethane	ug/m3	<0.51	1.0	11/02/22 09:31	
Dichlorotetrafluoroethane	ug/m3	<0.24	1.4	11/02/22 09:31	
Ethanol	ug/m3	<0.90	1.9	11/02/22 09:31	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

METHOD BLANK: 4500143 Matrix: Air
Associated Lab Samples: 10631647007, 10631647008, 10631647009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethyl acetate	ug/m3	<0.16	0.73	11/02/22 09:31	
Ethylbenzene	ug/m3	<0.18	0.88	11/02/22 09:31	
Hexachloro-1,3-butadiene	ug/m3	<1.8	5.4	11/02/22 09:31	
m&p-Xylene	ug/m3	<0.49	1.8	11/02/22 09:31	
Methyl-tert-butyl ether	ug/m3	<0.25	3.7	11/02/22 09:31	
Methylene Chloride	ug/m3	<0.12	3.5	11/02/22 09:31	
n-Heptane	ug/m3	<0.13	0.83	11/02/22 09:31	
n-Hexane	ug/m3	<0.23	0.72	11/02/22 09:31	
Naphthalene	ug/m3	<2.1	2.7	11/02/22 09:31	
o-Xylene	ug/m3	<0.18	0.88	11/02/22 09:31	
Propylene	ug/m3	<0.36	0.88	11/02/22 09:31	
Styrene	ug/m3	<0.42	0.87	11/02/22 09:31	
Tetrachloroethene	ug/m3	<0.25	0.69	11/02/22 09:31	
Tetrahydrofuran	ug/m3	<0.19	0.60	11/02/22 09:31	
Toluene	ug/m3	<0.16	0.77	11/02/22 09:31	
trans-1,2-Dichloroethene	ug/m3	<0.32	0.81	11/02/22 09:31	
trans-1,3-Dichloropropene	ug/m3	<0.78	2.3	11/02/22 09:31	
Trichloroethene	ug/m3	<0.24	0.55	11/02/22 09:31	
Trichlorofluoromethane	ug/m3	<0.20	1.1	11/02/22 09:31	
Vinyl acetate	ug/m3	<0.18	0.72	11/02/22 09:31	
Vinyl chloride	ug/m3	<0.096	0.26	11/02/22 09:31	

LABORATORY CONTROL SAMPLE: 4500144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	58	54.8	94	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	72.8	65.7	90	70-132	
1,1,2-Trichloroethane	ug/m3	58.3	54.4	93	70-131	
1,1,2-Trichlorotrifluoroethane	ug/m3	81.2	86.4	106	70-130	
1,1-Dichloroethane	ug/m3	42.5	39.9	94	70-130	
1,1-Dichloroethene	ug/m3	41.9	43.5	104	70-130	
1,2,4-Trichlorobenzene	ug/m3	175	160	91	70-130	
1,2,4-Trimethylbenzene	ug/m3	52.5	51.7	99	70-137	
1,2-Dibromoethane (EDB)	ug/m3	80.5	70.8	88	70-137	
1,2-Dichlorobenzene	ug/m3	63.9	62.2	97	70-131	
1,2-Dichloroethane	ug/m3	42.4	43.2	102	70-134	
1,2-Dichloropropane	ug/m3	49.3	47.2	96	70-130	
1,3,5-Trimethylbenzene	ug/m3	52.4	48.4	92	70-131	
1,3-Butadiene	ug/m3	23.9	24.4	102	70-139	
1,3-Dichlorobenzene	ug/m3	64.2	62.1	97	70-134	
1,4-Dichlorobenzene	ug/m3	64.3	61.7	96	70-131	
2-Butanone (MEK)	ug/m3	31.3	29.4	94	70-133	
2-Hexanone	ug/m3	43.4	40.7	94	70-136	
2-Propanol	ug/m3	137	135	99	65-133	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

LABORATORY CONTROL SAMPLE: 4500144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4-Ethyltoluene	ug/m3	52.3	47.2	90	70-130	
4-Methyl-2-pentanone (MIBK)	ug/m3	43.6	43.0	99	70-130	
Acetone	ug/m3	127	126	99	60-134	
Benzene	ug/m3	33.8	31.3	93	70-130	
Benzyl chloride	ug/m3	55.6	52.3	94	70-130	
Bromodichloromethane	ug/m3	71.5	74.4	104	70-130	
Bromoform	ug/m3	110	105	95	70-138	
Bromomethane	ug/m3	41.4	35.9	87	68-131	
Carbon disulfide	ug/m3	33	33.0	100	70-130	
Carbon tetrachloride	ug/m3	66.7	69.6	104	70-132	
Chlorobenzene	ug/m3	49	49.4	101	70-130	
Chloroethane	ug/m3	28.1	33.3	118	70-134	
Chloroform	ug/m3	52.1	48.7	93	70-130	
Chloromethane	ug/m3	22	19.4	88	68-131	
cis-1,2-Dichloroethene	ug/m3	42.1	45.5	108	70-136	
cis-1,3-Dichloropropene	ug/m3	48.2	45.2	94	70-130	
Cyclohexane	ug/m3	36.4	33.7	93	70-131	
Dibromochloromethane	ug/m3	90.6	86.8	96	70-134	
Dichlorodifluoromethane	ug/m3	52.5	47.3	90	70-130	
Dichlorotetrafluoroethane	ug/m3	74.4	67.7	91	70-130	
Ethanol	ug/m3	113	100	89	55-145	
Ethyl acetate	ug/m3	38.4	34.7	90	70-135	
Ethylbenzene	ug/m3	46.2	42.1	91	70-133	
Hexachloro-1,3-butadiene	ug/m3	130	120	93	70-132	
m&p-Xylene	ug/m3	92.4	83.1	90	70-134	
Methyl-tert-butyl ether	ug/m3	38.3	35.1	92	70-131	
Methylene Chloride	ug/m3	36.8	36.9	100	65-132	
n-Heptane	ug/m3	43.5	38.8	89	70-130	
n-Hexane	ug/m3	37.7	35.6	94	70-132	
Naphthalene	ug/m3	63.9	56.8	89	70-130	
o-Xylene	ug/m3	46	43.1	94	70-134	
Propylene	ug/m3	18.6	16.8	90	69-133	
Styrene	ug/m3	45.3	41.2	91	70-135	
Tetrachloroethene	ug/m3	72	70.1	97	70-134	
Tetrahydrofuran	ug/m3	31.3	27.6	88	70-140	
Toluene	ug/m3	40.2	42.2	105	70-136	
trans-1,2-Dichloroethene	ug/m3	42.3	41.4	98	70-134	
trans-1,3-Dichloropropene	ug/m3	48.4	39.6	82	70-131	
Trichloroethene	ug/m3	57.2	58.0	101	70-134	
Trichlorofluoromethane	ug/m3	60.3	66.0	109	63-130	
Vinyl acetate	ug/m3	38.7	33.2	86	70-139	
Vinyl chloride	ug/m3	27.2	27.4	101	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite

Pace Project No.: 10631647

SAMPLE DUPLICATE: 4501085

Parameter	Units	10631647007 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<39.1	<39.1		25	
1,1,2,2-Tetrachloroethane	ug/m3	<62.0	<62.0		25	
1,1,2-Trichloroethane	ug/m3	<55.7	<55.7		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<49.2	<49.2		25	
1,1-Dichloroethane	ug/m3	<23.1	<23.1		25	
1,1-Dichloroethene	ug/m3	<35.4	<35.4		25	
1,2,4-Trichlorobenzene	ug/m3	<1240	<1240		25	
1,2,4-Trimethylbenzene	ug/m3	<75.6	<75.6		25	
1,2-Dibromoethane (EDB)	ug/m3	<66.7	<66.7		25	
1,2-Dichlorobenzene	ug/m3	<186	<186		25	
1,2-Dichloroethane	ug/m3	<27.4	<27.4		25	
1,2-Dichloropropane	ug/m3	<43.4	<43.4		25	
1,3,5-Trimethylbenzene	ug/m3	<59.2	<59.2		25	
1,3-Butadiene	ug/m3	<24.0	<24.0		25	
1,3-Dichlorobenzene	ug/m3	<178	<178		25	
1,4-Dichlorobenzene	ug/m3	<175	<175		25	
2-Butanone (MEK)	ug/m3	<81.0	<81.0		25	
2-Hexanone	ug/m3	<149	<149		25	
2-Propanol	ug/m3	<207	<207		25	
4-Ethyltoluene	ug/m3	<87.9	<87.9		25	
4-Methyl-2-pentanone (MIBK)	ug/m3	<116	<116		25	
Acetone	ug/m3	<482	<482		25	
Benzene	ug/m3	<23.8	<23.8		25	
Benzyl chloride	ug/m3	<166	<166		25	
Bromodichloromethane	ug/m3	<69.1	<69.1		25	
Bromoform	ug/m3	<168	<168		25	
Bromomethane	ug/m3	<63.9	<63.9		25	
Carbon disulfide	ug/m3	<50.5	<50.5		25	
Carbon tetrachloride	ug/m3	<90.5	<90.5		25	
Chlorobenzene	ug/m3	<30.0	<30.0		25	
Chloroethane	ug/m3	<44.3	<44.3		25	
Chloroform	ug/m3	<28.9	<28.9		25	
Chloromethane	ug/m3	<19.1	<19.1		25	
cis-1,2-Dichloroethene	ug/m3	<46.2	<46.2		25	
cis-1,3-Dichloropropene	ug/m3	<141	<141		25	
Cyclohexane	ug/m3	<28.9	<28.9		25	
Dibromochloromethane	ug/m3	<77.8	<77.8		25	
Dichlorodifluoromethane	ug/m3	<111	<111		25	
Dichlorotetrafluoroethane	ug/m3	<52.5	<52.5		25	
Ethanol	ug/m3	<195	<195		25	
Ethyl acetate	ug/m3	<34.6	<34.6		25	
Ethylbenzene	ug/m3	<38.7	<38.7		25	
Hexachloro-1,3-butadiene	ug/m3	<380	<380		25	
m&p-Xylene	ug/m3	258J	<106		25	
Methyl-tert-butyl ether	ug/m3	<54.0	<54.0		25	
Methylene Chloride	ug/m3	<27.0	<27.0		25	
n-Heptane	ug/m3	<27.9	<27.9		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Dun-Rite
Pace Project No.: 10631647

SAMPLE DUPLICATE: 4501085

Parameter	Units	10631647007 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	<50.1	<50.1			25
Naphthalene	ug/m3	<451	<451			25
o-Xylene	ug/m3	<38.4	<38.4			25
Propylene	ug/m3	<77.1	<77.1			25
Styrene	ug/m3	<89.6	<89.6			25
Tetrachloroethene	ug/m3	24500	25700	5		25
Tetrahydrofuran	ug/m3	<40.2	<40.2			25
Toluene	ug/m3	161J	118J			25
trans-1,2-Dichloroethene	ug/m3	<68.5	<68.5			25
trans-1,3-Dichloropropene	ug/m3	<168	<168			25
Trichloroethene	ug/m3	<51.6	<51.6			25
Trichlorofluoromethane	ug/m3	<43.6	<43.6			25
Vinyl acetate	ug/m3	<38.0	<38.0			25
Vinyl chloride	ug/m3	<20.7	<20.7			25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Dun-Rite
Pace Project No.: 10631647

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

MN The reporting limit has been raised in accordance with Minnesota Statutes 4740.2100 Subpart 8. C, D. Reporting Limit Evaluation Rule.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Dun-Rite
Pace Project No.: 10631647

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10631647001	AA405 - Outside	TO-15	850685		
10631647002	AA406 - Hallway	TO-15	850685		
10631647003	AA407 - North Office	TO-15	850685		
10631647004	AA408 - South Office	TO-15	850685		
10631647005	SSV-203 - Office	TO-15	850685		
10631647006	SSV-101 - South Wall	TO-15	850685		
10631647007	Blow Sta.	TO-15	850965		
10631647008	SSV-406 - North Office	TO-15	850965		
10631647009	SSV-405 - South Office	TO-15	850965		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



AIR: CHAIN-OF-CUSTODY

The Chain-of-Custody is a LEGAL DOCUMENT. All refer

WO#: 10631647



10631647

53197

Page: 1 of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Program	
Company: Sand County Env.		Report To: Pete Arntsen		Attention:		<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Address: 151 Mill St. Anheersy WI 54406		Copy To: Same		Company Name: Same		Location of Sampling by State _____ Reporting Units ug/m ³ _____ mg/m ³ _____ PPBV _____ PPMV _____ Other _____	
Email To: Pete.Arntsen@sandcountyenv.com		Purchase Order No.:		Address:		Report Level II. ___ III. ___ IV. ___ Other ___	
Phone: 715 924 5169 Fax:		Project Name: Dan-Rite		Pace Quote Reference:		Pace Project Manager/Sales Rep. _____ Pace Profile #: 25302	
Requested Due Date/TAT:		Project Number:		Pace Profile #:			

ITEM #	'Section D Required Client Information AIR SAMPLE ID Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:	Pace Lab ID
					COMPOSITE START		COMPOSITE - END/GRAB							
					DATE	TIME	DATE	TIME						
1	AA405 - Outside	6L 0.0	10/21	8:13	10/21	4:15	-28	-3	2748	2645	X	001		
2	AA406 - Hallway	6L 0		8:14		4:05	-27	-1	2756	0047	X	002		
3	AA407 - North Office	6L 0		8:10		4:12	-27	-2	3359	2063	X	003		
4	AA408 - South Office	6L 0		8:12		4:06	-28	-2	1236	3384	X	004		
5														
6	SSV-203 - Office	1L 0		9:00		9:15	-30	-3	3231	3118	X	005		
7	SSV-101 - South wall	1L 0.2		8:40		8:46	-28	-2	1312	2948	X	006		
8	Blow sta.	1L 3.1		9:20		9:28	-30	-2	2637	3173	X	007		
9	SSV-406 - North office	1L 4.0		9:55		10:04	-28	-1	2639	2864	X	008		
10	SSV-405 - South office	1L 12.2		10:14		10:23	-27	-1	2266	2695	X	009		
11														
12														

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS						
	<i>[Signature]</i> / SCL	10/24	2:00	<i>[Signature]</i> / PAC	10.28.22	1300	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples intact	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Pete Arntsen

SIGNATURE of SAMPLER: *[Signature]* DATE Signed (MM/DD/YY) 10/24/2022

ORIGINAL

Page 36 of 37



DC#_Title: ENV-FRM-MIN4-0113 v01_Sample Condition Upon Receipt (SCUR) - Air

Effective Date: 02/25/2022

WO#: 10631647
PM: KNH Due Date: 11/04/22
CLIENT: Sand Creek

Air Sample Condition Upon Receipt

Client Name: SAND COUNTY ENV.

Project #:

Courier: [X] FedEx [] UPS [] USPS [] Client
[] Pace [] SpeeDee [] Commercial
Tracking Number: 6101 8739 2284, 2295
Custody Seal on Cooler/Box Present? [] Yes [X] No
Seals Intact? [] Yes [X] No
Packing Material: [] Bubble Wrap [X] Foam [] Tin Can [] Other:

Date & Initials of Person Examining Contents: 10.26.22 CW

Table with 13 rows of sample condition checks. Columns include 'Chain of Custody Present?', 'Chain of Custody Filled Out?', 'Chain of Custody Relinquished?', 'Sampler Name and/or Signature on COC?', 'Samples Arrived within Hold Time?', 'Short Hold Time Analysis (<72 hr)?', 'Rush Turn Around Time Requested?', 'Sufficient Volume?', 'Correct Containers Used?', '(Tedar bags not acceptable container for TO-15 or APH) -Pace Containers Used?', 'Containers Intact? (visual inspection/no leaks when pressurized)', 'Media: Air Can | Airbag', 'Is sufficient information available to reconcile samples to the COC?', 'Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946III)'. Includes checkboxes for Yes/No and a 'Comments:' column.

Gauge #: [] 10AIR26 [] 10AIR34 [] 10AIR35 [] 10AIR17 [] 10AIR47 [X] 10AIR48

Table with 10 columns: Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure, Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure. Contains handwritten data for various locations like OUTSIDE, HALLWAY, N. OFFICE, S. OFFICE, OFFICE, S. WALL, BLOW STA., SSV. N. OFFICE, SSV. S. OFFICE.

CLIENT NOTIFICATION/RESOLUTION
Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____
Field Data Required? [] Yes [] No

Project Manager Review: Kirsten Hogberg Date: 10/31/2022

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e., out of hold, incorrect preservative, out of temp, incorrect containers).