




April 6, 2004

Binyoti F. Amungwafor  
Wisconsin Department of Natural Resources  
2300 N. Dr. Martin Luther King, Jr. Drive  
P.O. Box 12436  
Milwaukee, Wisconsin 53212-0436



**Re: Groundwater Laboratory Results**  
**Redi-Quick Cleaners, 9508 West Greenfield Avenue, West Allis, Wisconsin**  
**BRRTS No. 02-41-000676**  
**FID No. 241170490**

Dear Mr. Amungwafor:

On March 10-11, 2004 all existing and new groundwater monitoring wells and piezometers were sampled using low-flow sampling techniques. The groundwater samples were analyzed for volatile organic compounds. The results of the laboratory analysis are summarized in Table 1. Laboratory reports and chain-of-custody forms are attached as Appendix A.

The results indicate that the contaminate plume is defined and is not migrating off-site. At this point in time Shaw Environmental believes that site investigation activities have been completed and, with your concurrence, will begin the process of developing a remedial action plan.

Please call me at (262) 549-6898 ext. 431 if you have any question.

Sincerely,  
**SHAW ENVIRONMENTAL & INFRASTRUCTURE, INC.**

A handwritten signature in black ink that reads "Matthew R. Giovanelli".

Matthew R. Giovanelli, P.G., CHMM  
Senior Geologist

MRG:dmk

cc: Sam Gruichich

**Historical Groundwater Laboratory VOC Analytical Results**  
**Redi-Quick Cleaners**  
**West Allis, Wisconsin**

Monitoring Well	Date	Benzene	Ethylbenzene	Toluene	Xylene	Tetrachloroethene	Trichloroethene	Cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Vinyl Chloride	1,1-Dichloroethene	1,2-Dichloroethane
MW-2	4/27/90	<1.0	<1.0	<1.0	<3.0	2.2	2.0	10	10	<0.5	<0.5	<0.5
	8/17/92	<0.6	<1.0	<1.0	<2.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
	2/23/93	<1.0	<1.0	<1.0	<2.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	7.4
	8/12/98	<0.49	<0.39	<0.40	<1.04	<0.40	0.29	10	<0.36	2	<0.61	11
	5/10/99	<0.27	<0.32	<0.27	<0.67	<0.43	<0.37	13	<0.79	<b>0.43</b>	<0.43	13
	10/28/99	0.27	<0.32	<0.27	<0.67	<0.43	1.4	19	<0.79	<b>2.5</b>	<0.43	11
	9/14/00	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3/10/04	<0.41	<0.54	<0.67	<2.63	<0.45	1.8	40	1.2	<b>5.2</b>	<0.57	<b>9.2</b>
MW-4	4/27/90	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<0.5
	8/17/92	<0.6	<1.0	<1.0	<2.5	<b>6.59</b>	2.79	12.2	<1.0	<5.0	<1.0	<1.0
	2/23/93	<1.0	<1.0	<1.0	<2.0	2.8	1.4	3.2	<1.0	<1.0	<1.0	<1.0
	8/12/98	<0.49	<0.39	<0.40	<1.04	<b>6.0</b>	0.88	0.40	<0.36	<0.61	<0.61	<0.50
	5/10/99	<0.27	<0.32	<0.27	<0.67	3.7	0.77	0.50	<0.79	<0.20	<0.43	<0.37
	10/28/99	<0.27	<0.32	<0.27	<0.67	<b>5.6</b>	0.71	0.37	<0.79	<0.20	<0.43	<0.37
	9/14/00	<0.50	<5.0	<5.0	<5.0	<b>10.6</b>	0.969	<5.00	<5.00	<b>0.586</b>	<0.500	<0.500
	3/11/04	<0.41	<0.54	<0.67	<2.63	3.8	0.58	<0.83	<0.89	<0.18	<0.57	<0.36
MW-8	4/27/01	<1.0	<1.0	<1.0	<3.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<0.5
	8/17/92	<0.6	<1.0	<1.0	<2.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0
	2/23/93	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	8/12/98	<0.49	<0.39	<0.40	<1.04	<0.40	<0.51	<0.41	<0.36	<0.61	<0.61	<0.50
	5/10/99	<0.27	<0.32	<0.27	<0.67	<0.43	<0.37	<0.28	<0.79	<0.20	<0.35	<0.37
	10/10/99	<0.27	<0.32	<0.27	<0.67	<0.43	<0.37	<0.28	<0.79	<0.20	<0.43	<0.37
	9/14/00	<0.50	<5.0	<5.0	<5.0	<0.500	<0.500	<5.00	<5.00	<0.170	<0.500	<0.500
	3/11/04	<0.41	<0.54	<0.67	<2.63	<0.45	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
NR 140 PAL		0.5	140	200	1,000	0.5	0.5	7	20	0.02	0.7	0.5
NR 140 ES		5.0	700	1,000	10,000	5	5	70	100	0.2	7	5

(Continued)

Notes: Results in parts per billion (ppb)

All monitoring wells were sampled on 9/14/00 by Shaw. Analytical data for sampling events prior to 9/24/00 are compiled from previous consultant reports.

**Bold** indicates value equals or exceeds the NR 140 enforcement standard

*Italics* indicates value equals or exceeds the NR 140 preventive action limit

ES: Enforcement standard

PAL: Preventive action limit

NS: Not sampled

**Historical Groundwater Laboratory VOC Analytical Results**  
**Redi-Quick Cleaners**  
**West Allis, Wisconsin**

Monitoring Well	Date	Benzene	Ethylbenzene	Toluene	Xylene	Tetrachloroethene	Trichloroethene	Cis-1,2-Dichloroethene	Trans-1,2-Dichloroethene	Vinyl Chloride	1,1-Dichloroethene	1,2-Dichloroethane
MW-10	9/14/00	<0.50	<5.0	<5.0	<5.0	<b>24,700</b>	<b>4,670</b>	<b>2,630</b>	28.5	<b>9.13</b>	<i>2.11</i>	<0.500
	3/10/04	<200	<270	<340	<1,320	<b>45,000</b> ✓	<b>810</b>	<420	<440	<90	<280	<180
MW-11	9/14/00	<0.50	<5.0	<5.0	<5.0	<b>5.90</b>	<0.500	<5.00	<5.00	<0.170	<0.500	<0.500
	3/10/04	<0.41	<0.54	<0.67	<2.63	<0.45	<0.48	<0.83	<0.89	<0.18	<0.57	<0.56
MW-12	9/14/00	<0.50	<5.0	<5.0	<5.0	<b>708</b>	<b>17</b>	<i>12</i>	<5.00	<0.170	<0.500	<0.500
	3/10/04	<0.41	<0.54	<0.67	<2.63	4.1 ✓	<0.48	<0.83	<0.89	<0.18	<0.57	<0.56
MW-13	9/14/00	<0.50	<5.0	<5.0	<5.0	<0.500	<0.500	<5.00	<5.00	<0.170	<0.500	<0.500
	3/10/04	<0.41	<0.54	<0.67	<2.63	<0.45	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
PZ-10	9/14/00	<5.0	<50	<50	<50	<0.500	<0.500	<5.00	<5.00	<0.170	<0.500	<0.500
	3/10/04	<0.41	<0.54	<0.67	<2.63	<b>7.4</b> ✓	<0.48	<0.83	<0.89	<0.18	<0.57	<0.56
MW-21	11/24/03	<0.41	<0.54	<0.67	<2.63	<0.45	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
	3/10/04	<0.41	<0.54	<0.67	<2.63	<0.45	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
PZ-20	11/24/03	<0.41	<0.54	<0.67	<2.63	3.0	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
	3/10/04	<0.41	<0.54	<0.67	<2.63	2.0 ✓	<0.48	<0.83	<0.89	<0.18	<0.57	<0.36
NR 140 PAL		0.5	140	200	1,000	0.5	0.5	7	20	0.02	0.7	0.5
NR 140 ES		5.0	700	1,000	10,000	5	5	70	100	0.2	7	5

(Continued)

Notes: Results in parts per billion (ppb)

All monitoring wells were sampled on 9/14/00 by Shaw. Analytical data for sampling events prior to 9/24/00 are compiled from previous consultant reports.

**Bold** indicates value equals or exceeds the NR 140 enforcement standard

*Italics* indicates value equals or exceeds the NR 140 preventive action limit

ES: Enforcement standard

PAL: Preventive action limit

NS: Not sampled

**LEGEND**



- - - - - APPROXIMATE PROPERTY BOUNDARY
- ☐ UNDERGROUND STORAGE TANK (UST)
- ⊕ MONITORING WELL
- ⊕ TEST BORING, DRILLED 5/19/99 BY JJS & ASSOCIATES
- ⊕ PIEZOMETER
- ▲ RECOVERY SUMP
- GEOPROBE BORING
- W— WATER LINE
- S— SEWER LINE

**TANK LEGEND**

- A 1,000-GALLON DRY CLEANER SOLVENT UST (NO LONGER IN USE)



ENGINEER	DATE
ENGINEER	DATE
REVISIONS:	
APPROVED BY:	
CHECKED BY:	
KFK	01/05/04
DRAWN BY:	
DRAWING NO.	000076.101



**ENVIROGEN**  
 COST EFFECTIVE LEADERSHIP FOR A CLEANER ENVIRONMENT

2835 North Grandview Blvd.  
 Pewaukee, Wisconsin 53072-0090

SOIL BORING AND MONITORING WELL LOCATIONS REDI-QUICK DRY CLEANERS SITE WEST ALLIS, WISCONSIN	FIGURE NO. 1
---	-----------------

**APPENDIX A**

**Laboratory Analytical Reports**



RECEIVED MAR 24 2004

Corporate Office & Laboratory  
1241 Bellevue Street, Suite 9, Green Bay, WI 54302  
920-469-2436, Fax: 920-469-8827  
www.enchem.com

**Analytical Report Number: 844440**

Client: SHAW E & I - PEWAUKEE


Lab Contact: Laurie Woelfel

Project Name: REDI-QUICK CLEANERS

Project Number: 100801

Lab Sample Number	Field ID	Matrix	Collection Date
844440-001	MW-13	WATER	03/10/04
844440-002	MW-12	WATER	03/10/04
844440-003	PZ-20	WATER	03/10/04
844440-004	MW-21	WATER	03/10/04
844440-005	MW-11	WATER	03/10/04
844440-006	MW-10	WATER	03/10/04
844440-007	PZ-10	WATER	03/10/04
844440-008	MW-8	WATER	03/11/04
844440-009	MW-80	WATER	03/11/04
844440-010	MW-2	WATER	03/11/04
844440-011	MW-4	WATER	03/11/04
844440-012	DECON	WATER	03/10/04
844440-013	TRIP BLANK	WATER	03/10/04

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. Reported results shall not be reproduced, except in full, without the written approval of the lab. The sample results relate only to the analytes of interest tested.

  
Approval Signature

3/23/04  
Date

(Please Print Legibly)

Company Name: Stevens

Branch or Location: Franklin

Project Contact: Patt Brewer

Telephone: 503 579 2898

Project Number: 00801

Project Name: Acid Mine Drainage

Project State: WI

Sampled By (Print): John Stevens

PO #: 010204

# EN CHEM INC.

1241 Bellevue St., Suite 9  
Green Bay, WI 54302  
920-469-2436  
FAX 920-469-8827

## CHAIN OF CUSTODY

A=None B=HCL C=H2SO4 D=HNO3 E=EnCore F=Methanol G=NaOH  
 H = Sodium Bisulfate Solution I = Sodium Thiosulfate J = Other  
 FILTERED? (YES/NO)  
 PRESERVATION (CODE)\*

Page 1 of 1

Quote #: \_\_\_\_\_

Mail Report To: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Invoice To: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Mail Invoice To: \_\_\_\_\_

**Data Package Options** - (please circle if requested)

Sample Results Only (no QC)  
 EPA Level II (Subject to Surcharge)  
 EPA Level III (Subject to Surcharge)  
 EPA Level IV (Subject to Surcharge)

**Regulatory Program**

UST  
 RCRA  
 SDWA  
 NPDES  
 CERCLA

**Matrix Codes**

W=Water  
 S=Soil  
 A=Air  
 C=Charcoal  
 B=Biota  
 Sl=Sludge

LABORATORY ID (Lab Use Only)	FIELD ID	COLLECTION			MATRIX	ANALYSES REQUESTED										TOTAL # OF BOTTLES SENT	CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)			
		DATE	TIME			UAC															
001	11/13	3:40	4:30	W	✓															3-40ml B	
002	11/12	3:40	4:30	W	✓																
003	PC 20	3:40	4:30	W	✓																
004	11/21	3:40	4:30	W	✓																
005	11/11	3:40	3:50	W	✓																
006	11/10	3:40	12:33	W	✗																
007	PZ 10	3:40	4:30	W	✗																
008	11/8	3:40	7:20	W	✗																
009	11/80	3:40	7:31	W	✓																
010	11/2	3:40	12:31	W	✗																
011	11/4	3:40	3:50	W	✓																
012	Jecoa	3:40	3:50	W	✓																
013	11/2 B...	3:40	7:00	W	✗																

**Rush Turnaround Time Requested (TAT) - Prelim**  
(Rush TAT subject to approval/surcharge)

Date Needed: \_\_\_\_\_

Transmit Prelim Rush Results by (circle):  
 Phone  Fax  E-Mail

Phone #: \_\_\_\_\_  
 Fax #: \_\_\_\_\_  
 E-Mail Address: \_\_\_\_\_

**Samples on HOLD are subject to special pricing and release of liability**

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

En Chem Project No. 844440

Sample Receipt Temp. ROT

Sample Receipt pH (Wat/Metals) NA

Cooler Custody Seal

Present / Not Present

Intact / Not Intact

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-13Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-001

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B



## Analytical Report Number: 844440

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-13Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-001

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	104				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	104				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	100				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

## Analytical Report Number: 844440

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-12Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-002

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B

En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-12

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-002

VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	4.1	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	102				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	103				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	103				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

## Analytical Report Number: 844440

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : PZ-20Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-003

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	0.30	0.24	0.80		1	ug/L	Q	03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : PZ-20

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-003

**VOLATILES**

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	2.0	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	102				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	105				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	100				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

## Analytical Report Number: 844440

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-21Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-004

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	0.28	0.24	0.80		1	ug/L	Q	03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B

En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-21

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-004

**VOLATILES**

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	106				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	106				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	102				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-11Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-005

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B



En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-11

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-005

VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	103				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	105				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	107				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

Client : SHAW E &amp; I - PEWAUKEE

Matrix Type : WATER

Project Name : REDI-QUICK CLEANERS

Collection Date : 03/10/04

Project Number : 100801

Report Date : 03/22/04

Field ID : MW-10

Lab Sample Number : 844440-006

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 460	460	1500		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 450	450	1500		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 100	100	330		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 210	210	700		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 380	380	1200		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 280	280	950		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 380	380	1200		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 370	370	1200		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 500	500	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 440	440	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 280	280	930		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 420	420	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 180	180	600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 230	230	770		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 420	420	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 440	440	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 300	300	1000		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 310	310	1000		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 420	420	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 370	370	1200		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 200	200	680		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 410	410	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 280	280	930		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 470	470	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 460	460	1500		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 240	240	820		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 200	200	680		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 400	400	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 180	180	620		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 120	120	400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 420	420	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 95	95	320		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 300	300	1000		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 500	500	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 380	380	1300		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 270	270	900		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrchloromethane	< 400	400	1300		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 340	340	1100		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 300	300	980		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 220	220	720		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 300	300	1000		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 370	370	1200		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 460	460	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 400	400	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
 Project Name : REDI-QUICK CLEANERS  
 Project Number : 100801  
 Field ID : MW-10

Matrix Type : WATER  
 Collection Date : 03/10/04  
 Report Date : 03/22/04  
 Lab Sample Number : 844440-006

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 340	340	1100		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 440	440	1500		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 430	430	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 480	480	1600		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	45000	220	750		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 340	340	1100		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 440	440	1500		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 95	95	320		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	810	240	800		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 90	90	300		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 420	420	1400		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 900	900	3000		500	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	106				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	106				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	108				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : PZ-10Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-007

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : PZ-10

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-007

**VOLATILES**

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	7.4	0.45	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	106				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	107				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	101				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-8Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-008

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-8

Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-008

**VOLATILES**

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	102				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	103				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	102				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-80Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-009

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B



Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-80

Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-009

**VOLATILES**

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	106				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	104				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	104				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-2Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-010

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	9.2	0.36	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	40	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	1.2	0.76	2.5		1	ug/L	Q	03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B

En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-2

Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-010

VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	1.2	0.89	3.0		1	ug/L	Q	03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	1.8	0.48	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	5.2	0.18	0.60		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	105				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	104				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	103				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-4Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-011

## VOLATILES

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/19/04	SW846 5030B	SW846 8260B

En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : MW-4

Matrix Type : WATER  
Collection Date : 03/11/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-011

**VOLATILES**

Prep Date: 03/19/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Tetrachloroethene	3.8	0.45	1.5		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Trichloroethene	0.58	0.48	1.6		1	ug/L	Q	03/19/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/19/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	102				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Toluene-d8	103				1	%Recov		03/19/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	108				1	%Recov		03/19/04	SW846 5030B	SW846 8260B

Client : SHAW E &amp; I - PEWAUKEE

Matrix Type : WATER

Project Name : REDI-QUICK CLEANERS

Collection Date : 03/10/04

Project Number : 100801

Report Date : 03/22/04

Field ID : DECON

Lab Sample Number : 844440-012

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : DECON

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-012

**VOLATILES**

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	100				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	104				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	102				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

## Analytical Report Number: 844440

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : TRIP BLANKMatrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-013

## VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 0.92	0.92	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 0.90	0.90	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.20	0.20	0.67		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 0.42	0.42	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 0.57	0.57	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 0.75	0.75	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 0.36	0.36	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 0.46	0.46	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 0.87	0.87	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 0.95	0.95	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 0.62	0.62	2.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 0.85	0.85	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Benzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromobenzene	< 0.82	0.82	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromochloromethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromodichloromethane	< 0.56	0.56	1.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromoform	< 0.94	0.94	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Bromomethane	< 0.91	0.91	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 0.49	0.49	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorobenzene	< 0.41	0.41	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroethane	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloroform	< 0.37	0.37	1.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Chloromethane	< 0.24	0.24	0.80		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dibromomethane	< 0.60	0.60	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 0.99	0.99	3.3		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 0.76	0.76	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Ethylbenzene	< 0.54	0.54	1.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 0.79	0.79	2.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Isopropylbenzene	< 0.59	0.59	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methylene Chloride	< 0.43	0.43	1.4		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 0.61	0.61	2.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Naphthalene	< 0.74	0.74	2.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Butylbenzene	< 0.93	0.93	3.1		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
n-Propylbenzene	< 0.81	0.81	2.7		1	ug/L		03/18/04	SW846 5030B	SW846 8260B



En Chem Inc.

Analytical Report Number: 844440

1241 Bellevue Street  
Green Bay, WI 54302  
920-469-2436

Client : SHAW E & I - PEWAUKEE  
Project Name : REDI-QUICK CLEANERS  
Project Number : 100801  
Field ID : TRIP BLANK

Matrix Type : WATER  
Collection Date : 03/10/04  
Report Date : 03/22/04  
Lab Sample Number : 844440-013

VOLATILES

Prep Date: 03/18/04

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
p-Isopropyltoluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
sec-Butylbenzene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Styrene	< 0.86	0.86	2.9		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
tert-Butylbenzene	< 0.97	0.97	3.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Tetrachloroethene	< 0.45	0.45	1.5		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Toluene	< 0.67	0.67	2.2		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 0.89	0.89	3.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 0.19	0.19	0.63		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Trichloroethene	< 0.48	0.48	1.6		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Vinyl Chloride	< 0.18	0.18	0.60		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylene, o	< 0.83	0.83	2.8		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
Xylenes, m + p	< 1.8	1.8	6.0		1	ug/L		03/18/04	SW846 5030B	SW846 8260B
4-Bromofluorobenzene	104				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Toluene-d8	105				1	%Recov		03/18/04	SW846 5030B	SW846 8260B
Dibromofluoromethane	102				1	%Recov		03/18/04	SW846 5030B	SW846 8260B

## Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by Inductively Coupled Plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
J	Organic	Concentration detected is greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
&	All	Laboratory Control Spike recovery not within control limits.
*	All	Precision not within control limits.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.

Test Group Name	844440-001	844440-002	844440-003	844440-004	844440-005	844440-006	844440-007	844440-008	844440-009	844440-010	844440-011	844440-012	844440-013
VOLATILES	G	G	G	G	G	G	G	G	G	G	G	G	G

Wisconsin Certification	
G = En Chem Green Bay	405132750 / DATCP: 105 000444
K = En Chem Kimberly	445134030
S = En Chem Superior	Not Applicable
C = Subcontracted Analysis	

## En Chem, Inc. Cooler Receipt Log

Batch No. 844440

Project Name or ID 100801 No. of Coolers: 1 Temps: ROT

A. Receipt Phase: Date cooler was opened: 3/16/04 By: GP

- 1: Were samples received on ice? (Must be  $\leq 6\text{ C}$ ).....YES NO<sup>2</sup> NA
- 2: Was there a Temperature Blank?.....YES NO
- 3: Were custody seals present and intact? (Record on COC).....YES NO
- 4: Are COC documents present?.....YES NO<sup>2</sup>
- 5: Does this Project require quick turn around analysis?.....YES NO
- 6: Is there any sub-work?.....YES NO
- 7: Are there any short hold time tests?.....YES NO
- 8: Are any samples nearing expiration of hold-time? (Within 2 days).....YES<sup>1</sup> NO Contacted by/Who \_\_\_\_\_
- 9: Do any samples need to be Filtered or Preserved in the lab?.....YES<sup>1</sup> NO Contacted by/Who \_\_\_\_\_

B. Check-in Phase: Date samples were Checked-in: 3-16-04 By: GP

- 1: Were all sample containers listed on the COC received and intact?.....YES NO<sup>2</sup> NA
- 2: Sign the COC as received by En Chem. Completed.....YES NO
- 3: Do sample labels match the COC? .....YES NO<sup>2</sup>
- 4: Completed pH check on preserved samples.....YES NO NA  
*(This statement does not apply to water: VOC, O&G, TOC, DRO, Total Rec. Phenolics)*
- 5: Do samples have correct chemical preservation?.....YES NO<sup>2</sup> NA  
*(This statement does not apply to water: VOC, O&G, TOC, DRO, Total Rec. Phenolics)*
- 6: Are dissolved parameters field filtered?.....YES NO<sup>2</sup> NA
- 7: Are sample volumes adequate for tests requested? .....YES NO<sup>2</sup>
- 8: Are VOC samples free of bubbles >6mm .....YES NO<sup>2</sup> NA
- 9: Enter samples into logbook. Completed.....YES NO
- 10: Place laboratory sample number on all containers and COC. Completed.....YES NO
- 11: Complete Laboratory Tracking Sheet (LTS). Completed.....YES NO NA
- 12: Start Nonconformance form. ....YES NO NA
- 13: Initiate Subcontracting procedure. Completed.....YES NO NA
- 14: Check laboratory sample number on all containers and COC. ....KR ...YES NO NA

**Short Hold-time tests:**

24 Hours or less	48 Hours	.7 days	<b>Footnotes</b> 1 Notify proper lab group immediately. 2 Complete nonconformance memo.
Coliform	BOD	Ash	
Corrosivity	Color	Aqueous Extractable Organics- ALL	
Dissolved Oxygen	Nitrite or Nitrate	Flashpoint	
Hexavalent Chromium	Ortho Phosphorus	Free Liquids	
HPC	Surfactants	Sulfide	
Ferrous Iron	Turbidity	TDS	
Eh	En Core Preservation	TSS	
Odor	Power stop preservation	Total Solids	
Residual Chlorine		TVS	
Sulfite		TVSS	
		Unpreserved VOC's	

Rev. 1/23/04, Attachment to 1-REC-5.  
Subject to QA Audit.

Reviewed by/date W<sup>3</sup> 1/17/14