

ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F02107 MW-1 WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	1	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 - REPRINT
FAX # 414-764-0486

N/T - NOT TESTED

N/A - NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4589 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 P01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F02469 MW-3 WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	1	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

FAX # 414-764-0486


N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL

(800) 392-5900 DT332

WI DNR LAB CERTIFICATION #241283020



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F02491 MW-2 WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	400	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.
 ! = REPRINT N/T = NOT TESTED N/A = NOT APPLICABLE APPROVAL _____
 FAX #414-764-0486 WI DNR LAB CERTIFICATION #241283020 (800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F02493 W16A WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	1	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

! = REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 392-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F03968 PZ-4-A
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	8	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 = REPRINT
FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL _____

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F03778 W23 WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	35	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 = REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL _____

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F03779 RIVER OUTFALL 001
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	2000	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

REPRINT
FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL _____

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53164-4589 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F02469 WASTEWATER/ PZ-8
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	NO DETECTABLE ODOR	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

! = REPRINT
FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE
WI DNR LAB CERTIFICATION #241283020

APPROVAL _____
(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F02491 WASTEWATER/ W-29
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	4000	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

REPRINT
FAX # 414-764-0486

N/T = NOT TESTED N/A = NOT APPLICABLE
WI DNR LAB CERTIFICATION #241283020

APPROVAL _____
(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F02470 WASTEWATER/ PZ-18A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	NO DETECTABLE ODOR	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

! = REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION

140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F02493 WASTEWATER/ PZ-7A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	NO DETECTABLE ODOR	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03778 WASTEWATER/ W-22
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	4.0	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

! = REPRINT
FAX #414-764-0486

N/T = NOT TESTED N/A = NOT APPLICABLE
WI DNR LAB CERTIFICATION #241283020

APPROVAL _____
(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03779 WASTEWATER/ 21-A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	40000	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 = REPRINT
FAX #414-764-0486.

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION

140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03968 WASTEWATER/ W-24A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	4.0	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 = REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/15/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03969 WASTEWATER/ 28
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	16000	
	AMENDED REPORT DUE TO TRANSPOSITION ERROR	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. UNACCREDITED.
 REPRINT N/T = NOT TESTED N/A = NOT APPLICABLE APPROVAL *[Signature]*
 FAX #414-764-0486 WI DNR LAB CERTIFICATION #241283020 (800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION

140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03970 WASTEWATER/ PZ-19A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	1.0	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-048
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

REPRINT
FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION

140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03971 WASTEWATER/ W-3B
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME RESULT UNITS

THRESHOLD ODOR NUMBER
NO DETECTABLE ODOR

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

REPRINT
FAX #414-764-0486

N/T = NOT TESTED N/A = NOT APPLICABLE
WI DNR LAB CERTIFICATION #241283020

APPROVAL _____

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03972 WASTEWATER/ W-39
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	17	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

I = REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

WI DNR LAB CERTIFICATION #241283020

APPROVAL _____

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03973 WASTEWATER/ W-40
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	70	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

REPRINT
FAX #414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87342-F03974 WASTEWATER/ W-3A
DATE COLLECTED 12/08/87 DATE RECEIVED 12/08/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	1.0	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.
 I. A. REPRINT N/T = NOT TESTED N/A = NOT APPLICABLE APPROVAL
 FAX #414-764-0486 WI DNR LAB CERTIFICATION #241283020 (800) 592-5900 DT332



ENVIRONMENTAL SERVICES

CHEM-BIO CORPORATION
140 EAST RYAN ROAD OAK CREEK, WI 53154-4599 (414) 764-7005

01/12/88

LABORATORY REPORT

PAGE 1

F054 8419475 F01

FREEMAN CHEMICAL
P.O. BOX 996
PORT WASHINGTON ,WI 53074
ATTN: RON HORN

SAMPLE 87344-F02470 MW-4 WATER
DATE COLLECTED 12/10/87 DATE RECEIVED 12/10/87

TEST NAME	RESULT	UNITS
THRESHOLD ODOR NUMBER	NO DETECTABLE ODOR	

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT OUR CLIENT SERVICE DEPARTMENT. FAX # 414-764-0486
ANY REMAINING WASTE SAMPLES WILL BE RETURNED TO THE ADDRESS LISTED ABOVE 8 WEEKS FROM THE
RECEIVING DATE OF THIS REPORT. WI DNR LAB CERTIFICATION #241283020/A.I.H.A. ACCREDITED.

1 = REPRINT
FAX # 414-764-0486

N/T = NOT TESTED

N/A = NOT APPLICABLE

APPROVAL _____

WI DNR LAB CERTIFICATION #241283020

(800) 592-5900 DT332