



Headquarters
P.O. Box 419389
Kansas City, MO 64141-8389
(816) 391-6000
FAX (816) 391-6116

February 15, 1994

Ms. Jill Fermanich
Division of Solid and Hazardous Waste
Wisconsin Department of Natural Resources
GEF II
101 S. Webster Street
Madison, WI 53705

RECEIVED
FEB 18 1994
BUREAU OF SOLID
HAZARDOUS WASTE MANAGEMENT

RE: Cook Composites and Polymers (CCP), Saukville, Wisconsin RCRA Corrective Action

Dear Jill:

As you know, CCP has been implementing corrective measures with regard to aromatic hydrocarbon compounds in groundwater at its facility in Saukville, Wisconsin, since 1987. Up to this point, CCP's on-site investigation and remediation have been performed under the auspices of the United States Environmental Protection Agency (USEPA). In the past, planning documents have been submitted to the USEPA and the Wisconsin Department of Natural Resources (WDNR) attempting to conform to the USEPA format requirements. A RCRA Facility Investigation (RFI) Workplan was submitted by CCP to the USEPA and WDNR in February, 1993, in accordance with the formatting requirements of USEPA.

Because the lead agency for the Saukville site is now the WDNR, the format requirements of the USEPA for the RFI Workplan no longer apply. Per the discussion held during the December 21, 1993 meeting among WDNR, CCP, and RMT in Madison, RMT has prepared the attached tabular crosswalk that links elements of the RCRA Facility Investigation Workplan to the format contained in the WDNR Hazardous Waste Facility Investigation Task I guidance document dated May 10, 1993. The tabular crosswalk was prepared to satisfy the data needs of the WDNR without having to prepare an entirely separate submittal for the WDNR.

The tabular crosswalk is structured by outline citation and topic, in parallel with WDNR's Task I guidance document. The crosswalk has four columns. The first two columns contain information on the outline citation and topic. The third column includes specific references to documents submitted to USEPA and WDNR, both by CCP and Freeman Chemical, that address the specific topic in the outline. If necessary, comments are included in the fourth column, expanding on the information in the references cited. Please review the attached crosswalk and contact me at (816) 391-6025 or Jim Rickun of RMT at (608) 831-4444 if you have any questions.

Sincerely,
Cook Composites and Polymers Co.
Craig R. Bostwick
Craig Bostwick
Corporate Manager Environmental & Safety

Enclosure