

*Current deadline for HW incinerator license*

*reaction water with steam under new bay cooperative Agreement*

**Lee, Scott G**

*Haz Waste Incinerator Permit Expires June 1st*  
*EPA closure of incinerator*

*Allegations  
Kashner  
mfg  
acid fluid  
addition  
to  
spill water  
from  
plyer  
→ disposal → becomes residual  
spills in  
water  
residual  
water is  
incinerated*

**From:** Persson, Lynn A  
**Sent:** Tuesday, February 08, 2000 5:45 PM  
**To:** 'Gromacki, Mike'; Baumann, William B; Brady, Pat J; Dillahun, Ron E; Ellefson, Bryan M; Ellenbecker, Michael J; Feeney, John M; Fritz, Roger A; Gottlieb, Judith E; Hantz, Dave J; Kessler, Kevin K; Lee, Scott G; Miller, Sandy J; Schuler, Charles T; Schultz, Frank C; Sridharan, Lakshmi; Wiese, Lynda M; Yantawood, William K  
**Cc:** Bangert, Suzanne A  
**Subject:** RE: Cook Composites February 9 th Agenda

**Alt Chem treatment**

You should be receiving an email from Mike Gromacki with a summary of their proposal for tomorrow's conference call. I also understand from Frank Schultz that the training session is at a different location than Havenswood. Scott Lee has room 211 reserved for the meeting/conference call in SER. Lynn

*Cook's questions*  
*How to handle non-hazardous solvent*  
*zero discharge option*  
*evaporate non-hazard water with incinerator*

**From:** Persson, Lynn A  
**Sent:** Monday, February 07, 2000 3:18 PM  
**To:** 'Gromacki, Mike'; Baumann, William; Brady, Pat; Dillahun, Ron; Ellefson, Bryan; Ellenbecker, Michael; Feeney, John; Fritz, Roger; Gottlieb, Judith; Hantz, Dave; Kessler, Kevin; Lee, Scott; Miller, Sandy; Persson, Lynn; Schuler, Charles; Schultz, Frank; Sridharan, Lakshmi; Wiese, Lynda; Yantawood, William  
**Cc:** Bangert, Suzanne A  
**Subject:** Cook Composites February 9 th Agenda

**Thanks for your patience and flexibility in scheduling this meeting!!!** After much effort I found that I could not get everyone together at one time. Based on who was available when, I propose that we have two meetings one in the morning, (8 to 9 am) focusing on the technical and policy issues of the HW TSD re-licensing process; and the second in the afternoon (3 to 4 PM) focusing on the multimedia issues relating to CCP's project; process and responsibilities for coordination of the project and strategy for meeting with EPA February 17th. I am hoping that staff and supervisors that have regulatory responsibility for Cook can participate in at least one of the calls so they can hear the briefing by Mike Gromacki from Cook Composites on what the company is proposing. If anyone wishes they are welcome to attend either or both of the meetings. If I missed anyone that should be included in the meeting please forward them this information.

If you want to review Cooks Draft Cooperative Agreement it is available on the web:  
<http://www.dnr.state.wi.us/org/caer/cea/ecpp/agreements/cook.htm>

**To participate at either meeting via conference call**

- call (608) 265-1000 (WISLINE)  
When asked give our call-in number followed by the pound sign: **0618 #**

**Locations for meetings and participating by conference call have been set up at:**

- DNR SE Region Headquarters Room 211 (local contact: Scott Lee)
- DNR SE Region - Havenswood (local contact : Frank Schultz)
- DNR Madison - Room 817 (local contact: Lynda Wiese)

If you will be calling in separately please let Lynn Persson know (608/267-3763) so we can make sure we have enough lines

**Final Draft Agenda - February 9, 2000**  
**Cook Composites Proposed Cooperative Environmental Agreement**  
**Briefing, Issues and Next Steps Identification**

**8-9 AM Morning Meeting: Focus: Hazardous Waste Cook Composites TSD Re-licensing**

1. Briefing on TSD Project Status & Regulatory Questions: Mike Gromacki/CCP
2. Briefing on Status
  - Cooperative Agreement
  - TSD Re-licensing

*\* Send copy of my 2/11/99 letter to Lynn*

*Mike Gromacki wants me to talk to old PM's re investigation → mark Guder*

*Need corrective action permit as component of operating permit*

3. Identify Alternative Approaches for Handing TSD Re-licensing during interim period (legal approach & roles & responsibilities)
4. Preliminary Strategy for EPA meeting Feb 17<sup>th</sup>
5. Preliminary identification of multimedia questions for discussion at PM meeting
6. Recommended Next steps

(Participants: Pat Brady, Mike Ellenbecker\*, Frank Schultz, Kevin Kessler\*, Mike Gromacki, Scott Lee, Lynn Persson, Lynda Wiese and anyone else that would like to participate) \*not available for pm meeting

**3-4 pm Multimedia Briefing and Identification of Air Water & Remediation Issues Related to Cook Composites TSD and CEA Cooperative Agreement**

1. Briefing on TSD Project Status & Regulatory Questions: Mike Gromacki CCP
2. Briefing on Status
  - Cooperative Agreement
  - TSD Re-licensing
3. Identify Mulimedia issues and questions different approaches
  - Option A Keep Incinerator
  - Option B.1 Eliminate HW Stream & discharge water to POTWS
  - Option B.2 Eliminate HW Stream & use zero discharge system (i.e. evaporation)
  - Option \_\_\_\_\_ ?
4. Strategy for EPA Meeting February 17th
5. Recommended Next steps
  - (Set up ad-hoc input & review team or ????)

(Participants: All staff and supervisors that have a environmental regulatory responsibility for Cook Composites, including, but not limited to:

CCP:	Mike Gromackii
Watershed	Judy Gottlieb, Brian Ellefson; David Hantz; Chuck Schueler
Air	Ron Dillahunt; Bill Yantawood; Bill Baumann; (Roger Fritz/SL)
R&R	John Feeny
Waste	Pat Brady, Frank Schultz,
CEA	Lynn Persson, Scott Lee, Lynda Wiese

**To participate at either meeting via conference call**

- call (608) 265-1000 (WISLINE)
  - When asked give our call-in number followed by the pound sign: 0618 #
- **Locations for meetings and participating by conference call have been set up at:**
  - DNR SE Region Headquarters Room 211 (local contact: Scott Lee)
  - DNR SE Region - Havenswood (local contact : Frank Schultz)
  - DNR Madison - Room 817 (local contact: Lynda Wiese)
  - If you will be calling in separately please let Lynn Persson know (608/267-3763) so we can make sure we have enough lines