

→ *SCR Casefile Plymouth - (C. Lilek)*




State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Gloria L. McCutcheon, Regional Director

Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
PO Box 12436
Milwaukee, Wisconsin 53212-0436
Telephone 414-263-8500
FAX 414-263-8606
TTY 414-263-8713

Brady - WATE



June 28, 2002

(Corrected Date)

DNR PLYMOUTH WI

File Ref: FID #'s: 246004330

HW/LIC

Mr. Michael Gromacki, Director - Quality/Safety/Environment
Cook Composites and Polymers
PO Box 419389
Kansas City, MO 64141-6389

SUBJECT: Closure Documentation Approval
Closure of the Cook Composites and Polymers' Licensed Hazardous Waste Incinerator and Storage Tank Located at 340 Railroad Street, Saukville, WI
EPA ID# -WID980615439, Treatment Lic. No. 03203, Storage Lic. No. 03202

Dear Mr. Gromacki:

The Wisconsin Department of Natural Resource (WDNR) Southeast Region has received and reviewed your notification of the intent to close the Cook Composites and Polymers (CCP) licensed hazardous waste units and the subsequent closure documentation report.

Enclosed with a March 12, 2002, letter from CCP, were two reports, one was entitled "RCRA Closure Observation and Certification, Cleaning of Hazardous Waste Tanks WT-5 and WT-6, ... Hazardous Waste Incinerator" and was dated November 28, 2001. The other report was entitled "RCRA Closure Observation and Certification, Cleaning of Hazardous Waste Tanks WT-1, WT-2, WT-3 and WT-4, ... Hazardous Waste Incinerator" and was dated March 4, 2002. Attached to a May 28, 2002, letter from CCP regarding "RCRA Closure Certification - Additional Information" was a letter was a May 16, 2002, letter. The two reports and the attached letter were prepared by Robert A. Cigale, P.G., CHMM, Senior Geologist, and Mark K. Penzkover, P.E. (Wisconsin P.E. - E-34455), Senior Engineer, of URS Corporation, Milwaukee County Research Park, 10200 Innovation Drive, Suite 500, Milwaukee, WI 53226, consultants for CCP.

In the October 1, 2001, Cooperative Agreement between CCP and WDNR, CCP committed to closing the licensed hazardous waste storage and treatment units. Mike Ellenbecker and Pat Brady performed a closure and generator inspection on June 11, 2002.

Based on the inspection and review of the closure documents, WDNR finds that the CCP treatment and storage facility were closed in accordance with the approved closure plan, the applicable plan approvals and all applicable license conditions. This letter and approval confirms that WDNR now considers the CCP Saukville treatment and storage facility closed. Your current hazardous waste treatment and storage licenses are now expired as of June 28, 2002.

Please note that after the expiration of your treatment and storage licenses, CCP will be considered a large quantity generator. If not already done, CCP should send a "Notification of Hazardous Waste Activity Form" (USEPA form 8700-12) to Denise Reape, DRE-9J, USEPA Region 5, 77 West



Jackson Blvd., Chicago, IL 60604-3507. Please also send a copy of the completed forms to Chris Lilek at the Southeast Region Plymouth Service Center, 1155 Pilgrim Road, Plymouth, WI 53073 and Dave Kollasch at the Bureau of Waste Management, WA/3, P.O. Box 7921, Madison, WI 53707-7921.

On August 22, 1994, WDNR issued to CCP a plan modification approval to impose state equivalent corrective action at CCP. On April 21, 1995, WDNR issued to CCP a conditional approval of a regulatory design report and sampling plan for a soil remediation system. On January 10, 1995, WDNR issued to CCP a minor modification of the plan of operation for continuing corrective measures for the RCRA facility workplan. These approvals along with subsequent approvals addressing corrective action, were formally incorporated into the October 1, 2001, cooperative agreement between CCP and WDNR. With the closure of the licensed units at CCP, these approvals remain enforceable under the cooperative agreement

To initiate the release of your proof of financial responsibility for closure, a written request must be submitted to Colleen Hellenbrand at the Bureau of Waste Management, WA/3, P.O. Box 7921, Madison, WI 53707-7921.

NOTICE OF APPEAL RIGHTS

If you believe you have a right to challenge this decision, you should know that Wisconsin Statutes and administrative rules establish time periods within which requests to review Department decisions must be filed.

For judicial review of a decision pursuant to ss. 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed or otherwise served by the Department to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review shall name the Department of Natural Resources as respondent.

If you have any questions regarding this letter please contact Patrick Brady at (414) 265-8594.

Sincerely,

For 

Franklin C. Schultz
Waste Management Team Supervisor
Southeast Region

cc: Chris Lilek - SER Plymouth Casefile
Dave Kollasch / Files - WA/3
Lynn Persson - Bureau CO/8
Tammy Moore, U.S. EPA Region V, DP-8J
Denise Reape - U.S. EPA Region V, DE-9J
Glenn Preisler - CCP