

Endpoint Solutions

6871 South Lover's Lane
Franklin, WI 53132
Telephone: (414) 427-1200
Fax: (414) 427-1259
www.endpointcorporation.com

Mr. John Feeney
Wisconsin Department of Natural Resources
1155 Pilgrim Parkway
Plymouth, WI 53073

March 20, 2020

Subject: Report of Results – Winter 2020 Groundwater Monitoring Event
Arkema Coating Resins
340 Railroad Street, Saukville, Wisconsin
WDNR FID: 246004330

Dear John:

Per the Wisconsin Department of Natural Resources (WDNR) approved Revised Groundwater Monitoring Plan, a groundwater sample was collected from the Village of Saukville Municipal Well No. 1 (MW-1) for volatile organic compound (VOC) analysis in January 2020. A duplicate sample and a trip blank sample were also analyzed.

SAMPLING NARRATIVE

On January 21, 2020, Mr. Tim Petrick of Endpoint Solutions Corp. (Endpoint) met Village of Saukville Water Utility staff at municipal well MW-1 to collect a groundwater sample from this location. Upon arriving, the sampling tap on the well head was opened and water was allowed to purge from the well to the floor drain for approximately five (5) minutes prior to collecting the sample. A parent sample (MW-1-20-1) and a blind duplicate sample (DUP1-20-1) were collected in six (6) 40 milliliter vials preserved with hydrochloric acid for VOC analysis using EPA Method SW846 8260B. The samples were labeled, packaged in a cooler on ice and prepared for shipping via courier to Synergy Environmental Lab, (Synergy) located in Appleton, Wisconsin (Certification # 445037560).

SAMPLE RESULTS

Results of the analysis indicated the sample (MW-1-20-1) and blind duplicate sample (DUP1-20-1) collected from MW-1 were analyzed without any dilution. No VOC constituents were detected above the limit of detection (LOD) in either of the field collected samples. In addition, the trip blank (TB1-20-1) sample supplied by Synergy was also free of any detectable VOC constituents. Analytical results are summarized on the attached **Table 1 – Municipal Well Results**. Copies of the analytical report and the chain-of-custody form are also attached.

OVERALL SUMMARY OF DATA USABILITY

The content of the data package, including raw data, sample custody records, and field and laboratory Quality Assurance/Quality Control (QA/QC) data were evaluated for consistency with EPA protocol. The data was also evaluated for compliance with the Data Quality Objectives provided in the project-specific Quality Assurance Plan.

The data package validation procedures were based on the criteria outlined in the “Functional Guidelines for Organic Data Review”, (USEPA, 1999) and the “Contract Laboratory Program National Functional Guidelines for Inorganic Data Review”, (USEPA, 2002).

The analytical data is usable for this site as qualified.

Endpoint collected one (1) field investigative and one (1) field duplicate water sample on January 21, 2020. The samples were identified as data set 5037404 with individual sample identifiers of A through C.

The samples were analyzed at Synergy.

SW846 Method 8260B (VOCs – Standard List):

MW-1-20-1 DUP1-20-1 TB1-20-1

GC/MS ANALYSIS FOR VOLATILE COMPOUNDS (8260)

Sample Receipt

All samples were received by the laboratory on ice.

Holding Times

All method holding times were met for sample preparation and sample analysis.

Calibration

All method acceptance criteria were met for initial and continuing verification calibration.

Field Duplicate Samples

One (1) Field Duplicate was submitted: DUP1-20-1. No VOCs were detected above LODs in either the parent (MW-1-20-1) or the duplicate (DUP1-20-1).

Surrogate Spikes

Each sample was spiked with known concentrations of four (4) surrogates. Surrogate recoveries were all within acceptable standards.

CLOSING

We trust the information contained in this letter clearly and concisely reports the results of the January 2020 groundwater monitoring event. The next groundwater monitoring event is scheduled for April 2020. If you have any questions regarding the results reported herein, please feel free to contact me directly at 414-858-1202.

Sincerely,

Endpoint Solutions



Robert A. Cigale, P.G.
Principal Consultant

cc: Keith Linton – Retia USA

Table 1

Municipal Water Supply Wells - VOC Results
Arkema Coating Resins
Saukville, Wisconsin

Sample ID	MW-1-20-1	DUP1-20-1	TB1-20-1
Collection Date	1/21/2020	1/21/2020	1/21/2020
Laboratory ID	5037404A	5037404B	5037404C
Duplicate Parent		(MW1-20-1)	
Monitoring Objective	Receptor		
Hydrogeologic Unit	Deep Dolomite		
Dilution	1	1	1
Parameter	PAL	ES	Units
Acetone	1,800	9,000	µg/L
Benzene	0.5	5	µg/L
Bromodichloromethane	0.06	0.6	µg/L
Bromoform	0.44	4.4	µg/L
Bromomethane	1	10	µg/L
Carbon disulfide	200	1,000	µg/L
Carbon tetrachloride	0.5	5	µg/L
Chlorobenzene	20	100	µg/L
Chloroethane	80	400	µg/L
Chloroform	0.6	6	µg/L
Dibromochloromethane	6	60	µg/L
1,4-Dichlorobenzene	15	75	µg/L
1,3-Dichlorobenzene	120	600	µg/L
1,2-Dichlorobenzene	60	600	µg/L
1,2-Dichloroethane	0.5	5	µg/L
1,1-Dichloroethane	85	850	µg/L
1,1-Dichloroethene	0.7	7	µg/L
cis-1,2-Dichloroethene	7	70	µg/L
trans-1,2-Dichloroethene	20	100	µg/L
1,2-Dichloropropane	0.5	5	µg/L
trans-1,3-Dichloropropene	0.04	0.4	µg/L
cis-1,3-Dichloropropene	0.04	0.4	µg/L
Ethylbenzene	140	700	µg/L
2-Hexanone	-	-	µg/L
Methyl ethyl ketone (MEK)	800	4,000	µg/L
4-Methyl-2-pentanone (MIBK)	50	500	µg/L
Methylene chloride	0.5	5	µg/L
Styrene	10	100	µg/L
1,1,2,2-Tetrachloroethane	0.02	0.2	µg/L
1,1,1,2-Tetrachloroethane	7	70	µg/L
Tetrachloroethene (PCE)	0.5	5	µg/L
Toluene	160	800	µg/L
1,1,1-Trichloroethane	40	200	µg/L
Trichloroethene (TCE)	0.5	5	µg/L
Vinyl Acetate	-	-	µg/L
Vinyl Chloride	0.02	0.2	µg/L
m&p-Xylene	400	2,000	µg/L
o-Xylene			µg/L
Total VOCs			µg/L
			0.0
			0.0
			0.0

Indicates concentration in exceedance of Wisconsin Administrative Code Chapter NR140 Preventive Action Limit (PAL)

Indicates concentration in exceedance of Wisconsin Administrative Code Chapter NR140 Enforcement Standard (ES)

-- Indicates PAL and ES do not exist

VOC - volatile organic compound

µg/L - micrograms per liter

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

TIM PETRICK
ENDPOINT SOLUTIONS
6871 SOUTH LOVER'S LANE
FRANKLIN, WI 53132

Report Date 18-Feb-20

Project Name ARKEMA
Project # 341-001-

Invoice # E37404

Lab Code 5037404A
Sample ID MW-1-20-1 201
Sample Matrix Water
Sample Date 1/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Acetone	< 5.01	ug/l	5.01	15.9	1	8260B		1/28/2020	CJR	1
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		1/28/2020	CJR	1
Bromochloromethane	< 0.93	ug/l	0.93	2.97	1	8260B		1/28/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		1/28/2020	CJR	1
Bromomethane	< 0.99	ug/l	0.99	3.15	1	8260B		1/28/2020	CJR	1
Carbon Disulfide	< 0.29	ug/l	0.29	0.92	1	8260B		1/28/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/28/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		1/28/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		1/28/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		1/28/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		1/28/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		1/28/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		1/28/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		1/28/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		1/28/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		1/28/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		1/28/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		1/28/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		1/28/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
2-Hexanone	< 1.44	ug/l	1.44	4.59	1	8260B		1/28/2020	CJR	1
Methyl ethyl ketone (MEK)	< 4.17	ug/l	4.17	13.3	1	8260B		1/28/2020	CJR	1

Project Name ARKEMA
Project # 341-001-

Invoice # E37404

Lab Code 5037404A
Sample ID MW-1-20-1
Sample Matrix Water
Sample Date 1/21/2020

201

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl isobutyl ketone (MIBK)	< 3.95	ug/l	3.95	12.6	1	8260B		1/28/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/28/2020	CJR	1
Styrene	< 0.26	ug/l	0.26	0.84	1	8260B		1/28/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		1/28/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		1/28/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		1/28/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		1/28/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		1/28/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		1/28/2020	CJR	1
Vinyl acetate	< 2.26	ug/l	2.26	7.19	1	8260B		1/28/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/28/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		1/28/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		1/28/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		1/28/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/28/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		1/28/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		1/28/2020	CJR	1

Project Name ARKEMA
Project # 341-001-

Invoice # E37404

Lab Code 5037404B
Sample ID DUP 1-20-1
Sample Matrix Water
Sample Date 1/21/2020

201

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Acetone	< 5.01	ug/l	5.01	15.9	1	8260B		1/28/2020	CJR	1
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		1/28/2020	CJR	1
Bromochloromethane	< 0.93	ug/l	0.93	2.97	1	8260B		1/28/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		1/28/2020	CJR	1
Bromomethane	< 0.99	ug/l	0.99	3.15	1	8260B		1/28/2020	CJR	1
Carbon Disulfide	< 0.29	ug/l	0.29	0.92	1	8260B		1/28/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/28/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		1/28/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		1/28/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		1/28/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		1/28/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		1/28/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		1/28/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		1/28/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		1/28/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		1/28/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		1/28/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		1/28/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		1/28/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
2-Hexanone	< 1.44	ug/l	1.44	4.59	1	8260B		1/28/2020	CJR	1
Methyl ethyl ketone (MEK)	< 4.17	ug/l	4.17	13.3	1	8260B		1/28/2020	CJR	1
Methyl isobutyl ketone (MIBK)	< 3.95	ug/l	3.95	12.6	1	8260B		1/28/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/28/2020	CJR	1
Styrene	< 0.26	ug/l	0.26	0.84	1	8260B		1/28/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		1/28/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		1/28/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		1/28/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		1/28/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		1/28/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		1/28/2020	CJR	1
Vinyl acetate	< 2.26	ug/l	2.26	7.19	1	8260B		1/28/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/28/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		1/28/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		1/28/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		1/28/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		1/28/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		1/28/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		1/28/2020	CJR	1

Project Name ARKEMA
Project # 341-001-

Invoice # E37404

Lab Code 5037404C
Sample ID TB1-20-1
Sample Matrix Water
Sample Date 1/21/2020

999

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Acetone	< 5.01	ug/l	5.01	15.9	1	8260B		1/28/2020	CJR	1
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		1/28/2020	CJR	1
Bromochloromethane	< 0.93	ug/l	0.93	2.97	1	8260B		1/28/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		1/28/2020	CJR	1
Bromomethane	< 0.99	ug/l	0.99	3.15	1	8260B		1/28/2020	CJR	1
Carbon Disulfide	< 0.29	ug/l	0.29	0.92	1	8260B		1/28/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		1/28/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		1/28/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		1/28/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		1/28/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		1/28/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		1/28/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		1/28/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		1/28/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		1/28/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		1/28/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		1/28/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		1/28/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		1/28/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		1/28/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		1/28/2020	CJR	1
2-Hexanone	< 1.44	ug/l	1.44	4.59	1	8260B		1/28/2020	CJR	1
Methyl ethyl ketone (MEK)	< 4.17	ug/l	4.17	13.3	1	8260B		1/28/2020	CJR	1
Methyl isobutyl ketone (MIBK)	< 3.95	ug/l	3.95	12.6	1	8260B		1/28/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		1/28/2020	CJR	1
Styrene	< 0.26	ug/l	0.26	0.84	1	8260B		1/28/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		1/28/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		1/28/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		1/28/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		1/28/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		1/28/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		1/28/2020	CJR	1
Vinyl acetate	< 2.26	ug/l	2.26	7.19	1	8260B		1/28/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		1/28/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		1/28/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		1/28/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		1/28/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		1/28/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		1/28/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		1/28/2020	CJR	1

Project Name ARKEMA
Project # 341-001-

Invoice # E37404

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

A handwritten signature in blue ink, appearing to read "Michael J. ...", is written over a horizontal line.

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

QUOTE # : _____

Project #: 341-001-

Sampler: (signature) Tim Petrich

Project (Name / Location): Arkema - Saukville, WI

Reports To: Tim Petrich Invoice To: _____

Company: Endpoint Solutions Company: _____

Address: 6871 S. Lovers Lane Address: Same

City State Zip: Franklin WI City State Zip: _____

Phone: 414 858 1210 Phone: _____

Email: _____ Email: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/ FID	
		Date	Time																					
5037404 A	MW-1-20-1	1/21/2020	935	N	3	GW	Hcl																	
B	Dup 1-20-1	↓	940	N	3	GW	Hcl																	
C	TBI-20-1	—	—	N	1	GW	Hcl																	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Need WDNR EDD, Level IV QA/QC, Case Narrative

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GC

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Tim Petrich

Time

1300

Date

1/21/2020

Received By: (sign)

Time

Date

Received in Laboratory By:

[Signature]

Time:

8:00

Date:

1/22/20