



708 Heartland Trl.
Suite 3000
Madison, WI 53717

T 608.826.3600
TRCcompanies.com

August 6, 2021

Ms. Cynthia Koepke
Hydrogeologist
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Refuse Hideaway Landfill, BRRTS #02-13-000849
May 2021 Groundwater Monitoring Data Transmittal

Dear Ms. Koepke:

TRC completed the semi-annual groundwater and private well sampling at the Refuse Hideaway Landfill in May 2021. In accordance with the Quality Control/Quality Assurance (QA/QC) Plan as approved by the Wisconsin Department of Natural Resources (WDNR), TRC is submitting the following monitoring data:

- Attachment 1: Water Table Map for May 2021
- Attachment 2: Exceedance Tables for May 2021
- Attachment 3: Laboratory Data Sheets for Groundwater Samples

Groundwater samples were collected from monitoring wells and private wells and analyzed for volatile organic compounds (VOCs) and field indicator parameters during May 2021, in accordance with the QA/QC Plan. Depth to groundwater measurements were collected at each of the site groundwater monitoring wells prior to sampling, and the data were used to generate a water table map (Attachment 1). Exceedance tables for Wis. Admin. Code NR 140 Enforcement Standards (ESs) and Preventive Action Limits (PALs) are presented in Attachment 2. Laboratory data sheets for each of the monitoring well and private well samples are included in Attachment 3.

A certified compact disk containing field and laboratory data in an approved WDNR format has been attached to the copy provided to the WDNR Groundwater and Environmental Monitoring System (GEMS) Data Manager for their use. Electronic results in a flat-file database format will be provided upon request.

Please call if you have questions.

Sincerely,

TRC


Katherine Vater, PE
Project Manager

Attachments

cc: WDNR GEMS Data Manager (w/CD)
Meredith Westover – TRC

Attachment 1
Water Table Map for May 2021

TRC - GIS
 Coordinate System: NAD 1983 StatePlane Wisconsin South FIPS 4803 Feet (Foot US)
 Map Rotation: 0
 Plot Date: 8/6/2021 08:49:53 AM by RSUEMNICHT -- LAYOUT: ANSI B(11"x17")
 Path: S:\1-PROJECTS\WI_DNR\RefuseHideaway\335719\335719-010_WT.mxd



LEGEND


- GAS PROBE
- GAS WELL
- MONITORING WELL
- PRIVATE WELL
- (935.58) GROUNDWATER ELEVATION
- 5' GROUNDWATER CONTOUR (DASHED WHERE INFERRED)
- APPROXIMATE STREAM CENTERLINE
- 10' MINOR CONTOUR
- 100' MAJOR CONTOUR
- PARCEL BOUNDARY

NOTES

1. BASE MAP IMAGERY FROM DANE COUNTY, 2020.
2. TOPOGRAPHY FROM DANE COUNTY LIDAR SURVEY, 2017.
3. PARCELS FROM WISCONSIN STATE CARTOGRAPHER'S OFFICE, 2018.
4. SITE FEATURES SHOWN ARE APPROXIMATE.
5. GROUNDWATER ELEVATIONS COLLECTED ON 5/10/2021.
- 6. GROUNDWATER ELEVATIONS FOR P-3, P-4, AND P-16 UPDATED BASED ON DECEMBER 2019 SURVEY.**

0 800 1,600
 Feet
 1" = 800'
 1:9,600

PROJECT:		WISCONSIN DNR REFUSE HIDEAWAY LANDFILL	
TITLE:			
MAY 2021 WATER TABLE MAP			
DRAWN BY:	R. SUEMNICHT	PROJ NO.:	335719
CHECKED BY:	M. WESTOVER		
APPROVED BY:	K. VATER	FIGURE 1	
DATE:	AUGUST 2021		



708 Heartland Trail, Suite 3000
 Madison, WI 53717
 Phone: 608.826.3600
 www.trcsolutions.com

FILE NO: 335719-010_WT.mxd

Attachment 2
Exceedance Tables for May 2021

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to: GEMS Data Submittal Contact - WA/5
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner)

TRC Environmental Corp.

Contact for questions about data formatting. Include data preparer's name, telephone number and Email address:

Name Meredith Westover	Phone No. (include area code) (608) 358-5035
---------------------------	---

Email mwestover@trccompanies.com

Facility Name Refuse Hideaway Landfill

License # / Monitoring ID 01953	Facility ID (FID) 113112010
------------------------------------	--------------------------------

Actual sampling dates (e.g., July 2-6, 2003) 5/10-5/14; 5/17 - 5/20, 2021	The enclosed results are for sampling required in the month(s) of: (e.g., June 2003) May 2021
--	--

Type of Data Submitted (Check all that apply):

- | | |
|---|--|
| <input checked="" type="checkbox"/> Groundwater monitoring data from monitoring wells | <input type="checkbox"/> Gas monitoring data |
| <input checked="" type="checkbox"/> Groundwater monitoring data from private water supply wells | <input type="checkbox"/> Air monitoring data |
| <input type="checkbox"/> Leachate monitoring data | <input type="checkbox"/> Other (specify): |


Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
- Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Facility Representative Name (Print) Meredith Westover	Title Database Manager	Phone No. (include area code) (608) 358-5035
---	---------------------------	---

Signature 

Date Signed (mm/dd/yyyy)

For DNR Use Only

Check action taken, and record date and your initials. Describe on back side if necessary.

- Found uploading problems on _____ Initials _____
- Notified contact of problems on _____ Uploaded data successfully on _____
- EDD format(s): Diskette CD (initial submittal and follow-up) E-mail (follow-up only) Other: _____

**NR 140 Groundwater Quality Exceedances by Well
Refuse Hideaway Landfill - Middleton, Wisconsin
May 2021**

Well ID	Sample Date	Parameter	Result	Data Qualifiers	Units	Standard	
						PAL	ES
7734 USH 14	5/11/2021	Tetrachloroethene	3.3		ug/L	X	
7734 USH 14	5/11/2021	Trichloroethene	1.2		ug/L	X	
7750 USH 14	5/11/2021	Tetrachloroethene	2.2		ug/L	X	
7750 USH 14	5/11/2021	Trichloroethene	0.55	J	ug/L	X	
P-08D	5/19/2021	1,2-Dichloroethane	0.57	J	ug/L	X	
P-08D	5/19/2021	Benzene	0.83	J	ug/L	X	
P-08D	5/19/2021	Tetrahydrofuran	51		ug/L		X
P-08D	5/19/2021	Vinyl chloride	0.44	J	ug/L		X
P-08D DUP	5/19/2021	1,2-Dichloroethane	0.53	J	ug/L	X	
P-08D DUP	5/19/2021	Benzene	0.92	J	ug/L	X	
P-08D DUP	5/19/2021	Tetrahydrofuran	51		ug/L		X
P-08D DUP	5/19/2021	Vinyl chloride	0.48		ug/L		X
P-08S	5/19/2021	Benzene	0.78	J	ug/L	X	
P-08S	5/19/2021	cis-1,2-Dichloroethene	13		ug/L	X	
P-08S	5/19/2021	Tetrachloroethene	0.94		ug/L	X	
P-08S	5/19/2021	Tetrahydrofuran	120		ug/L		X
P-08S	5/19/2021	Trichloroethene	1.7		ug/L	X	
P-08S	5/19/2021	Vinyl chloride	2.5		ug/L		X
P-09D	5/19/2021	Benzene	2.9		ug/L	X	
P-09D	5/19/2021	Tetrahydrofuran	78		ug/L		X
P-09S	5/19/2021	Benzene	0.95	J	ug/L	X	
P-09S	5/19/2021	Tetrachloroethene	2.1		ug/L	X	
P-09S	5/19/2021	Tetrahydrofuran	170		ug/L		X
P-09S	5/19/2021	Vinyl chloride	0.52		ug/L		X
P-16D	5/19/2021	Benzene	2		ug/L	X	
P-16D	5/19/2021	Tetrahydrofuran	67		ug/L		X
P-16D	5/19/2021	Trichloroethene	0.61	J	ug/L	X	
P-16D	5/19/2021	Vinyl chloride	0.3	J	ug/L		X
P-17S	5/20/2021	Tetrachloroethene	2.3		ug/L	X	
P-18S	5/20/2021	Tetrachloroethene	8		ug/L		X
P-18S	5/20/2021	Trichloroethene	0.69	J	ug/L	X	
P-20SR	5/18/2021	Tetrachloroethene	1.4		ug/L	X	
P-21BR	5/19/2021	cis-1,2-Dichloroethene	8		ug/L	X	
P-21BR	5/19/2021	Trichloroethene	4		ug/L	X	
P-21BR	5/19/2021	Vinyl chloride	1.9		ug/L		X
P-21D	5/19/2021	Benzene	3.3		ug/L	X	
P-21D	5/19/2021	Tetrahydrofuran	200		ug/L		X
P-21D	5/19/2021	Vinyl chloride	1.5		ug/L		X
P-22D	5/17/2021	Tetrachloroethene	2.4		ug/L	X	
P-22D	5/17/2021	Trichloroethene	0.64	J	ug/L	X	
P-22E	5/17/2021	Tetrachloroethene	15		ug/L		X
P-22E	5/17/2021	Trichloroethene	2.6		ug/L	X	
P-22E DUP	5/17/2021	Tetrachloroethene	15		ug/L		X
P-22E DUP	5/17/2021	Trichloroethene	2.7		ug/L	X	
P-23D	5/20/2021	Tetrachloroethene	0.53	J	ug/L	X	
P-23S	5/20/2021	Tetrachloroethene	1.8		ug/L	X	
P-24D	5/20/2021	Vinyl chloride	0.59		ug/L		X
P-24E	5/20/2021	Vinyl chloride	2.7		ug/L		X
P-25BR	5/13/2021	Tetrachloroethene	1.7		ug/L	X	
P-26S	5/14/2021	Tetrachloroethene	8.5		ug/L		X
P-26S	5/14/2021	Trichloroethene	0.72	J	ug/L	X	
P-27D	5/14/2021	Tetrachloroethene	16		ug/L		X
P-27D	5/14/2021	Trichloroethene	2.9		ug/L	X	
P-27S	5/14/2021	Tetrachloroethene	3.2		ug/L	X	
P-27S DUP	5/14/2021	Tetrachloroethene	3.1		ug/L	X	
P-28S	5/14/2021	Tetrachloroethene	1.7		ug/L	X	
P-29S	5/14/2021	Tetrachloroethene	0.59	J	ug/L	X	

**NR 140 Groundwater Quality Exceedances by Well
 Refuse Hideaway Landfill - Middleton, Wisconsin
 May 2021**

Well ID	Sample Date	Parameter	Result	Data Qualifiers	Units	Standard	
						PAL	ES
P-311A	5/12/2021	Tetrachloroethene	1.2		ug/L	X	
P-311A	5/12/2021	Trichloroethene	0.67	J	ug/L	X	
P-311B	5/12/2021	Tetrachloroethene	1.5		ug/L	X	
P-311B	5/12/2021	Trichloroethene	0.86	J	ug/L	X	
P-311B DUP	5/12/2021	Tetrachloroethene	1.5		ug/L	X	
P-311B DUP	5/12/2021	Trichloroethene	0.87	J	ug/L	X	
P-40I	5/13/2021	Tetrachloroethene	2.6		ug/L	X	
P-40I	5/13/2021	Trichloroethene	0.65	J	ug/L	X	
P-40I DUP	5/13/2021	Tetrachloroethene	2.5		ug/L	X	
P-40I DUP	5/13/2021	Trichloroethene	0.6	J	ug/L	X	
TRIP BLANK	5/12/2021	Methylene chloride	0.54	J	ug/L	X	


NR 140 Groundwater Quality Exceedances by Parameter
Refuse Hideaway Landfill - Middleton, Wisconsin
May 2021

Well ID	Sample Date	Parameter	Result	Data Qualifiers	Units	Standard	
						PAL	ES
P-08D	5/19/2021	1,2-Dichloroethane	0.57	J	ug/L	X	
P-08D DUP	5/19/2021	1,2-Dichloroethane	0.53	J	ug/L	X	
P-08D	5/19/2021	Benzene	0.83	J	ug/L	X	
P-08D DUP	5/19/2021	Benzene	0.92	J	ug/L	X	
P-08S	5/19/2021	Benzene	0.78	J	ug/L	X	
P-09D	5/19/2021	Benzene	2.9		ug/L	X	
P-09S	5/19/2021	Benzene	0.95	J	ug/L	X	
P-16D	5/19/2021	Benzene	2		ug/L	X	
P-21D	5/19/2021	Benzene	3.3		ug/L	X	
P-08S	5/19/2021	cis-1,2-Dichloroethene	13		ug/L	X	
P-21BR	5/19/2021	cis-1,2-Dichloroethene	8		ug/L	X	
TRIP BLANK	5/12/2021	Methylene chloride	0.54	J	ug/L	X	
7734 USH 14	5/11/2021	Tetrachloroethene	3.3		ug/L	X	
7750 USH 14	5/11/2021	Tetrachloroethene	2.2		ug/L	X	
P-08S	5/19/2021	Tetrachloroethene	0.94		ug/L	X	
P-09S	5/19/2021	Tetrachloroethene	2.1		ug/L	X	
P-17S	5/20/2021	Tetrachloroethene	2.3		ug/L	X	
P-18S	5/20/2021	Tetrachloroethene	8		ug/L		X
P-20SR	5/18/2021	Tetrachloroethene	1.4		ug/L	X	
P-22D	5/17/2021	Tetrachloroethene	2.4		ug/L	X	
P-22E	5/17/2021	Tetrachloroethene	15		ug/L		X
P-22E DUP	5/17/2021	Tetrachloroethene	15		ug/L		X
P-23D	5/20/2021	Tetrachloroethene	0.53	J	ug/L	X	
P-23S	5/20/2021	Tetrachloroethene	1.8		ug/L	X	
P-25BR	5/13/2021	Tetrachloroethene	1.7		ug/L	X	
P-26S	5/14/2021	Tetrachloroethene	8.5		ug/L		X
P-27D	5/14/2021	Tetrachloroethene	16		ug/L		X
P-27S	5/14/2021	Tetrachloroethene	3.2		ug/L	X	
P-27S DUP	5/14/2021	Tetrachloroethene	3.1		ug/L	X	
P-28S	5/14/2021	Tetrachloroethene	1.7		ug/L	X	
P-29S	5/14/2021	Tetrachloroethene	0.59	J	ug/L	X	
P-311A	5/12/2021	Tetrachloroethene	1.2		ug/L	X	
P-311B	5/12/2021	Tetrachloroethene	1.5		ug/L	X	
P-311B DUP	5/12/2021	Tetrachloroethene	1.5		ug/L	X	
P-40I	5/13/2021	Tetrachloroethene	2.6		ug/L	X	
P-40I DUP	5/13/2021	Tetrachloroethene	2.5		ug/L	X	
P-08D	5/19/2021	Tetrahydrofuran	51		ug/L		X
P-08D DUP	5/19/2021	Tetrahydrofuran	51		ug/L		X
P-08S	5/19/2021	Tetrahydrofuran	120		ug/L		X
P-09D	5/19/2021	Tetrahydrofuran	78		ug/L		X
P-09S	5/19/2021	Tetrahydrofuran	170		ug/L		X
P-16D	5/19/2021	Tetrahydrofuran	67		ug/L		X
P-21D	5/19/2021	Tetrahydrofuran	200		ug/L		X
7734 USH 14	5/11/2021	Trichloroethene	1.2		ug/L	X	
7750 USH 14	5/11/2021	Trichloroethene	0.55	J	ug/L	X	
P-08S	5/19/2021	Trichloroethene	1.7		ug/L	X	
P-16D	5/19/2021	Trichloroethene	0.61	J	ug/L	X	
P-18S	5/20/2021	Trichloroethene	0.69	J	ug/L	X	
P-21BR	5/19/2021	Trichloroethene	4		ug/L	X	
P-22D	5/17/2021	Trichloroethene	0.64	J	ug/L	X	
P-22E	5/17/2021	Trichloroethene	2.6		ug/L	X	
P-22E DUP	5/17/2021	Trichloroethene	2.7		ug/L	X	
P-26S	5/14/2021	Trichloroethene	0.72	J	ug/L	X	
P-27D	5/14/2021	Trichloroethene	2.9		ug/L	X	
P-311A	5/12/2021	Trichloroethene	0.67	J	ug/L	X	
P-311B	5/12/2021	Trichloroethene	0.86	J	ug/L	X	
P-311B DUP	5/12/2021	Trichloroethene	0.87	J	ug/L	X	

**NR 140 Groundwater Quality Exceedances by Parameter
 Refuse Hideaway Landfill - Middleton, Wisconsin
 May 2021**

Well ID	Sample Date	Parameter	Result	Data Qualifiers	Units	Standard	
						PAL	ES
P-40I	5/13/2021	Trichloroethene	0.65	J	ug/L	X	
P-40I DUP	5/13/2021	Trichloroethene	0.6	J	ug/L	X	
P-08D	5/19/2021	Vinyl chloride	0.44	J	ug/L		X
P-08D DUP	5/19/2021	Vinyl chloride	0.48		ug/L		X
P-08S	5/19/2021	Vinyl chloride	2.5		ug/L		X
P-09S	5/19/2021	Vinyl chloride	0.52		ug/L		X
P-16D	5/19/2021	Vinyl chloride	0.3	J	ug/L		X
P-21BR	5/19/2021	Vinyl chloride	1.9		ug/L		X
P-21D	5/19/2021	Vinyl chloride	1.5		ug/L		X
P-24D	5/20/2021	Vinyl chloride	0.59		ug/L		X
P-24E	5/20/2021	Vinyl chloride	2.7		ug/L		X

Attachment 3
Laboratory Data Sheets for Groundwater Samples



ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)

ANALYTICAL REPORT

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717

Project Name: REFUSE HIDEAWAY LF
 Project Phase: MIDDLETON, WI
 Project #: 335719
 Folder #: 161725
 Purchase Order #:
 Contract #: 3274


Page 1 of 31
 Arrival Temperature: 3.1
 Report Date: 7/20/2021
 Date Received: 5/12/2021
 Reprint Date: 7/20/2021

Copy: kvater@trccompanies.com

CT LAB#: 1004828	Sample Description: 7734 USH 14	License/Well #: 01953/312	Sampled: 5/11/2021 11:55
------------------	---------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 11:55	SUB	FIELD
Conductivity (Field)	705.8	umhos/cm			1			5/11/2021 11:55	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 11:55	SUB	FIELD
pH (Field)	7.25	S.U.			1			5/11/2021 11:55	SUB	FIELD
Temperature (Field)	13.08	Deg. C			1			5/11/2021 11:55	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 11:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:36	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 14:36	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 14:36	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 14:36	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 14:36	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:36	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:36	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 14:36	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 14:36	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:36	RLD	EPA 524.2


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004828 Sample Description: 7734 USH 14 License/Well #: 01953/312 Sampled: 5/11/2021 11:55


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
cis-1,2-Dichloroethene	1.3	ug/L	0.28	0.94	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2
Dichlorodifluoromethane	0.80	ug/L	0.3 *	1.0	1		5/19/2021 14:36	5/19/2021 14:36	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004828 Sample Description: 7734 USH 14 License/Well #: 01953/312 Sampled: 5/11/2021 11:55


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021	14:36	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021	14:36	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021	14:36	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021	14:36	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021	14:36	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021	14:36	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	14:36	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021	14:36	RLD	EPA 524.2
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021	14:36	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	14:36	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021	14:36	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021	14:36	RLD	EPA 524.2
Tetrachloroethene	3.3	ug/L	0.26	0.87	1		5/19/2021	14:36	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021	14:36	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021	14:36	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021	14:36	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021	14:36	RLD	EPA 524.2
Trichloroethene	1.2	ug/L	0.3	1.0	1		5/19/2021	14:36	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021	14:36	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021	14:36	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1		5/19/2021	14:36	RLD	EPA 524.2
Bromofluorobenzene	102	% Recovery	80.0	120	1		5/19/2021	14:36	RLD	EPA 524.2



CT LAB#: 1004833 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 5/11/2021 12:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 12:20	SUB	FIELD
Conductivity (Field)	705.8	umhos/cm			1			5/11/2021 12:20	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 12:20	SUB	FIELD
pH (Field)	7.25	S.U.			1			5/11/2021 12:20	SUB	FIELD
Temperature (Field)	13.1	Deg. C			1			5/11/2021 12:20	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 12:20	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 15:04	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 15:04	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 15:04	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 15:04	RLD	EPA 524.2
1,1-Dichloroethane	0.30	ug/L	0.28 *	0.95	1			5/19/2021 15:04	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:04	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:04	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 15:04	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 15:04	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 15:04	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:04	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 15:04	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 15:04	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 15:04	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 15:04	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 15:04	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:04	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 15:04	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004833 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 5/11/2021 12:15


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
cis-1,2-Dichloroethene	1.1	ug/L	0.28	0.94	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Dichlorodifluoromethane	0.43	ug/L	0.3 *	1.0	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 15:04	5/19/2021 15:04	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004833 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 5/11/2021 12:15


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021	15:04	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	15:04	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021	15:04	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021	15:04	RLD	EPA 524.2
Tetrachloroethene	2.2	ug/L	0.26	0.87	1		5/19/2021	15:04	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021	15:04	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021	15:04	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021	15:04	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021	15:04	RLD	EPA 524.2
Trichloroethene	0.55	ug/L	0.3 *	1.0	1		5/19/2021	15:04	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021	15:04	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021	15:04	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		5/19/2021	15:04	RLD	EPA 524.2
Bromofluorobenzene	102	% Recovery	80.0	120	1		5/19/2021	15:04	RLD	EPA 524.2



CT LAB#: 1004834 Sample Description: 4610 ROCKY DELL RD License/Well #: 01953/305 Sampled: 5/11/2021 12:45

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 12:45	SUB	FIELD
Conductivity (Field)	684.3	umhos/cm			1			5/11/2021 12:45	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 12:45	SUB	FIELD
pH (Field)	7.32	S.U.			1			5/11/2021 12:45	SUB	FIELD
Temperature (Field)	13.58	Deg. C			1			5/11/2021 12:45	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 12:45	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 15:33	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 15:33	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 15:33	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 15:33	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 15:33	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:33	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:33	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 15:33	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 15:33	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 15:33	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:33	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 15:33	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 15:33	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 15:33	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 15:33	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 15:33	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 15:33	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 15:33	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004834 Sample Description: 4610 ROCKY DELL RD License/Well #: 01953/305 Sampled: 5/11/2021 12:45


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1	M	5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 15:33	5/19/2021 15:33	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004834 Sample Description: 4610 ROCKY DELL RD License/Well #: 01953/305 Sampled: 5/11/2021 12:45


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021	15:33	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	15:33	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021	15:33	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021	15:33	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1		5/19/2021	15:33	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021	15:33	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021	15:33	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021	15:33	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021	15:33	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021	15:33	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1	M	5/19/2021	15:33	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021	15:33	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		5/19/2021	15:33	RLD	EPA 524.2
Bromofluorobenzene	100	% Recovery	80.0	120	1		5/19/2021	15:33	RLD	EPA 524.2



CT LAB#: 1004835 Sample Description: 7872 DEER RUN RD License/Well #: 01953/302 Sampled: 5/11/2021 13:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 13:20	SUB	FIELD
Conductivity (Field)	737.6	umhos/cm			1			5/11/2021 13:20	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 13:20	SUB	FIELD
pH (Field)	7.38	S.U.			1			5/11/2021 13:20	SUB	FIELD
Temperature (Field)	14.93	Deg. C			1			5/11/2021 13:20	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 13:20	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:01	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 16:01	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:01	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 16:01	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 16:01	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:01	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:01	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:01	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 16:01	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 16:01	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:01	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 16:01	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 16:01	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:01	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:01	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 16:01	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:01	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:01	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004835 Sample Description: 7872 DEER RUN RD License/Well #: 01953/302 Sampled: 5/11/2021 13:20


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 16:01	5/19/2021 16:01	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004835 Sample Description: 7872 DEER RUN RD License/Well #: 01953/302 Sampled: 5/11/2021 13:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1			5/19/2021 16:01	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1			5/19/2021 16:01	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:01	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1			5/19/2021 16:01	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1			5/19/2021 16:01	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1			5/19/2021 16:01	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1			5/19/2021 16:01	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1			5/19/2021 16:01	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1			5/19/2021 16:01	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:01	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1			5/19/2021 16:01	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1			5/19/2021 16:01	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1			5/19/2021 16:01	RLD	EPA 524.2
Bromofluorobenzene	99.0	% Recovery	80.0	120	1			5/19/2021 16:01	RLD	EPA 524.2



CT LAB#: 1004836 Sample Description: 7877 DEER RUN RD License/Well #: 01953/301 Sampled: 5/11/2021 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 13:35	SUB	FIELD
Conductivity (Field)	622.7	umhos/cm			1			5/11/2021 13:35	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 13:35	SUB	FIELD
pH (Field)	7.51	S.U.			1			5/11/2021 13:35	SUB	FIELD
Temperature (Field)	13.95	Deg. C			1			5/11/2021 13:35	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 13:35	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:28	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 16:28	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:28	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 16:28	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 16:28	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:28	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:28	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:28	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 16:28	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 16:28	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:28	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 16:28	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 16:28	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:28	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:28	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 16:28	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:28	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:28	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004836 Sample Description: 7877 DEER RUN RD License/Well #: 01953/301 Sampled: 5/11/2021 13:35


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004836 Sample Description: 7877 DEER RUN RD License/Well #: 01953/301 Sampled: 5/11/2021 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		5/19/2021 16:28	5/19/2021 16:28	RLD	EPA 524.2



CT LAB#: 1004837 Sample Description: 7911 DEER RUN RD License/Well #: 01953/300 Sampled: 5/11/2021 14:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 14:05	SUB	FIELD
Conductivity (Field)	806.0	umhos/cm			1			5/11/2021 14:05	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 14:05	SUB	FIELD
pH (Field)	7.41	S.U.			1			5/11/2021 14:05	SUB	FIELD
Temperature (Field)	13.26	Deg. C			1			5/11/2021 14:05	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 14:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:57	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 16:57	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:57	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 16:57	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 16:57	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:57	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:57	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 16:57	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 16:57	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 16:57	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:57	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 16:57	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 16:57	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 16:57	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:57	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 16:57	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 16:57	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 16:57	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004837 Sample Description: 7911 DEER RUN RD License/Well #: 01953/300 Sampled: 5/11/2021 14:05


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 16:57	16:57	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 16:57	16:57	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004837 Sample Description: 7911 DEER RUN RD License/Well #: 01953/300 Sampled: 5/11/2021 14:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		5/19/2021 16:57	5/19/2021 16:57	RLD	EPA 524.2



CT LAB#: 1004838 Sample Description: 4306 FAWN CT License/Well #: 01953/303 Sampled: 5/11/2021 14:25

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 14:25	SUB	FIELD
Conductivity (Field)	871.3	umhos/cm			1			5/11/2021 14:25	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 14:25	SUB	FIELD
pH (Field)	7.39	S.U.			1			5/11/2021 14:25	SUB	FIELD
Temperature (Field)	13.44	Deg. C			1			5/11/2021 14:25	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 14:25	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 17:25	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 17:25	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 17:25	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 17:25	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 17:25	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:25	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:25	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 17:25	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 17:25	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 17:25	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:25	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 17:25	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 17:25	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 17:25	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 17:25	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 17:25	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:25	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 17:25	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004838 Sample Description: 4306 FAWN CT License/Well #: 01953/303 Sampled: 5/11/2021 14:25


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021 17:25	5/19/2021 17:25	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004838 Sample Description: 4306 FAWN CT License/Well #: 01953/303 Sampled: 5/11/2021 14:25

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021	17:25	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	17:25	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:25	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021	17:25	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1		5/19/2021	17:25	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021	17:25	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021	17:25	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021	17:25	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021	17:25	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:25	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021	17:25	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021	17:25	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	101	% Recovery	80.0	120	1		5/19/2021	17:25	RLD	EPA 524.2
Bromofluorobenzene	100	% Recovery	80.0	120	1		5/19/2021	17:25	RLD	EPA 524.2



CT LAB#: 1004839 Sample Description: 4318 FAWN CT License/Well #: 01953/304 Sampled: 5/11/2021 14:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/11/2021 14:50	SUB	FIELD
Conductivity (Field)	1018.0	umhos/cm			1			5/11/2021 14:50	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/11/2021 14:50	SUB	FIELD
pH (Field)	7.43	S.U.			1			5/11/2021 14:50	SUB	FIELD
Temperature (Field)	13.39	Deg. C			1			5/11/2021 14:50	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/11/2021 14:50	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 17:52	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 17:52	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 17:52	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 17:52	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 17:52	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:52	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:52	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 17:52	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 17:52	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 17:52	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:52	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 17:52	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 17:52	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 17:52	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 17:52	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 17:52	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 17:52	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 17:52	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004839 Sample Description: 4318 FAWN CT License/Well #: 01953/304 Sampled: 5/11/2021 14:50

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021	17:52	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021	17:52	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021	17:52	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021	17:52	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021	17:52	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021	17:52	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021	17:52	RLD	EPA 524.2
Bromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021	17:52	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1		5/19/2021	17:52	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1		5/19/2021	17:52	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1		5/19/2021	17:52	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1		5/19/2021	17:52	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1		5/19/2021	17:52	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1		5/19/2021	17:52	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1		5/19/2021	17:52	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1		5/19/2021	17:52	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1		5/19/2021	17:52	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1		5/19/2021	17:52	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021	17:52	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1		5/19/2021	17:52	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1		5/19/2021	17:52	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	17:52	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1		5/19/2021	17:52	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004839 Sample Description: 4318 FAWN CT License/Well #: 01953/304 Sampled: 5/11/2021 14:50


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1		5/19/2021	17:52	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1		5/19/2021	17:52	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1		5/19/2021	17:52	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1		5/19/2021	17:52	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1		5/19/2021	17:52	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1		5/19/2021	17:52	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1		5/19/2021	17:52	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021	17:52	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021	17:52	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021	17:52	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021	17:52	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1		5/19/2021	17:52	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		5/19/2021	17:52	RLD	EPA 524.2



CT LAB#: 1004840 Sample Description: DUP-01 License/Well #: 01953/301 Sampled: 5/11/2021 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/19/2021 18:20	RLD	EPA 524.2	
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1		5/19/2021 18:20	RLD	EPA 524.2	
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1		5/19/2021 18:20	RLD	EPA 524.2	
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 18:20	RLD	EPA 524.2	
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 18:20	RLD	EPA 524.2	
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1		5/19/2021 18:20	RLD	EPA 524.2	
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1		5/19/2021 18:20	RLD	EPA 524.2	
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1		5/19/2021 18:20	RLD	EPA 524.2	
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1		5/19/2021 18:20	RLD	EPA 524.2	
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1		5/19/2021 18:20	RLD	EPA 524.2	
Benzene	<0.26	ug/L	0.26	0.87	1		5/19/2021 18:20	RLD	EPA 524.2	
Bromobenzene	<0.4	ug/L	0.4	1.4	1		5/19/2021 18:20	RLD	EPA 524.2	
Bromochloromethane	<0.4	ug/L	0.4	1.2	1		5/19/2021 18:20	RLD	EPA 524.2	
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1		5/19/2021 18:20	RLD	EPA 524.2	
Bromoform	<0.4	ug/L	0.4	1.2	1		5/19/2021 18:20	RLD	EPA 524.2	

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004840 Sample Description: DUP-01 License/Well #: 01953/301 Sampled: 5/11/2021 13:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Bromomethane	<0.4	ug/L	0.4	1.4	1			5/19/2021 18:20	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1			5/19/2021 18:20	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1			5/19/2021 18:20	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1			5/19/2021 18:20	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1			5/19/2021 18:20	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1			5/19/2021 18:20	RLD	EPA 524.2
Chloromethane	0.19	ug/L	0.19 *	0.63	1			5/19/2021 18:20	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1			5/19/2021 18:20	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1			5/19/2021 18:20	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 18:20	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 18:20	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1			5/19/2021 18:20	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1			5/19/2021 18:20	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 18:20	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1			5/19/2021 18:20	RLD	EPA 524.2
Methylene chloride	<0.30	ug/L	0.30	0.99	1			5/19/2021 18:20	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1			5/19/2021 18:20	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1			5/19/2021 18:20	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1			5/19/2021 18:20	RLD	EPA 524.2
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1			5/19/2021 18:20	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1			5/19/2021 18:20	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1			5/19/2021 18:20	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1			5/19/2021 18:20	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1			5/19/2021 18:20	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1			5/19/2021 18:20	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1			5/19/2021 18:20	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1			5/19/2021 18:20	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1004840	Sample Description: DUP-01	License/Well #: 01953/301	Sampled: 5/11/2021 13:35
------------------	----------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	104	% Recovery	80.0	120	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		5/19/2021 18:20	5/19/2021 18:20	RLD	EPA 524.2



CT LAB#: 1004841 Sample Description: TRIP BLANK-1 License/Well #: 01953/999 Sampled: 5/11/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
1,1,1,1-Trichloroethane	<0.28	ug/L	0.28	0.93	1			5/19/2021 14:08	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	1.6	1			5/19/2021 14:08	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.4	ug/L	0.4	1.3	1			5/19/2021 14:08	RLD	EPA 524.2
1,1-Dichloroethane	<0.28	ug/L	0.28	0.95	1			5/19/2021 14:08	RLD	EPA 524.2
1,1-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:08	RLD	EPA 524.2
1,1-Dichloropropene	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:08	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	1.6	1			5/19/2021 14:08	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.25	ug/L	0.25	0.83	1			5/19/2021 14:08	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:08	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:08	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.4	ug/L	0.4	1.2	1			5/19/2021 14:08	RLD	EPA 524.2
1,2-Dichloroethane	<0.23	ug/L	0.23	0.76	1			5/19/2021 14:08	RLD	EPA 524.2
1,2-Dichloropropane	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 14:08	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 14:08	RLD	EPA 524.2
1,3-Dichloropropane	<0.3	ug/L	0.3	1.1	1			5/19/2021 14:08	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 14:08	RLD	EPA 524.2
2,2-Dichloropropane	<0.4	ug/L	0.4	1.2	1			5/19/2021 14:08	RLD	EPA 524.2
2-Chlorotoluene	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
4-Chlorotoluene	<0.4	ug/L	0.4	1.2	1			5/19/2021 14:08	RLD	EPA 524.2
Benzene	<0.26	ug/L	0.26	0.87	1			5/19/2021 14:08	RLD	EPA 524.2
Bromobenzene	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:08	RLD	EPA 524.2
Bromochloromethane	<0.4	ug/L	0.4	1.2	1			5/19/2021 14:08	RLD	EPA 524.2
Bromodichloromethane	<0.24	ug/L	0.24	0.81	1			5/19/2021 14:08	RLD	EPA 524.2
Bromoform	<0.4	ug/L	0.4	1.2	1			5/19/2021 14:08	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1004841 Sample Description: TRIP BLANK-1 License/Well #: 01953/999 Sampled: 5/11/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Bromomethane	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:08	RLD	EPA 524.2
Carbon tetrachloride	<0.28	ug/L	0.28	0.94	1			5/19/2021 14:08	RLD	EPA 524.2
Chlorobenzene	<0.25	ug/L	0.25	0.84	1			5/19/2021 14:08	RLD	EPA 524.2
Chlorodibromomethane	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:08	RLD	EPA 524.2
Chloroethane	<0.3	ug/L	0.3	1.3	1			5/19/2021 14:08	RLD	EPA 524.2
Chloroform	<0.23	ug/L	0.23	0.78	1			5/19/2021 14:08	RLD	EPA 524.2
Chloromethane	<0.19	ug/L	0.19	0.63	1			5/19/2021 14:08	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.28	ug/L	0.28	0.94	1			5/19/2021 14:08	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.22	ug/L	0.22	0.73	1			5/19/2021 14:08	RLD	EPA 524.2
Dibromomethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
Dichlorodifluoromethane	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
Ethylbenzene	<0.27	ug/L	0.27	0.89	1			5/19/2021 14:08	RLD	EPA 524.2
Hexachlorobutadiene	<0.4	ug/L	0.4	1.4	1			5/19/2021 14:08	RLD	EPA 524.2
Isopropylbenzene	<0.29	ug/L	0.29	0.98	1			5/19/2021 14:08	RLD	EPA 524.2
Methyl tert-butyl ether	<0.26	ug/L	0.26	0.86	1			5/19/2021 14:08	RLD	EPA 524.2
Methylene chloride	0.43	ug/L	0.30 *	0.99	1			5/19/2021 14:08	RLD	EPA 524.2
n-Butylbenzene	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
n-Propylbenzene	<0.26	ug/L	0.26	0.85	1			5/19/2021 14:08	RLD	EPA 524.2
Naphthalene	<0.5	ug/L	0.5	1.5	1			5/19/2021 14:08	RLD	EPA 524.2
p-Isopropyltoluene	<0.25	ug/L	0.25	0.82	1			5/19/2021 14:08	RLD	EPA 524.2
sec-Butylbenzene	<0.26	ug/L	0.26	0.85	1			5/19/2021 14:08	RLD	EPA 524.2
Styrene	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
tert-Butylbenzene	<0.24	ug/L	0.24	0.80	1			5/19/2021 14:08	RLD	EPA 524.2
Tetrachloroethene	<0.26	ug/L	0.26	0.87	1			5/19/2021 14:08	RLD	EPA 524.2
Toluene	<0.25	ug/L	0.25	0.84	1			5/19/2021 14:08	RLD	EPA 524.2
Total Xylene	<0.26	ug/L	0.26	0.88	1			5/19/2021 14:08	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.23	ug/L	0.23	0.75	1			5/19/2021 14:08	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1004841	Sample Description: TRIP BLANK-1	License/Well #: 01953/999	Sampled: 5/11/2021
------------------	----------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.28	ug/L	0.28	0.93	1			5/19/2021 14:08	RLD	EPA 524.2
Trichloroethene	<0.3	ug/L	0.3	1.0	1			5/19/2021 14:08	RLD	EPA 524.2
Trichlorofluoromethane	<0.24	ug/L	0.24	0.80	1			5/19/2021 14:08	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1			5/19/2021 14:08	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1			5/19/2021 14:08	RLD	EPA 524.2
Bromofluorobenzene	103	% Recovery	80.0	120	1			5/19/2021 14:08	RLD	EPA 524.2



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# ACC20190002
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01
 GA EPD Stipulation ID ACC20190002

Preventative Action Limit (PAL) Exceedances

07/20/2021

Location/Landfill: REFUSE HIDEAWAY LF

License #: 01953

Page 1 of 1

Well Description: 7734 USH 14		Well #: 312		Sample Date		05/11/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	3.3	0.5	5	0.26	ug/L	
Trichloroethene	39180	1.2	0.5	5	0.3	ug/L	

Well Description: 7750 USH 14		Well #: 311		Sample Date		05/11/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.2	0.5	5	0.26	ug/L	
Trichloroethene	39180	0.55	0.5	5	0.3	ug/L	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:	01953	07/20/2021	
Sample Date	Sample ID						
		4306 FAWN CT	4318 FAWN CT	4610 ROCKY DELL RD	7734 USH 14	7750 USH 14	7872 DEER RUN RD
05/11/2021	Color (Field)	NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	871.3	1018.0	684.3	705.8	705.8	737.6
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.39	7.43	7.32	7.25	7.25	7.38
	Temperature (Field)	13.44	13.39	13.58	13.08	13.1	14.93
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE

		7877 DEER RUN RD	7911 DEER RUN RD
05/11/2021	Color (Field)	NONE	NONE
	Conductivity (Field)	622.7	806.0
	Odor (Field)	NONE	NONE
	pH (Field)	7.51	7.41
	Temperature (Field)	13.95	13.26
	Turbidity (Field)	NONE	NONE

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 35 of 40

Well Description: DUP-01

Well #: 301

Parameter

Sample Date

5/11/2021

Chloromethane	0.19
---------------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 37 of 40

Well Description: 7750 USH 14

Well #: 311

Parameter	Sample Date					
	5/11/2021	11/2/2020	5/6/2020	11/5/2019	10/1/2019	5/23/2019

1,1-Dichloroethane	0.30	0.29		0.29	0.30	
cis-1,2-Dichloroethene	1.1	1.3	1.1	1.0	0.98	1.0
Dichlorodifluoromethane	0.43	0.39	0.52	0.66	0.53	0.59
Tetrachloroethene	2.2	2.0	1.6	2.0	1.8	1.9
Trichloroethene	0.55	0.52	0.44	0.37	0.56	0.49

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 38 of 40

Well Description: 7734 USH 14

Well #: 312

Parameter	Sample Date					
	5/11/2021	11/2/2020	5/6/2020	11/5/2019	10/1/2019	5/17/2019

1,1-Dichloroethane		0.32		0.29	0.29	
cis-1,2-Dichloroethene	1.3	1.4	1.3	1.4	1.4	1.2
Dichlorodifluoromethane	0.80	0.66	0.85	1.2	0.97	1.2
Tetrachloroethene	3.3	3.1	2.6	3.4	3.2	3.2
Trichloroethene	1.2	1.2	1.0	1.3	1.2	0.93
Trichlorofluoromethane				0.27	0.26	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 40 of 40

Well Description: TRIP BLANK **Well #:** 999

Parameter	Sample Date								
	5/18/2021	5/12/2021	5/11/2021	11/3/2020	11/2/2020	5/22/2020	5/13/2020	5/6/2020	11/5/2019
Methylene chloride	0.45	0.54	0.43	0.53	0.47	1.4	0.83	1.2	0.33

10/1/2019 5/17/2019

0.77	3.6
------	-----

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7911 DEER RUN Well ID #: 300

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	891.7
			11/05/2019	595.6
			05/06/2020	876.8
			11/02/2020	838.0
			05/11/2021	806.0
Odor (Field)	00001			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.08
			11/05/2019	6.86
			05/06/2020	5.60
			11/02/2020	7.39
			05/11/2021	7.41
Temperature (Field)	00010	Deg. C		
			05/17/2019	10.60
			11/05/2019	10.50
			05/06/2020	14.36
			11/02/2020	12.19
			05/11/2021	13.26
Turbidity (Field)	00003			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7877 DEER RUN Well ID #: 301

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	670.8
			05/06/2020	645.5
			05/11/2021	622.7
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.11
			05/06/2020	5.83
			05/11/2021	7.51
Temperature (Field)	00010	Deg. C		
			05/17/2019	7.11
			05/06/2020	14.42
			05/11/2021	13.95
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7872 DEER RUN Well ID #: 302

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	677.9
			05/06/2020	716.3
			05/11/2021	737.6
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.08
			05/06/2020	6.21
			05/11/2021	7.38
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.10
			05/06/2020	14.65
			05/11/2021	14.93
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4306 FAWN CT Well ID #: 303

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	1336.5
			05/06/2020	1125.3
			05/11/2021	871.3
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.27
			05/06/2020	5.62
			05/11/2021	7.39
Temperature (Field)	00010	Deg. C		
			05/17/2019	12.49
			05/06/2020	14.40
			05/11/2021	13.44
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4318 FAWN CT Well ID #: 304

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	1331.5
			05/06/2020	1202.1
			05/11/2021	1018.0
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.78
			05/06/2020	5.85
			05/11/2021	7.43
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.20
			05/06/2020	15.19
			05/11/2021	13.39
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4610 ROCKY DELL RD Well ID #: 305

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	733.3
			05/06/2020	724.6
			05/11/2021	684.3
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.05
			05/06/2020	6.02
			05/11/2021	7.32
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.39
			05/06/2020	13.90
			05/11/2021	13.58
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7873 DEER RUN Well ID #: 306

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	494.9
			11/02/2020	647.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
pH (Field)	00400	S.U.		
			11/05/2019	6.36
			11/02/2020	7.54
Temperature (Field)	00010	Deg. C		
			11/05/2019	12.58
			11/02/2020	12.88
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 7892 DEER RUN RD **Well ID #:** 307

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/02/2020	NONE
Conductivity (Field)	00094	umhos/cm	11/02/2020	677.0
Odor (Field)	00001		11/02/2020	NONE
pH (Field)	00400	S.U.	11/02/2020	7.67
Temperature (Field)	00010	Deg. C	11/02/2020	12.63
Turbidity (Field)	00003		11/02/2020	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 4314 FAWN CT **Well ID #:** 308

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	1070.0
			11/02/2020	1089.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
pH (Field)	00400	S.U.		
			11/05/2019	6.36
			11/02/2020	7.83
Temperature (Field)	00010	Deg. C		
			11/05/2019	10.64
			11/02/2020	12.76
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 7902 USH 14 **Well ID #:** 309

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/03/2020	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	710.6
			11/03/2020	927.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/03/2020	NONE
pH (Field)	00400	S.U.		
			11/05/2019	7.05
			11/03/2020	7.14
Temperature (Field)	00010	Deg. C		
			11/05/2019	11.05
			11/03/2020	13.70
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/03/2020	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 4310 FAWN CT **Well ID #:** 310

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	683.5
			11/02/2020	800.3
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
pH (Field)	00400	S.U.		
			11/05/2019	5.76
			11/02/2020	7.36
Temperature (Field)	00010	Deg. C		
			11/05/2019	12.03
			11/02/2020	12.72
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7750 USH 14 Well ID #: 311

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	697
			10/01/2019	588.7
			11/05/2019	510.1
			05/06/2020	709.1
			11/02/2020	689.0
			05/11/2021	705.8
Odor (Field)	00001			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.52
			10/01/2019	7.19
			11/05/2019	7.00
			05/06/2020	6.05
			11/02/2020	7.35
			05/11/2021	7.25
Temperature (Field)	00010	Deg. C		
			05/23/2019	13.42
			10/01/2019	16.75
			11/05/2019	11.47
			05/06/2020	13.23
			11/02/2020	13.39
			05/11/2021	13.1
Turbidity (Field)	00003			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7734 USH 14 Well ID #: 312

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	901.5
			10/01/2019	783.9
			11/05/2019	657.3
			05/06/2020	927.3
			11/02/2020	1004.0
			05/11/2021	705.8
Odor (Field)	00001			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.99
			10/01/2019	6.65
			11/05/2019	7.19
			05/06/2020	5.47
			11/02/2020	6.88
			05/11/2021	7.25
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.57
			10/01/2019	18.13
			11/05/2019	10.82
			05/06/2020	13.58
			11/02/2020	13.34
			05/11/2021	13.08
Turbidity (Field)	00003			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7785 LOW RD Well ID #: 315

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	539.7
			11/02/2020	765.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
pH (Field)	00400	S.U.		
			11/05/2019	7.29
			11/02/2020	7.46
Temperature (Field)	00010	Deg. C		
			11/05/2019	8.71
			11/02/2020	11.78
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 4314 FAWN CT POST **Well ID #:** 500

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	266.4
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.07
Temperature (Field)	00010	Deg. C	11/05/2019	16.94
Turbidity (Field)	00003		11/05/2019	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 7750 USH 14 POST **Well ID #:** 501

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	587.5
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.83
Temperature (Field)	00010	Deg. C	11/05/2019	15.02
Turbidity (Field)	00003		11/05/2019	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7734 USH 14 POST Well ID #: 502

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	733.3
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.07
Temperature (Field)	00010	Deg. C	11/05/2019	13.36
Turbidity (Field)	00003		11/05/2019	NONE

QC SUMMARY REPORT

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LF

SDG #: 0

Folder #: 161725

Project #: 335719

Lab Control Spike Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008074	Analysis Time:	12:43	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	4.01	ug/L			4.0	100	80 --- 120		20
1,1,1-Trichloroethane	4.37	ug/L			4.0	109	80 --- 120		20
1,1,2,2-Tetrachloroethane	3.95	ug/L			4.0	98.8	80 --- 120		20
1,1,2-Trichloroethane	4.06	ug/L			4.0	102	80 --- 120		20
1,1-Dichloroethane	3.88	ug/L			4.0	97.0	80 --- 120		20
1,1-Dichloroethene	4.22	ug/L			4.0	106	80 --- 120		20
1,1-Dichloropropene	4.62	ug/L			4.0	116	80 --- 120		20
1,2,3-Trichlorobenzene	4.16	ug/L			4.0	104	80 --- 120		20
1,2,3-Trichloropropane	3.80	ug/L			4.0	95.0	80 --- 120		20
1,2,4-Trichlorobenzene	4.06	ug/L			4.0	102	80 --- 120		20
1,2,4-Trimethylbenzene	4.08	ug/L			4.0	102	80 --- 120		20
1,2-Dichlorobenzene	4.09	ug/L			4.0	102	80 --- 120		20
1,2-Dichlorobenzene-d4	101	% Recovery			100	101	80 --- 120		20
1,2-Dichloroethane	3.83	ug/L			4.0	95.8	80 --- 120		20
1,2-Dichloropropane	3.97	ug/L			4.0	99.3	80 --- 120		20
1,3,5-Trimethylbenzene	4.13	ug/L			4.0	103	80 --- 120		20
1,3-Dichlorobenzene	4.00	ug/L			4.0	100	80 --- 120		20
1,3-Dichloropropane	3.97	ug/L			4.0	99.3	80 --- 120		20
1,4-Dichlorobenzene	3.96	ug/L			4.0	99.0	80 --- 120		20
2,2-Dichloropropane	3.34	ug/L			4.0	83.5	80 --- 120		20
2-Chlorotoluene	4.22	ug/L			4.0	106	80 --- 120		20
4-Chlorotoluene	4.15	ug/L			4.0	104	80 --- 120		20
Benzene	3.96	ug/L			4.0	99.0	80 --- 120		20
Bromobenzene	4.01	ug/L			4.0	100	80 --- 120		20
Bromochloromethane	3.91	ug/L			4.0	97.8	80 --- 120		20
Bromodichloromethane	3.76	ug/L			4.0	94.0	80 --- 120		20
Bromofluorobenzene	103	% Recovery			100	103	80 --- 120		20
Bromoform	4.00	ug/L			4.0	100	80 --- 120		20
Bromomethane	3.40	ug/L			4.0	85.0	80 --- 120		20
Carbon tetrachloride	4.08	ug/L			4.0	102	80 --- 120		20
Chlorobenzene	3.80	ug/L			4.0	95.0	80 --- 120		20
Chlorodibromomethane	4.14	ug/L			4.0	104	80 --- 120		20
Chloroethane	4.16	ug/L			4.0	104	80 --- 120		20
Chloroform	3.87	ug/L			4.0	96.8	80 --- 120		20
Chloromethane	3.90	ug/L			4.0	97.5	80 --- 120		20

Lab Control Spike Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008074	Analysis Time:	12:43	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	3.90	ug/L			4.0	97.5	80 --- 120		20
cis-1,3-Dichloropropene	3.91	ug/L			4.0	97.8	80 --- 120		20
Dibromomethane	4.08	ug/L			4.0	102	80 --- 120		20
Dichlorodifluoromethane	4.40	ug/L			4.0	110	80 --- 120		20
Ethylbenzene	4.12	ug/L			4.0	103	80 --- 120		20
Hexachlorobutadiene	4.49	ug/L			4.0	112	80 --- 120		20
Isopropylbenzene	4.15	ug/L			4.0	104	80 --- 120		20
Methyl tert-butyl ether	3.85	ug/L			4.0	96.3	80 --- 120		20
Methylene chloride	3.79	ug/L			4.0	94.8	80 --- 120		20
n-Butylbenzene	4.26	ug/L			4.0	107	80 --- 120		20
n-Propylbenzene	4.36	ug/L			4.0	109	80 --- 120		20
Naphthalene	4.12	ug/L			4.0	103	80 --- 120		20
p-Isopropyltoluene	4.26	ug/L			4.0	107	80 --- 120		20
sec-Butylbenzene	4.35	ug/L			4.0	109	80 --- 120		20
Styrene	4.23	ug/L			4.0	106	80 --- 120		20
tert-Butylbenzene	4.34	ug/L			4.0	109	80 --- 120		20
Tetrachloroethene	4.17	ug/L			4.0	104	80 --- 120		20
Toluene	4.15	ug/L			4.0	104	80 --- 120		20
trans-1,2-Dichloroethene	4.16	ug/L			4.0	104	80 --- 120		20
trans-1,3-Dichloropropene	3.86	ug/L			4.0	96.5	80 --- 120		20
Trichloroethene	3.99	ug/L			4.0	99.8	80 --- 120		20
Trichlorofluoromethane	4.70	ug/L			4.0	118	80 --- 120		20
Vinyl chloride	4.24	ug/L			4.0	106	80 --- 120		20

Method Blank Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1007944	Analysis Time:	13:40	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.3	ug/L		U	0			0.3	
1,1,1-Trichloroethane	0.28	ug/L		U	0			0.28	
1,1,2,2-Tetrachloroethane	0.5	ug/L		U	0			0.5	
1,1,2-Trichloroethane	0.4	ug/L		U	0			0.4	
1,1-Dichloroethane	0.28	ug/L		U	0			0.28	
1,1-Dichloroethene	0.3	ug/L		U	0			0.3	
1,1-Dichloropropene	0.3	ug/L		U	0			0.3	
1,2,3-Trichlorobenzene	0.5	ug/L		U	0			0.5	
1,2,3-Trichloropropane	0.25	ug/L		U	0			0.25	
1,2,4-Trichlorobenzene	0.4	ug/L		U	0			0.4	
1,2,4-Trimethylbenzene	0.3	ug/L		U	0			0.3	
1,2-Dichlorobenzene	0.4	ug/L		U	0			0.4	
1,2-Dichlorobenzene-d4	102	% Recovery			100	102	80 ---	120	
1,2-Dichloroethane	0.23	ug/L		U	0			0.23	
1,2-Dichloropropane	0.3	ug/L		U	0			0.3	
1,3,5-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,3-Dichlorobenzene	0.26	ug/L		U	0			0.26	
1,3-Dichloropropane	0.3	ug/L		U	0			0.3	
1,4-Dichlorobenzene	0.29	ug/L		U	0			0.29	
2,2-Dichloropropane	0.4	ug/L		U	0			0.4	
2-Chlorotoluene	0.3	ug/L		U	0			0.3	
4-Chlorotoluene	0.4	ug/L		U	0			0.4	
Benzene	0.26	ug/L		U	0			0.26	
Bromobenzene	0.4	ug/L		U	0			0.4	
Bromochloromethane	0.4	ug/L		U	0			0.4	
Bromodichloromethane	0.24	ug/L		U	0			0.24	
Bromofluorobenzene	101	% Recovery			100	101	80 ---	120	
Bromoform	0.4	ug/L		U	0			0.4	
Bromomethane	0.4	ug/L		U	0			0.4	
Carbon tetrachloride	0.28	ug/L		U	0			0.28	
Chlorobenzene	0.25	ug/L		U	0			0.25	
Chlorodibromomethane	0.4	ug/L		U	0			0.4	
Chloroethane	0.4	ug/L		U	0			0.4	
Chloroform	0.23	ug/L		U	0			0.23	
Chloromethane	0.19	ug/L		U	0			0.19	
cis-1,2-Dichloroethene	0.28	ug/L		U	0			0.28	
cis-1,3-Dichloropropene	0.22	ug/L		U	0			0.22	
Dibromomethane	0.3	ug/L		U	0			0.3	
Dichlorodifluoromethane	0.3	ug/L		U	0			0.3	
Ethylbenzene	0.27	ug/L		U	0			0.27	
Hexachlorobutadiene	0.4	ug/L		U	0			0.4	
Isopropylbenzene	0.29	ug/L		U	0			0.29	

Method Blank Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1007944	Analysis Time:	13:40	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	0.26	ug/L		U	0		0.26		
Methylene chloride	0.30	ug/L		U	0		0.30		
n-Butylbenzene	0.3	ug/L		U	0		0.3		
n-Propylbenzene	0.26	ug/L		U	0		0.26		
Naphthalene	0.5	ug/L		U	0		0.5		
p-Isopropyltoluene	0.25	ug/L		U	0		0.25		
sec-Butylbenzene	0.26	ug/L		U	0		0.26		
Styrene	0.3	ug/L		U	0		0.3		
tert-Butylbenzene	0.24	ug/L		U	0		0.24		
Tetrachloroethene	0.26	ug/L		U	0		0.26		
Toluene	0.25	ug/L		U	0		0.25		
trans-1,2-Dichloroethene	0.23	ug/L		U	0		0.23		
trans-1,3-Dichloropropene	0.28	ug/L		U	0		0.28		
Trichloroethene	0.3	ug/L		U	0		0.3		
Trichlorofluoromethane	0.24	ug/L		U	0		0.24		
Vinyl chloride	0.17	ug/L		U	0		0.17		

Matrix Spike Duplicate Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1007947	Analysis Time:	20:13	Prep Date/Time:	Method:	524
Parent Sample #:	1007946	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	4.00	ug/L	BDL		4.0	100	80 --- 120	2.12	20
1,1,1-Trichloroethane	4.52	ug/L	BDL		4.0	113	80 --- 120	2.82	20
1,1,2,2-Tetrachloroethane	4.13	ug/L	BDL		4.0	103	80 --- 120	3.55	20
1,1,2-Trichloroethane	4.12	ug/L	BDL		4.0	103	80 --- 120	6.52	20
1,1-Dichloroethane	4.19	ug/L	BDL		4.0	105	80 --- 120	2.71	20
1,1-Dichloroethene	4.54	ug/L	BDL		4.0	114	80 --- 120	4.36	20
1,1-Dichloropropene	4.76	ug/L	BDL		4.0	119	80 --- 120	2.48	20
1,2,3-Trichlorobenzene	4.05	ug/L	BDL		4.0	101	80 --- 120	4.85	20
1,2,3-Trichloropropane	3.95	ug/L	BDL		4.0	98.8	80 --- 120	6.32	20
1,2,4-Trichlorobenzene	3.84	ug/L	BDL		4.0	96.0	80 --- 120	4.41	20
1,2,4-Trimethylbenzene	4.23	ug/L	BDL		4.0	106	80 --- 120	3.37	20
1,2-Dichlorobenzene	4.16	ug/L	BDL		4.0	104	80 --- 120	6.24	20
1,2-Dichlorobenzene-d4	99.0	% Recovery			100	99.0	80 --- 120	0	
1,2-Dichloroethane	4.00	ug/L	BDL		4.0	100	80 --- 120	1.47	20
1,2-Dichloropropane	4.07	ug/L	BDL		4.0	102	80 --- 120	1.35	20
1,3,5-Trimethylbenzene	4.27	ug/L	BDL		4.0	107	80 --- 120	3.84	20
1,3-Dichlorobenzene	4.06	ug/L	BDL		4.0	102	80 --- 120	2.67	20
1,3-Dichloropropane	3.98	ug/L	BDL		4.0	99.5	80 --- 120	4.24	20
1,4-Dichlorobenzene	4.10	ug/L	BDL		4.0	103	80 --- 120	1.91	20
2,2-Dichloropropane	4.13	ug/L	BDL		4.0	103	80 --- 120	3.16	20
2-Chlorotoluene	4.24	ug/L	BDL		4.0	106	80 --- 120	3.72	20
4-Chlorotoluene	4.25	ug/L	BDL		4.0	106	80 --- 120	2.77	20
Benzene	4.19	ug/L	BDL		4.0	105	80 --- 120	2.80	20
Bromobenzene	4.05	ug/L	BDL		4.0	101	80 --- 120	1.25	20
Bromochloromethane	4.19	ug/L	BDL		4.0	105	80 --- 120	0.917	20
Bromodichloromethane	3.93	ug/L	BDL		4.0	98.3	80 --- 120	1.55	20
Bromofluorobenzene	99.0	% Recovery			100	99.0	80 --- 120	0	
Bromoform	3.79	ug/L	BDL		4.0	94.8	80 --- 120	3.57	20
Bromomethane	3.91	ug/L	BDL		4.0	97.8	80 --- 120	10.3	20
Carbon tetrachloride	4.68	ug/L	BDL		4.0	117	80 --- 120	2.57	20
Chlorobenzene	4.05	ug/L	BDL		4.0	101	80 --- 120	1.05	20
Chlorodibromomethane	3.93	ug/L	BDL		4.0	98.3	80 --- 120	3.23	20
Chloroethane	4.46	ug/L	BDL		4.0	112	80 --- 120	4.98	20
Chloroform	4.00	ug/L	BDL		4.0	100	80 --- 120	1.69	20
Chloromethane	4.22	ug/L	BDL		4.0	106	80 --- 120	1.07	20
cis-1,2-Dichloroethene	4.12	ug/L	BDL		4.0	103	80 --- 120	6.24	20
cis-1,3-Dichloropropene	4.05	ug/L	BDL		4.0	101	80 --- 120	2.35	20
Dibromomethane	3.86	ug/L	BDL		4.0	96.5	80 --- 120	1.72	20
Dichlorodifluoromethane	5.11	ug/L	BDL		4.0	128	80 --- 120	3.83	20
Ethylbenzene	4.23	ug/L	BDL		4.0	106	80 --- 120	0.431	20
Hexachlorobutadiene	4.56	ug/L	BDL		4.0	114	80 --- 120	0.380	20
Isopropylbenzene	4.39	ug/L	BDL		4.0	110	80 --- 120	3.20	20

Matrix Spike Duplicate Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1007947	Analysis Time:	20:13	Prep Date/Time:	Method:	524
Parent Sample #:	1007946	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	3.82	ug/L	BDL		4.0	95.5	80 --- 120	0.883	20
Methylene chloride	3.89	ug/L	BDL		4.0	97.3	80 --- 120	6.06	20
n-Butylbenzene	4.50	ug/L	BDL		4.0	113	80 --- 120	4.34	20
n-Propylbenzene	4.44	ug/L	BDL		4.0	111	80 --- 120	2.28	20
Naphthalene	4.02	ug/L	BDL		4.0	101	80 --- 120	11.4	20
p-Isopropyltoluene	4.41	ug/L	BDL		4.0	110	80 --- 120	2.12	20
sec-Butylbenzene	4.65	ug/L	BDL		4.0	116	80 --- 120	2.63	20
Styrene	4.06	ug/L	BDL		4.0	102	80 --- 120	8.59	20
tert-Butylbenzene	4.42	ug/L	BDL		4.0	111	80 --- 120	1.65	20
Tetrachloroethene	4.36	ug/L	BDL		4.0	109	80 --- 120	1.54	20
Toluene	4.13	ug/L	BDL		4.0	103	80 --- 120	1.94	20
trans-1,2-Dichloroethene	4.56	ug/L	BDL		4.0	114	80 --- 120	2.38	20
trans-1,3-Dichloropropene	3.94	ug/L	BDL		4.0	98.5	80 --- 120	2.52	20
Trichloroethene	4.28	ug/L	BDL		4.0	107	80 --- 120	3.37	20
Trichlorofluoromethane	5.27	ug/L	BDL		4.0	132	80 --- 120	2.99	20
Vinyl chloride	4.74	ug/L	BDL		4.0	119	80 --- 120	2.40	20

Matrix Spike Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1007946	Analysis Time:	19:44	Prep Date/Time:	Method:	524
Parent Sample #:	1004834	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	3.91	ug/L	BDL		4.0	97.8	80 --- 120		20
1,1,1-Trichloroethane	4.65	ug/L	BDL		4.0	116	80 --- 120		20
1,1,2,2-Tetrachloroethane	3.99	ug/L	BDL		4.0	99.8	80 --- 120		20
1,1,2-Trichloroethane	3.86	ug/L	BDL		4.0	96.5	80 --- 120		20
1,1-Dichloroethane	4.08	ug/L	BDL		4.0	102	80 --- 120		20
1,1-Dichloroethene	4.74	ug/L	BDL		4.0	119	80 --- 120		20
1,1-Dichloropropene	4.64	ug/L	BDL		4.0	116	80 --- 120		20
1,2,3-Trichlorobenzene	3.86	ug/L	BDL		4.0	96.5	80 --- 120		20
1,2,3-Trichloropropane	3.71	ug/L	BDL		4.0	92.8	80 --- 120		20
1,2,4-Trichlorobenzene	3.67	ug/L	BDL		4.0	91.8	80 --- 120		20
1,2,4-Trimethylbenzene	4.09	ug/L	BDL		4.0	102	80 --- 120		20
1,2-Dichlorobenzene	3.90	ug/L	BDL		4.0	97.5	80 --- 120		20
1,2-Dichlorobenzene-d4	98.0	% Recovery			100	98.0	80 --- 120		
1,2-Dichloroethane	3.94	ug/L	BDL		4.0	98.5	80 --- 120		20
1,2-Dichloropropane	4.02	ug/L	BDL		4.0	101	80 --- 120		20
1,3,5-Trimethylbenzene	4.11	ug/L	BDL		4.0	103	80 --- 120		20
1,3-Dichlorobenzene	3.95	ug/L	BDL		4.0	98.8	80 --- 120		20
1,3-Dichloropropane	3.82	ug/L	BDL		4.0	95.5	80 --- 120		20
1,4-Dichlorobenzene	4.02	ug/L	BDL		4.0	101	80 --- 120		20
2,2-Dichloropropane	4.01	ug/L	BDL		4.0	100	80 --- 120		20
2-Chlorotoluene	4.08	ug/L	BDL		4.0	102	80 --- 120		20
4-Chlorotoluene	4.13	ug/L	BDL		4.0	103	80 --- 120		20
Benzene	4.07	ug/L	BDL		4.0	102	80 --- 120		20
Bromobenzene	4.00	ug/L	BDL		4.0	100	80 --- 120		20
Bromochloromethane	4.16	ug/L	BDL		4.0	104	80 --- 120		20
Bromodichloromethane	3.87	ug/L	BDL		4.0	96.8	80 --- 120		20
Bromofluorobenzene	100	% Recovery			100	100	80 --- 120		
Bromoform	3.66	ug/L	BDL		4.0	91.5	80 --- 120		20
Bromomethane	4.34	ug/L	BDL		4.0	109	80 --- 120		20
Carbon tetrachloride	4.56	ug/L	BDL		4.0	114	80 --- 120		20
Chlorobenzene	4.01	ug/L	BDL		4.0	100	80 --- 120		20
Chlorodibromomethane	3.81	ug/L	BDL		4.0	95.3	80 --- 120		20
Chloroethane	4.25	ug/L	BDL		4.0	106	80 --- 120		20
Chloroform	3.93	ug/L	BDL		4.0	98.3	80 --- 120		20
Chloromethane	4.17	ug/L	BDL		4.0	104	80 --- 120		20
cis-1,2-Dichloroethene	3.87	ug/L	BDL		4.0	96.8	80 --- 120		20
cis-1,3-Dichloropropene	3.95	ug/L	BDL		4.0	98.8	80 --- 120		20
Dibromomethane	3.80	ug/L	BDL		4.0	95.0	80 --- 120		20
Dichlorodifluoromethane	5.31	ug/L	BDL		4.0	133	80 --- 120		20
Ethylbenzene	4.21	ug/L	BDL		4.0	105	80 --- 120		20
Hexachlorobutadiene	4.54	ug/L	BDL		4.0	114	80 --- 120		20
Isopropylbenzene	4.25	ug/L	BDL		4.0	106	80 --- 120		20

Matrix Spike Water

Analytical Run #:	191983	Analysis Date:	5/19/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1007946	Analysis Time:	19:44	Prep Date/Time:	Method:	524
Parent Sample #:	1004834	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	3.79	ug/L	BDL		4.0	94.8	80 --- 120		20
Methylene chloride	3.66	ug/L	BDL		4.0	91.5	80 --- 120		20
n-Butylbenzene	4.30	ug/L	BDL		4.0	108	80 --- 120		20
n-Propylbenzene	4.34	ug/L	BDL		4.0	109	80 --- 120		20
Naphthalene	3.58	ug/L	BDL		4.0	89.5	80 --- 120		20
p-Isopropyltoluene	4.32	ug/L	BDL		4.0	108	80 --- 120		20
sec-Butylbenzene	4.53	ug/L	BDL		4.0	113	80 --- 120		20
Styrene	3.73	ug/L	BDL		4.0	93.3	80 --- 120		20
tert-Butylbenzene	4.35	ug/L	BDL		4.0	109	80 --- 120		20
Tetrachloroethene	4.29	ug/L	BDL		4.0	107	80 --- 120		20
Toluene	4.21	ug/L	BDL		4.0	105	80 --- 120		20
trans-1,2-Dichloroethene	4.46	ug/L	BDL		4.0	112	80 --- 120		20
trans-1,3-Dichloropropene	3.84	ug/L	BDL		4.0	96.0	80 --- 120		20
Trichloroethene	4.14	ug/L	BDL		4.0	104	80 --- 120		20
Trichlorofluoromethane	5.12	ug/L	BDL		4.0	128	80 --- 120		20
Vinyl chloride	4.63	ug/L	BDL		4.0	116	80 --- 120		20

Sample Condition Report

Folder #: 161725	Print Date / Time: 05/12/2021 10:55
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 05/12/2021 10:34 erc
Project Name: REFUSE HIDEAWAY LF	Log-In Date / Time / By: 05/12/2021 10:55 erc
Project Phase: MIDDLETON, WI	Project #: 335719 PM: BMS
Coolers: 6698	Temperature: 3.1 C On Ice: Y
Custody Seals Present : Y	COC Present?: Y Complete? Y
Seal Intact? Y	Numbers: DATED AND SIGNED
Ship Method: FEDEX EXPRESS	Tracking Number: 773696753743
Adequate Packaging: Y	Temp Blank Enclosed? Y

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.

ONE CUSTODY SEAL WAS PRESENT AND INTACT UPON RECEIPT - DATED 5/11/21 AND SIGNED.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1004828 7734 USH 14	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1004833 7750 USH 14	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1004834 4610 ROCKY DELL RD	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
Total # of Containers of Type (VOA HCL) = 9				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests

1004835 7872 DEER RUN RD

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004836 7877 DEER RUN RD

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004837 7911 DEER RUN RD

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004838 4306 FAWN CT

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004839 4318 FAWN CT

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004840 DUP-01

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1004841 TRIP BLANK-1

TRIP BLANK 1 / VOC

Total # of Containers of Type (TRIP BLANK) = 1

Condition Code Condition Description

1 Sample Received OK

CHAIN OF CUSTODY

Company: TRC Env.
 Project Contact: Wesley Bragen
 Telephone: 608-422-3303
 Project Name: Refuse Hideaway LF
 Project #: 335719
 Location: Middleton, WI
 Sampled By: Wesley Bragen



1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To: Kwater@trcsolutions.com
 EMAIL:
 Company: TRC
 Address: 708 Highland Tr.
 Invoice To:*
 EMAIL:
 Company:
 Address:

Folder #: 161725
 Company: TRC ENVIRONMENTAL
 Project: REFUSE HIDEAWAY LF
 Logged By: ere PM: BMS

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____
 PO# Will send via e-mail

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time

Matrix: GW - groundwater SW - surface water WW - wastewater DW - drinking water S - soil/sediment SL - sludge A - air M - misc/waste	Filtered? Y/N	VOC (524.2)	ANALYSES REQUESTED										Total # Containers	Designated MS/MSD	Normal RUSH*
			Date Needed: _____												Rush analysis requires prior CT Laboratories' approval
														Surcharges: 24 hr 200% 2-3 days 100% 4-9 days 50%	

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered?	Y/N	Fill in Spaces with Bottles per Test										CT Lab ID # <i>Lab use only</i>		
Date	Time																			
5/11/21	1155	GW	G		7734 UST 14	N	X												3	1004828
5/11/21	1215	GW	G		7750 UST 14	N	X												3	" 33
5/11/21	1245	GW	G		4610 Rocky Dell Road	N	X											4	Y	" 34
5/11/21	1320	GW	G		7872 Deer Run Rd	N	X											3		" 35
5/11/21	1335	GW	G		7877 Deer Run Rd	N	X											3		" 36
5/11/21	1405	GW	G		7911 Deer Run Rd	N	X											3		" 37
5/11/21	1425	GW	G		4306 Fawn Ct	N	X											3		" 38
5/11/21	1450	GW	G		4318 Fawn Ct	N	X											3		" 39
5/11/21	-	GW	G		DUP-01	N	X											3		" 40
-	-	-	-		Trip Blank-1	N	X											1		" 41

Relinquished By: <i>Wesley Bragen</i>	Date/Time 5/11/21 1800	Received By: <i>ERC</i>	Date/Time 5/11/21 1034	Lab Use Only Ice Present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Temp <i>76/31</i> IR Gun <i>27</i> Cooler # <i>6698</i>
Received by:	Date/Time	Received for Laboratory by: 161725 - Page 70 of 71	Date/Time 5/11/21 1105	

Cooler Receipt Form

Ice Present YES NO
Observed Temperature 2.6
Actual Temperature 3.1
IR Gun # 27
Initials ELC
Date 5/12/21 Time 1034
Cooler #: 6698

GUSTODY SEAL
DATE 5/11/21
SIGNATURE Wesley Braga

QEC
Quality Environmental Containers
800-255-3950 • www.qecusa.com

ORIGIN ID: MSNA (608) 234-7374
WESLEY BRAGA
TRC COMPANIES
TRC ENVIRONMENTAL CORPORATION
708 HEARTLAND TRAIL, SUITE 3000
MADISON, WI 53717
UNITED STATES US

SHIP DATE: 11MAY21
ACTWGT: 22.35 LB
CAD: 109993720/INET4340
DIMS: 13x18x13 IN
BILL SENDER

TO **SAMPLE RECEIVING
CT LABORATORIES
1230 LANGE CT**

BARABOO WI 53913

(608) 356-2760
INV:
PO:

REF: 335719.0008.0000.000002.000002

DEPT




WED - 12 MAY 10:30A
PRIORITY OVERNIGHT

TRK# 7736 9675 3743
0201

55 LNRA

53913
WI-US MSN





ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)

ANALYTICAL REPORT

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717
 Copy: kvater@trccompanies.com

Project Name: REFUSE HIDEAWAY LANDFILL
 Project Phase: MIDDLETON, WI
 Project #: 335719
 Folder #: 161887
 Purchase Order #:
 Contract #: 3274

Page 1 of 128
 Arrival Temperature: 2.7
 Report Date: 7/20/2021
 Date Received: 5/19/2021
 Reprint Date: 7/20/2021

CT LAB#: 1007379	Sample Description: P-20SR-202105	License/Well #: 01953/167	Sampled: 5/18/2021 14:52
------------------	-----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/18/2021 14:52	SUB	FIELD
Conductivity (Field)	595.7	umhos/cm			1			5/18/2021 14:52	SUB	FIELD
Groundwater Elevation (Field)	927.59	Feet MSL			1			5/18/2021 14:52	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/18/2021 14:52	SUB	FIELD
pH (Field)	7.52	S.U.			1			5/18/2021 14:52	SUB	FIELD
Temperature (Field)	10.55	Deg. C			1			5/18/2021 14:52	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/18/2021 14:52	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:00	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 17:00	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 17:00	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:00	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:00	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:00	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007379 Sample Description: P-20SR-202105 License/Well #: 01953/167 Sampled: 5/18/2021 14:52

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 17:00	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 17:00	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 17:00	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:00	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 17:00	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 17:00	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 17:00	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/21/2021 17:00	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/21/2021 17:00	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/21/2021 17:00	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/21/2021 17:00	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/21/2021 17:00	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/21/2021 17:00	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/21/2021 17:00	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/21/2021 17:00	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:00	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/21/2021 17:00	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/21/2021 17:00	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/21/2021 17:00	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/21/2021 17:00	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/21/2021 17:00	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/21/2021 17:00	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007379 Sample Description: P-20SR-202105 License/Well #: 01953/167 Sampled: 5/18/2021 14:52

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Dichlorodifluoromethane	0.70	ug/L	0.4 *	1.3	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Tetrachloroethene	1.4	ug/L	0.27	0.89	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/21/2021 17:00	5/21/2021 17:00	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007379 Sample Description: P-20SR-202105 License/Well #: 01953/167 Sampled: 5/18/2021 14:52

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:00	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:00	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:00	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 17:00	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 17:00	RLD	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1			5/21/2021 17:00	RLD	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1			5/21/2021 17:00	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 17:00	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 17:00	RLD	EPA 8260C



CT LAB#: 1007380 Sample Description: P-22S-202105 License/Well #: 01953/135 Sampled: 5/17/2021 16:03

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/17/2021 16:03	SUB	FIELD
Conductivity (Field)	626.2	umhos/cm			1			5/17/2021 16:03	SUB	FIELD
Groundwater Elevation (Field)	919.11	Feet MSL			1			5/17/2021 16:03	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 16:03	SUB	FIELD
pH (Field)	7.55	S.U.			1			5/17/2021 16:03	SUB	FIELD
Temperature (Field)	15.07	Deg. C			1			5/17/2021 16:03	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/17/2021 16:03	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:29	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 17:29	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 17:29	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:29	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:29	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:29	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 17:29	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 17:29	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 17:29	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:29	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 17:29	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 17:29	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 17:29	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007380 Sample Description: P-22S-202105 License/Well #: 01953/135 Sampled: 5/17/2021 16:03

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:29	5/21/2021 17:29	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007380 Sample Description: P-22S-202105 License/Well #: 01953/135 Sampled: 5/17/2021 16:03

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 17:29	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:29	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 17:29	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 17:29	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 17:29	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 17:29	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 17:29	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:29	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 17:29	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:29	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/21/2021 17:29	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 17:29	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 17:29	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 17:29	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:29	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:29	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:29	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 17:29	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 17:29	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			5/21/2021 17:29	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 17:29	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 17:29	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007380	Sample Description: P-22S-202105	License/Well #: 01953/135	Sampled: 5/17/2021 16:03
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/21/2021 17:29	RLD	EPA 8260C



CT LAB#: 1007381 Sample Description: P-22D-202105 License/Well #: 01953/136 Sampled: 5/17/2021 15:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/17/2021 15:05	SUB	FIELD
Conductivity (Field)	623.6	umhos/cm			1			5/17/2021 15:05	SUB	FIELD
Groundwater Elevation (Field)	918.88	Feet MSL			1			5/17/2021 15:05	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 15:05	SUB	FIELD
pH (Field)	7.20	S.U.			1			5/17/2021 15:05	SUB	FIELD
Temperature (Field)	11.51	Deg. C			1			5/17/2021 15:05	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/17/2021 15:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:59	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 17:59	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 17:59	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:59	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:59	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:59	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 17:59	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 17:59	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 17:59	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 17:59	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 17:59	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 17:59	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 17:59	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007381 Sample Description: P-22D-202105 License/Well #: 01953/136 Sampled: 5/17/2021 15:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.5	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C
Dichlorodifluoromethane	0.96	ug/L	0.4 *	1.3	1		5/21/2021 17:59	5/21/2021 17:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007381 Sample Description: P-22D-202105 License/Well #: 01953/136 Sampled: 5/17/2021 15:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 17:59	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:59	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 17:59	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 17:59	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 17:59	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 17:59	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 17:59	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:59	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 17:59	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 17:59	RLD	EPA 8260C
Tetrachloroethene	2.4	ug/L	0.27	0.89	1			5/21/2021 17:59	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 17:59	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 17:59	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 17:59	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 17:59	RLD	EPA 8260C
Trichloroethene	0.64	ug/L	0.3 *	1.1	1			5/21/2021 17:59	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 17:59	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 17:59	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 17:59	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/21/2021 17:59	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/21/2021 17:59	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 17:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007381	Sample Description: P-22D-202105	License/Well #: 01953/136	Sampled: 5/17/2021 15:05
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	96.0	% Recovery	90.0	110	1			5/21/2021 17:59	RLD	EPA 8260C



CT LAB#: 1007382 Sample Description: P-22E-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/17/2021 15:14	SUB	FIELD
Conductivity (Field)	566.4	umhos/cm			1			5/17/2021 15:14	SUB	FIELD
Groundwater Elevation (Field)	918.83	Feet MSL			1			5/17/2021 15:14	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 15:14	SUB	FIELD
pH (Field)	7.49	S.U.			1			5/17/2021 15:14	SUB	FIELD
Temperature (Field)	11.05	Deg. C			1			5/17/2021 15:14	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/17/2021 15:14	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 18:29	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 18:29	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 18:29	RLD	EPA 8260C
1,1-Dichloroethane	0.88	ug/L	0.3 *	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:29	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 18:29	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 18:29	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 18:29	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 18:29	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 18:29	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 18:29	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 18:29	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 18:29	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 18:29	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007382 Sample Description: P-22E-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
cis-1,2-Dichloroethene	5.6	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C
Dichlorodifluoromethane	3.4	ug/L	0.4	1.3	1		5/21/2021 18:29	5/21/2021 18:29	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007382 Sample Description: P-22E-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 18:29	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:29	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 18:29	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 18:29	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 18:29	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 18:29	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 18:29	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:29	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 18:29	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:29	RLD	EPA 8260C
Tetrachloroethene	15	ug/L	0.27	0.89	1			5/21/2021 18:29	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 18:29	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 18:29	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 18:29	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 18:29	RLD	EPA 8260C
Trichloroethene	2.6	ug/L	0.3	1.1	1			5/21/2021 18:29	RLD	EPA 8260C
Trichlorofluoromethane	0.88	ug/L	0.4 *	1.4	1			5/21/2021 18:29	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 18:29	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 18:29	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/21/2021 18:29	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 18:29	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 18:29	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis


CT LAB#: 1007382	Sample Description: P-22E-202105	License/Well #: 01953/174	Sampled: 5/17/2021 15:14
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 18:29	RLD	EPA 8260C



CT LAB#: 1007383 Sample Description: P-25S-202105 License/Well #: 01953/117 Sampled: 5/13/2021 13:48


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 13:48	SUB	FIELD
Conductivity (Field)	765.9	umhos/cm			1			5/13/2021 13:48	SUB	FIELD
Groundwater Elevation (Field)	925.16	Feet MSL			1			5/13/2021 13:48	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 13:48	SUB	FIELD
pH (Field)	7.02	S.U.			1			5/13/2021 13:48	SUB	FIELD
Temperature (Field)	12.40	Deg. C			1			5/13/2021 13:48	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 13:48	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 18:59	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 18:59	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 18:59	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:59	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 18:59	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 18:59	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 18:59	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 18:59	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 18:59	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 18:59	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 18:59	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 18:59	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 18:59	RLD	EPA 8260C



CT LAB#: 1007383 Sample Description: P-25S-202105 License/Well #: 01953/117 Sampled: 5/13/2021 13:48

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 18:59	5/21/2021 18:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007383 Sample Description: P-25S-202105 License/Well #: 01953/117 Sampled: 5/13/2021 13:48

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 18:59	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:59	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 18:59	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 18:59	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 18:59	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 18:59	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 18:59	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:59	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 18:59	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 18:59	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/21/2021 18:59	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 18:59	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 18:59	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 18:59	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 18:59	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 18:59	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 18:59	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 18:59	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 18:59	RLD	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1			5/21/2021 18:59	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 18:59	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 18:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007383	Sample Description: P-25S-202105	License/Well #: 01953/117	Sampled: 5/13/2021 13:48
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 18:59	RLD	EPA 8260C



CT LAB#: 1007384 Sample Description: P-25D-202105 License/Well #: 01953/118 Sampled: 5/13/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 14:22	SUB	FIELD
Conductivity (Field)	712.7	umhos/cm			1			5/13/2021 14:22	SUB	FIELD
Groundwater Elevation (Field)	921.17	Feet MSL			1			5/13/2021 14:22	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 14:22	SUB	FIELD
pH (Field)	7.17	S.U.			1			5/13/2021 14:22	SUB	FIELD
Temperature (Field)	12.44	Deg. C			1			5/13/2021 14:22	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 14:22	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 19:28	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 19:28	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 19:28	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:28	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 19:28	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 19:28	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 19:28	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 19:28	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 19:28	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 19:28	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 19:28	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 19:28	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 19:28	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007384 Sample Description: P-25D-202105 License/Well #: 01953/118 Sampled: 5/13/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 19:28	5/21/2021 19:28	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007384 Sample Description: P-25D-202105 License/Well #: 01953/118 Sampled: 5/13/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 19:28	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:28	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 19:28	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 19:28	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 19:28	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 19:28	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 19:28	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:28	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 19:28	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:28	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/21/2021 19:28	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 19:28	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 19:28	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 19:28	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 19:28	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:28	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 19:28	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 19:28	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 19:28	RLD	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1			5/21/2021 19:28	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/21/2021 19:28	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 19:28	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007384	Sample Description: P-25D-202105	License/Well #: 01953/118	Sampled: 5/13/2021 14:22
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/21/2021 19:28	RLD	EPA 8260C



CT LAB#: 1007385 Sample Description: P-25BR-202105 License/Well #: 01953/119 Sampled: 5/13/2021 13:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 13:55	SUB	FIELD
Conductivity (Field)	651.9	umhos/cm			1			5/13/2021 13:55	SUB	FIELD
Groundwater Elevation (Field)	921.63	Feet MSL			1			5/13/2021 13:55	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 13:55	SUB	FIELD
pH (Field)	7.22	S.U.			1			5/13/2021 13:55	SUB	FIELD
Temperature (Field)	12.98	Deg. C			1			5/13/2021 13:55	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 13:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 19:58	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 19:58	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 19:58	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:58	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 19:58	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 19:58	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 19:58	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 19:58	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 19:58	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 19:58	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 19:58	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 19:58	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 19:58	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007385 Sample Description: P-25BR-202105 License/Well #: 01953/119 Sampled: 5/13/2021 13:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C
Dichlorodifluoromethane	0.69	ug/L	0.4 *	1.3	1		5/21/2021 19:58	5/21/2021 19:58	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007385 Sample Description: P-25BR-202105 License/Well #: 01953/119 Sampled: 5/13/2021 13:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 19:58	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:58	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 19:58	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 19:58	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 19:58	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 19:58	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 19:58	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:58	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 19:58	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 19:58	RLD	EPA 8260C
Tetrachloroethene	1.7	ug/L	0.27	0.89	1			5/21/2021 19:58	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 19:58	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 19:58	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 19:58	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 19:58	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 19:58	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 19:58	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 19:58	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 19:58	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			5/21/2021 19:58	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 19:58	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 19:58	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007385	Sample Description: P-25BR-202105	License/Well #: 01953/119	Sampled: 5/13/2021 13:55
------------------	-----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/21/2021 19:58	RLD	EPA 8260C



CT LAB#: 1007386 Sample Description: P-26S-202105 License/Well #: 01953/141 Sampled: 5/14/2021 13:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 13:56	SUB	FIELD
Conductivity (Field)	821.0	umhos/cm			1			5/14/2021 13:56	SUB	FIELD
Groundwater Elevation (Field)	934.13	Feet MSL			1			5/14/2021 13:56	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 13:56	SUB	FIELD
pH (Field)	7.05	S.U.			1			5/14/2021 13:56	SUB	FIELD
Temperature (Field)	11.70	Deg. C			1			5/14/2021 13:56	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 13:56	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 20:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 20:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 20:27	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 20:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 20:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 20:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 20:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 20:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 20:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 20:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 20:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 20:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007386 Sample Description: P-26S-202105 License/Well #: 01953/141 Sampled: 5/14/2021 13:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/21/2021 20:27	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/21/2021 20:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/21/2021 20:27	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/21/2021 20:27	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/21/2021 20:27	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/21/2021 20:27	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/21/2021 20:27	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/21/2021 20:27	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/21/2021 20:27	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/21/2021 20:27	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/21/2021 20:27	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/21/2021 20:27	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/21/2021 20:27	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/21/2021 20:27	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/21/2021 20:27	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/21/2021 20:27	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/21/2021 20:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/21/2021 20:27	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/21/2021 20:27	RLD	EPA 8260C
Dichlorodifluoromethane	2.3	ug/L	0.4	1.3	1			5/21/2021 20:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007386 Sample Description: P-26S-202105 License/Well #: 01953/141 Sampled: 5/14/2021 13:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 20:27	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 20:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 20:27	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 20:27	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 20:27	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 20:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 20:27	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
Tetrachloroethene	8.5	ug/L	0.27	0.89	1			5/21/2021 20:27	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 20:27	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 20:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 20:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 20:27	RLD	EPA 8260C
Trichloroethene	0.72	ug/L	0.3 *	1.1	1			5/21/2021 20:27	RLD	EPA 8260C
Trichlorofluoromethane	0.53	ug/L	0.4 *	1.4	1			5/21/2021 20:27	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 20:27	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 20:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			5/21/2021 20:27	RLD	EPA 8260C
Bromofluorobenzene	104	% Recovery	83.0	111	1			5/21/2021 20:27	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 20:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007386	Sample Description: P-26S-202105	License/Well #: 01953/141	Sampled: 5/14/2021 13:56
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 20:27	RLD	EPA 8260C



CT LAB#: 1007387 Sample Description: P-27S-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 16:13	SUB	FIELD
Conductivity (Field)	954.1	umhos/cm			1			5/14/2021 16:13	SUB	FIELD
Groundwater Elevation (Field)	925.05	Feet MSL			1			5/14/2021 16:13	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 16:13	SUB	FIELD
pH (Field)	6.91	S.U.			1			5/14/2021 16:13	SUB	FIELD
Temperature (Field)	11.18	Deg. C			1			5/14/2021 16:13	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 16:13	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 20:57	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 20:57	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 20:57	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:57	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 20:57	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 20:57	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 20:57	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 20:57	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 20:57	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 20:57	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 20:57	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 20:57	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 20:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007387 Sample Description: P-27S-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 20:57	20:57	RLD	EPA 8260C
Dichlorodifluoromethane	0.45	ug/L	0.4 *	1.3	1		5/21/2021 20:57	20:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007387 Sample Description: P-27S-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 20:57	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:57	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 20:57	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 20:57	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 20:57	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 20:57	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 20:57	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:57	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 20:57	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 20:57	RLD	EPA 8260C
Tetrachloroethene	3.2	ug/L	0.27	0.89	1			5/21/2021 20:57	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 20:57	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 20:57	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 20:57	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 20:57	RLD	EPA 8260C
Trichloroethene	0.43	ug/L	0.3 *	1.1	1			5/21/2021 20:57	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 20:57	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 20:57	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 20:57	RLD	EPA 8260C
1,2 Dichloroethane-d4	98.0	% Recovery	89.0	111	1			5/21/2021 20:57	RLD	EPA 8260C
Bromofluorobenzene	104	% Recovery	83.0	111	1			5/21/2021 20:57	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 20:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007387	Sample Description: P-27S-202105	License/Well #: 01953/121	Sampled: 5/14/2021 16:13
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/21/2021 20:57	RLD	EPA 8260C



CT LAB#: 1007388 Sample Description: P-27D-202105 License/Well #: 01953/122 Sampled: 5/14/2021 16:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 16:35	SUB	FIELD
Conductivity (Field)	914.9	umhos/cm			1			5/14/2021 16:35	SUB	FIELD
Groundwater Elevation (Field)	924.63	Feet MSL			1			5/14/2021 16:35	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 16:35	SUB	FIELD
pH (Field)	7.03	S.U.			1			5/14/2021 16:35	SUB	FIELD
Temperature (Field)	11.88	Deg. C			1			5/14/2021 16:35	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 16:35	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 21:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 21:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 21:27	RLD	EPA 8260C
1,1-Dichloroethane	0.91	ug/L	0.3 *	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 21:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 21:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 21:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 21:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 21:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 21:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 21:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 21:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 21:27	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007388 Sample Description: P-27D-202105 License/Well #: 01953/122 Sampled: 5/14/2021 16:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.6	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C
Dichlorodifluoromethane	2.5	ug/L	0.4	1.3	1		5/21/2021 21:27	5/21/2021 21:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007388 Sample Description: P-27D-202105 License/Well #: 01953/122 Sampled: 5/14/2021 16:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 21:27	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:27	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 21:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 21:27	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 21:27	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 21:27	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 21:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:27	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 21:27	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:27	RLD	EPA 8260C
Tetrachloroethene	16	ug/L	0.27	0.89	1			5/21/2021 21:27	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 21:27	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 21:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 21:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 21:27	RLD	EPA 8260C
Trichloroethene	2.9	ug/L	0.3	1.1	1			5/21/2021 21:27	RLD	EPA 8260C
Trichlorofluoromethane	0.98	ug/L	0.4 *	1.4	1			5/21/2021 21:27	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 21:27	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 21:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			5/21/2021 21:27	RLD	EPA 8260C
Bromofluorobenzene	104	% Recovery	83.0	111	1			5/21/2021 21:27	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 21:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007388	Sample Description: P-27D-202105	License/Well #: 01953/122	Sampled: 5/14/2021 16:35
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/21/2021 21:27	RLD	EPA 8260C



CT LAB#: 1007389 Sample Description: P-28S-202105 License/Well #: 01953/123 Sampled: 5/14/2021 14:54

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 14:54	SUB	FIELD
Conductivity (Field)	690.5	umhos/cm			1			5/14/2021 14:54	SUB	FIELD
Groundwater Elevation (Field)	929.90	Feet MSL			1			5/14/2021 14:54	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 14:54	SUB	FIELD
pH (Field)	7.22	S.U.			1			5/14/2021 14:54	SUB	FIELD
Temperature (Field)	12.32	Deg. C			1			5/14/2021 14:54	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 14:54	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 21:57	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 21:57	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 21:57	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:57	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 21:57	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 21:57	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 21:57	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 21:57	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 21:57	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 21:57	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 21:57	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 21:57	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 21:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007389 Sample Description: P-28S-202105 License/Well #: 01953/123 Sampled: 5/14/2021 14:54

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 21:57	5/21/2021 21:57	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007389 Sample Description: P-28S-202105 License/Well #: 01953/123 Sampled: 5/14/2021 14:54


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 21:57	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:57	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 21:57	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 21:57	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 21:57	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 21:57	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 21:57	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:57	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 21:57	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 21:57	RLD	EPA 8260C
Tetrachloroethene	1.7	ug/L	0.27	0.89	1			5/21/2021 21:57	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 21:57	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 21:57	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 21:57	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 21:57	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 21:57	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 21:57	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 21:57	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 21:57	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			5/21/2021 21:57	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 21:57	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 21:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007389	Sample Description: P-28S-202105	License/Well #: 01953/123	Sampled: 5/14/2021 14:54
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 21:57	RLD	EPA 8260C



CT LAB#: 1007390 Sample Description: P-29S-202105 License/Well #: 01953/168 Sampled: 5/14/2021 13:06

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 13:06	SUB	FIELD
Conductivity (Field)	591.3	umhos/cm			1			5/14/2021 13:06	SUB	FIELD
Groundwater Elevation (Field)	931.07	Feet MSL			1			5/14/2021 13:06	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 13:06	SUB	FIELD
pH (Field)	7.34	S.U.			1			5/14/2021 13:06	SUB	FIELD
Temperature (Field)	11.80	Deg. C			1			5/14/2021 13:06	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 13:06	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 22:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 22:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 22:27	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 22:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 22:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 22:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 22:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 22:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 22:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 22:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 22:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 22:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 22:27	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007390 Sample Description: P-29S-202105 License/Well #: 01953/168 Sampled: 5/14/2021 13:06

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C
Dichlorodifluoromethane	1.00	ug/L	0.4 *	1.3	1		5/21/2021 22:27	5/21/2021 22:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007390 Sample Description: P-29S-202105 License/Well #: 01953/168 Sampled: 5/14/2021 13:06

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 22:27	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 22:27	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 22:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 22:27	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 22:27	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 22:27	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 22:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 22:27	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 22:27	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 22:27	RLD	EPA 8260C
Tetrachloroethene	0.59	ug/L	0.27 *	0.89	1			5/21/2021 22:27	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 22:27	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 22:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 22:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 22:27	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:27	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 22:27	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 22:27	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 22:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			5/21/2021 22:27	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			5/21/2021 22:27	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/21/2021 22:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007390	Sample Description: P-29S-202105	License/Well #: 01953/168	Sampled: 5/14/2021 13:06
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	96.0	% Recovery	90.0	110	1			5/21/2021 22:27	RLD	EPA 8260C



CT LAB#: 1007391 Sample Description: P-301-202105 License/Well #: 01953/170 Sampled: 5/12/2021 11:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 11:55	SUB	FIELD
Conductivity (Field)	683.5	umhos/cm			1			5/12/2021 11:55	SUB	FIELD
Groundwater Elevation (Field)	914.21	Feet MSL			1			5/12/2021 11:55	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 11:55	SUB	FIELD
pH (Field)	6.95	S.U.			1			5/12/2021 11:55	SUB	FIELD
Temperature (Field)	9.72	Deg. C			1			5/12/2021 11:55	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 11:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 22:57	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 22:57	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:57	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 22:57	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:57	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 22:57	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 22:57	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 22:57	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:57	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 22:57	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 22:57	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 22:57	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 22:57	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 22:57	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 22:57	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 22:57	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 22:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007391 Sample Description: P-301-202105 License/Well #: 01953/170 Sampled: 5/12/2021 11:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007391 Sample Description: P-301-202105 License/Well #: 01953/170 Sampled: 5/12/2021 11:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/21/2021 22:57	5/21/2021 22:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007391	Sample Description: P-30I-202105	License/Well #: 01953/170	Sampled: 5/12/2021 11:55
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/21/2021 22:57	RLD	EPA 8260C



CT LAB#: 1007392 Sample Description: P-30D-202105 License/Well #: 01953/169 Sampled: 5/12/2021 12:36

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 12:36	SUB	FIELD
Conductivity (Field)	507.4	umhos/cm			1			5/12/2021 12:36	SUB	FIELD
Groundwater Elevation (Field)	914.31	Feet MSL			1			5/12/2021 12:36	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 12:36	SUB	FIELD
pH (Field)	7.38	S.U.			1			5/12/2021 12:36	SUB	FIELD
Temperature (Field)	9.80	Deg. C			1			5/12/2021 12:36	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 12:36	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 23:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 23:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 23:27	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 23:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 23:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 23:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 23:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 23:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 23:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 23:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 23:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 23:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007392 Sample Description: P-30D-202105 License/Well #: 01953/169 Sampled: 5/12/2021 12:36

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021	23:27	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021	23:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021	23:27	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021	23:27	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021	23:27	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021	23:27	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021	23:27	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021	23:27	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021	23:27	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021	23:27	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021	23:27	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021	23:27	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021	23:27	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021	23:27	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021	23:27	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021	23:27	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021	23:27	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021	23:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021	23:27	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021	23:27	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021	23:27	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021	23:27	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007392 Sample Description: P-30D-202105 License/Well #: 01953/169 Sampled: 5/12/2021 12:36


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 23:27	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:27	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 23:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 23:27	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 23:27	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 23:27	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 23:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:27	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 23:27	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:27	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/21/2021 23:27	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 23:27	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 23:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 23:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 23:27	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:27	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 23:27	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 23:27	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 23:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			5/21/2021 23:27	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 23:27	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 23:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007392	Sample Description: P-30D-202105	License/Well #: 01953/169	Sampled: 5/12/2021 12:36
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/21/2021 23:27	RLD	EPA 8260C



CT LAB#: 1007393 Sample Description: P-31S-202105 License/Well #: 01953/148 Sampled: 5/12/2021 14:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 14:31	SUB	FIELD
Conductivity (Field)	417.8	umhos/cm			1			5/12/2021 14:31	SUB	FIELD
Groundwater Elevation (Field)	911.70	Feet MSL			1			5/12/2021 14:31	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 14:31	SUB	FIELD
pH (Field)	8.18	S.U.			1			5/12/2021 14:31	SUB	FIELD
Temperature (Field)	10.09	Deg. C			1			5/12/2021 14:31	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 14:31	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 23:57	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/21/2021 23:57	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/21/2021 23:57	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:57	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/21/2021 23:57	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/21/2021 23:57	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/21/2021 23:57	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/21/2021 23:57	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/21/2021 23:57	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/21/2021 23:57	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/21/2021 23:57	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/21/2021 23:57	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/21/2021 23:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007393 Sample Description: P-31S-202105 License/Well #: 01953/148 Sampled: 5/12/2021 14:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/21/2021 23:57	5/21/2021 23:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007393 Sample Description: P-31S-202105 License/Well #: 01953/148 Sampled: 5/12/2021 14:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/21/2021 23:57	RLD	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:57	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/21/2021 23:57	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/21/2021 23:57	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/21/2021 23:57	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/21/2021 23:57	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/21/2021 23:57	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:57	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/21/2021 23:57	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/21/2021 23:57	RLD	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/21/2021 23:57	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/21/2021 23:57	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/21/2021 23:57	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/21/2021 23:57	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/21/2021 23:57	RLD	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/21/2021 23:57	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/21/2021 23:57	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/21/2021 23:57	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/21/2021 23:57	RLD	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1			5/21/2021 23:57	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/21/2021 23:57	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/21/2021 23:57	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007393	Sample Description: P-31S-202105	License/Well #: 01953/148	Sampled: 5/12/2021 14:31
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/21/2021 23:57	RLD	EPA 8260C



CT LAB#: 1007394 Sample Description: P-311A-202105 License/Well #: 01953/146 Sampled: 5/12/2021 13:54

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 13:54	SUB	FIELD
Conductivity (Field)	863.9	umhos/cm			1			5/12/2021 13:54	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 13:54	SUB	FIELD
pH (Field)	7.05	S.U.			1			5/12/2021 13:54	SUB	FIELD
Temperature (Field)	11.94	Deg. C			1			5/12/2021 13:54	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 13:54	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/22/2021 00:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/22/2021 00:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/22/2021 00:27	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/22/2021 00:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/22/2021 00:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/22/2021 00:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/22/2021 00:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/22/2021 00:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/22/2021 00:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/22/2021 00:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/22/2021 00:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/22/2021 00:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/22/2021 00:27	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/22/2021 00:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007394 Sample Description: P-311A-202105 License/Well #: 01953/146 Sampled: 5/12/2021 13:54

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/22/2021 00:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/22/2021 00:27	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/22/2021 00:27	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/22/2021 00:27	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/22/2021 00:27	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/22/2021 00:27	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/22/2021 00:27	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/22/2021 00:27	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:27	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/22/2021 00:27	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/22/2021 00:27	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:27	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/22/2021 00:27	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/22/2021 00:27	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/22/2021 00:27	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/22/2021 00:27	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/22/2021 00:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	0.80	ug/L	0.3 *	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/22/2021 00:27	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:27	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/22/2021 00:27	RLD	EPA 8260C
Dichlorodifluoromethane	0.65	ug/L	0.4 *	1.3	1			5/22/2021 00:27	RLD	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:27	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007394 Sample Description: P-311A-202105 License/Well #: 01953/146 Sampled: 5/12/2021 13:54

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/22/2021	00:27	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/22/2021	00:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/22/2021	00:27	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/22/2021	00:27	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/22/2021	00:27	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/22/2021	00:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/22/2021	00:27	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/22/2021	00:27	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/22/2021	00:27	RLD	EPA 8260C
Tetrachloroethene	1.2	ug/L	0.27	0.89	1		5/22/2021	00:27	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/22/2021	00:27	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/22/2021	00:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/22/2021	00:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/22/2021	00:27	RLD	EPA 8260C
Trichloroethene	0.67	ug/L	0.3 *	1.1	1		5/22/2021	00:27	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/22/2021	00:27	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/22/2021	00:27	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/22/2021	00:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1		5/22/2021	00:27	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1		5/22/2021	00:27	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/22/2021	00:27	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		5/22/2021	00:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007395 Sample Description: P-311B-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 15:15	SUB	FIELD
Conductivity (Field)	884.7	umhos/cm			1			5/12/2021 15:15	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 15:15	SUB	FIELD
pH (Field)	7.11	S.U.			1			5/12/2021 15:15	SUB	FIELD
Temperature (Field)	10.78	Deg. C			1			5/12/2021 15:15	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 15:15	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/22/2021 00:56	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/22/2021 00:56	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/22/2021 00:56	RLD	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/22/2021 00:56	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/22/2021 00:56	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/22/2021 00:56	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/22/2021 00:56	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/22/2021 00:56	RLD	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/22/2021 00:56	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/22/2021 00:56	RLD	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/22/2021 00:56	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/22/2021 00:56	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/22/2021 00:56	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007395 Sample Description: P-311B-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/22/2021 00:56	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/22/2021 00:56	RLD	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/22/2021 00:56	RLD	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/22/2021 00:56	RLD	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/22/2021 00:56	RLD	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/22/2021 00:56	RLD	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/22/2021 00:56	RLD	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/22/2021 00:56	RLD	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:56	RLD	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/22/2021 00:56	RLD	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/22/2021 00:56	RLD	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:56	RLD	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/22/2021 00:56	RLD	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/22/2021 00:56	RLD	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/22/2021 00:56	RLD	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/22/2021 00:56	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.2	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/22/2021 00:56	RLD	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/22/2021 00:56	RLD	EPA 8260C
Dichlorodifluoromethane	0.83	ug/L	0.4 *	1.3	1			5/22/2021 00:56	RLD	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/22/2021 00:56	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007395 Sample Description: P-311B-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/22/2021 00:56	RLD	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/22/2021 00:56	RLD	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/22/2021 00:56	RLD	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/22/2021 00:56	RLD	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/22/2021 00:56	RLD	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/22/2021 00:56	RLD	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
Tetrachloroethene	1.5	ug/L	0.27	0.89	1			5/22/2021 00:56	RLD	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/22/2021 00:56	RLD	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/22/2021 00:56	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/22/2021 00:56	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/22/2021 00:56	RLD	EPA 8260C
Trichloroethene	0.86	ug/L	0.3 *	1.1	1			5/22/2021 00:56	RLD	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/22/2021 00:56	RLD	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/22/2021 00:56	RLD	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/22/2021 00:56	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/22/2021 00:56	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/22/2021 00:56	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/22/2021 00:56	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/22/2021 00:56	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007396 Sample Description: P-31D-202105 License/Well #: 01953/145 Sampled: 5/12/2021 15:36

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/12/2021 15:36	SUB	FIELD
Conductivity (Field)	566.2	umhos/cm			1			5/12/2021 15:36	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/12/2021 15:36	SUB	FIELD
pH (Field)	7.40	S.U.			1			5/12/2021 15:36	SUB	FIELD
Temperature (Field)	11.30	Deg. C			1			5/12/2021 15:36	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/12/2021 15:36	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 11:03	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 11:03	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:03	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 11:03	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:03	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 11:03	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 11:03	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 11:03	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:03	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 11:03	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 11:03	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 11:03	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 11:03	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:03	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 11:03	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 11:03	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 11:03	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 11:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007396 Sample Description: P-31D-202105 License/Well #: 01953/145 Sampled: 5/12/2021 15:36

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021	11:03	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021	11:03	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021	11:03	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021	11:03	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021	11:03	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021	11:03	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021	11:03	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021	11:03	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021	11:03	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021	11:03	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021	11:03	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021	11:03	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021	11:03	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021	11:03	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021	11:03	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021	11:03	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021	11:03	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021	11:03	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021	11:03	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021	11:03	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	11:03	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007396 Sample Description: P-31D-202105 License/Well #: 01953/145 Sampled: 5/12/2021 15:36

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:03	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	11:03	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	11:03	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	11:03	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	11:03	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	11:03	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:03	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	11:03	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:03	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	11:03	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	11:03	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	11:03	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	11:03	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	11:03	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:03	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	11:03	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	11:03	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	11:03	DGS	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1		5/24/2021	11:03	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		5/24/2021	11:03	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	11:03	DGS	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		5/24/2021	11:03	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007397 Sample Description: P-32S-202105 License/Well #: 01953/150 Sampled: 5/13/2021 15:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 15:51	SUB	FIELD
Conductivity (Field)	1180.2	umhos/cm			1			5/13/2021 15:51	SUB	FIELD
Groundwater Elevation (Field)	925.84	Feet MSL			1			5/13/2021 15:51	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 15:51	SUB	FIELD
pH (Field)	7.04	S.U.			1			5/13/2021 15:51	SUB	FIELD
Temperature (Field)	12.11	Deg. C			1			5/13/2021 15:51	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 15:51	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 11:33	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 11:33	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:33	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 11:33	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:33	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 11:33	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 11:33	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 11:33	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:33	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 11:33	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 11:33	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 11:33	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 11:33	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 11:33	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 11:33	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 11:33	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 11:33	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007397 Sample Description: P-32S-202105 License/Well #: 01953/150 Sampled: 5/13/2021 15:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 11:33	5/24/2021 11:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007397 Sample Description: P-32S-202105 License/Well #: 01953/150 Sampled: 5/13/2021 15:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	11:33	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:33	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	11:33	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	11:33	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	11:33	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	11:33	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	11:33	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:33	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	11:33	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	11:33	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	11:33	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	11:33	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	11:33	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	11:33	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	11:33	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	11:33	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	11:33	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	11:33	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	11:33	DGS	EPA 8260C
1,2 Dichloroethane-d4	96.0	% Recovery	89.0	111	1		5/24/2021	11:33	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		5/24/2021	11:33	DGS	EPA 8260C
d8-Toluene	97.0	% Recovery	93.0	107	1		5/24/2021	11:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007397	Sample Description: P-32S-202105	License/Well #: 01953/150	Sampled: 5/13/2021 15:51
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/24/2021 11:33	DGS	EPA 8260C



CT LAB#: 1007398 Sample Description: P-32D-202105 License/Well #: 01953/149 Sampled: 5/13/2021 15:44

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 15:44	SUB	FIELD
Conductivity (Field)	717.1	umhos/cm			1			5/13/2021 15:44	SUB	FIELD
Groundwater Elevation (Field)	923.92	Feet MSL			1			5/13/2021 15:44	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 15:44	SUB	FIELD
pH (Field)	7.25	S.U.			1			5/13/2021 15:44	SUB	FIELD
Temperature (Field)	12.51	Deg. C			1			5/13/2021 15:44	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 15:44	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 12:03	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 12:03	DGS	EPA 8260C
1,1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:03	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 12:03	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:03	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 12:03	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 12:03	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 12:03	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:03	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 12:03	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 12:03	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 12:03	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 12:03	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:03	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 12:03	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 12:03	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 12:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007398 Sample Description: P-32D-202105 License/Well #: 01953/149 Sampled: 5/13/2021 15:44

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021	12:03	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021	12:03	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021	12:03	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021	12:03	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021	12:03	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021	12:03	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021	12:03	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021	12:03	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021	12:03	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:03	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021	12:03	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021	12:03	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:03	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021	12:03	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021	12:03	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021	12:03	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021	12:03	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021	12:03	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021	12:03	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021	12:03	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007398 Sample Description: P-32D-202105 License/Well #: 01953/149 Sampled: 5/13/2021 15:44

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:03	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:03	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	12:03	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	12:03	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	12:03	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	12:03	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	12:03	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:03	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	12:03	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:03	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	12:03	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	12:03	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	12:03	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	12:03	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	12:03	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:03	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	12:03	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	12:03	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	12:03	DGS	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1		5/24/2021	12:03	DGS	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		5/24/2021	12:03	DGS	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		5/24/2021	12:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007398	Sample Description: P-32D-202105	License/Well #: 01953/149	Sampled: 5/13/2021 15:44
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	103	% Recovery	90.0	110	1			5/24/2021 12:03	DGS	EPA 8260C



CT LAB#: 1007399 Sample Description: P-33D-202105 License/Well #: 01953/152 Sampled: 5/18/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/18/2021 13:46	SUB	FIELD
Conductivity (Field)	489.3	umhos/cm			1			5/18/2021 13:46	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/18/2021 13:46	SUB	FIELD
pH (Field)	7.79	S.U.			1			5/18/2021 13:46	SUB	FIELD
Temperature (Field)	12.90	Deg. C			1			5/18/2021 13:46	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/18/2021 13:46	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 12:33	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 12:33	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:33	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 12:33	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:33	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 12:33	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 12:33	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 12:33	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:33	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 12:33	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 12:33	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 12:33	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 12:33	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 12:33	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 12:33	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 12:33	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 12:33	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 12:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007399 Sample Description: P-33D-202105 License/Well #: 01953/152 Sampled: 5/18/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021	12:33	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021	12:33	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021	12:33	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021	12:33	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021	12:33	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021	12:33	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021	12:33	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021	12:33	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:33	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021	12:33	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021	12:33	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:33	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021	12:33	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021	12:33	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021	12:33	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021	12:33	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021	12:33	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021	12:33	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021	12:33	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:33	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	12:33	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007399 Sample Description: P-33D-202105 License/Well #: 01953/152 Sampled: 5/18/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:33	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	12:33	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	12:33	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	12:33	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	12:33	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	12:33	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:33	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	12:33	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	12:33	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	12:33	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	12:33	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	12:33	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	12:33	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	12:33	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	12:33	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	12:33	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	12:33	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	12:33	DGS	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1		5/24/2021	12:33	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		5/24/2021	12:33	DGS	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		5/24/2021	12:33	DGS	EPA 8260C
Dibromofluoromethane	98.0	% Recovery	90.0	110	1		5/24/2021	12:33	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007400 Sample Description: P-34S-202105 License/Well #: 01953/154 Sampled: 5/14/2021 11:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 11:22	SUB	FIELD
Conductivity (Field)	545.5	umhos/cm			1			5/14/2021 11:22	SUB	FIELD
Groundwater Elevation (Field)	935.58	Feet MSL			1			5/14/2021 11:22	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 11:22	SUB	FIELD
pH (Field)	7.52	S.U.			1			5/14/2021 11:22	SUB	FIELD
Temperature (Field)	11.29	Deg. C			1			5/14/2021 11:22	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 11:22	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 13:03	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 13:03	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:03	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 13:03	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:03	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 13:03	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 13:03	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 13:03	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:03	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 13:03	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 13:03	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 13:03	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 13:03	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:03	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 13:03	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 13:03	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 13:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007400 Sample Description: P-34S-202105 License/Well #: 01953/154 Sampled: 5/14/2021 11:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C
Dichlorodifluoromethane	0.61	ug/L	0.4 *	1.3	1		5/24/2021 13:03	5/24/2021 13:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007400 Sample Description: P-34S-202105 License/Well #: 01953/154 Sampled: 5/14/2021 11:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	13:03	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	13:03	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	13:03	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	13:03	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	13:03	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	13:03	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	13:03	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	13:03	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	13:03	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	13:03	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	13:03	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	13:03	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	13:03	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	13:03	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	13:03	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	13:03	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	13:03	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	13:03	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	13:03	DGS	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1		5/24/2021	13:03	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		5/24/2021	13:03	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1		5/24/2021	13:03	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007400	Sample Description: P-34S-202105	License/Well #: 01953/154	Sampled: 5/14/2021 11:22
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/24/2021 13:03	DGS	EPA 8260C



CT LAB#: 1007401 Sample Description: P-34D-202105 License/Well #: 01953/153 Sampled: 5/14/2021 11:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/14/2021 11:10	SUB	FIELD
Conductivity (Field)	547.6	umhos/cm			1			5/14/2021 11:10	SUB	FIELD
Groundwater Elevation (Field)	932.34	Feet MSL			1			5/14/2021 11:10	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/14/2021 11:10	SUB	FIELD
pH (Field)	7.48	S.U.			1			5/14/2021 11:10	SUB	FIELD
Temperature (Field)	11.14	Deg. C			1			5/14/2021 11:10	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/14/2021 11:10	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 13:33	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 13:33	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 13:33	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 13:33	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 13:33	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 13:33	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 13:33	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 13:33	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 13:33	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 13:33	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 13:33	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 13:33	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 13:33	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007401 Sample Description: P-34D-202105 License/Well #: 01953/153 Sampled: 5/14/2021 11:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 13:33	5/24/2021 13:33	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007401 Sample Description: P-34D-202105 License/Well #: 01953/153 Sampled: 5/14/2021 11:10


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 13:33	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 13:33	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 13:33	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 13:33	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 13:33	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/24/2021 13:33	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/24/2021 13:33	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 13:33	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/24/2021 13:33	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 13:33	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/24/2021 13:33	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/24/2021 13:33	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/24/2021 13:33	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/24/2021 13:33	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/24/2021 13:33	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/24/2021 13:33	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 13:33	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z		5/24/2021 13:33	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/24/2021 13:33	DGS	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			5/24/2021 13:33	DGS	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1			5/24/2021 13:33	DGS	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/24/2021 13:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007401	Sample Description: P-34D-202105	License/Well #: 01953/153	Sampled: 5/14/2021 11:10
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/24/2021 13:33	DGS	EPA 8260C



CT LAB#: 1007402 Sample Description: P-401-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 12:16	SUB	FIELD
Conductivity (Field)	678.3	umhos/cm			1			5/13/2021 12:16	SUB	FIELD
Groundwater Elevation (Field)	915.15	Feet MSL			1			5/13/2021 12:16	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 12:16	SUB	FIELD
pH (Field)	7.18	S.U.			1			5/13/2021 12:16	SUB	FIELD
Temperature (Field)	10.44	Deg. C			1			5/13/2021 12:16	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 12:16	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 14:02	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 14:02	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 14:02	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 14:02	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 14:02	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 14:02	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 14:02	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 14:02	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 14:02	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 14:02	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 14:02	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 14:02	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 14:02	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007402 Sample Description: P-40I-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021	14:02	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021	14:02	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021	14:02	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021	14:02	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021	14:02	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021	14:02	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021	14:02	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021	14:02	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021	14:02	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021	14:02	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021	14:02	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021	14:02	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021	14:02	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021	14:02	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021	14:02	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021	14:02	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021	14:02	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021	14:02	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.93	ug/L	0.3 *	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021	14:02	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021	14:02	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021	14:02	DGS	EPA 8260C
Dichlorodifluoromethane	0.77	ug/L	0.4 *	1.3	1		5/24/2021	14:02	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007402 Sample Description: P-401-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 14:02	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 14:02	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 14:02	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 14:02	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 14:02	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/24/2021 14:02	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/24/2021 14:02	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 14:02	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/24/2021 14:02	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 14:02	DGS	EPA 8260C
Tetrachloroethene	2.6	ug/L	0.27	0.89	1			5/24/2021 14:02	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/24/2021 14:02	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/24/2021 14:02	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/24/2021 14:02	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/24/2021 14:02	DGS	EPA 8260C
Trichloroethene	0.65	ug/L	0.3 *	1.1	1			5/24/2021 14:02	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 14:02	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z		5/24/2021 14:02	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/24/2021 14:02	DGS	EPA 8260C
1,2 Dichloroethane-d4	97.0	% Recovery	89.0	111	1			5/24/2021 14:02	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/24/2021 14:02	DGS	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			5/24/2021 14:02	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007402	Sample Description: P-40I-202105	License/Well #: 01953/162	Sampled: 5/13/2021 12:16
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/24/2021 14:02	DGS	EPA 8260C



CT LAB#: 1007403 Sample Description: P-40D-202105 License/Well #: 01953/161 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 12:30	SUB	FIELD
Conductivity (Field)	561.4	umhos/cm			1			5/13/2021 12:30	SUB	FIELD
Groundwater Elevation (Field)	914.59	Feet MSL			1			5/13/2021 12:30	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 12:30	SUB	FIELD
pH (Field)	7.27	S.U.			1			5/13/2021 12:30	SUB	FIELD
Temperature (Field)	10.22	Deg. C			1			5/13/2021 12:30	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 12:30	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 16:44	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 16:44	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 16:44	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 16:44	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 16:44	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 16:44	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 16:44	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 16:44	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 16:44	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 16:44	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 16:44	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 16:44	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 16:44	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007403 Sample Description: P-40D-202105 License/Well #: 01953/161 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 16:44	5/24/2021 16:44	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007403 Sample Description: P-40D-202105 License/Well #: 01953/161 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 16:44	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 16:44	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 16:44	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 16:44	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 16:44	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/24/2021 16:44	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/24/2021 16:44	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 16:44	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/24/2021 16:44	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 16:44	DGS	EPA 8260C
Tetrachloroethene	0.35	ug/L	0.27 *	0.89	1			5/24/2021 16:44	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/24/2021 16:44	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/24/2021 16:44	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/24/2021 16:44	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/24/2021 16:44	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/24/2021 16:44	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 16:44	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z		5/24/2021 16:44	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/24/2021 16:44	DGS	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			5/24/2021 16:44	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			5/24/2021 16:44	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/24/2021 16:44	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007403	Sample Description: P-40D-202105	License/Well #: 01953/161	Sampled: 5/13/2021 12:16
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/24/2021 16:44	DGS	EPA 8260C



CT LAB#: 1007404 Sample Description: P-41D-202105 License/Well #: 01953/165 Sampled: 5/13/2021 10:41

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/13/2021 10:41	SUB	FIELD
Conductivity (Field)	753.7	umhos/cm			1			5/13/2021 10:41	SUB	FIELD
Groundwater Elevation (Field)	911.69	Feet MSL			1			5/13/2021 10:41	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/13/2021 10:41	SUB	FIELD
pH (Field)	7.19	S.U.			1			5/13/2021 10:41	SUB	FIELD
Temperature (Field)	11.08	Deg. C			1			5/13/2021 10:41	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/13/2021 10:41	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 17:13	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 17:13	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:13	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 17:13	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:13	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 17:13	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 17:13	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 17:13	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:13	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 17:13	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 17:13	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 17:13	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 17:13	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:13	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 17:13	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 17:13	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 17:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007404 Sample Description: P-41D-202105 License/Well #: 01953/165 Sampled: 5/13/2021 10:41

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 17:13	17:13	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:13	17:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007404 Sample Description: P-41D-202105 License/Well #: 01953/165 Sampled: 5/13/2021 10:41

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	17:13	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:13	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	17:13	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	17:13	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	17:13	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	17:13	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	17:13	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:13	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	17:13	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:13	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	17:13	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	17:13	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	17:13	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	17:13	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	17:13	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:13	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	17:13	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	17:13	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	17:13	DGS	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1		5/24/2021	17:13	DGS	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		5/24/2021	17:13	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	17:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007404	Sample Description: P-41D-202105	License/Well #: 01953/165	Sampled: 5/13/2021 10:41
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/24/2021 17:13	DGS	EPA 8260C



CT LAB#: 1007405 Sample Description: P-43S-202105 License/Well #: 01953/175 Sampled: 5/17/2021 13:12

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/17/2021 13:12	SUB	FIELD
Conductivity (Field)	641.1	umhos/cm			1			5/17/2021 13:12	SUB	FIELD
Groundwater Elevation (Field)	922.28	Feet MSL			1			5/17/2021 13:12	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 13:12	SUB	FIELD
pH (Field)	7.48	S.U.			1			5/17/2021 13:12	SUB	FIELD
Temperature (Field)	10.91	Deg. C			1			5/17/2021 13:12	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/17/2021 13:12	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 17:43	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 17:43	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:43	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 17:43	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:43	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 17:43	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 17:43	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 17:43	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:43	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 17:43	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 17:43	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 17:43	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 17:43	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 17:43	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 17:43	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 17:43	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 17:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007405 Sample Description: P-43S-202105 License/Well #: 01953/175 Sampled: 5/17/2021 13:12

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 17:43	5/24/2021 17:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007405 Sample Description: P-43S-202105 License/Well #: 01953/175 Sampled: 5/17/2021 13:12

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021	17:43	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:43	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	17:43	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/24/2021	17:43	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	17:43	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	17:43	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	17:43	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:43	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	17:43	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	17:43	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	17:43	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	17:43	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	17:43	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	17:43	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	17:43	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	17:43	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	17:43	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	17:43	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	17:43	DGS	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1		5/24/2021	17:43	DGS	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		5/24/2021	17:43	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1		5/24/2021	17:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007405	Sample Description: P-43S-202105	License/Well #: 01953/175	Sampled: 5/17/2021 13:12
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/24/2021 17:43	DGS	EPA 8260C



CT LAB#: 1007406 Sample Description: P-431-202105 License/Well #: 01953/176 Sampled: 5/17/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/17/2021 13:46	SUB	FIELD
Conductivity (Field)	634.2	umhos/cm			1			5/17/2021 13:46	SUB	FIELD
Groundwater Elevation (Field)	922.17	Feet MSL			1			5/17/2021 13:46	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 13:46	SUB	FIELD
pH (Field)	7.50	S.U.			1			5/17/2021 13:46	SUB	FIELD
Temperature (Field)	11.61	Deg. C			1			5/17/2021 13:46	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/17/2021 13:46	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1	Y		5/24/2021 18:13	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1	Y		5/24/2021 18:13	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:13	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 18:13	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 18:13	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 18:13	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 18:13	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:13	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 18:13	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 18:13	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 18:13	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 18:13	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1	Y		5/24/2021 18:13	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 18:13	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 18:13	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007406 Sample Description: P-431-202105 License/Well #: 01953/176 Sampled: 5/17/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 18:13	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 18:13	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:13	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 18:13	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 18:13	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 18:13	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 18:13	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 18:13	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/24/2021 18:13	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/24/2021 18:13	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/24/2021 18:13	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/24/2021 18:13	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/24/2021 18:13	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/24/2021 18:13	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1	Y		5/24/2021 18:13	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:13	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1	Y		5/24/2021 18:13	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/24/2021 18:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007406 Sample Description: P-431-202105 License/Well #: 01953/176 Sampled: 5/17/2021 13:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1	Y	5/24/2021	18:13	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1	Y	5/24/2021	18:13	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021	18:13	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1	Y	5/24/2021	18:13	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021	18:13	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:13	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1	Y	5/24/2021	18:13	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021	18:13	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:13	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	18:13	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1	Y	5/24/2021	18:13	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:13	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	18:13	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	18:13	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	18:13	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1	Y	5/24/2021	18:13	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	18:13	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1	Y	5/24/2021	18:13	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	18:13	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1	Y	5/24/2021	18:13	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1	Y	5/24/2021	18:13	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	18:13	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	18:13	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	18:13	DGS	EPA 8260C
1,2 Dichloroethane-d4	106	% Recovery	89.0	111	1		5/24/2021	18:13	DGS	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1		5/24/2021	18:13	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	18:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007406	Sample Description: P-43I-202105	License/Well #: 01953/176	Sampled: 5/17/2021 13:46
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			5/24/2021 18:13	DGS	EPA 8260C



CT LAB#: 1007407 Sample Description: P-43D-202105 License/Well #: 01953/177 Sampled: 5/17/2021 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	RED/BROWN		N/A	N/A	1			5/17/2021 13:05	SUB	FIELD
Conductivity (Field)	627.5	umhos/cm			1			5/17/2021 13:05	SUB	FIELD
Groundwater Elevation (Field)	922.28	Feet MSL			1			5/17/2021 13:05	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/17/2021 13:05	SUB	FIELD
pH (Field)	7.43	S.U.			1			5/17/2021 13:05	SUB	FIELD
Temperature (Field)	10.47	Deg. C			1			5/17/2021 13:05	SUB	FIELD
Turbidity (Field)	MODERATE		N/A	N/A	1			5/17/2021 13:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 18:43	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 18:43	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 18:43	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 18:43	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 18:43	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 18:43	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 18:43	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 18:43	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 18:43	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 18:43	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 18:43	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 18:43	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 18:43	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007407 Sample Description: P-43D-202105 License/Well #: 01953/177 Sampled: 5/17/2021 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/24/2021	18:43	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/24/2021	18:43	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/24/2021	18:43	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/24/2021	18:43	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/24/2021	18:43	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/24/2021	18:43	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/24/2021	18:43	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021	18:43	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021	18:43	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021	18:43	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021	18:43	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021	18:43	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021	18:43	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021	18:43	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021	18:43	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021	18:43	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021	18:43	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021	18:43	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021	18:43	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021	18:43	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021	18:43	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021	18:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1007407 Sample Description: P-43D-202105 License/Well #: 01953/177 Sampled: 5/17/2021 13:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 18:43	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 18:43	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 18:43	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 18:43	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 18:43	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
Naphthalene	0.34	ug/L	0.30 *	1.0	1			5/24/2021 18:43	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/24/2021 18:43	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 18:43	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/24/2021 18:43	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/24/2021 18:43	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/24/2021 18:43	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/24/2021 18:43	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/24/2021 18:43	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/24/2021 18:43	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/24/2021 18:43	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/24/2021 18:43	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 18:43	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z		5/24/2021 18:43	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/24/2021 18:43	DGS	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			5/24/2021 18:43	DGS	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/24/2021 18:43	DGS	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			5/24/2021 18:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1007407	Sample Description: P-43D-202105	License/Well #: 01953/177	Sampled: 5/17/2021 13:05
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			5/24/2021 18:43	DGS	EPA 8260C



CT LAB#: 1007408 Sample Description: DUP-02-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 19:13	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 19:13	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 19:13	DGS	EPA 8260C
1,1-Dichloroethane	0.31	ug/L	0.3 *	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 19:13	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 19:13	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 19:13	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 19:13	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 19:13	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 19:13	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 19:13	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 19:13	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 19:13	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 19:13	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 19:13	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 19:13	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 19:13	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 19:13	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 19:13	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 19:13	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 19:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007408 Sample Description: DUP-02-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/24/2021 19:13	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/24/2021 19:13	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:13	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/24/2021 19:13	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/24/2021 19:13	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:13	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/24/2021 19:13	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/24/2021 19:13	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/24/2021 19:13	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/24/2021 19:13	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/24/2021 19:13	DGS	EPA 8260C
cis-1,2-Dichloroethene	1.0	ug/L	0.3 *	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/24/2021 19:13	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/24/2021 19:13	DGS	EPA 8260C
Dichlorodifluoromethane	0.82	ug/L	0.4 *	1.3	1			5/24/2021 19:13	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:13	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 19:13	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 19:13	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 19:13	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 19:13	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:13	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007408 Sample Description: DUP-02-202105 License/Well #: 01953/147 Sampled: 5/12/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	19:13	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	19:13	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	19:13	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	19:13	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	19:13	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	19:13	DGS	EPA 8260C
Tetrachloroethene	1.5	ug/L	0.27	0.89	1		5/24/2021	19:13	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	19:13	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	19:13	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	19:13	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	19:13	DGS	EPA 8260C
Trichloroethene	0.87	ug/L	0.3 *	1.1	1		5/24/2021	19:13	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	19:13	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	19:13	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	19:13	DGS	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1		5/24/2021	19:13	DGS	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1		5/24/2021	19:13	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	19:13	DGS	EPA 8260C
Dibromofluoromethane	101	% Recovery	90.0	110	1		5/24/2021	19:13	DGS	EPA 8260C



CT LAB#: 1007409 Sample Description: DUP-03-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 19:43	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 19:43	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 19:43	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 19:43	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 19:43	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 19:43	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 19:43	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 19:43	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 19:43	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 19:43	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 19:43	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 19:43	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 19:43	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 19:43	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 19:43	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 19:43	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 19:43	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 19:43	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 19:43	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 19:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007409 Sample Description: DUP-03-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/24/2021 19:43	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/24/2021 19:43	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:43	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/24/2021 19:43	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/24/2021 19:43	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:43	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/24/2021 19:43	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/24/2021 19:43	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/24/2021 19:43	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/24/2021 19:43	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/24/2021 19:43	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.92	ug/L	0.3 *	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/24/2021 19:43	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/24/2021 19:43	DGS	EPA 8260C
Dichlorodifluoromethane	0.71	ug/L	0.4 *	1.3	1			5/24/2021 19:43	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 19:43	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 19:43	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 19:43	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 19:43	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 19:43	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 19:43	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007409 Sample Description: DUP-03-202105 License/Well #: 01953/162 Sampled: 5/13/2021 12:16

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	19:43	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	19:43	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	19:43	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	19:43	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	19:43	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	19:43	DGS	EPA 8260C
Tetrachloroethene	2.5	ug/L	0.27	0.89	1		5/24/2021	19:43	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	19:43	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	19:43	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	19:43	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	19:43	DGS	EPA 8260C
Trichloroethene	0.60	ug/L	0.3 *	1.1	1		5/24/2021	19:43	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	19:43	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	19:43	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	19:43	DGS	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1		5/24/2021	19:43	DGS	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1		5/24/2021	19:43	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	19:43	DGS	EPA 8260C
Dibromofluoromethane	98.0	% Recovery	90.0	110	1		5/24/2021	19:43	DGS	EPA 8260C



CT LAB#: 1007410 Sample Description: DUP-04-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 20:12	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 20:12	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 20:12	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 20:12	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 20:12	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 20:12	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 20:12	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 20:12	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 20:12	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 20:12	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 20:12	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 20:12	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 20:12	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 20:12	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 20:12	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 20:12	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 20:12	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 20:12	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 20:12	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 20:12	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007410 Sample Description: DUP-04-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/24/2021 20:12	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/24/2021 20:12	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:12	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/24/2021 20:12	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/24/2021 20:12	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:12	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/24/2021 20:12	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/24/2021 20:12	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/24/2021 20:12	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/24/2021 20:12	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/24/2021 20:12	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/24/2021 20:12	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/24/2021 20:12	DGS	EPA 8260C
Dichlorodifluoromethane	0.45	ug/L	0.4 *	1.3	1			5/24/2021 20:12	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:12	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 20:12	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 20:12	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 20:12	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 20:12	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:12	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007410 Sample Description: DUP-04-202105 License/Well #: 01953/121 Sampled: 5/14/2021 16:13


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	20:12	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	20:12	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	20:12	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	20:12	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	20:12	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	20:12	DGS	EPA 8260C
Tetrachloroethene	3.1	ug/L	0.27	0.89	1		5/24/2021	20:12	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	20:12	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	20:12	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	20:12	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	20:12	DGS	EPA 8260C
Trichloroethene	0.35	ug/L	0.3 *	1.1	1		5/24/2021	20:12	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	20:12	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	20:12	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	20:12	DGS	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1		5/24/2021	20:12	DGS	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		5/24/2021	20:12	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/24/2021	20:12	DGS	EPA 8260C
Dibromofluoromethane	98.0	% Recovery	90.0	110	1		5/24/2021	20:12	DGS	EPA 8260C



CT LAB#: 1007411 Sample Description: DUP-05-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 20:42	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 20:42	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 20:42	DGS	EPA 8260C
1,1-Dichloroethane	0.95	ug/L	0.3 *	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 20:42	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 20:42	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 20:42	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 20:42	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 20:42	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 20:42	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 20:42	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 20:42	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 20:42	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 20:42	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 20:42	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 20:42	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 20:42	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 20:42	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 20:42	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 20:42	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 20:42	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007411 Sample Description: DUP-05-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/24/2021 20:42	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/24/2021 20:42	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:42	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/24/2021 20:42	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/24/2021 20:42	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:42	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/24/2021 20:42	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/24/2021 20:42	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/24/2021 20:42	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/24/2021 20:42	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/24/2021 20:42	DGS	EPA 8260C
cis-1,2-Dichloroethene	5.5	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/24/2021 20:42	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/24/2021 20:42	DGS	EPA 8260C
Dichlorodifluoromethane	3.6	ug/L	0.4	1.3	1			5/24/2021 20:42	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/24/2021 20:42	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/24/2021 20:42	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/24/2021 20:42	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/24/2021 20:42	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/24/2021 20:42	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 20:42	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007411 Sample Description: DUP-05-202105 License/Well #: 01953/174 Sampled: 5/17/2021 15:14


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	20:42	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	20:42	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	20:42	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	20:42	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	20:42	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	20:42	DGS	EPA 8260C
Tetrachloroethene	15	ug/L	0.27	0.89	1		5/24/2021	20:42	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	20:42	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	20:42	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	20:42	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	20:42	DGS	EPA 8260C
Trichloroethene	2.7	ug/L	0.3	1.1	1		5/24/2021	20:42	DGS	EPA 8260C
Trichlorofluoromethane	1.0	ug/L	0.4 *	1.4	1		5/24/2021	20:42	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	20:42	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	20:42	DGS	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1		5/24/2021	20:42	DGS	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1		5/24/2021	20:42	DGS	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1		5/24/2021	20:42	DGS	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		5/24/2021	20:42	DGS	EPA 8260C



CT LAB#: 1007412	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 5/12/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/24/2021 10:33	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/24/2021 10:33	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/24/2021 10:33	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/24/2021 10:33	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/24/2021 10:33	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/24/2021 10:33	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/24/2021 10:33	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/24/2021 10:33	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1	Z		5/24/2021 10:33	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/24/2021 10:33	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/24/2021 10:33	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/24/2021 10:33	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/24/2021 10:33	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/24/2021 10:33	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/24/2021 10:33	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/24/2021 10:33	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/24/2021 10:33	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/24/2021 10:33	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/24/2021 10:33	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/24/2021 10:33	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/24/2021 10:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007412	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 5/12/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
Methylene chloride	0.54	ug/L	0.4 *	1.5	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/24/2021 10:33	10:33	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/24/2021 10:33	10:33	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1007412	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 5/12/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/24/2021	10:33	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/24/2021	10:33	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/24/2021	10:33	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	10:33	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/24/2021	10:33	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/24/2021	10:33	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/24/2021	10:33	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/24/2021	10:33	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/24/2021	10:33	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/24/2021	10:33	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/24/2021	10:33	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/24/2021	10:33	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/24/2021	10:33	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1	Z	5/24/2021	10:33	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/24/2021	10:33	DGS	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1		5/24/2021	10:33	DGS	EPA 8260C
Bromofluorobenzene	105	% Recovery	83.0	111	1		5/24/2021	10:33	DGS	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		5/24/2021	10:33	DGS	EPA 8260C
Dibromofluoromethane	100	% Recovery	90.0	110	1		5/24/2021	10:33	DGS	EPA 8260C



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# ACC20190002
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01
 GA EPD Stipulation ID ACC20190002

Preventative Action Limit (PAL) Exceedances

07/20/2021

Location/Landfill: **REFUSE HIDEAWAY LANDFILL**

License #: **01953**

Page 1 of 2

Well Description:		DUP-02-202105	Well #:		147	Sample Date		05/12/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.5	0.5	5	0.27	ug/L		
Trichloroethene	39180	0.87	0.5	5	0.3	ug/L		
Well Description:		DUP-03-202105	Well #:		162	Sample Date		05/13/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	2.5	0.5	5	0.27	ug/L		
Trichloroethene	39180	0.60	0.5	5	0.3	ug/L		
Well Description:		DUP-04-202105	Well #:		121	Sample Date		05/14/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	3.1	0.5	5	0.27	ug/L		
Well Description:		DUP-05-202105	Well #:		174	Sample Date		05/17/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	15	0.5	5	0.27	ug/L		
Trichloroethene	39180	2.7	0.5	5	0.3	ug/L		
Well Description:		P-20SR-202105	Well #:		167	Sample Date		05/18/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.4	0.5	5	0.27	ug/L		
Well Description:		P-22D-202105	Well #:		136	Sample Date		05/17/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	2.4	0.5	5	0.27	ug/L		
Trichloroethene	39180	0.64	0.5	5	0.3	ug/L		
Well Description:		P-22E-202105	Well #:		174	Sample Date		05/17/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	15	0.5	5	0.27	ug/L		
Trichloroethene	39180	2.6	0.5	5	0.3	ug/L		
Well Description:		P-25BR-202105	Well #:		119	Sample Date		05/13/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.7	0.5	5	0.27	ug/L		
Well Description:		P-26S-202105	Well #:		141	Sample Date		05/14/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		

Preventative Action Limit (PAL) Exceedances

07/20/2021

Location/Landfill: REFUSE HIDEAWAY LANDFILL

License #: 01953

Page 2 of 2

Well Description: P-26S-202105		Well #: 141		Sample Date		05/14/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	8.5	0.5	5	0.27	ug/L	
Trichloroethene	39180	0.72	0.5	5	0.3	ug/L	

Well Description: P-27D-202105		Well #: 122		Sample Date		05/14/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	16	0.5	5	0.27	ug/L	
Trichloroethene	39180	2.9	0.5	5	0.3	ug/L	

Well Description: P-27S-202105		Well #: 121		Sample Date		05/14/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	3.2	0.5	5	0.27	ug/L	

Well Description: P-28S-202105		Well #: 123		Sample Date		05/14/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.7	0.5	5	0.27	ug/L	

Well Description: P-29S-202105		Well #: 168		Sample Date		05/14/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	0.59	0.5	5	0.27	ug/L	

Well Description: P-311A-202105		Well #: 146		Sample Date		05/12/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.2	0.5	5	0.27	ug/L	
Trichloroethene	39180	0.67	0.5	5	0.3	ug/L	

Well Description: P-311B-202105		Well #: 147		Sample Date		05/12/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.5	0.5	5	0.27	ug/L	
Trichloroethene	39180	0.86	0.5	5	0.3	ug/L	

Well Description: P-40I-202105		Well #: 162		Sample Date		05/13/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.6	0.5	5	0.27	ug/L	
Trichloroethene	39180	0.65	0.5	5	0.3	ug/L	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:	01953	07/20/2021	
Sample Date		Sample ID					
05/12/2021	Color (Field)	P-30D-202105	P-30I-202105	P-31D-202105	P-31IA-202105	P-31IB-202105	P-31S-202105
		NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	507.4	683.5	566.2	863.9	884.7	417.8
	Groundwater Elevation	914.31	914.21				911.70
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.38	6.95	7.40	7.05	7.11	8.18
	Temperature (Field)	9.80	9.72	11.30	11.94	10.78	10.09
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:	01953	07/20/2021	
Sample Date		Sample ID					
05/13/2021	Color (Field)	P-25BR-202105	P-25D-202105	P-25S-202105	P-32D-202105	P-32S-202105	P-40D-202105
		NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	651.9	712.7	765.9	717.1	1180.2	561.4
	Groundwater Elevation	921.63	921.17	925.16	923.92	925.84	914.59
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.22	7.17	7.02	7.25	7.04	7.27
	Temperature (Field)	12.98	12.44	12.40	12.51	12.11	10.22
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:	01953	07/20/2021	
Sample Date		Sample ID					
05/14/2021	Color (Field)	P-26S-202105	P-27D-202105	P-27S-202105	P-28S-202105	P-29S-202105	P-34D-202105
		NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	821.0	914.9	954.1	690.5	591.3	547.6
	Groundwater Elevation	934.13	924.63	925.05	929.90	931.07	932.34
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.05	7.03	6.91	7.22	7.34	7.48
	Temperature (Field)	11.70	11.88	11.18	12.32	11.80	11.14
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE

05/13/2021		P-40I-202105	P-41D-202105
	Color (Field)	NONE	NONE
	Conductivity (Field)	678.3	753.7
	Groundwater Elevation	915.15	911.69
	Odor (Field)	NONE	NONE
	pH (Field)	7.18	7.19
	Temperature (Field)	10.44	11.08
	Turbidity (Field)	NONE	NONE

05/14/2021		P-34S-202105
	Color (Field)	NONE
	Conductivity (Field)	545.5
	Groundwater Elevation	935.58
	Odor (Field)	NONE
	pH (Field)	7.52
	Temperature (Field)	11.29
	Turbidity (Field)	NONE

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		07/20/2021	
Sample Date		Sample ID							
05/17/2021	Color (Field)	P-22D-202105	P-22E-202105	P-22S-202105	P-43D-202105	P-43I-202105	P-43S-202105		
		NONE	NONE	NONE	RED/BROWN	NONE	NONE		
	Conductivity (Field)	623.6	566.4	626.2	627.5	634.2	641.1		
	Groundwater Elevation	918.88	918.83	919.11	922.28	922.17	922.28		
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE		
	pH (Field)	7.20	7.49	7.55	7.43	7.50	7.48		
	Temperature (Field)	11.51	11.05	15.07	10.47	11.61	10.91		
	Turbidity (Field)	NONE	NONE	NONE	MODERATE	NONE	NONE		

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		07/20/2021	
Sample Date		Sample ID							
05/18/2021	Color (Field)	P-20SR-202105	P-33D-202105						
		NONE	NONE						
	Conductivity (Field)	595.7	489.3						
	Groundwater Elevation	927.59							
	Odor (Field)	NONE	NONE						
	pH (Field)	7.52	7.79						
	Temperature (Field)	10.55	12.90						
	Turbidity (Field)	NONE	NONE						

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 1 of 40

Well Description: P-21D-202105

Well #: 113

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	2.9	3.3	2.8
1,2-Dichloroethane	0.27	0.34	
1,2-Dichloropropane	0.41	0.44	
Benzene	3.3	3.8	4.6
Chlorobenzene	1.1	0.98	0.97
Chloroethane	0.51		
cis-1,2-Dichloroethene	1.6	6.1	9.1
Dichlorodifluoromethane	1.1	1.2	
Diisopropyl ether		0.57	0.57
Isopropylbenzene	0.64	0.55	
Methyl tert-butyl ether	0.92	1.1	1.0
Tetrahydrofuran	200	210	210
Toluene	0.26	0.22	
trans-1,2-Dichloroethene	0.80	0.55	
Vinyl chloride	1.5	3.7	3.9

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: **REFUSE HIDEAWAY**

License #: **01953**

Page 2 of 40

Well Description: **P-8D-202105**

Well #: **114**

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	2.6	2.1	1.4
1,2-Dichloroethane	0.53	0.72	0.65
1,4-Dichlorobenzene			2.0
Benzene	0.83	0.48	1.4
Chlorobenzene			7.4
Chloroethane	1.2	0.93	
cis-1,2-Dichloroethene	0.79	0.58	1.3
Dichlorodifluoromethane		2.1	0.60
Isopropylbenzene			0.78
Methyl tert-butyl ether	0.36	0.33	
Tetrahydrofuran	51	23	30
trans-1,2-Dichloroethene	0.72	0.58	
Trichloroethene	0.30	0.41	0.35
Vinyl chloride	0.44	0.29	0.37

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 4 of 40

Well Description: P-24E-202105

Well #: 116

Parameter	Sample Date		
	5/20/2021	5/13/2020	5/14/2019

cis-1,2-Dichloroethene	2.4	2.1	2.7
Dichlorodifluoromethane		0.87	0.44
Methylene chloride			0.86
Naphthalene		0.34	
Vinyl chloride	2.7	3.3	3.4

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 5 of 40

Well Description: P-25D

Well #: 118

Parameter	Sample Date		
	5/13/2020	11/8/2019	5/15/2019

1,1-Dichloroethane			0.30
cis-1,2-Dichloroethene			0.76
Tetrahydrofuran			4.8
Trichloroethene		0.31	0.43
Vinyl chloride	0.15	0.31	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 6 of 40

Well Description: P-25BR-202105

Well #: 119

Parameter	Sample Date				
	5/13/2021	11/5/2020	5/13/2020	11/8/2019	5/15/2019
Dichlorodifluoromethane	0.69		0.73	0.92	0.64
Tetrachloroethene	1.7	1.7	1.4	1.8	1.9
Trichlorofluoromethane					0.46

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 7 of 40

Well Description: DUP-04-202105 **Well #:** 121

Parameter	Sample Date			
	5/14/2021	11/5/2020	5/8/2020	5/16/2019
Dichlorodifluoromethane	0.45		0.41	0.45
Tetrachloroethene	3.1	2.5	2.5	3.0
Trichloroethene	0.35			0.36
Trichlorofluoromethane				0.46

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 8 of 40

Well Description: P-27D-202105

Well #: 122

Parameter	Sample Date		
	5/14/2021	11/5/2020	5/8/2020

1,1-Dichloroethane	0.91	0.62	0.82
cis-1,2-Dichloroethene	1.6	1.1	1.5
Dichlorodifluoromethane	2.5	1.4	2.3
Tetrachloroethene	16	9.9	13
Trichloroethene	2.9	1.8	2.6
Trichlorofluoromethane	0.98	0.57	0.84

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 9 of 40

Well Description: P-28S-202105 **Well #:** 123

Parameter Sample Date
 5/14/2021 5/8/2020 5/31/2019

Tetrachloroethene	1.7	1.8	1.2
-------------------	-----	-----	-----

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 10 of 40

Well Description: P-8S-202105

Well #: 125

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	1.1	2.0	1.3
1,2-Dichloroethane		0.42	
1,2-Dichloropropane	0.20	0.42	
1,4-Dichlorobenzene	2.2	2.1	0.71
Benzene	0.78	1.2	1.6
Chlorobenzene	7.1	7.5	9.4
Chloroethane	0.90	0.85	1.1
cis-1,2-Dichloroethene	13	16	7.8
Dichlorodifluoromethane	1.2	1.7	0.47
Diisopropyl ether			0.32
Isopropylbenzene	0.84	0.59	0.82
Methyl tert-butyl ether	0.38	0.55	0.45
Tetrachloroethene	0.94	0.92	0.66
Tetrahydrofuran	120	91	69
trans-1,2-Dichloroethene	1.1	1.8	1.0
Trichloroethene	1.7	1.6	1.2
Vinyl chloride	2.5	3.4	1.1

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 11 of 40

Well Description: P-8BR

Well #: 126

Parameter

Sample Date

5/23/2019

1,1-Dichloroethane	0.31
Benzene	0.38
cis-1,2-Dichloroethene	1.6
Trichloroethene	2.0

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 12 of 40

Well Description: P-16D-202105

Well #: 127

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	1.7	1.6	1.2
1,2-Dichloropropane	0.42	0.30	
Benzene	2.0	1.0	1.3
cis-1,2-Dichloroethene	0.51	0.47	
Methyl tert-butyl ether	0.54	0.46	0.39
Methylene chloride			0.64
Tetrahydrofuran	67	68	51
trans-1,2-Dichloroethene	0.32		
Trichloroethene	0.61	0.53	0.50
Vinyl chloride	0.30	0.29	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 13 of 40

Well Description: P-17S-202105

Well #: 128

Parameter	Sample Date				
	5/20/2021	11/5/2020	5/12/2020	11/6/2019	5/28/2019
cis-1,2-Dichloroethene	0.75	0.54	0.51	0.55	0.49
Dichlorodifluoromethane				0.44	
Tetrachloroethene	2.3	2.1	2.0	1.9	1.1
Tetrahydrofuran					4.2
Trichloroethene	0.40		0.39		

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 14 of 40

Well Description: P-18S-202105

Well #: 129

Parameter	Sample Date				
	5/20/2021	11/6/2020	5/12/2020	11/7/2019	5/23/2019
cis-1,2-Dichloroethene	0.31			0.52	0.41
Dichlorodifluoromethane	0.81	0.71	0.84	1.4	1.1
Tetrachloroethene	8.0	7.4	7.9	9.1	7.4
Trichloroethene	0.69	0.68	0.61	0.86	0.89
Trichlorofluoromethane					0.30

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: **REFUSE HIDEAWAY**

License #: **01953**

Page 15 of 40

Well Description: **P-21BR-202105** Well #: **134**

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	0.60	0.89	0.87
1,2-Dichloroethane		0.29	0.38
1,2-Dichloropropane	0.24	0.29	0.43
Benzene			0.47
cis-1,2-Dichloroethene	8.0	12	12
Dichlorodifluoromethane	1.2	1.5	1.4
Tetrahydrofuran	5.4	6.2	5.7
trans-1,2-Dichloroethene	0.49	0.74	
Trichloroethene	4.0	5.5	5.3
Vinyl chloride	1.9	2.8	3.0

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 17 of 40

Well Description: P-22D-202105 **Well #:** 136

Parameter	Sample Date				
	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019
cis-1,2-Dichloroethene	1.5	1.7	1.7	1.4	1.4
Dichlorodifluoromethane	0.96	0.70	0.83	0.66	
Naphthalene				0.41	
Tetrachloroethene	2.4	2.2	2.0	2.3	1.7
Trichloroethene	0.64	0.60	0.57	0.73	0.47

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 18 of 40

Well Description: P-23S-202105

Well #: 137

Parameter	Sample Date				
	5/20/2021	11/9/2020	5/13/2020	11/11/2019	5/13/2019

Dichlorodifluoromethane	0.73		0.99	0.94	0.80
Tetrachloroethene	1.8	2.1	2.2	2.5	3.0
Trichlorofluoromethane					0.45

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 19 of 40

Well Description: P-23D-202105

Well #: 138

Parameter	Sample Date			
	5/20/2021	11/9/2020	5/13/2020	11/11/2019

Tetrachloroethene	0.53	0.62	0.48	0.48
-------------------	------	------	------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 20 of 40

Well Description: P-9S-202105

Well #: 139

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	1.0	0.87	0.44
1,2-Dichloroethane	0.26	0.28	
Benzene	0.95	0.73	1.3
Chlorobenzene	0.40	0.70	0.94
Chloroethane	0.56		
cis-1,2-Dichloroethene	0.96	0.74	
Diisopropyl ether	0.50	0.52	0.41
Methyl tert-butyl ether	0.71	0.80	0.56
Tetrachloroethene	2.1	1.9	1.0
Tetrahydrofuran	170	200	140
trans-1,2-Dichloroethene	0.45	0.37	
Trichloroethene	0.34	0.37	0.48
Vinyl chloride	0.52	0.74	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 21 of 40

Well Description: P-9D-202105

Well #: 140

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	3.2	3.2	2.7
1,2-Dichloropropane		0.51	1.3
Benzene	2.9	2.3	2.9
Chloroethane	0.54		
Dichlorodifluoromethane	1.0	1.2	0.71
Diisopropyl ether			0.36
Methyl tert-butyl ether	0.44	0.33	0.41
Tetrahydrofuran	78	51	88
trans-1,2-Dichloroethene	0.94	2.1	2.1
Trichloroethene			0.36
Vinyl chloride		0.43	0.59

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 22 of 40

Well Description: P-26S

Well #: 141

Parameter	Sample Date		
	5/14/2021	11/5/2020	5/8/2020

cis-1,2-Dichloroethene			0.34
Dichlorodifluoromethane	2.3	1.7	2.3
Tetrachloroethene	8.5	8.9	9.8
Trichloroethene	0.72	0.81	0.82
Trichlorofluoromethane	0.53	0.48	0.50

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 24 of 40

Well Description: P-31/A

Well #: 146

Parameter	Sample Date			
	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane		0.31		
cis-1,2-Dichloroethene	0.80	0.95	1.0	1.3
Dichlorodifluoromethane	0.65	0.82	0.88	0.93
Tetrachloroethene	1.2	0.81	1.8	3.6
Trichloroethene	0.67	0.75	0.69	0.98

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 25 of 40

Well Description: DUP-02-202105 **Well #:** 147

Parameter	Sample Date			
	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane	0.31	0.33		0.32
cis-1,2-Dichloroethene	1.0	1.2	1.4	1.3
Dichlorodifluoromethane	0.82	0.89	1.2	0.95
Tetrachloroethene	1.5	1.8	3.6	3.7
Trichloroethene	0.86	0.94	1.2	0.99

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 26 of 40

Well Description: P-34S-202105 **Well #:** 154

Parameter Sample Date
 5/14/2021 5/7/2020

Dichlorodifluoromethane	0.61	0.76
-------------------------	------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 27 of 40

Well Description: P-40D-202105 **Well #:** 161

Parameter Sample Date
 5/13/2021 5/7/2020 12/2/2019

Tetrachloroethene	0.35	0.51	0.54
-------------------	------	------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 28 of 40

Well Description: P-40I-202105

Well #: 162

Parameter	Sample Date				
	5/13/2021	11/4/2020	5/7/2020	12/2/2019	5/15/2019
cis-1,2-Dichloroethene	0.92	0.81	0.77	0.82	1.2
Dichlorodifluoromethane	0.71		0.65	0.72	0.78
Tetrachloroethene	2.5	2.1	1.9	2.4	3.2
Trichloroethene	0.60	0.48	0.50	0.55	0.68
Trichlorofluoromethane					0.54

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 29 of 40

Well Description: P-20SR-202105

Well #: 167

Parameter	Sample Date				
	5/18/2021	11/9/2020	5/13/2020	11/8/2019	5/13/2019
Dichlorodifluoromethane	0.70	0.67	0.80	0.71	0.66
Tetrachloroethene	1.4	1.5	1.8	1.1	1.5
Trichlorofluoromethane					0.45

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 30 of 40

Well Description: P-29S-202105 **Well #:** 168

Parameter Sample Date
 5/14/2021 5/11/2020

Dichlorodifluoromethane	1.00	1.0
Naphthalene		0.47
Tetrachloroethene	0.59	0.54

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 31 of 40

Well Description: P-22E-202105

Well #: 174

Parameter	Sample Date				
	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019
1,1-Dichloroethane	0.88	0.60	0.71	0.80	0.57
cis-1,2-Dichloroethene	5.5	4.2	4.7	4.8	3.7
Dichlorodifluoromethane	3.4	1.9	2.8	3.3	2.0
Naphthalene			0.52	0.45	
Tetrachloroethene	15	6.3	6.7	12	11
Trichloroethene	2.6	1.6	1.6	2.2	1.7
Trichlorofluoromethane	0.88	0.54	0.65	0.89	0.76

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 34 of 40

Well Description: P-43D-202105 **Well #:** 177

Parameter	Sample Date			
	5/17/2021	11/6/2020	5/11/2020	12/4/2019
Naphthalene	0.34	0.35	0.84	1.4

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 40 of 40

Well Description: TRIP BLANK

Well #: 999

Parameter	Sample Date								
	5/18/2021	5/12/2021	5/11/2021	11/3/2020	11/2/2020	5/22/2020	5/13/2020	5/6/2020	11/5/2019
Methylene chloride	0.45	0.54	0.43	0.53	0.47	1.4	0.83	1.2	0.33

10/1/2019 5/17/2019

0.77	3.6
------	-----

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-21D	Well ID #:	113	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	BROWN
			05/14/2020	YELLOW
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	6245
			05/14/2020	7153.4
			05/19/2021	7769.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.58
			05/30/2019	926.67
			11/04/2019	928.62
			05/05/2020	926.92
			05/14/2020	926.92
			11/04/2020	926.64
			05/19/2021	925.42
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/30/2019	6.21
			05/14/2020	6.44
			05/19/2021	6.64
Temperature (Field)	00010	Deg. C		
			05/30/2019	16.09
			05/14/2020	11.62
			05/19/2021	13.09
Turbidity (Field)	00003			
			05/30/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8D Well ID #: 114

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	1596
			05/14/2020	2225.6
			05/19/2021	2315.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.30
			05/13/2019	927.3
			11/04/2019	927.44
			05/05/2020	926.84
			05/14/2020	926.84
			11/03/2020	926.96
			05/19/2021	925.89
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.43
			05/14/2020	6.78
			05/19/2021	6.92
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.02
			05/14/2020	10.40
			05/19/2021	11.79
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24D Well ID #: 115

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	WHITE
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	679
			05/13/2020	689.1
			05/20/2021	664.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.75
			05/14/2019	925.05
			11/04/2019	927.25
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.13
			05/13/2020	7.11
			05/20/2021	7.03
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.45
			05/13/2020	11.04
			05/20/2021	13.02
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24E Well ID #: 116

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	693.9
			05/13/2020	706.1
			05/20/2021	687.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.39
			05/14/2019	927.39
			11/04/2019	927.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.97
			05/13/2020	7.11
			05/20/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.48
			05/13/2020	13.08
			05/20/2021	14.52
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25S Well ID #: 117

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	639.9
			05/13/2020	669.0
			05/13/2021	765.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.46
			05/15/2019	928.46
			11/04/2019	929.10
			05/05/2020	927.56
			05/13/2020	927.56
			11/03/2020	927.00
			05/13/2021	925.16
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			05/13/2020	6.56
			05/13/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.48
			05/13/2020	10.35
			05/13/2021	12.40
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25D Well ID #: 118

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	965.0
			11/08/2019	847.8
			05/13/2020	841.3
			11/05/2020	797.0
			05/13/2021	712.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.48
			05/15/2019	925.48
			11/04/2019	926.09
			11/08/2019	926.13
			05/05/2020	924.29
			05/13/2020	924.29
			11/05/2020	923.68
			05/13/2021	921.17
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.39
			11/08/2019	6.99
			05/13/2020	7.05
			11/05/2020	6.97
			05/13/2021	7.17
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.23
			11/08/2019	9.44
			05/13/2020	11.96
			11/05/2020	12.50
			05/13/2021	12.44
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25BR Well ID #: 119

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	635.5
			11/08/2019	666.5
			05/13/2020	669.1
			11/05/2020	659.9
			05/13/2021	651.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.88
			05/15/2019	925.88
			11/04/2019	926.76
			11/08/2019	918.44
			05/05/2020	924.71
			05/13/2020	924.71
			11/05/2020	924.19
			05/13/2021	921.63
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.05
			11/08/2019	7.06
			05/13/2020	7.29
			11/05/2020	7.22
			05/13/2021	7.22
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.20
			11/08/2019	11.01
			05/13/2020	11.64
			11/05/2020	12.00
			05/13/2021	12.98
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-26D **Well ID #:** 120

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.29
			11/04/2019	938.49
			05/05/2020	936.40
			11/03/2020	936.65
			05/10/2021	932.25

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-27S	Well ID #:	121	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	GRAY
			05/08/2020	WHITE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	890.6
			05/08/2020	962.6
			11/05/2020	924.7
			05/14/2021	954.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.54
			05/16/2019	928.54
			11/04/2019	930.21
			05/05/2020	927.99
			05/08/2020	927.99
			11/05/2020	927.81
			05/14/2021	925.05
Odor (Field)	00001			
			05/16/2019	NONE
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.55
			05/08/2020	6.90
			11/05/2020	6.79
			05/14/2021	6.91
Temperature (Field)	00010	Deg. C		
			05/16/2019	16.52
			05/08/2020	10.26
			11/05/2020	11.05
			05/14/2021	11.18
Turbidity (Field)	00003			
			05/16/2019	MODERATE
			05/08/2020	SLIGHT
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-27D Well ID #: 122

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	909.8
			11/05/2020	876.6
			05/14/2021	914.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/16/2019	928.33
			11/04/2019	930.03
			05/05/2020	927.90
			05/08/2020	927.90
			11/05/2020	927.60
			05/14/2021	924.63
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	6.98
			11/05/2020	6.78
			05/14/2021	7.03
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.59
			11/05/2020	11.47
			05/14/2021	11.88
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-28S Well ID #: 123

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	701.2
			05/08/2020	657.5
			05/14/2021	690.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.69
			05/31/2019	937.28
			11/04/2019	938.74
			05/05/2020	935.70
			05/08/2020	935.70
			11/03/2020	936.92
			05/14/2021	929.90
Odor (Field)	00001			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.16
			05/08/2020	7.27
			05/14/2021	7.22
Temperature (Field)	00010	Deg. C		
			05/31/2019	11.41
			05/08/2020	9.70
			05/14/2021	12.32
Turbidity (Field)	00003			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8S Well ID #: 125

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	2080
			05/14/2020	2293.8
			05/19/2021	2523.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.09
			05/13/2019	927.09
			11/04/2019	927.34
			05/05/2020	926.71
			05/14/2020	926.71
			11/03/2020	926.58
			05/19/2021	925.91
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.25
			05/14/2020	6.27
			05/19/2021	6.63
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.56
			05/14/2020	9.84
			05/19/2021	11.83
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8BR Well ID #: 126

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	877
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	929.52
			05/23/2019	929.52
			11/04/2019	929.52
Odor (Field)	00001			
			05/23/2019	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.21
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.42
Turbidity (Field)	00003			
			05/23/2019	SLIGHT

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16D Well ID #: 127

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	BROWN
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2596
			05/14/2020	3067.0
			05/19/2021	2956.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.59
			05/14/2019	928.66
			11/04/2019	929.09
			05/05/2020	927.53
			05/14/2020	927.53
			11/04/2020	926.94
			05/19/2021	925.11
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.70
			05/19/2021	6.88
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.35
			05/14/2020	13.63
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-17S	Well ID #:	128	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/28/2019	1140
			11/06/2019	1089.3
			05/12/2020	1127.2
			11/05/2020	1088.5
			05/20/2021	1122.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/28/2019	937.12
			11/04/2019	937.99
			11/06/2019	937.82
			05/05/2020	936.81
			05/12/2020	936.81
			11/05/2020	936.73
			05/20/2021	936.47
Odor (Field)	00001			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/28/2019	7.33
			11/06/2019	6.61
			05/12/2020	6.75
			11/05/2020	6.57
			05/20/2021	6.80
Temperature (Field)	00010	Deg. C		
			05/28/2019	13.37
			11/06/2019	10.35
			05/12/2020	11.71
			11/05/2020	12.40
			05/20/2021	12.67
Turbidity (Field)	00003			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-18S Well ID #: 129

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	608
			11/07/2019	733.5
			05/12/2020	760.0
			11/06/2020	759.2
			05/20/2021	746.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.68
			05/23/2019	931.65
			11/04/2019	932.63
			11/07/2019	932.63
			05/05/2020	930.76
			05/12/2020	930.76
			11/06/2020	930.50
			05/20/2021	927.68
Odor (Field)	00001			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.48
			11/07/2019	7.17
			05/12/2020	7.28
			11/06/2020	7.14
			05/20/2021	7.34
Temperature (Field)	00010	Deg. C		
			05/23/2019	16.56
			11/07/2019	10.69
			05/12/2020	11.75
			11/06/2020	13.77
			05/20/2021	13.72
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21S Well ID #: 133

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	1152
			05/14/2020	1328.9
			05/19/2021	1368.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.59
			05/14/2019	929.65
			11/04/2019	930.08
			05/05/2020	928.03
			05/14/2020	928.03
			11/03/2020	927.71
			05/19/2021	926.41
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.01
			05/14/2020	6.95
			05/19/2021	7.13
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.49
			05/14/2020	10.41
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21BR Well ID #: 134

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	1215
			05/14/2020	1158.8
			05/19/2021	992.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.97
			05/30/2019	929.52
			11/04/2019	929.90
			05/05/2020	927.26
			05/14/2020	927.26
			11/04/2020	927.80
			05/19/2021	924.07
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	SULFUR
pH (Field)	00400	S.U.		
			05/30/2019	6.52
			05/14/2020	6.38
			05/19/2021	7.43
Temperature (Field)	00010	Deg. C		
			05/30/2019	11.89
			05/14/2020	11.80
			05/19/2021	12.82
Turbidity (Field)	00003			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22S Well ID #: 135

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	GRAY
			05/22/2020	BROWN
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	512
			12/05/2019	664.1
			05/22/2020	677.0
			11/06/2020	649.7
			05/17/2021	626.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	923.04
			05/23/2019	923.09
			11/04/2019	924.31
			12/05/2019	923.08
			05/05/2020	922.38
			05/22/2020	922.38
			11/06/2020	921.52
			05/17/2021	919.11
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	8.16
			12/05/2019	7.40
			05/22/2020	7.18
			11/06/2020	7.28
			05/17/2021	7.55
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.65
			12/05/2019	9.47
			05/22/2020	15.12
			11/06/2020	13.81
			05/17/2021	15.07
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/22/2020	SLIGHT
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22D Well ID #: 136

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	471
			12/05/2019	679.4
			05/11/2020	635.0
			11/06/2020	632.5
			05/17/2021	623.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.68
			05/23/2019	922.76
			11/04/2019	924.01
			12/05/2019	923.73
			05/05/2020	922.06
			05/11/2020	922.06
			11/06/2020	921.38
			05/17/2021	918.88
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.61
			12/05/2019	7.09
			05/11/2020	6.63
			11/06/2020	6.90
			05/17/2021	7.20
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.73
			12/05/2019	9.47
			05/11/2020	10.62
			11/06/2020	11.67
			05/17/2021	11.51
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-23S	Well ID #:	137	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	693.2
			11/11/2019	772.3
			05/13/2020	697.5
			11/09/2020	682.3
			05/20/2021	642.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/13/2019	930.61
			11/04/2019	931.20
			11/11/2019	931.03
			05/05/2020	929.59
			05/13/2020	929.59
			11/09/2020	929.37
			05/20/2021	926.92
Odor (Field)	00001			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.50
			11/11/2019	6.88
			05/13/2020	7.08
			11/09/2020	6.93
			05/20/2021	6.97
Temperature (Field)	00010	Deg. C		
			05/13/2019	14.96
			11/11/2019	8.91
			05/13/2020	12.15
			11/09/2020	15.07
			05/20/2021	15.56
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23D Well ID #: 138

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	565
			11/11/2019	599.3
			05/13/2020	584.7
			11/09/2020	591.1
			05/20/2021	586.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.55
			05/15/2019	930.55
			11/04/2019	931.30
			11/11/2019	931.11
			05/05/2020	929.67
			05/13/2020	929.67
			11/09/2020	929.44
			05/20/2021	926.99
Odor (Field)	00001			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.22
			11/11/2019	7.00
			05/13/2020	7.32
			11/09/2020	7.08
			05/20/2021	7.40
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.58
			11/11/2019	9.75
			05/13/2020	12.58
			11/09/2020	13.06
			05/20/2021	14.22
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9S Well ID #: 139

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	3719
			05/14/2020	5483.1
			05/19/2021	3802.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.59
			05/14/2019	927.76
			11/04/2019	927.90
			05/05/2020	927.48
			05/14/2020	927.48
			11/03/2020	927.31
			05/19/2021	926.25
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.26
			05/14/2020	6.43
			05/19/2021	6.58
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.41
			05/14/2020	9.98
			05/19/2021	12.21
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9D Well ID #: 140

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2676.9
			05/14/2020	2330.8
			05/19/2021	2509.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/14/2019	928.98
			11/04/2019	929.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.10
			05/19/2021	6.73
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.87
			05/14/2020	11.39
			05/19/2021	13.45
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-26S Well ID #: 141

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	866.0
			11/05/2020	847.0
			05/14/2021	821.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.61
			05/14/2019	938.61
			11/04/2019	939.18
			05/05/2020	937.29
			05/08/2020	937.29
			11/05/2020	936.48
			05/14/2021	934.13
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	7.00
			11/05/2020	6.80
			05/14/2021	7.05
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.03
			11/05/2020	11.12
			05/14/2021	11.70
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16S Well ID #: 142

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	640
			05/14/2020	722.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.05
			05/14/2019	927.94
			11/04/2019	929.60
			05/05/2020	927.20
			05/14/2020	927.20
			11/04/2020	926.64
			05/19/2021	923.91
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.78
			05/14/2020	6.34
Temperature (Field)	00010	Deg. C		
			05/14/2019	12.25
			05/14/2020	10.73
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-3S **Well ID #:** 143

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.52
			11/04/2019	927.83
			05/05/2020	927.93
			11/03/2020	927.83
			05/10/2021	926.80

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-30S **Well ID #:** 144

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.41
			11/04/2019	918.60
			05/05/2020	916.70
			11/03/2020	915.77
			05/10/2021	914.43

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31D Well ID #: 145

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	529.1
			11/06/2019	560.3
			05/15/2020	549.2
			11/09/2020	562.5
			05/12/2021	566.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/14/2019	915.72
			11/04/2019	915.72
			11/06/2019	915.72
Odor (Field)	00001			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.93
			11/06/2019	6.98
			05/15/2020	7.45
			11/09/2020	7.35
			05/12/2021	7.40
Temperature (Field)	00010	Deg. C		
			05/14/2019	14.60
			11/06/2019	9.32
			05/15/2020	11.43
			11/09/2020	11.29
			05/12/2021	11.30
Turbidity (Field)	00003			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31/A Well ID #: 146

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	LT GRAY
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	887.4
			05/15/2020	852.4
			11/09/2020	875.3
			05/12/2021	863.9
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.77
			12/06/2019	916.77
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.37
			05/15/2020	7.14
			11/09/2020	6.94
			05/12/2021	7.05
Temperature (Field)	00010	Deg. C		
			12/06/2019	9.81
			05/15/2020	11.29
			11/09/2020	12.62
			05/12/2021	11.94
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-31/B **Well ID #:** 147

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	885.2
			05/15/2020	856.1
			11/09/2020	881.7
			05/12/2021	884.7
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.49
			12/06/2019	916.49
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.03
			05/15/2020	7.13
			11/09/2020	7.04
			05/12/2021	7.11
Temperature (Field)	00010	Deg. C		
			12/06/2019	10.20
			05/15/2020	11.38
			11/09/2020	11.23
			05/12/2021	10.78
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31S Well ID #: 148

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	444.3
			12/06/2019	479.3
			05/15/2020	427.9
			05/12/2021	417.8
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	912.95
			05/14/2019	912.81
			11/04/2019	913.13
			12/06/2019	912.92
			05/05/2020	912.15
			05/15/2020	912.15
			11/03/2020	912.30
			05/12/2021	911.70
Odor (Field)	00001			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.72
			12/06/2019	7.89
			05/15/2020	8.19
			05/12/2021	8.18
Temperature (Field)	00010	Deg. C		
			05/14/2019	11.47
			12/06/2019	10.31
			05/15/2020	11.56
			05/12/2021	10.09
Turbidity (Field)	00003			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-32D Well ID #: 149

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	538
			05/06/2020	752.3
			05/13/2021	717.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.86
			05/22/2019	927.03
			11/04/2019	927.80
			05/05/2020	926.39
			05/06/2020	926.39
			11/03/2020	925.82
			05/13/2021	923.92
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.41
			05/06/2020	6.86
			05/13/2021	7.25
Temperature (Field)	00010	Deg. C		
			05/22/2019	10.55
			05/06/2020	10.80
			05/13/2021	12.51
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-32S	Well ID #:	150	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	755
			05/06/2020	743.8
			05/13/2021	1180.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.76
			05/22/2019	929.02
			11/04/2019	929.80
			05/05/2020	928.24
			05/06/2020	928.24
			11/03/2020	927.69
			05/13/2021	925.84
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.20
			05/06/2020	6.71
			05/13/2021	7.04
Temperature (Field)	00010	Deg. C		
			05/22/2019	12.56
			05/06/2020	12.46
			05/13/2021	12.11
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-33S **Well ID #:** 151

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	GRAY
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	492.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.72
			05/15/2019	925.72
			11/04/2019	925.81
			05/05/2020	925.32
			11/04/2020	925.48
			05/10/2021	924.96
Odor (Field)	00001			
			05/15/2019	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.14
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.12
Turbidity (Field)	00003			
			05/15/2019	MODERATE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-33D Well ID #: 152

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	619
			05/13/2020	634.2
			05/18/2021	489.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.50
			05/15/2019	928.50
			11/04/2019	928.50
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.35
			05/13/2020	6.75
			05/18/2021	7.79
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.08
			05/13/2020	11.79
			05/18/2021	12.90
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34D Well ID #: 153

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	548
			05/07/2020	752.3
			05/14/2021	547.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.39
			06/03/2019	936.65
			11/04/2019	937.72
			05/05/2020	935.95
			05/07/2020	935.95
			11/03/2020	936.07
			05/14/2021	932.34
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.17
			05/07/2020	6.86
			05/14/2021	7.48
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.08
			05/07/2020	10.80
			05/14/2021	11.14
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34S Well ID #: 154

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	628.5
			05/07/2020	632.8
			05/14/2021	545.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	939.29
			06/03/2019	939.49
			11/04/2019	940.34
			05/05/2020	938.98
			05/07/2020	938.98
			11/03/2020	939.39
			05/14/2021	935.58
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.20
			05/07/2020	7.33
			05/14/2021	7.52
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.53
			05/07/2020	11.13
			05/14/2021	11.29
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35D Well ID #: 155

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	598.59
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.67
			05/31/2019	932.24
			11/04/2019	932.92
			05/05/2020	930.53
			11/03/2020	930.39
			05/10/2021	926.41
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.09
Temperature (Field)	00010	Deg. C		
			05/31/2019	10.22
Turbidity (Field)	00003			
			05/31/2019	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35S Well ID #: 156

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	557.36
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	933.08
			05/31/2019	933.67
			11/04/2019	934.17
			05/05/2020	932.14
			11/03/2020	932.26
			05/10/2021	928.48
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.23
Temperature (Field)	00010	Deg. C		
			05/31/2019	12.53
Turbidity (Field)	00003			
			05/31/2019	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36D **Well ID #:** 157

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	924.34
			11/04/2019	924.34

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36S **Well ID #:** 158

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	922.87
			11/04/2019	922.85

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-38S **Well ID #:** 159

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.57
			11/04/2019	918.37
			05/05/2020	917.12
			11/03/2020	917.18
			05/10/2021	916.58

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-39S **Well ID #:** 160

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.75
			11/04/2019	919.17
			05/05/2020	916.81
			11/03/2020	915.94
			05/10/2021	913.99

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-40D Well ID #: 161

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/02/2019	589.7
			05/07/2020	607.0
			11/04/2020	541.0
			05/13/2021	561.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.50
			05/15/2019	918.62
			11/04/2019	919.74
			12/02/2019	919.27
			05/05/2020	917.44
			05/07/2020	917.44
			11/04/2020	916.64
			05/13/2021	914.59
Odor (Field)	00001			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			12/02/2019	7.18
			05/07/2020	7.24
			11/04/2020	7.25
			05/13/2021	7.27
Temperature (Field)	00010	Deg. C		
			12/02/2019	9.23
			05/07/2020	9.81
			11/04/2020	10.60
			05/13/2021	10.22
Turbidity (Field)	00003			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-401 Well ID #: 162

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	660.8
			12/02/2019	686.6
			05/07/2020	681.7
			11/04/2020	643.3
			05/13/2021	678.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.17
			05/15/2019	919.29
			11/04/2019	920.34
			12/02/2019	919.87
			05/05/2020	918.07
			05/07/2020	918.07
			11/04/2020	917.26
			05/13/2021	915.15
Odor (Field)	00001			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			12/02/2019	7.09
			05/07/2020	6.79
			11/04/2020	7.16
			05/13/2021	7.18
Temperature (Field)	00010	Deg. C		
			05/15/2019	12.16
			12/02/2019	8.71
			05/07/2020	10.17
			11/04/2020	10.55
			05/13/2021	10.44
Turbidity (Field)	00003			
			05/15/2019	SLIGHT
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-40S **Well ID #:** 163

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	916.75
			11/04/2019	917.38
			05/05/2020	915.55
			11/03/2020	914.92
			05/10/2021	913.31

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-41S **Well ID #:** 164

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.89
			11/04/2019	919.95
			05/05/2020	917.94
			11/03/2020	917.09
			05/10/2021	915.99

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-41D	Well ID #:	165	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			05/07/2020	WHITE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	745
			05/07/2020	746.2
			05/13/2021	753.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	914.34
			05/23/2019	914.43
			11/04/2019	915.74
			05/05/2020	914.39
			05/07/2020	914.39
			11/03/2020	913.55
			05/13/2021	911.69
Odor (Field)	00001			
			05/23/2019	SULFUR
			05/07/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.73
			05/07/2020	7.22
			05/13/2021	7.19
Temperature (Field)	00010	Deg. C		
			05/23/2019	9.54
			05/07/2020	10.46
			05/13/2021	11.08
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			05/07/2020	SLIGHT
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-42S **Well ID #:** 166

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	911.97
			11/04/2019	912.57
			05/05/2020	911.19
			11/03/2020	910.59
			05/10/2021	908.88

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-20SR	Well ID #:	167	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	596.7
			11/08/2019	630.0
			05/13/2020	612.0
			11/09/2020	610.6
			05/18/2021	595.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.89
			05/13/2019	930.89
			11/04/2019	931.67
			11/08/2019	931.57
			05/05/2020	929.95
			05/13/2020	929.95
			11/09/2020	929.91
			05/18/2021	927.59
Odor (Field)	00001			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.55
			11/08/2019	7.22
			05/13/2020	7.36
			11/09/2020	7.19
			05/18/2021	7.52
Temperature (Field)	00010	Deg. C		
			05/13/2019	15.45
			11/08/2019	9.37
			05/13/2020	12.58
			11/09/2020	13.06
			05/18/2021	10.55
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-29S Well ID #: 168

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		05/11/2020	WHITE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm	05/11/2020	651.1
			05/14/2021	591.3
Groundwater Elevation (Field)	04189	Feet MSL	05/31/2019	936.25
			11/04/2019	936.79
			05/05/2020	934.69
			05/11/2020	934.69
			11/03/2020	934.88
			05/14/2021	931.07
Odor (Field)	00001		05/11/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.	05/11/2020	7.27
			05/14/2021	7.34
Temperature (Field)	00010	Deg. C	05/11/2020	11.16
			05/14/2021	11.80
Turbidity (Field)	00003		05/11/2020	SLIGHT
			05/14/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-30D	Well ID #:	169	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	505.1
			11/13/2019	523.4
			05/07/2020	506.1
			11/04/2020	504.1
			05/12/2021	507.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.08
			05/16/2019	918.28
			11/04/2019	919.47
			11/13/2019	919.23
			05/05/2020	917.13
			05/07/2020	917.13
			11/04/2020	916.26
			05/12/2021	914.31
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.48
			11/13/2019	7.13
			05/07/2020	7.36
			11/04/2020	7.34
			05/12/2021	7.38
Temperature (Field)	00010	Deg. C		
			05/16/2019	15.47
			11/13/2019	9.04
			05/07/2020	10.27
			11/04/2020	9.99
			05/12/2021	9.80
Turbidity (Field)	00003			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-301	Well ID #:	170	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	645.6
			11/13/2019	693.1
			05/07/2020	704.3
			11/04/2020	703.3
			05/12/2021	683.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.01
			05/16/2019	918.23
			11/04/2019	919.18
			11/13/2019	919.20
			05/05/2020	917.03
			05/07/2020	917.03
			11/04/2020	916.18
			05/12/2021	914.21
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.53
			11/13/2019	7.22
			05/07/2020	6.87
			11/04/2020	7.27
			05/12/2021	6.95
Temperature (Field)	00010	Deg. C		
			05/16/2019	13.22
			11/13/2019	8.95
			05/07/2020	10.19
			11/04/2020	9.90
			05/12/2021	9.72
Turbidity (Field)	00003			
			05/16/2019	SLIGHT
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-01D **Well ID #:** 171

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	11/04/2019	926.67

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-1S **Well ID #:** 172

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.38
			11/04/2019	922.51
			05/05/2020	920.62
			11/03/2020	922.47
			05/10/2021	921.55

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-4S **Well ID #:** 173

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.08
			11/04/2019	928.54
			05/05/2020	926.55
			11/03/2020	925.32
			05/10/2021	924.27

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-22E	Well ID #:	174	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	438
			12/05/2019	583.9
			05/11/2020	585.0
			11/06/2020	587.7
			05/17/2021	566.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.77
			05/23/2019	922.83
			11/04/2019	924.04
			12/05/2019	927.73
			05/05/2020	922.01
			05/11/2020	922.01
			11/06/2020	921.35
			05/17/2021	918.83
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.36
			12/05/2019	7.02
			05/11/2020	7.29
			11/06/2020	7.16
			05/17/2021	7.49
Temperature (Field)	00010	Deg. C		
			05/23/2019	11.59
			12/05/2019	9.42
			05/11/2020	10.54
			11/06/2020	14.35
			05/17/2021	11.05
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-43S	Well ID #:	175	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	514
			12/05/2019	670.3
			05/22/2020	685.4
			11/06/2020	680.4
			05/17/2021	641.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.97
			05/22/2019	926.4
			11/04/2019	927.82
			12/05/2019	927.79
			05/05/2020	925.76
			05/22/2020	925.76
			11/06/2020	925.27
			05/17/2021	922.28
Odor (Field)	00001			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.17
			12/05/2019	7.16
			05/22/2020	7.19
			11/06/2020	7.19
			05/17/2021	7.48
Temperature (Field)	00010	Deg. C		
			05/22/2019	13.88
			12/05/2019	8.86
			05/22/2020	11.80
			11/06/2020	10.32
			05/17/2021	10.91
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43I Well ID #: 176

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/04/2019	LT BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	494
			12/04/2019	657.7
			05/11/2020	650.8
			11/06/2020	649.4
			05/17/2021	634.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.32
			05/22/2019	925.76
			11/04/2019	927.93
			12/04/2019	927.72
			05/05/2020	925.65
			05/11/2020	925.65
			11/06/2020	925.17
			05/17/2021	922.17
Odor (Field)	00001			
			05/22/2019	NONE
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.51
			12/04/2019	7.26
			05/11/2020	6.77
			11/06/2020	7.23
			05/17/2021	7.50
Temperature (Field)	00010	Deg. C		
			05/22/2019	11.27
			12/04/2019	9.42
			05/11/2020	11.69
			11/06/2020	12.53
			05/17/2021	11.61
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/04/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-43D	Well ID #:	177	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/04/2019	BROWN
			05/11/2020	RED/BROWN
			11/06/2020	NONE
			05/17/2021	RED/BROWN
Conductivity (Field)	00094	umhos/cm		
			12/04/2019	652.0
			05/11/2020	670.7
			11/06/2020	676.3
			05/17/2021	627.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	924.71
			05/22/2019	926.17
			11/04/2019	928.01
			12/04/2019	927.90
			05/05/2020	925.78
			05/11/2020	925.78
			11/06/2020	925.30
			05/17/2021	922.28
Odor (Field)	00001			
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			12/04/2019	7.31
			05/11/2020	7.28
			11/06/2020	7.23
			05/17/2021	7.43
Temperature (Field)	00010	Deg. C		
			12/04/2019	9.23
			05/11/2020	9.91
			11/06/2020	10.08
			05/17/2021	10.47
Turbidity (Field)	00003			
			12/04/2019	VERY
			05/11/2020	VERY
			11/06/2020	NONE
			05/17/2021	MODERATE

QC SUMMARY REPORT

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LANDFILL

SDG #: 0

Folder #: 161887

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192065	Analysis Date:	5/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008993	Analysis Time:	15:01	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	10.0	ug/L			10.0	100	86 --- 112		20
1,1,1-Trichloroethane	10.8	ug/L			10.0	108	88 --- 120		20
1,1,2,2-Tetrachloroethane	8.93	ug/L			10.0	89.3	83 --- 116		20
1,1,2-Trichloroethane	9.81	ug/L			10.0	98.1	86 --- 115		20
1,1-Dichloroethane	9.92	ug/L			10.0	99.2	86 --- 117		20
1,1-Dichloroethene	10.1	ug/L			10.0	101	86 --- 119		20
1,1-Dichloropropene	10.0	ug/L			10.0	100	87 --- 117		20
1,2 Dichloroethane-d4	95.0	% Recovery			100	95.0	90 --- 111		
1,2,3-Trichlorobenzene	9.92	ug/L			10.0	99.2	81 --- 114		20
1,2,3-Trichloropropane	9.17	ug/L			10.0	91.7	77 --- 120		20
1,2,4-Trichlorobenzene	10.4	ug/L			10.0	104	80 --- 116		20
1,2,4-Trimethylbenzene	10.4	ug/L			10.0	104	91 --- 118		20
1,2-Dibromo-3-chloropropane	8.78	ug/L			10.0	87.8	68 --- 122		20
1,2-Dibromoethane	9.58	ug/L			10.0	95.8	87 --- 113		20
1,2-Dichlorobenzene	9.52	ug/L			10.0	95.2	88 --- 113		20
1,2-Dichloroethane	9.64	ug/L			10.0	96.4	84 --- 120		20
1,2-Dichloropropane	9.90	ug/L			10.0	99.0	85 --- 116		20
1,3,5-Trimethylbenzene	10.5	ug/L			10.0	105	90 --- 119		20
1,3-Dichlorobenzene	10.3	ug/L			10.0	103	89 --- 113		20
1,3-Dichloropropane	9.86	ug/L			10.0	98.6	87 --- 115		20
1,4-Dichlorobenzene	9.85	ug/L			10.0	98.5	87 --- 113		20
2,2-Dichloropropane	11.4	ug/L			10.0	114	75 --- 127		20
2-Butanone	81.7	ug/L			100	81.7	68 --- 133		20
2-Chlorotoluene	9.87	ug/L			10.0	98.7	88 --- 117		20
2-Hexanone	88.7	ug/L			100	88.7	71 --- 134		20
4-Chlorotoluene	10.5	ug/L			10.0	105	88 --- 119		20
4-Methyl-2-pentanone	87.7	ug/L			100	87.7	78 --- 127		20
Acetone	82.8	ug/L			100	82.8	66 --- 137		20
Benzene	9.80	ug/L			10.0	98.0	90 --- 119		20
Bromobenzene	9.97	ug/L			10.0	99.7	86 --- 113		20
Bromochloromethane	9.30	ug/L			10.0	93.0	81 --- 120		20
Bromodichloromethane	10.0	ug/L			10.0	100	87 --- 116		20
Bromofluorobenzene	102	% Recovery			100	102	88 --- 108		
Bromoform	9.04	ug/L			10.0	90.4	72 --- 124		20
Bromomethane	9.98	ug/L			10.0	99.8	40 --- 169		20

SDG #: 0

Folder #: 161887

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192065	Analysis Date:	5/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008993	Analysis Time:	15:01	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Carbon disulfide	20.3	ug/L			20.0	102	89 --- 124		20
Carbon tetrachloride	11.0	ug/L			10.0	110	82 --- 127		20
Chlorobenzene	9.73	ug/L			10.0	97.3	89 --- 114		20
Chloroethane	9.63	ug/L			10.0	96.3	78 --- 128		20
Chloroform	9.62	ug/L			10.0	96.2	88 --- 115		20
Chloromethane	9.42	ug/L			10.0	94.2	63 --- 135		20
cis-1,2-Dichloroethene	9.22	ug/L			10.0	92.2	87 --- 115		20
cis-1,3-Dichloropropene	10.4	ug/L			10.0	104	86 --- 115		20
d8-Toluene	99.0	% Recovery			100	99.0	95 --- 105		
Dibromochloromethane	10.2	ug/L			10.0	102	82 --- 117		20
Dibromofluoromethane	101	% Recovery			100	101	92 --- 107		
Dibromomethane	9.26	ug/L			10.0	92.6	84 --- 115		20
Dichlorodifluoromethane	10.8	ug/L			10.0	108	76 --- 129		20
Diisopropyl ether	10.0	ug/L			10.0	100	82 --- 123		20
Ethylbenzene	10.1	ug/L			10.0	101	92 --- 119		20
Hexachlorobutadiene	11.1	ug/L			10.0	111	84 --- 120		20
Isopropylbenzene	10.4	ug/L			10.0	104	91 --- 121		20
m & p-Xylene	19.8	ug/L			20.0	99.0	91 --- 117		20
Methyl tert-butyl ether	9.59	ug/L			10.0	95.9	85 --- 115		20
Methylene chloride	9.43	ug/L			10.0	94.3	71 --- 128		20
n-Butylbenzene	10.8	ug/L			10.0	108	88 --- 122		20
n-Propylbenzene	10.2	ug/L			10.0	102	90 --- 123		20
Naphthalene	9.96	ug/L			10.0	99.6	64 --- 129		20
o-Xylene	9.76	ug/L			10.0	97.6	89 --- 115		20
p-Isopropyltoluene	10.9	ug/L			10.0	109	91 --- 119		20
sec-Butylbenzene	11.1	ug/L			10.0	111	92 --- 122		20
Styrene	10.1	ug/L			10.0	101	90 --- 116		20
tert-Butylbenzene	10.6	ug/L			10.0	106	90 --- 118		20
Tetrachloroethene	10.5	ug/L			10.0	105	86 --- 120		20
Tetrahydrofuran	81.2	ug/L			100	81.2	72 --- 135		20
Toluene	9.98	ug/L			10.0	99.8	89 --- 117		20
trans-1,2-Dichloroethene	10.1	ug/L			10.0	101	86 --- 116		20
trans-1,3-Dichloropropene	10.5	ug/L			10.0	105	84 --- 115		20
Trichloroethene	9.76	ug/L			10.0	97.6	86 --- 117		20
Trichlorofluoromethane	10.7	ug/L			10.0	107	83 --- 133		20
Vinyl acetate	106	ug/L			100	106	60 --- 147		20
Vinyl chloride	10.4	ug/L			10.0	104	84 --- 124		20

SDG #: 0

Folder #: 161887

Project #: 335719

Method Blank Water

Analytical Run #:	192065	Analysis Date:	5/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008999	Analysis Time:	16:30	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.4	ug/L		U	0			0.4	
1,1,1-Trichloroethane	0.29	ug/L		U	0			0.29	
1,1,2,2-Tetrachloroethane	0.3	ug/L		U	0			0.3	
1,1,2-Trichloroethane	0.30	ug/L		U	0			0.30	
1,1-Dichloroethane	0.3	ug/L		U	0			0.3	
1,1-Dichloroethene	0.4	ug/L		U	0			0.4	
1,1-Dichloropropene	0.3	ug/L		U	0			0.3	
1,2 Dichloroethane-d4	101	% Recovery			100	101	83 ---	116	
1,2,3-Trichlorobenzene	0.279	ug/L			0			0.23	
1,2,3-Trichloropropane	0.3	ug/L		U	0			0.3	
1,2,4-Trichlorobenzene	0.28	ug/L		U	0			0.28	
1,2,4-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,2-Dibromo-3-chloropropane	0.25	ug/L		U	0			0.25	
1,2-Dibromoethane	0.3	ug/L		U	0			0.3	
1,2-Dichlorobenzene	0.3	ug/L		U	0			0.3	
1,2-Dichloroethane	0.24	ug/L		U	0			0.24	
1,2-Dichloropropane	0.18	ug/L		U	0			0.18	
1,3,5-Trimethylbenzene	0.27	ug/L		U	0			0.27	
1,3-Dichlorobenzene	0.26	ug/L		U	0			0.26	
1,3-Dichloropropane	0.17	ug/L		U	0			0.17	
1,4-Dichlorobenzene	0.3	ug/L		U	0			0.3	
2,2-Dichloropropane	0.30	ug/L		U	0			0.30	
2-Butanone	2.6	ug/L		U	0			2.6	
2-Chlorotoluene	0.25	ug/L		U	0			0.25	
2-Hexanone	3	ug/L		U	0			3	
4-Chlorotoluene	0.3	ug/L		U	0			0.3	
4-Methyl-2-pentanone	2.2	ug/L		U	0			2.2	
Acetone	4	ug/L		U	0			4	
Benzene	0.4	ug/L		U	0			0.4	
Bromobenzene	0.4	ug/L		U	0			0.4	
Bromochloromethane	0.30	ug/L		U	0			0.30	
Bromodichloromethane	0.29	ug/L		U	0			0.29	
Bromofluorobenzene	103	% Recovery			100	103	80 ---	129	
Bromoform	0.4	ug/L		U	0			0.4	
Bromomethane	0.9	ug/L		U	0			0.9	
Carbon disulfide	0.6	ug/L		U	0			0.6	
Carbon tetrachloride	0.3	ug/L		U	0			0.3	
Chlorobenzene	0.3	ug/L		U	0			0.3	
Chloroethane	0.5	ug/L		U	0			0.5	
Chloroform	0.3	ug/L		U	0			0.3	
Chloromethane	0.6	ug/L		U	0			0.6	
cis-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	

Method Blank Water

Analytical Run #:	192065	Analysis Date:	5/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1008999	Analysis Time:	16:30	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.16	ug/L		U	0			0.16	
d8-Toluene	99.0	% Recovery			100	99.0	85 ---	117	
Dibromochloromethane	0.3	ug/L		U	0			0.3	
Dibromofluoromethane	98.0	% Recovery			100	98.0	85 ---	115	
Dibromomethane	0.22	ug/L		U	0			0.22	
Dichlorodifluoromethane	0.4	ug/L		U	0			0.4	
Diisopropyl ether	0.4	ug/L		U	0			0.4	
Ethylbenzene	0.3	ug/L		U	0			0.3	
Hexachlorobutadiene	0.4	ug/L		U	0			0.4	
Isopropylbenzene	0.3	ug/L		U	0			0.3	
m & p-Xylene	0.7	ug/L		U	0			0.7	
Methyl tert-butyl ether	0.3	ug/L		U	0			0.3	
Methylene chloride	0.4	ug/L		U	0			0.4	
n-Butylbenzene	0.307	ug/L			0			0.29	
n-Propylbenzene	0.3	ug/L		U	0			0.3	
Naphthalene	0.359	ug/L			0			0.30	
o-Xylene	0.26	ug/L		U	0			0.26	
p-Isopropyltoluene	0.3	ug/L		U	0			0.3	
sec-Butylbenzene	0.4	ug/L		U	0			0.4	
Styrene	0.29	ug/L		U	0			0.29	
tert-Butylbenzene	0.4	ug/L		U	0			0.4	
Tetrachloroethene	0.27	ug/L		U	0			0.27	
Tetrahydrofuran	3	ug/L		U	0			3	
Toluene	0.21	ug/L		U	0			0.21	
trans-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	
trans-1,3-Dichloropropene	0.23	ug/L		U	0			0.23	
Trichloroethene	0.3	ug/L		U	0			0.3	
Trichlorofluoromethane	0.4	ug/L		U	0			0.4	
Vinyl acetate	5	ug/L		U	0			5	
Vinyl chloride	0.14	ug/L		U	0			0.14	

Matrix Spike Duplicate Water

Analytical Run #:	192065	Analysis Date:	5/22/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1008996	Analysis Time:	01:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1008995	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.51	ug/L	BDL		10.0	95.1	80 --- 117	3.93	11
1,1,1-Trichloroethane	11.1	ug/L	BDL		10.0	111	84 --- 130	4.75	10
1,1,2,2-Tetrachloroethane	9.39	ug/L	BDL		10.0	93.9	73 --- 124	4.81	15
1,1,2-Trichloroethane	9.68	ug/L	BDL		10.0	96.8	80 --- 121	3.51	12
1,1-Dichloroethane	10.5	ug/L	BDL		10.0	105	82 --- 123	3.28	11
1,1-Dichloroethene	10.9	ug/L	BDL		10.0	109	83 --- 129	2.63	11
1,1-Dichloropropene	10.3	ug/L	BDL		10.0	103	84 --- 127	1.48	12
1,2 Dichloroethane-d4	102	% Recovery			100	102	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.70	ug/L	BDL		10.0	97.0	70 --- 125	6.92	23
1,2,3-Trichloropropane	9.37	ug/L	BDL		10.0	93.7	64 --- 119	4.92	17
1,2,4-Trichlorobenzene	10.2	ug/L	BDL		10.0	102	73 --- 121	4.39	20
1,2,4-Trimethylbenzene	10.5	ug/L	BDL		10.0	105	85 --- 124	3.93	17
1,2-Dibromo-3-chloropropane	8.28	ug/L	BDL		10.0	82.8	58 --- 122	0.246	24
1,2-Dibromoethane	9.40	ug/L	BDL		10.0	94.0	78 --- 117	1.15	12
1,2-Dichlorobenzene	9.83	ug/L	BDL		10.0	98.3	81 --- 119	4.96	8
1,2-Dichloroethane	9.95	ug/L	BDL		10.0	99.5	78 --- 126	3.12	12
1,2-Dichloropropane	9.96	ug/L	BDL		10.0	99.6	81 --- 121	3.11	11
1,3,5-Trimethylbenzene	10.7	ug/L	BDL		10.0	107	83 --- 126	3.48	21
1,3-Dichlorobenzene	10.1	ug/L	BDL		10.0	101	83 --- 119	3.05	11
1,3-Dichloropropane	9.69	ug/L	BDL		10.0	96.9	83 --- 119	1.82	11
1,4-Dichlorobenzene	9.97	ug/L	BDL		10.0	99.7	82 --- 118	3.37	11
2,2-Dichloropropane	9.88	ug/L	BDL		10.0	98.8	56 --- 134	8.44	21
2-Butanone	87.3	ug/L	BDL		100	87.3	68 --- 134	5.68	21
2-Chlorotoluene	10.2	ug/L	BDL		10.0	102	81 --- 125	4.95	11
2-Hexanone	92.0	ug/L	BDL		100	92.0	64 --- 140	6.23	26
4-Chlorotoluene	10.6	ug/L	BDL		10.0	106	82 --- 125	5.13	11
4-Methyl-2-pentanone	92.9	ug/L	BDL		100	92.9	66 --- 140	3.70	19
Acetone	82.3	ug/L	BDL		100	82.3	47 --- 139	6.31	27
Benzene	10.4	ug/L	BDL		10.0	104	87 --- 125	2.05	10
Bromobenzene	9.93	ug/L	BDL		10.0	99.3	78 --- 120	3.44	10
Bromochloromethane	9.69	ug/L	BDL		10.0	96.9	79 --- 124	4.47	11
Bromodichloromethane	9.85	ug/L	BDL		10.0	98.5	81 --- 120	3.84	10
Bromofluorobenzene	101	% Recovery				101	83 --- 111	0	25
Bromoform	8.83	ug/L	BDL		10.0	88.3	61 --- 121	10.4	17
Bromomethane	13.1	ug/L	BDL		10.0	131	21 --- 177	11.1	35
Carbon disulfide	21.0	ug/L	BDL		20.0	105	86 --- 133	3.32	18
Carbon tetrachloride	11.0	ug/L	BDL		10.0	110	82 --- 135	6.66	12
Chlorobenzene	9.97	ug/L	BDL		10.0	99.7	86 --- 120	2.46	8
Chloroethane	10.9	ug/L	BDL		10.0	109	59 --- 153	0.292	26
Chloroform	9.95	ug/L	BDL		10.0	99.5	84 --- 122	2.12	10
Chloromethane	11.0	ug/L	BDL		10.0	110	56 --- 145	7.67	18
cis-1,2-Dichloroethene	9.96	ug/L	BDL		10.0	99.6	42 --- 166	6.77	10

Matrix Spike Duplicate Water

Analytical Run #:	192065	Analysis Date:	5/22/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1008996	Analysis Time:	01:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1008995	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	10.0	ug/L	BDL		10.0	100	75 --- 115	6.00	13
d8-Toluene	102	% Recovery			100	102	93 --- 107	0	20
Dibromochloromethane	9.73	ug/L	BDL		10.0	97.3	73 --- 118	9.74	15
Dibromofluoromethane	100	% Recovery			100	100	90 --- 110	0	20
Dibromomethane	9.29	ug/L	BDL		10.0	92.9	79 --- 120	1.39	12
Dichlorodifluoromethane	12.0	ug/L	BDL		10.0	120	64 --- 155	0.186	14
Diisopropyl ether	9.87	ug/L	BDL		10.0	98.7	74 --- 131	3.78	11
Ethylbenzene	10.4	ug/L	BDL		10.0	104	87 --- 126	2.33	8
Hexachlorobutadiene	10.7	ug/L	BDL		10.0	107	63 --- 138	5.67	20
Isopropylbenzene	10.7	ug/L	BDL		10.0	107	77 --- 141	1.53	11
m & p-Xylene	20.3	ug/L	BDL		20.0	102	87 --- 124	1.68	11
Methyl tert-butyl ether	9.60	ug/L	BDL		10.0	96.0	80 --- 122	6.08	19
Methylene chloride	9.45	ug/L	BDL		10.0	94.5	64 --- 124	3.51	13
n-Butylbenzene	11.1	ug/L	BDL		10.0	111	79 --- 132	3.49	12
n-Propylbenzene	10.6	ug/L	BDL		10.0	106	77 --- 138	4.28	12
Naphthalene	9.51	ug/L	BDL		10.0	95.1	45 --- 152	9.00	30
o-Xylene	9.82	ug/L	BDL		10.0	98.2	83 --- 122	2.87	12
p-Isopropyltoluene	11.0	ug/L	BDL		10.0	110	85 --- 126	3.48	11
sec-Butylbenzene	11.5	ug/L	BDL		10.0	115	87 --- 130	3.85	11
Styrene	10.3	ug/L	BDL		10.0	103	82 --- 123	2.48	24
tert-Butylbenzene	10.9	ug/L	BDL		10.0	109	84 --- 125	4.44	10
Tetrachloroethene	12.6	ug/L	BDL		10.0	126	82 --- 131	3.24	11
Tetrahydrofuran	88.1	ug/L	BDL		100	88.1	49 --- 147	4.18	22
Toluene	10.2	ug/L	BDL		10.0	102	86 --- 124	3.06	10
trans-1,2-Dichloroethene	10.9	ug/L	BDL		10.0	109	82 --- 125	7.13	16
trans-1,3-Dichloropropene	9.45	ug/L	BDL		10.0	94.5	73 --- 114	6.69	16
Trichloroethene	10.4	ug/L	BDL		10.0	104	82 --- 125	3.28	14
Trichlorofluoromethane	12.0	ug/L	BDL		10.0	120	74 --- 153	2.50	15
Vinyl acetate	101	ug/L	BDL		100	101	59 --- 142	6.62	19
Vinyl chloride	11.5	ug/L	BDL		10.0	115	72 --- 144	2.86	11

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Water

Analytical Run #:	192065	Analysis Date:	5/22/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1008995	Analysis Time:	01:26	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007385	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.14	ug/L			10.0	91.4	80 --- 117		11
1,1,1-Trichloroethane	10.6	ug/L			10.0	106	84 --- 130		10
1,1,2,2-Tetrachloroethane	8.95	ug/L			10.0	89.5	73 --- 124		15
1,1,2-Trichloroethane	9.35	ug/L			10.0	93.5	80 --- 121		12
1,1-Dichloroethane	10.1	ug/L			10.0	101	82 --- 123		11
1,1-Dichloroethene	10.6	ug/L			10.0	106	83 --- 129		11
1,1-Dichloropropene	10.5	ug/L			10.0	105	84 --- 127		12
1,2 Dichloroethane-d4	99.0	% Recovery			100	99.0	89 --- 111		29
1,2,3-Trichlorobenzene	9.05	ug/L			10.0	90.5	70 --- 125		23
1,2,3-Trichloropropane	8.92	ug/L			10.0	89.2	64 --- 119		17
1,2,4-Trichlorobenzene	9.73	ug/L			10.0	97.3	73 --- 121		20
1,2,4-Trimethylbenzene	10.1	ug/L			10.0	101	85 --- 124		17
1,2-Dibromo-3-chloropropane	8.30	ug/L			10.0	83.0	58 --- 122		24
1,2-Dibromoethane	9.30	ug/L			10.0	93.0	78 --- 117		12
1,2-Dichlorobenzene	9.35	ug/L			10.0	93.5	81 --- 119		8
1,2-Dichloroethane	9.65	ug/L			10.0	96.5	78 --- 126		12
1,2-Dichloropropane	9.66	ug/L			10.0	96.6	81 --- 121		11
1,3,5-Trimethylbenzene	10.4	ug/L			10.0	104	83 --- 126		21
1,3-Dichlorobenzene	9.78	ug/L			10.0	97.8	83 --- 119		11
1,3-Dichloropropane	9.52	ug/L			10.0	95.2	83 --- 119		11
1,4-Dichlorobenzene	9.64	ug/L			10.0	96.4	82 --- 118		11
2,2-Dichloropropane	9.08	ug/L			10.0	90.8	56 --- 134		21
2-Butanone	82.4	ug/L			100	82.4	68 --- 134		21
2-Chlorotoluene	9.69	ug/L			10.0	96.9	81 --- 125		11
2-Hexanone	86.4	ug/L			100	86.4	64 --- 140		26
4-Chlorotoluene	10.1	ug/L			10.0	101	82 --- 125		11
4-Methyl-2-pentanone	89.5	ug/L			100	89.5	66 --- 140		19
Acetone	77.2	ug/L			100	77.2	47 --- 139		27
Benzene	10.1	ug/L			10.0	101	87 --- 125		10
Bromobenzene	9.60	ug/L			10.0	96.0	78 --- 120		10
Bromochloromethane	9.27	ug/L			10.0	92.7	79 --- 124		11
Bromodichloromethane	9.48	ug/L			10.0	94.8	81 --- 120		10
Bromofluorobenzene	101	% Recovery			100	101	83 --- 111		25
Bromoform	7.96	ug/L			10.0	79.6	61 --- 121		17
Bromomethane	14.7	ug/L			10.0	147	21 --- 177		35
Carbon disulfide	20.3	ug/L			20.0	102	86 --- 133		18
Carbon tetrachloride	10.3	ug/L			10.0	103	82 --- 135		12
Chlorobenzene	9.73	ug/L			10.0	97.3	86 --- 120		8
Chloroethane	10.9	ug/L			10.0	109	59 --- 153		26
Chloroform	9.74	ug/L			10.0	97.4	84 --- 122		10
Chloromethane	10.2	ug/L			10.0	102	56 --- 145		18
cis-1,2-Dichloroethene	9.31	ug/L			10.0	93.1	42 --- 166		10

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Water

Analytical Run #:	192065	Analysis Date:	5/22/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1008995	Analysis Time:	01:26	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007385	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.46	ug/L			10.0	94.6	75 --- 115		13
d8-Toluene	102	% Recovery			100	102	93 --- 107		20
Dibromochloromethane	8.82	ug/L			10.0	88.2	73 --- 118		15
Dibromofluoromethane	99.0	% Recovery			100	99.0	90 --- 110		20
Dibromomethane	9.16	ug/L			10.0	91.6	79 --- 120		12
Dichlorodifluoromethane	12.0	ug/L			10.0	120	64 --- 155		14
Diisopropyl ether	9.51	ug/L			10.0	95.1	74 --- 131		11
Ethylbenzene	10.1	ug/L			10.0	101	87 --- 126		8
Hexachlorobutadiene	10.2	ug/L			10.0	102	63 --- 138		20
Isopropylbenzene	10.5	ug/L			10.0	105	77 --- 141		11
m & p-Xylene	20.0	ug/L			20.0	100	87 --- 124		11
Methyl tert-butyl ether	9.03	ug/L			10.0	90.3	80 --- 122		19
Methylene chloride	9.12	ug/L			10.0	91.2	64 --- 124		13
n-Butylbenzene	10.7	ug/L			10.0	107	79 --- 132		12
n-Propylbenzene	10.1	ug/L			10.0	101	77 --- 138		12
Naphthalene	8.69	ug/L			10.0	86.9	45 --- 152		30
o-Xylene	9.54	ug/L			10.0	95.4	83 --- 122		12
p-Isopropyltoluene	10.7	ug/L			10.0	107	85 --- 126		11
sec-Butylbenzene	11.1	ug/L			10.0	111	87 --- 130		11
Styrene	10.1	ug/L			10.0	101	82 --- 123		24
tert-Butylbenzene	10.4	ug/L			10.0	104	84 --- 125		10
Tetrachloroethene	12.2	ug/L			10.0	122	82 --- 131		11
Tetrahydrofuran	84.5	ug/L			100	84.5	49 --- 147		22
Toluene	9.94	ug/L			10.0	99.4	86 --- 124		10
trans-1,2-Dichloroethene	10.2	ug/L			10.0	102	82 --- 125		16
trans-1,3-Dichloropropene	8.84	ug/L			10.0	88.4	73 --- 114		16
Trichloroethene	10.1	ug/L			10.0	101	82 --- 125		14
Trichlorofluoromethane	11.7	ug/L			10.0	117	74 --- 153		15
Vinyl acetate	95.0	ug/L			100	95.0	59 --- 142		19
Vinyl chloride	11.2	ug/L			10.0	112	72 --- 144		11

SDG #: 0

Folder #: 161887

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1009117	Analysis Time:	08:32	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.30	ug/L			10.0	93.0	86 --- 112		20
1,1,1-Trichloroethane	9.75	ug/L			10.0	97.5	88 --- 120		20
1,1,2,2-Tetrachloroethane	9.48	ug/L			10.0	94.8	83 --- 116		20
1,1,2-Trichloroethane	9.85	ug/L			10.0	98.5	86 --- 115		20
1,1-Dichloroethane	10.2	ug/L			10.0	102	86 --- 117		20
1,1-Dichloroethene	10.4	ug/L			10.0	104	86 --- 119		20
1,1-Dichloropropene	9.94	ug/L			10.0	99.4	87 --- 117		20
1,2 Dichloroethane-d4	98.0	% Recovery			100	98.0	90 --- 111		
1,2,3-Trichlorobenzene	9.33	ug/L			10.0	93.3	81 --- 114		20
1,2,3-Trichloropropane	9.67	ug/L			10.0	96.7	77 --- 120		20
1,2,4-Trichlorobenzene	9.59	ug/L			10.0	95.9	80 --- 116		20
1,2,4-Trimethylbenzene	10.3	ug/L			10.0	103	91 --- 118		20
1,2-Dibromo-3-chloropropane	7.46	ug/L			10.0	74.6	68 --- 122		20
1,2-Dibromoethane	9.26	ug/L			10.0	92.6	87 --- 113		20
1,2-Dichlorobenzene	9.63	ug/L			10.0	96.3	88 --- 113		20
1,2-Dichloroethane	10.1	ug/L			10.0	101	84 --- 120		20
1,2-Dichloropropane	10.1	ug/L			10.0	101	85 --- 116		20
1,3,5-Trimethylbenzene	10.5	ug/L			10.0	105	90 --- 119		20
1,3-Dichlorobenzene	10.0	ug/L			10.0	100	89 --- 113		20
1,3-Dichloropropane	10.0	ug/L			10.0	100	87 --- 115		20
1,4-Dichlorobenzene	9.90	ug/L			10.0	99.0	87 --- 113		20
2,2-Dichloropropane	8.29	ug/L			10.0	82.9	75 --- 127		20
2-Butanone	92.3	ug/L			100	92.3	68 --- 133		20
2-Chlorotoluene	10.1	ug/L			10.0	101	88 --- 117		20
2-Hexanone	95.2	ug/L			100	95.2	71 --- 134		20
4-Chlorotoluene	10.4	ug/L			10.0	104	88 --- 119		20
4-Methyl-2-pentanone	97.3	ug/L			100	97.3	78 --- 127		20
Acetone	98.9	ug/L			100	98.9	66 --- 137		20
Benzene	10.2	ug/L			10.0	102	90 --- 119		20
Bromobenzene	9.85	ug/L			10.0	98.5	86 --- 113		20
Bromochloromethane	9.54	ug/L			10.0	95.4	81 --- 120		20
Bromodichloromethane	9.71	ug/L			10.0	97.1	87 --- 116		20
Bromofluorobenzene	101	% Recovery			100	101	88 --- 108		
Bromoform	8.54	ug/L			10.0	85.4	72 --- 124		20
Bromomethane	11.8	ug/L			10.0	118	40 --- 169		20
Carbon disulfide	21.8	ug/L			20.0	109	89 --- 124		20
Carbon tetrachloride	9.42	ug/L			10.0	94.2	82 --- 127		20
Chlorobenzene	9.99	ug/L			10.0	99.9	89 --- 114		20
Chloroethane	10.8	ug/L			10.0	108	78 --- 128		20
Chloroform	9.90	ug/L			10.0	99.0	88 --- 115		20
Chloromethane	10.6	ug/L			10.0	106	63 --- 135		20
cis-1,2-Dichloroethene	9.58	ug/L			10.0	95.8	87 --- 115		20

SDG #: 0

Folder #: 161887

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1009117	Analysis Time:	08:32	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.69	ug/L			10.0	96.9	86 --- 115		20
d8-Toluene	100	% Recovery			100	100	95 --- 105		
Dibromochloromethane	9.51	ug/L			10.0	95.1	82 --- 117		20
Dibromofluoromethane	99.0	% Recovery			100	99.0	92 --- 107		
Dibromomethane	9.66	ug/L			10.0	96.6	84 --- 115		20
Dichlorodifluoromethane	11.1	ug/L			10.0	111	76 --- 129		20
Diisopropyl ether	10.1	ug/L			10.0	101	82 --- 123		20
Ethylbenzene	10.3	ug/L			10.0	103	92 --- 119		20
Hexachlorobutadiene	10.00	ug/L			10.0	100	84 --- 120		20
Isopropylbenzene	10.5	ug/L			10.0	105	91 --- 121		20
m & p-Xylene	20.4	ug/L			20.0	102	91 --- 117		20
Methyl tert-butyl ether	9.43	ug/L			10.0	94.3	85 --- 115		20
Methylene chloride	9.58	ug/L			10.0	95.8	71 --- 128		20
n-Butylbenzene	10.2	ug/L			10.0	102	88 --- 122		20
n-Propylbenzene	10.2	ug/L			10.0	102	90 --- 123		20
Naphthalene	9.57	ug/L			10.0	95.7	64 --- 129		20
o-Xylene	9.85	ug/L			10.0	98.5	89 --- 115		20
p-Isopropyltoluene	10.7	ug/L			10.0	107	91 --- 119		20
sec-Butylbenzene	10.9	ug/L			10.0	109	92 --- 122		20
Styrene	10.3	ug/L			10.0	103	90 --- 116		20
tert-Butylbenzene	10.5	ug/L			10.0	105	90 --- 118		20
Tetrachloroethene	10.3	ug/L			10.0	103	86 --- 120		20
Tetrahydrofuran	95.1	ug/L			100	95.1	72 --- 135		20
Toluene	10.2	ug/L			10.0	102	89 --- 117		20
trans-1,2-Dichloroethene	10.4	ug/L			10.0	104	86 --- 116		20
trans-1,3-Dichloropropene	9.00	ug/L			10.0	90.0	84 --- 115		20
Trichloroethene	10.2	ug/L			10.0	102	86 --- 117		20
Trichlorofluoromethane	10.9	ug/L			10.0	109	83 --- 133		20
Vinyl acetate	70.4	ug/L			100	70.4	60 --- 147		20
Vinyl chloride	11.0	ug/L			10.0	110	84 --- 124		20

Method Blank Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1009118	Analysis Time:	10:03	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.4	ug/L		U	0			0.4	
1,1,1-Trichloroethane	0.29	ug/L		U	0			0.29	
1,1,2,2-Tetrachloroethane	0.3	ug/L		U	0			0.3	
1,1,2-Trichloroethane	0.30	ug/L		U	0			0.30	
1,1-Dichloroethane	0.3	ug/L		U	0			0.3	
1,1-Dichloroethene	0.4	ug/L		U	0			0.4	
1,1-Dichloropropene	0.3	ug/L		U	0			0.3	
1,2 Dichloroethane-d4	102	% Recovery			100	102	83	---	116
1,2,3-Trichlorobenzene	0.23	ug/L		U	0			0.23	
1,2,3-Trichloropropane	0.3	ug/L		U	0			0.3	
1,2,4-Trichlorobenzene	0.28	ug/L		U	0			0.28	
1,2,4-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,2-Dibromo-3-chloropropane	0.25	ug/L		U	0			0.25	
1,2-Dibromoethane	0.3	ug/L		U	0			0.3	
1,2-Dichlorobenzene	0.3	ug/L		U	0			0.3	
1,2-Dichloroethane	0.24	ug/L		U	0			0.24	
1,2-Dichloropropane	0.18	ug/L		U	0			0.18	
1,3,5-Trimethylbenzene	0.27	ug/L		U	0			0.27	
1,3-Dichlorobenzene	0.26	ug/L		U	0			0.26	
1,3-Dichloropropane	0.17	ug/L		U	0			0.17	
1,4-Dichlorobenzene	0.3	ug/L		U	0			0.3	
2,2-Dichloropropane	0.30	ug/L		U	0			0.30	
2-Butanone	2.6	ug/L		U	0			2.6	
2-Chlorotoluene	0.25	ug/L		U	0			0.25	
2-Hexanone	3	ug/L		U	0			3	
4-Chlorotoluene	0.3	ug/L		U	0			0.3	
4-Methyl-2-pentanone	2.2	ug/L		U	0			2.2	
Acetone	4	ug/L		U	0			4	
Benzene	0.4	ug/L		U	0			0.4	
Bromobenzene	0.4	ug/L		U	0			0.4	
Bromochloromethane	0.30	ug/L		U	0			0.30	
Bromodichloromethane	0.29	ug/L		U	0			0.29	
Bromofluorobenzene	102	% Recovery			100	102	80	---	129
Bromoform	0.4	ug/L		U	0			0.4	
Bromomethane	0.9	ug/L		U	0			0.9	
Carbon disulfide	0.6	ug/L		U	0			0.6	
Carbon tetrachloride	0.3	ug/L		U	0			0.3	
Chlorobenzene	0.3	ug/L		U	0			0.3	
Chloroethane	0.5	ug/L		U	0			0.5	
Chloroform	0.3	ug/L		U	0			0.3	
Chloromethane	0.6	ug/L		U	0			0.6	
cis-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	

Method Blank Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1009118	Analysis Time:	10:03	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.16	ug/L		U	0			0.16	
d8-Toluene	100	% Recovery			100	100	85 ---	117	
Dibromochloromethane	0.3	ug/L		U	0			0.3	
Dibromofluoromethane	101	% Recovery			100	101	85 ---	115	
Dibromomethane	0.22	ug/L		U	0			0.22	
Dichlorodifluoromethane	0.4	ug/L		U	0			0.4	
Diisopropyl ether	0.4	ug/L		U	0			0.4	
Ethylbenzene	0.3	ug/L		U	0			0.3	
Hexachlorobutadiene	0.4	ug/L		U	0			0.4	
Isopropylbenzene	0.3	ug/L		U	0			0.3	
m & p-Xylene	0.7	ug/L		U	0			0.7	
Methyl tert-butyl ether	0.3	ug/L		U	0			0.3	
Methylene chloride	0.4	ug/L		U	0			0.4	
n-Butylbenzene	0.29	ug/L		U	0			0.29	
n-Propylbenzene	0.3	ug/L		U	0			0.3	
Naphthalene	0.30	ug/L		U	0			0.30	
o-Xylene	0.26	ug/L		U	0			0.26	
p-Isopropyltoluene	0.3	ug/L		U	0			0.3	
sec-Butylbenzene	0.4	ug/L		U	0			0.4	
Styrene	0.29	ug/L		U	0			0.29	
tert-Butylbenzene	0.4	ug/L		U	0			0.4	
Tetrachloroethene	0.27	ug/L		U	0			0.27	
Tetrahydrofuran	3	ug/L		U	0			3	
Toluene	0.21	ug/L		U	0			0.21	
trans-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	
trans-1,3-Dichloropropene	0.23	ug/L		U	0			0.23	
Trichloroethene	0.3	ug/L		U	0			0.3	
Trichlorofluoromethane	0.4	ug/L		U	0			0.4	
Vinyl acetate	5	ug/L		U	0			5	
Vinyl chloride	0.14	ug/L		U	0			0.14	

Matrix Spike Duplicate Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009350	Analysis Time:	23:40	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009349	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.48	ug/L	BDL		10.0	94.8	80 --- 117	10.1	11
1,1,1-Trichloroethane	10.8	ug/L	BDL		10.0	108	84 --- 130	7.52	10
1,1,2,2-Tetrachloroethane	9.78	ug/L	BDL		10.0	97.8	73 --- 124	3.57	15
1,1,2-Trichloroethane	9.78	ug/L	BDL		10.0	97.8	80 --- 121	1.35	12
1,1-Dichloroethane	10.5	ug/L	BDL		10.0	105	82 --- 123	2.70	11
1,1-Dichloroethene	10.9	ug/L	BDL		10.0	109	83 --- 129	4.76	11
1,1-Dichloropropene	10.2	ug/L	BDL		10.0	102	84 --- 127	1.93	12
1,2 Dichloroethane-d4	97.0	% Recovery			100	97.0	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.50	ug/L	BDL		10.0	95.0	70 --- 125	3.09	23
1,2,3-Trichloropropane	9.15	ug/L	BDL		10.0	91.5	64 --- 119	4.27	17
1,2,4-Trichlorobenzene	9.97	ug/L	BDL		10.0	99.7	73 --- 121	4.09	20
1,2,4-Trimethylbenzene	10.4	ug/L	BDL		10.0	104	85 --- 124	4.23	17
1,2-Dibromo-3-chloropropane	8.34	ug/L	BDL		10.0	83.4	58 --- 122	12.1	24
1,2-Dibromoethane	9.79	ug/L	BDL		10.0	97.9	78 --- 117	10.0	12
1,2-Dichlorobenzene	9.63	ug/L	BDL		10.0	96.3	81 --- 119	4.15	8
1,2-Dichloroethane	10.1	ug/L	BDL		10.0	101	78 --- 126	3.10	12
1,2-Dichloropropane	9.64	ug/L	BDL		10.0	96.4	81 --- 121	0.00104	11
1,3,5-Trimethylbenzene	10.6	ug/L	BDL		10.0	106	83 --- 126	3.17	21
1,3-Dichlorobenzene	10.1	ug/L	BDL		10.0	101	83 --- 119	6.95	11
1,3-Dichloropropane	9.55	ug/L	BDL		10.0	95.5	83 --- 119	0.315	11
1,4-Dichlorobenzene	9.81	ug/L	BDL		10.0	98.1	82 --- 118	2.88	11
2,2-Dichloropropane	8.87	ug/L	BDL		10.0	88.7	56 --- 134	8.58	21
2-Butanone	88.7	ug/L	BDL		100	88.7	68 --- 134	1.70	21
2-Chlorotoluene	10.1	ug/L	BDL		10.0	101	81 --- 125	1.59	11
2-Hexanone	95.5	ug/L	BDL		100	95.5	64 --- 140	5.06	26
4-Chlorotoluene	10.4	ug/L	BDL		10.0	104	82 --- 125	2.08	11
4-Methyl-2-pentanone	96.0	ug/L	BDL		100	96.0	66 --- 140	3.51	19
Acetone	81.7	ug/L	BDL		100	81.7	47 --- 139	0.543	27
Benzene	10.3	ug/L	BDL		10.0	103	87 --- 125	1.32	10
Bromobenzene	9.74	ug/L	BDL		10.0	97.4	78 --- 120	0.969	10
Bromochloromethane	9.90	ug/L	BDL		10.0	99.0	79 --- 124	3.67	11
Bromodichloromethane	9.71	ug/L	BDL		10.0	97.1	81 --- 120	2.07	10
Bromofluorobenzene	98.0	% Recovery			100	98.0	83 --- 111	0	25
Bromoform	8.79	ug/L	BDL		10.0	87.9	61 --- 121	4.70	17
Bromomethane	12.5	ug/L	BDL		10.0	125	21 --- 177	11.7	35
Carbon disulfide	21.2	ug/L	BDL		20.0	106	86 --- 133	2.98	18
Carbon tetrachloride	10.4	ug/L	BDL		10.0	104	82 --- 135	9.75	12
Chlorobenzene	10.3	ug/L	BDL		10.0	103	86 --- 120	3.43	8
Chloroethane	11.5	ug/L	0.57		10.0	109	59 --- 153	0.515	26
Chloroform	10.2	ug/L	BDL		10.0	102	84 --- 122	2.70	10
Chloromethane	10.5	ug/L	BDL		10.0	105	56 --- 145	3.98	18
cis-1,2-Dichloroethene	9.84	ug/L	BDL		10.0	98.4	42 --- 166	2.60	10

Matrix Spike Duplicate Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009350	Analysis Time:	23:40	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009349	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.80	ug/L	BDL		10.0	98.0	75 --- 115	4.04	13
d8-Toluene	100	% Recovery			100	100	93 --- 107	0	20
Dibromochloromethane	9.79	ug/L	BDL		10.0	97.9	73 --- 118	8.60	15
Dibromofluoromethane	99.0	% Recovery			100	99.0	90 --- 110	0	20
Dibromomethane	9.34	ug/L	BDL		10.0	93.4	79 --- 120	0.280	12
Dichlorodifluoromethane	10.2	ug/L	BDL		10.0	102	64 --- 155	4.72	14
Diisopropyl ether	9.84	ug/L	BDL		10.0	98.4	74 --- 131	0.783	11
Ethylbenzene	10.6	ug/L	BDL		10.0	106	87 --- 126	2.68	8
Hexachlorobutadiene	10.8	ug/L	BDL		10.0	108	63 --- 138	4.46	20
Isopropylbenzene	11.0	ug/L	BDL		10.0	110	77 --- 141	5.15	11
m & p-Xylene	20.5	ug/L	BDL		20.0	103	87 --- 124	2.07	11
Methyl tert-butyl ether	9.29	ug/L	BDL		10.0	92.9	80 --- 122	7.03	19
Methylene chloride	9.36	ug/L	BDL		10.0	93.6	64 --- 124	1.72	13
n-Butylbenzene	11.2	ug/L	BDL		10.0	112	79 --- 132	4.94	12
n-Propylbenzene	10.5	ug/L	BDL		10.0	105	77 --- 138	2.86	12
Naphthalene	9.49	ug/L	BDL		10.0	94.9	45 --- 152	7.08	30
o-Xylene	9.84	ug/L	BDL		10.0	98.4	83 --- 122	2.61	12
p-Isopropyltoluene	11.0	ug/L	BDL		10.0	110	85 --- 126	2.93	11
sec-Butylbenzene	11.3	ug/L	BDL		10.0	113	87 --- 130	2.22	11
Styrene	10.4	ug/L	BDL		10.0	104	82 --- 123	5.01	24
tert-Butylbenzene	10.7	ug/L	BDL		10.0	107	84 --- 125	6.65	10
Tetrachloroethene	10.5	ug/L	BDL		10.0	105	82 --- 131	0.939	11
Tetrahydrofuran	92.3	ug/L	BDL		100	92.3	49 --- 147	2.34	22
Toluene	10.1	ug/L	BDL		10.0	101	86 --- 124	0.270	10
trans-1,2-Dichloroethene	10.9	ug/L	BDL		10.0	109	82 --- 125	3.56	16
trans-1,3-Dichloropropene	9.40	ug/L	BDL		10.0	94.0	73 --- 114	11.8	16
Trichloroethene	10.2	ug/L	BDL		10.0	102	82 --- 125	1.47	14
Trichlorofluoromethane	11.2	ug/L	BDL		10.0	112	74 --- 153	0.767	15
Vinyl acetate	103	ug/L	BDL		100	103	59 --- 142	4.86	19
Vinyl chloride	11.8	ug/L	BDL		10.0	118	72 --- 144	2.01	11

Matrix Spike Duplicate Water

Analytical Run #:	192066	Analysis Date:	5/25/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009352	Analysis Time:	00:39	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009351	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.63	ug/L	BDL		10.0	96.3	80 --- 117	16.3	11
1,1,1-Trichloroethane	10.3	ug/L	BDL		10.0	103	84 --- 130	11.2	10
1,1,2,2-Tetrachloroethane	9.55	ug/L	BDL		10.0	95.5	73 --- 124	11.5	15
1,1,2-Trichloroethane	9.89	ug/L	BDL		10.0	98.9	80 --- 121	11.4	12
1,1-Dichloroethane	10.3	ug/L	BDL		10.0	103	82 --- 123	11.4	11
1,1-Dichloroethene	10.6	ug/L	BDL		10.0	106	83 --- 129	10.5	11
1,1-Dichloropropene	10.4	ug/L	BDL		10.0	104	84 --- 127	11.3	12
1,2 Dichloroethane-d4	104	% Recovery				104	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.48	ug/L	BDL		10.0	94.8	70 --- 125	12.5	23
1,2,3-Trichloropropane	9.04	ug/L	BDL		10.0	90.4	64 --- 119	10.6	17
1,2,4-Trichlorobenzene	9.87	ug/L	BDL		10.0	98.7	73 --- 121	11.8	20
1,2,4-Trimethylbenzene	10.1	ug/L	BDL		10.0	101	85 --- 124	9.76	17
1,2-Dibromo-3-chloropropane	8.57	ug/L	BDL		10.0	85.7	58 --- 122	14.2	24
1,2-Dibromoethane	9.28	ug/L	BDL		10.0	92.8	78 --- 117	8.58	12
1,2-Dichlorobenzene	9.48	ug/L	BDL		10.0	94.8	81 --- 119	9.33	8
1,2-Dichloroethane	9.91	ug/L	BDL		10.0	99.1	78 --- 126	14.8	12
1,2-Dichloropropane	9.67	ug/L	BDL		10.0	96.7	81 --- 121	9.33	11
1,3,5-Trimethylbenzene	10.5	ug/L	BDL		10.0	105	83 --- 126	10.1	21
1,3-Dichlorobenzene	9.75	ug/L	BDL		10.0	97.5	83 --- 119	9.96	11
1,3-Dichloropropane	9.80	ug/L	BDL		10.0	98.0	83 --- 119	11.0	11
1,4-Dichlorobenzene	9.53	ug/L	BDL		10.0	95.3	82 --- 118	7.37	11
2,2-Dichloropropane	9.07	ug/L	BDL		10.0	90.7	56 --- 134	10.3	21
2-Butanone	89.7	ug/L	BDL		100	89.7	68 --- 134	11.5	21
2-Chlorotoluene	9.98	ug/L	BDL		10.0	99.8	81 --- 125	9.79	11
2-Hexanone	92.7	ug/L	BDL		100	92.7	64 --- 140	7.94	26
4-Chlorotoluene	10.5	ug/L	BDL		10.0	105	82 --- 125	12.1	11
4-Methyl-2-pentanone	94.8	ug/L	BDL		100	94.8	66 --- 140	9.02	19
Acetone	83.4	ug/L	BDL		100	83.4	47 --- 139	9.65	27
Benzene	10.4	ug/L	BDL		10.0	104	87 --- 125	12.1	10
Bromobenzene	9.68	ug/L	BDL		10.0	96.8	78 --- 120	10.7	10
Bromochloromethane	9.71	ug/L	BDL		10.0	97.1	79 --- 124	14.2	11
Bromodichloromethane	9.65	ug/L	BDL		10.0	96.5	81 --- 120	10.4	10
Bromofluorobenzene	102	% Recovery			100	102	83 --- 111	0	25
Bromoform	8.47	ug/L	BDL		10.0	84.7	61 --- 121	14.2	17
Bromomethane	12.2	ug/L	BDL		10.0	122	21 --- 177	10.9	35
Carbon disulfide	21.3	ug/L	BDL		20.0	107	86 --- 133	14.2	18
Carbon tetrachloride	10.7	ug/L	BDL		10.0	107	82 --- 135	16.3	12
Chlorobenzene	10.0	ug/L	BDL		10.0	100	86 --- 120	13.1	8
Chloroethane	11.2	ug/L	BDL		10.0	112	59 --- 153	9.39	26
Chloroform	10.1	ug/L	BDL		10.0	101	84 --- 122	10.8	10
Chloromethane	10.9	ug/L	BDL		10.0	109	56 --- 145	15.7	18
cis-1,2-Dichloroethene	9.74	ug/L	BDL		10.0	97.4	42 --- 166	12.3	10

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Duplicate Water

Analytical Run #:	192066	Analysis Date:	5/25/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009352	Analysis Time:	00:39	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009351	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.80	ug/L	BDL		10.0	98.0	75 --- 115	14.0	13
d8-Toluene	101	% Recovery			100	101	93 --- 107	0	20
Dibromochloromethane	9.41	ug/L	BDL		10.0	94.1	73 --- 118	13.5	15
Dibromofluoromethane	101	% Recovery			100	101	90 --- 110	0	20
Dibromomethane	9.66	ug/L	BDL		10.0	96.6	79 --- 120	15.2	12
Dichlorodifluoromethane	9.44	ug/L	BDL		10.0	94.4	64 --- 155	5.99	14
Diisopropyl ether	9.96	ug/L	BDL		10.0	99.6	74 --- 131	11.3	11
Ethylbenzene	10.4	ug/L	BDL		10.0	104	87 --- 126	12.1	8
Hexachlorobutadiene	10.5	ug/L	BDL		10.0	105	63 --- 138	9.86	20
Isopropylbenzene	10.5	ug/L	BDL		10.0	105	77 --- 141	11.4	11
m & p-Xylene	20.1	ug/L	BDL		20.0	101	87 --- 124	10.4	11
Methyl tert-butyl ether	9.20	ug/L	BDL		10.0	92.0	80 --- 122	8.24	19
Methylene chloride	9.86	ug/L	BDL		10.0	98.6	64 --- 124	15.9	13
n-Butylbenzene	11.0	ug/L	BDL		10.0	110	79 --- 132	10.6	12
n-Propylbenzene	10.3	ug/L	BDL		10.0	103	77 --- 138	10.4	12
Naphthalene	9.59	ug/L	BDL		10.0	95.9	45 --- 152	11.8	30
o-Xylene	9.75	ug/L	BDL		10.0	97.5	83 --- 122	14.0	12
p-Isopropyltoluene	10.8	ug/L	BDL		10.0	108	85 --- 126	8.83	11
sec-Butylbenzene	11.1	ug/L	BDL		10.0	111	87 --- 130	9.12	11
Styrene	9.85	ug/L	BDL		10.0	98.5	82 --- 123	9.59	24
tert-Butylbenzene	10.4	ug/L	BDL		10.0	104	84 --- 125	8.57	10
Tetrachloroethene	11.1	ug/L	BDL		10.0	111	82 --- 131	14.5	11
Tetrahydrofuran	91.8	ug/L	BDL		100	91.8	49 --- 147	9.52	22
Toluene	10.2	ug/L	BDL		10.0	102	86 --- 124	12.4	10
trans-1,2-Dichloroethene	10.7	ug/L	BDL		10.0	107	82 --- 125	12.8	16
trans-1,3-Dichloropropene	9.62	ug/L	BDL		10.0	96.2	73 --- 114	17.1	16
Trichloroethene	10.1	ug/L	BDL		10.0	101	82 --- 125	15.3	14
Trichlorofluoromethane	11.0	ug/L	BDL		10.0	110	74 --- 153	7.42	15
Vinyl acetate	104	ug/L	BDL		100	104	59 --- 142	11.9	19
Vinyl chloride	11.7	ug/L	BDL		10.0	117	72 --- 144	10.4	11

Matrix Spike Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009349	Analysis Time:	23:10	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007396	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	8.57	ug/L	BDL		10.0	85.7	80 --- 117		11
1,1,1-Trichloroethane	10.0	ug/L	BDL		10.0	100	84 --- 130		10
1,1,2,2-Tetrachloroethane	9.44	ug/L	BDL		10.0	94.4	73 --- 124		15
1,1,2-Trichloroethane	9.65	ug/L	BDL		10.0	96.5	80 --- 121		12
1,1-Dichloroethane	10.2	ug/L	BDL		10.0	102	82 --- 123		11
1,1-Dichloroethene	10.4	ug/L	BDL		10.0	104	83 --- 129		11
1,1-Dichloropropene	10.00	ug/L	BDL		10.0	100	84 --- 127		12
1,2 Dichloroethane-d4	103	% Recovery			100	103	89 --- 111		29
1,2,3-Trichlorobenzene	9.21	ug/L	BDL		10.0	92.1	70 --- 125		23
1,2,3-Trichloropropane	8.77	ug/L	BDL		10.0	87.7	64 --- 119		17
1,2,4-Trichlorobenzene	9.57	ug/L	BDL		10.0	95.7	73 --- 121		20
1,2,4-Trimethylbenzene	9.94	ug/L	BDL		10.0	99.4	85 --- 124		17
1,2-Dibromo-3-chloropropane	7.38	ug/L	BDL		10.0	73.8	58 --- 122		24
1,2-Dibromoethane	8.86	ug/L	BDL		10.0	88.6	78 --- 117		12
1,2-Dichlorobenzene	9.24	ug/L	BDL		10.0	92.4	81 --- 119		8
1,2-Dichloroethane	9.83	ug/L	BDL		10.0	98.3	78 --- 126		12
1,2-Dichloropropane	9.64	ug/L	BDL		10.0	96.4	81 --- 121		11
1,3,5-Trimethylbenzene	10.2	ug/L	BDL		10.0	102	83 --- 126		21
1,3-Dichlorobenzene	9.45	ug/L	BDL		10.0	94.5	83 --- 119		11
1,3-Dichloropropane	9.52	ug/L	BDL		10.0	95.2	83 --- 119		11
1,4-Dichlorobenzene	9.53	ug/L	BDL		10.0	95.3	82 --- 118		11
2,2-Dichloropropane	8.14	ug/L	BDL		10.0	81.4	56 --- 134		21
2-Butanone	87.2	ug/L	BDL		100	87.2	68 --- 134		21
2-Chlorotoluene	9.98	ug/L	BDL		10.0	99.8	81 --- 125		11
2-Hexanone	90.8	ug/L	BDL		100	90.8	64 --- 140		26
4-Chlorotoluene	10.2	ug/L	BDL		10.0	102	82 --- 125		11
4-Methyl-2-pentanone	92.7	ug/L	BDL		100	92.7	66 --- 140		19
Acetone	81.2	ug/L	BDL		100	81.2	47 --- 139		27
Benzene	10.2	ug/L	BDL		10.0	102	87 --- 125		10
Bromobenzene	9.64	ug/L	BDL		10.0	96.4	78 --- 120		10
Bromochloromethane	9.54	ug/L	BDL		10.0	95.4	79 --- 124		11
Bromodichloromethane	9.52	ug/L	BDL		10.0	95.2	81 --- 120		10
Bromofluorobenzene	99.0	% Recovery			100	99.0	83 --- 111		25
Bromoform	8.38	ug/L	BDL		10.0	83.8	61 --- 121		17
Bromomethane	14.0	ug/L	BDL		10.0	140	21 --- 177		35
Carbon disulfide	20.5	ug/L	BDL		20.0	103	86 --- 133		18
Carbon tetrachloride	9.43	ug/L	BDL		10.0	94.3	82 --- 135		12
Chlorobenzene	9.96	ug/L	BDL		10.0	99.6	86 --- 120		8
Chloroethane	11.4	ug/L	0.57		10.0	108	59 --- 153		26
Chloroform	9.97	ug/L	BDL		10.0	99.7	84 --- 122		10
Chloromethane	10.1	ug/L	BDL		10.0	101	56 --- 145		18
cis-1,2-Dichloroethene	9.59	ug/L	BDL		10.0	95.9	42 --- 166		10

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Water

Analytical Run #:	192066	Analysis Date:	5/24/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009349	Analysis Time:	23:10	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007396	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.41	ug/L	BDL		10.0	94.1	75 --- 115		13
d8-Toluene	101	% Recovery			100	101	93 --- 107		20
Dibromochloromethane	8.98	ug/L	BDL		10.0	89.8	73 --- 118		15
Dibromofluoromethane	99.0	% Recovery			100	99.0	90 --- 110		20
Dibromomethane	9.32	ug/L	BDL		10.0	93.2	79 --- 120		12
Dichlorodifluoromethane	9.76	ug/L	BDL		10.0	97.6	64 --- 155		14
Diisopropyl ether	9.76	ug/L	BDL		10.0	97.6	74 --- 131		11
Ethylbenzene	10.3	ug/L	BDL		10.0	103	87 --- 126		8
Hexachlorobutadiene	10.4	ug/L	BDL		10.0	104	63 --- 138		20
Isopropylbenzene	10.4	ug/L	BDL		10.0	104	77 --- 141		11
m & p-Xylene	20.1	ug/L	BDL		20.0	101	87 --- 124		11
Methyl tert-butyl ether	8.66	ug/L	BDL		10.0	86.6	80 --- 122		19
Methylene chloride	9.52	ug/L	BDL		10.0	95.2	64 --- 124		13
n-Butylbenzene	10.6	ug/L	BDL		10.0	106	79 --- 132		12
n-Propylbenzene	10.2	ug/L	BDL		10.0	102	77 --- 138		12
Naphthalene	8.84	ug/L	BDL		10.0	88.4	45 --- 152		30
o-Xylene	9.59	ug/L	BDL		10.0	95.9	83 --- 122		12
p-Isopropyltoluene	10.7	ug/L	BDL		10.0	107	85 --- 126		11
sec-Butylbenzene	11.1	ug/L	BDL		10.0	111	87 --- 130		11
Styrene	9.91	ug/L	BDL		10.0	99.1	82 --- 123		24
tert-Butylbenzene	10.00	ug/L	BDL		10.0	100	84 --- 125		10
Tetrachloroethene	10.4	ug/L	BDL		10.0	104	82 --- 131		11
Tetrahydrofuran	90.2	ug/L	BDL		100	90.2	49 --- 147		22
Toluene	10.1	ug/L	BDL		10.0	101	86 --- 124		10
trans-1,2-Dichloroethene	10.5	ug/L	BDL		10.0	105	82 --- 125		16
trans-1,3-Dichloropropene	8.35	ug/L	BDL		10.0	83.5	73 --- 114		16
Trichloroethene	10.0	ug/L	BDL		10.0	100	82 --- 125		14
Trichlorofluoromethane	11.1	ug/L	BDL		10.0	111	74 --- 153		15
Vinyl acetate	97.9	ug/L	BDL		100	97.9	59 --- 142		19
Vinyl chloride	11.6	ug/L	BDL		10.0	116	72 --- 144		11

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Water

Analytical Run #:	192066	Analysis Date:	5/25/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009351	Analysis Time:	00:09	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007406	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	8.18	ug/L	BDL		10.0	81.8	80 --- 117		11
1,1,1-Trichloroethane	9.24	ug/L	BDL		10.0	92.4	84 --- 130		10
1,1,2,2-Tetrachloroethane	8.51	ug/L	BDL		10.0	85.1	73 --- 124		15
1,1,2-Trichloroethane	8.83	ug/L	BDL		10.0	88.3	80 --- 121		12
1,1-Dichloroethane	9.19	ug/L	BDL		10.0	91.9	82 --- 123		11
1,1-Dichloroethene	9.56	ug/L	BDL		10.0	95.6	83 --- 129		11
1,1-Dichloropropene	9.30	ug/L	BDL		10.0	93.0	84 --- 127		12
1,2 Dichloroethane-d4	97.0	% Recovery			100	97.0	89 --- 111		29
1,2,3-Trichlorobenzene	8.37	ug/L	BDL		10.0	83.7	70 --- 125		23
1,2,3-Trichloropropane	8.13	ug/L	BDL		10.0	81.3	64 --- 119		17
1,2,4-Trichlorobenzene	8.77	ug/L	BDL		10.0	87.7	73 --- 121		20
1,2,4-Trimethylbenzene	9.13	ug/L	BDL		10.0	91.3	85 --- 124		17
1,2-Dibromo-3-chloropropane	7.44	ug/L	BDL		10.0	74.4	58 --- 122		24
1,2-Dibromoethane	8.52	ug/L	BDL		10.0	85.2	78 --- 117		12
1,2-Dichlorobenzene	8.64	ug/L	BDL		10.0	86.4	81 --- 119		8
1,2-Dichloroethane	8.55	ug/L	BDL		10.0	85.5	78 --- 126		12
1,2-Dichloropropane	8.81	ug/L	BDL		10.0	88.1	81 --- 121		11
1,3,5-Trimethylbenzene	9.49	ug/L	BDL		10.0	94.9	83 --- 126		21
1,3-Dichlorobenzene	8.82	ug/L	BDL		10.0	88.2	83 --- 119		11
1,3-Dichloropropane	8.78	ug/L	BDL		10.0	87.8	83 --- 119		11
1,4-Dichlorobenzene	8.86	ug/L	BDL		10.0	88.6	82 --- 118		11
2,2-Dichloropropane	8.18	ug/L	BDL		10.0	81.8	56 --- 134		21
2-Butanone	79.9	ug/L	BDL		100	79.9	68 --- 134		21
2-Chlorotoluene	9.05	ug/L	BDL		10.0	90.5	81 --- 125		11
2-Hexanone	85.6	ug/L	BDL		100	85.6	64 --- 140		26
4-Chlorotoluene	9.29	ug/L	BDL		10.0	92.9	82 --- 125		11
4-Methyl-2-pentanone	86.6	ug/L	BDL		100	86.6	66 --- 140		19
Acetone	75.7	ug/L	BDL		100	75.7	47 --- 139		27
Benzene	9.19	ug/L	BDL		10.0	91.9	87 --- 125		10
Bromobenzene	8.70	ug/L	BDL		10.0	87.0	78 --- 120		10
Bromochloromethane	8.42	ug/L	BDL		10.0	84.2	79 --- 124		11
Bromodichloromethane	8.70	ug/L	BDL		10.0	87.0	81 --- 120		10
Bromofluorobenzene	99.0	% Recovery			100	99.0	83 --- 111		25
Bromoform	7.34	ug/L	BDL		10.0	73.4	61 --- 121		17
Bromomethane	11.0	ug/L	BDL		10.0	110	21 --- 177		35
Carbon disulfide	18.5	ug/L	BDL		20.0	92.5	86 --- 133		18
Carbon tetrachloride	9.09	ug/L	BDL		10.0	90.9	82 --- 135		12
Chlorobenzene	8.78	ug/L	BDL		10.0	87.8	86 --- 120		8
Chloroethane	10.2	ug/L	BDL		10.0	102	59 --- 153		26
Chloroform	9.02	ug/L	BDL		10.0	90.2	84 --- 122		10
Chloromethane	9.32	ug/L	BDL		10.0	93.2	56 --- 145		18
cis-1,2-Dichloroethene	8.61	ug/L	BDL		10.0	86.1	42 --- 166		10

SDG #: 0

Folder #: 161887

Project #: 335719

Matrix Spike Water

Analytical Run #:	192066	Analysis Date:	5/25/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1009351	Analysis Time:	00:09	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1007406	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	8.52	ug/L	BDL		10.0	85.2	75 --- 115		13
d8-Toluene	101	% Recovery			100	101	93 --- 107		20
Dibromochloromethane	8.22	ug/L	BDL		10.0	82.2	73 --- 118		15
Dibromofluoromethane	101	% Recovery			100	101	90 --- 110		20
Dibromomethane	8.30	ug/L	BDL		10.0	83.0	79 --- 120		12
Dichlorodifluoromethane	8.89	ug/L	BDL		10.0	88.9	64 --- 155		14
Diisopropyl ether	8.89	ug/L	BDL		10.0	88.9	74 --- 131		11
Ethylbenzene	9.23	ug/L	BDL		10.0	92.3	87 --- 126		8
Hexachlorobutadiene	9.56	ug/L	BDL		10.0	95.6	63 --- 138		20
Isopropylbenzene	9.40	ug/L	BDL		10.0	94.0	77 --- 141		11
m & p-Xylene	18.1	ug/L	BDL		20.0	90.5	87 --- 124		11
Methyl tert-butyl ether	8.47	ug/L	BDL		10.0	84.7	80 --- 122		19
Methylene chloride	8.40	ug/L	BDL		10.0	84.0	64 --- 124		13
n-Butylbenzene	9.93	ug/L	BDL		10.0	99.3	79 --- 132		12
n-Propylbenzene	9.32	ug/L	BDL		10.0	93.2	77 --- 138		12
Naphthalene	8.52	ug/L	BDL		10.0	85.2	45 --- 152		30
o-Xylene	8.47	ug/L	BDL		10.0	84.7	83 --- 122		12
p-Isopropyltoluene	9.91	ug/L	BDL		10.0	99.1	85 --- 126		11
sec-Butylbenzene	10.1	ug/L	BDL		10.0	101	87 --- 130		11
Styrene	8.95	ug/L	BDL		10.0	89.5	82 --- 123		24
tert-Butylbenzene	9.51	ug/L	BDL		10.0	95.1	84 --- 125		10
Tetrachloroethene	9.56	ug/L	BDL		10.0	95.6	82 --- 131		11
Tetrahydrofuran	83.5	ug/L	BDL		100	83.5	49 --- 147		22
Toluene	9.01	ug/L	BDL		10.0	90.1	86 --- 124		10
trans-1,2-Dichloroethene	9.46	ug/L	BDL		10.0	94.6	82 --- 125		16
trans-1,3-Dichloropropene	8.10	ug/L	BDL		10.0	81.0	73 --- 114		16
Trichloroethene	8.68	ug/L	BDL		10.0	86.8	82 --- 125		14
Trichlorofluoromethane	10.3	ug/L	BDL		10.0	103	74 --- 153		15
Vinyl acetate	92.6	ug/L	BDL		100	92.6	59 --- 142		19
Vinyl chloride	10.6	ug/L	BDL		10.0	106	72 --- 144		11

Sample Condition Report

Folder #: 161887	Print Date / Time: 05/19/2021 10:41	
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 05/19/2021 09:55 EKB	
Project Name: REFUSE HIDEAWAY LANDFILL	Log-In Date / Time / By: 05/19/2021 10:41 erc	
Project Phase: MIDDLETON, WI	Project #: 335719	PM: BMS
Coolers: 6559	Temperature: 2.7 C	On Ice: Y
Custody Seals Present : Y	COC Present?: Y	Complete? Y
Seal Intact? Y	Numbers: DATED AND SIGNED	
Ship Method: FEDEX EXPRESS	Tracking Number: 773760598263	
Adequate Packaging: Y	Temp Blank Enclosed? Y	

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.

ONE CUSTODY SEAL WAS PRESENT AND INTACT UPON RECEIPT - DATED 5/18/21 AND SIGNED.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007379 P-20SR-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
1007380 P-22S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
1007381 P-22D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
1007382 P-22E-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007383 P-25S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007384 P-25D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007385 P-25BR-202105	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 9			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007386 P-26S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007387 P-27S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007388 P-27D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007389 P-28S-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007390 P-29S-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007391 P-30I-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007392 P-30D-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007393 P-31S-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007394 P-31IA-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007395 P-31IB-202105

VOA HCL 1 / VOC
VOA HCL 1 / VOC
VOA HCL 1 / VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description Container Type Cond. Code pH OK?/Filtered? Tests

1007396 P-31D-202105

VOA HCL	1	N	/	N	VOC
VOA HCL	1		/		VOC
VOA HCL	1		/		VOC
VOA HCL	1		/		VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC

Total # of Containers of Type (VOA HCL) = 9

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007397 P-32S-202105

VOA HCL	1		/	VOC
VOA HCL	1		/	VOC
VOA HCL	1		/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007398 P-32D-202105

VOA HCL	1		/	VOC
VOA HCL	1		/	VOC
VOA HCL	1		/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007399 P-33D-202105

VOA HCL	1		/	VOC
VOA HCL	1		/	VOC
VOA HCL	1		/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007400 P-34S-202105

VOA HCL	1		/	VOC
VOA HCL	1		/	VOC
VOA HCL	1		/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007401 P-34D-202105

VOA HCL	1		/	VOC
VOA HCL	1		/	VOC
VOA HCL	1		/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007402 P-40I-202105

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007403 P-40D-202105				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007404 P-41D-202105				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007405 P-43S-202105				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007406 P-43I-202105				
	VOA HCL	1	N / N	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
Total # of Containers of Type (VOA HCL) = 9				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007407 P-43D-202105				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1007408 DUP-02-202105				
	VOA HCL	1	/	VOC

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007409 DUP-03-202105

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007410 DUP-04-202105

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007411 DUP-05-202105

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
-------------------------	----------------	------------	------------------	-------

1007412 TRIP BLANK

TRIP BLANK	1	/	VOC
TRIP BLANK	1	N / N	VOC

Total # of Containers of Type (TRIP BLANK) = 2

<u>Condition Code</u>	<u>Condition Description</u>
1	Sample Received OK

Company: TRC Env.
 Project Contact: Wesley Braga
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway Landfill 2021 Sampling
 Project #: 335719
 Location: Middleton, WI
 Sampled By: Wesley Braga

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Folder #: 161887 Program: _____
 Company: TRC ENVIRONMENTAL QSM RCRA SDWA NPDES
 Project: REFUSE HIDEAWAY 2021 SAMPL Solid Waste Other _____
 Logged By: erc PM: BMS PO # Will provide via e-mail.

Report To:
 EMAIL: Kwater@trcsolutions.com
 Company: TRC Env.
 Address: 708 Highland Tr. Ste 3000

Invoice To:*
 EMAIL: SAF
 Company: _____
 Address: _____

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time

Matrix	Filtered? Y/N	VOCs (8260)	ANALYSES REQUESTED										Total # Containers	Designated MS/MSD	Turnaround Time Normal RUSH* Date Needed: _____ Rush analysis requires prior CT Laboratories' approval Surcharges: 24 hr 200% 2-3 days 100% 4-9 days 50%	
Matrix: GW - groundwater SW - surface water WW - wastewater DW - drinking water S - soil/sediment SL - sludge A - air M - misc/waste																

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered? Y/N	Fill in Spaces with Bottles per Test										Total # Containers	Designated MS/MSD	CT Lab ID # Lab use only
Date	Time																		
5/18/21	1452	GW	G		P-205R-202105	N	X									3	1007379		
5/17/21	1603				P-225-202105		X									3	" 780		
5/17/21	1505				P-22D-202105		X									3	" 781		
5/17/21	1514				P-22E-202105		X									3	" 782		
5/13/21	1348				P-25S-202105		X									3	" 783		
5/13/21	1422				P-25D-202105		X									3	" 784		
5/13/21	1355				P-25BR-202105		X								Y	9	" 785		
5/14/21	1356				P-26S-202105		X									3	" 786		
5/14/21	1613				P-27S-202105		X									3	" 787		
5/14/21	1635				P-27D-202105		X									3	" 788		
5/14/21	1454				P-28S-202105		X									3	" 789		
5/14/21	1306				P-29S-202105		X									3	" 790		

Relinquished By: <u>Wesley Braga</u>	Date/Time <u>5/18/21 1300</u>	Received By: <u>[Signature]</u>	Date/Time <u>5-19-21 0955</u>	Lab Use Only Ice Present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Temp <u>2.3-2.7</u> <u>TR Gun 28</u> Cooler # <u>6559</u>
Received by:	Date/Time	Received for Laboratory by: 161887 - Page 258 of 261	Date/Time <u>5/19/21 1114</u>	

Company: TRE Env.
 Project Contact: Wesley Braga
 Telephone: 608-234-7574
 Project Name: Refuse Hideaway LF
 Project #: 335719
 Location: Middleton, WI
 Sampled By: Wesley Braga

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL: kwater@treresolutions.com
 Company: TRE
 Address: 708 Heartland Tr. Ste 3000
 Invoice To:*
 EMAIL: SAA
 Company:
 Address:

Lab Use Only
 Place Header Sticker Here:

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____

PO #
will provide via e-mail

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time
 Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered? Y/N	Fill in Spaces with Bottles per Test										Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>
Date	Time																		
5/12/21	1155	GW	G		P-30I-202105	N	X										3	100391	
5/12/21	1236				P-30D-202105		X										3	" 392	
5/12/21	1431				P-31S-202105		X										3	" 393	
5/12/21	1354				P-31IA-202105		X										3	" 394	
5/12/21	1515				P-31IB-202105		X										3	" 395	
5/12/21	1536				P-31D-202105		X								Y	9	" 396		
5/13/21	1551				P-32S-202105		X										3	" 397	
5/13/21	1544				P-32D-202105		X										3	" 398	
5/18/21	1346				P-33D-202105		X										3	" 399	
5/14/21	1122				P-34S-202105		X										3	" 400	
5/14/21	1110				P-34D-202105		X										3	" 401	
5/13/21	1216				P-40I-202105		X										3	" 402	

Relinquished By: <u>Wesley Braga</u>	Date/Time <u>5/18/21 1800</u>	Received By: <u>elb</u>	Date/Time <u>0955 5/19/21</u>	Lab Use Only Ice Present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Received by:	Date/Time	Received for Laboratory by: 161887 - Page 259 of 261 <u>EM</u>	Date/Time <u>5/19/21 1114</u>	Temp <u>2.3-2.7</u> R Gun <u>28</u> Cooler # <u>6559</u>

Cooler Receipt Form

Ice Present YES NO

Observed Temperature 2.3

Actual Temperature 2.7

IR Gun # 88

Initials ell

Date 5/19/21 Time 0955

Cooler #: 6559

CUSTODY SEAL

DATE 5/18/21

SIGNATURE Wesley Braga

QEC
Quality Environmental Containers
800-255-3950 • 304-255-3900

ORIGIN ID: MSNA (608) 234-7374

WESLEY BRAGA

TRC COMPANIES

TRC ENVIRONMENTAL CORPORATION

708 HEARTLAND TRAIL, SUITE 3000

MADISON, WI 53717

UNITED STATES US

SHIP DATE: 19MAY21

ACTWGT: 47.55 LB

CAD: 109993720/INET4340

DIMS: 20x13x16 IN

BILL SENDER

Part # 150148-434 RIV/FEH/001/01/095

TO **SAMPLE RECEIVING**
CT LABORATORIES
1230 LANGE CT

BARABOO WI 53913

(608) 356-2760 REF: 335719.0012.000002 0000 0000

INV: DEPT:

PO:



WED - 19 MAY 10:30A
PRIORITY OVERNIGHT

TRK# **7737 6059 8263**


0201

53913

55 LNRA

WI-US MSN






ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)



ANALYTICAL REPORT

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717

Copy: kvater@trccompanies.com


Project Name: REFUSE HIDEAWAY LANDFILL
 Project Phase: MIDDLETON, WI
 Project #: 335719
 Folder #: 161988
 Purchase Order #:
 Contract #: 3274

Page 1 of 76
 Arrival Temperature: 3.5
 Report Date: 7/20/2021
 Date Received: 5/22/2021
 Reprint Date: 7/20/2021

CT LAB#: 1009000	Sample Description: P-8S-202105	License/Well #: 01953/125	Sampled: 5/19/2021 12:35
------------------	---------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 12:35	SUB	FIELD
Conductivity (Field)	2523.1	umhos/cm			1			5/19/2021 12:35	SUB	FIELD
Groundwater Elevation (Field)	925.91	Feet MSL			1			5/19/2021 12:35	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 12:35	SUB	FIELD
pH (Field)	6.63	S.U.			1			5/19/2021 12:35	SUB	FIELD
Temperature (Field)	11.83	Deg. C			1			5/19/2021 12:35	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 12:35	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 15:31	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 15:31	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 15:31	DGS	EPA 8260C
1,1-Dichloroethane	1.1	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:31	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 15:31	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 15:31	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009000 Sample Description: P-8S-202105 License/Well #: 01953/125 Sampled: 5/19/2021 12:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 15:31	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 15:31	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 15:31	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 15:31	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 15:31	DGS	EPA 8260C
1,2-Dichloropropane	0.20	ug/L	0.18 *	0.61	1			5/26/2021 15:31	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 15:31	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 15:31	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 15:31	DGS	EPA 8260C
1,4-Dichlorobenzene	2.2	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 15:31	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 15:31	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 15:31	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 15:31	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 15:31	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 15:31	DGS	EPA 8260C
Benzene	0.78	ug/L	0.4 *	1.4	1			5/26/2021 15:31	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:31	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 15:31	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 15:31	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:31	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 15:31	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 15:31	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Chlorobenzene	7.1	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009000 Sample Description: P-8S-202105 License/Well #: 01953/125 Sampled: 5/19/2021 12:35

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Chloroethane	0.90	ug/L	0.5 *	1.6	1			5/26/2021 15:31	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 15:31	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 15:31	DGS	EPA 8260C
cis-1,2-Dichloroethene	13	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 15:31	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 15:31	DGS	EPA 8260C
Dichlorodifluoromethane	1.2	ug/L	0.4 *	1.3	1			5/26/2021 15:31	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:31	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:31	DGS	EPA 8260C
Isopropylbenzene	0.84	ug/L	0.3 *	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 15:31	DGS	EPA 8260C
Methyl tert-butyl ether	0.38	ug/L	0.3 *	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 15:31	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 15:31	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 15:31	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 15:31	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:31	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 15:31	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:31	DGS	EPA 8260C
Tetrachloroethene	0.94	ug/L	0.27	0.89	1			5/26/2021 15:31	DGS	EPA 8260C
Tetrahydrofuran	120	ug/L	3.0	10	1			5/26/2021 15:31	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 15:31	DGS	EPA 8260C
trans-1,2-Dichloroethene	1.1	ug/L	0.3 *	1.2	1			5/26/2021 15:31	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009000	Sample Description: P-8S-202105	License/Well #: 01953/125	Sampled: 5/19/2021 12:35
------------------	---------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 15:31	DGS	EPA 8260C
Trichloroethene	1.7	ug/L	0.3	1.1	1			5/26/2021 15:31	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 15:31	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 15:31	DGS	EPA 8260C
Vinyl chloride	2.5	ug/L	0.14	0.46	1			5/26/2021 15:31	DGS	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/26/2021 15:31	DGS	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/26/2021 15:31	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/26/2021 15:31	DGS	EPA 8260C
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/26/2021 15:31	DGS	EPA 8260C



CT LAB#: 1009001 Sample Description: P-8D-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 11:58	SUB	FIELD
Conductivity (Field)	2315.3	umhos/cm			1			5/19/2021 11:58	SUB	FIELD
Groundwater Elevation (Field)	925.89	Feet MSL			1			5/19/2021 11:58	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 11:58	SUB	FIELD
pH (Field)	6.92	S.U.			1			5/19/2021 11:58	SUB	FIELD
Temperature (Field)	11.79	Deg. C			1			5/19/2021 11:58	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 11:58	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 16:01	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 16:01	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 16:01	DGS	EPA 8260C
1,1-Dichloroethane	2.6	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:01	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 16:01	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 16:01	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 16:01	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 16:01	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 16:01	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 16:01	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
1,2-Dichloroethane	0.57	ug/L	0.24 *	0.81	1			5/26/2021 16:01	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 16:01	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 16:01	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009001 Sample Description: P-8D-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Benzene	0.83	ug/L	0.4 *	1.4	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Chloroethane	1.2	ug/L	0.5 *	1.6	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.79	ug/L	0.3 *	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/26/2021 16:01	5/26/2021 16:01	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009001 Sample Description: P-8D-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 16:01	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:01	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 16:01	DGS	EPA 8260C
Methyl tert-butyl ether	0.36	ug/L	0.3 *	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 16:01	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 16:01	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 16:01	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 16:01	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:01	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 16:01	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:01	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 16:01	DGS	EPA 8260C
Tetrahydrofuran	51	ug/L	3.0	10	1			5/26/2021 16:01	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 16:01	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.72	ug/L	0.3 *	1.2	1			5/26/2021 16:01	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 16:01	DGS	EPA 8260C
Trichloroethene	0.30	ug/L	0.3 *	1.1	1			5/26/2021 16:01	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 16:01	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 16:01	DGS	EPA 8260C
Vinyl chloride	0.44	ug/L	0.14 *	0.46	1			5/26/2021 16:01	DGS	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			5/26/2021 16:01	DGS	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1			5/26/2021 16:01	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/26/2021 16:01	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009001	Sample Description: P-8D-202105	License/Well #: 01953/114	Sampled: 5/19/2021 11:58
------------------	---------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/26/2021 16:01	DGS	EPA 8260C



CT LAB#: 1009002 Sample Description: P-9S-202105 License/Well #: 01953/139 Sampled: 5/19/2021 13:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 13:31	SUB	FIELD
Conductivity (Field)	3802.6	umhos/cm			1			5/19/2021 13:31	SUB	FIELD
Groundwater Elevation (Field)	926.25	Feet MSL			1			5/19/2021 13:31	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 13:31	SUB	FIELD
pH (Field)	6.58	S.U.			1			5/19/2021 13:31	SUB	FIELD
Temperature (Field)	12.21	Deg. C			1			5/19/2021 13:31	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 13:31	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 16:31	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 16:31	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 16:31	DGS	EPA 8260C
1,1-Dichloroethane	1.0	ug/L	0.3 *	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 16:31	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 16:31	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 16:31	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 16:31	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 16:31	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 16:31	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
1,2-Dichloroethane	0.26	ug/L	0.24 *	0.81	1			5/26/2021 16:31	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 16:31	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 16:31	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009002 Sample Description: P-9S-202105 License/Well #: 01953/139 Sampled: 5/19/2021 13:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 16:31	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 16:31	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 16:31	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 16:31	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 16:31	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 16:31	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 16:31	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 16:31	DGS	EPA 8260C
Benzene	0.95	ug/L	0.4 *	1.4	1			5/26/2021 16:31	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 16:31	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 16:31	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 16:31	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 16:31	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 16:31	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 16:31	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Chlorobenzene	0.40	ug/L	0.3 *	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Chloroethane	0.56	ug/L	0.5 *	1.6	1			5/26/2021 16:31	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 16:31	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.96	ug/L	0.3 *	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 16:31	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 16:31	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 16:31	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009002 Sample Description: P-9S-202105 License/Well #: 01953/139 Sampled: 5/19/2021 13:31

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	0.50	ug/L	0.4 *	1.3	1			5/26/2021 16:31	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 16:31	DGS	EPA 8260C
Methyl tert-butyl ether	0.71	ug/L	0.3 *	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 16:31	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 16:31	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 16:31	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 16:31	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 16:31	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
Tetrachloroethene	2.1	ug/L	0.27	0.89	1			5/26/2021 16:31	DGS	EPA 8260C
Tetrahydrofuran	170	ug/L	3.0	10	1			5/26/2021 16:31	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 16:31	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.45	ug/L	0.3 *	1.2	1			5/26/2021 16:31	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 16:31	DGS	EPA 8260C
Trichloroethene	0.34	ug/L	0.3 *	1.1	1			5/26/2021 16:31	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 16:31	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 16:31	DGS	EPA 8260C
Vinyl chloride	0.52	ug/L	0.14	0.46	1			5/26/2021 16:31	DGS	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1			5/26/2021 16:31	DGS	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1			5/26/2021 16:31	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			5/26/2021 16:31	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009002	Sample Description: P-9S-202105	License/Well #: 01953/139	Sampled: 5/19/2021 13:31
------------------	---------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	103	% Recovery	90.0	110	1			5/26/2021 16:31	DGS	EPA 8260C



CT LAB#: 1009003 Sample Description: P-9D-202105 License/Well #: 01953/140 Sampled: 5/19/2021 13:32

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 13:32	SUB	FIELD
Conductivity (Field)	2509.9	umhos/cm			1			5/19/2021 13:32	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 13:32	SUB	FIELD
pH (Field)	6.73	S.U.			1			5/19/2021 13:32	SUB	FIELD
Temperature (Field)	13.45	Deg. C			1			5/19/2021 13:32	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 13:32	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 17:00	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 17:00	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 17:00	DGS	EPA 8260C
1,1-Dichloroethane	3.2	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 17:00	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 17:00	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 17:00	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 17:00	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 17:00	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 17:00	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 17:00	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 17:00	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 17:00	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 17:00	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 17:00	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009003 Sample Description: P-9D-202105 License/Well #: 01953/140 Sampled: 5/19/2021 13:32

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 17:00	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 17:00	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 17:00	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 17:00	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 17:00	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 17:00	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 17:00	DGS	EPA 8260C
Benzene	2.9	ug/L	0.4	1.4	1			5/26/2021 17:00	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:00	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 17:00	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 17:00	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:00	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 17:00	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 17:00	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
Chloroethane	0.54	ug/L	0.5 *	1.6	1			5/26/2021 17:00	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 17:00	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 17:00	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 17:00	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:00	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 17:00	DGS	EPA 8260C
Dichlorodifluoromethane	1.0	ug/L	0.4 *	1.3	1			5/26/2021 17:00	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:00	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009003 Sample Description: P-9D-202105 License/Well #: 01953/140 Sampled: 5/19/2021 13:32

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Methyl tert-butyl ether	0.44	ug/L	0.3 *	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Tetrahydrofuran	78	ug/L	3.0	10	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.94	ug/L	0.3 *	1.2	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C
Dibromofluoromethane	102	% Recovery	90.0	110	1		5/26/2021 17:00	5/26/2021 17:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009004 Sample Description: P-16S-202105 License/Well #: 01953/142 Sampled: 5/19/2021 16:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 16:30	SUB	FIELD
Groundwater Elevation (Field)	923.91	Feet MSL			1			5/19/2021 16:30	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 16:30	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 16:30	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 17:30	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 17:30	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 17:30	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 17:30	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 17:30	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 17:30	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 17:30	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 17:30	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 17:30	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 17:30	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 17:30	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 17:30	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 17:30	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 17:30	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 17:30	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009004 Sample Description: P-16S-202105 License/Well #: 01953/142 Sampled: 5/19/2021 16:30


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 17:30	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 17:30	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 17:30	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 17:30	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 17:30	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 17:30	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 17:30	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:30	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 17:30	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 17:30	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:30	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 17:30	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 17:30	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 17:30	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 17:30	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 17:30	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 17:30	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 17:30	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:30	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 17:30	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 17:30	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 17:30	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009004 Sample Description: P-16S-202105 License/Well #: 01953/142 Sampled: 5/19/2021 16:30


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Bromofluorobenzene	97.0	% Recovery	83.0	111	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C
Dibromofluoromethane	102	% Recovery	90.0	110	1		5/26/2021 17:30	5/26/2021 17:30	DGS	EPA 8260C



CT LAB#: 1009005 Sample Description: P-16D-202105 License/Well #: 01953/127 Sampled: 5/19/2021 15:39

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 15:39	SUB	FIELD
Conductivity (Field)	2956.5	umhos/cm			1			5/19/2021 15:39	SUB	FIELD
Groundwater Elevation (Field)	925.11	Feet MSL			1			5/19/2021 15:39	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 15:39	SUB	FIELD
pH (Field)	6.88	S.U.			1			5/19/2021 15:39	SUB	FIELD
Temperature (Field)	13.04	Deg. C			1			5/19/2021 15:39	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 15:39	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 18:00	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 18:00	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 18:00	DGS	EPA 8260C
1,1-Dichloroethane	1.7	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 18:00	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 18:00	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 18:00	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 18:00	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 18:00	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 18:00	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 18:00	DGS	EPA 8260C
1,2-Dichloropropane	0.42	ug/L	0.18 *	0.61	1			5/26/2021 18:00	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 18:00	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009005 Sample Description: P-16D-202105 License/Well #: 01953/127 Sampled: 5/19/2021 15:39

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 18:00	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 18:00	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 18:00	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 18:00	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 18:00	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 18:00	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 18:00	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 18:00	DGS	EPA 8260C
Benzene	2.0	ug/L	0.4	1.4	1			5/26/2021 18:00	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 18:00	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 18:00	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 18:00	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 18:00	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 18:00	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 18:00	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 18:00	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 18:00	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.51	ug/L	0.3 *	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 18:00	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 18:00	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 18:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009005 Sample Description: P-16D-202105 License/Well #: 01953/127 Sampled: 5/19/2021 15:39

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 18:00	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 18:00	DGS	EPA 8260C
Methyl tert-butyl ether	0.54	ug/L	0.3 *	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 18:00	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 18:00	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 18:00	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 18:00	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 18:00	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 18:00	DGS	EPA 8260C
Tetrahydrofuran	67	ug/L	3.0	10	1			5/26/2021 18:00	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 18:00	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.32	ug/L	0.3 *	1.2	1			5/26/2021 18:00	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 18:00	DGS	EPA 8260C
Trichloroethene	0.61	ug/L	0.3 *	1.1	1			5/26/2021 18:00	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 18:00	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 18:00	DGS	EPA 8260C
Vinyl chloride	0.30	ug/L	0.14 *	0.46	1			5/26/2021 18:00	DGS	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/26/2021 18:00	DGS	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			5/26/2021 18:00	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1			5/26/2021 18:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009005	Sample Description: P-16D-202105	License/Well #: 01953/127	Sampled: 5/19/2021 15:39
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	103	% Recovery	90.0	110	1			5/26/2021 18:00	DGS	EPA 8260C



CT LAB#: 1009006 Sample Description: P-17S-202105 License/Well #: 01953/128 Sampled: 5/20/2021 16:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 16:05	SUB	FIELD
Conductivity (Field)	1122.0	umhos/cm			1			5/20/2021 16:05	SUB	FIELD
Groundwater Elevation (Field)	936.47	Feet MSL			1			5/20/2021 16:05	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 16:05	SUB	FIELD
pH (Field)	6.80	S.U.			1			5/20/2021 16:05	SUB	FIELD
Temperature (Field)	12.67	Deg. C			1			5/20/2021 16:05	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 16:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 18:30	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 18:30	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:30	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 18:30	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:30	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 18:30	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 18:30	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 18:30	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:30	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 18:30	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 18:30	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 18:30	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 18:30	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 18:30	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 18:30	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 18:30	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 18:30	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009006 Sample Description: P-17S-202105 License/Well #: 01953/128 Sampled: 5/20/2021 16:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.75	ug/L	0.3 *	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009006 Sample Description: P-17S-202105 License/Well #: 01953/128 Sampled: 5/20/2021 16:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Tetrachloroethene	2.3	ug/L	0.27	0.89	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Trichloroethene	0.40	ug/L	0.3 *	1.1	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
Bromofluorobenzene	97.0	% Recovery	83.0	111	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		5/26/2021 18:30	5/26/2021 18:30	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009006	Sample Description: P-17S-202105	License/Well #: 01953/128	Sampled: 5/20/2021 16:05
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			5/26/2021 18:30	DGS	EPA 8260C



CT LAB#: 1009007 Sample Description: P-18S-202105 License/Well #: 01953/129 Sampled: 5/20/2021 14:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 14:46	SUB	FIELD
Conductivity (Field)	746.1	umhos/cm			1			5/20/2021 14:46	SUB	FIELD
Groundwater Elevation (Field)	927.68	Feet MSL			1			5/20/2021 14:46	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 14:46	SUB	FIELD
pH (Field)	7.34	S.U.			1			5/20/2021 14:46	SUB	FIELD
Temperature (Field)	13.72	Deg. C			1			5/20/2021 14:46	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 14:46	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:00	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 19:00	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:00	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 19:00	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:00	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:00	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:00	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 19:00	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:00	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 19:00	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 19:00	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 19:00	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:00	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:00	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 19:00	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 19:00	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 19:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009007 Sample Description: P-18S-202105 License/Well #: 01953/129 Sampled: 5/20/2021 14:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.31	ug/L	0.3 *	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Dichlorodifluoromethane	0.81	ug/L	0.4 *	1.3	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009007 Sample Description: P-18S-202105 License/Well #: 01953/129 Sampled: 5/20/2021 14:46

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Tetrachloroethene	8.0	ug/L	0.27	0.89	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Trichloroethene	0.69	ug/L	0.3 *	1.1	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
1,2 Dichloroethane-d4	106	% Recovery	89.0	111	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
Bromofluorobenzene	96.0	% Recovery	83.0	111	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1		5/26/2021 19:00	5/26/2021 19:00	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009007	Sample Description: P-18S-202105	License/Well #: 01953/129	Sampled: 5/20/2021 14:46
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	103	% Recovery	90.0	110	1			5/26/2021 19:00	DGS	EPA 8260C



CT LAB#: 1009008 Sample Description: P-21S-202105 License/Well #: 01953/133 Sampled: 5/19/2021 14:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 14:23	SUB	FIELD
Conductivity (Field)	1368.3	umhos/cm			1			5/19/2021 14:23	SUB	FIELD
Groundwater Elevation (Field)	926.41	Feet MSL			1			5/19/2021 14:23	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 14:23	SUB	FIELD
pH (Field)	7.13	S.U.			1			5/19/2021 14:23	SUB	FIELD
Temperature (Field)	13.04	Deg. C			1			5/19/2021 14:23	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 14:23	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:29	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 19:29	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 19:29	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:29	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 19:29	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 19:29	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 19:29	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 19:29	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:29	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 19:29	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 19:29	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 19:29	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009008 Sample Description: P-21S-202105 License/Well #: 01953/133 Sampled: 5/19/2021 14:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 19:29	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 19:29	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 19:29	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 19:29	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 19:29	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 19:29	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 19:29	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 19:29	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:29	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:29	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 19:29	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 19:29	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:29	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 19:29	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 19:29	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 19:29	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 19:29	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 19:29	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 19:29	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:29	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009008 Sample Description: P-21S-202105 License/Well #: 01953/133 Sampled: 5/19/2021 14:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:29	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 19:29	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 19:29	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 19:29	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 19:29	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 19:29	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 19:29	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 19:29	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/26/2021 19:29	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 19:29	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/26/2021 19:29	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 19:29	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:29	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:29	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 19:29	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/26/2021 19:29	DGS	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			5/26/2021 19:29	DGS	EPA 8260C
Bromofluorobenzene	96.0	% Recovery	83.0	111	1			5/26/2021 19:29	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1			5/26/2021 19:29	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009008	Sample Description: P-21S-202105	License/Well #: 01953/133	Sampled: 5/19/2021 14:23
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/26/2021 19:29	DGS	EPA 8260C



CT LAB#: 1009009 Sample Description: P-21D-202105 License/Well #: 01953/113 Sampled: 5/19/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 14:22	SUB	FIELD
Conductivity (Field)	7769.0	umhos/cm			1			5/19/2021 14:22	SUB	FIELD
Groundwater Elevation (Field)	925.42	Feet MSL			1			5/19/2021 14:22	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/19/2021 14:22	SUB	FIELD
pH (Field)	6.64	S.U.			1			5/19/2021 14:22	SUB	FIELD
Temperature (Field)	13.09	Deg. C			1			5/19/2021 14:22	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 14:22	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:59	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 19:59	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 19:59	DGS	EPA 8260C
1,1-Dichloroethane	2.9	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:59	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 19:59	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 19:59	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 19:59	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 19:59	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 19:59	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
1,2-Dichloroethane	0.27	ug/L	0.24 *	0.81	1			5/26/2021 19:59	DGS	EPA 8260C
1,2-Dichloropropane	0.41	ug/L	0.18 *	0.61	1			5/26/2021 19:59	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 19:59	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009009 Sample Description: P-21D-202105 License/Well #: 01953/113 Sampled: 5/19/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 19:59	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 19:59	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 19:59	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 19:59	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 19:59	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 19:59	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 19:59	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 19:59	DGS	EPA 8260C
Benzene	3.3	ug/L	0.4	1.4	1			5/26/2021 19:59	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:59	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 19:59	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 19:59	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:59	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 19:59	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 19:59	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Chlorobenzene	1.1	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Chloroethane	0.51	ug/L	0.5 *	1.6	1			5/26/2021 19:59	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 19:59	DGS	EPA 8260C
cis-1,2-Dichloroethene	1.6	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 19:59	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 19:59	DGS	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.4 *	1.3	1			5/26/2021 19:59	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009009 Sample Description: P-21D-202105 License/Well #: 01953/113 Sampled: 5/19/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 19:59	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
Isopropylbenzene	0.64	ug/L	0.3 *	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 19:59	DGS	EPA 8260C
Methyl tert-butyl ether	0.92	ug/L	0.3 *	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 19:59	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 19:59	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 19:59	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 19:59	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 19:59	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 19:59	DGS	EPA 8260C
Tetrahydrofuran	200	ug/L	3.0	10	1			5/26/2021 19:59	DGS	EPA 8260C
Toluene	0.26	ug/L	0.21 *	0.69	1			5/26/2021 19:59	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.80	ug/L	0.3 *	1.2	1			5/26/2021 19:59	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 19:59	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 19:59	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 19:59	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 19:59	DGS	EPA 8260C
Vinyl chloride	1.5	ug/L	0.14	0.46	1			5/26/2021 19:59	DGS	EPA 8260C
1,2 Dichloroethane-d4	108	% Recovery	89.0	111	1			5/26/2021 19:59	DGS	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/26/2021 19:59	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			5/26/2021 19:59	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009009	Sample Description: P-21D-202105	License/Well #: 01953/113	Sampled: 5/19/2021 14:22
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	102	% Recovery	90.0	110	1			5/26/2021 19:59	DGS	EPA 8260C



CT LAB#: 1009010 Sample Description: P-21BR-202105 License/Well #: 01953/134 Sampled: 5/19/2021 14:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/19/2021 14:51	SUB	FIELD
Conductivity (Field)	992.7	umhos/cm			1			5/19/2021 14:51	SUB	FIELD
Groundwater Elevation (Field)	924.07	Feet MSL			1			5/19/2021 14:51	SUB	FIELD
Odor (Field)	SULFUR		N/A	N/A	1			5/19/2021 14:51	SUB	FIELD
pH (Field)	7.43	S.U.			1			5/19/2021 14:51	SUB	FIELD
Temperature (Field)	12.82	Deg. C			1			5/19/2021 14:51	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/19/2021 14:51	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 20:28	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 20:28	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 20:28	DGS	EPA 8260C
1,1-Dichloroethane	0.60	ug/L	0.3 *	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:28	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 20:28	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 20:28	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 20:28	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 20:28	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 20:28	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 20:28	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 20:28	DGS	EPA 8260C
1,2-Dichloropropane	0.24	ug/L	0.18 *	0.61	1			5/26/2021 20:28	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 20:28	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009010 Sample Description: P-21BR-202105 License/Well #: 01953/134 Sampled: 5/19/2021 14:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021	20:28	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021	20:28	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021	20:28	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021	20:28	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021	20:28	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021	20:28	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021	20:28	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/26/2021	20:28	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/26/2021	20:28	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/26/2021	20:28	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/26/2021	20:28	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/26/2021	20:28	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/26/2021	20:28	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/26/2021	20:28	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/26/2021	20:28	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/26/2021	20:28	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/26/2021	20:28	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/26/2021	20:28	DGS	EPA 8260C
cis-1,2-Dichloroethene	8.0	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/26/2021	20:28	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/26/2021	20:28	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/26/2021	20:28	DGS	EPA 8260C
Dichlorodifluoromethane	1.2	ug/L	0.4 *	1.3	1		5/26/2021	20:28	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009010 Sample Description: P-21BR-202105 License/Well #: 01953/134 Sampled: 5/19/2021 14:51

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 20:28	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:28	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 20:28	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 20:28	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 20:28	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 20:28	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 20:28	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:28	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 20:28	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:28	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 20:28	DGS	EPA 8260C
Tetrahydrofuran	5.4	ug/L	3.0 *	10	1			5/26/2021 20:28	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 20:28	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.49	ug/L	0.3 *	1.2	1			5/26/2021 20:28	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 20:28	DGS	EPA 8260C
Trichloroethene	4.0	ug/L	0.3	1.1	1			5/26/2021 20:28	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 20:28	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 20:28	DGS	EPA 8260C
Vinyl chloride	1.9	ug/L	0.14	0.46	1			5/26/2021 20:28	DGS	EPA 8260C
1,2 Dichloroethane-d4	108	% Recovery	89.0	111	1			5/26/2021 20:28	DGS	EPA 8260C
Bromofluorobenzene	96.0	% Recovery	83.0	111	1			5/26/2021 20:28	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			5/26/2021 20:28	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009010	Sample Description: P-21BR-202105	License/Well #: 01953/134	Sampled: 5/19/2021 14:51
------------------	-----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	103	% Recovery	90.0	110	1			5/26/2021 20:28	DGS	EPA 8260C



CT LAB#: 1009011 Sample Description: P-23S-202105 License/Well #: 01953/137 Sampled: 5/20/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 13:29	SUB	FIELD
Conductivity (Field)	642.2	umhos/cm			1			5/20/2021 13:29	SUB	FIELD
Groundwater Elevation (Field)	926.92	Feet MSL			1			5/20/2021 13:29	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 13:29	SUB	FIELD
pH (Field)	6.97	S.U.			1			5/20/2021 13:29	SUB	FIELD
Temperature (Field)	15.56	Deg. C			1			5/20/2021 13:29	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 13:29	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 20:57	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 20:57	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 20:57	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 20:57	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 20:57	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 20:57	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 20:57	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 20:57	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 20:57	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 20:57	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 20:57	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 20:57	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009011 Sample Description: P-23S-202105 License/Well #: 01953/137 Sampled: 5/20/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 20:57	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 20:57	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 20:57	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 20:57	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 20:57	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 20:57	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 20:57	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 20:57	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 20:57	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 20:57	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 20:57	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 20:57	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 20:57	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 20:57	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 20:57	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 20:57	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 20:57	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 20:57	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 20:57	DGS	EPA 8260C
Dichlorodifluoromethane	0.73	ug/L	0.4 *	1.3	1			5/26/2021 20:57	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009011 Sample Description: P-23S-202105 License/Well #: 01953/137 Sampled: 5/20/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 20:57	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 20:57	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 20:57	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 20:57	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 20:57	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 20:57	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 20:57	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
Tetrachloroethene	1.8	ug/L	0.27	0.89	1			5/26/2021 20:57	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/26/2021 20:57	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 20:57	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/26/2021 20:57	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 20:57	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 20:57	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 20:57	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 20:57	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/26/2021 20:57	DGS	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1			5/26/2021 20:57	DGS	EPA 8260C
Bromofluorobenzene	98.0	% Recovery	83.0	111	1			5/26/2021 20:57	DGS	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			5/26/2021 20:57	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009011	Sample Description: P-23S-202105	License/Well #: 01953/137	Sampled: 5/20/2021 13:29
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	102	% Recovery	90.0	110	1			5/26/2021 20:57	DGS	EPA 8260C



CT LAB#: 1009012 Sample Description: P-23D-202105 License/Well #: 01953/138 Sampled: 5/20/2021 13:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 13:30	SUB	FIELD
Conductivity (Field)	586.7	umhos/cm			1			5/20/2021 13:30	SUB	FIELD
Groundwater Elevation (Field)	926.99	Feet MSL			1			5/20/2021 13:30	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 13:30	SUB	FIELD
pH (Field)	7.40	S.U.			1			5/20/2021 13:30	SUB	FIELD
Temperature (Field)	14.22	Deg. C			1			5/20/2021 13:30	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 13:30	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 21:27	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 21:27	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 21:27	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:27	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 21:27	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 21:27	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 21:27	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 21:27	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 21:27	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 21:27	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 21:27	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 21:27	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 21:27	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009012 Sample Description: P-23D-202105 License/Well #: 01953/138 Sampled: 5/20/2021 13:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1		5/26/2021 21:27	5/26/2021 21:27	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1009012 Sample Description: P-23D-202105 License/Well #: 01953/138 Sampled: 5/20/2021 13:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 21:27	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:27	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 21:27	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 21:27	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 21:27	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 21:27	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 21:27	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:27	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 21:27	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:27	DGS	EPA 8260C
Tetrachloroethene	0.53	ug/L	0.27 *	0.89	1			5/26/2021 21:27	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/26/2021 21:27	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 21:27	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/26/2021 21:27	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 21:27	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:27	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 21:27	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 21:27	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/26/2021 21:27	DGS	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			5/26/2021 21:27	DGS	EPA 8260C
Bromofluorobenzene	97.0	% Recovery	83.0	111	1			5/26/2021 21:27	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			5/26/2021 21:27	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1009012	Sample Description: P-23D-202105	License/Well #: 01953/138	Sampled: 5/20/2021 13:30
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	102	% Recovery	90.0	110	1			5/26/2021 21:27	DGS	EPA 8260C



CT LAB#: 1009013 Sample Description: P-24D-202105 License/Well #: 01953/115 Sampled: 5/20/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 12:08	SUB	FIELD
Conductivity (Field)	664.3	umhos/cm			1			5/20/2021 12:08	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 12:08	SUB	FIELD
pH (Field)	7.03	S.U.			1			5/20/2021 12:08	SUB	FIELD
Temperature (Field)	13.02	Deg. C			1			5/20/2021 12:08	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 12:08	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 21:57	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 21:57	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 21:57	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 21:57	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 21:57	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 21:57	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 21:57	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 21:57	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 21:57	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 21:57	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 21:57	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 21:57	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 21:57	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009013 Sample Description: P-24D-202105 License/Well #: 01953/115 Sampled: 5/20/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 21:57	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 21:57	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 21:57	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 21:57	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 21:57	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 21:57	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 21:57	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 21:57	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 21:57	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 21:57	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 21:57	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 21:57	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 21:57	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 21:57	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 21:57	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 21:57	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.65	ug/L	0.3 *	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 21:57	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 21:57	DGS	EPA 8260C
Dichlorodifluoromethane	0.68	ug/L	0.4 *	1.3	1			5/26/2021 21:57	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 21:57	DGS	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009013 Sample Description: P-24D-202105 License/Well #: 01953/115 Sampled: 5/20/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 21:57	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 21:57	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 21:57	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 21:57	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 21:57	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 21:57	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 21:57	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/26/2021 21:57	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 21:57	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/26/2021 21:57	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 21:57	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 21:57	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 21:57	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 21:57	DGS	EPA 8260C
Vinyl chloride	0.59	ug/L	0.14	0.46	1			5/26/2021 21:57	DGS	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1			5/26/2021 21:57	DGS	EPA 8260C
Bromofluorobenzene	98.0	% Recovery	83.0	111	1			5/26/2021 21:57	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1			5/26/2021 21:57	DGS	EPA 8260C
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/26/2021 21:57	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009014 Sample Description: P-24E-202105 License/Well #: 01953/116 Sampled: 5/20/2021 12:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			5/20/2021 12:05	SUB	FIELD
Conductivity (Field)	687.1	umhos/cm			1			5/20/2021 12:05	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			5/20/2021 12:05	SUB	FIELD
pH (Field)	7.02	S.U.			1			5/20/2021 12:05	SUB	FIELD
Temperature (Field)	14.52	Deg. C			1			5/20/2021 12:05	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			5/20/2021 12:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 22:26	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 22:26	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 22:26	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 22:26	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 22:26	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 22:26	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 22:26	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 22:26	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 22:26	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 22:26	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 22:26	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 22:26	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 22:26	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 22:26	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009014 Sample Description: P-24E-202105 License/Well #: 01953/116 Sampled: 5/20/2021 12:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 22:26	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 22:26	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 22:26	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 22:26	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 22:26	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 22:26	DGS	EPA 8260C
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 22:26	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 22:26	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:26	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 22:26	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 22:26	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:26	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 22:26	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 22:26	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 22:26	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 22:26	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 22:26	DGS	EPA 8260C
cis-1,2-Dichloroethene	2.4	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 22:26	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:26	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 22:26	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:26	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:26	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009014 Sample Description: P-24E-202105 License/Well #: 01953/116 Sampled: 5/20/2021 12:05

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1		5/26/2021	22:26	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1		5/26/2021	22:26	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1		5/26/2021	22:26	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1		5/26/2021	22:26	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021	22:26	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021	22:26	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021	22:26	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021	22:26	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021	22:26	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/26/2021	22:26	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1		5/26/2021	22:26	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021	22:26	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1		5/26/2021	22:26	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021	22:26	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:26	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021	22:26	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021	22:26	DGS	EPA 8260C
Vinyl chloride	2.7	ug/L	0.14	0.46	1		5/26/2021	22:26	DGS	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1		5/26/2021	22:26	DGS	EPA 8260C
Bromofluorobenzene	98.0	% Recovery	83.0	111	1		5/26/2021	22:26	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1		5/26/2021	22:26	DGS	EPA 8260C
Dibromofluoromethane	101	% Recovery	90.0	110	1		5/26/2021	22:26	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009015 Sample Description: DUP-06-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1-Dichloroethane	2.6	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1		5/26/2021 22:56	DGS	EPA 8260C	
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2-Dichloroethane	0.53	ug/L	0.24 *	0.81	1		5/26/2021 22:56	DGS	EPA 8260C	
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1		5/26/2021 22:56	DGS	EPA 8260C	
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1		5/26/2021 22:56	DGS	EPA 8260C	
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1		5/26/2021 22:56	DGS	EPA 8260C	
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1		5/26/2021 22:56	DGS	EPA 8260C	
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1		5/26/2021 22:56	DGS	EPA 8260C	
2-Butanone	<2.6	ug/L	2.6	8.8	1		5/26/2021 22:56	DGS	EPA 8260C	
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1		5/26/2021 22:56	DGS	EPA 8260C	
2-Hexanone	<3.0	ug/L	3.0	10	1		5/26/2021 22:56	DGS	EPA 8260C	
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021 22:56	DGS	EPA 8260C	
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1		5/26/2021 22:56	DGS	EPA 8260C	

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009015 Sample Description: DUP-06-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 22:56	DGS	EPA 8260C
Benzene	0.92	ug/L	0.4 *	1.4	1			5/26/2021 22:56	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:56	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 22:56	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 22:56	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:56	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 22:56	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 22:56	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
Chloroethane	1.2	ug/L	0.5 *	1.6	1			5/26/2021 22:56	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 22:56	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 22:56	DGS	EPA 8260C
cis-1,2-Dichloroethene	0.83	ug/L	0.3 *	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 22:56	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 22:56	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:56	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 22:56	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 22:56	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 22:56	DGS	EPA 8260C
Methyl tert-butyl ether	0.36	ug/L	0.3 *	1.1	1			5/26/2021 22:56	DGS	EPA 8260C
Methylene chloride	<0.4	ug/L	0.4	1.5	1			5/26/2021 22:56	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 22:56	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 22:56	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009015 Sample Description: DUP-06-202105 License/Well #: 01953/114 Sampled: 5/19/2021 11:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1		5/26/2021	22:56	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1		5/26/2021	22:56	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1		5/26/2021	22:56	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021	22:56	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1		5/26/2021	22:56	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1		5/26/2021	22:56	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1		5/26/2021	22:56	DGS	EPA 8260C
Tetrahydrofuran	51	ug/L	3.0	10	1		5/26/2021	22:56	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1		5/26/2021	22:56	DGS	EPA 8260C
trans-1,2-Dichloroethene	0.76	ug/L	0.3 *	1.2	1		5/26/2021	22:56	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1		5/26/2021	22:56	DGS	EPA 8260C
Trichloroethene	0.33	ug/L	0.3 *	1.1	1		5/26/2021	22:56	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1		5/26/2021	22:56	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1		5/26/2021	22:56	DGS	EPA 8260C
Vinyl chloride	0.48	ug/L	0.14	0.46	1		5/26/2021	22:56	DGS	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1		5/26/2021	22:56	DGS	EPA 8260C
Bromofluorobenzene	98.0	% Recovery	83.0	111	1		5/26/2021	22:56	DGS	EPA 8260C
d8-Toluene	102	% Recovery	93.0	107	1		5/26/2021	22:56	DGS	EPA 8260C
Dibromofluoromethane	100	% Recovery	90.0	110	1		5/26/2021	22:56	DGS	EPA 8260C



CT LAB#: 1009021	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 5/18/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 15:01	DGS	EPA 8260C
1,1,1-Trichloroethane	<0.29	ug/L	0.29	0.98	1			5/26/2021 15:01	DGS	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
1,1,2-Trichloroethane	<0.30	ug/L	0.30	0.99	1			5/26/2021 15:01	DGS	EPA 8260C
1,1-Dichloroethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
1,1-Dichloroethene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
1,1-Dichloropropene	<0.3	ug/L	0.3	1.0	1			5/26/2021 15:01	DGS	EPA 8260C
1,2,3-Trichlorobenzene	<0.23	ug/L	0.23	0.77	1			5/26/2021 15:01	DGS	EPA 8260C
1,2,3-Trichloropropane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
1,2,4-Trichlorobenzene	<0.28	ug/L	0.28	0.93	1			5/26/2021 15:01	DGS	EPA 8260C
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	0.96	1			5/26/2021 15:01	DGS	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.25	ug/L	0.25	0.82	1			5/26/2021 15:01	DGS	EPA 8260C
1,2-Dibromoethane	<0.3	ug/L	0.3	1.0	1			5/26/2021 15:01	DGS	EPA 8260C
1,2-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
1,2-Dichloroethane	<0.24	ug/L	0.24	0.81	1			5/26/2021 15:01	DGS	EPA 8260C
1,2-Dichloropropane	<0.18	ug/L	0.18	0.61	1			5/26/2021 15:01	DGS	EPA 8260C
1,3,5-Trimethylbenzene	<0.27	ug/L	0.27	0.89	1			5/26/2021 15:01	DGS	EPA 8260C
1,3-Dichlorobenzene	<0.26	ug/L	0.26	0.87	1			5/26/2021 15:01	DGS	EPA 8260C
1,3-Dichloropropane	<0.17	ug/L	0.17	0.57	1			5/26/2021 15:01	DGS	EPA 8260C
1,4-Dichlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
2,2-Dichloropropane	<0.30	ug/L	0.30	0.99	1			5/26/2021 15:01	DGS	EPA 8260C
2-Butanone	<2.6	ug/L	2.6	8.8	1			5/26/2021 15:01	DGS	EPA 8260C
2-Chlorotoluene	<0.25	ug/L	0.25	0.84	1			5/26/2021 15:01	DGS	EPA 8260C
2-Hexanone	<3.0	ug/L	3.0	10	1			5/26/2021 15:01	DGS	EPA 8260C
4-Chlorotoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
4-Methyl-2-pentanone	<2.2	ug/L	2.2	7.4	1			5/26/2021 15:01	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009021	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 5/18/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.0	ug/L	4.0	12	1			5/26/2021 15:01	DGS	EPA 8260C
Benzene	<0.4	ug/L	0.4	1.4	1			5/26/2021 15:01	DGS	EPA 8260C
Bromobenzene	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:01	DGS	EPA 8260C
Bromochloromethane	<0.30	ug/L	0.30	1.0	1			5/26/2021 15:01	DGS	EPA 8260C
Bromodichloromethane	<0.29	ug/L	0.29	0.95	1			5/26/2021 15:01	DGS	EPA 8260C
Bromoform	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:01	DGS	EPA 8260C
Bromomethane	<0.9	ug/L	0.9	3.1	1			5/26/2021 15:01	DGS	EPA 8260C
Carbon disulfide	<0.6	ug/L	0.6	1.9	1			5/26/2021 15:01	DGS	EPA 8260C
Carbon tetrachloride	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Chlorobenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Chloroethane	<0.5	ug/L	0.5	1.6	1			5/26/2021 15:01	DGS	EPA 8260C
Chloroform	<0.3	ug/L	0.3	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
Chloromethane	<0.6	ug/L	0.6	2.1	1			5/26/2021 15:01	DGS	EPA 8260C
cis-1,2-Dichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
cis-1,3-Dichloropropene	<0.16	ug/L	0.16	0.54	1			5/26/2021 15:01	DGS	EPA 8260C
Dibromochloromethane	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Dibromomethane	<0.22	ug/L	0.22	0.73	1			5/26/2021 15:01	DGS	EPA 8260C
Dichlorodifluoromethane	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:01	DGS	EPA 8260C
Diisopropyl ether	<0.4	ug/L	0.4	1.3	1			5/26/2021 15:01	DGS	EPA 8260C
Ethylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Hexachlorobutadiene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
Isopropylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
m & p-Xylene	<0.7	ug/L	0.7	2.4	1			5/26/2021 15:01	DGS	EPA 8260C
Methyl tert-butyl ether	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Methylene chloride	0.45	ug/L	0.4 *	1.5	1			5/26/2021 15:01	DGS	EPA 8260C
n-Butylbenzene	<0.29	ug/L	0.29	0.98	1			5/26/2021 15:01	DGS	EPA 8260C
n-Propylbenzene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1009021 Sample Description: TRIP BLANK License/Well #: 01953/999 Sampled: 5/18/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.30	ug/L	0.30	1.0	1			5/26/2021 15:01	DGS	EPA 8260C
o-Xylene	<0.26	ug/L	0.26	0.88	1			5/26/2021 15:01	DGS	EPA 8260C
p-Isopropyltoluene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
sec-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
Styrene	<0.29	ug/L	0.29	0.95	1			5/26/2021 15:01	DGS	EPA 8260C
tert-Butylbenzene	<0.4	ug/L	0.4	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
Tetrachloroethene	<0.27	ug/L	0.27	0.89	1			5/26/2021 15:01	DGS	EPA 8260C
Tetrahydrofuran	<3.0	ug/L	3.0	10	1			5/26/2021 15:01	DGS	EPA 8260C
Toluene	<0.21	ug/L	0.21	0.69	1			5/26/2021 15:01	DGS	EPA 8260C
trans-1,2-Dichloroethene	<0.3	ug/L	0.3	1.2	1			5/26/2021 15:01	DGS	EPA 8260C
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	0.77	1			5/26/2021 15:01	DGS	EPA 8260C
Trichloroethene	<0.3	ug/L	0.3	1.1	1			5/26/2021 15:01	DGS	EPA 8260C
Trichlorofluoromethane	<0.4	ug/L	0.4	1.4	1			5/26/2021 15:01	DGS	EPA 8260C
Vinyl acetate	<5.0	ug/L	5.0	17	1			5/26/2021 15:01	DGS	EPA 8260C
Vinyl chloride	<0.14	ug/L	0.14	0.46	1			5/26/2021 15:01	DGS	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			5/26/2021 15:01	DGS	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			5/26/2021 15:01	DGS	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			5/26/2021 15:01	DGS	EPA 8260C
Dibromofluoromethane	101	% Recovery	90.0	110	1			5/26/2021 15:01	DGS	EPA 8260C

CT LAB#: 1027741	Sample Description: P-1S	License/Well #: 01953/172	Sampled: 5/10/2021 13:35
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	921.55	Feet MSL			1			5/10/2021 13:35	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1027742	Sample Description: P-3S	License/Well #: 01953/143	Sampled: 5/10/2021 13:00
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	926.80	Feet MSL			1			5/10/2021 13:00	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1027743	Sample Description: P-4S	License/Well #: 01953/173	Sampled: 5/10/2021 12:55
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	924.27	Feet MSL			1			5/10/2021 12:55	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1027744	Sample Description: P-26D	License/Well #: 01953/120	Sampled: 5/10/2021 08:35
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	932.25	Feet MSL			1			5/10/2021 08:35	SUB	FIELD

CT LAB#: 1027745	Sample Description: P-30S	License/Well #: 01953/144	Sampled: 5/10/2021 10:05
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	914.43	Feet MSL			1		5/10/2021 10:05		SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	-----------------	--	-----	-------

CT LAB#: 1027746	Sample Description: P-33S	License/Well #: 01953/151	Sampled: 5/10/2021 11:42
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	924.96	Feet MSL			1			5/10/2021 11:42	SUB	FIELD

CT LAB#: 1027747	Sample Description: P-35S	License/Well #: 01953/156	Sampled: 5/10/2021 08:46
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	928.48	Feet MSL			1			5/10/2021 08:46	SUB	FIELD

CT LAB#: 1027748	Sample Description: P-35D	License/Well #: 01953/155	Sampled: 5/10/2021 08:45
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	926.41	Feet MSL			1			5/10/2021 08:45	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1027749	Sample Description: P-38S	License/Well #: 01953/159	Sampled: 5/10/2021 10:30
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	916.58	Feet MSL			1			5/10/2021 10:30	SUB	FIELD

CT LAB#: 1027750	Sample Description: P-39S	License/Well #: 01953/160	Sampled: 5/10/2021 10:20
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	913.99	Feet MSL			1			5/10/2021 10:20	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1027751	Sample Description: P-40S	License/Well #: 01953/163	Sampled: 5/10/2021 15:30
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	913.31	Feet MSL			1			5/10/2021 15:30	SUB	FIELD

CT LAB#: 1027752	Sample Description: P-41S	License/Well #: 01953/164	Sampled: 5/10/2021 09:25
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	915.99	Feet MSL			1			5/10/2021 09:25	SUB	FIELD

CT LAB#: 1027753	Sample Description: P-42S	License/Well #: 01953/166	Sampled: 5/10/2021 09:15
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	908.88	Feet MSL			1			5/10/2021 09:15	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# ACC20190002
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01
 GA EPD Stipulation ID ACC20190002

Preventative Action Limit (PAL) Exceedances

07/20/2021

Location/Landfill: REFUSE HIDEAWAY LANDFILL

License #: 01953

Page 1 of 2

Well Description: DUP-06-202105		Well #: 114		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
1,2-Dichloroethane	32103	0.53	0.5	5	0.24	ug/L	
Benzene	34030	0.92	0.50	5.00	0.4	ug/L	
Tetrahydrofuran	81607	51	10.00	50.00	3.0	ug/L	
Vinyl chloride	39175	0.48	0.02	0.20	0.14	ug/L	

Well Description: P-16D-202105		Well #: 127		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Benzene	34030	2.0	0.50	5.00	0.4	ug/L	
Tetrahydrofuran	81607	67	10.00	50.00	3.0	ug/L	
Trichloroethene	39180	0.61	0.5	5	0.3	ug/L	
Vinyl chloride	39175	0.30	0.02	0.20	0.14	ug/L	

Well Description: P-17S-202105		Well #: 128		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.3	0.5	5	0.27	ug/L	

Well Description: P-18S-202105		Well #: 129		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	8.0	0.5	5	0.27	ug/L	
Trichloroethene	39180	0.69	0.5	5	0.3	ug/L	

Well Description: P-21BR-202105		Well #: 134		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
cis-1,2-Dichloroethene	77093	8.0	7.00	70.00	0.3	ug/L	
Trichloroethene	39180	4.0	0.5	5	0.3	ug/L	
Vinyl chloride	39175	1.9	0.02	0.20	0.14	ug/L	

Well Description: P-21D-202105		Well #: 113		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Benzene	34030	3.3	0.50	5.00	0.4	ug/L	
Tetrahydrofuran	81607	200	10.00	50.00	3.0	ug/L	
Vinyl chloride	39175	1.5	0.02	0.20	0.14	ug/L	

Well Description: P-23D-202105		Well #: 138		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	0.53	0.5	5	0.27	ug/L	

Well Description: P-23S-202105		Well #: 137		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	

Preventative Action Limit (PAL) Exceedances

07/20/2021

Location/Landfill: REFUSE HIDEAWAY LANDFILL

License #: 01953

Page 2 of 2

Well Description: P-23S-202105		Well #: 137		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.8	0.5	5	0.27	ug/L	

Well Description: P-24D-202105		Well #: 115		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Vinyl chloride	39175	0.59	0.02	0.20	0.14	ug/L	

Well Description: P-24E-202105		Well #: 116		Sample Date		05/20/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Vinyl chloride	39175	2.7	0.02	0.20	0.14	ug/L	

Well Description: P-8D-202105		Well #: 114		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
1,2-Dichloroethane	32103	0.57	0.5	5	0.24	ug/L	
Benzene	34030	0.83	0.50	5.00	0.4	ug/L	
Tetrahydrofuran	81607	51	10.00	50.00	3.0	ug/L	
Vinyl chloride	39175	0.44	0.02	0.20	0.14	ug/L	

Well Description: P-8S-202105		Well #: 125		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Benzene	34030	0.78	0.50	5.00	0.4	ug/L	
cis-1,2-Dichloroethene	77093	13	7.00	70.00	0.3	ug/L	
Tetrachloroethene	34475	0.94	0.5	5	0.27	ug/L	
Tetrahydrofuran	81607	120	10.00	50.00	3.0	ug/L	
Trichloroethene	39180	1.7	0.5	5	0.3	ug/L	
Vinyl chloride	39175	2.5	0.02	0.20	0.14	ug/L	

Well Description: P-9D-202105		Well #: 140		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Benzene	34030	2.9	0.50	5.00	0.4	ug/L	
Tetrahydrofuran	81607	78	10.00	50.00	3.0	ug/L	

Well Description: P-9S-202105		Well #: 139		Sample Date		05/19/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Benzene	34030	0.95	0.50	5.00	0.4	ug/L	
Tetrachloroethene	34475	2.1	0.5	5	0.27	ug/L	
Tetrahydrofuran	81607	170	10.00	50.00	3.0	ug/L	
Vinyl chloride	39175	0.52	0.02	0.20	0.14	ug/L	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		07/20/2021	
Sample Date		Sample ID							
05/10/2021	Groundwater Elevation	P-1S 921.55	P-26D 932.25	P-30S 914.43	P-33S 924.96	P-35D 926.41	P-35S 928.48		

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		07/20/2021	
Sample Date		Sample ID							
05/19/2021	Color (Field)	P-16D-202105 NONE	P-16S-202105 NONE	P-21BR-202105 NONE	P-21D-202105 NONE	P-21S-202105 NONE	P-8D-202105 NONE		
	Conductivity (Field)	2956.5		992.7	7769.0	1368.3	2315.3		
	Groundwater Elevation	925.11	923.91	924.07	925.42	926.41	925.89		
	Odor (Field)	NONE	NONE	SULFUR	NONE	NONE	NONE		
	pH (Field)	6.88		7.43	6.64	7.13	6.92		
	Temperature (Field)	13.04		12.82	13.09	13.04	11.79		
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE		

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		07/20/2021	
Sample Date		Sample ID							
05/20/2021	Color (Field)	P-17S-202105 NONE	P-18S-202105 NONE	P-23D-202105 NONE	P-23S-202105 NONE	P-24D-202105 NONE	P-24E-202105 NONE		
	Conductivity (Field)	1122.0	746.1	586.7	642.2	664.3	687.1		
	Groundwater Elevation	936.47	927.68	926.99	926.92				
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE		
	pH (Field)	6.80	7.34	7.40	6.97	7.03	7.02		
	Temperature (Field)	12.67	13.72	14.22	15.56	13.02	14.52		
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE		

05/10/2021	Groundwater Elevation	P-38S 916.58	P-39S 913.99	P-3S 926.80	P-40S 913.31	P-41S 915.99	P-42S 908.88
-------------------	-----------------------	-----------------	-----------------	----------------	-----------------	-----------------	-----------------

05/19/2021	Color (Field)	P-8S-202105 NONE	P-9D-202105 NONE	P-9S-202105 NONE
	Conductivity (Field)	2523.1	2509.9	3802.6
	Groundwater Elevation	925.91		926.25
	Odor (Field)	NONE	NONE	NONE
	pH (Field)	6.63	6.73	6.58
	Temperature (Field)	11.83	13.45	12.21
	Turbidity (Field)	NONE	NONE	NONE

05/10/2021	Groundwater Elevation	P-4S 924.27
-------------------	-----------------------	----------------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 1 of 40

Well Description: P-21D-202105

Well #: 113

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	2.9	3.3	2.8
1,2-Dichloroethane	0.27	0.34	
1,2-Dichloropropane	0.41	0.44	
Benzene	3.3	3.8	4.6
Chlorobenzene	1.1	0.98	0.97
Chloroethane	0.51		
cis-1,2-Dichloroethene	1.6	6.1	9.1
Dichlorodifluoromethane	1.1	1.2	
Diisopropyl ether		0.57	0.57
Isopropylbenzene	0.64	0.55	
Methyl tert-butyl ether	0.92	1.1	1.0
Tetrahydrofuran	200	210	210
Toluene	0.26	0.22	
trans-1,2-Dichloroethene	0.80	0.55	
Vinyl chloride	1.5	3.7	3.9

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 2 of 40

Well Description: P-8D-202105

Well #: 114

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	2.6	2.1	1.4
1,2-Dichloroethane	0.53	0.72	0.65
1,4-Dichlorobenzene			2.0
Benzene	0.83	0.48	1.4
Chlorobenzene			7.4
Chloroethane	1.2	0.93	
cis-1,2-Dichloroethene	0.79	0.58	1.3
Dichlorodifluoromethane		2.1	0.60
Isopropylbenzene			0.78
Methyl tert-butyl ether	0.36	0.33	
Tetrahydrofuran	51	23	30
trans-1,2-Dichloroethene	0.72	0.58	
Trichloroethene	0.30	0.41	0.35
Vinyl chloride	0.44	0.29	0.37

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 3 of 40

Well Description: P-24D-202105 **Well #:** 115

Parameter Sample Date
 5/20/2021 5/13/2020 5/14/2019

cis-1,2-Dichloroethene	0.65	0.88	2.9
Dichlorodifluoromethane	0.68	1.3	1.8
Vinyl chloride	0.59	1.0	5.6

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 4 of 40

Well Description: P-24E-202105

Well #: 116

Parameter	Sample Date		
	5/20/2021	5/13/2020	5/14/2019

cis-1,2-Dichloroethene	2.4	2.1	2.7
Dichlorodifluoromethane		0.87	0.44
Methylene chloride			0.86
Naphthalene		0.34	
Vinyl chloride	2.7	3.3	3.4

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 5 of 40

Well Description: P-25D

Well #: 118

Parameter	Sample Date		
	5/13/2020	11/8/2019	5/15/2019

1,1-Dichloroethane			0.30
cis-1,2-Dichloroethene			0.76
Tetrahydrofuran			4.8
Trichloroethene		0.31	0.43
Vinyl chloride	0.15	0.31	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 6 of 40

Well Description: P-25BR-202105

Well #: 119

Parameter	Sample Date				
	5/13/2021	11/5/2020	5/13/2020	11/8/2019	5/15/2019
Dichlorodifluoromethane	0.69		0.73	0.92	0.64
Tetrachloroethene	1.7	1.7	1.4	1.8	1.9
Trichlorofluoromethane					0.46

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 7 of 40

Well Description: DUP-04-202105

Well #: 121

Parameter	Sample Date			
	5/14/2021	11/5/2020	5/8/2020	5/16/2019
Dichlorodifluoromethane	0.45		0.41	0.45
Tetrachloroethene	3.1	2.5	2.5	3.0
Trichloroethene	0.35			0.36
Trichlorofluoromethane				0.46

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 8 of 40

Well Description: P-27D-202105 **Well #:** 122

Parameter Sample Date
 5/14/2021 11/5/2020 5/8/2020

1,1-Dichloroethane	0.91	0.62	0.82
cis-1,2-Dichloroethene	1.6	1.1	1.5
Dichlorodifluoromethane	2.5	1.4	2.3
Tetrachloroethene	16	9.9	13
Trichloroethene	2.9	1.8	2.6
Trichlorofluoromethane	0.98	0.57	0.84

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 9 of 40

Well Description: P-28S-202105 **Well #:** 123

Parameter Sample Date
 5/14/2021 5/8/2020 5/31/2019

Tetrachloroethene	1.7	1.8	1.2
-------------------	-----	-----	-----

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 10 of 40

Well Description: P-8S-202105

Well #: 125

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	1.1	2.0	1.3
1,2-Dichloroethane		0.42	
1,2-Dichloropropane	0.20	0.42	
1,4-Dichlorobenzene	2.2	2.1	0.71
Benzene	0.78	1.2	1.6
Chlorobenzene	7.1	7.5	9.4
Chloroethane	0.90	0.85	1.1
cis-1,2-Dichloroethene	13	16	7.8
Dichlorodifluoromethane	1.2	1.7	0.47
Diisopropyl ether			0.32
Isopropylbenzene	0.84	0.59	0.82
Methyl tert-butyl ether	0.38	0.55	0.45
Tetrachloroethene	0.94	0.92	0.66
Tetrahydrofuran	120	91	69
trans-1,2-Dichloroethene	1.1	1.8	1.0
Trichloroethene	1.7	1.6	1.2
Vinyl chloride	2.5	3.4	1.1

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 11 of 40

Well Description: P-8BR

Well #: 126

Parameter

Sample Date

5/23/2019

1,1-Dichloroethane	0.31
Benzene	0.38
cis-1,2-Dichloroethene	1.6
Trichloroethene	2.0

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 12 of 40

Well Description: P-16D-202105

Well #: 127

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019

1,1-Dichloroethane	1.7	1.6	1.2
1,2-Dichloropropane	0.42	0.30	
Benzene	2.0	1.0	1.3
cis-1,2-Dichloroethene	0.51	0.47	
Methyl tert-butyl ether	0.54	0.46	0.39
Methylene chloride			0.64
Tetrahydrofuran	67	68	51
trans-1,2-Dichloroethene	0.32		
Trichloroethene	0.61	0.53	0.50
Vinyl chloride	0.30	0.29	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 13 of 40

Well Description: P-17S-202105

Well #: 128

Parameter	Sample Date				
	5/20/2021	11/5/2020	5/12/2020	11/6/2019	5/28/2019
cis-1,2-Dichloroethene	0.75	0.54	0.51	0.55	0.49
Dichlorodifluoromethane				0.44	
Tetrachloroethene	2.3	2.1	2.0	1.9	1.1
Tetrahydrofuran					4.2
Trichloroethene	0.40		0.39		

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 14 of 40

Well Description: P-18S-202105

Well #: 129

Parameter	Sample Date				
	5/20/2021	11/6/2020	5/12/2020	11/7/2019	5/23/2019
cis-1,2-Dichloroethene	0.31			0.52	0.41
Dichlorodifluoromethane	0.81	0.71	0.84	1.4	1.1
Tetrachloroethene	8.0	7.4	7.9	9.1	7.4
Trichloroethene	0.69	0.68	0.61	0.86	0.89
Trichlorofluoromethane					0.30

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 15 of 40

Well Description: P-21BR-202105 **Well #:** 134

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	0.60	0.89	0.87
1,2-Dichloroethane		0.29	0.38
1,2-Dichloropropane	0.24	0.29	0.43
Benzene			0.47
cis-1,2-Dichloroethene	8.0	12	12
Dichlorodifluoromethane	1.2	1.5	1.4
Tetrahydrofuran	5.4	6.2	5.7
trans-1,2-Dichloroethene	0.49	0.74	
Trichloroethene	4.0	5.5	5.3
Vinyl chloride	1.9	2.8	3.0

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 16 of 40

Well Description: P-22S **Well #:** 135

Parameter Sample Date
5/22/2020 12/5/2019

cis-1,2-Dichloroethene		0.41
Dichlorodifluoromethane		0.53
Naphthalene	0.38	0.37
Tetrachloroethene	0.42	1.4
Trichloroethene		0.46

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 17 of 40

Well Description: P-22D-202105 **Well #:** 136

Parameter	Sample Date				
	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019
cis-1,2-Dichloroethene	1.5	1.7	1.7	1.4	1.4
Dichlorodifluoromethane	0.96	0.70	0.83	0.66	
Naphthalene				0.41	
Tetrachloroethene	2.4	2.2	2.0	2.3	1.7
Trichloroethene	0.64	0.60	0.57	0.73	0.47

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 18 of 40

Well Description: P-23S-202105

Well #: 137

Parameter	Sample Date				
	5/20/2021	11/9/2020	5/13/2020	11/11/2019	5/13/2019

Dichlorodifluoromethane	0.73		0.99	0.94	0.80
Tetrachloroethene	1.8	2.1	2.2	2.5	3.0
Trichlorofluoromethane					0.45

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 19 of 40

Well Description: P-23D-202105

Well #: 138

Parameter	Sample Date			
	5/20/2021	11/9/2020	5/13/2020	11/11/2019
Tetrachloroethene	0.53	0.62	0.48	0.48

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 20 of 40

Well Description: P-9S-202105

Well #: 139

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	1.0	0.87	0.44
1,2-Dichloroethane	0.26	0.28	
Benzene	0.95	0.73	1.3
Chlorobenzene	0.40	0.70	0.94
Chloroethane	0.56		
cis-1,2-Dichloroethene	0.96	0.74	
Diisopropyl ether	0.50	0.52	0.41
Methyl tert-butyl ether	0.71	0.80	0.56
Tetrachloroethene	2.1	1.9	1.0
Tetrahydrofuran	170	200	140
trans-1,2-Dichloroethene	0.45	0.37	
Trichloroethene	0.34	0.37	0.48
Vinyl chloride	0.52	0.74	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 21 of 40

Well Description: P-9D-202105

Well #: 140

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	3.2	3.2	2.7
1,2-Dichloropropane		0.51	1.3
Benzene	2.9	2.3	2.9
Chloroethane	0.54		
Dichlorodifluoromethane	1.0	1.2	0.71
Diisopropyl ether			0.36
Methyl tert-butyl ether	0.44	0.33	0.41
Tetrahydrofuran	78	51	88
trans-1,2-Dichloroethene	0.94	2.1	2.1
Trichloroethene			0.36
Vinyl chloride		0.43	0.59

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 22 of 40

Well Description: P-26S

Well #: 141

Parameter	Sample Date		
	5/14/2021	11/5/2020	5/8/2020

cis-1,2-Dichloroethene			0.34
Dichlorodifluoromethane	2.3	1.7	2.3
Tetrachloroethene	8.5	8.9	9.8
Trichloroethene	0.72	0.81	0.82
Trichlorofluoromethane	0.53	0.48	0.50

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 23 of 40

Well Description: P-31D **Well #:** 145

Parameter Sample Date
 11/6/2019 5/14/2019

cis-1,2-Dichloroethene	0.47	
Methylene chloride		0.86
Tetrachloroethene	2.1	
Trichloroethene	0.32	

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 24 of 40

Well Description: P-31/A

Well #: 146

Parameter	Sample Date			
	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane		0.31		
cis-1,2-Dichloroethene	0.80	0.95	1.0	1.3
Dichlorodifluoromethane	0.65	0.82	0.88	0.93
Tetrachloroethene	1.2	0.81	1.8	3.6
Trichloroethene	0.67	0.75	0.69	0.98

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 25 of 40

Well Description: DUP-02-202105

Well #: 147

Parameter	Sample Date			
	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane	0.31	0.33		0.32
cis-1,2-Dichloroethene	1.0	1.2	1.4	1.3
Dichlorodifluoromethane	0.82	0.89	1.2	0.95
Tetrachloroethene	1.5	1.8	3.6	3.7
Trichloroethene	0.86	0.94	1.2	0.99

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 26 of 40

Well Description: P-34S-202105 **Well #:** 154

Parameter Sample Date
 5/14/2021 5/7/2020

Dichlorodifluoromethane	0.61	0.76
-------------------------	------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 27 of 40

Well Description: P-40D-202105 **Well #:** 161

Parameter Sample Date
 5/13/2021 5/7/2020 12/2/2019

Tetrachloroethene	0.35	0.51	0.54
-------------------	------	------	------

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 28 of 40

Well Description: P-40I-202105

Well #: 162

Parameter	Sample Date				
	5/13/2021	11/4/2020	5/7/2020	12/2/2019	5/15/2019
cis-1,2-Dichloroethene	0.92	0.81	0.77	0.82	1.2
Dichlorodifluoromethane	0.71		0.65	0.72	0.78
Tetrachloroethene	2.5	2.1	1.9	2.4	3.2
Trichloroethene	0.60	0.48	0.50	0.55	0.68
Trichlorofluoromethane					0.54

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 29 of 40

Well Description: P-20SR-202105

Well #: 167

Parameter	Sample Date				
	5/18/2021	11/9/2020	5/13/2020	11/8/2019	5/13/2019
Dichlorodifluoromethane	0.70	0.67	0.80	0.71	0.66
Tetrachloroethene	1.4	1.5	1.8	1.1	1.5
Trichlorofluoromethane					0.45

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 30 of 40

Well Description: P-29S-202105 **Well #:** 168

Parameter Sample Date
 5/14/2021 5/11/2020

Dichlorodifluoromethane	1.00	1.0
Naphthalene		0.47
Tetrachloroethene	0.59	0.54

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 31 of 40

Well Description: P-22E-202105

Well #: 174

Parameter	Sample Date				
	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019
1,1-Dichloroethane	0.88	0.60	0.71	0.80	0.57
cis-1,2-Dichloroethene	5.5	4.2	4.7	4.8	3.7
Dichlorodifluoromethane	3.4	1.9	2.8	3.3	2.0
Naphthalene			0.52	0.45	
Tetrachloroethene	15	6.3	6.7	12	11
Trichloroethene	2.6	1.6	1.6	2.2	1.7
Trichlorofluoromethane	0.88	0.54	0.65	0.89	0.76

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 34 of 40

Well Description: P-43D-202105

Well #: 177

Parameter	Sample Date			
	5/17/2021	11/6/2020	5/11/2020	12/4/2019
Naphthalene	0.34	0.35	0.84	1.4

Summary of Detected Organic Compounds

07/20/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 40 of 40

Well Description: TRIP BLANK **Well #:** 999

Parameter	Sample Date								
	5/18/2021	5/12/2021	5/11/2021	11/3/2020	11/2/2020	5/22/2020	5/13/2020	5/6/2020	11/5/2019
Methylene chloride	0.45	0.54	0.43	0.53	0.47	1.4	0.83	1.2	0.33

10/1/2019 5/17/2019

0.77	3.6
------	-----

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-21D	Well ID #:	113	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	BROWN
			05/14/2020	YELLOW
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	6245
			05/14/2020	7153.4
			05/19/2021	7769.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.58
			05/30/2019	926.67
			11/04/2019	928.62
			05/05/2020	926.92
			05/14/2020	926.92
			11/04/2020	926.64
			05/19/2021	925.42
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/30/2019	6.21
			05/14/2020	6.44
			05/19/2021	6.64
Temperature (Field)	00010	Deg. C		
			05/30/2019	16.09
			05/14/2020	11.62
			05/19/2021	13.09
Turbidity (Field)	00003			
			05/30/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8D Well ID #: 114

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	1596
			05/14/2020	2225.6
			05/19/2021	2315.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.30
			05/13/2019	927.3
			11/04/2019	927.44
			05/05/2020	926.84
			05/14/2020	926.84
			11/03/2020	926.96
			05/19/2021	925.89
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.43
			05/14/2020	6.78
			05/19/2021	6.92
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.02
			05/14/2020	10.40
			05/19/2021	11.79
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24D Well ID #: 115

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	WHITE
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	679
			05/13/2020	689.1
			05/20/2021	664.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.75
			05/14/2019	925.05
			11/04/2019	927.25
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.13
			05/13/2020	7.11
			05/20/2021	7.03
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.45
			05/13/2020	11.04
			05/20/2021	13.02
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24E Well ID #: 116

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	693.9
			05/13/2020	706.1
			05/20/2021	687.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.39
			05/14/2019	927.39
			11/04/2019	927.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.97
			05/13/2020	7.11
			05/20/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.48
			05/13/2020	13.08
			05/20/2021	14.52
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25S Well ID #: 117

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	639.9
			05/13/2020	669.0
			05/13/2021	765.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.46
			05/15/2019	928.46
			11/04/2019	929.10
			05/05/2020	927.56
			05/13/2020	927.56
			11/03/2020	927.00
			05/13/2021	925.16
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			05/13/2020	6.56
			05/13/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.48
			05/13/2020	10.35
			05/13/2021	12.40
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-25D	Well ID #:	118	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	965.0
			11/08/2019	847.8
			05/13/2020	841.3
			11/05/2020	797.0
			05/13/2021	712.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.48
			05/15/2019	925.48
			11/04/2019	926.09
			11/08/2019	926.13
			05/05/2020	924.29
			05/13/2020	924.29
			11/05/2020	923.68
			05/13/2021	921.17
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.39
			11/08/2019	6.99
			05/13/2020	7.05
			11/05/2020	6.97
			05/13/2021	7.17
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.23
			11/08/2019	9.44
			05/13/2020	11.96
			11/05/2020	12.50
			05/13/2021	12.44
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25BR Well ID #: 119

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	635.5
			11/08/2019	666.5
			05/13/2020	669.1
			11/05/2020	659.9
			05/13/2021	651.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.88
			05/15/2019	925.88
			11/04/2019	926.76
			11/08/2019	918.44
			05/05/2020	924.71
			05/13/2020	924.71
			11/05/2020	924.19
			05/13/2021	921.63
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.05
			11/08/2019	7.06
			05/13/2020	7.29
			11/05/2020	7.22
			05/13/2021	7.22
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.20
			11/08/2019	11.01
			05/13/2020	11.64
			11/05/2020	12.00
			05/13/2021	12.98
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-26D **Well ID #:** 120

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.29
			11/04/2019	938.49
			05/05/2020	936.40
			11/03/2020	936.65
			05/10/2021	932.25

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-27S	Well ID #:	121	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	GRAY
			05/08/2020	WHITE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	890.6
			05/08/2020	962.6
			11/05/2020	924.7
			05/14/2021	954.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.54
			05/16/2019	928.54
			11/04/2019	930.21
			05/05/2020	927.99
			05/08/2020	927.99
			11/05/2020	927.81
			05/14/2021	925.05
Odor (Field)	00001			
			05/16/2019	NONE
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.55
			05/08/2020	6.90
			11/05/2020	6.79
			05/14/2021	6.91
Temperature (Field)	00010	Deg. C		
			05/16/2019	16.52
			05/08/2020	10.26
			11/05/2020	11.05
			05/14/2021	11.18
Turbidity (Field)	00003			
			05/16/2019	MODERATE
			05/08/2020	SLIGHT
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-27D Well ID #: 122

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	909.8
			11/05/2020	876.6
			05/14/2021	914.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/16/2019	928.33
			11/04/2019	930.03
			05/05/2020	927.90
			05/08/2020	927.90
			11/05/2020	927.60
			05/14/2021	924.63
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	6.98
			11/05/2020	6.78
			05/14/2021	7.03
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.59
			11/05/2020	11.47
			05/14/2021	11.88
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-28S Well ID #: 123

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	701.2
			05/08/2020	657.5
			05/14/2021	690.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.69
			05/31/2019	937.28
			11/04/2019	938.74
			05/05/2020	935.70
			05/08/2020	935.70
			11/03/2020	936.92
			05/14/2021	929.90
Odor (Field)	00001			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.16
			05/08/2020	7.27
			05/14/2021	7.22
Temperature (Field)	00010	Deg. C		
			05/31/2019	11.41
			05/08/2020	9.70
			05/14/2021	12.32
Turbidity (Field)	00003			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8S Well ID #: 125

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	2080
			05/14/2020	2293.8
			05/19/2021	2523.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.09
			05/13/2019	927.09
			11/04/2019	927.34
			05/05/2020	926.71
			05/14/2020	926.71
			11/03/2020	926.58
			05/19/2021	925.91
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.25
			05/14/2020	6.27
			05/19/2021	6.63
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.56
			05/14/2020	9.84
			05/19/2021	11.83
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8BR Well ID #: 126

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	877
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	929.52
			05/23/2019	929.52
			11/04/2019	929.52
Odor (Field)	00001			
			05/23/2019	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.21
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.42
Turbidity (Field)	00003			
			05/23/2019	SLIGHT

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16D Well ID #: 127

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	BROWN
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2596
			05/14/2020	3067.0
			05/19/2021	2956.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.59
			05/14/2019	928.66
			11/04/2019	929.09
			05/05/2020	927.53
			05/14/2020	927.53
			11/04/2020	926.94
			05/19/2021	925.11
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.70
			05/19/2021	6.88
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.35
			05/14/2020	13.63
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-17S	Well ID #:	128	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/28/2019	1140
			11/06/2019	1089.3
			05/12/2020	1127.2
			11/05/2020	1088.5
			05/20/2021	1122.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/28/2019	937.12
			11/04/2019	937.99
			11/06/2019	937.82
			05/05/2020	936.81
			05/12/2020	936.81
			11/05/2020	936.73
			05/20/2021	936.47
Odor (Field)	00001			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/28/2019	7.33
			11/06/2019	6.61
			05/12/2020	6.75
			11/05/2020	6.57
			05/20/2021	6.80
Temperature (Field)	00010	Deg. C		
			05/28/2019	13.37
			11/06/2019	10.35
			05/12/2020	11.71
			11/05/2020	12.40
			05/20/2021	12.67
Turbidity (Field)	00003			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-18S Well ID #: 129

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	608
			11/07/2019	733.5
			05/12/2020	760.0
			11/06/2020	759.2
			05/20/2021	746.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.68
			05/23/2019	931.65
			11/04/2019	932.63
			11/07/2019	932.63
			05/05/2020	930.76
			05/12/2020	930.76
			11/06/2020	930.50
			05/20/2021	927.68
Odor (Field)	00001			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.48
			11/07/2019	7.17
			05/12/2020	7.28
			11/06/2020	7.14
			05/20/2021	7.34
Temperature (Field)	00010	Deg. C		
			05/23/2019	16.56
			11/07/2019	10.69
			05/12/2020	11.75
			11/06/2020	13.77
			05/20/2021	13.72
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21S Well ID #: 133

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	1152
			05/14/2020	1328.9
			05/19/2021	1368.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.59
			05/14/2019	929.65
			11/04/2019	930.08
			05/05/2020	928.03
			05/14/2020	928.03
			11/03/2020	927.71
			05/19/2021	926.41
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.01
			05/14/2020	6.95
			05/19/2021	7.13
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.49
			05/14/2020	10.41
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21BR Well ID #: 134

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	1215
			05/14/2020	1158.8
			05/19/2021	992.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.97
			05/30/2019	929.52
			11/04/2019	929.90
			05/05/2020	927.26
			05/14/2020	927.26
			11/04/2020	927.80
			05/19/2021	924.07
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	SULFUR
pH (Field)	00400	S.U.		
			05/30/2019	6.52
			05/14/2020	6.38
			05/19/2021	7.43
Temperature (Field)	00010	Deg. C		
			05/30/2019	11.89
			05/14/2020	11.80
			05/19/2021	12.82
Turbidity (Field)	00003			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-22S	Well ID #:	135	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	GRAY
			05/22/2020	BROWN
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	512
			12/05/2019	664.1
			05/22/2020	677.0
			11/06/2020	649.7
			05/17/2021	626.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	923.04
			05/23/2019	923.09
			11/04/2019	924.31
			12/05/2019	923.08
			05/05/2020	922.38
			05/22/2020	922.38
			11/06/2020	921.52
			05/17/2021	919.11
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	8.16
			12/05/2019	7.40
			05/22/2020	7.18
			11/06/2020	7.28
			05/17/2021	7.55
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.65
			12/05/2019	9.47
			05/22/2020	15.12
			11/06/2020	13.81
			05/17/2021	15.07
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/22/2020	SLIGHT
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22D Well ID #: 136

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	471
			12/05/2019	679.4
			05/11/2020	635.0
			11/06/2020	632.5
			05/17/2021	623.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.68
			05/23/2019	922.76
			11/04/2019	924.01
			12/05/2019	923.73
			05/05/2020	922.06
			05/11/2020	922.06
			11/06/2020	921.38
			05/17/2021	918.88
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.61
			12/05/2019	7.09
			05/11/2020	6.63
			11/06/2020	6.90
			05/17/2021	7.20
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.73
			12/05/2019	9.47
			05/11/2020	10.62
			11/06/2020	11.67
			05/17/2021	11.51
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23S Well ID #: 137

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	693.2
			11/11/2019	772.3
			05/13/2020	697.5
			11/09/2020	682.3
			05/20/2021	642.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/13/2019	930.61
			11/04/2019	931.20
			11/11/2019	931.03
			05/05/2020	929.59
			05/13/2020	929.59
			11/09/2020	929.37
			05/20/2021	926.92
Odor (Field)	00001			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.50
			11/11/2019	6.88
			05/13/2020	7.08
			11/09/2020	6.93
			05/20/2021	6.97
Temperature (Field)	00010	Deg. C		
			05/13/2019	14.96
			11/11/2019	8.91
			05/13/2020	12.15
			11/09/2020	15.07
			05/20/2021	15.56
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23D Well ID #: 138

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	565
			11/11/2019	599.3
			05/13/2020	584.7
			11/09/2020	591.1
			05/20/2021	586.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.55
			05/15/2019	930.55
			11/04/2019	931.30
			11/11/2019	931.11
			05/05/2020	929.67
			05/13/2020	929.67
			11/09/2020	929.44
			05/20/2021	926.99
Odor (Field)	00001			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.22
			11/11/2019	7.00
			05/13/2020	7.32
			11/09/2020	7.08
			05/20/2021	7.40
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.58
			11/11/2019	9.75
			05/13/2020	12.58
			11/09/2020	13.06
			05/20/2021	14.22
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9S Well ID #: 139

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	3719
			05/14/2020	5483.1
			05/19/2021	3802.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.59
			05/14/2019	927.76
			11/04/2019	927.90
			05/05/2020	927.48
			05/14/2020	927.48
			11/03/2020	927.31
			05/19/2021	926.25
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.26
			05/14/2020	6.43
			05/19/2021	6.58
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.41
			05/14/2020	9.98
			05/19/2021	12.21
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9D Well ID #: 140

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2676.9
			05/14/2020	2330.8
			05/19/2021	2509.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/14/2019	928.98
			11/04/2019	929.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.10
			05/19/2021	6.73
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.87
			05/14/2020	11.39
			05/19/2021	13.45
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-26S Well ID #: 141

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	866.0
			11/05/2020	847.0
			05/14/2021	821.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.61
			05/14/2019	938.61
			11/04/2019	939.18
			05/05/2020	937.29
			05/08/2020	937.29
			11/05/2020	936.48
			05/14/2021	934.13
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	7.00
			11/05/2020	6.80
			05/14/2021	7.05
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.03
			11/05/2020	11.12
			05/14/2021	11.70
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16S Well ID #: 142

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	640
			05/14/2020	722.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.05
			05/14/2019	927.94
			11/04/2019	929.60
			05/05/2020	927.20
			05/14/2020	927.20
			11/04/2020	926.64
			05/19/2021	923.91
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.78
			05/14/2020	6.34
Temperature (Field)	00010	Deg. C		
			05/14/2019	12.25
			05/14/2020	10.73
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-3S **Well ID #:** 143

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.52
			11/04/2019	927.83
			05/05/2020	927.93
			11/03/2020	927.83
			05/10/2021	926.80

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-30S **Well ID #:** 144

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.41
			11/04/2019	918.60
			05/05/2020	916.70
			11/03/2020	915.77
			05/10/2021	914.43

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31D Well ID #: 145

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	529.1
			11/06/2019	560.3
			05/15/2020	549.2
			11/09/2020	562.5
			05/12/2021	566.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/14/2019	915.72
			11/04/2019	915.72
			11/06/2019	915.72
Odor (Field)	00001			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.93
			11/06/2019	6.98
			05/15/2020	7.45
			11/09/2020	7.35
			05/12/2021	7.40
Temperature (Field)	00010	Deg. C		
			05/14/2019	14.60
			11/06/2019	9.32
			05/15/2020	11.43
			11/09/2020	11.29
			05/12/2021	11.30
Turbidity (Field)	00003			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31/A Well ID #: 146

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	LT GRAY
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	887.4
			05/15/2020	852.4
			11/09/2020	875.3
			05/12/2021	863.9
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.77
			12/06/2019	916.77
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.37
			05/15/2020	7.14
			11/09/2020	6.94
			05/12/2021	7.05
Temperature (Field)	00010	Deg. C		
			12/06/2019	9.81
			05/15/2020	11.29
			11/09/2020	12.62
			05/12/2021	11.94
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-31/B **Well ID #:** 147

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	885.2
			05/15/2020	856.1
			11/09/2020	881.7
			05/12/2021	884.7
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.49
			12/06/2019	916.49
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.03
			05/15/2020	7.13
			11/09/2020	7.04
			05/12/2021	7.11
Temperature (Field)	00010	Deg. C		
			12/06/2019	10.20
			05/15/2020	11.38
			11/09/2020	11.23
			05/12/2021	10.78
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31S Well ID #: 148

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	444.3
			12/06/2019	479.3
			05/15/2020	427.9
			05/12/2021	417.8
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	912.95
			05/14/2019	912.81
			11/04/2019	913.13
			12/06/2019	912.92
			05/05/2020	912.15
			05/15/2020	912.15
			11/03/2020	912.30
			05/12/2021	911.70
Odor (Field)	00001			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.72
			12/06/2019	7.89
			05/15/2020	8.19
			05/12/2021	8.18
Temperature (Field)	00010	Deg. C		
			05/14/2019	11.47
			12/06/2019	10.31
			05/15/2020	11.56
			05/12/2021	10.09
Turbidity (Field)	00003			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-32D Well ID #: 149

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	538
			05/06/2020	752.3
			05/13/2021	717.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.86
			05/22/2019	927.03
			11/04/2019	927.80
			05/05/2020	926.39
			05/06/2020	926.39
			11/03/2020	925.82
			05/13/2021	923.92
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.41
			05/06/2020	6.86
			05/13/2021	7.25
Temperature (Field)	00010	Deg. C		
			05/22/2019	10.55
			05/06/2020	10.80
			05/13/2021	12.51
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-32S Well ID #: 150

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	755
			05/06/2020	743.8
			05/13/2021	1180.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.76
			05/22/2019	929.02
			11/04/2019	929.80
			05/05/2020	928.24
			05/06/2020	928.24
			11/03/2020	927.69
			05/13/2021	925.84
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.20
			05/06/2020	6.71
			05/13/2021	7.04
Temperature (Field)	00010	Deg. C		
			05/22/2019	12.56
			05/06/2020	12.46
			05/13/2021	12.11
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-33S **Well ID #:** 151

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	GRAY
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	492.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.72
			05/15/2019	925.72
			11/04/2019	925.81
			05/05/2020	925.32
			11/04/2020	925.48
			05/10/2021	924.96
Odor (Field)	00001			
			05/15/2019	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.14
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.12
Turbidity (Field)	00003			
			05/15/2019	MODERATE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-33D Well ID #: 152

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	619
			05/13/2020	634.2
			05/18/2021	489.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.50
			05/15/2019	928.50
			11/04/2019	928.50
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.35
			05/13/2020	6.75
			05/18/2021	7.79
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.08
			05/13/2020	11.79
			05/18/2021	12.90
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34D Well ID #: 153

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	548
			05/07/2020	752.3
			05/14/2021	547.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.39
			06/03/2019	936.65
			11/04/2019	937.72
			05/05/2020	935.95
			05/07/2020	935.95
			11/03/2020	936.07
			05/14/2021	932.34
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.17
			05/07/2020	6.86
			05/14/2021	7.48
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.08
			05/07/2020	10.80
			05/14/2021	11.14
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34S Well ID #: 154

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	628.5
			05/07/2020	632.8
			05/14/2021	545.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	939.29
			06/03/2019	939.49
			11/04/2019	940.34
			05/05/2020	938.98
			05/07/2020	938.98
			11/03/2020	939.39
			05/14/2021	935.58
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.20
			05/07/2020	7.33
			05/14/2021	7.52
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.53
			05/07/2020	11.13
			05/14/2021	11.29
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35D Well ID #: 155

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	598.59
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.67
			05/31/2019	932.24
			11/04/2019	932.92
			05/05/2020	930.53
			11/03/2020	930.39
			05/10/2021	926.41
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.09
Temperature (Field)	00010	Deg. C		
			05/31/2019	10.22
Turbidity (Field)	00003			
			05/31/2019	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35S Well ID #: 156

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	557.36
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	933.08
			05/31/2019	933.67
			11/04/2019	934.17
			05/05/2020	932.14
			11/03/2020	932.26
			05/10/2021	928.48
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.23
Temperature (Field)	00010	Deg. C		
			05/31/2019	12.53
Turbidity (Field)	00003			
			05/31/2019	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36D **Well ID #:** 157

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	924.34
			11/04/2019	924.34

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36S **Well ID #:** 158

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.87
			11/04/2019	922.85

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-38S **Well ID #:** 159

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.57
			11/04/2019	918.37
			05/05/2020	917.12
			11/03/2020	917.18
			05/10/2021	916.58

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-39S **Well ID #:** 160

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.75
			11/04/2019	919.17
			05/05/2020	916.81
			11/03/2020	915.94
			05/10/2021	913.99

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-40D Well ID #: 161

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/02/2019	589.7
			05/07/2020	607.0
			11/04/2020	541.0
			05/13/2021	561.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.50
			05/15/2019	918.62
			11/04/2019	919.74
			12/02/2019	919.27
			05/05/2020	917.44
			05/07/2020	917.44
			11/04/2020	916.64
			05/13/2021	914.59
Odor (Field)	00001			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			12/02/2019	7.18
			05/07/2020	7.24
			11/04/2020	7.25
			05/13/2021	7.27
Temperature (Field)	00010	Deg. C		
			12/02/2019	9.23
			05/07/2020	9.81
			11/04/2020	10.60
			05/13/2021	10.22
Turbidity (Field)	00003			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-401 Well ID #: 162

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	660.8
			12/02/2019	686.6
			05/07/2020	681.7
			11/04/2020	643.3
			05/13/2021	678.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.17
			05/15/2019	919.29
			11/04/2019	920.34
			12/02/2019	919.87
			05/05/2020	918.07
			05/07/2020	918.07
			11/04/2020	917.26
			05/13/2021	915.15
Odor (Field)	00001			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			12/02/2019	7.09
			05/07/2020	6.79
			11/04/2020	7.16
			05/13/2021	7.18
Temperature (Field)	00010	Deg. C		
			05/15/2019	12.16
			12/02/2019	8.71
			05/07/2020	10.17
			11/04/2020	10.55
			05/13/2021	10.44
Turbidity (Field)	00003			
			05/15/2019	SLIGHT
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-40S **Well ID #:** 163

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	916.75
			11/04/2019	917.38
			05/05/2020	915.55
			11/03/2020	914.92
			05/10/2021	913.31

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-41S **Well ID #:** 164

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.89
			11/04/2019	919.95
			05/05/2020	917.94
			11/03/2020	917.09
			05/10/2021	915.99

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-41D	Well ID #:	165	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			05/07/2020	WHITE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	745
			05/07/2020	746.2
			05/13/2021	753.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	914.34
			05/23/2019	914.43
			11/04/2019	915.74
			05/05/2020	914.39
			05/07/2020	914.39
			11/03/2020	913.55
			05/13/2021	911.69
Odor (Field)	00001			
			05/23/2019	SULFUR
			05/07/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.73
			05/07/2020	7.22
			05/13/2021	7.19
Temperature (Field)	00010	Deg. C		
			05/23/2019	9.54
			05/07/2020	10.46
			05/13/2021	11.08
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			05/07/2020	SLIGHT
			05/13/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-42S **Well ID #:** 166

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	911.97
			11/04/2019	912.57
			05/05/2020	911.19
			11/03/2020	910.59
			05/10/2021	908.88

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-20SR Well ID #: 167

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	596.7
			11/08/2019	630.0
			05/13/2020	612.0
			11/09/2020	610.6
			05/18/2021	595.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.89
			05/13/2019	930.89
			11/04/2019	931.67
			11/08/2019	931.57
			05/05/2020	929.95
			05/13/2020	929.95
			11/09/2020	929.91
			05/18/2021	927.59
Odor (Field)	00001			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.55
			11/08/2019	7.22
			05/13/2020	7.36
			11/09/2020	7.19
			05/18/2021	7.52
Temperature (Field)	00010	Deg. C		
			05/13/2019	15.45
			11/08/2019	9.37
			05/13/2020	12.58
			11/09/2020	13.06
			05/18/2021	10.55
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-29S Well ID #: 168

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/11/2020	WHITE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/11/2020	651.1
			05/14/2021	591.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/31/2019	936.25
			11/04/2019	936.79
			05/05/2020	934.69
			05/11/2020	934.69
			11/03/2020	934.88
			05/14/2021	931.07
Odor (Field)	00001			
			05/11/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/11/2020	7.27
			05/14/2021	7.34
Temperature (Field)	00010	Deg. C		
			05/11/2020	11.16
			05/14/2021	11.80
Turbidity (Field)	00003			
			05/11/2020	SLIGHT
			05/14/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-30D Well ID #: 169

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	505.1
			11/13/2019	523.4
			05/07/2020	506.1
			11/04/2020	504.1
			05/12/2021	507.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.08
			05/16/2019	918.28
			11/04/2019	919.47
			11/13/2019	919.23
			05/05/2020	917.13
			05/07/2020	917.13
			11/04/2020	916.26
			05/12/2021	914.31
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.48
			11/13/2019	7.13
			05/07/2020	7.36
			11/04/2020	7.34
			05/12/2021	7.38
Temperature (Field)	00010	Deg. C		
			05/16/2019	15.47
			11/13/2019	9.04
			05/07/2020	10.27
			11/04/2020	9.99
			05/12/2021	9.80
Turbidity (Field)	00003			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-301	Well ID #:	170	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	645.6
			11/13/2019	693.1
			05/07/2020	704.3
			11/04/2020	703.3
			05/12/2021	683.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.01
			05/16/2019	918.23
			11/04/2019	919.18
			11/13/2019	919.20
			05/05/2020	917.03
			05/07/2020	917.03
			11/04/2020	916.18
			05/12/2021	914.21
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.53
			11/13/2019	7.22
			05/07/2020	6.87
			11/04/2020	7.27
			05/12/2021	6.95
Temperature (Field)	00010	Deg. C		
			05/16/2019	13.22
			11/13/2019	8.95
			05/07/2020	10.19
			11/04/2020	9.90
			05/12/2021	9.72
Turbidity (Field)	00003			
			05/16/2019	SLIGHT
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-01D **Well ID #:** 171

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	11/04/2019	926.67

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-1S **Well ID #:** 172

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.38
			11/04/2019	922.51
			05/05/2020	920.62
			11/03/2020	922.47
			05/10/2021	921.55

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-4S **Well ID #:** 173

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.08
			11/04/2019	928.54
			05/05/2020	926.55
			11/03/2020	925.32
			05/10/2021	924.27

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-22E	Well ID #:	174	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	438
			12/05/2019	583.9
			05/11/2020	585.0
			11/06/2020	587.7
			05/17/2021	566.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.77
			05/23/2019	922.83
			11/04/2019	924.04
			12/05/2019	927.73
			05/05/2020	922.01
			05/11/2020	922.01
			11/06/2020	921.35
			05/17/2021	918.83
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.36
			12/05/2019	7.02
			05/11/2020	7.29
			11/06/2020	7.16
			05/17/2021	7.49
Temperature (Field)	00010	Deg. C		
			05/23/2019	11.59
			12/05/2019	9.42
			05/11/2020	10.54
			11/06/2020	14.35
			05/17/2021	11.05
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	
Sample Location:	P-43S	Well ID #:	175	
Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	514
			12/05/2019	670.3
			05/22/2020	685.4
			11/06/2020	680.4
			05/17/2021	641.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.97
			05/22/2019	926.4
			11/04/2019	927.82
			12/05/2019	927.79
			05/05/2020	925.76
			05/22/2020	925.76
			11/06/2020	925.27
			05/17/2021	922.28
Odor (Field)	00001			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.17
			12/05/2019	7.16
			05/22/2020	7.19
			11/06/2020	7.19
			05/17/2021	7.48
Temperature (Field)	00010	Deg. C		
			05/22/2019	13.88
			12/05/2019	8.86
			05/22/2020	11.80
			11/06/2020	10.32
			05/17/2021	10.91
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43I Well ID #: 176

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/04/2019	LT BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	494
			12/04/2019	657.7
			05/11/2020	650.8
			11/06/2020	649.4
			05/17/2021	634.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.32
			05/22/2019	925.76
			11/04/2019	927.93
			12/04/2019	927.72
			05/05/2020	925.65
			05/11/2020	925.65
			11/06/2020	925.17
			05/17/2021	922.17
Odor (Field)	00001			
			05/22/2019	NONE
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.51
			12/04/2019	7.26
			05/11/2020	6.77
			11/06/2020	7.23
			05/17/2021	7.50
Temperature (Field)	00010	Deg. C		
			05/22/2019	11.27
			12/04/2019	9.42
			05/11/2020	11.69
			11/06/2020	12.53
			05/17/2021	11.61
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/04/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE

Selected Indicators - Trends

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43D Well ID #: 177

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/04/2019	BROWN
			05/11/2020	RED/BROWN
			11/06/2020	NONE
			05/17/2021	RED/BROWN
Conductivity (Field)	00094	umhos/cm		
			12/04/2019	652.0
			05/11/2020	670.7
			11/06/2020	676.3
			05/17/2021	627.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	924.71
			05/22/2019	926.17
			11/04/2019	928.01
			12/04/2019	927.90
			05/05/2020	925.78
			05/11/2020	925.78
			11/06/2020	925.30
			05/17/2021	922.28
Odor (Field)	00001			
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
pH (Field)	00400	S.U.		
			12/04/2019	7.31
			05/11/2020	7.28
			11/06/2020	7.23
			05/17/2021	7.43
Temperature (Field)	00010	Deg. C		
			12/04/2019	9.23
			05/11/2020	9.91
			11/06/2020	10.08
			05/17/2021	10.47
Turbidity (Field)	00003			
			12/04/2019	VERY
			05/11/2020	VERY
			11/06/2020	NONE
			05/17/2021	MODERATE

QC SUMMARY REPORT

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LANDFILL

SDG #: 0

Folder #: 161988

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1010416	Analysis Time:	13:01	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.21	ug/L			10.0	92.1	86 --- 112		20
1,1,1-Trichloroethane	10.8	ug/L			10.0	108	88 --- 120		20
1,1,2,2-Tetrachloroethane	9.24	ug/L			10.0	92.4	83 --- 116		20
1,1,2-Trichloroethane	10.5	ug/L			10.0	105	86 --- 115		20
1,1-Dichloroethane	10.1	ug/L			10.0	101	86 --- 117		20
1,1-Dichloroethene	10.5	ug/L			10.0	105	86 --- 119		20
1,1-Dichloropropene	10.0	ug/L			10.0	100	87 --- 117		20
1,2 Dichloroethane-d4	101	% Recovery			100	101	90 --- 111		
1,2,3-Trichlorobenzene	9.14	ug/L			10.0	91.4	81 --- 114		20
1,2,3-Trichloropropane	9.18	ug/L			10.0	91.8	77 --- 120		20
1,2,4-Trichlorobenzene	9.36	ug/L			10.0	93.6	80 --- 116		20
1,2,4-Trimethylbenzene	9.32	ug/L			10.0	93.2	91 --- 118		20
1,2-Dibromo-3-chloropropane	9.00	ug/L			10.0	90.0	68 --- 122		20
1,2-Dibromoethane	9.62	ug/L			10.0	96.2	87 --- 113		20
1,2-Dichlorobenzene	8.97	ug/L			10.0	89.7	88 --- 113		20
1,2-Dichloroethane	9.84	ug/L			10.0	98.4	84 --- 120		20
1,2-Dichloropropane	9.96	ug/L			10.0	99.6	85 --- 116		20
1,3,5-Trimethylbenzene	9.46	ug/L			10.0	94.6	90 --- 119		20
1,3-Dichlorobenzene	9.27	ug/L			10.0	92.7	89 --- 113		20
1,3-Dichloropropane	10.2	ug/L			10.0	102	87 --- 115		20
1,4-Dichlorobenzene	8.96	ug/L			10.0	89.6	87 --- 113		20
2,2-Dichloropropane	11.1	ug/L			10.0	111	75 --- 127		20
2-Butanone	99.2	ug/L			100	99.2	68 --- 133		20
2-Chlorotoluene	9.05	ug/L			10.0	90.5	88 --- 117		20
2-Hexanone	98.2	ug/L			100	98.2	71 --- 134		20
4-Chlorotoluene	9.35	ug/L			10.0	93.5	88 --- 119		20
4-Methyl-2-pentanone	99.6	ug/L			100	99.6	78 --- 127		20
Acetone	106	ug/L			100	106	66 --- 137		20
Benzene	10.4	ug/L			10.0	104	90 --- 119		20
Bromobenzene	9.11	ug/L			10.0	91.1	86 --- 113		20
Bromochloromethane	9.66	ug/L			10.0	96.6	81 --- 120		20
Bromodichloromethane	9.70	ug/L			10.0	97.0	87 --- 116		20
Bromofluorobenzene	99.0	% Recovery			100	99.0	88 --- 108		
Bromoform	8.83	ug/L			10.0	88.3	72 --- 124		20
Bromomethane	12.9	ug/L			10.0	129	40 --- 169		20

SDG #: 0

Folder #: 161988

Project #: 335719

Lab Control Spike Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1010416	Analysis Time:	13:01	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Carbon disulfide	21.6	ug/L			20.0	108	89 --- 124		20
Carbon tetrachloride	10.5	ug/L			10.0	105	82 --- 127		20
Chlorobenzene	9.60	ug/L			10.0	96.0	89 --- 114		20
Chloroethane	11.5	ug/L			10.0	115	78 --- 128		20
Chloroform	9.75	ug/L			10.0	97.5	88 --- 115		20
Chloromethane	10.7	ug/L			10.0	107	63 --- 135		20
cis-1,2-Dichloroethene	9.59	ug/L			10.0	95.9	87 --- 115		20
cis-1,3-Dichloropropene	10.2	ug/L			10.0	102	86 --- 115		20
d8-Toluene	104	% Recovery			100	104	95 --- 105		
Dibromochloromethane	9.76	ug/L			10.0	97.6	82 --- 117		20
Dibromofluoromethane	102	% Recovery			100	102	92 --- 107		
Dibromomethane	9.89	ug/L			10.0	98.9	84 --- 115		20
Dichlorodifluoromethane	11.3	ug/L			10.0	113	76 --- 129		20
Diisopropyl ether	10.3	ug/L			10.0	103	82 --- 123		20
Ethylbenzene	9.77	ug/L			10.0	97.7	92 --- 119		20
Hexachlorobutadiene	9.93	ug/L			10.0	99.3	84 --- 120		20
Isopropylbenzene	10.1	ug/L			10.0	101	91 --- 121		20
m & p-Xylene	19.2	ug/L			20.0	96.0	91 --- 117		20
Methyl tert-butyl ether	9.87	ug/L			10.0	98.7	85 --- 115		20
Methylene chloride	9.54	ug/L			10.0	95.4	71 --- 128		20
n-Butylbenzene	9.66	ug/L			10.0	96.6	88 --- 122		20
n-Propylbenzene	9.16	ug/L			10.0	91.6	90 --- 123		20
Naphthalene	9.46	ug/L			10.0	94.6	64 --- 129		20
o-Xylene	9.57	ug/L			10.0	95.7	89 --- 115		20
p-Isopropyltoluene	9.94	ug/L			10.0	99.4	91 --- 119		20
sec-Butylbenzene	9.95	ug/L			10.0	99.5	92 --- 122		20
Styrene	9.77	ug/L			10.0	97.7	90 --- 116		20
tert-Butylbenzene	9.32	ug/L			10.0	93.2	90 --- 118		20
Tetrachloroethene	10.7	ug/L			10.0	107	86 --- 120		20
Tetrahydrofuran	96.8	ug/L			100	96.8	72 --- 135		20
Toluene	10.0	ug/L			10.0	100	89 --- 117		20
trans-1,2-Dichloroethene	10.5	ug/L			10.0	105	86 --- 116		20
trans-1,3-Dichloropropene	10.2	ug/L			10.0	102	84 --- 115		20
Trichloroethene	9.71	ug/L			10.0	97.1	86 --- 117		20
Trichlorofluoromethane	11.1	ug/L			10.0	111	83 --- 133		20
Vinyl acetate	108	ug/L			100	108	60 --- 147		20
Vinyl chloride	11.5	ug/L			10.0	115	84 --- 124		20

SDG #: 0

Folder #: 161988

Project #: 335719

Method Blank Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1010964	Analysis Time:	14:31	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.4	ug/L		U	0			0.4	
1,1,1-Trichloroethane	0.29	ug/L		U	0			0.29	
1,1,2,2-Tetrachloroethane	0.3	ug/L		U	0			0.3	
1,1,2-Trichloroethane	0.30	ug/L		U	0			0.30	
1,1-Dichloroethane	0.3	ug/L		U	0			0.3	
1,1-Dichloroethene	0.4	ug/L		U	0			0.4	
1,1-Dichloropropene	0.3	ug/L		U	0			0.3	
1,2 Dichloroethane-d4	101	% Recovery			100	101	83	---	116
1,2,3-Trichlorobenzene	0.23	ug/L		U	0			0.23	
1,2,3-Trichloropropane	0.3	ug/L		U	0			0.3	
1,2,4-Trichlorobenzene	0.28	ug/L		U	0			0.28	
1,2,4-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,2-Dibromo-3-chloropropane	0.25	ug/L		U	0			0.25	
1,2-Dibromoethane	0.3	ug/L		U	0			0.3	
1,2-Dichlorobenzene	0.3	ug/L		U	0			0.3	
1,2-Dichloroethane	0.24	ug/L		U	0			0.24	
1,2-Dichloropropane	0.18	ug/L		U	0			0.18	
1,3,5-Trimethylbenzene	0.27	ug/L		U	0			0.27	
1,3-Dichlorobenzene	0.26	ug/L		U	0			0.26	
1,3-Dichloropropane	0.17	ug/L		U	0			0.17	
1,4-Dichlorobenzene	0.3	ug/L		U	0			0.3	
2,2-Dichloropropane	0.30	ug/L		U	0			0.30	
2-Butanone	2.6	ug/L		U	0			2.6	
2-Chlorotoluene	0.25	ug/L		U	0			0.25	
2-Hexanone	3	ug/L		U	0			3	
4-Chlorotoluene	0.3	ug/L		U	0			0.3	
4-Methyl-2-pentanone	2.2	ug/L		U	0			2.2	
Acetone	4	ug/L		U	0			4	
Benzene	0.4	ug/L		U	0			0.4	
Bromobenzene	0.4	ug/L		U	0			0.4	
Bromochloromethane	0.30	ug/L		U	0			0.30	
Bromodichloromethane	0.29	ug/L		U	0			0.29	
Bromofluorobenzene	99.0	% Recovery			100	99.0	80	---	129
Bromoform	0.4	ug/L		U	0			0.4	
Bromomethane	0.9	ug/L		U	0			0.9	
Carbon disulfide	0.6	ug/L		U	0			0.6	
Carbon tetrachloride	0.3	ug/L		U	0			0.3	
Chlorobenzene	0.3	ug/L		U	0			0.3	
Chloroethane	0.5	ug/L		U	0			0.5	
Chloroform	0.3	ug/L		U	0			0.3	
Chloromethane	0.6	ug/L		U	0			0.6	
cis-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	

Method Blank Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1010964	Analysis Time:	14:31	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.16	ug/L		U	0			0.16	
d8-Toluene	101	% Recovery			100	101	85 ---	117	
Dibromochloromethane	0.3	ug/L		U	0			0.3	
Dibromofluoromethane	102	% Recovery			100	102	85 ---	115	
Dibromomethane	0.22	ug/L		U	0			0.22	
Dichlorodifluoromethane	0.4	ug/L		U	0			0.4	
Diisopropyl ether	0.4	ug/L		U	0			0.4	
Ethylbenzene	0.3	ug/L		U	0			0.3	
Hexachlorobutadiene	0.4	ug/L		U	0			0.4	
Isopropylbenzene	0.3	ug/L		U	0			0.3	
m & p-Xylene	0.7	ug/L		U	0			0.7	
Methyl tert-butyl ether	0.3	ug/L		U	0			0.3	
Methylene chloride	0.4	ug/L		U	0			0.4	
n-Butylbenzene	0.29	ug/L		U	0			0.29	
n-Propylbenzene	0.3	ug/L		U	0			0.3	
Naphthalene	0.30	ug/L		U	0			0.30	
o-Xylene	0.26	ug/L		U	0			0.26	
p-Isopropyltoluene	0.301	ug/L			0			0.3	
sec-Butylbenzene	0.4	ug/L		U	0			0.4	
Styrene	0.29	ug/L		U	0			0.29	
tert-Butylbenzene	0.4	ug/L		U	0			0.4	
Tetrachloroethene	0.27	ug/L		U	0			0.27	
Tetrahydrofuran	3	ug/L		U	0			3	
Toluene	0.21	ug/L		U	0			0.21	
trans-1,2-Dichloroethene	0.3	ug/L		U	0			0.3	
trans-1,3-Dichloropropene	0.23	ug/L		U	0			0.23	
Trichloroethene	0.3	ug/L		U	0			0.3	
Trichlorofluoromethane	0.4	ug/L		U	0			0.4	
Vinyl acetate	5	ug/L		U	0			5	
Vinyl chloride	0.14	ug/L		U	0			0.14	

Matrix Spike Duplicate Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1010962	Analysis Time:	23:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1010963	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.81	ug/L	BDL		10.0	98.1	80 --- 117	6.79	11
1,1,1-Trichloroethane	10.8	ug/L	BDL		10.0	108	84 --- 130	4.46	10
1,1,2,2-Tetrachloroethane	9.21	ug/L	BDL		10.0	92.1	73 --- 124	3.31	15
1,1,2-Trichloroethane	9.99	ug/L	BDL		10.0	99.9	80 --- 121	4.43	12
1,1-Dichloroethane	12.6	ug/L	2.6		10.0	100	82 --- 123	0.282	11
1,1-Dichloroethene	11.1	ug/L	BDL		10.0	111	83 --- 129	5.38	11
1,1-Dichloropropene	10.4	ug/L	BDL		10.0	104	84 --- 127	1.04	12
1,2 Dichloroethane-d4	102	% Recovery			100	102	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.15	ug/L	BDL		10.0	91.5	70 --- 125	2.65	23
1,2,3-Trichloropropane	8.84	ug/L	BDL		10.0	88.4	64 --- 119	5.08	17
1,2,4-Trichlorobenzene	9.82	ug/L	BDL		10.0	98.2	73 --- 121	4.66	20
1,2,4-Trimethylbenzene	9.93	ug/L	BDL		10.0	99.3	85 --- 124	3.87	17
1,2-Dibromo-3-chloropropane	8.62	ug/L	BDL		10.0	86.2	58 --- 122	12.0	24
1,2-Dibromoethane	9.14	ug/L	BDL		10.0	91.4	78 --- 117	1.16	12
1,2-Dichlorobenzene	9.29	ug/L	BDL		10.0	92.9	81 --- 119	2.70	8
1,2-Dichloroethane	10.1	ug/L	0.53		10.0	95.7	78 --- 126	1.71	12
1,2-Dichloropropane	10.1	ug/L	BDL		10.0	101	81 --- 121	0.584	11
1,3,5-Trimethylbenzene	10.00	ug/L	BDL		10.0	100	83 --- 126	1.09	21
1,3-Dichlorobenzene	9.67	ug/L	BDL		10.0	96.7	83 --- 119	2.48	11
1,3-Dichloropropane	9.76	ug/L	BDL		10.0	97.6	83 --- 119	2.18	11
1,4-Dichlorobenzene	9.39	ug/L	BDL		10.0	93.9	82 --- 118	3.25	11
2,2-Dichloropropane	10.1	ug/L	BDL		10.0	101	56 --- 134	8.86	21
2-Butanone	89.2	ug/L	BDL		100	89.2	68 --- 134	6.53	21
2-Chlorotoluene	9.49	ug/L	BDL		10.0	94.9	81 --- 125	2.24	11
2-Hexanone	93.2	ug/L	BDL		100	93.2	64 --- 140	4.24	26
4-Chlorotoluene	9.91	ug/L	BDL		10.0	99.1	82 --- 125	2.90	11
4-Methyl-2-pentanone	94.8	ug/L	BDL		100	94.8	66 --- 140	3.02	19
Acetone	81.8	ug/L	BDL		100	81.8	47 --- 139	0.673	27
Benzene	11.4	ug/L	0.92		10.0	105	87 --- 125	2.43	10
Bromobenzene	9.33	ug/L	BDL		10.0	93.3	78 --- 120	0.900	10
Bromochloromethane	9.92	ug/L	BDL		10.0	99.2	79 --- 124	2.33	11
Bromodichloromethane	9.95	ug/L	BDL		10.0	99.5	81 --- 120	1.41	10
Bromofluorobenzene	98.0	% Recovery			100	98.0	83 --- 111	0	25
Bromoform	8.59	ug/L	BDL		10.0	85.9	61 --- 121	5.63	17
Bromomethane	13.1	ug/L	BDL		10.0	131	21 --- 177	6.43	35
Carbon disulfide	21.6	ug/L	BDL		20.0	108	86 --- 133	3.05	18
Carbon tetrachloride	10.9	ug/L	BDL		10.0	109	82 --- 135	3.83	12
Chlorobenzene	9.97	ug/L	BDL		10.0	99.7	86 --- 120	0.629	8
Chloroethane	13.2	ug/L	1.2		10.0	120	59 --- 153	2.28	26
Chloroform	10.2	ug/L	BDL		10.0	102	84 --- 122	3.20	10
Chloromethane	10.2	ug/L	BDL		10.0	102	56 --- 145	1.31	18
cis-1,2-Dichloroethene	10.5	ug/L	0.83		10.0	96.7	42 --- 166	1.46	10

SDG #: 0

Folder #: 161988

Project #: 335719

Matrix Spike Duplicate Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1010962	Analysis Time:	23:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1010963	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.96	ug/L	BDL		10.0	99.6	75 --- 115	4.54	13
d8-Toluene	103	% Recovery			100	103	93 --- 107	0	20
Dibromochloromethane	9.22	ug/L	BDL		10.0	92.2	73 --- 118	0.994	15
Dibromofluoromethane	102	% Recovery			100	102	90 --- 110	0	20
Dibromomethane	9.42	ug/L	BDL		10.0	94.2	79 --- 120	3.82	12
Dichlorodifluoromethane	11.2	ug/L	0.69		10.0	105	64 --- 155	7.01	14
Diisopropyl ether	10.2	ug/L	BDL		10.0	102	74 --- 131	0.780	11
Ethylbenzene	10.2	ug/L	BDL		10.0	102	87 --- 126	0.298	8
Hexachlorobutadiene	10.8	ug/L	BDL		10.0	108	63 --- 138	7.38	20
Isopropylbenzene	10.4	ug/L	BDL		10.0	104	77 --- 141	2.28	11
m & p-Xylene	20.0	ug/L	BDL		20.0	100	87 --- 124	0.0180	11
Methyl tert-butyl ether	9.57	ug/L	0.36		10.0	92.1	80 --- 122	2.74	19
Methylene chloride	9.83	ug/L	BDL		10.0	98.3	64 --- 124	2.39	13
n-Butylbenzene	10.4	ug/L	BDL		10.0	104	79 --- 132	1.61	12
n-Propylbenzene	9.80	ug/L	BDL		10.0	98.0	77 --- 138	1.92	12
Naphthalene	9.09	ug/L	BDL		10.0	90.9	45 --- 152	6.91	30
o-Xylene	9.63	ug/L	BDL		10.0	96.3	83 --- 122	1.53	12
p-Isopropyltoluene	10.7	ug/L	BDL		10.0	107	85 --- 126	3.71	11
sec-Butylbenzene	10.7	ug/L	BDL		10.0	107	87 --- 130	2.12	11
Styrene	10.1	ug/L	BDL		10.0	101	82 --- 123	2.48	24
tert-Butylbenzene	10.2	ug/L	BDL		10.0	102	84 --- 125	4.48	10
Tetrachloroethene	10.9	ug/L	BDL		10.0	109	82 --- 131	0.0469	11
Tetrahydrofuran	137	ug/L	51		100	86.0	49 --- 147	0.267	22
Toluene	10.1	ug/L	BDL		10.0	101	86 --- 124	0.704	10
trans-1,2-Dichloroethene	11.4	ug/L	0.76		10.0	106	82 --- 125	1.23	16
trans-1,3-Dichloropropene	9.34	ug/L	BDL		10.0	93.4	73 --- 114	3.33	16
Trichloroethene	10.4	ug/L	0.33		10.0	101	82 --- 125	0.507	14
Trichlorofluoromethane	11.4	ug/L	BDL		10.0	114	74 --- 153	5.74	15
Vinyl acetate	106	ug/L	BDL		100	106	59 --- 142	4.30	19
Vinyl chloride	12.6	ug/L	0.48		10.0	121	72 --- 144	6.06	11

SDG #: 0

Folder #: 161988

Project #: 335719

Matrix Spike Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1010963	Analysis Time:	23:25	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009015	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.16	ug/L	BDL		10.0	91.6	80 --- 117		11
1,1,1-Trichloroethane	10.4	ug/L	BDL		10.0	104	84 --- 130		10
1,1,2,2-Tetrachloroethane	8.91	ug/L	BDL		10.0	89.1	73 --- 124		15
1,1,2-Trichloroethane	9.56	ug/L	BDL		10.0	95.6	80 --- 121		12
1,1-Dichloroethane	12.5	ug/L	2.6		10.0	99.0	82 --- 123		11
1,1-Dichloroethene	10.5	ug/L	BDL		10.0	105	83 --- 129		11
1,1-Dichloropropene	10.5	ug/L	BDL		10.0	105	84 --- 127		12
1,2 Dichloroethane-d4	100	% Recovery			100	100	89 --- 111		29
1,2,3-Trichlorobenzene	8.91	ug/L	BDL		10.0	89.1	70 --- 125		23
1,2,3-Trichloropropane	8.40	ug/L	BDL		10.0	84.0	64 --- 119		17
1,2,4-Trichlorobenzene	9.37	ug/L	BDL		10.0	93.7	73 --- 121		20
1,2,4-Trimethylbenzene	9.55	ug/L	BDL		10.0	95.5	85 --- 124		17
1,2-Dibromo-3-chloropropane	7.64	ug/L	BDL		10.0	76.4	58 --- 122		24
1,2-Dibromoethane	9.25	ug/L	BDL		10.0	92.5	78 --- 117		12
1,2-Dichlorobenzene	9.04	ug/L	BDL		10.0	90.4	81 --- 119		8
1,2-Dichloroethane	10.3	ug/L	0.53		10.0	97.7	78 --- 126		12
1,2-Dichloropropane	10.2	ug/L	BDL		10.0	102	81 --- 121		11
1,3,5-Trimethylbenzene	9.89	ug/L	BDL		10.0	98.9	83 --- 126		21
1,3-Dichlorobenzene	9.44	ug/L	BDL		10.0	94.4	83 --- 119		11
1,3-Dichloropropane	9.55	ug/L	BDL		10.0	95.5	83 --- 119		11
1,4-Dichlorobenzene	9.09	ug/L	BDL		10.0	90.9	82 --- 118		11
2,2-Dichloropropane	9.25	ug/L	BDL		10.0	92.5	56 --- 134		21
2-Butanone	83.6	ug/L	BDL		100	83.6	68 --- 134		21
2-Chlorotoluene	9.28	ug/L	BDL		10.0	92.8	81 --- 125		11
2-Hexanone	89.4	ug/L	BDL		100	89.4	64 --- 140		26
4-Chlorotoluene	9.63	ug/L	BDL		10.0	96.3	82 --- 125		11
4-Methyl-2-pentanone	92.0	ug/L	BDL		100	92.0	66 --- 140		19
Acetone	81.2	ug/L	BDL		100	81.2	47 --- 139		27
Benzene	11.1	ug/L	0.92		10.0	102	87 --- 125		10
Bromobenzene	9.41	ug/L	BDL		10.0	94.1	78 --- 120		10
Bromochloromethane	9.69	ug/L	BDL		10.0	96.9	79 --- 124		11
Bromodichloromethane	9.81	ug/L	BDL		10.0	98.1	81 --- 120		10
Bromofluorobenzene	97.0	% Recovery			100	97.0	83 --- 111		25
Bromoform	8.11	ug/L	BDL		10.0	81.1	61 --- 121		17
Bromomethane	14.0	ug/L	BDL		10.0	140	21 --- 177		35
Carbon disulfide	20.9	ug/L	BDL		20.0	105	86 --- 133		18
Carbon tetrachloride	10.4	ug/L	BDL		10.0	104	82 --- 135		12
Chlorobenzene	10.0	ug/L	BDL		10.0	100	86 --- 120		8
Chloroethane	12.9	ug/L	1.2		10.0	117	59 --- 153		26
Chloroform	9.91	ug/L	BDL		10.0	99.1	84 --- 122		10
Chloromethane	10.1	ug/L	BDL		10.0	101	56 --- 145		18
cis-1,2-Dichloroethene	10.6	ug/L	0.83		10.0	97.7	42 --- 166		10

SDG #: 0

Folder #: 161988

Project #: 335719

Matrix Spike Water

Analytical Run #:	192163	Analysis Date:	5/26/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1010963	Analysis Time:	23:25	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1009015	Analyst:	DGS	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.52	ug/L	BDL		10.0	95.2	75 --- 115		13
d8-Toluene	101	% Recovery			100	101	93 --- 107		20
Dibromochloromethane	9.32	ug/L	BDL		10.0	93.2	73 --- 118		15
Dibromofluoromethane	103	% Recovery			100	103	90 --- 110		20
Dibromomethane	9.07	ug/L	BDL		10.0	90.7	79 --- 120		12
Dichlorodifluoromethane	10.4	ug/L	0.69		10.0	97.1	64 --- 155		14
Diisopropyl ether	10.3	ug/L	BDL		10.0	103	74 --- 131		11
Ethylbenzene	10.1	ug/L	BDL		10.0	101	87 --- 126		8
Hexachlorobutadiene	10.0	ug/L	BDL		10.0	100	63 --- 138		20
Isopropylbenzene	10.2	ug/L	BDL		10.0	102	77 --- 141		11
m & p-Xylene	20.0	ug/L	BDL		20.0	100	87 --- 124		11
Methyl tert-butyl ether	9.31	ug/L	0.36		10.0	89.5	80 --- 122		19
Methylene chloride	9.60	ug/L	BDL		10.0	96.0	64 --- 124		13
n-Butylbenzene	10.3	ug/L	BDL		10.0	103	79 --- 132		12
n-Propylbenzene	9.61	ug/L	BDL		10.0	96.1	77 --- 138		12
Naphthalene	8.48	ug/L	BDL		10.0	84.8	45 --- 152		30
o-Xylene	9.48	ug/L	BDL		10.0	94.8	83 --- 122		12
p-Isopropyltoluene	10.3	ug/L	BDL		10.0	103	85 --- 126		11
sec-Butylbenzene	10.5	ug/L	BDL		10.0	105	87 --- 130		11
Styrene	9.83	ug/L	BDL		10.0	98.3	82 --- 123		24
tert-Butylbenzene	9.72	ug/L	BDL		10.0	97.2	84 --- 125		10
Tetrachloroethene	10.9	ug/L	BDL		10.0	109	82 --- 131		11
Tetrahydrofuran	137	ug/L	51		100	86.0	49 --- 147		22
Toluene	10.0	ug/L	BDL		10.0	100	86 --- 124		10
trans-1,2-Dichloroethene	11.2	ug/L	0.76		10.0	104	82 --- 125		16
trans-1,3-Dichloropropene	9.03	ug/L	BDL		10.0	90.3	73 --- 114		16
Trichloroethene	10.3	ug/L	0.33		10.0	99.7	82 --- 125		14
Trichlorofluoromethane	10.8	ug/L	BDL		10.0	108	74 --- 153		15
Vinyl acetate	102	ug/L	BDL		100	102	59 --- 142		19
Vinyl chloride	11.9	ug/L	0.48		10.0	114	72 --- 144		11

Sample Condition Report

Folder #: 161988	Print Date / Time: 05/24/2021 08:01
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 05/22/2021 12:27 lay
Project Name: REFUSE HIDEAWAY LANDFILL	Log-In Date / Time / By: 05/24/2021 08:01 erc
Project Phase: MIDDLETON, WI	Project #: 335719 PM: BMS
Coolers: 6515	Temperature: 3.5 C On Ice: Y
Custody Seals Present : Y	COC Present?: Y Complete? Y
Seal Intact? Y	Numbers: DATED AND SIGNED
Ship Method: FEDEX EXPRESS	Tracking Number: 773795437506
Adequate Packaging: Y	Temp Blank Enclosed? Y

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.

ONE CUSTODY SEAL WAS PRESENT AND INTACT UPON RECEIPT - DATED 5/21/21 AND SIGNED.

A TRIP BLANK WAS PRESENT IN THE COOLER BUT WAS NOT LISTED ON THE COC. THE TB WAS ADDED TO THE COC AND LOGGED FOR VOC (8260C) ANALYSIS.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009000 P-8S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009001 P-8D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009002 P-9S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009003 P-9D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009004 P-16S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009005 P-16D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009006 P-17S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009007 P-18S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009008 P-21S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009009 P-21D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009010 P-21BR-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009011 P-23S-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009012 P-23D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009013 P-24D-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009014 P-24E-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009015 DUP-06-202105	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1009021 TRIP BLANK	TRIP BLANK	1	/	VOC
	TRIP BLANK	1	N / N	VOC
	TRIP BLANK	1	N / N	VOC

Total # of Containers of Type (TRIP BLANK) = 3

Condition Code Condition Description
 1 Sample Received OK

Company: TRC Env.
 Project Contact: Wesley Beyer
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway LF
 Project #: 335717
 Location: Middleton WI
 Sampled By: Wesley Beyer

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL: Kuater@tcccompanies.com
 Company: TRC Env.
 Address: 708 Heartland Tr.

Folder #: 161988
 Company: TRC ENVIRONMENTAL
 Project: REFUSE HIDEAWAY
 Logged By: erc PM: BMS

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____
 PO # will E-mail

Invoice To:*
 EMAIL: SAA
 Company:
 Address:

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time

Matrix:	Filtered? Y/N	Designated MS/MSD	Total # Containers	Normal RUSH*
GW - groundwater SW - surface water WW - wastewater DW - drinking water S - soil/sediment SL - sludge A - air M - misc/waste	<u>Y</u>			Rush analysis requires prior CT Laboratories' approval Surcharges: 24 hr 200% 2-3 days 100% 4-9 days 50%

Collection Date	Time	Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered?	Fill in Spaces with Bottles per Test										Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>				
5/19/21	1235	GW	G		P-8S-202105	N	X														3		1009000
5/19/21	1158	GW	G		P-8D-202105	N	X														3		" 01
5/19/21	1331	GW	G		P-9S-202105	N	X														3		" 02
5/19/21	1332	GW	G		P-9D-202105	N	X														3		" 03
5/19/21	1630	GW	G		P-16S-202105	N	X														3		" 04
5/19/21	1539	GW	G		P-16D-202105	N	X														3		" 05
5/20/21	1605	GW	G		P-17S-202105	N	X														3		" 06
5/20/21	1446	GW	G		P-18S-202105	N	X														3		" 07
5/19/21	1423	GW	G		P-21S-202105	N	X														3		" 08
5/19/21	1422	GW	G		P-21D-202105	N	X														3		" 09
5/19/21	1451	GW	G		P-21BR-202105	N	X														3		" 10
5/20/21	1329	GW	G		P-23S-202105	N	X														3		" 11

Relinquished By: Wesley Beyer
 Received by:

Date/Time: 5/21/21 1800
 Date/Time:

Received By: Eric for LAY
 Received for Laboratory by: Eric
 161988 - Page 191 of 193

Date/Time: 5/24/21 1127
 Date/Time: 5/24/21 826

Lab Use Only
 Ice Present Yes No
 Temp 71.7.5 IR Gun 28
 Cooler # 6515

CHAIN OF CUSTODY

Company: TRC Env.
 Project Contact: Wesley Brage
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway
 Project #: LF 335719
 Location: Middleton, WI
 Sampled By: Wesley Brage

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL: Kuater@Trccompanies.com
 Company: TRC Env.
 Address: 708 Heartland Tr.
 Invoice To:*
 EMAIL: SAA
 Company:
 Address:

Lab Use Only
 Place Header Sticker Here:

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____
 PO #

161988

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Filtered? Y/N

VOCs (8260)

Total # Containers

Designated MS/MSD

Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered?	Fill in Spaces with Bottles per Test										Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>
Date	Time																		
5/20/21	1330	GW	G		P-23D-202105	N	X										3	1009012	
5/20/21	1208	GW	G		P-24D-202105	N	X										3	" 13	
5/20/21	1205	GW	G		P-24E-202105	N	X										3	" 14	
5/18/21	-	GW	G		DUP-06-202105	N	X										3	" 15	
					TRIP BLANK - B6 S04													" 24	

Relinquished By: Wesley Brage

Date/Time: 5/21/21 1800

Received By: Eric G. Kay

Date/Time: 5/21/21 0727

Lab Use Only
 Ice Present No 28

Received by:

Date/Time:

Received for Laboratory by:
 161988 - Page 192 of 193

Date/Time: 5/21/21 826

Temp 3.1/3.5 IR Gun
 Cooler # 6575

Cooler Receipt Form

Ice Present (YES) NO
Observed Temperature 3.1
Actual Temperature 3.5
IR Gun # SRT28
Initials LAY
Date 5/22/21 Time 12:27
Cooler #: 6515

IR GUN SEAL
Signature: *[Handwritten Signature]*
OPEN
Delivery

ORIGIN ID: MSNA (608) 234-7374
WESLEY BRAGA
TRC COMPANIES
TRC ENVIRONMENTAL CORPORATION
709 HEARTLAND TRAIL, SUITE 3000
MADISON, WI 53717
UNITED STATES US

SHIP DATE: 21MAY21
ACTWGT: 32.00 LB
CAD: 109993720/INET4340
DIMS: 19x14x14 IN

FZ B97
RT 909
12:00
D

TO SAMPLE RECEIVING
CT LABORATORIES
1230 LANGE CT

BARABOO WI 53913

(608) 356-2760 REF: 335719.0002.0000 000012 000000
INV: DEPT:
EQ:



1 of 3
SATURDAY 12:00P
PRIORITY OVERNIGHT

TRK# 7737 9543 7506
0201
MASTER

55 LNRA

53913

WI-US MSN





WATER LEVEL DATA

PROJECT NAME: Refuse Hideaway Landfill Sampling					DATE: 5/10/21			
PROJECT NUMBER: 335719 PH 12					AUTHOR: Wes Braga			
WELL LOCATION	DATE MEASURED	TIME	REFERENCE	DEPTH TO WATER (FEET)	DEPTH TO BOTTOM (FEET)	SCREENED INTERVAL (FEET)	PRODUCT THICKNESS (IN)	WATER ELEVATION
P-01S	05/10/21	13:35	924.39	2.84	NM	8-12	none	921.55
P-01D	05/10/21	--	926.67	Abandoned 2020	NM	28-31	none	--
P-03S	05/10/21	13:00	932.30	5.99	NM	10-14	none	926.31
P-04S	05/10/21	12:55	932.40	5.62	NM	21-24	none	926.78
P-08S	05/10/21	13:20	932.50	6.59	NM	7-17	none	925.91
P-08D	05/10/21	13:23	930.98	5.09	NM	34.5-40	none	925.89
P-08BR	05/10/21	--	929.52	packer	NM	103.4-108.9	none	--
P-09S	05/10/21	13:10	932.09	5.84	NM	4-14	none	926.25
P-09D	05/10/21	--	930.43	packer	NM	35.5-40.5	none	--
P-16S	05/10/21	12:35	936.78	12.05	NM	4.4-14.9	none	924.73
P-16D	05/10/21	12:37	936.30	11.19	NM	34.8-40.3	none	925.11
P-17S	05/10/21	10:48	1081.75	145.28	NM	146-156	none	936.47
P-18S	05/10/21	10:58	1020.57	92.89	NM	94.5-105	none	927.68
P-20SR	05/10/21	11:30	961.78	34.19	NM	44.4-64.4	none	927.59
P-21S	05/10/21	12:15	935.79	9.38	NM	7-17.5	none	926.41
P-21D	05/10/21	12:20	936.94	10.39	NM	33.5-39	none	926.55
P-21BR	05/10/21	12:25	935.19	11.12	NM	140-146	none	924.07
P-22S	05/10/21	14:30	1088.20	169.09	NM	168.1-183.1	none	919.11
P-22D	05/10/21	14:35	1088.94	170.06	NM	210.1-215.1	none	918.88
P-22E	05/10/21	14:40	1089.72	170.89	NM	265.03-270.03	none	918.83
P-23S	05/10/21	11:15	961.71	34.79	NM	35.3-45.3	none	926.92
P-23D	05/10/21	11:20	961.53	34.54	NM	72.1-77.1	none	926.99
P-24D	05/10/21	--	927.25	packer	NM	18-23	none	--
P-24E	05/10/21	--	927.39	packer	NM	45.1-50.1	none	--
P-25S	05/10/21	14:05	943.14	17.98	NM	17.1-27.1	none	925.16
P-25D	05/10/21	14:10	943.86	22.69	NM	89-94	none	921.17
P-25BR	05/10/21	14:00	943.27	21.64	NM	133.3-138.3	none	921.63
P-26S	05/10/21	8:30	1150.95	216.82	NM	220.5-235.5	none	934.13
P-26D	05/10/21	8:35	1149.63	217.38	NM	255-260	none	932.25
P-27S	05/10/21	8:45	1095.23	170.18	NM	171-186	none	925.05
P-27D	05/10/21	8:50	1095.56	170.93	NM	196.9-201.9	none	924.63

Wes Braga
SIGNED

5/10/21
DATE

CHECKED

DATE

Revisions by: KAV 2/16/2022
Checked by: AR 2/17/2022



WATER LEVEL DATA

PROJECT NAME: Refuse Hideaway Landfill Sampling	DATE: 5/10/21
PROJECT NUMBER: 335719 PH 12	AUTHOR:

WELL LOCATION	DATE MEASURED	TIME	REFERENCE	DEPTH TO WATER (FEET)	DEPTH TO BOTTOM (FEET)	SCREENED INTERVAL (FEET)	PRODUCT THICKNESS (IN)	WATER ELEVATION
P-28S	05/10/21	8:18	1124.33	194.43	NM	190-205	none	929.90
P-29S	05/10/21	8:55	1163.10	232.03	NM	239.1-254.1	none	931.07
P-30S	05/10/21	10:05	932.61	18.18	NM	20.3-35.3	none	914.43
P-30I	05/10/21	10:07	930.94	16.73	NM	130.4-140.4	none	914.21
P-30D	05/10/21	10:10	932.97	18.66	NM	277.5-287.5	none	914.31
P-31S	05/10/21	9:52	916.59	4.89	NM	10.7-25.7	none	911.70
P-31IA	05/10/21	--	916.77	packer	NM	82.8-92.8	none	--
P-31IB	05/10/21	--	916.49	packer	NM	123-133	none	--
P-31D	05/10/21	--	915.72	packer	NM	245.6-255.6	none	--
P-32S	05/10/21	10:35	943.73	17.89	NM	21.5-36.5	none	925.84
P-32D	05/10/21	10:37	942.66	18.74	NM	164.1-174.1	none	923.92
P-33S	05/10/21	11:42	928.55	3.59	NM	10.2-25.2	none	924.96
P-33D	05/10/21	--	928.50	packer	NM	90.9-100.9	none	--
P-34S	05/10/21	8:00	1091.10	155.52	NM	168.5-183.5	none	935.58
P-34D	05/10/21	8:03	1090.98	158.64	NM	262.9-272.9	none	932.34
P-35S	05/10/21	8:46	1087.90	159.42	NM	161.2-181.2	none	928.48
P-35D	05/10/21	8:45	1087.70	161.29	NM	239.8-249.8	none	926.41
P-36S	05/10/21	--	924.49	packer	NM	8.6-23.6	none	--
P-36D	05/10/21	--	924.34	packer	NM	229.9-239.9	none	--
P-38S	05/10/21	10:30	923.21	6.63	NM	8.7-23.7	none	916.58
P-39S	05/10/21	10:20	946.08	32.09	NM	36.9-51.9	none	913.99
P-40S	05/10/21	15:30	922.01	8.70	NM	10.1-25.1	none	913.31
P-40I	05/10/21	15:35	922.28	7.13	NM	92.4-102.4	none	915.15
P-40D	05/10/21	15:40	922.98	8.39	NM	242.6-252.6	none	914.59
P-41S	05/10/21	9:25	925.58	9.59	NM	13.9-28.9	none	915.99
P-41D	05/10/21	9:28	924.82	13.13	NM	92.4-102.4	none	911.69
P-42S	05/10/21	9:15	917.62	8.74	NM	10.3-25.3	none	908.88
P-43S	05/10/21	14:50	1110.60	188.32	NM	188-203	none	922.28
P-43I	05/10/21	14:55	1110.24	188.07	NM	225-230	none	922.17
P-43D	05/10/21	15:00	1109.92	187.64	NM	275-280	none	922.28

5/10/21
 SIGNED _____ DATE _____

CHECKED _____

DATE _____