



708 Heartland Trl.
Suite 3000
Madison, WI 53717

T 608.826.3600
TRCcompanies.com

February 16, 2022

Ms. Cindy Koepke
Hydrogeologist
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Refuse Hideaway Landfill
February 2022 Landfill Gas Monitoring Results

Dear Cindy:

TRC completed the monthly gas probe monitoring at the Refuse Hideaway Landfill in Middleton, WI on February 8, 2022. Attached are the monitoring results. Pressure, methane, carbon dioxide, oxygen, and methane (% LEL) are measured during the monthly event.

The next monthly gas probe monitoring event will take place in March 2022.

If you have any questions, please contact me at kvater@trccompanies.com or 608-826-3663.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Katherine Vater".

Katherine Vater, PE
Senior Project Manager

Attachments

**REFUSE HIDEAWAY LANDFILL
GAS PROBE MONITORING FORM**

TECHNICIAN(S): J. Roelke

DATE: 2/8/2022
START TIME: 7:21 AM
END TIME: 1:45 PM

GAS/INSTRUMENT TYPE: GEM 2000
SERIAL NO.: 11668
DATE LAST CALIBRATED: 2/8/2022
METHOD: Standard Calibration Gases
PRESS INSTRUMENT : Manometer

WEATHER CONDITIONS: clear
TEMPERATURE: 19 °F
BAROMETRIC PRESSURE & TREND: 30.00 in. Hg, falling
GROUND CONDITIONS: frozen/snow covered

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (%, by vol.)	CARBON DIOXIDE (%, by vol.)	OXYGEN (%, by vol.)	COMMENTS
GP-1D	7:48	0.0	0.0	0.0	0.7	20.1	(2)
GP-1S	7:50	0.0	0.0	0.0	0.0	20.8	(2)
GP-2D	7:54	0.10	0.0	0.0	0.3	20.5	(1)
GP-2S	7:56	0.0	0.0	0.0	0.2	20.5	(1)
GP-3	7:58	0.0	50	2.5	23.0	0.1	(1) Stable readings at 2 minutes.
GP-4	8:05	0.0	0.0	0.0	2.1	18.9	(1)
GP-5	8:08	0.0	0.0	0.0	1.2	19.6	(2)
GP-6	8:14	0.0	0.0	0.0	2.2	16.2	(1)
GP-7	8:22	0.0	0.0	0.0	2.0	18.5	(2)
GP-8	8:30	0.0	0.0	0.0	3.8	16.3	(2)
GP-9	8:35	0.0	0.0	0.0	1.8	18.6	(1)
GP-10	8:47	0.0	0.0	0.0	2.1	19.1	(1)
GP-11D	8:50	0.0	0.0	0.0	0.0	20.8	(2)
GP-11S	8:52	0.0	0.0	0.0	0.4	20.1	(2)
GP-12D	8:57	0.0	0.0	0.0	0.4	20.2	(1)
GP-12S	8:59	0.0	0.0	0.0	1.4	19.8	(1)
GP-13D	9:02	0.0	0.0	0.0	0.1	20.6	(2)
GP-13S	9:04	0.0	0.0	0.0	0.2	20.5	(2)

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (%, by vol.)	CARBON DIOXIDE (%, by vol.)	OXYGEN (%, by vol.)	COMMENTS
GP-16D	9:19	0.0	0.0	0.0	9.0	6.9	(2)
GP-16S	9:21	0.0	0.0	0.0	0.3	20.5	(2)
GP-17D	9:13	0.0	0.0	0.0	1.4	18.7	(1)
GP-17M	9:15	0.0	0.0	0.0	0.1	20.5	(1)
GP-17S	9:17	0.0	0.0	0.0	0.2	20.4	(1)
GP-18D	9:24	0.11	0.0	0.0	0.4	20.3	(2)
GP-18M	9:26	0.0	0.0	0.0	0.1	20.7	(2)
GP-18S	9:28	0.0	0.0	0.0	0.0	20.8	(2)
GP-19 ⁸⁵⁻¹⁰⁰	10:19	0.0	0.0	0.0	5.9	12.6	(1)
GP-19 ⁵⁰⁻⁷⁰	10:21	0.0	0.0	0.0	2.7	17.6	(1)
GP-19 ²⁵⁻⁴⁰	10:23	0.0	0.0	0.0	3.6	16.9	(1)
GP19 ²⁻¹⁵	10:25	0.0	0.0	0.0	1.9	17.8	(1)
GP-20 ⁸⁵⁻¹⁰⁰	10:10	0.21	0.0	0.0	2.5	16.7	(2)
GP-20 ⁵⁰⁻⁷⁰	10:12	0.0	0.0	0.0	2.7	17.8	(2)
GP-20 ²⁵⁻⁴⁰	10:14	0.0	0.0	0.0	2.4	17.9	(2)
GP-20 ²⁻¹⁵	10:16	0.0	0.0	0.0	1.7	18.7	(2)
GP-21 ⁸⁵⁻¹⁰⁰	10:01	0.35	0.0	0.0	0.8	19.3	(2)
GP-21 ⁵⁰⁻⁷⁰	10:03	0.15	0.0	0.0	2.8	16.6	(2)
GP-21 ²⁵⁻⁴⁰	10:05	0.0	0.0	0.0	2.4	17.6	(2)
GP-21 ²⁻¹⁵	10:07	0.0	0.0	0.0	1.1	19.6	(2)
GP-22 ⁸⁵⁻¹⁰⁰	10:44	0.12	0.0	0.0	7.5	7.6	(2) Stable readings at 2 minutes.
GP-22 ⁵⁰⁻⁷⁰	10:47	0.13	0.0	0.0	3.6	15.6	(2)
GP-22 ²⁵⁻⁴⁰	10:49	0.0	0.0	0.0	2.0	18.4	(2)
GP-22 ²⁻¹⁵	10:51	0.0	0.0	0.0	1.1	19.6	(2)

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (% by vol.)	CARBON DIOXIDE (% by vol.)	OXYGEN (% by vol.)	COMMENTS
GP-23 ⁸⁵⁻¹⁰⁰	10:56	0.11	0.0	0.0	6.2	10.2	(2)
GP-23 ⁵⁰⁻⁷⁰	10:58	0.0	27	1.3	14.3	0.0	(2) Stable readings at 2 minutes.
GP-23 ²⁵⁻⁴⁰	11:01	0.0	36	1.8	18.1	0.0	(2) Stable readings at 2 minutes.
GP-23 ²⁻¹⁵	11:04	0.0	0.0	0.0	12.4	5.1	(2) Stable readings at 2 minutes.
GP-24 ⁸⁵⁻¹⁰⁰	11:09	0.10	0.0	0.0	15.3	2.8	(2)
GP-24 ⁵⁰⁻⁷⁰	11:11	0.0	0.0	0.0	5.1	14.2	(2)
GP-24 ²⁵⁻⁴⁰	11:13	0.0	0.0	0.0	9.6	6.5	(2) Stable readings at 2 minutes.
GP-24 ²⁻¹⁵	11:16	0.0	45	2.2	16.4	1.1	(2) Stable readings at 2 minutes.
GPW-1D	12:31	1.16	0.0	0.0	1.6	18.1	(1)
GPW-1M	12:33	1.12	0.0	0.0	1.7	17.2	(1)
GPW-1S	12:35	0.0	0.0	0.0	0.9	19.2	(1)
G-1D	7:41	0.00	0.0	0.0	0.0	20.8	(1)
G-1S	7:43	0.00	0.0	0.0	0.0	20.8	(1)
G-2D	9:06	0.0	0.0	0.0	0.0	20.8	(1)
G-2S	9:08	0.0	0.0	0.0	0.0	20.8	(1)
G-5	8:27	0.0	0.0	0.0	3.3	16.6	(1)
G-6	7:35	0.0	0.0	0.0	0.4	20.5	(1)
G-8	9:54	0.0	0.0	0.0	0.0	20.8	(1)
G-9	9:38	0.0	0.0	0.0	1.6	16.5	(1)
G-10	11:21	0.91	0.0	0.0	1.3	17.5	(1)
Speedway Office	7:52	0.0	0.0	0.0	0.0	20.8	Open to ATM

NOTES:

- (1); Locked probe casing.
- (2); Probe is above casing and cannot be locked.
- (3); No cap for probe casing and cannot be locked.

Key:

Shallow or 2'-15'
Medium or 25'-40'
Deep or 50'-70'
85'-100'

Entered by: J. Roelke 2/8/2022
Checked by: K. Vater 2/16/2022