



708 Heartland Trl.
Suite 3000
Madison, WI 53717

T 608.826.3600
TRCcompanies.com

February 18, 2022

Ms. Cynthia Koepke
Hydrogeologist
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Refuse Hideaway Landfill, BRRTS #02-13-000849
November 2021 Groundwater Monitoring Data Transmittal

Dear Ms. Koepke:

TRC completed the semi-annual groundwater and private well sampling at the Refuse Hideaway Landfill in November 2021. No issues were identified during the semi-annual sampling event and all planned samples were collected. In accordance with the Quality Control/Quality Assurance (QA/QC) Plan as approved by the Wisconsin Department of Natural Resources (WDNR), TRC is submitting the following monitoring data:

- Attachment 1: Exceedances Table for November 2021
- Attachment 2: Laboratory Data Sheets for Groundwater Samples
- Attachment 3: Water Level Data

Groundwater samples were collected from monitoring wells and private wells and analyzed for volatile organic compounds (VOCs) and field indicator parameters during November 2021, in accordance with the QA/QC Plan. Depth to groundwater measurements were collected at each of the site groundwater monitoring wells prior to sampling. Exceedance tables for Wis. Admin. Code NR 140 Enforcement Standards (ESs) and Preventive Action Limits (PALs) are presented in Attachment 1. Laboratory data sheets for each of the monitoring well and private well samples are included in Attachment 2. Water level data collected at all site wells is included in Attachment 3. |

A certified compact disk containing field and laboratory data in an approved WDNR format has been attached to the copy provided to the WDNR Groundwater and Environmental Monitoring System (GEMS) Data Manager for their use. Electronic results in a flat-file database format will be provided upon request. Note that the GEMS submittal does not include water level data for well locations where samples were not collected or where water level data cannot be collected (e.g., private wells and wells with flow-control devices/packers).

Please call me at (608) 826-3663 if you have questions.

Sincerely,

TRC

Katherine Vater, PE
Project Manager

Attachments

cc: WDNR GEMS Data Manager (w/CD)
Meredith Westover – TRC

Attachment 1
Exceedance Tables for November 2021

**NR 140 Groundwater Quality Exceedances by Well
 Refuse Hideaway Landfill - Middleton, Wisconsin
 November 2021**

WELL ID	SAMPLE DATE	PARAMETER	RESULT	DATA QUALIFIERS	UNITS	Standard	
						PAL	ES
7734 USH 14	11/3/2021	Trichloroethene	1.2	J	ug/L	X	
7750 USH 14	11/8/2021	Tetrachloroethene	1.8		ug/L	X	
P-17S	11/11/2021	Tetrachloroethene	2.2		ug/L	X	
P-18S	11/11/2021	Tetrachloroethene	8.5		ug/L		X
P-18S	11/11/2021	Trichloroethene	0.7	J	ug/L	X	
P-18S DUP	11/11/2021	Tetrachloroethene	8.1		ug/L		X
P-18S DUP	11/11/2021	Trichloroethene	0.68	J	ug/L	X	
P-20SR	11/11/2021	Tetrachloroethene	1.4	J	ug/L	X	
P-22D	11/9/2021	Tetrachloroethene	1.8	J	ug/L	X	
P-22D	11/9/2021	Trichloroethene	0.59	J	ug/L	X	
P-22D DUP	11/9/2021	Tetrachloroethene	2		ug/L	X	
P-22D DUP	11/9/2021	Trichloroethene	0.67	J	ug/L	X	
P-22E	11/9/2021	Tetrachloroethene	12		ug/L		X
P-22E	11/9/2021	Trichloroethene	2.4		ug/L	X	
P-23S	11/11/2021	Tetrachloroethene	1.2	J	ug/L	X	
P-25BR	11/10/2021	Tetrachloroethene	1.7	J	ug/L	X	
P-26S	11/5/2021	Tetrachloroethene	7.4		ug/L		X
P-26S	11/5/2021	Trichloroethene	0.63	J	ug/L	X	
P-27D	11/5/2021	Tetrachloroethene	9.6		ug/L		X
P-27D	11/5/2021	Trichloroethene	1.8		ug/L	X	
P-27S	11/5/2021	Tetrachloroethene	2.7		ug/L	X	
P-31IA	11/10/2021	Tetrachloroethene	2.4		ug/L	X	
P-31IA	11/10/2021	Trichloroethene	0.87	J	ug/L	X	
P-31IB	11/10/2021	Tetrachloroethene	1.7	J	ug/L	X	
P-31IB	11/10/2021	Trichloroethene	0.83	J	ug/L	X	
P-40I	11/10/2021	Tetrachloroethene	2.9		ug/L	X	
P-40I	11/10/2021	Trichloroethene	0.69	J	ug/L	X	

**NR 140 Groundwater Quality Exceedances by Parameter
Refuse Hideaway Landfill - Middleton, Wisconsin
November 2021**

WELL ID	SAMPLE DATE	PARAMETER	RESULT	DATA QUALIFIERS	UNITS	Standard	
						PAL	ES
7734 USH 14	11/3/2021	Tetrachloroethene	3.5		ug/L	X	
7750 USH 14	11/8/2021	Tetrachloroethene	1.8		ug/L	X	
P-17S	11/11/2021	Tetrachloroethene	2.2		ug/L	X	
P-18S	11/11/2021	Tetrachloroethene	8.5		ug/L		X
P-18S DUP	11/11/2021	Tetrachloroethene	8.1		ug/L		X
P-20SR	11/11/2021	Tetrachloroethene	1.4	J	ug/L	X	
P-22D	11/9/2021	Tetrachloroethene	1.8	J	ug/L	X	
P-22D DUP	11/9/2021	Tetrachloroethene	2		ug/L	X	
P-22E	11/9/2021	Tetrachloroethene	12		ug/L		X
P-23S	11/11/2021	Tetrachloroethene	1.2	J	ug/L	X	
P-25BR	11/10/2021	Tetrachloroethene	1.7	J	ug/L	X	
P-26S	11/5/2021	Tetrachloroethene	7.4		ug/L		X
P-27D	11/5/2021	Tetrachloroethene	9.6		ug/L		X
P-27S	11/5/2021	Tetrachloroethene	2.7		ug/L	X	
P-31IA	11/10/2021	Tetrachloroethene	2.4		ug/L	X	
P-31IB	11/10/2021	Tetrachloroethene	1.7	J	ug/L	X	
P-40I	11/10/2021	Tetrachloroethene	2.9		ug/L	X	
7734 USH 14	11/3/2021	Trichloroethene	1.2	J	ug/L	X	
P-18S	11/11/2021	Trichloroethene	0.7	J	ug/L	X	
P-18S DUP	11/11/2021	Trichloroethene	0.68	J	ug/L	X	
P-22D	11/9/2021	Trichloroethene	0.59	J	ug/L	X	
P-22D DUP	11/9/2021	Trichloroethene	0.67	J	ug/L	X	
P-22E	11/9/2021	Trichloroethene	2.4		ug/L	X	
P-26S	11/5/2021	Trichloroethene	0.63	J	ug/L	X	
P-27D	11/5/2021	Trichloroethene	1.8		ug/L	X	
P-31IA	11/10/2021	Trichloroethene	0.87	J	ug/L	X	
P-31IB	11/10/2021	Trichloroethene	0.83	J	ug/L	X	
P-40I	11/10/2021	Trichloroethene	0.69	J	ug/L	X	

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to:

GEMS Data Submittal Contact - WA/5
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner)

TRC Environmental Corp.

Contact for questions about data formatting. Include data preparer's name, telephone number and Email address:

Name Meredith Westover	Phone No. (include area code) (608) 358-5035
---------------------------	---

Email mwestover@trccompanies.com

Facility Name Refuse Hideaway Landfill

License # / Monitoring ID 01953	Facility ID (FID) 113112010
------------------------------------	--------------------------------

Actual sampling dates (e.g., July 2-6, 2003) 9/3, 9/5, 9/8-9/11, 2021	The enclosed results are for sampling required in the month(s) of: (e.g., June 2003) November 2021
--	---

Type of Data Submitted (Check all that apply):

- | | |
|---|--|
| <input checked="" type="checkbox"/> Groundwater monitoring data from monitoring wells | <input type="checkbox"/> Gas monitoring data |
| <input checked="" type="checkbox"/> Groundwater monitoring data from private water supply wells | <input type="checkbox"/> Air monitoring data |
| <input type="checkbox"/> Leachate monitoring data | <input type="checkbox"/> Other (specify): |

Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
- Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
- Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Facility Representative Name (Print) Meredith Westover	Title Database Manager	Phone No. (include area code) (608) 358-5035
---	---------------------------	---

Signature


Date Signed (mm/dd/yyyy)
12/13/2021

For DNR Use Only

Check action taken, and record date and your initials. Describe on back side if necessary.

- Found uploading problems on _____ Initials _____
- Notified contact of problems on _____ Uploaded data successfully on _____
- EDD format(s): Diskette CD (initial submittal and follow-up) E-mail (follow-up only) Other: _____

Attachment 2
Laboratory Analytical Reports for Groundwater Samples



ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)

ANALYTICAL REPORT

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717

Project Name: REFUSE HIDEAWAY LF
 Project Phase: MIDDLETON, WI
 Project #: 335719.0012
 Folder #: 165650
 Purchase Order #:
 Contract #: 3274

Page 1 of 28
 Arrival Temperature: 4.1
 Report Date: 12/8/2021
 Date Received: 11/4/2021
 Reprint Date: 12/8/2021

Copy: kvater@trccompanies.com

CT LAB#: 1070440	Sample Description: 7911 DEER RUN RD	License/Well #: 01953/300	Sampled: 11/3/2021 13:30
------------------	--------------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Color (Field)	NONE		N/A	N/A	1			11/3/2021 13:30	SUB	FIELD
Conductivity (Field)	697.0	umhos/cm			1			11/3/2021 13:30	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 13:30	SUB	FIELD
pH (Field)	7.41	S.U.			1			11/3/2021 13:30	SUB	FIELD
Temperature (Field)	7.41	Deg. C			1			11/3/2021 13:30	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 13:30	SUB	FIELD

Organic Results

1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 01:58	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 01:58	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 01:58	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 01:58	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070440 Sample Description: 7911 DEER RUN RD License/Well #: 01953/300 Sampled: 11/3/2021 13:30

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1		11/7/2021	01:58	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	01:58	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021	01:58	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021	01:58	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021	01:58	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021	01:58	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021	01:58	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021	01:58	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021	01:58	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021	01:58	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	01:58	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021	01:58	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070440 Sample Description: 7911 DEER RUN RD License/Well #: 01953/300 Sampled: 11/3/2021 13:30


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1			11/7/2021 01:58	RLD	EPA 524.2
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1			11/7/2021 01:58	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1			11/7/2021 01:58	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1			11/7/2021 01:58	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1			11/7/2021 01:58	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1			11/7/2021 01:58	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1			11/7/2021 01:58	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1			11/7/2021 01:58	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1			11/7/2021 01:58	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1			11/7/2021 01:58	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1			11/7/2021 01:58	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1			11/7/2021 01:58	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1			11/7/2021 01:58	RLD	EPA 524.2



CT LAB#: 1070441	Sample Description: 7892 DEER RUN RD	License/Well #: 01953/307	Sampled: 11/3/2021 12:20
------------------	--------------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 12:20	SUB	FIELD
Conductivity (Field)	654.0	umhos/cm			1			11/3/2021 12:20	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 12:20	SUB	FIELD
pH (Field)	7.26	S.U.			1			11/3/2021 12:20	SUB	FIELD
Temperature (Field)	11.19	Deg. C			1			11/3/2021 12:20	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 12:20	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 02:54	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 02:54	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 02:54	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 02:54	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070441 Sample Description: 7892 DEER RUN RD License/Well #: 01953/307 Sampled: 11/3/2021 12:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1			11/7/2021 02:54	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1			11/7/2021 02:54	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1			11/7/2021 02:54	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1			11/7/2021 02:54	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1			11/7/2021 02:54	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1			11/7/2021 02:54	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1			11/7/2021 02:54	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1			11/7/2021 02:54	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1			11/7/2021 02:54	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1			11/7/2021 02:54	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 02:54	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1			11/7/2021 02:54	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070441 Sample Description: 7892 DEER RUN RD License/Well #: 01953/307 Sampled: 11/3/2021 12:20


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	02:54	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	02:54	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	02:54	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	02:54	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021	02:54	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	02:54	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	02:54	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	02:54	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	02:54	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/7/2021	02:54	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	02:54	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	02:54	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	100	% Recovery	80.0	120	1		11/7/2021	02:54	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		11/7/2021	02:54	RLD	EPA 524.2



CT LAB#: 1070442 Sample Description: 7873 DEER RUN RD License/Well #: 01953/306 Sampled: 11/3/2021 11:55

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 11:55	SUB	FIELD
Conductivity (Field)	724.0	umhos/cm			1			11/3/2021 11:55	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 11:55	SUB	FIELD
pH (Field)	6.80	S.U.			1			11/3/2021 11:55	SUB	FIELD
Temperature (Field)	11.15	Deg. C			1			11/3/2021 11:55	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 11:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:22	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 03:22	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 03:22	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 03:22	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 03:22	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:22	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 03:22	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:22	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 03:22	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 03:22	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070442 Sample Description: 7873 DEER RUN RD License/Well #: 01953/306 Sampled: 11/3/2021 11:55


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021	03:22	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021	03:22	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021	03:22	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021	03:22	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021	03:22	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021	03:22	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021	03:22	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070442 Sample Description: 7873 DEER RUN RD License/Well #: 01953/306 Sampled: 11/3/2021 11:55


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:22	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	03:22	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:22	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	03:22	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	03:22	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/7/2021	03:22	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	03:22	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	03:22	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/7/2021	03:22	RLD	EPA 524.2
Bromofluorobenzene	103	% Recovery	80.0	120	1		11/7/2021	03:22	RLD	EPA 524.2



CT LAB#: 1070443 Sample Description: 7734 USH 14 License/Well #: 01953/312 Sampled: 11/3/2021 14:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 14:40	SUB	FIELD
Conductivity (Field)	894.0	umhos/cm			1			11/3/2021 14:40	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 14:40	SUB	FIELD
pH (Field)	6.85	S.U.			1			11/3/2021 14:40	SUB	FIELD
Temperature (Field)	13.24	Deg. C			1			11/3/2021 14:40	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 14:40	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:51	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 03:51	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 03:51	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 03:51	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 03:51	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:51	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 03:51	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 03:51	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 03:51	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 03:51	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070443 Sample Description: 7734 USH 14 License/Well #: 01953/312 Sampled: 11/3/2021 14:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021	03:51	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021	03:51	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021	03:51	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
cis-1,2-Dichloroethene	1.3	ug/L	0.38	1.3	1		11/7/2021	03:51	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021	03:51	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Dichlorodifluoromethane	1.1	ug/L	0.40 *	1.4	1		11/7/2021	03:51	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021	03:51	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070443 Sample Description: 7734 USH 14 License/Well #: 01953/312 Sampled: 11/3/2021 14:40


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	03:51	RLD	EPA 524.2
Tetrachloroethene	3.5	ug/L	0.35	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	03:51	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	03:51	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	03:51	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	03:51	RLD	EPA 524.2
Trichloroethene	1.2	ug/L	0.44 *	1.5	1		11/7/2021	03:51	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	03:51	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	03:51	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/7/2021	03:51	RLD	EPA 524.2
Bromofluorobenzene	100	% Recovery	80.0	120	1		11/7/2021	03:51	RLD	EPA 524.2



CT LAB#: 1070444 Sample Description: 4314 FAWN CT License/Well #: 01953/308 Sampled: 11/3/2021 13:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 13:10	SUB	FIELD
Conductivity (Field)	895.0	umhos/cm			1			11/3/2021 13:10	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 13:10	SUB	FIELD
pH (Field)	7.23	S.U.			1			11/3/2021 13:10	SUB	FIELD
Temperature (Field)	10.31	Deg. C			1			11/3/2021 13:10	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 13:10	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:18	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 04:18	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 04:18	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 04:18	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 04:18	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:18	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 04:18	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:18	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 04:18	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 04:18	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070444 Sample Description: 4314 FAWN CT License/Well #: 01953/308 Sampled: 11/3/2021 13:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021 04:18	11/7/2021 04:18	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1070444 Sample Description: 4314 FAWN CT License/Well #: 01953/308 Sampled: 11/3/2021 13:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	04:18	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	04:18	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	04:18	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	04:18	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021	04:18	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	04:18	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	04:18	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	04:18	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	04:18	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/7/2021	04:18	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	04:18	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	04:18	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/7/2021	04:18	RLD	EPA 524.2
Bromofluorobenzene	99.0	% Recovery	80.0	120	1		11/7/2021	04:18	RLD	EPA 524.2



CT LAB#: 1070445 Sample Description: 4310 FAWN CT License/Well #: 01953/310 Sampled: 11/3/2021 12:45

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 12:45	SUB	FIELD
Conductivity (Field)	752.0	umhos/cm			1			11/3/2021 12:45	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 12:45	SUB	FIELD
pH (Field)	7.29	S.U.			1			11/3/2021 12:45	SUB	FIELD
Temperature (Field)	10.47	Deg. C			1			11/3/2021 12:45	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 12:45	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:46	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 04:46	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 04:46	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 04:46	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 04:46	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:46	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 04:46	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 04:46	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 04:46	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 04:46	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070445 Sample Description: 4310 FAWN CT License/Well #: 01953/310 Sampled: 11/3/2021 12:45


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021 04:46	11/7/2021 04:46	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070445 Sample Description: 4310 FAWN CT License/Well #: 01953/310 Sampled: 11/3/2021 12:45


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	04:46	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	04:46	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	04:46	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	04:46	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021	04:46	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	04:46	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	04:46	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	04:46	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	04:46	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/7/2021	04:46	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	04:46	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	04:46	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/7/2021	04:46	RLD	EPA 524.2
Bromofluorobenzene	99.0	% Recovery	80.0	120	1		11/7/2021	04:46	RLD	EPA 524.2



CT LAB#: 1070446 Sample Description: 7785 LOW RD License/Well #: 01953/315 Sampled: 11/3/2021 14:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/3/2021 14:15	SUB	FIELD
Conductivity (Field)	780.0	umhos/cm			1			11/3/2021 14:15	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/3/2021 14:15	SUB	FIELD
pH (Field)	7.30	S.U.			1			11/3/2021 14:15	SUB	FIELD
Temperature (Field)	10.64	Deg. C			1			11/3/2021 14:15	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/3/2021 14:15	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 05:15	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 05:15	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 05:15	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 05:15	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 05:15	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 05:15	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 05:15	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 05:15	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 05:15	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 05:15	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070446 Sample Description: 7785 LOW RD License/Well #: 01953/315 Sampled: 11/3/2021 14:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021 05:15	11/7/2021 05:15	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070446 Sample Description: 7785 LOW RD License/Well #: 01953/315 Sampled: 11/3/2021 14:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021	05:15	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021	05:15	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021	05:15	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021	05:15	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021	05:15	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021	05:15	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021	05:15	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021	05:15	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/7/2021	05:15	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/7/2021	05:15	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/7/2021	05:15	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/7/2021	05:15	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/7/2021	05:15	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		11/7/2021	05:15	RLD	EPA 524.2



CT LAB#: 1070447 Sample Description: DUP-01-202110 License/Well #: 01953/315 Sampled: 11/3/2021 14:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1		11/7/2021 05:42	RLD	EPA 524.2	
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1		11/7/2021 05:42	RLD	EPA 524.2	
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
Benzene	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 05:42	RLD	EPA 524.2	
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	RLD	EPA 524.2	
Bromoform	<0.27	ug/L	0.27	1.0	1		11/7/2021 05:42	RLD	EPA 524.2	

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1070447 Sample Description: DUP-01-202110 License/Well #: 01953/315 Sampled: 11/3/2021 14:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/7/2021 05:42	11/7/2021 05:42	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1070447	Sample Description: DUP-01-202110	License/Well #: 01953/315	Sampled: 11/3/2021 14:15
------------------	-----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1			11/7/2021 05:42	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1			11/7/2021 05:42	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1			11/7/2021 05:42	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1			11/7/2021 05:42	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1			11/7/2021 05:42	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1			11/7/2021 05:42	RLD	EPA 524.2



CT LAB#: 1070448 Sample Description: TRIP BLANK License/Well #: 01953/999 Sampled: 11/3/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/7/2021 00:09	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1			11/7/2021 00:09	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1070448	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 11/3/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Bromomethane	<0.42	ug/L	0.42	1.4	1			11/7/2021 00:09	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1			11/7/2021 00:09	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1			11/7/2021 00:09	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1			11/7/2021 00:09	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1			11/7/2021 00:09	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1			11/7/2021 00:09	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1			11/7/2021 00:09	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1070448	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 11/3/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1			11/7/2021 00:09	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1			11/7/2021 00:09	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1			11/7/2021 00:09	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1			11/7/2021 00:09	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1			11/7/2021 00:09	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1			11/7/2021 00:09	RLD	EPA 524.2



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Preventative Action Limit (PAL) Exceedances

12/08/2021

Location/Landfill: REFUSE HIDEAWAY LF

License #: 01953

Page 1 of 1

Well Description:	7734 USH 14	Well #:	312	Sample Date	11/03/2021		
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	3.5	0.5	5	0.35	ug/L	
Trichloroethene	39180	1.2	0.5	5	0.44	ug/L	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		12/09/2021	
Sample Date		Sample ID							
11/03/2021	Color (Field)	4310 FAWN CT	4314 FAWN CT	7734 USH 14	7785 LOW RD	7873 DEER RUN RD	7892 DEER RUN RD		
		NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	752.0	895.0	894.0	780.0	724.0	654.0		
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.29	7.23	6.85	7.30	6.80	7.26		
	Temperature (Field)	10.47	10.31	13.24	10.64	11.15	11.19		
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE

11/03/2021		7911 DEER RUN RD
	Color (Field)	NONE
	Conductivity (Field)	697.0
	Odor (Field)	NONE
	pH (Field)	7.41
	Temperature (Field)	7.41
	Turbidity (Field)	NONE

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 36 of 40

Well Description: 4310 FAWN CT **Well #:** 310

Parameter Sample Date
 11/2/2020

Chloromethane	0.20
---------------	------

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: **REFUSE HIDEAWAY**

License #: **01953**

Page 38 of 40

Well Description: **7734 USH 14**

Well #: **312**

Parameter	Sample Date						
	11/3/2021	5/11/2021	11/2/2020	5/6/2020	11/5/2019	10/1/2019	5/17/2019
1,1-Dichloroethane			0.32		0.29	0.29	
cis-1,2-Dichloroethene	1.3	1.3	1.4	1.3	1.4	1.4	1.2
Dichlorodifluoromethane	1.1	0.80	0.66	0.85	1.2	0.97	1.2
Tetrachloroethene	3.5	3.3	3.1	2.6	3.4	3.2	3.2
Trichloroethene	1.2	1.2	1.2	1.0	1.3	1.2	0.93
Trichlorofluoromethane					0.27	0.26	

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 39 of 40

Well Description: 7750 USH 14 POST **Well #:** 501

Parameter Sample Date
11/5/2019

1,1-Dichloroethane	0.30
cis-1,2-Dichloroethene	0.69
Dichlorodifluoromethane	0.55
Tetrachloroethene	2.2
Trichloroethene	0.53

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7911 DEER RUN Well ID #: 300

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	891.7
			11/05/2019	595.6
			05/06/2020	876.8
			11/02/2020	838.0
			05/11/2021	806.0
			11/03/2021	697.0
Odor (Field)	00001			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.08
			11/05/2019	6.86
			05/06/2020	5.60
			11/02/2020	7.39
			05/11/2021	7.41
			11/03/2021	7.41
Temperature (Field)	00010	Deg. C		
			05/17/2019	10.60
			11/05/2019	10.50
			05/06/2020	14.36
			11/02/2020	12.19
			05/11/2021	13.26
			11/03/2021	7.41
Turbidity (Field)	00003			
			05/17/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7877 DEER RUN Well ID #: 301

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	670.8
			05/06/2020	645.5
			05/11/2021	622.7
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.11
			05/06/2020	5.83
			05/11/2021	7.51
Temperature (Field)	00010	Deg. C		
			05/17/2019	7.11
			05/06/2020	14.42
			05/11/2021	13.95
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7872 DEER RUN Well ID #: 302

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	677.9
			05/06/2020	716.3
			05/11/2021	737.6
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.08
			05/06/2020	6.21
			05/11/2021	7.38
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.10
			05/06/2020	14.65
			05/11/2021	14.93
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4306 FAWN CT Well ID #: 303

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	1336.5
			05/06/2020	1125.3
			05/11/2021	871.3
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.27
			05/06/2020	5.62
			05/11/2021	7.39
Temperature (Field)	00010	Deg. C		
			05/17/2019	12.49
			05/06/2020	14.40
			05/11/2021	13.44
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4318 FAWN CT Well ID #: 304

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	1331.5
			05/06/2020	1202.1
			05/11/2021	1018.0
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.78
			05/06/2020	5.85
			05/11/2021	7.43
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.20
			05/06/2020	15.19
			05/11/2021	13.39
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4610 ROCKY DELL RD Well ID #: 305

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	733.3
			05/06/2020	724.6
			05/11/2021	684.3
Odor (Field)	00001			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	7.05
			05/06/2020	6.02
			05/11/2021	7.32
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.39
			05/06/2020	13.90
			05/11/2021	13.58
Turbidity (Field)	00003			
			05/17/2019	NONE
			05/06/2020	NONE
			05/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7873 DEER RUN Well ID #: 306

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	494.9
			11/02/2020	647.0
			11/03/2021	724.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			11/05/2019	6.36
			11/02/2020	7.54
			11/03/2021	6.80
Temperature (Field)	00010	Deg. C		
			11/05/2019	12.58
			11/02/2020	12.88
			11/03/2021	11.15
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7892 DEER RUN RD Well ID #: 307

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/02/2020	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/02/2020	677.0
			11/03/2021	654.0
Odor (Field)	00001			
			11/02/2020	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			11/02/2020	7.67
			11/03/2021	7.26
Temperature (Field)	00010	Deg. C		
			11/02/2020	12.63
			11/03/2021	11.19
Turbidity (Field)	00003			
			11/02/2020	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4314 FAWN CT Well ID #: 308

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	1070.0
			11/02/2020	1089.0
			11/03/2021	895.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			11/05/2019	6.36
			11/02/2020	7.83
			11/03/2021	7.23
Temperature (Field)	00010	Deg. C		
			11/05/2019	10.64
			11/02/2020	12.76
			11/03/2021	10.31
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4310 FAWN CT Well ID #: 310

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	683.5
			11/02/2020	800.3
			11/03/2021	752.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			11/05/2019	5.76
			11/02/2020	7.36
			11/03/2021	7.29
Temperature (Field)	00010	Deg. C		
			11/05/2019	12.03
			11/02/2020	12.72
			11/03/2021	10.47
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7734 USH 14 Well ID #: 312

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/17/2019	901.5
			10/01/2019	783.9
			11/05/2019	657.3
			05/06/2020	927.3
			11/02/2020	1004.0
			05/11/2021	705.8
			11/03/2021	894.0
Odor (Field)	00001			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			05/17/2019	6.99
			10/01/2019	6.65
			11/05/2019	7.19
			05/06/2020	5.47
			11/02/2020	6.88
			05/11/2021	7.25
			11/03/2021	6.85
Temperature (Field)	00010	Deg. C		
			05/17/2019	11.57
			10/01/2019	18.13
			11/05/2019	10.82
			05/06/2020	13.58
			11/02/2020	13.34
			05/11/2021	13.08
			11/03/2021	13.24

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: 7734 USH 14 **Well ID #:** 312

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/17/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7785 LOW RD Well ID #: 315

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	539.7
			11/02/2020	765.0
			11/03/2021	780.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE
pH (Field)	00400	S.U.		
			11/05/2019	7.29
			11/02/2020	7.46
			11/03/2021	7.30
Temperature (Field)	00010	Deg. C		
			11/05/2019	8.71
			11/02/2020	11.78
			11/03/2021	10.64
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/02/2020	NONE
			11/03/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 4314 FAWN CT POST Well ID #: 500

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	266.4
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.07
Temperature (Field)	00010	Deg. C	11/05/2019	16.94
Turbidity (Field)	00003		11/05/2019	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7750 USH 14 POST Well ID #: 501

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	587.5
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.83
Temperature (Field)	00010	Deg. C	11/05/2019	15.02
Turbidity (Field)	00003		11/05/2019	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7734 USH 14 POST Well ID #: 502

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		11/05/2019	NONE
Conductivity (Field)	00094	umhos/cm	11/05/2019	733.3
Odor (Field)	00001		11/05/2019	NONE
pH (Field)	00400	S.U.	11/05/2019	7.07
Temperature (Field)	00010	Deg. C	11/05/2019	13.36
Turbidity (Field)	00003		11/05/2019	NONE

QC Summary Report

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LF

SDG #: 0

Folder #: 165650

Project #: 335719.0012

Duplicate

Analytical Run #:	196902	Analysis Date:	11/7/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1071659	Analysis Time:	02:26	Prep Date/Time:	Method:	524
Parent Sample #:	1070440	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.39	ug/L	0	U				0	20
1,1,1-Trichloroethane	0.39	ug/L	0	U				0	20
1,1,2,2-Tetrachloroethane	0.39	ug/L	0	U				0	20
1,1,2-Trichloroethane	0.39	ug/L	0	U				0	20
1,1-Dichloroethane	0.39	ug/L	0	U				0	20
1,1-Dichloroethene	0.39	ug/L	0	U				0	20
1,1-Dichloropropene	0.39	ug/L	0	U				0	20
1,2,3-Trichlorobenzene	0.39	ug/L	0	U				0	20
1,2,3-Trichloropropane	0.39	ug/L	0	U				0	20
1,2,4-Trichlorobenzene	0.39	ug/L	0	U				0	20
1,2,4-Trimethylbenzene	0.39	ug/L	0	U				0	20
1,2-Dichlorobenzene	0.39	ug/L	0	U				0	20
1,2-Dichlorobenzene-d4	101	% Recovery			100	101	80 --- 120	0	
1,2-Dichloroethane	0.39	ug/L	0	U				0	20
1,2-Dichloropropane	0.39	ug/L	0	U				0	20
1,3,5-Trimethylbenzene	0.39	ug/L	0	U				0	20
1,3-Dichlorobenzene	0.39	ug/L	0	U				0	20
1,3-Dichloropropane	0.39	ug/L	0	U				0	20
1,4-Dichlorobenzene	0.39	ug/L	0	U				0	20
2,2-Dichloropropane	0.39	ug/L	0	U				0	20
2-Chlorotoluene	0.39	ug/L	0	U				0	20
4-Chlorotoluene	0.39	ug/L	0	U				0	20
Benzene	0.39	ug/L	0	U				0	20
Bromobenzene	0.39	ug/L	0	U				0	20
Bromochloromethane	0.39	ug/L	0	U				0	20
Bromodichloromethane	0.39	ug/L	0	U				0	20
Bromofluorobenzene	100	% Recovery			100	100	80 --- 120	0	
Bromoform	0.39	ug/L	0	U				0	20
Bromomethane	0.39	ug/L	0	U				0	20
Carbon tetrachloride	0.39	ug/L	0	U				0	20
Chlorobenzene	0.39	ug/L	0	U				0	20
Chlorodibromomethane	0.39	ug/L	0	U				0	20
Chloroethane	0.39	ug/L	0	U				0	20
Chloroform	0.39	ug/L	0	U				0	20
Chloromethane	0.39	ug/L	0	U				0	20

Duplicate

Analytical Run #:	196902	Analysis Date:	11/7/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1071659	Analysis Time:	02:26	Prep Date/Time:	Method:	524
Parent Sample #:	1070440	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	0.39	ug/L	0	U				0	20
cis-1,3-Dichloropropene	0.39	ug/L	0	U				0	20
Dibromomethane	0.39	ug/L	0	U				0	20
Dichlorodifluoromethane	0.39	ug/L	0	U				0	20
Ethylbenzene	0.39	ug/L	0	U				0	20
Hexachlorobutadiene	0.39	ug/L	0	U				0	20
Isopropylbenzene	0.39	ug/L	0	U				0	20
Methyl tert-butyl ether	0.39	ug/L	0	U				0	20
Methylene chloride	0.39	ug/L	0	U				0	20
n-Butylbenzene	0.39	ug/L	0	U				0	20
n-Propylbenzene	0.39	ug/L	0	U				0	20
Naphthalene	0.39	ug/L	0	U				0	20
p-Isopropyltoluene	0.39	ug/L	0	U				0	20
sec-Butylbenzene	0.39	ug/L	0	U				0	20
Styrene	0.39	ug/L	0	U				0	20
tert-Butylbenzene	0.39	ug/L	0	U				0	20
Tetrachloroethene	0.39	ug/L	0	U				0	20
Toluene	0.39	ug/L	0	U				0	20
trans-1,2-Dichloroethene	0.39	ug/L	0	U				0	20
trans-1,3-Dichloropropene	0.39	ug/L	0	U				0	20
Trichloroethene	0.39	ug/L	0	U				0	20
Trichlorofluoromethane	0.39	ug/L	0	U				0	20
Vinyl chloride	0.39	ug/L	0	U				0	20

Lab Control Spike Water

Analytical Run #:	196902	Analysis Date:	11/6/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1071485	Analysis Time:	22:45	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	3.98	ug/L			4.0	100	80 --- 120		20
1,1,1-Trichloroethane	4.52	ug/L			4.0	113	80 --- 120		20
1,1,2,2-Tetrachloroethane	3.94	ug/L			4.0	98	80 --- 120		20
1,1,2-Trichloroethane	3.96	ug/L			4.0	99	80 --- 120		20
1,1-Dichloroethane	3.85	ug/L			4.0	96	80 --- 120		20
1,1-Dichloroethene	4.21	ug/L			4.0	105	80 --- 120		20
1,1-Dichloropropene	4.46	ug/L			4.0	112	80 --- 120		20
1,2,3-Trichlorobenzene	3.86	ug/L			4.0	96	80 --- 120		20
1,2,3-Trichloropropane	3.49	ug/L			4.0	87	80 --- 120		20
1,2,4-Trichlorobenzene	4.08	ug/L			4.0	102	80 --- 120		20
1,2,4-Trimethylbenzene	4.60	ug/L			4.0	115	80 --- 120		20
1,2-Dichlorobenzene	4.30	ug/L			4.0	108	80 --- 120		20
1,2-Dichlorobenzene-d4	109	% Recovery			100	109	80 --- 120		20
1,2-Dichloroethane	3.97	ug/L			4.0	99	80 --- 120		20
1,2-Dichloropropane	4.29	ug/L			4.0	107	80 --- 120		20
1,3,5-Trimethylbenzene	4.54	ug/L			4.0	114	80 --- 120		20
1,3-Dichlorobenzene	4.39	ug/L			4.0	110	80 --- 120		20
1,3-Dichloropropane	3.85	ug/L			4.0	96	80 --- 120		20
1,4-Dichlorobenzene	4.20	ug/L			4.0	105	80 --- 120		20
2,2-Dichloropropane	3.24	ug/L			4.0	81	80 --- 120		20
2-Chlorotoluene	4.25	ug/L			4.0	106	80 --- 120		20
4-Chlorotoluene	4.38	ug/L			4.0	110	80 --- 120		20
Benzene	4.04	ug/L			4.0	101	80 --- 120		20
Bromobenzene	4.13	ug/L			4.0	103	80 --- 120		20
Bromochloromethane	4.10	ug/L			4.0	102	80 --- 120		20
Bromodichloromethane	4.18	ug/L			4.0	104	80 --- 120		20
Bromofluorobenzene	111	% Recovery			100	111	80 --- 120		20
Bromoform	4.04	ug/L			4.0	101	80 --- 120		20
Bromomethane	3.39	ug/L			4.0	85	80 --- 120		20
Carbon tetrachloride	4.54	ug/L			4.0	114	80 --- 120		20
Chlorobenzene	3.87	ug/L			4.0	97	80 --- 120		20
Chlorodibromomethane	4.00	ug/L			4.0	100	80 --- 120		20
Chloroethane	3.76	ug/L			4.0	94	80 --- 120		20
Chloroform	3.94	ug/L			4.0	98	80 --- 120		20
Chloromethane	3.84	ug/L			4.0	96	80 --- 120		20
cis-1,2-Dichloroethene	3.84	ug/L			4.0	96	80 --- 120		20
cis-1,3-Dichloropropene	3.99	ug/L			4.0	100	80 --- 120		20
Dibromomethane	3.85	ug/L			4.0	96	80 --- 120		20
Dichlorodifluoromethane	4.63	ug/L			4.0	116	80 --- 120		20
Ethylbenzene	3.89	ug/L			4.0	97	80 --- 120		20
Hexachlorobutadiene	4.25	ug/L			4.0	106	80 --- 120		20
Isopropylbenzene	4.09	ug/L			4.0	102	80 --- 120		20

Lab Control Spike Water

Analytical Run #:	196902	Analysis Date:	11/6/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1071485	Analysis Time:	22:45	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	3.24	ug/L			4.0	81	80 --- 120		20
Methylene chloride	3.47	ug/L			4.0	87	80 --- 120		20
n-Butylbenzene	4.58	ug/L			4.0	114	80 --- 120		20
n-Propylbenzene	4.56	ug/L			4.0	114	80 --- 120		20
Naphthalene	3.26	ug/L			4.0	82	80 --- 120		20
p-Isopropyltoluene	4.58	ug/L			4.0	114	80 --- 120		20
sec-Butylbenzene	4.71	ug/L			4.0	118	80 --- 120		20
Styrene	3.74	ug/L			4.0	94	80 --- 120		20
tert-Butylbenzene	4.68	ug/L			4.0	117	80 --- 120		20
Tetrachloroethene	4.37	ug/L			4.0	109	80 --- 120		20
Toluene	3.90	ug/L			4.0	98	80 --- 120		20
trans-1,2-Dichloroethene	4.21	ug/L			4.0	105	80 --- 120		20
trans-1,3-Dichloropropene	3.99	ug/L			4.0	100	80 --- 120		20
Trichloroethene	4.17	ug/L			4.0	104	80 --- 120		20
Trichlorofluoromethane	4.72	ug/L			4.0	118	80 --- 120		20
Vinyl chloride	4.12	ug/L			4.0	103	80 --- 120		20

Method Blank Water

Analytical Run #:	196902	Analysis Date:	11/6/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1071660	Analysis Time:	23:41	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.30	ug/L		U	0			0.30	
1,1,1-Trichloroethane	0.32	ug/L		U	0			0.32	
1,1,2,2-Tetrachloroethane	0.27	ug/L		U	0			0.27	
1,1,2-Trichloroethane	0.27	ug/L		U	0			0.27	
1,1-Dichloroethane	0.39	ug/L		U	0			0.39	
1,1-Dichloroethene	0.36	ug/L		U	0			0.36	
1,1-Dichloropropene	0.30	ug/L		U	0			0.30	
1,2,3-Trichlorobenzene	0.34	ug/L		U	0			0.34	
1,2,3-Trichloropropane	0.33	ug/L		U	0			0.33	
1,2,4-Trichlorobenzene	0.31	ug/L		U	0			0.31	
1,2,4-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,2-Dichlorobenzene	0.28	ug/L		U	0			0.28	
1,2-Dichlorobenzene-d4	104	% Recovery			100	104	80 ---	120	
1,2-Dichloroethane	0.32	ug/L		U	0			0.32	
1,2-Dichloropropane	0.29	ug/L		U	0			0.29	
1,3,5-Trimethylbenzene	0.35	ug/L		U	0			0.35	
1,3-Dichlorobenzene	0.32	ug/L		U	0			0.32	
1,3-Dichloropropane	0.28	ug/L		U	0			0.28	
1,4-Dichlorobenzene	0.31	ug/L		U	0			0.31	
2,2-Dichloropropane	0.31	ug/L		U	0			0.31	
2-Chlorotoluene	0.30	ug/L		U	0			0.30	
4-Chlorotoluene	0.32	ug/L		U	0			0.32	
Benzene	0.31	ug/L		U	0			0.31	
Bromobenzene	0.28	ug/L		U	0			0.28	
Bromochloromethane	0.34	ug/L		U	0			0.34	
Bromodichloromethane	0.33	ug/L		U	0			0.33	
Bromofluorobenzene	102	% Recovery			100	102	80 ---	120	
Bromoform	0.27	ug/L		U	0			0.27	
Bromomethane	0.42	ug/L		U	0			0.42	
Carbon tetrachloride	0.36	ug/L		U	0			0.36	
Chlorobenzene	0.33	ug/L		U	0			0.33	
Chlorodibromomethane	0.25	ug/L		U	0			0.25	
Chloroethane	0.53	ug/L		U	0			0.53	
Chloroform	0.32	ug/L		U	0			0.32	
Chloromethane	0.31	ug/L		U	0			0.31	
cis-1,2-Dichloroethene	0.38	ug/L		U	0			0.38	
cis-1,3-Dichloropropene	0.36	ug/L		U	0			0.36	
Dibromomethane	0.34	ug/L		U	0			0.34	
Dichlorodifluoromethane	0.40	ug/L		U	0			0.40	
Ethylbenzene	0.33	ug/L		U	0			0.33	
Hexachlorobutadiene	0.30	ug/L		U	0			0.30	
Isopropylbenzene	0.33	ug/L		U	0			0.33	

SDG #: 0

Folder #: 165650

Project #: 335719.0012

Method Blank Water

Analytical Run #:	196902	Analysis Date:	11/6/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1071660	Analysis Time:	23:41	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	0.28	ug/L		U	0		0.28		
Methylene chloride	0.29	ug/L		U	0		0.29		
n-Butylbenzene	0.33	ug/L		U	0		0.33		
n-Propylbenzene	0.33	ug/L		U	0		0.33		
Naphthalene	0.25	ug/L		U	0		0.25		
p-Isopropyltoluene	0.31	ug/L		U	0		0.31		
sec-Butylbenzene	0.36	ug/L		U	0		0.36		
Styrene	0.25	ug/L		U	0		0.25		
tert-Butylbenzene	0.30	ug/L		U	0		0.30		
Tetrachloroethene	0.35	ug/L		U	0		0.35		
Toluene	0.26	ug/L		U	0		0.26		
trans-1,2-Dichloroethene	0.31	ug/L		U	0		0.31		
trans-1,3-Dichloropropene	0.23	ug/L		U	0		0.23		
Trichloroethene	0.44	ug/L		U	0		0.44		
Trichlorofluoromethane	0.35	ug/L		U	0		0.35		
Vinyl chloride	0.17	ug/L		U	0		0.17		

Sample Condition Report

Folder #: 165650	Print Date / Time: 11/04/2021 10:39	
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 11/04/2021 10:10 DJL	
Project Name: REFUSE HIDEAWAY LF	Log-In Date / Time / By: 11/04/2021 10:39 erc	
Project Phase: MIDDLETON, WI	Project #: 335719.0012	PM: BMS
Coolers: 6722	Temperature: 4.1 C	On Ice: Y
Custody Seals Present : N	COC Present:? Y	Complete? Y
Seal Intact? N	Numbers:	
Ship Method:	Tracking Number:	
Adequate Packaging: Y	Temp Blank Enclosed? Y	

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070440 7911 DEER RUN RD	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070441 7892 DEER RUN RD	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070442 7873 DEER RUN RD	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070443 7734 USH 14	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070444 4314 FAWN CT				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070445 4310 FAWN CT				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070446 7785 LOW RD				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070447 DUP-01-202110				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1070448 TRIP BLANK				
	TRIP BLANK	1	/	VOC
	TRIP BLANK	1	N / N	VOC
Total # of Containers of Type (TRIP BLANK) = 2				

Condition Code Condition Description
1 Sample Received OK

Company: TRC Env.
 Project Contact: Wesley Braga
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway LF
 Project #: 335719.0012
 Location: Middleton, WI
 Sampled By: Wesley Braga

CT LABORATORIES

Folder #: 165650
 Company: TRC ENVIRONMENTAL
 Project: REFUSE HIDEAWAY
 Logged By: erc PM: BMS

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____

PO #
 Will E-mail


Report To:
 EMAIL: Kvater@trcsolutions.com
 Company: TRC Env.
 Address: 708 Heartland Dr, Ste 3000
 Madison, WI 53717
 Invoice To:*
 EMAIL:
 Company: SAA
 Address:

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions


Client Special Instructions

ANALYSES REQUESTED

Collection	Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered? Y/N	ANALYSES REQUESTED																Total # Containers	Designated MS/MSD	Turnaround Time Normal RUSH* Date Needed: _____ Rush analysis requires prior CT Laboratories' approval Surcharges: 24 hr 200% 2-3 days 100% 4-9 days 50%
						Fill in Spaces with Bottles per Test																		
Date	Time					VOCs (524.2)																		
11/3/21	1330	DW	G	7911 Deer Run Rd	N	X															3	1070440		
11/3/21	1220	DW	G	7892 Deer Run Rd	N	X															3	41		
11/3/21	1155	DW	G	7873 Deer Run Rd	N	X															3	42		
11/3/21	1440	DW	G	7734 VSH 14	N	X															3	43		
11/3/21	1310	DW	G	4314 Fawn Ct.	N	X															3	44		
11/3/21	1245	DW	G	4310 Fawn Ct	N	X															3	45		
11/3/21	1415	DW	G	7785 Low Rd	N	X															3	46		
11/3/21	-	DW	G	DUP-01-202110	N	X															3	47		
#	-	W	-	Trip Blank	N	X															2	48		

Relinquished By: 
 Received by: _____

Date/Time: 11/3/21 1800
 Date/Time: _____

Received By: _____
 Received for Laboratory by: 
 165650 - Page 60 of 60


Date/Time: 11/4/21 10:10
 Date/Time: _____

Lab Use Only
 Ice Present Yes / No
 Temp: 41.9
 Cooler #: 6722

erc 11/11/21 1044

CT LABORATORIES


delivering more than data from your environmental analyses



ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)



ANALYTICAL REPORT

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717


Project Name: REFUSE HIDEAWAY LF
 Project Phase: MIDDLETON, WI
 Project #: 335719
 Folder #: 165741
 Purchase Order #:
 Contract #: 3274

Page 1 of 10
 Arrival Temperature: 1.7
 Report Date: 12/8/2021
 Date Received: 11/9/2021
 Reprint Date: 12/8/2021

CT LAB#: 1072428	Sample Description: 7902 USH 14	License/Well #: 01953/309	Sampled: 11/8/2021 13:40
------------------	---------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/8/2021 13:40	SUB	FIELD
Conductivity (Field)	934.0	umhos/cm			1			11/8/2021 13:40	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/8/2021 13:40	SUB	FIELD
pH (Field)	7.09	S.U.			1			11/8/2021 13:40	SUB	FIELD
Temperature (Field)	15.89	Deg. C			1			11/8/2021 13:40	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/8/2021 13:40	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/16/2021 20:06	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/16/2021 20:06	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 20:06	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 20:06	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/16/2021 20:06	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/16/2021 20:06	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/16/2021 20:06	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/16/2021 20:06	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/16/2021 20:06	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 20:06	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072428 Sample Description: 7902 USH 14 License/Well #: 01953/309 Sampled: 11/8/2021 13:40


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/16/2021	20:06	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/16/2021	20:06	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/16/2021	20:06	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/16/2021	20:06	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072428 Sample Description: 7902 USH 14 License/Well #: 01953/309 Sampled: 11/8/2021 13:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/16/2021	20:06	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/16/2021	20:06	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/16/2021	20:06	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/16/2021	20:06	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/16/2021	20:06	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/16/2021	20:06	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	100	% Recovery	80.0	120	1		11/16/2021	20:06	RLD	EPA 524.2
Bromofluorobenzene	102	% Recovery	80.0	120	1		11/16/2021	20:06	RLD	EPA 524.2



CT LAB#: 1072429 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 11/8/2021 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/8/2021 14:10	SUB	FIELD
Conductivity (Field)	692.0	umhos/cm			1			11/8/2021 14:10	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/8/2021 14:10	SUB	FIELD
pH (Field)	7.34	S.U.			1			11/8/2021 14:10	SUB	FIELD
Temperature (Field)	15.59	Deg. C			1			11/8/2021 14:10	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/8/2021 14:10	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/16/2021 20:34	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/16/2021 20:34	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/16/2021 20:34	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/16/2021 20:34	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 20:34	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/16/2021 20:34	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/16/2021 20:34	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/16/2021 20:34	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/16/2021 20:34	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 20:34	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072429 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 11/8/2021 14:10


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
cis-1,2-Dichloroethene	1.00	ug/L	0.38 *	1.3	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	20:34	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/16/2021 20:34	20:34	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072429 Sample Description: 7750 USH 14 License/Well #: 01953/311 Sampled: 11/8/2021 14:10

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Tetrachloroethene	1.8	ug/L	0.35	1.2	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	103	% Recovery	80.0	120	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2
Bromofluorobenzene	101	% Recovery	80.0	120	1		11/16/2021 20:34	11/16/2021 20:34	RLD	EPA 524.2



CT LAB#: 1072430 Sample Description: TRIP BLANK License/Well #: 01953/999 Sampled: 11/8/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.30	ug/L	0.30	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,1,1-Trichloroethane	<0.32	ug/L	0.32	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
1,1,2,2-Tetrachloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,1-Dichloroethane	<0.39	ug/L	0.39	1.3	1			11/16/2021 19:38	RLD	EPA 524.2
1,1-Dichloroethene	<0.36	ug/L	0.36	1.2	1			11/16/2021 19:38	RLD	EPA 524.2
1,1-Dichloropropene	<0.30	ug/L	0.30	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,2,3-Trichlorobenzene	<0.34	ug/L	0.34	2.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,2,3-Trichloropropane	<0.33	ug/L	0.33	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
1,2,4-Trichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
1,2,4-Trimethylbenzene	<0.29	ug/L	0.29	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,2-Dichlorobenzene	<0.28	ug/L	0.28	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,2-Dichloroethane	<0.32	ug/L	0.32	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
1,2-Dichloropropane	<0.29	ug/L	0.29	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,3,5-Trimethylbenzene	<0.35	ug/L	0.35	1.2	1			11/16/2021 19:38	RLD	EPA 524.2
1,3-Dichlorobenzene	<0.32	ug/L	0.32	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
1,4-Dichlorobenzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
2-Chlorotoluene	<0.30	ug/L	0.30	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
4-Chlorotoluene	<0.32	ug/L	0.32	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
Benzene	<0.31	ug/L	0.31	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
Bromobenzene	<0.28	ug/L	0.28	1.0	1			11/16/2021 19:38	RLD	EPA 524.2
Bromochloromethane	<0.34	ug/L	0.34	1.2	1			11/16/2021 19:38	RLD	EPA 524.2
Bromodichloromethane	<0.33	ug/L	0.33	1.1	1			11/16/2021 19:38	RLD	EPA 524.2
Bromoform	<0.27	ug/L	0.27	1.0	1			11/16/2021 19:38	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072430	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 11/8/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Bromomethane	<0.42	ug/L	0.42	1.4	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Carbon tetrachloride	<0.36	ug/L	0.36	1.2	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Chlorobenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Chlorodibromomethane	<0.25	ug/L	0.25	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Chloroethane	<0.53	ug/L	0.53	2.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Chloroform	<0.32	ug/L	0.32	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Chloromethane	<0.31	ug/L	0.31	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
cis-1,2-Dichloroethene	<0.38	ug/L	0.38	1.3	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
cis-1,3-Dichloropropene	<0.36	ug/L	0.36	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Dibromomethane	<0.34	ug/L	0.34	1.2	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.4	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Ethylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Hexachlorobutadiene	<0.30	ug/L	0.30	1.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Isopropylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Methylene chloride	<0.29	ug/L	0.29	1.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
n-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
n-Propylbenzene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Naphthalene	<0.25	ug/L	0.25	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
p-Isopropyltoluene	<0.31	ug/L	0.31	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
sec-Butylbenzene	<0.36	ug/L	0.36	1.2	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Styrene	<0.25	ug/L	0.25	1.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
tert-Butylbenzene	<0.30	ug/L	0.30	1.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Tetrachloroethene	<0.35	ug/L	0.35	1.2	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Toluene	<0.26	ug/L	0.26	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Total Xylene	<0.33	ug/L	0.33	1.1	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
trans-1,2-Dichloroethene	<0.31	ug/L	0.31	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1072430	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 11/8/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.23	ug/L	0.23	2.0	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Trichloroethene	<0.44	ug/L	0.44	1.5	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Trichlorofluoromethane	<0.35	ug/L	0.35	1.2	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Vinyl chloride	<0.17	ug/L	0.17	0.58	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
1,2-Dichlorobenzene-d4	102	% Recovery	80.0	120	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2
Bromofluorobenzene	103	% Recovery	80.0	120	1		11/16/2021 19:38	11/16/2021 19:38	RLD	EPA 524.2



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Preventative Action Limit (PAL) Exceedances

12/08/2021

Location/Landfill: REFUSE HIDEAWAY LF

License #: 01953

Page 1 of 1

Well Description:	7750 USH 14	Well #:	311	Sample Date	11/08/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units
Tetrachloroethene	34475	1.8	0.5	5	0.35	ug/L

Selected Indicators - Summary

Location/Landfill:	REFUSE HIDEAWAY	License #:	01953	12/09/2021
---------------------------	------------------------	-------------------	--------------	------------

Sample Date		7750 USH 14	7902 USH 14
11/08/2021	Color (Field)	NONE	NONE
	Conductivity (Field)	692.0	934.0
	Odor (Field)	NONE	NONE
	pH (Field)	7.34	7.09
	Temperature (Field)	15.59	15.89
	Turbidity (Field)	NONE	NONE

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: **REFUSE HIDEAWAY**

License #: **01953**

Page 37 of 40

Well Description: **7750 USH 14**

Well #: **311**

Parameter	Sample Date						
	11/8/2021	5/11/2021	11/2/2020	5/6/2020	11/5/2019	10/1/2019	5/23/2019
1,1-Dichloroethane		0.30	0.29		0.29	0.30	
cis-1,2-Dichloroethene	1.00	1.1	1.3	1.1	1.0	0.98	1.0
Dichlorodifluoromethane		0.43	0.39	0.52	0.66	0.53	0.59
Tetrachloroethene	1.8	2.2	2.0	1.6	2.0	1.8	1.9
Trichloroethene		0.55	0.52	0.44	0.37	0.56	0.49

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7902 USH 14 Well ID #: 309

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			11/05/2019	NONE
			11/03/2020	NONE
			11/08/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			11/05/2019	710.6
			11/03/2020	927.0
			11/08/2021	934.0
Odor (Field)	00001			
			11/05/2019	NONE
			11/03/2020	NONE
			11/08/2021	NONE
pH (Field)	00400	S.U.		
			11/05/2019	7.05
			11/03/2020	7.14
			11/08/2021	7.09
Temperature (Field)	00010	Deg. C		
			11/05/2019	11.05
			11/03/2020	13.70
			11/08/2021	15.89
Turbidity (Field)	00003			
			11/05/2019	NONE
			11/03/2020	NONE
			11/08/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7750 USH 14 Well ID #: 311

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/08/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	697
			10/01/2019	588.7
			11/05/2019	510.1
			05/06/2020	709.1
			11/02/2020	689.0
			05/11/2021	705.8
			11/08/2021	692.0
Odor (Field)	00001			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/08/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.52
			10/01/2019	7.19
			11/05/2019	7.00
			05/06/2020	6.05
			11/02/2020	7.35
			05/11/2021	7.25
			11/08/2021	7.34
Temperature (Field)	00010	Deg. C		
			05/23/2019	13.42
			10/01/2019	16.75
			11/05/2019	11.47
			05/06/2020	13.23
			11/02/2020	13.39
			05/11/2021	13.1
			11/08/2021	15.59

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: 7750 USH 14 Well ID #: 311

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/23/2019	NONE
			10/01/2019	NONE
			11/05/2019	NONE
			05/06/2020	NONE
			11/02/2020	NONE
			05/11/2021	NONE
			11/08/2021	NONE

QC Summary Report

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LF

SDG #: 0

Folder #: 165741

Project #: 335719

Duplicate

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076184	Analysis Time:	21:03	Prep Date/Time:	Method:	524
Parent Sample #:	1072429	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.17	ug/L	0	U				0	20
1,1,1-Trichloroethane	0.17	ug/L	0	U				0	20
1,1,2,2-Tetrachloroethane	0.17	ug/L	0	U				0	20
1,1,2-Trichloroethane	0.17	ug/L	0	U				0	20
1,1-Dichloroethane	0.39	ug/L	0	U				0	20
1,1-Dichloroethene	0.17	ug/L	0	U				0	20
1,1-Dichloropropene	0.17	ug/L	0	U				0	20
1,2,3-Trichlorobenzene	0.17	ug/L	0	U				0	20
1,2,3-Trichloropropane	0.17	ug/L	0	U				0	20
1,2,4-Trichlorobenzene	0.17	ug/L	0	U				0	20
1,2,4-Trimethylbenzene	0.17	ug/L	0	U				0	20
1,2-Dichlorobenzene	0.17	ug/L	0	U				0	20
1,2-Dichlorobenzene-d4	102	% Recovery			100	102	80 --- 120	0	
1,2-Dichloroethane	0.17	ug/L	0	U				0	20
1,2-Dichloropropane	0.17	ug/L	0	U				0	20
1,3,5-Trimethylbenzene	0.17	ug/L	0	U				0	20
1,3-Dichlorobenzene	0.17	ug/L	0	U				0	20
1,3-Dichloropropane	0.17	ug/L	0	U				0	20
1,4-Dichlorobenzene	0.17	ug/L	0	U				0	20
2,2-Dichloropropane	0.17	ug/L	0	U				0	20
2-Chlorotoluene	0.17	ug/L	0	U				0	20
4-Chlorotoluene	0.17	ug/L	0	U				0	20
Benzene	0.17	ug/L	0	U				0	20
Bromobenzene	0.17	ug/L	0	U				0	20
Bromochloromethane	0.17	ug/L	0	U				0	20
Bromodichloromethane	0.17	ug/L	0	U				0	20
Bromofluorobenzene	99.0	% Recovery			100	99.0	80 --- 120	0	
Bromoform	0.17	ug/L	0	U				0	20
Bromomethane	0.17	ug/L	0	U				0	20
Carbon tetrachloride	0.17	ug/L	0	U				0	20
Chlorobenzene	0.17	ug/L	0	U				0	20
Chlorodibromomethane	0.17	ug/L	0	U				0	20
Chloroethane	0.17	ug/L	0	U				0	20
Chloroform	0.17	ug/L	0	U				0	20
Chloromethane	0.17	ug/L	0	U				0	20

Duplicate

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076184	Analysis Time:	21:03	Prep Date/Time:	Method:	524
Parent Sample #:	1072429	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,2-Dichloroethene	1.05	ug/L	1.00					5	20
cis-1,3-Dichloropropene	0.17	ug/L	0	U				0	20
Dibromomethane	0.17	ug/L	0	U				0	20
Dichlorodifluoromethane	0.40	ug/L	0	U				0	20
Ethylbenzene	0.17	ug/L	0	U				0	20
Hexachlorobutadiene	0.17	ug/L	0	U				0	20
Isopropylbenzene	0.17	ug/L	0	U				0	20
Methyl tert-butyl ether	0.17	ug/L	0	U				0	20
Methylene chloride	0.17	ug/L	0	U				0	20
n-Butylbenzene	0.17	ug/L	0	U				0	20
n-Propylbenzene	0.17	ug/L	0	U				0	20
Naphthalene	0.17	ug/L	0	U				0	20
p-Isopropyltoluene	0.17	ug/L	0	U				0	20
sec-Butylbenzene	0.17	ug/L	0	U				0	20
Styrene	0.17	ug/L	0	U				0	20
tert-Butylbenzene	0.17	ug/L	0	U				0	20
Tetrachloroethene	2.00	ug/L	1.8					11	20
Toluene	0.17	ug/L	0	U				0	20
trans-1,2-Dichloroethene	0.17	ug/L	0	U				0	20
trans-1,3-Dichloropropene	0.17	ug/L	0	U				0	20
Trichloroethene	0.475	ug/L	0					200	20
Trichlorofluoromethane	0.17	ug/L	0	U				0	20
Vinyl chloride	0.17	ug/L	0	U				0	20

Lab Control Spike Water

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076206	Analysis Time:	18:12	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	3.77	ug/L			4.0	94	80 --- 120		20
1,1,1-Trichloroethane	4.27	ug/L			4.0	107	80 --- 120		20
1,1,2,2-Tetrachloroethane	3.91	ug/L			4.0	98	80 --- 120		20
1,1,2-Trichloroethane	3.94	ug/L			4.0	98	80 --- 120		20
1,1-Dichloroethane	3.99	ug/L			4.0	100	80 --- 120		20
1,1-Dichloroethene	4.47	ug/L			4.0	112	80 --- 120		20
1,1-Dichloropropene	4.09	ug/L			4.0	102	80 --- 120		20
1,2,3-Trichlorobenzene	4.00	ug/L			4.0	100	80 --- 120		20
1,2,3-Trichloropropane	3.99	ug/L			4.0	100	80 --- 120		20
1,2,4-Trichlorobenzene	3.89	ug/L			4.0	97	80 --- 120		20
1,2,4-Trimethylbenzene	4.04	ug/L			4.0	101	80 --- 120		20
1,2-Dichlorobenzene	3.84	ug/L			4.0	96	80 --- 120		20
1,2-Dichlorobenzene-d4	101	% Recovery			100	101	80 --- 120		20
1,2-Dichloroethane	3.86	ug/L			4.0	96	80 --- 120		20
1,2-Dichloropropane	4.32	ug/L			4.0	108	80 --- 120		20
1,3,5-Trimethylbenzene	4.03	ug/L			4.0	101	80 --- 120		20
1,3-Dichlorobenzene	3.93	ug/L			4.0	98	80 --- 120		20
1,3-Dichloropropane	3.74	ug/L			4.0	94	80 --- 120		20
1,4-Dichlorobenzene	3.99	ug/L			4.0	100	80 --- 120		20
2,2-Dichloropropane	3.91	ug/L			4.0	98	80 --- 120		20
2-Chlorotoluene	4.01	ug/L			4.0	100	80 --- 120		20
4-Chlorotoluene	4.09	ug/L			4.0	102	80 --- 120		20
Benzene	3.94	ug/L			4.0	98	80 --- 120		20
Bromobenzene	4.09	ug/L			4.0	102	80 --- 120		20
Bromochloromethane	4.11	ug/L			4.0	103	80 --- 120		20
Bromodichloromethane	3.84	ug/L			4.0	96	80 --- 120		20
Bromofluorobenzene	100	% Recovery			100	100	80 --- 120		20
Bromoform	3.64	ug/L			4.0	91	80 --- 120		20
Bromomethane	3.89	ug/L			4.0	97	80 --- 120		20
Carbon tetrachloride	4.07	ug/L			4.0	102	80 --- 120		20
Chlorobenzene	3.88	ug/L			4.0	97	80 --- 120		20
Chlorodibromomethane	3.87	ug/L			4.0	97	80 --- 120		20
Chloroethane	3.91	ug/L			4.0	98	80 --- 120		20
Chloroform	3.80	ug/L			4.0	95	80 --- 120		20
Chloromethane	3.76	ug/L			4.0	94	80 --- 120		20
cis-1,2-Dichloroethene	3.77	ug/L			4.0	94	80 --- 120		20
cis-1,3-Dichloropropene	4.03	ug/L			4.0	101	80 --- 120		20
Dibromomethane	3.95	ug/L			4.0	99	80 --- 120		20
Dichlorodifluoromethane	4.59	ug/L			4.0	115	80 --- 120		20
Ethylbenzene	4.01	ug/L			4.0	100	80 --- 120		20
Hexachlorobutadiene	4.18	ug/L			4.0	104	80 --- 120		20
Isopropylbenzene	4.16	ug/L			4.0	104	80 --- 120		20

Lab Control Spike Water

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076206	Analysis Time:	18:12	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	3.89	ug/L			4.0	97	80 --- 120		20
Methylene chloride	4.02	ug/L			4.0	100	80 --- 120		20
n-Butylbenzene	4.20	ug/L			4.0	105	80 --- 120		20
n-Propylbenzene	4.09	ug/L			4.0	102	80 --- 120		20
Naphthalene	4.14	ug/L			4.0	104	80 --- 120		20
p-Isopropyltoluene	4.18	ug/L			4.0	104	80 --- 120		20
sec-Butylbenzene	4.33	ug/L			4.0	108	80 --- 120		20
Styrene	3.98	ug/L			4.0	100	80 --- 120		20
tert-Butylbenzene	4.12	ug/L			4.0	103	80 --- 120		20
Tetrachloroethene	4.12	ug/L			4.0	103	80 --- 120		20
Toluene	3.90	ug/L			4.0	98	80 --- 120		20
trans-1,2-Dichloroethene	3.88	ug/L			4.0	97	80 --- 120		20
trans-1,3-Dichloropropene	3.83	ug/L			4.0	96	80 --- 120		20
Trichloroethene	3.94	ug/L			4.0	98	80 --- 120		20
Trichlorofluoromethane	4.30	ug/L			4.0	108	80 --- 120		20
Vinyl chloride	4.22	ug/L			4.0	106	80 --- 120		20

Method Blank Water

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076197	Analysis Time:	19:09	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.30	ug/L		U	0			0.30	
1,1,1-Trichloroethane	0.32	ug/L		U	0			0.32	
1,1,2,2-Tetrachloroethane	0.27	ug/L		U	0			0.27	
1,1,2-Trichloroethane	0.27	ug/L		U	0			0.27	
1,1-Dichloroethane	0.39	ug/L		U	0			0.39	
1,1-Dichloroethene	0.36	ug/L		U	0			0.36	
1,1-Dichloropropene	0.30	ug/L		U	0			0.30	
1,2,3-Trichlorobenzene	0.34	ug/L		U	0			0.34	
1,2,3-Trichloropropane	0.33	ug/L		U	0			0.33	
1,2,4-Trichlorobenzene	0.31	ug/L		U	0			0.31	
1,2,4-Trimethylbenzene	0.29	ug/L		U	0			0.29	
1,2-Dichlorobenzene	0.28	ug/L		U	0			0.28	
1,2-Dichlorobenzene-d4	100	% Recovery			100	100	80 ---	120	
1,2-Dichloroethane	0.32	ug/L		U	0			0.32	
1,2-Dichloropropane	0.29	ug/L		U	0			0.29	
1,3,5-Trimethylbenzene	0.35	ug/L		U	0			0.35	
1,3-Dichlorobenzene	0.32	ug/L		U	0			0.32	
1,3-Dichloropropane	0.28	ug/L		U	0			0.28	
1,4-Dichlorobenzene	0.31	ug/L		U	0			0.31	
2,2-Dichloropropane	0.31	ug/L		U	0			0.31	
2-Chlorotoluene	0.30	ug/L		U	0			0.30	
4-Chlorotoluene	0.32	ug/L		U	0			0.32	
Benzene	0.31	ug/L		U	0			0.31	
Bromobenzene	0.28	ug/L		U	0			0.28	
Bromochloromethane	0.34	ug/L		U	0			0.34	
Bromodichloromethane	0.33	ug/L		U	0			0.33	
Bromofluorobenzene	101	% Recovery			100	101	80 ---	120	
Bromoform	0.27	ug/L		U	0			0.27	
Bromomethane	0.42	ug/L		U	0			0.42	
Carbon tetrachloride	0.36	ug/L		U	0			0.36	
Chlorobenzene	0.33	ug/L		U	0			0.33	
Chlorodibromomethane	0.25	ug/L		U	0			0.25	
Chloroethane	0.53	ug/L		U	0			0.53	
Chloroform	0.32	ug/L		U	0			0.32	
Chloromethane	0.31	ug/L		U	0			0.31	
cis-1,2-Dichloroethene	0.38	ug/L		U	0			0.38	
cis-1,3-Dichloropropene	0.36	ug/L		U	0			0.36	
Dibromomethane	0.34	ug/L		U	0			0.34	
Dichlorodifluoromethane	0.40	ug/L		U	0			0.40	
Ethylbenzene	0.33	ug/L		U	0			0.33	
Hexachlorobutadiene	0.30	ug/L		U	0			0.30	
Isopropylbenzene	0.33	ug/L		U	0			0.33	

Method Blank Water

Analytical Run #:	197463	Analysis Date:	11/16/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076197	Analysis Time:	19:09	Prep Date/Time:	Method:	524
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Methyl tert-butyl ether	0.28	ug/L		U	0		0.28		
Methylene chloride	0.29	ug/L		U	0		0.29		
n-Butylbenzene	0.33	ug/L		U	0		0.33		
n-Propylbenzene	0.33	ug/L		U	0		0.33		
Naphthalene	0.25	ug/L		U	0		0.25		
p-Isopropyltoluene	0.31	ug/L		U	0		0.31		
sec-Butylbenzene	0.36	ug/L		U	0		0.36		
Styrene	0.25	ug/L		U	0		0.25		
tert-Butylbenzene	0.30	ug/L		U	0		0.30		
Tetrachloroethene	0.35	ug/L		U	0		0.35		
Toluene	0.26	ug/L		U	0		0.26		
trans-1,2-Dichloroethene	0.31	ug/L		U	0		0.31		
trans-1,3-Dichloropropene	0.23	ug/L		U	0		0.23		
Trichloroethene	0.44	ug/L		U	0		0.44		
Trichlorofluoromethane	0.35	ug/L		U	0		0.35		
Vinyl chloride	0.17	ug/L		U	0		0.17		

Sample Condition Report

Folder #: 165741	Print Date / Time: 11/09/2021 11:29
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 11/09/2021 11:17 erc
Project Name: REFUSE HIDEAWAY LF	Log-In Date / Time / By: 11/09/2021 11:29 erc
Project Phase: MIDDLETON, WI	Project #: 335719 PM: BMS
Coolers: 6682	Temperature: 1.7 C On Ice: Y
Custody Seals Present : N	COC Present:? Y Complete? Y
Seal Intact? N	Numbers: N/A
Ship Method:	Tracking Number:
Adequate Packaging: Y	Temp Blank Enclosed? Y

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1072428 7902 USH 14				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1072429 7750 USH 14				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
Total # of Containers of Type (VOA HCL) = 6				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1072430 TRIP BLANK				
	TRIP BLANK	1	/	VOC
	TRIP BLANK	1	N / N	VOC
Total # of Containers of Type (TRIP BLANK) = 2				

Condition Code	Condition Description
1	Sample Received OK

Company: TRC Env.
 Project Contact: Wesley Bragg
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway
 Project #: 335719
 Location: Madison, WI
 Sampled By: Wesley Bragg

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL:
 Company:
 Address:
 Invoice To:*
 EMAIL:
 Company:
 Address:

Folder #: 165741
 Company: TRC ENVIRONMENTAL
 Project: REFUSE HIDEAWAY
 Logged By: erc PM: BMS

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____
 PO #

**Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions*

Client Special Instructions


ANALYSES REQUESTED

Turnaround Time
 Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered? Y/N	ANALYSES REQUESTED													Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>					
Date	Time						Fill in Spaces with Bottles per Test																				
11/8/21	1340	GW	G		7902 USH14	N	X																			3	107 2928
11/8/21	1410	GW	G		7705 USH14	N	X																			6	Y " 29
-	-				Trip Blank	N	X																			2	- 30

Relinquished By: <u>[Signature]</u>	Date/Time <u>11/8/21 1800</u>	Received By: <u>[Signature]</u>	Date/Time <u>11/9/21 1117</u>	Lab Use Only Ice Present <input checked="" type="checkbox"/> No
Received by:	Date/Time	Received for Laboratory by: 165741 - Page 25 of 25	Date/Time <u>11/9/21 1133</u>	Temp <u>17</u> AR Gu# <u>27</u> Cooler # <u>6682</u>



ANALYTICAL REPORT

This report at a minimum contains the following information:

- Analytical Report of Test Results
- Description of QC Qualifiers
- Chain of Custody (copy)
- Quality Control Summary
- Case Narrative (if applicable)
- Correspondence with Client (if applicable)

**REVISED
 ANALYTICAL REPORT**

TRC ENVIRONMENTAL
 KATHERINE VATER
 708 HEARTLAND TRAIL
 SUITE 3000
 MADISON, WI 53717


Project Name: REFUSE HIDEAWAY LF
 Project Phase: MIDDLETON, WI
 Project #: 335719
 Folder #: 165868
 Purchase Order #:
 Contract #: 3274

Page 1 of 132
 Arrival Temperature: 2.6
 Report Date: 12/9/2021
 Date Received: 11/15/2021
 Reprint Date: 12/17/2021
 Revision Date 12/17/2021

CT LAB#: 1074507	Sample Description: P-17S-202111	License/Well #: 01953/128	Sampled: 11/11/2021 16:20
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	ORANGE				1			11/11/2021 16:20	SUB	FIELD
Conductivity (Field)	1104.5	umhos/cm			1			11/11/2021 16:20	SUB	FIELD
Odor (Field)	NONE				1			11/11/2021 16:20	SUB	FIELD
pH (Field)	6.63	S.U.			1			11/11/2021 16:20	SUB	FIELD
Temperature (Field)	10.78	Deg. C			1			11/11/2021 16:20	SUB	FIELD
Turbidity (Field)	SLIGHT				1			11/11/2021 16:20	SUB	FIELD
Groundwater Elevation (Field)	936.77	Feet MSL			1			11/2/2021 11:02	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 10:07	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 10:07	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 10:07	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 10:07	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:07	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074507 Sample Description: P-17S-202111 License/Well #: 01953/128 Sampled: 11/11/2021 16:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074507 Sample Description: P-17S-202111 License/Well #: 01953/128 Sampled: 11/11/2021 16:20

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Chloroethane	<1.1	ug/L	1.1	3.7	1			11/21/2021 10:07	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1			11/21/2021 10:07	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1			11/21/2021 10:07	RLD	EPA 8260C
cis-1,2-Dichloroethene	0.71	ug/L	0.41 *	1.4	1			11/21/2021 10:07	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1			11/21/2021 10:07	RLD	EPA 8260C
Dichlorodifluoromethane	0.72	ug/L	0.63 *	2.1	1			11/21/2021 10:07	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 10:07	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 10:07	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 10:07	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 10:07	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 10:07	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 10:07	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:07	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 10:07	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 10:07	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 10:07	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
Tetrachloroethene	2.2	ug/L	0.55	1.9	1			11/21/2021 10:07	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 10:07	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:07	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:07	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074507 Sample Description: P-17S-202111 License/Well #: 01953/128 Sampled: 11/11/2021 16:20


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		11/21/2021 10:07	11/21/2021 10:07	RLD	EPA 8260C



CT LAB#: 1074508 Sample Description: P-18S-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/11/2021 14:42	SUB	FIELD
Conductivity (Field)	730.7	umhos/cm			1			11/11/2021 14:42	SUB	FIELD
Odor (Field)	NONE				1			11/11/2021 14:42	SUB	FIELD
pH (Field)	7.16	S.U.			1			11/11/2021 14:42	SUB	FIELD
Temperature (Field)	10.78	Deg. C			1			11/11/2021 14:42	SUB	FIELD
Turbidity (Field)	NONE				1			11/11/2021 14:42	SUB	FIELD
Groundwater Elevation (Field)	925.06	Feet MSL			1			11/2/2021 11:25	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 10:36	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 10:36	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 10:36	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 10:36	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 10:36	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 10:36	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 10:36	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 10:36	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 10:36	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 10:36	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074508 Sample Description: P-18S-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.63 *	2.1	1		11/21/2021 10:36	11/21/2021 10:36	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074508 Sample Description: P-18S-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 10:36	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 10:36	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 10:36	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 10:36	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 10:36	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 10:36	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 10:36	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 10:36	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 10:36	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
Tetrachloroethene	8.5	ug/L	0.55	1.9	1			11/21/2021 10:36	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 10:36	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 10:36	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 10:36	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 10:36	RLD	EPA 8260C
Trichloroethene	0.70	ug/L	0.39 *	1.3	1			11/21/2021 10:36	RLD	EPA 8260C
Trichlorofluoromethane	0.58	ug/L	0.41 *	1.4	1			11/21/2021 10:36	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 10:36	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 10:36	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			11/21/2021 10:36	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			11/21/2021 10:36	RLD	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			11/21/2021 10:36	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074508	Sample Description: P-18S-202111	License/Well #: 01953/129	Sampled: 11/11/2021 15:04
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			11/21/2021 10:36	RLD	EPA 8260C



CT LAB#: 1074509 Sample Description: P-20SR-202111 License/Well #: 01953/167 Sampled: 11/11/2021 15:37

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/11/2021 13:37	SUB	FIELD
Conductivity (Field)	615.0	umhos/cm			1			11/11/2021 13:37	SUB	FIELD
Odor (Field)	NONE				1			11/11/2021 13:37	SUB	FIELD
pH (Field)	7.21	S.U.			1			11/11/2021 13:37	SUB	FIELD
Temperature (Field)	10.05	Deg. C			1			11/11/2021 13:37	SUB	FIELD
Turbidity (Field)	NONE				1			11/11/2021 13:37	SUB	FIELD
Groundwater Elevation (Field)	925.18	Feet MSL			1			11/2/2021 11:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 11:05	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 11:05	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 11:05	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 11:05	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 11:05	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 11:05	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:05	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 11:05	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 11:05	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 11:05	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074509 Sample Description: P-20SR-202111 License/Well #: 01953/167 Sampled: 11/11/2021 15:37

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	11:05	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	11:05	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	11:05	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:05	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	11:05	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:05	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	11:05	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:05	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	11:05	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	11:05	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	11:05	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	11:05	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	11:05	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	11:05	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	11:05	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	11:05	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	11:05	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	11:05	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	11:05	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	11:05	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	11:05	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	11:05	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	11:05	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	11:05	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	11:05	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	11:05	RLD	EPA 8260C
Dichlorodifluoromethane	0.98	ug/L	0.63 *	2.1	1		11/21/2021	11:05	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074509 Sample Description: P-20SR-202111 License/Well #: 01953/167 Sampled: 11/11/2021 15:37

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 11:05	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 11:05	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 11:05	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 11:05	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 11:05	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 11:05	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 11:05	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:05	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:05	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
Tetrachloroethene	1.4	ug/L	0.55 *	1.9	1			11/21/2021 11:05	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 11:05	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:05	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:05	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 11:05	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 11:05	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 11:05	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 11:05	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 11:05	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			11/21/2021 11:05	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 11:05	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			11/21/2021 11:05	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074509	Sample Description: P-20SR-202111	License/Well #: 01953/167	Sampled: 11/11/2021 15:37
------------------	-----------------------------------	---------------------------	---------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/21/2021 11:05	RLD	EPA 8260C



CT LAB#: 1074510 Sample Description: P-22S-202111 License/Well #: 01953/135 Sampled: 11/9/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/9/2021 14:22	SUB	FIELD
Conductivity (Field)	630.8	umhos/cm			1			11/9/2021 14:22	SUB	FIELD
Odor (Field)	NONE				1			11/9/2021 14:22	SUB	FIELD
pH (Field)	7.54	S.U.			1			11/9/2021 14:22	SUB	FIELD
Temperature (Field)	12.21	Deg. C			1			11/9/2021 14:22	SUB	FIELD
Turbidity (Field)	NONE				1			11/9/2021 14:22	SUB	FIELD
Groundwater Elevation (Field)	916.66	Feet MSL			1			11/2/2021 10:20	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 11:33	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 11:33	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 11:33	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 11:33	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 11:33	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 11:33	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:33	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 11:33	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 11:33	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 11:33	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074510 Sample Description: P-22S-202111 License/Well #: 01953/135 Sampled: 11/9/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	11:33	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	11:33	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	11:33	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:33	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	11:33	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:33	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	11:33	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	11:33	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	11:33	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	11:33	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	11:33	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	11:33	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	11:33	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	11:33	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	11:33	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	11:33	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	11:33	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	11:33	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	11:33	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	11:33	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	11:33	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	11:33	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	11:33	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	11:33	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	11:33	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	11:33	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/21/2021	11:33	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074510 Sample Description: P-22S-202111 License/Well #: 01953/135 Sampled: 11/9/2021 14:22

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 11:33	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 11:33	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 11:33	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 11:33	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 11:33	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 11:33	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 11:33	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:33	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 11:33	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 11:33	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 11:33	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 11:33	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 11:33	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 11:33	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 11:33	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 11:33	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 11:33	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 11:33	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			11/21/2021 11:33	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1			11/21/2021 11:33	RLD	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			11/21/2021 11:33	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074510	Sample Description: P-22S-202111	License/Well #: 01953/135	Sampled: 11/9/2021 14:22
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 11:33	RLD	EPA 8260C



CT LAB#: 1074511 Sample Description: P-22D-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/9/2021 15:01	SUB	FIELD
Conductivity (Field)	643.1	umhos/cm			1			11/9/2021 15:01	SUB	FIELD
Odor (Field)	NONE				1			11/9/2021 15:01	SUB	FIELD
pH (Field)	6.53	S.U.			1			11/9/2021 15:01	SUB	FIELD
Temperature (Field)	10.96	Deg. C			1			11/9/2021 15:01	SUB	FIELD
Turbidity (Field)	NONE				1			11/9/2021 15:01	SUB	FIELD
Groundwater Elevation (Field)	916.50	Feet MSL			1			11/2/2021 10:24	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 12:02	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:02	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 12:02	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 12:02	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 12:02	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:02	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:02	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 12:02	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 12:02	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 12:02	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074511 Sample Description: P-22D-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.2	ug/L	0.41 *	1.4	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.63 *	2.1	1		11/21/2021 12:02	11/21/2021 12:02	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074511 Sample Description: P-22D-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 12:02	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 12:02	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 12:02	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 12:02	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 12:02	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 12:02	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 12:02	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:02	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:02	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
Tetrachloroethene	1.8	ug/L	0.55 *	1.9	1			11/21/2021 12:02	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 12:02	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:02	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:02	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 12:02	RLD	EPA 8260C
Trichloroethene	0.59	ug/L	0.39 *	1.3	1			11/21/2021 12:02	RLD	EPA 8260C
Trichlorofluoromethane	0.58	ug/L	0.41 *	1.4	1			11/21/2021 12:02	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 12:02	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 12:02	RLD	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1			11/21/2021 12:02	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			11/21/2021 12:02	RLD	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			11/21/2021 12:02	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074511	Sample Description: P-22D-202111	License/Well #: 01953/136	Sampled: 11/9/2021 15:01
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/21/2021 12:02	RLD	EPA 8260C



CT LAB#: 1074512 Sample Description: P-22E-202111 License/Well #: 01953/174 Sampled: 11/9/2021 14:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/9/2021 14:40	SUB	FIELD
Conductivity (Field)	595.4	umhos/cm			1			11/9/2021 14:40	SUB	FIELD
Odor (Field)	NONE				1			11/9/2021 14:40	SUB	FIELD
pH (Field)	7.16	S.U.			1			11/9/2021 14:40	SUB	FIELD
Temperature (Field)	11.23	Deg. C			1			11/9/2021 14:40	SUB	FIELD
Turbidity (Field)	NONE				1			11/9/2021 14:40	SUB	FIELD
Groundwater Elevation (Field)	916.48	Feet MSL			1			11/2/2021 10:28	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 12:31	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
1,1-Dichloroethane	0.67	ug/L	0.28 *	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:31	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 12:31	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 12:31	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 12:31	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:31	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:31	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 12:31	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 12:31	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 12:31	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074512 Sample Description: P-22E-202111 License/Well #: 01953/174 Sampled: 11/9/2021 14:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
cis-1,2-Dichloroethene	5.5	ug/L	0.41	1.4	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C
Dichlorodifluoromethane	3.4	ug/L	0.63	2.1	1		11/21/2021 12:31	11/21/2021 12:31	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074512 Sample Description: P-22E-202111 License/Well #: 01953/174 Sampled: 11/9/2021 14:40


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 12:31	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 12:31	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 12:31	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 12:31	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 12:31	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 12:31	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 12:31	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:31	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:31	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
Tetrachloroethene	12	ug/L	0.55	1.9	1			11/21/2021 12:31	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 12:31	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:31	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:31	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 12:31	RLD	EPA 8260C
Trichloroethene	2.4	ug/L	0.39	1.3	1			11/21/2021 12:31	RLD	EPA 8260C
Trichlorofluoromethane	1.3	ug/L	0.41 *	1.4	1			11/21/2021 12:31	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 12:31	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 12:31	RLD	EPA 8260C
1,2 Dichloroethane-d4	98.0	% Recovery	89.0	111	1			11/21/2021 12:31	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			11/21/2021 12:31	RLD	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			11/21/2021 12:31	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074512	Sample Description: P-22E-202111	License/Well #: 01953/174	Sampled: 11/9/2021 14:40
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/21/2021 12:31	RLD	EPA 8260C



CT LAB#: 1074513 Sample Description: P-23S-202111 License/Well #: 01953/137 Sampled: 11/11/2021 12:42

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/11/2021 12:42	SUB	FIELD
Conductivity (Field)	632.4	umhos/cm			1			11/11/2021 12:42	SUB	FIELD
Odor (Field)	NONE				1			11/11/2021 12:42	SUB	FIELD
pH (Field)	6.74	S.U.			1			11/11/2021 12:42	SUB	FIELD
Temperature (Field)	10.08	Deg. C			1			11/11/2021 12:42	SUB	FIELD
Turbidity (Field)	NONE				1			11/11/2021 12:42	SUB	FIELD
Groundwater Elevation (Field)	924.43	Feet MSL			1			11/2/2021 11:41	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 12:59	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:59	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 12:59	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 12:59	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 12:59	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 12:59	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:59	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 12:59	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 12:59	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 12:59	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074513 Sample Description: P-23S-202111 License/Well #: 01953/137 Sampled: 11/11/2021 12:42

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	12:59	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	12:59	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	12:59	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	12:59	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	12:59	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	12:59	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	12:59	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	12:59	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	12:59	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	12:59	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	12:59	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	12:59	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	12:59	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	12:59	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	12:59	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	12:59	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	12:59	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	12:59	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	12:59	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	12:59	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	12:59	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	12:59	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	12:59	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	12:59	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	12:59	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	12:59	RLD	EPA 8260C
Dichlorodifluoromethane	0.86	ug/L	0.63 *	2.1	1		11/21/2021	12:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074513 Sample Description: P-23S-202111 License/Well #: 01953/137 Sampled: 11/11/2021 12:42

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 12:59	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 12:59	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 12:59	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 12:59	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 12:59	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 12:59	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 12:59	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:59	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 12:59	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
Tetrachloroethene	1.2	ug/L	0.55 *	1.9	1			11/21/2021 12:59	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 12:59	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 12:59	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 12:59	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 12:59	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 12:59	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 12:59	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 12:59	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 12:59	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			11/21/2021 12:59	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			11/21/2021 12:59	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/21/2021 12:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074513	Sample Description: P-23S-202111	License/Well #: 01953/137	Sampled: 11/11/2021 12:42
------------------	----------------------------------	---------------------------	---------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 12:59	RLD	EPA 8260C



CT LAB#: 1074514 Sample Description: P-23D-202111 License/Well #: 01953/138 Sampled: 11/11/2021 12:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/11/2021 12:14	SUB	FIELD
Conductivity (Field)	581.2	umhos/cm			1			11/11/2021 12:14	SUB	FIELD
Odor (Field)	NONE				1			11/11/2021 12:14	SUB	FIELD
pH (Field)	7.01	S.U.			1			11/11/2021 12:14	SUB	FIELD
Temperature (Field)	10.13	Deg. C			1			11/11/2021 12:14	SUB	FIELD
Turbidity (Field)	NONE				1			11/11/2021 12:14	SUB	FIELD
Groundwater Elevation (Field)	924.57	Feet MSL			1			11/2/2021 11:43	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 13:27	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 13:27	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 13:27	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 13:27	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 13:27	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 13:27	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 13:27	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074514 Sample Description: P-23D-202111 License/Well #: 01953/138 Sampled: 11/11/2021 12:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1			11/21/2021 13:27	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1			11/21/2021 13:27	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1			11/21/2021 13:27	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1			11/21/2021 13:27	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1			11/21/2021 13:27	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1			11/21/2021 13:27	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1			11/21/2021 13:27	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1			11/21/2021 13:27	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1			11/21/2021 13:27	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1			11/21/2021 13:27	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1			11/21/2021 13:27	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1			11/21/2021 13:27	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1			11/21/2021 13:27	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1			11/21/2021 13:27	RLD	EPA 8260C
Dichlorodifluoromethane	0.68	ug/L	0.63 *	2.1	1			11/21/2021 13:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074514 Sample Description: P-23D-202111 License/Well #: 01953/138 Sampled: 11/11/2021 12:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 13:27	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 13:27	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 13:27	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 13:27	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 13:27	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 13:27	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:27	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 13:27	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 13:27	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:27	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:27	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 13:27	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 13:27	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 13:27	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 13:27	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 13:27	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			11/21/2021 13:27	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 13:27	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/21/2021 13:27	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074514	Sample Description: P-23D-202111	License/Well #: 01953/138	Sampled: 11/11/2021 12:14
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 13:27	RLD	EPA 8260C



CT LAB#: 1074515 Sample Description: P-25D-202111 License/Well #: 01953/118 Sampled: 11/10/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/10/2021 12:08	SUB	FIELD
Conductivity (Field)	707.2	umhos/cm			1			11/10/2021 12:08	SUB	FIELD
Odor (Field)	NONE				1			11/10/2021 12:08	SUB	FIELD
pH (Field)	7.01	S.U.			1			11/10/2021 12:08	SUB	FIELD
Temperature (Field)	11.98	Deg. C			1			11/10/2021 12:08	SUB	FIELD
Turbidity (Field)	NONE				1			11/10/2021 12:08	SUB	FIELD
Groundwater Elevation (Field)	918.75	Feet MSL			1			11/2/2021 15:32	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 13:56	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 13:56	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 13:56	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 13:56	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 13:56	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 13:56	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:56	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 13:56	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 13:56	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 13:56	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074515 Sample Description: P-25D-202111 License/Well #: 01953/118 Sampled: 11/10/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	13:56	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	13:56	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	13:56	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	13:56	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	13:56	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	13:56	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	13:56	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	13:56	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	13:56	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	13:56	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	13:56	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	13:56	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	13:56	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	13:56	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	13:56	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	13:56	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	13:56	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	13:56	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	13:56	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	13:56	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	13:56	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	13:56	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	13:56	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	13:56	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	13:56	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	13:56	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/21/2021	13:56	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074515 Sample Description: P-25D-202111 License/Well #: 01953/118 Sampled: 11/10/2021 12:08

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 13:56	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 13:56	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 13:56	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 13:56	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 13:56	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 13:56	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 13:56	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:56	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 13:56	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 13:56	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 13:56	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 13:56	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 13:56	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 13:56	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 13:56	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 13:56	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 13:56	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 13:56	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			11/21/2021 13:56	RLD	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1			11/21/2021 13:56	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			11/21/2021 13:56	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074515	Sample Description: P-25D-202111	License/Well #: 01953/118	Sampled: 11/10/2021 12:08
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/21/2021 13:56	RLD	EPA 8260C



CT LAB#: 1074516 Sample Description: P-25BR-202111 License/Well #: 01953/119 Sampled: 11/10/2021 12:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/10/2021 12:29	SUB	FIELD
Conductivity (Field)	676.3	umhos/cm			1			11/10/2021 12:29	SUB	FIELD
Odor (Field)	NONE				1			11/10/2021 12:29	SUB	FIELD
pH (Field)	7.18	S.U.			1			11/10/2021 12:29	SUB	FIELD
Temperature (Field)	11.70	Deg. C			1			11/10/2021 12:29	SUB	FIELD
Turbidity (Field)	NONE				1			11/10/2021 12:29	SUB	FIELD
Groundwater Elevation (Field)	919.18	Feet MSL			1			11/2/2021 15:35	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 14:24	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 14:24	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 14:24	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 14:24	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 14:24	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 14:24	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:24	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 14:24	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 14:24	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 14:24	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074516 Sample Description: P-25BR-202111 License/Well #: 01953/119 Sampled: 11/10/2021 12:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	14:24	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	14:24	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	14:24	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:24	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	14:24	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:24	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	14:24	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:24	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	14:24	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	14:24	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	14:24	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	14:24	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	14:24	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	14:24	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	14:24	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	14:24	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	14:24	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	14:24	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	14:24	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	14:24	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	14:24	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	14:24	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	14:24	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	14:24	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	14:24	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	14:24	RLD	EPA 8260C
Dichlorodifluoromethane	0.96	ug/L	0.63 *	2.1	1		11/21/2021	14:24	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074516 Sample Description: P-25BR-202111 License/Well #: 01953/119 Sampled: 11/10/2021 12:29


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 14:24	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 14:24	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 14:24	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 14:24	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 14:24	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 14:24	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 14:24	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:24	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:24	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
Tetrachloroethene	1.7	ug/L	0.55 *	1.9	1			11/21/2021 14:24	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 14:24	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:24	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:24	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 14:24	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 14:24	RLD	EPA 8260C
Trichlorofluoromethane	0.58	ug/L	0.41 *	1.4	1			11/21/2021 14:24	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 14:24	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 14:24	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			11/21/2021 14:24	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 14:24	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/21/2021 14:24	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074516	Sample Description: P-25BR-202111	License/Well #: 01953/119	Sampled: 11/10/2021 12:29
------------------	-----------------------------------	---------------------------	---------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 14:24	RLD	EPA 8260C



CT LAB#: 1074517 Sample Description: P-26S-202111 License/Well #: 01953/141 Sampled: 11/5/2021 12:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/5/2021 12:40	SUB	FIELD
Conductivity (Field)	832.5	umhos/cm			1			11/5/2021 12:40	SUB	FIELD
Odor (Field)	NONE				1			11/5/2021 12:40	SUB	FIELD
pH (Field)	6.86	S.U.			1			11/5/2021 12:40	SUB	FIELD
Temperature (Field)	10.56	Deg. C			1			11/5/2021 12:40	SUB	FIELD
Turbidity (Field)	NONE				1			11/5/2021 12:40	SUB	FIELD
Groundwater Elevation (Field)	931.36	Feet MSL			1			11/2/2021 08:45	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/17/2021 16:44	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/17/2021 16:44	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/17/2021 16:44	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/17/2021 16:44	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/17/2021 16:44	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/17/2021 16:44	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/17/2021 16:44	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/17/2021 16:44	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/17/2021 16:44	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/17/2021 16:44	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 16:44	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074517 Sample Description: P-26S-202111 License/Well #: 01953/141 Sampled: 11/5/2021 12:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 16:44	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/17/2021 16:44	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1	Y		11/17/2021 16:44	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1	Y		11/17/2021 16:44	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1	Y		11/17/2021 16:44	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1	Y		11/17/2021 16:44	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1			11/17/2021 16:44	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:44	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1			11/17/2021 16:44	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1			11/17/2021 16:44	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1			11/17/2021 16:44	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1			11/17/2021 16:44	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1			11/17/2021 16:44	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1			11/17/2021 16:44	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1			11/17/2021 16:44	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1			11/17/2021 16:44	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1			11/17/2021 16:44	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1			11/17/2021 16:44	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1			11/17/2021 16:44	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1			11/17/2021 16:44	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1			11/17/2021 16:44	RLD	EPA 8260C
Dichlorodifluoromethane	1.9	ug/L	0.63 *	2.1	1			11/17/2021 16:44	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074517 Sample Description: P-26S-202111 License/Well #: 01953/141 Sampled: 11/5/2021 12:40

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Tetrachloroethene	7.4	ug/L	0.55	1.9	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1	Y	11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Trichloroethene	0.63	ug/L	0.39 *	1.3	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Trichlorofluoromethane	0.47	ug/L	0.41 *	1.4	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1	Y	11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
Bromofluorobenzene	104	% Recovery	83.0	111	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		11/17/2021 16:44	11/17/2021 16:44	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074517	Sample Description: P-26S-202111	License/Well #: 01953/141	Sampled: 11/5/2021 12:40
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/17/2021 16:44	RLD	EPA 8260C



CT LAB#: 1074518 Sample Description: P-27S-202111 License/Well #: 01953/121 Sampled: 11/5/2021 14:28

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/5/2021 14:28	SUB	FIELD
Conductivity (Field)	899.7	umhos/cm			1			11/5/2021 14:28	SUB	FIELD
Odor (Field)	NONE				1			11/5/2021 14:28	SUB	FIELD
pH (Field)	6.75	S.U.			1			11/5/2021 14:28	SUB	FIELD
Temperature (Field)	10.64	Deg. C			1			11/5/2021 14:28	SUB	FIELD
Turbidity (Field)	NONE				1			11/5/2021 14:28	SUB	FIELD
Groundwater Elevation (Field)	922.39	Feet MSL			1			11/2/2021 09:03	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/17/2021 17:13	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/17/2021 17:13	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/17/2021 17:13	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/17/2021 17:13	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/17/2021 17:13	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/17/2021 17:13	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:13	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/17/2021 17:13	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/17/2021 17:13	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 17:13	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074518 Sample Description: P-27S-202111 License/Well #: 01953/121 Sampled: 11/5/2021 14:28

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/17/2021	17:13	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/17/2021	17:13	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021	17:13	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/17/2021	17:13	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1	Y	11/17/2021	17:13	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/17/2021	17:13	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1	Y	11/17/2021	17:13	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/17/2021	17:13	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1	Y	11/17/2021	17:13	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1	Y	11/17/2021	17:13	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/17/2021	17:13	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021	17:13	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/17/2021	17:13	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/17/2021	17:13	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/17/2021	17:13	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/17/2021	17:13	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/17/2021	17:13	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/17/2021	17:13	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/17/2021	17:13	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/17/2021	17:13	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/17/2021	17:13	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/17/2021	17:13	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/17/2021	17:13	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/17/2021	17:13	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/17/2021	17:13	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/17/2021	17:13	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/17/2021	17:13	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074518 Sample Description: P-27S-202111 License/Well #: 01953/121 Sampled: 11/5/2021 14:28

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/17/2021 17:13	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/17/2021 17:13	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/17/2021 17:13	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/17/2021 17:13	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/17/2021 17:13	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/17/2021 17:13	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:13	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:13	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
Tetrachloroethene	2.7	ug/L	0.55	1.9	1			11/17/2021 17:13	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1	Y		11/17/2021 17:13	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:13	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:13	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/17/2021 17:13	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/17/2021 17:13	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/17/2021 17:13	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1	Y		11/17/2021 17:13	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/17/2021 17:13	RLD	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1			11/17/2021 17:13	RLD	EPA 8260C
Bromofluorobenzene	104	% Recovery	83.0	111	1			11/17/2021 17:13	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/17/2021 17:13	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074518	Sample Description: P-27S-202111	License/Well #: 01953/121	Sampled: 11/5/2021 14:28
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/17/2021 17:13	RLD	EPA 8260C



CT LAB#: 1074519 Sample Description: P-27D-202111 License/Well #: 01953/122 Sampled: 11/5/2021 14:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE				1			11/5/2021 14:14	SUB	FIELD
Conductivity (Field)	910.9	umhos/cm			1			11/5/2021 14:14	SUB	FIELD
Odor (Field)	NONE				1			11/5/2021 14:14	SUB	FIELD
pH (Field)	6.89	S.U.			1			11/5/2021 14:14	SUB	FIELD
Temperature (Field)	12.34	Deg. C			1			11/5/2021 14:14	SUB	FIELD
Turbidity (Field)	NONE				1			11/5/2021 14:14	SUB	FIELD
Groundwater Elevation (Field)	922.03	Feet MSL			1			11/2/2021 09:05	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/17/2021 17:41	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
1,1-Dichloroethane	0.60	ug/L	0.28 *	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/17/2021 17:41	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/17/2021 17:41	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/17/2021 17:41	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/17/2021 17:41	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/17/2021 17:41	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:41	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/17/2021 17:41	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/17/2021 17:41	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 17:41	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074519 Sample Description: P-27D-202111 License/Well #: 01953/122 Sampled: 11/5/2021 14:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1	Y	11/17/2021 17:41	17:41	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1	Y	11/17/2021 17:41	17:41	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1	Y	11/17/2021 17:41	17:41	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1	Y	11/17/2021 17:41	17:41	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.0	ug/L	0.41 *	1.4	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/17/2021 17:41	17:41	RLD	EPA 8260C
Dichlorodifluoromethane	1.4	ug/L	0.63 *	2.1	1		11/17/2021 17:41	17:41	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074519 Sample Description: P-27D-202111 License/Well #: 01953/122 Sampled: 11/5/2021 14:14

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/17/2021 17:41	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/17/2021 17:41	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/17/2021 17:41	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/17/2021 17:41	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/17/2021 17:41	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/17/2021 17:41	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:41	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/17/2021 17:41	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
Tetrachloroethene	9.6	ug/L	0.55	1.9	1			11/17/2021 17:41	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1	Y		11/17/2021 17:41	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/17/2021 17:41	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/17/2021 17:41	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/17/2021 17:41	RLD	EPA 8260C
Trichloroethene	1.8	ug/L	0.39	1.3	1			11/17/2021 17:41	RLD	EPA 8260C
Trichlorofluoromethane	0.59	ug/L	0.41 *	1.4	1			11/17/2021 17:41	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1	Y		11/17/2021 17:41	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/17/2021 17:41	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			11/17/2021 17:41	RLD	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1			11/17/2021 17:41	RLD	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			11/17/2021 17:41	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074519	Sample Description: P-27D-202111	License/Well #: 01953/122	Sampled: 11/5/2021 14:14
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/17/2021 17:41	RLD	EPA 8260C



CT LAB#: 1074520 Sample Description: P-30I-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 13:23	SUB	FIELD
Conductivity (Field)	720.9	umhos/cm			1			11/10/2021 13:23	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 13:23	SUB	FIELD
pH (Field)	7.20	S.U.			1			11/10/2021 13:23	SUB	FIELD
Temperature (Field)	9.80	Deg. C			1			11/10/2021 13:23	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 13:23	SUB	FIELD
Groundwater Elevation (Field)	912.12	Feet MSL			1			11/2/2021 14:07	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 14:53	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 14:53	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 14:53	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 14:53	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 14:53	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 14:53	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:53	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 14:53	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 14:53	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 14:53	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074520 Sample Description: P-30I-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	14:53	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	14:53	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	14:53	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:53	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	14:53	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:53	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	14:53	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	14:53	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	14:53	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	14:53	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	14:53	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	14:53	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	14:53	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	14:53	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	14:53	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	14:53	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	14:53	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	14:53	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	14:53	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	14:53	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	14:53	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	14:53	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	14:53	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	14:53	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	14:53	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	14:53	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/21/2021	14:53	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074520 Sample Description: P-30I-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 14:53	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 14:53	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 14:53	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 14:53	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 14:53	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 14:53	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 14:53	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:53	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 14:53	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 14:53	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 14:53	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 14:53	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 14:53	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 14:53	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 14:53	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 14:53	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 14:53	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 14:53	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			11/21/2021 14:53	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1			11/21/2021 14:53	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/21/2021 14:53	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074520	Sample Description: P-30I-202111	License/Well #: 01953/170	Sampled: 11/10/2021 13:23
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 14:53	RLD	EPA 8260C



CT LAB#: 1074521 Sample Description: P-30D-202111 License/Well #: 01953/169 Sampled: 11/10/2021 13:24

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 13:24	SUB	FIELD
Conductivity (Field)	518.7	umhos/cm			1			11/10/2021 13:24	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 13:24	SUB	FIELD
pH (Field)	7.34	S.U.			1			11/10/2021 13:24	SUB	FIELD
Temperature (Field)	9.74	Deg. C			1			11/10/2021 13:24	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 13:24	SUB	FIELD
Groundwater Elevation (Field)	912.17	Feet MSL			1			11/2/2021 14:11	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 15:22	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 15:22	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 15:22	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 15:22	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 15:22	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 15:22	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:22	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 15:22	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 15:22	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 15:22	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074521 Sample Description: P-30D-202111 License/Well #: 01953/169 Sampled: 11/10/2021 13:24

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021	15:22	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	15:22	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	15:22	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:22	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	15:22	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:22	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	15:22	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:22	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	15:22	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	15:22	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	15:22	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	15:22	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	15:22	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	15:22	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	15:22	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	15:22	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	15:22	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	15:22	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	15:22	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	15:22	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	15:22	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	15:22	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021	15:22	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	15:22	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	15:22	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	15:22	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/21/2021	15:22	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074521 Sample Description: P-30D-202111 License/Well #: 01953/169 Sampled: 11/10/2021 13:24

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 15:22	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 15:22	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 15:22	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 15:22	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 15:22	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 15:22	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 15:22	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:22	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:22	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 15:22	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 15:22	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:22	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:22	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 15:22	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 15:22	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 15:22	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 15:22	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 15:22	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			11/21/2021 15:22	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 15:22	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			11/21/2021 15:22	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074521	Sample Description: P-30D-202111	License/Well #: 01953/169	Sampled: 11/10/2021 13:24
------------------	----------------------------------	---------------------------	---------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/21/2021 15:22	RLD	EPA 8260C



CT LAB#: 1074522 Sample Description: P-311A-202111 License/Well #: 01953/146 Sampled: 11/10/2021 15:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Conductivity (Field)	872.6	umhos/cm			1			11/10/2021 15:58	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
pH (Field)	6.98	S.U.			1			11/10/2021 15:58	SUB	FIELD
Temperature (Field)	10.72	Deg. C			1			11/10/2021 15:58	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 15:49	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 15:49	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 15:49	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 15:49	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 15:49	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 15:49	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:49	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 15:49	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 15:49	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 15:49	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074522 Sample Description: P-311A-202111 License/Well #: 01953/146 Sampled: 11/10/2021 15:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	15:49	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	15:49	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:49	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	15:49	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:49	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	15:49	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	15:49	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	15:49	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	15:49	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	15:49	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	15:49	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	15:49	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	15:49	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	15:49	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	15:49	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	15:49	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	15:49	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	15:49	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	15:49	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	15:49	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	15:49	RLD	EPA 8260C
cis-1,2-Dichloroethene	0.91	ug/L	0.41 *	1.4	1		11/21/2021	15:49	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	15:49	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	15:49	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	15:49	RLD	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.63 *	2.1	1		11/21/2021	15:49	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/21/2021	15:49	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074522 Sample Description: P-311A-202111 License/Well #: 01953/146 Sampled: 11/10/2021 15:58

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 15:49	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 15:49	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 15:49	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 15:49	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 15:49	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 15:49	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 15:49	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:49	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 15:49	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
Tetrachloroethene	2.4	ug/L	0.55	1.9	1			11/21/2021 15:49	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 15:49	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 15:49	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 15:49	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 15:49	RLD	EPA 8260C
Trichloroethene	0.87	ug/L	0.39 *	1.3	1			11/21/2021 15:49	RLD	EPA 8260C
Trichlorofluoromethane	0.56	ug/L	0.41 *	1.4	1			11/21/2021 15:49	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 15:49	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 15:49	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			11/21/2021 15:49	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 15:49	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			11/21/2021 15:49	RLD	EPA 8260C
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 15:49	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074523 Sample Description: P-311B-202111 License/Well #: 01953/147 Sampled: 11/10/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Conductivity (Field)	872.6	umhos/cm			1			11/10/2021 15:58	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
pH (Field)	6.98	S.U.			1			11/10/2021 15:58	SUB	FIELD
Temperature (Field)	10.72	Deg. C			1			11/10/2021 15:58	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 16:18	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 16:18	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 16:18	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 16:18	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 16:18	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 16:18	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:18	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 16:18	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 16:18	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 16:18	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074523 Sample Description: P-311B-202111 License/Well #: 01953/147 Sampled: 11/10/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021	16:18	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	16:18	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021	16:18	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021	16:18	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	16:18	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021	16:18	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021	16:18	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021	16:18	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021	16:18	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021	16:18	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021	16:18	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021	16:18	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021	16:18	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021	16:18	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021	16:18	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021	16:18	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021	16:18	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021	16:18	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021	16:18	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021	16:18	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021	16:18	RLD	EPA 8260C
cis-1,2-Dichloroethene	0.89	ug/L	0.41 *	1.4	1		11/21/2021	16:18	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021	16:18	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021	16:18	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021	16:18	RLD	EPA 8260C
Dichlorodifluoromethane	0.88	ug/L	0.63 *	2.1	1		11/21/2021	16:18	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/21/2021	16:18	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074523 Sample Description: P-311B-202111 License/Well #: 01953/147 Sampled: 11/10/2021 15:15

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 16:18	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 16:18	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 16:18	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 16:18	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 16:18	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 16:18	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 16:18	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:18	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:18	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
Tetrachloroethene	1.7	ug/L	0.55 *	1.9	1			11/21/2021 16:18	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 16:18	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 16:18	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:18	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 16:18	RLD	EPA 8260C
Trichloroethene	0.83	ug/L	0.39 *	1.3	1			11/21/2021 16:18	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 16:18	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 16:18	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 16:18	RLD	EPA 8260C
1,2 Dichloroethane-d4	104	% Recovery	89.0	111	1			11/21/2021 16:18	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 16:18	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1			11/21/2021 16:18	RLD	EPA 8260C
Dibromofluoromethane	101	% Recovery	90.0	110	1			11/21/2021 16:18	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074524 Sample Description: P-31D-202111 License/Well #: 01953/145 Sampled: 11/10/2021 15:48

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Conductivity (Field)	580.5	umhos/cm			1			11/10/2021 15:58	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
pH (Field)	7.37	S.U.			1			11/10/2021 15:58	SUB	FIELD
Temperature (Field)	10.08	Deg. C			1			11/10/2021 15:58	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 15:58	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 16:48	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 16:48	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 16:48	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 16:48	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 16:48	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:48	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 16:48	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 16:48	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1	Y		11/21/2021 16:48	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074524 Sample Description: P-31D-202111 License/Well #: 01953/145 Sampled: 11/10/2021 15:48

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/21/2021 16:48	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1	Y		11/21/2021 16:48	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1	M		11/21/2021 16:48	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1			11/21/2021 16:48	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1	Y		11/21/2021 16:48	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1			11/21/2021 16:48	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1	Y		11/21/2021 16:48	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1			11/21/2021 16:48	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1			11/21/2021 16:48	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1			11/21/2021 16:48	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1			11/21/2021 16:48	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1			11/21/2021 16:48	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1			11/21/2021 16:48	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1			11/21/2021 16:48	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1	Y		11/21/2021 16:48	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1			11/21/2021 16:48	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 16:48	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074524 Sample Description: P-31D-202111 License/Well #: 01953/145 Sampled: 11/10/2021 15:48

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.42	ug/L	0.42	1.4	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 16:48	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z,M		11/21/2021 16:48	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1	Y		11/21/2021 16:48	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1	Y		11/21/2021 16:48	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1	Y		11/21/2021 16:48	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1	Y		11/21/2021 16:48	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:48	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 16:48	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 16:48	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1	Y		11/21/2021 16:48	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 16:48	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1	M		11/21/2021 16:48	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1	Y		11/21/2021 16:48	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 16:48	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 16:48	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1	Y		11/21/2021 16:48	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1			11/21/2021 16:48	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 16:48	RLD	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			11/21/2021 16:48	RLD	EPA 8260C
Dibromofluoromethane	98.0	% Recovery	90.0	110	1			11/21/2021 16:48	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074525	Sample Description: P-40I-202111	License/Well #: 01953/162	Sampled: 11/10/2021 10:59
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 10:59	SUB	FIELD
Conductivity (Field)	698.9	umhos/cm			1			11/10/2021 10:59	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 10:59	SUB	FIELD
pH (Field)	6.96	S.U.			1			11/10/2021 10:59	SUB	FIELD
Temperature (Field)	9.88	Deg. C			1			11/10/2021 10:59	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 10:59	SUB	FIELD
Groundwater Elevation (Field)	912.94	Feet MSL			1			11/2/2021 16:07	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 17:15	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 17:15	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 17:15	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 17:15	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 17:15	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 17:15	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:15	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 17:15	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 17:15	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 17:15	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074525 Sample Description: P-40I-202111 License/Well #: 01953/162 Sampled: 11/10/2021 10:59

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.2	ug/L	0.41 *	1.4	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021 17:15	17:15	RLD	EPA 8260C
Dichlorodifluoromethane	1.2	ug/L	0.63 *	2.1	1		11/21/2021 17:15	17:15	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074525 Sample Description: P-40I-202111 License/Well #: 01953/162 Sampled: 11/10/2021 10:59

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 17:15	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 17:15	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 17:15	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 17:15	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 17:15	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 17:15	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 17:15	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:15	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:15	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
Tetrachloroethene	2.9	ug/L	0.55	1.9	1			11/21/2021 17:15	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 17:15	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:15	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:15	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 17:15	RLD	EPA 8260C
Trichloroethene	0.69	ug/L	0.39 *	1.3	1			11/21/2021 17:15	RLD	EPA 8260C
Trichlorofluoromethane	0.60	ug/L	0.41 *	1.4	1			11/21/2021 17:15	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 17:15	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 17:15	RLD	EPA 8260C
1,2 Dichloroethane-d4	105	% Recovery	89.0	111	1			11/21/2021 17:15	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 17:15	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1			11/21/2021 17:15	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074525	Sample Description: P-40I-202111	License/Well #: 01953/162	Sampled: 11/10/2021 10:59
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/21/2021 17:15	RLD	EPA 8260C



CT LAB#: 1074526 Sample Description: P-40D-202111 License/Well #: 01953/161 Sampled: 11/10/2021 10:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/10/2021 10:56	SUB	FIELD
Conductivity (Field)	593.5	umhos/cm			1			11/10/2021 10:56	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/10/2021 10:56	SUB	FIELD
pH (Field)	7.16	S.U.			1			11/10/2021 10:56	SUB	FIELD
Temperature (Field)	9.93	Deg. C			1			11/10/2021 10:56	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/10/2021 10:56	SUB	FIELD
Groundwater Elevation (Field)	912.39	Feet MSL			1			11/2/2021 16:10	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/21/2021 17:43	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/21/2021 17:43	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/21/2021 17:43	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/21/2021 17:43	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/21/2021 17:43	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/21/2021 17:43	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:43	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/21/2021 17:43	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/21/2021 17:43	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/21/2021 17:43	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074526 Sample Description: P-40D-202111 License/Well #: 01953/161 Sampled: 11/10/2021 10:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/21/2021 17:43	11/21/2021 17:43	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074526 Sample Description: P-40D-202111 License/Well #: 01953/161 Sampled: 11/10/2021 10:56

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/21/2021 17:43	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/21/2021 17:43	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/21/2021 17:43	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/21/2021 17:43	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	Q,Z		11/21/2021 17:43	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/21/2021 17:43	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/21/2021 17:43	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:43	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/21/2021 17:43	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/21/2021 17:43	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/21/2021 17:43	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/21/2021 17:43	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/21/2021 17:43	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/21/2021 17:43	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/21/2021 17:43	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/21/2021 17:43	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/21/2021 17:43	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/21/2021 17:43	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1			11/21/2021 17:43	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/21/2021 17:43	RLD	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			11/21/2021 17:43	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074526	Sample Description: P-40D-202111	License/Well #: 01953/161	Sampled: 11/10/2021 10:56
------------------	----------------------------------	---------------------------	---------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	101	% Recovery	90.0	110	1			11/21/2021 17:43	RLD	EPA 8260C



CT LAB#: 1074527 Sample Description: P-43S-202111 License/Well #: 01953/175 Sampled: 11/9/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/9/2021 13:29	SUB	FIELD
Conductivity (Field)	663.1	umhos/cm			1			11/9/2021 13:29	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/9/2021 13:29	SUB	FIELD
pH (Field)	7.24	S.U.			1			11/9/2021 13:29	SUB	FIELD
Temperature (Field)	10.36	Deg. C			1			11/9/2021 13:29	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/9/2021 13:29	SUB	FIELD
Groundwater Elevation (Field)	919.62	Feet MSL			1			11/2/2021 09:55	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 15:37	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 15:37	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 15:37	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 15:37	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 15:37	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 15:37	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 15:37	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 15:37	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 15:37	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 15:37	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 15:37	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 15:37	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 15:37	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 15:37	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 15:37	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 15:37	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 15:37	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074527 Sample Description: P-43S-202111 License/Well #: 01953/175 Sampled: 11/9/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/20/2021 15:37	11/20/2021 15:37	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074527 Sample Description: P-43S-202111 License/Well #: 01953/175 Sampled: 11/9/2021 13:29

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/20/2021	15:37	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/20/2021	15:37	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/20/2021	15:37	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/20/2021	15:37	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/20/2021	15:37	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/20/2021	15:37	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/20/2021	15:37	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	15:37	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	15:37	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1		11/20/2021	15:37	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1		11/20/2021	15:37	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1		11/20/2021	15:37	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	15:37	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1		11/20/2021	15:37	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1		11/20/2021	15:37	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1		11/20/2021	15:37	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1		11/20/2021	15:37	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1		11/20/2021	15:37	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1		11/20/2021	15:37	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/20/2021	15:37	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1		11/20/2021	15:37	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1		11/20/2021	15:37	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1		11/20/2021	15:37	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/20/2021	15:37	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1		11/20/2021	15:37	RLD	EPA 8260C
Bromofluorobenzene	102	% Recovery	83.0	111	1		11/20/2021	15:37	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		11/20/2021	15:37	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074527	Sample Description: P-43S-202111	License/Well #: 01953/175	Sampled: 11/9/2021 13:29
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/20/2021 15:37	RLD	EPA 8260C



CT LAB#: 1074528 Sample Description: P-43D-202111 License/Well #: 01953/177 Sampled: 11/9/2021 13:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	ORANGE		N/A	N/A	1			11/9/2021 13:01	SUB	FIELD
Conductivity (Field)	609.1	umhos/cm			1			11/9/2021 13:01	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/9/2021 13:01	SUB	FIELD
pH (Field)	7.15	S.U.			1			11/9/2021 13:01	SUB	FIELD
Temperature (Field)	10.44	Deg. C			1			11/9/2021 13:01	SUB	FIELD
Turbidity (Field)	MODERATE		N/A	N/A	1			11/9/2021 13:01	SUB	FIELD
Groundwater Elevation (Field)	919.62	Feet MSL			1			11/2/2021 10:06	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 16:05	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 16:05	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 16:05	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 16:05	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 16:05	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 16:05	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:05	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 16:05	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 16:05	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 16:05	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074528 Sample Description: P-43D-202111 License/Well #: 01953/177 Sampled: 11/9/2021 13:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C
Dichlorodifluoromethane	0.70	ug/L	0.63 *	2.1	1		11/20/2021 16:05	11/20/2021 16:05	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis




CT LAB#: 1074528 Sample Description: P-43D-202111 License/Well #: 01953/177 Sampled: 11/9/2021 13:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/20/2021 16:05	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/20/2021 16:05	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/20/2021 16:05	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/20/2021 16:05	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/20/2021 16:05	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
Naphthalene	0.77	ug/L	0.35 *	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/20/2021 16:05	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:05	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:05	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/20/2021 16:05	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/20/2021 16:05	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:05	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/20/2021 16:05	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/20/2021 16:05	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/20/2021 16:05	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/20/2021 16:05	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/20/2021 16:05	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/20/2021 16:05	RLD	EPA 8260C
1,2 Dichloroethane-d4	100	% Recovery	89.0	111	1			11/20/2021 16:05	RLD	EPA 8260C
Bromofluorobenzene	99.0	% Recovery	83.0	111	1			11/20/2021 16:05	RLD	EPA 8260C
d8-Toluene	98.0	% Recovery	93.0	107	1			11/20/2021 16:05	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074528	Sample Description: P-43D-202111	License/Well #: 01953/177	Sampled: 11/9/2021 13:01
------------------	----------------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/20/2021 16:05	RLD	EPA 8260C



CT LAB#: 1074529 Sample Description: P-43I-202111 License/Well #: 01953/176 Sampled: 11/9/2021 12:02

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Color (Field)	NONE		N/A	N/A	1			11/9/2021 12:02	SUB	FIELD
Conductivity (Field)	649.0	umhos/cm			1			11/9/2021 12:02	SUB	FIELD
Odor (Field)	NONE		N/A	N/A	1			11/9/2021 12:02	SUB	FIELD
pH (Field)	7.16	S.U.			1			11/9/2021 12:02	SUB	FIELD
Temperature (Field)	11.36	Deg. C			1			11/9/2021 12:02	SUB	FIELD
Turbidity (Field)	NONE		N/A	N/A	1			11/9/2021 12:02	SUB	FIELD
Groundwater Elevation (Field)	919.56	Feet MSL			1			11/2/2021 09:58	SUB	FIELD
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 16:34	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 16:34	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 16:34	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 16:34	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 16:34	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 16:34	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:34	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 16:34	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 16:34	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 16:34	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074529 Sample Description: P-431-202111 License/Well #: 01953/176 Sampled: 11/9/2021 12:02

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1	Y	11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/20/2021 16:34	11/20/2021 16:34	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074529 Sample Description: P-43I-202111 License/Well #: 01953/176 Sampled: 11/9/2021 12:02

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1			11/20/2021 16:34	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1			11/20/2021 16:34	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1			11/20/2021 16:34	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1			11/20/2021 16:34	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1	M		11/20/2021 16:34	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1			11/20/2021 16:34	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/20/2021 16:34	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:34	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/20/2021 16:34	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/20/2021 16:34	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1			11/20/2021 16:34	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/20/2021 16:34	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/20/2021 16:34	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/20/2021 16:34	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/20/2021 16:34	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/20/2021 16:34	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1			11/20/2021 16:34	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/20/2021 16:34	RLD	EPA 8260C
1,2 Dichloroethane-d4	103	% Recovery	89.0	111	1			11/20/2021 16:34	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1			11/20/2021 16:34	RLD	EPA 8260C
d8-Toluene	101	% Recovery	93.0	107	1			11/20/2021 16:34	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1074529	Sample Description: P-43I-202111	License/Well #: 01953/176	Sampled: 11/9/2021 12:02
------------------	----------------------------------	---------------------------	--------------------------


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Dibromofluoromethane	100	% Recovery	90.0	110	1			11/20/2021 16:34	RLD	EPA 8260C



CT LAB#: 1074530 Sample Description: DUP-02-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:02	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 17:02	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:02	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 17:02	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:02	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:02	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 17:02	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 17:02	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 17:02	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 17:02	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:02	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:02	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:02	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:02	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 17:02	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 17:02	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:02	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:02	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:02	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:02	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:02	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1			11/20/2021 17:02	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:02	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1			11/20/2021 17:02	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:02	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1			11/20/2021 17:02	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074530 Sample Description: DUP-02-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021	17:02	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021	17:02	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:02	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021	17:02	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021	17:02	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021	17:02	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021	17:02	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021	17:02	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021	17:02	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021	17:02	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021	17:02	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021	17:02	RLD	EPA 8260C
cis-1,2-Dichloroethene	1.3	ug/L	0.41 *	1.4	1		11/20/2021	17:02	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:02	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021	17:02	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021	17:02	RLD	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.63 *	2.1	1		11/20/2021	17:02	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/20/2021	17:02	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/20/2021	17:02	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/20/2021	17:02	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/20/2021	17:02	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/20/2021	17:02	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:02	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:02	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074530 Sample Description: DUP-02-202111 License/Well #: 01953/136 Sampled: 11/9/2021 15:01


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:02	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1		11/20/2021	17:02	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:02	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:02	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
Tetrachloroethene	2.0	ug/L	0.55	1.9	1		11/20/2021	17:02	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1		11/20/2021	17:02	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:02	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:02	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/20/2021	17:02	RLD	EPA 8260C
Trichloroethene	0.67	ug/L	0.39 *	1.3	1		11/20/2021	17:02	RLD	EPA 8260C
Trichlorofluoromethane	0.57	ug/L	0.41 *	1.4	1		11/20/2021	17:02	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1		11/20/2021	17:02	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/20/2021	17:02	RLD	EPA 8260C
1,2 Dichloroethane-d4	102	% Recovery	89.0	111	1		11/20/2021	17:02	RLD	EPA 8260C
Bromofluorobenzene	101	% Recovery	83.0	111	1		11/20/2021	17:02	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		11/20/2021	17:02	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		11/20/2021	17:02	RLD	EPA 8260C



CT LAB#: 1074531 Sample Description: DUP-03-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:30	RLD	EPA 8260C
1,1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 17:30	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:30	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 17:30	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:30	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:30	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 17:30	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 17:30	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 17:30	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 17:30	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:30	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:30	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:30	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:30	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 17:30	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 17:30	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:30	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:30	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:30	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:30	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:30	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1			11/20/2021 17:30	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:30	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1			11/20/2021 17:30	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:30	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1			11/20/2021 17:30	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074531 Sample Description: DUP-03-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021 17:30	11/20/2021 17:30	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074531 Sample Description: DUP-03-202111 License/Well #: 01953/170 Sampled: 11/10/2021 13:23


Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:30	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1		11/20/2021	17:30	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1		11/20/2021	17:30	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:30	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:30	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:30	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1		11/20/2021	17:30	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1		11/20/2021	17:30	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:30	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:30	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/20/2021	17:30	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1		11/20/2021	17:30	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1		11/20/2021	17:30	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1		11/20/2021	17:30	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/20/2021	17:30	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1		11/20/2021	17:30	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		11/20/2021	17:30	RLD	EPA 8260C
d8-Toluene	99.0	% Recovery	93.0	107	1		11/20/2021	17:30	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1		11/20/2021	17:30	RLD	EPA 8260C



CT LAB#: 1074532 Sample Description: DUP-04-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:59	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/20/2021 17:59	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:59	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/20/2021 17:59	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:59	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:59	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/20/2021 17:59	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/20/2021 17:59	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/20/2021 17:59	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/20/2021 17:59	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/20/2021 17:59	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/20/2021 17:59	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:59	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/20/2021 17:59	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/20/2021 17:59	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/20/2021 17:59	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:59	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/20/2021 17:59	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/20/2021 17:59	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/20/2021 17:59	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:59	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1			11/20/2021 17:59	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:59	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1			11/20/2021 17:59	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/20/2021 17:59	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1			11/20/2021 17:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074532 Sample Description: DUP-04-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.1	ug/L	4.1	14	1		11/20/2021	17:59	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/20/2021	17:59	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:59	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/20/2021	17:59	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/20/2021	17:59	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/20/2021	17:59	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/20/2021	17:59	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/20/2021	17:59	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/20/2021	17:59	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/20/2021	17:59	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/20/2021	17:59	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/20/2021	17:59	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/20/2021	17:59	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:59	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/20/2021	17:59	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/20/2021	17:59	RLD	EPA 8260C
Dichlorodifluoromethane	1.1	ug/L	0.63 *	2.1	1		11/20/2021	17:59	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/20/2021	17:59	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/20/2021	17:59	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/20/2021	17:59	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/20/2021	17:59	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/20/2021	17:59	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:59	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/20/2021	17:59	RLD	EPA 8260C


Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074532 Sample Description: DUP-04-202111 License/Well #: 01953/129 Sampled: 11/11/2021 15:04

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:59	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1		11/20/2021	17:59	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:59	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1		11/20/2021	17:59	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
Tetrachloroethene	8.1	ug/L	0.55	1.9	1		11/20/2021	17:59	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1		11/20/2021	17:59	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1		11/20/2021	17:59	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1		11/20/2021	17:59	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1		11/20/2021	17:59	RLD	EPA 8260C
Trichloroethene	0.68	ug/L	0.39 *	1.3	1		11/20/2021	17:59	RLD	EPA 8260C
Trichlorofluoromethane	0.60	ug/L	0.41 *	1.4	1		11/20/2021	17:59	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1		11/20/2021	17:59	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1		11/20/2021	17:59	RLD	EPA 8260C
1,2 Dichloroethane-d4	101	% Recovery	89.0	111	1		11/20/2021	17:59	RLD	EPA 8260C
Bromofluorobenzene	100	% Recovery	83.0	111	1		11/20/2021	17:59	RLD	EPA 8260C
d8-Toluene	100	% Recovery	93.0	107	1		11/20/2021	17:59	RLD	EPA 8260C
Dibromofluoromethane	98.0	% Recovery	90.0	110	1		11/20/2021	17:59	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074533 Sample Description: TRIP BLANK License/Well #: 01953/999 Sampled: 11/5/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
1,1,1,2-Tetrachloroethane	<0.34	ug/L	0.34	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
1,1,1-Trichloroethane	<0.38	ug/L	0.38	1.3	1			11/17/2021 16:15	RLD	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.36	ug/L	0.36	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
1,1,2-Trichloroethane	<0.27	ug/L	0.27	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
1,1-Dichloroethane	<0.28	ug/L	0.28	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
1,1-Dichloroethene	<0.49	ug/L	0.49	1.7	1			11/17/2021 16:15	RLD	EPA 8260C
1,1-Dichloropropene	<0.41	ug/L	0.41	1.4	1			11/17/2021 16:15	RLD	EPA 8260C
1,2,3-Trichlorobenzene	<0.43	ug/L	0.43	1.5	1			11/17/2021 16:15	RLD	EPA 8260C
1,2,3-Trichloropropane	<0.35	ug/L	0.35	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1			11/17/2021 16:15	RLD	EPA 8260C
1,2,4-Trimethylbenzene	<0.34	ug/L	0.34	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
1,2-Dibromo-3-chloropropane	<0.49	ug/L	0.49	1.7	1			11/17/2021 16:15	RLD	EPA 8260C
1,2-Dibromoethane	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
1,2-Dichlorobenzene	<0.36	ug/L	0.36	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
1,2-Dichloroethane	<0.69	ug/L	0.69	2.3	1			11/17/2021 16:15	RLD	EPA 8260C
1,2-Dichloropropane	<0.37	ug/L	0.37	1.3	1			11/17/2021 16:15	RLD	EPA 8260C
1,3,5-Trimethylbenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
1,3-Dichlorobenzene	<0.30	ug/L	0.30	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
1,3-Dichloropropane	<0.28	ug/L	0.28	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
1,4-Dichlorobenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
2,2-Dichloropropane	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
2-Butanone	<2.9	ug/L	2.9	10	1	Y		11/17/2021 16:15	RLD	EPA 8260C
2-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
2-Hexanone	<3.3	ug/L	3.3	11	1	Y		11/17/2021 16:15	RLD	EPA 8260C
4-Chlorotoluene	<0.31	ug/L	0.31	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
4-Methyl-2-pentanone	<3.7	ug/L	3.7	13	1	Y		11/17/2021 16:15	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074533	Sample Description: TRIP BLANK	License/Well #: 01953/999	Sampled: 11/5/2021
------------------	--------------------------------	---------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Acetone	<4.1	ug/L	4.1	14	1	Y	11/17/2021	16:15	RLD	EPA 8260C
Benzene	<0.47	ug/L	0.47	1.6	1		11/17/2021	16:15	RLD	EPA 8260C
Bromobenzene	<0.33	ug/L	0.33	1.1	1		11/17/2021	16:15	RLD	EPA 8260C
Bromochloromethane	<0.26	ug/L	0.26	1.0	1		11/17/2021	16:15	RLD	EPA 8260C
Bromodichloromethane	<0.76	ug/L	0.76	2.6	1		11/17/2021	16:15	RLD	EPA 8260C
Bromoform	<0.50	ug/L	0.50	1.7	1		11/17/2021	16:15	RLD	EPA 8260C
Bromomethane	<0.72	ug/L	0.72	2.4	1		11/17/2021	16:15	RLD	EPA 8260C
Carbon disulfide	<0.83	ug/L	0.83	2.8	1		11/17/2021	16:15	RLD	EPA 8260C
Carbon tetrachloride	<0.37	ug/L	0.37	1.3	1		11/17/2021	16:15	RLD	EPA 8260C
Chlorobenzene	<0.37	ug/L	0.37	1.3	1		11/17/2021	16:15	RLD	EPA 8260C
Chloroethane	<1.1	ug/L	1.1	3.7	1		11/17/2021	16:15	RLD	EPA 8260C
Chloroform	<0.46	ug/L	0.46	1.6	1		11/17/2021	16:15	RLD	EPA 8260C
Chloromethane	<1.3	ug/L	1.3	4.4	1		11/17/2021	16:15	RLD	EPA 8260C
cis-1,2-Dichloroethene	<0.41	ug/L	0.41	1.4	1		11/17/2021	16:15	RLD	EPA 8260C
cis-1,3-Dichloropropene	<0.34	ug/L	0.34	1.2	1		11/17/2021	16:15	RLD	EPA 8260C
Dibromochloromethane	<0.36	ug/L	0.36	1.2	1		11/17/2021	16:15	RLD	EPA 8260C
Dibromomethane	<0.45	ug/L	0.45	1.5	1		11/17/2021	16:15	RLD	EPA 8260C
Dichlorodifluoromethane	<0.63	ug/L	0.63	2.1	1		11/17/2021	16:15	RLD	EPA 8260C
Diisopropyl ether	<0.26	ug/L	0.26	1.0	1		11/17/2021	16:15	RLD	EPA 8260C
Ethylbenzene	<0.42	ug/L	0.42	1.4	1		11/17/2021	16:15	RLD	EPA 8260C
Hexachlorobutadiene	<0.57	ug/L	0.57	1.9	1		11/17/2021	16:15	RLD	EPA 8260C
Isopropylbenzene	<0.39	ug/L	0.39	1.3	1		11/17/2021	16:15	RLD	EPA 8260C
m & p-Xylene	<0.74	ug/L	0.74	2.5	1		11/17/2021	16:15	RLD	EPA 8260C
Methyl tert-butyl ether	<0.28	ug/L	0.28	1.0	1		11/17/2021	16:15	RLD	EPA 8260C
Methylene chloride	<1.2	ug/L	1.2	4.0	1		11/17/2021	16:15	RLD	EPA 8260C
n-Butylbenzene	<0.34	ug/L	0.34	1.2	1		11/17/2021	16:15	RLD	EPA 8260C
n-Propylbenzene	<0.34	ug/L	0.34	1.2	1		11/17/2021	16:15	RLD	EPA 8260C

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis



CT LAB#: 1074533 Sample Description: TRIP BLANK License/Well #: 01953/999 Sampled: 11/5/2021

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Naphthalene	<0.35	ug/L	0.35	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
o-Xylene	<0.72	ug/L	0.72	2.4	1			11/17/2021 16:15	RLD	EPA 8260C
p-Isopropyltoluene	<0.29	ug/L	0.29	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
sec-Butylbenzene	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
Styrene	<0.33	ug/L	0.33	1.1	1			11/17/2021 16:15	RLD	EPA 8260C
tert-Butylbenzene	<0.27	ug/L	0.27	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
Tetrachloroethene	<0.55	ug/L	0.55	1.9	1			11/17/2021 16:15	RLD	EPA 8260C
Tetrahydrofuran	<3.4	ug/L	3.4	12	1	Y		11/17/2021 16:15	RLD	EPA 8260C
Toluene	<0.27	ug/L	0.27	1.0	1			11/17/2021 16:15	RLD	EPA 8260C
trans-1,2-Dichloroethene	<0.35	ug/L	0.35	1.2	1			11/17/2021 16:15	RLD	EPA 8260C
trans-1,3-Dichloropropene	<0.57	ug/L	0.57	2.0	1			11/17/2021 16:15	RLD	EPA 8260C
Trichloroethene	<0.39	ug/L	0.39	1.3	1			11/17/2021 16:15	RLD	EPA 8260C
Trichlorofluoromethane	<0.41	ug/L	0.41	1.4	1			11/17/2021 16:15	RLD	EPA 8260C
Vinyl acetate	<6.4	ug/L	6.4	22	1	Y		11/17/2021 16:15	RLD	EPA 8260C
Vinyl chloride	<0.15	ug/L	0.15	0.50	1			11/17/2021 16:15	RLD	EPA 8260C
1,2 Dichloroethane-d4	99.0	% Recovery	89.0	111	1			11/17/2021 16:15	RLD	EPA 8260C
Bromofluorobenzene	103	% Recovery	83.0	111	1			11/17/2021 16:15	RLD	EPA 8260C
d8-Toluene	97.0	% Recovery	93.0	107	1			11/17/2021 16:15	RLD	EPA 8260C
Dibromofluoromethane	99.0	% Recovery	90.0	110	1			11/17/2021 16:15	RLD	EPA 8260C

CT LAB#: 1082677	Sample Description: P-1S	License/Well #: 01953/172	Sampled: 11/2/2021 12:50
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	921.15	Feet MSL			1			11/2/2021 12:50	SUB	FIELD

CT LAB#: 1082678	Sample Description: P-3S	License/Well #: 01953/143	Sampled: 11/2/2021 13:05
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	924.81	Feet MSL			1			11/2/2021 13:05	SUB	FIELD

CT LAB#: 1082679	Sample Description: P-4S	License/Well #: 01953/173	Sampled: 11/2/2021 13:07
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	921.90	Feet MSL			1			11/2/2021 13:07	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082680	Sample Description: P-8S	License/Well #: 01953/125	Sampled: 11/2/2021 12:40
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	924.24	Feet MSL			1			11/2/2021 12:40	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082681	Sample Description: P-8D	License/Well #: 01953/114	Sampled: 11/2/2021 12:43
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	924.05	Feet MSL			1			11/2/2021 12:43	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------



TRC ENVIRONMENTAL
 Project Name: REFUSE HIDEAWAY LF
 Project #: 335719
 Project Phase: MIDDLETON, WI

Contract #: 3274
 Folder #: 165868
 Page 107 of 132

CT LAB#: 1082682	Sample Description: P-9S	License/Well #: 01953/139	Sampled: 11/2/2021 12:58
------------------	--------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	922.38	Feet MSL			1			11/2/2021 12:58	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1082683	Sample Description: P-16S	License/Well #: 01953/142	Sampled: 11/2/2021 13:33
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	921.93	Feet MSL			1			11/2/2021 13:33	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082684	Sample Description: P-16D	License/Well #: 01953/127	Sampled: 11/2/2021 13:35
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	922.43	Feet MSL			1			11/2/2021 13:35	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082685	Sample Description: P-21S	License/Well #: 01953/133	Sampled: 11/2/2021 13:15
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	924.03	Feet MSL			1			11/2/2021 13:15	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082686	Sample Description: P-21D	License/Well #: 01953/113	Sampled: 11/2/2021 13:19
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	923.20	Feet MSL			1			11/2/2021 13:19	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082687	Sample Description: P-21BR	License/Well #: 01953/134	Sampled: 11/2/2021 13:23
------------------	----------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	922.80	Feet MSL			1			11/2/2021 13:23	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082688	Sample Description: P-25S	License/Well #: 01953/117	Sampled: 11/2/2021 15:30
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	922.55	Feet MSL			1			11/2/2021 15:30	SUB	FIELD

CT LAB#: 1082689	Sample Description: P-26D	License/Well #: 01953/120	Sampled: 11/2/2021 08:47
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	928.87	Feet MSL			1			11/2/2021 08:47	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082690	Sample Description: P-28S	License/Well #: 01953/123	Sampled: 11/2/2021 08:35
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	926.88	Feet MSL			1			11/2/2021 08:35	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082691	Sample Description: P-29S	License/Well #: 01953/168	Sampled: 11/2/2021 09:14
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	928.22	Feet MSL			1			11/2/2021 09:14	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082692	Sample Description: P-30S	License/Well #: 01953/144	Sampled: 11/2/2021 14:05
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	912.15	Feet MSL			1			11/2/2021 14:05	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082693	Sample Description: P-31S	License/Well #: 01953/148	Sampled: 11/2/2021 14:45
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	911.28	Feet MSL			1			11/2/2021 14:45	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------



TRC ENVIRONMENTAL
 Project Name: REFUSE HIDEAWAY LF
 Project #: 335719
 Project Phase: MIDDLETON, WI

Contract #: 3274
 Folder #: 165868
 Page 119 of 132

CT LAB#: 1082694	Sample Description: P-32S	License/Well #: 01953/150	Sampled: 11/2/2021 15:12
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	923.55	Feet MSL			1			11/2/2021 15:12	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082695	Sample Description: P-32D	License/Well #: 01953/149	Sampled: 11/2/2021 15:15
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	921.85	Feet MSL			1			11/2/2021 15:15	SUB	FIELD

CT LAB#: 1082696	Sample Description: P-33S	License/Well #: 01953/151	Sampled: 11/2/2021 12:05
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	923.91	Feet MSL			1			11/2/2021 12:05	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082697	Sample Description: P-34S	License/Well #: 01953/154	Sampled: 11/2/2021 08:15
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	932.42	Feet MSL			1			11/2/2021 08:15	SUB	FIELD

CT LAB#: 1082698	Sample Description: P-34D	License/Well #: 01953/153	Sampled: 11/2/2021 08:17
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	929.39	Feet MSL			1			11/2/2021 08:17	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082699	Sample Description: P-35S	License/Well #: 01953/156	Sampled: 11/2/2021 08:51
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	925.71	Feet MSL			1			11/2/2021 08:51	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082700	Sample Description: P-35D	License/Well #: 01953/155	Sampled: 11/2/2021 08:54
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	923.37	Feet MSL			1			11/2/2021 08:54	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082701	Sample Description: P-38S	License/Well #: 01953/159	Sampled: 11/2/2021 15:05
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Field Results										
Groundwater Elevation (Field)	916.45	Feet MSL			1			11/2/2021 15:05	SUB	FIELD

CT LAB#: 1082702	Sample Description: P-39S	License/Well #: 01953/160	Sampled: 11/2/2021 14:21
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	911.87	Feet MSL			1			11/2/2021 14:21	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082703	Sample Description: P-40S	License/Well #: 01953/163	Sampled: 11/2/2021 16:05
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	912.68	Feet MSL			1			11/2/2021 16:05	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------



TRC ENVIRONMENTAL
 Project Name: REFUSE HIDEAWAY LF
 Project #: 335719
 Project Phase: MIDDLETON, WI

Contract #: 3274
 Folder #: 165868
 Page 129 of 132

CT LAB#: 1082704	Sample Description: P-41S	License/Well #: 01953/164	Sampled: 11/2/2021 10:45
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	912.88	Feet MSL			1			11/2/2021 10:45	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

Unless specifically stated to the contrary, soil/sediment/sludge sample results/LOD/LOQ/RLs were reported on a Dry Weight Basis

CT LAB#: 1082705	Sample Description: P-41D	License/Well #: 01953/165	Sampled: 11/2/2021 10:48
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	909.39	Feet MSL			1			11/2/2021 10:48	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------

CT LAB#: 1082706	Sample Description: P-42S	License/Well #: 01953/166	Sampled: 11/2/2021 09:35
------------------	---------------------------	---------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Field Results

Groundwater Elevation (Field)	906.69	Feet MSL			1			11/2/2021 09:35	SUB	FIELD
-------------------------------	--------	----------	--	--	---	--	--	-----------------	-----	-------



Notes: * Indicates Value in between the LOD (limit of detection) and the LOQ (limit of quantitation). All LOD/LOQs are adjusted to reflect dilution, percent solids, and any differences in the sample weight / volume as compared to standard amounts.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached. This report has been specifically prepared to satisfy project or program requirements.

Submitted by: Brett M. Szymanski
 Project Manager
 608-356-2760

Reason for Revision: The analysis date/times were updated for the field GW Elevation

QC Qualifiers

<u>Code</u>	<u>Description</u>
B	Analyte detected in the associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
I	Incubator temperature was outside acceptance limits during test period.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
U	Analyte concentration was below detection limit.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Specified calibration criteria was not met.

Current CT Laboratories Certifications

Wisconsin (WDNR) Chemistry ID# 157066030
 Wisconsin (DATCP) Bacteriology ID# 289
 Louisiana NELAP (primary) ID# 115843
 Illinois NELAP Lab ID# 200073
 Kansas NELAP Lab ID# E-10368
 Virginia NELAP Lab ID# 460203
 ISO/IEC 17025-2005 A2LA Cert # 3806.01
 DoD-ELAP A2LA 3806.01

Preventative Action Limit (PAL) Exceedances

12/08/2021

Location/Landfill: REFUSE HIDEAWAY LF

License #: 01953

Page 1 of 2

Well Description:		DUP-02-202111	Well #:		136		Sample Date	11/09/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	2.0	0.5	5	0.55	ug/L		
Trichloroethene	39180	0.67	0.5	5	0.39	ug/L		

Well Description:		DUP-04-202111	Well #:		129		Sample Date	11/11/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	8.1	0.5	5	0.55	ug/L		
Trichloroethene	39180	0.68	0.5	5	0.39	ug/L		

Well Description:		P-17S-202111	Well #:		128		Sample Date	11/11/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	2.2	0.5	5	0.55	ug/L		

Well Description:		P-18S-202111	Well #:		129		Sample Date	11/11/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	8.5	0.5	5	0.55	ug/L		
Trichloroethene	39180	0.70	0.5	5	0.39	ug/L		

Well Description:		P-20SR-202111	Well #:		167		Sample Date	11/11/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.4	0.5	5	0.55	ug/L		

Well Description:		P-22D-202111	Well #:		136		Sample Date	11/09/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.8	0.5	5	0.55	ug/L		
Trichloroethene	39180	0.59	0.5	5	0.39	ug/L		

Well Description:		P-22E-202111	Well #:		174		Sample Date	11/09/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	12	0.5	5	0.55	ug/L		
Trichloroethene	39180	2.4	0.5	5	0.39	ug/L		

Well Description:		P-23S-202111	Well #:		137		Sample Date	11/11/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		
Tetrachloroethene	34475	1.2	0.5	5	0.55	ug/L		

Well Description:		P-25BR-202111	Well #:		119		Sample Date	11/10/2021
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units		

Preventative Action Limit (PAL) Exceedances

12/08/2021

Location/Landfill: REFUSE HIDEAWAY LF

License #: 01953

Page 2 of 2

Well Description: P-25BR-202111		Well #: 119		Sample Date		11/10/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.7	0.5	5	0.55	ug/L	

Well Description: P-26S-202111		Well #: 141		Sample Date		11/05/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	7.4	0.5	5	0.55	ug/L	
Trichloroethene	39180	0.63	0.5	5	0.39	ug/L	

Well Description: P-27D-202111		Well #: 122		Sample Date		11/05/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	9.6	0.5	5	0.55	ug/L	
Trichloroethene	39180	1.8	0.5	5	0.39	ug/L	

Well Description: P-27S-202111		Well #: 121		Sample Date		11/05/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.7	0.5	5	0.55	ug/L	

Well Description: P-311A-202111		Well #: 146		Sample Date		11/10/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.4	0.5	5	0.55	ug/L	
Trichloroethene	39180	0.87	0.5	5	0.39	ug/L	

Well Description: P-311B-202111		Well #: 147		Sample Date		11/10/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	1.7	0.5	5	0.55	ug/L	
Trichloroethene	39180	0.83	0.5	5	0.39	ug/L	

Well Description: P-40I-202111		Well #: 162		Sample Date		11/10/2021	
Parameter	DNR Parameter #	Result	PAL	ES	LOD	Units	
Tetrachloroethene	34475	2.9	0.5	5	0.55	ug/L	
Trichloroethene	39180	0.69	0.5	5	0.39	ug/L	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY			License #:	01953	12/09/2021	
Sample Date		Sample ID						
11/02/2021	Groundwater Elevation	P-16D 922.43	P-16S 921.93	P-1S 921.15	P-21BR 922.80	P-21D 923.20	P-21S 924.03	

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY			License #:	01953	12/09/2021	
Sample Date		Sample ID						
11/05/2021	Color (Field)	P-26S-202111 NONE	P-27D-202111 NONE	P-27S-202111 NONE				
	Conductivity (Field)	832.5	910.9	899.7				
	Groundwater Elevation	931.36	922.03	922.39				
	Odor (Field)	NONE	NONE	NONE				
	pH (Field)	6.86	6.89	6.75				
	Temperature (Field)	10.56	12.34	10.64				
	Turbidity (Field)	NONE	NONE	NONE				

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY			License #:	01953	12/09/2021	
Sample Date		Sample ID						
11/09/2021	Color (Field)	P-22D-202111 NONE	P-22E-202111 NONE	P-22S-202111 NONE	P-43D-202111 ORANGE	P-43I-202111 NONE	P-43S-202111 NONE	
	Conductivity (Field)	643.1	595.4	630.8	609.1	649.0	663.1	
	Groundwater Elevation	916.50	916.48	916.66	919.62	919.56	919.62	
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE	
	pH (Field)	6.53	7.16	7.54	7.15	7.16	7.24	
	Temperature (Field)	10.96	11.23	12.21	10.44	11.36	10.36	
	Turbidity (Field)	NONE	NONE	NONE	MODERATE	NONE	NONE	

11/02/2021	Groundwater Elevation	P-25S 922.55	P-26D 928.87	P-28S 926.88	P-29S 928.22	P-30S 912.15	P-31S 911.28
-------------------	-----------------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

11/02/2021	Groundwater Elevation	P-32D 921.85	P-32S 923.55	P-33S 923.91	P-34D 929.39	P-34S 932.42	P-35D 923.37
-------------------	-----------------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------

11/02/2021	Groundwater Elevation	P-35S 925.71	P-38S 916.45	P-39S 911.87	P-3S 924.81	P-40S 912.68	P-41D 909.39
-------------------	-----------------------	-----------------	-----------------	-----------------	----------------	-----------------	-----------------

11/02/2021	Groundwater Elevation	P-41S 912.88	P-42S 906.69	P-4S 921.90	P-8D 924.05	P-8S 924.24	P-9S 922.38
-------------------	-----------------------	-----------------	-----------------	----------------	----------------	----------------	----------------

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		12/09/2021	
Sample Date		Sample ID							
11/10/2021	Color (Field)	P-25BR-202111	P-25D-202111	P-30D-202111	P-30I-202111	P-31D-202111	P-31IA-202111	NONE	NONE
		NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
	Conductivity (Field)	676.3	707.2	518.7	720.9	580.5	872.6		
	Groundwater Elevation	919.18	918.75	912.17	912.12				
	Odor (Field)	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE
	pH (Field)	7.18	7.01	7.34	7.20	7.37	6.98		
	Temperature (Field)	11.70	11.98	9.74	9.80	10.08	10.72		
	Turbidity (Field)	NONE	NONE	NONE	NONE	NONE	NONE	NONE	NONE

Selected Indicators - Summary

Location/Landfill:		REFUSE HIDEAWAY		License #:		01953		12/09/2021	
Sample Date		Sample ID							
11/11/2021	Color (Field)	P-17S-202111	P-18S-202111	P-20SR-202111	P-23D-202111	P-23S-202111			
		ORANGE	NONE	NONE	NONE	NONE			
	Conductivity (Field)	1104.5	730.7	615.0	581.2	632.4			
	Groundwater Elevation	936.77	925.06	925.18	924.57	924.43			
	Odor (Field)	NONE	NONE	NONE	NONE	NONE			
	pH (Field)	6.63	7.16	7.21	7.01	6.74			
	Temperature (Field)	10.78	10.78	10.05	10.13	10.08			
	Turbidity (Field)	SLIGHT	NONE	NONE	NONE	NONE	NONE		

		P-31IB-202111	P-40D-202111	P-40I-202111
11/10/2021	Color (Field)	NONE	NONE	NONE
	Conductivity (Field)	872.6	593.5	698.9
	Groundwater Elevation		912.39	912.94
	Odor (Field)	NONE	NONE	NONE
	pH (Field)	6.98	7.16	6.96
	Temperature (Field)	10.72	9.93	9.88
	Turbidity (Field)	NONE	NONE	NONE

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 1 of 40

Well Description: P-21D-202105

Well #: 113

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	2.9	3.3	2.8
1,2-Dichloroethane	0.27	0.34	
1,2-Dichloropropane	0.41	0.44	
Benzene	3.3	3.8	4.6
Chlorobenzene	1.1	0.98	0.97
Chloroethane	0.51		
cis-1,2-Dichloroethene	1.6	6.1	9.1
Dichlorodifluoromethane	1.1	1.2	
Diisopropyl ether		0.57	0.57
Isopropylbenzene	0.64	0.55	
Methyl tert-butyl ether	0.92	1.1	1.0
Tetrahydrofuran	200	210	210
Toluene	0.26	0.22	
trans-1,2-Dichloroethene	0.80	0.55	
Vinyl chloride	1.5	3.7	3.9

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 2 of 40

Well Description: P-8D-202105

Well #: 114

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	2.6	2.1	1.4
1,2-Dichloroethane	0.53	0.72	0.65
1,4-Dichlorobenzene			2.0
Benzene	0.83	0.48	1.4
Chlorobenzene			7.4
Chloroethane	1.2	0.93	
cis-1,2-Dichloroethene	0.79	0.58	1.3
Dichlorodifluoromethane		2.1	0.60
Isopropylbenzene			0.78
Methyl tert-butyl ether	0.36	0.33	
Tetrahydrofuran	51	23	30
trans-1,2-Dichloroethene	0.72	0.58	
Trichloroethene	0.30	0.41	0.35
Vinyl chloride	0.44	0.29	0.37

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 3 of 40

Well Description: P-24D-202105 **Well #:** 115

Parameter Sample Date
 5/20/2021 5/13/2020 5/14/2019

cis-1,2-Dichloroethene	0.65	0.88	2.9
Dichlorodifluoromethane	0.68	1.3	1.8
Vinyl chloride	0.59	1.0	5.6

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 4 of 40

Well Description: P-24E-202105

Well #: 116

Parameter	Sample Date		
	5/20/2021	5/13/2020	5/14/2019

cis-1,2-Dichloroethene	2.4	2.1	2.7
Dichlorodifluoromethane		0.87	0.44
Methylene chloride			0.86
Naphthalene		0.34	
Vinyl chloride	2.7	3.3	3.4

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 5 of 40

Well Description: P-25D

Well #: 118

Parameter	Sample Date		
	5/13/2020	11/8/2019	5/15/2019

1,1-Dichloroethane			0.30
cis-1,2-Dichloroethene			0.76
Tetrahydrofuran			4.8
Trichloroethene		0.31	0.43
Vinyl chloride	0.15	0.31	

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 6 of 40

Well Description: P-25BR-202111

Well #: 119

Parameter	Sample Date					
	11/10/2021	5/13/2021	11/5/2020	5/13/2020	11/8/2019	5/15/2019

Dichlorodifluoromethane	0.96	0.69		0.73	0.92	0.64
Tetrachloroethene	1.7	1.7	1.7	1.4	1.8	1.9
Trichlorofluoromethane	0.58					0.46

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 7 of 40

Well Description: DUP-04-202105

Well #: 121

Parameter	Sample Date				
	11/5/2021	5/14/2021	11/5/2020	5/8/2020	5/16/2019
Dichlorodifluoromethane		0.45		0.41	0.45
Tetrachloroethene	2.7	3.1	2.5	2.5	3.0
Trichloroethene		0.35			0.36
Trichlorofluoromethane					0.46

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 8 of 40

Well Description: P-27D-202111

Well #: 122

Parameter	Sample Date			
	11/5/2021	5/14/2021	11/5/2020	5/8/2020
1,1-Dichloroethane	0.60	0.91	0.62	0.82
cis-1,2-Dichloroethene	1.0	1.6	1.1	1.5
Dichlorodifluoromethane	1.4	2.5	1.4	2.3
Tetrachloroethene	9.6	16	9.9	13
Trichloroethene	1.8	2.9	1.8	2.6
Trichlorofluoromethane	0.59	0.98	0.57	0.84

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 9 of 40

Well Description: P-28S-202105 **Well #:** 123

Parameter Sample Date
 5/14/2021 5/8/2020 5/31/2019

Tetrachloroethene	1.7	1.8	1.2
-------------------	-----	-----	-----

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 10 of 40

Well Description: P-8S-202105

Well #: 125

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/13/2019
1,1-Dichloroethane	1.1	2.0	1.3
1,2-Dichloroethane		0.42	
1,2-Dichloropropane	0.20	0.42	
1,4-Dichlorobenzene	2.2	2.1	0.71
Benzene	0.78	1.2	1.6
Chlorobenzene	7.1	7.5	9.4
Chloroethane	0.90	0.85	1.1
cis-1,2-Dichloroethene	13	16	7.8
Dichlorodifluoromethane	1.2	1.7	0.47
Diisopropyl ether			0.32
Isopropylbenzene	0.84	0.59	0.82
Methyl tert-butyl ether	0.38	0.55	0.45
Tetrachloroethene	0.94	0.92	0.66
Tetrahydrofuran	120	91	69
trans-1,2-Dichloroethene	1.1	1.8	1.0
Trichloroethene	1.7	1.6	1.2
Vinyl chloride	2.5	3.4	1.1

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 11 of 40

Well Description: P-8BR **Well #:** 126

Parameter Sample Date
5/23/2019

1,1-Dichloroethane	0.31
Benzene	0.38
cis-1,2-Dichloroethene	1.6
Trichloroethene	2.0

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 12 of 40

Well Description: P-16D-202105

Well #: 127

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	1.7	1.6	1.2
1,2-Dichloropropane	0.42	0.30	
Benzene	2.0	1.0	1.3
cis-1,2-Dichloroethene	0.51	0.47	
Methyl tert-butyl ether	0.54	0.46	0.39
Methylene chloride			0.64
Tetrahydrofuran	67	68	51
trans-1,2-Dichloroethene	0.32		
Trichloroethene	0.61	0.53	0.50
Vinyl chloride	0.30	0.29	

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 13 of 40

Well Description: P-17S-202111

Well #: 128

Parameter	Sample Date					
	11/11/2021	5/20/2021	11/5/2020	5/12/2020	11/6/2019	5/28/2019

cis-1,2-Dichloroethene	0.71	0.75	0.54	0.51	0.55	0.49
Dichlorodifluoromethane	0.72				0.44	
Tetrachloroethene	2.2	2.3	2.1	2.0	1.9	1.1
Tetrahydrofuran						4.2
Trichloroethene		0.40		0.39		

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 14 of 40

Well Description: P-18S-202105

Well #: 129

Parameter	Sample Date					
	11/11/2021	5/20/2021	11/6/2020	5/12/2020	11/7/2019	5/23/2019

cis-1,2-Dichloroethene		0.31			0.52	0.41
Dichlorodifluoromethane	1.1	0.81	0.71	0.84	1.4	1.1
Tetrachloroethene	8.1	8.0	7.4	7.9	9.1	7.4
Trichloroethene	0.68	0.69	0.68	0.61	0.86	0.89
Trichlorofluoromethane	0.58					0.30

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 15 of 40

Well Description: P-21BR-202105

Well #: 134

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/30/2019
1,1-Dichloroethane	0.60	0.89	0.87
1,2-Dichloroethane		0.29	0.38
1,2-Dichloropropane	0.24	0.29	0.43
Benzene			0.47
cis-1,2-Dichloroethene	8.0	12	12
Dichlorodifluoromethane	1.2	1.5	1.4
Tetrahydrofuran	5.4	6.2	5.7
trans-1,2-Dichloroethene	0.49	0.74	
Trichloroethene	4.0	5.5	5.3
Vinyl chloride	1.9	2.8	3.0

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 16 of 40

Well Description: P-22S Well #: 135

Parameter Sample Date
5/22/2020 12/5/2019

cis-1,2-Dichloroethene		0.41
Dichlorodifluoromethane		0.53
Naphthalene	0.38	0.37
Tetrachloroethene	0.42	1.4
Trichloroethene		0.46

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 17 of 40

Well Description: DUP-02-202111

Well #: 136

Parameter	Sample Date					
	11/9/2021	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019
cis-1,2-Dichloroethene	1.2	1.5	1.7	1.7	1.4	1.4
Dichlorodifluoromethane	1.1	0.96	0.70	0.83	0.66	
Naphthalene					0.41	
Tetrachloroethene	1.8	2.4	2.2	2.0	2.3	1.7
Trichloroethene	0.59	0.64	0.60	0.57	0.73	0.47
Trichlorofluoromethane	0.57					

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 18 of 40

Well Description: P-23S-202111

Well #: 137

Parameter	Sample Date					
	11/11/2021	5/20/2021	11/9/2020	5/13/2020	11/11/2019	5/13/2019

Dichlorodifluoromethane	0.86	0.73		0.99	0.94	0.80
Tetrachloroethene	1.2	1.8	2.1	2.2	2.5	3.0
Trichlorofluoromethane						0.45

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 19 of 40

Well Description: P-23D-202111

Well #: 138

Parameter	Sample Date				
	11/11/2021	5/20/2021	11/9/2020	5/13/2020	11/11/2019
Dichlorodifluoromethane	0.68				
Tetrachloroethene		0.53	0.62	0.48	0.48

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 20 of 40

Well Description: P-9S-202105

Well #: 139

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	1.0	0.87	0.44
1,2-Dichloroethane	0.26	0.28	
Benzene	0.95	0.73	1.3
Chlorobenzene	0.40	0.70	0.94
Chloroethane	0.56		
cis-1,2-Dichloroethene	0.96	0.74	
Diisopropyl ether	0.50	0.52	0.41
Methyl tert-butyl ether	0.71	0.80	0.56
Tetrachloroethene	2.1	1.9	1.0
Tetrahydrofuran	170	200	140
trans-1,2-Dichloroethene	0.45	0.37	
Trichloroethene	0.34	0.37	0.48
Vinyl chloride	0.52	0.74	

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 21 of 40

Well Description: P-9D-202105

Well #: 140

Parameter	Sample Date		
	5/19/2021	5/14/2020	5/14/2019
1,1-Dichloroethane	3.2	3.2	2.7
1,2-Dichloropropane		0.51	1.3
Benzene	2.9	2.3	2.9
Chloroethane	0.54		
Dichlorodifluoromethane	1.0	1.2	0.71
Diisopropyl ether			0.36
Methyl tert-butyl ether	0.44	0.33	0.41
Tetrahydrofuran	78	51	88
trans-1,2-Dichloroethene	0.94	2.1	2.1
Trichloroethene			0.36
Vinyl chloride		0.43	0.59

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 22 of 40

Well Description: P-26S

Well #: 141

Parameter	Sample Date			
	11/5/2021	5/14/2021	11/5/2020	5/8/2020
cis-1,2-Dichloroethene				0.34
Dichlorodifluoromethane	1.9	2.3	1.7	2.3
Tetrachloroethene	7.4	8.5	8.9	9.8
Trichloroethene	0.63	0.72	0.81	0.82
Trichlorofluoromethane	0.47	0.53	0.48	0.50

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 23 of 40

Well Description: P-31D **Well #:** 145

Parameter Sample Date
 11/6/2019 5/14/2019

cis-1,2-Dichloroethene	0.47	
Methylene chloride		0.86
Tetrachloroethene	2.1	
Trichloroethene	0.32	

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: **REFUSE HIDEAWAY**

License #: **01953**

Page 24 of 40

Well Description: **P-31/A**

Well #: **146**

Parameter	Sample Date				
	11/10/2021	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane			0.31		
cis-1,2-Dichloroethene	0.91	0.80	0.95	1.0	1.3
Dichlorodifluoromethane	1.1	0.65	0.82	0.88	0.93
Tetrachloroethene	2.4	1.2	0.81	1.8	3.6
Trichloroethene	0.87	0.67	0.75	0.69	0.98
Trichlorofluoromethane	0.56				

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 25 of 40

Well Description: DUP-02-202105

Well #: 147

Parameter	Sample Date				
	11/10/2021	5/12/2021	11/9/2020	5/15/2020	12/6/2019
1,1-Dichloroethane		0.31	0.33		0.32
cis-1,2-Dichloroethene	0.89	1.0	1.2	1.4	1.3
Dichlorodifluoromethane	0.88	0.82	0.89	1.2	0.95
Tetrachloroethene	1.7	1.5	1.8	3.6	3.7
Trichloroethene	0.83	0.86	0.94	1.2	0.99

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 26 of 40

Well Description: P-34S-202105 **Well #:** 154

Parameter Sample Date
 5/14/2021 5/7/2020

Dichlorodifluoromethane	0.61	0.76
-------------------------	------	------

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 27 of 40

Well Description: P-40D-202105 **Well #:** 161

Parameter Sample Date
 5/13/2021 5/7/2020 12/2/2019

Tetrachloroethene	0.35	0.51	0.54
-------------------	------	------	------

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 28 of 40

Well Description: P-40I-202111

Well #: 162

Parameter	Sample Date					
	11/10/2021	5/13/2021	11/4/2020	5/7/2020	12/2/2019	5/15/2019
cis-1,2-Dichloroethene	1.2	0.92	0.81	0.77	0.82	1.2
Dichlorodifluoromethane	1.2	0.71		0.65	0.72	0.78
Tetrachloroethene	2.9	2.5	2.1	1.9	2.4	3.2
Trichloroethene	0.69	0.60	0.48	0.50	0.55	0.68
Trichlorofluoromethane	0.60					0.54

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 29 of 40

Well Description: P-20SR-202111

Well #: 167

Parameter	Sample Date					
	11/11/2021	5/18/2021	11/9/2020	5/13/2020	11/8/2019	5/13/2019

Dichlorodifluoromethane	0.98	0.70	0.67	0.80	0.71	0.66
Tetrachloroethene	1.4	1.4	1.5	1.8	1.1	1.5
Trichlorofluoromethane						0.45

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 30 of 40

Well Description: P-29S-202105 **Well #:** 168

Parameter Sample Date
 5/14/2021 5/11/2020

Dichlorodifluoromethane	1.00	1.0
Naphthalene		0.47
Tetrachloroethene	0.59	0.54

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 31 of 40

Well Description: P-22E-202111

Well #: 174

Parameter	Sample Date					
	11/9/2021	5/17/2021	11/6/2020	5/11/2020	12/5/2019	5/23/2019

1,1-Dichloroethane	0.67	0.88	0.60	0.71	0.80	0.57
cis-1,2-Dichloroethene	5.5	5.5	4.2	4.7	4.8	3.7
Dichlorodifluoromethane	3.4	3.4	1.9	2.8	3.3	2.0
Naphthalene				0.52	0.45	
Tetrachloroethene	12	15	6.3	6.7	12	11
Trichloroethene	2.4	2.6	1.6	1.6	2.2	1.7
Trichlorofluoromethane	1.3	0.88	0.54	0.65	0.89	0.76

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 32 of 40

Well Description: P-43S **Well #:** 175

Parameter Sample Date
 5/22/2020 12/5/2019

Naphthalene	0.72	1.3
-------------	------	-----

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 33 of 40

Well Description: P-43I

Well #: 176

Parameter

Sample Date

11/6/2020

12/4/2019

Naphthalene	0.41	0.93
-------------	------	------

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 34 of 40

Well Description: P-43D-202111

Well #: 177

Parameter	Sample Date				
	11/9/2021	5/17/2021	11/6/2020	5/11/2020	12/4/2019
Dichlorodifluoromethane	0.70				
Naphthalene	0.77	0.34	0.35	0.84	1.4

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 35 of 40

Well Description: DUP-01

Well #: 301

Parameter

Sample Date

5/11/2021

Chloromethane	0.19
---------------	------

Summary of Detected Organic Compounds

12/08/2021

Location/Landfill: REFUSE HIDEAWAY

License #: 01953

Page 40 of 40

Well Description: TRIP BLANK **Well #:** 999

Parameter	Sample Date								
	5/18/2021	5/12/2021	5/11/2021	11/3/2020	11/2/2020	5/22/2020	5/13/2020	5/6/2020	11/5/2019
Methylene chloride	0.45	0.54	0.43	0.53	0.47	1.4	0.83	1.2	0.33

10/1/2019 5/17/2019

0.77	3.6
------	-----

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21D Well ID #: 113

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	BROWN
			05/14/2020	YELLOW
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	6245
			05/14/2020	7153.4
			05/19/2021	7769.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.58
			05/30/2019	926.67
			11/04/2019	928.62
			05/05/2020	926.92
			05/14/2020	926.92
			11/04/2020	926.64
			05/19/2021	925.42
			11/02/2021	923.20
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/30/2019	6.21
			05/14/2020	6.44
			05/19/2021	6.64
Temperature (Field)	00010	Deg. C		
			05/30/2019	16.09
			05/14/2020	11.62
			05/19/2021	13.09
Turbidity (Field)	00003			
			05/30/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8D Well ID #: 114

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	1596
			05/14/2020	2225.6
			05/19/2021	2315.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.30
			05/13/2019	927.3
			11/04/2019	927.44
			05/05/2020	926.84
			05/14/2020	926.84
			11/03/2020	926.96
			05/19/2021	925.89
			11/02/2021	924.05
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.43
			05/14/2020	6.78
			05/19/2021	6.92
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.02
			05/14/2020	10.40
			05/19/2021	11.79
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24D Well ID #: 115

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	WHITE
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	679
			05/13/2020	689.1
			05/20/2021	664.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.75
			05/14/2019	925.05
			11/04/2019	927.25
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.13
			05/13/2020	7.11
			05/20/2021	7.03
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.45
			05/13/2020	11.04
			05/20/2021	13.02
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-24E Well ID #: 116

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/13/2020	NONE
			05/20/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	693.9
			05/13/2020	706.1
			05/20/2021	687.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.39
			05/14/2019	927.39
			11/04/2019	927.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/13/2020	NONE
			05/20/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.97
			05/13/2020	7.11
			05/20/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.48
			05/13/2020	13.08
			05/20/2021	14.52
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/13/2020	NONE
			05/20/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25S Well ID #: 117

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	639.9
			05/13/2020	669.0
			05/13/2021	765.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.46
			05/15/2019	928.46
			11/04/2019	929.10
			05/05/2020	927.56
			05/13/2020	927.56
			11/03/2020	927.00
			05/13/2021	925.16
			11/02/2021	922.55
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			05/13/2020	6.56
			05/13/2021	7.02
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.48
			05/13/2020	10.35
			05/13/2021	12.40
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25D Well ID #: 118

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	965.0
			11/08/2019	847.8
			05/13/2020	841.3
			11/05/2020	797.0
			05/13/2021	712.7
			11/10/2021	707.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.48
			05/15/2019	925.48
			11/04/2019	926.09
			11/08/2019	926.13
			05/05/2020	924.29
			05/13/2020	924.29
			11/05/2020	923.68
			05/13/2021	921.17
			11/10/2021	918.75
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.39
			11/08/2019	6.99
			05/13/2020	7.05
			11/05/2020	6.97
			05/13/2021	7.17
			11/10/2021	7.01
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.23
			11/08/2019	9.44
			05/13/2020	11.96
			11/05/2020	12.50
			05/13/2021	12.44
			11/10/2021	11.98

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-25D **Well ID #:** 118

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-25BR Well ID #: 119

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	635.5
			11/08/2019	666.5
			05/13/2020	669.1
			11/05/2020	659.9
			05/13/2021	651.9
			11/10/2021	676.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.88
			05/15/2019	925.88
			11/04/2019	926.76
			11/08/2019	918.44
			05/05/2020	924.71
			05/13/2020	924.71
			11/05/2020	924.19
			05/13/2021	921.63
			11/10/2021	919.18
Odor (Field)	00001			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.05
			11/08/2019	7.06
			05/13/2020	7.29
			11/05/2020	7.22
			05/13/2021	7.22
			11/10/2021	7.18
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.20
			11/08/2019	11.01
			05/13/2020	11.64
			11/05/2020	12.00
			05/13/2021	12.98
			11/10/2021	11.70

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-25BR **Well ID #:** 119

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/05/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-26D **Well ID #:** 120

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.29
			11/04/2019	938.49
			05/05/2020	936.40
			11/03/2020	936.65
			05/10/2021	932.25
			11/02/2021	928.87

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-27S Well ID #: 121

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	GRAY
			05/08/2020	WHITE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	890.6
			05/08/2020	962.6
			11/05/2020	924.7
			05/14/2021	954.1
			11/05/2021	899.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.54
			05/16/2019	928.54
			11/04/2019	930.21
			05/05/2020	927.99
			05/08/2020	927.99
			11/05/2020	927.81
			05/14/2021	925.05
			11/05/2021	922.39
Odor (Field)	00001			
			05/16/2019	NONE
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.55
			05/08/2020	6.90
			11/05/2020	6.79
			05/14/2021	6.91
			11/05/2021	6.75
Temperature (Field)	00010	Deg. C		
			05/16/2019	16.52
			05/08/2020	10.26
			11/05/2020	11.05
			05/14/2021	11.18
			11/05/2021	10.64
Turbidity (Field)	00003			
			05/16/2019	MODERATE
			05/08/2020	SLIGHT
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-27D Well ID #: 122

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	909.8
			11/05/2020	876.6
			05/14/2021	914.9
			11/05/2021	910.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/16/2019	928.33
			11/04/2019	930.03
			05/05/2020	927.90
			05/08/2020	927.90
			11/05/2020	927.60
			05/14/2021	924.63
			11/05/2021	922.03
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	6.98
			11/05/2020	6.78
			05/14/2021	7.03
			11/05/2021	6.89
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.59
			11/05/2020	11.47
			05/14/2021	11.88
			11/05/2021	12.34
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-28S Well ID #: 123

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	701.2
			05/08/2020	657.5
			05/14/2021	690.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.69
			05/31/2019	937.28
			11/04/2019	938.74
			05/05/2020	935.70
			05/08/2020	935.70
			11/03/2020	936.92
			05/14/2021	929.90
			11/02/2021	926.88
Odor (Field)	00001			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.16
			05/08/2020	7.27
			05/14/2021	7.22
Temperature (Field)	00010	Deg. C		
			05/31/2019	11.41
			05/08/2020	9.70
			05/14/2021	12.32
Turbidity (Field)	00003			
			05/31/2019	NONE
			05/08/2020	NONE
			05/14/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8S Well ID #: 125

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	2080
			05/14/2020	2293.8
			05/19/2021	2523.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.09
			05/13/2019	927.09
			11/04/2019	927.34
			05/05/2020	926.71
			05/14/2020	926.71
			11/03/2020	926.58
			05/19/2021	925.91
			11/02/2021	924.24
Odor (Field)	00001			
			05/13/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.25
			05/14/2020	6.27
			05/19/2021	6.63
Temperature (Field)	00010	Deg. C		
			05/13/2019	12.56
			05/14/2020	9.84
			05/19/2021	11.83
Turbidity (Field)	00003			
			05/13/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-8BR Well ID #: 126

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		05/23/2019	NONE
Conductivity (Field)	00094	umhos/cm	05/23/2019	877
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	929.52
			05/23/2019	929.52
			11/04/2019	929.52
Odor (Field)	00001		05/23/2019	NONE
pH (Field)	00400	S.U.	05/23/2019	7.21
Temperature (Field)	00010	Deg. C	05/23/2019	10.42
Turbidity (Field)	00003		05/23/2019	SLIGHT

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16D Well ID #: 127

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	BROWN
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2596
			05/14/2020	3067.0
			05/19/2021	2956.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.59
			05/14/2019	928.66
			11/04/2019	929.09
			05/05/2020	927.53
			05/14/2020	927.53
			11/04/2020	926.94
			05/19/2021	925.11
			11/02/2021	922.43
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.70
			05/19/2021	6.88
Temperature (Field)	00010	Deg. C		
			05/14/2019	15.35
			05/14/2020	13.63
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-17S Well ID #: 128

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
			11/11/2021	ORANGE
Conductivity (Field)	00094	umhos/cm		
			05/28/2019	1140
			11/06/2019	1089.3
			05/12/2020	1127.2
			11/05/2020	1088.5
			05/20/2021	1122.0
			11/11/2021	1104.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/28/2019	937.12
			11/04/2019	937.99
			11/06/2019	937.82
			05/05/2020	936.81
			05/12/2020	936.81
			11/05/2020	936.73
			05/20/2021	936.47
			11/11/2021	936.77
Odor (Field)	00001			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
pH (Field)	00400	S.U.		
			05/28/2019	7.33
			11/06/2019	6.61
			05/12/2020	6.75
			11/05/2020	6.57
			05/20/2021	6.80
			11/11/2021	6.63
Temperature (Field)	00010	Deg. C		
			05/28/2019	13.37
			11/06/2019	10.35
			05/12/2020	11.71
			11/05/2020	12.40
			05/20/2021	12.67
			11/11/2021	10.78

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-17S **Well ID #:** 128

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/28/2019	NONE
			11/06/2019	NONE
			05/12/2020	NONE
			11/05/2020	NONE
			05/20/2021	NONE
			11/11/2021	SLIGHT

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-18S Well ID #: 129

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	608
			11/07/2019	733.5
			05/12/2020	760.0
			11/06/2020	759.2
			05/20/2021	746.1
			11/11/2021	730.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.68
			05/23/2019	931.65
			11/04/2019	932.63
			11/07/2019	932.63
			05/05/2020	930.76
			05/12/2020	930.76
			11/06/2020	930.50
			05/20/2021	927.68
			11/11/2021	925.06
Odor (Field)	00001			
			05/23/2019	NONE
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.48
			11/07/2019	7.17
			05/12/2020	7.28
			11/06/2020	7.14
			05/20/2021	7.34
			11/11/2021	7.16
Temperature (Field)	00010	Deg. C		
			05/23/2019	16.56
			11/07/2019	10.69
			05/12/2020	11.75
			11/06/2020	13.77
			05/20/2021	13.72
			11/11/2021	10.78

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-18S Well ID #: 129

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			11/07/2019	NONE
			05/12/2020	NONE
			11/06/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21S Well ID #: 133

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	1152
			05/14/2020	1328.9
			05/19/2021	1368.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.59
			05/14/2019	929.65
			11/04/2019	930.08
			05/05/2020	928.03
			05/14/2020	928.03
			11/03/2020	927.71
			05/19/2021	926.41
			11/02/2021	924.03
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.01
			05/14/2020	6.95
			05/19/2021	7.13
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.49
			05/14/2020	10.41
			05/19/2021	13.04
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-21BR Well ID #: 134

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/30/2019	1215
			05/14/2020	1158.8
			05/19/2021	992.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.97
			05/30/2019	929.52
			11/04/2019	929.90
			05/05/2020	927.26
			05/14/2020	927.26
			11/04/2020	927.80
			05/19/2021	924.07
			11/02/2021	922.80
Odor (Field)	00001			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	SULFUR
pH (Field)	00400	S.U.		
			05/30/2019	6.52
			05/14/2020	6.38
			05/19/2021	7.43
Temperature (Field)	00010	Deg. C		
			05/30/2019	11.89
			05/14/2020	11.80
			05/19/2021	12.82
Turbidity (Field)	00003			
			05/30/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22S Well ID #: 135

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	GRAY
			05/22/2020	BROWN
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	512
			12/05/2019	664.1
			05/22/2020	677.0
			11/06/2020	649.7
			05/17/2021	626.2
			11/09/2021	630.8
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	923.04
			05/23/2019	923.09
			11/04/2019	924.31
			12/05/2019	923.08
			05/05/2020	922.38
			05/22/2020	922.38
			11/06/2020	921.52
			05/17/2021	919.11
			11/09/2021	916.66
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	8.16
			12/05/2019	7.40
			05/22/2020	7.18
			11/06/2020	7.28
			05/17/2021	7.55
			11/09/2021	7.54
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.65
			12/05/2019	9.47
			05/22/2020	15.12
			11/06/2020	13.81
			05/17/2021	15.07
			11/09/2021	12.21

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-22S **Well ID #:** 135

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/22/2020	SLIGHT
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22D Well ID #: 136

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	471
			12/05/2019	679.4
			05/11/2020	635.0
			11/06/2020	632.5
			05/17/2021	623.6
			11/09/2021	643.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.68
			05/23/2019	922.76
			11/04/2019	924.01
			12/05/2019	923.73
			05/05/2020	922.06
			05/11/2020	922.06
			11/06/2020	921.38
			05/17/2021	918.88
			11/09/2021	916.50
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.61
			12/05/2019	7.09
			05/11/2020	6.63
			11/06/2020	6.90
			05/17/2021	7.20
			11/09/2021	6.53
Temperature (Field)	00010	Deg. C		
			05/23/2019	10.73
			12/05/2019	9.47
			05/11/2020	10.62
			11/06/2020	11.67
			05/17/2021	11.51
			11/09/2021	10.96

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-22D **Well ID #:** 136

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23S Well ID #: 137

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	693.2
			11/11/2019	772.3
			05/13/2020	697.5
			11/09/2020	682.3
			05/20/2021	642.2
			11/11/2021	632.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/13/2019	930.61
			11/04/2019	931.20
			11/11/2019	931.03
			05/05/2020	929.59
			05/13/2020	929.59
			11/09/2020	929.37
			05/20/2021	926.92
			11/11/2021	924.43
Odor (Field)	00001			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.50
			11/11/2019	6.88
			05/13/2020	7.08
			11/09/2020	6.93
			05/20/2021	6.97
			11/11/2021	6.74
Temperature (Field)	00010	Deg. C		
			05/13/2019	14.96
			11/11/2019	8.91
			05/13/2020	12.15
			11/09/2020	15.07
			05/20/2021	15.56
			11/11/2021	10.08

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-23S **Well ID #:** 137

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23D Well ID #: 138

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	565
			11/11/2019	599.3
			05/13/2020	584.7
			11/09/2020	591.1
			05/20/2021	586.7
			11/11/2021	581.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.55
			05/15/2019	930.55
			11/04/2019	931.30
			11/11/2019	931.11
			05/05/2020	929.67
			05/13/2020	929.67
			11/09/2020	929.44
			05/20/2021	926.99
			11/11/2021	924.57
Odor (Field)	00001			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.22
			11/11/2019	7.00
			05/13/2020	7.32
			11/09/2020	7.08
			05/20/2021	7.40
			11/11/2021	7.01
Temperature (Field)	00010	Deg. C		
			05/15/2019	16.58
			11/11/2019	9.75
			05/13/2020	12.58
			11/09/2020	13.06
			05/20/2021	14.22
			11/11/2021	10.13

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-23D Well ID #: 138

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/15/2019	NONE
			11/11/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/20/2021	NONE
			11/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9S Well ID #: 139

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	3719
			05/14/2020	5483.1
			05/19/2021	3802.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.59
			05/14/2019	927.76
			11/04/2019	927.90
			05/05/2020	927.48
			05/14/2020	927.48
			11/03/2020	927.31
			05/19/2021	926.25
			11/02/2021	922.38
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.26
			05/14/2020	6.43
			05/19/2021	6.58
Temperature (Field)	00010	Deg. C		
			05/14/2019	17.41
			05/14/2020	9.98
			05/19/2021	12.21
Turbidity (Field)	00003			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-9D Well ID #: 140

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	2676.9
			05/14/2020	2330.8
			05/19/2021	2509.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.85
			05/14/2019	928.98
			11/04/2019	929.39
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.40
			05/14/2020	6.10
			05/19/2021	6.73
Temperature (Field)	00010	Deg. C		
			05/14/2019	13.87
			05/14/2020	11.39
			05/19/2021	13.45
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-26S Well ID #: 141

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/08/2020	866.0
			11/05/2020	847.0
			05/14/2021	821.0
			11/05/2021	832.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	938.61
			05/14/2019	938.61
			11/04/2019	939.18
			05/05/2020	937.29
			05/08/2020	937.29
			11/05/2020	936.48
			05/14/2021	934.13
			11/05/2021	931.36
Odor (Field)	00001			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE
pH (Field)	00400	S.U.		
			05/08/2020	7.00
			11/05/2020	6.80
			05/14/2021	7.05
			11/05/2021	6.86
Temperature (Field)	00010	Deg. C		
			05/08/2020	10.03
			11/05/2020	11.12
			05/14/2021	11.70
			11/05/2021	10.56
Turbidity (Field)	00003			
			05/08/2020	NONE
			11/05/2020	NONE
			05/14/2021	NONE
			11/05/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-16S Well ID #: 142

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	GRAY
			05/14/2020	NONE
			05/19/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	640
			05/14/2020	722.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.05
			05/14/2019	927.94
			11/04/2019	929.60
			05/05/2020	927.20
			05/14/2020	927.20
			11/04/2020	926.64
			05/19/2021	923.91
			11/02/2021	921.93
Odor (Field)	00001			
			05/14/2019	NONE
			05/14/2020	NONE
			05/19/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.78
			05/14/2020	6.34
Temperature (Field)	00010	Deg. C		
			05/14/2019	12.25
			05/14/2020	10.73
Turbidity (Field)	00003			
			05/14/2019	SLIGHT
			05/14/2020	NONE
			05/19/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-3S **Well ID #:** 143

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	927.52
			11/04/2019	927.83
			05/05/2020	927.93
			11/03/2020	927.83
			05/10/2021	926.80
			11/02/2021	924.81

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-30S **Well ID #:** 144

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.41
			11/04/2019	918.60
			05/05/2020	916.70
			11/03/2020	915.77
			05/10/2021	914.43
			11/02/2021	912.15

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31D Well ID #: 145

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	529.1
			11/06/2019	560.3
			05/15/2020	549.2
			11/09/2020	562.5
			05/12/2021	566.2
			11/10/2021	580.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/14/2019	915.72
			11/04/2019	915.72
			11/06/2019	915.72
Odor (Field)	00001			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	5.93
			11/06/2019	6.98
			05/15/2020	7.45
			11/09/2020	7.35
			05/12/2021	7.40
			11/10/2021	7.37
Temperature (Field)	00010	Deg. C		
			05/14/2019	14.60
			11/06/2019	9.32
			05/15/2020	11.43
			11/09/2020	11.29
			05/12/2021	11.30
			11/10/2021	10.08
Turbidity (Field)	00003			
			05/14/2019	NONE
			11/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31/A Well ID #: 146

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	LT GRAY
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	887.4
			05/15/2020	852.4
			11/09/2020	875.3
			05/12/2021	863.9
			11/10/2021	872.6
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.77
			12/06/2019	916.77
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.37
			05/15/2020	7.14
			11/09/2020	6.94
			05/12/2021	7.05
			11/10/2021	6.98
Temperature (Field)	00010	Deg. C		
			12/06/2019	9.81
			05/15/2020	11.29
			11/09/2020	12.62
			05/12/2021	11.94
			11/10/2021	10.72
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31/B Well ID #: 147

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/06/2019	885.2
			05/15/2020	856.1
			11/09/2020	881.7
			05/12/2021	884.7
			11/10/2021	872.6
Groundwater Elevation (Field)	04189	Feet MSL		
			11/04/2019	916.49
			12/06/2019	916.49
Odor (Field)	00001			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			12/06/2019	7.03
			05/15/2020	7.13
			11/09/2020	7.04
			05/12/2021	7.11
			11/10/2021	6.98
Temperature (Field)	00010	Deg. C		
			12/06/2019	10.20
			05/15/2020	11.38
			11/09/2020	11.23
			05/12/2021	10.78
			11/10/2021	10.72
Turbidity (Field)	00003			
			12/06/2019	NONE
			05/15/2020	NONE
			11/09/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-31S Well ID #: 148

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/14/2019	444.3
			12/06/2019	479.3
			05/15/2020	427.9
			05/12/2021	417.8
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	912.95
			05/14/2019	912.81
			11/04/2019	913.13
			12/06/2019	912.92
			05/05/2020	912.15
			05/15/2020	912.15
			11/03/2020	912.30
			05/12/2021	911.70
			11/02/2021	911.28
Odor (Field)	00001			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE
pH (Field)	00400	S.U.		
			05/14/2019	6.72
			12/06/2019	7.89
			05/15/2020	8.19
			05/12/2021	8.18
Temperature (Field)	00010	Deg. C		
			05/14/2019	11.47
			12/06/2019	10.31
			05/15/2020	11.56
			05/12/2021	10.09
Turbidity (Field)	00003			
			05/14/2019	NONE
			12/06/2019	NONE
			05/15/2020	NONE
			05/12/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-32D Well ID #: 149

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	538
			05/06/2020	752.3
			05/13/2021	717.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.86
			05/22/2019	927.03
			11/04/2019	927.80
			05/05/2020	926.39
			05/06/2020	926.39
			11/03/2020	925.82
			05/13/2021	923.92
			11/02/2021	921.85
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.41
			05/06/2020	6.86
			05/13/2021	7.25
Temperature (Field)	00010	Deg. C		
			05/22/2019	10.55
			05/06/2020	10.80
			05/13/2021	12.51
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-32S Well ID #: 150

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	755
			05/06/2020	743.8
			05/13/2021	1180.2
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.76
			05/22/2019	929.02
			11/04/2019	929.80
			05/05/2020	928.24
			05/06/2020	928.24
			11/03/2020	927.69
			05/13/2021	925.84
			11/02/2021	923.55
Odor (Field)	00001			
			05/22/2019	NONE
			05/06/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.20
			05/06/2020	6.71
			05/13/2021	7.04
Temperature (Field)	00010	Deg. C		
			05/22/2019	12.56
			05/06/2020	12.46
			05/13/2021	12.11
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			05/06/2020	NONE
			05/13/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-33S Well ID #: 151

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	GRAY
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	492.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	925.72
			05/15/2019	925.72
			11/04/2019	925.81
			05/05/2020	925.32
			11/04/2020	925.48
			05/10/2021	924.96
			11/02/2021	923.91
Odor (Field)	00001			
			05/15/2019	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.14
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.12
Turbidity (Field)	00003			
			05/15/2019	MODERATE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-33D Well ID #: 152

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	619
			05/13/2020	634.2
			05/18/2021	489.3
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.50
			05/15/2019	928.50
			11/04/2019	928.50
Odor (Field)	00001			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.35
			05/13/2020	6.75
			05/18/2021	7.79
Temperature (Field)	00010	Deg. C		
			05/15/2019	15.08
			05/13/2020	11.79
			05/18/2021	12.90
Turbidity (Field)	00003			
			05/15/2019	NONE
			05/13/2020	NONE
			05/18/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34D Well ID #: 153

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	548
			05/07/2020	752.3
			05/14/2021	547.6
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	936.39
			06/03/2019	936.65
			11/04/2019	937.72
			05/05/2020	935.95
			05/07/2020	935.95
			11/03/2020	936.07
			05/14/2021	932.34
			11/02/2021	929.39
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.17
			05/07/2020	6.86
			05/14/2021	7.48
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.08
			05/07/2020	10.80
			05/14/2021	11.14
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-34S Well ID #: 154

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			06/03/2019	628.5
			05/07/2020	632.8
			05/14/2021	545.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	939.29
			06/03/2019	939.49
			11/04/2019	940.34
			05/05/2020	938.98
			05/07/2020	938.98
			11/03/2020	939.39
			05/14/2021	935.58
			11/02/2021	932.42
Odor (Field)	00001			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.		
			06/03/2019	7.20
			05/07/2020	7.33
			05/14/2021	7.52
Temperature (Field)	00010	Deg. C		
			06/03/2019	10.53
			05/07/2020	11.13
			05/14/2021	11.29
Turbidity (Field)	00003			
			06/03/2019	NONE
			05/07/2020	NONE
			05/14/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35D Well ID #: 155

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	598.59
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	931.67
			05/31/2019	932.24
			11/04/2019	932.92
			05/05/2020	930.53
			11/03/2020	930.39
			05/10/2021	926.41
			11/02/2021	923.37
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.09
Temperature (Field)	00010	Deg. C		
			05/31/2019	10.22
Turbidity (Field)	00003			
			05/31/2019	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-35S Well ID #: 156

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/31/2019	NONE
Conductivity (Field)	00094	umhos/cm		
			05/31/2019	557.36
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	933.08
			05/31/2019	933.67
			11/04/2019	934.17
			05/05/2020	932.14
			11/03/2020	932.26
			05/10/2021	928.48
			11/02/2021	925.71
Odor (Field)	00001			
			05/31/2019	NONE
pH (Field)	00400	S.U.		
			05/31/2019	7.23
Temperature (Field)	00010	Deg. C		
			05/31/2019	12.53
Turbidity (Field)	00003			
			05/31/2019	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36D **Well ID #:** 157

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	924.34
			11/04/2019	924.34

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-36S **Well ID #:** 158

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	05/07/2019	922.87
			11/04/2019	922.85

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-38S **Well ID #:** 159

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.57
			11/04/2019	918.37
			05/05/2020	917.12
			11/03/2020	917.18
			05/10/2021	916.58
			11/02/2021	916.45

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-39S Well ID #: 160

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	917.75
			11/04/2019	919.17
			05/05/2020	916.81
			11/03/2020	915.94
			05/10/2021	913.99
			11/02/2021	911.87

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-40D Well ID #: 161

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			12/02/2019	589.7
			05/07/2020	607.0
			11/04/2020	541.0
			05/13/2021	561.4
			11/10/2021	593.5
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.50
			05/15/2019	918.62
			11/04/2019	919.74
			12/02/2019	919.27
			05/05/2020	917.44
			05/07/2020	917.44
			11/04/2020	916.64
			05/13/2021	914.59
			11/10/2021	912.39
Odor (Field)	00001			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			12/02/2019	7.18
			05/07/2020	7.24
			11/04/2020	7.25
			05/13/2021	7.27
			11/10/2021	7.16
Temperature (Field)	00010	Deg. C		
			12/02/2019	9.23
			05/07/2020	9.81
			11/04/2020	10.60
			05/13/2021	10.22
			11/10/2021	9.93
Turbidity (Field)	00003			
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-401 Well ID #: 162

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/15/2019	660.8
			12/02/2019	686.6
			05/07/2020	681.7
			11/04/2020	643.3
			05/13/2021	678.3
			11/10/2021	698.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.17
			05/15/2019	919.29
			11/04/2019	920.34
			12/02/2019	919.87
			05/05/2020	918.07
			05/07/2020	918.07
			11/04/2020	917.26
			05/13/2021	915.15
			11/10/2021	912.94
Odor (Field)	00001			
			05/15/2019	NONE
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/15/2019	6.04
			12/02/2019	7.09
			05/07/2020	6.79
			11/04/2020	7.16
			05/13/2021	7.18
			11/10/2021	6.96
Temperature (Field)	00010	Deg. C		
			05/15/2019	12.16
			12/02/2019	8.71
			05/07/2020	10.17
			11/04/2020	10.55
			05/13/2021	10.44
			11/10/2021	9.88

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-401 **Well ID #:** 162

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/15/2019	SLIGHT
			12/02/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/13/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-40S Well ID #: 163

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	916.75
			11/04/2019	917.38
			05/05/2020	915.55
			11/03/2020	914.92
			05/10/2021	913.31
			11/02/2021	912.68

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-41S Well ID #: 164

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	919.89
			11/04/2019	919.95
			05/05/2020	917.94
			11/03/2020	917.09
			05/10/2021	915.99
			11/02/2021	912.88

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-41D Well ID #: 165

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			05/07/2020	WHITE
			05/13/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	745
			05/07/2020	746.2
			05/13/2021	753.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	914.34
			05/23/2019	914.43
			11/04/2019	915.74
			05/05/2020	914.39
			05/07/2020	914.39
			11/03/2020	913.55
			05/13/2021	911.69
			11/02/2021	909.39
Odor (Field)	00001			
			05/23/2019	SULFUR
			05/07/2020	NONE
			05/13/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.73
			05/07/2020	7.22
			05/13/2021	7.19
Temperature (Field)	00010	Deg. C		
			05/23/2019	9.54
			05/07/2020	10.46
			05/13/2021	11.08
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			05/07/2020	SLIGHT
			05/13/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-42S Well ID #: 166

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	911.97
			11/04/2019	912.57
			05/05/2020	911.19
			11/03/2020	910.59
			05/10/2021	908.88
			11/02/2021	906.69

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-20SR Well ID #: 167

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
			11/11/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/13/2019	596.7
			11/08/2019	630.0
			05/13/2020	612.0
			11/09/2020	610.6
			05/18/2021	595.7
			11/11/2021	615.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	930.89
			05/13/2019	930.89
			11/04/2019	931.67
			11/08/2019	931.57
			05/05/2020	929.95
			05/13/2020	929.95
			11/09/2020	929.91
			05/18/2021	927.59
			11/11/2021	925.18
Odor (Field)	00001			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
			11/11/2021	NONE
pH (Field)	00400	S.U.		
			05/13/2019	6.55
			11/08/2019	7.22
			05/13/2020	7.36
			11/09/2020	7.19
			05/18/2021	7.52
			11/11/2021	7.21
Temperature (Field)	00010	Deg. C		
			05/13/2019	15.45
			11/08/2019	9.37
			05/13/2020	12.58
			11/09/2020	13.06
			05/18/2021	10.55
			11/11/2021	10.05

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-20SR **Well ID #:** 167

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/13/2019	NONE
			11/08/2019	NONE
			05/13/2020	NONE
			11/09/2020	NONE
			05/18/2021	NONE
			11/11/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-29S Well ID #: 168

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002		05/11/2020	WHITE
			05/14/2021	NONE
Conductivity (Field)	00094	umhos/cm	05/11/2020	651.1
			05/14/2021	591.3
Groundwater Elevation (Field)	04189	Feet MSL	05/31/2019	936.25
			11/04/2019	936.79
			05/05/2020	934.69
			05/11/2020	934.69
			11/03/2020	934.88
			05/14/2021	931.07
			11/02/2021	928.22
Odor (Field)	00001		05/11/2020	NONE
			05/14/2021	NONE
pH (Field)	00400	S.U.	05/11/2020	7.27
			05/14/2021	7.34
Temperature (Field)	00010	Deg. C	05/11/2020	11.16
			05/14/2021	11.80
Turbidity (Field)	00003		05/11/2020	SLIGHT
			05/14/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-30D Well ID #: 169

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	505.1
			11/13/2019	523.4
			05/07/2020	506.1
			11/04/2020	504.1
			05/12/2021	507.4
			11/10/2021	518.7
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.08
			05/16/2019	918.28
			11/04/2019	919.47
			11/13/2019	919.23
			05/05/2020	917.13
			05/07/2020	917.13
			11/04/2020	916.26
			05/12/2021	914.31
			11/10/2021	912.17
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.48
			11/13/2019	7.13
			05/07/2020	7.36
			11/04/2020	7.34
			05/12/2021	7.38
			11/10/2021	7.34
Temperature (Field)	00010	Deg. C		
			05/16/2019	15.47
			11/13/2019	9.04
			05/07/2020	10.27
			11/04/2020	9.99
			05/12/2021	9.80
			11/10/2021	9.74

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-30D **Well ID #:** 169

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-301 Well ID #: 170

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/16/2019	645.6
			11/13/2019	693.1
			05/07/2020	704.3
			11/04/2020	703.3
			05/12/2021	683.5
			11/10/2021	720.9
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	918.01
			05/16/2019	918.23
			11/04/2019	919.18
			11/13/2019	919.20
			05/05/2020	917.03
			05/07/2020	917.03
			11/04/2020	916.18
			05/12/2021	914.21
			11/10/2021	912.12
Odor (Field)	00001			
			05/16/2019	NONE
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE
pH (Field)	00400	S.U.		
			05/16/2019	6.53
			11/13/2019	7.22
			05/07/2020	6.87
			11/04/2020	7.27
			05/12/2021	6.95
			11/10/2021	7.20
Temperature (Field)	00010	Deg. C		
			05/16/2019	13.22
			11/13/2019	8.95
			05/07/2020	10.19
			11/04/2020	9.90
			05/12/2021	9.72
			11/10/2021	9.80

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-301 **Well ID #:** 170

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003		05/16/2019	SLIGHT
			11/13/2019	NONE
			05/07/2020	NONE
			11/04/2020	NONE
			05/12/2021	NONE
			11/10/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-01D **Well ID #:** 171

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL	11/04/2019	926.67

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-1S **Well ID #:** 172

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.38
			11/04/2019	922.51
			05/05/2020	920.62
			11/03/2020	922.47
			05/10/2021	921.55
			11/02/2021	921.15

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-4S **Well ID #:** 173

Parameter	Parameter code	Units	Sample Date	Results
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	928.08
			11/04/2019	928.54
			05/05/2020	926.55
			11/03/2020	925.32
			05/10/2021	924.27
			11/02/2021	921.90

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-22E Well ID #: 174

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/23/2019	NONE
			12/05/2019	BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/23/2019	438
			12/05/2019	583.9
			05/11/2020	585.0
			11/06/2020	587.7
			05/17/2021	566.4
			11/09/2021	595.4
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	922.77
			05/23/2019	922.83
			11/04/2019	924.04
			12/05/2019	927.73
			05/05/2020	922.01
			05/11/2020	922.01
			11/06/2020	921.35
			05/17/2021	918.83
			11/09/2021	916.48
Odor (Field)	00001			
			05/23/2019	NONE
			12/05/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			05/23/2019	7.36
			12/05/2019	7.02
			05/11/2020	7.29
			11/06/2020	7.16
			05/17/2021	7.49
			11/09/2021	7.16
Temperature (Field)	00010	Deg. C		
			05/23/2019	11.59
			12/05/2019	9.42
			05/11/2020	10.54
			11/06/2020	14.35
			05/17/2021	11.05
			11/09/2021	11.23

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-22E **Well ID #:** 174

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/23/2019	SLIGHT
			12/05/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43S Well ID #: 175

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	514
			12/05/2019	670.3
			05/22/2020	685.4
			11/06/2020	680.4
			05/17/2021	641.1
			11/09/2021	663.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.97
			05/22/2019	926.4
			11/04/2019	927.82
			12/05/2019	927.79
			05/05/2020	925.76
			05/22/2020	925.76
			11/06/2020	925.27
			05/17/2021	922.28
			11/09/2021	919.62
Odor (Field)	00001			
			05/22/2019	NONE
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.17
			12/05/2019	7.16
			05/22/2020	7.19
			11/06/2020	7.19
			05/17/2021	7.48
			11/09/2021	7.24
Temperature (Field)	00010	Deg. C		
			05/22/2019	13.88
			12/05/2019	8.86
			05/22/2020	11.80
			11/06/2020	10.32
			05/17/2021	10.91
			11/09/2021	10.36

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-43S **Well ID #:** 175

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/05/2019	NONE
			05/22/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43I Well ID #: 176

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			05/22/2019	NONE
			12/04/2019	LT BROWN
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
Conductivity (Field)	00094	umhos/cm		
			05/22/2019	494
			12/04/2019	657.7
			05/11/2020	650.8
			11/06/2020	649.4
			05/17/2021	634.2
			11/09/2021	649.0
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	926.32
			05/22/2019	925.76
			11/04/2019	927.93
			12/04/2019	927.72
			05/05/2020	925.65
			05/11/2020	925.65
			11/06/2020	925.17
			05/17/2021	922.17
			11/09/2021	919.56
Odor (Field)	00001			
			05/22/2019	NONE
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			05/22/2019	7.51
			12/04/2019	7.26
			05/11/2020	6.77
			11/06/2020	7.23
			05/17/2021	7.50
			11/09/2021	7.16
Temperature (Field)	00010	Deg. C		
			05/22/2019	11.27
			12/04/2019	9.42
			05/11/2020	11.69
			11/06/2020	12.53
			05/17/2021	11.61
			11/09/2021	11.36

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY **License #:** 01953

Sample Location: P-43I **Well ID #:** 176

Parameter	Parameter code	Units	Sample Date	Results
Turbidity (Field)	00003			
			05/22/2019	SLIGHT
			12/04/2019	SLIGHT
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE

Selected Indicators - Trends

12/09/2021

Location/Landfill: REFUSE HIDEAWAY License #: 01953

Sample Location: P-43D Well ID #: 177

Parameter	Parameter code	Units	Sample Date	Results
Color (Field)	00002			
			12/04/2019	BROWN
			05/11/2020	RED/BROWN
			11/06/2020	NONE
			05/17/2021	RED/BROWN
			11/09/2021	ORANGE
Conductivity (Field)	00094	umhos/cm		
			12/04/2019	652.0
			05/11/2020	670.7
			11/06/2020	676.3
			05/17/2021	627.5
			11/09/2021	609.1
Groundwater Elevation (Field)	04189	Feet MSL		
			05/07/2019	924.71
			05/22/2019	926.17
			11/04/2019	928.01
			12/04/2019	927.90
			05/05/2020	925.78
			05/11/2020	925.78
			11/06/2020	925.30
			05/17/2021	922.28
			11/09/2021	919.62
Odor (Field)	00001			
			12/04/2019	NONE
			05/11/2020	NONE
			11/06/2020	NONE
			05/17/2021	NONE
			11/09/2021	NONE
pH (Field)	00400	S.U.		
			12/04/2019	7.31
			05/11/2020	7.28
			11/06/2020	7.23
			05/17/2021	7.43
			11/09/2021	7.15
Temperature (Field)	00010	Deg. C		
			12/04/2019	9.23
			05/11/2020	9.91
			11/06/2020	10.08
			05/17/2021	10.47
			11/09/2021	10.44
Turbidity (Field)	00003			
			12/04/2019	VERY
			05/11/2020	VERY
			11/06/2020	NONE
			05/17/2021	MODERATE
			11/09/2021	MODERATE

QC Summary Report

TRC ENVIRONMENTAL

Project Name: REFUSE HIDEAWAY LF

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Duplicate Water

Analytical Run #:	197480	Analysis Date:	11/18/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075575	Analysis Time:	00:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1075574	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.99	ug/L	9.42		10.0	100	86 --- 112	6	20
1,1,1-Trichloroethane	10.7	ug/L	10.7		10.0	107	88 --- 120	0	20
1,1,2,2-Tetrachloroethane	9.58	ug/L	9.25		10.0	96	83 --- 116	4	20
1,1,2-Trichloroethane	10.3	ug/L	9.11		10.0	103	86 --- 115	12	20
1,1-Dichloroethane	9.81	ug/L	9.83		10.0	98	86 --- 117	0	20
1,1-Dichloroethene	11.0	ug/L	10.8		10.0	110	86 --- 119	2	20
1,1-Dichloropropene	10.4	ug/L	10.2		10.0	104	87 --- 117	2	20
1,2 Dichloroethane-d4	99.0	% Recovery			100	99.0	90 --- 111	0	
1,2,3-Trichlorobenzene	10.6	ug/L	10.2		10.0	106	81 --- 114	4	20
1,2,3-Trichloropropane	10.3	ug/L	9.53		10.0	103	77 --- 120	8	20
1,2,4-Trichlorobenzene	9.87	ug/L	10.3		10.0	99	80 --- 116	4	20
1,2,4-Trimethylbenzene	10.5	ug/L	10.7		10.0	105	91 --- 118	2	20
1,2-Dibromo-3-chloropropane	10.2	ug/L	8.86		10.0	102	68 --- 122	14	20
1,2-Dibromoethane	10.4	ug/L	9.85		10.0	104	87 --- 113	5	20
1,2-Dichlorobenzene	10.1	ug/L	9.89		10.0	101	88 --- 113	2	20
1,2-Dichloroethane	9.84	ug/L	9.63		10.0	98	84 --- 120	2	20
1,2-Dichloropropane	9.87	ug/L	9.75		10.0	99	85 --- 116	1	20
1,3,5-Trimethylbenzene	10.6	ug/L	10.9		10.0	106	90 --- 119	3	20
1,3-Dichlorobenzene	10.1	ug/L	10.2		10.0	101	89 --- 113	1	20
1,3-Dichloropropane	10.2	ug/L	9.36		10.0	102	87 --- 115	9	20
1,4-Dichlorobenzene	9.70	ug/L	9.69		10.0	97	87 --- 113	0	20
2,2-Dichloropropane	8.96	ug/L	10.5		10.0	90	75 --- 127	16	20
2-Butanone	122	ug/L	81.5		100	122	68 --- 133	40	20
2-Chlorotoluene	10.4	ug/L	10.4		10.0	104	88 --- 117	0	20
2-Hexanone	123	ug/L	89.8		100	123	71 --- 134	31	20
4-Chlorotoluene	10.2	ug/L	10.4		10.0	102	88 --- 119	2	20
4-Methyl-2-pentanone	117	ug/L	89.4		100	117	78 --- 127	27	20
Acetone	130	ug/L	88.1		100	130	66 --- 137	38	20
Benzene	10.1	ug/L	9.85		10.0	101	90 --- 119	3	20
Bromobenzene	9.86	ug/L	9.84		10.0	99	86 --- 113	0	20
Bromochloromethane	9.89	ug/L	9.61		10.0	99	81 --- 120	3	20
Bromodichloromethane	9.99	ug/L	9.81		10.0	100	87 --- 116	2	20
Bromofluorobenzene	99.0	% Recovery			100	99.0	88 --- 108	0	
Bromoform	9.60	ug/L	8.77		10.0	96	72 --- 124	9	20
Bromomethane	10.6	ug/L	11.0		10.0	106	40 --- 169	4	20

Lab Control Spike Duplicate Water

Analytical Run #:	197480	Analysis Date:	11/18/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075575	Analysis Time:	00:55	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1075574	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
Carbon disulfide	21.4	ug/L	20.8		20.0	107	89 --- 124	3	20
Carbon tetrachloride	10.7	ug/L	10.3		10.0	107	82 --- 127	4	20
Chlorobenzene	10.0	ug/L	9.67		10.0	100	89 --- 114	3	20
Chloroethane	10.3	ug/L	10.0		10.0	103	78 --- 128	3	20
Chloroform	10.0	ug/L	9.76		10.0	100	88 --- 115	2	20
Chloromethane	10.4	ug/L	9.70		10.0	104	63 --- 135	7	20
cis-1,2-Dichloroethene	10.1	ug/L	9.77		10.0	101	87 --- 115	3	20
cis-1,3-Dichloropropene	9.96	ug/L	10.1		10.0	100	86 --- 115	1	20
d8-Toluene	101	% Recovery			100	101	95 --- 105	0	
Dibromochloromethane	9.68	ug/L	9.33		10.0	97	82 --- 117	4	20
Dibromofluoromethane	99.0	% Recovery			100	99.0	92 --- 107	0	
Dibromomethane	9.80	ug/L	9.40		10.0	98	84 --- 115	4	20
Dichlorodifluoromethane	11.6	ug/L	11.3		10.0	116	76 --- 129	3	20
Diisopropyl ether	9.78	ug/L	9.75		10.0	98	82 --- 123	0	20
Ethylbenzene	10.6	ug/L	10.5		10.0	106	92 --- 119	1	20
Hexachlorobutadiene	10.8	ug/L	10.8		10.0	108	84 --- 120	0	20
Isopropylbenzene	10.8	ug/L	10.7		10.0	108	91 --- 121	1	20
m & p-Xylene	21.5	ug/L	20.9		20.0	108	91 --- 117	3	20
Methyl tert-butyl ether	10.4	ug/L	9.61		10.0	104	85 --- 115	8	20
Methylene chloride	8.78	ug/L	8.47		10.0	88	71 --- 128	4	20
n-Butylbenzene	10.9	ug/L	11.2		10.0	109	88 --- 122	3	20
n-Propylbenzene	10.6	ug/L	10.9		10.0	106	90 --- 123	3	20
Naphthalene	10.9	ug/L	10.00		10.0	109	64 --- 129	9	20
o-Xylene	10.5	ug/L	10.3		10.0	105	89 --- 115	2	20
p-Isopropyltoluene	11.0	ug/L	11.2		10.0	110	91 --- 119	2	20
sec-Butylbenzene	11.1	ug/L	11.4		10.0	111	92 --- 122	3	20
Styrene	10.3	ug/L	10.2		10.0	103	90 --- 116	1	20
tert-Butylbenzene	10.8	ug/L	11.0		10.0	108	90 --- 118	2	20
Tetrachloroethene	10.7	ug/L	10.2		10.0	107	86 --- 120	5	20
Tetrahydrofuran	114	ug/L	83.1		100	114	72 --- 135	31	20
Toluene	10.4	ug/L	9.85		10.0	104	89 --- 117	5	20
trans-1,2-Dichloroethene	10.4	ug/L	10.0		10.0	104	86 --- 116	4	20
trans-1,3-Dichloropropene	9.77	ug/L	10.0		10.0	98	84 --- 115	2	20
Trichloroethene	10.8	ug/L	9.92		10.0	108	86 --- 117	8	20
Trichlorofluoromethane	11.6	ug/L	11.2		10.0	116	83 --- 133	4	20
Vinyl acetate	74.4	ug/L	103		100	74	60 --- 147	32	20
Vinyl chloride	11.4	ug/L	10.9		10.0	114	84 --- 124	4	20

Lab Control Spike Water

Analytical Run #:	197480	Analysis Date:	11/17/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075574	Analysis Time:	14:21	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.42	ug/L			10.0	94	86 --- 112		20
1,1,1-Trichloroethane	10.7	ug/L			10.0	107	88 --- 120		20
1,1,2,2-Tetrachloroethane	9.25	ug/L			10.0	92	83 --- 116		20
1,1,2-Trichloroethane	9.11	ug/L			10.0	91	86 --- 115		20
1,1-Dichloroethane	9.83	ug/L			10.0	98	86 --- 117		20
1,1-Dichloroethene	10.8	ug/L			10.0	108	86 --- 119		20
1,1-Dichloropropene	10.2	ug/L			10.0	102	87 --- 117		20
1,2 Dichloroethane-d4	98.0	% Recovery			100	98.0	90 --- 111		
1,2,3-Trichlorobenzene	10.2	ug/L			10.0	102	81 --- 114		20
1,2,3-Trichloropropane	9.53	ug/L			10.0	95	77 --- 120		20
1,2,4-Trichlorobenzene	10.3	ug/L			10.0	103	80 --- 116		20
1,2,4-Trimethylbenzene	10.7	ug/L			10.0	107	91 --- 118		20
1,2-Dibromo-3-chloropropane	8.86	ug/L			10.0	89	68 --- 122		20
1,2-Dibromoethane	9.85	ug/L			10.0	98	87 --- 113		20
1,2-Dichlorobenzene	9.89	ug/L			10.0	99	88 --- 113		20
1,2-Dichloroethane	9.63	ug/L			10.0	96	84 --- 120		20
1,2-Dichloropropane	9.75	ug/L			10.0	98	85 --- 116		20
1,3,5-Trimethylbenzene	10.9	ug/L			10.0	109	90 --- 119		20
1,3-Dichlorobenzene	10.2	ug/L			10.0	102	89 --- 113		20
1,3-Dichloropropane	9.36	ug/L			10.0	94	87 --- 115		20
1,4-Dichlorobenzene	9.69	ug/L			10.0	97	87 --- 113		20
2,2-Dichloropropane	10.5	ug/L			10.0	105	75 --- 127		20
2-Butanone	81.5	ug/L			100	82	68 --- 133		20
2-Chlorotoluene	10.4	ug/L			10.0	104	88 --- 117		20
2-Hexanone	89.8	ug/L			100	90	71 --- 134		20
4-Chlorotoluene	10.4	ug/L			10.0	104	88 --- 119		20
4-Methyl-2-pentanone	89.4	ug/L			100	89	78 --- 127		20
Acetone	88.1	ug/L			100	88	66 --- 137		20
Benzene	9.85	ug/L			10.0	98	90 --- 119		20
Bromobenzene	9.84	ug/L			10.0	98	86 --- 113		20
Bromochloromethane	9.61	ug/L			10.0	96	81 --- 120		20
Bromodichloromethane	9.81	ug/L			10.0	98	87 --- 116		20
Bromofluorobenzene	103	% Recovery			100	103	88 --- 108		
Bromoform	8.77	ug/L			10.0	88	72 --- 124		20
Bromomethane	11.0	ug/L			10.0	110	40 --- 169		20
Carbon disulfide	20.8	ug/L			20.0	104	89 --- 124		20
Carbon tetrachloride	10.3	ug/L			10.0	103	82 --- 127		20
Chlorobenzene	9.67	ug/L			10.0	97	89 --- 114		20
Chloroethane	10.0	ug/L			10.0	100	78 --- 128		20
Chloroform	9.76	ug/L			10.0	98	88 --- 115		20
Chloromethane	9.70	ug/L			10.0	97	63 --- 135		20
cis-1,2-Dichloroethene	9.77	ug/L			10.0	98	87 --- 115		20

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Water

Analytical Run #:	197480	Analysis Date:	11/17/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075574	Analysis Time:	14:21	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	10.1	ug/L			10.0	101	86 --- 115		20
d8-Toluene	99.0	% Recovery			100	99.0	95 --- 105		
Dibromochloromethane	9.33	ug/L			10.0	93	82 --- 117		20
Dibromofluoromethane	97.0	% Recovery			100	97.0	92 --- 107		
Dibromomethane	9.40	ug/L			10.0	94	84 --- 115		20
Dichlorodifluoromethane	11.3	ug/L			10.0	113	76 --- 129		20
Diisopropyl ether	9.75	ug/L			10.0	98	82 --- 123		20
Ethylbenzene	10.5	ug/L			10.0	105	92 --- 119		20
Hexachlorobutadiene	10.8	ug/L			10.0	108	84 --- 120		20
Isopropylbenzene	10.7	ug/L			10.0	107	91 --- 121		20
m & p-Xylene	20.9	ug/L			20.0	104	91 --- 117		20
Methyl tert-butyl ether	9.61	ug/L			10.0	96	85 --- 115		20
Methylene chloride	8.47	ug/L			10.0	85	71 --- 128		20
n-Butylbenzene	11.2	ug/L			10.0	112	88 --- 122		20
n-Propylbenzene	10.9	ug/L			10.0	109	90 --- 123		20
Naphthalene	10.00	ug/L			10.0	100	64 --- 129		20
o-Xylene	10.3	ug/L			10.0	103	89 --- 115		20
p-Isopropyltoluene	11.2	ug/L			10.0	112	91 --- 119		20
sec-Butylbenzene	11.4	ug/L			10.0	114	92 --- 122		20
Styrene	10.2	ug/L			10.0	102	90 --- 116		20
tert-Butylbenzene	11.0	ug/L			10.0	110	90 --- 118		20
Tetrachloroethene	10.2	ug/L			10.0	102	86 --- 120		20
Tetrahydrofuran	83.1	ug/L			100	83	72 --- 135		20
Toluene	9.85	ug/L			10.0	98	89 --- 117		20
trans-1,2-Dichloroethene	10.0	ug/L			10.0	100	86 --- 116		20
trans-1,3-Dichloropropene	10.0	ug/L			10.0	100	84 --- 115		20
Trichloroethene	9.92	ug/L			10.0	99	86 --- 117		20
Trichlorofluoromethane	11.2	ug/L			10.0	112	83 --- 133		20
Vinyl acetate	103	ug/L			100	103	60 --- 147		20
Vinyl chloride	10.9	ug/L			10.0	109	84 --- 124		20

Method Blank Water

Analytical Run #:	197480	Analysis Date:	11/17/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075576	Analysis Time:	15:46	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.34	ug/L		U	0			0.34	
1,1,1-Trichloroethane	0.38	ug/L		U	0			0.38	
1,1,2,2-Tetrachloroethane	0.36	ug/L		U	0			0.36	
1,1,2-Trichloroethane	0.27	ug/L		U	0			0.27	
1,1-Dichloroethane	0.28	ug/L		U	0			0.28	
1,1-Dichloroethene	0.49	ug/L		U	0			0.49	
1,1-Dichloropropene	0.41	ug/L		U	0			0.41	
1,2 Dichloroethane-d4	100	% Recovery			100	100	83 ---	116	
1,2,3-Trichlorobenzene	0.43	ug/L		U	0			0.43	
1,2,3-Trichloropropane	0.35	ug/L		U	0			0.35	
1,2,4-Trichlorobenzene	0.50	ug/L		U	0			0.50	
1,2,4-Trimethylbenzene	0.34	ug/L		U	0			0.34	
1,2-Dibromo-3-chloropropane	0.49	ug/L		U	0			0.49	
1,2-Dibromoethane	0.33	ug/L		U	0			0.33	
1,2-Dichlorobenzene	0.36	ug/L		U	0			0.36	
1,2-Dichloroethane	0.69	ug/L		U	0			0.69	
1,2-Dichloropropane	0.37	ug/L		U	0			0.37	
1,3,5-Trimethylbenzene	0.30	ug/L		U	0			0.30	
1,3-Dichlorobenzene	0.30	ug/L		U	0			0.30	
1,3-Dichloropropane	0.28	ug/L		U	0			0.28	
1,4-Dichlorobenzene	0.33	ug/L		U	0			0.33	
2,2-Dichloropropane	0.31	ug/L		U	0			0.31	
2-Butanone	2.9	ug/L		U	0			2.9	
2-Chlorotoluene	0.31	ug/L		U	0			0.31	
2-Hexanone	3.3	ug/L		U	0			3.3	
4-Chlorotoluene	0.31	ug/L		U	0			0.31	
4-Methyl-2-pentanone	3.7	ug/L		U	0			3.7	
Acetone	4.1	ug/L		U	0			4.1	
Benzene	0.47	ug/L		U	0			0.47	
Bromobenzene	0.33	ug/L		U	0			0.33	
Bromochloromethane	0.26	ug/L		U	0			0.26	
Bromodichloromethane	0.76	ug/L		U	0			0.76	
Bromofluorobenzene	102	% Recovery			100	102	80 ---	129	
Bromoform	0.50	ug/L		U	0			0.50	
Bromomethane	0.72	ug/L		U	0			0.72	
Carbon disulfide	0.83	ug/L		U	0			0.83	
Carbon tetrachloride	0.37	ug/L		U	0			0.37	
Chlorobenzene	0.37	ug/L		U	0			0.37	
Chloroethane	1.1	ug/L		U	0			1.1	
Chloroform	0.46	ug/L		U	0			0.46	
Chloromethane	1.3	ug/L		U	0			1.3	
cis-1,2-Dichloroethene	0.41	ug/L		U	0			0.41	

Method Blank Water

Analytical Run #:	197480	Analysis Date:	11/17/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1075576	Analysis Time:	15:46	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.34	ug/L		U	0		0.34		
d8-Toluene	99.0	% Recovery			100	99.0	85 --- 117		
Dibromochloromethane	0.36	ug/L		U	0		0.36		
Dibromofluoromethane	99.0	% Recovery			100	99.0	85 --- 115		
Dibromomethane	0.45	ug/L		U	0		0.45		
Dichlorodifluoromethane	0.63	ug/L		U	0		0.63		
Diisopropyl ether	0.26	ug/L		U	0		0.26		
Ethylbenzene	0.42	ug/L		U	0		0.42		
Hexachlorobutadiene	0.57	ug/L		U	0		0.57		
Isopropylbenzene	0.39	ug/L		U	0		0.39		
m & p-Xylene	0.74	ug/L		U	0		0.74		
Methyl tert-butyl ether	0.28	ug/L		U	0		0.28		
Methylene chloride	1.2	ug/L		U	0		1.2		
n-Butylbenzene	0.34	ug/L		U	0		0.34		
n-Propylbenzene	0.34	ug/L		U	0		0.34		
Naphthalene	0.35	ug/L		U	0		0.35		
o-Xylene	0.72	ug/L		U	0		0.72		
p-Isopropyltoluene	0.29	ug/L		U	0		0.29		
sec-Butylbenzene	0.33	ug/L		U	0		0.33		
Styrene	0.33	ug/L		U	0		0.33		
tert-Butylbenzene	0.27	ug/L		U	0		0.27		
Tetrachloroethene	0.55	ug/L		U	0		0.55		
Tetrahydrofuran	3.4	ug/L		U	0		3.4		
Toluene	0.27	ug/L		U	0		0.27		
trans-1,2-Dichloroethene	0.35	ug/L		U	0		0.35		
trans-1,3-Dichloropropene	0.57	ug/L		U	0		0.57		
Trichloroethene	0.39	ug/L		U	0		0.39		
Trichlorofluoromethane	0.41	ug/L		U	0		0.41		
Vinyl acetate	6.4	ug/L		U	0		6.4		
Vinyl chloride	0.15	ug/L		U	0		0.15		

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076940	Analysis Time:	08:13	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.51	ug/L			10.0	95	86 --- 112		20
1,1,1-Trichloroethane	10.8	ug/L			10.0	108	88 --- 120		20
1,1,2,2-Tetrachloroethane	9.43	ug/L			10.0	94	83 --- 116		20
1,1,2-Trichloroethane	9.59	ug/L			10.0	96	86 --- 115		20
1,1-Dichloroethane	9.86	ug/L			10.0	99	86 --- 117		20
1,1-Dichloroethene	11.1	ug/L			10.0	111	86 --- 119		20
1,1-Dichloropropene	10.7	ug/L			10.0	107	87 --- 117		20
1,2 Dichloroethane-d4	101	% Recovery				101	90 --- 111		
1,2,3-Trichlorobenzene	9.17	ug/L			10.0	92	81 --- 114		20
1,2,3-Trichloropropane	9.99	ug/L			10.0	100	77 --- 120		20
1,2,4-Trichlorobenzene	9.87	ug/L			10.0	99	80 --- 116		20
1,2,4-Trimethylbenzene	9.95	ug/L			10.0	100	91 --- 118		20
1,2-Dibromo-3-chloropropane	9.09	ug/L			10.0	91	68 --- 122		20
1,2-Dibromoethane	9.77	ug/L			10.0	98	87 --- 113		20
1,2-Dichlorobenzene	9.65	ug/L			10.0	96	88 --- 113		20
1,2-Dichloroethane	9.57	ug/L			10.0	96	84 --- 120		20
1,2-Dichloropropane	9.86	ug/L			10.0	99	85 --- 116		20
1,3,5-Trimethylbenzene	10.1	ug/L			10.0	101	90 --- 119		20
1,3-Dichlorobenzene	9.83	ug/L			10.0	98	89 --- 113		20
1,3-Dichloropropane	9.78	ug/L			10.0	98	87 --- 115		20
1,4-Dichlorobenzene	9.46	ug/L			10.0	95	87 --- 113		20
2,2-Dichloropropane	9.50	ug/L			10.0	95	75 --- 127		20
2-Butanone	101	ug/L			100	101	68 --- 133		20
2-Chlorotoluene	9.60	ug/L			10.0	96	88 --- 117		20
2-Hexanone	97.1	ug/L			100	97	71 --- 134		20
4-Chlorotoluene	9.80	ug/L			10.0	98	88 --- 119		20
4-Methyl-2-pentanone	99.0	ug/L			100	99	78 --- 127		20
Acetone	98.1	ug/L			100	98	66 --- 137		20
Benzene	9.95	ug/L			10.0	100	90 --- 119		20
Bromobenzene	9.69	ug/L			10.0	97	86 --- 113		20
Bromochloromethane	9.53	ug/L			10.0	95	81 --- 120		20
Bromodichloromethane	9.69	ug/L			10.0	97	87 --- 116		20
Bromofluorobenzene	99.0	% Recovery			100	99.0	88 --- 108		
Bromoform	9.26	ug/L			10.0	93	72 --- 124		20
Bromomethane	12.4	ug/L			10.0	124	40 --- 169		20
Carbon disulfide	22.0	ug/L			20.0	110	89 --- 124		20
Carbon tetrachloride	10.3	ug/L			10.0	103	82 --- 127		20
Chlorobenzene	9.88	ug/L			10.0	99	89 --- 114		20
Chloroethane	10.2	ug/L			10.0	102	78 --- 128		20
Chloroform	9.79	ug/L			10.0	98	88 --- 115		20
Chloromethane	10.3	ug/L			10.0	103	63 --- 135		20
cis-1,2-Dichloroethene	9.62	ug/L			10.0	96	87 --- 115		20

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076940	Analysis Time:	08:13	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.76	ug/L			10.0	98	86 --- 115		20
d8-Toluene	101	% Recovery				101	95 --- 105		
Dibromochloromethane	9.40	ug/L			10.0	94	82 --- 117		20
Dibromofluoromethane	100	% Recovery			100	100	92 --- 107		
Dibromomethane	9.76	ug/L			10.0	98	84 --- 115		20
Dichlorodifluoromethane	11.1	ug/L			10.0	111	76 --- 129		20
Diisopropyl ether	9.44	ug/L			10.0	94	82 --- 123		20
Ethylbenzene	10.2	ug/L			10.0	102	92 --- 119		20
Hexachlorobutadiene	9.84	ug/L			10.0	98	84 --- 120		20
Isopropylbenzene	10.5	ug/L			10.0	105	91 --- 121		20
m & p-Xylene	20.7	ug/L			20.0	104	91 --- 117		20
Methyl tert-butyl ether	7.53	ug/L			10.0	75	85 --- 115		20
Methylene chloride	9.14	ug/L			10.0	91	71 --- 128		20
n-Butylbenzene	10.4	ug/L			10.0	104	88 --- 122		20
n-Propylbenzene	10.4	ug/L			10.0	104	90 --- 123		20
Naphthalene	8.89	ug/L			10.0	89	64 --- 129		20
o-Xylene	9.99	ug/L			10.0	100	89 --- 115		20
p-Isopropyltoluene	10.5	ug/L			10.0	105	91 --- 119		20
sec-Butylbenzene	9.63	ug/L			10.0	96	92 --- 122		20
Styrene	9.86	ug/L			10.0	99	90 --- 116		20
tert-Butylbenzene	10.5	ug/L			10.0	105	90 --- 118		20
Tetrachloroethene	10.8	ug/L			10.0	108	86 --- 120		20
Tetrahydrofuran	97.8	ug/L			100	98	72 --- 135		20
Toluene	9.67	ug/L			10.0	97	89 --- 117		20
trans-1,2-Dichloroethene	10.5	ug/L			10.0	105	86 --- 116		20
trans-1,3-Dichloropropene	9.71	ug/L			10.0	97	84 --- 115		20
Trichloroethene	10.1	ug/L			10.0	101	86 --- 117		20
Trichlorofluoromethane	10.7	ug/L			10.0	107	83 --- 133		20
Vinyl acetate	95.8	ug/L			100	96	60 --- 147		20
Vinyl chloride	11.7	ug/L			10.0	117	84 --- 124		20

SDG #: 0

Folder #: 165868

Project #: 335719

Method Blank Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076945	Analysis Time:	09:39	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.34	ug/L		U	0			0.34	
1,1,1-Trichloroethane	0.38	ug/L		U	0			0.38	
1,1,2,2-Tetrachloroethane	0.36	ug/L		U	0			0.36	
1,1,2-Trichloroethane	0.27	ug/L		U	0			0.27	
1,1-Dichloroethane	0.28	ug/L		U	0			0.28	
1,1-Dichloroethene	0.49	ug/L		U	0			0.49	
1,1-Dichloropropene	0.41	ug/L		U	0			0.41	
1,2 Dichloroethane-d4	101	% Recovery			100	101	83	---	116
1,2,3-Trichlorobenzene	0.43	ug/L		U	0			0.43	
1,2,3-Trichloropropane	0.35	ug/L		U	0			0.35	
1,2,4-Trichlorobenzene	0.50	ug/L		U	0			0.50	
1,2,4-Trimethylbenzene	0.34	ug/L		U	0			0.34	
1,2-Dibromo-3-chloropropane	0.49	ug/L		U	0			0.49	
1,2-Dibromoethane	0.33	ug/L		U	0			0.33	
1,2-Dichlorobenzene	0.36	ug/L		U	0			0.36	
1,2-Dichloroethane	0.69	ug/L		U	0			0.69	
1,2-Dichloropropane	0.37	ug/L		U	0			0.37	
1,3,5-Trimethylbenzene	0.30	ug/L		U	0			0.30	
1,3-Dichlorobenzene	0.30	ug/L		U	0			0.30	
1,3-Dichloropropane	0.28	ug/L		U	0			0.28	
1,4-Dichlorobenzene	0.33	ug/L		U	0			0.33	
2,2-Dichloropropane	0.31	ug/L		U	0			0.31	
2-Butanone	2.9	ug/L		U	0			2.9	
2-Chlorotoluene	0.31	ug/L		U	0			0.31	
2-Hexanone	3.3	ug/L		U	0			3.3	
4-Chlorotoluene	0.31	ug/L		U	0			0.31	
4-Methyl-2-pentanone	3.7	ug/L		U	0			3.7	
Acetone	4.1	ug/L		U	0			4.1	
Benzene	0.47	ug/L		U	0			0.47	
Bromobenzene	0.33	ug/L		U	0			0.33	
Bromochloromethane	0.26	ug/L		U	0			0.26	
Bromodichloromethane	0.76	ug/L		U	0			0.76	
Bromofluorobenzene	102	% Recovery			100	102	80	---	129
Bromoform	0.50	ug/L		U	0			0.50	
Bromomethane	0.72	ug/L		U	0			0.72	
Carbon disulfide	0.83	ug/L		U	0			0.83	
Carbon tetrachloride	0.37	ug/L		U	0			0.37	
Chlorobenzene	0.37	ug/L		U	0			0.37	
Chloroethane	1.1	ug/L		U	0			1.1	
Chloroform	0.46	ug/L		U	0			0.46	
Chloromethane	1.3	ug/L		U	0			1.3	
cis-1,2-Dichloroethene	0.41	ug/L		U	0			0.41	

Method Blank Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076945	Analysis Time:	09:39	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.34	ug/L		U	0		0.34		
d8-Toluene	100	% Recovery			100	100	85 --- 117		
Dibromochloromethane	0.36	ug/L		U	0		0.36		
Dibromofluoromethane	98.0	% Recovery			100	98.0	85 --- 115		
Dibromomethane	0.45	ug/L		U	0		0.45		
Dichlorodifluoromethane	0.63	ug/L		U	0		0.63		
Diisopropyl ether	0.26	ug/L		U	0		0.26		
Ethylbenzene	0.42	ug/L		U	0		0.42		
Hexachlorobutadiene	0.57	ug/L		U	0		0.57		
Isopropylbenzene	0.39	ug/L		U	0		0.39		
m & p-Xylene	0.74	ug/L		U	0		0.74		
Methyl tert-butyl ether	0.28	ug/L		U	0		0.28		
Methylene chloride	1.2	ug/L		U	0		1.2		
n-Butylbenzene	0.34	ug/L		U	0		0.34		
n-Propylbenzene	0.34	ug/L		U	0		0.34		
Naphthalene	0.35	ug/L		U	0		0.35		
o-Xylene	0.72	ug/L		U	0		0.72		
p-Isopropyltoluene	0.29	ug/L		U	0		0.29		
sec-Butylbenzene	0.33	ug/L		U	0		0.33		
Styrene	0.33	ug/L		U	0		0.33		
tert-Butylbenzene	0.27	ug/L		U	0		0.27		
Tetrachloroethene	0.55	ug/L		U	0		0.55		
Tetrahydrofuran	3.4	ug/L		U	0		3.4		
Toluene	0.27	ug/L		U	0		0.27		
trans-1,2-Dichloroethene	0.35	ug/L		U	0		0.35		
trans-1,3-Dichloropropene	0.57	ug/L		U	0		0.57		
Trichloroethene	0.39	ug/L		U	0		0.39		
Trichlorofluoromethane	0.41	ug/L		U	0		0.41		
Vinyl acetate	6.4	ug/L		U	0		6.4		
Vinyl chloride	0.15	ug/L		U	0		0.15		

Matrix Spike Duplicate Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076947	Analysis Time:	18:41	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1076946	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.93	ug/L	BDL		10.0	99	80 --- 117	15	11
1,1,1-Trichloroethane	11.0	ug/L	BDL		10.0	110	84 --- 130	12	10
1,1,2,2-Tetrachloroethane	9.34	ug/L	BDL		10.0	93	73 --- 124	7	15
1,1,2-Trichloroethane	9.97	ug/L	BDL		10.0	100	80 --- 121	11	12
1,1-Dichloroethane	10.1	ug/L	BDL		10.0	101	82 --- 123	11	11
1,1-Dichloroethene	12.1	ug/L	BDL		10.0	121	83 --- 129	16	11
1,1-Dichloropropene	11.3	ug/L	BDL		10.0	113	84 --- 127	14	12
1,2 Dichloroethane-d4	101	% Recovery			100	101	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.77	ug/L	BDL		10.0	98	70 --- 125	20	23
1,2,3-Trichloropropane	8.25	ug/L	BDL		10.0	82	64 --- 119	2	17
1,2,4-Trichlorobenzene	9.92	ug/L	BDL		10.0	99	73 --- 121	18	20
1,2,4-Trimethylbenzene	10.7	ug/L	BDL		10.0	107	85 --- 124	15	17
1,2-Dibromo-3-chloropropane	8.86	ug/L	BDL		10.0	89	58 --- 122	16	24
1,2-Dibromoethane	9.50	ug/L	BDL		10.0	95	78 --- 117	12	12
1,2-Dichlorobenzene	10.2	ug/L	BDL		10.0	102	81 --- 119	11	8
1,2-Dichloroethane	9.60	ug/L	BDL		10.0	96	78 --- 126	11	12
1,2-Dichloropropane	10.4	ug/L	BDL		10.0	104	81 --- 121	13	11
1,3,5-Trimethylbenzene	10.6	ug/L	BDL		10.0	106	83 --- 126	13	21
1,3-Dichlorobenzene	10.4	ug/L	BDL		10.0	104	83 --- 119	14	11
1,3-Dichloropropane	10.0	ug/L	BDL		10.0	100	83 --- 119	11	11
1,4-Dichlorobenzene	9.90	ug/L	BDL		10.0	99	82 --- 118	13	11
2,2-Dichloropropane	3.86	ug/L	BDL		10.0	39	56 --- 134	3	21
2-Butanone	97.3	ug/L	BDL		100	97	68 --- 134	13	21
2-Chlorotoluene	10.2	ug/L	BDL		10.0	102	81 --- 125	13	11
2-Hexanone	99.5	ug/L	BDL		100	100	64 --- 140	17	26
4-Chlorotoluene	10.3	ug/L	BDL		10.0	103	82 --- 125	14	11
4-Methyl-2-pentanone	99.4	ug/L	BDL		100	99	66 --- 140	12	19
Acetone	91.1	ug/L	BDL		100	91	47 --- 139	13	27
Benzene	10.6	ug/L	BDL		10.0	106	87 --- 125	13	10
Bromobenzene	9.89	ug/L	BDL		10.0	99	78 --- 120	12	10
Bromochloromethane	9.78	ug/L	BDL		10.0	98	79 --- 124	7	11
Bromodichloromethane	9.86	ug/L	BDL		10.0	99	81 --- 120	11	10
Bromofluorobenzene	98.0	% Recovery			100	98.0	83 --- 111	0	25
Bromoform	8.88	ug/L	BDL		10.0	89	61 --- 121	14	17
Bromomethane	9.93	ug/L	BDL		10.0	99	21 --- 177	39	35
Carbon disulfide	23.3	ug/L	BDL		20.0	116	86 --- 133	14	18
Carbon tetrachloride	9.98	ug/L	BDL		10.0	100	82 --- 135	13	12
Chlorobenzene	10.4	ug/L	BDL		10.0	104	86 --- 120	13	8
Chloroethane	11.1	ug/L	BDL		10.0	111	59 --- 153	13	26
Chloroform	10.3	ug/L	BDL		10.0	103	84 --- 122	13	10
Chloromethane	11.1	ug/L	BDL		10.0	111	56 --- 145	17	18
cis-1,2-Dichloroethene	10.3	ug/L	BDL		10.0	103	42 --- 166	14	10

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Duplicate Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076947	Analysis Time:	18:41	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1076946	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.33	ug/L	BDL		10.0	93	75 --- 115	15	13
d8-Toluene	99.0	% Recovery			100	99.0	93 --- 107	0	20
Dibromochloromethane	9.50	ug/L	BDL		10.0	95	73 --- 118	13	15
Dibromofluoromethane	97.0	% Recovery			100	97.0	90 --- 110	0	20
Dibromomethane	10.3	ug/L	BDL		10.0	103	79 --- 120	13	12
Dichlorodifluoromethane	10.3	ug/L	BDL		10.0	103	64 --- 155	8	14
Diisopropyl ether	10.1	ug/L	BDL		10.0	101	74 --- 131	10	11
Ethylbenzene	10.8	ug/L	BDL		10.0	108	87 --- 126	14	8
Hexachlorobutadiene	10.3	ug/L	BDL		10.0	103	63 --- 138	11	20
Isopropylbenzene	11.1	ug/L	BDL		10.0	111	77 --- 141	13	11
m & p-Xylene	21.6	ug/L	BDL		20.0	108	87 --- 124	14	11
Methyl tert-butyl ether	6.22	ug/L	BDL		10.0	62	80 --- 122	10	19
Methylene chloride	9.74	ug/L	BDL		10.0	97	64 --- 124	14	13
n-Butylbenzene	11.0	ug/L	BDL		10.0	110	79 --- 132	14	12
n-Propylbenzene	10.7	ug/L	BDL		10.0	107	77 --- 138	11	12
Naphthalene	9.24	ug/L	BDL		10.0	92	45 --- 152	29	30
o-Xylene	10.6	ug/L	BDL		10.0	106	83 --- 122	14	12
p-Isopropyltoluene	11.1	ug/L	BDL		10.0	111	85 --- 126	14	11
sec-Butylbenzene	10.2	ug/L	BDL		10.0	102	87 --- 130	11	11
Styrene	10.5	ug/L	BDL		10.0	105	82 --- 123	13	24
tert-Butylbenzene	11.1	ug/L	BDL		10.0	111	84 --- 125	15	10
Tetrachloroethene	11.2	ug/L	BDL		10.0	112	82 --- 131	14	11
Tetrahydrofuran	98.2	ug/L	BDL		100	98	49 --- 147	11	22
Toluene	10.3	ug/L	BDL		10.0	103	86 --- 124	12	10
trans-1,2-Dichloroethene	10.8	ug/L	BDL		10.0	108	82 --- 125	12	16
trans-1,3-Dichloropropene	8.45	ug/L	BDL		10.0	84	73 --- 114	16	16
Trichloroethene	11.0	ug/L	BDL		10.0	110	82 --- 125	17	14
Trichlorofluoromethane	11.0	ug/L	BDL		10.0	110	74 --- 153	13	15
Vinyl acetate	87.3	ug/L	BDL		100	87	59 --- 142	13	19
Vinyl chloride	12.5	ug/L	BDL		10.0	125	72 --- 144	13	11

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076946	Analysis Time:	18:13	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1074524	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	8.52	ug/L	BDL		10.0	85	80 --- 117		11
1,1,1-Trichloroethane	9.74	ug/L	BDL		10.0	97	84 --- 130		10
1,1,2,2-Tetrachloroethane	8.69	ug/L	BDL		10.0	87	73 --- 124		15
1,1,2-Trichloroethane	8.93	ug/L	BDL		10.0	89	80 --- 121		12
1,1-Dichloroethane	9.08	ug/L	BDL		10.0	91	82 --- 123		11
1,1-Dichloroethene	10.3	ug/L	BDL		10.0	103	83 --- 129		11
1,1-Dichloropropene	9.82	ug/L	BDL		10.0	98	84 --- 127		12
1,2 Dichloroethane-d4	101	% Recovery			100	101	89 --- 111		29
1,2,3-Trichlorobenzene	7.97	ug/L	BDL		10.0	80	70 --- 125		23
1,2,3-Trichloropropane	8.41	ug/L	BDL		10.0	84	64 --- 119		17
1,2,4-Trichlorobenzene	8.28	ug/L	BDL		10.0	83	73 --- 121		20
1,2,4-Trimethylbenzene	9.19	ug/L	BDL		10.0	92	85 --- 124		17
1,2-Dibromo-3-chloropropane	7.53	ug/L	BDL		10.0	75	58 --- 122		24
1,2-Dibromoethane	8.43	ug/L	BDL		10.0	84	78 --- 117		12
1,2-Dichlorobenzene	9.09	ug/L	BDL		10.0	91	81 --- 119		8
1,2-Dichloroethane	8.63	ug/L	BDL		10.0	86	78 --- 126		12
1,2-Dichloropropane	9.06	ug/L	BDL		10.0	91	81 --- 121		11
1,3,5-Trimethylbenzene	9.30	ug/L	BDL		10.0	93	83 --- 126		21
1,3-Dichlorobenzene	9.01	ug/L	BDL		10.0	90	83 --- 119		11
1,3-Dichloropropane	8.94	ug/L	BDL		10.0	89	83 --- 119		11
1,4-Dichlorobenzene	8.66	ug/L	BDL		10.0	87	82 --- 118		11
2,2-Dichloropropane	3.97	ug/L	BDL		10.0	40	56 --- 134		21
2-Butanone	85.6	ug/L	BDL		100	86	68 --- 134		21
2-Chlorotoluene	8.97	ug/L	BDL		10.0	90	81 --- 125		11
2-Hexanone	83.6	ug/L	BDL		100	84	64 --- 140		26
4-Chlorotoluene	9.03	ug/L	BDL		10.0	90	82 --- 125		11
4-Methyl-2-pentanone	88.1	ug/L	BDL		100	88	66 --- 140		19
Acetone	79.6	ug/L	BDL		100	80	47 --- 139		27
Benzene	9.32	ug/L	BDL		10.0	93	87 --- 125		10
Bromobenzene	8.77	ug/L	BDL		10.0	88	78 --- 120		10
Bromochloromethane	9.10	ug/L	BDL		10.0	91	79 --- 124		11
Bromodichloromethane	8.81	ug/L	BDL		10.0	88	81 --- 120		10
Bromofluorobenzene	97.0	% Recovery			100	97.0	83 --- 111		25
Bromoform	7.71	ug/L	BDL		10.0	77	61 --- 121		17
Bromomethane	6.71	ug/L	BDL		10.0	67	21 --- 177		35
Carbon disulfide	20.4	ug/L	BDL		20.0	102	86 --- 133		18
Carbon tetrachloride	8.74	ug/L	BDL		10.0	87	82 --- 135		12
Chlorobenzene	9.09	ug/L	BDL		10.0	91	86 --- 120		8
Chloroethane	9.76	ug/L	BDL		10.0	98	59 --- 153		26
Chloroform	8.96	ug/L	BDL		10.0	90	84 --- 122		10
Chloromethane	9.38	ug/L	BDL		10.0	94	56 --- 145		18
cis-1,2-Dichloroethene	8.96	ug/L	BDL		10.0	90	42 --- 166		10

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Water

Analytical Run #:	197481	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076946	Analysis Time:	18:13	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1074524	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	8.01	ug/L	BDL		10.0	80	75 --- 115		13
d8-Toluene	101	% Recovery			100	101	93 --- 107		20
Dibromochloromethane	8.38	ug/L	BDL		10.0	84	73 --- 118		15
Dibromofluoromethane	100	% Recovery			100	100	90 --- 110		20
Dibromomethane	9.03	ug/L	BDL		10.0	90	79 --- 120		12
Dichlorodifluoromethane	9.47	ug/L	BDL		10.0	95	64 --- 155		14
Diisopropyl ether	9.15	ug/L	BDL		10.0	92	74 --- 131		11
Ethylbenzene	9.37	ug/L	BDL		10.0	94	87 --- 126		8
Hexachlorobutadiene	9.25	ug/L	BDL		10.0	92	63 --- 138		20
Isopropylbenzene	9.72	ug/L	BDL		10.0	97	77 --- 141		11
m & p-Xylene	18.8	ug/L	BDL		20.0	94	87 --- 124		11
Methyl tert-butyl ether	5.64	ug/L	BDL		10.0	56	80 --- 122		19
Methylene chloride	8.45	ug/L	BDL		10.0	84	64 --- 124		13
n-Butylbenzene	9.64	ug/L	BDL		10.0	96	79 --- 132		12
n-Propylbenzene	9.56	ug/L	BDL		10.0	96	77 --- 138		12
Naphthalene	6.91	ug/L	BDL		10.0	69	45 --- 152		30
o-Xylene	9.21	ug/L	BDL		10.0	92	83 --- 122		12
p-Isopropyltoluene	9.62	ug/L	BDL		10.0	96	85 --- 126		11
sec-Butylbenzene	9.08	ug/L	BDL		10.0	91	87 --- 130		11
Styrene	9.24	ug/L	BDL		10.0	92	82 --- 123		24
tert-Butylbenzene	9.53	ug/L	BDL		10.0	95	84 --- 125		10
Tetrachloroethene	9.76	ug/L	BDL		10.0	98	82 --- 131		11
Tetrahydrofuran	87.6	ug/L	BDL		100	88	49 --- 147		22
Toluene	9.11	ug/L	BDL		10.0	91	86 --- 124		10
trans-1,2-Dichloroethene	9.57	ug/L	BDL		10.0	96	82 --- 125		16
trans-1,3-Dichloropropene	7.18	ug/L	BDL		10.0	72	73 --- 114		16
Trichloroethene	9.20	ug/L	BDL		10.0	92	82 --- 125		14
Trichlorofluoromethane	9.63	ug/L	BDL		10.0	96	74 --- 153		15
Vinyl acetate	76.6	ug/L	BDL		100	77	59 --- 142		19
Vinyl chloride	11.0	ug/L	BDL		10.0	110	72 --- 144		11

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Water

Analytical Run #:	197482	Analysis Date:	11/20/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076910	Analysis Time:	08:57	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.56	ug/L			10.0	96	86 --- 112		20
1,1,1-Trichloroethane	9.93	ug/L			10.0	99	88 --- 120		20
1,1,2,2-Tetrachloroethane	9.30	ug/L			10.0	93	83 --- 116		20
1,1,2-Trichloroethane	9.45	ug/L			10.0	94	86 --- 115		20
1,1-Dichloroethane	9.36	ug/L			10.0	94	86 --- 117		20
1,1-Dichloroethene	10.4	ug/L			10.0	104	86 --- 119		20
1,1-Dichloropropene	9.95	ug/L			10.0	100	87 --- 117		20
1,2 Dichloroethane-d4	99.0	% Recovery			100	99.0	90 --- 111		
1,2,3-Trichlorobenzene	9.09	ug/L			10.0	91	81 --- 114		20
1,2,3-Trichloropropane	9.72	ug/L			10.0	97	77 --- 120		20
1,2,4-Trichlorobenzene	9.54	ug/L			10.0	95	80 --- 116		20
1,2,4-Trimethylbenzene	9.86	ug/L			10.0	99	91 --- 118		20
1,2-Dibromo-3-chloropropane	8.92	ug/L			10.0	89	68 --- 122		20
1,2-Dibromoethane	9.66	ug/L			10.0	97	87 --- 113		20
1,2-Dichlorobenzene	9.62	ug/L			10.0	96	88 --- 113		20
1,2-Dichloroethane	9.33	ug/L			10.0	93	84 --- 120		20
1,2-Dichloropropane	9.56	ug/L			10.0	96	85 --- 116		20
1,3,5-Trimethylbenzene	9.98	ug/L			10.0	100	90 --- 119		20
1,3-Dichlorobenzene	9.74	ug/L			10.0	97	89 --- 113		20
1,3-Dichloropropane	9.62	ug/L			10.0	96	87 --- 115		20
1,4-Dichlorobenzene	9.54	ug/L			10.0	95	87 --- 113		20
2,2-Dichloropropane	9.28	ug/L			10.0	93	75 --- 127		20
2-Butanone	93.3	ug/L			100	93	68 --- 133		20
2-Chlorotoluene	9.55	ug/L			10.0	96	88 --- 117		20
2-Hexanone	93.7	ug/L			100	94	71 --- 134		20
4-Chlorotoluene	9.71	ug/L			10.0	97	88 --- 119		20
4-Methyl-2-pentanone	94.9	ug/L			100	95	78 --- 127		20
Acetone	87.0	ug/L			100	87	66 --- 137		20
Benzene	9.56	ug/L			10.0	96	90 --- 119		20
Bromobenzene	9.50	ug/L			10.0	95	86 --- 113		20
Bromochloromethane	9.71	ug/L			10.0	97	81 --- 120		20
Bromodichloromethane	9.51	ug/L			10.0	95	87 --- 116		20
Bromofluorobenzene	98.0	% Recovery			100	98.0	88 --- 108		
Bromoform	9.11	ug/L			10.0	91	72 --- 124		20
Bromomethane	10.8	ug/L			10.0	108	40 --- 169		20
Carbon disulfide	20.8	ug/L			20.0	104	89 --- 124		20
Carbon tetrachloride	9.34	ug/L			10.0	93	82 --- 127		20
Chlorobenzene	9.52	ug/L			10.0	95	89 --- 114		20
Chloroethane	9.60	ug/L			10.0	96	78 --- 128		20
Chloroform	9.30	ug/L			10.0	93	88 --- 115		20
Chloromethane	9.53	ug/L			10.0	95	63 --- 135		20
cis-1,2-Dichloroethene	9.45	ug/L			10.0	94	87 --- 115		20

SDG #: 0

Folder #: 165868

Project #: 335719

Lab Control Spike Water

Analytical Run #:	197482	Analysis Date:	11/20/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1076910	Analysis Time:	08:57	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.62	ug/L			10.0	96	86 --- 115		20
d8-Toluene	99.0	% Recovery			100	99.0	95 --- 105		
Dibromochloromethane	9.47	ug/L			10.0	95	82 --- 117		20
Dibromofluoromethane	99.0	% Recovery			100	99.0	92 --- 107		
Dibromomethane	9.72	ug/L			10.0	97	84 --- 115		20
Dichlorodifluoromethane	10.2	ug/L			10.0	102	76 --- 129		20
Diisopropyl ether	9.40	ug/L			10.0	94	82 --- 123		20
Ethylbenzene	9.79	ug/L			10.0	98	92 --- 119		20
Hexachlorobutadiene	9.72	ug/L			10.0	97	84 --- 120		20
Isopropylbenzene	10.1	ug/L			10.0	101	91 --- 121		20
m & p-Xylene	20.1	ug/L			20.0	100	91 --- 117		20
Methyl tert-butyl ether	9.39	ug/L			10.0	94	85 --- 115		20
Methylene chloride	9.13	ug/L			10.0	91	71 --- 128		20
n-Butylbenzene	10.0	ug/L			10.0	100	88 --- 122		20
n-Propylbenzene	10.2	ug/L			10.0	102	90 --- 123		20
Naphthalene	8.60	ug/L			10.0	86	64 --- 129		20
o-Xylene	9.95	ug/L			10.0	100	89 --- 115		20
p-Isopropyltoluene	10.3	ug/L			10.0	103	91 --- 119		20
sec-Butylbenzene	9.47	ug/L			10.0	95	92 --- 122		20
Styrene	9.67	ug/L			10.0	97	90 --- 116		20
tert-Butylbenzene	10.1	ug/L			10.0	101	90 --- 118		20
Tetrachloroethene	10.3	ug/L			10.0	103	86 --- 120		20
Tetrahydrofuran	92.2	ug/L			100	92	72 --- 135		20
Toluene	9.33	ug/L			10.0	93	89 --- 117		20
trans-1,2-Dichloroethene	9.96	ug/L			10.0	100	86 --- 116		20
trans-1,3-Dichloropropene	9.44	ug/L			10.0	94	84 --- 115		20
Trichloroethene	9.74	ug/L			10.0	97	86 --- 117		20
Trichlorofluoromethane	10.0	ug/L			10.0	100	83 --- 133		20
Vinyl acetate	97.9	ug/L			100	98	60 --- 147		20
Vinyl chloride	10.8	ug/L			10.0	108	84 --- 124		20

SDG #: 0

Folder #: 165868

Project #: 335719

Method Blank Water

Analytical Run #:	197482	Analysis Date:	11/20/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1077835	Analysis Time:	10:23	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	0.34	ug/L		U	0			0.34	
1,1,1-Trichloroethane	0.38	ug/L		U	0			0.38	
1,1,2,2-Tetrachloroethane	0.36	ug/L		U	0			0.36	
1,1,2-Trichloroethane	0.27	ug/L		U	0			0.27	
1,1-Dichloroethane	0.28	ug/L		U	0			0.28	
1,1-Dichloroethene	0.49	ug/L		U	0			0.49	
1,1-Dichloropropene	0.41	ug/L		U	0			0.41	
1,2 Dichloroethane-d4	103	% Recovery			100	103	83	---	116
1,2,3-Trichlorobenzene	0.43	ug/L		U	0			0.43	
1,2,3-Trichloropropane	0.35	ug/L		U	0			0.35	
1,2,4-Trichlorobenzene	0.50	ug/L		U	0			0.50	
1,2,4-Trimethylbenzene	0.34	ug/L		U	0			0.34	
1,2-Dibromo-3-chloropropane	0.49	ug/L		U	0			0.49	
1,2-Dibromoethane	0.33	ug/L		U	0			0.33	
1,2-Dichlorobenzene	0.36	ug/L		U	0			0.36	
1,2-Dichloroethane	0.69	ug/L		U	0			0.69	
1,2-Dichloropropane	0.37	ug/L		U	0			0.37	
1,3,5-Trimethylbenzene	0.30	ug/L		U	0			0.30	
1,3-Dichlorobenzene	0.30	ug/L		U	0			0.30	
1,3-Dichloropropane	0.28	ug/L		U	0			0.28	
1,4-Dichlorobenzene	0.33	ug/L		U	0			0.33	
2,2-Dichloropropane	0.31	ug/L		U	0			0.31	
2-Butanone	2.9	ug/L		U	0			2.9	
2-Chlorotoluene	0.31	ug/L		U	0			0.31	
2-Hexanone	3.3	ug/L		U	0			3.3	
4-Chlorotoluene	0.31	ug/L		U	0			0.31	
4-Methyl-2-pentanone	3.7	ug/L		U	0			3.7	
Acetone	4.1	ug/L		U	0			4.1	
Benzene	0.47	ug/L		U	0			0.47	
Bromobenzene	0.33	ug/L		U	0			0.33	
Bromochloromethane	0.26	ug/L		U	0			0.26	
Bromodichloromethane	0.76	ug/L		U	0			0.76	
Bromofluorobenzene	100	% Recovery			100	100	80	---	129
Bromoform	0.50	ug/L		U	0			0.50	
Bromomethane	0.72	ug/L		U	0			0.72	
Carbon disulfide	0.83	ug/L		U	0			0.83	
Carbon tetrachloride	0.37	ug/L		U	0			0.37	
Chlorobenzene	0.37	ug/L		U	0			0.37	
Chloroethane	1.1	ug/L		U	0			1.1	
Chloroform	0.46	ug/L		U	0			0.46	
Chloromethane	1.3	ug/L		U	0			1.3	
cis-1,2-Dichloroethene	0.41	ug/L		U	0			0.41	

SDG #: 0

Folder #: 165868

Project #: 335719

Method Blank Water

Analytical Run #:	197482	Analysis Date:	11/20/2021	Prep Batch #:	Matrix:	LIQUID
CTLab #:	1077835	Analysis Time:	10:23	Prep Date/Time:	Method:	SW8260C
Parent Sample #:		Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	0.34	ug/L		U	0		0.34		
d8-Toluene	100	% Recovery			100	100	85 --- 117		
Dibromochloromethane	0.36	ug/L		U	0		0.36		
Dibromofluoromethane	100	% Recovery			100	100	85 --- 115		
Dibromomethane	0.45	ug/L		U	0		0.45		
Dichlorodifluoromethane	0.63	ug/L		U	0		0.63		
Diisopropyl ether	0.26	ug/L		U	0		0.26		
Ethylbenzene	0.42	ug/L		U	0		0.42		
Hexachlorobutadiene	0.57	ug/L		U	0		0.57		
Isopropylbenzene	0.39	ug/L		U	0		0.39		
m & p-Xylene	0.74	ug/L		U	0		0.74		
Methyl tert-butyl ether	0.28	ug/L		U	0		0.28		
Methylene chloride	1.2	ug/L		U	0		1.2		
n-Butylbenzene	0.34	ug/L		U	0		0.34		
n-Propylbenzene	0.34	ug/L		U	0		0.34		
Naphthalene	0.35	ug/L		U	0		0.35		
o-Xylene	0.72	ug/L		U	0		0.72		
p-Isopropyltoluene	0.29	ug/L		U	0		0.29		
sec-Butylbenzene	0.33	ug/L		U	0		0.33		
Styrene	0.33	ug/L		U	0		0.33		
tert-Butylbenzene	0.27	ug/L		U	0		0.27		
Tetrachloroethene	0.55	ug/L		U	0		0.55		
Tetrahydrofuran	3.4	ug/L		U	0		3.4		
Toluene	0.27	ug/L		U	0		0.27		
trans-1,2-Dichloroethene	0.35	ug/L		U	0		0.35		
trans-1,3-Dichloropropene	0.57	ug/L		U	0		0.57		
Trichloroethene	0.39	ug/L		U	0		0.39		
Trichlorofluoromethane	0.41	ug/L		U	0		0.41		
Vinyl acetate	6.4	ug/L		U	0		6.4		
Vinyl chloride	0.15	ug/L		U	0		0.15		

Matrix Spike Duplicate Water

Analytical Run #:	197482	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1077815	Analysis Time:	00:54	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1076933	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.41	ug/L	BDL		10.0	94	80 --- 117	4	11
1,1,1-Trichloroethane	11.4	ug/L	BDL		10.0	114	84 --- 130	1	10
1,1,2,2-Tetrachloroethane	9.53	ug/L	BDL		10.0	95	73 --- 124	0	15
1,1,2-Trichloroethane	9.65	ug/L	BDL		10.0	96	80 --- 121	4	12
1,1-Dichloroethane	10.2	ug/L	BDL		10.0	102	82 --- 123	1	11
1,1-Dichloroethene	11.5	ug/L	BDL		10.0	115	83 --- 129	4	11
1,1-Dichloropropene	11.0	ug/L	BDL		10.0	110	84 --- 127	2	12
1,2 Dichloroethane-d4	102	% Recovery			100	102	89 --- 111	0	29
1,2,3-Trichlorobenzene	9.64	ug/L	BDL		10.0	96	70 --- 125	5	23
1,2,3-Trichloropropane	9.54	ug/L	BDL		10.0	95	64 --- 119	3	17
1,2,4-Trichlorobenzene	10.00	ug/L	BDL		10.0	100	73 --- 121	5	20
1,2,4-Trimethylbenzene	10.3	ug/L	BDL		10.0	103	85 --- 124	3	17
1,2-Dibromo-3-chloropropane	8.94	ug/L	BDL		10.0	89	58 --- 122	2	24
1,2-Dibromoethane	9.59	ug/L	BDL		10.0	96	78 --- 117	2	12
1,2-Dichlorobenzene	9.68	ug/L	BDL		10.0	97	81 --- 119	6	8
1,2-Dichloroethane	9.54	ug/L	BDL		10.0	95	78 --- 126	2	12
1,2-Dichloropropane	10.0	ug/L	BDL		10.0	100	81 --- 121	2	11
1,3,5-Trimethylbenzene	10.4	ug/L	BDL		10.0	104	83 --- 126	3	21
1,3-Dichlorobenzene	9.92	ug/L	BDL		10.0	99	83 --- 119	4	11
1,3-Dichloropropane	10.1	ug/L	BDL		10.0	101	83 --- 119	1	11
1,4-Dichlorobenzene	9.60	ug/L	BDL		10.0	96	82 --- 118	3	11
2,2-Dichloropropane	9.40	ug/L	BDL		10.0	94	56 --- 134	39	21
2-Butanone	99.0	ug/L	BDL		100	99	68 --- 134	5	21
2-Chlorotoluene	10.0	ug/L	BDL		10.0	100	81 --- 125	2	11
2-Hexanone	102	ug/L	BDL		100	102	64 --- 140	3	26
4-Chlorotoluene	10.0	ug/L	BDL		10.0	100	82 --- 125	3	11
4-Methyl-2-pentanone	103	ug/L	BDL		100	103	66 --- 140	2	19
Acetone	91.2	ug/L	BDL		100	91	47 --- 139	2	27
Benzene	10.3	ug/L	BDL		10.0	103	87 --- 125	1	10
Bromobenzene	9.49	ug/L	BDL		10.0	95	78 --- 120	4	10
Bromochloromethane	10.0	ug/L	BDL		10.0	100	79 --- 124	2	11
Bromodichloromethane	9.92	ug/L	BDL		10.0	99	81 --- 120	1	10
Bromofluorobenzene	99.0	% Recovery			100	99.0	83 --- 111	0	25
Bromoform	8.88	ug/L	BDL		10.0	89	61 --- 121	2	17
Bromomethane	13.0	ug/L	BDL		10.0	130	21 --- 177	11	35
Carbon disulfide	22.9	ug/L	BDL		20.0	114	86 --- 133	2	18
Carbon tetrachloride	10.5	ug/L	BDL		10.0	105	82 --- 135	1	12
Chlorobenzene	10.0	ug/L	BDL		10.0	100	86 --- 120	4	8
Chloroethane	10.7	ug/L	BDL		10.0	107	59 --- 153	1	26
Chloroform	10.0	ug/L	BDL		10.0	100	84 --- 122	3	10
Chloromethane	10.8	ug/L	BDL		10.0	108	56 --- 145	5	18
cis-1,2-Dichloroethene	9.97	ug/L	BDL		10.0	100	42 --- 166	2	10

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Duplicate Water

Analytical Run #:	197482	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1077815	Analysis Time:	00:54	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1076933	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.75	ug/L	BDL		10.0	98	75 --- 115	1	13
d8-Toluene	101	% Recovery			100	101	93 --- 107	0	20
Dibromochloromethane	9.41	ug/L	BDL		10.0	94	73 --- 118	1	15
Dibromofluoromethane	100	% Recovery			100	100	90 --- 110	0	20
Dibromomethane	9.67	ug/L	BDL		10.0	97	79 --- 120	1	12
Dichlorodifluoromethane	11.9	ug/L	BDL		10.0	119	64 --- 155	2	14
Diisopropyl ether	10.0	ug/L	BDL		10.0	100	74 --- 131	1	11
Ethylbenzene	10.4	ug/L	BDL		10.0	104	87 --- 126	3	8
Hexachlorobutadiene	10.4	ug/L	BDL		10.0	104	63 --- 138	4	20
Isopropylbenzene	11.1	ug/L	BDL		10.0	111	77 --- 141	0	11
m & p-Xylene	21.3	ug/L	BDL		20.0	106	87 --- 124	0	11
Methyl tert-butyl ether	8.64	ug/L	BDL		10.0	86	80 --- 122	11	19
Methylene chloride	9.59	ug/L	BDL		10.0	96	64 --- 124	1	13
n-Butylbenzene	10.9	ug/L	BDL		10.0	109	79 --- 132	4	12
n-Propylbenzene	10.8	ug/L	BDL		10.0	108	77 --- 138	4	12
Naphthalene	9.47	ug/L	BDL		10.0	95	45 --- 152	4	30
o-Xylene	10.2	ug/L	BDL		10.0	102	83 --- 122	2	12
p-Isopropyltoluene	11.1	ug/L	BDL		10.0	111	85 --- 126	3	11
sec-Butylbenzene	10.2	ug/L	BDL		10.0	102	87 --- 130	4	11
Styrene	10.3	ug/L	BDL		10.0	103	82 --- 123	0	24
tert-Butylbenzene	10.9	ug/L	BDL		10.0	109	84 --- 125	3	10
Tetrachloroethene	11.5	ug/L	BDL		10.0	115	82 --- 131	0	11
Tetrahydrofuran	99.7	ug/L	BDL		100	100	49 --- 147	1	22
Toluene	10.4	ug/L	BDL		10.0	104	86 --- 124	1	10
trans-1,2-Dichloroethene	10.7	ug/L	BDL		10.0	107	82 --- 125	2	16
trans-1,3-Dichloropropene	9.57	ug/L	BDL		10.0	96	73 --- 114	6	16
Trichloroethene	10.5	ug/L	BDL		10.0	105	82 --- 125	3	14
Trichlorofluoromethane	11.0	ug/L	BDL		10.0	110	74 --- 153	5	15
Vinyl acetate	96.1	ug/L	BDL		100	96	59 --- 142	0	19
Vinyl chloride	12.4	ug/L	BDL		10.0	124	72 --- 144	1	11

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Water

Analytical Run #:	197482	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076933	Analysis Time:	00:26	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1074529	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	9.76	ug/L	BDL		10.0	98	80 --- 117		11
1,1,1-Trichloroethane	11.3	ug/L	BDL		10.0	113	84 --- 130		10
1,1,2,2-Tetrachloroethane	9.54	ug/L	BDL		10.0	95	73 --- 124		15
1,1,2-Trichloroethane	10.1	ug/L	BDL		10.0	101	80 --- 121		12
1,1-Dichloroethane	10.1	ug/L	BDL		10.0	101	82 --- 123		11
1,1-Dichloroethene	12.0	ug/L	BDL		10.0	120	83 --- 129		11
1,1-Dichloropropene	11.3	ug/L	BDL		10.0	113	84 --- 127		12
1,2 Dichloroethane-d4	97.0	% Recovery			100	97.0	89 --- 111		29
1,2,3-Trichlorobenzene	10.2	ug/L	BDL		10.0	102	70 --- 125		23
1,2,3-Trichloropropane	9.80	ug/L	BDL		10.0	98	64 --- 119		17
1,2,4-Trichlorobenzene	10.5	ug/L	BDL		10.0	105	73 --- 121		20
1,2,4-Trimethylbenzene	10.7	ug/L	BDL		10.0	107	85 --- 124		17
1,2-Dibromo-3-chloropropane	8.80	ug/L	BDL		10.0	88	58 --- 122		24
1,2-Dibromoethane	9.41	ug/L	BDL		10.0	94	78 --- 117		12
1,2-Dichlorobenzene	10.2	ug/L	BDL		10.0	102	81 --- 119		8
1,2-Dichloroethane	9.77	ug/L	BDL		10.0	98	78 --- 126		12
1,2-Dichloropropane	10.2	ug/L	BDL		10.0	102	81 --- 121		11
1,3,5-Trimethylbenzene	10.7	ug/L	BDL		10.0	107	83 --- 126		21
1,3-Dichlorobenzene	10.3	ug/L	BDL		10.0	103	83 --- 119		11
1,3-Dichloropropane	10.1	ug/L	BDL		10.0	101	83 --- 119		11
1,4-Dichlorobenzene	9.85	ug/L	BDL		10.0	98	82 --- 118		11
2,2-Dichloropropane	6.34	ug/L	BDL		10.0	63	56 --- 134		21
2-Butanone	94.6	ug/L	BDL		100	95	68 --- 134		21
2-Chlorotoluene	10.2	ug/L	BDL		10.0	102	81 --- 125		11
2-Hexanone	99.5	ug/L	BDL		100	100	64 --- 140		26
4-Chlorotoluene	10.3	ug/L	BDL		10.0	103	82 --- 125		11
4-Methyl-2-pentanone	100	ug/L	BDL		100	100	66 --- 140		19
Acetone	89.5	ug/L	BDL		100	90	47 --- 139		27
Benzene	10.4	ug/L	BDL		10.0	104	87 --- 125		10
Bromobenzene	9.92	ug/L	BDL		10.0	99	78 --- 120		10
Bromochloromethane	10.2	ug/L	BDL		10.0	102	79 --- 124		11
Bromodichloromethane	9.85	ug/L	BDL		10.0	98	81 --- 120		10
Bromofluorobenzene	98.0	% Recovery			100	98.0	83 --- 111		25
Bromoform	9.02	ug/L	BDL		10.0	90	61 --- 121		17
Bromomethane	11.6	ug/L	BDL		10.0	116	21 --- 177		35
Carbon disulfide	23.3	ug/L	BDL		20.0	116	86 --- 133		18
Carbon tetrachloride	10.4	ug/L	BDL		10.0	104	82 --- 135		12
Chlorobenzene	10.4	ug/L	BDL		10.0	104	86 --- 120		8
Chloroethane	10.8	ug/L	BDL		10.0	108	59 --- 153		26
Chloroform	10.3	ug/L	BDL		10.0	103	84 --- 122		10
Chloromethane	11.4	ug/L	BDL		10.0	114	56 --- 145		18
cis-1,2-Dichloroethene	10.1	ug/L	BDL		10.0	101	42 --- 166		10

SDG #: 0

Folder #: 165868

Project #: 335719

Matrix Spike Water

Analytical Run #:	197482	Analysis Date:	11/21/2021	Prep Batch #:	Matrix:	GROUND WATER
CTLab #:	1076933	Analysis Time:	00:26	Prep Date/Time:	Method:	SW8260C
Parent Sample #:	1074529	Analyst:	RLD	Prep Analyst:		

Analyte	QC sample result	Units	Parent sample result	Qualifier(s)	Spike Amount Added	% Recovery	Control Limits	RPD	RPD Limit
cis-1,3-Dichloropropene	9.68	ug/L	BDL		10.0	97	75 --- 115		13
d8-Toluene	100	% Recovery			100	100	93 --- 107		20
Dibromochloromethane	9.53	ug/L	BDL		10.0	95	73 --- 118		15
Dibromofluoromethane	99.0	% Recovery			100	99.0	90 --- 110		20
Dibromomethane	9.79	ug/L	BDL		10.0	98	79 --- 120		12
Dichlorodifluoromethane	12.2	ug/L	BDL		10.0	122	64 --- 155		14
Diisopropyl ether	10.1	ug/L	BDL		10.0	101	74 --- 131		11
Ethylbenzene	10.8	ug/L	BDL		10.0	108	87 --- 126		8
Hexachlorobutadiene	10.8	ug/L	BDL		10.0	108	63 --- 138		20
Isopropylbenzene	11.1	ug/L	BDL		10.0	111	77 --- 141		11
m & p-Xylene	21.4	ug/L	BDL		20.0	107	87 --- 124		11
Methyl tert-butyl ether	7.72	ug/L	BDL		10.0	77	80 --- 122		19
Methylene chloride	9.65	ug/L	BDL		10.0	96	64 --- 124		13
n-Butylbenzene	11.4	ug/L	BDL		10.0	114	79 --- 132		12
n-Propylbenzene	11.2	ug/L	BDL		10.0	112	77 --- 138		12
Naphthalene	9.87	ug/L	BDL		10.0	99	45 --- 152		30
o-Xylene	10.5	ug/L	BDL		10.0	105	83 --- 122		12
p-Isopropyltoluene	11.4	ug/L	BDL		10.0	114	85 --- 126		11
sec-Butylbenzene	10.5	ug/L	BDL		10.0	105	87 --- 130		11
Styrene	10.3	ug/L	BDL		10.0	103	82 --- 123		24
tert-Butylbenzene	11.2	ug/L	BDL		10.0	112	84 --- 125		10
Tetrachloroethene	11.5	ug/L	BDL		10.0	115	82 --- 131		11
Tetrahydrofuran	98.3	ug/L	BDL		100	98	49 --- 147		22
Toluene	10.3	ug/L	BDL		10.0	103	86 --- 124		10
trans-1,2-Dichloroethene	10.9	ug/L	BDL		10.0	109	82 --- 125		16
trans-1,3-Dichloropropene	9.06	ug/L	BDL		10.0	91	73 --- 114		16
Trichloroethene	10.8	ug/L	BDL		10.0	108	82 --- 125		14
Trichlorofluoromethane	11.6	ug/L	BDL		10.0	116	74 --- 153		15
Vinyl acetate	95.7	ug/L	BDL		100	96	59 --- 142		19
Vinyl chloride	12.4	ug/L	BDL		10.0	124	72 --- 144		11

Sample Condition Report

Folder #: 165868	Print Date / Time: 11/15/2021 08:58
Client: TRC ENVIRONMENTAL	Received Date / Time / By: 11/13/2021 12:20 SRW
Project Name: REFUSE HIDEAWAY LF	Log-In Date / Time / By: 11/15/2021 08:58 erc
Project Phase: MIDDLETON, WI	Project #: 335719 PM: BMS
Coolers: 5950	Temperature: 2.6 C On Ice: Y
Custody Seals Present : N	COC Present:? Y Complete? Y
Seal Intact? N	Numbers: N/A
Ship Method: FEDEX EXPRESS	Tracking Number: 775200595875
Adequate Packaging: Y	Temp Blank Enclosed? Y

Notes: THE SAMPLES WERE RECEIVED IN GOOD CONDITION ON ICE.
 NO CUSTODY SEALS WERE PRESENT UPON RECEIPT - THE SHIPPING TAPE WAS INTACT.

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074507 P-17S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074508 P-18S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074509 P-20SR-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074510 P-22S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074511 P-22D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074512 P-22E-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074513 P-23S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074514 P-23D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074515 P-25D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074516 P-25BR-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074517 P-26S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	Total # of Containers of Type (VOA HCL) = 3			

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074518 P-27S-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074519 P-27D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074520 P-30I-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074521 P-30D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074522 P-31IA-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074523 P-31IB-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				
Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074524 P-31D-202111	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	N / N	VOC

VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC
VOA HCL	1	N	/	N	VOC

Total # of Containers of Type (VOA HCL) = 9

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074525 P-40I-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074526 P-40D-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074527 P-43S-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074528 P-43D-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
Total # of Containers of Type (VOA HCL) = 3				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074529 P-43I-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
	VOA HCL	1	N / N	VOC
Total # of Containers of Type (VOA HCL) = 9				

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074530 DUP-02-202111				

VOA HCL	1	/	VOC
VOA HCL	1	/	VOC
VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074531 DUP-03-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074532 DUP-04-202111				
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC
	VOA HCL	1	/	VOC

Total # of Containers of Type (VOA HCL) = 3

Sample ID / Description	Container Type	Cond. Code	pH OK?/Filtered?	Tests
1074533 TRIP BLANK				
	TRIP BLANK	1	/	VOC
	TRIP BLANK	1	N / N	VOC
	TRIP BLANK	1	N / N	VOC
	TRIP BLANK	1	N / N	VOC

Total # of Containers of Type (TRIP BLANK) = 4

<u>Condition Code</u>	<u>Condition Description</u>
1	Sample Received OK

Company: TRC Env.
 Project Contact: Wesley Braga
 Telephone: 608-234-7374
 Project Name: Refuse Hideaway LF
 Project #: 335719
 Location: Middleton, WI
 Sampled By: Wesley Braga

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Folder #: 165868
 Company: TRC ENVIRONMENTAL
 Project: REFUSE HIDEAWAY
 Logged By: erc PM. BMS

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____

PO #
 will e-mail

Report To:
 EMAIL: Sam Kwater@trcompanies.com
 Company:
 Address:
 Invoice To:*
 EMAIL:
 Company:
 Address:

**Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions*

Client Special Instructions

Filtered? Y/N	ANALYSES REQUESTED												Total # Containers	Designated MS/MSD	
	1	2	3	4	5	6	7	8	9	10	11	12			
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	
N	X													3	

Turnaround Time
 Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered?	Fill in Spaces with Bottles per Test												Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>
Date	Time						1	2	3	4	5	6	7	8	9	10	11	12			
11/11/21	1620	GW	G		P-175-202111	N	X										3	1074507			
11/11/21	1504				P-185-202111	N	X										3	08			
11/11/21	1537				P-205R-202111	N	X										3	09			
11/9/21	1422				P-225-202111	N	X										3	10			
11/9/21	1501				P-22D-202111	N	X										3	11			
11/9/21	1440				P-22E-202111	N	X										3	12			
11/11/21	1242				P-235-202111	N	X										3	13			
11/11/21	1214				P-23D-202111	N	X										3	14			
11/10/21	1208				P-25D-202111	N	X										3	15			
11/10/21	1229				P-25BR-202111	N	X										3	16			
11/5/21	1240				P-265-202111	N	X										3	17			
11/5/21	1428				P-275-202111	N	X										3	18			

Relinquished By: *[Signature]*
 Date/Time: 11/12/21 1800

Received by: _____
 Date/Time: _____

Date/Time: 11/12/21 1800

Date/Time: _____

Received By: *[Signature]*
 Date/Time: 11/12/21 1800

Received for Laboratory by: *[Signature]*
 Date/Time: 11/15/21 915

Date/Time: 11/12/21 1800

Date/Time: 11/15/21 915

Lab Use Only
 Ice Present Yes No
 Temp 26 IR Gun 28
 Cooler # 5950

Company: *TRC Env.*
 Project Contact: *Wesley Braga*
 Telephone: *608-234-7374*
 Project Name: *Refuse Hideaway LF*
 Project #: *335719*
 Location: *Middleton, WI*
 Sampled By: *Wesley Braga*

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL: *KVater@trcompanies.com*
 Company:
 Address:
 Invoice To:*
 EMAIL:
 Company:
 Address:

Lab Use Only
 Place Header Sticker Here:

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____

PO # *will e-mail*

165868

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Turnaround Time
 Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered? Y/N	VOL (8260)	Fill in Spaces with Bottles per Test												Total # Containers	Designated MS/MSD	CT Lab ID # <i>Lab use only</i>
Date	Time																					
<i>11/5/21</i>	<i>1414</i>	<i>GW</i>	<i>G</i>		<i>P-27D-202111</i>	<i>N</i>	<i>X</i>										<i>3</i>	<i>1074519</i>				
<i>11/10/21</i>	<i>1323</i>				<i>P-30I-202111</i>												<i>3</i>	<i>20</i>				
<i>11/10/21</i>	<i>1324</i>				<i>P-30D-202111</i>												<i>3</i>	<i>21</i>				
<i>11/10/21</i>	<i>1658</i>				<i>P-31IA-202111</i>												<i>3</i>	<i>22</i>				
<i>11/10/21</i>	<i>1515</i>				<i>P-31IB-202111</i>												<i>3</i>	<i>23</i>				
<i>11/10/21</i>	<i>1548</i>				<i>P-31D-202111</i>											<i>Y</i>	<i>9</i>	<i>24</i>				
<i>11/10/21</i>	<i>1059</i>				<i>P-40I-202111</i>												<i>3</i>	<i>25</i>				
<i>11/10/21</i>	<i>1056</i>				<i>P-40D-202111</i>												<i>3</i>	<i>26</i>				
<i>11/9/21</i>	<i>1329</i>				<i>P-43S-202111</i>												<i>3</i>	<i>27</i>				
<i>11/9/21</i>	<i>1301</i>				<i>P-43D-202111</i>												<i>3</i>	<i>28</i>				
<i>11/9/21</i>	<i>1202</i>				<i>P-43I-202111</i>											<i>Y</i>	<i>9</i>	<i>29</i>				
<i>11/9/21</i>	<i>-</i>				<i>DUP-02-202111</i>												<i>3</i>	<i>30</i>				

Relinquished By: *Wesley Braga*
 Received by: _____

Date/Time: *11/12/21 1800*
 Date/Time: _____

Received By: *Eric Forster*
 Received for Laboratory by: *ERK*
 165868-Revised - Page 284 of 286

Date/Time: *11/18/21 1220*
 Date/Time: *11/15/21 915*

Lab Use Only
 Ice Present: *6* No
 Temp: *16* IR Gun: *28*
 Cooler #: *5950*

Company: *TRL Env.*
 Project Contact: *Wesley Braga*
 Telephone: *608-234-7374*
 Project Name: *Refuse Hideaway*
CF
 Project #: *335719*
 Location: *Middletown, WI*
 Sampled By: *Wesley Braga*

CT LABORATORIES

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Fax 608-356-2766
 www.ctlaboratories.com

Report To:
 EMAIL: *Kuater@trlcompanies.com*
 Company:
 Address:
 Invoice To:*
 EMAIL:
 Company:
 Address:

Lab Use Only
 Place Header Sticker Here:

Program:
 QSM RCRA SDWA NPDES
 Solid Waste Other _____
 PO #

165 868

*Party listed is responsible for payment of invoice as per CT Laboratories' terms and conditions

Client Special Instructions

ANALYSES REQUESTED

Matrix:
 GW - groundwater SW - surface water WW - wastewater DW - drinking water
 S - soil/sediment SL - sludge A - air M - misc/waste

Filtered? Y/N	VOL (9260)	ANALYSES REQUESTED																Total # Containers	Designated MS/MSD
N	X																3		
	X																3		
	X																4		

Turnaround Time
 Normal RUSH*
 Date Needed: _____
 Rush analysis requires prior
 CT Laboratories' approval
 Surcharges:
 24 hr 200%
 2-3 days 100%
 4-9 days 50%

Collection		Matrix	Grab/Comp	Sample #	Sample ID Description	Filtered?	Fill in Spaces with Bottles per Test																CT Lab ID # <i>Lab use only</i>
Date	Time																						
<i>11/10/21</i>	<i>-</i>	<i>GW</i>	<i>G</i>		<i>DUP-03-202111</i>	<i>N</i>	<i>X</i>														<i>1071531</i>		
<i>11/11/21</i>	<i>-</i>	<i>GW</i>	<i>G</i>		<i>DUP-04-202111</i>		<i>X</i>														<i>4 32</i>		
<i>-</i>	<i>-</i>	<i>W</i>	<i>-</i>		<i>11/11/21</i> <i>Trip Blank</i>		<i>X</i>														<i>4 33</i>		

Relinquished By: <i>Wesley Braga</i>	Date/Time <i>11/12/20 1800</i>	Received By: <i>Eric for SPW</i>	Date/Time <i>11/15/20 12:30</i>	Lab Use Only Ice Present <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Received by:	Date/Time	Received for Laboratory by: 165868-Revised - Page 285 of 286	Date/Time <i>11/15/20 9:15</i>	Temp <i>26</i> IR Gun <i>28</i> Cooler # <i>5150</i>

Ice Present YES NO
 Observed Temperature 2.6
 Actual Temperature 2.6
 IR Gun # 28
 Initials SKW
 Date 11-13-21 Time 12:20
 Cooler #: 5950

Cooler Receipt Form

ORIGIN ID: MSNA (608) 234-7374
 WESLEY BRAGA
 TRC COMPANIES
 TRC ENVIRONMENTAL CORPORATION
 709 HEARTLAND TRAIL, SUITE 3000
 MADISON, WI 53717
 UNITED STATES US


SHIP DATE: 12N
 ACTWGT: 51.90 L
 CAD: 109993720/1
 DIMS: 20x14x14
 BILL SE

TO **SAMPLE RECEIVING
 CT LABORATORIES
 1230 LANGE CT**

BARABOO WI 53913

(608) 356-2760 REF: 335719.0012.0000 000002 000003
 INV: PD DEPT

01 000000 000000 000000 000000 000000 000000 000000 000000 000000



**SATURDAY 12:001
 PRIORITY OVERNIGHT**

1 of 2
 TRK# **7752 0059 5875**
 ## MASTER ##

55 LNRA

**53913
 WI-US MSN**



Attachment 3
Water Level Data



WATER LEVEL DATA

PROJECT NAME: Refuse Hideaway Landfill					DATE: 11/2/21			
PROJECT NUMBER: 335719					AUTHOR: WB			
WELL LOCATION	DATE MEASURED	TIME	REFERENCE	DEPTH TO WATER (FEET)	DEPTH TO BOTTOM (FEET)	SCREENED INTERVAL (FEET)	PRODUCT THICKNESS (IN)	WATER ELEVATION
P-01S	11/02/21	12:50	924.39	3.24	NM	8-12	none	921.15
P-01D	11/02/21	--	926.67	abandoned	NM	28-31	none	--
P-03S	11/02/21	13:05	932.30	7.98	NM	10-14	none	924.32
P-04S	11/02/21	13:07	932.40	7.99	NM	21-24	none	924.41
P-08S	11/02/21	12:40	932.50	8.26	NM	7-17	none	924.24
P-08D	11/02/21	12:43	930.98	6.93	NM	34.5-40	none	924.05
P-08BR	11/02/21	--	929.52	packer	NM	103.4-108.9	none	--
P-09S	11/02/21	12:58	932.09	9.71	NM	4-14	none	922.38
P-09D	11/02/21	--	930.43	packer	NM	35.5-40.5	none	--
P-16S	11/02/21	13:33	936.78	14.03	NM	4.4-14.9	none	922.75
P-16D	11/02/21	13:35	936.30	13.87	NM	34.8-40.3	none	922.43
P-17S	11/02/21	11:02	1081.75	144.98	NM	146-156	none	936.77
P-18S	11/02/21	11:25	1020.57	95.51	NM	94.5-105	none	925.06
P-20SR	11/02/21	11:55	961.78	36.60	NM	44.4-64.4	none	925.18
P-21S	11/02/21	13:15	935.79	11.76	NM	7-17.5	none	924.03
P-21D	11/02/21	13:19	936.94	12.61	NM	33.5-39	none	924.33
P-21BR	11/02/21	13:23	935.19	12.39	NM	140-146	none	922.80
P-22S	11/02/21	10:20	1088.20	171.54	NM	168.1-183.1	none	916.66
P-22D	11/02/21	10:24	1088.94	172.44	NM	210.1-215.1	none	916.50
P-22E	11/02/21	10:28	1089.72	173.24	NM	265.03-270.03	none	916.48
P-23S	11/02/21	11:41	961.71	37.28	NM	35.3-45.3	none	924.43
P-23D	11/02/21	11:43	961.53	36.96	NM	72.1-77.1	none	924.57
P-24D	11/02/21	--	927.25	packer	NM	18-23	none	--
P-24E	11/02/21	--	927.39	packer	NM	45.1-50.1	none	--
P-25S	11/02/21	15:30	943.14	20.59	NM	17.1-27.1	none	922.55
P-25D	11/02/21	15:32	943.86	25.11	NM	89-94	none	918.75
P-25BR	11/02/21	15:35	943.27	24.09	NM	133.3-138.3	none	919.18
P-26S	11/02/21	8:45	1150.95	219.59	NM	220.5-235.5	none	931.36
P-26D	11/02/21	8:47	1149.63	220.76	NM	255-260	none	928.87
P-27S	11/02/21	9:03	1095.23	172.84	NM	171-186	none	922.39

Westhoff
SIGNED

11/2/21
DATE

KAV

CHECKED

2/16/2022

DATE

Revisions by: KAV 1/3/2022
Checked by: MW 1/19/2022



WATER LEVEL DATA

PROJECT NAME: Refuse Hideaway Landfill					DATE: 11/2/21			
PROJECT NUMBER: 335719					AUTHOR: WB			
WELL LOCATION	DATE MEASURED	TIME	REFERENCE	DEPTH TO WATER (FEET)	DEPTH TO BOTTOM (FEET)	SCREENED INTERVAL (FEET)	PRODUCT THICKNESS (IN)	WATER ELEVATION
P-27D	11/02/21	9:05	1095.56	173.53	NM	196.9-201.9	none	922.03
P-28S	11/02/21	8:35	1124.33	197.45	NM	190-205	none	926.88
P-29S	11/02/21	9:14	1163.10	234.88	NM	239.1-254.1	none	928.22
P-30S	11/02/21	14:05	932.61	20.46	NM	20.3-35.3	none	912.15
P-30I	11/02/21	14:07	930.94	18.82	NM	130.4-140.4	none	912.12
P-30D	11/02/21	14:11	932.97	20.80	NM	277.5-287.5	none	912.17
P-31S	11/02/21	14:45	916.59	5.31	NM	10.7-25.7	none	911.28
P-31IA	11/02/21	--	916.77	packer	NM	82.8-92.8	none	--
P-31IB	11/02/21	--	916.49	packer	NM	123-133	none	--
P-31D	11/02/21	--	915.72	packer	NM	245.6-255.6	none	--
P-32S	11/02/21	15:12	943.73	20.18	NM	21.5-36.5	none	923.55
P-32D	11/02/21	15:15	942.66	20.81	NM	164.1-174.1	none	921.85
P-33S	11/02/21	12:05	928.55	4.64	NM	10.2-25.2	none	923.91
P-33D	11/02/21	--	928.50	packer	NM	90.9-100.9	none	--
P-34S	11/02/21	8:15	1091.10	158.68	NM	168.5-183.5	none	932.42
P-34D	11/02/21	8:17	1090.98	161.59	NM	262.9-272.9	none	929.39
P-35S	11/02/21	8:51	1087.90	162.19	NM	161.2-181.2	none	925.71
P-35D	11/02/21	8:54	1087.70	164.33	NM	239.8-249.8	none	923.37
P-36S	11/02/21	--	924.49	packer	NM	8.6-23.6	none	--
P-36D	11/02/21	--	924.34	packer	NM	229.9-239.9	none	--
P-38S	11/02/21	15:05	923.21	6.76	NM	8.7-23.7	none	916.45
P-39S	11/02/21	14:21	946.08	34.21	NM	36.9-51.9	none	911.87
P-40S	11/02/21	16:05	922.01	9.33	NM	10.1-25.1	none	912.68
P-40I	11/02/21	16:07	922.28	9.34	NM	92.4-102.4	none	912.94
P-40D	11/02/21	16:10	922.98	10.59	NM	242.6-252.6	none	912.39
P-41S	11/02/21	10:45	925.58	12.70	NM	13.9-28.9	none	912.88
P-41D	11/02/21	10:48	924.82	15.43	NM	92.4-102.4	none	909.39
P-42S	11/02/21	9:35	917.62	10.93	NM	10.3-25.3	none	906.69
P-43S	11/02/21	9:55	1110.60	190.98	NM	188-203	none	919.62
P-43I	11/02/21	9:58	1110.24	190.68	NM	225-230	none	919.56

Wesley J. [Signature]
SIGNED

11/22/21
DATE

[Signature]
CHECKED

2/16/2022
DATE



WATER LEVEL DATA

PROJECT NAME: Refuse Hideaway Landfill	DATE: 11/2/21
PROJECT NUMBER: 335719	AUTHOR: WB

WELL LOCATION	DATE MEASURED	TIME	REFERENCE	DEPTH TO WATER (FEET)	DEPTH TO BOTTOM (FEET)	SCREENED INTERVAL (FEET)	PRODUCT THICKNESS (IN)	WATER ELEVATION
P-43D	11/02/21	10:06	1109.92	190.30	NM	275-280	none	919.62
END OF WELL LIST								

SIGNED	11/22/21 DATE	CHECKED	2/16/2022 DATE
--------	------------------	---------	-------------------