



708 Heartland Trl.
Suite 3000
Madison, WI 53717

T 608.826.3600
TRCcompanies.com

April 19, 2022

Ms. Cindy Koepke
Hydrogeologist
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: Refuse Hideaway Landfill
April 2022 Landfill Gas Monitoring Results

Dear Cindy:

TRC completed the monthly gas probe monitoring at the Refuse Hideaway Landfill in Middleton, WI on April 19, 2022. Attached are the monitoring results. Pressure, methane, carbon dioxide, oxygen, and methane (% LEL) are measured during the monthly event.

The next monthly gas probe monitoring event will take place in May 2022.

If you have any questions, please contact me at kvater@trccompanies.com or 608-826-3663.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Katherine Vater".

Katherine Vater, PE
Senior Project Manager

Attachments

cc: Andy Stehn, TRC

**REFUSE HIDEAWAY LANDFILL
GAS PROBE MONITORING FORM**

TECHNICIAN(S): J. Roelke

DATE: 4/19/2022

START TIME: 7:30 AM

END TIME: 12:35 PM

GAS/INSTRUMENT TYPE: GEM 2000

SERIAL NO.: 11668

WEATHER CONDITIONS: clear

DATE LAST CALIBRATED: 4/19/2022

TEMPERATURE: 31 °F

METHOD: Standard Calibration Gases

BAROMETRIC PRESSURE & TREND: 30.26 in. Hg, rising

PRESS INSTRUMENT : Manometer

GROUND CONDITIONS: frozen

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (%, by vol.)	CARBON DIOXIDE (%, by vol.)	OXYGEN (%, by vol.)	COMMENTS
GP-1D	7:55	0.0	0.0	0.0	2.0	18.1	(2)
GP-1S	7:57	0.0	0.0	0.0	0.0	20.8	(2)
GP-2D	8:00	0.0	0.0	0.0	0.3	20.6	(1)
GP-2S	8:02	0.0	0.0	0.0	0.0	20.8	(1)
GP-3	8:05	0.0	36	1.8	7.9	6.2	(1)
GP-4	8:09	0.0	0.0	0.0	0.0	20.8	(1)
GP-5	8:12	0.0	0.0	0.0	1.3	19.9	(2)
GP-6	8:18	0.0	0.0	0.0	0.0	20.8	(1)
GP-7	8:25	0.0	0.0	0.0	1.2	18.2	(2)
GP-8	8:34	0.0	0.0	0.0	3.4	18.4	(2)
GP-9	8:38	0.0	0.0	0.0	1.7	19.0	(1)
GP-10	8:42	0.0	0.0	0.0	1.9	18.3	(1)
GP-11D	8:46	0.0	0.0	0.0	0.0	20.8	(2)
GP-11S	8:48	0.0	0.0	0.0	0.3	20.4	(2)
GP-12D	8:52	0.0	0.0	0.0	0.9	19.5	(1)
GP-12S	8:54	0.0	0.0	0.0	0.2	20.4	(1)
GP-13D	8:57	0.0	0.0	0.0	0.5	19.9	(2)
GP-13S	8:59	0.0	0.0	0.0	0.6	20.0	(2)

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (%, by vol.)	CARBON DIOXIDE (%, by vol.)	OXYGEN (%, by vol.)	COMMENTS
GP-16D	9:15	0.0	0.0	0.0	0.6	19.9	(2)
GP-16S	9:17	0.0	0.0	0.0	0.4	20.4	(2)
GP-17D	9:09	0.0	0.0	0.0	2.3	17.6	(1)
GP-17M	9:11	0.0	0.0	0.0	0.4	20.0	(1)
GP-17S	9:13	0.0	0.0	0.0	0.3	20.2	(1)
GP-18D	9:21	0.0	0.0	0.0	0.0	20.8	(2)
GP-18M	9:23	0.0	0.0	0.0	0.0	20.8	(2)
GP-18S	9:25	0.0	0.0	0.0	0.2	20.5	(2)
GP-19 ⁸⁵⁻¹⁰⁰	10:09	0.0	0.0	0.0	1.0	19.9	(1)
GP-19 ⁵⁰⁻⁷⁰	10:11	0.0	0.0	0.0	2.1	18.4	(1)
GP-19 ²⁵⁻⁴⁰	10:13	0.0	0.0	0.0	2.0	18.9	(1)
GP19 ²⁻¹⁵	10:15	0.0	0.0	0.0	1.1	19.8	(1)
GP-20 ⁸⁵⁻¹⁰⁰	10:00	0.0	0.0	0.0	0.3	20.3	(2)
GP-20 ⁵⁰⁻⁷⁰	10:02	0.0	0.0	0.0	1.0	19.8	(2)
GP-20 ²⁵⁻⁴⁰	10:04	0.0	0.0	0.0	1.2	19.7	(2)
GP-20 ²⁻¹⁵	10:06	0.0	0.0	0.0	1.3	19.4	(2)
GP-21 ⁸⁵⁻¹⁰⁰	9:51	-0.14	0.0	0.0	0.3	20.5	(2)
GP-21 ⁵⁰⁻⁷⁰	9:53	0.0	0.0	0.0	0.8	20.0	(2)
GP-21 ²⁵⁻⁴⁰	9:55	0.0	0.0	0.0	0.6	20.3	(2)
GP-21 ²⁻¹⁵	9:57	0.0	0.0	0.0	0.7	20.4	(2)
GP-22 ⁸⁵⁻¹⁰⁰	10:20	0.0	0.0	0.0	0.0	20.8	(2)
GP-22 ⁵⁰⁻⁷⁰	10:22	0.0	0.0	0.0	0.6	20.0	(2)
GP-22 ²⁵⁻⁴⁰	10:24	0.0	0.0	0.0	0.9	19.6	(2)
GP-22 ²⁻¹⁵	10:26	0.0	0.0	0.0	1.1	19.2	(2)

GAS PROBE NAME	Time	PRESSURE (in. WC)	METHANE (% LEL)	METHANE (%, by vol.)	CARBON DIOXIDE (%, by vol.)	OXYGEN (%, by vol.)	COMMENTS
GP-23 ⁸⁵⁻¹⁰⁰	10:30	0.0	0.0	0.0	0.3	19.9	(2)
GP-23 ⁵⁰⁻⁷⁰	10:32	0.0	0.0	0.0	0.0	20.7	(2)
GP-23 ²⁵⁻⁴⁰	10:34	0.0	0.0	0.0	0.0	20.8	(2)
GP-23 ²⁻¹⁵	10:36	0.0	0.0	0.0	0.1	20.7	(2)
GP-24 ⁸⁵⁻¹⁰⁰	10:41	0.0	0.0	0.0	0.0	20.8	(2)
GP-24 ⁵⁰⁻⁷⁰	10:43	0.0	0.0	0.0	0.6	20.0	(2)
GP-24 ²⁵⁻⁴⁰	10:45	0.0	0.0	0.0	0.0	20.8	(2)
GP-24 ²⁻¹⁵	10:47	0.0	0.0	0.0	0.7	20.1	(2)
GPW-1D	12:22	-0.09	0.0	0.0	0.5	20.1	(1)
GPW-1M	12:24	0.0	0.0	0.0	0.0	20.8	(1)
GPW-1S	12:26	0.0	0.0	0.0	0.8	20.1	(1)
G-1D	7:48	0.0	0.0	0.0	0.0	20.8	(1)
G-1S	7:50	0.0	0.0	0.0	0.2	20.7	(1)
G-2D	9:02	0.0	0.0	0.0	0.3	20.6	(1)
G-2S	9:04	0.0	0.0	0.0	0.1	20.7	(1)
G-5	8:30	0.0	0.0	0.0	3.2	16.2	(1)
G-6	7:42	0.0	0.0	0.0	0.0	20.8	(1)
G-8	9:46	0.0	0.0	0.0	0.0	20.8	(1)
G-9	9:35	0.0	0.0	0.0	1.0	17.4	(1)
G-10	10:52	-0.41	0.0	0.0	0.0	20.8	(1)
Speedway Office	7:52	0.0	0.0	0.0	0.0	20.8	Open to ATM

NOTES:

- (1): Locked probe casing.
- (2): Probe is above casing and cannot be locked.
- (3): No cap for probe casing and cannot be locked.
- (4) NM: Not Monitored

Key:

Shallow or 2'-15'
Medium or 25'-40'
Deep or 50'-70'
85'-100'

Entered by: J. Roelke 4/19/2022
Checked by: K. Vater 4/19/2022