



July 11, 2006

Received

Mr. Gary Edelstein
WDNR South Central Region Office
3911 Fish Hatchery Road
Fitchburg, WI 53711

JUL 14 2006

**REMEDIATION &
REDEVELOPMENT**

SUBJECT: **Annual Groundwater Monitoring Report & Semi-Annual Inspection Report**
April 2006 Monitoring Event
Task #1 & Task #4
Stoughton City Landfill
FID #113005950 – License #133
U.S. EPA ID #WID980901219
WDNR Purchase Order #NMF00000591
BT² Project #1764

Dear Mr. Edelstein:

This letter provides the Annual Groundwater Monitoring Report and the Semi-Annual Inspection Report for the April 2006 monitoring event for the Stoughton City Landfill site. We conducted the facility inspection and the groundwater monitoring well sampling at the site on April 26, 2006. A diskette with the electronic data file is being submitted to the Wisconsin Department of Natural Resources (WDNR) Central Office, along with the Groundwater Monitoring Data Certification Form. The annual groundwater monitoring events are scheduled for April of each year.

Semi-Annual Inspection

In conjunction with the Annual Groundwater Monitoring, BT², Inc. also performed the semi-annual facility inspection at the site on April 26, 2006 (**Attachment C**). The following inspection items were noted:

Bi-Monthly Gas Monitoring – The bi-monthly monitoring of the three perimeter gas probes was conducted on December 28, 2005, April 26, 2006, and June 21, 2006. Based on the monitoring results, it does not appear that any landfill gas is migrating to the north of the landfill. The completed Bi-Monthly Gas Monitoring Reports are included in **Attachment C**.

Landfill Cover – The quality of the vegetative cover across the landfill was good. No bare spots were found, nor were signs of erosion or sparse vegetation. No ponding, drainage gullies, or other retainment of water was apparent on the cover. No evidence of burrowing animals or waste was found on the cover. The WDNR Project Manager Gary Edelstein has changed the date for the annual mowing of the cover from June 2006 to August 2006.

Stormwater Management System – No visible erosion was found in the drainage channels. The culverts were undamaged and the riprap was not clogged with any appreciable debris.

Mr. Gary Edelstein

July 11, 2006

Page 2

Landfill Gas Venting System – No damage was found at any of the gas venting wells and no stressed vegetation was found near the wells. All 21 gas venting well screens were clear and no further maintenance is needed at this time.

Perimeter Security Fencing – The condition of the wooden perimeter fence is poor with several broken boards, and signs of vandalism noted. There are broken boards near both the MW3 and MW5 well nests on the west side of the site, north of the west gate. The damage appears to be related to people climbing the security fence from the Frisbee golf course to the west of the landfill. Previous repairs made to the fencing to the north side of the landfill have since been destroyed. On April 26, 2006, Mr. Steven Smith of BT² observed a person climbing the wooden security fence to retrieve a Frisbee. The chain-link fencing on the north and east sides of the site are in good condition. Both gates are in good condition and the padlocks operated properly.

Monitoring Wells and Wellhead Covers – No signs of tampering, damage, or damaged locks were found at any of the site monitoring wells.

Access Road – The site access road was in very good condition with no ruts, ponding, or erosion noted.

The completed Inspection Report and the Bi-Monthly Gas Monitoring Reports are included in **Attachment C**. The photographs documenting damage to the site fence are included as **Attachment D**.

Annual Groundwater Monitoring Field Procedures

The field procedures and the groundwater sampling were performed in accordance with the Quality Assurance Project Plan (QAPP) Revision 1 submitted to the WDNR on April 5, 2006. *TestAmerica, Inc.* of Watertown, Wisconsin, analyzed the groundwater samples for volatile organic compounds (VOCs) including dichlorodifluoromethane (DCDFM) and tetrahydrofuran (THF) by EPA Method SW 8260B.

Groundwater Analytical Results

Table 1 is a summary of analytical results for the groundwater monitoring at the site. Field parameter results are summarized in **Table 2**. The new water table elevations summary is included as **Table 4**. The original laboratory analytical and quality control report are enclosed as **Attachment A**. A summary of NR 140 standard exceedances is provided in **Attachment B**.

Quality Assurance

The THF results for well samples MW9B, MW10S, MW10I, MW10I Duplicate, MW14S, MW14I, and the Field Blank have been reported with the “H” flag (Sample analysis performed past method-specified holding time). On May 10, 2006, it was discovered that the laboratory had not reported THF for the above-specified wells. Mr. Smith of BT² called the laboratory and found that those specific samples had been analyzed on an instrument not calibrated for THF by the laboratory, and that the method-specified hold time had expired the day before. After discussing the laboratory error with Mr. Gary Edelstein, it was decided that the samples must be re-analyzed even though they are past hold time.

The Laboratory QC Blank for Run Batch #6050063 was footnoted “B” (Analyte was detected in the associated Method Blank) for THF at a level of 2.7 micrograms per liter ($\mu\text{g/l}$). The Laboratory Case Narrative states that low-level THF values may be a result of instrument contamination. Detections of less than 3.0 $\mu\text{g/l}$ are considered to be low level.

It should be noted that all the historical site data were analyzed by the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) Routine Analytical Services (RAS) using the Low/Medium Concentration Organic Target Compound List (TCL) and Contract Required Quantitation Limits (CRQL) of 10 µg/l. The current analytical laboratory, *TestAmerica, Inc.*, provides detection limits for SW 8260B VOCs ranging from 0.20 µg/l for benzene to 1.0 µg/l for chloroethane.

Target Compounds at the Shallow Monitoring Wells

Three shallow monitoring wells were analyzed for either the full list of VOCs by Method 8260B or for DCDFM and THF only by Method 8260B. Analytical results and historical ranges for the current sampling event are summarized in **Table 3**.

Target Compounds at the Intermediate and Deep Monitoring Wells

Eighteen intermediate and deep monitoring wells were analyzed for the full list of VOCs by Method 8260B. Analytical results and historical ranges for the current sampling event are summarized in **Table 3**.

Other Volatile Organic Compounds Detected

The following VOCs, in addition to DCDFM and THF, were detected above the Preventive Action Limit (PAL) or Enforcement Standard (ES):

- Tetrachloroethene – MW10I at 2.2 µg/l, MW14S at 2.8 µg/l, MW14I at 1.1 µg/l (PAL of 0.5 µg/l)
- Trichloroethene – MW9I at 0.80 µg/l, MW10I at 1.1 µg/l, MW14S at 1.4 µg/l, MW14I at 1.3 µg/l (PAL of 0.5 µg/l)
- Vinyl chloride – MW10I at 0.48 µg/l, MW14I at 0.33 µg/l (PAL of 0.02µg/l)

Several other VOCs were detected at levels below their respective PAL and ES limits (see **Table 1**).

Sampling Plan Deviations

There were no noted deviations from the sampling plan.

Recommendations

Due to continued PAL exceedances for DCDFM, THF, tetrachloroethene, trichloroethene, and vinyl chloride, we recommend to continue the VOC monitoring program.


A CD-ROM is enclosed containing a copy of this report as a PDF file. If you have any questions about the results or any other aspect of the project, please call us at (608) 224-2830.

Mr. Gary Edelstein

July 11, 2006

Page 4

Sincerely,
BT², Inc.



Steven B. Smith
Environmental Specialist



Leslie A. Busse, P.E.
Project Manager

Enclosed: CD-ROM

- Table 1 Summary of Analytical Results
- Table 2 Summary of Field Parameters
- Table 3 Target Compound Detections
- Table 4 Water Table Elevation Summary
- Figure 1 Site Plan
- Attachment A Laboratory Analytical Report
- Attachment B Groundwater Monitoring Data Certification Form (with Exceedances Report)
- Attachment C Inspection Report and Bi-Monthly Gas Monitoring Reports
- Attachment D Inspection Photographs

cc: Mr. Bernard J. Schorle – USEPA Region V

I:\1764\Reports\GW Reports\2006 Reports\2006Annual_GW_Report_0060705.doc

TABLES

- 1 Summary of Analytical Results
- 2 Summary of Field Parameters
- 3 Target Compound Parameters
- 4 Water Table Elevation Summary

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW03B

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.1			
Specific conductance-field (umhos/cm @ 25c)							1014			
Temperature, water (degrees centigrade)							10			

Organic

Tetrahydrofuran (ug/l)	50	10	1.9 B	1.9 B	1.3 J	<0.5	<0.5			
------------------------	----	----	-------	-------	-------	------	------	--	--	--

MW03D

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										844.72
ph-Field (standard units)							7.2	7.33	6.97	7.25
Specific conductance-field (umhos/cm @ 25c)							857	1274	967	1113
Temperature, water (degrees centigrade)							9.9	10.2	10.2	13.8

Organic

Tetrahydrofuran (ug/l)	50	10	100 B	61 B	88	48	66	57	11	31 B
------------------------	----	----	-------	------	----	----	----	----	----	------

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW03S

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.1			
Specific conductance-field (umhos/cm @ 25c)							443			
Temperature, water (degrees centigrade)							10.1			

Organic

Tetrahydrofuran (ug/l)	50	10	<0.25	2.1 B	<0.5	<0.5	<0.5			
------------------------	----	----	-------	-------	------	------	------	--	--	--

MW04D

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										844.28
ph-Field (standard units)							7	7.22	6.96	7.33
Specific conductance-field (umhos/cm @ 25c)							787	1446	1035	1104
Temperature, water (degrees centigrade)							10.1	10.5	10.1	12.5

Organic

Tetrahydrofuran (ug/l)	50	10	1.5 B	2.3 B	<0.5	0.75 J	1.1 J	2.2	<0.5	2.2 B
------------------------	----	----	-------	-------	------	--------	-------	-----	------	-------

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW04S

Reporting Period				04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							386			
Temperature, water (degrees centigrade)							10.2			

Organic

Tetrahydrofuran (ug/l)	50	10	0.84 B	1.8 B	<0.5	<0.5	<0.5			
------------------------	----	----	--------	-------	------	------	------	--	--	--

MW05D

Reporting Period				04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										844.65
ph-Field (standard units)							7.2	7.17	6.93	7.14
Specific conductance-field (umhos/cm @ 25c)							1179	1313	1183	975
Temperature, water (degrees centigrade)							10.3	10.9	11.3	13.5

Organic

Dichlorodifluoromethane (ug/l)	1000	200	5.8	5.1	4.6	4.4	3.7	0.92 J	6.2	5.1
Tetrahydrofuran (ug/l)	50	10	3.3 B	3.5 B	1.2 J	1.7	2	1.8	<0.5	3 B

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW05S

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							1875			
Temperature, water (degrees centigrade)							11			

Organic

Dichlorodifluoromethane (ug/l)	1000	200	<0.25	0.66 J	<0.5	<0.5	<0.5			
Tetrahydrofuran (ug/l)	50	10	1.3 B	1.9 B	<0.5	<0.5	<0.5			

MW07B

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							669			
Temperature, water (degrees centigrade)							10.6			

Organic

Tetrahydrofuran (ug/l)	50	10	1.7 B	2.3 B	<0.5	<0.5	<0.5			
------------------------	----	----	-------	-------	------	------	------	--	--	--

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW07I

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										842.87
ph-Field (standard units)							7.2	7.2	6.97	7.35
Specific conductance-field (umhos/cm @ 25c)							542	1579	861	783
Temperature, water (degrees centigrade)							10.8	10.3	12.1	12.7

Organic

Tetrahydrofuran (ug/l)	50	10	1.6 B	3.4 B	<0.5	1.2 J	<0.5	2	<0.5	2.4 B
------------------------	----	----	-------	-------	------	-------	------	---	------	-------

MW07S

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.3			
Specific conductance-field (umhos/cm @ 25c)							614			
Temperature, water (degrees centigrade)							10.1			

Organic

Tetrahydrofuran (ug/l)	50	10	0.87 B	2.1 B	<0.5	<0.5	<0.5	.	.	.
------------------------	----	----	--------	-------	------	------	------	---	---	---

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW08B

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							500			
Temperature, water (degrees centigrade)							9.9			

Organic

Tetrahydrofuran (ug/l)	50	10	0.38 JB	0.97 B	<0.5	<0.5	<0.5			
------------------------	----	----	---------	--------	------	------	------	--	--	--

MW08I

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										844.61
ph-Field (standard units)							7.2	7.11	7.03	7.13
Specific conductance-field (umhos/cm @ 25c)							458	1269	1121	987
Temperature, water (degrees centigrade)							10.7	10	12.3	14.1

Organic

Tetrahydrofuran (ug/l)	50	10	3.7 B	3.7 B	2	1.9	1.3 J	4.6	<0.5	<0.5 B
------------------------	----	----	-------	-------	---	-----	-------	-----	------	--------

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW08S										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
ph-Field (standard units)							7.1			
Specific conductance-field (umhos/cm @ 25c)							832			
Temperature, water (degrees centigrade)							11			
Organic										
Tetrahydrofuran (ug/l)	50	10	<0.25 B	2.2 B	<0.5	<0.5	<0.5			

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW09B

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)							7.2	7.47	7.13	843.85
ph-Field (standard units)										7.24
Specific conductance-field (umhos/cm @ 25c)							443	971	854	757
Temperature, water (degrees centigrade)							9.9	10.4	11.3	14.7

Organic

1,2,4-Trimethylbenzene (ug/l)	480	96	<0.1	<0.1	<0.25	1.2	0.26 J	<0.2	<0.2	<0.2
1,2-Dichloroethane (ug/l)	5	0.5	<0.25	<0.25	<0.5	3.2	<0.5	<0.5	<0.5	<0.5
1,3,5-Trimethylbenzene (ug/l)	480	96	<0.1	<0.1	<0.25	1.5	<0.2	<0.2	<0.2	<0.2
Bromochloromethane (ug/l)			<0.25	<0.25	<0.5	0.66 J	<0.5	<0.5	<0.5	<0.5
Butylbenzene, sec- (ug/l)			<0.25	<0.25	<0.25	0.36 J	<0.25	<0.25	<0.25	<0.25
Chloromethane (ug/l)	3	0.3	<0.25	1.1	<0.25	3	<0.2	<0.2	<0.2	<0.2
cis-1,2-Dichloroethene (ug/l)	70	7	<0.25	0.29 J	<0.5	0.6 J	0.63 J	0.66 J	<0.5	0.68 J
Dichlorodifluoromethane (ug/l)	1000	200	4.9	5.7	4.9	11	8.4	3.1	16	6.6
Dichloromethane (ug/l)	5	0.5	1.7 B	0.6 JB	<1 B	<1	<1	<1 B	<1	<1
Ethylbenzene (ug/l)	700	140	<0.25	<0.25	<0.5	1.5 J	<0.5	<0.5	<0.5	<0.5
Fluorotrichloromethane (ug/l)	3490	698	4.4	3.7	3.8	7.2	6.2	5.6	7.6	4.5
Naphthalene (ug/l)	40	8	<0.25	<0.25	<0.25	0.41 J	<0.25	<0.25	<0.25 M	<0.25
Tetrahydrofuran (ug/l)	50	10	<0.25 B	2.2 B	<0.5	<0.5 B	<0.5	<0.5	<0.5	<0.5 P
Toluene (ug/l)	1000	200	<0.1	<0.1 B	2.4 B	0.76 B	0.21 J	<0.2	<0.2 B	<0.2
Xylenes (ug/l)	10000	1000	<0.25	<0.25	0.55 J	5.9	0.65 J	<0.5	<0.5	<0.5

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW09I										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
Groundwater elevation (ft MSL)										844.06
ph-Field (standard units)							7.2	7.05	7.19	7.37
Specific conductance-field (umhos/cm @ 25c)							1500	1009	893	808
Temperature, water (degrees centigrade)							10	10.3	10.2	11.7

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation. P Did not meet required preservation and/or hold time.
 B Compound detected in blank. M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW09I										
Organic										
1,2,3-Trichloropropane (ug/l)	60	12	<0.25	<0.25	0.57 J	0.66 J	<0.5	<0.5	<1	<1
1,2,4-Trimethylbenzene (ug/l)	480	96	<0.1	<0.1	<0.25	1	0.26 J	<0.2	<0.4	<0.4
1,2-Dichloroethane (ug/l)	5	0.5	<0.25	<0.25	<0.5	3.1	<0.5	<0.5	<1	<1
1,3,5-Trimethylbenzene (ug/l)	480	96	<0.1	<0.1	<0.25	1.3	<0.2	<0.2	<0.4	<0.4
Benzene (ug/l)	5	0.5	0.3 J	0.31 J	0.28 J	0.39 J	0.39 J	0.44 J	<0.4	<0.4
Bromoform (ug/l)			<0.25	<0.25	<0.5	0.65 J	<0.5	<0.5	<1	<1
Butylbenzene, sec- (ug/l)			<0.25	<0.25	<0.25	0.3 J	<0.25	<0.25	<0.5	<0.5
Chloroform (ug/l)	6	0.6	<0.25	<0.25 B	<0.25 B	0.23 JB	<0.2 B	<0.2 B	<0.4	<0.4
Chloromethane (ug/l)	3	0.3	<0.25	<0.25	<0.25	44	<0.2	<0.2	<0.4	<0.4
cis-1,2-Dichloroethylene (ug/l)	70	7	1.6	1.7	1.6 J	0.88 J	1.6 J	1.1 J	<1	<1
Dichlorodifluoromethane (ug/l)	1000	200	67	130	100	150	96	12	120	80
Dichloromethane (ug/l)	5	0.5	1.4 B	1.8 B	<1 B	<1	<1	<1 B	<2	<2
Ethylbenzene (ug/l)	700	140	<0.25	<0.25	<0.5	1.3 J	<0.5	<0.5	<1	<1
Fluorotrichloromethane (ug/l)	3490	698	3.7	4.6	3.7	4.4	3.6	<0.5	1.1 J	1 J
Naphthalene (ug/l)	40	8	<0.25	<0.25	<0.25	0.31 J	<0.25	<0.25	<0.5 M	<0.5
Tetrahydrofuran (ug/l)	50	10	7.9 B	8.2 B	7.8	6.3 B	6.6	6.7	<1	6.3 B
Toluene (ug/l)	1000	200	<0.1	<0.1 B	2.8 B	0.64 JB	0.27 J	<0.2	<0.4 B	<0.4
Trichloroethylene (ug/l)	5	0.5	0.96	0.95	1.1	1.4	1.3	0.58 J	0.54 J	0.8 J
Vinyl chloride (ug/l)	0.2	0.02	<0.25	<0.25	<0.5	0.27 J	0.25 J	<0.2	<0.4	<0.4
Xylenes (ug/l)	10000	1000	<0.25	<0.25	0.68 J	5	0.68 J	<0.5	<1	<1

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW09S										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
Groundwater elevation (ft MSL)										844.57
ph-Field (standard units)							7.1	7.29	6.96	7.78
Specific conductance-field (umhos/cm @ 25c)							536	856	761	658
Temperature, water (degrees centigrade)							10.3	11.5	9.9	11.7
Organic										
Benzene (ug/l)	5	0.5	0.72	<0.1	0.79 J	0.83	0.98	1.2	<1	<1
Dichlorodifluoromethane (ug/l)	1000	200	91	100	100	<0.5	130	33	220	200
Dichloromethane (ug/l)	5	0.5	1.5 B	0.65 JB	<1 B	<1	<1	<1 B	<5	<5
Fluorotrichloromethane (ug/l)	3490	698	<0.25	<0.25	<0.5	0.6 J	<0.5	<0.5	<2.5	<2.5
Tetrahydrofuran (ug/l)	50	10	14 B	4.4 B	14	11	11	12	<2.5	11 B
Trichloroethylene (ug/l)	5	0.5	<0.25	<0.25	0.26 J	0.51 J	0.22 J	<0.2	<1	<1

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW10D										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							707			
Temperature, water (degrees centigrade)							10.3			
Organic										
Tetrahydrofuran (ug/l)	50	10	<0.25 B	3.1 B	<0.5	<0.5	<0.5			

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW10I

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Comment, other									Yes	
Groundwater elevation (ft MSL)										845.86
ph-Field (standard units)							7.1	7.23		7.2
Specific conductance-field (umhos/cm @ 25c)							871	986		739
Temperature, water (degrees centigrade)							10.1	11		11.3

Organic

1,1-Dichloroethane (ug/l)	850	85	0.65 J	0.59 J	<0.5	0.58 J	<0.5	<0.5	<0.5	<0.5
Benzene (ug/l)	5	0.5	0.23 JB	<0.1	<0.25	<0.2	<0.2	0.24 J	<0.2	<0.2
cis-1,2-Dichloroethylene (ug/l)	70	7	1.7	1.7	1.2 J	1.5 J	1.3 J	1.2 J	0.74 J	0.92 J
Dichlorodifluoromethane (ug/l)	1000	200	110	130	91	79	110	120	120	99
Dichloromethane (ug/l)	5	0.5	<0.25 B	1.1 B	<1 B	<1	<1	<1 B	<1	<1
Fluorotrichloromethane (ug/l)	3490	698	<0.25	1.1	0.66 J	<0.5	0.67 J	0.58 J	<0.5	<0.5
Tetrachloroethylene (ug/l)	5	0.5	2.4 B	2.3	1.7	2.1 B	2.3	2.4 B	2.3	2.2
Tetrahydrofuran (ug/l)	50	10	7.7 B	11 B	5.5	5.7	5.1 B	4.6	<0.5	3.5 P
Trichloroethylene (ug/l)	5	0.5	1.6	1.7	1.2	1.5	1.5	1.4	1.1	1.1
Vinyl chloride (ug/l)	0.2	0.02	0.77 J	0.71 J	<0.5	0.58 J	0.49 J	0.47 J	<0.2	0.48 J

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW10S

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)							7.2	7.17	7.03	843.15
ph-Field (standard units)										7.33
Specific conductance-field (umhos/cm @ 25c)							314	871	744	669
Temperature, water (degrees centigrade)							10.2	11.3	8.4	11.3

Organic

cis-1,2-Dichloroethene (ug/l)	70	7	<0.25	0.38 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Dichlorodifluoromethane (ug/l)	1000	200	0.47 J	18	3.6	1.6 J	0.79 J	3.4	1.3 J	1.4 J
Dichloromethane (ug/l)	5	0.5	<0.25 B	0.36 JB	<1 B	<1	<1	<1 B	<1	<1
Tetrahydrofuran (ug/l)	50	10	20 B	3.5 B	1.3 J	<0.5	<0.5	0.84 J	<0.5	1 JP
Toluene (ug/l)	1000	200	<0.1 B	<0.1	<0.25 B	<0.2	<0.2	<0.2	0.36 JB	<0.2

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW13D

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							471			
Temperature, water (degrees centigrade)							10.1			

Organic

Dichlorodifluoromethane (ug/l)	1000	200	0.61 J	0.32 J	<0.5	<0.5	<0.5			
Tetrahydrofuran (ug/l)	50	10	9.3 B	1.4 B	<0.5	<0.5	<0.5			

MW13I

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

Groundwater elevation (ft MSL)										853.02
ph-Field (standard units)							6.9	7.21	7.11	5.75
Specific conductance-field (umhos/cm @ 25c)							614	786	690	510
Temperature, water (degrees centigrade)							9.9	10.1	10.2	14.9

Organic

Dichlorodifluoromethane (ug/l)	1000	200	0.8 J	1.9	1 J	1.4 J	1.2 J	1.3 J	3.3	1.2 J
Tetrahydrofuran (ug/l)	50	10	9.9 B	16 B	9.2	17	15	9.4	17	9.1 B

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW13S

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.3			
Specific conductance-field (umhos/cm @ 25c)							1145			
Temperature, water (degrees centigrade)							9.7			

Organic

Dichlorodifluoromethane (ug/l)	1000	200	<0.25	0.27 J	<0.5	<0.5	<0.5			
Tetrahydrofuran (ug/l)	50	10	<0.25 B	4 B	<0.5	<0.5	<0.5			

MW14D

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.1			
Specific conductance-field (umhos/cm @ 25c)							1030			
Temperature, water (degrees centigrade)							9.8			

Organic

Tetrahydrofuran (ug/l)	50	10	0.47 JB	3.7 B	<0.5	<0.5	<0.5			
------------------------	----	----	---------	-------	------	------	------	--	--	--

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW14I										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
Groundwater elevation (ft MSL)										844.19
ph-Field (standard units)							7.4	7.25	6.97	7.3
Specific conductance-field (umhos/cm @ 25c)							1414	871	758	710
Temperature, water (degrees centigrade)							10	9.7	9.3	12.5

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW14I										
Organic										
1,1-Dichloroethylene (ug/l)	7	0.7	<0.25	0.34 J	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5
1,2,3-Trichloropropane (ug/l)	60	12	<0.25	2	<0.5	<0.5	<0.5	<0.5	<2.5	<0.5
1,2,4-Trimethylbenzene (ug/l)	480	96	1.1	<0.1 B	<0.25	1.3	0.28 J	<0.2	<1	<0.2
1,3,5-Trimethylbenzene (ug/l)	480	96	0.28 J	<0.1	<0.25	0.33 J	<0.2	<0.2	<1	<0.2
Benzene (ug/l)	5	0.5	0.39 B	0.37	0.31 J	0.39 J	0.38 J	0.48 J	<1	<0.2
Butylbenzene, n- (ug/l)			<0.25	<0.25	<0.25	<0.2	<0.2	<0.2	1.1 J	<0.2
Chloroform (ug/l)	6	0.6	<0.25	<0.25	<0.25	0.23 JB	<0.2	<0.2 B	<1	<0.2
cis-1,2-Dichloroethene (ug/l)	70	7	1.1	1.3	0.8 J	0.79 J	0.64 J	0.61 J	<2.5	0.5 J
Dichlorodifluoromethane (ug/l)	1000	200	96	86	150	110	140	160	210	120
Dichloromethane (ug/l)	5	0.5	<0.25 B	1.4 B	<1 B	<1	<1	<1 B	<5	<1
Ethylbenzene (ug/l)	700	140	0.95	<0.25	<0.5	1.8	<0.5	<0.5	<2.5	<0.5
Naphthalene (ug/l)	40	8	0.27 J	<0.25	<0.25 B	0.47 J	<0.25	<0.25	<0.25	<0.25
Tetrachloroethylene (ug/l)	5	0.5	2.3 B	2	2	1.4 JB	1.8	1.4 JB	<2.5	1.1 J
Tetrahydrofuran (ug/l)	50	10	2.4 B	3.5 B	1.9	1.3 J	1 JB	1 J	1.3 J	2.4 JP
Toluene (ug/l)	1000	200	0.3 JB	<0.1 B	5 B	1	<0.2	<0.2	<1 B	<0.2
Trichloroethylene (ug/l)	5	0.5	3.6	3.7	2.6	2.3	2.5	1.8	<1	1.3
Vinyl chloride (ug/l)	0.2	0.02	<0.25	0.59 J	<0.5	0.5 J	0.32 J	0.43 J	<1	0.33 J
Xylenes (ug/l)	10000	1000	4.1 B	<0.25 B	0.99 J	7	0.95 J	<0.5	<2.5	<0.5

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW14S										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
Groundwater elevation (ft MSL)										844.27
ph-Field (standard units)							7.3	7.11	6.9	7.33
Specific conductance-field (umhos/cm @ 25c)							2157	575	584	580
Temperature, water (degrees centigrade)							10.2	11.6	8.9	12.9
Organic										
1,2,3-Trichloropropane (ug/l)	60	12	<0.25	2.4	<0.5	<0.5	<0.5	<0.5	<0.5	1.4 J
cis-1,2-Dichloroethene (ug/l)	70	7	0.52 J	0.57 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Dichlorodifluoromethane (ug/l)	1000	200	98	160	170	78	77	53	120	93
Dichloromethane (ug/l)	5	0.5	1.7 B	0.43 JB	<1 B	<1	<1	<1 B	<1	<1
Tetrachloroethylene (ug/l)	5	0.5	5 B	6.2	5.3	4.2 B	4.2	2.9 B	3.1	2.8
Tetrahydrofuran (ug/l)	50	10	<0.25 B	2.8 B	1.4 J	<0.5	<0.5 B	<0.5	<0.5	<0.5 P
Toluene (ug/l)	1000	200	<0.1	<0.1 B	<0.25 B	<0.2	<0.2	<0.2	0.38 JB	<0.2
Trichloroethylene (ug/l)	5	0.5	3.9	4.1	3.7	2.7	1.8	1.2	1.5	1.4

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
-------------------------	-----------	------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

MW15D

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.3			
Specific conductance-field (umhos/cm @ 25c)							571			
Temperature, water (degrees centigrade)							10.3			

Organic

Tetrahydrofuran (ug/l)	50	10	<0.25	3 B	<0.5	<0.5	<0.5			
------------------------	----	----	-------	-----	------	------	------	--	--	--

MW15I

Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
------------------	--	--	----------	----------	----------	----------	----------	----------	----------	----------

Field

ph-Field (standard units)							7.4			
Specific conductance-field (umhos/cm @ 25c)							443			
Temperature, water (degrees centigrade)							9.9			

Organic

Tetrahydrofuran (ug/l)	50	10	<0.25	3.6 B	<0.5	<0.5	<0.5			
------------------------	----	----	-------	-------	------	------	------	--	--	--

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

P Did not meet required preservation and/or hold time.

B Compound detected in blank.

M Failed method QC check.

Table 1
Historical Monitoring Results - Stoughton Landfill

Monitoring Wells	ES	PAL	Event 1	Event 2	Event 3	Event 4	Event 5	Event 6	Event 7	Event 8
MW15S										
Reporting Period			04/01/02	11/01/02	04/01/03	11/01/03	04/01/04	11/01/04	04/01/05	04/01/06
Field										
ph-Field (standard units)							7.2			
Specific conductance-field (umhos/cm @ 25c)							714			
Temperature, water (degrees centigrade)							10			
Organic										
Tetrahydrofuran (ug/l)	50	10	<0.25 B	3.3 B	<0.5	<0.5	<0.5			

Note: Only VOCs detected at each sampling point in at least one of the sampling events are shown.

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

Table 2
Summary of Field Parameters
Annual Groundwater Report
Stoughton City Landfill
BT² Project #1764
April 2006

Monitoring Well Number	Sampling Date	Depth to Water (ft.)	Total Depth (ft.)	Total Volume Purged (gal.)	Temperature (°C)	pH (s.u.)	Specific Conductivity (µs/cm)	Turbidity
MW3S	04/26/06	10.59	19.4	—	—	—	—	—
MW3D	04/26/06	10.45	73.0	40.0	13.8	7.25	1,113	None
MW3B	04/26/06	11.27	95.0	—	—	—	—	—
MW4S	04/26/06	7.90	15.2	—	—	—	—	—
MW4D	04/26/06	7.80	74.0	42.4	12.5	7.33	1,104	None
MW5S	04/26/06	7.83	16.6	—	—	—	—	—
MW5D	04/26/06	7.70	77.0	44.4	13.5	7.14	975	None
MW7S	04/26/06	4.58	15.1	—	—	—	—	—
MW7I	04/26/06	1.12	60.0	37.7	12.7	7.35	783	None
MW7B	04/26/06	0.00	—	—	—	—	—	—
MW8S	04/26/06	1.82	33.0	—	—	—	—	—
MW8I	04/26/06	1.71	62.4	116.5	14.1	7.13	987	None
MW8B	04/26/06	2.53	39.5	—	—	—	—	—
MW9S	04/26/06	2.66	13.4	6.9	11.7	7.78	658	Slight
MW9I	04/26/06	3.08	21.5	11.8	11.7	7.37	808	None
MW9B	04/26/06	2.83	83.3	51.5	14.7	7.24	757	None
MW10S	04/26/06	3.73	16.9	8.4	11.3	7.33	669	Slight
MW10I	04/26/06	0.00	39.8	Self Purging	11.3	7.20	739	None
MW10D	04/26/06	0.00	86.6	—	—	—	—	—
MW13S	04/26/06	1.39	16.7	—	—	—	—	—
MW13I	04/26/06	0.00	51.5	Self Purging	14.9	5.75	510	None
MW13D	04/26/06	0.00	95.6	—	—	—	—	—
MW14S	04/26/06	4.46	26.2	13.9	12.9	7.33	580	None
MW14I	04/26/06	3.19	51.2	30.7	12.5	7.30	710	None
MW14D	04/26/06	3.41	89.6	—	—	—	—	—
MW15S	04/26/06	—	16.6	—	—	—	—	—
MW15I	04/26/06	—	57.4	—	—	—	—	—
MW15D	04/26/06	—	85.9	—	—	—	—	—
MW7I DUP	04/26/06	—	—	—	—	—	—	—
MW10I DUP	04/26/06	—	—	—	—	—	—	—
Trip Blank	04/26/06	—	—	—	—	—	—	—
Field Blank	04/26/06	—	—	—	—	—	—	—

Notes:

1. — = Not sampled.

By: SS 7/5/06

Checked By: JSN 7/5/06

Table 3
Historical Target Compound Detections
Annual Groundwater Report
Stoughton City Landfill
BT² Project #1764

Well	Shallow Monitoring Wells			
	Current Event Concentration ($\mu\text{g/l}$)		Historical Range ($\mu\text{g/l}$)	
	DCDFM	THF	DCDFM	THF
MW3S	NA	NA	ND	ND
MW4S	NA	NA	ND	ND-0.84
MW5S	NA	NA	ND-5.2	ND
MW7S	NA	NA	ND	ND-0.87
MW8S	NA	NA	ND	ND
MW9S	200	11	33-400	4.4-22
MW10S	1.4	1.0	ND-20	ND-20
MW13S	NA	NA	ND	ND
MW14S	93	ND	18-710	ND-50
MW15S	NA	NA	ND	ND-0.76

Well	Intermediate and Deep Monitoring Wells			
	Current Event Concentration ($\mu\text{g/l}$)		Historical Range ($\mu\text{g/l}$)	
	DCDFM	THF	DCDFM	THF
MW3D	ND	31	ND	11-310
MW3B	NA	NA	ND	ND-1.9
MW4D	ND	2.2	ND	ND-2.2
MW5D	5.1	3.0	0.92-10	1.2-4.0
MW7I	ND	2.4	ND	ND-2.4
MW7B	NA	NA	ND	ND-1.7
MW8I	ND	ND	ND	1.3-20
MW8B	NA	NA	ND	ND
MW9I	80	6.3	12-340	5.3-12
MW9B	6.6	ND	3.1-16	ND-2.4
MW10I	99	3.5	91-280	4.6-21
MW10D	NA	NA	ND	ND
MW13I	1.2	9.1	ND-3.3	9.2-22
MW13D	NA	NA	ND-0.61	ND-9.3
MW14I	120	2.4	96-590	ND-2.4
MW14D	NA	NA	ND-1.5	ND-0.47
MW15I	NA	NA	ND	ND
MW15D	NA	NA	ND	ND

NOTES:

1. DCDFM is dichlorodifluoromethane; THF is tetrahydrofuran.
2. ND = No detections.
3. NA = Not analyzed.
4. DCDFM PAL = 200 $\mu\text{g/l}$; ES = 1,000 $\mu\text{g/l}$; THF PAL = 10 $\mu\text{g/l}$, ES = 50 $\mu\text{g/l}$.
5. Historical range includes 9 rounds of sampling performed by BT² (8/00, 4/01, 11/01, 4/02, 11/02, 4/03, 11/03, 4/04, 11/04) and two rounds performed by Roy F. Weston in April 1998 and April 1999.
6. Data from Roy F. Weston is summarized on Table 3 of the QAPP submitted September 2000.

By: SS 7/5/06

Checked: JSN 7/5/06

Table 4
Water Table Elevation Summary
April 2006 Annual Groundwater Monitoring Event
Stoughton City Landfill
BT², Inc. Project #1764

Well	DNR ID#	Measured Depth to Water (ft.)	Total Well Depth (ft)	Screen Length (ft)	Bottom of Screen Elevation	Ground Surface Elevation (ft)	Above-Ground Riser Height (ft)	New TOC Elevation (ft)	New GW Elevation (ft)
MW03D	112	10.45	73.0	10.00	--	857.07	1.90	855.17	844.72
MW04S	114	7.90	15.2	10.00	--	854.15	2.00	852.15	844.25
MW04D	115	7.80	74.0	10.00	--	854.17	2.09	852.08	844.28
MW05S	116	7.83	16.6	10.00	--	854.36	2.10	852.26	844.43
MW05D	117	7.70	77.0	10.00	--	854.15	1.80	852.35	844.65
MW07S	118	4.58	15.1	10.00	--	846.80	2.50	844.30	839.72
MW07I	119	1.12	60.0	10.00	--	846.69	2.70	843.99	842.87
MW07B	120	0.00	81.0	10.00	--	846.79	2.25	844.54	844.54
MW08S	121	1.82	33.0	10.00	--	--	1.85	845.91	844.09
MW08I	122	1.71	62.4	10.00	--	--	2.05	846.32	844.61
MW08B	123	2.53	39.5	10.00	--	848.28	2.10	846.18	843.65
MW09S	124	2.66	13.4	10.00	--	848.98	1.75	847.23	844.57
MW09I	125	3.08	21.5	10.00	--	849.18	2.04	847.14	844.06
MW09B	126	2.83	83.3	10.00	--	848.88	2.20	846.68	843.85
MW10S	127	3.73	16.9	10.00	829.98	--	2.35	846.88	843.15
MW10I	128	0.00	39.8	10.00	806.06	--	2.10	845.86	845.86
MW10D	129	0.00	86.6	10.00	758.64	--	2.25	845.24	845.24
MW13S	130	1.39	16.7	10.00	829.90	--	2.10	846.60	845.21
MW13I	131	0.00	57.5	10.00	795.52	--	2.35	853.02	853.02
MW13D	132	0.00	95.6	10.00	749.22	--	2.25	844.82	844.82
MW14S	133	4.46	26.2	10.00	--	--	2.40	848.73	844.27
MW14I	134	3.19	51.2	10.00	--	--	1.50	847.38	844.19
MW14D	135	3.41	89.6	10.00	--	--	--	847.06	843.65


By: S. Smith

Date: 6/22/06

Checked By: R. Langdon

FIGURE 1

Site Plan



ATTACHMENT A

Laboratory Analytical Report

TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WPD1110

Pg. 1 of 2

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name B T², Inc. Client #: _____

Address: 2830 Dairy Dr.

City/State/Zip Code: Madison WI 53718

Project Manager: L. Busse

Telephone Number: (608) 224-2830 Fax: (608) 224-2839

Sampler Name: (Print Name) S. S...m

Sampler Signature: D Anset

Project Name: Stoughton City LF

Project #: #1764

Site/Location ID: Stoughton State: WI

Report To: S. S...m - BT²

Invoice To: S. S...m - BT²

Quote #: Dated 10/5/05 PO#:

TAT	Standard	Rush (surcharges may apply)	Data Needed: <u>ZnK3</u>	Fax Results: Y <input checked="" type="checkbox"/> N	SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	SL - Sludge	DW - Drinking Water	S - Soil/Solid	Specify Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	Preservation & # of Containers		Analyze For:		QC Deliverables				
																					SI	GW - Groundwater	WW - Wastewater	OCOCN		THC	OCOCN	THC	
Trip Blank	4/26/06	0700	G N GW											X													None		
mw03 A		0930																										Level 2	
mw04 D		1015																										Initial QC	
mw05 D		1055																										Level 3	
mw07 I		1135																										Level 4	
mw07 I Ap.		1135																										Other:	
mw08 I		1300																										REMARKS	
mw09 S		1325													X													1 vial w/ Air bubble	
mw09 I		1415																	X										
mw09 B		1350													↓				X										
Special Instructions: <u>* Need GEMS Data Disc + Report</u>																							Level 3 Data	LABORATORY COMMENTS:					
Relinquished By: <u>K. L. Lone</u>	Date: <u>4/27</u>	Time: <u></u>	Received By: <u>Ray Way</u>	Date: <u>4/27/06</u>	Time: <u>9:29</u>																								Init Lab Temp:
Relinquished By: <u>Ray Way</u>	Date: <u>4/27/06</u>	Time: <u>1105</u>	Received By: <u>C. Tougt</u>	Date: <u>4/27/06</u>	Time: <u>10:30</u>																								Rec Lab Temp:
Relinquished By: <u></u>	Date: <u></u>	Time: <u></u>	Received By: <u></u>	Date: <u></u>	Time: <u></u>																								Custody Seals: Y <input checked="" type="checkbox"/> N <input type="checkbox"/> N/A <input type="checkbox"/>
																							Bottles Supplied by Test America: Y <input checked="" type="checkbox"/> N <input type="checkbox"/> N/A	Method of Shipment: <u>ST</u>					

CG 4/27

TestAmerica
ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 600-833-7036
Fax 920-261-8120

WPD1110

Pg. 2 of 2

Client Name: BT2

Client #: _____

Address: #1764

City/State/Zip Code: see PS-1

Project Manager: _____

Telephone Number: _____

Fax: _____

Sampler Name: (Print Name) _____

Sampler Signature: _____

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Project Name: Stoughton City LP

Project #: 1764

Site/Location ID: _____ State: _____

Report To: _____

Invoice To: _____

Quote #: _____ PO#: _____

TAT	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix	Preservation & # of Containers					Analyze For:										QC Deliverables								
						SL - Sludge	DW - Drinking Water	S - Soil/Solid	Other	HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	VOC's (8260)	Quench	T-HC only (8260)										
Standard												X																	
Rush (surcharges may apply)												X																	
Data Needed: _____												X																	
Fax Results: Y N												X																	
SAMPLE ID												X																	
mw10S	4/26/06	1435	C N	GW		2						X																	
mw10 I		1445										X																	
mw10 I Ap.		1445										X																	
mw13 I		1510										X																	
mw14S		1535										X																	
mw14 I		1610										X																	
Field Blank		1530										X																	
Special Instructions:																			LABORATORY COMMENTS:										
Relinquished By: <u>K. Lone</u>	Date: <u>4/27</u>	Time: <u>11:05</u>	Received By: <u>Ray Wray</u>	Date: <u>4/27/06</u>	Time: <u>9:20</u>																			Init Lab Temp: <u>Ice</u>					
Relinquished By: <u>Ray Wray</u>	Date: <u>4/27/06</u>	Time: <u>11:05</u>	Received By: <u></u>	Date: <u></u>	Time: <u></u>																			Rec Lab Temp: <u></u>					
Relinquished By: <u>Ray Wray</u>	Date: <u>4/27/06</u>	Time: <u>12:30</u>	Received By: <u>J. T. Wright</u>	Date: <u>4/27/06</u>	Time: <u>12:30</u>																			Custody Seals: Y N N/A	Bottles Supplied by Test America: Y N				
																		Method of Shipment: <u>8 ft</u>											

CG 4/27

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

May 15, 2006

Client: BT2, INC.
2830 Dairy Drive
Madison, WI 53718 Work Order: WPD1110
Project Name: 1764 Stoughton Landfill
Project Number: 1764

Attn: Mr. Steve Smith Date Received: 04/27/06

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
TRIP BLANK	WPD1110-01	04/26/06 07:00
MW3D	WPD1110-02	04/26/06 09:30
MW4D	WPD1110-03	04/26/06 10:15
MW5D	WPD1110-04	04/26/06 10:55
MW7I	WPD1110-05	04/26/06 11:35
MW7I Dup	WPD1110-06	04/26/06 11:35
MW8I	WPD1110-07	04/26/06 13:00
MW9S	WPD1110-08	04/26/06 13:25
MW9I	WPD1110-09	04/26/06 14:15
MW9B	WPD1110-10	04/26/06 13:50
MW10S	WPD1110-11	04/26/06 14:35
MW10I	WPD1110-12	04/26/06 14:45
MW10I Dup	WPD1110-13	04/26/06 14:45
MW13I	WPD1110-14	04/26/06 15:10
MW14S	WPD1110-15	04/26/06 15:35
MW14I	WPD1110-16	04/26/06 16:10
FIELD BLANK	WPD1110-17	04/26/06 15:30

Case Narrative: Amended Report

The Tetrahydrofuran results for select samples have been reported with an H flag. These samples were analyzed two days past hold for Tetrahydrofuran. The first analysis of these samples were performed on an instrument that was not calibrated for Tetrahydrofuran due to a lab error.

Tetrahydrofuran results for run batch 6050063 have been B flagged for a hit in the instrument blank of 2.7 ug/L. Low level Tetrahydrofuran values may be a result of instrument contamination. Hits of less than 3.0 ug/L are considered to be low level. Hits found in samples above a level of 3.0 ug/L are typically not associated with instrument contamination.

Samples were received into laboratory on ice.

Wisconsin Certification Number: 128053530, DATCP #266

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Approved By:



TestAmerica Analytical - Watertown
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith,

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-01 (TRIP BLANK - Ground Water)									Sampled: 04/26/06 07:00	
Sample Location: 00133999										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/02/06 12:51	MAE	6050063	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/02/06 12:51	MAE	6050063	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-01 (TRIP BLANK - Ground Water) - cont.										
Sample Location: 00133999										
VOCs by SW8260B - cont.										
Tetrahydrofuran	<0.50	B	ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 12:51	MAE	6050063	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/02/06 12:51	MAE	6050063	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/02/06 12:51	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	102 %									
Surr: Toluene-d8 (91-109%)	90 %									
Surr: 4-Bromofluorobenzene (89-114%)	96 %									
Sample ID: WPD1110-02 (MW3D - Ground Water)										
Sample Location: 00133112										
VOCs by SW8260B										
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:19	MAE	6050063	SW 8260B
Tetrahydrofuran	31	B	ug/L	0.50	1.7	1	05/02/06 13:19	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	103 %									
Surr: Toluene-d8 (91-109%)	90 %	Z6								
Surr: 4-Bromofluorobenzene (89-114%)	97 %									
Sample ID: WPD1110-03 (MW4D - Ground Water)										
Sample Location: 00133115										
VOCs by SW8260B										
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:48	MAE	6050063	SW 8260B
Tetrahydrofuran	2.2	B	ug/L	0.50	1.7	1	05/02/06 13:48	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	104 %									
Surr: Toluene-d8 (91-109%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	96 %									
Sample ID: WPD1110-04 (MW5D - Ground Water)										
Sample Location: 00133117										
VOCs by SW8260B										
Dichlorodifluoromethane	5.1		ug/L	0.50	1.7	1	05/02/06 14:16	MAE	6050063	SW 8260B
Tetrahydrofuran	3.0	B	ug/L	0.50	1.7	1	05/02/06 14:16	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	104 %									
Surr: Toluene-d8 (91-109%)	91 %									
Surr: 4-Bromofluorobenzene (89-114%)	97 %									
Sample ID: WPD1110-05 (MW7I - Ground Water)										
Sample Location: 00133119										
VOCs by SW8260B										
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 14:45	MAE	6050063	SW 8260B
Tetrahydrofuran	2.4	B	ug/L	0.50	1.7	1	05/02/06 14:45	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	107 %									

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Seq/ Analyst	Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	--------------	-------	--------

Sample ID: WPD1110-05 (MW7I - Ground Water) - cont.

Sampled: 04/26/06 11:35

VOCs by SW8260B - cont.

Surr: Toluene-d8 (91-109%) 89 % Z6
Surr: 4-Bromofluorobenzene (89-114%) 96 %

Sample ID: WPD1110-06 (MW7I Dup - Ground Water)

Sampled: 04/26/06 11:35

Sample Location: 00133119

VOCs by SW8260B

Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 15:21	MAE	6050063	SW 8260B
Tetrahydrofuran	2.2	B	ug/L	0.50	1.7	1	05/02/06 15:21	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	105 %									
Surr: Toluene-d8 (91-109%)	90 %	Z6								
Surr: 4-Bromofluorobenzene (89-114%)	97 %									

Sample ID: WPD1110-07 (MW8I - Ground Water)

Sampled: 04/26/06 13:00

Sample Location: 00133122

VOCs by SW8260B

Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 15:49	MAE	6050063	SW 8260B
Tetrahydrofuran	<0.50	B	ug/L	0.50	1.7	1	05/02/06 15:49	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	91 %									
Surr: 4-Bromofluorobenzene (89-114%)	96 %									

Sample ID: WPD1110-08 (MW9S - Ground Water)

Sampled: 04/26/06 13:25

Sample Location: 00133124

VOCs by SW8260B

Benzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Bromobenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Bromochloromethane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Bromodichloromethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Bromoform	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Bromomethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
n-Butylbenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
sec-Butylbenzene	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
tert-Butylbenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Carbon Tetrachloride	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Chlorobenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Chlorodibromomethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Chloroethane	<5.0		ug/L	1.0	3.3	5	05/02/06 16:46	MAE	6050063	SW 8260B
Chloroform	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Chloromethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
2-Chlorotoluene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
4-Chlorotoluene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2-Dibromo-3-chloropropane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2-Dibromoethane (EDB)	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Dibromomethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2-Dichlorobenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,3-Dichlorobenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,4-Dichlorobenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Dichlorodifluoromethane	200		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1-Dichloroethane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2-Dichloroethane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-08 (MW9S - Ground Water) - cont.										
Sample Location: 00133124										
Sampled: 04/26/06 13:25										
VOCS by SW8260B - cont.										
1,1-Dichloroethene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
cis-1,2-Dichloroethene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
trans-1,2-Dichloroethene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2-Dichloropropane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,3-Dichloropropane	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
2,2-Dichloropropane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1-Dichloropropene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
cis-1,3-Dichloropropene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
trans-1,3-Dichloropropene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Isopropyl Ether	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Ethylbenzene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Hexachlorobutadiene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Isopropylbenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
p-Isopropyltoluene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Methylene Chloride	<5.0		ug/L	1.0	3.3	5	05/02/06 16:46	MAE	6050063	SW 8260B
Methyl tert-Butyl Ether	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Naphthalene	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
n-Propylbenzene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Styrene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1,1,2-Tetrachloroethane	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1,2,2-Tetrachloroethane	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Tetrachloroethene	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Tetrahydrofuran	11	B	ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Toluene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2,3-Trichlorobenzene	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2,4-Trichlorobenzene	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1,1-Trichloroethane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,1,2-Trichloroethane	<1.2		ug/L	0.25	0.83	5	05/02/06 16:46	MAE	6050063	SW 8260B
Trichloroethene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Trichlorofluoromethane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2,3-Trichloropropane	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,2,4-Trimethylbenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
1,3,5-Trimethylbenzene	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Vinyl chloride	<1.0		ug/L	0.20	0.67	5	05/02/06 16:46	MAE	6050063	SW 8260B
Xylenes, Total	<2.5		ug/L	0.50	1.7	5	05/02/06 16:46	MAE	6050063	SW 8260B
Surr: Dibromofluoromethane (89-119%)	106 %									
Surr: Toluene-d8 (91-109%)	91 %									
Surr: 4-BromoFluorobenzene (89-114%)	97 %									

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Seq/ Analyst	Batch	Method
Sample ID: WPD1110-09 (MW9I - Ground Water)										
Sample Location: 00133125										
VOCs by SW8260B										
Benzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Bromobenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Bromoform	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Bromomethane	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Chlorobenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Chlorodibromomethane	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Chloroethane	<2.0		ug/L	1.0	3.3	2	05/02/06 16:17	MAE	6050063	SW 8260B
Chloroform	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Chloromethane	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
2-Chlorotoluene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
4-Chlorotoluene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2-Dibromo-3-chloropropane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2-Dibromoethane (EDB)	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Dibromomethane	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2-Dichlorobenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,3-Dichlorobenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,4-Dichlorobenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Dichlorodifluoromethane	80		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1-Dichloroethane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2-Dichloroethane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1-Dichloroethene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
cis-1,2-Dichloroethene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
trans-1,2-Dichloroethene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2-Dichloropropane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,3-Dichloropropane	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
2,2-Dichloropropane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1-Dichloropropene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
cis-1,3-Dichloropropene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
trans-1,3-Dichloropropene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Isopropyl Ether	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Ethylbenzene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Hexachlorobutadiene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Isopropylbenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
p-Isopropyltoluene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Methylene Chloride	<2.0		ug/L	1.0	3.3	2	05/02/06 16:17	MAE	6050063	SW 8260B
Methyl tert-Butyl Ether	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Naphthalene	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
n-Propylbenzene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Styrene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1,1,2-Tetrachloroethane	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1,2,2-Tetrachloroethane	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Tetrachloroethene	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Tetrahydrofuran	6.3	B	ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Toluene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WPD1110-09 (MW91 - Ground Water) - cont.

Sampled: 04/26/06 14:15

Sample Location: 00133125

VOCs by SW8260B - cont.

1,2,3-Trichlorobenzene	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2,4-Trichlorobenzene	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1,1-Trichloroethane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,1,2-Trichloroethane	<0.50		ug/L	0.25	0.83	2	05/02/06 16:17	MAE	6050063	SW 8260B
Trichloroethene	0.80	J	ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Trichlorofluoromethane	1.0	J	ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2,3-Trichloropropane	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,2,4-Trimethylbenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
1,3,5-Trimethylbenzene	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Vinyl chloride	<0.40		ug/L	0.20	0.67	2	05/02/06 16:17	MAE	6050063	SW 8260B
Xylenes, Total	<1.0		ug/L	0.50	1.7	2	05/02/06 16:17	MAE	6050063	SW 8260B
Surr: Dibromoform (89-119%)	100 %									
Surr: Toluene-d8 (91-109%)	93 %									
Surr: 4-Bromoform (89-114%)	96 %									

Sample ID: WPD1110-10 (MW9B - Ground Water)

Sampled: 04/26/06 13:50

Sample Location: 00133126

VOCs by SW8260B

Benzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	I	05/02/06 13:10	LG	6050069	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	I	05/02/06 13:10	LG	6050069	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 13:10	LG	6050069	SW 8260B
Dichlorodifluoromethane	6.6		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
cis-1,2-Dichloroethene	0.68	J	ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	I	05/02/06 13:10	LG	6050069	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	I	05/02/06 13:10	LG	6050069	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-10 (MW9B - Ground Water) - cont.										
Sample Location: 00133126										
VOCS by SW8260B - cont.										
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/02/06 13:10	LG	6050069	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:10	LG	6050069	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 13:10	LG	6050069	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Tetrachloroethene	<0.50	H	ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Tetrahydrofuran	<0.50	H	ug/L	0.50	1.7	1	05/12/06 16:34	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:10	LG	6050069	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:10	LG	6050069	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 13:10	LG	6050069	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Trichlorofluoromethane	4.5		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/02/06 13:10	LG	6050069	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/02/06 13:10	LG	6050069	SW 8260B
Surr: Dibromo fluromethane (89-1119%)	103 %									
Surr: Dibromo fluromethane (89-1119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	100 %									
Surr: Toluene-d8 (91-109%)	98 %	H								
Surr: 4-Bromo fluoro benzene (89-1119%)	92 %									
Surr: 4-Bromo fluoro benzene (89-1119%)	103 %	H								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-11 (MW10S - Ground Water)										
	Sample Location: 00133127									
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/02/06 13:41	LG	6050069	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Dichlorodifluoromethane	1.4	J	ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/02/06 13:41	LG	6050069	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Tetrahydrofuran	1.0	J,H	ug/L	0.50	1.7	1	05/12/06 17:02	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WPD1110-11 (MW10S - Ground Water) - cont.

Sampled: 04/26/06 14:35

Sample Location: 00133127

VOCs by SW8260B - cont.

1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 13:41	LG	6050069	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/02/06 13:41	LG	6050069	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/02/06 13:41	LG	6050069	SW 8260B
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Dibromofluoromethane (89-119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	101 %									
Surr: Toluene-d8 (91-109%)	96 %	H								
Surr: 4-Bromo fluorobenzene (89-114%)	93 %									
Surr: 4-Bromo fluorobenzene (89-114%)	105 %	H								

Sample ID: WPD1110-12RE1 (MW10I - Ground Water)

Sampled: 04/26/06 14:45

Sample Location: 00133128

VOCs by SW8260B

Benzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/03/06 14:50	LG	6050125	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Dichlorodifluoromethane	99	J	ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
cis-1,2-Dichloroethene	0.92	J	ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPD1110-12RE1 (MW101 - Ground Water) - cont.										
Sample Location: 00133128										
Sampled: 04/26/06 14:45										
VOCs by SW8260B - cont.										
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/03/06 14:50	LG	6050125	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Tetrachloroethene	2.2		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Tetrahydrofuran	3.5	H	ug/L	0.50	1.7	1	05/12/06 15:38	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/03/06 14:50	LG	6050125	SW 8260B
Trichloroethene	1.1		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Vinyl chloride	0.48	J	ug/L	0.20	0.67	1	05/03/06 14:50	LG	6050125	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/03/06 14:50	LG	6050125	SW 8260B
Surr: Dibromoformate (89-119%)	101 %									
Surr: Dibromoformate (89-119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	101 %									
Surr: Toluene-d8 (91-109%)	99 %	H								
Surr: 4-Bromofluorobenzene (89-114%)	92 %									
Surr: 4-Bromofluorobenzene (89-114%)	103 %	H								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPD1110-13RE1 (MW101 Dup - Ground Water)									Sampled: 04/26/06 14:45	
Sample Location: 00133128										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Bromomethane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/03/06 15:21	LG	6050125	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Dichlorodifluoromethane	100		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
cis-1,2-Dichloroethene	0.93	J	ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/03/06 15:21	LG	6050125	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/03/06 15:21	LG	6050125	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/03/06 15:21	LG	6050125	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/03/06 15:21	LG	6050125	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B
Tetrachloroethene	2.2		ug/L	0.50	1.7	1	05/03/06 15:21	LG	6050125	SW 8260B
Tetrahydrofuran	3.8	H	ug/L	0.50	1.7	1	05/12/06 16:06	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/03/06 15:21	LG	6050125	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky
Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-13RE1 (MW10) Dup - Ground Water) - cont.										
Sample Location: 00133128										
VOCs by SW8260B - cont.										
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:21	LG	6050125	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:21	LG	6050125	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:21	LG	6050125	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	I	05/03/06 15:21	LG	6050125	SW 8260B
Trichloroethylene	1.1		ug/L	0.20	0.67	I	05/03/06 15:21	LG	6050125	SW 8260B
Trichlorofluoromethane	0.54	J	ug/L	0.50	1.7	I	05/03/06 15:21	LG	6050125	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:21	LG	6050125	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:21	LG	6050125	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:21	LG	6050125	SW 8260B
Vinyl chloride	0.32	J	ug/L	0.20	0.67	I	05/03/06 15:21	LG	6050125	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	I	05/03/06 15:21	LG	6050125	SW 8260B
Surr: Dibromofluoromethane (89-119%)	104 %									
Surr: Dibromofluoromethane (89-119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	100 %									
Surr: Toluene-d8 (91-109%)	98 %	H								
Surr: 4-Bromo fluoro benzene (89-114%)	93 %									
Surr: 4-Bromo fluoro benzene (89-114%)	103 %	H								
Sample ID: WPD1110-14 (MW13I - Ground Water)										
Sample Location: 00133131										
VOCs by SW8260B										
Dichlorodifluoromethane	1.2	J	ug/L	0.50	1.7	I	05/03/06 22:17	mae	6050107	SW 8260B
Tetrahydrofuran	9.1	B	ug/L	0.50	1.7	I	05/03/06 22:17	mae	6050107	SW 8260B
Surr: Dibromo fluoro benzene (89-119%)	108 %									
Surr: Toluene-d8 (91-109%)	101 %									
Surr: 4-Bromo fluoro benzene (89-114%)	102 %									
Sample ID: WPD1110-15RE1 (MW14S - Ground Water)										
Sample Location: 00133133										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Bromo-chloromethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Bromo-dichloromethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Chloro-dibromomethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	I	05/03/06 15:51	LG	6050125	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-15RE1 (MW14S - Ground Water) - cont.										
Sample Location: 00133133										
Sampled: 04/26/06 15:35										
VOCs by SW8260B - cont.										
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Dichlorodifluoromethane	93		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	I	05/03/06 15:51	LG	6050125	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Tetrachloroethene	2.8		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Tetrahydrofuran	<0.50	H	ug/L	0.50	1.7	I	05/12/06 15:09	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	I	05/03/06 15:51	LG	6050125	SW 8260B
Trichloroethene	1.4		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2,3-Trichloropropane	1.4	J	ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	I	05/03/06 15:51	LG	6050125	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	I	05/03/06 15:51	LG	6050125	SW 8260B
Surr: Dibromoefluoromethane (89-119%)	107 %									
Surr: Dibromoefluoromethane (89-119%)	103 %	H								
Surr: Toluene-d8 (91-109%)	102 %									
Surr: Toluene-d8 (91-109%)	98 %	H								
Surr: 4-Bromofluorobenzene (89-114%)	94 %									
Surr: 4-Bromofluorobenzene (89-114%)	104 %	H								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-16RE1 (MW14I - Ground Water)									Sampled: 04/26/06 16:10	
Sample Location: 00133134										
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	05/03/06 16:22	LG	6050125	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	05/03/06 16:22	LG	6050125	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Dichlorodifluoromethane	120		ug/L	0.50	1.7	5	05/02/06 18:47	LG	6050069	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,1-Dichloroethene	<0.50	J	ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
cis-1,2-Dichloroethene	0.50	J	ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/03/06 16:22	LG	6050125	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/03/06 16:22	LG	6050125	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/03/06 16:22	LG	6050125	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/03/06 16:22	LG	6050125	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B
Tetrachloroethene	1.1	J	ug/L	0.50	1.7	1	05/03/06 16:22	LG	6050125	SW 8260B
Tetrahydrofuran	2.4	J,H	ug/L	0.50	1.7	2	05/12/06 17:58	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/03/06 16:22	LG	6050125	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
---------	---------------	-----------------	-------	-----	-----	-----------------	---------------	---------	-----------	--------

Sample ID: WPD1110-16RE1 (MW14I - Ground Water) - cont.

Sampled: 04/26/06 16:10

Sample Location: 00133134

VOCs by SW8260B - cont.

1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 16:22	LG	6050125	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	I	05/03/06 16:22	LG	6050125	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	I	05/03/06 16:22	LG	6050125	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	I	05/03/06 16:22	LG	6050125	SW 8260B
Trichloroethene	1.3		ug/L	0.20	0.67	I	05/03/06 16:22	LG	6050125	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	I	05/03/06 16:22	LG	6050125	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	I	05/03/06 16:22	LG	6050125	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 16:22	LG	6050125	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	I	05/03/06 16:22	LG	6050125	SW 8260B
Vinyl chloride	0.33	J	ug/L	0.20	0.67	I	05/03/06 16:22	LG	6050125	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	I	05/03/06 16:22	LG	6050125	SW 8260B
Surr: Dibromofluoromethane (89-119%)	104 %									
Surr: Dibromofluoromethane (89-119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	100 %									
Surr: Toluene-d8 (91-109%)	98 %	H								
Surr: 4-Bromo fluoro benzene (89-111%)	90 %									
Surr: 4-Bromo fluoro benzene (89-111%)	103 %	H								

Sample ID: WPD1110-17 (FIELD BLANK - Ground Water)

Sampled: 04/26/06 15:30

Sample Location: 00133997

VOCs by SW8260B

Benzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
Bromodichloromethane	0.67		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Bromoform	1.6		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	I	05/02/06 11:37	LG	6050069	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Chlorodibromomethane	1.5		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	I	05/02/06 11:37	LG	6050069	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	I	05/02/06 11:37	LG	6050069	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	I	05/02/06 11:37	LG	6050069	SW 8260B

TestAmerica Analytical - Watertown

Brian DeJong For Dan F. Milewsky

Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/Batch	Method
Sample ID: WPD1110-17 (FIELD BLANK - Ground Water) - cont.										
Sample Location: 00133997										
Sampled: 04/26/06 15:30										
VOCs by SW8260B - cont.										
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	05/02/06 11:37	LG	6050069	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Tetrachloroethene	0.98	J	ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Tetrahydrofuran	<0.50	H	ug/L	0.50	1.7	1	05/12/06 17:30	ABA	6050438	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	05/02/06 11:37	LG	6050069	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	05/02/06 11:37	LG	6050069	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	05/02/06 11:37	LG	6050069	SW 8260B
Surr: Dibromoformmethane (89-119%)	103 %									
Surr: Dibromoformmethane (89-119%)	102 %	H								
Surr: Toluene-d8 (91-109%)	101 %									
Surr: Toluene-d8 (91-109%)	97 %	H								
Surr: 4-Bromoformbenzene (89-114%)	95 %									
Surr: 4-Bromoformbenzene (89-114%)	103 %	H								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6050063			ug/L	0.20	0.67	<0.20						
Bromobenzene	6050063			ug/L	0.20	0.67	<0.20						
Bromochloromethane	6050063			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	6050063			ug/L	0.20	0.67	<0.20						
Bromoform	6050063			ug/L	0.20	0.67	<0.20						
Bromomethane	6050063			ug/L	0.20	0.67	<0.20						
2-Butanone (MEK)	6050063			ug/L	0.50	1.7	<0.50						
n-Butylbenzene	6050063			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	6050063			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	6050063			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	6050063			ug/L	0.50	1.7	<0.50						
Chlorobenzene	6050063			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	6050063			ug/L	0.20	0.67	<0.20						
Chloroethane	6050063			ug/L	1.0	3.3	<1.0						
Chloroform	6050063			ug/L	0.20	0.67	<0.20						
Chloromethane	6050063			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	6050063			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	6050063			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	6050063			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	6050063			ug/L	0.20	0.67	<0.20						
Dibromomethane	6050063			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	6050063			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	6050063			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	6050063			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	6050063			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	6050063			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	6050063			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	6050063			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	6050063			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	6050063			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	6050063			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	6050063			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	6050063			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	6050063			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	6050063			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	6050063			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	6050063			ug/L	0.50	1.7	<0.50						
Ethylbenzene	6050063			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	6050063			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	6050063			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	6050063			ug/L	0.20	0.67	<0.20						
Methylene Chloride	6050063			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	6050063			ug/L	0.50	1.7	<0.50						
Naphthalene	6050063			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	6050063			ug/L	0.50	1.7	<0.50						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Styrene	6050063			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	6050063			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	6050063			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	6050063			ug/L	0.50	1.7	<0.50						
Tetrahydrofuran	6050063			ug/L	0.50	1.7	2.67						B
Toluene	6050063			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	6050063			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	6050063			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	6050063			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	6050063			ug/L	0.25	0.83	<0.25						
Trichloroethene	6050063			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	6050063			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	6050063			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	6050063			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	6050063			ug/L	0.20	0.67	<0.20						
Vinyl chloride	6050063			ug/L	0.20	0.67	<0.20						
Xylenes, Total	6050063			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromo fluromethane	6050063			ug/L				101		89-119			
Surrogate: Toluene-d8	6050063			ug/L					92	91-109			
Surrogate: 4-Bromo fluoro benzene	6050063			ug/L					96	89-114			
Benzene	6050069			ug/L	0.20	0.67	<0.20						
Bromobenzene	6050069			ug/L	0.20	0.67	<0.20						
Bromo chloromethane	6050069			ug/L	0.50	1.7	<0.50						
Bromo dichloromethane	6050069			ug/L	0.20	0.67	<0.20						
Bromoform	6050069			ug/L	0.20	0.67	<0.20						
Bromomethane	6050069			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	6050069			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	6050069			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	6050069			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	6050069			ug/L	0.50	1.7	<0.50						
Chlorobenzene	6050069			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	6050069			ug/L	0.20	0.67	<0.20						
Chloroethane	6050069			ug/L	1.0	3.3	<1.0						
Chloroform	6050069			ug/L	0.20	0.67	<0.20						
Chloromethane	6050069			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	6050069			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	6050069			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	6050069			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	6050069			ug/L	0.20	0.67	<0.20						
Dibromomethane	6050069			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	6050069			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	6050069			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	6050069			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	6050069			ug/L	0.50	1.7	<0.50						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analvte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1-Dichloroethane	6050069			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	6050069			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	6050069			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	6050069			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	6050069			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	6050069			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	6050069			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	6050069			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	6050069			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	6050069			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	6050069			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	6050069			ug/L	0.50	1.7	<0.50						
Ethylbenzene	6050069			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	6050069			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	6050069			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	6050069			ug/L	0.20	0.67	<0.20						
Methylene Chloride	6050069			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	6050069			ug/L	0.50	1.7	<0.50						
Naphthalene	6050069			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	6050069			ug/L	0.50	1.7	<0.50						
Styrene	6050069			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	6050069			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	6050069			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	6050069			ug/L	0.50	1.7	<0.50						
Tetrahydrofuran	6050069			ug/L	0.50	1.7	<0.50						
Toluene	6050069			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	6050069			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	6050069			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	6050069			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	6050069			ug/L	0.25	0.83	<0.25						
Trichloroethene	6050069			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	6050069			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	6050069			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	6050069			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	6050069			ug/L	0.20	0.67	<0.20						
Vinyl chloride	6050069			ug/L	0.20	0.67	<0.20						
Xylenes, Total	6050069			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromoformmethane	6050069			ug/L				102		89-119			
Surrogate: Toluene-d8	6050069			ug/L				100		91-109			
Surrogate: 4-Bromofluorobenzene	6050069			ug/L				96		89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6050107			ug/L	0.20	0.67	<0.20						
Bromobenzene	6050107			ug/L	0.20	0.67	<0.20						
Bromo-chloromethane	6050107			ug/L	0.50	1.7	<0.50						
Bromo-dichloromethane	6050107			ug/L	0.20	0.67	<0.20						
Bromoform	6050107			ug/L	0.20	0.67	<0.20						
Bromo-methane	6050107			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	6050107			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	6050107			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	6050107			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	6050107			ug/L	0.50	1.7	<0.50						
Chlorobenzene	6050107			ug/L	0.20	0.67	<0.20						
Chloro-dibromomethane	6050107			ug/L	0.20	0.67	<0.20						
Chloroethane	6050107			ug/L	1.0	3.3	<1.0						
Chloroform	6050107			ug/L	0.20	0.67	<0.20						
Chloro-methane	6050107			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	6050107			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	6050107			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	6050107			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	6050107			ug/L	0.20	0.67	<0.20						
Dibromomethane	6050107			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	6050107			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	6050107			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	6050107			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	6050107			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	6050107			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	6050107			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	6050107			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	6050107			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	6050107			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	6050107			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	6050107			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	6050107			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	6050107			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	6050107			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	6050107			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	6050107			ug/L	0.50	1.7	<0.50						
Ethylbenzene	6050107			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	6050107			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	6050107			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	6050107			ug/L	0.20	0.67	<0.20						
Methylene Chloride	6050107			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	6050107			ug/L	0.50	1.7	<0.50						
Naphthalene	6050107			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	6050107			ug/L	0.50	1.7	<0.50						
Styrene	6050107			ug/L	0.20	0.67	<0.20						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,1,2-Tetrachloroethane	6050107			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	6050107			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	6050107			ug/L	0.50	1.7	<0.50						
Tetrahydrofuran	6050107			ug/L	0.50	1.7	0.740						
Toluene	6050107			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	6050107			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	6050107			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	6050107			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	6050107			ug/L	0.25	0.83	<0.25						
Trichloroethene	6050107			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	6050107			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	6050107			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	6050107			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	6050107			ug/L	0.20	0.67	<0.20						
Vinyl chloride	6050107			ug/L	0.20	0.67	<0.20						
Xylenes, Total	6050107			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	6050107			ug/L				118		89-119			
Surrogate: Toluene-d8	6050107			ug/L				101		91-109			
Surrogate: 4-Bromo fluoro benzene	6050107			ug/L				106		89-114			
Benzene	6050125			ug/L	0.20	0.67	<0.20						
Bromobenzene	6050125			ug/L	0.20	0.67	<0.20						
Bromochloromethane	6050125			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	6050125			ug/L	0.20	0.67	<0.20						
Bromoform	6050125			ug/L	0.20	0.67	<0.20						
Bromomethane	6050125			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	6050125			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	6050125			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	6050125			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	6050125			ug/L	0.50	1.7	<0.50						
Chlorobenzene	6050125			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	6050125			ug/L	0.20	0.67	<0.20						
Chloroethane	6050125			ug/L	1.0	3.3	<1.0						
Chloroform	6050125			ug/L	0.20	0.67	<0.20						
Chloromethane	6050125			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	6050125			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	6050125			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	6050125			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	6050125			ug/L	0.20	0.67	<0.20						
Dibromomethane	6050125			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	6050125			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	6050125			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	6050125			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	6050125			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	6050125			ug/L	0.50	1.7	<0.50						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup. %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	6050125			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	6050125			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	6050125			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	6050125			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	6050125			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	6050125			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	6050125			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	6050125			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	6050125			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	6050125			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	6050125			ug/L	0.50	1.7	<0.50						
Ethylbenzene	6050125			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	6050125			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	6050125			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	6050125			ug/L	0.20	0.67	<0.20						
Methylene Chloride	6050125			ug/L	1.0	3.3	<1.0						
Methyl teri-Butyl Ether	6050125			ug/L	0.50	1.7	<0.50						
Naphthalene	6050125			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	6050125			ug/L	0.50	1.7	<0.50						
Styrene	6050125			ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	6050125			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	6050125			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	6050125			ug/L	0.50	1.7	<0.50						
Tetrahydrofuran	6050125			ug/L	0.50	1.7	<0.50						
Toluene	6050125			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	6050125			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	6050125			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	6050125			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	6050125			ug/L	0.25	0.83	<0.25						
Trichloroethene	6050125			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	6050125			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	6050125			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	6050125			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	6050125			ug/L	0.20	0.67	<0.20						
Vinyl chloride	6050125			ug/L	0.20	0.67	<0.20						
Xylenes, Total	6050125			ug/L	0.50	1.7	<0.50						
Surrogate: DibromoFluoromethane	6050125			ug/L				100		89-119			
Surrogate: Toluene-d8	6050125			ug/L				102		91-109			
Surrogate: 4-BromoFluorobenzene	6050125			ug/L				94		89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6050438			ug/L	0.20	0.67	<0.20						
Bromobenzene	6050438			ug/L	0.20	0.67	<0.20						
Bromochloromethane	6050438			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	6050438			ug/L	0.20	0.67	<0.20						
Bromoform	6050438			ug/L	0.20	0.67	<0.20						
Bromomethane	6050438			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	6050438			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	6050438			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	6050438			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	6050438			ug/L	0.50	1.7	<0.50						
Chlorobenzene	6050438			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	6050438			ug/L	0.20	0.67	<0.20						
Chloroethane	6050438			ug/L	1.0	3.3	<1.0						
Chloroform	6050438			ug/L	0.20	0.67	<0.20						
Chloromethane	6050438			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	6050438			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	6050438			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	6050438			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	6050438			ug/L	0.20	0.67	<0.20						
Dibromomethane	6050438			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	6050438			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	6050438			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	6050438			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	6050438			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	6050438			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	6050438			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	6050438			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	6050438			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	6050438			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	6050438			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	6050438			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	6050438			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	6050438			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	6050438			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	6050438			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	6050438			ug/L	0.50	1.7	<0.50						
Ethylbenzene	6050438			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	6050438			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	6050438			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	6050438			ug/L	0.20	0.67	<0.20						
Methylene Chloride	6050438			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	6050438			ug/L	0.50	1.7	<0.50						
Naphthalene	6050438			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	6050438			ug/L	0.50	1.7	<0.50						
Styrene	6050438			ug/L	0.20	0.67	<0.20						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch.	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD Limits	RPD Limit	Q
VOCs by SW8260B													
1,1,1,2-Tetrachloroethane	6050438			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	6050438			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	6050438			ug/L	0.50	1.7	<0.50						
Tetrahydrofuran	6050438			ug/L	0.50	1.7	<0.50						
Toluene	6050438			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	6050438			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	6050438			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	6050438			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	6050438			ug/L	0.25	0.83	<0.25						
Trichloroethene	6050438			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	6050438			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	6050438			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	6050438			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	6050438			ug/L	0.20	0.67	<0.20						
Vinyl chloride	6050438			ug/L	0.20	0.67	<0.20						
Xylenes, Total	6050438			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	6050438			ug/L				101		89-119			
Surrogate: Toluene-d8	6050438			ug/L					98		91-109		
Surrogate: 4-Bromo fluoro benzene	6050438			ug/L					102		89-114		

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits***	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6E02001		50.0	ug/L	N/A	N/A	41.2	82		80-120			
Bromobenzene	6E02001		50.0	ug/L	N/A	N/A	44.6	89		80-120			
Bromochloromethane	6E02001		50.0	ug/L	N/A	N/A	44.6	89		80-120			
Bromodichloromethane	6E02001		50.0	ug/L	N/A	N/A	42.6	85		80-120			
Bromoform	6E02001		50.0	ug/L	N/A	N/A	55.2	110		80-120			
Bromomethane	6E02001		50.0	ug/L	N/A	N/A	50.7	101		80-120			
n-Butylbenzene	6E02001		50.0	ug/L	N/A	N/A	40.3	81		80-120			
sec-Butylbenzene	6E02001		50.0	ug/L	N/A	N/A	44.6	89		80-120			
tert-Butylbenzene	6E02001		50.0	ug/L	N/A	N/A	43.1	86		80-120			
Carbon Tetrachloride	6E02001		50.0	ug/L	N/A	N/A	46.4	93		80-120			
Chlorobenzene	6E02001		50.0	ug/L	N/A	N/A	46.3	93		80-120			
Chlorodibromomethane	6E02001		50.0	ug/L	N/A	N/A	47.3	95		80-120			
Chloroethane	6E02001		50.0	ug/L	N/A	N/A	50.5	101		80-120			
Chloroform	6E02001		50.0	ug/L	N/A	N/A	42.8	86		80-120			
Chloromethane	6E02001		50.0	ug/L	N/A	N/A	51.3	103		80-120			
2-Chlorotoluene	6E02001		50.0	ug/L	N/A	N/A	42.0	84		80-120			
4-Chlorotoluene	6E02001		50.0	ug/L	N/A	N/A	40.6	81		80-120			
1,2-Dibromo-3-chloropropane	6E02001		50.0	ug/L	N/A	N/A	48.3	97		80-120			
1,2-Dibromoethane (EDB)	6E02001		50.0	ug/L	N/A	N/A	47.2	94		80-120			
Dibromomethane	6E02001		50.0	ug/L	N/A	N/A	50.8	102		80-120			
1,2-Dichlorobenzene	6E02001		50.0	ug/L	N/A	N/A	41.0	82		80-120			
1,3-Dichlorobenzene	6E02001		50.0	ug/L	N/A	N/A	41.5	83		80-120			
1,4-Dichlorobenzene	6E02001		50.0	ug/L	N/A	N/A	41.5	83		80-120			
Dichlorodifluoromethane	6E02001		50.0	ug/L	N/A	N/A	53.4	107		80-120			
1,1-Dichloroethane	6E02001		50.0	ug/L	N/A	N/A	46.9	94		80-120			
1,2-Dichloroethane	6E02001		50.0	ug/L	N/A	N/A	47.2	94		80-120			
1,1-Dichloroethene	6E02001		50.0	ug/L	N/A	N/A	48.3	97		80-120			
cis-1,2-Dichloroethene	6E02001		50.0	ug/L	N/A	N/A	47.8	96		80-120			
trans-1,2-Dichloroethene	6E02001		50.0	ug/L	N/A	N/A	47.2	94		80-120			
1,2-Dichloropropane	6E02001		50.0	ug/L	N/A	N/A	44.6	89		80-120			
1,3-Dichloropropane	6E02001		50.0	ug/L	N/A	N/A	41.0	82		80-120			
2,2-Dichloropropane	6E02001		50.0	ug/L	N/A	N/A	44.0	88		80-120			
1,1-Dichloropropene	6E02001		50.0	ug/L	N/A	N/A	42.9	86		80-120			
cis-1,3-Dichloropropene	6E02001		50.0	ug/L	N/A	N/A	42.2	84		80-120			
trans-1,3-Dichloropropene	6E02001		50.0	ug/L	N/A	N/A	41.6	83		80-120			
Isopropyl Ether	6E02001		50.0	ug/L	N/A	N/A	44.3	89		80-120			
Ethylbenzene	6E02001		50.0	ug/L	N/A	N/A	45.9	92		80-120			
Hexachlorobutadiene	6E02001		50.0	ug/L	N/A	N/A	42.3	85		80-120			
Isopropylbenzene	6E02001		50.0	ug/L	N/A	N/A	45.5	91		80-120			
p-Isopropyltoluene	6E02001		50.0	ug/L	N/A	N/A	43.3	87		80-120			
Methylene Chloride	6E02001		50.0	ug/L	N/A	N/A	42.1	84		80-120			
Methyl tert-Butyl Ether	6E02001		50.0	ug/L	N/A	N/A	44.8	90		80-120			
Naphthalene	6E02001		50.0	ug/L	N/A	N/A	39.9	80		80-120			
n-Propylbenzene	6E02001		50.0	ug/L	N/A	N/A	44.0	88		80-120			
Styrene	6E02001		50.0	ug/L	N/A	N/A	46.5	93		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,1,2-Tetrachloroethane	6E02001	50.0	ug/L	N/A	N/A	N/A	42.1	84		80-120			
1,1,2,2-Tetrachloroethane	6E02001	50.0	ug/L	N/A	N/A	N/A	40.0	80		80-120			
Tetrachloroethene	6E02001	50.0	ug/L	N/A	N/A	N/A	46.6	93		80-120			
Tetrahydrofuran	6E02001	50.0	ug/L	N/A	N/A	N/A	47.4	95		80-120			
Toluene	6E02001	50.0	ug/L	N/A	N/A	N/A	41.2	82		80-120			
1,2,3-Trichlorobenzene	6E02001	50.0	ug/L	N/A	N/A	N/A	43.8	88		80-120			
1,2,4-Trichlorobenzene	6E02001	50.0	ug/L	N/A	N/A	N/A	45.2	90		80-120			
1,1,1-Trichloroethane	6E02001	50.0	ug/L	N/A	N/A	N/A	47.0	94		80-120			
1,1,2-Trichloroethane	6E02001	50.0	ug/L	N/A	N/A	N/A	45.9	92		80-120			
Trichloroethene	6E02001	50.0	ug/L	N/A	N/A	N/A	44.3	89		80-120			
Trichlorofluoromethane	6E02001	50.0	ug/L	N/A	N/A	N/A	49.5	99		80-120			
1,2,3-Trichloropropane	6E02001	50.0	ug/L	N/A	N/A	N/A	43.3	87		80-120			
1,2,4-Trimethylbenzene	6E02001	50.0	ug/L	N/A	N/A	N/A	45.3	91		80-120			
1,3,5-Trimethylbenzene	6E02001	50.0	ug/L	N/A	N/A	N/A	45.1	90		80-120			
Vinyl chloride	6E02001	50.0	ug/L	N/A	N/A	N/A	54.7	109		80-120			
Xylenes, Total	6E02001	150	ug/L	N/A	N/A	N/A	137	91		80-120			
Surrogate: Dibromofluoromethane	6E02001		ug/L					101		89-119			
Surrogate: Toluene-d8	6E02001		ug/L					93		91-109			
Surrogate: 4-Bromo fluoro benzene	6E02001		ug/L					98		89-114			
Benzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.8	100		80-120			
Bromobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.4	97		80-120			
Bromochloromethane	6E02007	50.0	ug/L	N/A	N/A	N/A	47.6	95		80-120			
Bromodichloromethane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.7	97		80-120			
Bromoform	6E02007	50.0	ug/L	N/A	N/A	N/A	49.3	99		80-120			
Bromomethane	6E02007	50.0	ug/L	N/A	N/A	N/A	44.7	89		80-120			
n-Butylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	50.2	100		80-120			
sec-Butylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.8	100		80-120			
tert-Butylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.2	98		80-120			
Carbon Tetrachloride	6E02007	50.0	ug/L	N/A	N/A	N/A	49.9	100		80-120			
Chlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.8	98		80-120			
Chlorodibromomethane	6E02007	50.0	ug/L	N/A	N/A	N/A	49.0	98		80-120			
Chloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	47.2	94		80-120			
Chloroform	6E02007	50.0	ug/L	N/A	N/A	N/A	47.6	95		80-120			
Chloromethane	6E02007	50.0	ug/L	N/A	N/A	N/A	45.3	91		80-120			
2-Chlorotoluene	6E02007	50.0	ug/L	N/A	N/A	N/A	47.7	95		80-120			
4-Chlorotoluene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.7	97		80-120			
1,2-Dibromo-3-chloropropane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.2	96		80-120			
1,2-Dibromoethane (EDB)	6E02007	50.0	ug/L	N/A	N/A	N/A	47.3	95		80-120			
Dibromomethane	6E02007	50.0	ug/L	N/A	N/A	N/A	46.5	93		80-120			
1,2-Dichlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.6	97		80-120			
1,3-Dichlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.4	99		80-120			
1,4-Dichlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	46.8	94		80-120			
Dichlorodifluoromethane	6E02007	50.0	ug/L	N/A	N/A	N/A	45.9	92		80-120			
1,1-Dichloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.8	98		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.3	97			80-120		
1,1-Dichloroethene	6E02007	50.0	ug/L	N/A	N/A	N/A	47.0	94			80-120		
cis-1,2-Dichloroethene	6E02007	50.0	ug/L	N/A	N/A	N/A	47.1	94			80-120		
trans-1,2-Dichloroethene	6E02007	50.0	ug/L	N/A	N/A	N/A	47.4	95			80-120		
1,2-Dichloropropane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.3	97			80-120		
1,3-Dichloropropane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.8	98			80-120		
2,2-Dichloropropane	6E02007	50.0	ug/L	N/A	N/A	N/A	50.8	102			80-120		
1,1-Dichloropropene	6E02007	50.0	ug/L	N/A	N/A	N/A	50.3	101			80-120		
cis-1,3-Dichloropropene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.8	100			80-120		
trans-1,3-Dichloropropene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.6	99			80-120		
Isopropyl Ether	6E02007	50.0	ug/L	N/A	N/A	N/A	50.2	100			80-120		
Ethylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	50.3	101			80-120		
Hexachlorobutadiene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.5	99			80-120		
Isopropylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	51.3	103			80-120		
p-Isopropyltoluene	6E02007	50.0	ug/L	N/A	N/A	N/A	51.4	103			80-120		
Methylene Chloride	6E02007	50.0	ug/L	N/A	N/A	N/A	46.1	92			80-120		
Methyl tert-Butyl Ether	6E02007	50.0	ug/L	N/A	N/A	N/A	47.2	94			80-120		
Naphthalene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.4	97			80-120		
n-Propylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.6	97			80-120		
Styrene	6E02007	50.0	ug/L	N/A	N/A	N/A	50.9	102			80-120		
1,1,1,2-Tetrachloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	50.4	101			80-120		
1,1,2,2-Tetrachloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	47.3	95			80-120		
Tetrachloroethene	6E02007	50.0	ug/L	N/A	N/A	N/A	46.8	94			80-120		
Tetrahydrofuran	6E02007	50.0	ug/L	N/A	N/A	N/A	47.7	95			80-120		
Toluene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.3	97			80-120		
1,2,3-Trichlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.2	98			80-120		
1,2,4-Trichlorobenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	48.0	96			80-120		
1,1,1-Trichloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.6	97			80-120		
1,1,2-Trichloroethane	6E02007	50.0	ug/L	N/A	N/A	N/A	47.5	95			80-120		
Trichloroethene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.1	98			80-120		
Trichlorofluoromethane	6E02007	50.0	ug/L	N/A	N/A	N/A	48.0	96			80-120		
1,2,3-Trichloropropane	6E02007	50.0	ug/L	N/A	N/A	N/A	50.2	100			80-120		
1,2,4-Trimethylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.2	98			80-120		
1,3,5-Trimethylbenzene	6E02007	50.0	ug/L	N/A	N/A	N/A	49.2	98			80-120		
Vinyl chloride	6E02007	50.0	ug/L	N/A	N/A	N/A	47.0	94			80-120		
Xylenes, Total	6E02007	150	ug/L	N/A	N/A	N/A	150	100			80-120		
Surrogate: Dibromofluoromethane	6E02007		ug/L					101			89-119		
Surrogate: Toluene-d8	6E02007		ug/L					99			91-109		
Surrogate: 4-Bromofluorobenzene	6E02007		ug/L					103			89-114		

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6E03003	50.0	ug/L	N/A	N/A	N/A	51.1	102	102	80-120			
Bromobenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.9	102	102	80-120			
Bromoform	6E03003	50.0	ug/L	N/A	N/A	N/A	49.2	98	98	80-120			
Bromochloromethane	6E03003	50.0	ug/L	N/A	N/A	N/A	51.6	103	103	80-120			
Bromodichloromethane	6E03003	50.0	ug/L	N/A	N/A	N/A	52.3	105	105	80-120			
Bromomethane	6E03003	50.0	ug/L	N/A	N/A	N/A	46.1	92	92	80-120			
n-Butylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.2	100	100	80-120			
sec-Butylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	48.3	97	97	80-120			
tert-Butylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	48.0	96	96	80-120			
Carbon Tetrachloride	6E03003	50.0	ug/L	N/A	N/A	N/A	51.8	104	104	80-120			
Chlorobenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	51.5	103	103	80-120			
Chlorodibromomethane	6E03003	50.0	ug/L	N/A	N/A	N/A	50.6	101	101	80-120			
Chloroethane	6E03003	50.0	ug/L	N/A	N/A	N/A	54.9	110	110	80-120			
Chloroform	6E03003	50.0	ug/L	N/A	N/A	N/A	51.9	104	104	80-120			
Chloromethane	6E03003	50.0	ug/L	N/A	N/A	N/A	48.2	96	96	80-120			
2-Chlorotoluene	6E03003	50.0	ug/L	N/A	N/A	N/A	49.4	99	99	80-120			
4-Chlorotoluene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.4	101	101	80-120			
1,2-Dibromo-3-chloropropane	6E03003	50.0	ug/L	N/A	N/A	N/A	49.4	99	99	80-120			
1,2-Dibromoethane (EDB)	6E03003	50.0	ug/L	N/A	N/A	N/A	52.1	104	104	80-120			
Dibromomethane	6E03003	50.0	ug/L	N/A	N/A	N/A	50.9	102	102	80-120			
1,2-Dichlorobenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	47.9	96	96	80-120			
1,3-Dichlorobenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	47.8	96	96	80-120			
1,4-Dichlorobenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	47.7	95	95	80-120			
Dichlorodifluoromethane	6E03003	50.0	ug/L	N/A	N/A	N/A	42.6	85	85	80-120			
1,1-Dichloroethane	6E03003	50.0	ug/L	N/A	N/A	N/A	53.2	106	106	80-120			
1,2-Dichloroethane	6E03003	50.0	ug/L	N/A	N/A	N/A	53.1	106	106	80-120			
1,1-Dichloroethene	6E03003	50.0	ug/L	N/A	N/A	N/A	52.5	105	105	80-120			
cis-1,2-Dichloroethene	6E03003	50.0	ug/L	N/A	N/A	N/A	52.1	104	104	80-120			
trans-1,2-Dichloroethene	6E03003	50.0	ug/L	N/A	N/A	N/A	51.5	103	103	80-120			
1,2-Dichloropropane	6E03003	50.0	ug/L	N/A	N/A	N/A	50.9	102	102	80-120			
1,3-Dichloropropane	6E03003	50.0	ug/L	N/A	N/A	N/A	51.8	104	104	80-120			
2,2-Dichloropropane	6E03003	50.0	ug/L	N/A	N/A	N/A	47.9	96	96	80-120			
1,1-Dichloropropene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.4	101	101	80-120			
cis-1,3-Dichloropropene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.4	101	101	80-120			
trans-1,3-Dichloropropene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.8	102	102	80-120			
Isopropyl Ether	6E03003	50.0	ug/L	N/A	N/A	N/A	54.8	110	110	80-120			
Ethylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	49.4	99	99	80-120			
Hexachlorobutadiene	6E03003	50.0	ug/L	N/A	N/A	N/A	45.7	91	91	80-120			
Isopropylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	51.0	102	102	80-120			
p-Isopropyltoluene	6E03003	50.0	ug/L	N/A	N/A	N/A	53.9	108	108	80-120			
Methylene Chloride	6E03003	50.0	ug/L	N/A	N/A	N/A	52.6	105	105	80-120			
Methyl tert-Butyl Ether	6E03003	50.0	ug/L	N/A	N/A	N/A	52.0	104	104	80-120			
Naphthalene	6E03003	50.0	ug/L	N/A	N/A	N/A	52.7	105	105	80-120			
n-Propylbenzene	6E03003	50.0	ug/L	N/A	N/A	N/A	50.8	102	102	80-120			
Styrene	6E03003	50.0	ug/L	N/A	N/A	N/A	51.3	103	103	80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,1,2-Tetrachloroethane	6E03003		50.0	ug/L	N/A	N/A	52.2	104		80-120			
1,1,2,2-Tetrachloroethane	6E03003		50.0	ug/L	N/A	N/A	52.3	105		80-120			
Tetrachloroethene	6E03003		50.0	ug/L	N/A	N/A	50.2	100		80-120			
Tetrahydrofuran	6E03003		50.0	ug/L	N/A	N/A	55.5	111		80-120			
Toluene	6E03003		50.0	ug/L	N/A	N/A	51.1	102		80-120			
1,2,3-Trichlorobenzene	6E03003		50.0	ug/L	N/A	N/A	49.5	99		80-120			
1,2,4-Trichlorobenzene	6E03003		50.0	ug/L	N/A	N/A	50.1	100		80-120			
1,1,1-Trichloroethane	6E03003		50.0	ug/L	N/A	N/A	52.3	105		80-120			
1,1,2-Trichloroethane	6E03003		50.0	ug/L	N/A	N/A	51.4	103		80-120			
Trichloroethene	6E03003		50.0	ug/L	N/A	N/A	50.6	101		80-120			
Trichlorofluoromethane	6E03003		50.0	ug/L	N/A	N/A	49.7	99		80-120			
1,2,3-Trichloropropane	6E03003		50.0	ug/L	N/A	N/A	53.0	106		80-120			
1,2,4-Trimethylbenzene	6E03003		50.0	ug/L	N/A	N/A	54.0	108		80-120			
1,3,5-Trimethylbenzene	6E03003		50.0	ug/L	N/A	N/A	52.7	105		80-120			
Vinyl chloride	6E03003		50.0	ug/L	N/A	N/A	49.2	98		80-120			
Xylenes, Total	6E03003		150	ug/L	N/A	N/A	150	100		80-120			
Surrogate: Dibromofluoromethane	6E03003			ug/L				102		89-119			
Surrogate: Toluene-d8	6E03003			ug/L				104		91-109			
Surrogate: 4-Bromo fluoro benzene	6E03003			ug/L				105		89-114			
Benzene	6E03014		50.0	ug/L	N/A	N/A	49.7	99		80-120			
Bromobenzene	6E03014		50.0	ug/L	N/A	N/A	49.8	100		80-120			
Bromochloromethane	6E03014		50.0	ug/L	N/A	N/A	48.8	98		80-120			
Bromodichloromethane	6E03014		50.0	ug/L	N/A	N/A	48.7	97		80-120			
Bromoform	6E03014		50.0	ug/L	N/A	N/A	51.8	104		80-120			
Bromomethane	6E03014		50.0	ug/L	N/A	N/A	43.0	86		80-120			
n-Butylbenzene	6E03014		50.0	ug/L	N/A	N/A	51.3	103		80-120			
sec-Butylbenzene	6E03014		50.0	ug/L	N/A	N/A	50.8	102		80-120			
tert-Butylbenzene	6E03014		50.0	ug/L	N/A	N/A	50.4	101		80-120			
Carbon Tetrachloride	6E03014		50.0	ug/L	N/A	N/A	48.9	98		80-120			
Chlorobenzene	6E03014		50.0	ug/L	N/A	N/A	48.4	97		80-120			
Chlorodibromomethane	6E03014		50.0	ug/L	N/A	N/A	50.6	101		80-120			
Chloroethane	6E03014		50.0	ug/L	N/A	N/A	44.2	88		80-120			
Chloroform	6E03014		50.0	ug/L	N/A	N/A	48.7	97		80-120			
Chloromethane	6E03014		50.0	ug/L	N/A	N/A	43.9	88		80-120			
2-Chlorotoluene	6E03014		50.0	ug/L	N/A	N/A	48.9	98		80-120			
4-Chlorotoluene	6E03014		50.0	ug/L	N/A	N/A	50.4	101		80-120			
1,2-Dibromo-3-chloropropane	6E03014		50.0	ug/L	N/A	N/A	51.6	103		80-120			
1,2-Dibromoethane (EDB)	6E03014		50.0	ug/L	N/A	N/A	48.2	96		80-120			
Dibromomethane	6E03014		50.0	ug/L	N/A	N/A	47.6	95		80-120			
1,2-Dichlorobenzene	6E03014		50.0	ug/L	N/A	N/A	49.7	99		80-120			
1,3-Dichlorobenzene	6E03014		50.0	ug/L	N/A	N/A	50.8	102		80-120			
1,4-Dichlorobenzene	6E03014		50.0	ug/L	N/A	N/A	49.6	99		80-120			
Dichlorodifluoromethane	6E03014		50.0	ug/L	N/A	N/A	42.4	85		80-120			
1,1-Dichloroethane	6E03014		50.0	ug/L	N/A	N/A	49.0	98		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
1,2-Dichloroethane	6E03014	50.0	ug/L	N/A	N/A	N/A	47.7	95	100	80-120			
1,1-Dichloroethene	6E03014	50.0	ug/L	N/A	N/A	N/A	45.8	92	100	80-120			
cis-1,2-Dichloroethene	6E03014	50.0	ug/L	N/A	N/A	N/A	47.2	94	100	80-120			
trans-1,2-Dichloroethene	6E03014	50.0	ug/L	N/A	N/A	N/A	47.1	94	100	80-120			
1,2-Dichloropropane	6E03014	50.0	ug/L	N/A	N/A	N/A	48.7	97	100	80-120			
1,3-Dichloropropane	6E03014	50.0	ug/L	N/A	N/A	N/A	50.1	100	100	80-120			
2,2-Dichloropropane	6E03014	50.0	ug/L	N/A	N/A	N/A	51.0	102	100	80-120			
1,1-Dichloropropene	6E03014	50.0	ug/L	N/A	N/A	N/A	48.4	97	100	80-120			
cis-1,3-Dichloropropene	6E03014	50.0	ug/L	N/A	N/A	N/A	49.8	100	100	80-120			
trans-1,3-Dichloropropene	6E03014	50.0	ug/L	N/A	N/A	N/A	50.9	102	100	80-120			
Isopropyl Ether	6E03014	50.0	ug/L	N/A	N/A	N/A	51.1	102	100	80-120			
Ethylbenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	49.6	99	100	80-120			
Hexachlorobutadiene	6E03014	50.0	ug/L	N/A	N/A	N/A	51.3	103	100	80-120			
Isopropylbenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	51.5	103	100	80-120			
p-Isopropyltoluene	6E03014	50.0	ug/L	N/A	N/A	N/A	52.2	104	100	80-120			
Methylene Chloride	6E03014	50.0	ug/L	N/A	N/A	N/A	46.1	92	100	80-120			
Methyl tert-Butyl Ether	6E03014	50.0	ug/L	N/A	N/A	N/A	47.6	95	100	80-120			
Naphthalene	6E03014	50.0	ug/L	N/A	N/A	N/A	57.3	115	100	80-120			
n-Propylbenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	49.6	99	100	80-120			
Styrene	6E03014	50.0	ug/L	N/A	N/A	N/A	52.2	104	100	80-120			
1,1,1,2-Tetrachloroethane	6E03014	50.0	ug/L	N/A	N/A	N/A	49.6	99	100	80-120			
1,1,2,2-Tetrachloroethane	6E03014	50.0	ug/L	N/A	N/A	N/A	50.0	100	100	80-120			
Tetrachloroethene	6E03014	50.0	ug/L	N/A	N/A	N/A	47.8	96	100	80-120			
Tetrahydrofuran	6E03014	50.0	ug/L	N/A	N/A	N/A	47.4	95	100	80-120			
Toluene	6E03014	50.0	ug/L	N/A	N/A	N/A	48.9	98	100	80-120			
1,2,3-Trichlorobenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	53.2	106	100	80-120			
1,2,4-Trichlorobenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	53.0	106	100	80-120			
1,1,1-Trichloroethane	6E03014	50.0	ug/L	N/A	N/A	N/A	47.8	96	100	80-120			
1,1,2-Trichloroethane	6E03014	50.0	ug/L	N/A	N/A	N/A	48.6	97	100	80-120			
Trichloroethene	6E03014	50.0	ug/L	N/A	N/A	N/A	49.0	98	100	80-120			
Trichlorofluoromethane	6E03014	50.0	ug/L	N/A	N/A	N/A	46.2	92	100	80-120			
1,2,3-Trichloropropane	6E03014	50.0	ug/L	N/A	N/A	N/A	51.9	104	100	80-120			
1,2,4-Trimethylbenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	51.2	102	100	80-120			
1,3,5-Trimethylbenzene	6E03014	50.0	ug/L	N/A	N/A	N/A	50.3	101	100	80-120			
Vinyl chloride	6E03014	50.0	ug/L	N/A	N/A	N/A	45.6	91	100	80-120			
Xylenes, Total	6E03014	150	ug/L	N/A	N/A	N/A	149	99	100	80-120			
Surrogate: DibromoFluoromethane	6E03014		ug/L					100	100	89-119			
Surrogate: Toluene-d8	6E03014		ug/L					100	100	91-109			
Surrogate: 4-BromoFluorobenzene	6E03014		ug/L					102	102	89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	6E12003		50.0	ug/L	N/A	N/A	49.5	99		80-120			
Bromobenzene	6E12003		50.0	ug/L	N/A	N/A	49.2	98		80-120			
Bromochloromethane	6E12003		50.0	ug/L	N/A	N/A	48.7	97		80-120			
Bromodichloromethane	6E12003		50.0	ug/L	N/A	N/A	51.9	104		80-120			
Bromoform	6E12003		50.0	ug/L	N/A	N/A	50.1	100		80-120			
Bromomethane	6E12003		50.0	ug/L	N/A	N/A	46.3	93		80-120			
n-Butylbenzene	6E12003		50.0	ug/L	N/A	N/A	46.7	93		80-120			
sec-Butylbenzene	6E12003		50.0	ug/L	N/A	N/A	47.3	95		80-120			
tert-Butylbenzene	6E12003		50.0	ug/L	N/A	N/A	47.7	95		80-120			
Carbon Tetrachloride	6E12003		50.0	ug/L	N/A	N/A	52.0	104		80-120			
Chlorobenzene	6E12003		50.0	ug/L	N/A	N/A	49.0	98		80-120			
Chlorodibromomethane	6E12003		50.0	ug/L	N/A	N/A	51.7	103		80-120			
Chloroethane	6E12003		50.0	ug/L	N/A	N/A	50.4	101		80-120			
Chloroform	6E12003		50.0	ug/L	N/A	N/A	51.1	102		80-120			
Chloromethane	6E12003		50.0	ug/L	N/A	N/A	46.3	93		80-120			
2-Chlorotoluene	6E12003		50.0	ug/L	N/A	N/A	48.1	96		80-120			
4-Chlorotoluene	6E12003		50.0	ug/L	N/A	N/A	49.4	99		80-120			
1,2-Dibromo-3-chloropropane	6E12003		50.0	ug/L	N/A	N/A	48.6	97		80-120			
1,2-Dibromoethane (EDB)	6E12003		50.0	ug/L	N/A	N/A	49.4	99		80-120			
Dibromomethane	6E12003		50.0	ug/L	N/A	N/A	50.9	102		80-120			
1,2-Dichlorobenzene	6E12003		50.0	ug/L	N/A	N/A	47.2	94		80-120			
1,3-Dichlorobenzene	6E12003		50.0	ug/L	N/A	N/A	47.7	95		80-120			
1,4-Dichlorobenzene	6E12003		50.0	ug/L	N/A	N/A	47.7	95		80-120			
Dichlorodifluoromethane	6E12003		50.0	ug/L	N/A	N/A	53.6	107		80-120			
1,1-Dichloroethane	6E12003		50.0	ug/L	N/A	N/A	51.8	104		80-120			
1,2-Dichloroethane	6E12003		50.0	ug/L	N/A	N/A	51.0	102		80-120			
1,1-Dichloroethene	6E12003		50.0	ug/L	N/A	N/A	51.4	103		80-120			
cis-1,2-Dichloroethene	6E12003		50.0	ug/L	N/A	N/A	51.3	103		80-120			
trans-1,2-Dichloroethene	6E12003		50.0	ug/L	N/A	N/A	51.6	103		80-120			
1,2-Dichloropropane	6E12003		50.0	ug/L	N/A	N/A	49.6	99		80-120			
1,3-Dichloropropane	6E12003		50.0	ug/L	N/A	N/A	51.6	103		80-120			
2,2-Dichloropropane	6E12003		50.0	ug/L	N/A	N/A	55.0	110		80-120			
1,1-Dichloropropene	6E12003		50.0	ug/L	N/A	N/A	51.2	102		80-120			
cis-1,3-Dichloropropene	6E12003		50.0	ug/L	N/A	N/A	51.6	103		80-120			
trans-1,3-Dichloropropene	6E12003		50.0	ug/L	N/A	N/A	52.3	105		80-120			
Isopropyl Ether	6E12003		50.0	ug/L	N/A	N/A	51.0	102		80-120			
Ethylbenzene	6E12003		50.0	ug/L	N/A	N/A	49.7	99		80-120			
Hexachlorobutadiene	6E12003		50.0	ug/L	N/A	N/A	40.1	80		80-120			
Isopropylbenzene	6E12003		50.0	ug/L	N/A	N/A	48.7	97		80-120			
p-Isopropyltoluene	6E12003		50.0	ug/L	N/A	N/A	47.9	96		80-120			
Methylene Chloride	6E12003		50.0	ug/L	N/A	N/A	50.6	101		80-120			
Methyl tert-Butyl Ether	6E12003		50.0	ug/L	N/A	N/A	50.8	102		80-120			
Naphthalene	6E12003		50.0	ug/L	N/A	N/A	42.9	86		80-120			
n-Propylbenzene	6E12003		50.0	ug/L	N/A	N/A	48.3	97		80-120			
Styrene	6E12003		50.0	ug/L	N/A	N/A	54.8	110		80-120			

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 • 800-833-7036 • Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B														
1,1,1,2-Tetrachloroethane	6E12003		50.0	ug/L	N/A	N/A	49.4		99		80-120			
1,1,2,2-Tetrachloroethane	6E12003		50.0	ug/L	N/A	N/A	48.3		97		80-120			
Tetrachloroethene	6E12003		50.0	ug/L	N/A	N/A	49.7		99		80-120			
Tetrahydrofuran	6E12003		50.0	ug/L	N/A	N/A	47.4		95		80-120			
Toluene	6E12003		50.0	ug/L	N/A	N/A	49.5		99		80-120			
1,2,3-Trichlorobenzene	6E12003		50.0	ug/L	N/A	N/A	43.6		87		80-120			
1,2,4-Trichlorobenzene	6E12003		50.0	ug/L	N/A	N/A	45.4		91		80-120			
1,1,1-Trichloroethane	6E12003		50.0	ug/L	N/A	N/A	52.0		104		80-120			
1,1,2-Trichloroethane	6E12003		50.0	ug/L	N/A	N/A	50.8		102		80-120			
Trichloroethene	6E12003		50.0	ug/L	N/A	N/A	51.9		104		80-120			
Trichlorofluoromethane	6E12003		50.0	ug/L	N/A	N/A	53.6		107		80-120			
1,2,3-Trichloropropane	6E12003		50.0	ug/L	N/A	N/A	48.0		96		80-120			
1,2,4-Trimethylbenzene	6E12003		50.0	ug/L	N/A	N/A	50.4		101		80-120			
1,3,5-Trimethylbenzene	6E12003		50.0	ug/L	N/A	N/A	49.3		99		80-120			
Vinyl chloride	6E12003		50.0	ug/L	N/A	N/A	51.0		102		80-120			
Xylenes, Total	6E12003		150	ug/L	N/A	N/A	147		98		80-120			
Surrogate: Dibromofluoromethane	6E12003			ug/L					100		89-119			
Surrogate: Toluene-d8	6E12003			ug/L					99		91-109			
Surrogate: 4-Bromofluorobenzene	6E12003			ug/L					100		89-114			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPD1116-01													
Benzene	6050063	0.76	50.0	ug/L	0.20	0.67	44.4	46.0	87	90	80-121	4	11
Bromobenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	46.8	48.7	94	97	70-130	4	20
Bromoform	6050063	<0.20	50.0	ug/L	0.20	0.67	47.0	48.3	94	97	70-130	3	20
Bromochloromethane	6050063	<0.20	50.0	ug/L	0.20	0.67	45.6	46.0	91	92	70-130	1	20
Bromodichloromethane	6050063	<0.20	50.0	ug/L	0.20	0.67	45.6	46.0	91	92	70-130	2	20
Bromomethane	6050063	<0.20	50.0	ug/L	0.20	0.67	56.1	57.3	112	115	70-130	2	20
n-Butylbenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	41.6	43.1	83	86	70-130	4	20
sec-Butylbenzene	6050063	<0.25	50.0	ug/L	0.25	0.83	47.0	48.7	94	97	70-130	4	20
tert-Butylbenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	44.4	46.3	89	93	70-130	4	20
Carbon Tetrachloride	6050063	<0.50	50.0	ug/L	0.50	1.7	51.4	52.5	103	105	70-130	2	20
Chlorobenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	49.4	50.9	99	102	85-116	3	9
Chlorodibromomethane	6050063	<0.20	50.0	ug/L	0.20	0.67	50.0	51.1	100	102	70-130	2	20
Chloroethane	6050063	<1.0	50.0	ug/L	1.0	3.3	54.6	56.6	109	113	70-130	4	20
Chloroform	6050063	<0.20	50.0	ug/L	0.20	0.67	45.3	46.4	91	93	70-130	2	20
Chloromethane	6050063	<0.20	50.0	ug/L	0.20	0.67	55.1	57.4	110	115	70-130	4	20
2-Chlorotoluene	6050063	<0.50	50.0	ug/L	0.50	1.7	42.8	45.5	86	91	70-130	6	20
4-Chlorotoluene	6050063	<0.20	50.0	ug/L	0.20	0.67	43.6	44.2	87	88	70-130	1	20
1,2-Dibromo-3-chloropropane	6050063	<0.50	50.0	ug/L	0.50	1.7	50.4	52.7	101	105	70-130	4	20
1,2-Dibromoethane (EDB)	6050063	<0.20	50.0	ug/L	0.20	0.67	50.3	51.2	101	102	70-130	2	20
Dibromomethane	6050063	<0.20	50.0	ug/L	0.20	0.67	54.7	56.4	109	113	70-130	3	20
1,2-Dichlorobenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	42.9	44.6	86	89	70-130	4	20
1,3-Dichlorobenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	43.9	45.9	88	92	70-130	4	20
1,4-Dichlorobenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	43.6	45.0	87	90	70-130	3	20
Dichlorodifluoromethane	6050063	<0.50	50.0	ug/L	0.50	1.7	58.4	58.9	117	118	70-130	1	20
1,1-Dichloroethane	6050063	<0.50	50.0	ug/L	0.50	1.7	50.0	51.3	100	103	70-130	3	20
1,2-Dichloroethane	6050063	<0.50	50.0	ug/L	0.50	1.7	49.8	51.1	100	102	70-130	3	20
1,1-Dichloroethene	6050063	<0.50	50.0	ug/L	0.50	1.7	52.0	53.4	104	107	72-131	3	17
cis-1,2-Dichloroethene	6050063	<0.50	50.0	ug/L	0.50	1.7	51.0	52.7	102	105	70-130	3	20
trans-1,2-Dichloroethene	6050063	<0.50	50.0	ug/L	0.50	1.7	50.2	52.1	100	104	70-130	4	20
1,2-Dichloropropane	6050063	<0.50	50.0	ug/L	0.50	1.7	47.6	47.6	95	95	70-130	0	20
1,3-Dichloropropane	6050063	<0.25	50.0	ug/L	0.25	0.83	44.0	44.3	88	89	70-130	1	20
2,2-Dichloropropane	6050063	<0.50	50.0	ug/L	0.50	1.7	47.5	48.2	95	96	70-130	1	20
1,1-Dichloropropene	6050063	<0.50	50.0	ug/L	0.50	1.7	45.4	46.1	91	92	70-130	2	20
cis-1,3-Dichloropropene	6050063	<0.20	50.0	ug/L	0.20	0.67	45.7	45.8	91	92	70-130	0	20
trans-1,3-Dichloropropene	6050063	<0.20	50.0	ug/L	0.20	0.67	43.9	45.2	88	90	70-130	3	20
Isopropyl Ether	6050063	<0.50	50.0	ug/L	0.50	1.7	46.8	48.0	94	96	68-128	3	16
Ethylbenzene	6050063	<0.50	50.0	ug/L	0.50	1.7	49.2	51.2	98	102	83-118	4	13
Hexachlorobutadiene	6050063	<0.50	50.0	ug/L	0.50	1.7	48.2	49.5	96	99	70-130	3	20
Isopropylbenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	47.4	48.6	95	97	70-130	2	20
p-Isopropyltoluene	6050063	<0.20	50.0	ug/L	0.20	0.67	44.0	45.0	88	90	70-130	2	20
Methylene Chloride	6050063	<1.0	50.0	ug/L	1.0	3.3	46.1	47.4	92	95	70-130	3	20
Methyl tert-Butyl Ether	6050063	<0.50	50.0	ug/L	0.50	1.7	47.7	49.4	95	99	71-127	4	22
Naphthalene	6050063	<0.25	50.0	ug/L	0.25	0.83	39.6	42.7	79	85	70-130	8	20
n-Propylbenzene	6050063	<0.50	50.0	ug/L	0.50	1.7	46.0	47.6	92	95	70-130	3	20
Styrene	6050063	<0.20	50.0	ug/L	0.20	0.67	28.2	27.6	56	55	70-130	2	20

M12

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPD1116-01													
1,1,1,2-Tetrachloroethane	6050063	<0.25	50.0	ug/L	0.25	0.83	44.8	46.1	90	92	70-130	3	20
1,1,2,2-Tetrachloroethane	6050063	<0.20	50.0	ug/L	0.20	0.67	40.8	41.5	82	83	70-130	2	20
Tetrachloroethene	6050063	<0.50	50.0	ug/L	0.50	1.7	50.8	52.1	102	104	70-130	3	20
Toluene	6050063	<0.20	50.0	ug/L	0.20	0.67	42.6	43.7	85	87	82-116	3	11
1,2,3-Trichlorobenzene	6050063	<0.25	50.0	ug/L	0.25	0.83	45.7	48.7	91	97	70-130	6	20
1,2,4-Trichlorobenzene	6050063	<0.25	50.0	ug/L	0.25	0.83	47.5	50.2	95	100	70-130	6	20
1,1,1-Trichloroethane	6050063	<0.50	50.0	ug/L	0.50	1.7	50.5	51.6	101	103	70-130	2	20
1,1,2-Trichloroethane	6050063	<0.25	50.0	ug/L	0.25	0.83	48.9	49.8	98	100	70-130	2	20
Trichloroethene	6050063	<0.20	50.0	ug/L	0.20	0.67	48.8	49.5	98	99	80-117	1	13
Trichlorofluoromethane	6050063	<0.50	50.0	ug/L	0.50	1.7	54.8	56.5	110	113	70-130	3	20
1,2,3-Trichloropropane	6050063	<0.50	50.0	ug/L	0.50	1.7	45.2	46.4	90	93	70-130	3	20
1,2,4-Trimethylbenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	34.8	34.7	70	69	80-122	0	14
1,3,5-Trimethylbenzene	6050063	<0.20	50.0	ug/L	0.20	0.67	35.7	35.5	71	71	83-122	1	12
Vinyl chloride	6050063	<0.20	50.0	ug/L	0.20	0.67	59.5	60.1	119	120	70-130	1	20
Xylenes, Total	6050063	<0.50	150	ug/L	0.50	1.7	133	135	89	90	84-119	1	12
Surrogate: Dibromoform	6050063			ug/L					102	101	89-119		
Surrogate: Toluene-d8	6050063			ug/L					93	92	91-109		
Surrogate: 4-Bromofluorobenzene	6050063			ug/L					97	95	89-114		
QC Source Sample: WPD1133-02													
Benzene	6050069	<0.20	50.0	ug/L	0.20	0.67	51.0	50.4	102	101	80-121	1	11
Bromobenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	49.0	48.7	98	97	70-130	1	20
Bromochloromethane	6050069	<0.50	50.0	ug/L	0.50	1.7	48.8	47.6	98	95	70-130	2	20
Bromodichloromethane	6050069	<0.20	50.0	ug/L	0.20	0.67	50.5	49.2	101	98	70-130	3	20
Bromoform	6050069	<0.20	50.0	ug/L	0.20	0.67	52.7	51.1	105	102	70-130	3	20
Bromomethane	6050069	<0.20	50.0	ug/L	0.20	0.67	47.6	47.8	95	96	70-130	0	20
n-Butylbenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	52.2	51.0	104	102	70-130	2	20
sec-Butylbenzene	6050069	<0.25	50.0	ug/L	0.25	0.83	52.0	50.3	104	101	70-130	3	20
tert-Butylbenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	50.5	50.4	101	101	70-130	0	20
Carbon Tetrachloride	6050069	<0.50	50.0	ug/L	0.50	1.7	51.7	51.0	103	102	70-130	1	20
Chlorobenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	50.1	48.8	100	98	85-116	3	9
Chlorodibromomethane	6050069	<0.20	50.0	ug/L	0.20	0.67	51.1	49.5	102	99	70-130	3	20
Chloroethane	6050069	<1.0	50.0	ug/L	1.0	3.3	46.4	46.0	93	92	70-130	1	20
Chloroform	6050069	<0.20	50.0	ug/L	0.20	0.67	49.8	48.0	100	96	70-130	4	20
Chloromethane	6050069	<0.20	50.0	ug/L	0.20	0.67	49.2	48.1	98	96	70-130	2	20
2-Chlorotoluene	6050069	<0.50	50.0	ug/L	0.50	1.7	49.2	48.8	98	98	70-130	1	20
4-Chlorotoluene	6050069	<0.20	50.0	ug/L	0.20	0.67	49.5	49.4	99	99	70-130	0	20
1,2-Dibromo-3-chloropropane	6050069	<0.50	50.0	ug/L	0.50	1.7	52.5	52.2	105	104	70-130	1	20
1,2-Dibromoethane (EDB)	6050069	<0.20	50.0	ug/L	0.20	0.67	49.8	47.5	100	95	70-130	5	20
Dibromomethane	6050069	<0.20	50.0	ug/L	0.20	0.67	48.7	46.9	97	94	70-130	4	20
1,2-Dichlorobenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	49.5	48.6	99	97	70-130	2	20
1,3-Dichlorobenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	50.2	49.0	100	98	70-130	2	20
1,4-Dichlorobenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	49.4	48.6	99	97	70-130	2	20
Dichlorodifluoromethane	6050069	<0.50	50.0	ug/L	0.50	1.7	52.4	51.9	105	104	70-130	1	20
1,1-Dichloroethane	6050069	<0.50	50.0	ug/L	0.50	1.7	50.3	49.5	101	99	70-130	2	20
1,2-Dichloroethane	6050069	<0.50	50.0	ug/L	0.50	1.7	49.3	47.5	99	95	70-130	4	20

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPD1133-02													
1,1-Dichloroethene	6050069	<0.50	50.0	ug/L	0.50	1.7	49.5	49.2	99	98	72-131	1	17
cis-1,2-Dichloroethene	6050069	<0.50	50.0	ug/L	0.50	1.7	48.1	47.8	96	96	70-130	1	20
trans-1,2-Dichloroethene	6050069	<0.50	50.0	ug/L	0.50	1.7	49.8	49.3	100	99	70-130	1	20
1,2-Dichloropropane	6050069	<0.50	50.0	ug/L	0.50	1.7	50.2	48.8	100	98	70-130	3	20
1,3-Dichloropropane	6050069	<0.25	50.0	ug/L	0.25	0.83	50.9	49.4	102	99	70-130	3	20
2,2-Dichloropropane	6050069	<0.50	50.0	ug/L	0.50	1.7	53.6	51.9	107	104	70-130	3	20
1,1-Dichloropropene	6050069	<0.50	50.0	ug/L	0.50	1.7	50.8	49.9	102	100	70-130	2	20
cis-1,3-Dichloropropene	6050069	<0.20	50.0	ug/L	0.20	0.67	51.9	50.7	104	101	70-130	2	20
trans-1,3-Dichloropropene	6050069	<0.20	50.0	ug/L	0.20	0.67	52.6	50.9	105	102	70-130	3	20
Isopropyl Ether	6050069	<0.50	50.0	ug/L	0.50	1.7	50.4	50.0	101	100	68-128	1	16
Ethylbenzene	6050069	<0.50	50.0	ug/L	0.50	1.7	51.5	49.7	103	99	83-118	4	13
Hexachlorobutadiene	6050069	<0.50	50.0	ug/L	0.50	1.7	49.8	46.0	100	92	70-130	8	20
Isopropylbenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	52.6	50.6	105	101	70-130	4	20
p-Isopropyltoluene	6050069	<0.20	50.0	ug/L	0.20	0.67	52.4	51.1	105	102	70-130	3	20
Methylene Chloride	6050069	<1.0	50.0	ug/L	1.0	3.3	48.8	49.7	98	99	70-130	2	20
Methyl tert-Butyl Ether	6050069	<0.50	50.0	ug/L	0.50	1.7	49.4	49.3	99	99	71-127	0	22
Naphthalene	6050069	7.2	50.0	ug/L	0.25	0.83	68.7	66.4	123	118	70-130	3	20
n-Propylbenzene	6050069	<0.50	50.0	ug/L	0.50	1.7	50.5	49.4	101	99	70-130	2	20
Styrene	6050069	<0.20	50.0	ug/L	0.20	0.67	53.0	50.3	106	101	70-130	5	20
1,1,1,2-Tetrachloroethane	6050069	<0.25	50.0	ug/L	0.25	0.83	51.7	48.9	103	98	70-130	6	20
1,1,2,2-Tetrachloroethane	6050069	<0.20	50.0	ug/L	0.20	0.67	50.2	49.7	100	99	70-130	1	20
Tetrachloroethene	6050069	<0.50	50.0	ug/L	0.50	1.7	49.3	48.9	99	98	70-130	1	20
Toluene	6050069	0.88	50.0	ug/L	0.20	0.67	50.9	50.2	100	99	82-116	1	11
1,2,3-Trichlorobenzene	6050069	<0.25	50.0	ug/L	0.25	0.83	53.0	50.7	106	101	70-130	4	20
1,2,4-Trichlorobenzene	6050069	<0.25	50.0	ug/L	0.25	0.83	53.1	50.4	106	101	70-130	5	20
1,1,1-Trichloroethane	6050069	<0.50	50.0	ug/L	0.50	1.7	50.8	50.0	102	100	70-130	2	20
1,1,2-Trichloroethane	6050069	<0.25	50.0	ug/L	0.25	0.83	50.2	48.1	100	96	70-130	4	20
Trichloroethene	6050069	<0.20	50.0	ug/L	0.20	0.67	49.2	48.3	98	97	80-117	2	13
Trichlorofluoromethane	6050069	<0.50	50.0	ug/L	0.50	1.7	53.7	53.5	107	107	70-130	0	20
1,2,3-Trichloropropane	6050069	<0.50	50.0	ug/L	0.50	1.7	52.7	51.3	105	103	70-130	3	20
1,2,4-Trimethylbenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	50.3	50.3	101	101	80-122	0	14
1,3,5-Trimethylbenzene	6050069	<0.20	50.0	ug/L	0.20	0.67	50.3	49.1	101	98	83-122	2	12
Vinyl chloride	6050069	<0.20	50.0	ug/L	0.20	0.67	51.8	50.9	104	102	70-130	2	20
Xylenes, Total	6050069	<0.50	150	ug/L	0.50	1.7	153	147	102	98	84-119	4	12
Surrogate: Dibromofluoromethane	6050069			ug/L					99	100	89-119		
Surrogate: Toluene-d8	6050069			ug/L					100	99	91-109		
Surrogate: 4-Bromo/fluorobenzene	6050069			ug/L					102	101	89-114		
QC Source Sample: WPD1116-02													
Benzene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.4	51.0	101	102	80-121	1	11
Bromobenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.3	49.3	101	99	70-130	2	20
Bromochloromethane	6050107	<0.50	50.0	ug/L	0.50	1.7	48.6	50.0	97	100	70-130	3	20
Bromodichloromethane	6050107	<0.20	50.0	ug/L	0.20	0.67	51.2	51.4	102	103	70-130	0	20
Bromoform	6050107	<0.20	50.0	ug/L	0.20	0.67	51.9	50.6	104	101	70-130	3	20
Bromomethane	6050107	<0.20	50.0	ug/L	0.20	0.67	47.5	49.1	95	98	70-130	3	20
n-Butylbenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.2	49.8	100	100	70-130	1	20

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPD1116-02													
sec-Butylbenzene	6050107	<0.25	50.0	ug/L	0.25	0.83	48.3	48.4	97	97	70-130	0	20
tert-Butylbenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	48.5	48.7	97	97	70-130	0	20
Carbon Tetrachloride	6050107	<0.50	50.0	ug/L	0.50	1.7	51.8	51.2	104	102	70-130	1	20
Chlorobenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.8	50.1	102	100	85-116	1	9
Chlorodibromomethane	6050107	<0.20	50.0	ug/L	0.20	0.67	50.0	49.9	100	100	70-130	0	20
Chloroethane	6050107	<1.0	50.0	ug/L	1.0	3.3	54.6	55.7	109	111	70-130	2	20
Chloroform	6050107	<0.20	50.0	ug/L	0.20	0.67	51.4	52.7	103	105	70-130	2	20
Chloromethane	6050107	<0.20	50.0	ug/L	0.20	0.67	47.4	47.2	95	94	70-130	0	20
2-Chlorotoluene	6050107	<0.50	50.0	ug/L	0.50	1.7	50.6	53.1	101	106	70-130	5	20
4-Chlorotoluene	6050107	<0.20	50.0	ug/L	0.20	0.67	53.6	49.4	107	99	70-130	8	20
1,2-Dibromo-3-chloropropane	6050107	<0.50	50.0	ug/L	0.50	1.7	48.6	46.8	97	94	70-130	4	20
1,2-Dibromoethane (EDB)	6050107	<0.20	50.0	ug/L	0.20	0.67	51.3	50.5	103	101	70-130	2	20
Dibromomethane	6050107	<0.20	50.0	ug/L	0.20	0.67	50.2	51.0	100	102	70-130	2	20
1,2-Dichlorobenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	47.8	47.9	96	96	70-130	0	20
1,3-Dichlorobenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	47.7	48.0	95	96	70-130	1	20
1,4-Dichlorobenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	47.5	47.9	95	96	70-130	1	20
Dichlorodifluoromethane	6050107	<0.50	50.0	ug/L	0.50	1.7	41.3	40.8	83	82	70-130	1	20
1,1-Dichloroethane	6050107	<0.50	50.0	ug/L	0.50	1.7	52.5	53.6	105	107	70-130	2	20
1,2-Dichloroethane	6050107	<0.50	50.0	ug/L	0.50	1.7	52.4	53.9	105	108	70-130	3	20
1,1-Dichloroethene	6050107	<0.50	50.0	ug/L	0.50	1.7	52.2	53.3	104	107	72-131	2	17
cis-1,2-Dichloroethene	6050107	<0.50	50.0	ug/L	0.50	1.7	51.6	52.7	103	105	70-130	2	20
trans-1,2-Dichloroethene	6050107	<0.50	50.0	ug/L	0.50	1.7	51.3	52.5	103	105	70-130	2	20
1,2-Dichloropropane	6050107	<0.50	50.0	ug/L	0.50	1.7	50.3	50.0	101	100	70-130	1	20
1,3-Dichloropropane	6050107	<0.25	50.0	ug/L	0.25	0.83	51.5	51.4	103	103	70-130	0	20
2,2-Dichloropropane	6050107	<0.50	50.0	ug/L	0.50	1.7	46.7	46.4	93	93	70-130	1	20
1,1-Dichloropropene	6050107	<0.50	50.0	ug/L	0.50	1.7	50.3	49.7	101	99	70-130	1	20
cis-1,3-Dichloropropene	6050107	<0.20	50.0	ug/L	0.20	0.67	49.8	49.2	100	98	70-130	1	20
trans-1,3-Dichloropropene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.4	50.5	101	101	70-130	0	20
Isopropyl Ether	6050107	<0.50	50.0	ug/L	0.50	1.7	54.1	55.0	108	110	68-128	2	16
Ethylbenzene	6050107	<0.50	50.0	ug/L	0.50	1.7	48.8	47.8	98	96	83-118	2	13
Hexachlorobutadiene	6050107	<0.50	50.0	ug/L	0.50	1.7	44.8	45.1	90	90	70-130	1	20
Isopropylbenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.8	50.1	102	100	70-130	1	20
p-Isopropyltoluene	6050107	<0.20	50.0	ug/L	0.20	0.67	52.5	51.4	105	103	70-130	2	20
Methylene Chloride	6050107	1.1	50.0	ug/L	1.0	3.3	53.0	54.8	104	107	70-130	3	20
Methyl tert-Butyl Ether	6050107	<0.50	50.0	ug/L	0.50	1.7	51.8	52.5	104	105	71-127	1	22
Naphthalene	6050107	<0.25	50.0	ug/L	0.25	0.83	53.4	53.4	107	107	70-130	0	20
n-Propylbenzene	6050107	<0.50	50.0	ug/L	0.50	1.7	50.9	49.9	102	100	70-130	2	20
Styrene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.0	49.8	100	100	70-130	0	20
1,1,1,2-Tetrachloroethane	6050107	<0.25	50.0	ug/L	0.25	0.83	51.6	51.0	103	102	70-130	1	20
1,1,2,2-Tetrachloroethane	6050107	<0.20	50.0	ug/L	0.20	0.67	53.2	52.4	106	105	70-130	2	20
Tetrachloroethene	6050107	<0.50	50.0	ug/L	0.50	1.7	49.7	48.5	99	97	70-130	2	20
Toluene	6050107	<0.20	50.0	ug/L	0.20	0.67	50.3	49.1	101	98	82-116	2	11
1,2,3-Trichlorobenzene	6050107	<0.25	50.0	ug/L	0.25	0.83	49.8	50.1	100	100	70-130	1	20
1,2,4-Trichlorobenzene	6050107	<0.25	50.0	ug/L	0.25	0.83	50.4	50.4	101	101	70-130	0	20
1,1,1-Trichloroethane	6050107	<0.50	50.0	ug/L	0.50	1.7	51.8	52.6	104	105	70-130	2	20

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q	
VOCs by SW8260B														
<i>QC Source Sample: WPD1116-02</i>														
1,1,2-Trichloroethane	6050107	<0.25	50.0	ug/L	0.25	0.83	50.7	101	102	70-130	1	20		
Trichloroethene	6050107	<0.20	50.0	ug/L	0.20	0.67	49.6	98	97	80-117	2	13		
Trichlorofluoromethane	6050107	<0.50	50.0	ug/L	0.50	1.7	49.8	100	100	70-130	0	20		
1,2,3-Trichloropropane	6050107	<0.50	50.0	ug/L	0.50	1.7	53.1	108	106	70-130	4	20		
1,2,4-Trimethylbenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	54.4	109	107	80-122	2	14		
1,3,5-Trimethylbenzene	6050107	<0.20	50.0	ug/L	0.20	0.67	52.8	106	104	83-122	2	12		
Vinyl chloride	6050107	<0.20	50.0	ug/L	0.20	0.67	48.9	98	103	70-130	5	20		
Xylenes, Total	6050107	<0.50	150	ug/L	0.50	1.7	149	147	99	98	84-119	1	12	
<i>Surrogate: Dibromofluoromethane</i>	6050107			ug/L					103	104	89-119			
<i>Surrogate: Toluene-d8</i>	6050107			ug/L					103	100	91-109			
<i>Surrogate: 4-Bromofluorobenzene</i>	6050107			ug/L					106	104	89-114			
<i>QC Source Sample: WPD1162-09</i>														
Benzene	6050125	<0.20	50.0	ug/L	0.20	0.67	50.7	49.9	101	100	80-121	2	11	
Bromobenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	48.8	47.9	98	96	70-130	2	20	
Bromochloromethane	6050125	<0.50	50.0	ug/L	0.50	1.7	52.0	47.7	104	95	70-130	9	20	
Bromodichloromethane	6050125	1.5	50.0	ug/L	0.20	0.67	52.2	49.8	101	97	70-130	5	20	
Bromoform	6050125	<0.20	50.0	ug/L	0.20	0.67	51.9	51.2	104	102	70-130	1	20	
Bromomethane	6050125	<0.20	50.0	ug/L	0.20	0.67	48.1	43.4	96	87	70-130	10	20	
n-Butylbenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	52.8	51.9	106	104	70-130	2	20	
sec-Butylbenzene	6050125	<0.25	50.0	ug/L	0.25	0.83	51.3	50.4	103	101	70-130	2	20	
tert-Butylbenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	50.0	50.5	100	101	70-130	1	20	
Carbon Tetrachloride	6050125	<0.50	50.0	ug/L	0.50	1.7	51.2	50.3	102	101	70-130	2	20	
Chlorobenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	48.8	48.9	98	98	85-116	0	9	
Chlorodibromomethane	6050125	0.49	50.0	ug/L	0.20	0.67	51.1	51.6	101	102	70-130	1	20	
Chloroethane	6050125	<1.0	50.0	ug/L	1.0	3.3	47.8	44.1	96	88	70-130	8	20	
Chloroform	6050125	6.2	50.0	ug/L	0.20	0.67	58.6	53.8	105	95	70-130	9	20	
Chloromethane	6050125	0.34	50.0	ug/L	0.20	0.67	51.1	49.3	102	98	70-130	4	20	
2-Chlorotoluene	6050125	<0.50	50.0	ug/L	0.50	1.7	48.4	47.8	97	96	70-130	1	20	
4-Chlorotoluene	6050125	<0.20	50.0	ug/L	0.20	0.67	49.9	48.6	100	97	70-130	3	20	
1,2-Dibromo-3-chloropropane	6050125	<0.50	50.0	ug/L	0.50	1.7	51.0	50.4	102	101	70-130	1	20	
1,2-Dibromoethane (EDB)	6050125	<0.20	50.0	ug/L	0.20	0.67	49.4	48.7	99	97	70-130	1	20	
Dibromomethane	6050125	<0.20	50.0	ug/L	0.20	0.67	48.2	46.8	96	94	70-130	3	20	
1,2-Dichlorobenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	49.5	49.4	99	99	70-130	0	20	
1,3-Dichlorobenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	51.2	49.2	102	98	70-130	4	20	
1,4-Dichlorobenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	49.4	48.2	99	96	70-130	2	20	
Dichlorodifluoromethane	6050125	<0.50	50.0	ug/L	0.50	1.7	51.8	47.5	104	95	70-130	9	20	
1,1-Dichloroethane	6050125	<0.50	50.0	ug/L	0.50	1.7	51.4	49.2	103	98	70-130	4	20	
1,2-Dichloroethane	6050125	<0.50	50.0	ug/L	0.50	1.7	50.4	47.4	101	95	70-130	6	20	
1,1-Dichloroethene	6050125	<0.50	50.0	ug/L	0.50	1.7	49.2	46.6	98	93	72-131	5	17	
cis-1,2-Dichloroethene	6050125	6.4	50.0	ug/L	0.50	1.7	56.0	53.2	99	94	70-130	5	20	
trans-1,2-Dichloroethene	6050125	<0.50	50.0	ug/L	0.50	1.7	50.8	48.8	102	98	70-130	4	20	
1,2-Dichloropropane	6050125	<0.50	50.0	ug/L	0.50	1.7	50.1	48.8	100	98	70-130	3	20	
1,3-Dichloropropane	6050125	<0.25	50.0	ug/L	0.25	0.83	49.9	50.6	100	101	70-130	1	20	
2,2-Dichloropropane	6050125	<0.50	50.0	ug/L	0.50	1.7	56.0	51.3	112	103	70-130	9	20	
1,1-Dichloropropene	6050125	<0.50	50.0	ug/L	0.50	1.7	52.2	49.6	104	99	70-130	5	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	% REC Limits	RPD	RPD Limit	Q	
VOCs by SW8260B															
QC Source Sample: WPD1162-09															
cis-1,3-Dichloropropene	6050125	<0.20	50.0	ug/L	0.20	0.67	50.1	50.1	100	100	70-130	0	20		
trans-1,3-Dichloropropene	6050125	<0.20	50.0	ug/L	0.20	0.67	53.1	50.4	106	101	70-130	5	20		
Isopropyl Ether	6050125	<0.50	50.0	ug/L	0.50	1.7	53.7	51.0	107	102	68-128	5	16		
Ethylbenzene	6050125	<0.50	50.0	ug/L	0.50	1.7	50.9	51.2	102	102	83-118	1	13		
Hexachlorobutadiene	6050125	<0.50	50.0	ug/L	0.50	1.7	53.1	51.1	106	102	70-130	4	20		
Isopropylbenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	52.2	52.2	104	104	70-130	0	20		
p-Isopropyltoluene	6050125	<0.20	50.0	ug/L	0.20	0.67	52.6	51.8	105	104	70-130	2	20		
Methylene Chloride	6050125	1.7	50.0	ug/L	1.0	3.3	50.3	47.7	97	92	70-130	5	20		
Methyl tert-Butyl Ether	6050125	<0.50	50.0	ug/L	0.50	1.7	51.7	48.2	103	96	71-127	7	22		
Naphthalene	6050125	<0.25	50.0	ug/L	0.25	0.83	57.8	51.3	116	103	70-130	12	20		
n-Propylbenzene	6050125	<0.50	50.0	ug/L	0.50	1.7	49.9	49.4	100	99	70-130	1	20		
Styrene	6050125	<0.20	50.0	ug/L	0.20	0.67	49.9	48.2	100	96	70-130	3	20		
1,1,1,2-Tetrachloroethane	6050125	<0.25	50.0	ug/L	0.25	0.83	50.4	51.4	101	103	70-130	2	20		
1,1,2,2-Tetrachloroethane	6050125	<0.20	50.0	ug/L	0.20	0.67	49.9	48.9	100	98	70-130	2	20		
Tetrachloroethene	6050125	1.4	50.0	ug/L	0.50	1.7	50.9	50.7	99	99	70-130	0	20		
Toluene	6050125	<0.20	50.0	ug/L	0.20	0.67	48.8	48.8	98	98	82-116	0	11		
1,2,3-Trichlorobenzene	6050125	<0.25	50.0	ug/L	0.25	0.83	53.4	51.7	107	103	70-130	3	20		
1,2,4-Trichlorobenzene	6050125	<0.25	50.0	ug/L	0.25	0.83	54.2	51.6	108	103	70-130	5	20		
1,1,1-Trichloroethane	6050125	<0.50	50.0	ug/L	0.50	1.7	51.6	48.6	103	97	70-130	6	20		
1,1,2-Trichloroethane	6050125	<0.25	50.0	ug/L	0.25	0.83	48.4	49.0	97	98	70-130	1	20		
Trichloroethene	6050125	5.8	50.0	ug/L	0.20	0.67	56.2	53.8	101	96	80-117	4	13		
Trichlorofluoromethane	6050125	<0.50	50.0	ug/L	0.50	1.7	54.2	49.5	108	99	70-130	9	20		
1,2,3-Trichloropropane	6050125	<0.50	50.0	ug/L	0.50	1.7	51.8	51.3	104	103	70-130	1	20		
1,2,4-Trimethylbenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	50.2	49.5	100	99	80-122	1	14		
1,3,5-Trimethylbenzene	6050125	<0.20	50.0	ug/L	0.20	0.67	49.6	49.2	99	98	83-122	1	12		
Vinyl chloride	6050125	<0.20	50.0	ug/L	0.20	0.67	52.3	48.8	105	98	70-130	7	20		
Xylenes, Total	6050125	<0.50	150	ug/L	0.50	1.7	151	149	101	99	84-119	1	12		
Surrogate: Dibromo Fluoromethane	6050125			ug/L					104	99	89-119				
Surrogate: Toluene-d8	6050125			ug/L						99	100	91-109			
Surrogate: 4-Bromo Fluorobenzene	6050125			ug/L					104	102	89-114				
QC Source Sample: WPE0386-02															
Benzene	6050438	<0.20	50.0	ug/L	0.20	0.67	49.4	49.0	99	98	80-121	1	11		
Bromobenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	49.4	48.4	99	97	70-130	2	20		
Bromochloromethane	6050438	<0.50	50.0	ug/L	0.50	1.7	48.8	48.7	98	97	70-130	0	20		
Bromodichloromethane	6050438	<0.20	50.0	ug/L	0.20	0.67	51.6	50.2	103	100	70-130	3	20		
Bromoform	6050438	<0.20	50.0	ug/L	0.20	0.67	52.9	50.9	106	102	70-130	4	20		
Bromomethane	6050438	<0.20	50.0	ug/L	0.20	0.67	49.4	49.4	99	99	70-130	0	20		
n-Butylbenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.4	47.8	95	96	70-130	1	20		
sec-Butylbenzene	6050438	<0.25	50.0	ug/L	0.25	0.83	47.4	47.9	95	96	70-130	1	20		
tert-Butylbenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.4	48.2	95	96	70-130	2	20		
Carbon Tetrachloride	6050438	<0.50	50.0	ug/L	0.50	1.7	52.6	52.2	105	104	70-130	1	20		
Chlorobenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	49.5	48.3	99	97	85-116	2	9		
Chlorodibromomethane	6050438	<0.20	50.0	ug/L	0.20	0.67	52.2	51.3	104	103	70-130	2	20		
Chloroethane	6050438	<1.0	50.0	ug/L	1.0	3.3	50.7	50.8	101	102	70-130	0	20		
Chloroform	6050438	<0.20	50.0	ug/L	0.20	0.67	50.8	50.4	102	101	70-130	1	20		

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPE0386-02													
Chloromethane	6050438	<0.20	50.0	ug/L	0.20	0.67	47.1	45.3	94	91	70-130	4	20
2-Chlorotoluene	6050438	<0.50	50.0	ug/L	0.50	1.7	52.2	45.9	104	92	70-130	13	20
4-Chlorotoluene	6050438	<0.20	50.0	ug/L	0.20	0.67	46.5	46.0	93	92	70-130	1	20
1,2-Dibromo-3-chloropropane	6050438	<0.50	50.0	ug/L	0.50	1.7	50.7	50.6	101	101	70-130	0	20
1,2-Dibromoethane (EDB)	6050438	<0.20	50.0	ug/L	0.20	0.67	50.4	48.9	101	98	70-130	3	20
Dibromomethane	6050438	<0.20	50.0	ug/L	0.20	0.67	51.0	50.4	102	101	70-130	1	20
1,2-Dichlorobenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.9	47.6	96	95	70-130	1	20
1,3-Dichlorobenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	48.6	48.2	97	96	70-130	1	20
1,4-Dichlorobenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.8	47.9	96	96	70-130	0	20
Dichlorodifluoromethane	6050438	<0.50	50.0	ug/L	0.50	1.7	52.8	51.9	106	104	70-130	2	20
1,1-Dichloroethane	6050438	<0.50	50.0	ug/L	0.50	1.7	52.4	51.9	105	104	70-130	1	20
1,2-Dichloroethane	6050438	<0.50	50.0	ug/L	0.50	1.7	50.5	50.3	101	101	70-130	0	20
1,1-Dichloroethene	6050438	<0.50	50.0	ug/L	0.50	1.7	51.3	51.6	103	103	72-131	1	17
cis-1,2-Dichloroethene	6050438	46	50.0	ug/L	0.50	1.7	97.0	96.3	102	101	70-130	1	20
trans-1,2-Dichloroethene	6050438	0.99	50.0	ug/L	0.50	1.7	52.7	50.1	103	98	70-130	5	20
1,2-Dichloropropane	6050438	<0.50	50.0	ug/L	0.50	1.7	48.6	48.3	97	97	70-130	1	20
1,3-Dichloropropane	6050438	<0.25	50.0	ug/L	0.25	0.83	50.1	50.3	100	101	70-130	0	20
2,2-Dichloropropane	6050438	<0.50	50.0	ug/L	0.50	1.7	55.7	54.1	111	108	70-130	3	20
1,1-Dichloropropene	6050438	<0.50	50.0	ug/L	0.50	1.7	50.9	50.4	102	101	70-130	1	20
cis-1,3-Dichloropropene	6050438	<0.20	50.0	ug/L	0.20	0.67	51.6	51.0	103	102	70-130	1	20
trans-1,3-Dichloropropene	6050438	<0.20	50.0	ug/L	0.20	0.67	51.2	51.6	102	103	70-130	1	20
Isopropyl Ether	6050438	<0.50	50.0	ug/L	0.50	1.7	50.3	50.5	101	101	68-128	0	16
Ethylbenzene	6050438	<0.50	50.0	ug/L	0.50	1.7	49.0	47.9	98	96	83-118	2	13
Hexachlorobutadiene	6050438	<0.50	50.0	ug/L	0.50	1.7	43.8	43.2	88	86	70-130	1	20
Isopropylbenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	48.7	48.2	97	96	70-130	1	20
p-Isopropyltoluene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.7	47.6	95	95	70-130	0	20
Methylene Chloride	6050438	<1.0	50.0	ug/L	1.0	3.3	50.5	50.6	101	101	70-130	0	20
Methyl tert-Butyl Ether	6050438	<0.50	50.0	ug/L	0.50	1.7	50.2	50.7	100	101	71-127	1	22
Naphthalene	6050438	<0.25	50.0	ug/L	0.25	0.83	44.1	45.6	88	91	70-130	3	20
n-Propylbenzene	6050438	<0.50	50.0	ug/L	0.50	1.7	47.8	48.1	96	96	70-130	1	20
Styrene	6050438	<0.20	50.0	ug/L	0.20	0.67	49.0	50.9	98	102	70-130	4	20
1,1,1,2-Tetrachloroethane	6050438	<0.25	50.0	ug/L	0.25	0.83	50.2	48.6	100	97	70-130	3	20
1,1,2,2-Tetrachloroethane	6050438	<0.20	50.0	ug/L	0.20	0.67	48.6	47.5	97	95	70-130	2	20
Tetrachloroethene	6050438	<0.50	50.0	ug/L	0.50	1.7	50.8	49.4	102	99	70-130	3	20
Toluene	6050438	<0.20	50.0	ug/L	0.20	0.67	49.1	48.5	98	97	82-116	1	11
1,2,3-Trichlorobenzene	6050438	<0.25	50.0	ug/L	0.25	0.83	45.4	46.2	91	92	70-130	2	20
1,2,4-Trichlorobenzene	6050438	<0.25	50.0	ug/L	0.25	0.83	46.8	47.0	94	94	70-130	0	20
1,1,1-Trichloroethane	6050438	<0.50	50.0	ug/L	0.50	1.7	53.0	52.1	106	104	70-130	2	20
1,1,2-Trichloroethane	6050438	<0.25	50.0	ug/L	0.25	0.83	50.2	50.6	100	101	70-130	1	20
Trichloroethene	6050438	200	50.0	ug/L	0.20	0.67	256	243	112	86	80-117	5	13
Trichlorofluoromethane	6050438	<0.50	50.0	ug/L	0.50	1.7	53.6	53.0	107	106	70-130	1	20
1,2,3-Trichloropropane	6050438	<0.50	50.0	ug/L	0.50	1.7	48.3	47.8	97	96	70-130	1	20
1,2,4-Trimethylbenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.6	48.9	95	98	80-122	3	14
1,3,5-Trimethylbenzene	6050438	<0.20	50.0	ug/L	0.20	0.67	47.2	48.0	94	96	83-122	2	12
Vinyl chloride	6050438	<0.20	50.0	ug/L	0.20	0.67	52.2	51.7	104	103	70-130	1	20

TestAmerica

ANALYTICAL TESTING CORPORATION

602 Commerce Drive Watertown, WI 53094 * 800-833-7036 * Fax 920-261-8120

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup Result	% REC	RPD	RPD Limit	Q
VOCs by SW8260B													
QC Source Sample: WPE0386-02													
Xylenes, Total	6050438	<0.50	150	ug/L	0.50	1.7	144	144	96	96	84-119	0	12
<i>Surrogate: Dibromoformmethane</i>	6050438			ug/L					101	101	89-119		
<i>Surrogate: Toluene-d8</i>	6050438			ug/L					98	96	91-109		
<i>Surrogate: 4-Bromofluorobenzene</i>	6050438			ug/L					103	99	89-114		

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Steve Smith

Work Order: WPD1110
Project: 1764 Stoughton Landfill
Project Number: 1764

Received: 04/27/06
Reported: 05/15/06 15:20

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

Method	Matrix	Nelac	Wisconsin
SW 8260B	Water - NonPotable	X	X

DATA QUALIFIERS AND DEFINITIONS

- B Analyte was detected in the associated Method Blank.
- H Sample analysis performed past method-specified holding time.
- J Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- M12 The MS and/or MSD were below the acceptance limits. See calibration verification (CCV)
- P The sample, as received, was not preserved in accordance to the referenced analytical method.
- P-HS Sample container contained headspace.
- S6 Sediment present.
- Z6 Surrogate recovery was below acceptance limits.

ADDITIONAL COMMENTS

ATTACHMENT B

Groundwater Monitoring Data Certification Form (with Exceedance Report)



Received

July 7, 2006

JUL 11 2006

REMEDIATION &
REDEVELOPMENT

Wisconsin Department of Natural Resources
Bureau of Waste Management
GEMS Data Submittal Contact WA/3
101 South Webster Street
Madison, WI 53702

SUBJECT: Environmental Monitoring Data Certification Form
Stoughton City Landfill
Amundson Parkway, Stoughton, WI
FID # 113005950 - License #133
U.S. EPA ID#WID980901219
BT² Project #1764

Dear Sirs:

I have enclosed the Environmental Monitoring Data Certification Form along with the exceedance notification and data disk for the Stoughton City Landfill site for the April 2006 sampling event.

A copy of the Environmental Monitoring Data Certification Form along with the exceedance notification will also be sent to the WDNR Project Manager Gary Edelstein.

If you have any questions or need additional information, please call us at (608) 224-2830.

Sincerely,
BT², Inc.

A handwritten signature in black ink that appears to read "Steven B. Smith".

Steven B. Smith
Environmental Specialist

A handwritten signature in black ink that appears to read "Leslie A. Busse".

Leslie A. Busse, P.E.
Project Manager

Attachment: Exceedance Notification
April 2006 Data Disk

cc: Gary Edelstein, WDNR

I:\1764\Reports\GW Reports\2006 Reports\Data_Cert_060706_ltr.doc

State of Wisconsin
Department of Natural Resources

Environmental Monitoring Data Certification

Form 4400-231(R 1/04)

Notice: Personally identifiable information collected will be used for program administration and enforcement purposes. The Department may also provide this information to requesters as required under Wisconsin's Open Records law, ss. 19.31 to 19.39, Wis. Stats. When submitting monitoring data, the owner or operator of the facility, practice or activity is required to notify the Department in writing that a groundwater standard or an explosive gas level has been attained or exceeded, as specified in ss. NR 140.24(1)(a); NR 140.26(1)(a); NR 507.30NR 635.14(9)(a); NR 635.18(20) and NR 507.30, Wis. Adm. Code. Failure to report may result in fines, forfeitures or other penalties resulting from enforcement under ss. 289.97, 291.97 or 299.95, Wis. Stats.

Instructions:

- Prepare one form for each license or monitoring ID.
- Please type or print legibly.
- Attach a notification of any values that attain or exceed groundwater standards (that is, preventive action limits, enforcement standards or alternative concentration limits). The notification must include a preliminary analysis of the cause and significance of each value.
- Attach a notification of any gas values that attain or exceed explosive gas levels.
- Send the original signed form, any notification, and Electronic Data Deliverable [EDD] to: GEMS Data Submittal Contact - WA/3 Bureau of Waste Management Wisconsin Department of Natural Resources 101 South Webster Street Madison WI 53707-7921

Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

BT2, Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Mari Bull, Project Assistant Phone: (608) 467-1512

E-mail: mbull@bt2inc.com

Facility name:	License # / Monitoring ID	Facility ID [FID]	Actual sampling dates (e.g., July 2-6, 2003)
Stoughton City Landfill	133	113005950	April 26, 2006

The enclosed results are for sampling required in the month(s) of: (e.g., June 2003)

April 2006

Type of Data Submitted (Check all that apply)

- Groundwater monitoring data from monitoring wells
 Groundwater monitoring data from private water supply wells
 Leachate monitoring data

- Gas monitoring data
 Air monitoring data
 Other (specify) _____

Notification attached?

- No. No groundwater standards or explosive gas limits were exceeded.
 Yes, a notification of values exceeding a groundwater standard is attached. It includes a list of monitoring points, dates, sample values, groundwater standard and preliminary analysis of the cause and significance of any concentration.
 Yes, a notification of values exceeding an explosive gas limit is attached. It includes the monitoring points, dates, sample values and explosive gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards.

Steve B. Smith Environmental Specialist (608) 224-2230
Facility Representative Name (Print) Title (Area Code) Telephone No.

Signature

Steve B. Smith

7/7/06

Date

FOR DNR USE ONLY. Check action taken, and record date and your initials. Describe on back side if necessary.

- Found uploading problems on _____ Initials _____
 Notified contact of problems on _____ Uploaded data successfully on _____

EDD format(s): Diskette CD (initial submittal and follow-up) E-mail (follow-up only) Other _____

Environmental Monitoring Database Detail Report

Query Criteria: Reporting Period: 4/1/06

Site: Stoughton City Landfill

License #: 133

Reporting Period: April 2006

Agency: 1 (1 = Client)

Point Name: MW03D

DNR ID: 112

Sample Date: 04/26/06

Mult Sample ID: 01

Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.72									
	ph-Field (standard units)	400	7.25									
	Specific conductance-field (umhos/cm @ 25c)	94	1113									
	Temperature, water (degrees centigrade)	10	13.8									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111002	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	31 B	F	M	M	0.5	1.7		05/02/06	WPD111002	I28053530
Record Count Subtotal: 9												

Point Name: MW04D

DNR ID: 115

Sample Date: 04/26/06

Mult Sample ID: 01

Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	Yes									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.28									
	ph-Field (standard units)	400	7.33									
	Specific conductance-field (umhos/cm @ 25c)	94	1104									
	Temperature, water (degrees centigrade)	10	12.5									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111003	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	2.2 B	F	M	M	0.5	1.7		05/02/06	WPD111003	I28053530
Record Count Subtotal: 9												

Point Name: MW05D

DNR ID: 117

Sample Date: 04/26/06

Mult Sample ID: 01

Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	Yes									
	Comment, sample odor	1	Yes									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.65									
	ph-Field (standard units)	400	7.14									
	Specific conductance-field (umhos/cm @ 25c)	94	975									
	Temperature, water (degrees centigrade)	10	13.5									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	5.1	M	M	M	0.5	1.7		05/02/06	WPD111004	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	3 B	F	M	M	0.5	1.7		05/02/06	WPD111004	I28053530
Record Count Subtotal: 9												

Point Name: MW071		DNR ID: 119				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	842.87									
	ph-Field (standard units)	400	7.35									
	Specific conductance-field (umhos/cm @ 25c)	94	783									
	Temperature, water (degrees centigrade)	10	12.7									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111005	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	2.4 B	F	M	M	0.5	1.7		05/02/06	WPD111005	128053530
Record Count Subtotal: 9												
Point Name: MW071		Dup	DNR ID: 119			Dup	Sample Date: 04/26/06				Mult Sample ID: 02	
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111006	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	2.2 B	F	M	M	0.5	1.7		05/02/06	WPD111006	128053530
Record Count Subtotal: 2												
Point Name: MW081		DNR ID: 122				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.61									
	ph-Field (standard units)	400	7.13									
	Specific conductance-field (umhos/cm @ 25c)	94	987									
	Temperature, water (degrees centigrade)	10	14.1									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111007	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	<0.5 B	F	M	M	0.5	1.7		05/02/06	WPD111007	128053530
Record Count Subtotal: 9												
Point Name: MW09B		DNR ID: 126				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	843.85									
	ph-Field (standard units)	400	7.24									
	Specific conductance-field (umhos/cm @ 25c)	94	757									
	Temperature, water (degrees centigrade)	10	14.7									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530

Point Name: MW09B		DNR ID: 126					Sample Date: 04/26/06			Multi Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/02/06	WPD111010	128053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	0.68 J	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	6.6	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/02/06	WPD111010	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	4.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530

Point Name: MW09B		DNR ID: 126				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111010	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	<0.5 P	M	F	M	0.5	1.7		05/12/06	WPD111010	128053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111010	128053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111010	128053530

Record Count Subtotal: 68

Point Name: MW09I		DNR ID: 125				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.06									
	ph-Field (standard units)	400	7.37									
	Specific conductance-field (umhos/cm @ 25c)	94	808									
	Temperature, water (degrees centigrade)	10	11.7									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530

Point Name: MW091		DNR ID: 125				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Benzene (ug/l)	34030	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Bromochloromethane (ug/l)	77297	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Bromomethane (ug/l)	34413	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Chloroethane (ug/l)	34311	<2	M	M	M	2	6.6		05/02/06	WPD111009	128053530
SW 8260B	Chloroform (ug/l)	32106	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Chloromethane (ug/l)	34418	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	80	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<2	M	M	M	2	6.6		05/02/06	WPD111009	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	11	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	Naphthalene (ug/l)	34696	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111009	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Styrene (ug/l)	77128	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	<1	M	M	M	1	3.4		05/02/06	WPD111009	128053530

Point Name: MW091		DNR ID: 125				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Tetrahydrofuran (ug/l)	81607	6.3 B	F	M	M	I	3.4		05/02/06	WPD111009	I28053530
SW 8260B	Toluene (ug/l)	34010	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	I28053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<1	M	M	M	I	3.4		05/02/06	WPD111009	I28053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	I28053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	I28053530
SW 8260B	Trichloroethylene (ug/l)	39180	0.8 J	M	M	M	0.4	1.3		05/02/06	WPD111009	I28053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.4	M	M	M	0.4	1.3		05/02/06	WPD111009	I28053530
SW 8260B	Xylenes (ug/l)	81551	<1	M	M	M	I	3.4		05/02/06	WPD111009	I28053530
Record Count Subtotal:		68										

Point Name: MW095		DNR ID: 124				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	Yes									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	Yes									
	Groundwater elevation (ft MSL)	4189	844.57									
	ph-Field (standard units)	400	7.78									
	Specific conductance-field (umhos/cm @ 25c)	94	658									
	Temperature, water (degrees centigrade)	10	11.7									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<1.2	M	M	M	1.2	4.2		05/02/06	WPD111008	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<1.2	M	M	M	1.2	4.2		05/02/06	WPD111008	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<1.2	M	M	M	1.2	4.2		05/02/06	WPD111008	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<1.2	M	M	M	1.2	4.2		05/02/06	WPD111008	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<1.2	M	M	M	1.2	4.2		05/02/06	WPD111008	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	Benzene (ug/l)	34030	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530
SW 8260B	Bromochloromethane (ug/l)	77297	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	I28053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<1	M	M	M	I	3.4		05/02/06	WPD111008	I28053530

Point Name: MW09S		DNR ID: I24				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Bromomethane (ug/l)	34413	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<1.2	M	M	M	I.2	4.2		05/02/06	WPD111008	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Chloroethane (ug/l)	34311	<5	M	M	M	5	16		05/02/06	WPD111008	128053530
SW 8260B	Chloroform (ug/l)	32106	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Chloromethane (ug/l)	34418	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Dibromomethane (ug/l)	77596	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	200	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<5	M	M	M	5	16		05/02/06	WPD111008	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Naphthalene (ug/l)	34696	<1.2	M	M	M	I.2	4.2		05/02/06	WPD111008	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Styrene (ug/l)	77128	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	11 B	F	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	Toluene (ug/l)	34010	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Tribromomethane (ug/l)	32104	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Trichloroethylene (ug/l)	39180	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Vinyl chloride (ug/l)	39175	<1	M	M	M	I	3.4		05/02/06	WPD111008	128053530
SW 8260B	Xylenes (ug/l)	81551	<2.5	M	M	M	2.5	8.5		05/02/06	WPD111008	128053530

Record Count Subtotal: 68

Point Name: MW101		DNR ID: 128				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	Yes									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	845.86									
	ph-Field (standard units)	400	7.2									
	Specific conductance-field (umhos/cm @ 25c)	94	739									
	Temperature, water (degrees centigrade)	10	11.3									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/03/06	WPD111012	128053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	0.92 J	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Dibromo-chloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530

Point Name: MW101		DNR ID: 128				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	99	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/03/06	WPD111012	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111012	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	2.2	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	3.5 P	M	F	M	0.5	1.7		05/12/06	WPD111012	128053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Trichloroethylene (ug/l)	39180	1.1	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Vinyl chloride (ug/l)	39175	0.48 J	M	M	M	0.2	0.67		05/03/06	WPD111012	128053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111012	128053530

Record Count Subtotal: 68

Point Name: MW101		Dup	DNR ID: 128				Dup	Sample Date: 04/26/06				Mult Sample ID: 02	
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID	
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	128053530	
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	128053530	
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	128053530	
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	128053530	
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	128053530	
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	128053530	
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	128053530	
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	128053530	
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	128053530	
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	128053530	

Point Name: MW101		Dup	DNR ID: 128			Dup	Sample Date: 04/26/06			Mult Sample ID: 02		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	I28053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/03/06	WPD111013	I28053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	0.93 J	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	100	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/03/06	WPD111013	I28053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	0.54 J	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111013	I28053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530

Point Name: MW10I		Dup	DNR ID: 128			Dup	Sample Date: 04/26/06			Mult Sample ID: 02		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	2.2	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	3.8 P	M	F	M	0.5	1.7		05/12/06	WPD111013	I28053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Trichloroethylene (ug/l)	39180	1.1	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Vinyl chloride (ug/l)	39175	0.32 J	M	M	M	0.2	0.67		05/03/06	WPD111013	I28053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111013	I28053530
Record Count Subtotal: 61												

Point Name: MW10S		DNR ID: 127			Sample Date: 04/26/06			Mult Sample ID: 01				
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	Yes									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	Yes									
	Groundwater elevation (ft MSL)	4189	843.15									
	pH-Field (standard units)	400	7.33									
	Specific conductance-field (umhos/cm @ 25c)	94	669									
	Temperature, water (degrees centigrade)	10	11.3									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	I28053530

Point Name: MW10S		DNR ID: 127				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/02/06	WPD111011	128053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Dibromoethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	1.4 J	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/02/06	WPD111011	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111011	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	1 JP	M	F	M	0.5	1.7		05/12/06	WPD111011	128053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111011	128053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111011	128053530

Point Name: MW10S		DNR ID: 127				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
Record Count Subtotal: 68												
Point Name: MW13I		DNR ID: 131				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	Yes									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	853.02									
	ph-Field (standard units)	400	5.75									
	Specific conductance-field (umhos/cm @ 25c)	94	510									
	Temperature, water (degrees centigrade)	10	14.9									
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	1.2 J	M	M	M	0.5	1.7		05/03/06	WPD111014	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	9.1 B	F	M	M	0.5	1.7		05/03/06	WPD111014	I28053530
Record Count Subtotal: 9												
Point Name: MW14I		DNR ID: 134				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.19									
	ph-Field (standard units)	400	7.3									
	Specific conductance-field (umhos/cm @ 25c)	94	710									
	Temperature, water (degrees centigrade)	10	12.5									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530

Point Name: MW14I		DNR ID: I34				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/03/06	WPD111016	I28053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	0.5 J	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	120	M	M	M	2.5	8.5		05/02/06	WPD111016	I28053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/03/06	WPD111016	I28053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111016	I28053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	1.1 J	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	2.4 JP	M	F	M	1	3.4		05/12/06	WPD111016	I28053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530

Point Name: MW14I		DNR ID: 134				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Trichloroethylene (ug/l)	39180	1.3	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Vinyl chloride (ug/l)	39175	0.33 J	M	M	M	0.2	0.67		05/03/06	WPD111016	I28053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111016	I28053530
Record Count Subtotal: 68												
Point Name: MW14S		DNR ID: 133				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
	Comment, sample color	2	No									
	Comment, sample odor	1	No									
	Comment, sample turbidity	3	No									
	Groundwater elevation (ft MSL)	4189	844.27									
	ph-Field (standard units)	400	7.33									
	Specific conductance-field (umhos/cm @ 25c)	94	580									
	Temperature, water (degrees centigrade)	10	12.9									
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	1.4 J	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,2-Dichloropropene (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530

Point Name: MW14S		DNR ID: 133				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/03/06	WPD111015	I28053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	93	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/03/06	WPD111015	I28053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/03/06	WPD111015	I28053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	2.8	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	<0.5 P	M	F	M	0.5	1.7		05/12/06	WPD111015	I28053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Trichloroethylene (ug/l)	39180	1.4	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		05/03/06	WPD111015	I28053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/03/06	WPD111015	I28053530

Record Count Subtotal: 68

Point Name: Rinsate Blank		DNR ID: 997				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530

Point Name: Rinsate Blank		DNR ID: 997				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Bromodichloromethane (ug/l)	32101	0.67	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/02/06	WPD111017	I28053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Dibromochloromethane (ug/l)	32105	1.5	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/02/06	WPD111017	I28053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530

Point Name: Rinsate Blank		DNR ID: 997				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111017	I28053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	0.98 J	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	<0.5 P	M	F	M	0.5	1.7		05/12/06	WPD111017	I28053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	trans-1,2-Dichloroethylene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Tribromomethane (ug/l)	32104	1.6	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111017	I28053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111017	I28053530

Record Count Subtotal: 61

Point Name: Trip Blank		DNR ID: 999				Sample Date: 04/26/06			Mult Sample ID: 01			
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	1,1,1,2-Tetrachloroethane (ug/l)	77562	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	I28053530
SW 8260B	1,1,1-Trichloroethane (ug/l)	34506	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,1,2,2-Tetrachloroethane (ug/l)	34516	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530
SW 8260B	1,1,2-Trichloroethane (ug/l)	34511	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	I28053530
SW 8260B	1,1-Dichloroethane (ug/l)	34496	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,1-Dichloroethylene (ug/l)	34501	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,1-Dichloropropene (ug/l)	77168	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,2,3-Trichlorobenzene (ug/l)	77613	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	I28053530
SW 8260B	1,2,3-Trichloropropane (ug/l)	77443	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,2,4-Trichlorobenzene (ug/l)	34551	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	I28053530
SW 8260B	1,2,4-Trimethylbenzene (ug/l)	77222	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530
SW 8260B	1,2-Dibromo-3-Chloropropane (ug/l)	38437	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,2-Dibromoethane (EDB) (ug/l)	77651	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530
SW 8260B	1,2-Dichloroethane (ug/l)	32103	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,2-Dichloropropane (ug/l)	34541	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	1,3,5-Trimethylbenzene (ug/l)	77226	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530
SW 8260B	1,3-Dichloropropane (ug/l)	77173	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	I28053530
SW 8260B	2,2-Dichloropropane (ug/l)	77170	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	I28053530
SW 8260B	Benzene (ug/l)	34030	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530
SW 8260B	Bromobenzene (ug/l)	81555	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	I28053530

Point Name: Trip Blank		DNR ID: 999				Sample Date: 04/26/06				Mult Sample ID: 01		
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
SW 8260B	Bromochloromethane (ug/l)	77297	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Bromodichloromethane (ug/l)	32101	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Bromomethane (ug/l)	34413	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Butylbenzene, n- (ug/l)	77342	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Butylbenzene, sec- (ug/l)	77350	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	128053530
SW 8260B	Butylbenzene, tert- (ug/l)	77353	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Carbon tetrachloride (ug/l)	32102	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Chlorobenzene (ug/l)	34301	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Chloroethane (ug/l)	34311	<1	M	M	M	1	3.3		05/02/06	WPD111001	128053530
SW 8260B	Chloroform (ug/l)	32106	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Chloromethane (ug/l)	34418	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	cis-1,2-Dichloroethene (ug/l)	77093	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	cis-1,3-Dichloropropene (ug/l)	34704	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Dibromochloromethane (ug/l)	32105	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Dibromomethane (ug/l)	77596	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Dichlorodifluoromethane (ug/l)	34668	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Dichloromethane (ug/l)	34423	<1	M	M	M	1	3.3		05/02/06	WPD111001	128053530
SW 8260B	Diisopropyl ether (ug/l)	81577	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Ethylbenzene (ug/l)	78113	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Fluorotrichloromethane (ug/l)	34488	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Hexachlorobutadiene (ug/l)	34391	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Isopropylbenzene (ug/l)	77223	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	m-Dichlorobenzene (ug/l)	34566	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Methyl-tert-butyl ether (ug/l)	78032	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Naphthalene (ug/l)	34696	<0.25	M	M	M	0.25	0.83		05/02/06	WPD111001	128053530
SW 8260B	n-Propylbenzene (ug/l)	77224	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	o-Chlorotoluene (ug/l)	77275	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	o-Dichlorobenzene (ug/l)	34536	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	p-Chlorotoluene (ug/l)	77277	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	p-Dichlorobenzene (ug/l)	34571	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	p-Isopropyltoluene (ug/l)	77356	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Styrene (ug/l)	77128	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Tetrachloroethylene (ug/l)	34475	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Tetrahydrofuran (ug/l)	81607	<0.5	F	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	Toluene (ug/l)	34010	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	trans-1,2-Dichloroethene, total (ug/l)	34546	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530
SW 8260B	trans-1,3-Dichloropropene (ug/l)	34699	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Tribromomethane (ug/l)	32104	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Trichloroethylene (ug/l)	39180	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Vinyl chloride (ug/l)	39175	<0.2	M	M	M	0.2	0.67		05/02/06	WPD111001	128053530
SW 8260B	Xylenes (ug/l)	81551	<0.5	M	M	M	0.5	1.7		05/02/06	WPD111001	128053530

Point Name: Trip Blank	DNR ID: 999	Sample Date: 04/26/06	Mult Sample ID: 01									
Method #	Parameter	Param #	Report Value	QC1	QC2	QC3	LOD	LOQ	RL	Analysis Date	Lab Sample #	Lab Cert ID
Record Count Subtotal: 61												

Record Count Total: 715

NR 140 Exceedance Summary (By Parameter)

Site ID: 133
 Site Name: Stoughton City Landfill
 Reporting Period: April 2006

Parameter	Well	Result	PAL	ES	Exceedance Type
Tetrachloroethylene (ug/l)	MW10I	2.2	0.5	5	PAL
	MW10I	2.2	0.5	5	PAL
	MW14I	1.1 J	0.5	5	PAL
	MW14S	2.8	0.5	5	PAL
Tetrahydrofuran (ug/l)	MW03D	31 B	10	50	PAL
	MW09S	11 B	10	50	PAL
Trichloroethylene (ug/l)	MW09I	0.8 J	0.5	5	PAL
	MW10I	1.1	0.5	5	PAL
	MW10I	1.1	0.5	5	PAL
	MW14I	1.3	0.5	5	PAL
	MW14S	1.4	0.5	5	PAL
Vinyl chloride (ug/l)	MW10I	0.32 J	0.02	0.2	ES
	MW10I	0.48 J	0.02	0.2	ES
	MW14I	0.33 J	0.02	0.2	ES

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in blank.

P Did not meet required preservation and/or hold time.

M Failed method QC check.

* PAL or ES is an Alternative Concentration Limit.

NR 140 Exceedance Summary (By Well)

Site ID: 133
Site Name: Stoughton City Landfill
Reporting Period: April 2006

Well	Parameter	Result	Exceedance		
			PAL	ES	Type
MW03D	Tetrahydrofuran (ug/l)	31 B	10	50	PAL
MW09I	Trichloroethylene (ug/l)	0.8 J	0.5	5	PAL
MW09S	Tetrahydrofuran (ug/l)	11 B	10	50	PAL
MW10I	Tetrachloroethylene (ug/l)	2.2	0.5	5	PAL
	Tetrachloroethylene (ug/l)	2.2	0.5	5	PAL
	Trichloroethylene (ug/l)	1.1	0.5	5	PAL
	Trichloroethylene (ug/l)	1.1	0.5	5	PAL
	Vinyl chloride (ug/l)	0.32 J	0.02	0.2	ES
	Vinyl chloride (ug/l)	0.48 J	0.02	0.2	ES
MW14I	Tetrachloroethylene (ug/l)	1.1 J	0.5	5	PAL
	Trichloroethylene (ug/l)	1.3	0.5	5	PAL
	Vinyl chloride (ug/l)	0.33 J	0.02	0.2	ES
MW14S	Tetrachloroethylene (ug/l)	2.8	0.5	5	PAL
	Trichloroethylene (ug/l)	1.4	0.5	5	PAL

J Result is an estimated value below the laboratory's limit of quantitation.

B Compound detected in QC blank.

P Did not meet required preservation or hold time.

M Failed method QC check.

* PAL or ES is Alternative Concentration Limit.

ATTACHMENT C

Inspection Report and Bi-Monthly Gas Monitoring Reports

Operation and Maintenance Periodic Inspection Report
Stoughton City Landfill
Stoughton, Wisconsin

Inspector Steve Smith
Company BT², Inc.
Project Stoughton City LF
Location Stoughton, WI
Date/Time 4/26/06
Project No. # 1764

Weather	Sunny	Clear	P. Cloudy	Cloudy	Fog
Temperature	50°F ↑	High	F	---	---
Wind	Lt. breeze	Calm	Medium	High	---
Precipitation	None	Rain	Light	Moderate	Heavy

Type of Inspection Routine Special

Persons/Equipment Present: S. Smith, BT² Equipment → GEM2000 Landfill Gas Meter,
ThermPro (+3)

General Description of Site Conditions: Good condition. Cover grass is growing nicely. Small repair issue with the perimeter fence.

Specific Inspection Items	Potential Problem Areas	Status*	Notes
Perimeter Security Fencing	Broken boards/vandalism	(2)	Broken boards near mud well rest. Broken boards near mud well rest
Entrance Gate and Locking Mechanism	Lock broken/missing, mechanism inoperative	1	Sprayed lock with lubricant (WD-40)
Monitoring Wells and Wellhead Covers	Signs of tampering, casing damaged, lock missing or damaged	1	No signs of tampering
Final Cover Vegetation	Bare spots, stressed vegetation, deep-rooted vegetation	1	Good condition
Final Cover Slope (explain below)	Gullies, lack of vegetation, subsidence, ponding	1	Good condition
Evidence of Burrowing Animals	Damage to final cover, evidence of waste	1	No evidence of burrowing
Stormwater Drainage Channels	Gullies, erosion, debris, culvert blocked	1	Good condition
Landfill Gas Venting System	Damaged vent risers, stressed vegetation	1	No damage noted
Access Road	Ponding, rutting, erosion	1	Good condition

(1) Acceptable - No Maintenance Required. (2) Not Acceptable - Identify Required Maintenance.

Summary of Deficiencies and/or Corrective Actions: Perimeter fence boards need repair.

Signature of Inspector Steve Smith

Date 4/26/06

**Bi-Monthly Report
Gas Monitoring Probes
Stoughton City Landfill
BT² Project #1764**

Probe	% LEL (as Methane)	% Oxygen	% CO ₂	PID (ppm)	Pressure (inches H ₂ O)
GMP-1	0.0	20.8	0.0	0.0	+0.02
GMP-2	0.3	20.4	0.2	0.4	+0.04
GMP-3	0.0	20.7	0.0	0.2	+0.03

Instruments Used: GEM2000 Landfill Gas Meter, Thermo PID (#3)
 Operator: S. Smith, BT² Date: 6/21/06

Weather Data

Barometric Pressure: 29.81 " Hg Temperature: 79°F
 Humidity: 66% Dewpoint: 67°F Wind: 10 mph wsw
 Ground Surface: Heavy, tall grass cover Conditions: Slightly damp

B² - Monthly Report
 Gas Monitoring Probes
 Stoughton City Landfill
 BT² Project #1764

Probe	% LEL (as Methane)	% Oxygen	% CO ₂	PID (ppm)	Pressure (inches H ₂ O)
GMP-1	0.2	20.6	0.1	0.6	+0.05
GMP-2	0.0	20.8	0.0	0.0	+0.01
GMP-3	0.3	20.5	0.0	0.4	+0.01

Instruments Used: GEM 2000 Landfill Gas meter, Thermo PID (*3)

Operator: Steve Smith, BT² Date: 4/26/06 (18:30)

Weather Data

Barometric Pressure: 29.91" Hg Temperature: 63.0°F
 Humidity: 28% Dewpoint: 28.9°F Wind: 11.5 mph Southwest
 Ground Surface: Slightly damp Conditions: Clear

**Bi - Monthly Report
Gas Monitoring Probes
Stoughton City Landfill
BT² Project #1764**

Probe	% LEL (as Methane)	% Oxygen	% CO ₂	PID (ppm)	Pressure (inches H ₂ O)
GMP-1	0.0	20.7	0.0	0.6	+0.42 -0.42
GMP-2	0.2	20.4	0.0	0.8	+0.30
GMP-3	0.1	20.5	0.0	0.2	+0.27

Instruments Used: GEN2000 Landfill Gas Meter, Thermo PID (#2)

Operator: S. Smith, BT² Date: 12/28/05 (11:30)

Weather Data

Barometric Pressure: 29.57" Hg Temperature: 50.2°F

Humidity: 100% Dewpoint: 30.2°F Wind: NNW at 10.4 mph

Ground Surface: Snow covered Conditions: Overcast, foggy

Edelstein, Gary A.

From: Steven Smith [ssmith@bt2inc.com]
Sent: Friday, July 14, 2006 11:08 AM
To: Leslie Busse; Edelstein, Gary A.
Subject: RE: Stoughton City LF Report

Attachments: Inspect.Report_060714ge.pdf



Inspect.Report_06
0714ge.pdf (9...)

Gary,

The cover letter and pictures are attached below. I'll drop the CD into the mail today.

I'm on vacation next week, but I was planning on talking to you about the fence repairs. Do you want me to work on the fence or will you make the City fix it?

An item I forgot to mention in the Inspection Report - Someone opened the drain valve on the purge water tank before I could have Safety-Kleen pump it out. Approximately 160 gallons of contaminated purge water was drained on to the ground near the MW03 well nest. I have since moved the purge water tank inside the fence and will figure out some way to put a lockout/tagout lock over the drain valve.

Thanks,
Steven

Steven B. Smith
Environmental Specialist
BT2, Inc.
2830 Dairy Drive
Madison, WI 53718
Office # (608) 224-2830 ext. 239
Mobile # (608) 225-2972
Fax # (608) 224-2839
E-Mail : ssmith@bt2inc.com

>>> "Edelstein, Gary A." <Gary.Edelstein@dnr.state.wi.us> 7/14/2006
10:52 AM >>>

Sure, send it via email, I'm drafting the letter to the City now.

-----Original Message-----

From: Steven Smith [mailto:ssmith@bt2inc.com]
Sent: Friday, July 14, 2006 10:50 AM
To: Leslie Busse; Edelstein, Gary A.
Subject: RE: Stoughton City LF Report

Gary,
It'll be on the CD. I can e-mail it also if you'd like.
Steven



November 3, 2006

Mr. Gary Edelstein
WDNR South Central Region Office
3911 Fish Hatchery Road
Fitchburg, WI 53711

Received

NOV - 8 2006

SUBJECT: Semiannual Facility Inspection Report
Task #2
Stoughton City Landfill
FID #113005950 – License #133
U.S. EPA ID #WID980901219
WDNR Purchase Order #NMF00000591
BT² Project #1764

**REMEDIATION &
REDEVELOPMENT**

Dear Mr. Edelstein:

This letter provides the Semiannual Facility Inspection Report for the Stoughton City Landfill site. We conducted the facility inspection at the site on October 24, 2006.

Semiannual Facility Inspection

BT², Inc. performed the semiannual facility inspection at the site on October 24, 2006 (**Attachment A**). The following inspection items were noted:

Bi-Monthly Gas Monitoring – The bi-monthly monitoring of the three perimeter gas probes was conducted on August 22 and October 24, 2006. Based on the monitoring results, it does not appear that any landfill gas is migrating to the north of the landfill. The completed Bi-Monthly Gas Monitoring Reports are included in **Attachment A**.

Landfill Cover – The landfill cover was mowed on August 22, 2006. The quality of the vegetative cover across the landfill was good. No bare spots were found, nor were signs of erosion or sparse vegetation. No ponding, drainage gullies, or other retainment of water was apparent on the cover. No evidence of burrowing animals or waste was found on the cover. The cover was soft and moist due to recent precipitation.

Stormwater Management System – No visible erosion was found in the drainage channels. The culverts were undamaged and the riprap was not clogged with any appreciable debris.

Landfill Gas Venting System – No damage was found at any of the gas venting wells and no stressed vegetation was found near the wells. All 21 gas venting well screens were clear and no further maintenance is needed at this time.

Perimeter Security Fencing – The previously damaged wooden perimeter fence boards have been repaired by the City of Stoughton. They have attached several signs declaring that further damage to the fence will result in closing of the Frisbee golf course. The wooden fence boards directly next to the east side

Mr. Gary Edelstein
November 3, 2006
Page 2

gate were pried open to allow access to the landfill. Mr. Steven Smith of BT² re-nailed the boards shut. The chain-link fencing on the north and east sides of the site are in good condition. Both gates are in good condition and the padlocks operated properly.

Monitoring Wells and Wellhead Covers – No signs of tampering, damage, or damaged locks were found at any of the site monitoring wells.

Access Road – The site access road was in very good condition with no ruts, ponding, or erosion noted.

The completed Inspection Report and the Bi-Monthly Gas Monitoring Reports are included in **Attachment A**.

If you have any questions about the report or any other aspect of the project, please call us at (608) 224-2830.

Sincerely,
BT², Inc.



Steven B. Smith
Environmental Specialist



Leslie A. Busse, P.E.
Project Manager

Enclosed: Attachment A Inspection Report and Bi-Monthly Gas Monitoring Reports

cc: Mr. Bernard J. Schorle – USEPA Region V

I:\1764\Reports\Facility Reports\2006Facility.Report2_061102.doc

ATTACHMENT A

Inspection Report and Bi-Monthly Gas Monitoring Reports

Operation and Maintenance Periodic Inspection Report
Stoughton City Landfill
Stoughton, Wisconsin

Inspector

S. Smith

Company

BT² Inc.

Project

Stoughton City LF

Location

Stoughton, WI

Date/Time

10/24/06 13:00

Project No.

#1764

Weather	P. Cloudy	Clear	P. Cloudy	Cloudy	Fog
Temperature	~ 45	High	F	---	---
Wind	Relatively calm	Calm	Medium	High	---
Precipitation	None	Rain	Light	Moderate	Heavy
		Snow	Light	Moderate	Heavy

Type of Inspection Routine Special

Persons/Equipment Present: S. Smith, BT² GEM2000 LF6 Meter, Thermo PID (+1)

General Description of Site Conditions: Site is in good shape. Mowed last month and looks very good.

Specific Inspection Items	Potential Problem Areas	Status*	Notes
Perimeter Security Fencing	Broken boards/vandalism	1	Force boards recently repaired by city of Stoughton. East gate boards painted open; remained shut.
Entrance Gate and Locking Mechanism	Lock broken/missing, mechanism inoperative	1	Checked - OK. Sprayed with WD-40
Monitoring Wells and Wellhead Covers	Signs of tampering, casing damaged, lock missing or damaged	1	No damage or tampering evident
Final Cover Vegetation	Bare spots, stressed vegetation, deep-rooted vegetation	1	Very wet and soft. Grass in good condition
Final Cover Slope (explain below)	Gullies, lack of vegetation, subsidence, ponding	1	Good shape.
Evidence of Burrowing Animals	Damage to final cover, evidence of waste	1	No damage visible
Stormwater Drainage Channels	Gullies, erosion, debris, culvert blocked	1	In good condition
Landfill Gas Venting System	Damaged vent risers, stressed vegetation	1	Good condition
Access Road	Ponding, rutting, erosion	1	Good condition

*(1) Acceptable - No Maintenance Required. (2) Not Acceptable - Identify Required Maintenance.

Summary of Deficiencies and/or Corrective Actions: Mailed the east gate boards back in place.

Signature of Inspector

A. Smith

Date

10/24/06

**Bi-Monthly Report
Gas Monitoring Probes
Stoughton City Landfill
BT² Project #1764**

Probe	% LEL (as Methane)	% Oxygen	% CO ₂	PID (ppm)	Pressure (inches H ₂ O)
GMP-1	0.2	20.4 0.4	20.4	0.3	+0.31
GMP-2	0.0	20.6	0.4	0.0	+0.22
GMP-3	0.2	20.5	0.3	0.2	+0.26

Instruments Used:

GEM2000 LFG Meter, Thermo PID (#1)

Operator:

S. Smith, BT²

Date: 8/22/06 11am

Weather Data

Barometric Pressure: 29.23 " Hg (meter) 30.16 " Hg (weather page) Temperature: 75.9° F
 Humidity: 69% Dewpoint: 64.9° F Wind: Calm - 3.5 mph
 Ground Surface: Dry and firm Conditions: Clear

Bi-Monthly Report
Gas Monitoring Probes
Stoughton City Landfill
BT² Project #1764

Probe	% LEL (as Methane)	% Oxygen	% CO ₂	PID (ppm)	Pressure (inches H ₂ O)
GMP-1	0.2	20.8	0.0	0.0	+0.02
GMP-2	0.2	20.6	0.2	0.2	+0.02
GMP-3	0.2	20.6	0.0	0.0	0.00

Instruments Used: CES Landtec GEM 2000 Landfill gas meter; Terns 8700 (x1)

Operator: S. Smith, BT² Date: 10/24/06 13:00

Weather Data

Barometric Pressure: 30.23 " Hg Temperature: 42.1°F
 Humidity: 58% Dewpoint: 28.0°F Wind: NNW at 5.8 mph
 Ground Surface: Cover's out ~ soft Conditions: Good

ATTACHMENT D

Inspection Photographs

**Photograph Documentation Log
April 2006 Inspection Report
Stoughton City Landfill
BT², Inc. Project #1764**

As required in the Operation & Maintenance Plan Section 3.1 Semi-Annual Inspection Report, photographs noted will be included in the Inspection Report.

Photograph #1

Unique #1764-6/21/06-1

Date: 6/21/06

Time: 3:05 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Pryed open fence post at the West gate.

Photograph #2

Unique #1764-6/21/06-2

Date: 6/21/06

Time: 3:08 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Broken dogear of fence north of the West gate.

Photograph #3

Unique #1764-6/21/06-3

Date: 6/21/06

Time: 3:10 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Broken fence piece north of the West gate.

Photograph #4

Unique #1764-6/21/06-4

Date: 6/21/06

Time: 3:12 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Broken fence piece north of the West gate.

Photograph Documentation Log Continued

Photograph #5

Unique #1764-6/21/06-5

Date: 6/21/06

Time: 3:20 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Broken fence section on the north end of of the fence.

Photograph #6

Unique #1764-6/21/06-6

Date: 6/21/06

Time: 3:21 pm

Location: Stoughton City Landfill, Amundson Parkway, Stoughton, WI

Weather: Partly sunny, breezy, 76⁰ F

Description: Closeup of broken fence section on the north end of of the fence.

Signature of Person Documenting Problems:

Date: 7/6/06

I:\1764\Photos\[PhotoLog1_060706.xls]Sheet1

**Stoughton City Landfill
April 2006 Inspection Report
BT² Project #1764**



Photo 1: #1764-6/21/06-1



Photo 2: #1764-6/21/06-2

**Stoughton City Landfill
April 2006 Inspection Report
BT² Project #1764**



Photo 3: #1764-6/21/06-3



Photo 4: #1764-6/21/06-4

**Stoughton City Landfill
April 2006 Inspection Report
BT² Project #1764**



Photo 5: #1764-6/21/06-5




Photo 6: #1764-6/21/06-6